



ASAP-X, Automated Safety Assessment Protocol - Explosives



Mark Peterson
Department of Defense
Explosives Safety Board

14 July 2010



Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE JUL 2010		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE ASAP-X, Automated Safety Assessment Protocol -Explosives				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Defense Explosives Safety Board Alexandria, Virginia				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002313. Department of Defense Explosives Safety Board Seminar (34th) held in Portland, Oregon on 13-15 July 2010, The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Overview



- **Consequence Tool Introduced in Technical Paper 23**
- **Written in Microsoft Excel 2003 is Based on DoD 6055.09-STD**
- **Assists in Determining Explosive Operations Hazards**
- **Two Different Worksheets - ECMs and All Other PESs**
- **Calculates 6 Establish Zones (IBD is the Outermost Zone)**
- **Provides User with Potential Personnel and Building Loss Information with Minimal Input**
- **Allows User to Quickly Compare the Consequences from Explosives Hazards for Different Quantities of NEW at a PES**



Background



- **Presents a tool to standardize the deviation process and provide consequence information for explosives risk decisions**
- **Provides decision-makers an understandable and consolidated information package for reducing and managing residual risk**



Objectives




- **Provide the maximum possible protection to people and property**
- **Make informed risk decisions at the appropriate level of leadership**
- **Provide standardized information for determining and assessing explosives safety risk**





ASAP-X Tool Example Map



- A – PES**
- B – 760 FT**
- C – 300 FT**
- D – 280 FT**
- E – 600 FT**
- F – 940 FT**
- G – 1190 FT**
- H – 1050 FT**
- I – 1320 FT**
- J – 615 FT**
- K – 1350 FT**
- L – 1700 FT**





ASAP-X Tool PES Input #1




ALL OTHER PES INPUT			
HAZARD DIVISION	NEW		
1.1	40000	Is the PES an open pad?	No
1.2.1	20000		
1.2.1 MCE	451	If the PES is a structure, is it capable of stopping primary fragments?	No
1.2.2	100000		
1.2.3	100000		
1.2.3 MCE	450		
1.2.3 HFD (xx)	12		NEW in Pounds
1.3	350000		Dist in Feet
1.4	400000		Bldg Cost in \$
ES INPUT DATA			
ES Name	Dist from PES	Personnel at ES	Bldg Cost
B	760	30	\$2,500,000
C	300	3	\$500,000
D	280	3	\$750,000
E	600	18	\$2,000,000
F	940	3	\$250,000
G	1190	20	\$3,000,000
H	1050	6	\$450,000
I	1320	25	\$4,500,000
J	615	2	\$250,000
K	1350	6	\$750,000
L	1700	12	\$900,000





ASAP-X Tool PES Output #1





ASAP-X Tool PES Output #1



ES OUTPUT DATA						
ES Name	Distance From PES	Zone	Personnel at ES	Fatalities	Building Cost	Building Damage Loss
B	760	5(PTRD)	30	2.2	\$2,500,000.00	\$723,143.94
C	300	2(K9)	3	2.7	\$500,000.00	\$500,000.00
D	280	2(K9)	3	2.8	\$750,000.00	\$750,000.00
E	600	4(K18)	18	4.3	\$2,000,000.00	\$1,066,662.75
F	940	6(IBD)	3	0.1	\$250,000.00	\$41,839.84
G	1190	6(IBD)	20	0.3	\$3,000,000.00	\$296,376.92
H	1050	6(IBD)	6	0.1	\$450,000.00	\$61,735.43
I	1320	6(IBD)	25	0.3	\$4,500,000.00	\$284,118.50
J	615	4(K18)	2	0.4	\$250,000.00	\$125,520.31
K	1350	6(IBD)	6	0.1	\$750,000.00	\$41,182.05
L	1700	>IBD	12		\$900,000.00	






ASAP-X Tool PES Output #1



ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	205				
2	308	6	\$1,250,000	100%	100%
3	376				
4	616	5	\$1,192,183	53%	25%
5	821	3	\$723,144	29%	10%
6	1,368	1	\$725,253	8%	2%

TOTAL PEOPLE AFFECTED	116
TOTAL FATALITIES	15
% FATALITIES	12.93%
TOTAL BUILDING COSTS	\$14,950,000
TOTAL BLDG DAMAGE LOSS	\$3,890,580
% BUILDING DAMAGE LOSS	26.02%
TOTAL # OF ESS	10





ASAP-X Tool PES Input #2





ALL OTHER PES INPUT			
HAZARD DIVISION	NEW		
1.1	30000	Is the PES an open pad?	No
1.2.1	20000		
1.2.1 MCE	451	If the PES is a structure, is it capable of stopping primary fragments?	NEW in Pounds Dist in Feet Bldg Cost in \$
1.2.2	100000		
1.2.3	100000		
1.2.3 MCE	450		
1.2.3 HFD (xx)	12		
1.3	350000		
1.4	400000		
ES INPUT DATA			
ES Name	Dist from PES	Personnel at ES	Bldg Cost
B	760	30	\$2,500,000
C	300	3	\$500,000
D	280	3	\$750,000
E	600	18	\$2,000,000
F	940	3	\$250,000
G	1190	20	\$3,000,000
H	1050	6	\$450,000
I	1320	25	\$4,500,000
J	615	2	\$250,000
K	1350	6	\$750,000
L	1700	12	\$900,000





ASAP-X Tool Output #2





ASAP-X Tool Output #2



ES OUTPUT DATA						
ES Name	Distance From PES	Zone	Personnel at ES	Fatalities	Building Cost	Building Damage Loss
B	760	6(IBD)	30	0.6	\$2,500,000.00	\$492,491.15
C	300	3(K11)	3	2.6	\$500,000.00	\$500,000.00
D	280	3(K11)	3	2.7	\$750,000.00	\$750,000.00
E	600	5(PTRD)	18	2.9	\$2,000,000.00	\$871,194.98
F	940	6(IBD)	3	0.0	\$250,000.00	\$35,746.68
G	1190	6(IBD)	20	0.2	\$3,000,000.00	\$203,919.71
H	1050	6(IBD)	6	0.1	\$450,000.00	\$49,491.36
I	1320	>IBD	25		\$4,500,000.00	
J	615	5(PTRD)	2	0.3	\$250,000.00	\$103,009.04
K	1350	>IBD	6		\$750,000.00	
L	1700	>IBD	12		\$900,000.00	





ASAP-X Tool Output #2



ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	186				
2	280				
3	342	6	\$1,250,000	100%	100%
4	559				
5	750	4	\$974,204	43%	20%
6	1,250	1	\$781,649	13%	2%

TOTAL PEOPLE AFFECTED	85
TOTAL FATALITIES	11
% FATALITIES	12.94%
TOTAL BUILDING COSTS	\$9,700,000
TOTAL BLDG DAMAGE LOSS	\$3,005,853
% BUILDING DAMAGE LOSS	30.99%
TOTAL # OF ESS	8





ASAP-X Output Comparison



40,000 LBS NEWQD

30,000 LBS NEWQD

ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	205				
2	308	6	\$1,250,000	100%	100%
3	376				
4	616	5	\$1,192,183	53%	25%
5	821	3	\$723,144	29%	10%
6	1,368	1	\$725,253	8%	2%

ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	186				
2	280				
3	342	6	\$1,250,000	100%	100%
4	559				
5	750	4	\$974,204	43%	20%
6	1,250	1	\$781,649	13%	2%

TOTAL PEOPLE AFFECTED	116
TOTAL FATALITIES	15
% FATALITIES	12.93%
TOTAL BUILDING COSTS	\$14,950,000
TOTAL BLDG DAMAGE LOSS	\$3,890,580
% BUILDING DAMAGE LOSS	26.02%
TOTAL # OF ESS	10

TOTAL PEOPLE AFFECTED	85
TOTAL FATALITIES	11
% FATALITIES	12.94%
TOTAL BUILDING COSTS	\$9,700,000
TOTAL BLDG DAMAGE LOSS	\$3,005,853
% BUILDING DAMAGE LOSS	30.99%
TOTAL # OF ESS	8





ASAP-X Output Comparison



40,000 LBS NEWQD

20,000 LBS NEWQD

ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	205				
2	308	6	\$1,250,000	100%	100%
3	376				
4	616	5	\$1,192,183	53%	25%
5	821	3	\$723,144	29%	10%
6	1,368	1	\$725,253	8%	2%

ALL OTHER PES OUTPUT					
ZONE	DISTANCE	FATAL	BUILDING DAMAGE LOSS	% BLDG DAMAGE	% FATAL
1	163				
2	244				
3	299	3	\$750,000	100%	100%
4	489	3	\$498,684	100%	100%
5	750	3	\$833,608	37%	15%
6	1,250	1	\$781,649	13%	2%

TOTAL PEOPLE AFFECTED	116
TOTAL FATALITIES	15
% FATALITIES	12.93%
TOTAL BUILDING COSTS	\$14,950,000
TOTAL BLDG DAMAGE LOSS	\$3,890,580
% BUILDING DAMAGE LOSS	26.02%
TOTAL # OF ESS	10

TOTAL PEOPLE AFFECTED	85
TOTAL FATALITIES	10
% FATALITIES	11.76%
TOTAL BUILDING COSTS	\$9,700,000
TOTAL BLDG DAMAGE LOSS	\$2,863,941
% BUILDING DAMAGE LOSS	29.53%
TOTAL # OF ESS	8



ASAP-X Tool ECM Input




EARTH COVERED MAGAZINE INPUT				
HAZARD DIVISION	NEW			
1.1		Is the ECM undefined?	<input type="text"/>	
1.2.1			<input type="text"/>	
1.2.1 MCE			<input type="text"/>	
1.2.2		Is the ECM 26 ft x 60 ft or larger?	<input type="text"/>	
1.2.3			<input type="text"/>	
1.2.3 MCE			<input type="text"/>	
1.2.3 HFD (xx)			<input type="text"/>	
1.3				
1.4				
ES INPUT DATA				
ES Name	Dist from PES	Personnel at ES	Bldg Cost	Orientation





ASAP-X Tool ECM Output





Past and Planned Usage



- **Used by Army in Iraq and Afghanistan**
- **Provided to SDDC for Port Assessments**
- **Used to evaluate locations in Latvia, Korea, Lithuania, and Alaska during recent DDESB trips**
- **Will be used during DDESB Strategic Assessment visits outlined by TP 28**
- **Version 2 upgrade allows for the input of GPS coordinates in determining distances between PES and ESs; Will be released this summer**
- **NATO Version 1 based on AASTP-1 criteria going through Beta Testing; Should be released this summer**



Questions

