

# **Three-Dimensional Structure and Evolution of Propagating Disturbances in the Marine Layer of the US West Coast: Analysis of 1996 Aircraft Observations**

John M. Bane, Jr.  
Department of Marine Sciences  
University of North Carolina  
Chapel Hill, NC 27599-3300  
phone: 919-962-0172; fax: 919-962-1254; email: [bane@marine.unc.edu](mailto:bane@marine.unc.edu)  
Award Number: N00014-97-1-0376  
<http://www.marine.unc.edu/cool/mbi>

## **LONG-TERM GOALS**

This project is part of the Coastal Meteorology Accelerated Research Initiative (ARI), and as such has the following long-term goal: To develop an understanding of the genesis, propagation and decay of coastally trapped disturbances (CTDs) along mountainous coastlines.

## **OBJECTIVES**

The meteorological focus in this ARI is the propagating, coastally trapped southerly surge, which typically occurs several times each warm season along the U.S. west coast. During the time our instrumented aircraft was on the west coast (June 1994, and late May through September 1996) six southerly wind episodes were measured: the June 1994 event was a southerly surge that lasted approximately two days, three of the 1996 episodes had a surge component, one event should have produced a southerly surge but did not, and one event was a transition to synoptic scale southerlies without a surge component. Our principal scientific activity in the present grant is to use these new data to obtain a more definitive view of the three-dimensional spatial structure and temporal evolution of southerly surges.

## **APPROACH**

Our flights have gathered the only data set that can provide a direct look into the anatomy of the airflow and stratification over the coastal waters during a southerly surge. Towards this end, vertical sections of potential temperature and wind velocity have been constructed showing “slices” through the four surge cases. In addition to revealing this structure, the continuous wind velocity, temperature and humidity profiles measured by the aircraft can give accurate and continuous profiles of stratification, Richardson number and Froude number. Comparisons with other observations from fixed, synoptic-scale observational instrumentation and with numerical simulations of southerly surge events are providing insight into the relative importance of Kelvin wave dynamics, gravity current effects and synoptic-scale forcing.

# Report Documentation Page

*Form Approved*  
*OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>1998</b>	2. REPORT TYPE	3. DATES COVERED <b>00-00-1998 to 00-00-1998</b>			
4. TITLE AND SUBTITLE <b>Three-Dimensional Structure and Evolution of Propagating Disturbances in the Marine Layer of the US West Coast: Analysis of 1996 Aircraft Observations</b>		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>University of North Carolina, Department of Marine Sciences, Chapel Hill, NC, 27599-3300</b>		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>See also ADM002252.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>	<b>Same as Report (SAR)</b>	<b>4</b>	

## **WORK COMPLETED**

All 1996 data have been processed in essentially the same fashion as were the 1994 data [*Bane et al.*, 1995]. This involved editing and cleaning the data sets to eliminate clearly bad data values, aligning all data time series to a common time standard, conversion of measured variables to scientific units using calibration information, and computation of atmospheric variables from measured variables (*e.g.* the wind computation requires the combination of several measured variables, including aircraft heading and airspeed, air temperature, air pressure, aircraft groundtrack and groundspeed). During FY 1997 all data sets were transferred from the aircraft computers to the workstations in Chapel Hill, and initial processing steps were applied in order to provide first looks at some of the more interesting cases. Refinements to several sections improved the quality of the data presentation, and these sections are now displayed on our project website [<http://www.marine.unc.edu/cool/mbl/>] and have been discussed in the publications listed below.

## **RESULTS**

The four southerly surge cases that we measured include two surges between Point Conception and Point Reyes (June 1994 and June 1996) and two surges between Point Reyes and Cape Blanco (July and September 1996). Temperature and velocity sections from these surges suggest that each has a southerly flow leading edge above the MBL, similar to that first seen in the June 1994 case. These observations strengthen the notion that the complex vertical structure observed in June 1994 is the typical situation as opposed to an isolated occurrence. A correct dynamical understanding must then include an explanation of this aspect of the structure. Recent synoptic-scale analyses are strongly suggestive as to why two of the four aircraft-observed cases have some structural differences from the other two. Differing jet stream paths imply that upper-level support is present in two cases, while it is weak or absent in the others. This is consistent with the appearance of southerlies above the marine layer disturbance in the two cases with the upper-level support. Although these suggestions remain tentative at this point, they should provide insight into the relative importance and case-to-case variability of the synoptic scale forcing of CTDs.

## **IMPACT/APPLICATION**

Already we are beginning to refine our view of the dynamical nature of these events based on the aircraft sections. Structural comparisons among four surges were discussed by *Bane* [1996, 1997a,b], and the structural features of the June 1994 event were compared with non-linear Kelvin Wave theory in *Ralph et al.* [1998]. The new aspect of the *Ralph et al.* study is that it describes the surge to be a Kelvin wave in the marine boundary layer inversion (MBLI) as opposed to a wave within the mixed layer. The mixed layer retains a constant thickness throughout the event, whereas the MBLI supports a wave propagating over a rigid lower boundary, which is the top of the mixed layer immediately below the MBLI. In other words, it is the MBLI that is the active participant in the surge and the mixed layer motions follow the development of the wave in the MBLI.

## **TRANSITIONS**

Comparisons between our aircraft surge observations and COAMPS simulations of these events produced at NRL-Monterey are being made. The first comparisons, on two of the four cases, were

reported in *Thompson and Bane* [1998]. The structural features in the observed and simulated wind and temperature fields are quite similar, but differences in detail suggest that the COAMPS simulations may be improved even further. This work is continuing, with the aims of understanding the model-observational differences and providing the best possible forecasts.

## RELATED PROJECTS

The collection and analysis of the data in this project have been coordinated with the other investigations supported by the Coastal Meteorology ARI. Additional collaborations have been established with the NSF-supported *Coastal Waves 96* project of David Rogers and Clive Dorman [*Rogers et al.*, 1998], and we have been working closely with Wendell Nuss at NPS and William Thompson at NRL-Monterey on the model-data comparisons described above.

## REFERENCES

- Bane, J. M., 1997a: Airflow and stratification in propagating southerly surges within the summertime marine layer off California and Oregon. *Proc. of the 12th Symposium on Boundary Layers and Turbulence*. 28 July-1 August, 1997, Vancouver B.C., Canada, Amer. Meteorol. Soc., Boston, pp. 346-347.
- Bane, J. M., 1997b: Rapid-Response Aircraft Surveys of Short-Lived Events in the Coastal Atmosphere. In: *Rapid Environmental Assessment*, edited by E. Pouliquen, A. D. Kirwan and R. T. Pearson, Available from: Office of Naval Research, UNSLO to SACLANT, Arlington VA, pp. 179-184.
- Bane, J. M., 1996: The Structure of Propagating Southerly Surges in the Summertime Marine Layer off California and Oregon. *Trans. Amer. Geophys. Union*, 77, p. F128 (abstract). Paper presented at the AGU Fall Meeting, San Francisco, Dec. 19, 1996.
- Bane, J. M., S. M. Haines, L. Armi and M. H. Sessions, 1995: *The California Coastal Marine Layer: Winds and Thermodynamics*, Technical Report, June 1994 Aircraft Measurement Program. *Univ. North Carolina Report No. CMS-95-1*, 289 pp.
- Ralph, F. M., L. Armi, J. M. Bane, C. Dorman, W. D. Neff, P. J. Nieman, W. Nuss and P. O. G. Persson, 1998: Observations and analysis of the 10-11 June 1994 coastally trapped disturbance. *Mon. Wea. Rev.*, (in press).
- Rogers, D. P., C. E. Dorman, K. A. Edwards, I. M. Brooks, W. K. Melville, S. D. Burk, W. T. Thompson, T. Holt, L. M. Strom, M. Tjernstrom, B. Grisogono, J. M. Bane, W. A. Nuss, B. M. Morley, and A. J. Schanot, 1998: Highlights of Coastal Waves 1996. *Bull. Amer. Meteorol. Soc.*, 79(7), pp. 1307-1326.
- Thompson, W. T., and J. M. Bane, 1998: Modeling and Observations of Coastally Trapped Wind Reversals. *Proc. of the 78th AMS Annual Meeting*. 11-16 January, 1998, Phoenix AZ, Amer. Meteorol. Soc., Boston, pp. 194-201.

## PUBLICATIONS

- Bane, J. M., 1997: Rapid-Response Aircraft Surveys of Short-Lived Events in the Coastal Atmosphere. In: *Rapid Environmental Assessment*, edited by E. Pouliquen, A. D. Kirwan and R. T. Pearson, Available from: Office of Naval Research, UNSLO to SACLANT, Arlington VA, pp. 179-184.
- Dorman, C. E., L. Armi, J. M. Bane and D. Rogers, 1998: Sea Surface Mixed Layer During the June 10-11, 1994, California Coastally Trapped Event. *Mon. Wea. Rev.*, 126, pp. 600-619.
- Nuss, W. A., J. M. Bane, W. T. Thompson, T. Holt, C. E. Dorman, F. M. Ralph, R. Rotunno, J. Klemp, W. C. Skamarock, R. M. Samelson, A. Rogerson, C. J. Reason, P. Jackson, 1998: Coastally Trapped Wind Reversals: Progress Toward Understanding (to be submitted).
- Ralph, F. M., L. Armi, J. M. Bane, C. Dorman, W. D. Neff, P. J. Neiman, W. Nuss and P. O. G. Persson, 1998: Observations and Analysis of the 10-11 June 1994 Coastally Trapped Disturbance. *Mon. Wea. Rev.*, 126(9), pp. 2435-2465.
- Ralph, F. M., P. J. Neiman, P. O. G. Persson, J. M. Bane, M. L. Cancillo and J. M. Wilczak, 1998: Kelvin Waves and Internal Bores on the Marine Boundary Layer Inversion and Their Relationship to Coastally Trapped Wind Reversals. *Mon. Wea. Rev.* (submitted).
- Rogers, D. P., C. E. Dorman, K. A. Edwards, I. M. Brooks, W. K. Melville, S. D. Burk, W. T. Thompson, T. Holt, L. M. Strom, M. Tjernstrom, B. Grisogono, J. M. Bane, W. A. Nuss, B. M. Morley, and A. J. Schanot, 1998: Highlights of Coastal Waves 1996. *Bull. Amer. Meteorol. Soc.*, 79(7), pp. 1307-1326.
- Thompson, W. T., and J. M. Bane, 1998: Modeling and Observations of Coastally Trapped Wind Reversals. *Proc. of the 78th AMS Annual Meeting*. 11-16 January, 1998, Phoenix AZ, Amer. Meteorol. Soc., Boston, pp. 194-201.