

Solar Radar Experiments

Paul Rodriguez

Plasma Physics Division

Naval Research Laboratory

Washington, DC 20375

phone: (202) 767-3329 fax: (202) 767-3553 e-mail: paul.rodriguez@nrl.navy.mil

Award # N0001498WX30228

LONG-TERM GOAL

My long term goal is to develop the techniques to be used to reliably detect coronal mass ejections (CMEs) from the sun which are directed at the earth. The radar detection technique could provide several days advance notice of possible strong geomagnetic storms at earth.

OBJECTIVES

I wish to establish whether the Doppler shift of the radar echo can be measured and from that the earthward-directed velocity determined. The frequency of the radar signal that is launched from earth is such that CMEs would be detected in the range of 1 to 5 solar radii. The CME is detected while still in the solar corona and, based on the typical velocities of CMEs, will take several days to reach the earth's orbit. Such advance warning time makes it possible for space-based and ground-based systems that are vulnerable to geomagnetic storms to take some protective action.

APPROACH

Experiments have been conducted using Russian and Ukrainian research facilities that are close equivalents to an operational solar radar. The Russian facility is the SURA ionospheric heater, which is used as the radar transmitter at about 9 MHz and with total power of about 750 kW. The Ukrainian UTR-2 radio astronomy receiving array is used as the receiver of solar coronal echoes. The facilities are separated by about 1000 km; thus, they are used in bistatic mode. In order to investigate the effect of the earth's ionosphere on the transmitted and echo signal, we have also conducted experiments of direct transmission to the NASA WIND satellite and reflection from the moon.

WORK COMPLETED

Three summer campaigns, each of about two weeks duration in which about ten daily experiment have been conducted. The experiments are constrained by the elevation of sun in the sky, which must be above about 50° in the sky in order for the sun to be in the beam of the SURA transmitter. These requirement limit experiments to several weeks in summer.

The dates of the campaigns are:

- 9-12 July 1996
- 19 July – 25 August, 1997
- 10 June – 25 July, 1998.

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

| | | | | | |
|--|------------------------------------|-------------------------------------|---|---|---------------------------------|
| 1. REPORT DATE 1998 | | 2. REPORT TYPE | | 3. DATES COVERED 00-00-1998 to 00-00-1998 | |
| 4. TITLE AND SUBTITLE Solar Radar Experiments | | | | 5a. CONTRACT NUMBER | |
| | | | | 5b. GRANT NUMBER | |
| | | | | 5c. PROGRAM ELEMENT NUMBER | |
| 6. AUTHOR(S) | | | | 5d. PROJECT NUMBER | |
| | | | | 5e. TASK NUMBER | |
| | | | | 5f. WORK UNIT NUMBER | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, Plasma Physics Division, Washington, DC, 20375 | | | | 8. PERFORMING ORGANIZATION REPORT NUMBER | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) | | | | 10. SPONSOR/MONITOR'S ACRONYM(S) | |
| | | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited | | | | | |
| 13. SUPPLEMENTARY NOTES See also ADM002252. | | | | | |
| 14. ABSTRACT | | | | | |
| 15. SUBJECT TERMS | | | | | |
| 16. SECURITY CLASSIFICATION OF: | | | 17. LIMITATION OF ABSTRACT Same as Report (SAR) | 18. NUMBER OF PAGES 4 | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT unclassified | b. ABSTRACT unclassified | c. THIS PAGE unclassified | | | |


Because the solar echo signal is necessarily weak, data analysis has had to contend with relatively low signal-to-noise ratios (typically ~ 1 dB). The analyses must therefore rely on integration techniques. In addition, we have tested various transmission coding approaches to help discriminate against background noise. The frequency of transmission (~ 9 MHz) is on the lower limit of the range of frequencies that should be used with solar radars; however, at present the SURA facility cannot transmit at higher frequency.

RESULTS


Thus far we have determined that in two cases, we have detected an echo signal from the solar corona. These cases have been when the background interference was relatively low.

In the figure below, we show the data from the experiment of 21 July 1996. The pattern of ON-OFF pulses at two frequencies transmitted for 16 minutes is shown in the upper part of the figure. The integrated spectrum of solar corona echo as detected in ~ 40 kHz bandwidth in the following 16 minutes is shown in the bottom part of the figure. The integrated spectrum power has approximately the same phase relationship as the transmitted pulses, thus identifying the echo signal.

Solar Radar Experiment 21 July 1996



UTR-2 Return Signal Spectra UT 0927-0943



IMPACT/APPLICATION

The means by which we have conducted these solar radar experiments is appropriate for the design and construction of a future solar radar facility in the United States. The information gained and experience acquired are important for determining the requirements of such a solar radar. The United States presently has no solar radar, although the technology is readily available.

TRANSITIONS

A US solar radar would provide an important component for Space Weather forecasting of solar-induced geomagnetic storms, thus providing significant advance (several days) warning to operators of space and ground systems such as communications satellites and electric power grids.

RELATED PROJECTS

Studies with the HAARP radar facility being constructed in Alaska are conducted with the WIND spacecraft to study the effects of HF propagation over long distances in the earth's magnetosphere. These experiments provide new information on wave-plasma interactions and also are assessing the possible use of HAARP as a solar radar.

REFERENCES

James, J. C., Radar studies of the sun, in Radar Astronomy, ed. J. V. Evans and T. Hagfors, McGraw-Hill Book Company, New York, 1968.

PUBLICATIONS

Rodriguez, P., High frequency radar detection of coronal mass ejections, in Solar Drivers of Interplanetary and Terrestrial Disturbances, Astron. Soc. Pacific Conf. Series, Vol. 95, ed. K. S. Balasubramaniam, S. L. Kiel, and R. N. Smartt, pp. 180-188, 1996.