

The Structure, Evolution, and Dynamics of Coastally Trapped Phenomena of Western North America

Clifford F. Mass
Department of Atmospheric Sciences,
Box 351640
University of Washington
Seattle, Washington 98195

phone: (206) 685-0910, fax: (206) 543-0308,
email: cliff@atmos.washington.edu

Grant Number N00014-94-1-0098
<http://www.atmos.washington.edu/>

LONG-TERM GOALS

The overall goal of the proposed project is to determine the structure, evolution, and dynamics of topographically trapped phenomena of the coastal zone of western North America, both for the warm and cold seasons. Such coastal circulations dominate the weather of the region, as well as many other coastal zones around the world. Because of improvements in mesoscale numerical models, significant improvements in operational observations, and the availability of data from recent coastal field experiments, there is substantial potential for rapid enhancement in our knowledge of coastal disturbances. This project makes use of high-resolution numerical modeling and aircraft observations to define the detailed coastal evolution for a number of coastally trapped features and evaluates the potential of numerical modeling as a research and forecasting tool for orographic coastal regions.

OBJECTIVES

The major scientific objectives of the project include the following:

- * Determination of the three-dimensional structural evolution and dynamics of coastally-propagating disturbances along the West Coast during the warm season.
- * Determination of the structural evolution and dynamics of mesoscale coastal pressure ridges and jets.
- * Determination of how the structures and dynamical balances of synoptic systems such as troughs and fronts change as they approach and cross mountainous coastlines.
- * Determination of the synoptic evolution accompanying coastally trapped wind reversals.
- * Determination of the origin and three-dimensional structures of mesoscale troughing in the coastal zone and the evaluation of the contribution of such troughing to the production of coastal southerlies along the west coast of North America.
- * Evaluation of the ability of current high-resolution numerical models to realistically simulate mesoscale coastal flows and to assimilate coastal observations.

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 1998	2. REPORT TYPE	3. DATES COVERED 00-00-1998 to 00-00-1998			
4. TITLE AND SUBTITLE The Structure, Evolution, and Dynamics of Coastally Trapped Phenomena of Western North America		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington, Department of Atmospheric Sciences, Box 351640, Seattle, WA, 98195		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	7	

APPROACH

This project has used two major approaches to describe the structures and dynamics of topographically trapped coastal features:

1. High-resolution numerical modeling using the Penn. State/NCAR model (MM5). Going to horizontal resolution as high as 1 km, a number of summer and wintertime coastal features have been simulated. The data from the simulations provide a rich data set for exploring the evolution and structures of coastal phenomena. The model has also been used for several sensitivity experiments in which various physical processes are modified or removed.
2. Analysis of observational data using aircraft and other platforms. The PI has been involved in the COAST field experiment in which the radars and flight level instrumentation of the NOAA P3 aircraft has been used to provide a very detailed picture of the flow and precipitation fields around a number of orographic barriers from California to British Columbia. Analysis of these data sets provides an unequalled detailed view of coastal atmospheric structures.

WORK COMPLETED


During the past year the PI has worked on a wide variety of research efforts in support of the project's goals:

1. The PI and Jim Steenburgh of the University of Utah, have produced highly realistic simulations of a summertime coastal surge that moved up the Northwest coast on 19-21 July 1994 using the MM5. Several simulations, some with 4 km resolution, provide the most detailed description of a coastal surge to date. Analyses of this event have been completed and a paper based on this work has been accepted in *Monthly Weather Review*.
2. The PI and his student, Brian Colle, have used both NOAA P3 aircraft data and high resolution MM5 simulations to describe the interaction of wintertime front with the Olympic Mountains of Washington State during COAST IOP5. A paper describing this work has been accepted in *Monthly Weather Review*.
3. The PI and graduate student Brian Colle, have examined the development of downslope windstorms on coastal orography when low centers approach the coast while cold air is entrenched inland. Two papers based on this work were finished and published this year.
4. The PI in cooperation with Simon-Low Nam and Chris Davis of NCAR has continued with the analysis of two Catalina Eddy events using the Penn. State/NCAR mesoscale model, version 5 (MM5).. Two papers are now near completion.
5. The PI and students have examined several gap flow situations in the Strait of Juan de Fuca that occurred during the COAST field experiment. Dual-doppler radars from the NOAA P3 were used to paint out the detailed flow fields within and around the gap.


6. A considerable amount of analysis of the 12 December 1995 windstorm has been completed. This work documents the interaction of an intense oceanic windstorm with coastal terrain.

RESULTS

Some important results have come out of the above work so far. Overall, we have demonstrated that high-resolution mesoscale models can realistically simulate mesoscale features in the coastal zone produced by the interaction of the synoptic scale flow and orography. Using the model data sets we have described the detailed structural and dynamical evolutions of a variety of coastal phenomena, ranging from Catalina Eddies and coastal surges, to the interaction of fronts with coastal orography. Specifically, using the data sets produced by the COAST field experiment we have provided a very detailed look at the mesoscale structures that occur as synoptic scale systems approach and cross coastal mountains during the winter. The aircraft-based observations have provided probably the best coastal data sets in existence for studying frontal/coastal orography interactions. The COAST data sets also allow a detailed verification of the model output in a way that is not possible with conventional observations. For example, this project has documented the three-dimensional evolution as oceanic fronts crossed the coastal mountains during COAST IOP5 and the structural and evolution of gap flows in coastal terrain. To illustrate, the figure below shows a series of horizontal cuts at increasing altitude across the Strait of Juan de Fuca during an easterly jet event. The shallow nature of the gap flow is apparent, as is its maximum near the western exit of the gap.



A vertical cross section through the Strait of Juan de Fuca during an easterly gap flow event is shown in the next figure. Note how the depth of the easterly flow shallows as it exits the Strait at about the 65 km point.



Finally, the observational and modeling work of coastal surges have documented the control of the synoptic scale flow through its modulation of coastal troughing.

IMPACT/APPLICATIONS

This work substantially clarifies the structural evolution and dynamics of a number of orographically trapped features along the west coast of North America and demonstrates the potential of high resolution numerical modeling for warm and cold season events. It provides detailed understanding of the mesoscale structures resulting from the interaction of the synoptic scale flow and coastal orography.

TRANSITIONS

Judged by citations, the above work has had a substantial influence on other groups involved in the study of coastal circulations in complex terrain. Furthermore, the insights gained into coastal phenomena have been applied by Navy (e.g., Whidbey Is. Naval Air Station), National Weather Service, and others interested in forecasting along the west coast of the U.S. and along orographic coastlines.

RELATED PROJECTS

A substantial amount of the work on coastally trapped summertime disturbances has been done in concert with an ONR-sponsored effort at the MMM Division at the National Center for Atmospheric Research.

REFERENCES

Publications sponsored in total or part by this grant during the last year include:

- Mass, C. and J. Steenburgh, 1998: An Observational and Numerical Study of an Orographically Trapped Wind Reversal along the West Coast of the U.S. Accepted in *Mon. Wea. Rev.*
- Colle, B. A. and C. F. Mass, 1998: Evaluation of MM5 and Eta-10 precipitation forecasts over the Pacific Northwest during the cool season. Accepted in *Weather and Forecasting*.
- Colle, B. A. and C. F. Mass, 1998: An observational and numerical study of a cold front interacting with the Olympic Mountains during Coast IOP 5. Accepted in *Mon. Wea. Rev.*
- Colle, B. A. and C. F. Mass, 1998: Windstorms along the western side of the Washington Cascade Mountains, Part I: a high resolution observational and modeling study of the 12 February 1995 event. *Mon. Wea. Rev.*, **126**, 28-52
- Colle, B. A. and C. F. Mass, 1998: Windstorms along the western side of the Washington Cascade Mountains, Part II: characteristics of past events and three-dimensional idealized simulations. *Mon. Wea. Rev.*, **126**, 53-71
- Bond, N. A., C. F. Mass, B. F. Smull, R. A. Houze, M.-J. Yang, B. A. Colle, S. A. Braun, M. A. Shapiro, B. C. Colman, P. J. Neiman, J. E. Oveland, W. D. Neff, and J. D. Doyle, 1997: The coastal observation and simulation with topography (COAST) experiment. *Bull. Amer. Meteor. Soc.*, **78**, 1941-1955
- Mass, C. F., and N. A. Bond, 1997: Reply to Dorman's Comments on "Coastally Trapped Wind Reversals Along the U.S. West Coast During the Warm Season : Part II, Synoptic Evolution" *Mon. Wea. Rev.*, **125**, 1695-1697
- Steenburgh, J., C. F. Mass, and S. A. Ferguson, 1997: The influence of gaps in a coastal mountain barrier on temperature and snow level. *Weather and Forecasting*, **12**, 208-227

- Chien, F. C., C. F. Mass, and Y.-H. Kuo, 1997: A numerical study of the interaction between a warm-season frontal system and the coastal mountains of the western U.S., Part I: prefrontal pressure ridge, onshore push, and alongshore southerlies. *Mon. Wea. Rev.*, **125**, 1705-1729
- Chien, F. C. and C. F. Mass, 1997: A numerical study of the interaction between a warm-season frontal system and the coastal mountains of the western U.S., Part II: Evolution of a Puget Sound Convergence Zone. *Mon. Wea. Rev.*, **125**, 1730-1752