

## **Modeling the Effects of Anisotropic Turbulence and Dispersive Waves on Oceanic Circulation and their Incorporation in Navy Ocean Models**

PI name Boris Galperin  
College of Marine Science, University of South Florida  
140 7th Avenue South,  
St. Petersburg, FL 33701  
phone: (727) 553-1249 fax: (727) 553-1189 email: [bgalperin@marine.usf.edu](mailto:bgalperin@marine.usf.edu)

Award Number: N00014-07-1-1065  
<http://www.marine.usf.edu/faculty/boris-galperin.shtml>

### **LONG-TERM GOALS**

Our global long-term goal is making further progress in understanding of the mixing processes in the ocean on large and small scales. To achieve this goal, we develop theories of anisotropic turbulence and dispersive waves in different environments, test them, compare them with data and implement them in ocean models. In this project, the goals were to extend the QNSE theory of turbulence to flows with solid body rotation, conduct a comprehensive study of the spectral characteristics of such flows, to develop a theory of the combined effect of rotation and stable stratification which may shed new light upon the Garrett-Munk spectrum, and to test these theories in oceanic models.

### **OBJECTIVES**

The objectives of this project were outlined in the proposed following tasks:

1. Development of the analytical model for stable stratification for the case of weak stratification
2. Completion of the development of the QNSE theory for rotating flows and consideration of the limits of weak and strong rotation
3. Development of a theory of scalar diffusion in turbulence with rotation
4. Development of a theory turbulence that includes both rotation and stable stratification
5. Implementation and testing of the QNSE-based turbulence models in models of ocean circulation
6. Dissemination of results in scientific papers, conferences and meetings.

### **APPROACH**

We use the QNSE theory to derive expressions for the effective, horizontal and vertical, viscosities and diffusivities in flows with stable stratification and/or a solid body rotation. We have also performed computer simulations with an idealized circulation model of quasi-two-dimensional turbulence on the surface of a rotating sphere in order to study turbulence anisotropization and diffusion modification under the action of a beta-effect. Key individuals in this effort, along with the PI, are Professor Sukoriansky and Dr. Dikovskaya from the Ben-Gurion University of the Negev, Beer-Sheva, Israel.

# Report Documentation Page

Form Approved  
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>30 SEP 2011</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2011 to 00-00-2011</b>	
4. TITLE AND SUBTITLE <b>Modeling the Effects of Anisotropic Turbulence and Dispersive Waves on Oceanic Circulation and their Incorporation in Navy Ocean Models</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>University of South Florida, College of Marine Science, 140 7th Avenue South, St. Petersburg, FL, 33701</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

## **WORK COMPLETED**

We considered a limit of weak stable stratification and developed an analytical theory of transition from turbulence to internal wave dominated turbulence. Unlike previous theories, QNSE fully accounts for turbulence anisotropization and effect of waves and allows one to develop quantitative criteria for turbulence-wave transition.

We applied the QNSE algorithm to a flow with solid body rotation and calculated effective viscosities and diffusivities in the directions parallel and orthogonal to the axis of rotation.

We extended our studies to quasi-2D flows with a beta-effect and found out that when a small-scale forcing is present, Rossby waves are excited on large scales. The most energetic Rossby waves excite secondary waves, which we termed *zonons*.


Our studies of the flows with rotation indicate that it may be difficult to extend them to the case of strong rotation but the progress can be achieved if rotation is introduced using a small parameter expansion over the flow with stable stratification. This is an ongoing effort.

PI has been a member of a team on Martian planetary boundary layer at the International Space Science Institute and was responsible for reviewing turbulence models currently used for modeling boundary layers in atmospheric and ocean circulations. His review became a part of the paper recently published in the Reviews of Geophysics.

Results of our research have been published and reported in a variety of conferences and other forums.


## **RESULTS**

We derived the first of its kind analytical theory of transition from neutral to stably stratified turbulence. The theory shows how turbulence interacts with internal waves and how wave characteristics can be related to the viscous dissipation,  $\varepsilon$ .




**Figure 1: Normalised horizontal and vertical eddy viscosities ( $v_h, v_z$ ) and diffusivities ( $\kappa_h, \kappa_z$ ) as functions of  $k/k_0$ . Thick vertical solid line shows the threshold of internal wave suppression by turbulence. For normalization we use  $v_n$ , effective viscosity for neutral stratification, and the Ozmidov wave number,  $k_0=(N^3/\varepsilon)^{1/2}$ , where  $N$  is the Brunt-Vaisala frequency. The theory is only valid for relatively large  $k/k_0$ ; for  $k/k_0 < 5$ , full solution needs to be considered.**

Analogous results were obtained for flows with a solid body rotation. In this case, the theory shows that the effective horizontal viscosity decreases which is consistent with the developing inverse energy cascade while the vertical viscosity increases relative to the horizontal viscosity.



**Figure 2: Normalised horizontal and vertical eddy viscosities ( $v_h, v_z$ ) and diffusivities ( $\kappa_h, \kappa_z$ ) as functions of  $k/k_\Omega$  where  $k_\Omega$  is the rotational analogue of the Ozmidov wave number,  $k_\Omega=(\Omega^3/\varepsilon)^{1/2}$ , where  $\Omega$  is the angular velocity of the solid body rotation.**



**Figure 3: Angular energy drain for (a) stably stratified, (c) rotating turbulence, (b), (d) – shape in physical space (from C. Cambon, “Strongly Anisotropic Turbulence, Statistical Theory and DNS”)**

Anisotropic spectra of stably stratified and rotating turbulence produced within the QNSE formalism confirm results from Cambon shown in Fig. 3, namely that in flows with stable stratification the energy concentrates in horizontal layers ("pancakes") while in flows with rotation, the energy concentrates in vertically extent cylindrical structures ("cigars"). The diffusion coefficients, not shown here, do not show singularities and remain positive even on large scales. This behavior confirms our previous results that the wave-dominated scales do not contribute to scalar diffusion.

Simulations on a beta-plane show that zonons form non-dispersive, westward propagating wave packets that resemble non-dispersive eddies detected in the upper ocean using satellite altimetry. At the present, we are studying the physics of the zonons in an attempt to find out whether or not they satisfy the Korteweg- de Vries equation, i.e., whether or not they are the manifestation of the Rossby solitary waves.

In summary, this research yields significant new understanding of the fundamental mixing processes in the ocean and provides quantitative results (eddy viscosities and eddy diffusivities) that can be implemented in ocean circulation models.

## IMPACT/APPLICATIONS

Subgridscale parameterizations have traditionally been one of the difficult subjects in numerical modeling of oceanic circulation and the progress being made in this ongoing research will help to further improve circulation models.

## TRANSITIONS

The QNSE model of stably stratified turbulence has been implemented in the state-of-the-art atmospheric model WRF. We are working on the implementation of the QNSE model in HYCOM used at NRL - Stennis Space Center in collaboration with Dr. Jim Richman.

## RELATED PROJECTS

PI received a grant from the International Space Science Institute in Bern, Switzerland to put together a study team which will survey the state-of-the-art in our understanding of the zonal jets and eddies in planetary, oceanic and laboratory environments.

## PUBLICATIONS

Galperin, B. & S. Sukoriansky, 2010 Geophysical flows with anisotropic turbulence and dispersive waves: flows with stable stratification. *Ocean Dyn.*, **60**, 1319–1337. (doi:10.1007/s10236-010-0325-z)

Galperin, B., S. Sukoriansky & N. Dikovskaya, N. 2010 Geophysical flows with anisotropic turbulence and dispersive waves: flows with a  $\beta$ -effect. *Ocean Dyn.*, **60**, 427–441. (doi:10.1007/s10236-010-0278-2)

Petrosyan, A., B. Galperin, S. E. Larsen, S. R. Lewis, A. Määttänen, P. L. Read, N. Renno, L. P. H. T. Rogberg, H. Savijärvi, T. Siili, A. Spiga, A. Toigo & L. Vázquez, 2011 The Martian atmospheric boundary layer. *Rev. Geophys.*, **49**, RG3005, doi:10.1029/2010RG000351

Sukoriansky, S. & B. Galperin, 2011 An analytical theory of the buoyancy - Kolmogorov subrange transition in turbulent flows with stable stratification. *Philos. Trans. Royal Soc.*, 2011, in review.

Sukoriansky, S., N. Dikovskaya, R. Grimshaw & B. Galperin, 2011 Rossby waves and zonons in zonalisotropic turbulence. Proceedings of AIP, in review.

Sukoriansky, S. & B. Galperin, 2011 QNSE theory of turbulence anisotropization by solid body rotation. *Phys. Fluids*, in preparation.