Nonhydrostatic and Hydrostatic Hindcasts and Simulations of Internal Wave Generation in Straits

Dr. Patrick C. Gallacher Naval Research Laboratory, Ocean Sciences Branch Stennis Space Center, MS 39529 phone: (228) 688-5315; fax: (228) 688-4149; e-mail: gallacher@nrlssc.navy.mil

Award Number "N00014-10-WX-20403"

LONG-TERM GOALS

The purpose of this study is to understand the feasibility of forecasting the dynamics of the generation and life cycle of large amplitude internal waves and their impact on the larger scale flow. The forecasting system may include imbedded nonhydrostatic models, subgrid scale models or subgrid scale parameterizations in hydrostatic models. The scope of the dynamics and the resolution which can be included in a forecast system will be explored.

This work will provide the understanding needed to build an operational system to predict the timing, location and intensity of NLIWs as required for tactical planning.

OBJECTIVES

- To investigate the generation, development, propagation and interaction of IWs and NLIWs in straits using nonhydrostatic and hydrostatic models.
- To hindcast these NLIWs using high resolution nonhydrostatic and hydrostatic numerical models with realistic ocean topography and surface forcing and using open boundary conditions provided by the large scale ocean model.

APPROACH

Simulations and hindcasts have been conducted on massively parallel HPC machines. We are developing a system of nested hydrostatic and nonhydrostatic model domains that allows us to achieve the necessary resolution with the correct physics to hindcast submesoscale processes. The system efficiently utilizes data from the NCOM and COAMPS models as forcing and initial conditions for the MITgcm model. The system also allows us to multiply nest the MITgcm model to achieve high resolution hindcasts. We have the capability and the infrastructure to conduct large scale, high resolution numerical experiments on high performance, massively parallel computers.

WORK COMPLETED

Implemented, Tested and Published NEW Open Boundary Conditions for nesting a Nonhydrostatic model in a Hydrostatic model.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2011	2. REPORT TYPE			3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Nonhydrostatic and Hydrostatic Hindcasts and Simulations of Internal				5b. GRANT NUMBER	
Wave Generation in Straits				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory,Ocean Sciences Branch,Stennis Space Center,MS,39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF:				18. NUMBER	19a. NAME OF
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	ABSTRACT Same as Report (SAR)	OF PAGES 3	RESPONSIBLE PERSON

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39-18

- Formulated a combined open boundary condition consisting of
 - o A Transport Correction Scheme (TCS) for incoming fluxes to conserve volume
 - o A Flow Relaxation Scheme (FRS) to match outgoing and incoming fluxes
- Developed and tested methods using hindcasts of the DongSha Plateau in the South China Sea and the Mindoro straits (<u>Gallacher *et al.* 2011</u>)
- See results, animations, model/data comparison time series and links to <u>Gallacher *et al.* 2011</u>) at the web page http://www7330.nrlssc.navy.mil/7331/IWISE/

Data is being archived from the NAVO NCOM RELO WPAC forecast model, which includes the SCS area, to hindcast the FY11 IWISE cruise.

We have moved the use of the MIT model into cutting edge research areas involving hindcasts using multiply nested nonhydrostatic domains forced with data from hydrostatic models e.g. ReLO NCOM forecasts and hindcasts and using DBDB2 and higher resolution bathymetries.

• *Nested* hindcasts were conducted in the northern South China Sea using the NRL-MIT model. Hindcasts were conducted in a *hydrostatic* NRL-MIT mesoscale domain at 2 km resolution. This was forced by global NCOM and OSU tides. Data from this domain was used to force a 500m resolution *nonhydrostatic* NRL-MIT submesoscale domain.

RESULTS

Results from hindcasts compared favorably with buoy measurements (see web page) and remote sensing.

Large discrepancies at the boundaries between the exterior and interior domains are caused by differences in physics (nonhydrostatic versus hydrostatic) and differences in resolution. These differences can cause unrealistic interior solutions with incorrect long term trends, and spurious reflections and perimeter currents at the boundaries.

We have extended and improved two open boundary condition methods which together correct these problems and we have implemented them in the MIT model. This significantly expands the boundary conditions in the MIT model. A paper has been published Ocean Modelling detailing the improved BCs (Gallacher et al., 2011).

IMPACT/APPLICATIONS

This work will help to determine the importance of and the requirements for nonhydrostatic forecast systems for naval applications. The scales and features which will require nonhydrostatic simulation are being assessed.

RELATED PROJECTS

The NRL project Autonomous Characterization of Environmentally Induced Non-Acoustic Noise and the Adaptation of Multi-Sensor USW Networks. (6.2, Undersea Warfare) is related to this project because it involves nonhydrostatic modeling of the SW06 experimental area and time and comparison

with measurements taken during SW06. Components of SW06 are funded through the ONR NLIWI DRI.

—This work is supported by the HPC project

Nonhydrostatic Modeling of Nonlinear Internal Waves and Turbulence

PUBLICATIONS

Gallacher, P. C., D. A. Hebert, M. R. Schaferkotter, Nesting a Nonhydrostatic Model in a Hydrostatic Model: The Boundary Interface, Ocean Modelling, **40**, 2, 190-198, 2011.