

AIR WAR COLLEGE

AIR UNIVERSITY

2035 AIR DOMINANCE REQUIREMENTS FOR
STATE-ON-STATE CONFLICT

by

Peter M. Bilodeau, Lt Col, USAF

A Research Report Submitted to the Faculty

In Partial Fulfillment of the Graduation Requirements

16 February 2011

[Cleared for public release 6/9/2011; AETC-2011-0447]

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 11 FEB 2011	2. REPORT TYPE	3. DATES COVERED 00-00-2011 to 00-00-2011			
4. TITLE AND SUBTITLE 2035 Air Dominance Requirements For State-On-State Conflict		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air War College, Air University, Maxwell, AL, 36112		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT In 2035, some states Integrated Air Defense Systems will be able to find, fix, track, target, and engage our current air dominance aircraft. US operations in this environment may prove costly and threaten heavy aircraft losses. Worse, decisive air operations, the hallmark of US military strategy for nearly 60 years, may not be possible in hyper-defended airspace.¹ As one commentator put it, the US is confronted with a strategic choice: to risk loss of military access to areas vital to its national security or to explore options for preserving access.²					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	34	

DISCLAIMER

The views expressed in this academic research paper are those of the author and do not reflect the official policy or position of the US Government or the Department of Defense. In accordance with Air Force Instruction 51-303, it is not copyrighted, but is the property of the US Government.

Contents

	<i>Page</i>
DISCLAIMER	i
Contents	ii
Illustrations	iii
Biography	iv
Introduction	1
2035 Challenges	2
Understanding Air Defense Networks	8
Problem Solving Approach: A Requirements Model	10
Concept of Operations (CONOPS).....	13
Recommendations/Investment Options	21
Conclusion	25
Bibliography	27

Illustrations

	<i>Page</i>
Figure 1: China’s Geophysical Factors	3
Figure 2: Bi-Static Radar Operation	5
Figure 3: Laser Power Requirements to Affect Targets	7
Figure 4: Air Defense Network Breakdown	9
Figure 5: Air Dominance Effects Requirements Model	11
Figure 6: Capability, Tactics and Support Interrelationships for CONOPS Design	14
Figure 7: Standoff CONOPS: China Example	15
Figure 8: Penetrating Strike CONOPS: China Example	17
Figure 9: Swarm and Saturation CONOPS: China Example	19
Figure 10: CONOPS Comparison	21
Figure 11: Investment Options	24

Biography

Lt Col Bilodeau is an F-16 pilot with over 3000 flight hours, including combat time in various operations over the last 14 years. He has served honorably as Snack-O, weapons officer, flight commander, assistant director of operations, director of operations and squadron commander in F-16 units around the world. Lt Col Bilodeau has completed all levels of PME and has earned multiple advanced degrees.

Introduction

“The defensive form of warfare is intrinsically stronger than the offensive.”

-Carl von Clausewitz

In 2035, some states’ Integrated Air Defense Systems will be able to find, fix, track, target, and engage our current air dominance aircraft. US operations in this environment may prove costly and threaten heavy aircraft losses. Worse, decisive air operations, the hallmark of US military strategy for nearly 60 years, may not be possible in hyper-defended airspace.¹ As one commentator put it, “the US is confronted with a strategic choice: to risk loss of military access to areas vital to its national security or to explore options for preserving access.”²

Unlike the 1970’s stealth revolution, there is no “silver bullet” technological solution to the 2035 air dominance problem. The US is unlikely to achieve unimpeded access using radio frequency, infrared and electro-optical cloaking technologies alone.³ The US, therefore, needs to re-evaluate its overall air dominance strategy to ensure it can gain initial access in this new, hyper-defended airspace to enable follow-on, high tempo US operations. Prevailing in this future environment requires holistic approaches using concepts of operations that integrate varied capabilities, capacities, and tactics to create a US advantage. The challenge (and the risk) lies in choosing among several available alternatives at a time when budgets are tight, the threat is still developing, and consensus is lacking on the best way to proceed.

(All notes appear in shortened form. For full details, see appropriate entry in the bibliography.)

¹ Tol, *AirSea Battle: Point-of-Departure Operational Concept*, xii. The author presents an in-depth discussion surrounding China’s and other state’s rising anti-access, area denial capabilities and the US failure to modify their forces to counter such capabilities.

² Krepinevich, *Why Air Sea Battle?*, viii.

³ Westra, “Radar versus Stealth: Passive Radar and the Future of U.S. Military Power,” 139. The author discusses multiple advanced countermeasures to current US stealth technology throughout the entire electromagnetic spectrum and implications for future air power.

To make these choices, senior policy makers need a framework and approach to evaluate the developing environment and to assist in making investment choices. This paper's purpose is to develop such a framework through a five part analysis. First, the paper provides a review of US technical challenges from potential enemy states. Future strategic, operational and tactical challenges set the stage in this segment of the analysis. Second, it examines competing air defense network models, breaking down how the US might engage an opposing network to gain access. Third, it defines a three-tiered approach (operations view, systems view and acquisition view) to analyze alternative strategies against future adversary networks. Using this approach, it then examines three concepts of operations the US may employ to gain access into hyper-defended enemy states. With these four steps completed, the final analysis outlines investment options and recommendations for technical opportunities to properly posture air dominance assets for 2035 decisive combat operations. The analysis begins by exploring the future strategic challenges the US faces in 2035.

2035 Challenges

Strategic Challenge: Reaching the Battlespace

Since World War I, the US has not been challenged in deploying its air dominance platforms to forward bases to execute combat operations.⁴ This could change as modern states begin to level the formerly US-dominated, technological playing field. States are using various collaboration methods through a global, web-enhanced platform to rapidly increase their technological capabilities.⁵ One example is China's recent stealth fighter development. The J-

⁴ Krepinevich, *Why Air Sea Battle?*, 5. The author argues that early US basic power projection capability dates back to the Spanish-American War in 1898 and force projection to forward bases during the Cold War was never contested by the Soviet Union. Only major combat operations are considered in this assertion.

⁵ Friedman, *The World is Flat*, 176. The author details ten world flatteners and their convergence which has created this new web-based platform for collaboration. This inexpensive and quick collaboration is helping states increase their education, research and war-making capabilities

20 appears to rival the F-22 in size, range, weapons load and air defense capabilities. Although the J-20's status (prototype or technology demonstrator) is unknown, this aircraft could enter production in 8-10 years.⁶ As a result, the US must modify its widely held assumptions that, "time is on our side, we have unfettered forward access with unhampered logistics and we can achieve air/sea superiority quickly."⁷

Regarding geophysical factors, China possesses strategic depth and layered interior defense lines which complicates reaching this potential battlespace. These defense systems

include the DF-21D long range ballistic missile which has the capability to disrupt and/or deny US forward airbases and aircraft carrier capabilities.⁸

In Figure 1, the

South China Sea is

divided into the first and second island chain. The DF-21D, if fully operational, could reach all current forward bases in the region with the exception of perhaps Guam. Therefore, the US must consider all current forward bases vulnerable to attack and powerless to enable decisive combat operations.




Figure 1: China's Geophysical Factors

⁶ Aviation Week and Space Technology, "Editorial: Remain Watchful of China's Ascent," 1.

⁷ Foster, "Air Power and Anti-Access/Area Denial Networks," slide 3.

⁸ Minnick, "China Builds First Anti-Ship Ballistic Missile Base," 1. The author describes the DF-21D having the potential range of 1500-2000km which covers 70% of the South China Sea.

In the absence of US theater missile defense capabilities and hardened sheltering at US forward bases, the US is forced to operate from longer distances. Increased distances, such as missions from Guam, will drive increased sortie durations thus resulting in reduced available sorties over a given period of time. A nominal daily sortie rate for a 500nm combat radius is 3.94 sorties per aircraft per day. If the combat radius increases to 2250nm, the rate drops to 1.79 sorties per aircraft per day.⁹ Therefore, US strategic planners must balance available long range air dominance platforms, their sortie requirements and the time necessary to achieve combat objectives.

Summing up the strategic challenge, the increased threat to forward bases coupled with geophysical factors, reduces US air power projection capability. This challenges our traditional approach with its heavy reliance of forward basing and produces new requirements for increased range and improved survivability of all air dominance platforms. Except the B-2 stealth bomber, air dominance platforms may be unable to *reach* the battlespace without significant tanker support. This strategic “stiff arm” drives a requirement for more platforms due to fewer available sorties, amplifies air refueling requirements and, ultimately, slows the traditional tempo of US air operations.¹⁰ This leads to the next hurdle: getting these limited number of air dominance platforms into the battlespace.

Operational Challenge: Penetrating the Battlespace

States with advanced defense networks could develop traditional and non-traditional means to detect and engage US air dominance platforms entering their battlespace. States possessing traditional, mono-static air defense networks, like Iran, may obtain more advanced air

⁹ Foster, “Air Power Anti-Access/Area Denial Networks,” slide 8. Assumes missions are flown at 480 knots ground speed to the target with a one hour mission delay and three hour turn time upon landing.

¹⁰ Tol, *AirSea Battle: Point-of-Departure Operational Concept*, 24. Consequences of losing forward air bases in an anti-access/area denial conflict are outlined to include reduced sortie rates and increased tanker demands.

defense systems (i.e., Russian SA-20s) to significantly improving their air defense capabilities.¹¹ These systems with engagement ranges exceeding 100 nautical miles and advanced radar processing technology put current US aircraft at risk. Advanced states may pursue more advanced means, such as bi-static radars, to improve their capabilities. Bistatic radar is the term used “to describe the orientation of the radar system in which the transmitting and receiving antennas are physically separated (see Figure 2).¹² Therefore, US stealth platforms may find themselves unexpectedly vulnerable in this new battlespace.

Bi-static radars do not have to be military acquisition and target tracking radars. Transmitters, or illuminators of opportunity, can take the form of television, radio or mobile phone antennas and can be modified into a bi-




Figure 2: Bi-Static Radar Operation

static configuration. These “passive coherent locations...coupled with sensitive receivers could track stealth aircraft.”¹³ If these radar configurations come to fruition, US tactical planners would have difficulties distinguishing traditional military radar systems from civilian systems. This would, in turn, make targeting problematic.

As software and processing technology continue to improve, bi-static radar systems could quickly render current stealth technology obsolete. Current stealth aircraft shape and design help

¹¹ Fulghum, “Russia Sells SA-20 to Iran,” 1.

¹² Global Security.org, “Stealth Aircraft Vulnerabilities,” 1.

¹³ Haffa, “Analogues of Stealth,” 15. The author discusses that bi-static radars would require large computing power to collect and analyze the multiple radar beams received across several antennas.

minimize detection from traditional, mono-static configurations.¹⁴ However, bistatic configurations with advanced signal processing capability, could “exploit radio signals already plentiful in the atmosphere rather than generating its own target beams.”¹⁵ In response, the US may need to use cyber attack against signals processing centers to support air dominance platforms.

Summing up the operational challenge, traditional mono-static surface-to-air missiles and more advanced bi-static radars could prevent US air dominance platforms from *penetrating* the battlespace. Increased computer signal processing is required to reach this level of access denial. Difficulties in targeting threat transmitters and passive receivers further complicate the problem. US planners may need cross-domain alternatives for air dominance platforms to aid in their survival. This leads to the next hurdle in future air dominance: completing mission objectives in hyper-defended airspace.

Tactical Challenge: Employing in the Battlespace

Given the developments in directed energy technologies, hyper-defended battlespaces challenge not only aircraft survivability, but also weapon survivability. Laser weapons provide an affordable point defense against aircraft and their weapons.¹⁶ This is why the entire enemy kill chain, not just the parts, must be analyzed against US capabilities. If air dominance platforms launch weapons that never survive to the target, then the capabilities to reach and penetrate the battlespace become negated.

In future hyper-defended airspace, surface-to-air missiles systems will function to kill delivery platforms while point-defense lasers will serve to target inbound weapons (and aircraft

¹⁴ Ibid., 14.

¹⁵ Ibid., 15.

¹⁶ Dunn, “Operational Implications of Laser Weapons,” 3.

should they stray within range).¹⁷ The US has successfully demonstrated a megawatt-class, Chemical Oxygen Iodine Laser.¹⁸ Current assessments reveal a 100 kilowatt chemical laser has enough power to destroy an aircraft and cruise missiles at long ranges (see Figure 3).¹⁹ Laser beam quality continues to improve and will be the primary driver for future directed energy system successes.²⁰ Therefore, planners should expect advanced states to obtain lasers with speed of light targeting capabilities to destroy US platforms and weapons.²¹




Figure 3: Laser Power Requirements to Affect Targets²²

Widespread laser introduction could drive increased weapons requirements to ensure target destruction. Today, air dominance platforms may only require one or two weapons to achieve a desired destruction level. However, a hyper-defended battlespace (with point defense

¹⁷ Ibid.

¹⁸ Schneider, "Defense Science Task Force on Directed Energy Weapons," 6.

¹⁹ Dunn, "Operational Implications of Laser Weapons," 7.

²⁰ Ibid.

²¹ Ibid., 10. These laser systems are expected to have the following capabilities: multiple target engagement, rapid re-targeting, exceptional accuracy, low logistical support requirements and flexibility in carriage and employment.

²² Ibid., 7. The author expects a solid state laser at 100 kilowatts (enough power to destroy an aircraft or cruise missile) will be demonstrated in 2-10 years.

laser systems) may require dozens of weapons to ensure one or two arrive at the target. As a result, US planners may have to modify employment strategies to meet this requirement for mission success.

Summarizing the tactical challenge, directed energy weapons may defeat US air dominance platforms and weapons while *employing* in hyper-defended battlespace. This would change US acceptable risk level calculations. Therefore, the US may need to dedicate significant resources toward developing laser countermeasures for air dominance platforms and weapons. Put simply, “to leverage this emerging laser capability, we need operational concepts to guide our investment of laser technology.”²³ However, before rushing into planning operational concepts versus one specific threat, US planners must first understand the overall enemy air defense network and the proper approach to defeat it.

Understanding Air Defense Networks

Whether an air defense network is a traditional, mono-static network or an advanced bi-static network, its relative capability depends on both sides’ assessment of the network’s strengths and vulnerabilities. The result is technological and operational competition where the defender seeks technologies to shore up and mitigate the vulnerabilities of his network (capabilities to enhance), while the aggressor seeks to exploit these same vulnerabilities in order to defeat it (capabilities to defeat). Various command and control assets, platforms, sensors and weapons comprise these networks. Network capabilities can be thought of in terms of the dynamic targeting steps in Air Force doctrine.²⁴ These capabilities are to find, fix, track, target,

²³ Ibid., 4.

²⁴ AFDD 2-1.9, *Targeting*, 49. This Air Force document states on the cover that it compliments related discussions in Joint Publication 3-60, Joint Doctrine for Targeting. Additionally the dynamic targeting process is also referred to as the “kill chain.”

engage and assess opposing forces. An anti-access/area denial state tries to enhance their network while opposing air dominance forces seek to defeat this same network.

Air Defense Network Breakdown

GENERAL TECHNOLOGY to DEFEAT	NETWORK CAPABILITIES	SPECIFIC TECHNOLOGY to ENHANCE
Stealth/Space/Cyber	FIND	Passive/Bi-Static Radars
Stealth/Space/Cyber/ Electronic Warfare	FIX	Passive/Bistatic Radars
Stealth/Electronic Warfare/ Hypersonic	TRACK	Passive/Bistatic Radars
Stealth/Electronic Warfare/ Hypersonic	TARGET	SA-20: Surface-to-Air DF-21D: Surface-to-Surface
Stealth/Deception(Decoys)/ Electronic Warfare/ Hypersonic	ENGAGE	SA-20/DF-21D/Directed Energy (Lasers)
N/A to this Discussion	ASSESS	N/A to this Discussion

Figure 4: Air Defense Network Breakdown

Figure 4 compares network capabilities with certain technologies the defender uses to enhance his network and the aggressor uses to defeat. On the right, red-colored column, states developing air defense networks want to destroy, disrupt and deny enemy forces attempting to gain access. Passive and bistatic radars enhance the capabilities to find, fix and track air dominance platforms. Advanced missile systems (SA-20 and DF-21D) enhance targeting capabilities out to distances which enhance overall area denial objectives. On the left, blue-colored column, states attempting to achieve air dominance must focus on defeating, delaying or denying the network capabilities to gain access. Combinations of stealth, space, cyber and ISR technologies are needed to avoid detection. In addition, operational techniques such as decoy, deception, swarming and saturation enhance the ability of air dominance platforms to avoid

being tracked and targeted. As a result, the network must be deconstructed and analyzed sufficiently to determine which red capabilities must be countered and how to accomplish it.

Summing up, advanced air defense networks and robust technological enhancements will challenge future air dominance objectives. US planners must dissect enemy networks to understand their capabilities and their associated enabling technologies. They must determine whether to leverage existing cross-domain capabilities or develop new requirements to invest in future technologies. The challenge is where to begin. Strategists need a simple methodology to aid in problem solving and determine appropriate requirements to guide follow-on decisions.

Problem Solving Approach: A Requirements Model

US planners need a model that reviews air dominance requirements to the appropriate level of detail. Currently, the US Air Force utilizes a capability-based construct, but it is too general in nature.²⁵ Planners could greatly benefit from an integrated operational, systems and acquisition/logistical requirements model. A detailed, multi-tiered construct would ensure planners thoroughly analyzed capabilities (with associated limitations) to avoid pre-mature investment choices.

Figure 5 outlines specific requirements in a three-tiered approach to develop capabilities to meet future air dominance effects. Defeating the critical nodes of an enemy network hinges on ensuring all tiers are considered in one's requirement decisions. The first tier is operations requirements, the second is the individual systems requirements and the third is acquisition and logistics requirements. An important consideration to note is each tier's specific requirements

²⁵ Dahm, *Technology Horizons: Vision for Air Force Science and Technology*, 43. The Air Force Research Laboratory uses a general construct in its attempts to define future warfighter's needs. They use eight focused long term challenges as their current guideline. The fourth is Persistent Responsive Precision Engagement defined as, "maneuver through anti-access/area denied environments to deliver effects rapidly and/or persistently."

apply to all previous tier requirements. Failure to thoroughly plan in one tier could result in an incorrect or incomplete requirement.




Figure 5: Air Dominance Effects Requirement Model

Tier 1, operations requirements, consists of the basic tools used to achieve air dominance effects. Command and control (C2); networks; intelligence, surveillance and reconnaissance (ISR) will continue to be the brains behind operations. The processing, exploitation and dissemination (PED) of battlespace data may not always be pushed to operators in traditional methods. Platforms may be required to penetrate a hyper-defended battlespace or employ from standoff ranges. Sensors could reside onboard and off-board platforms to assist in penetration and precision targeting. Kinetic and non-kinetic weapons can achieve air dominance effects. Finally, the proper training through development of tactics, techniques and procedures ensures operators are technically proficient to accomplish air dominance missions.

Tier 2, system requirements, consists of the specific parts for each operations requirement. Power source, material, propulsion, guidance, range, speed, accuracy and timing

may be similar or different when applied to each operations requirement. The power source must have a sufficient duration to accomplish mission. The material should deny, delay or minimize enemy detection. Propulsion needs to be powerful and efficient enough to meet specific mission requirements. Guidance ideally needs to be self-reliant and jam proof to ensure precise navigation. Range and speed will vary from platform to weapon, but must be sufficient to reach and penetrate the battlespace. Accuracy is the primary driver to achieve desired weapons effects and ensure sortie and threat exposure are minimized during decisive combat operations. Finally, timing is essential in achieving synergistic effects while countering hyper-defended battlespace.²⁶

Tier 3, acquisition and logistic requirements, are the determining factors when finalizing decisions for tier 1 and tier 2 requirements. Affordability, balanced with reliability, will be the primary constraint in future defense acquisition budgets. This drives the design for networks, platforms, sensors and weapons. Reusability will depend on platform and sensor numbers and specific use. Survivability not only includes the platform reaching its launch point but also the weapon reaching its target. Adaptability must consider potential multi-role usages against specific enemy network capabilities. Finally, transportability must be considered to ensure logistical requirements are attainable and sustainable before even commencing operations. In summary, using this requirements model after analyzing enemy air defense networks will aid in developing operational concepts.

²⁶ AFDD 1, *Air Force Basic Doctrine*, 31. “Synergistic Effects” is one of the seven tenets of air and space power. Specifically, AFDD-1 describes that its objective is the precise, coordinated application of the various elements of air, space and surface power to bring disproportionate pressure on enemy leaders to comply with our national will.

Concept of Operations (CONOPS)

Concept of Operations Development

There are several definitions of a Concept of Operations, but for purposes of this paper, CONOPS integrates required employment capabilities with tactics and required external support to achieve the commander's objectives.²⁷ Accordingly, 2035 Air Dominance CONOPS should center on destroying, disabling, disrupting or denying some or all aspects of the enemies' network "kill chain." Network assessment and requirements models help determine the capabilities required to achieve the desired effect. Tactics maximize capability success and minimize exposure to the network threats. Support requirements, embedded and/or detached, assist in attacking the enemy network long enough to achieve mission objectives.

On the left side of Figure 6, air dominance capabilities and tactics are listed in the first column. The second column identifies the applicable enemy network capability. The last two columns link support level and requirements to highlight CONOPS component interrelationships. Of note, utilizing stealth capability with stealth tactics would require the lowest support because these platforms operate autonomously with on-board weapons, sensors and countermeasures. However, this is predicated on cloaking technologies reaching maturation by 2035. Conversely, using saturation capabilities through multi-platform packaging would require a high level of support in command and control and target data dissemination.

²⁷ The definition of what comprises a concept of operations varies considerably from the strategic level to the tactical level. The United State Air Force defines its service CONOPS as, "the highest Service-level concept comprising a commander's assumptions and intent to achieve desired effects through the guided integration of capabilities and tasks that solve a problem in an expected mission area." Meanwhile, Joint Publication 5-0 Level 4 planning concepts of operations described integrated tactical actions with high fidelity. For information on Air Force CONOPS, see Air Force Instruction 10-2801, *Air Force Concept of Operations Development*, page 2. For information on CONOPS in joint planning see Joint Publication 5-0, *Joint Planning*, pages 1-18.

CONOPS
(Capability + Tactics + Support)

AIR DOMINANCE CAPABILITY	ENEMY NETWORK CAPABILITY	SUPPORT LEVEL	SUPPORT REQUIREMENTS
Stealth	Find/Fix	LOW	None
Speed (Hypersonic)	Engage	LOW	Platform/Weapon Capability
Altitude	Engage	LOW	Platform/Weapon Capability
Command/Control	F2T2E	MED	Secure Network
Space/Cyber	Find/Fix	HIGH	Secure Network
AIR DOMINANCE TACTIC	ENEMY NETWORK CAPABILITY	SUPPORT LEVEL	SUPPORT REQUIREMENTS
Stealth	Find/Fix	LOW	None
Decoy/Deception	Target/Engage	MED	C2/Large Numbers
Swarm/Saturation	Track/Target	HIGH	C2/Large Numbers
Multi-Axis	Track/Target	HIGH	C2/Electronic Warfare
Packaging	Track/Target	HIGH	C2/Electronic Warfare

Figure 6: Capability, Tactics and Support Interrelationships for CONOPS Design

Based on the interrelationships in Figure 6, three possible CONOPS stand out as candidate solutions to the anti-access/area denial challenge. The first is standoff which minimizes human exposure to threats, while maximizing long range weapons effects. The second is penetrating strike which depends upon a highly-capable, manned stealth platform gaining access to deliver precision weapons. The third is swarm/saturation which utilizes stealth, legacy manned and unmanned platforms to overwhelm hyper-defended battlespace with both penetration and long range weapons. In each CONOPS, success requires balancing human and asset exposure while using proper capabilities to attack the enemy’s network.

CONOPS 1: Standoff

Standoff entails multi-domain coordination to acquire targeting data to feed standoff platforms for weapons employment. This minimizes threat exposure, but is heavily dependent on space/cyberspace to find, fix, and track enemy targets. As depicted in Figure 7, the carrier

strike group remains outside DF-21D range (1500 nautical miles) while multiple launch platforms stay outside nominal enemy fighter range (500 nautical miles).²⁸ F-22s assist with escort provided an air bridge is maintained. Therefore, standoff's cornerstone concept is using off-board sensors to cue multiple weapons against fixed target arrays.




Figure 7: Standoff CONOPS: China Example²⁹

At the operations requirement tier, the US command network needs to be forward based preferably onboard the carrier strike group. Space access, bandwidth capability and cyber security to receive satellite intelligence and disseminate to weapons platforms are major requirements. Weapons platforms, like the B-2, B-52 and B-1, could be augmented by Arsenal

²⁸ Krepinevich, *Why Air Sea Battle?*, 19. The author states that carrier forces would need to maintain a distance of 1000-1600 nautical miles from the China coastline to avoid the advanced surface-to surface threats. Plus airborne platforms would need to maintain a distance of 500 nautical miles to remain outside a Chinese fighter's nominal unrefueled max range, assuming they return to their original mainland air base.

²⁹ Tol, *AirSea Battle: Point of Departure*, 22. Original image was modified to help describe the standoff CONOPS.

Planes to meet the high apportionment targeting requirements.³⁰ Ideally, hyper-sonic weapons would increase enemy targeting difficulties while ensuring high weapon survival rates.

From the systems requirement tier, the weapon's power source, material, guidance, range, speed and accuracy are all important planning considerations. These need to enable fly-out ranges of several hundred miles. The material needs to possess stealth qualities, have electronic warfare attributes or receive cyber attack support to decrease, delay or deny detection during fly-out. Guidance and accuracy must ensure the weapon can navigate and hit within distances to achieve desired effects. Overall, weapon systems requirements are the highest priority in this CONOPS.

In the acquisition requirement tier, weapon reliability and survivability are the drivers. Anti-jam, inertially-aided weapons with self-terminal guidance (like cold atom technology) could solve this challenge.³¹ In addition, weapons should be shielded from electro-magnetic pulses and direct energy weapons. Therefore, affordability needs to be balanced with the overall weapon capability. In summary, standoff succeeds with unimpeded space/cyberspace access and networked command/intelligence support along with weapons able to survive to their intended targets.

CONOPS 2: Penetrating Strike

Penetrating strike entails using air dominance platforms to enter anti-access/area denial battlespace and employ self-targeted weapons. Threat exposure is high so strike platforms need advanced technologies to aid in defending against enemy defense networks. As depicted in

³⁰ Weidanz, email, 1. Arsenal Plane (email data received 6 Jan 2011) is a Boeing 777 platform converted to a strike platform capable of launching standoff missiles like the JASSM-ER. Each plane is estimated to hold 52 missiles and have a combat radius of 4000 miles.

³¹ Tompkins, "Precision Inertial Navigation Systems," 1. Cold Atom interferometers are being developed to replace GPS for navigation. This technology would require no external transmissions and still provide precise navigation capability.

Figure 8, F-22s escort refueling platforms that remain outside nominal enemy fighter range (500 miles). B-2s or next generation bombers penetrate the battlespace for strike missions.

Therefore, penetrating strike's cornerstone concept is self-targeting against fixed, mobile, and hardened arrays.

From the operations requirement tier, command network, space and cyber attacks support strike platforms, but these platform must survive/counter autonomous threats. Strike platforms require significant technological upgrades to counter bi-static radars and advanced surface-to-air missiles. Sensors and weapons need to counter laser defenses long enough to successfully guide weapons to their targets. Limited platform numbers equals lower available sorties which increases the time required to complete decisive combat operations. Overall, these low density, high demand strike platforms can be single points of failure without proper design capabilities.

Penetrating Strike




Figure 8: Penetrating Strike CONOPS: China Example³²

The systems requirement tier hinges on technological advances that must outpace air defense network capabilities. Platform materials need to maximize cloaking capabilities in the

³² Gunzinger, "Sustaining America's Strategic Advantage in Long-Range Strike," 32. Original image was modified to clarify the penetrating strike CONOPS

radio frequency, infrared and electro-optical spectrums. Metamaterials could provide this capability.³³ Weapon propulsion, range and speed are not as critical as in the standoff CONOPS since platforms deliver them close to the target. However, weapon guidance and accuracy weapons must counter jamming and possess the same characteristics as weapons in the standoff CONOPS.

The acquisition requirement tier presents challenges for strike platform capabilities. Affordability is the major constraint since strike platforms, sensors and weapons must be reliable, survivable and adaptable against air defense networks. Also, emerging technologies, like metamaterials, need to reach acceptable maturation levels by 2035. If platforms cannot reach weapons release and weapons can't survive to the target, the acceptable risk level is exceeded prior to mission execution. In summary, penetrating strike succeeds with highly advanced strike platforms which exceed air defense network capabilities (barring any serious time constraints).

CONOPS 3: Swarm and Saturation

Swarm and saturation combines manned stealth platforms, high/low tech unmanned aircraft systems and legacy strike platforms to overwhelm air defense networks. Some platforms penetrate and employ onboard weapons/decoys while others launch standoff weapons/decoys to achieve desired effects. Threat exposure is medium based on each platform's usage and penetrating depth. As depicted in Figure 9, F-22s escort refueling and legacy platforms that remain outside nominal enemy fighter range (500 miles) and launch standoff weapons. Unmanned aircraft systems penetrate/saturate air defenses while deploying swarming assets (decoys/weapons). Finally, B-2s or next generation bombers penetrate the battlespace to execute

³³ Ung, "Metamaterials: A Metareview," 1. Metamaterials are man-made materials that exhibit unique electromagnetic properties that theoretically could be undetectable in the radio frequency, infrared and electro optical spectrums. This will increase stealth platform cloaking capabilities.

strike missions. Therefore, swarm and saturation's cornerstone concept is to overwhelm defense networks with the full spectrum of assets against fixed, mobile and hardened target arrays.




Figure 9: Swarm and Saturation CONOPS: China Example³⁴

The operations requirement tier has both high and low tech considerations. The command network requirement for legacy platforms and unmanned aircraft systems is similar to the standoff CONOPS. B-1s and B-52s would require targeting data while other penetrating assets may self-target. Swarming platforms like micro air vehicles or saturation platforms like the X-47 could perform self-targeting functions.³⁵ Therefore, these sensors and weapons could be reusable or disposable dependent on use. Overall, operations require large inventories of existing legacy systems and advanced technologies all synchronized through a secure command network.

³⁴ Gunzinger, "Sustaining America's Strategic Advantage in Long-Range Strike," 68. Original image was modified to clarify the penetrating strike CONOPS.

³⁵ See US Air Force Fact Sheet, "Micro Air Vehicle Integration and Application Research Institute," 1. Micro air vehicles are designed to provide close covert sensing capabilities to enhance situational awareness and targeting data. Also see Gunzinger, "Sustaining America's Strategic Advantage in Long-Range Strike," 69. The X-47 is an unmanned carrier air vehicle with stealth, surveillance and self-targeting capability.

The systems requirement tier is complex due to varied technology levels in the operations tier. A resilient command network with cyber defense is crucial to asset synchronization. B-2s and penetrating unmanned aircraft systems have similar material requirements as the penetrating strike CONOPS. While stealth strike systems may require upgrades, legacy platforms would use existing capabilities. Therefore, the number and type of assets will drive the overall level and cost of technology upgrade.

The acquisition requirement tier includes considerations from the standoff and penetrating strike CONOPS. Re-usable swarming and saturation assets will require costly upgrades for survival verses disposable platforms. Thus, affordability will drive force structure. Reliability and survivability only pertains to re-usable assets which makes this feasible. In summary, swarm and saturation succeeds when advanced technologies and legacy systems overwhelm an air defense network long enough for lethal strikes to erode its capability.

In review of the CONOPS, all three are potential solutions to the anti-access/area denial challenge. All have unique attributes regarding capabilities, tactics and support and all share similar technological development challenges to enable their success. Figure 10 compares critical CONOPS components (optimized target type, threat exposure, strike/support assets and dominant future technologies) for each CONOPS. The final step is to prioritize desired capabilities and associated requirements to determine which technologies to pursue.

CONOPS Comparison

CRITICAL CONOPS COMPONENTS	Standoff CONOPS	Penetrating Strike CONOPS	Swarm and Saturation CONOPS
Optimized Target Type	Fixed	Fixed/ Mobile/ Hardened	Fixed/Mobile/ Hardened
Threat Exposure	Low	High	Med-High
Current Strike Assets	B-2,B-1, B-52	B-2	B-2
Escort/Support Assets	F-22/Tankers	None/Tankers	F-22/Tankers
Dominant Future Technologies	Space/Cyber Arsenal Plane Hypersonics Cold Atom	Metamaterials Next Gen Stealth Electronic Warfare	Space/Cyber UCAS (X-47) Micro Air Vehicles

Figure 10: CONOPS Comparison

Recommendations / Investment Options

“To remain the world’s most capable Air Force, we must correctly anticipate emerging science and technology advances that have the greatest military potential.”

-General Norton Schwartz, USAF Chief of Staff

CONOPS 1, standoff, requires investment in space, cyberspace and advanced long range weapons. The command network needs space situational awareness and intelligence data transmitted over secure communication lines to standoff platforms. Improvements in defensive counter space and cyber network defense is the first priority. Then cyber attack and offensive counter space can provide direct support for long range weapons against enemy air defense networks. Disrupting bi-static radar command/control and laser cueing greatly assists standoff weapons. Even if cyber attack and offensive counter space drive defense systems into autonomous modes, the weapons still need to make it to the target.

The US can continue long range missile development like the Joint Air-to-Surface Standoff Missile Extended Range. It should have initial operational capability in 2012 and the

US contracted 2500 weapons at a cost of 7.7 billion.³⁶ This weapon is under spiral development from the original JASSM so production costs should be minimized. This system along with Air Launched Cruise Missiles and Tomahawk Land Attack Missiles could be modified with stealth technologies or an entirely new system could be developed.

The future cruise missile should be a hypersonic weapon. If hypersonic weapons are fully operational in 2035, enemy air defense systems will have extreme targeting difficulties. The U.S. would “overcome the constraints of distance, time and defense that already limit conventional aerospace power projection.”³⁷ Of note, in May 2010, the US successfully completed the first flight test of the X-51A “Waverider.”³⁸ This air breathing scram jet was launched at 50,000 feet Mean Sea Level and reached a speed of about Mach 4.8. This validated its potential future application as a weapons platform. Therefore, hypersonic weapons would provide Suppression of Enemy Air Defenses and Destruction of Enemy Air Defenses. Overall, Standoff provides a medium to high cost investment depending on modifications to existing technologies or development of new advanced systems.

CONOPS 2, penetrating strike, require extensive upgrades to the B-2 stealth platform or the development of a next generation stealth strike platform. Similar space and cyber attack upgrades from the standoff CONOPs would assist in network attack. Investments must focus on material and electronic warfare upgrades to protect the B-2 deep inside an air defense network. B-2 electronic attack upgrades could be internal or other airborne electronic attack platforms (“Phantom Ray” or RQ-170) could support the B-2.³⁹ Overall, electronic warfare is a far less challenge than material upgrades.

³⁶ Deagel.com, “AGM-158 JASSM-ER,” 1.

³⁷ Hallion, “Hypersonic Power Projection,” 8.

³⁸ Air Force News, “X-51 Waverider makes Historic Hypersonic Flight,” 1.

³⁹ Gunzinger, “Sustaining America’s Strategic Advantage in Long-Range Strike,” 75.

Metamaterials are being developed to potentially provide advanced stealth capabilities. Rodger M. Walser first described metamaterials as, “macroscopic composites having a manmade, three-dimensional, periodic cellular architecture.”⁴⁰ The layman’s definition is building artificial materials in order to control electromagnetic signals. Metamaterials in the 3-30 Gigahertz range appear to have reached “analytical and experimental critical function and/or characteristic proof of concept.”⁴¹ Of note, only certain frequencies at precise angles can produce “invisible” effects when tracked by a radar scope. Therefore, in 2035, these barriers most likely will be overcome, but the US needs to ensure it reaches operational capacity first.

Metamaterial technological barriers exist in two critical spectrums. Currently, metamaterials in the infrared spectrum (300 Gigahertz to 300 Terahertz) and the electrical optical spectrum (>300 Terahertz < 3 Petahertz) are not seeing advances. “Difficulty exists in generating magnetic interactions in the optimum regime to provide cloaking effects.”⁴² As a result, it is uncertain whether these metamaterials will reach maturation. Overall penetrating strike is a high cost investment since technology development is in initial stages for both B-2 upgrades and a potential next generation stealth platform.

CONOPS 3, swarm and saturation, requires investment in low/high tech unmanned aircraft systems to serve as weapons platforms, sensors and decoys inside enemy air defenses. In addition, similar standoff weapons investments are required for use on legacy platforms outside the air defenses. Since saturation is one outright method to exhaust an adversary’s initial weapons volley, investments in B-2 upgrades depends on the micro air vehicles and UCAS X-47 ability to degrade an air defense network.

⁴⁰ Lakhtakia, “Evolution of Metamaterials,” 12.

⁴¹ Bilbro, “Technology Readiness Levels,” 3.

⁴² Rea, “Sensors Directorate Applied Metamaterials,” slide 7.

Micro air vehicles are two feet in length or less, capable of operating below rooftop level in an urban environment.⁴³ Along with the UCAS X-47, these swarming assets would operate covertly to collect, interrupt and disable enemy networks. Large numbers of these two disposable and non-disposable systems are required to execute this CONOPS. Additionally, disposable Miniature Air-Launched Decoys, Improved Tactical Air-Launched Decoys and legacy drones will aid in saturation.⁴⁴ Existing QF-4 and QF-15 drones could shield non-disposable manned and unmanned air dominance platforms for a very low cost. Overall, swarm and saturation is a low-medium cost investment depending on asset type and numbers utilized.

Investment Options

CONOPS	To Counter: Find	To Counter: Fix	To Counter: Track	To Counter: Target	To Counter: Engage	Notes/ Overall Cost
Standoff	Space/Cyber	Space/Cyber	Advanced Stealth Cruise Missiles	Hypersonics Arsenal Plane	Hypersonics Arsenal Plane	
Relative Cost	Med	Med	High	High	High	Med-High
Penetration Strike	Metamaterial Next Gen Stealth ElectronicWarfare	Metamaterial Next Gen Stealth ElectronicWarfare	Metamaterial Next Gen Stealth ElectronicWarfare	Metamaterial Next Gen Stealth ElectronicWarfare	Metamaterial Next Gen Stealth ElectronicWarfare	
Relative Cost	High	High	High	High	High	High
Swarming / Saturation	Micro Air Vehicles	Micro Air Vehicles	UCAS (X-47) Decoys Legacy Drones	UCAS (X-47) Decoys Legacy Drones	UCAS (X-47) Decoys Legacy Drones	If B-2 is upgraded advanced stealth: Cost=High
Relative Cost	Low	Low	Med	Med	Med	Low-Med

Figure 11: Investment Options

Figure 11 outlines the various investment options associated with each CONOPS. It breaks down air defense network capabilities and the technologies needed to counter each of those capabilities. Relative costs serve as an initial comparative snapshot and varies depending

⁴³ US Air Force Fact Sheet, “Micro Air Vehicle Integration and Application Research Institute,” 1.

⁴⁴ Global Security.org, “Miniature Air Launched Decoy (MALD),” 1.

on rate of future technology development. In addition, type and number of assets will vary depending on the specific hyper-defended battlespace composition.

Conclusion

It is extremely unlikely that the 2035 stealth air dominance aircraft will be truly invisible. We will not find Perseus' Helmet from Greek Mythology. As many unclassified studies have concluded, the current limited U.S. stealth inventory is expensive and will progressively lose their decreased detection advantage over the next decades.⁴⁵ If state on state conflict arises verses a near-peer competitor then the U.S. can expect to lose some current stealth aircraft in a hyper-defended battlespace.

Of the three CONOPS, swarm and saturation provides the best balance between cost and capability. Non-kinetic and electronic warfare disruption of an air defense network is a low cost capability. Overwhelming numbers of low tech, disposable platforms and weapons provide the means to exhaust initial enemy weapons volleys. This provides high tech platforms with a window of opportunity to penetrate and destroy fixed, hardened and mobile targets. Eventually, enemy air defense systems will erode and US air dominance returns to a level we are accustomed to fighting during decisive combat operations. Defeating an anti-access/area denial enemy requires this type of synthesized, multi-domain strategy.

In closing, US planners need a framework like the one presented to solve future air dominance challenges in anti-access/area denial states. It begins with understanding potential enemy technical challenges and air defense network capabilities. Then a requirements approach model is used to develop sound CONOPS. Only after these steps are accomplished can proper

⁴⁵ Westra, "Radar versus Stealth: Passive Radar and the Future of U.S. Military Power," 142. The author describes how current stealth technology alone will be less effective over the years relative to passive radar improvements. The US cannot simply invest in stealth without understanding the rapidly developing counters to stealth.

technologies be identified for investment. It is ultimately technology which will enable platforms, sensors and weapons to succeed in future decisive combat operations.

Bibliography

- Air Force Doctrine Document (AFDD) 1. *Air Force Basic Doctrine*, 17 November 2003.
- Air Force Doctrine Document (AFDD) 2-1.9. *Targeting*, 8 June 2006.
- Air Force Instruction (AFI) 10-2801. *Air Force Concept of Operations Development*, 24 October 2005.
- Aviation Week and Space Technology. "Editorial: Remain Watchful of China's Ascent" http://www.aviationweek.com/aw/generic/story.jsp?id=news/awst/2011/01/10/AW_01_10_2011_p58-280833.xml&channel=misc (accessed 3 Jan 2011).
- Bilbro, James. "Technology Readiness Levels." JB Consulting International. <http://jbconsultinginternational.com/TechnologyReadinessLevel.aspx> (accessed 10 January 2011).
- Dahm, Dr. Werner J.A. *Technology Horizons: A Vision for Air Force Science and Technology during 2010-2030, Volume 1*. Washington, DC, Office of the US Air Force Chief Scientist, 15 May 2010.
- Deagal.com. "AGM-158 JASSM ER." http://www.deagal.com/Land-Attack-Cruise-Missiles/AGM-158-JASSM-ER_a001073002.aspx (accessed 2 December 2010).
- Dunn, Richard J. "Operational Implications of Laser Weapons." Northrop Grumman Analysis Center. http://www.northropgrumman.com/analysiscenter/paper/assets/Operational_Implications_of_La.pdf (accessed 20 November 2010).
- Foster, Harry. "Airpower and Anti-Access/Area Denial (A2/AD) Networks." Lecture. Counter A2/AD Conference, Washington DC, 28 October 2010.
- Franklin, John. "Passive Bistatic Radar." www.cse.unt.edu/~rakl/john-proposal.ppt . (accessed 3 January 2011).
- Friedman, Thomas L. *The World is Flat*. New York, NY: Farrar, Starus and Giroux, 2005.
- Fulghum, David. "Russia Sells SA-20 to Iran." *Aviation Week and Space Technology*, 12 December 2008. http://www.aviationweek.com/aw/generic/story_generic.jsp?channel=awst&id=news/aw121508p2.xml&headline=null&prev=10. (accessed 3 January 2011).
- Global Security.org. "Miniature Air-Launched Decoy (MALD)." <http://www.globalsecurity.org/military/systems/aircraft/systems/mald.htm>. (accessed 28 November 2010).
- Global Security.org. "Stealth Aircraft Vulnerabilities." <http://www.globalsecurity.org/military/world/stealth-aircraft-vulnerabilities.htm> (accessed 10 January 2011).

- Gunzinger, Mark. *Sustaining America's Strategic Advantage in Long-Range Strike*. Washington, DC: Center for Strategic and Budgetary Assessments, 2010.
- Haffa, Robert. "Analogues of Stealth." Northrop Grumman Analysis Center. http://www.northropgrumman.com/analysis-center/paper/assets/analogues_stealth.pdf (accessed 12 January 2011).
- Hallion, Richard P. "Hypersonic Power Projection." Mitchell Institute for Airpower Studies. http://www.afa.org/mitchell/reports/MP6_Hypersonics_0610.pdf (accessed 1 December 2010).
- Joint Publication (JP) 5-0. *Joint Operation Planning*, 26 December 2006.
- Krepinevich, Andrew. *Why AirSea Battle*. Washington, DC: Center for Strategic and Budgetary Assessment, 2010.
- Lakhtakia, Akhlesh. "Evolution of Metamaterials: April 2007" Department of Engineering Science and Mechanics, Pennsylvania State University. www.esm.psu.edu/~axl4/lakhtakia/documents/Lakhtakia_07_7.pdf (accessed 9 December 2010).
- Minnick, Wendell. "China Builds First Anti-Ship Ballistic Missile Base?" *Defense News*, 5 August 2010. <http://www.defensenews.com/story.php?i=4735654> (accessed 2 January 2011).
- Rea, Laura. "Sensors Directorate Applied Metamaterials." Lecture. Air Force Research Laboratory, Wright Patterson AFB, Ohio, 20 September 2010.
- Schneider, Dr. William D. *Defense Science Task Force on Directed Energy Weapons*. Washington, DC: Office of the Under Secretary of Defense for Acquisition, Technology and Logistics, December 2007.
- Tol, Jan Van. *AirSea Battle: A Point-of-Departure Operational Concept*. Washington DC: Center for Strategic and Budgetary Assessments, 2010.
- Tol, Jan Van. "AirSea Battle." Center for Strategic and Budgetary Assessment, http://www.csbaonline.com/4Publications/PubLibrary/R.20100518.Slides_AirSea_Batt/R.20100518.Slides_AirSea_Batt.pdf (accessed 5 Jan 2011)
- Tompkins, Stefanie. "Precision Inertial Navigation Systems." Defense Advanced Research Project Agency. <http://www.darpa.mil/dso/thrusts/physci/newphys/pins/> (accessed 25 January 2011).
- Ung, Bora. "Metamaterials: A Metareview." Ecole Polytechnique of Montreal: http://www.polymtl.ca/phys/doc/art_2_2.pdf (accessed 10 October 2010).

United States Air Force. "X-51 Waverider makes Historic Hypersonic Flight" *Air Force News*, 26 May 2010. <http://www.af.mil/news/story.asp?id=123206525>. (accessed 3 December 2010).

United States Air Force Fact Sheet. "Micro Air Vehicle Integration and Application Research Institute." Department of the Air Force. http://www.wpafb.af.mil/library/factsheets/factsheet_print.asp?fsID=17006&page=1 (accessed 10 January 2011).

Weidanz, Eric., assistant director, Future Concepts Division, Headquarters Air Force Air Staff Requirements, Washington DC. To the author. E-mail, 6 January 2011.

Westra, Lt Col Arend G. "Radar verses Stealth: Passive Radar and the Future of U.S. Military Power." *Joint Forces Quarterly issue* 55, (4th Quarter 2009): [136-143]