



US Army Corps of Engineers & Washington Headquarters Services

**“Turning a DoD GOLD Leaf”
BRAC 133 @ Mark Center**



**Joanne Hensley, USACE
Crystall Merlino, LEED AP, WHS**

E2S2 Symposium & Exhibition, June 14-17, 2010

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE JUN 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE 'Turning a DoD GOLD Leaf' BRAC 133 @ Mark Center				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers ,441 G Street NW, Washington, DC, 20314-1000				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the NDIA Environment, Energy Security & Sustainability (E2S2) Symposium & Exhibition held 14-17 June 2010 in Denver, CO.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			
unclassified	unclassified	unclassified	Same as Report (SAR)	24	

BRAC 133 at Mark Center

“Turning a DoD GOLD Leaf”

Overview

- Background of project and team
- Moving the project from Silver to Gold
 - Integrated approach
 - Review of LEED scorecard
- Quality Assurance to keep us on track

BRAC 133 at Mark Center

- **Base Realignment and Closure**
- **In 2005, the BRAC process mandated the move of many DoD offices from leased office space to secure sites that could meet DoD's high anti-terrorism security standards.**



BRAC 133 at Mark Center

- **BRAC-133 at Mark Center facility will be a new office complex in Alexandria, VA designed to house over 6,400 Department of Defense personnel**
- **1.8 million square feet of world class office space**
- **Expected turnover – September 2011**
- **Project is being designed and constructed to achieve a U.S. Green Building Council, Leadership in Energy and Environmental Design (LEED), New Construction “GOLD” level-rating**



BRAC 133 at Mark Center

Government Team

- U.S. Army's Fort Belvoir, VA
- US Army Corps of Engineers
- Washington Headquarters Services

Contracting Team

- Duke Realty Corporation
 - Clark Construction
 - HKS Inc.
 - Studios Architecture
 - Wisniewski Blair & Associates
- *other teaming partners

BRAC 133 at Mark Center



BRAC 133 at Mark Center

- The BRAC 133 project will be built on 16 acre site in Mark Center
- Two vertical office towers
- Two parking structures
- Visitor's Center
- Publicly accessible community Transportation Center

BRAC 133 at Mark Center



“Going For GOLD”

- **Sustainability integrated into request for proposal. Stated mandatory USGBC LEED “Silver” level-rating**
- **Team easily demonstrated Silver level achievable through design proposed.**
- **By implementing cutting-edge strategies in environmentally sustainable construction and site development the team ensured the highest levels of water savings, energy efficiency, indoor environmental quality, and sustainable site design – the team would be able to achieve GOLD**



“Going For GOLD”

Sustainability goals:

*It is anticipated that the building will **consume 30% less energy** than a traditional building of the same size.*

- **Energy Efficiency features include:**
 - High Efficiency Central Chiller Plant
 - Demand Controlled Ventilation
 - Energy efficient lighting, including LED fixtures and Occupancy Sensors
 - Dedicated Outdoor Air System with Energy Recovery Wheels

“Going For GOLD”

Sustainability goals:

It is anticipated that the building will use 45% less water than a traditional building of the same size—a savings of 4.5 million gallons annually.


- **Water saving strategies include:**
 - Low flow faucets, shower heads, and plumbing fixtures
 - Zero irrigation and drought tolerant landscaping

“Going For GOLD”

Sustainability goals:

- ***At the current pace, 6 million pounds of construction waste will be recycled during the 3 year building project. This waste would typically go to a landfill on a non-LEED project.***
- ***BRAC 133 will include it's own Transportation Center to encourage use of mass transit such as busses and shuttle services. Onsite parking is limited to 60% of the overall occupants, and 375 preferred parking spots are allocated for carpools and hybrid vehicles. Amenities are also provided for bicycle commuting.***
- ***The project design also maximizes the use of visible green elements, including green roof designs for the Visitor's Center and Remote Inspection Facility, a bioswale for filtering stormwater runoff, and a green screen that wraps the façade of one parking structure.***

“Going For GOLD”



“Going For GOLD”




WEST ELEVATION



ELEVATOR TOWER

GREEN SCREEN DETAIL



BRAC 133 Department of Defense · WHS · Mark Center

Mark Center · Alexandria , VA

NORTH PARKING STRUCTURE VIEW RENDERINGS

A0-09B R1

October 19, 2009



“Going For GOLD”



BRAC 133 Department of Defense · WHS · Mark Center
Mark Center · Alexandria , VA

TOWER NORTH APPROACH VIEW RENDERING

A0-04B R1
October 19, 2009



“Going For GOLD”



BRAC 133 Department of Defense · WHS · Mark Center
Mark Center · Alexandria, VA

NORTH PARKING & TRANSPORTATION CENTER RENDERING

A0-09A R1
October 19, 2009



BRAC 133 LEED Scorecard

Sustainable Sites	
Prerequisite 1: Erosion & Sediment Control	Y
Credit 1: Site Selection	
Credit 2: Urban Redevelopment/Development Density	1
Credit 3: Brownfield Redevelopment	
Credit 4.1: Alternative Transportation: Public Transportation Access	1
Credit 4.2: Alternative Transportation: Bicycle Storage & Changing Rooms	1
Credit 4.3: Alternative Transportation: Alternative Fuel Refuel station	1
Credit 4.4: Alternative Transportation: Parking Capacity	1
Credit 5.1: Reduced Site Disturbance: Protect or Restore Open Space	
Credit 5.2: Reduced Site Disturbance: Development Footprint	1
Credit 6.1: Stormwater Management: Rate & Quantity	
Credit 6.2: Stormwater Management: Treatment	
Credit 7.1: Landscape & Exterior Design to Reduce Heat Islands: Non-roof	1
Credit 7.2: Landscape & Exterior Design to Reduce Heat Islands: Roof	1
Credit 8: Light Pollution Reduction	
Points Achieved:	8

BRAC 133 LEED Scorecard

Water Efficiency	
Credit 1.1: Water Efficient Landscaping: Reduce by 50%	1
Credit 2.1: Water Efficient Landscaping: Non potable use or no irrigation	1
Credit 2: Innovative Wastewater Technologies	1
Credit 3.1: Water Use Reduction: 20% Reduction	1
Credit 3.2: Water Use Reduction: 30% Reduction	
Points Achieved:	4

BRAC 133 LEED Scorecard

Energy & Atmosphere	
Prerequisite 1: Fundamental Building Systems Commissioning	Y
Prerequisite 2: Minimum Energy Performance	Y
Prerequisite 3: CFC Reduction in HVAC&R Equipment	Y
Credit 1.1: Optimizing Energy Performance: 20% New/10% Existing	2
Credit 1.1: Optimizing Energy Performance: 20% New/10% Existing	1
Credit 1.1: Optimizing Energy Performance: 20% New/10% Existing	1
Credit 1.1: Optimizing Energy Performance: 20% New/10% Existing	1
Credit 1.1: Optimizing Energy Performance: 20% New/10% Existing	
Credit 2.1: Renewable Energy: 5%	
Credit 2.2: Renewable Energy: 10%	
Credit 2.3: Renewable Energy: 20%	
Credit 3: Additional Commissioning	1
Credit 4: Ozone Depletion	1
Credit 5: Measurement & Verification	1
Credit 6: Green Power	
Points Achieved:	8

BRAC 133 LEED Scorecard

Materials & Resources	
Prerequisite 1: Storage & Collections of Recyclables	Y
Credit 1.1: Building Reuse: Maintain 75% of Existing Shell	
Credit 1.2: Building Reuse: Maintain 100% of Existing Shell	
Credit 1.3: Building Reuse: Maintain 100% Shell & 50% Non-shell	
Credit 2.1: Construction Waste Management: Divert 50%	1
Credit 2.2: Construction Waste Management: Divert 75%	1
Credit 3.1: Resource Reuse: Specify 5%	
Credit 3.2: Resource Reuse: Specify 10%	
Credit 4.1: Recycled Content: 10%	1
Credit 4.2: Recycled Content: 20%	1
Credit 5.1: Local/Regional Materials: 20% Manufactured Locally	1
Credit 5.2: Local/Regional Materials: of 20% above, 50% Harvested Locally	1
Credit 6: Rapidly Renewable Materials	
Credit 7: Certified Wood	1
Points Achieved:	7

BRAC 133 LEED Scorecard

Indoor Environmental Quality	
Prerequisite 1: Minimum Indoor Air Quality (IAQ) Performance	Y
Prerequisite 2: Environmental Tobacco Smoke (ETS) Control	Y
Credit 1: Carbon Dioxide (CO2) monitoring	1
Credit 2: Increase Ventilation Effectiveness	1
Credit 3.1: Construction IAQ Management Plan: During Construction	1
Credit 3.2: Construction IAQ Management Plan: Before Occupancy	1
Credit 4.1: Low-Emitting Materials: Adhesives & Sealants	1
Credit 4.2: Low-Emitting Materials: Paints	1
Credit 4.3: Low-Emitting Materials: Carpet	1
Credit 4.4: Low-Emitting Materials: Composite Wood	1
Credit 5: Indoor Chemical & Pollutant Source Control	
Credit 6.1: Controllability of Systems: Perimeter	1
Credit 6.2: Controllability of Systems: Non-Perimeter	
Credit 7.1: Thermal Comfort: Comply with ASHRAE 55-1962	1
Credit 7.2: Thermal Comfort: Permanent Monitoring System	1
Credit 8.1: Daylight & Views: Daylight 75% of spaces	
Credit 8.2: Daylight & Views: Views for 90% of spaces	
Points Achieved:	11

BRAC 133 LEED Scorecard

Innovative & Design Process	
ID Green Education	1
ID Green Cleaning	1
ID Recycled Content 30%	1
ID Local Materials 30%	1
ID Construction Waste Management >75%	
ID HVAC Innovations	
Credit 2: LEED Accredited Professional	1
Points Achieved:	5
TOTAL Project points:	43

LEED Certified = 26-32 points
LEED Silver = 33-38 points
LEED Gold = 39-51 points
LEED Platinum = 52 or more points

BRAC 133 at Mark Center

Sustainability & Team Management

- ✓ Contract requirements upheld and surpassed
- ✓ Specifications integrated sustainability and LEED requirements
- ✓ Full team integration achieved
- ✓ Weekly Design meetings – sustainability discussed
- ✓ Semi-monthly LEED review meetings – full team participation
- ✓ Constant monitoring

BRAC 133 at Mark Center

In conclusion...

- ✓ LEED ongoing – design submission in review
- ✓ Sustainability and team integration key to success
- ✓ High Performing building for new tenants