

Assessing and Visualizing Incomparabilities by using an Outranking Method Supporting the Acquisition of Military Equipment

Prof. (Em.) Hugo Pastijn, Cdt Ir.Filip Van Utterbeeck

Royal Military Academy
Renaissance Avenue 30
1000 Brussels (Belgium)

hugo.pastijn@rma.ac.be

ABSTRACT

An essential element in the use of outranking methods for ranking or selection problems arising in the acquisition process of military equipment is the interpretation of incomparabilities. We show how this was done in the PROMETHEE methods by the “GALA” plane representation, which is implemented in the commercial software “DECISION LAB 2000”.

We then discuss how the incomparability analysis can be fine-tuned, leading to a more detailed graphical representation. This was implemented in the “MCDMTool” developed at the Royal Military Academy in Brussels.

Finally we discuss the way to interpret the results of these assessments and visualizations, along with their relevance to the acquisition process of military equipment.

INTRODUCTION

In the SAS-080 (NATO SAS-080 Specialist Meeting – Brussels 22-23 October 2009) contribution on “Using an outranking method supporting the acquisition of military equipment” (SAS-080 14) we reminded that outranking methods for multicriteria decision aid belong typically to the so-called European School of Multicriteria Decision Making (MCDM), which came into existence with the stimulating work of B. Roy ([13],[14],[15],[16]). We will repeat here some of the points addressed in that paper. The outranking approach is based on a fundamental partial comparability axiom where incomparability is a key concept ([5], p.80). In contrast with this approach there is the so-called American School in which Th. Saaty plays an important role with his “Analytical Hierarchy Process” (AHP Method) in which there is no place for incomparabilities [17]. In the European School we think that incomparabilities between alternatives to be ranked or to be selected, are a natural aspect of any MCDM problem, in which criteria evaluating the performance of these alternatives are conflicting – meaning that for instance two different criteria can have inversed preferences between couples of the same alternatives. If this happens on a large set of couples of criteria, then we claim that neglecting these conflicts, is leading to decisions which are often far from the original data of the MCDM problem. Although the final objective in practice is to decide about a ranking or about a selection of a subset of the alternatives, we claim that the decision maker should be supported by methods which are warning about the presence of incomparabilities. We even claim that it should be possible to assess the importance (the intensity) of these incomparabilities in order to fully inform the decision maker about it, before the final decision is made.

Many different methods belong to the outranking class. For overviews we refer to [5], [18] and [19]. For a detailed description of industrial applications with the oldest member (ELECTRE) of this class we refer to [11]. In this paper we will concentrate on the well-known PROMETHEE methods. In other contributions

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE OCT 2009		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Assessing and Visualizing Incomparabilities by using an Outranking Method Supporting the Acquisition of Military Equipment				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Royal Military Academy Renaissance Avenue 30 1000 Brussels (Belgium)				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADA562565. RTO-MP-SAS-080 Decision Support Methodologies for Acquisition of Military Equipment (Methodologies d'aide a la decision pour l'acquisition d'equipements militaires). Meeting Proceedings of Systems Analysis and Studies Panel (SAS) Specialists Meeting held in Brussels, Belgium on 22 and 23 October 2009., The original document contains color images.					
14. ABSTRACT An essential element in the use of outranking methods for ranking or selection problems arising in the acquisition process of military equipment is the interpretation of incomparabilities. We show how this was done in the PROMETHEE methods by the GAIA plane representation, which is implemented in the commercial software DECISION LAB 2000. We then discuss how the incomparability analysis can be fine-tuned, leading to a more detailed graphical representation. This was implemented in the MCDMTTool developed at the Royal Military Academy in Brussels.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 8	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

to the NATO SAS-080 Specialist Meeting (Brussels, 22-23 October 2009) we will focus on the ORESTE method ([10],[12]) which is complementary to the PROMETHEE methods. There are other methods belonging to the European School like MACBETH [1] which in SAS-080 is the subject of a keynote address by C. Bana e Costa.

The PROMETHEE methods are sufficiently well-known by System Analysis specialists, to skip in this paper all mathematical aspects. For details we refer to [4],[8] and [9]; for some more philosophical considerations see [3].

The PROMETHEE methods have been extensively used in the eighties and nineties of last century by teams of Belgian MoD equipment acquisition services. These (and other) MCDM methods are taught in the curriculum of the High Staff College for Military Administrators of the Belgian MoD. Currently personnel involved with equipment acquisition can use these methods on an individual basis. For other areas in Defence where these methods were used, we refer for instance to [6].

In this paper we concentrate on practical features of the PROMETHEE I method related to the incomparability analysis, the typical use for military equipment acquisition, and we illustrate the discussion primarily by an implementation we called MCDMTool [7].

INPUT DATA

We start with the same data as in the paper SAS-080 on “Using an outranking method supporting the acquisition of military equipment”, but now we intend to apply the PROMETHEE I method, which includes the identification of incomparabilities.

This is illustrated in Figure 1 with MCDMTool.




Figure 1: Input data in MCDMTool

PROMETHEE I COMPUTATIONS FOR OPERATIONALITY

In Figure 2 are shown the successive computational results for PROMETHEE I only for the MCDM-problem "Operationality" which is a criterion of the overall MCDM problem "Military Equipment Acquisition". Notice that ordinal data (ranks are treated as cardinal data).

The second table of Figure 2 gives the unicriterion flows

$$\phi_j(a) = \sum_{x \in A-a} [P_j(a, x) - P_j(x, a)] \text{ with } P_j(a, x) \text{ and } P_j(x, a) \text{ the preference indicators}$$

(see SAS-080 14). They are used in the computation of weight stability intervals and also in the representation of the GAIA plane [9].




Figure 2: PROMETHEE I Computations

The third table of Figure 2 gives all the flows $\phi(a)$, $\phi^+(a)$ and $\phi^-(a)$ (see SAS-080 14), as well as all the aggregated preference indicators $\pi(a,b)$ and $\pi(b,a)$.

Finally the last table of Figure 2 gives the binary relations PROMETHEE I is obtaining for each couple of alternatives. Therefore the alternatives are ranked in decreasing order of $\phi^+(a)$ and in increasing order of $\phi^-(a)$. If for a couple of alternatives both rankings are the same, PROMETHEE I is maintaining this ranking as the final one. If for a couple of alternatives both rankings are opposite, then PROMETHEE I is

considering this couple as incomparable. In the last table of Figure 2 such couples are identified with the symbol R . There is no measure of the intensity of this incomparability in the original version of PROMETHEE I. This has been changed in the implementation of MCDMTTool where we use de aggregated preference indicators $\pi(a,b)$ and $\pi(b,a)$ to represent each couple of alternatives in a IPR-diagram identical to the one we use for conflict analysis in the ORESTE method [10] (see SAS-080 16) with the same parameter settings to define the (blue) Indifference region (I), the (green) Preference region (P) and the (red) incompaRability region (R).

This is illustrated in Figure 3 with MCDMTTool, along with the representation of the profiles of all alternatives. Notice that the couple of alternatives Eqt8 and Eqt10 are identified by PROMETHEE I as incomparable. This couple had the number 44 in the IPR-diagram ; it is in the middle of the incomparability region. The intensity of the incomparability can be measured by the distance of the point of the couple in the IPR-diagram, to the bisector of the first quadrant of this graph (see similarly [10]).




Figure 3: Conflict analysis for Operationality

INCOMPARABILITY ANALYSIS FOR THE MCDM PROBLEM

Finally the same is done for the overall MCDM problem. The results are illustrated with MCDMTool in Figure 4.

Notice that the couple Eq7 and Eq9 is not identified in the original version of PROMETHEE I as incomparable (see the upper left table in Figure 4), but it is in the IPR-diagram (see point 41 for this couple) because it is almost on the bisector of the (red) incomparability region. The original PROMETHEE I method is obviously not very discriminating for identifying incomparabilities.




Figure 4: Final PROMETHEE I conflict analysis

CONCLUSION

In addition to the GAIA representation implemented in Decision Lab 2000 [20] the IPR-diagram implemented in MCDMTTool is very important to assess the existence and the intensity of incomparabilities. This IPR-diagram is much more discriminating than the original version of PROMETHEE I.

REFERENCES

- [1] C.A. Bana e Costa, J.C. Vansnick, *MACBETH – An interactive path towards the construction of cardinal value functions*, International Transactions in Operations Research, Vol. 1, No 4, pp. 489-500, 1994
- [2] B.S. Blanchard, *Logistics Engineering and Management*, (6th Ed.), Pearson – Prentice Hall, 2004
- [3] J.P. Brans, *The space of freedom of the decision maker or modelling the human brain*, Vrije Universiteit Brussel, Centre for statistics and operations research, working paper CSOOTW/265, 1994

- [4] J.P Brans, Ph. Vincke, B. Mareschal, *How to select and how to rank projects: The PROMETHEE method*, EJOR, 24, pp. 228-238, 1986
- [5] J. Climaco (Ed.), *Multicriteria Analysis*, Springer, 1997
- [6] I. De Leeneer, H. Pastijn, *Selecting land mine detection strategies by means of outranking MCDM techniques*, EJOR, 139, pp. 327-338, 2002
- [7] F. Hallot, Ph. Beirens, H. Pastijn, *MCDMTool*, Brussels, Belgium, 2000
- [8] B. Mareschal, *Weight stability intervals in multicriteria decision aid*, EJOR, 33, pp.54-64, 1988
- [9] B. Mareschal, J.P Brans, *Geometrical Representation for MCDM, the GAIA procedure*, EJOR, 34, pp. 69-77, 1988
- [10] H. Pastijn, J. Leysen, *Constructing an Outranking Relation with ORESTE*, Mathematical Computer Modelling, Pergamon Press, Vol. 12, No 10/11, pp. 1255-1268, 1989
- [11] M. Rogers, M. Bruen, L.-Y. Maystre, *Electre and Decision Support – Methods and Applications in Engineering and Infrastructure Investment*, Kluwer, 2000
- [12] M. Roubens, *Preference relations on actions and criteria in multicriteria decision making*, EJOR, 10, pp. 51-55, 1982
- [13] B. Roy, *Classement et choix en présence de points de vue multiples (la méthode ELECTRE)*, Rev. Française Automat., Informat., Recherche Opérationnelle, 8, 1968
- [14] B. Roy, *Méthodologie multicritère d'aide à la décision*, Economica, Paris, 1985
- [15] B. Roy, D. Bouyssou, *Aide Multicritère à la Décision: Méthodes et Cas*, Economica, 1993
- [16] B. Roy, Ph. Vincke, *Multicriteria analysis : survey and new directions*, EJOR, 8, pp. 207-218, 1981
- [17] Th.L. Saaty, *Multicriteria Decision Making – The Analytic Hierarchy Process*, Univ. of Pittsburgh, 1988
- [18] Ph. Vincke, *L'Aide Multicritère à la Décision*, Editions Ellipses, 1989
- [19] Ph. Vincke, *Multicriteria Decision-aid*, Wiley, 1992
- [20] Visual Decision Inc., *Decision Lab 2000 Executive Edition*, Montreal, Canada, 1999