REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188				
searching existii regarding this Headquarters S Respondents sh information if it do	ng data sources, <u>c</u> burden estimate o Services, Directorate ould be aware that bes not display a curre	gathering and maint or any other aspe e for Information	taining the data needed, tot of this collection of Operations and Reports other provision of law, no I number.	and co informa s, 1215	mpleting and tion, includin 5 Jefferson D	revie g sug avis	sponse, including the time for reviewing instructions, ewing the collection of information. Send comments ggesstions for reducing this burden, to Washington Highway, Suite 1204, Arlington VA, 22202-4302. to any oenalty for failing to comply with a collection of
1. REPORT D	ATE (DD-MM-YY	(YY)	2. REPORT TYPE				3. DATES COVERED (From - To)
02-10-2012	× ·	,	Final Report				25-Mar-2006 - 24-Jul-2010
4. TITLE AN	D SUBTITLE	I			5a. CO	NTR	I ACT NUMBER
Remote sensing plant stress using combined fluorescence and			fluorescence and		W911NF-06-1-0074		
reflectance r	neasurements fo	or early detection	n of defoliants within	5b. GRANT NUMBER			
the battlefied	d environment						
					5c. PRO	) GR/	AM ELEMENT NUMBER
				611102			
6. AUTHORS	5				5d. PRO	OJEC	T NUMBER
Donald R. Y	oung						
					5e. TAS	SK N	UMBER
					5f. WORK UNIT NUMBER		
Virginia Con 800 East Lei PO Box 980:	nmonwealth Unive gh Street, Suite 113 568	3					PERFORMING ORGANIZATION REPORT JMBER
Richmond, V			8 -0568			10	
ADDRESS(E		NG AGENCY NAM	ME(S) AND				SPONSOR/MONITOR'S ACRONYM(S) RO
	esearch Office				ľ	11.	SPONSOR/MONITOR'S REPORT
P.O. Box 12211						NUMBER(S)	
Research Tri	angle Park, NC 277	709-2211			49364-EV.12		64-EV.12
12. DISTRIBU	JTION AVAILIBI	LITY STATEMEN	Τ		•		
Approved for	Public Release; Dis	stribution Unlimite	d				
The views, op		ngs contained in thi	is report are those of the a lesignated by other docum			not co	ontrued as an official Department
vegetation/te ecological re battlefield co	cence spectral clerrain conditions esearch site and ontaminants and	s. Field measure at Ft. A.P. Hill. I natural environ	Laboratory experime mental stresses. Goal	ed at th ents an ls were	e Virginia d field mea e to 1) link	Coa asure leaf	ta to remotely sense st Reserve, NSF, long-term ements incorporated relevant fluorescence and reflectance mental stress, 2) predict the
15. SUBJEC	T TERMS						
Chlorophyll f	luorescence, leaf re	eflectance, hyperspo mental conditions,	ectral, remote sensing, env UXOs, TNT	vironme	ental stress, p	photos	synthesis, water relations,
16. SECURIT	Y CLASSIFICATI	ION OF	17. LIMITATION OF		15. NUMBE	R	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT		OF PAGES		Donald Young
UU	UU	UU	UU				19b. TELEPHONE NUMBER 804-828-1562

1

# **Report Title**

Remote sensing plant stress using combined fluorescence and reflectance measurements for early detection of defoliants within the battlefied environment

# ABSTRACT

Leaf fluorescence spectral characteristics were fused with reflectance hyperspectral data to remotely sense vegetation/terrain conditions. Field measurements were conducted at the Virginia Coast Reserve, NSF, long-term ecological research site and at Ft. A.P. Hill. Laboratory experiments and field measurements incorporated relevant battlefield contaminants and natural environmental stresses. Goals were to 1) link leaf fluorescence and reflectance patterns and plant physiological responses with different kinds and degrees of environmental stress, 2) predict the stress agent and degree of stress using leaf fluorescence and reflectance characteristics, 3) extend laboratory results to field situations to link field measurements of leaf fluorescence and reflectance to natural environmental stress, 4) use plant physiological measurements in conjunction with leaf fluorescence and reflectance data to sort and identify potential stress agents in the field, and 5) link landscape level hyperspectral measurements to spatial variations in leaf fluorescence and reflectance in order to map environmental quality. In year four, added objectives were 1) determine if exposure to trinitrotoluene (TNT) contaminated soils and associated changes in plant physiological parameters can be remotely sensed, 2) identify highly responsive species to serve as contamination indicators, and 3) link landscape level hyperspectral measurements to experimental results to remotely identify (TNT) contaminated soils,

# Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

Received

TOTAL:

Number of Papers published in peer-reviewed journals:

Paper

 (b) Papers published in non-peer-reviewed journals (N/A for none)

 Received
 Paper

 TOTAL:
 Number of Papers published in non peer-reviewed journals:

(c) Presentations

Naumann, JC, DR Young and JE Anderson. 2007. Linking fluorescence, reflectance and physiological responses to environmental stress. Invited presentation at the Workshop on Vegetation Stress Detection with Remote Sensing Imagery, Instituto de Agricultura Sostenible, Córdoba, Spain

Young, D.R. 2007. Leaf to landscape in a barrier island environment." Workshop on Vegetation Stress Detection with Remote Sensing Imagery, Instituto de Agricultura Sostenible, Córdoba, Spain

Young, D.R. and J.C. Naumann. 2007. Fluorescence remote sensing detection of stress in the evergreen shrub, Myrica cerifera. Army Research Office Terrestrial Sciences Program PI Review, Vicksburg, MS

Naumann, JC, DR Young and JE Anderson. 2008. Spatial variations in salinity stress across a coastal landscape. Presentation at Ecological Society of America, Milwaukee, WI

Brantley ST, Naumann JC and DR Young. 2009. Application of hyperspectral vegetation indices to detect variations in leaf area index in Morella cerifera and Elaeganus umbellata shrub thickets. Presentation at Association of Southeastern Biologists, Asheville, NC

Naumann, JC, DR Young and JE Anderson. 2009. Using plant canopies to detect TNT contamination in soil. Presentation at Ecological Society of America, Albuquerque, NM

Naumann JC, DR Young and JE Anderson. 2009. Linking chlorophyll fluorescence, hyperspectral reflectance and plant physiological responses to detect stress using the photochemical reflectance index (PRI). Invited presentation in Remote Sensing of Vegetation Processes, American Geophysical Union, San Francisco, CA

Naumann JC, JE Anderson and DR Young. 2009. Remote sensing and plant physiological responses to TNT soil contamination. Poster at USACE ERDC Conference, Memphis, TN

Young DR, Naumann JC and JE Anderson. 2009. Remote sensing of plant stress in shrubs using combined fluorescence and canopy reflectance measurements. Poster at USACE ERDC Conference, Memphis, TN

Naumann JC, Vick JK\*, Nelson JD, Hoffman A1 and DR Young. 2010. Atypical chlorophyll responses to stress in a high light coastal environment. Presentation at Ecological Society of America, Pittsburgh, PA

Number of Presentations: 10.00

#### Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

Received

<u>Paper</u>

TOTAL:

Number of Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

**Peer-Reviewed Conference Proceeding publications (other than abstracts):** 

Received	Paper				
10/01/2012	3.00 JC_Naumann, K_Rubis, DR_Young. Fusing chlorophyll fluorescence and plant canopy reflectance to detect TNT contamination in soils, SPIE 7664. 2010/04/07 00:00:00, . : ,				
TOTAL:	1				
Number of Pee	er-Reviewed Conference Proceeding publications (other than abstracts):				
	(d) Manuscripts				
Received	Paper				
TOTAL:					
Number of Ma	Number of Manuscripts:				
	Books				
Received	<u>Paper</u>				
TOTAL:					
	Patents Submitted				
Patents Awarded					
Awards					

Graduate Students				
NAME	PERCENT SUPPORTED	Discipline		
Julie Zinnert	0.50			
Steven Brantley	0.25			
Jaclyn Vick	0.00			
Spencer Bissett	0.10			
FTE Equivalent:	0.85			
Total Number:	4			
Names of Post Doctorates				
NAME	PERCENT_SUPPORTED			
FTE Equivalent:				

#### **Total Number:**

Names of Faculty Supported					
NAME	PERCENT SUPPORTED	National Academy Member			
Donald R. Young	0.08				
FTE Equivalent:	0.08				
Total Number:	1				

# Names of Under Graduate students supported

<u>NAME</u> Kathryn Rubis	PERCENT SUPPORTED 0.20	
FTE Equivalent:	0.20	
Total Number:	1	

<b>Student Metrics</b> This section only applies to graduating undergraduates supported by this agreement in this reporting period	
The number of undergraduates funded by this agreement who graduated during this period: The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields:	
The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields:	1.00
Number of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale): Number of graduating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering:	
The number of undergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense	0.00
The number of undergraduates funded by your agreement who graduated during this period and will receive scholarships or fellowships for further studies in science, mathematics, engineering or technology fields:	1.00

# Names of Personnel receiving masters degrees

NAME

**Total Number:** 

<u>NAME</u>

Julie C Naumann

**Total Number:** 

1

Names of other research staff

NAME

PERCENT SUPPORTED

FTE Equivalent:

**Total Number:** 

Sub Contractors (DD882)

Inventions (DD882)

**Scientific Progress** 

#### Objectives

The project goal was to fuse leaf fluorescence and reflectance characteristics to remotely sense vegetation and terrain conditions. The project objectives were:

· For multiple species, link leaf reflectance and fluorescence patterns with different causes and degrees of plant stress.

• Extend glasshouse/laboratory results to field situations to link field measurements of leaf fluorescence and reflectance to natural environmental stress.

• Under field conditions and with potential multiple environmental stresses, use measurements of photosynthesis, plant water status, leaf fluorescence and reflectance to "sort" and identify the forms of stress.

• Link landscape level hyperspectral measurements to spatial variations in leaf fluorescence and reflectance to map environmental quality.

• Effectively characterize plant stress as a terrestrial indicator for both civil and military (e.g. mobility) applications The Add-on objectives were:

• Use glasshouse/laboratory experiments to determine if exposure to TNT contaminated soils and associated changes in plant physiological parameters can be remotely sensed.

- · Identify highly responsive species to serve as contamination indicators.
- Link landscape level hyperspectral measurements to experimental results to remotely identify TNT contaminated soils.

#### Accomplishments

• Laboratory measurements with the evergreen shrub, Myrica cerifera, and with the invasive grass, Phragmites australis, indicate that light-adapted fluorescence measurements have been successful in all experiments at detecting stress prior to visible signs of damage.

• Regardless of concentration, treatments with the surrogate nerve agent (i.e. insecticide) did not induce detectable physiological stress or changes in fluorescence or reflectance characteristics.

• Reflectance characteristics were effective at tracking changes in light-adapted fluorescence at the leaf-level scale. Thus, variations in physiological responses were linked to changes in chlorophyll fluorescence which were linked to differences in reflectance patterns. These results are promising for linking fluorescence to reflectance for rapid detection of stress in plants through remote sensing of hyperspectral imagery.

• When applied at the canopy level, the relationships identify environmental variations across the landscape as indicated by stress and associated stressors in plants prior to visible signs of damage.

• From the combined field and hyperspectral data collection, and using the results of our laboratory studies, we have established links between the remotely sensed data and environmental conditions in the field as projected by our indicator plant species. We have identified spatial variations in salt stress, seasonal changes in drought stress and year to year variations in vegetation stress.

• For laboratory experiments, several reflectance indices and the chlorophyll fluorescence response were able to detect TNT induced stress in plants before changes in leaf pigments or visible damage occurred.

• Field studies at the Duck, NC Field Research Facility revealed differences in plant physiological stress and leaf and canopy reflectance when plants growing over suspected buried UXOs were compared with reference plants.

#### Technology Transfer

• This project includes frequent communications and collaborations with the ERDC TEC lab in northern Virginia. We regularly visit their facility to discuss progress and to share information. All phases of this project, including results and conclusions are readily accessible to their staff. For example, Dr. Anderson has used our laboratory results to develop a light adapted algorithm that is a modified version of the European Space Agency's dark-adapted plant model for remotely sensing stress at the plant canopy level.

• Dr. John Anderson and his associates maintain a remote office and a research laboratory in the VCU Trani Life Sciences Building. Dr. Julie Zinnert (Naumann) maintains an office and regularly works in Dr. Anderson's lab, my lab, and the VCU greenhouse facility

I and my students interact with Dr. Zinnert, Dr. Anderson, and their associates on a weekly basis.

• The natural interactions between the PI's lab at VCU and the staff at the ERDC-TEC lab ensure a seamless transition of data and results.

### **Technology Transfer**

# 2010 Project Summary/Final Report

# Remote sensing plant stress using combined fluorescence and reflectance measurements for early detection of defoliants within the battlefield environment

# ARO Proposal # (49364-EV)

# **Donald R. Young** Department of Biology Virginia Commonwealth University

# Objectives

The project goal was to fuse leaf fluorescence and reflectance characteristics to remotely sense vegetation and terrain conditions. The project objectives were:

- For multiple species, link leaf reflectance and fluorescence patterns with different causes and degrees of plant stress.
- Extend glasshouse/laboratory results to field situations to link field measurements of leaf fluorescence and reflectance to natural environmental stress.
- Under field conditions and with potential multiple environmental stresses, use measurements of photosynthesis, plant water status, leaf fluorescence and reflectance to "sort" and identify the forms of stress.
- Link landscape level hyperspectral measurements to spatial variations in leaf fluorescence and reflectance to map environmental quality.

• Effectively characterize plant stress as a terrestrial indicator for both civil and military (*e.g.* mobility) applications The Add-on objectives were:

- Use glasshouse/laboratory experiments to determine if exposure to TNT contaminated soils and associated changes in plant physiological parameters can be remotely sensed.
- Identify highly responsive species to serve as contamination indicators.
- Link landscape level hyperspectral measurements to experimental results to remotely identify TNT contaminated soils.

# Accomplishments

- Laboratory measurements with the evergreen shrub, *Myrica cerifera*, and with the invasive grass, *Phragmites australis*, indicate that light-adapted fluorescence measurements have been successful in all experiments at detecting stress prior to visible signs of damage.
- Regardless of concentration, treatments with the surrogate nerve agent (i.e. insecticide) did not induce detectable physiological stress or changes in fluorescence or reflectance characteristics.

- Reflectance characteristics were effective at tracking changes in light-adapted fluorescence at the leaf-level scale. Thus, variations in physiological responses were linked to changes in chlorophyll fluorescence which were linked to differences in reflectance patterns. These results are promising for linking fluorescence to reflectance for rapid detection of stress in plants through remote sensing of hyperspectral imagery.
- When applied at the canopy level, the relationships identify environmental variations across the landscape as indicated by stress and associated stressors in plants *prior* to visible signs of damage.
- From the combined field and hyperspectral data collection, and using the results of our laboratory studies, we have established links between the remotely sensed data and environmental conditions in the field as projected by our indicator plant species. We have identified spatial variations in salt stress, seasonal changes in drought stress and year to year variations in vegetation stress.
- For laboratory experiments, several reflectance indices and the chlorophyll fluorescence response were able to detect TNT induced stress in plants before changes in leaf pigments or visible damage occurred.
- Field studies at the Duck, NC Field Research Facility revealed differences in plant physiological stress and leaf and canopy reflectance when plants growing over suspected buried UXOs were compared with reference plants.

# **Technology Transfer**

- This project includes frequent communications and collaborations with the ERDC TEC lab in northern Virginia. We regularly visit their facility to discuss progress and to share information. All phases of this project, including results and conclusions are readily accessible to their staff. For example, Dr. Anderson has used our laboratory results to develop a light adapted algorithm that is a modified version of the European Space Agency's dark-adapted plant model for remotely sensing stress at the plant canopy level.
- Dr. John Anderson and his associates maintain a remote office and a research laboratory in the VCU Trani Life Sciences Building. Dr. Julie Zinnert (Naumann) maintains an office and regularly works in Dr. Anderson's lab, my lab, and the VCU greenhouse facility
- I and my students interact with Dr. Zinnert, Dr. Anderson, and their associates on a weekly basis.
- The natural interactions between the PI's lab at VCU and the staff at the ERDC-TEC lab ensure a seamless transition of data and results.

# **Peer-Reviewed Publications**

- Naumann, J.C., D.R. Young, and J.E. Anderson. 2007. Linking leaf chlorophyll fluorescence properties to physiological responses for stress detection in coastal plant species. Physiologia Plantarum 131: 422-433.
- Naumann, J.C., D.R. Young, and J.E. Anderson. 2008. Leaf fluorescence, reflectance, and physiological response to freshwater and saltwater flooding in the evergreen shrub, *Myrica cerifera*. Environmental and Experimental Botany 63: 402-409.

- Naumann, J.C., J.E. Anderson, and D.R. Young. 2008. Linking physiological responses, chlorophyll fluorescence and hyperspectral imagery to detect salinity stress using the physiological reflectance index in the coastal shrub, *Myrica cerifera*. Remote Sensing of Environment. 112: 3865-3875.
- Naumann, J.D., D.R. Young, and J.E. Anderson. 2009. Spatial variations in salinity stress across a coastal landscape using vegetation indices derived from hyperspectral imagery. Plant Ecology 202: 285-297.
- Brantley, S.T. and D.R. Young. 2010. Linking light attenuation, sunflecks and canopy architecture in mesic shrub thickets. Plant Ecology 206: 225-236.
- Naumann, J.C., J.E. Anderson and D.R. Young. 2010. Remote detection of plant physiological responses to TNT soil contamination. Plant and Soil 329: 239-248
- Naumann, J.C., S.N. Bissett, D.R. Young, J. Edwards, and J.E. Anderson. 2010. Diurnal patterns of photosynthesis, chlorophyll fluorescence, and PRI to evaluate water stress in the invasive species, *Eleangus umbellata* Thunb. Trees 24: 237–245.
- Naumann, J.C., K. Rubis and D.R. Young. 2010. Fusing chlorophyll fluorescence and plant canopy reflectance to detect TNT contamination in soils. Proceedings of SPIE 7664: 1L-1-7, Orlando, FL.
- Brantley, S.R., J.C. Naumann and D.R. Young. 2011. Application of hyperspectral vegetation indices to detect variations in high leaf area index temperate shrub thicket canopies. Remote Sensing of Environment. 115: 514-523.