

Coastal Wave Studies

Jeffrey L. Hanson
US Army Corps of Engineers, Field Research Facility
1261 Duck Rd
Kitty Hawk, NC 27949
phone: (252) 261-6840 fax: (252) 261-4432 email: Jeffrey.L.Hanson@usace.army.mil

Kent K. Hathaway
US Army Corps of Engineers, Field Research Facility
1261 Duck Rd
Kitty Hawk, NC 27949
phone: (252) 261-6840 fax: (252) 261-4432 email: Kent.K.Hathaway@usace.army.mil

Award Number: N0001411MP20057
<http://www.frf.usace.army.mil/>

LONG-TERM GOALS

Our long-term goal is to make significant advances to coastal and nearshore wave modeling through improved understanding of coastal and nearshore wave transformation processes.

OBJECTIVES

The objectives of this study are to

1. Make high-fidelity measurements of wave transformation processes in the nearshore and coastal zones. Provide high-quality test cases for model development and evaluation
2. Contribute to the improvement of WaveWatch III and SWAN through the integration of a state-of-the-art wave partitioning and swell system tracking technology
3. Develop and apply robust wave model assessment technology for community use (USACE in-kind support)

APPROACH

Wave observations

USACE has developed, implemented and maintained a cross-shelf array of meteorological, directional wave and vertical current sensors suitable for capturing all phases of wave transformation across the continental shelf and through the nearshore zone. The nearshore array configuration is depicted in

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2012		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Coastal Wave Studies				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army Corps of Engineers, Field Research Facility 1261 Duck Rd Kitty Hawk, NC 27949				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Figure 1. As data are collected, we are extracting a variety of events (pure wind sea, pure swell, mixed seas, etc) to use as model development test cases.




Figure 1. USACE FRF Nearshore wave and current array in Duck, NC. Scanning beach laser and offshore wave buoys not shown.

Model Improvements

USACE-FRF is working with WaveWatch III and SWAN developers at NOAA NCEP to implement (1) a wave partitioning capability in SWAN similar to what we previously provided for WaveWatch III, and (2) a spatial tracking capability that can be used in both models to track the space-time evolution of coherent wave systems in the model output. Once tested the resulting improvements are to be released as operational code.

Model validation

USACE has developed the Interactive Model Evaluation and Diagnostics System (IMEDS) as a prototype GUI-driven toolbox to assess coastal process model performance using a variety of temporal and spatial metrics Hanson et al. (2009). As a diagnostic tool, IMEDS can be used to explore model errors and performance as a function of many variables (station, time, components, etc). Our approach

is to transition the prototype IMEDS system into a robust model evaluation tool kit for community use. IMEDS will be split into 2 main components:

1. IMEDS desktop tool
2. IMEDS function library (MATLAB toolbox)

This phase of work focuses on improving existing capabilities (winds, waves, water levels and high water marks) and implementation of the IMEDS function library and the IMEDS Desktop tool. The system will be designed in such a way that follow-on work, including a virtual on-line tool (VMEDS) and addition of new parameters (currents, tides, beach profiles) can eventually be integrated into the architecture. To facilitate this development, USACE is providing in-kind support in the amount of \$200,000 during FY11-13.

WORK COMPLETED

The major technical accomplishments for 2012 include:

Wave observations

- Maintaining the Duck cross-shore wave and current array in operational status for 3+ years to date
- Time series data collections extended to 100-min to capture infragravity range
- Processing and posting data from 3 new cross-shore wave events to the NOPP validation data archive, for a total of 14 events to date including Hurricane Irene
- Collecting data during Hurricane Leslie Swell (Sept 2012)

Model Improvements

- Completed testing and evaluation of wave system spatial tracking algorithm for WaveWatch III and SWAN. Results documented in a paper for submittal to *J. Atmos and Oceanic Technol.*

Model validation

- Designed and directed the development of a professional GUI interface for IMEDS
- IMEDS II release to NOPP community scheduled for December 2012.
- Secured funds for continuing the scope of work during FY13 (USACE in-kind support).

RESULTS

Wave observations

As indicated above, a set of unique cross-shore wave events have been processed and provided to the Waves NOPP validation data archive at NCEP. Care was taken to select events with a clear,

distinctive wave signature ranging from pure wind sea events to pure swell events and including both offshore and onshore wind events. During FY12 we have added important slanting-fetch events. Table 1 provides a summary of these events. Note that peak significant wave heights range from 0.7-5.5 m with peak wave periods ranging from 3-17.3 s. Event data includes meteorological forcing, waves (spectra and time series), current profiles, tides, and sea surface temperature. Furthermore, supporting bathymetry survey data and Argus imagery are available for download from the FRF web site (<http://frf.usace.army.mil/>).

Table 1. NOPP Wave Events from the USACE-FRF Cross-Shore Wave and Current Array

Event	Type	Start	Dur (days)	Winds		Waves		Description
				U10 (m/s)	TWD	Hs (m)	Tp (s)	
E1	Hurricane Earl	2010090205	2	24.0	N	4.5	8.5/15	Mixed sea and swell
E2	Hurricane Bill	2009082100	3	4.0	NW	3.6	17.3	Swell with harmonics
E3	Noreaster Ida	2009111112	6	14.9	NE	5.2	12.9	Wind sea event
E4	Noreaster	2008101800	4	16.5	NNE	3.7	9-12 s	Wind sea event
E5	Hurricane Kyle	2008092300	5	18.2	ENE	4.9	12.5	Mixed sea and swell
E6	Swell	2009032600	2	6.6	S	3.1	15.2	Swell, steady
E7	Swell	2009082715	4	5.0	variable	1.6	8-14	Swell, light winds
E8	Swell	2010082912	2	1.2	SSE	1.9	13.7	Swell
E9	Windsea	2009121900	2	12.0	ENE	4.3	10-11	Wind sea event, shore parallel
E10	TS Hanna	2008090420	3	13.5	SE	2.8	7-12.5	Developing windsea over swell
E11	Fetch Limited windsea	2010022600	1	12.0	W	0.7	3	Offshore winds, small opposing swell
E12*	Hurricane Irene	2011082600	5	29.0	NE-SE	5.5	16.3	Mixed sea and swell
E13*	Slanting Fetch NW	2010122612	3	15.7	NNW	3.6	7.6	Wind sea to swell
E14*	Slanting Fetch SW	2011042712	3	14.6	SSW	1.3	8.1	Wind Sea to swell

In addition to the events in Table 1, a data set from Hurricane Leslie (September 2012) is currently in preparation.

IMPACT/APPLICATIONS

Due to the long-term operation of the Duck cross-shelf array (since late 2008), a variety of unique events, such as Hurricanes Irene and Leslie, have been collected. The resulting set of events is providing nearshore wave modelers with a rich set of information to improve numerical wave model source term performance in the challenging coastal environment.

RELATED PROJECTS

USACE Wave Information Studies (providing in-kind support for IMEDS)

REFERENCES

- Hanson, J.L., H. C. Friebel and K. K. Hathaway, 2012. Observations and Modelling of Coastal Surface Wave Transformations, *Ocean Modelling* (Accepted with Revision).
- Chawla, A., H. Tolman, V. Gerald, D. Spindler, T. Spindler, J. Alves, D. Cau, J. Hanson and E. Devaliere, 2012. A multi-grid forecasting model: A new paradigm in operational wave forecasting, *Weather and Forecasting* (Accepted).
- Van der Westhuysen, A., J.L. Hanson and E. Devaliere, 2012. Spatial and temporal tracking of wave fields from basin scales to coastal waters, submitted to *Ocean Modeling* (in Review).
- Hathaway, K. K. and J.L. Hanson, 2011. Wave Transformation and setup from a cross-shore array of acoustic Doppler profilers, 12th International Workshop on Wave Hindcasting and Forecasting, October 30-November 4, 2011, Kohala Coast, Hawaii. (Conference Paper).