

Simulations and Analysis of Sagged Cables/Mass Suspensions and Beams Subject to Flow Induced Vibrations

George Em Karniadakis
Center for Fluid Mechanics
Division of Applied Mathematics
Brown University
Providence, RI 02912
phone: (401) 863-1217 fax: (401) 863-3369 email: gk@cfm.brown.edu
Award #: N00014-95-0256

LONG-TERM GOALS

The long-term goals of this research are to: (1) Develop and establish direct numerical simulation (DNS) methods for flow-induced vibration of flexible structures, (2) Develop a theory that connects the hydrodynamic parameters of the wake and the structure's vibrations, and (3) Develop reduced dynamical models for predicting the dynamics of the coupled system.

OBJECTIVES

The general objective of the present program is to bridge the gap that exists between studies of nonlinear dynamic models for general type cables and direct numerical simulations of flow past simple string/beam models. The former typically assumes a simplistic or empirical representation of excitation forces but provides very accurate models for the nonlinear dynamic response of the cable allowing realistic description of both steel cables and synthetic cables with nonlinear tension-strain relationship. The latter, on the other hand, assumes simple string/beam linear models but provides an accurate description of pressure and viscous forces, albeit (at present) in the low Reynolds number regime. The specific objectives of our work are to:

1. Develop a hierarchy of simulation models of cables consisting of linear three-dimensional, weakly nonlinear, and fully nonlinear responses.
2. Incorporate geometric changes and nonlinear/hysteric tension-strain relationships into the models.
3. Develop a free-surface formulation and study combined effects of shear and waves with multiple frequency response.
4. Study the response of catenary risers to VIV in conjunction with parallel experimental efforts.
5. Study the response of cables/risers with attached bodies following earlier experimental work at NRL.
6. Construct low-dimensional nonlinear dynamical models for prototype cases.

APPROACH

The technical approach in addressing the aforementioned issues consists of two main parts: (1) The development and implementation of high-order numerical methods for DNS in time-dependent domains, and (2) The construction of reduced dynamical systems using proper orthogonal decomposition methods. In the first category, we have developed spectral methods on unstructured grids and two different ways of treating moving domains. The first one uses a boundary fitted

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Simulations and Analysis of Sagged Cables/Mass Suspensions and Beams Subject to Flow Induced Vibrations				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Brown University, Center for Fluid Mechanics, Division of Applied Mathematics, Providence, RI, 02912				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

coordinate system, and the second uses a third reference frame moving at an arbitrary velocity – the so-called Arbitrary Lagrangian Eulerian (ALE) formulation. In the second category, we have developed the equivalent method of snapshots to extract the most energetic modes of an unsteady field in both stationary and moving domains.

WORK COMPLETED

We have derived the generalized governing equations of motion for a general cylindrical structure with sag and have obtained a hierarchy of simulation models of cables consisting of linear three-dimensional, weakly nonlinear, and fully nonlinear responses. We have parallelized the unstructured code NEKTAR-ALE and have assigned the solution of the structure's equations to a separate set of processors for enhanced modularity. In order to validate the new formulation we have repeated simulations of the laminar flow past a linear cable and compared with our previous results. In addition, we employed the new formulation for a systematic study of a project related to “the energy-harvesting eel” that the Program Manager (Dr. T.F. Swean) suggested to us.

RESULTS

We obtained detailed DNS results of flow past flexible cables and beams at $Re=1000$ and of stationary cylinders at $Re=3900$ and have analyzed the results. We have obtained the following findings:

1. Unlike the laminar regime, in the early turbulent regime the amplitude of the crossflow vibration is about one diameter for cables and beams, consistent with the experimental data, and only 0.75 diameters for the rigid freely oscillating cylinder.
2. For the rigid cylinder the flow response corresponds to parallel shedding but for the beam and cable a mixed response consisting of oblique and parallel shedding is obtained caused by the modulated traveling wave motion of the structure.
3. The mixed shedding pattern, which alternates periodically along the span, can be directly related to the spatio-temporal distribution of structure's forces.
4. All cases simulated showed an inertial subrange, with the spectrum of the rigid (moving) cylinder exhibiting very pronounced superharmonics.
5. The correlation lengths of cables and beams are qualitatively and quantitatively different than those of the rigid (moving) cylinder.
6. The turbulent wake of stationary cylinders was found to be low-dimensional by studying phase-averaged statistics and the eigenspectrum of the vorticity covariance matrix. The results suggest that a dynamical model would require of the order of twenty modes to describe the near-wake dynamics with reasonable accuracy for Re up to 5000.

IMPACT/APPLICATION

Our work has established a new area of DNS for flow-structure interactions and has produced the first ever such results both in laminar and turbulent regime. New findings have been obtained, such as the mixed traveling/standing wave response for vibrating cables, which has become the focus of several experimental and modeling efforts. With the current accelerated computational initiatives and simultaneous advances in algorithms and software, we expect that these methods will become very efficient so that they can be used effectively in the design process by the navy labs and the industry.

TRANSITIONS

Some of the findings related to long cables regarding shear flow effects and multi-moded response and the detailed spatio-temporal distribution of forces on the vibrating structure are directly useful in application of the offshore industry. We are in the process of working with a consortium of oil industries in US and with Norsk Hydro (Norway) to address their specific problems using the techniques we have developed. In addition, we have released our code NEKTAR to many other Universities and national labs, including: Cornell University, Florida State University, Oak Ridge National Labs, University of Wisconsin, Imperial College, Boeing, Inc., Penn State University, Washington State University, Nielsen Inc., Sandia National Labs, etc.

RELATED PROJECTS

We have worked closely with experimental groups funded by the same Division under the direction of Dr. T.F. Swean. In particular, we have had interactions with Professors Triantafyllou and Yue at MIT, Professor Gharib at Caltech, Professor Williamson at Cornell, and Professor Olinger at WPI.

PUBLICATIONS

Xia, Ma and Karniadakis, G.E., 1998: Dynamics and low-dimensionality of the turbulent near-wake, *J. Fluid Mech.*, submitted.

Evangelinos, C. and Karniadakis, G.E., 1998: Dynamics and flow structures in the turbulent wake of rigid and flexible cylinders subject to vortex-induced vibrations, *J. Fluid Mech.*, submitted.

Xia, Ma, Karniadakis, G.E., Karamanos, G., and Sherwin, S.J., June 15-18, 1998: Issues in LES of wake flows, AIAA 98-2893, Albuquerque, NM. (invited paper).

Xia, Ma and Karniadakis, G.E., 1977: The spectrum of the turbulent near-wake: A comparison of DNS and LES, First International Conference on DNS/LES, Ruston, LA, (invited paper).

Evangelinos, C. and Karniadakis, G.E., 1977: Transition in the wake of flexible cables and beams, 7th ISOPE Conference, Honolulu, HI.

Evangelinos, C. and Karniadakis, G.E., June 21-25, 1998: Correlation length and forces in flow past a freely-oscillating cylinder, ASME Fluids Engineering Division, Washington, DC. (invited paper).

Karniadakis, G.E., Simulating turbulence in complex geometries, Fluid Dynamics Research, special issue marking the 30th Anniversary of the Japan Society of Fluid Mechanics. (invited paper).

Karniadakis, G.E. and Sherwin, S.J., 1998: Spectral/hp Element Methods for CFD, Oxford Univ Press.

Karniadakis, G.E. and Henderson, R.D., Spectral element methods for incompressible flows, chapter 29 in *The Handbook of FLUID DYNAMICS*, CRC Press, ed. R.W. Johnson.

Evangelinos, C., Sherwin, S.J., and Karniadakis, G.E., Parallel DNS on unstructured grids, *Comp. Meth. Appl. Mech. Eng.*, to appear.