



Integrity ★ Service ★ Excellence

Optimization and Discrete Mathematics

Date: 4 Mar 2013

**Fariba Fahroo
Program Officer
AFOSR/RTA**

Air Force Research Laboratory

| Report Documentation Page | | | | Form Approved OMB No. 0704-0188 | |
|--|------------------------------------|-------------------------------------|---|---|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. | | | | | |
| 1. REPORT DATE 04 MAR 2013 | | 2. REPORT TYPE | | 3. DATES COVERED 00-00-2013 to 00-00-2013 | |
| 4. TITLE AND SUBTITLE Optimization and Discrete Mathematics | | | | 5a. CONTRACT NUMBER | |
| | | | | 5b. GRANT NUMBER | |
| | | | | 5c. PROGRAM ELEMENT NUMBER | |
| 6. AUTHOR(S) | | | | 5d. PROJECT NUMBER | |
| | | | | 5e. TASK NUMBER | |
| | | | | 5f. WORK UNIT NUMBER | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research ,AFOSR/RTA,875 N. Randolph,Arlington,VA,22203 | | | | 8. PERFORMING ORGANIZATION REPORT NUMBER | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) | | | | 10. SPONSOR/MONITOR'S ACRONYM(S) | |
| | | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited | | | | | |
| 13. SUPPLEMENTARY NOTES Presented at the AFOSR Spring Review 2013, 4-8 March, Arlington, VA. | | | | | |
| 14. ABSTRACT | | | | | |
| 15. SUBJECT TERMS | | | | | |
| 16. SECURITY CLASSIFICATION OF: | | | 17. LIMITATION OF ABSTRACT Same as Report (SAR) | 18. NUMBER OF PAGES 19 | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT unclassified | b. ABSTRACT unclassified | c. THIS PAGE unclassified | | | |



2013 AFOSR Spring Review Optimization and Discrete Math



PM: **Fariba Fahroo**

BRIEF DESCRIPTION OF PORTFOLIO:

Development of optimization and discrete mathematics for solving large, complex problems in support of future Air Force science and engineering, command and control systems, logistics, and battlefield management

LIST SUB-AREAS IN PORTFOLIO:

- **Analysis based optimization**
- **Continuous and Discrete Search methods**
- **Dynamic, Stochastic and Simulation Optimization**
- **Combinatorial Optimization**



Program Overview



Optimization is at the heart of so many scientific fields and applications such as engineering, finance, mathematical biology, resource allocation, network theory, numerical analysis, control theory, decision theory, and so on.

A General Optimization Problem Formulation

Maximize (or Minimize) $f(x)$

Subject to

$$g(x) \leq 0$$

$$h(x) = 0$$

where x is an n -dimensional vector and g, h are vector functions. Data can be deterministic or stochastic and time-dependent.

Applications: 1) Engineering design, including peta-scale methods, 2) Risk Management and Defend-Attack-Defend models, 3) Real-time logistics, 4) Optimal learning/machine learning, 5) Optimal photonic material design (meta-materials), 6) Satellite and target tracking, 7) Embedded optimization for control, 8) Network data mining



Program Trends



- ➔ **Analysis based optimization** – Emphasis on theoretical results to exploit problem structure and establish convergence properties supporting the development of algorithms
- ➔ **Search based optimization** – New methods to address very large continuous or discrete problems, but with an emphasis on the mathematical underpinnings, provable bounds, etc
- ➔ **Dynamic, stochastic and simulation optimization** – New algorithms that address data dynamics and uncertainty and include optimization of simulation parameters
- ➔ **Combinatorial optimization** – New algorithms that address fundamental problems in networks and graphs such as identifying substructures

**Challenges: Curse of Dimensionality, Nonlinearity,
Nondifferentiability, Uncertainty**



Dynamic and Stochastic Methods



- Stochastic optimization addresses the problem of making decisions over time as new information becomes available.
- **Applications:** operations research, economics, artificial intelligence and engineering.
- **Fields:** *Approximate dynamic programming, reinforcement learning, neuro-dynamic programming, optimal control and stochastic programming*
- Dynamic Optimization
 - **Powell**, Sen, Magnanti and Levi
 - Fleet scheduling, Refueling, ADP, Learning methods, Logistics
- Stochastic Optimization –
 - **Christos Cassandras**



Optimal learning and approximate dynamic programming



Warren B. Powell, Princeton University



Goal: To create a single, general purpose tool that will solve sequential decision problems for the broadest class of problems

Challenges: Complex resources, High-dimensional resource states, Complex state of the world variables, Belief States

- **Optimal learning for general decision problems**
 - Learning for linear programs – Optimal sequential learning for graphs and linear programs, dramatically expands the classical lookup table model.
 - Information blending – Generalizes learning problems to applications where information is blended; includes extension to robust objectives.
- **Approximate dynamic programming**
 - Fast, semiparametric approximation method avoids search for basis functions. Useful for stochastic search and ADP.
- **Contributions at the learning/ADP interface**
 - Learning with a physical state - bridges ADP and learning literature.
 - Knowledge gradient for semi-parametric beliefs








Recent Transitions – 2012 BRI



Warren B. Powell (Princeton University)

- **Optimal learning for nano-bio technologies** – Funded by AFOSR Natural Materials, Systems and Extremophiles Program (Hugh de Long)
 - The goal of this research is to use optimal learning for the sequential design of experiments in the physical sciences, with a special focus on nano-bio.
 - Initial project addressing design of nanocrystalline silicon for high-performance/low-power transistor circuit technology on flexible substrates
 - Developing interactive tools for belief extraction which is used to compute knowledge gradient.





OPTIMAL PERSISTENT SURVEILLANCE THROUGH COOPERATIVE TEAMS

C.G. Cassandras, Boston University



OPTIMAL PERSISTENT SURVEILLANCE PROBLEM:

Unlike the COVERAGE PROBLEM, the environment is too large to be fully covered by a stationary team of nodes (vehicles, sensors, agents). Instead:


- all areas of a mission space must be visited and sensed infinitely often
- some measure of overall uncertainty must be minimized

What is the optimal cooperative way for nodes to move?


➡ **KEY RESULT:** In a one-dimensional mission space:

- optimal trajectories are oscillations between left and right direction-switching points
- nodes may dwell at these points for some time before reversing their motion
- these left and right points and associated dwell times can be efficiently determined

Proofs based on combining Optimal Control and Infinitesimal Perturbation Analysis for Hybrid Systems



Dark brown: HIGH uncertainty White: NO uncertainty



Optimal oscillatory trajectories of 2 nodes over a mission space [0, 20]




OPTIMAL PERSISTENT SURVEILLANCE THROUGH COOPERATIVE TEAMS

C.G. Cassandras, Boston University





- ➡ **KEY RESULT:** In a two-dimensional mission space:
- single-node optimal trajectories are elliptical, not straight lines
 - all ellipse parameters can be efficiently determined



For two nodes, is a single ellipse with both nodes better or two ellipses with one node each?

- ➡ **PRELIMINARY RESULT:** A single ellipse with two nodes outperforms two ellipses





Analysis-Based Optimization Theory and Methods



– Mifflin and Sagastizabal

- *New theory leading to rapid convergence in non-differentiable optimization*

– Freund and Peraire

- *SDP for meta-material design*



Optimization of photonic band gaps

Freund & Peraire (MIT)



Goal: Design of photonic crystals with multiple and combined band gaps

Approach: Solution Strategies




- Pixel-based topology optimization
- Large-scale non-convex eigen value optimization problem
- Relaxation and linearization

Methods: Numerical optimization tools

- Semi-definite programming
- Subspace approximation method
- Discrete system via Finite Element discretization and Adaptive mesh refinement

Results: Square and triangular lattices

- Very large absolute band gaps
- Multiple complete band gaps
- Much larger than existing results.





Fabrication-Adaptive Optimization, Application to Meta-material Design





Freund and Peraire (MIT)



Original Simple Optimization

FA (fabrication-adaptive) Optimization

- FA optimization arises from the need to post-modify optimal solution x^* , without severely compromising objective value.
- FA often leads to non-convex problems.
- Design strategy for photonic crystals:
Nonlinear Program \rightarrow Semidefinite Program \rightarrow Linear Fractional Program.



(a) x_O^* : original optimal design;
 $\text{Gap}(x_O^*) = 43.9\%$

(b) y_O : manual (5%) modification
of x_O^* ; $\text{Gap}(y_O) = 28.8\%$

(c) x_{FA}^* : FA optimal design with
 $\delta = 5\%$; $\text{Gap}(x_{FA}^*) = 34.2\%$

(d) y_{FA} : manual (0.8%) modification
of x_{FA}^* ; $\text{Gap}(y_{FA}) = 32.9\%$

* Submitted to Operations Research



Combinatorial Optimization



Butenko (Texas A&M), Vavasis (U. Waterloo),
Krokhmal (U. Iowa), Prokopyev (U. Pittsburgh)

Underlying structures are often graphs; analysis is increasingly continuous non-linear optimization

Interested in detecting cohesive (tightly knit) groups of nodes representing clusters of the system's components: applications in acquaintance networks - Call networks, Protein interaction networks -Internet graphs

Phase Transitions in Random Graphs




First-Order Phase Transitions in Random Networks


P. Krokhmal (U. Iowa), V. Boginski, A. Veremyev (UFL), D. Jeffcoat (AFRL)



- Phase transitions are phenomena in large scale systems when system's properties change drastically once its size reaches certain threshold value
- Existing literature describes *continuous* (second-order) phase transitions in random graphs
- We report a *discontinuous* (first-order) phase transition in the property of *dense connectivity* of random graphs
- Densely connected components of graphs are modeled via *quasi-cliques*, or subgraphs of density at least $\gamma \leq 1$
- A popular $G(n,p)$ model of random graphs is used, where a link between two nodes exists with probability $0 \leq p \leq 1$



(A) A network with 20 nodes and 22 links. For $\gamma = 0.7$, the largest quasi-clique (at least 70%-dense subgraph) has size 4.



(B) Network from (A) where 10 more links have formed (e.g., due to increase of probability p). Highlighted are quasi-cliques with $\gamma = 0.7$. Their sizes are larger, but still significantly smaller than the size of the network



First-Order Phase Transitions in Random Networks

P. Krokhmal (U. Iowa), V. Boginski, A. Veremyev (UFL), D. Jeffcoat (AFRL)

- As probability p of links in random $G(n, p)$ graph increases, the size M_n of the largest quasi-clique is log small in the graph size, as long as $p < \gamma$:


$$\frac{2 \ln n}{\ln\left(\frac{1}{p}\right)} \leq M_n \leq \frac{2 \ln n}{\ln\left(\left(\frac{\gamma}{p}\right)^\gamma \left(\frac{1-\gamma}{1-p}\right)^{1-\gamma}\right)} \quad \text{a.s.}$$

- But, M_n undergoes *discontinuous jump (first-order phase transition)* at $p = \gamma$:

$$\lim_{p \downarrow \gamma} \lim_{n \rightarrow \infty} \frac{M_n}{n} = 0, \quad \text{w.h.p.}$$
$$\lim_{p \uparrow \gamma} \lim_{n \rightarrow \infty} \frac{M_n}{n} = 1, \quad \text{w.h.p.}$$

- This is one of first 1st-order phase transitions in uniform random graphs reported in the literature

AV, VB, PK, DJ "Dense percolations in large-scale mean-field networks is provably explosive", *PLOS ONE* (2012)



- (A) Relative sizes of quasi-cliques in small-to-average-sized random graphs (note a continuous transition becoming more abrupt as graph size increases)
- (B) Relative sizes of quasi-cliques in extremely large random graphs (note the discontinuous jump)



Polyomino Tiling

O. Prokopyev (U. Pittsburgh)





- **Application:**
 - Time delay control of phased array systems
- **Jointly supported with Dr. Nachman of AFOSR/RSE, motivated by work at the Sensors Directorate:**
 - *Irregular Polyomino-Shaped Subarrays for Space-Based Active Arrays* (R.J. Mailloux, S.G. Santarelli, T.M. Roberts, D. Luu)






Optimization for Irregular Polyomino Tilings



- **Motivation:** Mailloux et al. [2006, 2009] showed that a phased array of “irregularly” packed polyomino shaped subarrays has peak quantization sidelobes suppressed compared to an array with rectangular periodic subarrays
- **Sample simulation:** rectangular (regular) subarray vs. irregular subarray - peak sidelobes are significantly reduced



- **Goal:** arrange polyomino-shaped subarrays to maximize “irregularity”
- **Approach:** nonlinear mixed integer programming (NMIP), where “irregularity” is modeled based on information theoretic entropy



- **Example:** rectangular (regular) tiling vs. irregular 20x20 tiling using pentomino family (each shape contains exactly 5 unit squares)
- “Irregularity” is measured using information theoretic entropy: minimum vs. maximum entropy in the example above
- **Results:** we developed exact and approximate solution methods
 - ✓ exact methods – solve instances of size up to 80x100 in a reasonable time (it depends on polyomino family)
 - ✓ heuristic and approximate methods - thousands (limitations mainly on storage memory)



Summary



- **Goals :**
 - Cutting edge optimization research
 - Of future use to the Air Force
- **Strategies :**
 - Stress rigorous models and algorithms , especially for environments with rapidly evolving and uncertain data
 - Engage more recognized optimization researchers, including more young PIs
 - Foster collaborations –
 - Optimizers, engineers and scientists
 - Between PIs and AF labs
 - With other AFOSR programs
 - With NSF, ONR, ARO