

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>				
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE		3. DATES COVERED (From - To)
		Technical Report		-
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER	
Project Review Presentation (Sajda) July 2012			W911NF-11-1-0219	
			5b. GRANT NUMBER	
			5c. PROGRAM ELEMENT NUMBER	611102
6. AUTHORS			5d. PROJECT NUMBER	
Paul Sajda			5e. TASK NUMBER	
			5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES			8. PERFORMING ORGANIZATION REPORT NUMBER	
Columbia University 615 West 131st Street, Room 254, Mail Code 8725 Studebaker Building New York, NY 10027 -7922				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S) ARO	
U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
			58462-NS.1	
12. DISTRIBUTION AVAILABILITY STATEMENT				
Approved for public release; distribution is unlimited.				
13. SUPPLEMENTARY NOTES				
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
14. ABSTRACT				
This presentation was to review our yearly progress.				
15. SUBJECT TERMS				
decision making, cortical network, neural decoding, brain-machine interface, neurally-informed model				
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	15. NUMBER OF PAGES
a. REPORT	b. ABSTRACT	c. THIS PAGE	UU	19a. NAME OF RESPONSIBLE PERSON
UU	UU	UU		Paul Sajda
				19b. TELEPHONE NUMBER
				212-/85-4527

Report Title

Project Review Presentation (Sajda) July 2012

ABSTRACT

This presentation was to review our yearly progress.

ARO/ARL Site Visit

Paul Sajda

Laboratory for Intelligent Imaging and Neural Computing
Department of Biomedical Engineering
Columbia University


Agenda

9a	Welcome and Introductions	P. Sajda (Columbia)
9:15a	Overview of ARO Decision & Neuro-Sciences	J. Spoonmore (ARO)
9:30a	Overview of ARO/ARL Projects at Columbia University	P. Sajda (Columbia)
9:45a	ARO Project: <i>Cortical Networks Underlying Rapid Decision Making</i>	P. Sajda (Columbia)
10:30a	Break	
10:45a	ARL CTA Seedling Project: <i>Constructing Mutually-derived Situational Awareness via EEG-Informed Graph-based Transductive Inference</i>	D. Jangraw (Columbia)
11:30a	<i>Commercialization and Operational Transition of Cortically-coupled Computer Vision Systems</i>	P. Sajda (Columbia)
12:00p	Postdoctoral exchange between ARL TNB and Columbia: <i>Neural Markers of Experts and Novices: Extensions to Gunshot Localization</i>	J. Sherwin (Columbia/ARL)
12:30p	Lunch and Discussion	All
2p	Adjourn	


Laboratory for Intelligent Imaging and Neural Computing LIINC

...using principles of reverse engineering to characterize the cortical networks underlying rapid decision making...


Measuring: Simultaneous EEG/fMRI




Modeling: Large Scale Neural Simulations



Perturbing: High Resolution Informed TMS



Building: Cortically Coupled Computer Vision




NEUROMATTERS™
neurotechnology research + development


ARO/ARL Projects

- **Cortical Networks Underlying Rapid Decision Making (ARO)**
- **Cortically-Coupled Computing: A Paradigm for Mutually-Derived Situational Awareness (Seedling under ARL CTA)**
- **Image Database and Neuroimaging Data Collection for Rapid Visual Decision Making (ARL Technology Transition Project)**

Cortical Networks Underlying Rapid Decision Making




single neurons






Heekeren et al., 2004

functional imaging




from Britten et al. 1992




from Philiastides & Sajda, 2006




Cortical Networks Underlying Rapid Decision Making



single neurons



Heekeren et al., 2004



large populations

Cortical Networks Underlying Rapid Decision Making

Statement of Work

- Year 1:
 - Systematically design RSVP stimulus presentation paradigms and experiments for simultaneous EEG/fMRI
 - Run 5 subjects while simultaneously recording EEG and fMRI.
 - Analyze results in terms of spatial networks localized by integrating EEG and fMRI. Compare to dipole fits and rLoreta maps using EEG.
- Year 2:
 - Begin design of spatio-temporal (e.g. video) stimulus experiments which investigate integration of evidence across time
 - Manipulate difficulty of decision
 - Run 5 subjects while simultaneously recording EEG and fMRI.
 - Begin relating trial-to-trial variability to decision making models such as the drift diffusion models (of Ratcliff, 1978, 2009) and the bayesian decision models (of Beck, Ma et al, 2008.)
- Year 3:
 - Begin design of experiments for free-viewing search (eye-tracking).
 - Run 5 subjects while simultaneously recording EEG and fMRI.
 - Create a publicly available database of neural signatures of trial-to-trial variability, code for analyzing EEG/fMRI and code for neurally-informing decision models


Single-trial Analysis of Simultaneously Acquired fMRI and EEG

...a window into latent brain states...


Why Acquire EEG and fMRI Simultaneously?

- Electrical activity of the brain can be correlated with hemodynamic changes
 - Understanding neurovascular coupling
- High temporal resolution of EEG complements high spatial resolution of fMRI
 - fMRI seeding of EEG source localization
 - Correlating ERPs (trial-averages) with BOLD
- Single-trial variations in EEG, related to latent brain states (attentional shifting, cognitive load, decision evidence, memory encoding, etc.) can be correlated with hemodynamic activity.


Challenges



gradient artifact





BCG artifact




How to combine the data?


Our Solutions






$$M_p u = \begin{bmatrix} \mathbf{1}_p & M_p \end{bmatrix} \begin{bmatrix} e_p \\ \mathbf{n} \end{bmatrix} \begin{matrix} \leftarrow \text{EEG+BCG} \\ \leftarrow \text{BCG} \end{matrix}$$



Using EEG Single-Trial Variability to Construct fMRI Regressors





Observing latent trial-to-trial fluctuations of attention/alertness/perceived-stimulus-salience



(Goldman et al., *Neuroimage* 2009)




Observing latent trial-to-trial fluctuations of attention/alertness/perceived-stimulus-salience

Modulation of attention/alertness via the locus coeruleus (LC)?



- Evidence that low freq LFPs (< 30Hz) have neg. corr. with BOLD (Mukamel et al, 2005)
- LC associated with P300 (Aston-Jones & Cohn, 2005)
- LC fires phasically close to response and appears to modulate decision/response and not sensory inputs (Clayton, et al. 2004)


Neurally-Informed Models of Decision Making



→
level of abstraction


Model Summary

- Macaque V1, input layer ($4C\alpha/\beta$)
- 4 ocular dominance columns
- 64 orientation hypercolumns
- 16 mm² cortical area, 0-10° eccentricity
- Approx. 65,000 neurons (integrate-and-fire) per configuration ($\alpha, \beta, 0^\circ \cdot 10^0$) = 260,000 neurons.
- Cell populations:
 - 75% excitatory cells
 - 25% inhibitory cells
 - 30% receive LGN input
 - 70% do not receive LGN input
- Anatomically realistic LGN input and retinotopic map
- Anatomically “correct” cortical length scales:
 - $r_{E, \text{axon}}=200\mu\text{m}$, $r_{I, \text{axon}}=100\mu\text{m}$
 - $r_{E, \text{dend}}=50\mu\text{m}$, $r_{I, \text{dend}}=50\mu\text{m}$
- First-order LGN temporal kernel
- Cortical time scales:
 - AMPA (5 msec)
 - NMDA (50 msec)
 - GABA (10; 100 msec)





Model Has Realistic Response Properties

receptive fields




Wieland and Sajda, 2006

characteristics of S & C cells



orientation pinwheels




Wieland and Sajda, 2003

Realistic Nonclassical Response Properties


...suppression and RF shifts at high and low contrasts...

Experimental Data




from Sceniak et. al., 1999

Model




(Wieland and Sajda, 2006)

The Perceptual Decision Making Task




Mapping A Rapidly Flashed Static Scene into Spikes



Face or Car ?



Using Population LFPs for Discrimination



Sparseness of V1 Model Activity in Space and Time



(a)

(b)




(c)

(d)






The Spike-based Feature Space or “Neural Word”



Decoding High-dimensional Spatio-temporal Dynamics




$$\arg \min_{w, v} l_{avg}(w, v) + \lambda \|w\|_1$$

Training and Testing Procedure


- Used 12 face images and 12 car images
- Divided into training and testing
 - 6 completely different faces and cars used to train and test
- Manipulated phase coherence of images at each of 7 different coherence levels.
- Images repeated 30 times resulting in a total of 5040 trials (2520 for training and 2520 for testing).
- Images covered approximately 4 degrees of visual angle for simulations.

Discrimination Results

Neurometric curve NOT optimized to match psychometric curve!






Average across 6 models and 10 subjects



*Matrix word is better match to psychometric results.
High temporal precision (temporal code) is superior to rate code.*


Analysis of Informative Dimensions

(a) # Informative Dimensions (b) # Informative Neurons (c) Difference




*More neurons are recruited at lower coherences
Few neurons are utilized at more than one time bin*

Selected Neurons



Uniqueness of Informative Dimensions



Where We Are: Task: 3-Choice Perceptual Decision

