Assurance Cases for Medical Devices

Charles B. Weinstock

April 28, 2011



Software Engineering Institute C

Carnegie Mellon

© 2011 Carnegie Mellon University

Report Documentation Page					Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.							
1. REPORT DATE 28 APR 2011		2. REPORT TYPE		3. DATES COVE 00-00-2011	RED I to 00-00-2011		
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER					
Assurance Cases fo	5b. GRANT NUMBER						
			5c. PROGRAM ELEMENT NUMBER				
6. AUTHOR(S)	5d. PROJECT NUMBER						
			5e. TASK NUMBER				
		5f. WORK UNIT NUMBER					
	ZATION NAME(S) AND AE I niversity,Software I h,PA,15213	. ,		8. PERFORMING REPORT NUMB	G ORGANIZATION ER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)			
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited					
13. SUPPLEMENTARY NO	DTES						
recommending the similar in form and that supports that Assurance cases ha avionics, railway, a use in assessing saf	Food and Drug Adm use of an assurance I content to a legal of claim, and a detailed we been used in Eur and nuclear systems. Fety critical systems. e useful, how they an	case to justify clair ase. It specifies a cl d argument explain ope for more than . The FDA is the fir This presentation v	ns of safety. An a aim regarding a p ing how the evide 15 years to argue st U.S. organizati vill include a brie	ssurance case property of ir nce supports safety cases on to officiall f introductio	e is somewhat nterest, evidence the claim. for military, ly encourage their n to assurance		
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC	SECURITY CLASSIFICATION OF: 17. LIMITATION OF 18. NUMBER 19a. NAME OF						
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	ABSTRACT Same as Report (SAR)	OF PAGES 52	RESPONSIBLE PERSON		

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39-18



www.sei.cmu.edu/saturn/2011

Software Engineering Institute | Carnegie Mellon in collaboration with **SöftWare**

SEI Webinar Series

Keeping you informed of the latest solutions.



Software Engineering Institute | Carnegie Mellon



Join the SEI Webinar Series on LinkedIn


This forum allows attendees to discuss or post questions from the presentations in the SEI Webinar Series, and submit suggestions for future topics.



Search for Group: SEI Webinar



How to Participate Today



Open and close your Panel

View, Select, and Test your audio

Submit text questions

Q&A addressed at the end of today's session

Today's Presenter

Chuck Weinstock has been with SEI for more than 25 years. He is currently a senior member of the technical staff in the System of Systems Software Assurance Initiative within the SEI's Research, Technology, and System Solutions program. With his colleague John Goodenough, Weinstock authored the 2009 SEI technical note

Towards an Assurance Case Practice for Medical Devices. He has been active in the dependable computing field since the late 1970's when he worked at SRI International on the SIFT fault-tolerant computer. He earned a bachelor's degree in mathematics, a master of science degree in industrial engineering, and a doctorate in computer science, all from Carnegie Mellon University.



Software in Medical Devices

An ever increasing percentage of medical device functionality is provided by software.

• The industry is experiencing the problems which arise when hardwareintensive systems become software-intensive systems.

Specific concerns for medical devices include:

- Patient privacy (including HIPAA regulations)
- Safety
- Regulatory


A desire for more frequent "plug-and-play" (networked) use of the devices makes the problems particularly interesting.

• The patient is sometimes the network



Software Engineering Institute

The SEI and Medical Devices



*Charles B. Weinstock and John B. Goodenough, Towards an Assurance Case Practice for Medical Devices, CMU/SEI-2009-TN-018, http://www.sei.cmu.edu/reports/09tn018.pdf



Software Engineering Institute

Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts



Software Engineering Institute

Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts



Software Engineering Institute

Carnegie Mellon

9

Polling Question 1



Why are you attending this webinar?

- 1. My company has an immediate need to use assurance cases for a medical device
- 2. My company has an immediate need to use assurance cases, but not necessarily for a medical device
- 3. I've heard about assurance cases and want to find out more about them
- 4. Other



Assurance

Justified confidence that a system will function as intended in its environment of use

Why should we have confidence?

What evidence is there to support this confidence?

Why do we believe the evidence?

It is not enough to provide evidence without an explanation of its significance



Software Engineering Institute

Assurance

Justified confidence that a system will function as intended in its environment of use



"as intended" by the system's users as they are actually using it

Different usage patterns are possible by different sets of users

This includes evaluating mitigations of possible causes of critical failures

- Minimize impact of unusual (or unexpected) operational conditions
- Minimize impact of vulnerabilities that can be exploited by hostile entities, especially in networked environments



Software Engineering Institute

Assurance

Justified confidence that a system will function as intended in its environment of use





The actual environment of use

Software Engineering Institute

Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

The System Assurance Problem



Systems are getting more complex and more dependent on software

• Reaching sound conclusions about safety, reliability, etc. is getting harder

Traditional methods for evaluating dependable behavior (e.g., safety) are increasingly inadequate

- Too costly (in time and money) to test complex systems well
- Testing is not the best way of showing impact of subtle, but critical errors
- Test results, by themselves, do not show that a system has been well engineered to run adequately under untested conditions
 - FDA: "A convincing argument must be made as to why [the] engineering approach is sufficient"

We need better means of justifying confidence that a system will behave as intended



Software Engineering Institute (

Recognition of the Assurance Problem



National Defense Industrial Association (NDIA) Top Software Issues (August 2006)

- Testing, by itself, doesn't assure the system (NDIA 5)
- Component level assurance (if possible) does not imply system level assurance. Exhaustive testing is not feasible. (NDIA 6)

National Research Council (NRC) Report: Software for Dependable Systems: Sufficient Evidence? (2007)

- Assurance that a system is dependable requires the construction and evaluation of a "dependability case" (claims, argument, evidence, expertise)
- For testing to be a credible component of a [case for dependability], the relation between testing and properties claimed will need to be explicitly justified

http://www.ndia.org/Content/ContentGroups/Divisions1/Systems_Engineering/PDFs18/NDIA_Top_SW_Issues_2006_Report_v5_final.pdf



Approaches to Establish Confidence in Systems



Standards-Based

- Evaluate developer competence based on conformance to process standards
- Examples: DO 178B for avionics safety, Common Criteria for security

Product-Based

- An "assurance case" approach based upon:
 - <u>Claims</u> about product behavior supported by <u>evidence</u> based on product analysis
 - ✓ Evidence linked to claims by an argument
- Example: Safety case



Software Engineering Institute

Polling Question 2



Have you or your company experienced situations where assurance techniques such as testing have proven inadequate?

- 1. Yes
- 2. No



Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases




Concluding thoughts



Software Engineering Institute

Assurance Cases

An assurance case presents a claim that a system is acceptably safe, secure, reliable, etc. in a given context along with supporting evidence






Software Engineering Institute



Assurance Cases

An assurance case presents a claim that a system is acceptably safe, secure, reliable, etc. in a given context along with supporting evidence

An assurance case links the claim to the evidence with a supporting argument





Software Engineering Institute

Carnegie Mellon

● → 0


Assurance Cases

An assurance case presents a claim that a system is acceptably safe, secure, reliable, etc. in a given context along with supporting evidence

An assurance case links the claim to the evidence with a supporting argument

In general, the argument is broken down hierarchically

- Claims, argument, sub-claims, sub-arguments, evidence
- Easy to show graphically, although can be done in document structure (e.g., sub-section numbering)






Software Engineering Institute

The Argument Carefully Links Claims to Evidence

Important to "carry" the reader with you through the argument

- Not lose them in the details
- Not force them to make big leaps





Software Engineering Institute

Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

The Argument Carefully Links Claims to Evidence

Important to "carry" the reader with you through the argument

- Not lose them in the details
- Not force them to make big leaps

Need sufficient, judiciously placed stepping stones

Not all arguments need the same number of stepping stones

The FDA is finding insufficient "stepping stones" in current submissions

Software Engineering Institute

Carnegie Mellon Charle

Safety Requirements

18b

Safety Evidence



Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts



Software Engineering Institute

What is an infusion pump?





An infusion pump injects continuously or periodically, drugs, nutrients, or other injectable fluids into the circulatory system.

All infusion pumps require caregiver programming of the rate of injection and the length of time to deliver the fluid.

More complex pumps take into account the specific drugs being infused, the weight/age of the patient, and the hospital setting.

Some pumps allow the patient to control part of the injection process (e.g. to inject more painkiller).

Correct functioning of the pump is critical to the proper care of the patient.



FDA Guidance on Infusion Pumps



FDA draft guidance issued in April 2010 was intended to improve the quality of infusion pumps and reduce the number of recalls and Medical Device Reports.

- Demonstration of substantial equivalence via the use of an assurance case
 - Hazard areas of particular concern include: operational, environmental, electrical, hardware, software, mechanical, biological, chemical, and use
 - Information security: confidentiality, integrity, availability, and accountability
 - Risks to health: underdose, air embolism, overdose, incorrect therapy, etc.
 - \checkmark Design and development decisions that bear on safety and effectiveness

http://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/ucm206153.htm



Software Engineering Institute Carne



What is a Safety Argument

- This infusion pump is safe because
 - The safety requirements are defined in my
 - Safety requirements analysis, derived requirements ...
 - Legislation, policy ...

The safety requirements are met through our

- Safety analysis of design, use ...
- Hazard management through problem reporting
- Observing failures are at a 'safe' level
- Appropriate quantity, quality and rigor of evidence
- Safety management continues to be adequate because we have
 - SMS
 - staff competence
 - ongoing independent scrutiny ...

http://www.fda.gov/downloads/MedicalDevices/NewsEvents/WorkshopsConferences/UCM219685.pdf



A means of justifying confidence that a system will be safe

- Augments testing where testing by itself is inadequate or too costly
 - Cannot demonstrate system safety/security/performance solely by testing
 - The FDA no longer wants to rely primarily on a hazard analysis and just test results to show that hazards have been adequately mitigated

Used extensively in developing safety-critical systems (in Europe)

Increasing interest in US

- FDA Infusion Pump Guidance [draft]
- NRC Report: "Software for Dependable Systems: Sufficient Evidence?"
- ISO 15026-2 "Assurance Case" [under development]



Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts




Software Engineering Institute

Goal Structuring Notation (GSN)



Was developed to help organize and structure Safety Cases in a readily reviewable form

Has been successfully used for over a decade to document safety cases for aircraft avionics, rail signaling, air traffic control, and nuclear reactor shutdown





Example: Partial Requirements



- 5. Power and Battery Operations
 - 5.1. Battery voltage
 - 5.1.1. An active battery voltage shall be measured for the pump throughout its operation.
 - 5.1.2. The active battery voltage shall be calculated as an average of 10 consecutive battery voltage readings.
 - 5.1.3. The amount of battery life remaining shall be calculated as a function of the active battery voltage.
 - 5.1.4. If the battery life remaining is less than *15 minutes*, the pump shall issue a Low battery alarm.
 - 5.1.5. The low battery alarm shall be silenced when the pump is connected to an external power supply.
 - 5.1.6. If the battery life remaining is less than *5 minutes*, the pump shall issue a Battery depleted alarm.



Software Engineering Institute Car

Example: Partial Hazard Analysis



1. Operational Hazards

HID	Hazard	Pump Type	Cause	Action	Mitigated by	Safety Requirement
1.1	Overinfusion	All	Programmed flow rate too high	Alarm(); Log()	Drug library	1.1, 1.4.4, 1.4.11
1.2	Overinfusion	All	Dose limit exceeded due to too many bolus requests	Alarm(); Log()	Flow sensor	1.4, 3.4.6
1.3	Overinfusion	All	(Programmed) Bolus volume/concentration too high	Alarm(); Log()	Drug library	1.4, 3.4.6
1.4	Overinfusion/ Underinfusion	All	Incorrect drug concentration specified	Alarm(); Log()	Barcode scanner	1.1, 6.1.3, 6.1.4
	ronmental Hazards					
HID	Hazard	Pump Type	Cause	Action	Mitigated by	Safety Requirement
2.1	Failure to operate/ Pump malfunction	All	Temperature /Humidity/ Air pressure too high or too low			7.1
2.2	Contamination	FRN	Contamination due to spillage / exposure to toxins			
. Elec	trical Hazards					
HID	Hazard	Pump Type	Cause	Action	Mitigated by	Safety Requirement
3.1	Overheating	FRN	Incorrect or loose interconnections between devices – channel error;	Alarm(); Log()		7.1.2
3.2	Overheating	FRN	Supply processor charge too high; Insufficient cooling/faulty heat sink; Unintended magnet quench	Alarm(); Log()		7.1.2, 7.3
3.3	Charge Error	All	Battery could not be charged	Alarm(); Log()		4.1.8
3.4	Supply Voltage Error	FRN	Supply voltage too high; Supply voltage too low; Battery voltage exceeds limits			7.3
3.5	Battery Failure	FRN	Battery voltage too low; Battery depleted	Alarm(); Log()		4.1, 5.1


Source: Hazard Analysis for the Generic Infusion Pump (University of Pennsylvania)



Example: Battery Exhaustion – Part One

Software Engineering Institute






Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

Example: Battery Exhaustion – Part Two








Software Engineering Institute

Two Ways to Structure: Arguing by Hazards to Safety






Software Engineering Institute

Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

Two Ways to Structure: Arguing by Risks to Health





Software Engineering Institute

Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University



Improves comprehension of existing arguments

Improves discussion and reduces time-to-agreement on what evidence is needed and what the evidence means

(Having identified argument structure up front) focuses activities towards the specific end-objectives

Recognition and exploitation of successful (convincing) arguments becomes possible (assurance case patterns)

Supports monitoring of project progress towards successful certification

When problems arise it helps with diagnosis

When new functionality is added it can quickly pinpoint needed new evidence (and identify existing evidence that need not be reconsidered)



Overview of the Talk





The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts



Software Engineering Institute

Patterns and Archetypes



An assurance case pattern is a reusable template that captures acceptable ways of structuring a generic argument.

- Parameterized.
- Saves development time and money.
- For the FDA, saves valuable evaluation time.

A library of assurance case archetypes (patterns representing fragments of arguments) would have significant benefits:


- Guidance for the medical device manufacturer as to the proper argument and, perhaps more importantly, the required evidence.
- Ease the transition of the community to the widespread use of assurance cases.
- As long as the archetype argument applies the manufacturer and the FDA could treat the evidence as a check list.



Software Engineering Institute

Software Engineering Institute





Carnegie Mellon

Assurance Cases for Medical Devices Charles B. Weinstock, April 2011 © 2011 Carnegie Mellon University

Using the Archetype



A manufacturer developing a device with a keypad that conforms to the keypad archetype can:

- Assert that the keypad archetype argument applies
- Provide a checklist of evidence (with the evidence to back it up of course)
 - \checkmark The keypad design has proper spacing
 - The keypad conforms to best HCI practice
 - \checkmark The key markings are easily readable and unambiguous
 - The keypad design avoids "bounce"
 - \checkmark A history that they keypad (or similar keypads) are trouble-free

The FDA can review the device without ever looking at the argument, but has it available if necessary.



Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts




Software Engineering Institute

Tooling



Goal structured assurance cases can be done with a word processor, but they are easier to follow when presented graphically. We've used three tools to produce assurance cases:






Software Engineering Institute

Tooling

Software Engineering Institute




Goal structured assurance cases can be done with a word processor, but they are easier to follow when presented graphically. We've used three tools to produce assurance cases:



Tooling



Goal structured assurance cases can be done with a word processor, but they are easier to follow when presented graphically. We've used three tools to produce assurance cases:



Carnegie Mellon

Software Engineering Institute

Overview of the Talk



The assurance "problem"



The assurance case



Recent FDA guidance regarding assurance



Goal structuring notation with an example



Assurance case patterns and archetypes



Tooling for assurance cases



Concluding thoughts



Software Engineering Institute

Implications for manufacturers

- The Safety Case will evolve over the life of the system
- While the structure of the Safety Case will broadly remain constant,
 - the status of the evidence will change, e.g., planned test coverage will be replaced by evidence of test results
 - the relative weight of the arguments may change, e.g., compliance with a process standard might be replaced by proven in use
- Therefore plan for multiple reports
 - Obtain agreement on the argument structure first
 - Use identification of evidence as management tool

Final Thoughts



Assurance case must

- Integrate design analyses focused on hazards and FMEA
- Be reviewable
- Assurance case evaluation criteria are currently subjective
 - Need more data on which subtle defects are worth analysis efforts
 - Need more understanding of what makes reliability arguments sound

Assurance case patterns hold promise of capturing valid arguments and guiding reliability improvement efforts



Conclusions



Within conventional assurance reports the 'chain of argument' can often get lost

• But the argument is more important than the document!

Assurance cases have been found to be a useful basis for mapping out and evolving the structure of the arguments

- Provides a roadmap for a document or set of documents
- Provides a basis for discussion among engineers and between developers and assessors
- Creating outline arguments at the beginning of a project helps show progress towards a complete solution



Software Engineering Institute

Contact Information

Charles B. Weinstock

System of Systems Software Assurance

+1 412-268-7719

weinstock@sei.cmu.edu

Web: http://www.sei.cmu.edu/ dependability/research/assurance/ **U.S. mail:** Software Engineering Institute Customer Relations 4500 Fifth Avenue Pittsburgh, PA 15213-2612 USA

Customer Relations

Email: <u>customer-relations@sei.cmu.edu</u> Telephone: +1 412-268-5800



Software Engineering Institute

• NO WARRANTY

- THIS CARNEGIE MELLON UNIVERSITY AND SOFTWARE ENGINEERING INSTITUTE MATERIAL IS FURNISHED ON AN "AS-IS" BASIS. CARNEGIE MELLON UNIVERSITY MAKES NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED TO, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CARNEGIE MELLON UNIVERSITY DOES NOT MAKE ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT INFRINGEMENT.
- Use of any trademarks in this presentation is not intended in any way to infringe on the rights of the trademark holder.
- This Presentation may be reproduced in its entirety, without modification, and freely distributed in written or electronic form without requesting formal permission. Permission is required for any other use. Requests for permission should be directed to the Software Engineering Institute at permission@sei.cmu.edu.
- This work was created in the performance of Federal Government Contract Number FA8721-05-C-0003 with Carnegie Mellon University for the operation of the Software Engineering Institute, a federally funded research and development center. The Government of the United States has a royalty-free government-purpose license to use, duplicate, or disclose the work, in whole or in part and in any manner, and to have or permit others to do so, for government purposes pursuant to the copyright license under the clause at 252.227-7013.



Software Engineering Institute





Software Engineering Institute