


Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE DEC 1981		2. REPORT TYPE		3. DATES COVERED 00-00-1981 to 00-00-1981	
4. TITLE AND SUBTITLE Biological Effects of Beach Restoration on the Florida Gulf Coast				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers (USACE), Coastal and Hydraulics Laboratory, 3909 Halls Ferry Road, Vicksburg, MS, 39180				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




Coastal Engineering

Technical Note

BIOLOGICAL EFFECTS OF BEACH RESTORATION ON THE FLORIDA GULF COAST

PROBLEM: Beach restoration with dredged material can provide a means of counteracting beach erosion in some coastal areas. Therefore, the Corps is presently using this method to solve coastal erosion problems. As an Environmental Impact Statement is required for these projects, the Corps is having to answer many environmental questions about the effects of beach restoration. At present, available information is needed to substantiate the required evaluations. Studies at Panama City Beach, Florida (Culter and Mahadevan, 1981 and Saloman, Naughton and Taylor, 1981) and Treasure Island, Florida (Saloman, 1974 and Taylor Biological Company, 1978) provide guidance for the planning of beach restoration projects along the Florida gulf coast and evaluating its potential biological impact (see Location Map).

EFFECTS OF BEACH RESTORATION: As in other coastal regions, there are varying wave energy conditions along the gulf coast. Panama City Beach is in a moderately high wave energy area, whereas Treasure Island is in a moderately low wave energy area. The macrobenthic communities in the near-shore area at the two projects were rich and diverse, except in the swash zone. As a result of wave energy, the nearshore sediments experienced an almost constant agitation. This agitation dictated the type of macrobenthic animals inhabiting the near-shore area. Most macrobenthic animals were active burrowers or crawlers capable of quickly digging into the sediments if threatened with displacement. It was found that the beach restoration projects in both coastal environments did not result in any discernable, long-term effects on the near-shore macrobenthic animals. In these and other coastal areas, studies have shown that the nearshore communities are resilient and show no lasting effects resulting from beach restoration projects. See CETN-V-5 and CETN-V-7 for results of studies on the Atlantic and Pacific Coasts, respectively.



Site Location Map

However, major differences were found in the recovery rate of the offshore borrow pits in the two geographic areas. At Treasure Island, it was found that the offshore borrow pit sediments contained a high percentage of organic matter and hydrogen sulfide and the water was occasionally low in dissolved oxygen. This resulted in a generally poor quality of habitat; thus, the abundance and diversity of macrobenthic fauna in the pits were lower than the undisturbed substra-

tum in adjacent areas. It was found that the pits are in a slow state of recovery and it may take 10 years or more for them to completely recover.

In contrast, the offshore borrow pits dredged in 1976 at Panama City Beach rapidly filled with sediment from adjacent areas and did not act as a trap for fine particles and organic matter as observed at Treasure Island. Dredging did cause an immediate decline in the bottom communities, but it was followed by a rapid recovery that was virtually complete in about one year. The borrow pits had no discernable long-term effects on the macrobenthic animals. The recovery rates of the two borrow areas were thought to be related to the differing physical environments in the two geographical regions and the resiliency of the macrobenthic animals.

CONCLUSIONS: Macrobenthic animal recovery apparently is rapid following beach restoration, but it may take 10 years or more for some borrow areas to recover, depending on the physical and chemical conditions, i.e., currents, sediment movements, and water quality. To improve macrobenthic animal recovery rates, consideration should be given to shallow dredging over large low wave energy areas rather than deep dredging. Although biological damage would be initially greater, recovery would be expected to be much quicker in the shallow dredged area.

ADDITIONAL INFORMATION: Contact the CERC Coastal Ecology Branch at (202) 325-7393.

REFERENCES:

CULTER, J. K., and MAHADEVAN, S., "A Study of Benthic Fauna of Sandy Beaches and Nearshore Areas of Panama City, Florida, "Draft Technical Report prepared for CERC by Mote Marine Laboratory, Sarasota, FL, July 1981.

SALOMAN, C. H., "Physical, Chemical and Biological Characteristics of Near-shore Zone of Sandy Key, Florida, Prior to Beach Restoration," Final Report for the Coastal Engineering Research Center, National Marine Fisheries Service, Panama City, FL, 1974.

SALOMAN, C. H., NAUGHTON, S. P. and TAYLOR, J. L., "Short-Term Effects of Beach Nourishment on Benthic Fauna of Borrow Pits and Adjacent Sediment, Panama City, FL," Draft Technical Report prepared for CERC by Taylor Biological Company, Inc., Lynn Haven, FL, Sep.1981.

TAYLOR BIOLOGICAL COMPANY, "Ecological Comparison of Beaches, Offshore Borrow Sites and Adjacent Bottom at Anna Maria Island and Treasure Island, Florida," prepared for the US Army Corps of Engineers, Jacksonville District, DACW 17-78-M-1410, Dec.1978, 35 p.

U.S. ARMY CORPS OF ENGINEERS, COASTAL ENGINEERING RESEARCH CENTER, "Biological Effects of Beach Restoration Projects on the South Atlantic U.S. Coast," CETN-V-5, Fort Belvoir, VA, 1980.

U.S. ARMY CORPS OF ENGINEERS, COASTAL ENGINEERING RESEARCH CENTER, "Biological Effects of Beach Restoration on the Southern California Coast," CETN-V-7, Fort Belvoir, VA, 1981.