Improved Information Systems for Mine Burial Prediction

Chris Jenkins

INSTAAR, University of Colorado, Boulder CO 80309-0450 USA Tel: +1 303 735 5250 Fax: +1 303 492 6388 Email: chris.jenkins@colorado.edu

Andrew Short

Coastal Studies Unit, University of Sydney (F09), Sydney NSW 2006 AUSTRALIA Tel: +61 2 9351 3625 Fax: +61 2 9351 3644 Email: a.short@geosci.usyd.edu.au

Michael Field USGS, Pacific Science Center, 1156 High Street Santa Cruz CA 95064 USA

Award Number: N00014-01-1-0376

LONG-TERM GOALS

Improve the quality, availability and reliability of seabed information for modellers, decision makers, and units operating at sea. That information includes data on seabed firmness, mobility, composition.

OBJECTIVES

(i) Improve the delivery of data on the character of the seabed for use in mine burial prediction, and other naval and scientific endeavours. Particularly, to improve techniques of mapping in the spatially and temporally complicated coastal zone, preferably using unsupervised techniques.

(ii) Improve the delivery of indexes of the reliability for seabed data, with development of appropriate visualizations of uncertainties.

[This report address the Post-Graduate Research Degree component at the University of Sydney. Other components there and at the University of Colorado were completed by 2002.]

APPROACH

Using satellite and aerial imagery of Australian wave- and storm-prone coastal areas, investigate a variety of image segmentation/classification techniques in GIS and other application environments. During the investigation, establish: (i) the suitability of the techniques for reliable classification of imagery, for instance into sand, rock and mud substrates, (ii) whether they can be implemented for semi-automated classifications on regional scales, (iii) rational and effective ways of combining results that use different properties of image segments.

WORK COMPLETED

Pre-processing of the images was done to remove sun-glint and other extraneous effects before these methods were applied. An extensive set of data has been examined using aerial photographs taken over several decades and representing a range in photographic quality. Image classification was achieved

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2. REPORT TYPE				3. DATES COVERED 00-00-2004 to 00-00-2004	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Improved Information Systems for Mine Burial Prediction				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) INSTAAR, University of Colorado,,Boulder,,CO,80309				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF				18. NUMBER	19a. NAME OF
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	5	RESPONSIBLE PERSON

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39-18 using histogram clustering on a range of image properties such as color, texture. The number of classes to be distinguished was kept low in order to begin with good reliabilities.



Fig. 1 Clustering values for image segments classed as sand and algae. a. RGB color; b. texture.

Figure 1 shows some statistical results from two image segmentation processes. <u>Color cluster analysis</u> creates one value per pixel based on a combination of the RGB values and then identifies cluster values based on statistical frequency peaks. Sand cluster values (indexes) range from ~160 to 210 whereas seaweed beds, have very low cluster values <40, but mostly <10. These contrasting cluster values become one of our key indicators in identifying bottom type in an image. Color clustering is only one of the "unlocking mechanisms" in seabed classification. <u>Texture analysis</u> for each pixel, reports on the character of the neighbouring pixels. Potentially uniform classes, such as sand and water, are separated from more dynamic environments, such as algal beds, rocks and the breaker zone. Texture analysis values are complex for sands, usually within 0 to 50, but extending significantly to >150. Modeling this distribution in order to make texture a workable identifier for sand will be a challenge. For algally colonized areas there is a well defined pattern, for which even a normal distribution would suffice. However the size of the dataset for this environment is small, decreasing the reliability of the modeled distribution. Areas known to be rocky substrate were often characterized by a biologically colonized algal signature. <u>Linearity analysis</u>, which gives important definition of breakerzones, strandlines, dunes, and human habitation, completes a trilogy of useful image properties.

<u>Synthesis</u>. Methods have been developed which combining this "trilogy" of clusterings into an overall classification. The clustered color, texture and linearity distributions are converted to calibrated membership functions associated with fuzzy sets for 'sand', 'rock', etc. Areas of mixed character will be permitted to have a membership of several classes at once. To conclude the project, the distributions will be tested on other sets of imagery (including satellite), and will be presented in the form of computer programs with documentation, thesis and papers.

RESULTS

The development has been able to produce an automated classification of the substrates in coastal surfprone areas. Results have shown that the top three most differentiated results came from image analysis based on spectral clustering, texture analysis, and linearity analysis.

IMPACT/APPLICATIONS

Coastal classification is an important issue right now, not only for operational (mapping) purposes, but in vew of predicted sealevel rise. Remote image coastal classifications will be needed to predict the worldwide impacts on communities, landscapes, and other factors like carbon budgets and fluxes.

TRANSITIONS

Regional scale remote coastal classifications are required in seafloor mapping projects at navy labs and in research, for example to provide a boundary condition on machine mappings of shallow marine bottom type. Within the dbSEABED network, the work is likely to be used by the Australian Navy, the USGS, German institutions, and universities.

RELATED PROJECTS

Seafloor mapping of the US EEZ and other areas (JENKINS: Williams et al. 2003); Surfzone Morphodynamics (SHORT); Completion of Australian Beach Database (SHORT, in press b: Mundy 2002).

REFERENCES

Mundy, J. 2002. Life's a beach – in the cause of science. *The University of Sydney News* - 27March2002. [www.usyd.edu.au/publications/news/022703News/2703_beach.html]

Short, A D, (ed), 1999. *Beach and Shoreface Morphodynamics*. John Wiley and Sons, Chichester, 379 pp.

PUBLICATIONS

Haijun, H J, **Short**, A D and Zeng, T, 2004, Impact of Brunswick River mouth training walls on adjacent beaches, Brunswick Heads, New South Wales, Australia. *China Ocean Engineering*, 18, 207-220.

Jenkins, C.J. 2003. Data Management of MARGINS Geologic Data, with Emphasis on Efficiency, Quality Control and Data Integration. *MARGINS Newsletter*, 10, 8-10.

Nielsen, A F, Adamantidis, C A, **Short**, A D and Rollason, V, 2003, A numerical simulation of wavegenerated surf zone currents. *Australian Civil Engineering Transactions*, CE45,1-7.

Porter-Smith, R., Harris, P.T., Anderson, O., Coleman, R., Greenslade, D. & **Jenkins**, C.J. 2004. Classification of the Australian continental shelf based on predicted sediment threshold exceedance from tidal currents and swell waves. *Marine Geology*, *211*, *1-20*. Ranasinghe, R, McLoughlin, R, **Short**, A D and Symonds, G, 2004, The Southern Oscillation Index, wave climate and beach rotation. *Marine Geology*, 204, 273-287.

Short, A D and Trembanis, A, 2004, Decadal Scale Patterns In Beach Oscillation And Rotation Narrabeen Beach, Australia- Time Series, PCA And Wavelet Analysis. *Journal of Coastal Research*, 20, 523-532.

Short, A D, 2003, Australia beach systems - the morphodynamics of wave through tide-dominated beach-dune systems. *Journal of Coastal Research* SI 35, 7-20.

Short, A D, 2003, Sediment transport around Australia - sources, mechanisms, rates and barrier forms. *Coastal Sediments '03, Clearwater Beach, Fl., American Society Civil Engineers & US Geological Survey* (12 pp.)

Short, A D, 2003a, Beach. In Goudie, A (ed) *Encyclopedia of Geomorphology*, v.3.Routledge, London.

Short, A D, 2003b, Sediment Cell. In Goudie, A (ed) *Encyclopedia of Geomorphology*, v 3, Routledge, London.

Short, A D, in press a, *Beaches of the Western Australian Coast: Eucla to Roebuck Bay*. Australian Beach Safety and Management Project, Sydney, approx 400 pp.

Short, A D, in press b, Australian beach systems – nature and distribution. *Journal of Coastal Research*.

Thom, B G and Short, A D, in press, Editorial: Australian coastal geomorphology 1984-2004. *Journal of Coastal Research*.

Williams, S.J., **Jenkins**, C., & others, 2003. *New digital geologic maps of U.S. continental margins; insights to seafloor sedimentary character, aggregate resources and processes*: Coastal Sediments '03 Conference Proceedings, Fifth Internl Symp. Coastal Engineering and Sci. of Coastal Sediment Processes, Clearwater Beach, Fl., 18-23 May 2003, 12 p.

PATENTS

(No data)

HONORS/AWARDS/PRIZES

(No data)