



**Research Product 2015-02**

**Mass Casualty Triage  
Performance Assessment Tool**

**Christina K. Curnow  
Rachel D. Barney  
Jonathan J. Bryson  
Heidi Keller-Glaze  
ICF International**

**Christopher L. Vowels  
U.S. Army Research Institute**

**February 2015**

**United States Army Research Institute  
for the Behavioral and Social Sciences**

Approved for public release; distribution is unlimited.

**U.S. Army Research Institute  
for the Behavioral and Social Sciences**

**Department of the Army  
Deputy Chief of Staff, G1**

**Authorized and approved:**

**MICHELLE SAMS, Ph.D.  
Director**

---

Research accomplished under contract  
for the Department of the Army by

ICF International

Technical review by

Greg Ruark, U.S. Army Research Institute  
Jeremy Oehlert, U.S. Army Research Institute

**NOTICES**

**DISTRIBUTION:** This Research Product has been submitted to the Defense Information Technical Center (DTIC). Address correspondence concerning ARI reports to: U.S. Army Research Institute for the Behavioral and Social Sciences, Attn: DAPE-ARI-ZXM, 6000 6<sup>th</sup> Street Building 1464 / Mail Stop: 5610), Fort Belvoir, VA 22060-5610.

**FINAL DISPOSITION:** Destroy this Research Product when it is no longer needed. Do not return it to the U.S. Army Research Institute for the Behavioral and Social Sciences.

**NOTE:** The findings in this Research Product are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

**REPORT DOCUMENTATION PAGE**

1. REPORT DATE (dd-mm-yy) February 2015		2. REPORT TYPE Final		3. DATES COVERED (from. . . to) April 2011 - February 2013	
4. TITLE AND SUBTITLE Mass Casualty Triage Performance Assessment Tool				5a. CONTRACT OR GRANT NUMBER W5J9CQ-11-D-0002	
				5b. PROGRAM ELEMENT NUMBER 622785	
6. AUTHOR(S) Christina K. Curnow, Rachel D. Barney, Jonathan J. Bryson, Heidi Keller-Glaze; Christopher L. Vowels				5c. PROJECT NUMBER A790	
				5d. TASK NUMBER	
				5e. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ICF International            U.S. Army Research Institute 9300 Lee Highway            for the Behavioral & Social Sciences Fairfax, VA 22031            6000 6 <sup>th</sup> Street, Building 1464 / Mail Stop: 5610 Fort Belvoir, VA 22060-5610				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Institute for the Behavioral & Social Sciences 6000 6 <sup>th</sup> Street, (Building 1464 / Mail Stop: 5610) Fort Belvoir, VA 22060-5610				10. MONITOR ACRONYM ARI	
				11. MONITOR REPORT NUMBER Research Product 2015-02	
12. DISTRIBUTION/AVAILABILITY STATEMENT: Distribution Statement A. Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES Contracting Officer's Representative and Subject Matter POC: Dr. Christopher L. Vowels					
14. ABSTRACT ( <i>Maximum 200 words</i> ): This report contains a description of a tool for mass casualty triage assessment which is a primary task for units with the Defense Chemical, Biological, Radiological, Nuclear, and Explosive (CBRNE) Response Force (DCRF) mission. Such units provide life saving and sustaining support, including medical triage, to civil authorities following a catastrophic event. The tool was developed to be easy to implement and score by a military trainer but also provide substantive information about a trainee's performance. Unit personnel reviewed the tool for accuracy and functionality. A prototype of medical triage assessment, instructions on how to use it, and a scoring rubric are included. The description of the tool's development is given in Curnow, Bryson, Barney, Keller-Glaze, and Vowels, 2015. Development of a Mass Casualty Triage Performance Assessment is ARI Technical Report 1350.					
15. SUBJECT TERMS Assessment, Triage, Performance measurement, Feedback, Tasks-Collective, Brigade Combat Teams, Task analysis					
SECURITY CLASSIFICATION OF			19. LIMITATION OF ABSTRACT	20. NUMBER OF PAGES	21. RESPONSIBLE PERSON
16. REPORT Unclassified	17. ABSTRACT Unclassified	18. THIS PAGE Unclassified	Unlimited Unclassified	23	Dorothy Young 703-545-2378

**Research Product 2015-02**

**Mass Casualty Triage  
Performance Assessment Tool**

**Christina K. Curnow  
Rachel D. Barney  
Jonathan J. Bryson  
Heidi Keller-Glaze  
ICF International**

**Christopher L. Vowels  
U.S. Army Research Institute**

**Fort Hood Research Unit  
Brian T. Crabb, Chief**

**United States Army Research Institute  
for the Behavioral and Social Sciences**

**February 2015**

---

Approved for public release; distribution is unlimited.

## ACKNOWLEDGMENT

---

We would like to thank the unit that identified the need for a mass casualty triage assessment tool and continued to provide input throughout the development and refinement of the assessment tool.

# MASS CASUALTY TRIAGE PERFORMANCE ASSESSMENT TOOL

## EXECUTIVE SUMMARY

---

### Research Requirement:

An ever-growing and changing task list for Army units requires the development of measurement tools for all those unit trainers and leaders to accurately evaluate their unit's level of readiness. The objective of this research was to develop and refine a prototype measure for a hard-to-measure, collective task. This product contains a description of a tool for mass casualty triage assessment which is a primary task for units with the Defense Chemical, Biological, Radiological, Nuclear, and Explosive (CBRNE) Response Force (DCRF) mission. Such units provide life saving and sustaining support, including medical triage, to civil authorities following a catastrophic event. Therefore the tool was developed to be easy to implement and score by a military trainer, but also provide substantive information about a trainee's performance. A more thorough description of tool development can be found in Curnow, Bryson, Keller-Glaze, and Vowels (In Preparation).

### Procedure:

Based on prior research (see Curnow et al., In Preparation), an assessment tool was developed. As a final step in the tool development, active duty Soldiers and leaders involved in training medical triage at their unit reviewed the assessment and provided feedback for further refinement. Questions that lead to the refined version of the tool provided in this report can be found in Appendix F in Curnow et al., (In Preparation).

### Findings:

The culmination of research and collaboration with the military police (MP) unit was the development of a tool to assess performance of a medical triage task. The tool was designed for one assessor to observe the triage tasks performed and provide ratings of Soldiers performing triage individually or in teams of two. The tool includes instructions for the assessor to make proficiency ratings and provide critical feedback about the casualty's state to the Soldier being assessed.

### Utilization and Dissemination of Findings:

The findings of this research, in the form of a Tool for Mass Casualty Triage Assessment, can be used by units to determine their readiness to perform triage during a mass casualty training event and to provide feedback to individuals and teams regarding their task performance. This research was completed with a MP unit with the DCRF mission and was focused on providing them an enhanced tool to assess medical triage training performance.

# MASS CASUALTY TRIAGE PERFORMANCE ASSESSMENT TOOL

## CONTENTS

---

	Page
Mass Casualty Triage.....	1
Research Product .....	2
Instructions for Use.....	2
References.....	5
Appendix A. Mass Casualty Assessment.....	A-1
Appendix B. Scoring Rubric.....	B-1

## **Mass Casualty Triage Performance Assessment Tool**

Assessments based on training and evaluation outlines (T&EO) for collective tasks provide commanders and unit trainers with a “Go” or a “NoGo” for each task step and are used to determine if a unit is “trained,” “needs practice,” or “untrained” on the task. However, metrics of collective performance solely based on the tasks, conditions, and standards may not be valid/useful indicators of unit performance, given the wide variety of decision-making situations (i.e., it may not be possible to specify standards applicable to all potential situations). Likewise, specifying precise criteria for tactical decision-making in unpredictable and unfamiliar situations may be extremely difficult (c.f., Dyer, 2004). Given the immensity of tactical tasks for which Soldiers are supposed to be trained to complete and the lack of more precise measurement tools, one key gap identified for the current research was to develop performance measurement methods and feedback tools that can be used to effectively assess Brigade Combat Team (BCT) performance (i.e., individual and collective unit training assessment, diagnostic, and feedback tools). The development of reliable, valid, and more sensitive collective performance assessments would allow leaders to more accurately assess their Soldiers’ performance. This would also allow trainers to develop tailored training events for their units and provide unit commanders with additional information for honing key skills.

The National Response Framework (NRF) defines catastrophic events as “any natural or man-made incident, including terrorism, which results in extraordinary levels of mass casualties, damage, or disruption severely affecting the population, infrastructure, environment, economy, national morale, and/or government functions” (Center for Army Lessons Learned, 2006, p.38). During these events, local and state medical personnel are often overwhelmed by the sheer magnitude of the situation. As a result, the military is often called upon to assist in these efforts by providing additional manpower and support to the affected area. In October of 2011, the United States Northern Command (USNORTHCOM) created what is known as the Defense Chemical, Biological, Radiological, Nuclear, and Explosive (CBRNE) Response Force (DCRF) to help with this augmentation (Department of the Army, 2011). Its primary mission is to provide life saving and life-sustaining support to civil authorities following a catastrophic event (Cohen, 2011). Some of its key capabilities include: search and rescue; mass casualty decontamination; medical evacuation; and medical triage (Cannon, 2012).

### **Mass Casualty Triage**

Mass casualty triage is a key factor in the successful management of catastrophic events (CALL, 2006). Triage is a method that allows patients to be quickly evaluated and medically sorted based on the urgency of the treatment needed; type and seriousness of injury; and likelihood of survival (Community Emergency Response Team, 2011). Typically, triage is performed when the number of injured individuals is high and available medical personnel are limited. The goal of triage is to prioritize attention and rapidly identify and separate those who need immediate care from those who can wait for medical assistance. The strategy is designed to provide the greatest good for the greatest number of victims. Triage also allows for an efficient use of personnel, equipment, and facilities while promoting organization and order in situations that are often chaotic (Community Emergency Response Team, 2011).



This document provides the mass casualty triage assessment, its purpose, and its uses. A detailed description of the research supporting it is presented in Curnow, Bryson, Barney, Keller-Glaze, and Vowels (In Preparation).

## **Research Product**

The mass casualty assessment is a paper-based measure that can be used to evaluate Soldier readiness to triage injured civilians during a mass casualty exercise. It is based in part on the Simple Triage And Rapid Treatment (START) method which is one of the more widely used methods available for conducting triage during mass casualties in a disaster (Kahn, Schultz, Miller, & Anderson, 2009). The assessment comprises six cases and each case includes a scenario describing the victim, a list of tasks that must be carried out in order to correctly determine the victim's triage level, and a rating scale. The exercise can be used to rate Soldiers performing triage individually or in teams of two. The assessor uses the tool to make ratings and provide necessary feedback to the Soldier being evaluated. The assessor should also measure the time it takes to triage each victim and should expect that each is completed in one minute or less.

## **Instructions for Use**

In the *tasks required* section of the assessment, the rater evaluates how well Soldiers perform each task in the triage evaluation (given the case presented) and whether they perform the steps on each task in the proper order. Each task receives either a "performed correctly," "performed incorrectly or with difficulty," or "task excluded." For example, if a Soldier performs all of the steps correctly on a given task, he or she would receive a check mark in the corresponding "performed correctly" box. If a Soldier excludes one or more steps on a particular task (and/or has difficulty with it), he or she would receive a check mark in the "performed incorrectly or with difficulty" box. Finally, if a Soldier excludes a required task all together during the evaluation, he or she would receive a check mark in the "task excluded" box.

Upon completion of the tasks required section, the rater then moves into the *triage category* section consisting of four categories: Red, Yellow, Green, and Black; each corresponding to a level of priority for treatment. The rater checks the category selected by the Soldier after evaluating the casualty.

Once the Soldier has completed the tasks required and selected a triage category, the rater then writes down the *time to completion* (in minutes and seconds). As requested by Soldiers, an expanded *notes* section has been provided for the rater at the bottom of the mass casualty triage assessment for any additional details or points of clarification they might want to include during their assessment and for specific feedback.

At the conclusion of the assessment, the rater then writes down the performance level number (i.e., 1, 2, or 3) for each dimension found on the scoring rubric in the corresponding block provided under the *scoring section* of the mass casualty assessment that best reflects the Soldiers performance on that dimension. The rater then adds up the performance level numbers from each dimension block in the scoring section for an overall score. Scores can range from 3 to 9 on each assessment (0 - 3=Low, 4 - 6=Medium, 7 - 9=High). This same method is used for

all six mass casualty cases. The rater then adds up the overall scores from each of the six mass casualty cases to determine the Soldier's final readiness score (0-18=Low, 19-36=Medium, 37-54=High).<sup>1</sup>

---

<sup>1</sup> The ranges were calculated by taking the maximum score possible and dividing it by three to determine the range for each point group (i.e., low, medium, and high).

## References

- Cannon, C. (2012). *Catastrophic scenario tests JTF-CS, DCRF response capabilities*. Retrieved on February 18, 2013 from [http://www.army.mil/article/92608/Catastrophic\\_scenario\\_tests\\_JTF\\_CS\\_\\_DCRF\\_response\\_capabilities/](http://www.army.mil/article/92608/Catastrophic_scenario_tests_JTF_CS__DCRF_response_capabilities/)
- Center for Army Lessons Learned (2006). *Catastrophic disaster response staff officer's handbook*. Fort Leavenworth, KS: Combined Arms Center.
- Cohen, B. (2011). *Fort Polk brigade to provide WMD response nationwide*. Retrieved on February 18, 2013 from <http://www.bioprepwatch.com/news/fort-polk-brigade-to-provide-wmd-response-nationwide/272047/>
- Community Emergency Response Team (2011). *Basic training instructors guide*. Federal Emergency Management Agency (FEMA), Department of Homeland Security, Washington, DC.
- Curnow, C. K., Bryson, J. J., Barney, R. D., Keller-Glaze, H., & Vowels, C. L. (In Preparation). *Development of a mass casualty triage assessment*. (Technical Report). Fort Belvoir, VA: U.S. Army Research Institute for the Behavioral and Social Sciences.
- Dyer, J. L. (2004). The measurement of individual and unit expertise. In J. W. Ness, V. Tepe, & D. R. Ritzer (Eds.), *Advances in human performance and cognitive engineering research, Vol 5: The science and simulation of human performance* (pp. 11-124). Boston, MA: Elsevier.
- Kahn, C. A., Schultz, C. H., Miller, K. T., & Anderson C. L. (2009). Does START triage work? An outcomes assessment after a disaster. *Annals of Emergency Medicine, 54*: 424-430.
- U.S. Department of the Army. (2011) *Army posture statement*. Retrieved on February 18, 2013 from [https://secureweb2.hqda.pentagon.mil/vdas\\_armyposturestatement/2011/pages/Transition.aspx](https://secureweb2.hqda.pentagon.mil/vdas_armyposturestatement/2011/pages/Transition.aspx)

## Appendix A

### Mass Casualty Assessment

#### Instructions:

In the **tasks required** section of the assessment, evaluate how well Soldiers perform each task in the triage evaluation (given the case presented) and whether they perform the steps on each task in the proper order. Each task receives either a “performed correctly,” “performed incorrectly or with difficulty,” or “task excluded.” For example, if a Soldier performs all of the steps correctly on a given task, he or she would receive a check mark in the corresponding “performed correctly” box. If a Soldier excludes one or more steps on a particular task (and/or has difficulty with it), he or she would receive a check mark in the “performed incorrectly or with difficulty” box. Finally, if a Soldier excludes a required task all together during the evaluation, he or she would receive a check mark in the “task excluded” box.

Upon completion of the tasks required section, the rater then moves into the **triage category** section consisting of four categories: Red, Yellow, Green, and Black. Each category corresponds to a level of priority for treatment. The rater checks the category selected by the Soldier after evaluating the casualty.

Once the Soldier has completed the tasks required and selected a triage category, the rater then writes down the **time to completion** (in minutes and seconds).

A **notes** section has been provided for the rater at the bottom of the mass casualty triage assessment for any additional details or points of clarification they might want to include during their assessment.

## Mass Casualty Triage Assessment

**CASE 1:** Wounded civilian is not ambulatory, is lying on his/her side, and has minor burns to the arms, and bruising to the head and neck.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Check for consciousness</b> <ul style="list-style-type: none"> <li>Shake victim and speak loudly at arm's distance.</li> </ul>			
<b>Position the victim</b> <ul style="list-style-type: none"> <li>Raise the near arm of the victim and straighten it out above their head.</li> <li>Adjust the legs of the victim so they are together and straight or almost straight.</li> <li>Place one hand on the back of the victim's head and neck.</li> <li>Grasp the victim under the arm with the free hand.</li> <li>Pull the victim in a steady and even manner toward yourself, keeping their head and neck in line with their torso.</li> <li>Roll the victim as a single unit.</li> <li>Place the victim's arms at his/her sides.</li> </ul>			
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Check breathing rate</b> <ul style="list-style-type: none"> <li>Count the number of chest rises within 15 seconds and multiply by 4.</li> </ul>			
<b>Assessor Feedback: Breathing rate is 20 breaths per minute</b>			
<b>Check for bleeding</b> <ul style="list-style-type: none"> <li>Look for blood-soaked clothing.</li> <li>Look for wounds.</li> <li>Place hand behind the victim's neck and pass them upward toward the top of the head checking for blood.</li> <li>Place your hands behind the victim's shoulders and pass them downward behind the back, the thighs, and the legs.</li> </ul>			
<b>Assessor Feedback: No bleeding discovered</b>			
<b>Check circulation using blanch test for capillary refill</b> <ul style="list-style-type: none"> <li>Press on an area of skin or on finger nail until normal skin color is gone.</li> <li>Time how long it takes for normal color to return.</li> </ul>			
<b>Assessor Feedback: Capillary refill takes 5 seconds</b>			
<b>Treat for shock</b> <ul style="list-style-type: none"> <li>Elevate feet 6-10 inches above heart and maintain body temperature with blanket, if available.</li> </ul>			
<b>Tag civilian RED for Immediate</b>			
<b>Triage Category</b>			

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_

Seconds \_\_\_\_\_

**Scoring Section**

Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced

Tasks Required	
Triage Category +	
Time to Completion +	
<b>Overall Score</b>	

**Notes**

--

**CASE 2:** Wounded civilian is not ambulatory, is lying on his/her back, and appears motionless.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Check for consciousness</b> <ul style="list-style-type: none"> <li>Shake victim and speak loudly at arm's distance.</li> </ul>			
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Assessor Feedback: No respiration detected</b>			
<b>Position the air way using Head-Tilt /Chin-Lift</b> <ul style="list-style-type: none"> <li>Kneel at the level of the victims shoulders.</li> <li>Place one hand on the victim's forehead and apply firm backward pressure with the palm to tilt the head back.</li> <li>Place the fingertips of the other hand under the bony part of the victim's lower jaw and lift, bringing the chin forward.</li> <li>Look into the victim's mouth and sweep for obstructions (e.g., vomit) using your index finger.</li> <li>Place ear over victim's mouth and nose to listen and feel for air movement (this includes looking for the chest to rise and fall, listening for air exchange, and feeling for abdominal movement).</li> </ul>			
<b>Assessor Feedback: Respiration does not return after first attempt</b>			
<b>Position the air way using Head-Tilt /Chin-Lift</b> <ul style="list-style-type: none"> <li>Perform Head-Tilt/Chin-Lift again.</li> </ul>			
<b>Tag civilian BLACK for Expectant or Dead</b>			

**Triage Category**

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_ Seconds \_\_\_\_\_

**Scoring Section**

**Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced**

Tasks Required		
Triage Category	+	
Time to Completion	+	
<b>Overall Score</b>		

**Notes**

**CASE 3:** Wounded civilian is not ambulatory, is lying on his/her back, and has multiple lacerations and bruises.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Check for consciousness</b> <ul style="list-style-type: none"> <li>Shake victim and speak loudly at arm's distance.</li> </ul>			
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Check breathing rate</b> <ul style="list-style-type: none"> <li>Count the number of chest rises within 15 seconds and multiply by 4.</li> </ul>			
<b>Assessor Feedback: Breathing rate is less than 30 breaths per minute</b>			
<b>Check for bleeding</b> <ul style="list-style-type: none"> <li>Look for blood-soaked clothing.</li> <li>Look for wounds.</li> <li>Place hand behind the victim's neck and pass them upward toward the top of the head checking for blood.</li> <li>Place your hands behind the victim's shoulders and pass them downward behind the back, the thighs, and the legs.</li> </ul>			
<b>Assessor Feedback: Civilian has spurting bleeding from right leg</b>			
<b>Control the bleeding</b> <ul style="list-style-type: none"> <li>Put pressure on the nearest pressure point (between the wound and the heart) and elevate the wound above the level of the heart to slow the flow of blood to the wound.</li> <li>Apply a clean dressing over the wound.</li> <li>Apply pressure to the dressing over the wound.</li> <li>Wrap a pressure bandage around the dressing over the wound.</li> <li>Elevate wound above heart (for extremities only).</li> </ul>			
<b>Check circulation using blanch test for capillary refill</b> <ul style="list-style-type: none"> <li>Press on an area of skin until normal skin color is gone.</li> <li>Time how long it takes for normal color to return.</li> </ul>			
<b>Assessor Feedback: Capillary refill takes 1 second</b>			
<b>Check for mental status</b> <ul style="list-style-type: none"> <li>Give simple command to victim (e.g., squeeze my hand).</li> </ul>			
<b>Assessor Feedback:</b>			
<b>Tag civilian YELLOW for Delayed</b>			

**Triage Category**

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_ Seconds \_\_\_\_\_



**Scoring Section**

**Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced**

Tasks Required	
Triage Category +	
Time to Completion +	
<b>Overall Score</b>	

**Notes**

**CASE 4:** Wounded civilian is lying down, holding his/her head in his/her hands and moaning.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Check breathing rate</b> <ul style="list-style-type: none"> <li>Count the number of chest rises within 15 seconds and multiply by 4.</li> </ul>			
<b>Assessor Feedback: Breathing rate is 25 breaths per minute</b>			
<b>Check for bleeding</b> <ul style="list-style-type: none"> <li>Look for blood-soaked clothing.</li> <li>Look for wounds.</li> <li>Place hand behind the victim's neck and pass them upward toward the top of the head checking for blood.</li> <li>Place your hands behind the victim's shoulders and pass them downward behind the back, the thighs, and the legs.</li> </ul>			
<b>Assessor Feedback: No noticeable bleeding</b>			
<b>Check circulation using blanch test for capillary refill</b> <ul style="list-style-type: none"> <li>Press on an area of skin until normal skin color is gone.</li> <li>Time how long it takes for normal color to return.</li> </ul>			
<b>Assessor Feedback: Refill is less than one second</b>			
<b>Check for mental status</b> <ul style="list-style-type: none"> <li>Give simple command to victim (e.g., squeeze my hand).</li> </ul>			
<b>Assessor Feedback: Cannot follow any simple commands</b>			
<b>Treat for shock</b> <ul style="list-style-type: none"> <li>Elevate feet 6-10 inches above heart and maintain body temperature with blanket if available.</li> </ul>			
<b>Tag civilian RED for Immediate</b>			
<b>Triage Category</b>			

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_ Seconds \_\_\_\_\_

**Scoring Section**

Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced

Tasks Required		
Triage Category	+	
Time to Completion	+	
<b>Overall Score</b>		

Notes

--

**CASE 5:** Wounded civilian is not ambulatory, is lying on his/her back, and has multiple lacerations and bruises.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Check for consciousness</b> <ul style="list-style-type: none"> <li>Shake victim and speak loudly at arm's distance.</li> </ul>			
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Check breathing rate</b> <ul style="list-style-type: none"> <li>Count the number of chest rises within 15 seconds and multiply by 4.</li> </ul>			
<b>Assessor Feedback: Breathing rate is about 50 breaths per minute</b>			
<b>Treat for shock</b> Elevate feet 6-10 inches above heart and maintain body temperature with blanket if available.			
<b>Tag civilian RED for Immediate</b>			

**Triage Category**

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_ Seconds \_\_\_\_\_

**Scoring Section**

Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced

Tasks Required		
Triage Category	+	
Time to Completion	+	
<b>Overall Score</b>		

**Notes**

**CASE 6:** Wounded civilian is not ambulatory, is lying on his/her back, and appears motionless.

Tasks Required	Performed correctly	Performed incorrectly or with difficulty	Task excluded
	✓	✓	✓
<b>Check for consciousness</b> <ul style="list-style-type: none"> <li>Shake victim and speak loudly at arm's distance.</li> </ul>			
<b>Look, listen and feel for breathing</b> <ul style="list-style-type: none"> <li>Place ear over victim's mouth and nose to listen and feel for air movement.</li> <li>Look for the chest to rise and fall.</li> <li>Listen for air exchange.</li> <li>Feel for abdominal movement.</li> </ul>			
<b>Assessor Feedback: No respiration detected</b>			
<b>Position the air way using Head-Tilt /Chin-Lift</b> <ul style="list-style-type: none"> <li>Kneel at the level of the victims shoulders.</li> <li>Place one hand on the victim's forehead and apply firm backward pressure with the palm to tilt the head back.</li> <li>Place the fingertips of the other hand under the bony part of the victim's lower jaw and lift, bringing the chin forward.</li> <li>Look into the victim's mouth and sweep for obstructions (e.g., vomit) using your index finger.</li> <li>Place ear over victim's mouth and nose to listen and feel for air movement (this includes looking for the chest to rise and fall, listening for air exchange, and feeling for abdominal movement).</li> <li>Perform Head-Tilt/Chin-Lift again, if needed.</li> </ul>			
<b>Assessor Feedback: Spontaneous respirations return after Head-Tilt/Chin-Lift</b>			
<b>Tag civilian RED for Immediate</b>			

**Triage Category**

Red \_\_\_\_\_ Yellow \_\_\_\_\_ Green \_\_\_\_\_ Black \_\_\_\_\_

**Time to Completion**

Minutes \_\_\_\_\_ Seconds \_\_\_\_\_

**Scoring Section**

Fill in each dimension with either a 1 = Novice; 2 = Intermediate; or 3 = Advanced

Tasks Required		
Triage Category	+	
Time to Completion	+	
<b>Overall Score</b>		

**Notes**

## Appendix B

### Scoring Rubric

#### Scoring:

The scoring rubric consists of three dimensions that correspond to the three sections of the mass casualty assessment tool; specifically, tasks required, triage category, and time to completion (see below). For each of these dimensions there are three levels of performance (1 = Novice, 2 = Intermediate, and 3 = Advanced) with descriptions of what is expected at each of these levels.

To score a completed assessment, do the following:

1. Write the performance level number (i.e., 1, 2, or 3) for each dimension found on the scoring rubric in the corresponding block provided under the **scoring section** of the mass casualty assessment that best reflects the Soldier's performance on that dimension.
2. Add up the performance level numbers from each dimension block in the scoring section for an overall score. Scores can range from 3 to 9.\*
  - Low = 0 – 3
  - Medium = 4 – 6
  - High = 7 – 9
3. Repeat steps 1 and 2 for each of the six mass casualty assessments.
4. Add overall scores from each of the six mass casualty assessments to determine the Soldier's final readiness score.\*
  - Low = 0 – 18
  - Medium = 19 – 36
  - High = 37 – 54

\* The ranges were calculated by taking the maximum score possible and dividing it by three to determine the range for each point group (i.e., low, medium, and high).

## Scoring Rubric

Criteria	1 Novice	2 Intermediate	3 Advanced
Task	Missed (or performed incorrectly or with difficulty) one or more steps on two or more of the triage tasks.	Missed (or performed incorrectly or with difficulty) one or more steps on one of the triage task.	Completed all steps correctly (and without difficulty) for all triage tasks.
Triage Category	Did not assign a triage category to the casualty.	Assigned casualty to a triage category <u>lower</u> or <u>higher</u> than his or her true level of urgency (i.e., undertriaged, overtriaged).	Assigned casualty to the correct triage category.
Time	Took more than 1 minute to complete the triage assessment of the casualty.	Took less than 1 minute (but more than 30 seconds) to complete the triage assessment of the casualty.	Took 30 seconds or less to complete the triage assessment of the casualty.