

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 30 SEP 2002		2. REPORT TYPE		3. DATES COVERED 00-00-2002 to 00-00-2002	
4. TITLE AND SUBTITLE Radium Isotopic Analyses in the Shelf-Basin Interaction (SBI) Program and Investigation of the Rate of Shelf-Basin Interaction in the Western Arctic				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Division of Marine and Atmospheric Chemistry,,Rosenstiel School of Marine and Atmospheric Science,,4600 Rickenbacker Causeway,Miami,,FL, 33149				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT To utilize the distribution of radioisotopes in the ocean for the purpose of unraveling oceanic circulation patterns and investigating the rates of mixing processes. Specific problems of current interest include shelf-basin exchange in the western Arctic (including eddy processes) and ocean ventilation and subduction processes. Because these isotopes have half-lives ranging from days to years, it is possible to study processes that encompass a great variety of temporal and spatial scales.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			
			Same as Report (SAR)	3	

Radium Isotopic Analyses in the Shelf-Basin Interaction (SBI) Program and Investigation of the Rate of Shelf-Basin Interaction in the Western Arctic

David Kadko

Division of Marine and Atmospheric Chemistry
Rosenstiel School of Marine and Atmospheric Science
4600 Rickenbacker Causeway
Miami, FL 33149

phone: (305) 361-4721 fax: (305) 361-4689 email dkadko@rsmas.miami.edu

Award Number: N000140210652
N000140010845

LONG-TERM GOALS

To utilize the distribution of radioisotopes in the ocean for the purpose of unraveling oceanic circulation patterns and investigating the rates of mixing processes. Specific problems of current interest include shelf-basin exchange in the western Arctic (including eddy processes) and ocean ventilation and subduction processes. Because these isotopes have half-lives ranging from days to years, it is possible to study processes that encompass a great variety of temporal and spatial scales.

OBJECTIVES

The objective of this work is to characterize the shelf-basin transport within the western Arctic Ocean. Data generated here will augment studies funded under the NSF SBI program.

APPROACH

We are utilizing the naturally occurring radioactive isotopes ^{226}Ra , ^{228}Ra , ^{224}Ra and ^{228}Th to characterize the pathways and rate of transport between the shelf and deep basin of the western Arctic. This project is being performed in concert with the multi-institutional SBI project funded by the NSF.

WORK COMPLETED

We have analyzed all 46 samples collected during the SCICEX project from the year 2000. The isotopes analyzed were ^{228}Ra and ^{226}Ra . In addition, we have prepared and shipped material to J. Gossett for future sampling should that occur within the SBI region of interest. We are awaiting word as to the status of that possibility. In addition, we have purchased and constructed an instrument for analyzing the short-lived isotopes ^{223}Ra , ^{228}Th and ^{224}Ra . This was successfully used in the SBI 2002 field season where over 200 samples were collected and analyzed.

RESULTS

The most significant result in the 2002 sampling season was the discovery of near shore eddies off the Alaska coast. This was demonstrated by distinct tracer and temperature distributions obtained by closely spaced CTD and XCTD profiles. This likely will prove to be a significant consideration in

determining the mechanism of cross-shelf transport in this region as has been postulated by others. The tracer distributions offer a way of proving, and quantifying these earlier hypotheses.

IMPACT/APPLICATIONS

The discovery of coastal eddies in the N. Alaska coastal zone signifies a potentially important mechanism for shelf-basin exchange in the western Arctic.

TRANSITIONS

These results will eventually be used by other chemists and biologists to refine their estimates of mass transport between the shelf and deep Arctic basin. In addition, physical oceanographers will have a tracer of eddy formation and transport processes.

RELATED PROJECTS

This project is being performed in conjunction with the Shelf-Basin Interaction (SBI) program under the ARCCS program of the NSF (<http://utk-biogw.bio.utk.edu/SBI.nsf>). Over 200 samples were collected under this program in 2002 and analyzed with equipment funded by the ONR High Latitude Program. This project will continue through 2005.