AD\_\_\_\_\_

AWARD NUMBER: DAMD17-02-1-0665

TITLE: Neural Mechanisms of Chronic Fatigue Syndrome

PRINCIPAL INVESTIGATOR: Guang H. Yue, Ph.D.

CONTRACTING ORGANIZATION: Cleveland Clinic Foundation Cleveland, Ohio 44195

REPORT DATE: April 2006

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE					Form Approved		
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instruction				wing instructions, search	ning existing data sources, gathering and maintaining the		
data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense. Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-							
4302. Respondents should be valid OMB control number. PL	aware that notwithstanding any EASE DO NOT RETURN YOU	other provision of law, no persor R FORM TO THE ABOVE ADD	n shall be subject to any penalty f	or failing to comply with	a collection of information if it does not display a currently		
1. REPORT DATE (DL	D-MM-YYYY)	2. REPORT TYPE		3. D	ATES COVERED (From - To)		
01-04-2006	[ [	Final		1 A	pr 2002 – 31 Mar 2006		
4. TITLE AND SUBTIT	LE			5a. (	CONTRACT NUMBER		
Neurol Machaniama of Obrania Estimus Sundrama							
Neural Mechanisms of Chronic Fatigue Syndrome					MD17-02-1-0665		
				5c. 1	PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d.	PROJECT NUMBER		
Guang H. Yue, Ph.D.				5e. <sup>-</sup>	TASK NUMBER		
E-Mail: <u>yueg@ccf.org</u>				5f. V	VORK UNIT NUMBER		
7. PERFORMING ORG	ANIZATION NAME(S)	AND ADDRESS(ES)		8. P	ERFORMING ORGANIZATION REPORT		
Cleveland Clinic F	oundation						
Cleveland, Ohio 4	4195						
9. SPONSORING / MO	NITORING AGENCY N	AME(S) AND ADDRESS	S(ES)	10. 9	SPONSOR/MONITOR'S ACRONYM(S)		
Fort Detrick Marvl	and 21702-5012						
T OIT Detrick, Mary	anu 21702-3012			11 9	SPONSOR/MONITOR'S REPORT		
					NUMBER(S)		
12. DISTRIBUTION / AVAILABILITY STATEMENT							
Approved for Public Release; Distribution Unlimited							
13. SUPPLEMENTAR	Y NOTES						
44 40070407							
14. ABSTRACT							
Nearly one million Americans suffer from chronic fatigue syndrome (CFS). More than 15% of Gulf War veterans (GWV) were found to have CFS. The disease							
significantly reduces work production of civilian patients and combat ability/readiness of US military forces. Increasing scientific evidence suggests that CFS is							
a biological illness involving pathology of the central nervous system (CNS). However, little is known about how the CNS is affected by CFS. This study will focus on evaluating brain activities of CFS patients during fatigue and non-fatigue muscle evercises. Our bypothesis is that the brain activities pattern in CFS							
differs from that of heal	thy controls. Aim 1 of th	e study is to determine b	rain activation patterns d	luring motor activit	y in CFS patients using functional magnetic		
resonance imaging. Aim 2 is to examine brain activation patterns during motor activity in CFS patients by analyzing signals of electroencephalograms. Aim 3							
participants: a civilian (	CFS group, a civilian cor	ntrol group, a GWV CFS	aroup, and a GWV contro	ol aroup. We expe	ct that the study will provide objective		
information for diagnosis of CFS.							
15. SUBJECT TERMS							
chronic langue syndrome, Guil war Syndrome, functional MRI, electroencephalogram (EEG) Electromyogram (EMG), brain motor activity, brain activation pattern, EEG frequency.							
		47 1 1011747101					
16. SECURITY CLASSIFICATION OF:			OF ABSTRACT	OF PAGES	19a. NAME OF RESPONSIBLE PERSON		
a REPORT		c. THIS PAGE			19b TELEPHONE NUMBER (include area		
U	U	U	UU	6	code)		
				-			

#### **Table of Contents**

Introduction	4
Body	4
Key Research Accomplishments	1
Reportable Outcomes	4
Conclusions	5
References	5

## Introduction

Chronic fatigue syndrome (CFS) is an illness that affects quality of life of both civilian and military populations. However, the diagnosis of CFS is difficult to make because of the absence of specific biomedical markers. Thus, the diagnosis depends primarily on determining whether subjective information provided by the patient meets the clinical case definition of the syndrome. The purpose of this study is to determine whether the central nervous system signals of CFS patients for performing fatigue and non-fatigue motor activities are impaired compared to the signals of healthy volunteers. It is hypothesized that the CNS signals of CFS patients will significantly differ from those of healthy controls. It is expected that at least one or more measurements made by this study will serve as "biological markers" for more objective diagnoses of CFS.

# Body

This report covers the work of the entire duration of the study. We have had a total of 11 peerreviewed articles either published (7) in, are in press (2) in, or have been accepted (2) by highquality scientific or clinical journals (see below for the list of the references). Another manuscript reporting changes of brain signal source locations in chronic fatigue patients is under preparation and we plan to submit this manuscript early next year (see the publication #12 in the Reference below). These studies were either supported solely by this grant or were jointly supported by this grant and other awards (mainly from NIH). Further analyses of data collected in the past four years are still ongoing and more publications are expected in the future.

## Key Research Accomplishments

- I. Twelve manuscripts have been published or will be published soon in high-quality clinical and scientific journals (see References).
- II. Twelve presentations related to the topic of this study have been made at regional, national, and international scientific conferences

### **Reportable Outcomes**

- I. Motor performance of the CFS patients was poorer than the controls [3].
- II. Relative power of EEG theta frequency band (4-8 Hz) during performing a non-fatigue (NFT) and fatigue (FT) task was significantly greater in the CFS than control group [3].

- III. The amplitude of negative potential (NP), a major component of EEG-derived movement-related cortical potential for the combined NFT and FT tasks was higher in the CFS than control group [3].
- IV. Within the CFS group, the NP was greater for the FT than NFT task, whereas no such difference between the two tasks was found in the control group [3].
- V. Compared to healthy individuals, the EEG source of the CFS patients shifted towards anterior-inferior location of the brain during the fatigue task [12].
- VI. The source strength was different between the CFS and control groups during both the fatigue and non-fatigue tasks [12].
- VII. In healthy humans, physical activity-induced fatigue occurs mainly in the muscle; there is little fatigue in the central nervous system [1,5,11].
- VIII. Developed methods to quantify physiological connection among brain regions [6] and between the brain and muscle [8].
- IX. Developed methods to quantify brain white matter structures [2,7,9].
- X. Quantified reproducibility of functional magnetic resonance imaging (fMRI) data of the brain [4].
- XI. Found relationship between non-linear EEG and muscle force and fatigue [10].
- XII. Found that cancer related fatigue (CRF) during motor performance is contributed more significantly by the central (brain) than peripheral (muscle) mechanisms [13].

### Conclusions

The results show that chronic fatigue syndrome involves altered central nervous system signals in controlling voluntary muscle activities, especially when the activities induce fatigue. Physical activity-induced EEG signal changes may serve as biological/physiological markers for more objective diagnosis of CFS.

### References

[1] Liu JZ, Zhang LD, Shan ZY, Sahgal V, Brown RW, **Yue GH**. Brain activation during sustained and intermittent submaximal fatigue muscle contractions. *Journal of Neurophysiology*, 90: 300-312, 2003.

- [2] Liu JZ, Zhang LD, **Yue GH**. Fractal dimension in human cerebellum measured by MRI. *Biophysical Journal*, 85: 4041-4046, 2003.
- [3] Siemionow V, Fang Y, Calabrese L, Sahgal V, **Yue GH**. Altered central nervous system signal during motor performance in chronic fatigue syndrome. *Clinical Neurophysiology* 115: 2372-2381, 2004.
- [4] Liu JZ, Zhang LD, **Yue GH**. Reproducibility of fMRI at 1.5 tesla in a strictly controlled motor task. *Magnetic Resonance in Medicine*, 52: 751-760, 2004.
- [5] Liu JZ, Yao B, Siemionow V, Sahgal V, **Yue GH**. Fatigue induces greater brain signal reduction during sustained than preparation phase of maximal voluntary contraction. *Brain Research* 1057: 113-126, 2005.
- [6] Peltier SJ, LaConte SM, Niyazov D, Liu JZ, Sahgal V, **Yue GH**, Hu XP. Reductions in interhemispheric motor cortex functional connectivity after muscle fatigue. *Brain Research* 1057: 10-16, 2005.
- [7] Zhang LD, Liu JZ, **Yue GH**. A three-dimensional fractal analysis method for quantifying white matter structure in human brain. *Journal of Neuroscience Methods*, 150: 242-253, 2006.
- [8] Yao B, **Yue GH**, Brown RW, Liu JZ. Effects of Surface EMG Rectification on Power and Coherence Analyses: an EEG and MEG study. *Journal of Neuroscience Methods*, 159: 215-223, 2007.
- [9] Liu JZ, Lewandowski B, Karakasis C, Bing Y, Siemionow V, Sahgal V, Yue GH. Shifting of activation center in the brain during muscle fatigue: An explanation of minimal central fatigue? *NeuroImage*, 35: 299-307, 2007.
- [10] Zhang LD, Dean D, Liu JZ, Sahgal V, Wang X, **Yue GH**. Quantifying degeneration of white matter in normal aging using fractal dimension. *Neurobiology of Aging*, in press.
- [11] Yao B, **Yue GH**, Yang Q, Brown RW, Liu JZ. Nonlinear Analysis of Surface EEG Associated with Motor Activities at Different Levels of Force and Fatigue. *Clinical Neurophysiology*, accepted
- [12] Siemionow V, Fang Y, Ranganathan VK, Calabrese L, Sahgal V, **Yue GH**. Fatigueinduced changes in the sources of EEG-derived cortical potentials in chronic fatigue syndrome. *Soc Neurosci Abstr* 1012.5, 2005.
- [13] Yavuzsen T, Davis MP, Ranganathan VK, Siemionow V, Walsh TD, Khoshknabi DS, Kirkova J, Lagman R, LeGrand S, **Yue GH**. Cancer related fatigue, central or peripheral? *Journal of Clinical Oncology*, in revision.