#### Award Number: W81XWH-11-2-0001

#### TITLE: "Role of Sleep Deprivation in Fear Conditioning and Extinction: Implications

#### for Treatment of PTSD"

PRINCIPAL INVESTIGATOR: Victoria Risbrough, PhD

#### CONTRACTING ORGANIZATION: Veterans Medical Research Foundation San Diego, CA 92161-0002

REPORT DATE: October 2015

#### TYPE OF REPORT: Annual

#### PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

#### DISTRIBUTION STATEMENT:

X Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

R	REPORT DOC		Form Approved OMB No. 0704-0188			
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing						
this burden to Department of E 4302. Respondents should be	Defense, Washington Headquar e aware that notwithstanding an	ters Services, Directorate for Info	rmation Operations and Reports on shall be subject to any penalty f	(0704-0188), 1215 Je for failing to comply w	fferson Davis Highway, Suite 1204, Arlington, VA 22202- ith a collection of information if it does not display a currently	
1. REPORT DATE (DL October 2015	,	<b>2. REPORT TYPE</b> Annual			DATES COVERED (From - To) OCT 2014- 30 SEP 2015	
4. TITLE AND SUBTIT		AIIIIual			. CONTRACT NUMBER	
	Deprivation i for Treatment	n Fear Conditio of PTSD	ning and Extind	ction:		
					<b>. GRANT NUMBER</b> 31XWH-11-2-0001	
				50	. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Victoria Risbu	rough, PhD			5d	. PROJECT NUMBER	
				5e	. TASK NUMBER	
email: vrisbroug	h@ucsd.edu			5f.	WORK UNIT NUMBER	
7. PERFORMING ORC Veterans Medic				-	PERFORMING ORGANIZATION REPORT NUMBER	
3350 La Jolla		Oundacion			NUMBER	
Mail Code 1512						
San Diego, CA	92161					
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Researcn and Materiel Command				10	. SPONSOR/MONITOR'S ACRONYM(S)	
Fort Detrick,						
				11	. SPONSOR/MONITOR'S REPORT	
					NUMBER(S)	
12. DISTRIBUTION / A	VAILABILITY STATE	MENT				
Approved for public release; distribution unlimited						
13. SUPPLEMENTAR	Y NOTES					
14. ABSTRACT				1		
PTSD is a growing concern for both active duty personnel and Veterans. Fear conditioning is implicated in the development of PTSD, while successful acquisition, consolidation, and						
recall of extinction memory are implicated in both the natural reduction of initial PTSD						
symptoms and as the mechanism underlying the most successful treatment for PTSD, Prolonged Exposure. This project is the first to examine the role of sleep and sleep loss in						
acquisition, consolidation, and generalization of extinction memory in humans. Our main						
finding is that sleep loss most strongly affects recall of extinction learning, and that the						
REM sleep stage is associated with ability to recall extinction as well as recall safety signal learning. These findings suggest that sleep plays a critical role in long term						
retention of fear inhibition processes, and efforts to support sleep and especially adequate						
REM during exposure therapy may enhance efficacy and reduce remission after treatment.						
15. SUBJECT TERMS						
PTSD, sleep deprivation, fear conditioning, extinction memory, humans						
16. SECURITY CLASS	SIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC	
a. REPORT	b. ABSTRACT	c. THIS PAGE	υυ	20	<b>19b. TELEPHONE NUMBER</b> (include area	
U	U	U			code)	
	1				Standard Form 298 (Rev. 8-98)	

#### **Table of Contents**

	<u>Page</u>
Introduction	4
Body	4
Key Research Accomplishments	5
Reportable Outcomes	5
Conclusion	6
References	7
Appendices	7
Supporting Data	7

#### Introduction

PTSD is a growing concern for both active duty personnel and Veterans. Fear conditioning is implicated in the development of PTSD, while successful acquisition, consolidation, and recall of extinction memory are implicated in both the natural reduction of initial PTSD symptoms and as the mechanism underlying the most successful treatment for PTSD, Prolonged Exposure. In animal models, sleep deprivation has been shown to impair extinction memory. Indirect evidence in humans also supports that notion, but it has never been tested directly in humans. Some of the most ubiquitous and distressing symptoms of PTSD are insomnia and nightmares. The resultant sleep deprivation may actually serve to perpetuate the disorder by interfering with treatments designed to promote extinction memories. Before this hypothesis can be tested in clinical populations, however, well-controlled experimental studies need to establish the exact role of sleep deprivation in extinction acquisition, consolidation, and recall in humans. This study will do just that. This is a mixed-effects study designed to examine the impact of 36 hours TSD on fear conditioning and consolidation (Aim 1), as well as extinction memory acquisition, recall, and generalization (Aim 2). A total of 60 subjects will participate across 3 years. Following recruitment and screening, subjects will spend 4 nights and days in the laboratory: a) adaptation to the lab (Night/Day0); b) normal sleep followed by fear memory acquisition (Night/Day1); c) sleep or TSD followed by fear recall and extinction memory acquisition (Night/Day2); and d) sleep or TSD followed by a test of extinction recall and generalization (Night/Dav3). Group1 will receive sleep prior to each testing day. Group2 will be sleep deprived prior to Day2, and Group3 will be sleep deprived prior to Day3.

#### <u>Body</u>

This report covers the second No Cost Extension year of the project. This year focused on data processing and analysis, as well as dissemination and publication of our findings. Specific activities include:

a. Data Processing. As describe in a series of quarterly reports, we were finally able to continue spending on the project once the PI change was accepted, and hired data cleaners and a statistician to finalize all data cleaning and analysis (EMG and sleep variables).

b. Data Analysis. We have completed our data analysis for our 3<sup>rd</sup> manuscript, which will be submitted in November to Proceedings of the National Academy of Sciences.

c. Dissemination. Ms. Straus has made national presentations of our study findings.

Straus, L.D., Acheson, D., Risbrough, V.B., & Drummond, S.P.A. (2015 June). The Effect of 36 hours of Total Sleep Deprivation on Extinction Learning and Recall. Oral presentation at the 28th Annual Meeting of the Associated Professional Sleep Societies. Seattle, Washington (see attached slides)

d. Manuscripts. We have published two manuscripts, thus far from this study (reported last year), and will submit a third in November.

e. In addition to the submission of the 3<sup>rd</sup> paper, we are also currently working on a fourth paper to identify physiological sleep variables that impinge on extinction and safety recall (i.e. sympathetic responding via measures of heart rate variability during sleep).

#### Key Research Accomplishments

Data collection and analysis of all primary aims completed. Our study findings were presented at sleep conferences (see above). We published two manuscripts and the 3<sup>rd</sup> manuscript is being submitted in November.

#### Reportable Outcomes

We are finalizing our 3<sup>rd</sup> manuscript which we think will provide important new insights into how sleep affects fear extinction. In brief, we found that sleep deprivation before extinction training does not alter learning but does significantly reduce recall of extinction 24 hrs later. We did not find effects of sleep deprivation after extinction learning (before recall), suggesting that sleep before extinction training is the critical component to supporting long term fear inhibition (Figure 1). We also found that the amount of fear inhibition on day 3 (recall testing) was significantly associated with amount of REM consolidation, suggesting that REM sleep in particular may play an important role in retaining fear extinction memory (Figure 2).



Figure 1: Pre-extinction training sleep deprivation reduces extinction recall. Standardized potentiated startle magnitudes by sleep group across the final recall session (day 3 of testing). \*=p<.05 for a priori comparison with the normal sleep group. Normal = normal sleep group; Pre-ext Dep = pre-extinction sleep deprivation group, and Post-ext Dep = post-extinction sleep deprivation group. Note groups did not differ on level of fear conditioning, cued fear recall or extinction training sessions.



Figure 2: Relationship between REM sleep consolidation on Night 2 and extinction recall on Day 3, by group. Higher scores on REM consolidation on Night 2 corresponded to reduced fear responsiveness to the CS+ on Day 3, indicating enhanced extinction recall.

#### **Conclusion**

This past year, we were able to finalize data analysis for two more manuscripts, have reached completion of one manuscript for submission and are actively writing a fourth..

There are two major implications of our findings. First, our finding that sleep deprivation before extinction learning suggests that adequate sleep is critical for retention of extinction recall. This finding has direct implications for exposure-based treatments for PTSD as well as preventing PTSD. In the treatment scenario, poor sleep, especially before exposure therapy sessions, may significant impair the treatment efficacy of exposure therapy by inhibiting retention of an extinction acquired during the session. Second, it implies that poor sleep after trauma exposure may interfere with naturalist extinction learning, which could increase risk for development of PTSD. These data would suggest that prevention of PTSD may lie in part in supporting adequate sleep (and REM consolidation) after trauma exposure. Our data that REM consolidation may play a role in retention of extinction learning also supports the idea that sleep disturbances (e.g. circadian phase shifts) or drug treatments that suppress REM should be avoided after trauma exposure and certainly in subjects undergoing exposure therapy for PTSD.

#### <u>References</u>

See above

#### Appendices

Slides of presentations reported in section c.

#### Supporting Data

N/A



# The Effect of 36 hours of Total Sleep Deprivation on Extinction Learning and Recall

Laura D. Straus, MS Dean Acheson, PhD Victoria Risbrough, PhD Sean P.A. Drummond, PhD

Veterans Affairs San Diego Healthcare System University of California, San Diego

### **Conflict of Interest Disclosures for Speakers**

X
---

1. I do not have any relationships with any entities **producing**, **marketing**, **re**-**selling**, **or distributing** health care goods or services consumed by, or used on, patients, **OR** 

2. I have the following relationships with entities **producing**, **marketing**, **re**–**selling**, **or distributing** health care goods or services consumed by, or used on, patients.

Type of Potential Conflict	Details of Potential Conflict
Grant/Research Support	
Consultant	
Speakers' Bureaus	
Financial support	
Other	



3. The material presented in this lecture has no relationship with any of these potential conflicts, **OR** 

4. This talk presents material that is related to one or more of these potential conflicts, and the following objective references are provided as support for this lecture:

1.

~

2.

3.

## +Sleep and Extinction Learning

- Animal models show fear conditioning:
  - Disrupts sleep
- Disrupted sleep, in turn
  - Impairs extinction (unlearning of fear)
  - Impairs ability to retain extinction learning
- In humans, PTSD involves:
  - Sleep disruption
  - Impaired fear and extinction processes
- Few human studies examining the effect of sleep disruption on extinction processes

# +Aims and Hypotheses

### Aim

Translational study examining impact of total sleep deprivation (TSD) on extinction learning and recall

- Hypotheses
  - TSD may impair extinction learning
  - TSD will impair extinction recall

## +What is Fear Learning?

- Pair neutral stimulus (blue square) with aversive stimulus (shock) → threat signal
- Do not pair stimulus (yellow square) with shock → safety signal



## +Startle Task Paradigm





Testing was scheduled in the evening each day, 10-12 hours after participants' habitual wake time

## +Subjects & Analyses

- Subjects (n=61)
  - Age: 23.9 ± 4.6 (range 18-38 y.o.)
  - 39% female
  - Recruited through Internet advertisements, flyers on campus, and word of mouth
  - Screened to be physically healthy and without mental health conditions
  - Sleep regulated 1 week prior to entering lab
  - Restricted from caffeine/alcohol 48 hours prior to lab
- Analyses
  - Independent samples t-tests to compare
    - Control versus TSD during extinction learning
    - Control versus TSD during extinction recall





### +Results—Extinction Recall



## +Conclusions

- Sleep Disruption and Extinction Processes
  - TSD prior to extinction did not affect extinction learning
  - TSD prior to extinction affected recall of extinction
- PTSD
  - Disrupted sleep & nightmares
  - Re-experiencing symptoms in response to trauma-related cues
  - Disrupted sleep may perpetuate the disorder and/or interfere with treatment response
  - Treating sleep = 1 response to PTSD treatment

## +Acknowledgments

DoD grant DM102425

VA San Diego Center of Excellence in Stress and Mental Health

Ryan Wong, MA, RPSGT Elisa Tsan William Perrine, RPSGT Anisa Marshall Alexis Alvarez Manuel Campos Christine Phung Yasimin Teheri