

# Space and Missile Systems Center



## Civil Navigation Signal Status

Maj Michael Zollars  
29 Apr 15

## Report Documentation Page

*Form Approved*  
*OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>29 APR 2015</b>	2. REPORT TYPE	3. DATES COVERED <b>00-00-2015 to 00-00-2015</b>			
4. TITLE AND SUBTITLE <b>Civil Navigation Signal Status</b>		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Air Force Space Command, Space and Missile Systems Center, Los Angeles AFB, El Segundo, CA, 90245</b>		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>Presented at the GPS Partnership Council 2015 (GPSPC15), held April 29 to May 1, 2015, at the Los Angeles AFB, CA.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>9</b>	19a. NAME OF RESPONSIBLE PERSON
a REPORT <b>unclassified</b>	b ABSTRACT <b>unclassified</b>	c THIS PAGE <b>unclassified</b>			

# Civil Navigation(CNAV) History

SPACE AND MISSILE SYSTEMS CENTER



**SMC/GPEV**  
SUMMER 2013 CNAV  
LIVE-SKY TEST EVENT



**NOV 2013**  
AFSPC/CC DIRECTS  
CONTINUOUS CNAV  
BROADCAST PRIOR  
TO OCX

**SMC/GPEV**

- SOFTWARE DEV & INTEGRATION  
TRANSITION A TEST TOOL INTO  
AN OPS CAPABILITY
- MGUE LIVE-SKY TESTING  
SUPPORT MGUE DEVELOPMENT
- MODNAV TOOL VERIFICATION  
CLOSED-LOOP END-TO-END  
SIGNAL VERIFICATION
- OPS INTEGRATION  
TRAINING MATERIALS AND  
UPDATED TECH ORDERS

**DIRECT CONNECT OF  
MODNAV LAPTOP**

**25 APR 14**  
AFSPC/A3 AUTHORIZATION FOR CNAV BROADCAST

**CRAWL: APR 2014**  
2 UPLOADS  
PER WEEK

**WALK: JUN 2014**  
3 UPLOADS  
PER WEEK

**RUN: DEC 2014**  
DAILY UPLOADS

**DEC 2014**  
MODNAV  
SOFTWARE  
INTEGRATED  
INTO AEP



# Civil Navigation(CNAV) Broadcast Status

SPACE AND MISSILE SYSTEMS CENTER

- CNAV Message Types 10, 11, 30, 33 currently transmitted on seven GPS IIR-M (L2C) & eight GPS IIF SVs (L2C & L5)
  - MODNAV Tool integrated w/AEP providing CNAV message generation
  - Daily CNAV uploads as of 31 Dec 14
- Signal Performance
  - CNAV performing on par with Legacy during daily uploads
  - Total RMS URE from 31 Mar – 7 Apr 15
    - Legacy: 0.517 m (URE for this week aided by additional LNAV uploads)
    - Modernized: 0.584 m
  - Best week: 22 Mar - 29 Mar 15
    - Modernized: 0.397 m
- GPS IIF Launch & Constellation Upgrade
  - SVN 68 & SVN 69 Ops Accepted to users for Legacy Signals
    - CNAV message broadcast as of 23 Feb 15
  - SVN 71 successful launch 25 Mar 15
  - SVN 72 Launch scheduled for Jul 2015
    - CNAV message broadcast for SVN 71 & SVN 72 expected Aug 2015

*Pre-operational CNAV Broadcast Performance As Expected*




# CNAV Performance

SPACE AND MISSILE SYSTEMS CENTER

L2C Performance: 28 Apr to 28 Feb 14

### CNAV & LNAV Performance from Modernized SVs (IIRM & IIF)




*Daily uploads of pre-operational CNAV performance within expectations*

# CNAV Performance

SPACE AND MISSILE SYSTEMS CENTER

- L2C Performance starting with Daily Uploads: 1 Jan 15 to Present day

### CNAV & LNAV Performance from Modernized SVs (IIRM & IIF)



*LNAV slightly better than CNAV due to addition LNAV uploads*



# CNAV Development

*SPACE AND MISSILE SYSTEMS CENTER*

- Live-sky event summer of 2013
  - Test & Verification of 8/15 defined CNAV Message Types
  - Led to pre-operational use beginning 28 Apr 14
- Planned live-sky event fall of 2015
  - Incorporate Midi Almanac (MT37)
    - GPS IIF SV require only MODNAV Tool software updates
    - GPS IIR-M SVs require MODNAV Tool & SV software updates as well as changes to ICDs
  - Exercise functionality of GNSS off-set parameters (MT35)
    - Integration efforts in progress with NGA and USNO for direct feed of GGTO, UTC and ISC values into AEP
- Future development TBD
  - Software development and test of differential corrections & text messaging require additional knowledge on CONOPs and/or intended use
    - MT13 (Clock Differential)
    - MT14 (Ephemeris Differential)
    - MT15 (Text)
    - MT34 (Clock & Differential)
    - MT36 (Clock & Text)
  - Broadcast of reduced almanac (MT 12 & MT 31) is unlikely; pending further direction

# CNAV Development

SPACE AND MISSILE SYSTEMS CENTER

Msg Type	CNAV Message Title	Function/Purpose
0	Default	Default message (transmitted when no msg data is available)
10	Ephemeris 1	SV position parameters for the transmitting SV
11	Ephemeris 2	SV position parameters for the transmitting SV
12	Reduced Almanac	Reduced almanac data packets for 7 SVs
13	Clock Differential Correction	SV Clock differential correction parameters
14	Ephemeris Differential Correction	SV Ephemeris differential correction parameters
15	Text	Text, 29 eight-bit ASCII characters
30	Clock, IONO & Group Delay	SV Clock Correction Parameters, Ionospheric and Group Delay correction parameters (Inter-Signal Correction parameters)
31	Clock & Reduced Almanac	SV Clock Correction Parameters, Reduced almanac data packets for 4 SVs
32	Clock & EOP	SV Clock Correction Parameters, earth orientation parameters; ECEF-to-ECI coordinate transformation
33	Clock & UTC	SV Clock Correction Parameters, Coordinated Universal Time (UTC) Parameters
34	Clock & Differential Correction	SV Clock Correction Parameters, SV clock and Ephemeris differential correction parameters
35	Clock & GGTO	SV Clock Correction Parameters, GPS to GNSS Time Offset parameters.
36	Clock & Text	SV Clock Correction Parameters, Text, 18 eight-bit ASCII characters
37	Clock & Midi Almanac	SV Clock Correction Parameters, Midi Almanac parameters

## 15 Defined Message Types

- Tested & verified summer of 2013
- Development planned for fall test event 2015
- Conops/direction required for development & test





# CNAV Monitoring

*SPACE AND MISSILE SYSTEMS CENTER*

- Operational monitoring of civil modernized signals
  - Joint Propulsion Lab (JPL) world-wide monitoring stations
    - Initial capability and procedures delivered to 2SOPS Dec 2014
    - Capability upgrade scheduled for Feb 2016
- SMC/GP MODNAV Database & Website
  - SMC/GP & MITRE CONUS CNAV website data bits (L2C & L5) updated every 15 min or less @ <https://gps-modnavdb.mitre.org>
  - NGA global CNAV data bits (L2C only) updated daily
  - Expansion of NGA L5 Signal Monitoring by 3Q 2015
    - L2C and L5 updated every 15 min or less
- Legacy signals remain the priority during CNAV pre-operational broadcast
  - If URE or AOD limits are exceeded, the path forward will not affect the broadcast of legacy signals
  - Collaboration with GPE, GPL and FFRDC teams to include the GPE/MITRE MODNAV database & website will occur to determine the best course of action if the URE or AOD limits are exceeded

# Questions



*SPACE AND MISSILE SYSTEMS CENTER*