

## **Intermediate Scale Coastal Behaviour: Measurement, Modelling And Prediction**

David Huntley  
Institute of Marine Studies  
University of Plymouth  
Plymouth, PL4 8AA, Devon, UK.  
Phone: (44) 1752 232431 fax: (44) 1752 232406 email: [dhuntley@plymouth.ac.uk](mailto:dhuntley@plymouth.ac.uk)

Rob Holman,  
College of Oceanic and Atmospheric Sciences,  
Oregon State University,  
104 Ocean Admin. Building,  
Corvallis, Oregon, 97331-5503  
Phone: (1) 541 737 2912 Fax: (1) 541 737 2064 email: [holman@oce.orst.edu](mailto:holman@oce.orst.edu)

Huib de Vriend  
Delft Hydraulics,  
PO Box 177, 2600 MH Delft, The Netherlands.  
Phone: (31) 15 285 88 93 Fax: (31) 15 285 88 10 email: [huib.devriend@wldelft.nl](mailto:huib.devriend@wldelft.nl)

Tony Bowen,  
Department of Oceanography,  
Dalhousie University,  
Halifax, B3H 4J1,  
Nova Scotia, Canada.  
Phone: (1) 902 494 7082 Fax: (1) 902 494 3877 email: [tony.bowen@dal.ca](mailto:tony.bowen@dal.ca)

Rolf Deigaard,  
Institute of Hydrodynamics and Hydraulic Engineering (ISVA),  
Technical University of Denmark,  
DK-2800 Lyngby, Denmark.  
Phone: (45) 42 884829 Fax: (45) 45 932860 email: [rolf@email.isva.dtu.dk](mailto:rolf@email.isva.dtu.dk)

Ed Thornton,  
Oceanography Department,  
Naval Postgraduate School,  
Monterey, CA 93943-5000.  
Phone: (1) 831 656 2847 Fax: (1) 831 656 2712 email: [thornton@oc.nps.navy.mil](mailto:thornton@oc.nps.navy.mil)

Richard Soulsby,  
HR Wallingford Ltd.,  
Howbery Park, Wallingford,  
Oxon, OX10 8BA, UK  
Phone: (44) 1491 835381 Fax: (44) 1491 825743 email: [rls@hrwallingford.co.uk](mailto:rls@hrwallingford.co.uk)

# Report Documentation Page

Form Approved  
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>30 SEP 2001</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2001 to 00-00-2001</b>	
4. TITLE AND SUBTITLE <b>Intermediate Scale Coastal Behaviour: Measurement, Modelling And Prediction</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Institute of Marine Studies,,University of Plymouth,,Plymouth, PL4 8AA, Devon, UK, ,</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <b>NICOP funding for this project ends at the end of September 2001, but the goals of the consortium of researchers continue. Our overall goal is to achieve a better understanding and better predictions of coastal behaviour at intermediate (event/season/year/decade) scales. We aim to bring together researchers from Europe and North America to gain the best possible benefit from developments in field observation, theory and numerical modelling.</b>					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>11</b>	19a. NAME OF RESPONSIBLE PERSON
a REPORT <b>unclassified</b>	b ABSTRACT <b>unclassified</b>	c THIS PAGE <b>unclassified</b>			

## **LONG TERM GOAL**

NICOP funding for this project ends at the end of September 2001, but the goals of the consortium of researchers continue. Our overall goal is to achieve a better understanding and better predictions of coastal behaviour at intermediate (event/season/year/decade) scales. We aim to bring together researchers from Europe and North America to gain the best possible benefit from developments in field observation, theory and numerical modelling.

## **OBJECTIVES**

We follow a four-pronged collaborative programme of objectives. Data on intermediate scale behaviour from both sides of the Atlantic are studied and ways sought to project these observations onto a manageable number of descriptive parameters or basic patterns. Top-down modelling uses these data products to develop black-box (data extrapolation) and grey-box (behaviour-oriented) models for the observed behaviour. Bottom-up modelling investigates the predictive potential of process-based models, making best use of process results from US and European field campaigns, combined with existing modelling expertise. There is also a vital linking activity aimed at ensuring that the data, top-down modelling and bottom-up modelling activities interact fully, in order to bring together the most productive aspects of each into a predictive capability for intermediate-scale coastal change.

## **APPROACH**

This project has been very successful in creating interaction between European and North American scientists who are already involved in research related to intermediate scale coastal behaviour. Our approach to achieving this interaction has been through workshops, exchanges, support for Research Fellows, and additional research support.

## **WORK COMPLETED**

### **Workshops:**

The highlight of this year was undoubtedly our Final Workshop, held on Sunday 10 June 2001 in Lund, Sweden, just prior to the Coastal Dynamics 2001 Conference. More than 60 people attended the Workshop which was organised around the four areas of our research: Data, Bottom-up Modelling, Top-Down Modelling and Linking and Prediction. The Workshop ended with a short but lively discussion session. Each session consisted of short summary talks by a number of NICOP-funded researchers, and each was led by the lead European researcher. A total of 13 speakers participated. Although we clearly have a long way to go before we can fully understand and predict coastal evolution, the approach taken by our group in addressing directly the non-linear, complex behaviour of coastal systems was well received and sparked many discussions both during and following the Workshop. Feedback from the Workshop was very positive and vindicated our view that focussed Workshops of this kind, with ample time for discussion and debate, are remarkably productive in terms of stimulating thought and fresh approaches to the research.

An ARGUS Workshop was held at Oregon State University in July/August 2001, and involved participants from three of the seven collaborating Institutions (Plymouth University, University of Twente and Oregon State University). The major task for the Workshop was co-ordinating the development of a set of tools for the analysis and scientific interpretation of ARGUS imagery, but there was also opportunity to discuss scientific results and plan future projects.

**Exchanges:**

<b>Name</b>	<b>Position</b>	<b>Home Institution</b>	<b>Location visited</b>	<b>Purpose</b>	<b>Dates</b>
Tony Bowen	Professor	Dalhousie University	Lund, Sweden	Final Workshop And CD01	June 2001
Diane Foster	Assistant Professor	Ohio State U (ex Dal)	Lund, Sweden	Final Workshop And CD01	June 2001
Ken Kingston	PhD student	U. Plymouth	i) U. Twente ii) Lund, Sweden iii) OSU	Research collaboration Final Workshop And CD01 ARGUS Workshop	October 2000 June 2001 July/Aug 2001
i) Aart Kroon ii) Gerben Ruessink iii) Irene van Enckevort	Ass. Prof Research Fellow Research Student	Utrecht Uni/ Delft Hydraulics (through Twente)	i) Lund, Sweden ii) OSU	Final Workshop and CD01 ARGUS Workshop	June 2001 July/Aug 2001
Rolf Deigaard	Assoc. Prof.	ISVA	OSU, NPS	Research visits	June 2001
Joergen Fredsoe	Professor	ISVA	OSU, NPS, Ohio State U., Dal.	Research visits	June/ July 2001
i) Rolf Deigaard ii) Dorthe Petersen iii) Hakeem Johnson	Professor PhD student Researcher	DHI/ISVA	Lund, Sweden	Final Workshop And CD01	June 2001
Rob Holman	Professor	OSU	i) Lund, Sweden ii) OSU	Final Workshop and CD01 ARGUS Workshop	June 2001 July/Aug 2001
Nathaniel	Post-	Twente/	i) Lund, Sweden	Final	June 2001

Plant	doctoral fellow	NRLSSC	ii) OSU	Workshop And CD01 ARGUS Workshop	July/Aug 2001
Ad Reniers	Post-doctoral Fellow	NPS, Monterey	Lund, Sweden	Final Workshop and CD01	June 2001
Huib de Vriend	Professor	Twente	Lund, Sweden	Final Workshop and CD01	June 2001
James Sutherland Richard Soulsby	Project Leader Project Manager	HR Wallingford	Lund, Sweden	Final Workshop and CD01	June 2001

### **Research Fellows supported:**

Ken Kingston (Plymouth). PhD student. Appointed 1<sup>st</sup> October 1998. Genetic Algorithms and Neural Nets for the analysis of ARGUS images. Post-graduate Research Fellow: May – September 2001.

Brad Morris (Plymouth). Post-doctoral Fellow (25% NICOP: 75% EC INDIA Project). Video observations at Faro, Portugal. To April 2001.

Sanne L. Niemann (ISVA). Research Assistant.

Hakeem Johnson (DHI). Research Engineer.

James Sutherland (HR Wallingford). Research Fellows. Measures of predictive skill for coastal morphodynamic models.

Nathaniel Plant (U. Twente). Post-doctoral Fellow. Appointed May 1998 (after a PhD at OSU with Rob Holman). Analysis of field data and idealised morphologic models. To December 2000.

### **Additional Research Support:**

The 5-camera ARGUS system overlooking the COAST3D site at Teignmouth, UK. continues to provide excellent images of the remarkable estuarine sand banks in the region. The costs associated with maintaining this site, principally telephone bills, are funded by this grant.

Time series of wave data for the Teignmouth site have been identified from the archive of wave model output available from the UK Meteorological office, and relevant data have been obtained through HR Wallingford. These data complement in situ inshore data obtained from the pier at Teignmouth.

Costs of telephone links to the Perranporth ARGUS site in UK are also covered by the NICOP grant. This macrotidal site is linked to a major nationally funded project on swash sediment dynamics, and is also being used to test remote measurements of intertidal topography. Proposals for establishing a system for measuring wave and tide conditions at this site are still under discussion and will unfortunately not now be completed by the end of the grant. However the insurance funds received

after the previous unsuccessful attempt are still available and will be used when current activity results in a viable solution.

## RESULTS

In this final year of the project a number of papers describing the results have been published, submitted or are in the final stages of preparation.

The productive collaboration between Plymouth (Mark Davidson, Ken Kingston, Cyril Mallet, Eduardo Siegle, David Huntley), the Netherlands (Gerben Ruessink, Stefan Aarnikhof, Nathaniel Plant) and OSU (Rob Holman) on the analysis and interpretation of ARGUS images has continued. A paper has been submitted which compares different techniques for the detection of the shoreline and other nearshore features. The neural net technique has advanced to the stage where it can now be used to provide quantitative mapping of intertidal morphology to an accuracy approaching that of interpolated in situ measurements. Neural net methods have also proved their value in quantifying subtidal bar morphology, allowing removal of spurious effects of tide and wave conditions from the derivation of water depth from breaking wave patterns. Analysis of long-term ARGUS-type images from an exposed and highly active inlet in Portugal has allowed the identification of seasonal and long-term changes in inlet morphology. Attempts to describe complex bathymetric time series in terms of a limited number of parameters have included a study of the fractal behaviour of evolving beach cusps, and a test of fitting ARGUS imagery to a parametric descriptor of nearshore bars. Whilst these two studies have provided useful insights into the problem, it is clear that finding solutions requires considerable further work.

Work on process (bottom-up) modelling at Dalhousie (Tony Bowen, Diane Foster – now at Ohio State U), ISVA/DHI (Rolf Deigaard, Nils Drønen, Dorthe Petersen, Hakeem Johnson), NPS (Ed Thornton, Ad Reniers – ex-Delft Technical U) and HR (James Sutherland) has progressed on several scales. At the smallest scale, the Dalhousie group have carried out comparisons between observations and modelling of small-scale, high-resolution sand suspension events in the boundary layer. In general quasi-steady state models provide prediction which are consistent with the observations. Ultimately these studies aim to determine what levels of complexity can be omitted from larger-scale modelling; Tony Bowen and Huib deVriend both argue that soundly-based simplicity can only come after proper assessment of complexity. 1D, 2D and 3D models at ISVA have been used to study the influence of dimensionality on sand bar evolution. An important conclusion is that undertow must be included in order to model bar evolution realistically. Also at ISVA a new model of sand spit evolution has been developed. At NPS, non-linear modelling of the influence of wave group forcing has been applied to conditions at Palm Beach, Australia and the results compared with ARGUS imagery. The modelled evolutions over 14 days or so show changes which are remarkably similar to those observed. The study shows no tendency to equilibrium, but the response has features of both forced and free behaviour. Considerable progress has also been made in the application of ‘operational’ models to large data sets. DHI (Hakeem Johnson) has applied the MIKE models to wave spectra and morphological change observed at Duck, with encouraging agreement with general trends. HR (James Sutherland) has applied COSMOS and PISCES models to the more tidally dominated COAST3D sites, again with encouraging results. In these model/data comparisons the Brier Skill Score, identified by our project as the most suitable for quantifying agreement, has proved its value.

Although the distinction between top-down and bottom up models is false (all models contain elements of both process understanding and empirical parameterisation) studies which investigate the implications of starting with simplified process modelling have also continued at Twente, OSU and Plymouth. At Twente (Nathaniel Plant – now at NRLSSC) and OSU (Rob Holman) the successful bar migration model has been followed up by a study of the influence of morphologic feedback, based on a simplified cross-shore sediment transport model. At Plymouth (David Huntley) investigations of a cellular automata model for beach cusps have been extended to determine sensitivity to regular as opposed to stochastic forcing; the initial growth rate of cusps is highly sensitive to forcing, but the long-term scale and stability of cusp morphology are much less sensitive.

An important aim of this project has been to bring together the different elements of coastal research, specifically the data, top-down modelling and bottom-up modelling. This outline of results shows that we have achieved a great deal in this regard. However there is still along way to go before we can claim to have optimised the prediction of nearshore morphological change, and the project has also been immensely valuable in raising many useful questions which will direct our future research. For example, can the surprising success of simple ‘top-down’ parameterisations such as the Irribarren number be explained (and extended) through complex process models? Will simple patterns such as linear and crescentic bars and even planar beaches arise as emergent behaviour in complex models? Can we define integral properties of the coastal system which are both robust and useful for coastal management? To what extent are different scales of coastal behaviour linked (ie are there limits to the value of smaller-scale studies for application to larger-scale predictions)? And, from the user perspective, what is the optimum mix for prediction between modelling effort and field data collection? Addressing these and other questions will continue to occupy the partners as they hope to continue collaborative meetings beyond the end of this project.

## **IMPACT/APPLICATIONS**

This NICOP project aims to assess prospects for the understanding and prediction of intermediate and large-scale coastal change. The Final Workshop provided a direct route for the dissemination of our results to a wider audience, primarily of academics but including users and practitioners attending the CD01 Conference.

## **TRANSITIONS**

The project has been instrumental in the development of new programmes of research. The EC-funded HUMOR project described below in the section on Related Projects involves all four of the European partners in this NICOP project and will through them continue to link to the North American participants. A second EC-funded project, CoastView, is also described below and involves two of the four European partners as well as Professor Rob Holman from OSU.

## RELATED PROJECTS

The NICOP funds have successfully created collaborative links between US programmes, particularly the Sandy Duck field work, and European projects COAST3D, INDIA, SASME, SEDMOC and SWAMIEE, and have spawned new collaborations particularly in the European projects HUMOR and CoastView.

All four of the European collaborating institutions on this programme are involved in a new EC-funded project entitled HUMOR, which started in February 2001. The overall aim of the HUMOR project is 'to develop reliable assessment and forecasting techniques to better understand, model and predict the physical and geomorphological processes governing medium and long-term natural changes of the coastal zone, including the impact of anthropogenic activities'. The total value of the 3-year project is 2.6 MEuros.

CoastView is another new EC-funded project, co-ordinated by Plymouth and involving two of the NICOP European partners and Prof. Rob Holman from OSU. It consists of a consortium of researchers and users aimed at developing the ARGUS system as a tool for coastal zone management of direct use to managers. The project has a total value of 2.9MEuros and is expected to start early in 2002.

The participants in this NICOP-funded collaboration agreed at the Final Workshop that the four years of collaboration funded through this NICOP project had been very stimulating and productive. We are enthusiastic about seeking ways to continue meeting together in Workshops whenever possible, as the 'Lund Group'. Plans are currently being discussed to meet prior to the next International Conference on Coastal Engineering taking place in Cardiff, UK in July 2002.

## PUBLICATIONS (cumulative)

SASME Web page: <http://www.wldelft.nl/sasme/sasme.htm>

COAST3D Web page: <http://www.hrwallingford.co.uk/projects/COAST3D>

INDIA Web Page: <http://www.pol.ac.uk/jjw/INDIA.html>

SEDMOC Web Page: <http://hydr.ct.tudelft.nl/wbk/public/sedmoc/index.HTM>

Aarninkohf, S.G.J., Plant, N.G., Turner, I. and Kingston, K.S. ( in review ), 'Shoreline Identification from Video Imagery. Intercomparison and Ground Truthing of Four detection Models', *Coastal Engineering*

Andersen, K. H. and Fredsøe, J. (1999): How to calculate the geometry of vortex ripples. *Proc. Coastal Sediments '99*, ASCE, Long Island, June 21-23 1999. pp 78-93.

Brady, A.J. and Sutherland, J. (2001). COSMOS modelling of COAST3D Egmond main experiment. Report TR115, HR Wallingford, UK.

Caballeria, M., Falques, A., Coco, G. and Huntley, D.A. (2001). A morphodynamic mechanism for transverse bars in the nearshore. *Proc. Coastal Dynamics '01*, Lund, Sweden, June 2001. ASCE New York.



- COAST3D (2001). COAST3D Final Volume of Summary Papers. Report TR121, HR Wallingford, UK. Available at: [http://www.hrwallingford.co.uk/projects/COAST3D/report\\_new.htm](http://www.hrwallingford.co.uk/projects/COAST3D/report_new.htm)
- Coco, G., Huntley, D. A., Masselink, G., O'Hare, T. J. and Pattiaratchi, C. B. (2000). Fractal behaviour in nearshore processes. *Proc. Coastal Engineering 2000*, Sydney, Australia, July 16-21 2000. ASCE. pp. 2901-2913.
- Coco, G., Huntley, D.A. and O'Hare, T.J. (1999). Beach cusp formation: analysis of a self-organisation model. Proceedings Coastal Sediments '99, Long Island, New York. *New York, American Society of Civil Engineers*.
- Coco, G., Huntley, D.A. and O'Hare, T.J. (2000). Investigation of a self-organisation model for beach cusp formation and development. *J. Geophys. Res.*, **105(9)**, 21991-22002.
- Coco, G., O'Hare, T.J. and Huntley, D.A. (1999). Beach cusps: a comparison of data and theories for their formation. *J. Coastal Research* **15**, 741-749.
- Davidson, M.A., Kingston, K.S. and Huntley, D.A., 2000. New solution for directional wave analysis in reflective wave fields. *J. Waterway, Port, Coastal and Ocean Engineering*, **126 (4)**, 173-181.
- Davidson, M. A. and Morris, B. D., (submitted). The use of video remote-sensing for the evaluation of high resolution wave parameters and sub-tidal morphology. *Coastal Engineering*
- Deigaard, R., Drønen, N., Fredsøe, J., Jensen, J. H. and Jørgensen, M. P. (1999): A morphological stability analysis for a long straight barred coast. *Coastal Engineering*, **36**, 171-195.
- Deigaard, R., Jakobsen, J. B. and Fredsøe, J. (1999): Net sediment transport under wave groups and bound long waves. *J. Geophys. Res.*, **104 (C6)**, 13559-13575.
- Drønen, N. and Deigaard, R. (2000): Three-dimensional near-shore bar morphology. *Proc. 27<sup>th</sup> Int. Conf. on Coastal Engineering*, ASCE, Sydney, July 16-21 2000. pp. 3205-3217.
- Drønen, N. and Deigaard, R. (2001): Morphological modelling of bars on open coasts. *Proc. RCEM: IAHR Syp. on River, Coastal and Estuarine Morphodynamics*, Obihiro, Japan. 8pp (pre-print).
- Drønen, N., Karunarathna, H., Fredsøe, J., Mutlu Sumer, B. and Deigaard, R. (1999): The circulation over a longshore bar with rip channels. *Proc. Coastal Sediments '99*, ASCE, Long Island, June 21-23 1999. pp 576-589.
- Falques, A., Coco, G. and Huntley, D.A. (2000). A mechanism for the generation of wave-driven rhythmic patterns on the surf zone. *J. Geophys. Res.*, **105 (C10)**, 24,011-24,087.
- Hanson, H., S. Aarninkhof, M. Capobianco, J.A. Jimenez, M. Larson, R.J. Nicholls, N.G. Plant, H.N. Southgate, H.J. Steetzel, M.J.F. Stive, and H.J.de Vriend. (in review) Modelling of coastal evolution on yearly to decadal time Scales. *Journal of Coastal Research*.

- Huntley, D. A. and Davidson, M. A. (1997) 'How can we assess the skill and predictability of coastal morphological forecasts?' Unpublished summary of meeting at HR Wallingford, UK. November 1997.
- Huntley, D. A. and Davidson, M. A. (2000). 'Progress towards the modelling and prediction of long-term coastal morphological change'. Unpublished summary of meeting held in Plymouth, September 2000.
- Johnson, H. K. (in prep). Morphological modelling of the SandyDuck'97 experiment, paper for ICCE'02, Cardiff.
- Kingston, K.S. and Davidson, M.A. (1999). Artificial Neural Network Model of Sand Bar Location for a Macro-Tidal Beach, Perranporth, UK, *IAHR Symposium on River Coastal and Estuarine Modelling*, Genoa, Italy, pp 227-236
- Kingston, K.S. and Davidson, M.A. (2001). 'A Parametric Morphologic Descriptor for Nearshore Sandbar Features', *Proceedings of 4th Conference on Coastal Dynamics '01*, ASCE, Lund, June 11-15, pp 673-682
- Kingston, K.S., Mallet, C., Plant, N.G. and Davidson, M. A. (2001), 'Inter-Tidal Mapping of Morphological Features from Remotely Sensed Data', *Journal of Geophysical Research* (in review)
- Kingston, K.S., Ruessink, B.G., Van Enckevort, I.M.J. and Davidson, M.A. (2000). 'Artificial Neural Network Correction of Remotely Sensed Sandbar Location', *Marine Geology*, **69 (1-2)**,137-160
- Madsen, A. J. and Plant, N. G. (2001): Intertidal beach slope predictions compared to field data. *Marine Geology*, **173 (1-4)**, 121-139.
- Morris, B.D., Davidson, M.A. and Huntley, D.A. (2001). Measurements of the response of a coastal inlet using video monitoring techniques. *Marine Geology*, **175**, 251-272.
- Morris, B.D., Davidson, M.A. and Huntley, D.A. (In review). Estimates of the seasonal morphological evolution of the Barra Nova Inlet using video techniques. Submitted to *Continental Shelf Research*.
- Peet, A.H., Sutherland, J., and Soulsby, R.L. (in prep.) Skill assessment of coastal models. For submission to Coastal Engineering.
- Petersen, D., Deigaard, R. and Fredsøe, J. (2001): Shape and size of sand spits. *Proc. 4<sup>th</sup> Int. Conf on Coastal Dynamics (CD'01)*, ASCE, Lund, June 11-14 2001 pp732-740.
- Plant, N. G., Frielich, M. H. and Holman, R. A. (2001): Role of morphologic feedback in surf zone sandbar response. *J. Geophys. Res.*, **106 (C1)**, 973 (2000JC900144)
- Plant, N. G., Holman, R. A., Frielich, M. H. and Birkemeier, W. A. (1999): A simple model for interannual sandbar behavior. *J. Geophys. Res.*, **104 (C7)**, 15755-15776.

Plant, N. G. and Hulscher, S. J. M. (2000): Non-linear interaction of nearshore morphology. *Proc. 27<sup>th</sup> Int. Conf. on Coastal Engineering*, ASCE, Sydney, July 16-21 2000. pp. 2624-2633.

Plant, N.G., Hulscher, S.J.M. and Falques, A. (2000). Prediction of instabilities of the nearshore profile. AGU Fall Meeting Abstracts.

Plant, N. G., Ruessink, B. G. and Wijnberg, K. M. (2001): Morphologic properties derived from a simple cross-shore sediment transport model. *J. Geophys. Res.*, **106 (C1)**, 945-958 (2000JC900143)

Ruessink, B.G., Van Enkvort, I.J.M., Kingston, K.S. and Davidson, M.A. (2000). Analysis of observed two- and three-dimensional nearshore bar behaviour. *Marine Geology*, **169** (1-2), 161-183

Sutherland, J., Hall, L.J. and Chesher, T.J. (2001). Evaluation of the coastal area model PISCES at Teignmouth (UK). Report TR125, HR Wallingford, UK (in preparation).

Sutherland, J., Walstra, D.J., Hall, L.J., Chesher, T.J., van Rijn, L.C. and Southgate, H.N. (2001). Evaluation of coastal area models at an estuary mouth. (For submission to Coastal Engineering).

Van Rijn, L.C., Walstra, D.J.R., Grasmeyer, B., Sutherland, J., Pan, S. and Sierra, J.P. (2001). The predictability of cross-shore profile development of sandy beaches at the time scale of storms and seasons using Profile models. (Journal manuscript in preparation).

Zyserman, J. A. (1998). 'Processes in coastal morphological development and their description through field or laboratory experiments or by mathematical modelling'. Unpublished summary of meeting held at the Danish Hydraulics Institute, Copenhagen, Denmark, June 1998.