ROMS Tangent Linear and Adjoint Models: Testing and Applications

Arthur J. Miller Scripps Institution of Oceanography La Jolla, CA 92093-0224 phone: (858) 534-8033 fax: (858) 534-8561 email: ajmiller@ucsd.edu

Bruce D. Cornuelle Scripps Institution of Oceanography La Jolla, CA 92093-0230 phone: (858) 534-4021 fax: (858) 534-8561 email: bcornuelle@ucsd.edu

> Award Number: N000149910045 http://osep.ucsd.edu/index.cgi?rsadjoint

LONG-TERM GOALS

Our long-term technical goal is to produce a tested tangent linear and adjoint model for ROMS (Regional Ocean Modeling System) that is suitable for general use by ROMS modelers. This is complementary to the Kalman Filter, ESSE, and Green's Functions techniques being developed in other contexts. Our long-term scientific goal is to model and predict the mesoscale circulation and the ecosystem response to physical forcing in the various regions of the world ocean through ROMS primitive equation modeling/assimilation.

OBJECTIVES

We seek to develop an adjoint model for the Rutgers/UCLA Regional Ocean Modeling System (ROMS) which is a parallel/improved physics descendent of the serial SCRUM (Song and Haidvogel, 1994). We also seek to complete the assimilation system by including the adjoint in an estimation procedure for fitting the model to data. The resulting codes will be suitable for general use in any geometry of ROMS, which presently lacks an adjoint.

APPROACH

This is fundamentally a collaborative effort involving University of Colorado (A. Moore), Rutgers (H. Arango) and Scripps (B. Cornuelle, Ph. D. student E. Di Lorenzo, A. Miller, and D. Neilson). Our approach is to write the tangent linear and adjoint models for ROMS by hand. With each participant in the project contributing expertise in coding and model testing, the approach is feasible. Once the development is accomplished, the assimilation scheme will be tested in various scenarios involving observations. The Scripps contingent will test the adjoint for ROMS in the California Current CalCOFI region where they are presently applying ROMS (under NASA funding) to a physical-biological data synthesis and a model forecast scenario. Arango and Moore will test the adjoint in the Mid-Atlantic Bight(under NSF funding) for coupled atmosphere-ocean hindcast experiments using data collected at the observational network centered at the Long-Term Ecosystem Observatory (LEO-15).

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2002		2. REPORT TYPE		3. DATES COVERED 00-00-2002 to 00-00-2002	
4. TITLE AND SUBTITLE		5a. CONTRACT	NUMBER		
ROMS Tangent Li	Applications	5b. GRANT NUMBER			
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANI Scripps Institution		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITO		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Our long-term technical goal is to produce a tested tangent linear and adjoint model for ROMS (Regional Ocean Modeling System) that is suitable for general use by ROMS modelers. This is complementary to the Kalman Filter, ESSE, and Green???s Functions techniques being developed in other contexts. Our long-term scientific goal is to model and predict the mesoscale circulation and the ecosystem response to physical forcing in the various regions of the world ocean through ROMS primitive equation modeling/assimilation.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	4	RESI ONSIDLE LEKSON

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39-18

WORK COMPLETED

The ROMS adjoint team met several times over the past year in intensive tangent linear and adjoint model writing/testing sessions. A working 2D tangent linear and adjoint model is now running and being used to compute optimal perturbations (Moore and Farrell, 1994) to study the model error growth. The optimal perturbations are computed by a forward integration of the tangent linear equations followed by an integration of the result backwards in time using the adjoint equations. A large percentage of ROMS 3D routines are now completed, but not yet tested.

RESULTS

The building of the adjoint is largely a technical task. Many scientific technical results will follow once the codes are ready.

IMPACT/APPLICATIONS

Users of the tangent linear and adjoint model for ROMS will have a powerful tool for exploring data assimilation issues that include sensitivity to initial conditions and surface forcing, predictability and ocean dynamics.

TRANSITIONS

The work completed here will be part of the ROMS (and in the future, TOMS) utilities that will be freely available to all interested users.

RELATED PROJECTS

Moore, Arango, Miller and Cornuelle will soon commence a project funded by NSF (lead PI: A. Bennett, NPS/OSU) entitled "Modular Ocean Data Assimilation". The goal is to use the infrastructure of the Inverse Ocean Modeling System of Chua and Bennett (2001) in conjunction with the ROMS tangent linear and adjoint models for ocean data assimilation. Miller and Cornuelle are funded by NASA to explore Green's Functions model fitting techniques (Miller and Cornuelle, 1999) with ROMS in the Southern California Bight of the California Current System http://osep.ucsd.edu/index.cgi?rsadjoint. Those results will prove useful in comparing with results from applying the adjoint to these same data.

REFERENCES

Chua, B. S., and A. F. Bennett, 2001: An inverse ocean modeling system. Ocean Modelling, in press.

Miller, A. J., and B. D. Cornuelle, 1999: Forecasts from fits of frontal fluctuations. *Dynamics of Atmospheres and Oceans*, **29**, 305-333.

Moore, A. M., and B. F. Farrell, 1994: Using adjoint models for stability and predictability analysis. In: *Data Assimilation*, P. P. Brasseur and J. C. Nihoul, eds., NATO ASI Series, **119**, Springer-Verlag, Berlin, 217-239. Song, Y. H., and D. B. Haidvogel, 1994: A semi-implicit ocean circulation model using a generalized topography-following coordinate system. *Journal of Computational Physics*, **115**, 228-244.

PUBLICATIONS

Di Lorenzo, E., A. J. Miller, D. J. Neilson, B.D. Cornuelle, and J. R. Moisan, 2001: Modeling observed California Current mesoscale eddies and the ecosystem response. *International Journal of Remote Sensing, sub judice*.

Miller, A. J., E. Di Lorenzo, D. J. Neilson, B. D. Cornuelle, and J. R. Moisan, 2000: Modeling CalCOFI observations during El Nino: Fitting physics and biology. *California Cooperative Oceanic Fisheries Investigations Reports*, **41**, 87-97.