Report Documentation Page				Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.						
1. REPORT DATE <b>30 SEP 1999</b>		2. REPORT TYPE			3. DATES COVERED 00-00-1999 to 00-00-1999	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Modeling Mixed Layer Flow Under Leads In Sea Ice				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Arizona State University, Department of Mechanical and Aerospace Engineering, Tempe, AZ, 85287				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	ABSTRACT Same as Report (SAR)	OF PAGES 2	RESPONSIBLE PERSON	

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39-18

### Modeling Mixed Layer Flow Under Leads In Sea Ice

David C Smith IV Environmental Fluid Dynamics Program Department of Mechanical and Aerospace Engineering Arizona State University Tempe,AZ,85287-9809 (voice):602-727-6659 (fax):602-965-8746 email: <u>dcsiv@asu.edu</u> GRANT/CONTRACT NUMBER: N00014-97-1-0920

#### **OBJECTIVES**

The objectives of this study are to examine convectively driven mixed layer circulations under leads in Arctic Ocean sea ice. A specific goal is to determine under what circumstances eddy formation is favored and do the eddies which are generated in leads have chracteristics of those seen in observations of Arctic mixed layer eddies.

#### APPROACH

During the previous several years of support, a nonhydrostatic high resolution convection model has been developed for the study of ocean flow beneath leads in sea ice. The results obtained thus far have been for two dimensional flow fields. Recently however, the model has been adapted to three dimensions. The three dimensional model is used in initial value and boundary forced numerical experiments in which a wide range of realistic lead conditions are simulated. These experiments are conducted where possible to coincide with comparable laboratory experimentation (also conductedhere at ASU) on convection from line segment sources in rotating frames.

#### WORK COMPLETED

During 1999, the three dimensional, nonhydrostatic convection model has been used to simulate convectively driven motions under line segment sources for a widerange of lead dimensions and forcing parameters.

A series of high resolution experiments in which lead width, buoyancy flux(air-sea temperature difference), mixed layer depth and along lead irregularity in lead distribution has been conducted. The experiments represent a 30 km square domain which is 50 m deep.

#### RESULTS

Eddy generation is a common feature of convection under line segment sources and the sensitivity of this process to lead geometry and forcing parameters have been the central focus of the most recent experiments.

We have been able to quantify eddy characteristics in terms of lead width, buoyancy flux, duration of buoyancy forcing and along lead variability in the forcing. The eddy scales which result from variations in these parameters have been compared with comparable lab experiments which have also considered some of these variations.

Although there is favorable agreement between lab and numerical results, their scales and location in the water column appears at odds with observations of Arctic ocean halocline eddies. A manuscript describing these results is in preparation.

## ACCOMPLISHMENTS

This project initiated during the last month of FY97.

Initially the model was two dimensional. A paper documenting the two dimensional nonhydrostatic ocean flow associated with individual stationary and moving leads was accepted for publication during FY97 (Smith and Morison(1998).

During the conversion of the model from two to three dimensions, aspects of the model development were being tested in joint lab/numerical intercomparisons. The results of some of these intercomparisons (published in 1996,Lavelle and Smith) were included in an overview paper on small scale mixing in geophysical flows (Fernando and Smith,1999).

# **RELATED PROJECTS**

None