

UNCLASSIFIED

AD NUMBER
ADB088362
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Administrative/Operational Use; JUN 1984. Other requests shall be referred to Commander, Headquarters, Walter Reed Army Medical Center, Washington, DC 20307.
AUTHORITY
AFWAL ltr, 31 May 1985

THIS PAGE IS UNCLASSIFIED

WATER AS-7A-02302

AD-B088 362

INSTALLATION ASSESSMENT OF HEADQUARTERS, WALTER REED ARMY MEDICAL CENTER, WASHINGTON, D.C., AND NONCONTIGUOUS SECTIONS FOREST GLEN, SILVER SPRING, MD., AND GLEN HAVEN, WHEATON, MD.
Report No. 342

B.M. McMaster, J.D. Bonds, B.S. Danahar, K.L. Hatfield, M.A. Keirn, S.A. Knauft, C.R. Neff, and K.A. Civitarese

ENVIRONMENTAL SCIENCE AND ENGINEERING, INC.
P.O. Box ESE
Gainesville, Fla. 32602

June 1984


ADM OPER U

Distribution limited to U.S. Government Agencies only ~~for protection of privileged information involving another command.~~ June 1984. Requests for this document must be referred to: Commander, Headquarters, Walter Reed Army Medical Center, Washington, D.C. 20307.

Prepared for:

COMMANDER
Headquarters, Walter Reed Army Medical Center
Washington, D.C. 20307

U.S. ARMY TOXIC AND HAZARDOUS MATERIALS AGENCY
Assessments Division
Aberdeen Proving Ground, Md. 21010



BEST AVAILABLE COPY

84 12 13 002


THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

THE USE OF TRADE NAMES IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL PRODUCTS. THIS REPORT MAY NOT BE CITED FOR PURPOSES OF ADVERTISEMENT.


INSTALLATION ASSESSMENT
OF
HEADQUARTERS, WALTER REED ARMY MEDICAL CENTER, WASH, DC
AND NONCONTIGUOUS SECTIONS
FOREST GLEN, SILVER SPRING, MD,
AND GLEN HAVEN, WHEATON, MD

REPORT NO. 341

CONCUR:


LEWIS A. MOLOGNE, MD
Brigadier General, Medical Corps
Commanding
Walter Reed Army Medical Center

APPROVED:


PETER D. HIDALGO
Colonel, CmC
Commanding
US Army Toxic and Hazardous Materials Agency

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DRXTH-AS-IA-82342	2. GOVT ACCESSION NO. AD-B088 362L	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Installation Assessment of Headquarters, Walter Reed Army Medical Center, Washington, D.C., and Noncontiguous Sections Forest Glen, Silver Spring, Md., and Glen Haven, Wheaton, Md.	5. TYPE OF REPORT & PERIOD COVERED Final	
	6. PERFORMING ORG. REPORT NUMBER ESE-342	
7. AUTHOR(s) B.N. McMaster, J.D. Bonds, B.S. Denahan, K.L. Hatfield, M.A. Keirn, E.A. Knauft, C.R. Neff, and K.A. Civitarese	8. CONTRACT OR GRANT NUMBER(s) DAAK11-81-C-0093	
	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Science and Engineering, Inc. P.O. Box ESE Gainesville, Fla. 32602	12. REPORT DATE June 1984	
	13. NUMBER OF PAGES 201	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) U.S. Army Toxic and Hazardous Materials Agency Assessments Division Aberdeen Proving Ground, Md. 21010	18. SECURITY CLASS. (of this report) Unclassified	
	18a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A	
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to U.S. Government Agencies only for protection of ADM OVER USE privileged information evaluating another command: June 1984. Requests for this document must be referred to: Commander, Headquarters, Walter Reed Army Medical Center, Washington, D.C. 20307		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) N/A		
18. SUPPLEMENTARY NOTES N/A		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An onsite installation assessment was conducted Jan. 16-20, 1984, at Headquarters, Walter Reed Army Medical Center, Washington, D.C., to determine the presence of any toxic or hazardous materials and to assess the potential for offpost migration. Based on the findings of this assessment, a field survey was not recommended.		

Accession For

HEADQUARTERS

YES

NO

DATA
ONLY
INFORMED

IIAWRAMC. 1/SUM. 1
2/24/84

B-3

SUMMARY

An onsite installation assessment was conducted Jan. 16 - 20, 1984, at Headquarters, Walter Reed Army Medical Center (WRAMC), Washington, D.C., to determine past and current use of toxic and hazardous materials, as well as the potential for these substances to migrate off the installation.

Problems areas identified during the onsite assessment include the following:

1. Toxic/hazardous wastes are being stored in excess of the 90 days allowable, under U.S. Environmental Protection Agency Regulations (EPA, 1982a).
2. Wastewater discharges from the steam cleaning operation (Bldg. 601) and the wash rack (Bldg. 82) enter stormwater drainages and have not been permitted, in accordance with the National Pollutant Discharge Elimination System.
3. The disposal of wipe rags contaminated with toxic wastes along with nonhazardous solid waste is in violation, of Resource Conservation and Recovery Act regulations.
4. The mixing of carbon tetrachloride with waste oil makes the resulting mixture a hazardous waste, (EPA, 1982b).
5. While the use of carbon tetrachloride as a degreasing agent by the Directorate of Industrial Operations motor pool is allowed by National Institute for Occupational Safety and Health/ Occupational Safety and Health Administration regulations, nonhazardous substitute solvents are available (NIOSH/OSHA, 1978).

Based on available geologic evidence and information on contaminated sources, offpost migration of contaminants via surface or subsurface waters is not indicated; therefore, no survey by the U.S. Army Toxic and

Hazardous Materials Agency (USATHAMA) was recommended. It was recommended, however, that WRAMC should:

1. Bring the hazardous waste program into compliance with U.S. Environmental Protection Agency regulations.
2. Consider eliminating the need for National Pollutant Discharge Elimination System permits by connecting these wastewater sources to the sanitary sewer system.
3. Properly dispose of the wipe rags which are contaminated with toxic materials.
4. Avoid contamination of waste oils with any substance which could cause them to be classified as hazardous wastes.
5. Consider replacing carbon tetrachloride with a less hazardous solvent or institute a monitoring program to ensure that atmospheric levels do not exceed concentrations allowed by occupational health regulations.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
SUMMARY	i
1.0 GENERAL	1-1
1.1 <u>PURPOSE OF THE ASSESSMENT</u>	1-1
1.2 <u>AUTHORITY</u>	1-1
1.3 <u>INTRODUCTION</u>	1-1
1.4 <u>CURRENT INSTALLATION ORGANIZATION</u>	1-2
1.5 <u>INSTALLATION HISTORY</u>	1-7
1.5.1 GENERAL HISTORY	1-7
1.5.2 ARCHAEOLOGICALLY AND HISTORICALLY SIGNIFICANT AREAS	1-9
1.6 <u>ENVIRONMENTAL SETTING</u>	1-9
1.6.1 LOCATION	1-9
1.6.2 METEOROLOGY	1-11
1.6.3 GEOGRAPHY	1-13
1.6.4 GEOHYDROLOGY	1-14
1.6.5 BIOTA	1-19
1.7 <u>REAL ESTATE/LEASES AND PERMITS</u>	1-27
1.8 <u>LEGAL CLAIMS</u>	1-30
2.0 PAST AND CURRENT ACTIVITY REVIEW	2-1
2.1 <u>INSTALLATION OPERATIONS</u>	2-1
2.1.1 INDUSTRIAL OPERATIONS	2-1
2.1.2 LESSEE INDUSTRIAL OPERATIONS	2-5
2.1.3 LABORATORY OPERATIONS	2-5
2.1.4 MATERIEL PROOF AND SURVEILLANCE TESTING	2-12
2.1.5 TRAINING AREAS AND RANGES	2-12
2.1.6 TOXIC/HAZARDOUS MATERIALS (HANDLING AND STORAGE)	2-13
2.1.7 PETROLEUM, OILS, AND LUBRICANTS (POL) HANDLING AND STORAGE	2-27
2.2 <u>DISPOSAL OPERATIONS</u>	2-30
2.2.1 INDUSTRIAL WASTE TREATMENT	2-30
2.2.2 WASTEWATER TREATMENT	2-35
2.2.3 SOLID WASTE/LANDFILLS	2-35
2.2.4 DEMOLITION AND BURNING GROUND AREAS	2-40
2.2.5 DEMILITARIZATION	2-40
2.2.6 RCRA STATUS	2-40

TABLE OF CONTENTS
(Continued, Page 2 of 3)

<u>Section</u>		<u>Page</u>
2.3	<u>WATER QUALITY</u>	2-42
	2.3.1 SURFACE	2-42
	2.3.2 SUBSURFACE	2-44
	2.3.3 POTABLE WATER	2-44
2.4	<u>AIR QUALITY</u>	2-45
	2.4.1 AMBIENT	2-45
	2.4.2 SOURCE EMISSIONS	2-47
	2.4.3 PERMITS	2-51
	2.4.4 NOISE	2-53
2.5	<u>IMPACTS ON BIOTA</u>	2-55
3.0	INSTALLATION ASSESSMENT	3-1
3.1	<u>FINDINGS</u>	3-1
	3.1.1 METEOROLOGY	3-1
	3.1.2 GEOLOGY	3-1
	3.1.3 HYDROLOGY	3-2
	3.1.4 BIOTA	3-2
	3.1.5 REAL ESTATE/LEASES AND PERMITS	3-2
	3.1.6 LEGAL CLAIMS	3-3
	3.1.7 INDUSTRIAL OPERATIONS	3-3
	3.1.8 LABORATORY OPERATIONS	3-4
	3.1.9 TESTING	3-6
	3.1.10 TRAINING AREAS AND RANGES	3-6
	3.1.11 TOXIC/HAZARDOUS MATERIALS--HANDLING AND STORAGE	3-6
	3.1.12 POL HANDLING AND STORAGE	3-8
	3.1.13 INDUSTRIAL WASTEWATER TREATMENT	3-9
	3.1.14 CONTAMINATED WASTES	3-9
	3.1.15 DEMOLITION AND BURNING GROUND AREAS	3-10
	3.1.16 WATER QUALITY	3-10
	3.1.17 AIR QUALITY AND NOISE	3-11
	3.1.18 LANDFILLS	3-11
	3.1.19 RCRA STATUS	3-12
3.2	<u>CONCLUSIONS</u>	3-13
3.3	<u>RECOMMENDATIONS</u>	3-14

TABLE OF CONTENTS
(Continued, Page 3 of 3)

<u>Section</u>	<u>Page</u>
BIBLIOGRAPHY	
<u>APPENDIXES</u>	
APPENDIX A--OUTGRANTS FOR THE MAIN SECTION, FOREST GLEN, AND GLEN HAVEN, WRAMC	A-1
APPENDIX B--ITEMS STORED IN WRAIR HAZARDOUS WASTE BUNKERS, WRAMC	B-1
APPENDIX C--TYPICAL DISPOSITION FORMS AND WASTE MANIFEST FOR WASTE CHEMICAL DISPOSAL, WRAMC	C-1
APPENDIX D--PESTICIDE INVENTORIES AND USAGE ON WRAMC	D-1
APPENDIX E--LABORATORY ACTIVITIES AT WRAMC WHICH USE RADIOACTIVE MATERIALS	E-1
APPENDIX F--NOTIFICATION OF HAZARDOUS WASTE ACTIVITY	F-1
APPENDIX G--USAHA POTABLE WATER QUALITY DATA FOR WRAMC	G-1
APPENDIX H--AIR QUALITY PERMITS ISSUED TO WRAMC BY THE STATE OF MARYLAND	H-1

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1.6-1	Monthly Summaries of Climatological Data in the Vicinity of WRAMC	1-12
1.6-2	Engineering Characteristics of Soils at WRAMC-- Main Section	1-20
1.6-3	Engineering Characteristics of Soils at Forest Glen, WRAMC	1-23
2.1-1	Boiler Location and Size at WRAMC	2-3
2.1-2	Major Laboratory Activities at WRAMC	2-6
2.1-3	Pesticide Usage at WRAMC (March through November 1983)	2-15
2.1-4	Current Possession Limits for Radioisotopes at WRAMC	2-19
2.1-5	POL Storage Facilities at WRAMC	2-28
2.4-1	National and State of Maryland AAQS	2-46
2.4-2	Pollutant Sources for Montgomery and Prince Georges Counties, Md.	2-48
2.4-3	Characterization of Waste Burned in AFIP Incinerator on WRAMC	2-50
2.4-4	List of Boilers at Forest Glen, WRAMC	2-52
2.4-5	UH-1 Helicopter Noise Level Data	2-54

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1.4-1	Organizational Chart of Headquarters, WRAMC	1-4
1.6-1	Location Map of WRAMC	1-10
1.6-2	Surface Drainage on Forest Glen, WRAMC	1-15
1.6-3	Surface Drainage on Glen Haven, WRAMC	1-16
1.6-4	Geologic Cross Section Across the District of Columbia Area	1-17
1.6-5	Soils Map of Main Section, WRAMC	1-18
1.6-6	Soils Map of Forest Glen, WRAMC	1-22
1.6-7	Locations of Aquifer Recharge Areas near WRAMC	1-25
1.7-1	Past Real Estate Transactions Completed and Current Actions Proposed at the Forest Glen Section	1-28
1.7-2	Areas on Glen Haven Under Consideration for Excessing Actions	1-29
2.1-1	Location of Current and Former Radiological Waste Storage Areas and Former Research Reactor--Main Section, WRAMC	2-24
2.1-2	Location of Radioisotope Storage Facilities--Forest Glen, WRAMC	2-25
2.2-1	Former Landfills on Forest Glen, WRAMC	2-37

LIST OF ACRONYMS AND ABBREVIATIONS

AAQS	ambient air quality standards
AFIP	Armed Forces Institute of Pathology
AG	Adjutant General
AGL	above ground level
AMC	Army Medical Center
AQCR	Air Quality Control Region
°C	degrees Celsius
CB	chemical/biological
CE	U.S. Army Corps of Engineers
Ci	curies
cm	centimeters
cm/hr	centimeters per hour
CO	carbon monoxide
CP	continental-polar
DA	Department of the Army
DARCOM	U.S. Army Materiel Development and Readiness Command
dB(A)	decibels (A-weighted)
DFAE	Directorate of Facilities Engineering
DIO	Directorate of Industrial Operations
DO	dissolved oxygen
DOD	U.S. Department of Defense
DORF	Diamond Ordnance Radiation Facility
DOT	U.S. Department of Transportation
DPCA	Directorate of Personnel and Community Activities
DPDO	Defense Property Disposal Office
DPTSEC	Directorate of Plans, Training, and Security
EIA	environmental impact assessment
EPA	U.S. Environmental Protection Agency
EPIC	Environmental Photographic Interpretation Center
ESE	Environmental Science and Engineering, Inc.

FHA	Federal Housing Authority
FWS	U.S. Fish and Wildlife Service
g	grams
gal	gallons
ha	hectares
HC	hydrocarbons
USC	U.S. Army Health Services Command
IIA	Initial Installation Assessment
in	inches
in/hr	inches per hour
I.V.	intravenous
kg	kilograms
kg/month	kilograms per month
kg/week	kilograms per week
kg/yr	kilograms per year
km	kilometers
kW	kilowatts
l	liters
lb	pounds
lb/hr	pounds per hour
lb/yr	pounds per year
l/month	liters per month
lpm	liters per minute
lpy	liters per year
l/week	liters per week
m	meters
MBTU/hr	million British thermal units per hour
mCi	millicuries
mCi/yr	millicuries per year
mg/cm ² /month	milligrams per square centimeter per month
mg/m ³	milligrams per cubic meter
MOGAS	motor vehicle gasoline
m/sec	meters per second
MSL	mean sea level

MT	maritime-tropical
n.d.	not dated
NIH	National Institutes of Health
NIOSH	National Institute for Occupational Safety and Health
NO ₂	nitrogen dioxide
NO _x	nitrogen oxides
NPDES	National Pollutant Discharge Elimination System
NRC	U.S. Nuclear Regulatory Commission
OSHA	Occupational Safety and Health Administration
PCB	polychlorinated biphenyl
POL	petroleum, oils, and lubricants
pt/wk	pints per week
PVNTMED	Preventive Medicine
PX	Post Exchange
RCRA	Resource Conservation and Recovery Act
SO _x	sulfur oxides
SPCC/ISCP	Spill Prevention Control and Countermeasure/Installation Spill Contingency Plan
TCE	trichloroethylene
TMP	transportation motor pool
uCi/month	microcuries per month
ug/l	micrograms per liter
ug/m ³	micrograms per cubic meter
USACIDC	U.S. Army Criminal Investigation Command
USADWSP	U.S. Army Drinking Water Surveillance Program
USAEHA	U.S. Army Environmental Hygiene Agency
USAIDR	U.S. Army Institute of Dental Research
USAMRIID	U.S. Army Medical Research Institute for Infectious Diseases
USARDA	U.S. Army Regional Dental Activity
USATHAMA	U.S. Army Toxic and Hazardous Materials Agency
USGS	U.S. Geological Survey
USSCS	U.S. Soil Conservation Service
WRAIR	Walter Reed Army Institute of Research

WRAMC	Headquarters, Walter Reed Army Medical Center
WSSC	Washington Suburban Sanitary Commission
yd ³	cubic yards
yd ³ /week	cubic yards per week

1.0 GENERAL

1.1 PURPOSE OF THE ASSESSMENT

To determine the existence of toxic and hazardous materials and related contamination at Headquarters, Walter Reed Army Medical Center (WRAMC), Washington, D.C., and noncontiguous sections Forest Glen and Glen Haven located near Silver Spring and Wheaton, Md., respectively, emphasizing those substances posing a potential for migration off the installation.

1.2 AUTHORITY

U.S. Army Materiel Development and Readiness Command (DARCOM)
Regulation 10-30, Mission and Major Functions of the U.S. Army Toxic and Hazardous Materials Agency (USATHAMA), July 30, 1981.

1.3 INTRODUCTION

1. In response to a letter from the Commander, USATHAMA, requesting the identification of potentially contaminated installations, the Commander, U.S. Army Health Services Command (HSC), recommended that WRAMC and its sections be included in the Installation Restoration Program.
2. Presurvey instructions were forwarded to WRAMC by letter to outline assessment scope, provide guidelines to WRAMC personnel, and obtain advance information for review by the Initial Installation Assessment (IIA) Team.
3. WRAMC personnel were briefed on the Installation Restoration Program on Jan. 16, 1984, by a USATHAMA representative prior to the onsite installation assessment.
4. Various Government agencies were contacted for documents pertinent to the assessment effort. Agencies contacted include:
 - a. National Archives and Records Service (Washington, D.C.)
 - b. Washington National Records Center (Suitland, Md.)

- c. U.S. Army Environmental Hygiene Agency (USAEHA), Aberdeen Proving Ground, Md.
 - d. U.S. Geological Survey (USGS), Arlington, Va.
 - e. U.S. Environmental Protection Agency (EPA), Environmental Photographic Interpretation Center (EPIC), Vint Hill Farms Station, Warrenton, Va.
 - f. D.C. Department of Environmental Affairs, Soil Erosion Group, Washington, D.C.
 - g. U.S. Fish and Wildlife Service (FWS), Office of Endangered Species, Boston, Mass.
5. The onsite phase of the assessment was conducted from Jan. 16-20, 1984. The information presented in this report is current, as of the date of the onsite assessment. The following personnel from Environmental Science and Engineering, Inc. (ESE), under Contract No. DAAK11-81-C-0093, were assigned to the IIA Team:
- . Dr. John Bonds, Team Leader
 - . Mr. C. Richard Neff, Engineer
 - . Ms. Karen Hatfield, Chemist
 - . Dr. Michael Keirn, Environmental Scientist
6. In addition to the records review, interviews were conducted with current and former employees. Ground tours of the installation were made, and photographs were taken.
7. The installation assessment focused primarily on those facilities potentially involved in the handling, production, testing, and disposal of toxic and hazardous wastes.

1.4 CURRENT INSTALLATION ORGANIZATION

WRAMC and its two noncontiguous sections (Forest Glen and Glen Haven) are under the command of HSC with the mission to (WRAMC, 1983c):


1. Operate a tertiary care medical center providing inpatient and outpatient general and specialized medical care;
2. Provide area health maintenance support;
3. Provide specialty and subspecialty health services on a worldwide referral basis;

4. Coordinate and evaluate health care delivery of, and provide consultative services to, medical facilities within the Walter Reed Health Service Region;
5. Conduct graduate medical education programs and technical education and training programs for health care professional and paramedical personnel;
6. Provide professional training and clinical teaching for medical students from Uniformed Services University of Health Sciences;
7. Conduct clinical investigation programs;
8. Provide authorized veterinary services;
9. Provide administrative and logistical support to tenant units, reserve component units, and satellite activities, as assigned; and
10. Test and evaluate new systems and concepts.

Fig. 1.4-1 is an organizational chart of WRAMC.

A number of departments and activities at WRAMC are involved in operations that include the use, handling, and/or disposal of toxic/hazardous materials. Several such activities are under command of the Deputy Commander/Deputy for Medical Activities and Medical Education, which has the general mission to provide professional health care services to all patients of WRAMC (WRAMC, 1983c). These activities/departments are:

1. Department of Medicine,
2. Department of Surgery,
3. Department of Pediatrics,
4. Department of Obstetrics and Gynecology,
5. Department of Pathology and Area Laboratory Services,
6. Department of Radiology,
7. Department of Primary Care and Community Medicine,
8. Department of Dentistry,
9. Allergy-Clinical Immunology Service, and
10. Health Physics Office.



SOURCE: WRAMC, 1983d.

Prepared for:
 U.S. Army Toxic and Hazardous
 Materials Agency
 Aberdeen Proving Ground, Maryland

Figure 1.4-1
 ORGANIZATIONAL CHART OF HEADQUARTERS,
 WALTER REED ARMY MEDICAL CENTER

2/24/84

Their involvement with toxic/hazardous materials generally includes work in clinics and various laboratories. More detailed discussion is provided in Sec. 2.0.

Several directorates under the command of the Deputy Installation Commander/Chief of Staff also conduct operations which involve the use, handling, and/or disposal of toxic/hazardous materials. These directorates and their respective missions are as follows (WRAMC, 1983c).

1. Directorate of Personnel and Community Activities (DPCA)-- Provides personnel administration and management services for WRAMC and tenant military personnel; provides general and professional education development; organizes recreation, welfare, and morale programs, Army community services, and social entertainment facilities. The Morale Support Activities Division operates an Arts and Crafts Branch as well as an Auto Crafts Branch for maintenance and repair of privately owned automobiles.
2. Directorate of Industrial Operations (DIO)--Provides logistical support to WRAMC and tenant and satellite activities for supply, maintenance, housing, property management, purchasing and contracting, transportation, and laundry and linen. The Materiel Division manages the installation precious metal recovery program. The Support Services Division operates the laundry service. The Maintenance Division manages the overall policy, planning, and operation of all WRAMC and maintenance activities. The Transportation Division manages and operates the Transportation Motor Pool (TMP).
3. Directorate of Plans, Training, and Security (DPTSEC)-- Coordinates matters pertaining to the organization, force management, audiovisual systems, intelligence and security, military training, mobilization expansion and contingency

planning, and coordination of regional medical programs. Within the Audiovisual Systems Division, the Photographic Branch provides laboratory services for color and black-and-white photographs.

4. Directorate of Facilities Engineering (DFAE)--Develops and implements the Facilities Engineer work plan; provides engineering support to WRAMC and tenant activities; and controls all construction, modification, alteration, maintenance, repair, and operation of all facilities regardless of funding. The Buildings and Grounds Division provides insect and rodent control services. The Utilities Division operates, maintains, and repairs utility plants and systems.

The Preventive Medicine (PVNTMED) Activity at WRAMC does not conduct activities involving the use, handling, and/or disposal of toxic/hazardous materials. The mission of PVNTMED is to assist the Commander in planning and executing a comprehensive installation and area preventive medicine program to reduce losses of military/civilian manhours; assist in prevention, control, and rehabilitative aspects of disease and injury on the total military community; and supervise operation of the U.S. Army Civilian Employees' Health Service, Department of Defense (DOD) (WRAMC, 1983c).

A number of tenants are located at WRAMC, including (WRAMC, 1983d):

1. Armed Forces Institute of Pathology (AFIP);
2. U.S. Army Communications Command Element--Walter Reed;
3. U.S. Army Corps of Engineers (CE), Walter Reed Area Office;
4. U.S. Army Dental Activity--Walter Reed;
5. U.S. Army Element, Joint Health Services Agency;
6. U.S. Army Institute of Dental Research (USAIDR);
7. U.S. Army Medical Department Personnel, WRAMC;
8. U.S. Army Physical Disability Agency;

2/24/84

9. U.S. Army Regional Dental Activity (USARDA);
10. U.S. Army Tri-Service Medical Information Systems Agency;
11. U.S. Army Troop Support Agency;
12. Walter Reed Army Institute of Research (WRAIR); and
13. Walter Reed Resident Agency U.S. Army Criminal Investigation Command (USACIDC).

Several of these tenants conduct activities involving the use, handling, and/or disposal of toxic/hazardous materials, mainly while engaged in research and laboratory work. More detailed discussion is provided in Sec. 2.0.

1.5 INSTALLATION HISTORY

1.5.1 GENERAL HISTORY

WRAMC

As early as 1905, the need was recognized for a complete medical center in the Washington, D.C. area, with facilities for research, teaching, and care of the sick and wounded, to replace the overcrowded Washington Barracks (now Fort McNair). Almost single-handedly, Major William Cline Borden, Commander of the Hospital at Washington Barracks, pushed through Congress a bill authorizing construction of "Walter Reed U.S. Army General Hospital." The name was chosen to honor the Army surgeon famed for his work in helping overcome Yellow Fever. The new 80-bed hospital opened on May 1, 1909 (RTKL Associates, Inc., 1976).

The hospital expanded gradually until 1918 and the beginning of World War I. At that time, an immediate building expansion program increased the hospital's capacity to 2,500 beds. By the 1930s, most temporary buildings erected during the war had been replaced with permanent structures.

In 1923, the Army Medical School, located in the central Washington, D.C. business district, was joined with the Veterinary School, the Army Dental School, and the Army School of Nursing to form the Medical Department Professional Schools. With their new title, the schools

moved to the Walter Reed Hospital area. On Sept. 1, 1923, a War Department Order (signed by General John J. Pershing) designated the hospital and Medical Department Professional Schools as the Army Medical Center (AMC), and assigned them under direct control of the Surgeon General of the Army (AMC, Historical Branch, 1950).

The hospital expanded again during World War II, handling up to 3,000 patients per day. During this time, Walter Reed was designated as a specialized treatment center for cases involving tumors, fractures, loss of hearing, and neurological and thoracic surgery. The hospital continued to have a large patient load during the Korean Conflict. On the 100th anniversary of the birth of Army Doctor (Major) Walter Reed (Sept. 13, 1951), AMC was officially renamed the Walter Reed Army Medical Center (RTKL Associates, Inc., 1976).

WRAMC has continued its physical expansion as well as expansions in many areas of medical development. The hospital averages 16,000 admissions annually and has one of the largest outpatient services in the Army. In April 1973, WRAMC was reassigned from the jurisdiction of the Surgeon General to the Commander, HSC.

Forest Glen

With the beginning of the United States' participation in World War II, a convalescent center was needed for patients from the Main Section of WRAMC. Therefore, the Medical Department purchased an approximately 75-hectare (ha) tract at Forest Glen, Md. Existing buildings, formerly part of the National Park Seminary for girls, were renovated, and convalescent patients were first received on Jan. 20, 1943. Peak patient load during World War II was 500 persons. As the war ended, the need for the convalescent center decreased, and by 1946 the space was used for other WRAMC activities (USAEHA, 1976).

Currently, WRAMC activities at Forest Glen include the Convalescent Hospital, the Audiology and Speech Center, some psychiatric and

orthopedic care, the Institute of Research, and various HSC and Surgeon General activities (USAEHA, 1976).

Glen Haven

On May 15, 1942, the U.S. Government Federal Housing Authority (FHA) purchased land near Wheaton, Md., on which FHA built 211 housing units and 29 other buildings. On Feb. 20, 1947, this 8-ha section was purchased from FHA for use by WRAMC as the Glen Haven housing area. Glen Haven currently continues to be used for housing.

1.5.2 ARCHAEOLOGICALLY AND HISTORICALLY SIGNIFICANT AREAS

No complete archaeological survey of WRAMC, Forest Glen, or Glen Haven has been conducted, and none is planned (USAEHA, 1976).

Two sites listed in the National Register of Historic Places are located on the installation (USAEHA, 1976). The National Park Seminary, located on Forest Glen, is in the National Register. The seminary was formerly a private school for girls. The second site, the Army Medical Museum, is located on the Main Section. The museum, currently a major department of AFIP, was founded in 1862 for the collection and display of specimens of war wounds and diseases used in training Army surgeons. WRAMC is taking appropriate actions to preserve both of these sites.

1.6 ENVIRONMENTAL SETTING

1.6.1 LOCATION

WRAMC

WRAMC is located in the northern section of D.C., approximately 8 kilometers (km) directly north of the White House (see Fig. 1.6-1). This section, containing the main hospital complex, is bounded by 16th St. on the northwest and Alaska Ave. (U.S. Route 29), Georgia Ave., and Fern and Aspen St.




Figure 1.6-1
LOCATION MAP OF
WALTER REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

Forest Glen

Forest Glen is located approximately 2.4 km north of D.C. near the town of Silver Spring, Md. The Capital Beltway (I-495) bisects the northern end of the reservation. Major access roads to the Forest Glen Section include Forest Glen Rd., Linden La., and Brookeville Rd. Forest Glen is located approximately 4.5 km north of WRAMC (see Fig. 1.6-1).

Glen Haven

Glen Haven is located approximately 6.5 km north of WRAMC, immediately east of Wheaton, Md. Access to the Glen Haven housing area is via Maryland Route 193 (see Fig. 1.6-1).

1.6.2 METEOROLOGY

Weather conditions at WRAMC, Forest Glen, and Glen Haven are variable, with influences from the Chesapeake Bay and Atlantic Ocean to the east and the Appalachian Mountains to the west. Summers are characterized by maritime-tropical (MT) winds from the south and southwest, which bring warm, humid air to the region. High-pressure systems often stagnate over the area, creating the potential for air pollution episodes several times during the summer. Winter is characterized by cold, dry, continental-polar (CP) winds from the west and northwest (USAEHA, 1976).

Mean monthly temperatures range from a low of 1.7 degrees Celsius (°C) in January to a high of 25.9°C in July. Average precipitation varies from a low of 5.76 centimeters (cm) in January to a high of 11.9 cm in August.

The average annual precipitation in the WRAMC area is 90.85 cm. Precipitation in the form of snowfall averages approximately 50 cm per year. Monthly summaries of the climatological data for the WRAMC area are presented in Table 1.6-1.

Prevailing winds at WRAMC are from the northwest during the winter and from the south during the remainder of the year. Mean monthly wind

Table 1.6-1. Monthly Summaries of Climatological Data in the Vicinity of WRAMC

Month	Mean Temperature (°C)	Mean Precipitation (cm)
January	1.7	5.76
February	2.9	6.22
March	7.3	8.46
April	13.6	7.26
May	19.0	9.35
June	23.7	8.83
July	25.9	10.50
August	25.0	11.90
September	21.4	7.82
October	15.4	6.76
November	8.9	7.37
December	3.0	7.72
Annual	14.0 (Average)	90.85 (Total)

Note: Data averages are compiled for the years 1941-1982 at Washington National Airport.

Source: National Climatic Data Center, 1982.

speeds range from a low of 3.7 meters per second (m/sec) in July to a high of 5.0 m/sec in March. The annual mean wind speed is 4.2 m/sec (USAEHA, 1976).

1.6.3 GEOGRAPHY

Physiography

WRAMC--WRAMC is located on the eastern edge of the Piedmont Plateau physiographic province of the Appalachian Highlands. The area is characterized by gently rolling hills, with elevations on WRAMC varying from approximately 74 meters (m) above mean sea level (MSL) to 107 m MSL (USAEHA, 1976). Since most of the installation is covered by buildings and parking areas, the installation is relatively flat, except for slopes averaging approximately 10 percent which are found in the open areas. In general, the land at WRAMC slopes to the south-southwest toward Rock Creek and its drainage system.

Forest Glen--Forest Glen is located within the same physiographic province as WRAMC. The topography at Forest Glen shows much greater relief than WRAMC, with average slopes of 15 percent and slopes in excess of 50 percent along streambeds. Elevations on Forest Glen range from 57 m MSL to 105 m MSL. This area is comprised of rolling hills which slope mainly in a westerly direction toward the Rock Creek drainage system.

Glen Haven--Glen Haven is also located in the Piedmont Plateau area of the Appalachian Highlands. The Glen Haven section is relatively flat, with elevations ranging between 107 m MSL and 119 m MSL. The general slope in this area is toward the south-southwest.

Surface Hydrology

WRAMC--WRAMC is located within the Rock Creek Drainage Basin. Rock Creek originates to the north in Montgomery County, Md., flows adjacent to the western boundary of the installation, and empties into the Potomac River south of WRAMC. No streams exist on WRAMC. Surface

drainage is through the onpost storm sewer system, which is connected to D.C.'s storm sewer system. This system in the WRAMC area consists of the Luzon tunnel (2.44 m by 1.67 m), a tunnel which runs under the post from the intersection of Dahlia St. and Georgia Ave. to Rock Creek Park off the southwestern corner.

Forest Glen--Forest Glen is also located in the Rock Creek Drainage Basin. No perennial surface streams exist onpost; however, four streambeds exist where surface waters flow off the installation during periods of precipitation (see Fig. 1.6-2). Surface drainage in the developed areas of the post is collected and diverted into the existing streambeds or directly into Rock Creek.

Glen Haven--Glen Haven is located in the Sligo Creek Drainage Basin. This drainage basin is part of the Anacostia River drainage system. The Anacostia River, as well as Rock Creek, eventually empties into the Potomac River. No perennial surface streams exist on Glen Haven. Storm waters are collected and reportedly exit the installation either through a storm drainage system to the west or to the south through a ditch which exists in the central portion of the installation (see Fig. 1.6-3).

1.6.4 GEOHYDROLOGY

Geologic Setting

The lithology at the three WRAMC sites consists of a thin mantle of residuum soils approximately 2 m thick overlying massive, crystalline metamorphic schist and gneiss. The metamorphic rocks have been intruded by igneous rocks. Fig. 1.6-4 is a geologic cross section of the area.

Soils

WRAMC--The distribution of soil associations on WRAMC is shown in Fig. 1.6-5. The two predominant soil complexes onsite are the Urban Land Manor complex, covering 60 percent of the site, and the Urban Land Chillum complex, covering 27 percent of the site. The remaining






Figure 1.6-2
SURFACE DRAINAGE ON FOREST GLEN,
WALTER REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland



Prepared for:
**U.S. Army Toxic and Hazardous
 Materials Agency
 Aberdeen Proving Ground, Maryland**

**Figure 1.6-3
 SURFACE DRAINAGE ON GLEN HAVEN,
 WALTER REED ARMY MEDICAL CENTER**



Prepared for:
**U.S. Army Toxic and Hazardous
 Materials Agency**
 Aberdeen Proving Ground, Maryland


Figure 1.6-4
GEOLOGIC CROSS SECTION ACROSS
THE DISTRICT OF COLUMBIA AREA








SCALE

150 0 150 300 FEET

50 0 50 100 METERS



- KEY**
-  MANOR-URBAN LAND COMPLEX
 -  CHILLUM-URBAN LAND COMPLEX
 -  GLENELG VARIANT-URBAN LAND COMPLEX
 -  URBAN LAND
 -  UDORTHTENTS, GRAVELLY SMOOTH

SOURCE: USSCS, 1976.

Figure 1.6-5
SOILS MAP OF MAIN SECTION,
WALTER REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

13 percent of the site is covered by Urban Land, Udorthents gravelly smooth, and Glenelg Variant-Urban complex. Each soil complex is subdivided into several soil series, which are classified according to the percent of the area which is covered by buildings, concrete, asphalt, impermeable materials, or soils. Each soil complex and its soil associations are presented in Table 1.6-2.

Forest Glen--The distribution of soil associations on Forest Glen is shown in Fig. 1.6-6. The three predominant soil series onsite are the Brandywine loam, Glenelg silt loam, and the Manor-Channery silt loam, each covering approximately 28 percent of the site. The remaining 16 percent of the site is covered by the Glenville silt loam and the Wehadkee silt loam. Each soil series is subdivided into soil types which are classified according to the slope and erosion potential. Each soil series and soil type is presented in Table 1.6-3.

Glen Haven--The Glen Haven site is covered with Manor-Channery silt loam with slopes of 8 to 10 percent and moderate erosion. This soil is a shallow residuum weathered from hard schist. The permeability of the Manor-Channery silt loam ranges from 0.50 to 5.0 centimeters per hour (cm/hr).

Ground Water

The base rock under the Main Section, Forest Glen, and Glen Haven does not function as an aquifer. It is estimated that any wells drilled in the massive metamorphic rocks under the installation could potentially produce up to 75 liters per minute (lpm). The nearby productive aquifers are located to the southeast in the thick wedge of coastal sediments. Fig. 1.6-7 shows the coastal aquifers and their recharge boundaries in relationship to WRAMC, Forest Glen, and Glen Haven.

1.6.5 BIOTA

The biological resources of the Main Section, Forest Glen, and Glen Haven are limited to species characteristic of, and adapted to, urban

Table 1.6-2. Engineering Characteristics of Soils at MRANC--Main Section

Soil Complex	Soil Series	Description	Percent Occurrence	Percent Slope	Permeability	Erosion
Urban Land and Manor		Well-drained to excessively well-drained loamy soils overlying base rock. These soils have generally been cut, graded, filled, or otherwise disturbed. The Urban Land soils have been covered with concrete, asphalt, buildings, and other impermeable surfaces. Silty loam	60 of site			
	Urban Land-Manor (USC)		70	8 to 15	Impermeable	
			30		Moderately rapid 0.6 - 2.0 in/hr*	
	Manor-Urban Land (MfC)		40	8 to 15	Moderate Impermeable Moderate 0.6 - 2.0 in/hr	Slight
Urban Land and Chillum Complex	Manor-Urban Land (MfD)		40	15 to 40	Moderate Impermeable Moderate 0.6 - 2.0 in/hr	Excessive, runoff rapid
			40			
			20			
			20			
Urban Land and Chillum Complex	Manor-Urban Land (MfB)		40	0 to 8	Moderate Impermeable 0.6 - 2.0 in/hr	High potential for erosion, runoff moderate to rapid
			40			
			20			
			20			
Urban Land and Chillum Complex		This soil complex has been severely altered by grading for housing and shopping centers. The soils of the Chillum use a silty, sandy loam. The Urban Land is covered with	27 of site			
	Urban-Chillum (UcC)		70	8 to 15	Impermeable Moderate 0.2 - 2.0 in/hr	Severe
			30			
	Chillum-Urban Land (CdC)		40	0 to 8	Moderate Impermeable 0.6 - 2.0 in/hr	Severe
			40			
			20			

Table 1.6-2. Engineering Characteristics of Soils at WRANC--Main Section (Continued, Page 2 of 2)

Soil Complex	Soil Series	Description	Percent Occurrence	Percent Slope	Permeability	Erosion
Idorthents (U7) Gravelly, Smooth	Chillum- Urban Land	concrete, asphalt, buildings, or other imperme- able structures	40	15 to 40	Moderate Impermeable 0.6 - 2.0 in/hr	Severe
		Generally, cut and filled areas for grading of roads. Gravelly material	20 other soils	3	Slopes are complex	Variable
Urban Land (UB1)		More than 80 percent of surface covered with impermeable material	5	Variable	Impermeable	Stable
Glennlg Variant- Urban Land Complex (GMB)		Flat depressed areas of silt loam	5	0 to 8	Moderate 0.6 - 2.0 in/hr	Moderate

* in/hr = inches per hour.

Source: USSCS, 1976.




Figure 1.6-6
SOILS MAP OF FOREST GLEN,
WALTER REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

Table 1.6-3. Engineering Characteristics of Soils at Forest Glen, WRAVC

Soil Series	Soil Type	Description	Percent Site Covered	Percent Slope	Permeability (in/hr)	Erosion
Brandywine (Br)		Very shallow, excessively drained soils developed from granitic rock	28	—	—	—
	Brandywine Loam (BrC ₂)	Moderately eroded	—	3 to 15	2.0 to 6.3	Moderate
	Brandywine Loam (BrD ₂)	Moderately eroded	—	15 to 25	—	Moderate
Glennelg (Gh)	Brandywine Loam (BrD ₃)	Severely eroded	—	15 to 25	—	Severe
		Moderately deep, well-drained soils from soft, weathered micas, schist, granitized schist, or gneiss	28	—	—	—
	Glennelg Channery Silt Loam (GhB ₂)	Minimal erosion control needed	—	3 to 8	0.63 to 2.0	Slight
	Glennelg Channery Silt Loam (GhC ₂)	Moderately eroded	—	8 to 15	—	Moderate
	Glennelg Channery Silt Loam (GhD ₃)	Intensive erosion control needed	—	15 to 25	—	Severe

Table 1.6-3. Engineering Characteristics of Soils at Forest Glen, WRANC (Continued, Page 2 of 2)

Soil Series	Soil Type	Description	Percent Site Covered	Percent Slope	Permeability (in/hr)	Erosion
Glenville		Moderately well-drained soils with fragipans or silt-pans; these soils occur on upland flats and depressions	4			
	Glenville Silt Loam (GmB)	Soils are wet		3 to 8	0.06 to 2.0	Slight
Manor		Shallow soils occurring on uplands	28			
	Manor Silt Loam (MdB ₂)	Slopes moderately eroded		3 to 8	0.63 to 2.0	Moderate
	Manor Silt Loam (MdB ₂)	Micaceous soil, some erosion protection necessary		8 to 15	0.20 to 2.0	Slight
	Manor Silt Loam (MdB ₂)	Soil should be protected from erosion		15 to 25		Moderate
	Manor Silt Loam (MdB ₃)	Soil should be protected from erosion		15 to 25		Severe
	Manor Silt Loam (MdB ₂)	Forested, very little erosion		25 to 40		Severe
Wahadkee		Poorly drained silt loam	12			
	Wahadkee Silt Loam (WbA)			0 to 3	0.63 to 2.0	None

Source: USSCS, 1961.




Figure 1.6-7
LOCATIONS OF AQUIFER RECHARGE
AREAS NEAR WALTER REED ARMY
MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

2/24/84

habitats. Of the three areas, the Main Section and Glen Haven are the most limited in terms of wildlife resources and native vegetation communities, since most of the areas consist of improved, maintained grounds.

The three WRAMC sections are located in the Oak-Chestnut region of the Piedmont Plateau physiographic province. Dominant trees consist mostly of white oak (Quercus alba), black oak (Q. velutina), tulip tree (Liriodendron tulipifera), smoothbark hickories (Carya sp.), and occasional chestnut oak (Q. prinus), scarlet oak (Q. coccinea), scrub pine (Pinus virginiana), and pitch pine (P. rigida) (USAEHA, 1976). Other flora found on the three WRAMC sections are those commonly found in developed, urban settings.

Because no surface streams exist on the Main Section, no fish species are found onpost. Forest Glen has no perennial surface streams; however, four streambeds exist where surface waters flow off the installation during periods of precipitation. This condition virtually eliminates the possibility of fish species being present onpost. Glen Haven also has no perennial streams, and therefore no fish species onpost.

With the exception of avian nesting activities, the Main Section does not provide wildlife habitat due to the urban setting. Approximately 5 ha of Forest Glen are maintained as improved open space. Well-developed tree and ground cover on this section provides habitat for birds, small mammals, reptiles, and amphibians adapted to an urban environment. Glen Haven, developed as a housing area, also provides limited habitat to animal species common to urban areas.

No Federally listed threatened or endangered flora or fauna reside on the Main Section, Forest Glen, or Glen Haven, and no FWS-designated Critical Habitats are located onpost.

1.7 REAL ESTATE/LEASES AND PERMITS

WRAMC

The Main Section (referred to throughout this report as WRAMC) comprises approximately 46 ha owned in fee simple. The original site (17 ha) was purchased in 1905, with the remainder being purchased in 1918 (USAEHA, 1976).

WRAMC holds no permits or leases which involve toxic or hazardous materials. See App. A for a complete listing of outgrants.

FOREST GLEN

In 1976, the Forest Glen Section consisted of 74 ha, with approximately one-half of the area developed as improved grounds (USAEHA, 1976). Several past excessing or proposed excessing actions have occurred since 1976 (see Fig. 1.7-1), totalling less than 5 ha.

Several leases and permits are in effect on Forest Glen, most involved with rights-of-way, sewer lines, building space, etc. The one permit which may have involved toxic/hazardous materials is Permit No. DACA-31-4-68-116 to the National Institutes of Health (NIH) for construction and maintenance of a tri-service incinerator. The permit was issued Mar. 27, 1968, and is for an indefinite period. However, reportedly the incinerator was decommissioned in February 1984. Although the outgrant is still in effect, actions to terminate it should be completed some time in 1984. See App. A for a complete list of outgrants.

GLEN HAVEN

This section consists of approximately 8 ha and serves as a housing area. Land along the western and southwestern boundaries is under consideration for excessing (see Fig. 1.7-2). Excessing actions, if completed, will transfer road rights-of-way to state control and simplify the Glen Haven boundaries.





Figure 1.7-1
PAST REAL ESTATE TRANSACTIONS
COMPLETED AND CURRENT ACTIONS
PROPOSED AT THE FOREST GLEN
SECTION

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland



SOURCE: WRAMC, 1984.

Prepared for:
 U.S. Army Toxic and Hazardous
 Materials Agency
 Aberdeen Proving Ground, Maryland

Figure 1.7-2
 AREAS ON GLEN HAVEN UNDER CONSIDERATION
 FOR EXCESSING ACTIONS

2/24/84

Glen Haven holds no permits or leases which involve toxic or hazardous materials. See App. A for a complete listing of outgrants.

1.8 LEGAL CLAIMS

Records searched did not indicate any legal claims against WRAMC, Forest Glen, or Glen Haven with respect to the migration of toxic or hazardous materials.

2.0 PAST AND CURRENT ACTIVITY REVIEW

2.1 INSTALLATION OPERATIONS

2.1.1 INDUSTRIAL OPERATIONS

The primary mission of WRAMC is to provide medical and surgical care for members of all branches of the Armed Forces, retired military personnel, and dependents of both groups, and hospital support to the U.S. Army Military District of Washington. Because of the nature of this mission, industrial operations at WRAMC serve as a supporting function; discussion of these various activities is provided in the following sections.

Motor Vehicle Maintenance

Four motor vehicle maintenance shops are located at WRAMC: the DIO motor pool shop (Bldg. 605), DFAE vehicle maintenance shop (Bldg. 601), and Post Exchange (PX) auto repair shop (Bldg. 162) are located at Forest Glen; the auto self-help shop is located on the Main Section (Bldg. 82).

The DIO motor pool shop has been located in Bldg. 605 on Forest Glen since 1975; prior to 1975, the shop was located in Bldg. 41 on the Main Section. Bldg. 41 was razed during the construction of the new hospital. The shop provides routine tuneups, automotive maintenance, and parts replacement service for all military vehicles at WRAMC; this service mission excludes the rebuilding of engines or engine parts. Currently, the shop services 151 vehicles (ranging from sedans to tractor/trailers). The DIO maintenance mission has not changed since the early 1950s; the number of vehicles served has been slowly declining from approximately 200 in 1953 to the current level.

The DFAE vehicle maintenance shop has been located in Bldg. 601 on Forest Glen since 1972; prior to this, the shop was located in Bldg. T-32 on the Main Section. Bldg. T-32 is still used occasionally

for small engine maintenance. The shop in Bldg. 601 provides routine tuneups, engine maintenance, and parts replacement for approximately 20 pickup trucks and heavy maintenance vehicles and approximately 180 lawn mowers, portable generators, and other nonself-propelled equipment. The number and types of vehicles/equipment serviced and the maintenance shop's mission are relatively unchanged since at least 1960.

The PX auto repair shop, since 1973 located adjacent to Bldg. 162 on Forest Glen, provides service station automobile repair services to active and retired military personnel and their dependents. The PX auto repair shop services approximately 300 automobiles per month; the number of vehicles serviced is relatively unchanged from 1973 to present.

The auto self-help shop is located in Bldg. 82 on the Main Section and provides the facilities for personal automotive maintenance for active military personnel only. The auto self-help shop facility has been in operation since 1978 and currently handles between 300 and 400 vehicles per month.

Boiler Plants

A total of 26 steam and hot water boiler plants is located at WRAMC; 5 steam boilers are located at the Main Section, and the remaining 21 boilers are located on the Forest Glen Section. A listing of the boiler locations and sizes is presented in Table 2.1-1. The feed water to the steam boilers is deoxygenated with a sulfide compound and treated with sodium hexametaphosphate, sodium hydroxide, and tannin to reduce scaling and corrosion potential. Boilers are fueled as noted in Table 2.1-1. Refer to Sec. 2.4 for a discussion of air permits and emissions. A discussion of wastewater disposal from the boiler plants is presented in Sec. 2.2.1.

Laundry Facility

The laundry facility is located in Bldg. 606 on the Forest Glen Section; prior to 1976, the laundry facility was in Bldg. 56 on the Main Section.

Table 2.1-1. Boiler Location and Size at WRAMC

Building Number	Number of Boilers	Steam Rating (lb/hr)	Fuel Used
MAIN SECTION			
15	2	75,000	No. 6 oil
15	2	60,000	No. 6 oil
88	1	3,720	No. 2 oil
FOREST GLEN SECTION			
120	1	23,000	No. 2 oil
120	1	21,000	No. 2 oil
500	4	2,600 each	No. 2 oil
506	1	800	No. 2 oil
508	1	3,450	No. 2 oil
511	2	6,900 each	No. 2 oil
606	3	8,500 each	No. 2 oil
163	1	5,116	Gas
163	1	4,480	Gas and oil (No. 2)
120	1	Hot water boiler 14 MBTU/hr	No. 2 oil
133	1	Hot water boiler 0.13 MBTU/hr	No. 2 oil
135	1	Hot water boiler 0.13 MBTU/hr	No. 2 oil
156	1	Hot water boiler 0.7 MBTU/hr	No. 2 oil
601	1	Hot water boiler 2 MBTU/hr	No. 2 oil
605	1	Hot water boiler 0.58 MBTU/hr	No. 2 oil

Abbreviations:

lb/hr = pounds per hour.

MBTU/hr = million British thermal units per hour.

Sources: USAEHA, 1976.
ESE, 1984.

The laundry facility provides laundry services for the hospital at WRAMC; no drycleaning facilities are or have been located at WRAMC. Currently, the facility handles approximately 52,160 kilograms (kg) of laundry per week. Detergent and liquid chlorine bleach are used in the laundry operation; disposal of laundry wastewater is discussed in Sec. 2.2.1.

Print Shops

Two print shops are located at WRAMC. The Adjutant General (AG) shop has been located in Bldg. 1 on the Main Section since 1977; prior to 1977, the shop was located in Bldg. 122 on the Forest Glen Section. The AFIP print shop has been located in Bldg. 40 on the Main Section since its inception in 1954. Both print shops are equipped with three offset printers; additionally, there is a small photography laboratory at the AFIP shop. Solvents used for press cleaning at the AG shop are petroleum distillate and methylene chloride; isopropyl and isobutyl alcohol, petroleum distillate, and photographic chemicals are used at the AFIP shop. Waste disposal practices for the print shops are discussed in Sec. 2.2.1.

Office Machine Repair Shop

The office machine repair shop has been located in Bldg. 1 since about 1977; prior to this, the shop was located in Bldg. 33. Both buildings are on the Main Section of WRAMC. The office machine repair shop provides cleaning and routine maintenance of the various types of office machines used at WRAMC. Prior to the early 1970s, the two full-time employees used a 3-percent perchloroethylene solution as a cleaning solvent (USAEHA, 1972a). Currently, the shop employs 10 to 12 persons full-time, and a 1:4 benzene:petroleum distillate solution and trichloroethylene (TCE) are used as cleaning solvents. A discussion of the wastes generated and methods of disposal from the shop is presented in Sec. 2.2.1.

Paint Shop

The paint shop at WRAMC has been located in Bldg. 601 on the Forest Glen Section since 1972; prior to 1972, it was located in Bldg. 5 on the Main Section. The paint shop provides building interior maintenance painting and linoleum flooring services at WRAMC. Bldg. 601 is equipped with a spray painting booth; however, due to the type of painting performed, the booth has never been connected and is not in use.

2.1.2 LESSEE INDUSTRIAL OPERATIONS

No lessee industrial operations are located at WRAMC, Forest Glen, or Glen Haven.

2.1.3 LABORATORY OPERATIONS

Numerous laboratory operations are associated with the medical, dental, and veterinary activities at WRAMC and Forest Glen. No laboratories are located on Glen Haven, which serves as a housing area. Since laboratory activities and locations vary depending on the nature of the research conducted, it is difficult to define exact locations and activities for each individual laboratory. A general description of each major laboratory activity is given in the following sections. Table 2.1-2 lists the major laboratory activities at WRAMC and Forest Glen and their locations.

WRAIR

WRAIR, located in Bldg. 40, Main Section, and in numerous buildings on Forest Glen (see Table 2.1-1), contains chemical and biological laboratories involved in medical research and the Animal Resources Service, which provides test animals for research and clinical requirements of WRAIR, AFIP, and WRAMC. WRAIR has been in operation since 1925. Wastes generated at WRAIR include hazardous and flammable chemicals, photographic wastes, infectious wastes, pathological wastes, and radiological wastes.

Table 2.1-2. Major Laboratory Activities at WRAMC

Laboratory	Activity	Location
WRAIR	Chemical and biological medical research	Bldgs. 40, 189, 500, 501, 502, 503, 504, 505, 506, 507, 508, 511, 512, and 101
	Animal resources	Bldgs. 509, 511
AFIP	Histology and chemistry research	Bldg. 54
USAIDR	Chemical, biological, and histological dental research	Bldg. 40
USARDA	Dental clinic, patient care	Bldg. 2
USARDA	Dental clinic, dentures and bridges	Bldg. 91
Veterinary clinic	Care of installation domestic animals	Bldg. 156
WRAMC	Clinical and patient care, includes Pathology Department, Department of Clinical Investigations, Radiology and Nuclear Medicine	Bldg. 2
DPTC	Photographic laboratory	Bldg. 1, Room B-19
Recreation Department Arts and Crafts	Photographic craft shop/laboratory	Bldg. 163 (Community Services Building, Forest Glen)

Source: ESE, 1984.

WRAIR has been participating in the centralized hazardous waste program at WRAMC since 1980. Spent solutions are returned to their containers, appropriately labeled, and transferred to the hazardous waste storage bunkers (Bldg. 40, Main Section, and Bldg. 507, Forest Glen). The major chemicals disposed of in this manner include (USAEHA, 1981b):

Acetone	2-3 pints per week (pt/wk)
Methanol	2-3 pt/wk
HCl/Chromic Acid Mix	45 liters per year (lpy)
Dilute HCl	182 lpy

A logbook with the description of materials and the date in and date out is kept for each bunker. App. B shows the items currently stored in these bunkers. Periodically, the chemicals are picked up and disposed of by an approved hazardous waste contractor. Due to a contract dispute, chemicals had not been picked up since September 1983. The contractor who made the last pickup was Environmental Cleaning Specialist in Kingston, Pa.

A listing of those chemicals from all WRAMC activities disposed of at this time is given in App. C. Wastes currently stored in the bunkers at WRAIR have exceeded the 90-day holding period allowed by the Federal hazardous waste regulations (EPA, 1982b). Prior to 1980, most chemicals used at WRAIR were disposed of in the sanitary sewer system.

Photographic wastes generated at WRAIR are processed for silver recovery, and the recovered silver is turned in to the Defense Property Disposal Office (DPDO) for subsequent disposal.

Radiological wastes are handled and disposed of separately by the Health Physics Office in accordance with the U.S. Nuclear Regulatory Commission (NRC) regulations. These procedures are described later in this section under the heading of Radiological Materials.

Disposal procedures for contaminated, infectious, and pathological wastes are described in Sec. 2.2.3.

AFIP

AFIP, located in Bldg. 54, Main Section, contains histology and chemistry laboratories involved in consultation, research, and education. AFIP has been in operation since 1955. Wastes generated at AFIP include hazardous and flammable chemicals, photographic wastes, and radiological wastes.

AFIP has been participating in the centralized hazardous waste program at WRAMC since 1980. Spent solutions are returned to their containers, appropriately labeled, and transferred to the hazardous waste storage bunker at Bldg. 54. The major chemicals disposed of in this manner include (USAEHA, 1981b):

Xylene	284 liters per week (1/week)
Acetone	19 liters per month (1/month)
Chloroform	19 l/month

At the time of the site visit, an inventory of the contents of the bunker was not available. Approximately one hundred 5-gallon (gal) drums of assorted chemicals were stored in the bunker at this time. Periodically, the chemicals are picked up and disposed of by an approved hazardous waste contractor. AFIP is experiencing the same problems with pickup as WRAIR. It was reported that some chemicals had been disposed of in the dumpster due to the length of time that had elapsed between pickups. Wastes currently stored in the bunker at AFIP have exceeded the 90-day holding period allowed by the Federal hazardous waste regulations (EPA, 1982b). Prior to 1980, most chemicals used at AFIP were disposed of in the sanitary sewer system.

Photographic wastes generated at AFIP are processed for silver recovery, and the recovered silver is turned in to DPDO. Approximately 908 grams (g) of silver sludge were turned in to DPDO in August 1983.

Radiological, infectious, and pathological wastes produced at AFIP are handled in the same manner as at WRAIR. Ten to 12 animal carcasses from AFIP are disposed of weekly at the Forest Glen infectious waste incinerator (USAEHA, 1981b).

USAIDR

USAIDR, which is located in one segment of Bldg. 40 on the Main Section, contains chemical, biological, and histological laboratories involved in dental research. USAIDR has been in operation since 1962. Wastes generated at USAIDR include hazardous and flammable chemicals, photographic wastes, infectious wastes, pathological wastes, and radiological wastes.

USAIDR utilizes the same storage areas for waste as WRAIR and follows the same disposal procedures for hazardous and flammable chemicals, infectious wastes, pathological wastes, and radiological wastes. There is a small X-ray unit at USAIDR which does not recover silver.

USARDA

USARDA has dental clinics in Bldg. 2 and Bldg. 91, Main Section. X-ray solutions generated in Bldg. 2 are processed for silver recovery and turned in to DPDO. Scrap film and lead foil are also turned over to DPDO on a quarterly basis. The following amounts were turned in to DPDO in August 1983:

Exposed film	11.4 kg
Wet silver	342 g
Lead foil	13.6 kg

Amalgams are collected regularly, stored under glycerin, and periodically turned in to DPDO.

Activities conducted in Bldg. 91 include the preparation of bridges, crowns, and dentures. Dilute quantities of waste reagents are

discharged to the sanitary sewer. Less than 4 lpy are disposed of in this manner.

WRAMC

The clinical and patient care facility of WRAMC, located in Bldg. 2, Main Section, contains diagnostic laboratory and treatment facilities for patients of WRAMC. This building has been in operation since 1979. Prior to that time, patient care was effected in a complex of buildings at the Main Section which dated back to 1905 (USAEHA, 1976). The level of activity has been relatively constant for the past 15 years. Wastes generated at WRAMC include hazardous and flammable chemicals, spent X-ray solution, infectious and pathological wastes, and radiological wastes. The major laboratory operations in the chemical and patient care facility are the following.

Radiology and Nuclear Medicine--This department consists of radiology, which provides diagnostic and therapeutic X-ray services, and nuclear medicine, which provides radioisotope-related diagnosis and treatment.

Department of Pathology--This department provides tissue examination, autopsy, blood bank, and microbiological diagnostic services.

Department of Clinical Investigation--This department consists of a complex of 15 laboratories involved in clinical research related to WRAMC patients. This department contains laboratories conducting pediatric, gastroenteral, hematological, oncological, organ transplant, infectious disease, immunological/allergy, urological, and biochemical research.

WRAMC departments have been participating in the centralized hazardous waste program at WRAMC since 1980 and are the largest generator of waste chemicals and precious metals at WRAMC. With the exception of the wastes generated for the other smaller-scale laboratories, the remainder of the 50,000 lpy of waste chemicals is generated by the medical center.

Over 1.5 million X-rays per year are performed by WRAMC. Photographic/X-ray wastes are processed for silver recovery and the recovered silver turned in to DPDO. The amounts generated are shown in Sec. 2.1.6. Radiological wastes are handled and disposed of separately by the Health Physics Office as described in Sec. 2.1.6.

Infectious and pathological wastes are treated as described in Sec. 2.2.3. In the past, disposal practices were similar for medical center activities as for the other laboratory operations described previously. The only past problems reportedly have been the disposal of infectious waste into the solid waste system (see Sec. 2.2.3) and the storage of waste chemicals for longer than 90 days as a result of a contract dispute with the hauler/disposer contractor.

Veterinary Clinic Activity

A veterinary clinic, located at Bldg. 156, Forest Glen, provides care for domestic animals owned by WRAMC staff, military personnel, and retired military personnel located in the WRAMC area. This activity consists of diagnostic and treatment facilities.

Small amounts (<4 lpy) of stains and dilute diagnostic reagents are disposed of via the sanitary sewer. Infectious material and specimens are autoclaved and disposed of into the solid waste disposal system. Less than 10 kilograms per month (kg/month) of this material are generated.

DPTSEC Photography Laboratory

The audiovisual support photography laboratory has been located in Room B-19 of Bldg. 1, Main Section, for the past 3 or 4 years. Previously, the room was the main radioisotope laboratory. Before locating in Room B-19, the photography laboratory activities were scattered in several areas of Bldg. 1. Reportedly, black-and-white processing only has been performed at the DPTC photography laboratory. Prior to 1983, no precious metal recovery program was in place. Prior

to that time, all photography laboratory wastes were discharged to the sanitary sewer. Currently, recovered silver is sent to DPDO. The rate of generation of waste silver varies widely. Overall WRAMC generation rates for precious metals are presented in Sec. 2.1.6.

Recreation Department Photography Shop

A small photographic laboratory for recreational use has been in operation at the Community Services building (Bldg. 163) at Forest Glen. Both black-and-white and color processing are performed. Rates of use are highly variable. Silver is recovered and sent to DPDO.

Precious Metal Recovery

Prior to 1977, no precious metal recovery program was operated at WRAMC (USAEHA, 1977b), and all photographic and X-ray waste solutions were disposed of into the sanitary sewer. Reportedly, a precious metal recovery program was instituted in 1980. Current generation rates for medical, photographic, research, and dental activities at Forest Glen and the Main Section reportedly are as follows (based on 1983 records):

Silver amalgam	100 kilograms per year (kg/yr)
Silver from photographic wastes and X-ray wastes	1,000 kg/yr
Gold dust	100 kg (one time only)
Gold scrap	1 kg/yr

2.1.4 MATERIEL PROOF AND SURVEILLANCE TESTING

No materiel proof and surveillance testing activities have ever been carried out at WRAMC or its noncontiguous sections, Forest Glen and Glen Haven.

2.1.5 TRAINING AREAS AND RANGES

WRAMC

No training or range areas currently exist at WRAMC, nor were outdoor range and training activities carried out in the past.

An indoor ballistics range, located in the basement of Bldg. 54 at AFIP, was used for wound effects research and also as an indoor pistol range during the period approximately 1955 to 1980. This operation was discontinued as a result of the occurrence of excessive lead levels in the range atmosphere (WRAMC, Health and Environmental Activity, 1978).

Training at WRAMC is restricted to classroom and clinical activity. Field training exercises involving WRAMC personnel reportedly are held offpost at Fort Hill and Fort Pickett in Virginia.

Forest Glen

No training or range areas currently exist on Forest Glen, nor were range or training activities carried out in the past.

Glen Haven

No training or range areas currently exist on Glen Haven, nor were range or training activities carried out in the past.

2.1.6 TOXIC/HAZARDOUS MATERIALS (HANDLING AND STORAGE)

This section describes the past and current handling and storage of pesticides, polychlorinated biphenyls (PCBs), chemicals, radiological materials, and chemical/biological (CB) agents.

Pesticides

Pesticides (insecticides, herbicides, fungicides, and rodenticides) have been and are currently used throughout WRAMC to prevent pest-related health problems. Pest control services offered at WRAMC include household, structural, health-related, and nuisance insect and rodent control programs.

The storage, mixing, and application of pesticides for all areas are currently under the jurisdiction of DEH, Buildings and Grounds Section. Bldg. 602 at Forest Glen has been used as a pesticide storage and mixing area for the past 10 years. The types and quantities of pesticides

currently stored in Bldg. 602 are presented in App. D. The storage/mixing area is kept locked and is marked with the appropriate warning signs. The facility, which has a concrete floor with continuous curbing to contain spills and a sink with a backflow prevention device, meets Federal and USAEHA regulations for a pesticide storage/mixing area (EPA, 1982c; USAEHA, 1975).

The mixing and formulation of pesticide solutions, performed in Bldg. 602, are minimal since most of the pesticides utilized at WRAMC are received premixed. Pesticide usage for March through November 1983 is provided in Table 2.1-3. Empty containers are triple rinsed, crushed, punctured, and disposed of in the dumpster. Rinse water is used as a diluent for future formulations.

DFAE employed four pesticide operators at the time of the site visit. The foreman in charge of pesticide operations is certified. DD 1532 forms were being maintained appropriately.

There does not appear to be a problem with the use and/or storage of "banned pesticides." It was reported that DDT had not been used on WRAMC since approximately 1965.

Prior to 1975, pesticides were stored and mixed in Bldg. 16, Main Section, and at the greenhouse (Bldgs. 50 and 51). These facilities did not meet USAEHA and Federal regulations (USAEHA, 1975; EPA, 1982c) for a pesticide storage/mixing area. App. D shows the types and quantities of pesticides which were stored in Bldgs. 16, 50, and 51 in 1975. App. D also gives the pesticide usage for 1974-1975 at WRAMC. It was reported that pesticide wastes were disposed of under the benches in the greenhouse (Bldgs. 50 and 51) and in the sanitary sewer during this time period.

Table 2.1-3. Pesticide Usage at WRAMC (March through November 1983)

Pesticide	Concentration (%)	Quantity (l)*	Use Against
Ficam	0.25	2,272	Roaches
Baygon	1.00	983	Roaches
Dursban	0.50	3,032	Roaches
Diazinon	0.50	499	Roaches
Drione	1.00	49	Roaches
Ounglyphosphate	2.00	1,425	Vegetation
Chlordane	1.00	756	Termites

* l = liters.

Source: WRAMC, 1983b.

PCBs

PCB-containing transformers have been used and are currently in use at WRAMC. A survey of all in-service transformers was completed in 1982. At that time, 120 in-service transformers were properly labeled as PCB-contaminated and PCB transformers. Sixty-three of these are located at the Main Section, and 57 are located at Forest Glen. Weekly leak inspections are conducted on these transformers.

Transformers which are no longer serviceable are drained at the service site. A licensed firm is contracted to drain the fluid and to dispose of it properly. The transformer carcass is then taken to Fort Belvoir, Va., for disposal by DPDO. The last contract to dispose of PCB transformers was in summer 1982 with the American Electric Co., located in Jacksonville, Fla. At that time, five transformers were removed from service and disposed of. Out-of-service PCB transformers are not currently stored at WRAMC. No PCB spills or leaks were reported.

Chemicals

The research and patient care facilities of WRAMC and USARDA, and the research activities of AFIP, WRAIR, and USAIDR require the handling, storage, and disposal of a variety of reagents in quantities of a few liters per month. Pharmaceuticals and solvents, particularly xylene and toluene, are used in much larger quantities. As described in Sec. 2.1.3, each laboratory stores approximately a 1-week supply of reagents and solvents for ready use. WRAMC maintains a centralized store of chemical reagents and pharmaceuticals which is managed by DPDO (Bldg. 178, Forest Glen). Overage chemicals and pharmaceuticals are turned in to DPDO for recycle or disposal. No problems were observed or reported regarding the storage of incompatible chemicals or improper storage of chemicals. Adequate warning signs were posted in laboratory reagent storage areas and in the central store.

Laboratory and chemical operations generate the largest quantity of industrial wastes at WRAMC and Forest Glen. These wastes consist mainly

of used reagents, radioactive wastes, and infectious/pathological waste. The latter two categories are discussed later in this section and in Sec. 2.2.3, respectively.

DFAE instituted a comprehensive hazardous waste management program to handle waste reagents in 1980. This system is handled through DPDO. Since 1981, overage chemicals have been disposed of by a licensed hazardous waste contractor.

Currently, laboratories collect and store reagents and chemicals/ pharmaceuticals scheduled for destruction at five temporary-storage locations. These locations are the loading docks of Bldg. 40, WRAIR; Bldg. 54, AFIP; and Bldg. 2, WRAMC on the Main Section and Bldgs. 507 and 516 at Forest Glen. These chemicals are later collected by a licensed hazardous transporter/disposer and taken to a hazardous waste landfill for disposal off the installation. Because of a contract dispute, no waste chemicals have been disposed of since September 1983. This storage exceeds 90 days and violates the storage limit of the installation Resource Conservation and Recovery Act (RCRA) permit (see Sec. 2.2.4). In addition, because of the filling of storage bunkers, some reagents have reportedly been flushed to the sanitary sewer or disposed of in the solid waste dumpsters.

An example of a manifest and supporting documents for spring 1981 and examples of current disposition forms for WRAIR for fall 1983 are shown in App. C. Reportedly, overall quantities of reagents currently disposed of by WRAMC activities are as follows.

<u>Reagent</u>	<u>Quantity (lpy)</u>
Nonradioactive toluene	34,000
Xylene	11,300
Chloroform	450
Acids	450
Reactives	450
Poisons	450
Flammable liquids (solvents)	2,720

Other types of waste solvents (generated at up to 60.5 lpy each) are isopropanol, hexane, acetic acid, ethanol, methanol, formic acid, acetonitrile, ethyl acetate, methylene chloride, and isopropyl acetate.

Prior to 1980, waste reagents used in the laboratories were disposed of into the sanitary sewer. According to USAEHA (USAEHA, 1970a, 1981a), the quantities did not exceed the maximum allowable under RCRA based on the overall sewage flow.

It was recommended that a centralized hazardous waste program be organized which would manage not only overage reagents and pharmaceuticals turned in for disposal but also used reagent solutions which had been disposed of into the sanitary sewer system.

Radiological Materials

Research activities at AFIP, USAIDR, and WRAIR and research and clinical activities at WRAMC require extensive use of both ionizing and non-ionizing radiation. The radiation protection program for WRAMC; Forest Glen; Fort Meade, Md.; and the U.S. Army Medical Research Institute for Infectious Diseases (USAMRIID), Fort Detrick, Md., is administered by the Health Physics Office, Bldg. 188, Forest Glen. Three NRC licenses and one Department of the Army (DA) Authorization for isotopes not regulated by NRC are currently held by WRAMC. Copies of these licenses are available from the WRAMC Health Physics Office. The ionizing radiation protection program covering the use of X-ray, X-ray diffraction, electron microscope, and the non-ionizing radiation equipment (laser and microwave) is also administered by the Health Physics Office.

Table 2.1-4 summarizes the current possession limits for WRAMC as a whole. Reportedly, the overall possession fluctuates between 10 and 30 percent of the allowable limits. The Health Physics Office dispenses and controls isotope use by means of 80 internal authorizations to use and store radioactive materials. Possession and usage for individual authorizations are highly variable, especially for research activities. The locations of authorized use of isotopes are described in the

Table 2.1-4. Current Possession Limits for Radioisotopes at WRAMC

Material	Physical/Chemical Formulation	Maximum Amount At Any Time
A. Carbon-14	Any	2 Ci
Chromium 51	Any	750 mCi*
Iodine-125	Any	1 Ci
Iodine-131	Any	1 Ci
Iridium-192	Any	1 Ci
Gold-198	Any	1 Ci
Krypton-85	Any	1 Ci
Phosphorus-32	Any	2 Ci
Xenon-133	Any	1 Ci
Any element with atomic numbers 3-83 (inclusive)	Any	400 mCi each
TOTAL OF A:		26 Ci
B. Hydrogen-3 (Tritium)	Any	5 Ci
C. Molybdenum-99	Molybdenum-99/Technetium-99 Generators	20 Ci
D. Technetium-99	Any	10 Ci
E. Iodine-125	Sealed Sources	1 Ci
F. Cesium-137	3M 6D6C-CA Sources	2 Ci
G. Cesium-137	American Nuclear Corp. Type 127 Sealed Source	150 Ci
H. Cesium-137	Sealed Sources (AECL Model C-161 Type 8), 4 Sources	8,400 Ci
I. Cesium-137	Other Sealed Sources	1,250 mCi
J. Cobalt-60	Sealed Sources (AECL Models C-166, C-167, or C-198)	16,000 Ci each
K. Cobalt-60	Sealed Source AECL Model C-198	26,400 Ci
L. Cobalt-60	Other Sealed Sources	500 mCi
M. Americium-241	Any	300 mCi
N. Americium-241	Monsanto Model MRC-2704 Sealed Source	21 Ci
O. Polonium-210	Any	15 mCi
P. Nickel-63	Sealed Sources and Foil	1 Ci
Q. Thorium	Any	5 kg
R. Uranium (Natural or Depleted)	Any	400 kg
S. Radium-D	Sealed Sources	250 mCi
T. Radium-226	Sealed Sources	300 mCi
U. Radon-222	Sealed Sources	500 mCi

* mCi = millicuries.

Sources: NRC, 1980, 1981.
WRAMC, Health Physics Office, 1979.

following paragraphs specific to WRAMC and Forest Glen. As shown in Table 2.1-4, a total of 50,889 curies (Ci) of radioisotopes, 5 kg of thorium, and 400 kg of uranium (the current limits) are comparable to 1976 limits (USAEHA, 1976) of 42,728 Ci of isotopes, 300 kg of uranium, 5 kg of thorium, 203 g of plutonium, and 1 g of radium. Review of available radiological hygiene survey reports (USAEHA, 1961, 1963a, 1963b, 1965, 1970b, 1972c) dating to 1960 indicated that materials on hand did not exceed licensed limits and, in general, were less than 40 percent of licensed limits.

The Health Physics Office maintains all inventory, use, and disposal records for WRAMC and Forest Glen for 5 years, as required by NRC, and maintains DD 1141, Record of Occupational Exposure to Ionizing Radiation, for isotope use and ionizing radiation generated by X-ray and other equipment. The Health Physics Office also performs all surveys and testing required by NRC in accordance with existing licenses and Federal and Army regulations (U.S. Army, 1980; NRC, 1976, 1977, 1982; U.S. Army, Headquarters, 1973; DOD Defense Supply Agency, 1976). All areas where isotopes are stored or ionizing radiation is generated are marked in accordance with NRC regulations.

Currently, isotopes are received and stored at Bldgs. 188 and 149-A at Forest Glen and dispensed to authorized users. Reportedly, prior to approximately 1972, isotopes were partially handled at the research reactor facility at Bldg. 40, WRAMC. The remainder was received and handled at Room G-19 of Bldg 1. During the period 1972-1975, this practice continued. Reportedly, no spills or losses which resulted in environmental contamination by radioactive materials have occurred at WRAMC, Forest Glen, or any of the offpost activities which used isotopes in the past, including Fort Detrick (USAMRIID) and activities at Fort Meade and Fort Myer. Only USAIDR; Fort Meade; and USAMRIID, Fort Detrick, currently use isotope materials.

Radioactive waste handling at WRAMC and Forest Glen is under the control of the Health Physics Office. Radioactive wastes are disposed of in

accordance with the following procedures, which comply with NRC regulations. Wastes are taken from WRAMC laboratories to designated pickup points (Room G-2 in Bldg. 2 for WRAMC and Room B-079 in Bldg. 40 for WRAIR) from which Health Physics Office personnel transport them to Bldg. 516, Forest Glen, three times per week for handling as follows. Wastes from WRAIR activities at Forest Glen are taken directly to Bldg. 516. Isotopes used at USAMRIID are returned to the Health Physics Office for disposal at Bldg. 516. At Bldg. 516, wastes are segregated and materials with half-life shorter than 65 days held until decayed, then disposed of either as regular solid waste or flushed to the sanitary sewer system. Material not disposed of in this manner is packed in accordance with U.S. Department of Transportation (DOT) regulations and shipped to the Hanford disposal facility, Richland, Wash.

Approximately two-hundred 55-gal drums of waste are shipped to Hanford yearly. Prior to 1980, the generation rate was approximately 600 drums/year; however, toluene- and xylene-based scintillation fluid now is permitted to be disposed of as nonradioactive hazardous chemical waste. At the time of the site visit, approximately 70 drums of scintillation fluid (approximately 14,550 l) were stored at Bldg. 516 awaiting disposal. This material was stored in a below-ground-level area which complies with flammable liquid storage requirements. However, storage beyond 90 days (in violation of RCRA regulations) was occurring.

Animals contaminated by radioactive materials during research activities are bagged after sacrifice and stored frozen at Bldg. 516 prior to shipment to Hanford or during authorized isotope decay.

In accordance with NRC regulations, WRAMC is allowed to release up to 1 Ci carbon-14 per year, 5 Ci hydrogen-3 per year, and 100 microcuries per month (uCi/month) of all other isotopes to the atmosphere or sanitary sewer. Reportedly, the rate of release is less than 90 millicuries per year (mCi/yr) for all radioactive materials,

including carbon-14 and hydrogen-3. Iodine-125 and iodine-131 vapors are collected on filters which have been tested to be 95- to 98-percent efficient. Used filters are disposed of at Bldg. 516. Samples are collected in fume hoods during radioactive iodine use. Reportedly, releases have never exceeded allowable atmospheric levels.

Release of radioactive materials at Bldg. 516 is monitored weekly by the Health Physics Office. Records of weekly monitoring of individual laboratories are maintained, and checks of records and monitoring of contamination are made periodically by Health Physics personnel.

Reportedly (USAEHA, 1976), past radioactive waste disposal rates have been similar to current levels, or approximately 1 percent of allowable discharges.

Based on the available records, no problems with contamination or contaminant migration by radioactive materials as a result of past or current radioisotope use have occurred.

The following paragraphs describe the locations of current use of radioisotopes at WRAMC and Forest Glen and the operation and decommissioning of research reactors formerly present at WRAIR or WRAMC and at the Diamond Ordnance Radiation Facility (DORF) at Forest Glen. No radiological material use or disposal activities have ever occurred at Glen Haven.

WRAMC--App. E is a summary of laboratories at WRAMC which handle radioisotopes. On the Main Section, these laboratories are located in: AFIP, Bldg. 54; WRAIR, Bldg. 40 and Bldg. T-2; and the main hospital and clinics, Bldg. 2. As described in the preceding paragraphs, the radionuclides on hand vary widely within the authorized limits, based on research activity and/or patient load. Radiological wastes are disposed of as follows. Small amounts (within the limits described in the preceding paragraphs) of carbon-14, iodine-131, iodine-125, and

hydrogen-3 are discharged to the atmosphere or into the sanitary sewer. The remaining material is taken to Room B-079 in Bldg. 40 and Room G-2 in Bldg. 2 for transport to Forest Glen. Prior to 1975, handling and disposal of isotopes occurred primarily in Room G-19 of Bldg. 1, the former radioisotope laboratory, and the former research reactor located in the basement of Bldg. 40 (WRAIR). The locations of the current and former radiological waste storage facilities and the research reactor are shown in Fig. 2.1-1. Also housed in Bldg. 40, Room B-079, are an AECL Gamma Cell 220 irradiator and Model 40 Irradiator used for small animal irradiation and medical research. These units use sealed sources consisting of 16,000 Ci of cobalt-60 and 2,100 Ci of cesium-137, respectively.

During the period 1961 to 1972, a 50,000-kilowatt (kW) homogeneous core nuclear research reactor was located in the basement of the west wing of Bldg. 40 and used for radiobiological research. Reportedly, no spills resulting in environmental contamination occurred during operation of this facility. In 1971-1972, the reactor was decommissioned and the uranyl sulfate fuel sent to the Hanford Research facility in Washington. Irradiated components of the reactor structure were removed and shipped to the NRC waste disposal site at Morehead, Ky. A radiation survey after removal of these components reportedly indicated that the reactor area was safe for unrestricted use. Currently, the former reactor area is used for microwave research activities and storage. Records were not located which described any decommissioning activities conducted for this reactor.


Forest Glen--App. E also summarizes the laboratories at Forest Glen where radioisotopes are used. In addition, the Health Physics Office and isotope storage (Bldgs. 188 and 149-A) as well as radiological waste storage (Bldg. 516, the former DORF) are located at Forest Glen. The locations of the storage and handling facilities are shown in Fig. 2.1-2. As described in the preceding paragraphs, no spills or



SCALE

150 0 150 300 FEET

50 0 50 100 METERS



KEY

— INSTALLATION BOUNDARY

(A) LOCATION OF WRAIR RESEARCH REACTOR 1961-1972

CURRENT RADIOLOGICAL WASTE STORAGE AREAS:

(B₁) BLDG. 40, ROOM B-079

(B₂) BLDG. 2, ROOM G-2

(C) FORMER RADIOISOTOPE LABORATORY, BLDG. 1,
ROOM G-19

SOURCES: CE, Baltimore District, 1976.
ESE, 1984.

Figure 2.1-1
LOCATION OF CURRENT AND FORMER
RADIOLOGICAL WASTE STORAGE AREAS
AND FORMER RESEARCH REACTOR—
MAIN SECTION, WALTER REED ARMY
MEDICAL CENTER

Prepared for:
**U.S. Army Toxic and Hazardous
Materials Agency**
Aberdeen Proving Ground, Maryland




Figure 2.1-2
LOCATION OF RADIOISOTOPE STORAGE
FACILITIES—FOREST GLEN, WALTER
REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

accidents resulting in environmental contamination by radioactive materials have occurred at Forest Glen.

During the period 1961 to 1977, DORF (shown on Fig. 2.1-2) was operated by the DA Harry Diamond Laboratories. The reactor, a TRIGA Mark F, was used primarily for studies of the effects of neutron and gamma radiation on electrical and electronic equipment and for biological effects studies by WRAIR and WRAMC after the decommissioning of the WRAIR reactor at the Main Section. The reactor was operated either at steady state (250 kW) or as a 2,000-kW pulse generator. During operation of the reactor, no environmental contamination reportedly occurred due to spills of radioactive materials. Emergency cooling water storage at DORF was in three underground storage tanks. These tanks were routinely checked for potential leaks. No leaks were reported. One radiation protection survey (USAEHA, 1972b) indicated that no releases which violated NRC regulations were occurring, and with minor exceptions, proper records were maintained.

In 1977, DORF was decommissioned. A detailed decommissioning plan (Harry Diamond Laboratories, DORF, 1977) and report (WRAMC DFAE, 1980b) prepared by Rockwell International, Inc., are available, as well as the detailed USAEHA residual radioactivity report (USAEHA, 1980), which indicated that the facility conformed to standards which allowed release for unrestricted use. In February 1980, the facility was transferred to WRAMC (Harry Diamond Laboratories, Nuclear Radiation Effects Laboratory, 1980). Since that time, the facility has been used for radioactive waste storage by the Health Physics Office.

The following disposal operations were completed during decommissioning (Harry Diamond Laboratories, Nuclear Radiation Effects Laboratory, 1980).

1. The fuel elements were transferred to four different facilities: 3 elements to the Armed Forces Radiobiology Research Institute, 18 elements to Penn State University,

- 46 elements to the University of Utah, and 25 elements to Hanford Engineering, Richland, Wash.
2. The reactor components were transferred to Hanford Engineering.
 3. Radioactive waste and irradiated structural material were shipped to the radioactive burial site at Beatty, Nev.
 4. The reactor pool was dismantled, and the reactor building was restored for unlimited use.

CB Agents

No record was found of the manufacture, storage, or use of lethal CB agents or munitions at WRAMC, Forest Glen, or Glen Haven.

2.1.7 PETROLEUM, OILS, AND LUBRICANTS (POL) HANDLING AND STORAGE

The POL products used at WRAMC are fuel oil, automotive gasoline, diesel fuel, kerosene, engine oil, and solvents. These POL products, with the exception of solvents, are stored in bulk quantities at storage facilities (see Table 2.1-5). Bulk storage tanks are of steel construction; underground tanks are coated, wrapped, and provided with cathodic protection to reduce the corrosion potential. The solvents used at WRAMC are primarily Varsol (a nonchlorinated petroleum distillate) with lesser amounts of carbon tetrachloride, TCE, and benzene. Solvents and engine oil are stored in either 55-gal or 5-gal drums. Volumes of solvents used, storage locations, and disposal of waste oils and solvents are discussed in Sec. 2.2.1.

The WRAMC Spill Prevention Control and Countermeasure/Installation Spill Contingency Plan (SPCC/ISCP) has been in effect since 1977 and was revised in February 1982 (HSC, 1982). The plan calls for daily inventory monitoring of all underground and aboveground tanks and daily visual inspection of the fuel tanks in the concrete vaults at Bldg. 15 (Main Section) and Bldg. 120 (Forest Glen Section). The storage tanks are pressure tested on an occasional basis.

Table 2.1-5. POL Storage Facilities at WRAMC

Location	Quantity Aboveground (gal)	Quantity Underground (gal)	Type of Fuel	Secondary Containment
MAIN SECTION				
Bldg. 1 2 tanks		825	Kerosene	Direct burial
Bldg. 15 6 tanks		123,000	#6	Concrete vault
2 tanks		60,000	#6	Direct burial
2 tanks		800,000	#6	Direct burial
Bldg. 82 3 tanks		15,000	MOGAS*	Direct burial
Bldg. 89 1 tank		5,000	#2	Direct burial
FOREST GLEN SECTION				
Bldg. 120 4 tanks	43,000		#2	Concrete vault
Bldg. 156 1 tank		1,000	#2	Direct burial
Bldg. 500 3 tanks		112,000	#2	Direct burial
Bldg. 506 1 tank		2,000	#2	Direct burial
Bldg. 508 1 tank		10,000	#2	Direct burial
Bldg. 511 2 tanks		32,000	#2	Direct burial
Bldg. 601 1 tank		15,000	#2	Direct burial

3/22/84

Table 2.1-5. POL Storage Facilities at WRAMC (Continued, Page 2 of 2)

Location	Quantity Aboveground (gal)	Quantity Underground (gal)	Type of Fuel	Secondary Containment
Bldg. 605				
1 tank		5,000	#2	Direct burial
3 tanks		15,000	MOGAS/Diesel	Direct burial
Bldg. 606				
2 tanks		74,000	#2	Direct burial
Bldg. 133				
1 tank	275		#2	No protection
Bldg. 135				
1 tank	275		#2	No protection
GLEN HAVEN SECTION				
McMahon Rd.				
1 tank		30,000	#2	Direct burial
Zones 1 and 2				
17 tanks	4,675		#2	No protection

* MOGAS = motor vehicle gasoline.

Sources: HSC, 1982.
ESE, 1984.

2.2 DISPOSAL OPERATIONS

2.2.1 INDUSTRIAL WASTE TREATMENT

The industrial wastes generated at WRAMC are associated with the vehicle maintenance and other support activities. The types of waste generated and methods of treatment and/or disposal are presented in the following sections.

Vehicle Maintenance Shops

Waste oil and brake, hydraulic, and transmission fluids generated at the DIO maintenance shop at Bldg. 605 are collected in a 500-gal underground storage tank. Prior to 1975, waste POL products were collected in 55-gal drums at Bldg. 41. The volume of waste POL generated has remained relatively constant at 750 to 950 l/month. Disposal is and has been through a waste oil contractor; the current contractor is Eastern Oil Service located in Alexandria, Va.

Cleaning solvents used since 1979 are Varsol (a nonchlorinated petroleum distillate) and carbon tetrachloride; approximately 200 l of each solvent are used per year. Both solvents are used in separate recirculating tanks, with spent solvent being drained to the waste oil tank. Prior to 1979, Varsol was used exclusively as the degreasing solvent at a rate of approximately 400 lpy. Varsol was disposed of in the waste oil tank.

Battery maintenance at the DIO shop includes charging and water addition only. Dead batteries are handled by a contractor (Best Battery in Forestville, Md.). Battery maintenance practices have been unchanged for at least the past 30 years.

Until 1983, waste antifreeze was disposed of in the waste oil drums (at Bldg. 41) or underground waste oil tank (at Bldg. 605). Since 1983, waste antifreeze has been discharged to the sanitary sewer system. The volume of waste antifreeze generated has remained at a relatively constant 750 lpy since the early 1950s.

The DIO maintenance shop does not have and has not had a spray paint booth; the only type of painting done is touchup work using spray-type cans. Empty cans are disposed of in the trash.

A single wash rack facility is located adjacent to Bldg. 605. From 1975 to 1979, the wastewater (containing detergent and wax) was discharged to the storm sewer. A wastewater recycle system employing a diatomaceous filter system has been installed; waste filter solids are disposed of through a local septic tank service on an annual basis. Prior to 1975, vehicle washing was conducted adjacent to Bldg. 41; it is not known if the wastewater was sent to the sanitary or storm sewer system.

Waste crankcase oil and brake, hydraulic, and transmission fluids generated at the DFAE shop are and have been collected in a 55-gal drum. Approximately 50 gal of waste oils are collected per month and are disposed of through a waste oil contractor.

Degreasing operations at Bldg. 601 are conducted primarily through a flow-through steam tank which discharges to the storm sewer system. A similar type steam cleaning operation which discharged to the storm sewer was used at Bldg. T-32 prior to 1972; since 1972, steam cleaning has not been conducted there. The discharge of oil-contaminated wastewater is not metered; however, the volume discharged is estimated to be approximately 40 l/month. This operation is not covered by a National Pollutant Discharge Elimination System (NPDES) permit.

In addition to the steam degreasing, spray can-type degreasing solvents (containing petroleum naphtha) are also used for small jobs. Waste solvent and grease are collected onto wipe rags which are disposed of in the trash.

Battery maintenance at the DFAE shop includes charging and water addition only. Dead batteries are traded in to various suppliers for replacement.

Waste antifreeze is and has been collected in a 55-gal drum and disposed of through the waste oil contractor; the volume of waste antifreeze disposed of is estimated to be less than 200 lpy. Waste antifreeze at the DFAE shop is segregated from the waste oil drum.

Painting activities at the DFAE shop are limited to touchup work using spray cans. No spray booth facilities are located at Bldg. T-32 or Bldg. 601.

No wash rack facilities are located at Bldg. 601; the wash rack at the DIO shop (Bldg. 605) is used by DFAE. Prior to 1972, DFAE vehicles were washed at a wash rack adjacent to Bldg. 82 which drains to a storm sewer. Reportedly, no detergents were used at that time.

Waste crankcase oil and brake and transmission fluids generated at the PX auto repair shop are drained to a 400-gal underground waste oil tank. Waste oil is disposed of monthly through a waste oil contractor. Degreasing operations use Varsol (a nonchlorinated petroleum distillate) as the solvent in a recycling degreasing tank. Degreasing solvent is drained at 3- to 4-week intervals to the waste oil tank; approximately 40 l of solvent are used per month.

Battery maintenance at the PX shop includes charging and water addition only; dead batteries are traded in to various suppliers for replacement.

Waste antifreeze at the PX shop is discharged to the sanitary sewer; the volume of antifreeze discharged is unknown.

There are no painting facilities at the PX auto shop.

Waste crankcase oil and brake and transmission fluid generated at the self-help shop are drained to a 500-gal underground waste oil tank. The waste oils are disposed of by a waste oil contractor approximately twice

per year. Degreasing operations use Varsol (a nonchlorinated petroleum distillate) as the solvent in a recycling degreasing tank. The waste solvent is drained at 6-month intervals to the waste oil tank; approximately 75 lpy of solvent are used.

Battery maintenance at the self-help shop is limited to charging and water addition only; dead batteries are not handled.

Waste antifreeze is discharged to the sanitary sewer; the volume of waste antifreeze discharged from the self-help shop is unknown. The wash rack located adjacent to Bldg. 82 drains to the storm sewer system. The discharge of wastewaters to a storm sewer system requires an NPDES permit. WRAMC has not applied for such a permit.

Boiler Plants

The wastewater generated from the boiler plants is boiler blowdown contaminated with sulfides, phosphates, and tannins. The blowdown is unmetered for flow; blowdown occurs for approximately 2 minutes per day, 7 days a week. The blowdown from all boilers is quenched with potable water prior to discharge to the sanitary sewer system.

Laundry Facility

Wastewater from the laundry operation is discharged directly to the sanitary sewer system. The wastewater contains removed soil and residuals of detergent and chlorine bleach. Approximately 261,000 l of wastewater are discharged per day from the laundry facility.

Print Shops

Waste materials generated at the AG print shop are rags contaminated with petroleum distillate and/or methylene chloride and ink wastes. Approximately 40 to 60 l of petroleum distillate and 10 l of methylene chloride are used per month. The waste rags are disposed of in the trash. The quantities and types of solvents used prior to 1977 are not known.

Waste materials generated at the AFIP print shop are wastewater contaminated with isopropyl alcohol and ink and wipe rags contaminated with petroleum distillate and/or isobutyl alcohol and ink wastes. The wastewater is discharged to the sanitary sewer system; wasted rags are disposed of in the trash. Approximately 150 l of isopropyl alcohol, 60 l of petroleum distillate, and 1 l of isobutyl alcohol are used per month. The types and quantities of solvents used at the AFIP print shop are reported to be unchanged since 1954.

In addition to the wastes associated with printing activities, photographic chemicals are also disposed of at the AFIP shop. Approximately 45 l of photographic wastes are discharged to the sanitary sewer system monthly. The AFIP shop is not currently participating in the WRAMC silver recovery program.

Office Machine Repair Shop

Approximately 15 l/month of perchloroethylene were estimated to have been used as the cleaning solvent prior to the early 1970s. The perchloroethylene was disposed of primarily through evaporation, with small amounts discarded in the trash on wipe rags. Perchloroethylene has been replaced by TCE as the "flushing" solvent since the early 1970s. The quantities used and method of disposal for TCE are the same as for perchloroethylene.

A recycling wash tank was added to the office machine repair shop in about 1977. The tank is filled with a solution of 20 l of benzene and 75 l of petroleum distillate, which is changed 1 to 2 times per month. The waste solvent is drained to a 55-gal drum and disposed of monthly through a waste oil contractor.

Arts and Crafts Shop

The arts and crafts shop has been located in Bldg. 163 at the Forest Glen Section since its inception in 1970. The shop provides facilities for woodworking, photography, and pottery and ceramics working for

active and retired military personnel and their dependents. Furniture refinishing and stained glass working are not permitted at the shop.

In the woodworking shop, cellosolve® (2-ethoxyethanol) is used as a paint thinner, and petroleum naphtha and methylene chloride are used for cleaning. Waste cleaning solvents are either evaporated or placed in empty paint cans and disposed of in the trash. The supply of thinner (4 l) and cleaning solvent (10 l of petroleum naphtha and 1 l of methylene chloride) in stock at the time of the survey reportedly will last for several months.

Approximately 10 l/month of photographic chemicals are discharged to the sanitary sewer system. The arts and craft shop currently does not participate in the WRAMC silver recovery program.

2.2.2 WASTEWATER TREATMENT

Most wastewater generated at the three WRAMC areas is discharged directly into sanitary sewers connected to municipal sewage treatment systems. The Main Section is connected to D.C. sewer mains; the Forest Glen Section is connected to a Washington Suburban Sanitary Commission (WSSC) sewer main which is in turn connected to the D.C. system. The Glen Haven Section is connected to WSSC sewer mains. WRAMC discharges to the D.C. and WSSC systems are not subject to NPDES regulations (USAEHA, 1976).

2.2.3 SOLID WASTE/LANDFILLS

WRAMC

Records searched did not indicate that any landfills or disposal areas had ever existed on the Main Section. Due to the urban setting and the scarcity of available land or land suitable for disposal-type operations, WRAMC has always disposed of solid wastes through landfills located in D.C., surrounding states, or, in some instances since 1942, at the Forest Glen Section. Reportedly, WRAMC had an onsite crew which collected solid waste on the Main Section until 1966. Since 1966, solid

waste disposal activities have been contracted. The current contractor in charge of solid waste collection and disposal is Browning-Ferris Industries of Baltimore, Md. Infectious, contaminated, and pathological waste disposal operations are discussed later in this section.

Forest Glen

Records searched indicated that several areas on Forest Glen had been used for landfill or disposal operations (see Fig. 2.2-1). These areas were shown by aerial photographs to be in use during the period 1951 to 1970 (EPA, Environmental Monitoring Systems Laboratory, 1983). A waste incinerator was also in use during the period 1957 to 1970. Items reportedly landfilled in these areas included: construction rubble (bricks, concrete, asphalt, wood, glass, etc.); roots, stumps, leaves; and incinerator ash (from classified papers, contaminated wastes, animal bodies, and some garbage). These residues were found and identified when building foundation borings were made in 1972 in the area where the main commissary is now located. No ground water was encountered when these borings were made at depths approximately 15 m below ground surface level. No leachate seeps were noted in these areas. Erosion has been a problem in the past at the site of the current helipad, located on the large former landfill on the western side of Forest Glen; however, terracing the area and planting grass had moderated the problem. Current sanitary waste disposal is by contract with Browning-Ferris Industries.

Glen Haven

Records searched did not indicate that any landfill or disposal areas had ever been located at Glen Haven. Current sanitary waste disposal is by contract with Browning-Ferris Industries.

Contaminated Wastes

As a result of research, clinical, and patient care activities, wastes potentially or actually contaminated by pathogenic organisms are generated at WRAMC, WRAIR, and AFIP on the Main Section, and from WRAIR




Figure 2.2-1
FORMER LANDFILLS ON FOREST GLEN,
WALTER REED ARMY MEDICAL CENTER

Prepared for:
U.S. Army Toxic and Hazardous
Materials Agency
Aberdeen Proving Ground, Maryland

2/24/84

research activities and Animal Resources facilities at Forest Glen. No activities which generate contaminated wastes occur at Glen Haven.

Currently, contaminated wastes are handled under the DFAE hazardous waste program. Contaminated wastes fall under the following categories.

Infectious Waste--Infectious waste includes disposable items such as needles, syringes, and other solid waste from experiments involving disease-producing organisms, as well as bedding, body fluids, exudates, and excretions from infectious disease research animals and from patient care. Examples of such material are used surgical gauze from human or infected animal sources, intravenous (I.V.) tubing with needle attached, contaminated gloves, and items from surgical procedures that come in contact with tissue, blood, body fluids, excretions, or secretions.

Pathological Waste--Pathological waste includes animal carcasses, anatomic parts, and tissues, as well as human body parts and operating room wastes and autopsy wastes.

Infectious wastes which can be autoclaved, such as bacteriological media and cultures, needles, etc., are sterilized and bagged, labeled as noninfectious, and discarded as general trash. Non-autoclavable infectious materials are bagged in yellow containers, boxed, and segregated from the general trash. This material is collected three times per week from containers located at each hazardous waste pickup site at Bldg. 2 on the Main Section and from Bldg. 511 on Forest Glen. This waste is hauled to the Montgomery County incinerator facility. Fifteen to 90 cubic yards (yd³) of infectious waste are generated at WRAMC and Forest Glen weekly. Reportedly, no problems or complaints have been generated by the current infectious waste handling procedures.

Research animal wastes are handled as pathological wastes by the Animal Resources personnel of WRAIR. Currently, approximately 680 kilograms per week (kg/week) of bedding and other contaminated materials and animal carcasses are generated by WRAIR and AFIP research activities. These materials are burned in the incinerator located at Bldg. 511, Forest Glen.

Human pathological waste is segregated, frozen, and taken to the incinerator at Fort Detrick, Md., for burning. Reportedly, this waste amounts to approximately 600 kg/month.

The current handling practices for contaminated wastes are described in several publications (WRAMC, 1980, n.d.; WRAMC DFAE, n.d.). Prior to 1980, pathological waste and animal wastes were incinerated at Bldg. 54, AFIP. The quantities of animal wastes reported in the Environmental Impact Assessment (EIA) (USAEHA, 1976) are approximately two times the reported current amounts. Use of the AFIP incinerator was suspended in 1980 because of incinerator performance problems (see Sec. 2.4). Contaminated waste generation in the past is also reviewed in the EIA (USAEHA, 1976), which indicated that prior to 1977, infectious waste was not adequately segregated for disposal. Quantities of infectious waste generated could not be estimated because of inadequate segregation. Infectious wastes (mixed with noninfectious solid wastes) were taken offpost to the following disposal areas, according to the EIA (USAEHA, 1976):

- Lorton, Va. Landfill (Washington, D.C., operated)
- Bellaire, Md. Landfill (near Bowie, Md.)
- Lewisdale, Va. Landfill
- Montgomery County, Md. Landfill
- Washington, D.C. Incinerator No. 5
- Montgomery County, Md. Incinerator

During the period 1957 to 1970, an incinerator was located at Forest Glen (EPA, Environmental Monitoring Systems Laboratory, 1983) at the

site of the current Animal Resources incinerator, located in Bldg. 511. It is not known whether all pathological and infectious wastes generated by WRAMC were disposed of at the former incinerator.

2.2.4 DEMOLITION AND BURNING GROUND AREAS

Records searched did not indicate that any demolition activities or training exercises with explosives or munitions were ever conducted at WRAMC, Forest Glen, or Glen Haven. Records searched did not indicate that any burning ground areas for the destruction of dud munitions, out-of-date ammunition, explosives, powders, or propellants were ever located on any of the WRAMC areas.

2.2.5 DEMILITARIZATION

Records searched did not indicate that any demilitarization activities were ever conducted at WRAMC, Forest Glen, or Glen Haven.

2.2.6 RCRA STATUS

WRAMC is considered to be a generator and transporter only of hazardous waste material. On Aug. 18, 1980, WRAMC submitted a Notification of Hazardous Waste Activity to EPA and was assigned the EPA Identification No. DC4210021156 (see App. F). EPA has not requested that WRAMC submit either Part A or B of the RCRA permit application.

Hazardous wastes generated at WRAMC have been manifested and picked up for disposal on a monthly basis by a contractor (Environmental Cleaning Specialists of Kingston, Pa.). The types and quantities of hazardous wastes generated at WRAMC are as follows:

1. Xylene--11,355 lpy
2. Chloroform--454 lpy
3. Acids (corrosive)--454 lpy
4. Reactives (oxidizers)--454 lpy
5. Poisons--454 lpy
6. Flammable liquids--2,725 lpy
7. Non-radioactive toluene--34,065 lpy

Wastes are stored before disposal at the following locations:

Main Section:

1. Bldg. 54 loading dock (AFIP)
2. Bldg. 40 loading dock (WRAIR)
3. Bldg. T-2, Room 252 (pathology laboratory)

Forest Glen Section:

1. Bldg. 500
2. Bldg. 516

At the time of the site visit, WRAMC reportedly was experiencing a problem of nonperformance by the disposal contractor. Due to this situation, hazardous wastes had been stored at WRAMC for greater than 90 days, storage space at the various loading docks was becoming limited, and it was reported that several containers at the AFIP dock had been discarded in the trash. The legal office at WRAMC is currently working at resolving the contractor problem. After the current contract expires in February 1984, WRAMC reportedly will be contracting with Fort Belvoir, Va., for transport and disposal of hazardous waste.

The Government of D.C. performed a RCRA compliance survey at WRAMC on Sept. 29, 1983. This survey noted the following deficiencies:

1. Storage areas are not marked properly;
2. Two containers had been stored for greater than 90 days, and several containers were in poor condition and leaking;
3. There was no log for wastes in the storage areas nor an inspection schedule for the storage areas;
4. The SPCC Plan did not include hazardous waste emergencies; and
5. A record of job titles and position descriptions for personnel involved with hazardous waste management is not kept.

These deficiencies were brought to the attention of WRAMC during the September 1983 survey. At the time of the installation assessment, corrective actions reportedly were being taken.

2/24/84

2.3 WATER QUALITY

2.3.1 SURFACE

The Main Section and Forest Glen are located in the Rock Creek Drainage Basin. Rock Creek originates in Montgomery County, Md., and flows south through residential, urban, and industrial areas to discharge into the Potomac River below Georgetown in D.C. As described in the EIA (USAEHA, 1976), the majority of the watershed is developed, with the exception of the headwaters. The stream contains numerous pools and is heavily shaded through most of its length. Sand and gravel are the predominant bottom substrate.

No recent water quality data exist for Rock Creek; however, as described in the EIA, water quality is poor as a result of urban runoff. High levels of metals, especially lead, would be expected in the sediments as a result of roadway runoff and atmospheric deposition of lead from vehicle exhaust. This impact would be expected to have been greater in the past than currently. Salt washed from streets after ice removal operations would impact the creek. Organic materials, nutrients, and bacterial contamination from the runoff would result in high levels of coliform bacteria and episodes of low dissolved oxygen (DO) concentrations. These latter occurrences would be most prevalent in summer. Oil and grease and other hydrocarbons (HC) associated with urban environments would also be present. Episodes of high turbidity would be associated with rain events. A summary of water quality data from 1974 presented in the EIA (USAEHA, 1976) documents the high level of bacterial contamination, turbidity, and elevated oxygen demand.

Glen Haven is located between two channelized tributaries of Sligo Creek which flow into the Anacostia River. The Anacostia River also flows into the Potomac River. The Sligo Creek Drainage Basin is also nearly completely urbanized, similar to Rock Creek. Water quality in Sligo Creek would be expected to be similar to that in Rock Creek.

WRAMC

Rock Creek Park is immediately adjacent to the western boundary of the Main Section of WRAMC, which has no surface streams or drainageways. Runoff from lawns, streets, parking lots, and roofs enters the underground stormwater drainage system and is conveyed to Rock Creek via storm sewers, which also collect runoff from additional, more extensive areas. The contribution of storm water from the Main Section compared to the overall load of pollutants from the other portions of the drainage area of Rock Creek is insignificant.

Forest Glen

Rock Creek is also adjacent to the western boundary of Forest Glen. Storm runoff from Forest Glen is conveyed to Rock Creek via four small tributaries to the creek. No recent water quality data for Rock Creek in the area of Forest Glen or water quality for the spring or tributaries exist. The load of organic matter, oil and grease, HC, bacteria, and metals would be expected to be less than from other areas of similar size in the watershed because of the low intensity of development at Forest Glen compared to the surrounding area.

The steep slopes adjacent to Rock Creek Park, which in the past were modified by fill, have resulted in erosion and turbidity problems in Rock Creek (USAEHA, 1976). Retention basins have been built and slopes vegetated to mitigate this adverse impact. Reportedly, the system now provides adequate erosion control.

Glen Haven

Glen Haven consists of multifamily housing units, parking lots, and streets and lawns. Urban runoff from Glen Haven would be similar in quality to runoff from the areas adjacent to this section. The quality of this runoff would be expected to be typical of multifamily developments in the D.C. area.

2.3.2 SUBSURFACE

As a result of the geological characteristics described in Sec. 1.6.4, almost no ground water quality data exist for the northern portion of D.C. and Montgomery County, Md., in the area of WRAMC, Forest Glen, or Glen Haven. According to the EIA (USAEHA, 1976), public ground water supplies provide less than 3 percent of the water consumed on a regional basis. At WRAMC and the two noncontiguous sections, the nonporous bedrock yields little water, less than 76 lpm to residential wells. The water table exists at approximately the bedrock-sediment interface. No quantitative ground water quality data are available. No USGS observation wells are located in the intermediate area.

2.3.3 POTABLE WATER

WRAMC

WRAMC obtains its potable water supply via eight 8-inch (in) cast iron pipe mains from the Washington Aquaduct Division of the Baltimore District CE, which supplies D.C. According to the EIA (USAEHA, 1976) and the Master Plan, Vol. 1 (RTKL Associates, Inc., 1976), the supply for WRAMC comes from the Dalecarlia Reservoir Filtration Plant, located on the Potomac River above the Great Falls area. Treatment consists of flocculation, sedimentation, filtration, disinfection, and pH adjustment. In the past (USAEHA, 1969), water delivered to WRAMC in summer when water temperature was greater frequently contained no residual chlorine. No elevated coliform levels were reported, according to the 1969 USAEHA report (USAEHA, 1969). It was recommended that WRAMC either install its own disinfection apparatus or monitor and prompt the District to increase chlorine dosage to a level adequate to carry a residual to WRAMC.

A subsequent 1977 USAEHA study (USAEHA, 1977a) indicated that the chlorine residual problems had been overcome. At that time, the surveillance of the WRAMC system for coliform levels, as required by Army regulations (U.S. Army, 1976), was judged to be inadequate. The surveillance program was expanded to rectify the situation. PVNTMED Activity currently collects 14 to 16 samples per month and monitors them

for chlorine residual, coliform levels, fluoride, and total hardness. These data indicate no elevated levels of coliforms or fluorides and that residual chlorine content of the potable water at WRAMC is adequate. According to the 1977 USAEHA study (USAEHA, 1977a), the installation participates in the U.S. Army Drinking Water Surveillance Program (USADWSP) administered by USAEHA. Reportedly, no violations of primary or secondary drinking water maximum contaminant limits or trihalomethane concentrations greater than 100 micrograms per liter (ug/l) have been observed.

Forest Glen

Water is supplied to the Forest Glen Section from WSSC. This water is supplied to two reservoirs from the Patuxent River and is treated by flocculation, sedimentation, filtration, disinfection, and pH adjustment. In the past, Forest Glen had the same chlorine residual and surveillance problems as WRAMC (USAEHA, 1969, 1977a). Currently, 12 samples per month from Forest Glen are tested by the PVNTMED Activity, and samples are collected for the USAEHA drinking water surveillance program. The only potable water quality data published (USAEHA, 1978) for WRAMC are for the distribution system at Forest Glen (App. G). Reportedly, no violations of trihalomethanes or primary or secondary drinking water standards occur.

Glen Haven

The Glen Haven Section obtains water from the same source as Forest Glen. Three samples per month are routinely monitored by the PVNTMED Activity at WRAMC. No problems are reported currently for this section with regard to potable water quality.

2.4 AIR QUALITY

2.4.1 AMBIENT

WRAMC is located in the National Capital Interstate Air Quality Control Region (AQCR). An extensive ambient air quality surveillance network is operated in this region to monitor pollutant levels for which standards exist. Table 2.4-1 gives the national and Maryland Ambient Air Quality

Table 2.4-1. National and State of Maryland AAQS

	National		Maryland	
	Primary	Secondary	Serious	More Adverse
SO_x				
Annual arithmetic mean, ug/m ³	80		79	39
24-hour maximum,* ug/m ³	365		262	131
3-hour maximum,* ug/m ³		1,300		
1-hour maximum,† ug/m ³			525	262
Particulate Matter				
Suspended				
Annual arithmetic mean, ug/m ³	75**	60**	75	65
24-hour maximum,* ug/m ³	260	150	160	140
Settleable				
Annual arithmetic average, mg/cm ² /month			0.5	0.35
Monthly maximum			1.0	0.7
CO				
8-hour maximum,* mg/m ³	10	10	10	10
1-hour maximum,* mg/m ³	40	40	40	40
HC				
3-hour (6-9 AM) maximum,* ug/m ³	160	160	160	160
Nitrogen Dioxide (NO₂)				
Annual arithmetic mean, ug/m ³	100	100	100	100
Photochemical Oxidants				
1-hour maximum,* ug/m ³	160	180	160	160

* Not to be exceeded more than once per year.

† Not to be exceeded more than once per month.

** Annual geometric mean.

Abbreviations:

ug/m³ = micrograms per cubic meter.

mg/cm²/month = milligrams per square centimeter per month.

mg/m³ = milligrams per cubic meter.

NO₂ = nitrogen dioxide.

Source: USAEHA, 1976.

Standards (AAQS). Table 2.4-2 gives the levels in tons/year of suspended particulates, sulfur oxides (SO_x), carbon monoxide (CO), HC, and nitrogen oxides (NO_x) from pollutant sources for Montgomery and Prince Georges Counties, which border D.C. to the north and to the east, respectively.

Air quality in the WRAMC area is marginal. Data furnished by the state of Maryland (USAEHA, 1976) indicate violations of the air quality standards for suspended particulates, CO, nonmethane HC, and photochemical oxidants. High levels of CO, nonmethane HC, and photochemical oxidants in the WRAMC area can be attributed to the extremely high number of motor vehicles in the area.

2.4.2 SOURCE EMISSIONS

WRAMC

Potential air emission sources at WRAMC include:

1. Stationary fuel combustion units,
2. Incinerators,
3. Vehicles,
4. Volatile fuel storage tanks, and
5. Small industrial operations.

Two boilers, each rated at 80,500 lb/hr steam, are currently located at the WRAMC central heating plant, Bldg. 15. These boilers have been in operation since 1980. WRAMC has an exemption from the Bureau of Air and Water Quality, Washington, D.C., to operate these boilers without a permit subject to specific conditions (Government of the District of Columbia, Department of Environmental Services, 1980). Plans exist to convert these boilers to natural gas. An air quality permit will be applied for at the time of conversion. Records indicate that the central heating plant was located at Bldg. 15 as early as 1918 and during the early years was coal fired (U.S. Constructing Quartermaster, 1918).

Table 2.4-2. Pollutant Sources for Montgomery and Prince Georges Counties, Md.
(All units in tons/year)

Source	Particulates	SO _x	CO	HC	NO _x
<u>Space Heating</u>					
Residential	1,035	3,010	891	296	2,509
Commercial	237	989	223	78	1,387
Government/ Institutional	475	2,658	102	49	1,788
Industry	<u>24</u>	<u>98</u>	<u>8</u>	<u>2</u>	<u>172</u>
Total	1,771	6,755	1,224	425	5,856
Power Plants	5,610	122,390	1,447	372	28,130
Mobile Sources	5,324	2,101	414,815	56,859	45,180
<u>Process</u>					
Industry	441	76	13	356	157
Commercial	<u>19</u>	<u>9</u>	<u>50</u>	<u>7,583</u>	<u>23</u>
Total	460	85	63	7,939	180
<u>Refuse</u>					
Incinerator	898	421	296	84	452
Open Burning	<u>38</u>	<u>0</u>	<u>158</u>	<u>33</u>	<u>5</u>
Total	936	421	454	117	457
GRAND TOTAL	14,101	131,752	418,003	65,712	79,803

Source: USAEHA, 1976.

2/24/84

Although no longer in use, an incinerator is located in Bldg. 54 and was primarily used by AFIP until 1980. The incinerator is a Joseph Goder incinerator, Model Number 500-2, Type 40-IS. It is rated at 450 lb/hr for Type 4 waste and 300 lb/hr for Type 2 waste. In 1974, a total of 172,500 pounds (lb) of waste were incinerated. Table 2.4-3 provides a description of the characterization of this waste (USAEHA, 1976). Use of this incinerator was discontinued when it failed to meet the state of Maryland criteria for an operating permit.

Prior to 1960, an incinerator was operational at Bldg. 16, but is no longer in service.

In the early 1950s, approximately 200 vehicles were in use on WRAMC. By 1974, 166 vehicles, ranging from fire department trucks to sedans, were in use. At that time, the vehicles consumed 638,116 l of gasoline and 69,540 l of diesel fuel (USAEHA, 1976). The number of vehicles in use onpost has continued its slow decline, and currently 151 vehicles are used.

No significant industrial operations exist at WRAMC. Small operations include several woodworking shops, which are equipped with dust collectors that separate the conveying air from the wood sawdust and shavings. The air is vented to the atmosphere while the wood is collected in hoppers. No visible emissions occur from the dust collectors, and no complaints have been received (USAEHA, 1976).

WRAMC has 46 fuel storage tanks ranging in size from 275 to 30,000 gal. These tanks store either No. 2 or No. 6 fuel oil, diesel fuel, kerosene, or gasoline. All are vented to the atmosphere and present no air pollution problems (USAEHA, 1976).

Source emissions from WRAMC do not appear to adversely impact the ambient air quality in the National Capital Interstate AQCR. No record

Table 2.4-3. Characterization of Waste Burned in AFIP Incinerator on WRAMC

Waste	lb/yr*
Paper	100
Corncob bedding, hardwood chips, and cedar shavings	130,000
Animal carcass and infectious material	26,000
Body tissues and pluses	7,280
Pathology and autopsy	<u>9,120</u>
TOTAL	172,500

* lb/yr = pounds per year.

Source: USAEHA, 1976.

2/24/84

exists of air emissions from any operations at WRAMC exceeding standards of local, state, or Federal agencies.

Forest Glen

At Forest Glen, there are 16 boilers which have air quality permits. Table 2.4-4 lists these boilers.

An operating incinerator is located at Forest Glen in the new Bldg. 511 and is used by Animal Resources personnel for disposal of animal bodies and bedding. The incinerator is a Consumat Model C-125-P infectious waste incinerator and is rated at 350 lb/hr. Currently, 1,500 lb of waste per week are incinerated.

Prior to 1960, a different incinerator was operational at the old Bldg. 511 (which was torn down) on Forest Glen but is no longer in service.

No record exists of air emissions from any operations at Forest Glen exceeding standards of local, state, or Federal agencies.

Glen Haven

Because Glen Haven is a housing area and no central heating facility or incinerator exists on the area, no problems were noted with air emissions.

2.4.3 PERMITS

WRAMC

No air quality permits are required for the Main Section of WRAMC.

Forest Glen

Air quality permits issued to WRAMC by the state of Maryland Department of Health and Mental Hygiene include the following:

1. Operating permit for the infectious waste incinerator located at Bldg. 511, Forest Glen; and

Table 2.4-4. List of Boilers at Forest Glen, WRAMC

Building Number	Number of Boilers	Number of Stacks	Steam Rating (lb/hr)	Fuel Used
120	1	1	—	No. 2 oil
120	1	1	21,000	No. 2 oil
500	3	3	3,450 each	No. 2 oil
506	1	1	1,700	No. 2 oil
508	1	1	3,450	No. 2 oil
511	2	1	6,700 each	No. 2 oil
606	3	3	8,500 each	No. 2 oil
163	1	1 stack	5,116	Gasoline
163	2	for both	4,480	Gasoline
120	1	1	13,000	No. 2 oil

Source: ESE, 1984.

2. Operating permits for 16 boilers located at Forest Glen:
Bldg. 120 (3 boilers), Bldg. 500 (3 boilers), Bldg. 506
(1 boiler), Bldg. 508 (1 boiler), Bldg. 511 (2 boilers),
Bldg. 163 (3 boilers), and Bldg. 606 (3 boilers).

Copies of these permits are included in App. H. One boiler, located in Bldg. 120, has recently been replaced with a 700 HP Cleaver Brooks Model. The permit has been applied for but not yet received. Permit requirements are currently being met at Forest Glen, and no problems are associated with emission sources.

Glen Haven

No air quality permits are required for the Glen Haven Section.

2.4.4 NOISE

WRAMC has various noise sources associated with normal installation activity, some of which have the potential to contribute to the general ambient noise levels existing outside the boundaries of the installation. These sources include rotary-wing aircraft, vehicles, and fixed and portable generators (USAEHA, 1976).

Noise emission data on helicopters utilizing WRAMC are available from the noise data base at USAEHA. These data were obtained from previous studies specifically designed for use in assessment of rotary-wing aircraft noise impact on communities surrounding military installations (USAEHA, 1976). Table 2.4-5 summarizes the mean noise emission values for the aircraft under normal cruise, takeoff, and landing performance conditions.

WRAMC has some motor vehicles which could, under certain circumstances, produce objectionable noise levels in the community surrounding the installation. These vehicles include trucks, buses, tractors, and other maintenance equipment. Noise emission data available from the noise data base at USAEHA and from field measurements at WRAMC indicate that

Table 2.4-5. UH-1 Helicopter Noise Level Data

Condition	Altitude (AGL)*	dB(A)
Normal cruise	250	84
	500	78
	1,000	71
Takeoff	250	82
	500	75
	1,000	69
Landing	250	82
	500	76
	1,000	70

* AGL = above ground level.

Source: USAEHA, 1976.

these vehicles generate from 62 to 88 decibels (A-weighted) [dB(A)] measured 15 m from the source during both pass-by and stationary operation (USAEHA, 1976).

Stationary and portable generators may also be potentially significant noise sources at WRAMC. Noise emission data for stationary generators available from the USAEHA data base indicate that maximum levels of 55 dB(A) at 30 m could be expected. Noise emission data for portable generators also available from the USAEHA data base show a value of 75 dB(A) at a distance of 30 m from the source (USAEHA, 1976).

2.5 IMPACTS ON BIOTA

Ongoing and past installation activities on the Main Section, Forest Glen, and Glen Haven cause no adverse ecological impacts, such as reduction and adverse changes to species diversities, population levels, or species replacement. The absence of adverse effects is due to:

1. The lack of sensitive areas or habitats or threatened or endangered species on the three WRAMC sections;
2. The absence of ranges and training areas;
3. The prevalence of wildlife species adapted to urban environments and tolerant of installation activities, noise levels, etc.; and
4. The maintenance of the three sections as improved grounds; therefore, available land areas are not suitable for extensive wildlife management.

3.0 INSTALLATION ASSESSMENT

3.1 FINDINGS

3.1.1 METEOROLOGY

Meteorological conditions at WRAMC, Forest Glen, and Glen Haven are greatly influenced by the Chesapeake Bay, Atlantic Ocean, and Appalachian Mountains. The climate is considered mild, with average mean temperatures ranging from 1.7°C in January to 25.9°C in July. The annual precipitation of 90.83 cm is uniformly distributed throughout the year. Precipitation as snowfall averages approximately 50 cm annually.

3.1.2 GEOLOGY

WRAMC

The Main Section has two predominant soil complexes. Much of this area is covered by buildings, concrete, asphalt, and other impermeable materials, virtually eliminating infiltration of contaminants into the soil. The base rock under this section does not function as an aquifer. Nearby production aquifers are in the thick wedge of coastal sediments to the southeast.

Forest Glen

Three soil series predominate on Forest Glen. Permeability of all three series is considered low. The base rock under this section also does not function as an aquifer.

Glen Haven

The Glen Haven Section is covered with only one type of soil series, which experiences moderate erosion. Permeability for this soil series is considered low. The base rock under this section also does not function as an aquifer.

3.1.3 HYDROLOGY

WRAMC

The Main Section has no streams onpost. Surface drainage occurs through the onpost storm sewer system. Rock Creek flows adjacent to the installation's western boundary.

Forest Glen

No perennial surface streams exist onpost; however, four streambeds exist where surface waters flow off the installation during periods of precipitation.

Glen Haven

No perennial surface streams exist on Glen Haven. Storm waters are collected and reportedly exit the installation through a storm drainage system to the west or to the south through a ditch in the center of the installation.

3.1.4 BIOTA

The biota of WRAMC, Forest Glen, and Glen Haven is composed of common wildlife and plant species adapted to and characteristic of urban areas. No sensitive wildlife habitats, wetland, or Critical Habitats occur onpost, and no undisturbed tracts of vegetation communities remain. Ongoing installation activities have no adverse effects on the biota.

3.1.5 REAL ESTATE/LEASES AND PERMITS

WRAMC

The Main Section comprises approximately 46 ha owned in fee simple. No leases or permits for this section involve toxic or hazardous materials.

Forest Glen

Forest Glen has been involved in several small excessing actions since 1976, and currently consists of approximately 70 ha. This section holds one permit which may involve toxic/hazardous materials. This permit,

No. DACA-31-4-68-116, is with NIH for construction and maintenance of a tri-service incinerator. The permit was issued in 1968 and is for an indefinite period. However, the incinerator was decommissioned in February 1984. Although the outgrant is currently in effect, it is to be terminated some time in 1984.

Glen Haven

This section consists of approximately 8 ha and serves as a housing area. Narrow strips of land along the western and southwestern boundaries are under consideration for excessing. Glen Haven holds no permits or leases which involve toxic or hazardous materials.

3.1.6 LEGAL CLAIMS

Records searched did not indicate any legal claims against WRAMC, Forest Glen, or Glen Haven with respect to the migration of toxic or hazardous materials.

3.1.7 INDUSTRIAL OPERATIONS

Industrial operations at WRAMC include vehicle maintenance, boiler operations, printing activities, laundry operations, and office machine repair. Toxic and hazardous materials used and wastes generated by industrial operations include methylene chloride, carbon tetrachloride, and TCE.

The motor pool at DIO, Bldg. 605 Forest Glen, is currently using carbon tetrachloride in a parts degreasing system. Although the use of carbon tetrachloride is not forbidden, use has been severely curtailed by Government agencies since the 1950s when studies linked its use with high incidence of liver, kidney, lung, and skin disorders. Sludges generated in the degreasing system are removed and disposed of as hazardous waste approximately every 2 months. Any residual solvents are disposed of in the waste oil tank, which makes the contents of this tank a hazardous waste. The waste oil is currently removed by an oil reclaimer and is not disposed of as a hazardous waste.

Many Government agencies have switched to less hazardous solvents (e.g., petroleum naphthas) as substitutes for carbon tetrachloride. However, if a substitute cannot be used for the carbon tetrachloride, an air monitoring program should be instituted. This program should determine if atmospheric concentrations are within the exposure limits recommended by the National Institute for Occupational Safety and Health (NIOSH). In addition, any solvent remaining when the tank is cleaned should be segregated and disposed of as a hazardous waste in accordance with RCRA regulations.

The print shop and office machine repair facility, both located in Bldg. 1, generate wipe rags contaminated with methylene chloride and TCE. These items are disposed of with other solid wastes generated at WRAMC. This disposal practice is in violation of RCRA regulations. Rags contaminated with toxic and hazardous materials should be stored and disposed of with other hazardous wastes generated by the installation.

Waste oils, brake fluids, anti-freeze, and other solvents generated by operations at WRAMC and its sections are collected and disposed of in accordance with appropriate regulations and guidelines.

3.1.8 LABORATORY OPERATIONS

Numerous laboratory operations are associated with the medical, dental, and veterinary research activities at WRAMC and Forest Glen and the medical and dental clinical activities at WRAMC. No laboratories are located at Glen Haven, which serves as a housing area. The major biological, medical, and chemical laboratory complexes are associated with the following:

1. WRAIR;
2. AFIP;
3. USAIDR;
4. USARDA;
5. Veterinary Clinic Activity; and

6. WRAMC--Radiology and Nuclear Medicine, Department of Pathology,
and Department of Clinical Investigations.

In addition, DPTSEC operates a centralized photographic laboratory at WRAMC, and a small recreation photographic laboratory is maintained by the recreation department at Forest Glen.

Currently, all laboratories participate in the Hazardous Waste Management Program, managed by DFAE through DPDO, for disposal of waste chemicals and pathological and infectious wastes. Radiological materials handling, storage, and disposal are managed by the Health Physics Office. No problems exist currently with regard to handling and disposal of radiological materials, or infectious or pathological wastes. As a result of a contract dispute, hazardous chemical disposal has temporarily been halted, and hazardous and flammable chemical waste is being stored at five locations in excess of 90 days, which is in violation of RCRA regulations (EPA, 1982b). The current generation rate is approximately 50,000 lpy. In addition, because of the overcrowding in the hazardous waste storage areas, some reagents which normally are collected for disposal are being flushed to the sanitary sewer. However, the rate of discharge of these materials to the sanitary sewer is not in excess of the amount permissible under RCRA regulations (EPA, 1982b).

Prior to 1980, no centralized hazardous waste management system existed. Reagents and some solvents were discharged to the sanitary sewer. The quantities did not exceed the amounts which now are permitted under RCRA regulations. Also prior to 1980, infectious waste was not adequately segregated from other solid waste, as described in Sec. 3.1.14.

Precious metal recovery was not instituted until 1982 for the photographic laboratory wastes. Prior to that time, photographic wastes were discharged to the sanitary sewer. Although the major generators of waste photographic solutions now participate in a silver recovery

2/24/84

program, during the site visit it was noted that silver recovery is not performed on solutions generated by the USAIDR X-ray unit, the AFIP photographic laboratory, or the Arts and Crafts Shop. WRAMC should consider collecting the solutions from these sources and including them in the silver recovery program.

3.1.9 TESTING

No materiel proof and surveillance testing activities have occurred at WRAMC, Forest Glen, or Glen Haven.

3.1.10 TRAINING AREAS AND RANGES

With the exception of the former indoor ballistic pistol range, which was demolished in 1980, no ranges have ever existed at WRAMC or its noncontiguous sections. No outdoor training activities have occurred at WRAMC or its noncontiguous sections. Training activities at WRAMC are limited to classroom and clinical instruction. Field training activities associated with WRAMC personnel are held at Fort Hill and Fort Pickett in Virginia.

3.1.11 TOXIC/HAZARDOUS MATERIALS--HANDLING AND STORAGE

Pesticides

Pesticides used at WRAMC are under the control of DFAE, Building and Grounds Section, and are stored at Bldg. 602, Forest Glen. This storage area conforms to the guidelines recommended by USAEHA and EPA.

PCBs

PCB-containing transformers are currently in use at WRAMC. Out-of-service transformers are drained at the service site, and the fluid is disposed of by a licensed hazardous waste contractor. The transformer carcass is taken to Fort Belvoir, Va., for disposal by DPDO. Items were last disposed of in 1982 under a contract with American Electric Co., located in Jacksonville, Fla. Transformers are not stored at WRAMC.

Chemicals

Waste reagents, overage chemicals and pharmaceuticals, and solvents are generated in quantities of approximately 50,000 lpy in the research and chemical activities of WRAMC and Forest Glen. These are disposed of by contract to a licensed hazardous waste transporter/disposer. As a result of a contract dispute, however, waste chemicals have been stored at WRAMC and Forest Glen for more than 90 days, which is in violation of RCRA.

In the past (prior to 1980), waste reagents were flushed to the sanitary sewer. Although the quantities were not in excess of the maximum allowable based on total sewage flow, it was recommended that waste reagents as well as overage chemicals be contract hauled to a hazardous waste landfill.

No problems were observed regarding the handling and storage of chemicals used in research and clinical activities.

Radiological Materials

Extensive use of radiological materials occurs at WRAMC and Forest Glen as a result of clinical and research activity by WRAMC, WRAIR, and AFIP. Isotope use and storage at WRAMC and Forest Glen are controlled by the Health Physics Office. Three NRC licenses and one DA Authorization are held by WRAMC. Isotope use appears to have been approximately the same for the past 10 years. Since 1978, isotopes were received and stored at two locations on Forest Glen. Prior to that time, materials were stored and handled at WRAIR (Bldg. 40) and the isotope laboratory (Bldg. 1) on the Main Section. WRAMC is licensed to possess over 50,000 Ci of isotopes, including sealed sources of cobalt-60 and cesium-137, 400 kg of uranium, and 5 kg of thorium. Generally, 10 to 40 percent of the allowable limits of radioisotopes are the maximum possessed by WRAMC. No possession in excess of limits has been reported. Radiological materials are used in 80 laboratories at WRAMC, Forest Glen, and at

offpost locations (USAIDR, Fort Meade, Md.; and USAMRIID, Fort Detrick, Md.). All are under surveillance of the Health Physics Office.

In the past, WRAMC has also been licensed to handle small amounts of plutonium. Two nuclear reactors have existed at WRAMC and Forest Glen for research purposes. The first was located in Bldg. 40, Main Section, in WRAIR and operated from 1961 to 1972. The second was located at Bldg. 516, Forest Glen. This facility (DORF) was operated from 1961 to 1977 by Harry Diamond Laboratories and time shared with WRAIR and WRAMC. Both reactors were decommissioned, and fuel, wastes, and irradiated components disposed of off the installation in accordance with NRC regulations.

Current handling, storage, and monitoring of radiological materials comply with NRC regulations. Radioactive waste is stored in Bldg. 516, Forest Glen. Reportedly, one-hundred ninety 55-gal drums of compacted solid and liquid waste are shipped to Hanford Engineering, Richland, Wash., for ultimate disposal. Limited quantities, less than 90 mCi/yr, of total radioactive materials are released by WRAMC activities. This is approximately 1 percent of the maximum allowable environmental releases.

No spills or releases of radiological materials have occurred as a result of reactor operation or isotope use at WRAMC, Forest Glen, or other WRAMC-related activities which would result in environmental contamination.

Agents

No record was found of the manufacture, storage, or use of lethal CB agents or munitions at WRAMC, Forest Glen, or Glen Haven.

3.1.12 POL HANDLING AND STORAGE

POL handling and storage at WRAMC are primarily through underground storage tanks and, to a lesser extent, either 55-gal drums or 275-gal

aboveground tanks. The WRAMC SPCC/ISCP Plan has been in effect since 1977; reportedly, no major spills have occurred at WRAMC. The underground tanks at WRAMC are pressure tested on an irregular basis.

3.1.13 INDUSTRIAL WASTEWATER TREATMENT

Industrial wastewaters are generated at the vehicle maintenance shops, boiler plants, laundry facilities, printing shops, and office machine repair shop at WRAMC. No toxic or hazardous wastewaters are generated at WRAMC. Most industrial wastewaters are discharged to either the D.C. or WSSC sanitary sewer systems. WRAMC is not required to have NPDES permits for its discharge to the sanitary sewer systems.

The degreasing operation at the DFAE vehicle maintenance shop (Bldg. 601 at Forest Glen) consists of steam cleaning with the wastewater discharge flowing to the storm sewer system. The discharge of an industrial wastewater to a storm sewer requires NPDES permits; WRAMC has no NPDES permits. It is recommended that this discharge be connected to the sanitary sewer system, thereby eliminating the need for an NPDES permit.

In addition, the wastewaters generated at the wash rack area at WRAMC (Bldg. 82) flow into the storm sewer system. This discharge is not in compliance with NPDES permit requirements. It is recommended that this discharge be connected to the sanitary sewer system, thereby eliminating the need for a permit.

3.1.14 CONTAMINATED WASTES

Contaminated wastes, consisting of human pathological wastes, animal carcasses and bedding, and infectious wastes are disposed of in accordance with the DFAE Hazardous Waste Management Program. Human pathological wastes are frozen and sent to Fort Detrick, Md., for incineration. Animal carcasses and wastes are incinerated at Bldg. 511, Forest Glen. Infectious wastes [approximately 90 cubic yards per week (yd³/week)] are segregated from noninfectious solid wastes and

contract-hauled to the Montgomery County, Md. incinerator for disposal by a certified hazardous waste transporter.

Prior to 1976, infectious wastes were not adequately segregated from noninfectious waste. Infectious wastes from WRAMC and Forest Glen were disposed of in four municipal landfills and at two incinerators.

3.1.15 DEMOLITION AND BURNING GROUND AREAS

Records searched did not indicate the past or current existence of any demolition or burning ground areas on WRAMC, Forest Glen, or Glen Haven.

3.1.16 WATER QUALITY

With the exception of three small tributaries to Rock Creek which originate in the undeveloped areas of Forest Glen, no surface water occurs at WRAMC. At Forest Glen, stormwater discharges into these streams then flow to Rock Creek. All runoff is conveyed by means of storm sewers to Rock Creek from the Main Section. Glen Haven is located in the Sligo Creek Drainage Basin.

No recent water quality data exist for Sligo or Rock Creeks nor for the tributaries located on Forest Glen. No adverse impacts as a result of installation operations are expected except for those associated with stormwater discharge. At the Main Section and Glen Haven, the runoff water quality would be typical of the surrounding urban area, and the quantities of pollutants discharged would be insignificant compared to the loading from other sources. At Forest Glen, stormwater quality would be expected to be better than the surrounding area as a result of the low intensity of development at Forest Glen compared to the surrounding area. Impacts to surface water quality by WRAMC are insignificant; however, the general water quality of Rock Creek and Sligo Creek is degraded by urban runoff.

Ground water is scarce and not developed in the area of WRAMC. No ground water quality data exist. Operations at WRAMC, Forest Glen, and Glen Haven are not expected to impact ground water quality.

WRAMC, Forest Glen, and Glen Haven receive treated water from D.C. and WSSC. Currently, potable water meets all primary and secondary drinking water regulations.

3.1.17 AIR QUALITY AND NOISE

WRAMC is located in the National Capital Interstate AQCR. Air quality in the area is marginal due to high levels of CO, nonmethane HC, and photochemical oxidants. These high levels have been attributed to the high number of motor vehicles in the area surrounding WRAMC.

There are 17 emissions sources (1 incinerator and 16 boilers) which require permits. Permit requirements are currently being met at WRAMC and Forest Glen, and no problems are associated with emission sources.

Noise sources include rotary-wing aircraft, vehicles, and fixed and portable generators. These sources do not significantly impact the surrounding community.

3.1.18 LANDFILLS

WRAMC

Records searched did not indicate that any landfills or disposal areas had ever existed on the Main Section. Prior to 1966, WRAMC reportedly had an onsite crew to collect solid waste. Since 1966, solid waste disposal activities have been contracted, with Browning-Ferris Industries being the current contractor.

Forest Glen

During the period 1951-1970, four separate areas on Forest Glen were used for landfill or disposal operations. A waste incinerator was in use onpost between 1957 and 1970. Residues of construction rubble,

roots, stumps, leaves, and incinerator ash were discovered when building foundation borings were made in 1972 in the area where the main commissary is currently located. No major problems were noted with these landfill areas, however. Erosion at the site of the current helipad has been alleviated through terracing and planting grass. A private contractor, Browning-Ferris Industries, currently collects sanitary waste onpost.

Glen Haven

Records searched did not indicate that any landfill or disposal areas had ever been located at Glen Haven. A private contractor, Browning-Ferris Industries, currently collects sanitary waste onpost.

3.1.19 RCRA STATUS

WRAMC filed as a generator and transporter of hazardous materials in 1980 and received EPA Notification No. DC4210021156. As previously described, the installation also initiated a hazardous waste disposal program whereby wastes generated by the various activities (e.g., WRAIR, AFIP, and the hospital) are collected and stored at specified locations by these activities. These items are scheduled to be removed periodically by a certified hazardous waste contractor in order to comply with Federal regulations (EPA, 1982b). Currently, WRAMC and the hazardous waste contractor reportedly are involved in a contract dispute, and wastes have been stored for more than the allowable 90 days while awaiting disposal. In the interim period, some small quantities of hazardous wastes reportedly have been disposed of in dumpsters with other sanitary refuse. WRAMC needs to resolve the contract dispute or find some other acceptable mechanism for the disposal of toxic/hazardous materials.

In addition, a RCRA compliance inspection was performed by D.C. in September 1983. Several deficiencies, as described in Sec. 2.2.6, were noted. WRAMC reportedly is taking corrective actions concerning these deficiencies.

3.2 CONCLUSIONS

1. Available geologic evidence and information on contaminant sources do not indicate the offpost migration of contaminants via surface or subsurface waters at WRAMC, Forest Glen, or Glen Haven.

2. The following practices for handling materials or waste disposal are not in compliance/conformance with designated regulations/guidelines:
 - a. Toxic/hazardous wastes are being stored in excess of the 90 days allowable under U.S. Environmental Protection Agency Regulations (EPA, 1982a).
 - b. Wastewater discharges from the steam cleaning operation (Bldg. 601) and the wash rack (Bldg. 82) enter stormwater drainages and have not been permitted in accordance with NPDES.
 - c. The disposal of wipe rags contaminated with toxic wastes along with nonhazardous solid waste is in violation of Resource Conservation and Recovery Act regulations.
 - d. The mixing of carbon tetrachloride with waste oil makes the resulting mixture a hazardous waste (EPA, 1982b).

3. While the use of carbon tetrachloride as a degreasing agent by the Directorate of Industrial Operations motor pool is allowed by National Institute for Occupational Safety and Health/ Occupational Safety and Health Administration regulations, nonhazardous substitute solvents are available (NIOSH/OSHA, 1978).

3.3 RECOMMENDATIONS (KEYED TO CONCLUSIONS)

That the U.S. Army Toxic and Hazardous Materials Agency should:

1. Not conduct a survey at this time.

That WRAMC should:

2.
 - a. Bring the hazardous waste program into compliance with U.S. Environmental Protection Agency regulations, and
 - b. Consider eliminating the need for National Pollutant Discharge Elimination System permits by connecting these wastewater sources to the sanitary sewer system.
 - c. Properly dispose of the wipe rags which are contaminated with toxic materials.
 - d. Avoid contamination of waste oils with any substance which could cause them to be classified as hazardous wastes.
3. Consider replacing carbon tetrachloride with a less hazardous solvent or institute a monitoring program to ensure that atmospheric levels do not exceed concentrations allowed by occupational health regulations.

BIBLIOGRAPHY

- Army Medical Center (AMC). Historical Branch. 1950. Walter Reed Hospital and Army Medical School History. Washington, D.C. (WRAMC-76).
- Darton, N.H. 1950. Configuration of the Bedrock Surface of the District of Columbia and Vicinity. U.S. Geological Survey Professional Paper 217. (WRAMC-74).
- Government of the District of Columbia. Department of Environmental Services. 1980. Permission to Install Two 80,500-Pound Steam/Hour Boilers in Building 15 at the Walter Reed Army Medical Center. Washington, D.C. (WRAMC-66).
- Harry Diamond Laboratories. Diamond Ordnance Radiation Facility (DORF). 1977. The Plan for the Decommissioning of the Diamond Ordnance Radiation Facility at Forest Glen Section, Walter Reed Army Medical Center. Adelphi, Md. (WRAMC-80).
- Harry Diamond Laboratories. Nuclear Radiation Effects Laboratory. 1980. Final Decommissioning Report, The Diamond Ordnance Radiation Facility (DORF). Adelphi, Md. (WRAMC-82).
- Headquarters, U.S. Army Health Services Command (HSC). 1982. Amendment No. 1 to Spill Prevention Control and Countermeasure Plan (SPCC Plan), Walter Reed Army Medical Center, Washington, D.C. Fort Sam Houston, Tex. (WRAMC-20).
- Headquarters, Walter Reed Army Medical Center (WRAMC). n.d. Policy Letter 83-10 (Infectious and Pathological Waste Disposal). Washington, D.C. (WRAMC-68).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1948. [Map of Forest Glen]. Silver Spring, Md. (WRAMC-84).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1978. Applications for Fuel Burning Equipment--to Maryland Department of Health and Mental Hygiene, Baltimore, Md. Washington, D.C. (WRAMC-63).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1980. Disposition Form: Guidelines for Disposal of Infectious Waste. Washington, D.C. (WRAMC-67).

- Headquarters, Walter Reed Army Medical Center (WRAMC). 1983a. Hazardous Waste Disposal at Forest Glen/Chemical Waste Manifest for Pickup. Washington, D.C. (WRAMC-64).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1983b. Pest Control Reports. Washington, D.C. (WRAMC-69).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1983c. Organization and Functions. Washington, D.C. WRAMC Regulation No. 10-1, Change 1. (WRAMC-70).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1983d. Staff Directory. Washington, D.C. (WRAMC-18).
- Headquarters, Walter Reed Army Medical Center (WRAMC). 1984. Map of Glen Haven, Md., Showing Area Proposed for Excessing. Washington, D.C. (WRAMC-92).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Directorate of Facilities Engineering (DFAE). n.d. U.S. Army Specifications for Infectious Waste Disposal, Building No. 2--New Medical Treatment Facility, WRAMC, BE-4 INFW-3-5. Washington, D.C. (WRAMC-97).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Directorate of Facilities Engineering (DFAE). 1980a. Notification of Hazardous Waste Activity. Washington, D.C. (WRAMC-126).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Directorate of Facilities Engineering (DFAE). 1980b. Shop Stock--Entomology Unit, Oct., Nov., Dec. Washington, D.C. (WRAMC-77).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Directorate of Industrial Operations (DIO). 1981. Hazardous Waste Manifest (Document No. 82424). Washington, D.C. (WRAMC-98).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Health and Environmental Activity. 1978. Evaluation of Fume Hoods and Other Exhaust Systems in Building 54, Armed Forces Institute of Pathology. Washington, D.C. (WRAMC-75).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Health Physics Office. 1979. Authority for Selected Radioactive Materials Not Controlled by Nuclear Regulatory Commission (NRC), Authorization No. A 08-17-01, Walter Reed Army Medical Center, Washington, D.C. (WRAMC-102).
- Headquarters, Walter Reed Army Medical Center (WRAMC). Health Physics Office. 1984. Isotope Delivery List by Auth. #. Washington, D.C. (WRAMC-99).

- Headquarters, Walter Reed Army Medical Center (WRAMC). Real Estate Office. 1983. Walter Reed Army Medical Center. Report of Compliance Inspection--Outgrants. Washington, D.C. (WRAMC-90).
- Maryland Department of Health and Mental Hygiene. 1983. Air Operating Permt No. O-00983-00126 Issued to Walter Reed Army Institute of Research to Operate an Infectious Waste Incinerator. Baltimore, Md. (WRAMC-96).
- National Climatic Data Center. 1982. Climatological Data Annual Summary--Virginia. Asheville, N.C. Maryland and Delaware. (WRAMC-103).
- National Institute for Occupational Safety and Health/Occupational Safety and Health Administration (NIOSH/OSHA). 1978. NIOSH/OSHA Pocket Guide to Chemical Hazards. (F.W. Mackison, Ed.). DHEW (NIOSH) Publication No. 78-210.
- Papadopoulos, S.S., Bennett, R.R., Mack, F.K., and Trescott, P.C. 1974. Water From the Coastal Plain Aquifers in the Washington, D.C., Metropolitan Area. U.S. Geological Survey Circular 697. (WRAMC-6).
- RTKL Associates, Inc. 1976. Walter Reed Army Medical Center Master Plan: Volume 1--Analysis of Existing Conditions and Environmental Assessment--Main Section. (WRAMC-71).
- U.S. Army. 1976. Facilities Engineering: Water and Sewage. Washington, D.C. Army Regulation No. 420-46. (GEN-28).
- U.S. Army. 1980. Safety: Ionizing Radiation Protection (Licensing, Control, Transportation, Disposal, and Radiation Safety). Washington, D.C. Army Regulation No. 385-11. (GEN-48).
- U.S. Army Corps of Engineers (CE). Baltimore District. 1971. Walter Reed Army Medical Center Basic Information Maps: General Site Map--Forest Glen Section (Maryland). (WRAMC-22).
- U.S. Army Corps of Engineers (CE). Baltimore District. 1976. Walter Reed Army Medical Center Master Plan Basic Information Maps: General Site Map--Main Section. (WRAMC-21).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1961. Report of Radiological Hygiene Survey No. 3845R51-61/62. Army Chemical Center, Md. (WRAMC-32).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1963a. Report of Radiological Hygiene Survey No. 4346R83-63. Edgewood Arsenal, Md. (WRAMC-31).

- U.S. Army Environmental Hygiene Agency (USAEHA). 1963b. Report of Radiological Hygiene Survey No. 4447R142-63. Edgewood Arsenal, Md. (WRAMC-30).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1965. Report of Radiological Hygiene Survey No. 4704R103-64/64. Edgewood Arsenal, Md. (WRAMC-26).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1969. Report of Evaluation of the Absence of a Free Available Chlorine Residual in the Water Distribution System of Walter Reed Army Medical Center, Survey No. 24-006-70, Washington, D.C. Edgewood Arsenal, Md. (WRAMC-23).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1970a. Insect and Rodent Control Survey No. 31-003-70, Walter Reed Army Medical Center, Washington, D.C. Edgewood Arsenal, Md. (WRAMC-42).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1970b. Radiation Protection Survey No. 43-073-70, Ionizing Radiation Sources, Walter Reed Army Medical Center, Washington, D.C. Edgewood Arsenal, Md. (WRAMC-55).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1972a. Industrial Hygiene and Environmental Sanitation Survey No. 99-005-73, Walter Reed Army Medical Center and Tenant Activities, Washington, D.C. Edgewood Arsenal, Md. (WRAMC-13).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1972b. Radiation Protection Program. Diamond Ordnance Reactor Facility, Walter Reed Army Medical Center, Washington, D.C. (Action No. 43-052-72). Aberdeen Proving Ground, Md. (WRAMC-14).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1972c. Radiation Protection Program, Walter Reed Army Medical Center (Action No. 43-054-72). Aberdeen Proving Ground, Md. (WRAMC-56).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1975. Entomological Special Study No. 99-045 75/76: Criteria for Design of a Pest Control Shop Pesticide Storage and Mixing Facility. Aberdeen Proving Ground, Md. (GEN-26).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1976. Environmental Impact Assessment, Walter Reed Army Medical Center, No. 99-009-76. Aberdeen Proving Ground, Md. (WRAMC-10).
- U.S. Army Environmental Hygiene Agency (USAEHA). 1977a. Potable/Recreational Water Quality Survey No. 61-0107-77, Walter Reed Army Medical Center, Washington, D.C. Aberdeen Proving Ground, Md. (WRAMC-51).

- U. S. Army Environmental Hygiene Agency (USAEHA). 1977b. Wastewater Engineering Survey No. 61-0108-77, Walter Reed Army Medical Center, Washington, D.C. Fort George G. Meade, Md. (WRAMC-41).
- U. S. Army Environmental Hygiene Agency (USAEHA). 1978. Summary of U.S. Army Drinking Water Surveillance Program, Data Base 1972-1977. Aberdeen Proving Ground, Md. (GEN-53).
- U. S. Army Environmental Hygiene Agency (USAEHA). 1980. Radiation Protection Special Study No. 28-43-0982-80, Close-Out Survey of Diamond Ordnance Radiation Facility (DORF). Aberdeen Proving Ground, Md. (WRAMC-81).
- U. S. Army Environmental Hygiene Agency (USAEHA). 1981b. Hazardous Waste Management Survey No. 37-26-0173-82, Walter Reed Army Medical Center, Washington, D.C. Aberdeen Proving Ground, Md. (WRAMC-45).
- U. S. Army Environmental Hygiene Agency (USAEHA). 1981a. Hazardous Waste Management Survey No. 37-26-0183-82, U.S. Army Institute of Dental Research, Walter Reed Army Medical Center, Washington, D.C. Aberdeen Proving Ground, Md. (WRAMC-43).
- U. S. Constructing Quartermaster. 1918. Map of Water and Sewage Lines, Walter Reed U.S. Army General Hospital, Takoma Park, D.C. (WRAMC-83).
- U. S. Department of Defense (DOD). Defense Supply Agency. 1976. Radioactivity Commodities in the DOD Supply Systems. Alexandria, Va. DSAM 4145.8, Army Regulation 700-64. (GEN-82).
- U. S. Environmental Protection Agency (EPA). 1982a. Hazardous Waste Management System; Identification and Listing of Hazardous Waste--Final Rule (40 CFR 261). Federal Register, 47(160):36092-36097. (Aug. 18, 1982). (GEN-89a).
- U. S. Environmental Protection Agency (EPA). 1982b. Hazardous Waste Management System: Standards Applicable to Generators of Hazardous Waste and Standards Applicable to Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities--Proposed Rule (40 CFR 122, 123, 262, 264, 265). Federal Register, 47(197):44932-44939. (Oct. 12, 1982). (GEN-88a).
- U. S. Environmental Protection Agency (EPA). 1982c. Regulations for the Acceptance of Certain Pesticides and Recommended Procedures for the Disposal and Storage of Pesticides and Pesticides Containers. Code of Federal Regulations, Title 40, Part 165, pp. 101-110. (GEN-65).

- U.S. Environmental Protection Agency (EPA). Environmental Monitoring Systems Laboratory. 1983. Installation Assessment Walter Reed Army Medical Center, Washington, D.C. Las Vegas, Nev. TS-PIC-83003. (WRAMC-78).
- U.S. Army. Headquarters. 1973. Identification of Radioactive Items in the Army Supply System. Washington, D.C. Technical Bulletin 43-0116. (GEN-71).
- U.S. Nuclear Regulatory Commission (NRC). 1976. Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for Byproduct, Source, or Special Nuclear Material. Washington, D.C. (GEN-69).
- U.S. Nuclear Regulatory Commission (NRC). 1977. Regulatory Guide 1.109, Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I. Washington, D.C. (GEN-70).
- U.S. Nuclear Regulatory Commission (NRC). 1980. Materials License No. 08-01738-03
a. Amendment No. 15
b. Amendment No. 50
Walter Reed Army Medical Center, Washington, D.C. (WRAMC-101).
- U.S. Nuclear Regulatory Commission (NRC). 1981. Registration Certificate--In Vitro Testing with Byproduct Material under General License, Registration No. 6158, Walter Reed Army Medical Center, Washington, D.C. (WRAMC-100).
- U.S. Nuclear Regulatory Commission (NRC). 1982. Standards for Protection Against Radiation. Code of Federal Regulations, Title 40, Part 20, pp. 206-240. (GEN-68).
- U.S. Soil Conservation Service (USSCS). 1961. Soil Survey of Montgomery County, Md. [Washington, D.C.]. (WRAMC-125).
- U.S. Soil Conservation Service (USSCS). 1976. Soil Survey of District of Columbia. D.C. Department of Environmental Affairs, Soils Erosion Group. (WRAMC-8).

APPENDIX A

OUTGRANTS FOR THE MAIN SECTION, FOREST GLEN, AND GLEN HAVEN, WRAMC

Source: WRAMC, Real Estate Office, 1983.

REPORT OF COMPLIANCE INSPECTION - OUTGRANTS		INSTALLATION OR PROJECT AND LOCATION		DISTRICT		DATE OF INSPECTION			
		WALTER REED ARMY MEDICAL CENTER		BALTIMORE		17 March 1983			
TYPE OF INSTRUMENT	CONTRACT NUMBER	GRANTEE	PURPOSE	TERM		RENTAL		CORRECTIVE ACTION RECOMMENDED	
				FROM	TO	AMOUNT	PER	YES	NO
Permit	DA-49-080-ENG-4478	District of Columbia	Construction of side-walks in connector w/Georgia Ave.	10 Feb 1977	Indefinite	NONE			X
Lease	DACA-31-1-79-351	Rigge National Bank	Rooms in Bldg. No. 1 for use as banking facilities w/rights of ingress & egress (2510 sq. ft)	1 Sept 1979	31 Aug 1984	\$6524	A		X

REPORT OF COMPLIANCE INSPECTION - OUTGRANTS		INSTALLATION OR PROJECT AND LOCATION		DISTRICT		DATE OF INSPECTION			
		WALTER REED ARMY MEDICAL CENTER (Forest Glen)		BALTIMORE		17 March 1983			
TYPE OF INSTRUMENT	CONTRACT NUMBER	GRANTEE	PURPOSE	TERM		RENTAL		CORRECTIVE ACTION RECOMMENDED	
				FROM	TO	AMOUNT	PER	YES	NO
Easement	DA-18-020-ENG-3714	Washington Suburban Sanitary Commission	R/W for sanitary sewer line	3 June 1965	2 June 2015	None			X
Easement	DA-49-080-ENG-4806	Washington Suburban Sanitary Commission	R/W 12" sewer line	19 April 1960	18 April 2010	None			X
Easement	DACA-31-2-68-32	Washington Suburban Sanitary Commission	Outfall sewer in NW corner Forest Glen section	24 Nov 1967	23 Nov 2017	None			X
Permit	DACA-31-4-68-116	National Institute Health	To construct & maintain a tri-service incinerator for use by WRAMC National Health & National Naval Medical Centers	27 Mar 1968	Indefinite	None			X

REPORT OF COMPLIANCE INSPECTION - OUTGRANTS		INSTALLATION OR PROJECT AND LOCATION		DISTRICT		DATE OF INSPECTION		
		WALTER REED ARMY MEDICAL CENTER (Forest Glen)		BALTIMORE		17 March 1983		
TYPE OF INSTRUMENT	CONTRACT NUMBER	GRANTEE	PURPOSE	TERM		RENTAL AMOUNT	CORRECTIVE ACTION RECOMMENDED	
				FROM	TO			PER
Lease	DACA-31-1-73-50 S/A #2	Peoples National Bank of Md.	1806 sq. ft. space in Bldg. 161	20 Mar 1972	14 Sept 1985	\$11,739		X
Easement	DACA-31-2-76-250	Dept. Transportation Montgomery County, Md.	Widening Brookeville Road (Forest Glen)	16 Feb 1977	Indefinite	None		X
Easement	DACA-31-2-76-371	Washington Gas Light Company	Installation & maintenance of gas lines	12 Dec 1975	11 Dec 2005	None		X
Easement	DACA-31-2-78-296	Montgomery County DOT	R/W bike path	21 Nov 1978	20 Nov 1993	None		X
Easement	DACA-31-2-80-569	Potomac Electric Power Company	R/W constructions operation, maintenance of electric poles & overhead power lines	2 June 1980	2 June 2030	\$640.00		X
License	DACA-31-3-82-178	Teletronic Industrial Systems, Inc.	To remove & replace 40 feet chain link fence	1 Sept 1982	6 Sept 1983	None		X

REPORT OF COMPLIANCE INSPECTION - OUTGRANTS		INSTALLATION OR PROJECT AND LOCATION			DISTRICT		DATE OF INSPECTION	
		WALTER REED ARMY MEDICAL CENTER (Glen Haven)			BALTIMORE		17 March 1983	
TYPE OF INSTRUMENT	CONTRACT NUMBER	GRANTEE	PURPOSE	TERM		RENTAL AMOUNT	CONSECUTIVE ACTIONS RECOMMENDED	
				FROM	TO		PER	YES
Easement	DA-49-080-ENG-4481	Washington Suburban Sanitary Commission	R/W sanitary sewer line	17 Dec 1952	16 Dec 2002	None		X
Easement/ Consent	DA-18-020-ENG-1914	Washington Suburban Sanitary Commission	R/W water pipeline 225 ft., sewer line install, operation maintenance, repair, replacement or removal	14 June 1963	Indefinite	None		X

The outgrants listed above have been visually inspected and noted particularly as to maintenance, repair, condition of property, utilization, additions or alterations, and for any unauthorized use, transfer or assignment of interest. The grantees are complying with the terms of the respective instruments in all cases which show no corrective action recommended (cases shown as recommending corrective action, indicate non-compliance in some respects, and a separate report on ENG Form 3560 is attached).

REPORT APPROVED (Signature of Chief, Real Estate Division) *David J. Caruso*
 DAVID J. CARUSO, Chief, REA Branch

SIGNATURE OF INSPECTOR *Ruth M. Croft*
 Ruth M. Croft

INSPECTED WITH (If applicable)

NAME *Wm. B. Iivens* TITLE *Real Property Officer* TELEPHONE NO. *202-576-2643*

ENG FORM 3560
 1 MAY 61

011848 SHEET A OF 4

APPENDIX B

ITEMS STORED IN WRAIR HAZARDOUS WASTE BUNKERS, WRAMC

Source: WRAMC, 1983a.

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

WRAIK

WRA-100-64/TX

REFERENCE OR OFFICE SYMBOL

SUBJECT

SGRD-UWM-A

Hazardous Waste Disposal at Forest Glen

TO Helen Settles

FROM SP4 Irv Rollman

DATE 5 Sep 83

CMT 1

1. Two cases, each containing the following items, have been entered into the bunker.

2. The first case contains:


- 5 bottles (25ml, 200ml, 300ml, 400ml, 2L-values approximate) unknowns.
- 1 bottle(500ml) Boron triflouride ethyl ether (95%)
- 1 bottle(500ml solid) m-Chloroperbenzoic acid (95%)
- 1 lecture bottle Ethylaluminum dichloride
- 2 lecture bottles Hydrogen chloride
- 1 lecture bottle Hydrogen sulfide
- 2 lecture bottles unknowns

3. The second case contains:

- 1 bottle(appx. 3 qt.) n-Amyl alcohol (95%)
- 1 bottle(1 gal.) Ethylene glycol monobutyl ether (95%)
- 1 bottle(appx. 2kg) 1,2-Dimethoxane (95%)
- 1 bottle(1 kg) Bis(2-methoxyethyl) ether (95%)

4. In addition, there is a 5 gallon drum containing approx. 3 gal. of Ethylene chloride (95%).

5. These items are from the Department of Medicinal Chemistry, Division of Experimental Therapeutics, WRAIR (Bldg. 500).



SP4 Irvin J. Rollman

2 SEP 83

DISPOSITION FORM

For use of this form, see AR 340-15. The proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL SGRD UWC D	SUBJECT CHEMICAL WASTE MANIFEST FOR PICK UP.
--	---

TO Facilities Engineers Attn. Mr. Armand Thomas	FROM C. Services Department Ruth V. Ault	DATE 10 Nov. 1983	CMT 1 Settles/hs/65029
---	--	----------------------	---------------------------

1. Attached in an addition to the previous manifests I have forwarded to you for waste pick-up.
2. Chemical waste pick-up per our fonecone was to to have been every two weeks. We have not had a pick up since Sept. 12, 1983.
3. Request a definite date for chemical waste pick up be arranged with the contractor.

Helen Belter
Ruth V. Ault *for*
C. Services Department

Enclosures (2)

11/17/83 - copy to Mr Thomas - says never got

10 Nov. 1983

manifest of waste chemicals, Building 40, WRAIR

1 pound Mercury, metal, 1 lb bottle
1 pint Acetone, 1 pint size bottle
200 ml toluene, 200 ml size bottle
4 gallons waste, 75% toluene, 5% acetone, 5% xylene, 1 gallon size bottles
2 quarts waste, 75% toluene, 5% acetone, 5% xylene, quart size bottles
350 ml Hematoxylin, 500 ml size bottle
48 oz May-Gruenwald Stain, 16 oz bottles
350 ml superoxal, 500 ml size bottle
100 ml wright's stain, 100 ml size bottle
1 pt benzidine, 1pt size bottle
75 ml phenylmethanol sulfonyl fluoride, 250 ml size bottle

Items to be picked up from Building 189, FG POC Jacob Karen, 427 5521


Potassium Chloride, 3N	2 liter bottle	1 liter
Xylene	2 liter bottle	1 liter
toluene	1 gal bottle	1 gallon
methanol	1 pt bottle	1 pint
xylene	1 pt bottle	22 pints
chloroform	1 pint bottle	15 pints
hydrochloric acid	1 pint bottle	2 pints
phenol	1 pint bottle	1 pint
acetic acid	1 pint bottle	1 pint
sodium dichromate	1 pint bottle	1 pint
ammonium hydroxide	1 pint bottle	1 pint
acetone	1 pint bottle	1 pint
formalin, buffered	300 ml bottle	300 ml
sodium carbonate	1 lb	1 lb
sodium dichromate	1 lb	2 lbs.
polyvinylpyrrolidone	2 lb	2 lb
cupric sulfate, crystals	1 lb bottle	7 lb
saponin	1 lb	2 lbs
propyl P Hydroxylbenzoate	1 lb	1 lb
methyl P Hydroxybenzoate	1 lb	100 gms
calcium chloride, injectable	cc	8
epinephrine injectable	cc	9 boxes
polyethylmethaexylate	5 gal	5 gal.
Unknowns to be evaluated		
unknown waste	1 pt bottle	1 pint
CARR-PRICE Reagent	4 oz	4 oz.
Unknown	2 oz	2 oz

Items to be submitted for pick up from Building 40, WRAMC

✓Sulfuric Acid	liter bottle	5 liters
✓Mercury, metal	lb	1 lb
✓sodium fluoroide,	5 lb bottle	5 lbs.
✓waste oil	gal bottle	3 gal
✓xylene (5% ETOM)	5 gal can	5 gal
✓potassium dichromate	9 lb bottles	4 bottles
✓potassium dichromate	9 lb bottles	1 bottle
✓sulfuric acid	9 lb bottle	1 bottle
✓potassium dichromate	gal bottle	2 gallons.
✓Aquasol (xylene, 75 %)	pint bottle	1 pint
✓hydromix (xylene, 75 %)	gal bottle	1 gal
waste to sampled, unknown		
✓scintiverse,	gallon bottle	6 gallons
✓PCS Solublizer	pint bottle	1 pint
✓PBS, 10X	pint bottle	200 ml

DISTRIBUTION UNIT

For use of this form, see AR 340 15. the proponent agency is TAGO

REFERENCE OR OFFICE SYMBOL SGRD UWC D	SUBJECT Transmittal of Documentation		
TO DFE Attn: Mr. Armand Thomas	FROM WRAIR Logistics Division Chief, Services Dept.	DATE 21 NOV 1983 Settles/ 6 5029	CMT 1
The attached manifest for hazardous chemical waste needs to be picked up per the hazardous waste contract with WRAMC.			
 Ruth V. Kull Chief, Services, Department			
TO: Logistics Division Services Department			CMT 2
Receipt of the attached manifest documentation is acknowledged.			
<hr/> (signature)			

DISPOSITION FORM

For use of this form, see AR 340-15, the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL	SUBJECT
SGRD UWC D	Transmittal of Documentation

TO	FROM	DATE	CMT 1
DFE ATTN: Mr. Armand Thomas	WRAIR Logistics Division	17 Nov. 1983	Settles/HS76 5029

The attached manifest for hazardous chemical waste, in reply to your fonecone of 11/16/83. These are duplicates of previously submitted manifests which you state you did not receive.

Ruth V. Ault
Ruth V. Ault for
Chief, Services Department

TO: Logistics Division Services Department	FROM	Date	CMT 2
---	------	------	-------

Receipt of the above/attached items documentation is acknowledged.

Ben E. P. [Signature]
(signature)

WRAIR, BUILDING40 MANIFEST 21 Nov. 1983

unit of issue	quantity	chemical/concentration
liter.	5 liters	sulfuric acid
lb	1 lb	mercury
5 lb	5 lb	sodium fluoride
1 gal	1 gal	waste oil

Unit of Issue	Quantity	Chemical /concentration	
gal. can	2½ gal	methyl methacrylate, 35 pp. BHT	liquid ↓ powder ↑ ↓
pint	6 pints	benzene	
pound	1 pound	phenol, USP	
4 oz	118 ml	hydrazine hydrate, 85%	
pint	104 gm	N,N.-Dimethyl-P-toluidine, 5% aromatic amine	
pint	258 gm	methyl methacrylate	
kg.	¾ full	styrene	
kg.	1/2 bottle	vinyl acetate, stabilized	
½ lb	½ lb	potassium iodate, 80%	
gal	1 gal	methyl 45%, formaldehyde 55%	
oz	3 oz, 22gm	thymol iodine, pure	
oz	1 oz	dimethyl glyoxine	
lb	1 lb	potassium ferricyanide, 81%	
lb	1/2 jar	sodium dichromate, technical grade	
grm	50 gm	stannous fluoride	
grm	10 gm	dithizone, 85%	
lb	1/4 bottle	manganese dioxide 99.79%	
2 lb	1 bottle	silane	
lb	1 lb	nickel chloride, 66%	
lb	1 lb	sodium chromate 86%	
lb	1 lb	sodium dichromate, technical	
lb	1 lb	animal charcoal	
4 oz	4 oz	potassium chromate 78%	
4 oz	1/4 bottle	lead dioxide 96.1%	
4 oz	8 oz	benzoyl peroxide	
lb	1 lb	potassium bisulfate, 36%	
pint	pint	2 butyne 1, 4 diol	
lb	1 lb	sodium bisulfate 35.7%	
/pint	500 gm	toluene sulfonic acid	
pint	5 pints	methyl salicylate, synthetic	
pint	300 cc	methyl salicylate, synthetic	
pint	4 pints	sodium hydrosulfite anhydrous, 88%	
lb	1 lb	sodium peroxide 96.9%	
lb	1 lb	phosphorus pentoxide, 99.3%	
lb	3 lbs	butyl alcohol	
pt	170 gm	cupric sulfate	
oz	4 oz	phosphorus pentoxide	
lb	1 lb	barium nitrate	
lb	1 lb	stannic oxide	
lb	2 lb	lemon oil	
oz	2 oz	phenolphthalen, 0.02%, 95% methanol	
lb	½ lb	lanthanum nitrate	
oz	1 oz	mercurous nitrate	
4 oz	4 oz	cuperic oxide	
lb	½ lb	potassium biphthalate, 99.9%	
oz	4 oz	cobalt oxide	
lb	1 lb	lead oxide	
oz	4 oz	zirconium oxide	

OFFICE OR OFFICE	PROJECT	
UNSC	J	Chemical waste pick up
TO	FROM	DATE
ATTN: Mr. Armand Thomas	WRAIR Safety Office	3 Oct 1983

CMT 1

1. Request that the items on the attached list be submitted to the contractor for pick up under the chemical waste contract.
2. Point of contact for these items is Helen Settles, WRAIR, Safety Office, 6 5029

Helen Settles
WRAIR
Safety Office

copy sent 11/19/83 / Mr. Thomas request says never got this one

3 OCTOBER 1963

WRAIR- BUILDING 40 Main post
 Hazardous waste to be picked up

Unit of Issue	Amount/concentration	chemical
1 pt	6 pts	Methonol, 66%, Chloroform, 33%
100 gm	100 gm	Piperidine, 98%
gallon:	9 gallons	Potassium dichromate (3½ gallons relabeled from last
5 gallon	10 gallons	formalin, 10% manifest)
4 oz	1 oz	Mercury metal, 100%
5 gal	5 gal drum	xylene, 100%
4 liters	4 liters	toluene, 100%
4 liter	2½ liters	acetone, 100%
½ gal	½ gal	Nitric acid, 100%
pint	pint	Nitric acid, 100%
pint	pint	trichloroacetic acid, 100%
½ gal	700 ml	nitric acid, 100%
1 gal	1 gal	sulfuric acid, 100%
pint	400 ml	sulfuric acid, fuming, 100%
pint	400 ml	sulfuric acid, 100%
pint	250 ml	phosphoric acid, 100%
pint	400 ml	acetic acid, 100%
pint	250 ml	hydrochloric acid, 100%
½ gal	400 ml	hydrochloric acid, 100%
pint	1 pint	formic acid, 100%
100 ml	75ml	Potassium hydroxide, 100%
pint	1 pt	xylene, 100%
pint	¾ pint	xylene, 100%
quart	1 quart	CH ₃ OH 66%, MeOH, 33%
quart	1 pint	tetramethylene diazo, 100%
½ lb.	½ lb	butylalcohol, 100%
liter	250 ml	trichloroacetic acid, 100%
gms, 100	100 gm	2 mercaptoethanol, 100%
1 pint	1 pint	phenol reagent, 100% contains, Lithium sulfate, sodium tungstate, sodium molybdate, phosphoric acid, HCL, bromine
1 pint	1 pint	DMSO Dimethyl sulfoxide
500 ml	100 ml	xylene, 100%
250 ml	250 mol	Fryite, from previous manifest

Building 40

WRAIR 3 October 1983

Hazardous waste for incineration

unit of issue	amount	chemical/concentration
5 gal	10 gallons	formalin, 10%
5 gal drum	2 drums (15 Gal)	xylene, 100 %
lb bottle	2 lbs	parloidin

3 October 1983

HAZARDOUS WASTE PICK UP AT FOREST GLEN

Unit of issue	Amount	Chemical/concentration
500 ml	500 ml	boron trifluoride ethyl ether, 95%
500 ml	500 ml (solid)	m chloroperbenzoic acid, 95 %
quart	3 quarts	n amyl alcohol, 95%
gallon	1 gallon	ethylene glycol monobutyl ether, 95%
2 kg	2 kg	1,2, dimethoxane, 95%
1 kg	1 kg	Bis(2-methoxyethyl) ether, 95%
5 gal drum	3 gal	Ethylene Chloride, 95%
gallon	20 gallons	waste containing: Methanol 25-43%
		acetonitrile 15-30%
		water 25-43%

3 October 1983

Hazardous Waste, Forest Glen

UNKNOWNs, Please sample or pick up for incineration as applicable.

Unit of issue	amount	chemical concentration
gallon	5 gallons	unknown
gallon	3 gallons	unknown (may be isoamyl alcohol)
2000 ml	2000 ml	unknown
500 ml	3 bottles	unknown
300 ml	1 bottle	unknown
200 ml	1 bottle	unknown
25 ml	1 bottle	unknown
400 ml	1 bottle	unknown
1000 ml	1 bottle	unknown
400 ml	1 bottle	unknown
500 ml	1 ml	unknown (acid?)
200 ml	3 bottles	unknown

10 Nov. 1983

Manifest of chemicals at Forest Glen, WRAIR to be picked up as waste.

2 gallons chloroform, 95%, 1 gallon size bottle
1 gallon dichloromethane, 95%, 1 gallon size bottle
1 gallon petroleum ether, 95%, 1 gallon size bottle

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL SGRD-UWM-A	SUBJECT Hazardous Waste Disposal at Forest Glen		
TO H.P. Settles Log Div, WRAIR	FROM Dept Med Chem, B.T. Poon	DATE 12 Sep 83	CMT 1
<p>1. One box of 4 1-gallon bottles is ready for pick-up. Top of box is dated 9 Sep 83.</p> <p>2. Liquor contains mainly methanol (range 25-43%), water (25-43%) and acetonitrile (15-50%); small amounts of 1-heptanesulfonic acid, butylamine and phosphoric acids; and traces of other components.</p> <p>3. These four bottles, in one box, are from the Dept of Medicinal Chemistry, Div. of Experimental Therapeutics.</p>			
<p style="text-align: center;"><i>B.T. Poon 12 Sep 83</i></p> <p style="text-align: center;">BING T. POON, Ph.D. Dept of Medicinal Chemistry Div. of Experimental Therapeutics</p>			

APPENDIX C
TYPICAL DISPOSITION FORMS AND WASTE MANIFEST
FOR WASTE CHEMICAL DISPOSAL, WRAMC

Source: WRAMC DIO, 1981.

MANIFEST DOCUMENT NO. A 82124

WPL

0009501

ARMY MEDICAL CENTER

SPRING MD

ENTER ONE OF THE FOLLOWING

UNIT USE ONLY

WASTE PACKS LAB CHEMICALS

WASTE PACKS LAB CHEMICALS

WASTE DESCRIPTION

ENTER APPLICABLE CODE

WASTE QUANTITIES

WASTE USE ONLY

WASTE QUANTITIES

WASTE DESCRIPTION

ENTER APPLICABLE CODE

WASTE QUANTITIES

WASTE USE ONLY

WASTE QUANTITIES

WASTE DESCRIPTION

ENTER APPLICABLE CODE

WASTE QUANTITIES

WASTE USE ONLY

WASTE QUANTITIES

WASTE DESCRIPTION

WASTE QUANTITIES

WASTE DESCRIPTION

WASTE RECORD AND CONTAINERS

0119831
81140535
MDD074923392

(OFFICE ONLY)
6-FAS LIQUID 55 GALS
7-FLOWS 5-GALLONS 5-YARDS 5-POUNDS

SEE ATTACHED LISTING
Removable tags nos (5 gal containers of waste) (multiple barrels)

2400 P 40 DR
4689 P 117 CT I 0001

5-19-84 TOTAL 7480 57025

Maple N. Ward
Children Services

ALL TO BE CLASSIFIED AS HAZARDOUS MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, AND LABELLED ACCORDING TO THE APPLICABLE REGULATORY REQUIREMENTS OF THE RCRA, CERCLA, AND FEDERAL, STATE AND LOCAL LAWS.

511 1 1 27 5 301

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		3. REQUEST NO		4. VOUCHER NO	
1. SEND TO:		5. DATE MATERIAL REQUIRED		6. DODAAC	
2. REQUEST FROM:		7. PRIORITY		8. ACCOUNTING/FUNDING DATA	
9. END ITEM IDENT		9. NAME/MANUFACTURER		9. MODEL	
10. PUBLICATION		11. JOB ORDER NO		12. SERIAL NO	
13. ISSUE		14. TURN-IN		15. SHEETS	
16. STOCK NO		17. ITEM DESCRIPTION		18. UNIT OF ISSUE	
19. CODE		20. QUANTITY		21. CODE	
22. SUPPLY ACTION		23. UNIT PRICE		24. TOTAL COST	
25. DATE		26. POSTED		27. BY	
1		Acetone	Pt	3/4	
2		N-Butanol	Pt	1	
3		Ethyl Acetate	Pt	1	
4		Butyl Acetate	Pt	1	
5		Methyl Methacrylate	Pt	3/4	
6		Methyl Propionate	Pt	1	
7		Ethyl Propionate	Pt	1	
8		Toluene	Pt	3/4	
9		Tetrahydrofurfuryl Alcohol	Pt	1	
10		Hyamine Hydroxide	Pt	1	
11		NCS-Reagent	Pt	1	
12		Ethylene Diamine	Bt	1	
13		Acetaldehyde	Bt	1	
14		Chloroform	Bt	2	
15	6505-113-9000	Chloroform	Bt	2	
16	6505-753-4775	Chloroform	Bt	2	
17		SEC-Butyl Alcohol	Bt	1	
18		Butyl Alcohol ISO	Bt	1	
19		Butyl Alcohol Normal	Bt	1	
20		CHLOROFORM ANALYZED REAGENT	Bt	1	
21		2-Propanol	Bt	2	
22		Butyl Alcohol	Bt	2	
23		Ethyl Butyrate	Bt	1	
24		Ethylbenzine	Bt	1	
25		Phenol Liquefied	Bt	1	
26		Acetic Acid	Bt	1	
27		Dimethyl Formamide	Bt	2	
28		Diethylamine	Bt	1	
29		Triton-X100	Bt	1	
				SHEET TOTAL	GRAND TOTAL

13. ISSUE/TURN-IN DATE: 2-5-81
 14. ISSUE QTY IN SUPPLY ACTION COLUMN: 1000
 15. REC. QTY IN SUPPLY ACTION COLUMN: [Signature]
 16. BY: [Signature]

1. SEND TO: (AR 710-2)		NO. SHEETS		2. PRIORITY		3. ACCOUNTING/FUNDING DATA	
3. REQUEST FROM: DIO, VRANG, F. GLEN		NO. 2		4. DODAAC		5. SERIAL NO.	
LOGISTIC DIV AFIP		9. END ITEM IDENT		7. MODEL		11. JOB ORDER NO.	
6. CODE		10. PUBLICATION		8. QUANTITY CODE		9. UNIT PRICE	
ISSUE		TURN-IN		EX-Excess		SC-Smt of Charges	
1-Initial		FWT-Fair Wear And Tear		UNIT		POSTED	
H-Replacement		RS-Report of Survey		OF		DATE	
STOCK NO		ITEM DESCRIPTION		ISSUE		BY	
12. ITEM NO		13. ISSUE QTY IN SUPPLY ACTION COLUMN		14. DATE		15. REC. QTY IN SUPPLY ACTION COLUMN	
16. DATE		17. DATE		BY		DATE	
BL-6	1		Toluene	Bt	3		
	2		Ethyl Acetate	Bt	1		
	3		Methyl Ethyl Ketone	Bt	1		
	4		Magnica	Bt	1		
	5		Ethylene Chloride	Bt	1		
	6		Methylene Oxide	Bt	1		
	7		Propanol	Bt	1		
	8		Ethyl Acetate	Bt	1		
	9		Transformer oil	Bt	1		
	10		Ethylene Glycol Monomethyl Ether	Bt	1		
	11		Asbestos	Bt	1		
	12		Detergent (unknown)	Bt	1		
	13		Urea	Bt	3		
	14		Silica Gel H	Bt	8		
	15		Ammonium Sulfate	Dr	1(10 lbs)		
	16		Sodium Sulfite	Dr	2(10 lbs)		
	17		Acetaldehyde	Bt	1		
				SHEET TOTAL		GRAND TOTAL	

DA FORM 3161
1 JUN 73

REPLACES DA FORM 3161, 1 JUL 66 WHICH IS OBSOLETE.

96FO 187A - 329 - 113

11/1/73

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE TURN-IN	SHEET NO. NO.	SHEETS REQUIRED	3. REQUEST NO.	4. VOUCHER NO.
1. SEND TO: DIO, WRAMC F, GLEN LOGISTIC DIV AFIP		XX	1	2	4. DODAAC	5. ACCOUNTING/FUNDING DATA
2. REQUEST FROM: LOGISTIC DIV AFIP		9. EPID ITEM IDENT	9. NAME/MANUFACTURER		9b. MODEL	9c. SERIAL NO.
3. CODE ISSUE 1-Initial R-Replacement		TURN-IN FWT-Fair Wear And Tear MS-Report of Survey		10. PUBLICATION		11. JOB ORDER NO.
EX-Excess SC-Smit of Charges		ITEM DESCRIPTION		UNIT OF ISSUE	QUANTITY	CODE
12. ITEM NO	g	STOCK NO	b	c	e	f
1				Bt	5 liters	
2				Bt	4 liter	
3				Bt	4 liters	
4				Bt	4 liters	
5				Bt	4 liters	
6				Bt	4 liters	
7				Bt	1 liter	
8				Bt	1 liter	
9				Bt	100ml	
10				Bt	500ml	
11				Bt	500ml	
12				Bt	500ml	
13				Bt	500ml	
14				Bt	1 lb	
15				Bt	1 lb	
16				Bt	25 grams	
17				Bt	275 grams	
18				Dr	1/2 gal	

BY: [Signature]

DATE: 2/23/81

14. ISSUE QTY IN
COLUMN

15. REC. QTY IN
COLUMN

DATE: 2/12/81

BY: [Signature]

DATE: 2/12/81

REPLACES DA FORM 3161, 1 JUL 66 WHICH IS OBSOLETE.

DA FORM 3161
1 JUN 73

GPO: 1974 - 928 - 113

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE NO. SHEETS		3. REQUEST NO.		4. VOUCHER NO.	
1 SEND TO: DIO WRAVC F. Glen		XX	1	6. DODAAC		7. PRIORITY	
2 REQUEST FROM: LOGISTICS DIV AFIP		3. DATE MATERIEL REQUIRED		8. ACCOUNTING/FUNDING DATA		9c. SERIAL NO.	
• CODE		9. END ITEM IDENT		10. PUBLICATION		11. JOB ORDER NO.	
ISSUE: I - Initial R - Replacement		9a. NAME/MANUFACTURER		12. QUANTITY		13. UNIT PRICE	
TURN-IN: FWT - Fair Wear And Tear RS - Report of Survey		EX - Excess SC - Short of Charges		14. CODE		15. TOTAL COST	
12. ITEM NO.	STOCK NO.	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	UNIT PRICE	TOTAL COST	POSTED DATE
1.		Picric Acid, Saturated Soln., gal.	gal.	1			
2.		Iso-Amyl Alcohol, approx. gal.	gal.	1			
3.		Methylene chloride, approx. gal.	gal.	1			
4.		Zinc sulfate 5% (Fl)oz	(fl)oz	16			
5.		Butyl Acetate, Approx. pts.	pts.	2 1/2			
6.		Phenol Reagent, 2N	pt	1			
7.		Phenol Crystals (approx. 1 1/2) Btls.	Btls.	2			
8.		Iso-Amyl Acetate (approx. 1/2 qt) Btls.	Btls.	2			
9.		Butanol (approx. 3 1/2 qts.) Btls.	Btls.	5			
10.		Diethylene Glycol, Methylene Monoethyl Ether	oz	2			
11.		Ethylene Dichloride	qt.	1			
12.		Ethyl Acetate (approx. 2pt)	Btls.	2			
13.		Ethylene Glycol (approx. 8pts)	Btls.	5			
14.		Aniline	(Fl.)oz	8			
15.		Areonomolybdate solution	ml	200			
16.		Benzene (approx. 2 pints)	Btls.	3			
17.		Methylformamide	qt	1			
18.		N,N, Dimethylformamide,	qt	1			
19.		Dioxane,	qt	1			
20.		Methyl benzoate	qt	1			
21.		Iso-propyl Alcohol (approx)	qt	1			
22.		Ethylene Glycol monomethyl ether	qt	1			
23.		Diethylene glycol (approx.)	pt	1			
24.		Thiolacetic Acid,	Btl.	1			
25.		"	Btl.	12			

Pick up at AFIP
At menard

BY *[Signature]* DATE *3/13/81* 15. REC QTY IN COLUMN *8* 16. SUPPLY ACTION COLUMN *8*

FOR TURN-IN		SHEET NO SHEETS		3. REQUEST NO		4. VOUCHER NO	
XX 5. DATE MATERIEL REQUIRED		TURN-IN		6. DODAAC		7. PRIORITY	
9. END ITEM IDENT		98. NAME/MANUFACTURER		96. MODEL		8. ACCOUNTING/FUNDING DATA	
10. PUBLICATION		99. SERIAL NO		11. JOB ORDER NO			
12. ITEM NO		ITEM DESCRIPTION		UNIT ISSUE		QUANTITY	
STOCK NO		ITEM DESCRIPTION		UNIT ISSUE		QUANTITY	
CODE		ISSUE		EX-Excess		SC-Smt of Charges	
26.		Nitroethane 2X1/2 pints	PTs.	2 1/2			
27.		Propyl Alcohol	PT.	1			
28.		Nonyl Alcohol	PT.	1			
29.		Iso amyl alcohol	PT.	1			
30.		Epon resin	PT.	1			
31.		Acetic anhydride	PT.	1 1/10			
32.		Nadic methyl anhydride	PT.	1/3			
33.		1,2, Dimethoxy ethane	lb.	1			
34.		Mesco cement adhesive	PT.	2X1/2			
35.		2-Nitropropane	PT.	100			
36.		N,N,N, Tetramethy-ethylene di amine	ml	2X1/2			
37.		1-Nitropropane	PTS.	100			
38.		Iso-amyl ether	ml	100			
39.		2,4,6-Trimethylpyridine	g	100			
40.		Phenol	lb	2X1			
PLEASE DISPOSE OF THE FOLLOWING CHEMICAL: STOCK NUMBER JAN 1-488-782 ACID PICRIC MERCK-(BRINITROPIRINOL)							
Pick up 2/25/81 Ft McNeil							
13. ISSUE/TURN-IN DATE		14. ISSUE QTY IN "SUPPLY ACTION" COLUMN		15. REC QTY IN "SUPPLY ACTION" COLUMN		16. GRAND TOTAL	
QUANTITY COLM REQUESTED		DATE		DATE		BY	
3/12/81		1/2/81		2/23/81		J. B. ...	

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE TURN-IN	SHEET NO	NO SHEETS	3. REQUEST NO	4. VOUCHER NO																
1. SEND TO: DID, WRAMC		<input checked="" type="checkbox"/>	1	3																		
2. REQUEST FROM: LOGISTIC DIV AFIA		3. DATE MATERIAL REQUIRED	6. DODAAC		7. PRIORITY	8. ACCOUNTING/FUNDING DATA																
		9. END ITEM IDENT	9b. NAME/MANUFACTURER		9b. MODEL	9c. SERIAL NO																
• CODE		ISSUE	10. PUBLICATION		31. JOB ORDER NO																	
1- Initial R- Replacement		FWT- Fair Wear And Tear RS- Report of Survy	EX- Excess SC- Stmt of Charges																			
12 ITEM NO	a	STOCK NO	b	ITEM DESCRIPTION	c	UNIT OF ISSUE	d	QUANTITY	e	CODE*	f	SUPPLY ACTION	g	UNIT PRICE	h	TOTAL COST	i	POSTED DATE	j	BY		
1				Potassium Dichromate		Bt		2lb.														
2	(Strong oxidant)			Sodium Nitrite		Bt		8oz														
3	(Strong oxidant)			Sodium Nitrate		Bt		4oz														
4	Poison			Sodium Azide		Bt		4oz														
5				UREA		Bt		4lb														
6				Potassium Chloride		Bt		4lb														
7				Manganese Chloride		Bt		4oz														
8				Sodium Meta borate		Bt		3/4lb														
9				Potassium Dichromate solution		0.1N		1QT														
10				Sodium Sulfite		Bt		50gm.														
13. ISSUE/TURN IN QUANTITY COLUMN IS REQUESTED															DATE		2/13/81		BY		L...	
14. ISSUE QTY IN "SUPPLY ACTION" COLUMN															DATE		2/27/81		BY		DAR...	
15. P.C. QTY IN "SUPPLY ACTION"															DATE		0		BY			
SHEET TOTAL															GRAND TOTAL							

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE SHEET NO. 1		3. REQUEST NO.		4. VOUCHER NO.					
1. SEND TO		5. DATE MATERIEL REQUIRED		6. DODAAC		7. PRIORITY					
2. REQUEST FROM		9. END ITEM IDENT		9b. NAME/MANUFACTURER		9c. MODEL					
3. CODE		10. PUBLICATION		11. JOB ORDER NO.		8. ACCOUNTING/FUNDING DATA					
12. ITEM NO.	13. STOCK NO.	14. ITEM DESCRIPTION	15. UNIT OF ISSUE	16. QUANTITY	17. CODE	18. SUPPLY ACTION	19. UNIT PRICE	20. TOTAL COST	21. POSTED DATE	22. BY	
1		Acid Phosphoric	Pt.	6							
2		Acid Hydrochloric	Pt.	1							
3		Hydrogen Peroxide	Pt.	1							
4		Trichloroethylene	Oz.	4							
<p><i>Jerry L. Badders</i> Jerry L. Badders Printing Officer, MIS</p>											
13. ISSUE/TURN-IN QUANTITY COLUMN IS REQUESTED		DATE		14. ISSUE QTY IN "SUPPLY ACTION" COLUMN		DATE		15. REC. QTY IN "SUPPLY ACTION" COLUMN		DATE	
		3/13/81		BY		JLB		DATE		BY	
SHEET TOTAL								GRAND TOTAL			

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE TURN-IN	SHEET NO	NO SHEETS	3. REQUEST NO	4 VOUCHER NO				
1. SEND TO:		3. DATE MATERIAL REQUIRED	4. DODAAC	7. PRIORITY	8. ACCOUNTING/FUNDING DATA					
2. REQUEST FROM:		9. END ITEM IDENT	9b. NAME/MANUFACTURER	9b. MODEL	9c. SERIAL NO					
• CODE		10. PUBLICATION	11. JOB ORDER NO							
• ISSUE		10. PUBLICATION								
• L-Initial R- Replacement		10. PUBLICATION								
• FWT- Fair Wear And Tear RS- Report of Survey		10. PUBLICATION								
• EX- Excess SC- Smit of Charge		10. PUBLICATION								
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
a	b	c	d	e	f	g	h	i	j	k
1	6810-753-4785	SULFURIC ACID	PT	60						
2	6810-753-4779	NITRIC ACID	PT	37						
SHEET TOTAL										GRAND TOTAL
13. ISSUE/TURN-IN QUANTITY - COLUMN IS REQUESTED										14. ISSUE QTY IN "SUPPLY ACTION" COLUMN
DATE										DATE
BY										BY
DA FORM 3161										DA FORM 3161

REQUEST FOR ISSUE OR TURN-IN (AR 710.2)		ISSUE TURN-IN	SHEET NO NO 1	3. REQUEST NO	4. VOUCHER NO					
1 SEND TO DIO, WRAMC		5. DATE MATERIEL REQUIRED	6. DODAAC	7. PRIORITY	8. ACCOUNTING/FUNDING DATA					
2 REQUEST FROM: LOGISTICS DIV AFIP		9. END ITEM IDENT	10. NAME/MANUFACTURER	11. MODEL	12. SERIAL NO					
3 CODE ISSUE		10. PUBLICATION		11. JOB ORDER NO						
1- Initial R- Replacement		EX- Excess SC- Short of Charges								
12 ITEM NO	13 STOCK NO	14 ITEM DESCRIPTION	15 UNIT OF ISSUE	16 QUANTITY	17 CORE	18 SUPPLY ACTION	19 UNIT PRICE	20 TOTAL COST	21 POSTED DATE	22 BY
1		ETHER 2 5gal CN	CN	2						
SHEET TOTAL										
GRAND TOTAL										

13. ISSUE QTY IN "SUPPLY ACTION" COLUMN: 4/13/81

14. ISSUE QTY IN "SUPPLY ACTION" COLUMN: 4/20/81

15. REC. QTY IN "SUPPLY ACTION" COLUMN: BY: [Signature]

16. DATE: 4/13/81

17. DATE: 4/20/81

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		4. VOUCHER NO					
1. SEND TO: DIO. WARR	2. REQUEST FROM: AFIP	3. REQUEST NO	7. PRIORITY				
4. CODE	5. DATE MATERIEL REQUIRED	6. DODAAC	8. ACCOUNTING/FUNDING DATA				
9. END ITEM IDENT	9. END ITEM IDENT	9. NAME/MANUFACTURER	9. SERIAL NO				
10. PUBLICATION	11. JOB ORDER NO						
12. ITEM NO	13. STOCK NO	14. ITEM DESCRIPTION	15. UNIT OF ISSUE				
16. QUANTITY	17. UNIT PRICE	18. TOTAL COST	19. POSTED DATE				
20. SUPPLY ACTION	21. BY	GRAND TOTAL					
1	(Flammable)	Histolad Microscopic mounting medium	102				
2		Lanthamum Nitrate	10g				
3		Hexamethylene tetramine	100g				
4	Acid	Periodic Acid	100g.				
5		Pure formaldehyde	50g.				
		SHEET TOTAL		GRAND TOTAL			
13. ISSUE/TURN-IN DATE 3/12/81		14. ISSUE QTY IN "SUPPLY ACTION" COLUMN		15. REC QTY IN "SUPPLY ACTION" COLUMN		16. DATE	
BY: [Signature]		[Signature]		[Signature]		[Signature]	

REQUEST FOR ISSUE OR TURN-IN (AR 710-2)		ISSUE TURN-IN	SHEET NO NO 1	3. REQUEST NO	4. VOUCHER NO					
1. SEND TO: DLO, WRAMC		5. DATE	MATERIAL REQUIRED	6. DODAAC	7. PRIORITY	8. ACCOUNTING/FUNDING DATA PZE				
2. REQUEST FROM: AFIP IMMUNOLOGY		9. END ITEM IDENT	9a. NAME/MANUFACTURER	9c. SERIAL NO						
• CODE		ISSUE	10. PUBLICATION	11. JOB ORDER NO						
1- Initial R- Replacement		TURN-IN	EX- Excess SC- Short of Charge							
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
		(poison) Zinc oxide	8	3/4 lb						
		(Flammable) 1-Butanol		4pts						
		(flammable solid) Phosphorus pentoxide		1/2 lb						
		(Strong oxidant) Chromium Trioxide		1/4 lb						
		(poison)(toxic) Acid Pyrogalic		1/4 lb						
		Potassium Chloride		4oz						
		stain Elastic Fiber stain-finger		250cc						
		stain Basic Fuchsin		10g						
		stain Aragon Multiple stain		150cc						
		stain Methylene Blue quick stain		3gm						
		stain WRIGHTS Stain		40gm						
		stain Grenso Stain		5gm						
		(poison-stain) Grenso's staining solution		50cc						
		(Sulfur) - Thiocarbohydrazide		75g						
13. ISSUE/TURN-IN QUANTITY COLUMN IS REQUESTED				14. ISSUE QTY IN "SUPPLY ACTION" COLUMN		15. REC. QTY IN "SUPPLY ACTION" COLUMN		DATE		BY
7/10/73				1/23/74		1/23/74		1/23/74		OBENS
DA FORM 3161 1 JUN 73				REPLACE DA FORM 3161, 1 JUL 66 WHICH IS OBSOLETE.		SHEET TOTAL		GRAND TOTAL		

REQUEST FOR ISSUE OR TURN-IN (AK 710-8)		ISSUE TURN-IN	SHEET NO 1	3. REQUEST NO	4. VOUCHER NO					
1. SEND TO: DLO W/AGMC F. G. LEA		5. DATE MATERIAL REQUIRED	6. DODAAC	7. PRIORITY	8. ACCOUNTING/FUNDING DATA					
2. REQUEST FROM: AFIP I. M. W. P. with 3046		9. END ITEM IDENT	9a. NAME/MANUFACTURER	9b. MODEL	9c. SERIAL NO					
• CODE ISSUE TURN-IN		10. PUBLICATION								
F - Initial R - Replacement		EX - Excess SC - Set of Changes		11. JOB ORDER NO						
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
	Caustic	Pheno 2N Reagent Solution	BT	5QT.						
SHEET TOTAL									GRAND TOTAL	
13. ISSUE/TURN-IN DATE: 3/13/81										BY: [Signature]
14. ISSUE QTY IN "SUPPLY ACTION" COLUMN: 5/13/81										DATE: 5/13/81
15. REC QTY IN "SUPPLY ACTION" COLUMN: [Signature]										DATE: [Signature]

ISSUE OR TURN-IN
(AR 710-4)

Burnes
Box 178, Forest Glen
Medicinal Chemistry
Div of Exp Therp, WRAIR

1. REQUEST NO
2. DATE MATERIAL REQUIRED
3. DODAAC
4. VOUCHER NO
5. ACCOUNTING/FUNDING DATA

6. DODAAC
7. PRIORITY
8. SERIAL NO
9. MODEL
10. PUBLICATION
11. JOB ORDER NO

TURN-IN
FWT- For Wear And Tear
RS- Report of Survey
EX- Excess
SC- Sim of Charges

STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
AM 37752	N-phenyl-4-chlorobenzylamine	Milli-grams	50						
AM 37761	1-nitro-1,2-diphenylethane	"	50						
AM 37770	2,2,8,8-tetra-nitro-4,6-oxonouane	"	550						
AM 37789	2,4,6-trinitrobenzaldehyde	"	50						
AM 37805	2,4,6-trinitrobenzylidene	"	550						
AM 37814	3,5-dinitrofluorene	"	50						
AM 37823	2,8-dimethyl-2,8-dinitro-4,6-oxonouane	"	50						
AM 37832	2,4,6-trinitrobenzoyl chloride	"	550						
AM 37850	N,N'-diphenyl-4,5-(4-anisole)imidazol-2-one	"	50						
AM 37949	1,3-dichloro-2,4,6-trinitrobenzene	"	50						
AM 38099	N-(2,2-dinitro-1,1-ethene)hydrazine	"	200						
AM 38124	2,6-dinitro-benzylbromide	"	500						
AM 38133	2,4,6-trinitrobenzylbromide	"	150						
AM 38142	2,4,6-trinitrobenzylalcohol	"	500						
AM 38151	2,4,6-trinitrobenzoyl chloride	"	500						
AM 38160	1-(2,4,6-trinitrophenyl)ethanol	"	500						
AM 38179	2,4,6-trinitro-1,3-dimethoxy benzene	"	350						
AM 38188	2,4,6-trinitro-3,5-dimethoxyaniline	"	25						

13. ISSUE/TURN-IN DATE
2/7/81

14. ISSUE CITY IN DATE
BY
William E Ellis

15. REC QTY IN DATE
"SUPPLY ACTION"
COLUMN
BY

SHEET TOTAL

GRAND TOTAL

REQUEST FOR QUOTATIONS
(CONTINUATION SHEET)

12. ITEM NO.	STOCK NO.	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	DATE
19	AM 38213	2,4,6-trinitro-3-methoxy aniline	"	100					
20	AM 38222	2,4,6-trinitro-3-methoxy aniline	"	50					
21	AM 38240	2,4,6-trinitro-2',6'-dinitro-4'-cyano-diphenylmethoxy	"	100					
22	AM 38268	2-(2,4,6-trinitrophenyl)-2,4,6-trinitroacetone	"	50					
23	AM 38277	1-(4-amino-2,6-dinitrophenyl)-2-(3-hydroxy-2,4,6-trinitrophenyl)ethane	"	175					
24	AM 38295	1,2-(2,4,6-trinitrophenyl)ethane	"	500					
25	AM 38302	2,2',4,4',6-pentanitrostilbene	"	500					
26	AM 38311	2,2',4,4',6-tetranitrostilbene	"	350					
27	AM 38320	2,2',6,6'-tetranitrostilbene	"	25					
28	AM 38339	2,4,4',6-tetranitrostilbene	"	50					
29	AM 38357	1-(2,4,6-trinitrophenyl)-2-(2,6-dinitrophenyl)ethane	"	50					
30	AM 38366	2,4,6-trinitro-3'-hydroxy-stilbene	"	175					
31	AM 38375	2,4,3'-trinitrostilbene	"	25					
32	AM 38384	-2,4,4'-trinitrostilbene	"	500					
33	AM 38393	2,4,6-trinitrostilbene	"	500					
34	AM 38400	2,2',4,4',6,6'-hexanitrobenzophenone	"	500					
35	AM 38419	2,2',4,4',6,6'-hexanitro-3'-bromo-diphenylmethane	"	500					
36	AM 38428	2,2',4,4',6,6'-pentanitrodiphenylmethane	"	500					
37	AM 38437	2,2',4,6,6'-pentanitrodiphenylmethane	"	500					
38	AM 38446	2,2',4,6',6,6'-hexanitro-3-chloro-stilbene	"	25					
39	AM 38455	2,2',4,4',6,6'-hexanitro-3-chloro-stilbene	"	50					
40	AM 38464	2,2',4,4',6-pentanitrobenzophenone	"	50					

DA FORM 3161-1
JUN 73

REPLACE DA FORM 3161-1, 1 APR 60 WHICH IS OBSOLETE

U.S. GOVERNMENT PRINTING OFFICE: 1975-577-198

REQUEST FOR ISSUE OR TURN-IN (CONTINUATION SHEET)				4. BODAAC		3. REQUEST NO		4. VOUCHER NO		
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
41	AM 38473	2,2',4,4',6-pentanitro-benzophenone	"	50						
42	AM 38482	nitromalonie acid-diethyl ester	"	1550						
43	AM 38491	nitromalonie acid-diethyl ester	"	3550						
44	AM 38508	N-phenyl-(4-nitro)benzylimine	"	2000						
45	AM 38517	N-phenyl-(4-chloro)benzylimine	"	200						
46	AM 38526	3-bromo-3,3-dinitro propanoic acid	"	550						
47	AM 38535	diethylmalonate	"	1550						
48	AM 38544	4-nitroaniline	"	550						
49	AM 38553	3-phenyl-benzoic acid	"	50						
50	AM 38562	4,4-dinitropimelic acid, dimethyl ester	"	50						
51	AM 38571	4,4-dinitropimelic acid-(period)	"	200						
52	AM 38580	2-hydroxime acetic acid ethylester	"	50						
53	AM 38599	5-nitrothalimide	"	550						
54	AM 38606	5-nitrothalimide	"	550						
55	AM 38615	2,2',4,4'-biphenyl	"	50						
56	AM 38624	4-(2-nitroethene)-N,N-dimethylaniline	"	50						
57	AM 38633	2-cyano-2-hydroximido acetamide	"	50						
58	AM 38651	6-cycloheptatriene carboxylic acid	"	550						
59	AM 38660	5,5-dimethyl-1,3,6-cycloheptatriene carboxylic acid	"	200						
60	AM 38679	2-phenyl-N-(-4 methoxyphenyl)acetamide	"	450						
61	AM 38697	2,2',4,4',6,6'-hexanitro-3,3'-(2,4,6-trinitrophenyl) biphenyl	"	200						
62	AM 38704	2,2,4,6,6-pentanitro-heptane	"	100						
63	AM 38713	2,2,8,8-tetranitro-4,6-oxononane-1,9-diol	"	100						
64	AM 38722	1,3-dichloro-2,4,6-trinitrobenzene	"	25						

REQUEST FOR ISSUE OR TURN-IN (CONTINUATION SHEET)				6. DODAAC		3. REQUEST NO		4. VOUCHER NO		
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
65	AM 38731	1,3-dibromo-2,4,6-trinitro-benzene	"	100						
66	AM 38740	1,3-dibromo-4,6-dinitro benzene		350						
67	AM 38768	3,3-dinitro propionic, 2,2-dinitroethylester	"	25						
68	AM 38777	4,4-dinitro-4-fluoro-butanoic acid, 2,2-dinitro ethyl ester		100						
69	AM 38795	2,2',4,4',6-pentanitro-5'-(2,4,6-trinitrophenyl)biphenyl		25						
70	AM 38802	2,2',4,4',6,6'-pentanitro-3'-(2,4,6-trinitrophenyl) biphenyl		150						
71	AM 38820	3,3-dinitro-3-fluoro propionic acid, N-phenylamide	"	175						
72	AM 38839	tetra-(2,2,2-trinitro ethoxy) methane	"	25						
73	AM 38848	3,3,3-trinitropropyl phenone		100						
74	AM 38857	3,3,10,10-tetranitro-undecane-1,11-diolol acid	"	200						
75	AM 38866	1,4,5,8-tetranitro nspthalene		500						
76	AM 38875	2,4-dinitro cumane	"	2500						
77	AM 38884	1,3,5-tri-(2,2-dinitro-2-fluoro ethyl)-5-triazine	"	200						
78	AM 38893	3,3,9,9-tetranitro-5,7-dioxo-undecane-1,11-dioic acid, diethyl ester	"	250						
79	AM 38919	2,2',4,4',6,6'-hexanitro biphenyl	"	150						
80	AM 38928	2,2',4,4',6,6'-hexanitro -3-chloro-biphenyl	"	450						
81	AM 38937	2,2',4,6-tetranitro biphenyl		100						
82	AM 38955	4-(2,4,6-trinitrophenyl) phenol		100						
83	AM 38964	3-methyl-5-neopentyl-2,4,6-trinitro-benzoic acid	"	200						
84	AM 38973	2,2-dinitro-2-fluoro-N-(2,4,6-trinitrophenyl) carbamate	"	25						
85	AM 38982	1,1,3-trinitro-2-phenyl-propane	"	50						
86	AM 38991	3-isopropylpicrate	"	25						

REQUEST FOR ISSUE OR TURN-IN (CONTINUATION SHEET)				4. DODAAC		3. REQUEST NO		4. VOUCHER NO		
12. ITEM NO	STOCK NO	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	CODE	SUPPLY ACTION	UNIT PRICE	TOTAL COST	POSTED DATE	BY
87	AM 39005	3,3-dinitro-5-oxo-hexane-1,6-dioic acid, dimethylester "	"	500						
88	AM 39014	2-methyl-2-nitro propane "	"	1500						
89	AM 39041	1,1,1-trinitroethane "	"	500						
90	AM 39050	4-chloro-4,4-dinitro butanoic acid	"	500						
91	AM 39069	4-flouro-4,4-dinitro butanoic acid	"	100						
92	AM 39078	2-flouro-2,2-dinitro acetic acid ethyl ester	"	2500						
93	AM 39087	methyl(3,3,3-trinitro)propyl sulfanate	"	500						
94	AM 39096	4,4,4-trinitro butanoic acid	"	100						
95	AM 39103	Poyassium-3,3-dinitro-1-cyano-propane	"	500						
96	AM 39112	4-flouro-4,4-dinitro butanoic acid methyl ester	"	2500						
97	AM 39130	4-potassium-4,4-dinitro butanoic acid, methyl ester	"	50						
98	AM 39158	1,7-difluoro-1,1,7,7-tetranitro-3,8-dioxo-heptane	"	2500						
99	AM 39167	4-potassium-4,4-dinitro-2-propenoic acid, methyl ester	"	100						
100	AM 39176	carbonic acid, di-(2-fluro-2,2-dinitro) ethylester	"	1500						
101	AM 39185	dinitro methyl(2,2-dinitro) ethyl carbonate	"	500						

SHEET TOTAL

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL

SUBJECT

AFIP CPW

Excess Chemicals for disposal

Logistics Division

FROM Histopathology Laboratory
Neuro, Eye and H&H Branches

DATE 17 April 81

CMT 1

1. Below listed chemicals and reagents are submitted for proper disposal:

BOX # 1
NAME QTY
 ALUM POT SULFATE 2 BT
 SODIUM BORATE 1
 BORAX 1
 CERORIUM POT SULFATE 1
 SOD ACETATE TRIHYDRATE 1
 ALUM AMMONIUM SULFATE 1

BOX # 2
NAME QTY
 Diastase Malt 2 BT

BOX # 3
NAME QTY
 Pot Ferricyanide 1 BT
 Pot Iodide 1 1/5 BT
 Silver Nitrate 2
 SOD BISulfite 2 BT
 Sod Hydroxide 2 bt
 Citric Acid 2 bt
 Calcium Chloride 1 1/2 BT
 Sod Sulfate 2 1/2 BT
 Sod Bicarbonate 1 BT
 Pot Hydroxide 1 bt
 Pot Phosphate 1 BT
 Pot Chloride 1 ET
 Sod Chloride 1/2
 Ammonium Oxalate 1 BT
 Pot Bisulfate 2 BT

BOX # 4
 Carbolic Acid 2 BT

BOX # 5
NAME QTY
 Hexamethylamine 1 BT
 Alum Hydroxide 1 BT
 Alum Chloride 1 1/2 BT
 Ferric Ammon Sulfate 1/2 BT
 Lithium Carbamate 1/2 BT
 Uranyl Nitrate 5 BT with
 3 BT 1/2 full
 Uranyl Acetate 1/2

BOX # 6
NAME QTY
 Charcoal 1/2 BT
 Ferric Chloride 1/2, 1/2, 1/2 BT EA
 Tannic acid 1/2, 2/5, BT EA

BOX # 7
NAME QTY
 Tannic Acid 3/4 BT
 Citric Acid 1/4 BT
 Carminic Acid 2 BT
 Oxalic Acid 1 BT
 Phosphomolybdic Acid 3 BT

BOX # 8
NAME QTY
 Canada Balsam 1/8 BT
 Alum Pot Sulfate 1, 1/2 BT EA
 Diaminophenol Dihydrochloride 1/2 BT
 Pot Chloride 1 BT
 Sod Hydroxide 1 BT
 Pot Phosphate 1, 1/8 BT EA
 Ferric Chloride 1/2, 1/2 BT EA
 Pot Hydroxide 1/8 BT
 Pot Permanganate 3/4 BT
 Calcium Chloride 1 BT
 Manganese Sulfate 1 BT
 Ferric Ammon Sulfate 1 BT
 Canada Turpentine 1 BT
 Napthaquinone 1/2 BT
 Sod Carbamate 1 BT
 Gelatin 1/2 BT
 Resorcinol 1/2 BT
 Bromphenol Blue 1/2 BT
 Pot Dichromate 1/2 BT
 Chineal 2 BT
 Methyl Green 1 BT
 Sod Bisulfite 1 BT

PREPARED BY:

M.C. David
 M.C. DAVID HME
 570-84-2531

APPROVED:

Lee G. LUNA
 Lee G. LUNA, Chief, HistoLabs

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL

SUBJECT

AFIP CPW

Excess chemicals for disposal

Logistics Division

FROM Histopathology Lab Division DATE 17 April 81
Orthopedic Branch

CMT 1

1. Below listed chemicals and reagents are submitted for proper disposal:

NAME	QTY DISPOSED	NAME	QTY DISPOSED
Giensa Stain	1 bt	Safran	1/5 bt
Chromium Trioxide	3/4 bt	Safranin O	2/7
Chromium Trioxide	3/4 bt	Tartrazine	1/5
Thionin	1/4 bt	Citric hydrous	3/4 bt
Buffer salts	3/4 bt	Ethylediaminetetraacetic acie	1/3 bt
Chromium Trioxide	1 bt + 3/4	Chromium Trioxide	1/4, 1/4 ea
Quinoline Yellow	1/2 bt	Ferric ammonium sulfate	3/4, 3/4, 3/4 bt ea
Buffer salts	1 bt	Oxalic acid	1
Carmin	3/4 bt	Sod bisulfite	1/2
Azocarmine B	1/2 bt	Pot Permanganate	1/2
Mercuric oxide	1/2 bt	Sulfosalicylic acid	1/2 bt
Sod Metabisulfite	1/2 bt	Sod chloride	1 bt
Buffer salts	3/4	Borax granular	3/4
Thymol	1/2	Sod sulfite anhydrous	1/2
Ruthenium Red	1 bt	Sod Pot Tartrate	1 bt
Light green SF Yellowish	1/5	Sod Phospate Dibasic	1/2
Chromium Erioxide	1 bt	Sod Phospate monobasic	3/4, 1/2 ea
Buffer salts	1/2	Sod Sulfate	1/4
Toluidine Blue O	1/2	Sod Borate	1/2
Chromium Trioxide	1	Sod Bicarbonate	1/4
Sodium Nitrite	1/2	Uranyl Nitrate	1/2
Castile soap	1	Alum Sulfate	1/5
Crystal violet	1/5	Sod Phospate dibasic	1/2
Azocarmine G	1/2, 1/2	Sod Phospate monobasic	1 bt
Azure II	1/2		
Acid Fuchsin	1/3		
Acridine Orange	3/4		
Acid Fuchsin	4/6		
Azur B	1/5		
Scharlach stain	1/2		
Basic Fuchsin	3/4		
Carmin succum best	1/10		
Crystal violet	1/2		
Eosin Y	1/2		
Eosin methylene blue	1/2		
Giensa stain	1 bt		
Buffer salts	3/4		
Fast Green	1/2		
Fuchsin Ponceau	3/4		
Kernechtrot	1/2		
Light Green	3/4		
Methyl violet	1/2		
Metanil Yellow	1 bt		
Oil Red C	1/2, 1/2		
Orange	1/2		
Oil Red EON	1/2		
Phloxine B	1/2		
Phloxinet	1/2		
Sudan Black	1/2		

Submitted by:

[Signature]

M.C. DAVID KNI
570-84-2932

Approved by:

[Signature]

Lee G. LUNA
Chief, HistoLabs Div

FORM AUG 80 2496

PREVIOUS EDITIONS WILL BE USED

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL

SUBJECT

AFIP CPW

EXCESS CHEMICALS

TO

LOGISTICS DIVISION

FROM

HISTOPATHOLOGY DIVISION

DATE

21 APR 61

CMT 1

1. BELOW LISTED CHEMICALS ARE TURNED IN FOR PROPER DISPOSAL:

BOX # 1

BOX # 2

NAME

QTY DISPOSED

NAME

QTY

SODIUM HYPOCHLORITE

4 BT GT

POTASSIUM ACETATE

5 BT

TRYPSIN

8 BT

PYROGALLOL

3 BT

SODIUM FORMATE

4 BT

LITHIUM OXALATE

2 BT

MAGNESIUM CHLORIDE

1 BT

LANTHANUM NITRATE

1 BT

BOX # 3

NAME

QTY

WYDASE


175 VIALS

(HYALURONIDASE)

MAGNESIUM CHLORIDE

1 BT

SUBMITTED BY:



M.C. DAVID HMI
570-84-2932

ROOM NO. 2093
HISTOLABS DIV.
E.T. 6-2917.

DISPOSITION FORM

For use of this form, see AF 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL

SUBJECT

AFIP CPW

EXCESS CHEMICALS

TO
LOGISTICS DIVISION

FROM
HISTOPATHOLOGY DIVISION

DATE
21 APR 61

CMT 1

1. BELOW LISTED CHEMICALS ARE TURNED IN FOR PROPER DISPOSAL:

BOX # 1

BOX # 2

NAME

QTY DISPOSED

NAME

QTY

SODIUM HYPOCHLORITE

4 BT QT

POTASSIUM ACETATE

6 BT

TRYPsin

8 BT

PYROGALLIC

3 BT

SODIUM FORMATE

4 BT

LITHIUM OXALATE

2 BT

MAGNESIUM CHLORIDE

1 BT

LANTHANUM NITRATE

1 BT

BOX # 3

NAME

QTY

HYALURONIDASE


175 VIALS

(HYALURONIDASE)

MAGNESIUM CHLORIDE

1 BT

SUBMITTED BY:



M.C. DAVID HMI
570-84-2932

ROOM NO. 2093
HISTCLABS DIV.
EXT. 6-2917

DISPOSITION FORM

For use of this form, see AR 340-15; the proponent agency is TAGO.

REFERENCE OR OFFICE SYMBOL AFIP CPW	SUBJECT EXCESS CHEMICALS
--	-----------------------------

TO LOGISTICS DIVISION	FROM HISTOPATHOLOGY DIVISION	DATE 21 APR 81	CMT 1
--------------------------	---------------------------------	-------------------	-------

1. BELOW LISTED CHEMICALS ARE TURNED IN FOR PROPER DISPOSAL:

<u>BOX # 1</u>	<u>QTY DISPOSED</u>	<u>BOX # 2</u>	<u>QTY</u>
<u>NAME</u>		<u>NAME</u>	
SODIUM HYPOCHLORITE	4 BT QT	POTASSIUM ACETATE	6 BT
TRYPSIN	8 BT	PYROGALLOL	3 BT
SODIUM FORMATE	4 BT	LITHIUM OXALATE	2 BT
		MAGNESIUM CHLORIDE	1 BT
<u>BOX # 3</u>		LANTHANUM NITRATE	1 BT

<u>NAME</u>	<u>QTY</u>
HYDASE (HYALURONIDASE)	175 VIALS
MAGNESIUM CHLORIDE	1 BT

SUBMITTED BY:

David HMI

M.C. DAVID HMI
570-84-2933

ROOM NO. 2093
HISTOLABS DIV.
EXT. 6-2917

Rec 12 May 81 @ Bldg

DA FORM 2496
AUG 80

PREVIOUS EDITIONS WILL BE USED

REQUEST FOR ISSUE OR TURN-IN (AR 710-7)				4. VOUCHER NO.							
1. SEND TO: Mt Burnes Bldg 178, Forest Glen Medicinal Chemistry Div of Exp Therp, WRAR		3. REQUEST NO.		7. PRIORITY							
2. REQUEST FROM: Div of Exp Therp, WRAR		9. DODAAC		8. ACCOUNTING/FUNDING DATA							
3. CODE		9. DATE MATERIEL REQUIRED		9B. MODEL							
4. ISSUE		9C. END ITEM IDENT		9D. SERIAL NO							
5. STOCK NO		9E. NAME/MANUFACTURER		10. PUBLICATION							
6. ITEM DESCRIPTION		9F. EX-Excess SC-Simil of Charge		11. JOB ORDER NO							
12. ITEM NO	13. STOCK NO	14. ITEM DESCRIPTION	15. UNIT ISSUE	16. QUANTITY	17. CODE	18. SUPPLY ACTION	19. UNIT PRICE	20. TOTAL COST	21. DATE	22. BY	
1	AM 37752	N-phenyl-4-chlorobenzylamine	Milli-grams	50							
2	AM 37761	1-nitro-1,2-diphenylethane	"	50							
3	AM 37770	2,2,8,8-tetra-nitro-4,6-oxonovane	"	550							
4	AM 37789	2,4,6-trinitrobenzaldehyde	"	50							
5	AM 37805	2,4,6-trinitrobenzyltoluene	"	550							
6	AM 37814	3,5-dinitrobenzene	"	50							
7	AM 37823	2,8-dimethyl-2,8-dinitro-4,6-oxonovane	"	50							
8	AM 37832	2,4,6-trinitrobenzoyl chloride	"	550							
9	AM 37850	N,N'-diphenyl-4,5-(4-anisole)imidazol-2-que	"	50							
10	AM 37949	1,3-dichloro-2,4,6-trinitrobenzene	"	50							
11	AM 38099	N-(2,2-dinitroethene)-hydrazine	"	200							
12	AM 38124	2,6-dinitro-benzylbromide	"	500							
13	AM 38133	2,4,6-trinitrobenzylbromide	"	150							
14	AM 38142	2,4,6-trinitrobenzylalcohol	"	500							
15	AM 38151	2,4,6-trinitrobenzoyl chloride	"	500							
16	AM 38160	1-(2,4,6-trinitrophenyl)ethanol	"	500							
17	AM 38179	2,4,6-trinitro-1,3-dimethylbenzene	"	350							
18	AM 38188	2,4,6-trinitro-3,5-dimethoxyaniline	"	25							
13. ISSUE/TURN-IN DATE				14. ISSUE QTY IN COLUMN		15. REC QTY IN COLUMN		16. GRAND TOTAL		17. BY	
DA 1 JUN 73 3161				27/7/81		William E Ellis		2/2/81		C Burns	

REPLACES DA FORM 3161, 1 JUL 68 WHICH IS OBSOLETE

DA 1 JUN 73 3161

DA FORM 3161

APPENDIX D

PESTICIDE INVENTORIES AND USAGE ON WRAMC

Sources: WRAMC DFAE, 1980b.
USAEHA, 1976.

DIRECTORATE OF THE FACILITIES ENGINEERING
 AUTHORITY TO RETAIN SUPPLIES FOR THE MONTHS Oct. Nov. Dec FY 80

SHOP STOCK
 SHOP: ENTOMOLOGY UNIT

*Shop 21X
 Phase 09 X*

FOREMAN: MELVIN NEWMAN

Name(s) of personnel authorized to order/receive supplies;

MELVIN NEWMAN
CARLTON BERRY

APPROVED: H. Hingh C, ERMD

ITEMS No.	NOMENCLATURE OF ITEMS	MAX QUANTITY TO BE RETAINED
1	3740-252-2384-Mousetrap, spring	12 doz.
2	3740-260-1398-Rat trap, spring	6 doz.
3	6840-753-4973-Rodent bait Anticoagulant ready mix 5 lb can	6 cn
4	6840-584-3129-Liq. pine oil disinfectant	6 gal
5	6840-753-4972-Rodenticide universal cone 1 lb can	6 cn
6	6840-285-7891 " zinc phosphide 1 oz bottle	12 bn
7	6840-823-7849-Insect. aerosol pyrethrin	24 cn
8	6840-149-0106-Insect Resmethrin 12 oz can	24 cn
9	6840-782-3925-Diazinon 47.5% EC	6 gal
0	6840-180-6069-Insect, Baygon 1% sol.	6 gal
1	Non Stand. Bayon 2% roach bait 5 lb BT	5 lbs
2	6840-685-5438-Malathion 5% EC 5 gal can	4 cn
3	6840-270-8262-Chlordane 72% EC gal cn	5 cn
4	6840-753-5038-Diazinon 2% dust 25 lb	2 pails
5	Non Stand Bird repellant cartridges	24 tube
5	6840-542-7825-Chloridine 5% dust 5 lbs pail	2 pails
7	Non Stand Sevin, flowable 41.8%	6 gal
3	" " Cygon 2E	2 gal
7	" " Sevin 5% dust	9 lbs
1	" " Sugar	5 lbs
	" " Peanut Butter	2 Jars
	" " Cooking oil	2 pints

23.	"	"	Corn Meal	5 lbs
24.	"	"	Dursban 2 E	2 gal
25.	6840-402-5411-		Dursban 4 E	5 gal
26.	Non Stand		Dormat oil (60 superior oil)	12 gal
27.	"	"	Residex ULV pyrethrum Core	1 gal
28.			Clorox (or equal)	4 gal
29.	7930-282-9699-		Detergent, general purpose	4 gal
30.	Non Stand		spreader sticker	1 gal
31.	"	"	Live traps hava hart size #1	12 ea
32.	"	"	Live trap hava hart size #2A	2 ea
33.	"	"	Metal bait boxes	36 ea
34.	5505-664-0441-		Mineral oil, light	4 pints
35.	Non Stand;	Rodenticide;	Faton's Bait Blocks	2 cases
36.	Non Stand	Korlan-24E		2 gal
37.	Non Stand;		Bolt, Roach Bait	1 case
38.	Non Stand	Rozol		80 lbs
39.	Non Stand		Fican W	2 boxes
40	<i>Non Stand,</i>	<i>Talan.</i>		<i>40 lbs</i>
41	<i>Non Stand,</i>	<i>Mr Sticky</i>		<i>2 Boxes</i>

Table D-1. Inventory of Pesticides at WRAMC, 1975

Pesticide	Formulation	Quantity
Tersan®	50 percent WP	0.5 lb
Karathane®	25 percent WP	3 lb
Banrot®	40 percent WP	2.5 lb
Benlate®	50 percent WP	1.5 lb
DDT	50 percent WP	1 lb
Tedion®	25 percent WP	5 lb
Slug-Kill®	15 percent WP	1 lb
Malathion	57 percent EML	5 gal
Dimethoate	23.4 percent EML	2 gal
Malathion-Lindane	10 percent/5 percent	1 gal
Dichlorvos	9.3 percent solution	1 gal
Pentac®	80 percent solution	3 gal
Dexon®	70 percent WP	4 lb
Dexon	35 percent WP	5 lb
Noculate®	13.5 percent EML	5 qts
Kelthane®	18.5 percent EML	6 oz
B-Nine®	5 percent EML	1 qt
Zectran®	25 percent WP	1 lb
Orthocide®	50 percent WP	40 lb
Fermate®	76 percent WP	3 lb
Zineb®	75 percent WP	6 lb
Terrachlor®	75 percent WP	15 lb
Chlordane	72 percent EML	8 gal
Malathion	95 percent solution	4 gal
Pyrethrins	0.4 percent solution	110 gal
Resmethrin	0.6 percent Aerosol	30 12-oz cans
Diazinon	47.5 percent EML	8 gal
Malathion	3 percent solution	55 gal
Propoxur	1 percent solution	2 gal
Propoxur	2 percent bait	2 5-lb cans
Amino 2,4-D	49 percent EML	5 gal
Metham-Sodium	33 percent solution	1 gal
Carbaryl	41.5 percent flowable	2 lb
Pival	0.025 percent	30 lb
Pival	Ready-Mix	20 lb
DDT	10 percent dust	10 lb
Roost-No-More	96 percent paste	12 8-oz tubes
For-the-Birds	80 percent past	12 8-oz tubes

Source: USAEHA, 1976.

TABLE 1
SUMMARY OF PESTICIDE USE AT WRAMC FROM
DECEMBER 1974 THROUGH JULY 1975 AS REPORTED ON DDLS32

Pest	Land Use/Bldg Treated	Area Treated	Pesticide	Formulation	Gal/lbs Actual Formulation	
Cockroaches	Hospital/Laboratory	1,643,000 ft ²	Diazinon	47.5 percent EML	34.6 gal	
	Office	156,000			2.4	
	Food Handling Areas	449,000			7.2	
	Residential	70,000			1.4	
	Recreation	32,000			0.6	
	Barracks/BOQ's	193,000			3.4	
	Warehouse	76,000			1.4	
	Utility	31,000			0.7	
	Industrial	15,000			0.4	
	Exchanges	37,000			0.7	
	Kennels	116,000			2.0	
Rats/Mice	Hospital/Laboratory	14,000 ft ²	Pival [®]	Bait, 0.025 percent	7.0 lbs	
	Offices	8,000			4.3	
	Residential	6,000			3.5	
	Recreation	4,000			1.0	
	Food Handling Areas	10,000			2.0	
	Exchanges	10,000			2.0	
	Kennels	10,000			6.0	
	Hospital	5,000			Trapping	—
	Residential	3,000			—	
	Warehouse	25,000			—	
	Barracks/BOQ's	4,000			—	
	Exchanges	1,000			—	
	Office	26,000			—	
Food Handling Areas	6,000	—				
Birds	Industrial	4,000 ft ²	For-the-Birds [®]	80 percent Paste	9 lbs	
	Hospital/Laboratory	5,000			6	
	Warehouse	6,000	Roost-No-More [®]	96 percent Paste	15	
	Warehouse	2,000			2	
ANTS	Barracks/BOQ's	7,000 ft ²	Diazinon	47.5 percent EML	0.2 gal	
	Hospital/Laboratory	6,000			0.2	
	Residential	3,000			0.2	
	Office	2,000			0.1	
Sucking Insects	Open Brush	7 Acres	Malathion	57 percent EML	1.7 gal	
		2	Dimethoate	23.4	0.5	
	Sparse Woods	5	Malathion	57	1.6	
Weeds	Grass, Brush	2 Acres	2,4-D	49 percent EML	4.2 gal	
	Grass	1	Dalapon	85 Sol'n	6.9	
	Sparse Woods	1	Silvex	60 percent EML	0.3	
Filth Flies	Office	1,000 ft ²	Diazinon	47.5 percent EML	0.1 gal	
	Kennels	50,000 ft ³	Pyrethrins	0.025 percent Sol'n	1 gal	
Ticks	Open Brush	4 Acres	Diazinon	47.5 percent EML	1.1 gal	
Lice	Hospital	9,000 ft ²	Diazinon	47.5 percent EML	0.3 gal	
Wasps	Residential	2,000 ft ²	Carbaryl	80 percent Dust	0.21 lbs	
Plant Disease	Open Brush	1 Acre	Captan [®]	7 percent Dust	3 lbs	
Bedbugs	Residential	2,000 ft ²	Malathion	95 percent Sol'n	0.03 gal	

[®] Pival is a registered trademark of Motomco, Inc., 89 Terminal Ave., Clark, NJ 07066.

[®] For-the-Birds[®] is a registered trademark of A. Z. Bogert Comp., Philadelphia, PA 19118.

[®] Roost-No-More[®] is a registered trademark of National Bird Control Laboratories, 7323 N. Monticello Ave., Skokie, IL 60076.

[®] Captan[®] is a registered trademark of FMC Corp., Middleport, NY 14105.

APPENDIX E

LABORATORY ACTIVITIES AT WRAMC
WHICH USE RADIOACTIVE MATERIALS

Source: WRAMC, Health Physics Office, 1984.

IIAWRAMC.1/APPF.1
2/24/84

NOTE: WRAIR room numbers are Bldg. 40 unless otherwise specified,
Bldg. Nos. 500 and 508 are located at Forest Glen.

AFIP room numbers are Bldg. 54 unless otherwise specified.

WRAMC room numbers are Bldg. 2 unless otherwise specified.

USAMRIID is at Fort Detrick, Md.

USAIDR is at both Bldg. 40 Main Section and at Bldg. 2805 Fort
Meade, Md.

ISOTOPE DELIVERY LIST BY AUTH #

<u>AUTH #</u>	<u>PRINCIPAL USER</u>	<u>ACTIVITY</u>	<u>PHONE #</u>	<u>LOCATION</u>	<u>ROOM #</u>	<u>ROOM #</u>
215	MR PENNINGTON, Lee L. (CIV)	Neuropsych	576-3029		WRAIR	3065
221	MR STAFFORD, James E. (CIV)	Health Physics	427-5161		WRAMC	11
398	DR BATTISTONE, Gino C. (CIV)(PHD)	USAIDR(Oral Bio)	576-2987/3484		WRAIR	2026
398A	MAJ BURNETT, Paul (DC)	USAIDR(Oral Bio)	576-3080		WRAIR	68
416	DR McCORMICK, Gerald J. (CIV)(PHD)	Exper. Therapeutics	427-5029		WRAIR	68
430	DR BASS, Billy G. (CIV)(ENG)	Director, Instru Div	576-3428		WRAIR	HL01
440	MR KAZYAK, Leo	Biochemistry	576-2594		WRAIR	LRL
443	CPT BAKER, James R., MC	Organ Transplant	576-1463/1699		WRAMC	6260
443A	SFC HAYES, Robert	Organ Transplant	576-3817/1462		WRAMC	Bldg 7
454	DR CHUNG, Ho (CIV)(PHD)	Exper Therapeutics	427-5295		WRAIR	35
499	DR KANT, Gloria Jean (CIV)(PHD)	Neuropsych	576-3302		WRAIR	3057
503	DR BRANDT, Walter E. (CIV)(PHD)	Virus Diseases	576-3626		WRAIR	2047
503	CPT HENCHAL, Erik A., MSC	Virus Diseases	576-3012		WRAIR	2047
507	MR McNEIL, James S. (CIV)	Nephrology	576-3472		WRAIR	3074
511	DR BRUTON, Joseph (CIV)	Endo-Metabolism	576-3857/3852		WRAMC	4742
515	MAJ WELTON, Richard C., MC	Rhematology	576-1734/1797		WRAMC	7211
519	MR MOUGEY, Edward H. (CIV)	Neuropsych	576-3025		WRAIR	3061
525	DR WOHLHIPTER, John A. (CIV)(PHD)	Bacterial Immunology	576-3745		WRAIR	1019

541	Dr JAHRLING, Peter B. (CIV)(PhD)	USAMRIID(Irradiators)	393-7655	USAMRIID	AA413
557	COL WRAY, Harvey L., MC	Endo-Metabolism	576-1793	WRAMC	4760
559	Mr WILLIAMS, Joseph S. (CIV)	Immunology	576-3063	WRAIR /	1033
566	LT ANDREWS, Gerard, MSC	Gastroenterology	576-3694	WRAIR /	2078
569	Dr WHITING, John D. (CIV)(PhD)	DoD Drug Detachment	576-2953	AFIP	4010
571	LTC OHASI, Robert, MSC	Pathology & Lab Svcs	576-1210/1237	WRAMC	2062
572	Mr HEATH, James R. (CIV)	USAIDR	576-3092	WRAIR /	Bldg 91
574	COL DIGGS, Carter L. MC	Immunology	576-2110	WRAIR /	1017
576	Mrs D'ACOSTA, Eugenia (CIV)	Div of Surgery	576-3794/4137	WRAIR /	3019
577	Dr FISHBEIN, William N. (CIV)(MD)	Biochemistry	576-2855	AFIP	3001
583	Dr ECKELS, Kenneth H. (CIV)(PhD)	Haz Microorganisms	427-5109/5208	WRAIR	Bldg 506
585	MAJ RICE, Robert M., MC	Rickettsial Diseases	576-3658	WRAIR /	8058
586	Dr OLENICK, John G. (CIV)(PhD)	Biochemistry	576-3017	WRAIR /	8036
593	CPT BAYLOR, Howard, MSC	Medical Lab, Ft Meade	923-4090/6075	WRAMC	Bldg 2405
596	Dr WOLFE, Alan D. (CIV)(PhD)	Biochemistry	576-2312	WRAIR /	8061
600	LTC SMALLBRIDGE, Robert C.,MC	Clinical Physiology	576-3014/3687	WRAIR /	3117
601	Mr WILLIAMS, Harold L. (CIV)	Hematology	576-3040	WRAIR /	1040
601A		Hematology	576-3040	WRAIR /	8097
601B		Hematology	576-3305	WRAIR /	8097
601C		Hematology	576-2208	WRAIR /	1038

603	Mr MILLER, Robert A. (CIV)	Hematology	576-3060	WRAR	1039
604	CPT VERMA, Pritam S.,MSC	USAIDR(Oral Bio)	576-3393	Ft Meade	Bldg 2805
605	Mr RICHARDSON, Earl C. (CIV)	Clinical Physiology	576-2629	WRAR	3119A
606	Mr FANNING, George R. (CIV)	Biochemistry	576-3388	WRAR	W02
607	Mrs SODD, Mary Ann (CIV)	Biochemistry	576-4235	WRAR	1026
608	Mrs BURGESS, Doris (CIV)	Biochemistry	576-3527	WRAR	1042
610	Dr TAI, Yuan-Heng (CIV)(PhD)	Clin Investigation	576-1599	WRAMC	5268
611	LTC REID, Robert H., MC	Gastroenterology	576-3694	WRAR	2078
613	MAJ BERGER, Melvin, MC	Gastroenterology	576-3485	WRAR	2121
614	Dr DOBEK, Arthur S. (CIV)(PhD)	Allergy Clinic	576-1847	WRAMC	1J29
615	LTC BURMAN, Kenneth D., MC	Clin Investigation	576-1259/1260	WRAMC	2B26
617	Dr ZOLLINGER, Wendell D.(CIV)(PhD)	Endo-Metabolism	576-1793	WRAMC	4743
618	Dr WANNEMACHER, Robert W.(CIV)(PhD)	Bacteriology	576-3651	WRAR	2060
619	Dr WANNEMACHER, Robert W.(CIV)(PhD)	Phys Sci Div,USAMRIID	393-7181	USAMRIID	Bldg 1425
620	Dr WANNEMACHER, Robert W.(CIV)(PhD)	Phys Sci Div,USAMRIID	393-7181	USAMRIID	Bldg 1425
621	Dr WANNEMACHER, Robert W.(CIV)(PhD)	Phys Sci Div,USAMRIID	393-7181	USAMRIID	Bldg 1425
623	Dr JACKSON, Joan E.(CIV)(PhD)	Phys Sci Div,USAMRIID	393-7181	USAMRIID	Bldg 1425
624	MAJ WILLIAMS, James E.,MSC	Exper Therapeutics	427-5438/5122	WRAR	Bldg 500
625	Dr TANG, Lily C.(CIV)(PhD)	Haz Microorganisms	427-5110	WRAR	Bldg 500
		Exper Therapeutics	427-5295	WRAR	Bldg 500

626	MAJ WRIGHT, Daniel G.,MC	Hematology	576-3040	WR AIR	1036
628	Dr TSENG, Jeenan, (CIV)(PhD)	Exper Pathology	576-3053	WR AIR	1004
629	CPT HADFIELD, Ted L.,BSC	Microbiology Div.	576-2993/2954	AFIP	4019
630	MAJ FEIN, Henry G.,MC	Hematology	576-3687	WR AIR	3119
631	MAJ ALVING, Barbara M.,MSC	Hematology	576-3385	WR AIR	1063
632	MAJ HOOVER, David L.,MSC	Immunology	576-2570	WR AIR	8025
633	Dr BEDNAREK, Jana, (CIV)(PhD)	Clin Investigation	576-1798/1751	WR AMC	7260
635	Dr ESSER, Klaus M.,(CIV)(PhD)	Immunology	576-4206	WR AIR	1014
636	Dr JETT, Marti, (CIV)(PhD)	Biochemistry	576-1361	WR AIR	1030
637	Dr CHIANG, Peter B.,(CIV)(PhD)	Biochemistry	576-1361	WR AIR	1032
638	LCDR FOX, Cecil H.,USN	Quant Histopath	576-2807	AFIP	3112
639	Dr LYON, Jeffrey A.,(CIV)(PhD)	Immunology	576-3331	WR AIR	1017
640	CPT YOUNG, Patricia M.,MSC	Clin Investigation	576-1389/1589	WR AMC	5260
641	Dr NAGARAJAM, Krishnaswamy,(CIV)(PhD)	Envir & Drug Div	576-2434	AFIP	3014
642	LTC WONG, Roy, MC	Clin Investigation	576-3177/1765	WR AMC	Bldg T-2
643	CPT WEBER, James L.,MC	Immunology	576-3685	WR AIR	1012
644	MAJ FINRLOOM, David S.,MC	Immunology	576-2570	WR AIR	1020
645	Dr HOLADAY, John, (CIV)(PhD)	Neuropsych	576-3028	WR AIR	3061
646	Dr TSENG, Yuan-Chen,(CIV)(PhD)	Clin Investigation	576-1697	WR AMC	6270

274	LTC VAN NOSTRAND, Douglas, MC	Nuclear Medicine	576-5140	WRAMC	7th floor
427	MAJ BAUHANN, John, MC	Radiation Therapy	576-1180	WRAMC	1H23
533	COL WARTOFISKY, Leonard, MC	Endo-Metabolism	576-1793	WRAMC	4728

APPENDIX F
NOTIFICATION OF HAZARDOUS WASTE ACTIVITY

Source: WRAMC DFAE, 1980a.

WRAAMC-126/TX4/2



U.S. ENVIRONMENTAL PROTECTION AGENCY
NOTIFICATION OF HAZARDOUS WASTE ACTIVITY

INSTRUCTIONS: If you received a preprinted label, affix it in the space at left. If any of the information on the label is incorrect, draw a line through it and supply the correct information in the appropriate section below. If the label is complete and correct, leave items I, II, and III below blank. If you did not receive a preprinted label, complete all items. "Installation" means a single site where hazardous waste is generated, treated, stored and/or disposed of, or a transporter's principal place of business. Please refer to the INSTRUCTIONS FOR FILING NOTIFICATION before completing this form. The information requested herein is required by law (Section 3010 of the Resource Conservation and Recovery Act).

INSTALLATION'S EPA I.D. NO.

NAME OF INSTALLATION

Walter Reed Army Medical Center
ATTN: HSWS-E

INSTALLATION MAILING ADDRESS

WASH DC 20012
PLEASE PLACE LABEL IN THIS SPACE

LOCATION OF INSTALLATION

WASH DC

OFFICIAL USE ONLY

COMMENTS

Grid for comments

INSTALLATION'S EPA I.D. NUMBER APPROVED DATE RECEIVED (m, mo., & day)

Grid for EPA I.D. number, approved, and date received

NAME OF INSTALLATION

WALTER REED ARMY MEDICAL CENTER

INSTALLATION MAILING ADDRESS

STREET OR P.O. BOX

Grid for street or P.O. box

CITY OR TOWN

ST.

ZIP CODE

SHINGTON DC 20012

LOCATION OF INSTALLATION

STREET OR ROUTE NUMBER

ME

CITY OR TOWN

ST.

ZIP CODE

ME

INSTALLATION CONTACT

NAME AND TITLE (last, first, & job title)

PHONE NO. (area code & no.)

L SMITH DIR FACILITY ENGR 202 576 3436

OWNERSHIP

A. NAME OF INSTALLATION'S LEGAL OWNER

FEDERAL GOVT DOD DEPT OF ARMY

TYPE OF OWNERSHIP (copy appropriate letter into box)

VII. TYPE OF HAZARDOUS WASTE ACTIVITY (enter "X" in the appropriate box(es))

FEDERAL NON-FEDERAL F A. GENERATION B. TRANSPORTATION (complete item VII) C. TREAT/STORE/DISPOSE D. UNDERGROUND INJECTION

MODE OF TRANSPORTATION (transporters only - enter "X" in the appropriate box(es))

A AIR B. RAIL C. HIGHWAY D. WATER E. OTHER (specify):

STATUS OF SUBSEQUENT NOTIFICATION

Enter the appropriate box to indicate whether this is your installation's first notification of hazardous waste activity or a subsequent notification. If your first notification, enter your installation's EPA I.D. Number in the space provided below.

FIRST NOTIFICATION B. SUBSEQUENT NOTIFICATION (complete item C) C. INSTALLATION'S EPA I.D. NO.

DESCRIPTION OF HAZARDOUS WASTES

Describe the waste(s) on this form and provide the requested information.

EPA Form 3540-12-8-80

I.C. - FOR OFFICIAL USE ONLY										
W										

DESCRIPTION OF HAZARDOUS WASTES (continued from front)

HAZARDOUS WASTES FROM NON-SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.31 for each listed hazardous waste from non-specific sources your installation handles. Use additional sheets if necessary.

1	2	3	4	5	6
7	8	9	10	11	12

HAZARDOUS WASTES FROM SPECIFIC SOURCES. Enter the four-digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.

13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30

COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES. Enter the four-digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.

31	32	33	34	35	36
P003	P004	P005	P008	P010	P011
37	38	39	40	41	42
P012	P014	P017	P022	P030	P031
43	44	45	46	47	48
P032	P035	P037	P044	P048	P049

LISTED INFECTIOUS WASTES. Enter the four-digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.

49	50	51	52	53	54
----	----	----	----	----	----

CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES. Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 - 261.24.)

1. IGNITABLE (D001)
 2. CORROSIVE (D002)
 3. REACTIVE (D003)
 4. TOXIC (D004)

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE	NAME & OFFICIAL TITLE (Type in print)	DATE SIGNED
<i>Gerald D. Allgood</i>	GERALD D. ALLGOOD, COL, MSC Chief of Staff	18 Aug 80

X. DESCRIPTION OF HAZARDOUS WASTES (Cont.)

C. Commercial Products (Cont.)

P050	U001	U142
P051	U002	U144
P053	U003	U146
P054	U004	U147
P056	U006	U149
P059	U012	U151
P067	U013	U154
P068	U019	U159
P071	U028	U161
P075	U031	U165
P077	U034	U167
P087	U036	U168
P089	U043	U169
P093	U044	U170
P098	U052	U182
P100	U056	U185
P103	U057	U187
P105	U059	U188
P106	U060	U191
P108	U061	U194
P117	U067	U196
115	U077	U197
	U080	U200
	U081	U201
	U082	U204
	U088	U209
	U104 - P048	U211
	U107	U219
	U108	U220
	U110	U224
	U112	U235
	U115	U236
	U117	U238
	U122	U239
	U123	U132
	U125	
	U133	
	U135	
	U138	
	U139	
	U140	

APPENDIX G

USAEHA POTABLE WATER QUALITY DATA FOR WRAMC


Source: USAEHA, 1978.

**UNITED STATES ARMY
ENVIRONMENTAL HYGIENE
AGENCY**

ABERDEEN PROVING GROUND, MD 21010

SUMMARY OF US ARMY DRINKING WATER
SURVEILLANCE PROGRAM DATA BASE
1972-1977

Approved for public release; distribution unlimited.



111933 WALTER REED ARMY MED CENTER

SOURCE TS01

	AS	BA	CD	CR	F	PB	HG	NO3	SE	AG	NA
MIN	< .020	< .30	< .005	< .025	1.0	< .005	< .0002	1.5	< .010	< .025	4.5
MEAN	.020	.30	.005	.025	1.0	.005	.0002	1.8	.010	.025	7.9
MAX	< .020	< .30	< .005	< .025	1.0	< .005	< .0002	2.2	< .010	< .025	11.3
NR OBS	2	2	2	2	2	2	2	2	1	2	2

	ALPHA	BETA	TRITIUM	90SR	226RA	B	CU	FE	MG	MN	ZN
MIN	< .5	2.3	.0004	.00	.00	.09	< .025	< .1	4.9	< .03	< .015
MEAN	.5	2.5	.0502	.00	.00	.09	.025	.1	6.4	.03	.044
MAX	< .6	2.7	< .1000	.00	.00	< .10	< .025	< .2	8.0	< .03	.073
NR OBS	2	2	2	0	0	2	2	2	2	2	2

	COLOR	ALK	PH	HARD	SP C	CA	K	SI	TDS	CL	SO4
MIN	.0	59.8	7.6	108.0	234.	29.3	1.30	3.2	156.8	11.3	29.9
MEAN	.0	74.7	8.1	132.9	304.	36.4	1.56	4.2	199.4	16.1	34.4
MAX	.0	89.6	8.5	157.8	375.	43.6	1.82	5.2	242.0	20.9	39.0
NR OBS	2	2	2	2	2	2	2	2	2	2	2

APPENDIX H
AIR QUALITY PERMITS ISSUED TO WRAMC
BY THE STATE OF MARYLAND

Sources: WRAMC, 1978.
Maryland Department of Health and Mental Hygiene, 1983.

POST IN CONSPICUOUS PLACE



DEPARTMENT OF HEALTH AND MENTAL HYGIENE
OFFICE OF ENVIRONMENTAL PROGRAMS
201 W. PRESTON STREET
BALTIMORE, MARYLAND 21201

Charles R. Buck, Jr., Sc.D.
Secretary

William M. Eichbaum
Assistant Secretary for
Environmental Programs

Construction Permit Operating Permit DHS Facility Permit

AIR MANAGEMENT ADMINISTRATION

PERMIT NO. 0-00983-00126 Date Issued March 1, 1983

PERMIT FEE None Expiration Date February 29, 1984

<p>LEGAL OWNER & ADDRESS</p> <p>Walter Reed Army Institute of Research Department of Animal Resources Forest Glen, Maryland 20012</p> <p>Attn: William C. Cole, LTC</p>	}	}	<p>SITE</p> <p>Building 511 Kelser Section Montgomery County</p>
---	---	---	--

INSTALLATION DESCRIPTION

Consumat model C-125-P infectious waste incinerator rated at
350 lbs./hour.

Donald P. Chelton

Administrator, Engineering and Enforcement Program

George P. Ferreri

Director, Air Management Administration

(NOT TRANSFERABLE)

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
 Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

Up
 Replaced
 w/ 760 HP
 Cleaver
 applied for
 license

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration: Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical		DATE OF APPLICATION May 9, 1978	DO NOT WRITE IN THIS SPACE DATE REC. LOCAL DATE REC. STATE	
MAILING ADDRESS 6025 16th St. N.W.		TELEPHONE 427-3309	ACKNOWLEDGEMENT SENT DATE BY	
CITY Washington	STATE D.C.	ZIP CODE 20012	REVIEWED NAME DATE	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Blk 120 Forest Glen Section		LOCAL STATE RETURNED TO LOCAL JURISDICTION		
3. STARTING DATE (New Construction)		COMPLETION DATE	DATE BY	
DATE EXISTING INSTALLATION PLACED IN OPERATION 1951		23-24	APPLICATION RET'D TO APPLICANT DATE BY	
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>[Signature]</i>		REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] [] (1) (2) (3) (4) (5) (6) (7) (8) (9) (10)		
PRINT OR TYPE NAME William H. Bradley	TITLE Boiler Plant Foreman		STATE GRID COORDINATES [] [] [] [] [] [] [] [] 11 12 13 14 15 16 17	
5. TYPE OF APPLICATION: EXISTING INSTALLATION <input type="checkbox"/> (INITIAL REG.) 25-1 NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2 REPLACEMENT <input type="checkbox"/> 25-3		PREMISE NUMBER [] [] [] [] [] [] 18 19 20 21 22		
6. MAJOR ACTIVITY AT THIS LOCATION (Check One)				
MANUFACTURING <input type="checkbox"/> 26-1	RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2	OFFICE (ALL TYPES) <input type="checkbox"/> 26-3	SCHOOL OR CHURCH <input type="checkbox"/> 26-4	HOTEL OR MOTEL <input type="checkbox"/> 26-5
WAREHOUSE <input type="checkbox"/> 26-7	HOSPITAL OR LABORATORY <input type="checkbox"/> 26-6	RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8	OTHER _____ <input type="checkbox"/> 26-9 SPECIFY _____	
7. IDENTICAL INSTALLATIONS				
NUMBER OF UNITS 01		OWNERS IDENTIFICATION NUMBER(S) NR736 A1		
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS				
30 OR LESS <input type="checkbox"/> 29-1	51-100 <input type="checkbox"/> 29-3	151-200 <input type="checkbox"/> 29-5		
31-50 <input type="checkbox"/> 29-2	101-150 <input checked="" type="checkbox"/> 29-4	201-250 <input type="checkbox"/> 29-6	OVER 250 <input type="checkbox"/> 29-7	SPECIFY _____
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT:				
COAL <input type="checkbox"/>	OIL <input checked="" type="checkbox"/>	WOOD <input type="checkbox"/>	NATURAL GAS <input type="checkbox"/>	OTHER <input type="checkbox"/> SPECIFY _____
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE:				
NO. 1 <input type="checkbox"/> 30-1	NO. 2 <input checked="" type="checkbox"/> 30-2	NO. 4 <input type="checkbox"/> 30-3	NO. 5 <input type="checkbox"/> 30-4	NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY 4574
11. EQUIPMENT MANUFACTURER Molten		BOILER MODEL NUMBER: _____		
BOILER TYPE: FIRE TUBE <input type="checkbox"/> WATER TUBE <input checked="" type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT:		
HEATING SURFACE AREA (SQ. FT.) _____		HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>		
STEAM (LBS./HR. PSIG.) 21,000 OF _____		COMBINED USE <input type="checkbox"/> % Process _____		
TYPE OF OIL BURNER:				
PRESSURE OR GUN TYPE <input type="checkbox"/> 31-1	ROTARY CUP <input type="checkbox"/> 31-2	STEAM ATOMIZER <input checked="" type="checkbox"/> 31-3	AIR ATOMIZER <input type="checkbox"/> 31-4	OTHER <input type="checkbox"/> 31-5 SPECIFY _____

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201


APPLICATION FOR FUEL BURNING EQUIPMENT: Registration: Permit to Construct

80

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978	DO NOT WRITE IN THIS SPACE DATE REC. LOCAL DATE REC. STATE	
MAILING ADDRESS 6825 16th St. N.W.		TELEPHONE 487-5309	ACKNOWLEDGEMENT SENT DATE _____ BY _____	
CITY Washington	STATE D.C.	ZIP CODE 20028	REVIEWED NAME _____ DATE _____	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Bldg 120 Forest Glen Section		COMPLETION DATE	LOCAL _____ STATE _____ RETURNED TO LOCAL JURISDICTION DATE _____ BY _____ APPLICATION RET'D TO APPLICANT DATE _____ BY _____	
3. STARTING DATE (New Construction)		COMPLETION DATE	REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] [] [] []	
DATE EXISTING INSTALLATION PLACED IN OPERATION 1969		23 - 24	STATE GRID COORDINATES [] [] [] [] [] [] [] [] [] [] [] []	
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>[Signature]</i>		PRINT OR TYPE NAME William E. Bradley	PREMISE NUMBER [] [] [] [] [] [] [] [] [] [] [] []	
5. TYPE OF APPLICATION: EXISTING INSTALLATION <input checked="" type="checkbox"/> (INITIAL REG.) 25-1 NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2 REPLACEMENT <input type="checkbox"/> 25-3		6. MAJOR ACTIVITY AT THIS LOCATION (Check One) MANUFACTURING <input type="checkbox"/> 26-1 RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2 OFFICE (ALL TYPES) <input type="checkbox"/> 26-3 SCHOOL OR CHURCH <input type="checkbox"/> 26-4 HOTEL OR MOTEL <input type="checkbox"/> 26-5 WAREHOUSE <input type="checkbox"/> 26-7 HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-6 RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8 OTHER <input type="checkbox"/> 26-9 SPECIFY _____ <input checked="" type="checkbox"/> 26-10		
7. IDENTICAL INSTALLATIONS NUMBER OF UNITS 01		OWNERS IDENTIFICATION NUMBER(S) MDT969 #3		
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS				
30 OR LESS <input type="checkbox"/> 29-1	51-100 <input type="checkbox"/> 29-3	151-200 <input type="checkbox"/> 29-5	OVER 250 <input type="checkbox"/> 29-7 Not in operation SPECIFY _____	
31-50 <input type="checkbox"/> 29-2	101-150 <input checked="" type="checkbox"/> 29-4	201-250 <input type="checkbox"/> 29-6		
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> Not in operation SPECIFY _____				
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY _____				
11. EQUIPMENT MANUFACTURER Kewanee BOILER MODEL NUMBER: 2500				
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT: HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/> STEAM (LBS./HR. PSIG.) 11,000 OF _____ COMBINED USE <input type="checkbox"/> _____ TYPE OF OIL BURNER: PRESSURE OR GUN TYPE <input type="checkbox"/> 31-1 ROTARY CUP <input type="checkbox"/> 31-2 STEAM ATOMIZER <input type="checkbox"/> 11-1 AIR ATOMIZER <input type="checkbox"/> 11-2 OTHER <input type="checkbox"/> 11-3 None		

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
 Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration: Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978		DO NOT WRITE IN THIS SPACE DATE REC. LOCAL DATE REC. STATE			
MAILING ADDRESS 623 10th St. N.W.		TELEPHONE 427-3309		ACKNOWLEDGEMENT SENT DATE BY			
CITY Washington		STATE D.C.		REVIEWED NAME DATE			
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Edg 120 Forest Glen Section		COMPLETION DATE		LOCAL STATE RETURNED TO LOCAL JURISDICTION DATE BY			
3. STARTING DATE (New Construction)		COMPLETION DATE 1978		APPLICATION RET'D TO APPLICANT DATE BY			
DATE EXISTING INSTALLATION PLACED IN OPERATION		23-24 1978		REGISTRATION NUMBER (1) (2) (3) (4) (5) (6) (7) (8) (9) (10)			
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL 		TITLE Deputy Plant Foreman		STATE GRID COORDINATES 11 12 13 14 15 16 17			
PRINT OR TYPE NAME William E. Bradley		TITLE Deputy Plant Foreman		PREMISE NUMBER 18 19 20 21 22			
5. TYPE OF APPLICATION: EXISTING INSTALLATION (INITIAL REG.) <input checked="" type="checkbox"/> 25-1 NEW INSTALLATION (TO BE CONSTRUCTED) <input type="checkbox"/> 25-2 REPLACEMENT <input type="checkbox"/> 25-3							
6. MAJOR ACTIVITY AT THIS LOCATION (Check One) MANUFACTURING <input type="checkbox"/> 26-1 RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2 OFFICE (ALL TYPES) <input type="checkbox"/> 26-3 SCHOOL OR CHURCH <input type="checkbox"/> 26-4 HOTEL OR MOTEL <input type="checkbox"/> 26-5 WAREHOUSE <input type="checkbox"/> 26-7 HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-6 RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8 OTHER <input type="checkbox"/> SPECIFY <input type="checkbox"/> 26-9							
7. IDENTICAL INSTALLATIONS NUMBER OF UNITS 01 27-28 OWNERS IDENTIFICATION NUMBER(S) 121918 A							
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS 30 OR LESS <input type="checkbox"/> 29-1 51-100 <input type="checkbox"/> 29-3 151-200 <input type="checkbox"/> 29-5 31-50 <input type="checkbox"/> 29-2 101-150 <input checked="" type="checkbox"/> 29-4 201-250 <input type="checkbox"/> 29-6 OVER 250 <input type="checkbox"/> 29-7 SPECIFY							
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input checked="" type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIFY							
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input checked="" type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> SPECIFY							
11. EQUIPMENT MANUFACTURER Under BOILER MODEL NUMBER: 2000 BOILER TYPE: FIRE TUBE <input type="checkbox"/> WATER TUBE <input checked="" type="checkbox"/> HEATING SURFACE AREA (SQ. FT.) 5,000 STEAM (LBS./HR. PSIG.) 21,000 OF _____ MAJOR USE OF FUEL BURNING EQUIPMENT: HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/> COMBINED USE <input type="checkbox"/> % PROCESS _____ TYPE OF OIL BURNER: PRESSURE OR GUN TYPE <input type="checkbox"/> 31-1 ROTARY CUP <input type="checkbox"/> 31-2 STEAM ATOMIZER <input checked="" type="checkbox"/> 31-3 AIR ATOMIZER <input type="checkbox"/> 31-4 OTHER <input type="checkbox"/> SPECIFY 31-5							

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration: Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978	DO NOT WRITE IN THIS SPACE	
MAILING ADDRESS Bldg 500 3rd St. N.W.		TELEPHONE 427-3309	DATE REC. LOCAL DATE REC. STATE	
CITY Washington	STATE D.C.	ZIP CODE 20012	ACKNOWLEDGEMENT SENT DATE BY	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Bldg 500 Forest Glen Section			REVIEWED NAME DATE	
3. STARTING DATE (New Construction)		COMPLETION DATE	LOCAL STATE	
DATE EXISTING INSTALLATION PLACED IN OPERATION		1977	RETURNED TO LOCAL JURISDICTION: DATE BY	
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>William E. Bradley</i>			APPLICATION RET'D TO APPLICANT DATE BY	
PRINT OR TYPE NAME IF William E. Bradley		TITLE Boiler Plant Foreman	REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] []	
5. TYPE OF APPLICATION: EXISTING INSTALLATION <input type="checkbox"/> NEW INSTALLATION <input type="checkbox"/> REPLACEMENT <input type="checkbox"/> (INITIAL REG.) 25-1 (TO BE CONSTRUCTED) 25-2 25-3			STATE GRID COORDINATES [] [] [] [] [] [] [] [] [] []	
6. MAJOR ACTIVITY AT THIS LOCATION (Check One)			PREMISE NUMBER [] [] [] [] [] [] [] [] [] []	
MANUFACTURING <input type="checkbox"/> 26-1		RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2	OFFICE (ALL TYPES) <input type="checkbox"/> 26-3	SCHOOL OR CHURCH <input type="checkbox"/> 26-4
WAREHOUSE <input type="checkbox"/> 26-7		HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-8	RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-6	OTHER <input type="checkbox"/> 26-9 SPECIFY _____
7. IDENTICAL INSTALLATIONS NUMBER OF UNITS <u>03</u>			OWNERS IDENTIFICATION NUMBER(S) <u>151-1-71</u> <u>151-1-72</u>	
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS				
30 OR LESS <input type="checkbox"/> 29-1		51-100 <input type="checkbox"/> 29-3	151-200 <input type="checkbox"/> 29-5	
31-50 <input checked="" type="checkbox"/> 29-2		101-150 <input type="checkbox"/> 29-4	201-250 <input type="checkbox"/> 29-6 OVER 250 <input type="checkbox"/> 29-7 SPECIFY _____	
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input checked="" type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIFY _____				
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input checked="" type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY _____				
11. EQUIPMENT MANUFACTURER <u>Boiler</u>			BOILER MODEL NUMBER: <u>151-1-71</u>	
BOILER TYPE: FIRE TUBE <input type="checkbox"/> WATER TUBE <input checked="" type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT:		
HEATING SURFACE AREA (SQ. FT.) <u>300</u>		HEATING USE ONLY <input checked="" type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>		
STEAM (LBS./HR. PSIG.) <u>300</u> <u>0</u> <u>0</u>		COMBINED USE <input type="checkbox"/> % Process _____		
TYPE OF OIL BURNER:				
PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1		ROTARY CUP <input type="checkbox"/> 31-2	STEAM ATOMIZER <input type="checkbox"/> 31-3	AIR ATOMIZER <input type="checkbox"/> 31-4 OTHER <input type="checkbox"/> 31-5 SPECIFY _____

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
 Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration: Permit to Construct

80		DO NOT WRITE IN THIS SPACE	
1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978	
MAILING ADDRESS 4425 14th St. N.W.		TELEPHONE 487-5709	
CITY Washington	STATE D.C.	ZIP CODE 20012	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Room 305 Food Pan Section		DATE REC. LOCAL _____ DATE REC. STATE _____	
3. STARTING DATE (New Construction) _____ COMPLETION DATE _____		ACKNOWLEDGEMENT SENT DATE _____ BY _____	
DATE EXISTING INSTALLATION PLACED IN OPERATION 1977 23-24		REVIEWED NAME _____ DATE _____	
6. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>[Signature]</i>		LOCAL _____ STATE _____	
PRINT OR TYPE NAME William E. Bradley		RETURNED TO LOCAL JURISDICTION DATE _____ BY _____	
TITLE Boiler Plant Foreman		APPLICATION RET'D TO APPLICANT DATE _____ BY _____	
5. TYPE OF APPLICATION: EXISTING INSTALLATION <input checked="" type="checkbox"/> (INITIAL REG.) 25-1 NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2 REPLACEMENT <input type="checkbox"/> 25-3		REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] [] (1) (2) (3) (4) (5) (6) (7) (8) (9) (10)	
6. MAJOR ACTIVITY AT THIS LOCATION (Check One)		STATE GRID COORDINATES [] [] [] [] [] [] [] [] 11 12 13 14 15 16 17	
MANUFACTURING <input type="checkbox"/> 26-1 RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2 OFFICE (ALL TYPES) <input type="checkbox"/> 26-3 SCHOOL OR CHURCH <input type="checkbox"/> 26-4 HOTEL OR MOTEL <input type="checkbox"/> 26-5		PREMISE NUMBER [] [] [] [] [] [] 18 19 20 21 22	
WAREHOUSE <input type="checkbox"/> 26-7 HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-6 RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8 OTHER _____ SPECIFY _____ 26-9			
7. IDENTICAL INSTALLATIONS NUMBER OF UNITS 01 27-38 OWNERS IDENTIFICATION NUMBER(S) W87149			
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS _____			
30 OR LESS <input type="checkbox"/> 29-1 51-100 <input type="checkbox"/> 29-3 151-200 <input type="checkbox"/> 29-5			
31-50 <input checked="" type="checkbox"/> 29-2 101-150 <input type="checkbox"/> 29-4 201-250 <input type="checkbox"/> 29-6 OVER 250 <input type="checkbox"/> 29-7 SPECIFY _____			
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input checked="" type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIFY _____			
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input checked="" type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY _____			
11. EQUIPMENT MANUFACTURER Rayco BOILER MODEL NUMBER: 12500			
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT:	
HEATING SURFACE AREA (SQ. FT.) _____		HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>	
STEAM (LBS./HR. PSIG.) 1702 OF _____		COMBINED USE <input type="checkbox"/> % Process _____	
TYPE OF OIL BURNER:			
PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1 ROTARY CUP <input type="checkbox"/> 31-2 STEAM ATOMIZER <input type="checkbox"/> 31-3 AIR ATOMIZER <input type="checkbox"/> 31-4 OTHER <input type="checkbox"/> 31-5 SPECIFY _____			

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Conor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration Permit to Construct

<p>1. OWNER OF INSTALLATION Walter Reed Army Medical Center</p> <p>DATE OF APPLICATION May 2, 1978</p> <p>MARY 1502 ST, F.W.</p> <p>CITY Washington STATE DC ZIP CODE 20036</p> <p>2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Basement Forest Glen Station</p> <p>3. STARTING DATE (New Construction) _____ COMPLETION DATE _____</p> <p>DATE EXISTING INSTALLATION PLACED IN OPERATION 1967 23-24</p> <p>4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>[Signature]</i></p> <p>PRINT OR TYPE NAME William A. Bradley TITLE Boiler plant Foreman</p> <p>5. TYPE OF APPLICATION: EXISTING INSTALLATION <input checked="" type="checkbox"/> (INITIAL REG.) 25-1 NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2 REPLACEMENT <input type="checkbox"/> 25-3</p> <p>6. MAJOR ACTIVITY AT THIS LOCATION (Check One) MANUFACTURING <input type="checkbox"/> 26-1 RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2 OFFICE (ALL TYPES) <input type="checkbox"/> 26-3 SCHOOL OR CHURCH <input type="checkbox"/> 26-4 HOTEL OR MOTEL <input type="checkbox"/> 26-5 WAREHOUSE <input type="checkbox"/> 26-7 HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-6 RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8 OTHER _____ SPECIFY _____ 26-9</p> <p>7. IDENTICAL INSTALLATIONS NUMBER OF UNITS 01 27-28 OWNERS IDENTIFICATION NUMBER(S) 1246</p> <p>8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS _____ 30 OR LESS <input type="checkbox"/> 29-1 51-100 <input type="checkbox"/> 29-3 151-200 <input type="checkbox"/> 29-5 31-50 <input checked="" type="checkbox"/> 29-2 101-150 <input type="checkbox"/> 29-4 201-250 <input type="checkbox"/> 29-6 OVER 250 <input type="checkbox"/> 29-7 SPECIFY _____</p> <p>9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input checked="" type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIFY _____</p> <p>10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input checked="" type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY _____</p> <p>11. EQUIPMENT MANUFACTURER International BOILER MODEL NUMBER: _____</p> <p>BOILER TYPE: FIRE TUBE <input type="checkbox"/> WATER TUBE <input checked="" type="checkbox"/> MAJOR USE OF FUEL BURNING EQUIPMENT: HEATING SURFACE AREA (SQ. FT.) _____ HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/> STEAM (LBS./HR. PSIG.) _____ OF _____ COMBINED USE <input type="checkbox"/> % Process _____</p> <p>TYPE OF OIL BURNER: PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1 ROTARY CUP <input type="checkbox"/> 31-2 STEAM ATOMIZER <input type="checkbox"/> 31-3 AIR ATOMIZER <input type="checkbox"/> 31-4 OTHER <input type="checkbox"/> 31-5 SPECIFY _____</p>	<p>DO NOT WRITE IN THIS SPACE</p> <p>DATE REC. LOCAL _____ DATE REC. STATE _____</p> <p>ACKNOWLEDGEMENT SENT DATE _____ BY _____</p> <p>REVIEWED NAME _____ DATE _____</p> <p>LOCAL _____ STATE _____</p> <p>RETURNED TO LOCAL JURISDICTION DATE _____ BY _____</p> <p>APPLICATION RET'D TO APPLICANT DATE _____ BY _____</p> <p>REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] [] (1) (2) (3) (4) (5) (6) (7) (8) (9) (10)</p> <p>STATE GRID COORDINATES [] [] [] [] [] [] [] [] 11 12 13 14 15 16 17</p> <p>PREMISE NUMBER [] [] [] [] [] [] [] [] 18 19 20 21 22</p>
--	---

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Environmental Health Administration

Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978		DO NOT WRITE IN THIS SPACE	
MAILING ADDRESS 4850 12th St. N.W.		TELEPHONE 427-3329		DATE REC. LOCAL DATE REC. STATE	
CITY Washington		STATE D.C.		ACKNOWLEDGEMENT SENT	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) Wing 511 Forest Glen Station		ZIP CODE 20012		DATE BY	
3. STARTING DATE (New Construction)		COMPLETION DATE		REVIEWED	
DATE EXISTING INSTALLATION PLACED IN OPERATION		1970		NAME DATE	
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL		23 - 24		LOCAL STATE	
PRINT OR TYPE NAME William E. Bradley		TITLE Medical Plant Person		RETURNED TO LOCAL JURISDICTION	
5. TYPE OF APPLICATION:		EXISTING INSTALLATION <input checked="" type="checkbox"/> (INITIAL REG.) 25-1		NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2	
6. MAJOR ACTIVITY AT THIS LOCATION (Check One)		REPLACEMENT <input type="checkbox"/> 25-3		APPLICATION REF'D TO APPLICANT	
MANUFACTURING <input type="checkbox"/> 26-1		RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2		DATE BY	
WAREHOUSE <input type="checkbox"/> 26-7		HOSPITAL OR LABORATORY <input checked="" type="checkbox"/> 26-4		REGISTRATION NUMBER	
OFFICE (ALL TYPES) <input type="checkbox"/> 26-3		RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8		STATE GRID COORDINATES	
SCHOOL OR CHURCH <input type="checkbox"/> 26-4		HOTEL OR MOTEL <input type="checkbox"/> 26-5		11 12 13 14 15 16 17	
OTHER <input type="checkbox"/> 26-9		SPECIFY _____		PREMISE NUMBER	
7. IDENTICAL INSTALLATIONS		NUMBER OF UNITS 02		OWNERS IDENTIFICATION NUMBER(S) 2-1976-11 2-1976-12	
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS		30 OR LESS <input type="checkbox"/> 29-1		51-100 <input type="checkbox"/> 29-3	
31-50 <input type="checkbox"/> 29-2		101-150 <input type="checkbox"/> 29-4		201-250 <input type="checkbox"/> 29-6	
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT:		OVER 250 <input type="checkbox"/> 29-7		SPECIFY _____	
COAL <input type="checkbox"/>		OIL <input checked="" type="checkbox"/>		WOOD <input type="checkbox"/>	
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE:		NATURAL GAS <input type="checkbox"/>		OTHER <input type="checkbox"/> SPECIFY _____	
NO. 1 <input type="checkbox"/> 30-1		NO. 2 <input type="checkbox"/> 30-2		NO. 4 <input type="checkbox"/> 30-3	
NO. 5 <input type="checkbox"/> 30-4		NO. 6 <input type="checkbox"/> 30-5		OTHER <input type="checkbox"/> 30-6	
11. EQUIPMENT MANUFACTURER Clasco Boilers		BOILER MODEL NUMBER: CLASCO 1			
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT:			
HEATING SURFACE AREA (SQ. FT.) 6,093		HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>			
STEAM (LBS./HR. PSIG.) _____ OF _____		COMBINED USE <input type="checkbox"/> _____ % Process			
TYPE OF OIL BURNER:		PRESSURE OR <input type="checkbox"/> ROTARY <input type="checkbox"/> STEAM <input type="checkbox"/> AIR <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>			

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
 Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1978	DO NOT WRITE IN THIS SPACE	
MAILING ADDRESS 6825 16th St. N. W.		TELEPHONE 427 3309	DATE REC. LOCAL	DATE REC. STATE
CITY Washington	STATE D.C.	ZIP CODE 20012	ACKNOWLEDGEMENT SENT	
2. LOCATION OF FUEL BURNING EQUIPMENT (if different from above) BLDG 163 (PX) Forest Glen Section			DATE	BY
3. STARTING DATE (New Construction)			REVIEWED	
DATE EXISTING INSTALLATION PLACED IN OPERATION 1973			LOCAL	NAME
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL			STATE	DATE
PRINT OR TYPE NAME William K. Bradley	TITLE Boiler Plant Foreman	RETURNED TO LOCAL JURISDICTION		
5. TYPE OF APPLICATION:		DATE		
EXISTING INSTALLATION <input checked="" type="checkbox"/> (INITIAL REG.) 25-1	NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2	REPLACEMENT <input type="checkbox"/> 25-3	APPLICATION RET'D TO APPLICANT	
6.1 MAJOR ACTIVITY AT THIS LOCATION (Check One)		DATE		
MANUFACTURING <input type="checkbox"/> 26-1	RETAIL OR WHOLESALE STORE <input checked="" type="checkbox"/> 26-2	OFFICE (ALL TYPES) <input type="checkbox"/> 26-3	REGISTRATION NUMBER	
WAREHOUSE <input type="checkbox"/> 26-7	HOSPITAL OR LABORATORY <input type="checkbox"/> 26-8	RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8	STATE GRID COORDINATES	
		SCHOOL OR CHURCH <input type="checkbox"/> 26-4	PREMISE NUMBER	
		HOTEL OR MOTEL <input type="checkbox"/> 26-5	OTHER <input type="checkbox"/> 26-9	
		SPECIFY		
7. IDENTICAL INSTALLATIONS		DATE		
NUMBER OF UNITS 01		OWNERS IDENTIFICATION NUMBER(S)		
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS		DATE		
30 OR LESS <input type="checkbox"/> 29-1	51-100 <input type="checkbox"/> 29-3	151-200 <input type="checkbox"/> 29-5	SPECIFY	
31-50 <input type="checkbox"/> 29-2	101-150 <input type="checkbox"/> 29-4	201-250 <input type="checkbox"/> 29-6	OVER 250 <input type="checkbox"/> 29-7	
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT:		SPECIFY		
COAL <input type="checkbox"/>	OIL <input checked="" type="checkbox"/>	WOOD <input type="checkbox"/>	NATURAL GAS <input type="checkbox"/>	OTHER <input type="checkbox"/>
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE:		SPECIFY		
NO. 1 <input type="checkbox"/> 30-1	NO. 2 <input checked="" type="checkbox"/> 30-2	NO. 4 <input type="checkbox"/> 30-3	NO. 5 <input type="checkbox"/> 30-4	NO. 6 <input type="checkbox"/> 30-5
11. EQUIPMENT MANUFACTURER		BOILER MODEL NUMBER:		
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/>		MAJOR USE OF FUEL BURNING EQUIPMENT:		
HEATING SURFACE AREA (SQ. FT.)		HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>		
STEAM (LBS./HR. PSIQ.)		COMBINED USE <input type="checkbox"/> % Process		
TYPE OF OIL BURNER:		SPECIFY		
PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1	ROTARY CUP <input type="checkbox"/> 31-2	STEAM ATOMIZED <input type="checkbox"/> 31-3	AIR ATOMIZED <input type="checkbox"/> 31-4	OTHER <input type="checkbox"/> 31-5

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
 Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

APPLICATION FOR FUEL BURNING EQUIPMENT: Registration Permit to Construct

1. OWNER OF INSTALLATION Walter Reed Army Medical Center		DATE OF APPLICATION May 9, 1973		DO NOT WRITE IN THIS SPACE			
MAILING ADDRESS 4825 16th St. N.W.		TELEPHONE 427-5307		DATE REC LOCAL		DATE REC STATE	
CITY Washington		STATE D.C.		ZIP CODE 20007		ACKNOWLEDGEMENT SENT DATE BY	
2. LOCATION OF FUEL BURNING EQUIPMENT (different from above) Bldg 753				REVIEWED NAME DATE			
3. STARTING DATE (New Construction)		COMPLETION DATE		LOCAL		STATE	
DATE EXISTING INSTALLATION PLACED IN OPERATION		1973		RETURNED TO LOCAL JURISDICTION DATE BY			
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL				APPLICATION RETURNED TO APPLICANT DATE BY			
PRINT OR TYPE NAME William K. Bradley		TITLE Boiler Plant Foreman		REGISTRATION NUMBER [] [] [] [] [] [] [] [] [] [] (1) (2) (3) (4) (5) (6) (7) (8) (9) (10)			
5. TYPE OF APPLICATION:				STATE GRID COORDINATES [] [] [] [] [] [] [] [] 11 12 13 14 15 16 17			
EXISTING INSTALLATION (INITIAL REG.) <input checked="" type="checkbox"/> 25-1				NEW INSTALLATION <input type="checkbox"/> 25-2			
REPLACEMENT <input type="checkbox"/> 25-3				PREMISE NUMBER [] [] [] [] [] [] 18 19 20 21 22			
6. MAJOR ACTIVITY AT THIS LOCATION (Check One)							
MANUFACTURING <input type="checkbox"/> 26-1		RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2		OFFICE (ALL TYPES) <input type="checkbox"/> 26-3		SCHOOL OR CHURCH <input type="checkbox"/> 26-4	
WAREHOUSE <input type="checkbox"/> 26-7		HOSPITAL OR LABORATORY <input type="checkbox"/> 26-6		RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8		HOTEL OR MOTEL <input type="checkbox"/> 26-5	
				OTHER <input checked="" type="checkbox"/> PX Complex		SPECIFY <input type="checkbox"/> 26-9	
7. IDENTICAL INSTALLATIONS							
NUMBER OF UNITS <u>02</u>				OWNERS IDENTIFICATION NUMBER(S) <u>8380</u>			
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS							
30 OR LESS <input type="checkbox"/> 29-1		51-100 <input type="checkbox"/> 29-3		151-200 <input type="checkbox"/> 29-5			
31-50 <input checked="" type="checkbox"/> 29-2		101-150 <input type="checkbox"/> 29-4		201-250 <input type="checkbox"/> 29-6		OVER 250 <input type="checkbox"/> 29-7	
				SPECIFY _____			
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT:							
COAL <input type="checkbox"/>		OIL <input checked="" type="checkbox"/>		WOOD <input type="checkbox"/>		NATURAL GAS <input type="checkbox"/>	
						OTHER <input type="checkbox"/> SPECIFY _____	
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE:							
NO. 1 <input type="checkbox"/> 30-1		NO. 2 <input checked="" type="checkbox"/> 30-2		NO. 4 <input type="checkbox"/> 30-3		NO. 5 <input type="checkbox"/> 30-4	
						NO. 6 <input type="checkbox"/> 30-5	
						OTHER <input type="checkbox"/> 30-6 SPECIFY _____	
11. EQUIPMENT MANUFACTURER <u>Space</u>				BOILER MODEL NUMBER <u>8380</u>			
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/>				MAJOR USE OF FUEL BURNING EQUIPMENT:			
HEATING SURFACE AREA (SQ. FT.) _____				HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/>			
STEAM (LBS./HR. PSIG.) _____ OF _____				COMBINED USE <input type="checkbox"/> _____ % Process			
TYPE OF OIL BURNER:							
PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1		ROTARY CUP <input type="checkbox"/> 31-2		STEAM ATOMIZER <input type="checkbox"/> 31-3		AIR ATOMIZER <input type="checkbox"/> 31-4	
						OTHER <input type="checkbox"/> 31-5 SPECIFY _____	

STATE OF MARYLAND - DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Environmental Health Administration
 Bureau of Air Quality & Noise Control
 O'Connor Building
 201 W. Preston Street
 Baltimore, Maryland 21201

C APPLICATION FOR FUEL BURNING EQUIPMENT. Registration: Permit to Construct

1. OWNER OF INSTALLATION WALTER REED ARMY MEDICAL CENTER		DATE OF APPLICATION MAY 1978		DO NOT WRITE IN THIS SPACE			
MAILING ADDRESS 6825 14th St N.W.		TELEPHONE AZ-5309		DATE REC. LOCAL	DATE REC. STATE		
CITY Washington	STATE D.C.	ZIP CODE 20012		ACKNOWLEDGEMENT SENT			
2. LOCATION OF FUEL BURNING EQUIPMENT (If different from above) Blk 306 Forest Glen Section				DATE	BY		
3. STARTING DATE (New Construction)				REVIEWED			
DATE EXISTING INSTALLATION PLACED IN OPERATION 1975				LOCAL	NAME		
4. SIGNATURE OF OWNER OR AUTHORIZED COMPANY OFFICIAL <i>[Signature]</i>				STATE	DATE		
PRINT OR TYPE NAME William K. Bradley		TITLE Boiler Plant Foreman		RETURNED TO LOCAL JURISDICTION			
5. TYPE OF APPLICATION: EXISTING INSTALLATION <input type="checkbox"/> (INITIAL REG.) 25-1 NEW INSTALLATION <input type="checkbox"/> (TO BE CONSTRUCTED) 25-2 REPLACEMENT <input type="checkbox"/> 25-3				DATE	BY		
6. MAJOR ACTIVITY AT THIS LOCATION (Check One) MANUFACTURING <input type="checkbox"/> 26-1 RETAIL OR WHOLESALE STORE <input type="checkbox"/> 26-2 OFFICE (ALL TYPES) <input type="checkbox"/> 26-3 SCHOOL OR CHURCH <input type="checkbox"/> 26-4 HOTEL OR MOTEL <input type="checkbox"/> 26-5 WAREHOUSE <input type="checkbox"/> 26-7 HOSPITAL OR LABORATORY <input type="checkbox"/> 26-6 RESIDENTIAL OR APARTMENTS <input type="checkbox"/> 26-8 OTHER <u>Laundry</u> <input type="checkbox"/> 26-9 SPECIFY				APPLICATION RET'D TO APPLICANT			
7. IDENTICAL INSTALLATIONS NUMBER OF UNITS 3 27-28				REGISTRATION NUMBER			
8. STACK HEIGHT ABOVE GROUND LEVEL (FEET): NUMBER OF STACKS				DATE			
9. CHECK ALL FUELS BURNED IN THIS EQUIPMENT: COAL <input type="checkbox"/> OIL <input checked="" type="checkbox"/> WOOD <input type="checkbox"/> NATURAL GAS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIFY				BY			
10. IF OIL IS USED, CHECK ALL GRADES APPLICABLE: NO. 1 <input type="checkbox"/> 30-1 NO. 2 <input checked="" type="checkbox"/> 30-2 NO. 4 <input type="checkbox"/> 30-3 NO. 5 <input type="checkbox"/> 30-4 NO. 6 <input type="checkbox"/> 30-5 OTHER <input type="checkbox"/> 30-6 SPECIFY				REGISTRATION NUMBER			
11. EQUIPMENT MANUFACTURER: Trane				STATE GRID COORDINATES			
BOILER TYPE: FIRE TUBE <input checked="" type="checkbox"/> WATER TUBE <input type="checkbox"/> 2850				PREMISE NUMBER			
HEATING SURFACE AREA (SQ. FT.) 8500				18 19 20 21 22			
STEAM (LBS./HR. PSIG.) 8500 OF				11 12 13 14 15 16 17			
TYPE OF OIL BURNER: PRESSURE OR GUN TYPE <input checked="" type="checkbox"/> 31-1 NOTARY CUP <input type="checkbox"/> 31-2 STEAM ATOMIZER <input type="checkbox"/> 31-3 AIR ATOMIZER <input type="checkbox"/> 31-4 OTHER <input type="checkbox"/> 31-5 SPECIFY				BOILER MODEL NUMBER: TRANE			
MAJOR USE OF FUEL BURNING EQUIPMENT: HEATING USE ONLY <input type="checkbox"/> PROCESS USE ONLY <input type="checkbox"/> COMBINED USE <input checked="" type="checkbox"/> % PROCESS				OWNERS IDENTIFICATION NUMBER(S) 75006 R 75007 R 75005 R			

DISTRIBUTION LIST

	<u>No. of Copies</u>
Defense Technical Information Center Cameron Station Alexandria, Va.	14
U.S. Army Toxic and Hazardous Materials Agency ATTN: DRXTH-AS Aberdeen Proving Ground, Md.	9
Headquarters, Walter Reed Army Medical Center Washington, D.C.	4
U.S. Army Environmental Hygiene Agency ATTN: HSHB-AA-L Aberdeen Proving Ground, Md.	1
U.S. Army Materiel Development and Readiness Command ATTN: DRCIS-A Alexandria, Va.	1