UNCLASSIFIED

AD NUMBER

ADB118541

NEW LIMITATION CHANGE

TO

Approved for public release, distribution unlimited

FROM

Distribution authorized to DoD only; Specific Authority; APR 1987. Other requests shall be referred to Commandant Marine Corps, Washington, DC 20380.

AUTHORITY

ONR/CNA ltr 15 Dec 1988

THIS PAGE IS UNCLASSIFIED

THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPOSED UPON ITS USE AND DISCLOSURE. DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

CRM 87-55 / April 1987

54

AD-B118

4

ź

TTE FILE COF)

RESEARCH MEMORANDUM

SCALING THE PROPOSED NEW ARMED FORCES QUALIFICATION TEST COMPOSED OF VERBAL, ARITHMETIC REASONING, AND MATH KNOWLEDGE

> Milton H. Maier Catherine M. Hiatt

DISTRIBUTION STATEMENT

9 mar 88

TIC

ELECTE MAR 0 9 1988

Н

010

Distribution limited to DOD agencies only. Specific Authority:- Neest-encloses. Other requests for this document must be referred to the <u>Commandant</u> of the Marine <u>Corps</u> (Code RDS).





<u>s</u> 8

CENTER·FOR·NAVAL·ANALYSES

4401 Ford Avenue • Post Office Box 16268 • Alexandria, Virginia 22302-0268 • (703) 824-2000

		R	EPORT DOCUM	ENTATION P	AGE AD.	-B11	85412
TNCT A SSIE	URITY CLASSIFIC	ATION		1b. RESTRICTIVE N	ARKINGS		
2a. SECURITY CI	ASSIFICATION A			3. DISTRIBUTION /	AVAILABILITY OF R		m
		Distribution limite	d to DOD agencies	only.	Aste for this document.		
D. DECLASSIFIC		GRADING SCHEDOL	-	must be referred to	the Commendent	Alle Marine	Conje (Code RDC)
PERFORMING	ORGANIZATION	NREPORT NUMBER(\$)	5. MONITORING O	RGANIZATION REP	ORT NUMBER	(S)
CRM 87-55			=	-			
a. NAME OF PE	REORMING OR	JANIZATION	6b. OFFICE SYMBOL	7a. NAME OF MONITORING ORGANIZATION			
Center for Na	aval Analyse	S	(If applicable) CNA	Commandant o	of the Marine Co	orps (Code I	RDŠ).
c. ADDRESS (C	ity, State, and Zl	P.Code)		7b. ADDRESS (City	, State, and ZIP Cod	e)	
LAN1:Ford As	ronitô		-	Headauartèra	Marine Corps		
Alexandria,	Virginia 223	02-0268	-	Washington, D	.C. 20380		
a. NAME OF FL	JNDING/ORGA	NIZATION	8b. OFFICE SYMBOL	9.: PROCUREMENT	INSTRUMENT IDEN	TIFICATION N	UMBER
Office of Nav	al Research	• _	(If applicable) ONR	N00014-87-	C-0001		
Bc. AÕDRESS (C	ity, State, and Zi	P Code)		10: SOURCE OF FU	INDING NUMBERS		
800 North Qı Arlington, V	uincy Street irginia 2221	7 ⁼	=	PROGRAM ELEMENT NO: 65153M	PROJECT NO. C0031	TASK NO.	
1. TITLE (Inclu	de Security Class	ification)		<u></u>			
Scaling the F Math Knowl	Proposed New edge	Armed Forces	Qualification Test	Composed of Ve	rbal, Arithmetic	c Reasonin	g, and
12. PERSONAL	AUTHOR(S)	ne M Higtt	<u> </u>				
13a. TYPE OF R	EPORT	13b. TIME COVER	RED	14. DATE OF R	EPORT (Year, Mont	h, Day)	15. PAGE COUNT
r mai	_		١Ų	Abruitad		-	
16SUPPLEMEN	ITARY NOTATIC)N=					
17	COSATICODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) AFOT (Armed Forces Qualification Test), Aptitude tests, ASVAB (A		se if necessary and i	ck number)	
17 FIELD	GROUP	SUB-GROUP	AFQT (Armed)	(Continue on rever forces Qualifica	tion Test), Apti	dentify by blo tude tests,	ck number) ASVAB (Armed
17 FIELD 05	GROUP	SUB-GROUP	AFQT (Armed I Services Vocati	(Continue on rever Forces Qualifica onal Aptitude B	e if necessary and i tion Test), Apti attery), Data pr	dentify by blo tude tests, occessing, N	ck number) ASVAB (Armed Iental ability,
17 FIELD 05 12	GROUP 08 03	SUB-GROUP	AFQT (Armed) Services Vocati Recruits, Statis	(Continue on rever Forces Qualifica onal Aptitude B tical analysis, T	e if necessary and i tion Test), Apti attery), Data pr 'ables (data), Te	dentity by blo tude tests, ocessing, N st scores	ck number) ASVAB (Armed Iental ability,
17. FIELD 05 12 19. ABSTRACT (GROUP 08 03 (Continue on rev	SUB-GROUP	AFQT (Armed) Services Vocati Recruits, Statis	(Continue on réver Forces Qualifica onal Aptitude B tical analysis, T bēr)	se if necessary and i tion Test), Apti attery), Data pr ables (data), Te	dentify by bio tude tests, rocessing, N est scores	ck number) ASVAB (Armed fental ability,
17. FIELD 05 12 19. ABSTRACT The Nu	GROUP 08 03 (Continue on rev imerical Oper	SUB-GROUP /erse if necessary an rations (NO) sul	AFQT (Armed I Services Vocati Recruits, Statis didentify by block num otest has caused pro-	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) ber) bblems for the jo	int-service test	ing program	ck number) ASVAB (Armed Iental ability, n since it was nowledge (MK)
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla	(Continue on rev imerical Oper the Armed Faces NO, was	SUB-GROUP /erse if necessary an rations (NO) sul 'orces Qualifica recommended b	AFQT (Armed) Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service	(Continue on rever Forces Qualifica onal Aptitude B tical analysis, T <i>ber</i>) bblems for the jo 1980. A new A Selection and C	int-service test FQT, in which t	ing program he Math K orking Gro	ck number) ASVAB (Armed fental ability, n since it was nowledge (MK) up in 1986. The
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th	(Continue on rev imerical Oper the Armed F aces NO, was is research r	SUB-GROUP verse if necessary an rations (NO) sul recommended to nemorandum is	AFQT (Armed I Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) bblems for the jo 1980. A new A selection and C le score norms for	int-service test FQT, in which to boot the proposed wint-service test	ing program the Math K orking Gro new AFQT	ck number) ASVAB (Armed Iental ability, n since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev merical Open the Armed F aces NO, was nis research r und the scalin	SUB-GROUP verse if necessary an rations (NO) sul recommended k nemorandum is ig of the current	AFQT (Armed) Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) 5 5 5 1980. A new A Selection and C 1980 score 1980 score	int-service test FQT, in which t Classification W or the proposed re scale.	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Mental ability, In since it was nowledge (MK) up in 1986. The in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev Imerical Oper the Armed F aces NO, was is research r ind the scalin	SUB-GROUP verse if necessary an rations (NO) sul forces Qualifica recommended k nemorandum is ig of the current	AFQT (Armed I Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on rever Forces Qualifica onal Aptitude B tical analysis, T ber) bblems for the jo 1980. A new A Selection and C le score norms f to the 1980 score	int-service test FQT, in which t Passification W or the proposed re scale.	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Iental ability, m since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev merical Open the Armed F aces NO, was nis research r und the scalin	SUB-GROUP verse if necessary an rations (NO) sul preces Qualifica recommended k nemorandum is g of the current	AFQT (Armed I Services Vocati Recruits, Statis d identify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) 5 5 5 1980. A new A Selection and C 1980 score to the 1980 score	int-service test FQT, in which t Classification W or the proposed re scale.	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Mental ability, m since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev Imerical Oper the Armed F aces NO, was his research r and the scalin	SUB-GROUP verse if necessary an rations (NO) sul rocces Qualifica recommended h nemorandum is ig of the current	AFQT (Armed I Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percent forms of the AFQT	(Continue on rever Forces Qualifica onal Aptitude B tical analysis, T ber) (Continue on rever ber) (Continue on rever (Continue on re	int-service test FQT, in which to blassification W or the proposed re scale.	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Iental ability, m since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev merical Ope the Armed F aces NO, was nis research r und the scalin	SUB-GROUP verse if necessary an rations (NO) sul forces Qualifica recommended h nemorandum is ig of the current	AFQT (Armed I Services Vocati Recruits, Statis d identify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) bblems for the jo 1980. A new A Selection and C le score norms f to the 1980 scor	int-service test FQT, in which t Passification W or the proposed re scale:	ing program the Math K orking Gro new AFQT	ck number) ASVAB (Armed Mental ability, m since it was nowledge (MK) up in 1986. The in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a	(Continue on rev Imerical Oper I the Armed F aces NO, was is research r and the scalin	SUB-GROUP verse if necessary an rations (NO) sul vorces Qualifica recommended t nemorandum is ig of the current	AFQT (Armed) Services Vocati Recruits, Statis didentify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) oblems for the jo 1980. A new A Selection and C le score norms f to the 1980 score	int-service test FQT, in which f lassification W or the proposed re scale.	ing program the Math K orking Gro new AFQT	ck number) ASVAB (Armed Iental ability, m since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest repla purpose of th Population a 20. DISTRIBUTI	(Continue on rev Imerical Oper the Armed F aces NO, was his research r und the scalin	SUB-GROUP verse if necessary an rations (NO) sul orces Qualifica recommended to nemorandum is ig of the current	AFQT (Armed J Services Vocati Recruits, Statis d identify by block num otest has caused pro- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) oblems for the jo 1980. A new A Selection and C le score norms f to the 1980 score 21. ABSTRACT UNCLA	int-service test FQT, in which to call as a scale. SECURITY CLASSIF ASSIFIED	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Mental ability, m since it was nowledge (MK) up in 1986. The 'in the 1980 Yout
17. FIELD 05 12 19. ABSTRACT The Nu made part of subtest replay purpose of th Population a 20. DISTRIBUTI □ UNCLASS 22a. NAME OF Major Robin	(Continue on rev Imerical Oper the Armed F aces NO, was his research r and the scalin ON/AVAILABIL IFIED/UNLIMITE RESPONSIBLE IN ISON	SUB-GROUP Verse if necessary an rations (NO) sul Porces Qualifica recommended h nemorandum is ig of the current	AFQT (Armed I Services Vocati Recruits, Statis didentify by block num otest has caused pra- tion Test (AFQT) in by the Joint Service to present percenti forms of the AFQT	(Continue on revers Forces Qualifica onal Aptitude B tical analysis, T ber) oblems for the jo 1980. A new A Selection and C le score norms f to the 1980 scor 21. ABSTRACT UNCLA 225. TELEPHC (703) 824-2	int-service test FQT, in which f Classification W or the proposed ce scale.	ing program he Math K orking Gro new AFQT	ck number) ASVAB (Armed Mental ability, m since it was nowledge (MK) up in 1986. The in the 1980 Yout

~

?×3

12



CENTER FOR NAVAL ANALYSES

A Drussion of Hudson Institute 4401 Ford Avenue • Post Office Box 16268 • Alexandria, Virginia 22302-0268 • (703) 824-2000

16 Jun 1987

MEMORANDUM FOR DISTRIBUTION LIST

Subj: Center for Naval Analyses Research Memorandum 87-55

- Encl: (1) CNA Research Memorandum 87-55, "Scaling the Proposed New Armed Forces Qualification Test Composed of Verbal, Arithmetic Reasoning, and Math Knowledge," by Milton H. Maier and Catherine M. Hiatt, Apr 1987
- 1. Enclosure (1) is forwarded as a matter of possible interest.

2. An important part of the Armed Services Vocational Aptitude Battery (ASVAB) is the Armed Forces Qualification Test (AFQT). A new AFQT has been proposed in which the Math Knowledge subtest replaces the Numerical Operations subtest. The purpose of this Research Memorandum is to present percentile score norms for the proposed new AFQT in the 1980 Youth Population and the scaling of the new AFQT in ASVAB forms 11, 12, and 13 to the 1980 score scale.

Celelian W.

William H. Sims Director, Manpower and Training Program Marine Corps Operations Analysis Group

Distribution List: Reverse Page Subj:

000

.

Distribu	tion List
SNDL	
Al	ASSTSECNAV MRA
A1	DASN - MANPOWER (2 copies)
A6	HOMC MPR
	Attn: Deputy Chief of Staff for Manpower (2 copies)
	Attn: Director, Personnel Procurement Division (2 copies)
	Attn: Director, Manpower Plans and Policy Division (2 copies)
	Attn: Director, Personnel Management Division (2 copies)
A6	HQMC TRNG (2 copies)
A6	HQMC RD&S (2 copies)
A6	HQMC RA (2 copies)
A6	HQMC AVN (2 copies)
E3D1	CNR
FF38	USNA
	Attn: Nimitz Library
FF42	NAVPGSCOL
FF44	NAVWARCOL
FJA1	COMNAVMILPERSCOM
FJB1	COMNAVCRUITCOM
FKQ6A	NAVPERSRANDCEN
	Attn: Director, Testing Systems (Code 63)
	Attn: Technical Library
	Attn: Technical Director (Codé 01)
FT1	CNET
V12	CG MCDEC
-	•
-	

 $\frac{\text{OPNAV}}{\text{OP-01}}$ 0P-11

OP-12

0P-13

Other

Joint Service Selection and Classification Working Group (11 copies) Defense Advisory Committee on Military Personnel Testing (8 copies)

SCALING THE PROPOSED NEW ARMED FORCES QUALIFICATION TEST COMPOSED OF VERBAL, ARITHMETIC REASONING, AND MATH KNOWLEDGE

HANDOON DESTRUCTION

Milton H. Maier Catherine M. Hiatt

Marine Corps Operations Analysis Group



4401 Ford Avenue • Post Office Box 16268 • Alexandria, Virginia 22302-0268

۱

ABSTRACT

The Numerical Operations (NO) subtest has caused problems for the joint-service testing programsince it was made part of the Armed Forces Qualification Test (AFQT) in 1980. A new AFQT, in which the Math Knowledge (MK) subtest replaces NO, was recommended by the Joint Service Selection and Classification Working Group in 1986. The purpose of this research memorandum is to present percentile score norms for the proposed new AFQT in the 1980 Youth Population and the scaling of the current forms of the AFQT to the 1980 score scale.

-i-



Acces	sion For	_		
NTIS	GRA&I	Π/		
DTIC	DTIC TAB			
Unann	formed	ũ		
Justi	fication_			
By Distribution/ Availability Codes				
	Avail and	/or		
Dist	Dist Special			
<u> </u>				
V ,		1		
	-	1		

EXECUTIVE SUMMARY

BACKGROUND

The Numerical Operations (NO) subtest was made part of the Armed Forces Qualification Test (AFQT) in October 1980 when forms 8, 9, and 10 of the Armed Services Vocational Aptitude Battery (ASVAB 8/9/10) were introduced. The AFQT contained the Word Knowledge (WK), Paragraph Comprehension (PC), and Arithmetic Reasoning (AR) subtests, in addition to NO (AFQT = WK + PC + AR + NO/2¹). Since 1980, the NO scores, and resultant AFQT scores, have been found to be affected by the design of test booklets and answer sheets. A more serious problem is that examinees can prepare for the NO test and thereby increase their NO scores. Most of the increase occurs at the lower range of ability.

The Joint Service Selection and Classification Working Group, which is responsible for the development and maintenance of the ASVAB, recommended in 1986 that the NO subtest be dropped from the AFQT and replaced by the Math Knowledge (MK) subtest. The new AFQT would then be defined as: AFQT = WK + PC + AR + MK.

The purpose of this report is to present percentile-score norms for the proposed new AFQT in the 1980 Youth Population and the scaling of the new AFQT in current forms of the ASVAB (forms 11, 12, and 13) to the 1980 score scale. Keywords: a plit de test skills; homan performance; personnel selection

PROCEDURE

The data set used for constructing the percentile norms in the 1980 Youth Population consisted of scores from an administration of ASVAB 8A to a nationally representative sample of males and females aged 18 through 23 at the time of testing (called the 1980 Youth Population). The scaling of the new AFQT in ASVAB 11/12/13 to the 1980 Youth Population was accomplished using a set of ASVAB scores from applicants tested in October and November of 1984 during the Initial Operational Test and Evaluation (IOT&E) of ASVAB 11/12/13. Both equipercentile and linear equating gave very similar results; consequently the linear equating results were selected.

^{1.} The NO score is divided by two and summed with the other subtest raw scores (number of items correct). The sums of raw scores are converted to percentile scores, and the percentile scores are used in making personnel decisions.

For maximum precision a large number of significant digits were retained at all intermediate stages of the equating. Only at the final step were results rounded to produce integer percentiles.

RESULTS

- Percentile Score Norms for the New AFQT in the 1980 Youth Population. The conversion of raw scores¹ of the new AFQT to percentile scores in the 1980 Youth Population is shown in table I. The relationship is smooth and orderly, as is desirable for a set of norms. These norms are appropriate for use with ASVAB 8, 9, and 10, which are parallel to ASVAB 8A, and ASVAB 14, which is used in the Institutional Testing Program.
- Scaling of the New AFQT for ASVAB 11/12/13 to the 1980 Youth Population. Two new AFQT conversion tables were constructed: One is for forms 11A, 11B, 12B, 13A, 13B, which are sufficiently similar to each other that a common table can be used for all of them. The second conversion table is for form 12A, which has slightly more difficult items and therefore warranted a separate table. The conversion of new AFQT raw scores to percentile scores for forms 11A, 11B, 12B, 13A, and 13B is shown in table II, and that for form 12A in table III.

RECOMMENDATIONS

- The norms contained in this report should be be used when the new AFQT is implemented.
- For maximum precision subsequent forms of ASVAB should be scaled to the 1980 Youth Population using the six-digit cumulative frequency tables presented in this report.

^{1.} The AFQT is currently defined as a sum of subtest raw scores. There has been in discussion of the desirability of defining it as a sum of subtest standard scores.

TABLE I

•

CONVERSION OF NEW AFOT RAW SCORES TO PERCENTILE SCORES IN THE 1980 YOUTH POPULATION FOR ASVAB FORM 8A

Raw	Percentile	Raw	Percentile
SCOTE	SCOTE	score	score
			يہ جو کا نہ جا ہو ہو جا جو
1	0	41	14
2	Õ	42	15
3	Ō	43	16
4	Õ	44	17
5	ō	45	18
6	ŏ	46	19
7	Ō	47	20
8	Ō	48	21
9	Õ	49	22
10	õ	50	23
11	ō	51	24
12	õ	52	25
13	õ	53	26
14	ŏ	54	27
15	ō	55	28
16	Ō	56	30
17	Õ	57	31
18	i	58	32
19	1	59	34
20	1	60	35
21	1	61	36
22	2	62	37
23	2	63	39
24	2	64	40
25	3	65	42
26	3	66	-43
27	4	67	45
28	4	68	46
29	5	69	48
30	6	70	49
31	6	71	-50
32	7	72	52
33	8	73	53
34	8	74	:55
35	9	75	56
36	10	76	58
37	11	77	60
38	12	78	61
39	12	79	63
40	13	80	65

TABLE I (Cont.)

Raw	Percentile
SCOTE	score
81	66
82	68
83	69
84	71
85	72
86	74
87	75
88	77
89	78
90	80
91	81
92	82
93	84
94	86
95	87
90	80
07	-00
91	90
90	<i>76</i> 07
100	90 05
100	- 90 - 06
101	90
	90
103	99
104	99
105	99

100001.2000000000 SELECTIONER RESERVOUR ENJOURNE AND DEPENDENT DEPENDENT INTERPORT

an share in the sheet of an

TABLE II

CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR FORMS 11/12B/13

Raw score	Percentile score	Raw	Percentile score
		~~~~	
1	0	41	17
2	õ	42	17
3	- 0	43	18
4	õ	44	1-0
R ¹	ŏ	45	20
ĕ	õ	48	20 01
7	÷0	47	00 00
Å	Ŭ.	48	23
ğ	-0	40	24
10	-0	50	25
11	÷0	50	26
10	1	52	27
13	1	53	08
14	1	50	20: 20
16	1	ST RR	50 51
16	1	-56	32
17	2	57	33
18	2	58	34
19		59	35
20	~ 3	60	38.
21	3	61	38
22	4	62	30
23	<b> ∠</b>	63	40
24	T R	64	-40
25		65	43
26	-B	66	40
27		87	45
28	-7	68	47
29	- - A	69	48-
30	-0	70	50
31	:0	71	51
32	10	72	52
33	-10	73	53
34	1-1	-74	55
35	10	75	56
36	13	78	57
37	13	77	50. 6Q.
38	14	-78	61.
39		70	<u>20</u>
~~	1-63	7 25	n z

-vii-

TABLE II (Cont.)

Raw	Percentile
score	score
81	65
82	67
83	68
84	69
85	71
86	72
87	73
88	75
89	76
90	78
91	79
92	-80
93	81
94	83
95	-84
96	-86
97	87
98	89
99	90
100	91
101	93
102	94
103	96
104	97
105	98

# TABLE III

## CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR FORM 12A

Raw	Percentile	Raw	Percentile
score	score	score	score
		<u> </u>	
_			
1	0	41	18
2	0	42	19
3	0	43	20
4	0	44	21
5	0	45	22
6	0	46	23
7	0	47	23
- <b>8</b> -	0	48	24
9	0	49	26
10	0	50	27
11	1	51	27
12	1	52	29
13	1	53	30
14	1	-54	31
15	1	-55	32
16	-2	56 -	33
17	2	57	34
18	. 3	-58	36
19	3	59	37
-20-	4	60	38
21	4	61	39
22-	5	62	41
23	5	-63	42
24	6	64	43
25	¹ 6	65	44
2 <u>6</u>	7	66	46
27	-8	67	47
28	8	68	49
29	9	69	50
30	9	70	51
31	10 ,	. 71	52
32	11	72	54
33	12	73	55
34	12	74	56
35	13	75	58
36	14	76	59
37	15	7-7	61
38	15	78	62
39	16	79	64
<b>4</b> 0	17	-80	65

-ix-

TABLE III (Cont.)

Raw	Percentile
SCOTE	score
	07
81	07
82	00
83	69
84	71
85	72
86	73
87	75
88	76
89	78
90	79
91	80
92	81
93	82
94	84
95	-85
96	87
97	:88
98	-90
99	91
100	92
101	93
102	95
103	96
104	-98
105	99

# TABLE OF CONTENTS

List of Tables	• •	xiii
Introduction	••	1
Constructing the AFQT Score Scale		2
Procedures	• •	2
Norming the New AFOT in the 1980 Youth Population		3
Equating the New AFQT on ASVAB 11/12/13 to 8A	• •	11
Recommendations	••	22
References	• •	27
Appendix A: Equating Each Form of ASVAB 11/12/13 to		
Form 8A	A-	1 <b>-</b> A-4
Appendix B: Equipercentile Equating of ASVAB 11/12/13 to		
Form 8A	B-	1-B-7

Page

-xi-

# LIST OF TABLES

1	Cumulative Proportions of the New AFQT in the 1980 Youth Population	4
2	Cumulative Frequency Distribution of New AFQT for Males and Females in the 1980 Youth Population	8
3	Computations Used in the Linear Equating of the New AFQT for the 1984 IOT&E Group	12
4	Linear Equating of the New AFQT for Forms 11/12B/13 and 12A	13
5	Conversion of New AFQT RAW Scores to Percentile Scores for Forms 11/12B/13 and 12A	19

Page

#### INTRODUCTION

The Armed Forces Qualification Test (AFQT) is the primary score obtained from the Armed Services Vocational Aptitude Battery (ASVAB). The AFQT is used by all services as the first screen to determine qualification for enlistment and for historical tracking of the aptitudes of recruits. Because of its importance in evaluating applicants for enlistment, both recruiters and applicants have a strong interest in the level of AFQT scores. Coaching on the ASVAB tends to be focused on the subtests that comprise the AFQT.

In October 1980, the Numerical Operations (NO) subtest was added to the AFQT for the purpose of reducing cheating. NO is a speeded test, consisting of 50 items that involve addition, subtraction, multiplication, and division of one-or two-digit numbers; the test has a 3-minute time limit. In 1980, no one suspected the pitfalls of using a speeded test in an operational testing program in which the same types of items are administered daily to people applying for employment.

Since 1980, the ASVAB testing program has been plagued with problems stemming from the NO subtest. As a result, the Joint Service Selection and Classification Working Group, which has responsibility for the development and maintenance of the ASVAB and other testing procedures, recommended in 1986 that the NO subtest be replaced in the AFQT by the Math Knowledge subtest [1].

Problems with the NO subtest have been found to arise from subtle changes in the format of the items and the type font [1] and from the size and shape of response spaces on answer sheets [2]. More recently [3], inherent defects in NO arising from its use in an operational testing program were documented; examinees can learn test-taking strategies that inflate their test scores but not their underlying ability to work fast and accurately in the work environment.

In addition to problems with maintaining the accuracy of the test scores, NO is a poor measure of general trainability [4], which the AFQT is intended to measure. NO has little unique predictive validity for occupational specialty training courses, and its usefulness tends to be restricted to specialties in the clerical field. The limited usefulness of NO as a predictor of performanc:, coupled with its inherent defects in an operational testing program, render it inappropriate for the AFQT. The AFQT proposed by the Working Group, in which the Math Knowledge (MK) subtest replaces NO, is superior as a measure of general trainability and in the accuracy of its scores. The primary purpose of this report is to present the results of norming the new AFQT, defined as Verbal (VE), which is the sum of Word Knowledge (WK) and Paragraph Comprehension (PC), Arithmetic Reasoning (AR), and MK, in the 1980 Youth Population. The equating of the new AFQT on forms 11, 12, and 13 of the ASVAB (ASVAB 11/12/13), introduced on 1 October 1984, to form 8A of the ASVAB (ASVAB 8A) administered to the 1980 Youth Population is also presented. The 1980 Youth Population serves as the reference for the ASVAB score scale.

#### CONSTRUCTING THE AFQT SCORE SCALE

#### Procedures

AFQT scores are reported on a percentile score scale. In the Department of Defense testing program, percentile scores are defined as the proportions of the population that score at or below each raw score. Accordingly, the cumulative proportion of the 1980 Youth Population was computed for each new AFQT raw score (reported to six decimals) and then rounded to an integer, which is the percentile score corresponding to each raw score. No smoothing of the frequencies for the raw scores or cumulative proportions was performed. However, percentile scores corresponding to the bottom of the AFQT score categories (10, 16, 21, 31, 50, 65, and 93) was in one instance forced by moving down the next higher percentile score. The reason is that these percentile scores are widely used in classifying recruits, and personnel managers prefer to have percentile scores at these values.

The new AFQT on forms 11, 12, and 13 of the ASVAB (ASVAB 11/12/13) was equated to form 8A using applicants from the Initial Operational Test and Evaluation (IOT&E) for ASVAB 11/12/13 conducted in October and November 1984. These applicants are called the 1984 IOT&E group. In the 1984 IOT&E, form 8A was labeled 13C; form 8A is used as the reference for equating because it was administered to the 1980 Youth Population. Form 12A was equated separately from the other five forms (11A, 11B, 12B, 13A, and 13B). As is the practice for the current AFQT, which contains NO, the latter five forms were combined and a common conversion table used for the five forms. The norming of the new AFQT for each form (11A, 11B, 12A, 12B, 13A, 13B) is presented in appendix A.

The general procedure in equating the AFQT was first to compute the 8A raw score that is equivalent to each 11/12B/13 and 12A raw score. The range of raw scores is from 0 through 105. The cumulative proportion of the 1980 Youth Population that would have obtained each 8A raw score was computed using linear interpolation.

Equatings were accomplished using both the linear and equipercentile techniques. Details of the equating procedures are presented subsequently for each technique.

#### Norming the New AFQT in the 1980 Youth Population

The cumulative proportions of the new AFQT raw scores for the 1980 Youth Population are shown in table 1. The proportions are shown to six decimal places and as integers. No smoothing of the frequencies that attained each raw score or of the cumulative proportions was performed. The conversion of form 8A raw scores to percentile scores is plotted in figure 1. Several adjustments, however, were made in the final set of percentile scores:

- Following conventional practice for the ASVAB score scale, the percentile scores were truncated at 99.
- The raw score of 71 was converted to a percentile score of 50, vice 51. The percentile score of 50 is widely used in making classification decisions, and personnel managers prefer to have a percentile score of that value. The shift in converting a raw score of 71 to a percentile score of 50 does not change the percentage of examinees who score at or above the median.
- The raw score of 46 was converted to a percentile score of 19, vice 18. This change was made because two adjacent raw scores (45 and 46) would be converted to the percentile score of 18 if conventional rounding practice were followed.

The percentile scores in table 1 are to be used for forms 8, 9, 10 and 14 of the ASVAB. Form 14 is used in the Institutional Testing Program. Form 8A is the reference test used for scaling new forms of the ASVAB to the 1980 Youth Population. Form 9 is used for retesting inservice personnel and is called the Armed Forces Classification Test. The six-decimal cumulative proportions can be used for equating future forms of the new AFQT to 8A.

The cumulative proportions for males and females in the 1980 Youth Population are shown in table 2. These data can be used for comparing male and female applicants and accessions to the potential supply in the current population.

### TABLE 1

· * * * * *

# CUMULATIVE PROPORTIONS OF THE NEW AFQT IN THE 1980 YOUTH POPULATION

Form 8A raw score	Cumulative proportion	Percentile score
1	.001052	0
2	.001094	0
3	.001130	0
4	.001169	0
5	.001169	0
6	.001232	0
7	.001413	· 0
8	.001605	0
9	.001649	0
10	.001649	0
11	.001887	0
120 1	.002105	0
10	.002105	0
15	003010	0
16	003447	0
17	.004469	0
18	.006112	ı ı
19	.007858	1
20	.009953	1
21	.011860	1
22	.015521	2
23	.019517	2
24	.023467	2
25	.028836	3
26	.033691	3
27	039062	4
28	.044980	4
29.	.050616	5
30	.056731	6
31	.063638	6
32	.071615	7
00 74	.077546	8
04 75	.084758	8
00 36	.092910	9
37	100480 100921	10
38	1181-83	10
30	103216	10
40	. 131901	13
19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40	.007858 .009953 .011860 .015521 .019517 .023467 .028836 .033691 .039062 .044980 .050616 .056731 .063638 .071615 .077546 .084758 .092910 .098927 .107460 .115154 .123816 .131901	1 1 2 2 2 3 3 4 4 5 6 6 7 8 8 9 0 11 2 2 3 14 1 5 6 6 7 8 8 9 0 11 2 2 12 12 12 12 12 12 12 12 12 12 12

-4-

# TABLE 1 (Cont.)

Form 8A	Cumulative	Percentile
Taw SCOTE	proportion	score
41	. 139978	14
42	. 149002	15
43	.158462	16
-44	. 167213	17
45	.175550	18
46	. 184738	19
47	. 193733	20
48	. 208275	21
-49	.218689	22
50	. 229271	23
51	.237897	24
52	.251203	25
53	. 262209	26
54	.272117	.27
55	. 284599	28
56	. 299895	30
57	.310825	31
58	. 322577	32
59	.336511	34
60	.348383	35
61	.361121	36
-62	.373615	37
-63	. 3901-23	39
:64	.404774	<b>4</b> 0
65	.420093	42
66	.433347	43
-67	. 445852	45
68	.461027	46
-69	.477508	48
70	.492189	49
71	.506667	-50
72	.580164	52
-73	. 533398	53
°74	. 547743	55
75	. 564460	56
76	. 577 183	58
77	. 595509	·60
78	.613826	61
79	.631347	63
80	.646158	65

# TABLE 1 (Cont.)

Form 8A	Cumulative	Percentile
raw score	proportion	score
81	.662882	66
82	.679012	68
83	.693621	69
84	.708045	71
85	.723670	72
86	.737715	74
87	.753028	75
88	.768328	77
89	. 784039	78
90	. 797256	80
91	.810570	81
92	. 823073	82
93	.840731	84
94	.855878	86
95	. 87-1364	87
96	. 88,9635	89
97	. 903954	90
98	. 917760	92
99	. 933403	93
100	.950002	95
101	. 964157	96
102	. 977846	98
103	. 989889	99
104	.997310	-99
105	1.000000	-99



FIG. 1: CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES IN THE 1980 YOUTH POPULATION

### TABLE 2

# CUMULATIVE FREQUENCY DISTRIBUTION OF NEW AFQT FOR MALES AND FEMALES IN THE 1980 YOUTH POPULATION

	Male	Female
Form 8A	cumulative	cumulative
raw score	proportion	proportion
1	.000912	.001197
2	.000994	.001197
3	.001066	.001197
4	.001066	.001275
5	.001066	.001275
6	.001138	.001330
7	.001324	.001505
8	.001324	.001895
9.	.001324	.001984
10	.001324	.001984
11	001592	.002191
12	.002021	.002191
13-	.002021	.002191
14	.002527	002 <b>94</b> 5
15	.:002860	.003168
16	. 003397	. 003499
17	.004679	.004253
18	.006010	.006218
19	.007989	.007724
20	.010464	.009426
21	.013179	.010502
22	.017657	.013321
23	.021830	.017134
24	.027382	.019434
25	.032610	.024950
26	.037830	.029428
27	.043063	.034942
28	.049261	.040572
29	.055985	.045087
30	.:06281:1	.050469
31	.070215	.056865
32	.077821	.065223
33	.084053	.070845
04 75	00040E	1.UY0200
00- 76	1,08061	
30	110208-	100404
39	1.10000	110440
30	-11876± 100444	1 1 2 0 1 0
40	-136016	1 DEBAR
-20-	. 100210	.120707

-8-

# TABLE 2 (Cont.)

	Male	Female
Form 8A	cumulative	cumulative
raw score	proportion	proportion
41	. 144365	.135461
42	. 151402	.146530
43	. 161666	.155163
44	. 171509	.162788
45	. 178653	. 172353
<b>4</b> 6	.185931	.183509
47	. 197248	. 194174
48	. 209925	.206575
49	.219550	.217802
50	.230185	. 228330
51	.237384	.238426
52	.251365	.251036
53	.261878	.262549
54	. 270710	. 273567
55	. 283215	.286025
56	.293871	.306098
57	. 302959	.318925
58	.312154	.333310
59 .	. 323624	.349783
60	. 333912	.363285
-61	. 344002	378751
62	.353806	.394015
63	. 369038	.411836
-64	.381308	.428941
65	. 398436	. 442396
66	.411310	.456042
67	. 422217	.470192
68	. 437947	.484795
69	.450869	.504941
70	.466114	.519041
71	. 477053	.537164
72	. 489592	.551647
73	. 503546	.564141
74	. 513243	.583272
75	. 531311	598598
76	. 545463	.:609850
77	. 564362	. 627586
78	.580852	.647783
79	. 597259	. 666452
80	.610839	682530

-9-

	Male	Female
Form 8A	cumulative	cumulative
raw score	proportion	proportion
81	. 628044	.698759
82	. 643072	.716025
83	.660141	.728099
84	.675198	.741873
85	.690427	.757905
86	.706530	.769831
87	. 722925	.784029
88	. 735754	.801873
89	.750161	.818928
90	.764861	.830618
91	. 776356	.845805
·92	. 790436	.856685
93	. 809579	.872813
94	. 825293	.887376
95	.839800	. 903869
96	. 860762	.919470
97	.877579	.931117
98	.894797	.941409
99	. 917095	.950199
100	. 934 172	. 966303
101	. 952447	.976218
102	. 970529	.985382
103	. 987-7-90	. 992052
104	. 996889	. 997744
105	1.000000	1.000000

#### Equating the New AFQT on ASVAB 11/12/13 to 8A

On 1 October 1984, forms 11, 12, and 13 of the ASVAB were introduced. An IOT&E was conducted in October and November 1984 to evaluate the accuracy of the score scale for ASVAB 11/12/13. Form 8A, labeled 13C in the IOT&E, was also administered, and it serves as the reference for evaluating the scaling of forms 11, 12, and 13. Forms 11, 12, and 13 were equated to form 8A using the linear and equipercentile techniques.

In linear equating, standard scores, or Z scores, on the forms to be equated are set equal to each other. Z scores were computed on forms 11/12B/13, 12A, and 8A for the 1984 IOT&E group and were used in the linear equating. The means, standard deviations, and formulas used to compute the 8A raw scores equivalent to the 11/12B/13 and 12A raw scores are shown in table 3.

The 8A raw scores equivalent to the 11/12B/13 and 12A scores were computed to two decimal places. The two-decimal 8A raw scores were converted to percentile scores in the 1980 Youth Population. Einear interpolation was used to find the cumulative proportion of the 1980 Youth Population that would have obtained each two-decimal 8A raw score. The two-decimal 8A raw scores that correspond to the 11/12B/13 and 12A raw scores and the cumulative proportions in the 1980 Youth Population are shown in table 4. No smoothing of the integers was performed. The integers are percentile scores in the 1980 Youth Population that correspond to the 11/12B/13 and 12A AFQT raw scores.

In addition to linear equating, forms 11/12B/13 and 12A were also equated to 8A in the 1984 IOT&E group using the equipercentile equating technique. Whereas linear equating sets standard scores equal to each other, equipercentile equating sets raw scores that correspond to the same cumulative proportion equal to each other. Einear interpolation was used to find the two-decimal 8A raw score that is equivalent to each raw score on forms 11/12B/13 and 12A.

The cumulative proportions for forms 11/12B/13, 12A, and 8A are shown in appendix B. The two-decimal 8A raw scores that had the same cumulative proportion as the 11/12B/13 and 12A raw scores were computed. The 11/12B/13 and 12A raw scores are also shown in appendix B.

Conversion of the new AFQT raw scores on forms 11/12B/13 and 12A to percentile scores in the 1980 Youth Population is shown in table 5; the linear and equipercentile equating are both shown. The two sets of conversions are virtually

# TABLE 3

# COMPUTATIONS USED IN THE LINEAR EQUATING OF THE NEW AFQT FOR THE 1984 IOT&E GROUP

ASVAB form number	$\begin{array}{c} \operatorname{Standard} \\ \operatorname{Mean}(\overline{X}) & \operatorname{deviation}(\operatorname{SD}) \end{array}$		
13C	68.893	17.655	
11/12 <b>B/</b> 13	68.447	19.377	
12A	67.296	19.601	

# Panel A: Statistics used in linear equating

Panel B: Equations used in linear equating

$$Raw \ score_{\delta A(13C)} = \frac{SD13C}{SD11} (Raw \ score_{11} - \overline{X}_{11}) + \overline{X}_{13C}$$
$$Raw \ score_{\delta A(13C)} = \frac{SD13C}{SD12A} (Raw \ score_{12A} - \overline{X}_{12A}) + \overline{X}_{13C}$$

# TABLE 4

÷

*****

# LINEAR EQUATING OF THE NEW AFQT FOR FORMS 11/12B/13 AND 12A

		b	ъ	
Form 11/12B/13 raw score	a Raw score	Cumulative proportion	Percentile score	
1	7.44	.001497	0	
2	8.35	.001620	Õ	
3	9.26	.001649	Ō	
4	10.17	.001689	Õ	
5	11.08	.001904	Ő	
ě	12.00	.002105	Ő	
	12,91	.002105	õ	
Ř	13.82	.002620	Õ	
ğ	14.73	.002937	Õ	
10	15.64	003290	Õ	
11	16.55	.004009	Õ	
12	17.46	.005225	ĩ	
13	18.37	006758	ī	
14	19.28	008445	1	
15	20.20	.010334	1	
16	21.11	.012263	ī	
17	22.02	.015601	2	
18	22.93	.019237	2	
19	23.84	.022835	$\tilde{2}$	
20	24.75	.027494	ã	
21	25,66	.032040	3	
22	26.57	.036752	4	
23	27.48	.041903	4	
24	28.40	.047234	5	
25	29.31	.052512	5	
26	30.22	.058251	6	
27	31.13	.064675	6	
28	32.04	.071852	7	
29	32.95	.077249	8	
30	33.86	.083748	8	
31	34.77	.091035	9	
32	35.68	.097002	10	
33	36.60	. 104047	10	
34	37.51	.111384	11	
35	38.42	.118792	12	
36	39.33	. 126484	13	
37	40.24	.133839	13	
38	41.15	. 141332	14	
39	42.06	. 149570	15	
<b>4</b> 0	42.97	.158178	16	
41	43.89	.166250	17	
42	44.80	. 173883	17	
43	45.71	.182073	18	
44	46.62	.191555	19	
45	47.53	. 202380	20	

Form 8A equivalent

-13-

さくてていたかくだいがくとうだいがくしていたいできたがたいができたかができた。そうかだけが

ALCONDA

# Form 8A equivalent

Form 11/12B/13	_	Cumulative	Percentile
raw score	Raw score	proportion	SCOLE
<b>46</b> :	48.44	.212857	21
47	49.35	222393	22
48	50.26	.231514	23
49	51.17	.240159	24
50	52.09	.252194	25
51	53.00	262209	26
52	53,91	.271225	27
53	54.82	.282352	28
54	55.73	.295765	30
55	56.64	.306890	31
56	57.55	.317289	32
57	58.46	.328987	33
58	59.37	.340904	34
59	60.29	352077	35
60	61.20	.363620	36
61	62.11	. 375431	-38
62	63.02	.390416	39
63	63,93	.403748	40
64	64.84	417642	42
65	65.75	430034	43
-66	66.66	.441600	44
÷67	67.57	454502	45
-68	68.49	.469103	47
-69	69.40	483380	48
70	70.31	496677	50
71	71.22	509636	51.
72	72.13	.521884	52
73	73.04	.533972	53
. 74	73.95	.547026	55
75	74.86	.562120	56
76	75.77	.574257	57
77	76.69	.589828	59
78	77.60	.606499	61
79	78.51	.622762	62
80	79.42	.637568	-64
81	80.33	.651677	65
82	81.24	.666753	67
83	82.15	.681203	68
84	83.06	.694486	69
85	83.97	.707612	71
86	84.89	.721951	72
87	85.80	.734906	73
<b>88</b>	86.71	.748587	75
89	87.62	.762514	76
90	88.53	.776655	78

# TABLE 4 (Cont.)

# Form 8A equivalent

ß

	(a, b, a, b, b) = (a, b, a, b, a, b, b) = (a, b, a,		
Form 11/12B/13 raw score	Raw score	Cumulative proportion	Percentile score
91	89.44	. 789854	79
-92	9035	.801916	80
-93	91.26	.813821	81
94	92.18	.826251	83
95	93.09	.842094	84
96	94.00	.855878	86
97	94.91	.869970	87
98	95.82	.886387	89
99	96.73	.900101	90
100	97.64	.912790	91
1.01	98.55	.926364	93
102	99.46	.941039	94
103	100.38	.955381	96
104	101.29	.968127	97
105	102.20	. 980255	98

# Form 8A equivalent

Form 12A raw score	Raw score	Cumulative proportion	Percentile score
		-	
1	9.18	.001649	0
2	10.08	.001668	0
3	10.98	001882	ň
4	1:1 88	002002	õ
	10 89	.002019	0
5	16.70	.002105	U
Б	10.00	.002532	U
7	14.58	.002895	0
8	15.48	.003221	0
9	16.38	.003835	0
10	17.29	.004945	0
11	18.19	.006444	1
12	19.09	.008047	1
13	19.99	.009932	ī
14	20.89	.011650	ī
. าร์	21.79	014752	
16	22.69	018278	2
17	23 59	021848	~
 1 ⊈ =	24 40	026008	2 2
10	25 30	020090	7
20		-035040	0
20- 01	20.29	040186	1
00 **	28 00	046497	I E
05.	28.00	10110101 1050560	5
24	20.00	056120	5
67 05	30 80	060050	6
28	50.00 51 00	-060202	8
20	-30 60	-OVELNA	× 0
		.001160	0
20		200115%	8
29	34.40	.088019	9
30	35.30	.094715	9
31	36.20	.100634	10
32	37.10	. 108229	11
. 33-	3800	.115154	12
34	38.90	. 122950	12
. 35	39.80	.130284	13
36	40.70	. 137555	14
37	41.60	. 145392	15
38	42.51	.153827	15
<b>39</b>	43.41	. 162050	16
<b>4</b> 0-	44.31	. 169797	17
41	45.21	. 177479	18
42	46.11	.185947	19
43	47.01	. 195858	20
44	47.91	.207146	21
45	48.81	.216710	22

-16-

n

à

# Form 8A equivalent

目に行いていたのと

Form 12A	•	Cumulative	Percentile
	Bay goono		20020
raw score	NGW BCUTE	proporcion	SCOLE
_			
<b>46</b> :	49.71	.226202	23
47	50.61	. 234533	23
48	51.51	. 244683	24
49	52.41	.255715	26
50	53.31	265280	27
53	54 01	074738	017
-60-	- EE 10	096475	14
	50.12	. 200400	29
55	50.02	.300114	30
54	56.92	.309951	31
55-	57.82	. 320462	32
56	58.72	. 332609	33
57	59.62	. 343872	34
58.	60.52	.355007	36
59	61.42	. 366368	37 "
60	62.32	378898	38
-61	63 22	303346	30
60	64 10	406610	41
067	01,14 -65 00	.400759	40
	05.02	.420000	42
04	65.92	.432287	43
-65	66.82	.443601	44
66	67.73	.456930	46
67	-68.63	.471410	47
68	69.53	.485289	49
69	70.43	.498415	50
70	71.33	.511121	51
71	72.23	. 523208	52
72	73.13	535263	54
73	74.03	.548245	55
74	74 03	563200	56
	71.30 Me 97	500290 <u></u>	50
1-0- NG	10,00	.575020	50
"/ D" - N N	10.70	. 590561	59
· (*: (*:	77.63	.607049	61
78	78.53	.623112	62
79	79.44	.637864	64
80	80.34	.651844	65
81	81.24	.666753	67
82	82.14	681057	68
83	83.04	694198	69
84	83.94	707180	71
85	84.84	721170	72
88	88 17 <u>4</u>	7340ez	1 A 197
-90-		- NA ME1 P	TO
07		.747515	7.0
00	07.0 <del>4</del>		76
89°	00.44	.775241	78
90:	89.34	.788533-	79

#### TABLE 4 (Cont.)

### Form 8A equivalent

Form 12A raw score	Raw score	Cumulative proportion	Percentile score	
91	90.24	.800451	80	
92	91.14	.812320	81	
93	92.05	. 823956	82	
94	92.95	.839848	84	
95	93.85	.853606	85	
96	94.75	.867493	87	
97	95.65	.883273	88	
98	96.55	.897533	90	
99	97.45	.910167	91	
100	98.35	.923235	92	
101	99.25	. 937553	94	
102	100.15	.952125	95	
103	101.05	.964841	96	
104	101.95	.977162	98	
105	102.85	.988083	99	

-----

a. Equivalent 8A raw score computed through linear equating in the

1984 IOTWE group. b. Cumulative proportion of the 1980 Youth Population that would have obtained the 2-decimal form 8A raw score; computed through linear interpolation.

## TABLE 5

### CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR FORMS 11/12B/13 AND 12A

Form 11/12B/13

10

Form 12A

<b>D</b>	P	ercentile	Dáca	F	ercentile
Raw SCOIE	Linear	Equipercentile	score	Linear	Equipercentile
1	0	0	1	0	0
2	Ó	0	2	0	0.
3	0	0	3	0.	0
4	0	0	4	0	0
5	0	0	5	0	0
6	0	0	6	0	0
7	0	0	7	0.	<u>0</u> :
8	0	0	-8	0:	Õ
9	0	0	9	0-	Û.
10	0	0	10	-0	0.
11	0	0	171	1	-0
12	1	0	12	1	-Ö:
13	. 1	0	13	1	0:
14	1	0	14	1	-].
15	1	1	15	1	-1
16	1	1	16	2	1
17	2	1.	17	2	1
18	2	1	18	3	1
19	2	2	19	3	2
20	3	2	20	4	2
21	3	2	21	4	3.
22	4	3	22	5	3
23.	4	3	23	5-	4
24	5	4	24	6	4
25	5	5	25	6	5-
26	6	5	26	7	5
27	6	6-	27	8	6-
28	7	6	28-	8	-7-
29	8	7	<b>29</b> ⁻	9	7
30	8	8	30	9⁼	8
31	9	9	31	10:	<b>9</b> :
32	10	9	32	1-1-	10:
33	10	10 .	-33	12	11.
34	11	11	34	12	12
35	12	12	35	13	13
36	13	12	36	14	13
37	13	13	37	15	14
38	14	14	38	15	15
39	15	15	<b>39</b> :	16	16
40	16	16	40	17	17

TABLE 5 (Cont.)

ŝ,

1

Form 11/12B/13		Form 12A				
	P	ercentile	 Bau	Percentile		
SCOTÉ	Linear	Equipercèntile	SCOIE	Linear	Equipercentile	
41	17	17	<b>41</b>	18	18	
42	17	18	42	19	19	
43	18	19	43	20	20	
44	19	20	44	21	21	
45	20	21	45	22	22	
46	21	22	46	23	23	
47	22	23	47	23	24	
48	23	24	48	24	25	
49	24	25	<b>49</b>	26	26	
50	25	26	-50	27	27	
51 [.]	26	27	51	27	28	
52	27	28	52	29	:29	
53	28	29	-53	30	31	
54	30	30	-54	31	31	
55:	31	31	55	32	33	
56	32	32	56	33	34	
57	33	33 -	-57	34	.35	
58	34	34	-58	:36	36	
59	35	36	59	37	-37	
60	36-	37	-60	38	39	
61	38	38	61	-39	40	
62	39	39	-62	41	41	
63	40	41	63	42	43	
64	42	42	-64	43	44	
65	43	43	-65	44	45	
66	44	44	66	46	46	
67	45	46	67	47	-47	
68	47	47	-68	49	49	
69	48	48-	69	50	50	
70-	50	50-	70	51	51	
71	51	51	71	52	52	
72	52	52.	72	54	53	
70	55	50	73	55	55	
74 Ne	55	54	74 ***	20	00	
75	20	50°	75	58	57 50	
7 <u>0</u> -	57	572	, 270 NM	59	59 60	
~~~ Na	59	50	77	60	5U - 60	
70	60 01	60 60	-70		-04	
20	64	04 83	-90	012	-0.0	
A1:	0"2 gr	64 64	-00	_00 :20	66	
80-	87	68-	20	601	67	
83	RA RA	67	83	60	-0.1-	
84	80	69:	- 00 84	-05 71	-00 70	
85	71	70	85	72		
~~		. •	~~	1.20	-1.5.00	

.

Form 11/12B/13

. Şi

. J

,

1.

Form 12A

	Percentile			Percentile		
Raw- score=	Linear	Equipercentile	Raw score	Linear	Equipercentile	
86	72	71	86	73	72	
87	73	73	87	75	73	
88	75	74	88	76	75	
89	76	75	89	78	76	
90	78	77	90	79	78	
91	79	79	91	80	79-	
92	80	80	92	81	80	
93	-81	81	93	82	82	
94	83	82	94	84	-83	
95	84	84	-95	85	85	
96	-86	86	96	87	86	
97	87	87	97	88	88	
98	89	89	-98	90	90:	
99	90	91	-99	91	92	
100	-91	92	100	92	93	
101	93	94	101	93	95	
102	94	96	102	95	97	
103	96:	98	103	96	98ª	
104	97	99 `	104	98	99	
105	-98	99	105	99	99	

identical, which is expected because the content of the forms is parallel. The conversions based on the linear equating are plotted in figure 2 for forms 11/12B/13 and figure 3 for form 12A. These values are identical to the linear equating shown in table 4 except for one change to form 12A. For administrative reasons, the raw score of 101 on form 12A is converted to a percentile score of 93, vice 94, because the percentile score of 93 is the bottom of AFQT Category I. By reducing the percentile score from 94 to 93, the number of examinees classified into category I would not be changed.

Because the results of linear equating tend to be more stable, they are generally preferred over those from the equipercentile method. The current practice for the ASVAB is to use linear equating, and these results do not show any reason to change.

The percentile scores for the new AFQT in the 1980 Youth Population (table 1, reported earlier) have been based on the sum of subtest raw scores. Instead of summing and converting raw scores, an alternative is to convert the subtest raw scores to standard scores, and then convert the sums of subtest standard scores to percentile scores. Advantages of summing subtest standard scores are that the subtests in the AFQT are equally weighted and that more values of the sum of standard scores than of the sum of raw scores occur, which means in turn that there are fewer gaps in the percentile score scale. The conversion of subtest standard scores to percentile scores is being evaluated by the Joint Services Selection and Classification Working Group, which is responsible for the technical adequacy of the ASVAB, including the AFQT.

The new AFQT in which MK replaces NO is an improvement over the one it replaces. MK does not suffer from the inherent defects that render NO inappropriate for use in a test as visible as the AFQT [3]. MK is a stable measure of ability that cannot be changed easily through practice. In addition, it is a good measure of general trainability [4]. The new AFQT corrects the problems arising from the NO subtest.

RECOMMENDATIONS

- The conversion of raw scores to percentile scores shown in table 1 should be adopted for operational use.
- The conversion tables for ASVAB 11/12/13 based on linear equating (table 5) should be adopted for operational use.
- Subsequent forms of ASVAB should be scaled to the reference population using the six-digit cumulative frequency shown in table 1.



NCCCCCCC

FIG. 2: CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR ASVAB FORMS 11/12B/13

-23-



FIG. 3: CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR ASVAB FORM 12A

-24-

REFERENCES

3

- [1] Assistant Secretary of Defense (Force Management and Personnel, Accession Policy), A Review of the Development and Implementation of the Armed Services Vocational Aptitude Battery, Forms 11, 12, and 13, prepared by a Subcommittee of the Joint Service Selection and Classification Working Group, Unclassified, May 1986
- [2] Air Force Human Resources Laboratory, The 1980 Youth Population: An Investigation of Speeded Subtests, by James A. Earles, Toni Giulliano Wegner, Malcolm J. Ree, and Lonnie D. Valentine, Jr., Unclassified, Aug 1983
- [3] CNA Research Memorandum 86-228, Evaluating the Appropriateness of the Numerical Operations and Math Knowledge Subtests in the AFQT, by Milton H. Maier and Catherine M. Hiatt, Unclassified, Nov 1986
- [4] CNA Report 102, Validity of the Armed Services Vocational Aptitude Battery Forms 8, 9, and 10 With Applications to Forms 11, 11, 13, and 14, by Milton H. Maier and Ann R. Truss, Unclassified, Feb 1985

APPENDIX A

1

; 9

EQUATING EACH FORM OF ASVAB 11/12/13 TO FORM 8A

APPENDIX A

THE REAL PROPERTY IN

DOODSHID.

EQUATING EACH FORM OF ASVAB 11/12/13 TO FORM 8A

٦

With the introduction of automated scoring equipment at Military Enlistment Processing Stations (MEPS), the use of a separate conversion table for each form of the ASVAB is feasible. When scoring the ASVAB was accomplished by hand, including computation of the AFQT and aptitude composite scores, clerical errors would have been introduced from the use of six conversion tables, one for each form of the AFQT. Because extensive lead time is required to reprogram the scoring machines to accommodate six conversion tables instead of the existing two tables, the new AFQT initially will conform to the current structure and have two tables—one for forms 11A/11B/12B/13A/13B and one for form 12A. In subsequent years, separate conversion tables may be used for each form.

The conversion of new AFQT raw scores to percentile scores for each form of ASVAB 11/12/13 is shown in table A-1. Each form was equated to 8A using data from the 1984 IOT&E. The linear equating technique was used to prepare the conversion tables. The means, standard deviations, and computing formula are shown in table A-2. The procedures are the same as used in the main text: the two-decimal 8A raw score equivalent to each new AFQT raw score was computed; the exact proportion of the 1980 Youth Population that attained each two-decimal 8A raw score was computed using linear interpolation; the proportions were rounded to integers, which are reported in table A-1.

The percentile scores in table A-1 show little variation from form to form. The main reason is that the subtests were designed to be parallel by having the same means and standard deviations. The differences in percentile scores corresponding to the same raw score will be evaluated by the Joint Service Selection and Classification Working Group when preparing a recommendation about using separate conversion tables.

TABLE A-1

CONVERSION OF NEW AFQT RAW SCORES TO PERCENTILE SCORES FOR EACH ASVAB FORM

ſ

Barr		Pe	rcentil	e score	H	
SCOIE	11A	11B 	12A	12B	13A 	13B
123456789011234567890112345678901123456789012222222223456789012334567890	0000000011111122223344556678890001112234566	0000000001111122233445667789901122344556 1112134556	0000000001111122334455667889901122345567		000000000001111122333455667889001123345	00000000000011111223344556678890011233445566788900111213345

A-2

7

Dett		LA	TGenerr	e score		
SCOLE	11A	11B	12A	12B	13A	13B
						·
41	17	17	18	17	16	16
42	18	18	19	18	17	17
-43	19	19	20	18	17	17
44	20	20	21	19	18	18
4 5	21	21	22	21	19	19
46	22	22	23	21	20	20-
47	ર 3	23	23	22	21	21
48		·~4	24	23	22	22
49	25		26	24	23	23
50	26	26	27	25	24	24
51	27	27	27	26	25	25
-52	28	28	29	27	26	26
53	29	29	30	28	27	27
54	30	30-	31	30	29	29
55	31	31	32	31	30	30
56	32	33	33	32	31	31
57	33	34	34	33	32	32
58	34	-35	36	34	33	33
59	36	36	37	35	.35	34
60	37	37	38	36	36	36
61	38	39	39	37	37	37
62	39	40	41	39	38	38
63	41	41	42	40	-40	40
04	42	43	43	42	41	41
00	40	44	44	43	42	42
00	44	40	40	44	44	44
	40	-41	40	40	40	40
00	41	40	49	417	40	40
80 28	40	49	50	40	48	48
-17:0- -17:1	50	-80	51	49 5.1	49 21	49
7-1	51	-02 - 87	52 54	DT EO	51	50
(:A NT	500 873	-00 -66	55	02 67	52	0% 57
-74 -74	50	56	55	55 57	55	50 E4
-1-36 1716	50	67	50	56	-56	52
-76	50	BQ	50	50	- 50 - 87	50- 517
77	BQ.	60	61	59	50	57
-78.	81 81	62	62	60.	-60	60
79	62	64	64	62	62	62
-80.	64	65	65	63	64	63
81	85 85	-67	67	64	85	85
82	66	-68	68	86	67	66
83	68	69	69	.67	-68	68
84	69	71	71	69	69	69
85	70	72	72	70-	71	71
	• •	·		•-•	• • •	

Percentile score

A-3

٢

v

- D = 44		Pe	rcentil	e score	•	
Raw						
score	11A	11B	12A	12B	13A	13B
			~~~~			
86	72	73	73	71	72	72
87	73	75	75	73	74	73
-88	74	76	76	74	75	75
89	76	78	78	75	76	76
90	77	79	79	77	78	78
.91	79	80	80	78	79	79
92	80	81	81	79	80	80
93	81	-83	82	81	82	81
-94	82	84	84	82	83	83
-95-	84	86	85	83	85	84
96	85	87	87	84	86	86
97	86	-89	88	:86	88	87
98	88	90	90	87	89	89
99	89	91	91	·89	90	90
100	91	-93	92	90	92	91
101	92	94	94	91	93	93
102	93	96	95	93	95	94
103	95	97	96	94	96	96
104	96	98	98	96	97	97
105	97	99	99	97	99	98

A-4

# TABLE A-2

# COMPUTATIONS USED IN THE LINEAR EQUATING OF THE NEW AFQT FOR THE 1984 IOT&E GROUP BY FORM NUMBER

ASVAB form number	$Mean(\overline{X})$	Standard deviation(SD)	
11A	68.341	19.752	
11B	67.618	19.226	
12A	67.296	19.601	
12B	68.688	19.771	
13A	68.793	18.933	
13B	68.925	19.048	
13C	-68.893	17.655	

# Panel A: Statistics used in linear equating

Panel B: Equation used in linear equating

 $[Raw \ score_{8A(13C)}] \equiv \frac{SD13C}{SD11} (Raw \ score_{11} = \overline{X}_{11}) + \overline{X}_{13C}$ 

# APPENDIX B

٦

# EQUIPERCENTILE EQUATING OF ASVAB 11/12/13 TO FORM 8A

#### APPENDIX B

### EQUIPERCENTILE EQUATING OF ASVAB 11/12/13 TO FORM 8A

)

The equipercentile equating of forms 11/12B/13 and 12A to form 8A is described in this appendix. The procedures were described in the main text. Table B-1 shows the cumulative proportions in the 1984 IOT&E for forms 8A (13C), 11/12B/13, and 12A. These values are the input to equipercentile equating. Table B-2 shows the results of the equipercentile equating of forms 11/12B/13 and 12A to form 8A. As presented in the main text (table 5), the results of the equipercentile and linear equating are virtually identical throughout the useful score range (percentile scores 5 through 95).

Also shown in table B-2 are the cumulative proportions in the 1980 Youth Population that would have obtained each raw score on forms 11/12B/13 and 12A. The cumulative proportions were computed using linear interpolation. In the last column of table B-2, the cumulative proportions were rounded to integers, which are percentile scores.

#### TABLE B-1

Port		Form	
SCOTE	13C(8A)	11/12B/13	12A
7 8 9 10 12 14 16 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 6 7 8 9 0 12 23 45 5 6 7 8 9 0 12 23 45 5 5 5 5 5 5 5 5 5 5 5 5 5	0.000000 0.000000 0.000000 0.000000 0.000000 0.000000 0.000000 0.000000 0.000000 0.000066 0.000199 0.000266 0.000266 0.000797 0.001195 0.001195 0.002456 0.002456 0.002456 0.003717 0.004912 0.004912 0.004912 0.008165 0.018852 0.018852 0.018852 0.018852 0.018852 0.018852 0.021905 0.025821 0.034982 0.034982 0.034982 0.034982 0.034982 0.034982 0.034982 0.034982 0.034982 0.034982 0.0358745 0.066512 0.074477 0.081381 0.090607 0.099502 0.108530 0.120080 0.133687 0.146499 0.158513 0.172917 0.189844 0.206173 0.223498 0.240624	0.000012 0.000012 0.000024 0.000024 0.000024 0.000094 0.000118 0.000118 0.000118 0.000300 0.000566 0.000377 0.001308 0.001308 0.001839 0.002581 0.003607 0.004915 0.006271 0.008227 0.010373 0.012942 0.012942 0.015677 0.018918 0.022690 0.026403 0.030211 0.034690 0.039534 0.039534 0.045333 0.051109 0.057769 0.064818 0.072420 0.080294 0.080294 0.089724 0.089724 0.100061 0.110222 0.121113 0.132394 0.143957 0.156003 0.169252 0.183279 0.197541 0.212051 0.227528 0.243558 0.258587 0.258587	0.000000 0.000000 0.000000 0.000000 0.000000 0.000109 0.000109 0.000218 0.000218 0.000544 0.000979 0.001415 0.002068 0.003211 0.004027 0.004027 0.005496 0.007128 0.009087 0.011427 0.014094 0.011427 0.014094 0.017413 0.020406 0.024977 0.02496 0.024977 0.02406 0.024977 0.02406 0.024977 0.0249732 0.034173 0.040703 0.046580 0.052348 0.059259 0.065626 0.073733 0.082277 0.092779 0.103009 0.114001 0.126245 0.138053 0.151548 0.165098 0.177396 0.189911 0.205692 0.219296 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.25692 0.2

#### CUMULATIVE PROPORTIONS OF THE NEW AFQT SCORES FOR THE 1984 IOTGE GROUP

BOOOLALOOUZZZZLIAROZZZGOOZZ

~

Ξ

(

r

B-2

)

3

Ť

34

<b>D</b>		FOLM	
SCOTE	13C(8A)	11/12B/13	12A
متّ سے جہ ہے		نے بنے کہ سے سے جن 10 ش	
56	0.257949	0.292841	0.317299
57	0.277796	0.309236	0.334059
58	0.296183	0.326717	0.351690
59	0.315831	0.344009	0.370082
60	0.332692	0.361925	0.386788
61	0 351610	0.378840	0.403439
62	0 370926	0 396426	0 421342
63	0 389910	0.413506	0.438973
64	0.0000010	0.431611	0.457420
65	0 430999	0.448537	0.474180
66	0.452373	0 466607	0.489253
67	0 471985	-0 484394	0.505686
68	0 490939	0.500719	0.522501
69	0.510787	0.518306	0:540785
70	0.530833	0.535362	0.557817
10 ¹	0.550500	0.552512	0.574033
70	0.560530	0.569061	0.500466
14	0.589516	0: 585504	0.608750
70	0.000010	0.602442	0.626508
7 2 17 6	0.628543	0.002332	0.641726
76	0.020340	0.015010	0.031720
77	0.031130	0.650369	0.670131
72	0.680584	0.666954	0-686203
70-	0.000004	0.681758	0.000230
80	0.030100	0.001100	0.100110
81	0.733687	0.030301	0.728084
82	0.750548	0.727681	0.741797
83	0.766280	0.742839	0.753714
84	0.781746	0.757019	0.768025
85	0.797810	0.770740	0.779453
86	0.813608	0.785745	0.793764
87	0.828344	0.799830	0.808728
88	0.840624	0.814022	0.821951
89	0.853900	0.827990	0.836208
90	0.867508	0.841486	0.849812
91	0.881912	0.855478	0 ::863362
92	0.895387	0.868573	0.875497
93	0.907069	0.881586	0.888611
94	0.919283	0.894399	0.901725
95-	0.931630	0.907565	0.915438
96	0.942781	0.919930	0.925940
97	0.952207	0.931411	0.938945
98	0.962562	0.943351	0.949883
99	0.970661	0.954018	0.961800
100	0.978493	0.964745	0.970235
101	0.986791	0.975341	0.979866
102	0.992101	0.984111	0.987865
103	0.996880	0.991785	0.994014
104	0.999403	0.997112	0.998422
105	1.000000	1.000000	1 :000000

----

.

## TABLE B-2

### EQUIPERCENTILE EQUATING OF NEW AFQT FOR FORMS 11/12B/13 AND 12A

# Form 8A equivalent

Form 11/12B/13 raw score	Raw score	Cumulative proportion	Percentile score
1-12	16.12	.003570	0
13	16.21	003662	-0
14	16 30	003846	ñ
16	18 20	006461	1
10	20.12	010182	1
10	20. 57	011040	1
10	21 10	012226	1
10	00-01	016360	0
19	03 15	020110	~ 2
20	24 10-	024004	<b>2</b>
00 61	04-01	009353	- A) 17
66 07	06 00	033601	3
20	00.00	.000091	4
27 05	00:00 00:00	.000200	т а
25	20.02	.040658	ີ - ສ
20		.049000	-0 6
27	29.94 70.00	.000004	0
28	0U. 90	.000002	=0 -₩
29	02.UZ	.071734	Ϋ́
30	33.20	.070900	0
31	34.13	.085818	-9
32	34.96	.092584	9
33	35.94	.098566	10
34	36.91	.106692	11
35	37.98	.115000	12
36	3898	.123643	12
37	39.87	.150850	10
38	40.78	.138201	14
39	41.74	. 146656	15
40	42.84	.156948	16
41	43.90	. 166338	. 4.7
42	45.06	.176101	18
43	46.15	.186387	-19
44	47-108	.196736	20
45	47.90	.207021	21
46	48:80	.216606	22
4.7	49.79	.227049	23
48	50.75	.235741	24
49	51.61	.246014	25
-50	52.47	.256376	20
51	53.34	.265578	27
52	54.24	.275113	-28
53	55.17	.287199	-29
54	56.03	.300223	30
55	56.87	.309404	31

۲

C

**B-4** 

1

0

tat 1965 to 1966 to 1961 to 1961 to 1961 to 1961 to 1967 to 19

# Form 8A equivalent

Form 11/128/13		Cumulative	Percentile
	Baw coone	nnonontion	101000010110
TAW SCOLE	VOM POOLA	propor eron	BCOLE
56	57.82	. 320462	32
57	58.66	.331773	33
58	59.65	. 344228	34
59	60 60	356026	36
60	61 57	367743	20
00	01.00		57
01	02.42	. 380348	38
62	63.30	.394518	39
63	64.08	.406000	41
64	65.03	.420491	42
65	65.82	.430961	43
66	66.73	442476	44
87	67 66	455868	46
	69 40	460103	4.02
00	00.23	.409100	21
09	09.00	.483087	40
70	70.23	.495519	50
71	71.10	.508017	51
72	71.98	.519894	52
73	72.84	.531281	53
74	73.68	543153	54
75	74 53	556603	56
10	11.00 NE 20		50
70	75.00	1009040	57
77	76.18	.580482	58
78	77.14	.598073	60
79	78.07	.615052	62
80	78.94	.630296	63
81	79.79	.643048	64
82	80.65	657029	66
83	81 54	671592	67
84 *	80 41	695000	60-
02	06.31	.000002	09
65	60.29	.097804	70
80	84.25	. 7-1-1951	71
87	-85.13	.725496	73
88	86.03	.738174	74
89	86.98	.752722	75
90	88.06	.769271	77
91	89.12	785625	79
92	90 07	798188	80
03	00.01	-910304	91
30	90.90		01
94	91 90 91 90	.022190	02
-95	93.04	.841337	84
96	94.05	.856652	86
97	94.98	.871054	87
98	96.06	.890541	89
99	97.17	.906301	91
100	98.27	921984	92
101	00 80	-043360	04
100		050000	97. 06
106	100.00	**************************************	90
103	101.94	.977025	98
104	103.09	.990557	<b>99</b>
105	103.09	.990557	99 ⁻

# Form 8A equivalent

.

Form 12A		Cumulative	Percentile
TAW SCOTE	Raw score	proportion	score
			_
1-12	16.32	.003774	÷0
13	16.32	.003774	0
14	18.28	.006601	1
15	18.28	.006601	1
16	20.22	.010373	1
17	20.52	.010945	-1
18	2146	.013544	1
19	22.41	.017159	-2
20	23.47	.021374	2
21	24.60	.026688	ŝ
22	25.26	.030098	-3
23	26 37	035678	4
24	27 38	041311	4
25	08:35	046053	
26	00.00	050067	
20	43°.41 40: 40	102201	5
	30.37 Ri BR	1099807	-0
20	01.00	.007800	Ϋ́ ~
29	32.51	.074640	7
30	33-78	.083171	.8
31	34.64	.089975	-9
32	35.82	.097844	10
33	37.13	.108460	11
34	38.19	.116800	12
35	39.15	.125029	13
36	40.07	. 132466	13
37	40.89	.139090	14
38	41.91	.148190	15
39	43.10	.159337	16
40	44.24	.169214	17
41	45.39	.179133	18
42	46.47	.189906	19
43	47.45	201377	20
44	48.34	21-1816	21
45	49 42	223133	22
46	50-46	033030	03
47	51-26	041387	-20-
	59.00	081007	-61 05
40	5 AL OV	061600 . 601600	60
77 50	04191 87 No	· 20101 A	20
5U E1	00.70 E7 Ne	- <u>209</u> ,09	27
51 D1	045.YO	.201479	20
52 87	55.64	. 294388	-29
55	50.52	.305579	31
54	5.7 34	.314821	-31
55 _	58.20	. 325 364	33

۲

×

£

**B-6** 

# Form 8A equivalent

Form 12A		Cumulative	Percentile
			1010040440
raw score	Raw SCOTE	proportion	score
56	59.09	.337579	34
50 67:	60.00	740075	75
57	00:07	. 349275	00
58.	61.00	.361121	36
59-	61.96	.373115	37
60-	62.84	.387482	39
61	63 61	399060	40.
01	64.40	.000000	41
02	04,49	.412200	41
63	65.37	.424997	42
64	66.26	.436598	44
65	67.12	.447673	45
66	67 91	459661	46
67	69 74	473003	47
07	00.71	10000	10
-68-	09.58	.486023	49
<b>69</b> :	70.50	.499428	-50-
70⊧	71.38	.511796	51
71	72.24	.523340	52
72	73.10	534833	53
(_W-	10:10	540000	55
γ <b>3</b> ⁼	7.599	.547.000	55
74	74.90	. 562788	56
75-	75.71	. 573493	57
76	76.50	.586346	59
77	77 34	601737	60-
1-1 17 Å-	79: 33	610608	60
70- 70		.019008	08
:79=	79.14	.633421	60
80⁼	79.93	.645121	65
81	80.68	.657530	-66
82:	81.48	.670624	67
-83-	82.20	681934	-68
.94	97 11		80
04-	00.11	.095208	7.U=
85	83.85	.705881	71
86	84.75	.719764	72
-87-	8569	.733361	73
-88:	86 57	746443	75
8Q:	87 64	762820	76
00	00 00	.100000	-10- NO
90	00.09	.779109	70
91	89.70	.793291	7.9
-9 <b>2</b> -	90: 55	.804579	80-
93	91.50	.816822	82
94	-92-, 54	.832608	83-
95	93 69	851182	85.
06:	-04- 54	.001100	96
90	94:04	.004240	00
-97	95.66	.003450	88:
<b>98</b>	96.75	.900387	90-
99	97.93	.916794	92-
100	98.95	932621	93
101	100.17	952408	05
100-	101 00	000200	90°
10%	TOT-'SO	. 200020	97-
103	102.40	.982663	98
104	103.61	.994416	99
105	103.61	.994416	99-

1

**B-7**