(UNCLASSIFIED)

AD NUMBER

AD-B 1666 043

LIMITATION CHANGES

TO Approved for Public Release
Distribution Unlimited.

FROM


N/A

AUTHORITY

Carey O. Leverett/ Phyllis Rinehart,
Deputy Chief of Staff for Information
Management, Ft Detrick/SGRD-RMI-S
(70-y), Via Memo Dtd 07 Jun 04

(THIS PAGE IS UNCLASSIFIED)

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

AD-B166 043



DTIC
ELECTE
JUL 2 2 1992
S C D

(2)L

AD _____

VOLUME II OF II

CONTRACT NO.: DAMD17-91-C-1050

TITLE: RESEARCH IN DRUG DEVELOPMENT AGAINST VIRAL DISEASES OF MILITARY IMPORTANCE (LARGE-SCALE ANTIVIRAL DRUG SCREENING)

PRINCIPAL INVESTIGATOR: DR. WILLIAM M. SHANNON

PI ADDRESS: SOUTHERN RESEARCH INSTITUTE
2000 Ninth Avenue South
P. O. Box 55305
Birmingham, Alabama 35255-5305

REPORT DATE: DECEMBER 31, 1991

TYPE OF REPORT: FINAL , VOLUME II

PREPARED FOR:

U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
FORT DETRICK
FREDERICK, MARYLAND 21702-5012

DISTRIBUTION STATEMENT:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES ONLY; PROPRIETARY INFORMATION, JUNE 13, 1991. OTHER REQUESTS FOR THIS DOCUMENT MUST BE REFERRED TO THE COMMANDER, U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND (ATTN: SGRD-RMI-S) FORT DETRICK, FREDERICK, MARYLAND 21702-5012.

THE VIEWS, OPINIONS AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY OR DECISION UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

92-19228



SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION
UNCLASSIFIED

1b. RESTRICTIVE MARKINGS

2a. SECURITY CLASSIFICATION AUTHORITY
UNCLASSIFIED

3. DISTRIBUTION/AVAILABILITY OF REPORT
Distribution authorized to U.S. Government Agencies only; proprietary information.

2b. DECLASSIFICATION/DOWNGRADING SCHEDULE
N/A

4. PERFORMING ORGANIZATION REPORT NUMBER(S)
SRI-BIO-91-1039-7289

5. MONITORING ORGANIZATION REPORT NUMBER(S)

6a. NAME OF PERFORMING ORGANIZATION
SOUTHERN RESEARCH INSTITUTE

6b. OFFICE SYMBOL (If applicable)

7a. NAME OF MONITORING ORGANIZATION

6c. ADDRESS (City, State, and ZIP Code)
2000 NINTH AVE. SO.
P. O. BOX 55305
BIRMINGHAM, AL 35255-5305

7b. ADDRESS (City, State, and ZIP Code)

8a. NAME OF FUNDING/SPONSORING ORGANIZATION U.S. ARMY MED. RES. & DEV. COMMAND

8b. OFFICE SYMBOL (If applicable)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
CONTRACT NO. DAMD17-91-C-1050

8c. ADDRESS (City, State, and ZIP Code)
FORT DETRICK,
FREDERICK, MD 21702-5012

10. SOURCE OF FUNDING NUMBERS

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
63002A	3M263002D807	AD	WUDA335717

11. TITLE (Include Security Classification)
RESEARCH IN DRUG DEVELOPMENT AGAINST VIRAL DISEASES OF MILITARY IMPORTANCE (LARGE-SCALE ANTIVIRAL DRUG SCREENING)

12. PERSONAL AUTHOR(S) W.M. Shannon, G. Arnett, A.D. Brazier, J.J. Kirsi, L.J. Wilkoff, E. Stephen, Z.X. Zhang

13a. TYPE OF REPORT	13b. TIME COVERED	14. DATE OF REPORT (Year, Month, Day)	15. PAGE COUNT
Final Report, VOL II	FROM 2/1/91 TO 2/31/91	1991 DECEMBER 31	766 (Two Volumes)

16. SUPPLEMENTARY NOTATION
Report Has Two Volumes
Volume II is the appendices to Final Report.

17. COSATI CODES		
FIELD	GROUP	SUB-GROUP
06	13	
06	15	

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
Antiviral Drugs, In Vitro, HIV, Exotic RNA Viruses, In Vivo, DNA Viruses, RA 1

19. ABSTRACT
The purpose of this program was to evaluate the efficacy of candidate antiviral compounds against a spectrum of viruses of military importance. This program involved (a) prescreen testing of natural products for antiviral efficacy *in vitro*, (b) primary testing of synthetic compounds and active natural products *in vitro* against an expanded spectrum of viruses of military importance, (c) confirmatory testing of all active lead compounds from the prescreen and primary screen, (d) secondary *in vitro* and *in vivo* studies of selected active compounds with best broad spectrum antiviral activity. The target viruses for *in vitro* testing were Vaccinia Virus (VV), Yellow Fever Virus (YF), Japanese Encephalitis Virus (JE), Venezuelan Equine Encephalomyelitis Virus (VE), Punta Toro Virus (PT), Sandfly Fever Virus (SF) and Human Immunodeficiency Virus (HIV). The secondary *in vitro* and *in vivo* testing was carried out with three major classes of viruses a) Filoviruses, b) Arenaviruses and c) Bunyaviruses. Approximately 5500 (2762 prescreen compounds and 2713 primary screen compounds) were received for *in vitro* evaluation and over 34,000 assays were performed on this contract. Compounds were identified in nearly all virus systems that have confirmed antiviral activity equal or exceeding that of the various positive control compounds (Ribavirin, Selenazofurin, Ara-A, ddC and AZT). Many of these compounds represent potent and selective new antiviral agents.

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT
☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION
UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL
Virginia M. Miller	301-619-7325	SGRD-RMI-S

DD Form 1473, JUN 86 Previous editions are obsolete. SECURITY CLASSIFICATION OF THIS PAGE

VOLUME II OF II
REPORT NO. 91-BIO-1039-III
DECEMBER 31, 1991

APPENDICES

Accession For
NTIS GRA&I ☑
DTIC TAB ☐
Unannounced ☐
Justification
By
Distribution/
Availability Codes
Dist | Avail and/or Special
B-3

DTIC QUALITY INSPECTED 2

APPENDIX A

Total Experience of Compounds Tested in Prescreen Assays
Against YF, VE and PT Viruses (February 1, 1991 - December 31, 1991)

Total Experience of Compounds Tested in Prescreen Assays Against YF, VE and PT Viruses (February 1, 1991 - December 31, 1991)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0001	PT	2ZZ	1	02/01/91	> 320.00	13.70 >	23.42
0001	PT	2ZU	1	02/01/91	282.00 <	10.00 >	28.21
0001	PT	305	1	02/05/91	259.00 <	10.00 >	25.93
0001	PT	30Z	1	02/06/91	142.00 <	10.00 >	14.25
0001	PT	30U	1	02/06/91	204.00 <	10.00 >	20.40
0001	PT	315	1	02/08/91	> 320.00	13.50 >	23.66
0001	PT	310	1	02/08/91	> 320.00	10.90 >	29.66
0001	PT	36A	1	02/12/91	> 320.00	23.70 >	13.52
0001	PT	365	1	02/12/91	> 320.00	35.30 >	9.07
0001	PT	36F	1	02/15/91	> 320.00	15.70 >	20.43
0001	PT	368	1	02/15/91	> 320.00	16.00 >	19.95
0001	PT	3J1	1	02/26/91	202.00	13.20	15.30
0001	PT	31U	1	02/26/91	> 320.00 <	10.00 >	32.00
0001	PT	3KC	1	02/27/91	233.00	14.50	15.99
0001	PT	3K7	1	02/27/91	> 320.00	12.20 >	26.27
0001	PT	3KI	1	02/28/91	> 320.00	13.30 >	24.11
0001	PT	3M3	1	03/01/91	146.00 <	10.00 >	14.57
0001	PT	3LY	1	03/01/91	273.00 <	10.00 >	27.32
0001	PT	3OY	1	03/05/91	291.00	13.00	22.43
0001	PT	3OT	1	03/05/91	> 320.00	11.90 >	26.93
0001	PT	3QY	1	03/06/91	235.00	10.00	23.46
0001	PT	3QT	1	03/06/91	34.00	13.70	2.48
0001	PT	3R4	1	03/07/91	> 320.00 <	10.00 >	32.00
0001	PT	3QZ	1	03/07/91	> 320.00 <	10.00 >	32.00
0001	PT	3RM	1	03/08/91	316.00 <	10.00 >	31.59
0001	PT	3RN	1	03/08/91	> 320.00 <	10.00 >	32.00
0001	PT	3YB	1	03/12/91	> 320.00	11.00 >	29.02
0001	PT	3Y6	1	03/12/91	> 320.00 <	10.00 >	32.00
0001	PT	3YT	1	03/13/91	307.00 <	10.00 >	30.72
0001	PT	3YO	1	03/13/91	303.00 <	10.00 >	30.33
0001	PT	3YZ	1	03/14/91	> 320.00 <	10.00 >	32.00
0001	PT	3YU	1	03/14/91	> 320.00 <	10.00 >	32.00
0001	PT	3ZX	1	03/15/91	> 320.00 <	10.00 >	32.00
0001	PT	3ZS	1	03/15/91	> 320.00 <	10.00 >	32.00
0001	PT	42V	1	03/19/91	> 320.00	19.40 >	16.48
0001	PT	420	1	03/19/91	> 320.00	19.70 >	16.23
0001	PT	431	1	03/20/91	> 320.00	15.20 >	21.00
0001	PT	42W	1	03/20/91	312.00	20.40	15.34
0001	PT	437	1	03/22/91	> 320.00 <	10.00 >	32.00
0001	PT	432	1	03/22/91	> 320.00 <	10.00 >	32.00
0001	PT	481	1	03/26/91	280.00 <	10.00 >	27.96
0001	PT	4AX	1	03/26/91	> 320.00 <	10.00 >	32.00
0001	PT	4BN	1	03/27/91	> 320.00	11.40 >	28.11
0001	PT	4BS	1	03/27/91	> 320.00 <	10.00 >	32.00
0001	PT	4BT	1	03/28/91	> 320.00 <	10.00 >	32.00
0001	PT	4BY	1	03/28/91	> 320.00	11.70 >	27.42
0001	PT	4CB	1	03/29/91	> 320.00 <	10.00 >	32.00
0001	PT	4CG	1	03/29/91	251.00	10.00	25.13
0001	PT	4GB	1	04/02/91	135.00	34.40	3.93
0001	PT	4G3	1	04/02/91	125.00	22.90	5.47
0001	PT	4GQ	1	04/03/91	139.00	18.20	7.64
0001	PT	4GL	1	04/03/91	127.00	17.60	7.22
0001	PT	4HQ	1	04/04/91	161.00	18.30	8.79
0001	PT	4HL	1	04/04/91	139.00	26.80	5.17
0001	PT	418	1	04/05/91	39.10	22.50	1.73
0001	PT	413	1	04/05/91	103.00	20.40	5.06
0001	PT	4JZ	1	04/09/91	124.00	19.60	6.32
0001	PT	4JU	1	04/09/91	134.00	20.80	6.43
0001	PT	4KT	1	04/10/91	137.00	16.80	8.14
0001	PT	4KO	1	04/10/91	236.00	320.00	0.74
0001	PT	4MM	1	04/11/91	122.00	19.50	6.24
0001	PT	4MI	1	04/11/91	119.00	18.80	6.33
0001	PT	4N5	1	04/12/91	77.80	14.70	5.30
0001	PT	4NO	1	04/12/91	70.90	19.30	3.68
0001	PT	4TP	1	04/16/91	78.80	28.90	2.72
0001	PT	4TK	1	04/16/91	248.00	23.90	10.35
0001	PT	4TV	1	04/17/91	124.00	23.20	5.34
0001	PT	4TQ	1	04/17/91	12.30	2.39	5.15
0001	PT	4UU	1	04/18/91	120.00	19.00	6.29
0001	PT	4UB	1	04/18/91	251.00	18.20	13.76
0001	PT	4UJ	1	04/19/91	308.00	19.00	16.21
0001	PT	4UE	1	04/19/91	> 320.00	20.20 >	15.88
0001	PT	4Y1	1	04/23/91	254.00	16.20	15.67

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0001	PT	4XW	1	04/23/91	> 320.00	15.60	> 20.31
0001	PT	4Y7	1	04/24/91	274.00	17.50	15.67
0001	PT	4Y2	1	04/24/91	242.00	15.40	15.74
0001	PT	522	1	04/25/91	291.00	267.00	1.09
0001	PT	527	1	04/25/91	229.00	320.00	0.72
0001	PT	531	1	04/26/91	305.00	16.00	19.02
0001	PT	52W	1	04/26/91	246.00	20.30	12.10
0001	PT	571	1	04/30/91	300.00	24.50	12.24
0001	PT	56W	1	04/30/91	267.00	30.70	8.71
0001	PT	57P	1	05/01/91	209.00	17.90	11.69
0001	PT	57K	1	05/01/91	220.00	18.70	11.80
0001	PT	59V	1	05/02/91	171.00	19.90	8.57
0001	PT	590	1	05/02/91	267.00	20.40	13.10
0001	PT	5A1	1	05/03/91	274.00	15.70	17.51
0001	PT	59W	1	05/03/91	242.00	14.00	17.27
0001	PT	5FA	1	05/07/91	239.00	24.20	9.88
0001	PT	5F5	1	05/07/91	230.00	22.70	10.15
0001	PT	5G4	1	05/08/91	219.00	16.50	13.29
0001	PT	5FZ	1	05/08/91	280.00	15.60	17.94
0001	PT	5GA	1	05/09/91	266.00	41.20	6.45
0001	PT	5G5	1	05/09/91	297.00	38.70	7.68
0001	PT	5G8	1	05/10/91	150.00	17.30	8.68
0001	PT	5GN	1	05/10/91	183.00	17.50	10.46
0001	PT	5L0	1	05/14/91	167.00	23.50	7.12
0001	PT	5LI	1	05/14/91	248.00	22.90	10.82
0001	PT	5MM	1	05/15/91	225.00	18.60	12.07
0001	PT	5MN	1	05/15/91	246.00	18.60	13.26
0001	PT	5N8	1	05/16/91	185.00	320.00	0.58
0001	PT	5N2	1	05/16/91	> 320.00	18.70	> 17.12
0001	PT	5NF	1	05/17/91	43.90	< 10.00	> 4.39
0001	PT	5N9	1	05/17/91	181.00	16.10	11.26
0001	PT	5Q7	1	05/22/91	174.00	16.00	10.91
0001	PT	5U8	1	05/23/91	221.00	26.00	8.49
0001	PT	5U2	1	05/23/91	255.00	17.00	14.99
0001	PT	5UF	1	05/24/91	217.00	20.10	10.76
0001	PT	5U9	1	05/24/91	241.00	14.60	16.48
0001	PT	5ZK	1	05/29/91	160.00	< 10.00	> 15.95
0001	PT	5ZE	1	05/29/91	255.00	13.50	18.90
0001	PT	5ZD	1	05/29/91	178.00	18.30	9.69
0001	PT	5Z7	1	05/29/91	295.00	13.40	22.02
0001	PT	60J	1	05/30/91	71.20	15.30	4.65
0001	PT	600	1	05/30/91	161.00	20.80	7.70
0001	PT	613	1	05/31/91	220.00	17.50	12.54
0001	PT	60X	1	05/31/91	177.00	19.80	8.92
0001	PT	684	1	06/04/91	21.00	13.70	1.54
0001	PT	67Y	1	06/04/91	222.00	16.20	13.72
0001	PT	688	1	06/05/91	49.30	16.10	3.07
0001	PT	685	1	06/05/91	70.00	18.10	3.87
0001	PT	69A	1	06/06/91	> 320.00	15.60	> 20.45
0001	PT	694	1	06/06/91	> 320.00	17.10	> 18.75
0001	PT	69N	1	06/07/91	> 320.00	16.50	> 19.35
0001	PT	698	1	06/07/91	> 320.00	56.60	> 5.66
0001	PT	60Z	1	06/11/91	> 320.00	14.10	> 22.65
0001	PT	60T	1	06/11/91	> 320.00	16.80	> 19.04
0001	PT	6F6	1	06/11/91	270.00	22.10	12.20
0001	PT	6F0	1	06/11/91	> 320.00	18.20	> 17.55
0001	PT	6GE	1	06/12/91	223.00	< 10.00	> 22.34
0001	PT	6GB	1	06/12/91	21.10	10.00	2.11
0001	PT	6HT	1	06/13/91	> 320.00	11.60	> 27.58
0001	PT	6HN	1	06/13/91	> 320.00	14.30	> 22.34
0001	PT	610	1	06/14/91	302.00	< 10.00	> 30.24
0001	PT	6HU	1	06/14/91	90.50	13.40	6.75
0001	PT	6LP	1	06/18/91	270.00	< 10.00	> 27.00
0001	PT	6LJ	1	06/18/91	> 320.00	16.20	> 19.81
0001	PT	6MK	1	06/19/91	270.00	10.00	27.03
0001	PT	6MR	1	06/19/91	> 320.00	< 10.00	> 32.00
0001	PT	6P5	1	07/02/91	299.00	17.00	17.57
0001	PT	6QZ	1	07/02/91	> 320.00	15.60	> 20.47
0001	PT	6PC	1	07/03/91	95.40	14.20	6.72
0001	PT	6P6	1	07/03/91	272.00	10.00	27.22
0001	PT	6MG	1	07/09/91	288.00	22.10	13.03
0001	PT	6MA	1	07/09/91	> 320.00	18.70	> 17.10
0001	PT	6XF	1	07/11/91	164.00	51.30	3.19
0001	PT	7ES	1	07/17/91	240.00	47.70	5.03

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
0001	PT	7EH	1	07/17/91	143.00	0.00	0.00
0001	PT	7EZ	1	07/18/91	228.00	65.30	3.49
0001	PT	7ET	1	07/18/91	210.00	70.60	2.97
0001	PT	7N2	1	07/23/91	283.00	57.10	4.96
0001	PT	7N8	1	07/23/91	207.00	44.80	4.62
0001	PT	7N9	1	07/30/91	190.00	45.50	4.17
0001	PT	7N3	1	07/30/91	214.00	39.40	5.44
0001	PT	701	1	07/31/91	231.00	18.90	12.22
0001	PT	7NV	1	07/31/91	> 320.00	55.60	> 5.75
0001	PT	7QY	1	08/01/91	142.00	17.80	8.01
0001	PT	7QS	1	08/01/91	146.00	51.00	2.86
0001	PT	7Y1	1	08/06/91	271.00	21.50	12.64
0001	PT	7XU	1	08/06/91	209.00	41.80	4.99
0001	PT	7XT	1	08/06/91	263.00	53.80	4.90
0001	PT	7XN	1	08/06/91	209.00	66.30	3.15
0001	PT	84S	1	08/07/91	> 320.00	40.80	> 7.85
0001	PT	84N	1	08/07/91	306.00	51.60	5.93
0001	PT	84Z	1	08/08/91	172.00	62.10	2.76
0001	PT	84T	1	08/08/91	248.00	33.40	7.42
0001	PT	89P	1	08/09/91	22.40	3.79	5.91
0001	PT	89J	1	08/09/91	132.00	32.00	4.13
0001	PT	8EV	1	08/13/91	277.00	35.70	7.75
0001	PT	8II	1	08/14/91	232.00	54.20	4.28
0001	PT	8IC	1	08/14/91	157.00	57.60	2.72
0001	PT	8J3	1	08/15/91	> 320.00	32.00	> 10.00
0001	PT	8IX	1	08/15/91	260.00	32.70	7.96
0001	PT	8KT	1	08/16/91	223.00	98.30	2.27
0001	PT	8RR	1	08/20/91	155.00	42.70	3.62
0001	PT	8RL	1	08/20/91	218.00	83.00	2.63
0001	PT	8RY	1	08/21/91	192.00	58.80	3.27
0001	PT	8RS	1	08/21/91	65.40	0.00	0.00
0001	PT	8V1	1	08/22/91	153.00	61.60	2.48
0001	PT	8LD	1	08/22/91	249.00	52.80	4.71
0001	PT	8L7	1	08/22/91	136.00	36.50	3.73
0001	PT	910	1	08/27/91	> 320.00	29.50	> 10.83
0001	PT	917	1	08/27/91	66.20	64.60	1.03
0001	PT	938	1	08/28/91	295.00	13.70	21.53
0001	PT	932	1	08/28/91	319.00	26.10	12.19
0001	PT	940	1	08/29/91	268.00	24.50	10.93
0001	PT	93U	1	08/29/91	303.00	38.20	7.94
0001	PT	947	1	08/30/91	253.00	62.00	4.07
0001	PT	970	1	09/04/91	276.00	11.30	24.30
0001	PT	971	1	09/04/91	> 320.00	16.60	> 19.26
0001	PT	97V	1	09/05/91	111.00	84.50	1.31
0001	PT	97P	1	09/05/91	131.00	0.00	0.00
0001	PT	9K2	1	09/20/91	> 320.00	45.40	> 7.04
0001	PT	9JW	1	09/20/91	> 320.00	58.10	> 5.50
0001	PT	AJ6	1	10/09/91	256.00	32.00	8.01
0001	PT	BS4	1	11/13/91	> 320.00	16.70	> 19.11
0001	PT	CJG	1	12/04/91	232.00	23.40	9.89
0253	VE	2W2	1	02/01/91	2.99	2.66	1.12
0253	VE	2WU	1	02/01/91	> 32.00	1.62	> 19.76
0253	VE	2WT	1	02/01/91	7.05	2.18	3.23
0253	VE	2W0	1	02/01/91	8.95	2.11	4.25
0253	VE	2X5	1	02/01/91	> 32.00	6.40	> 5.00
0253	VE	2X0	1	02/01/91	> 32.00	6.56	> 4.88
0253	VE	300	1	02/08/91	8.32	7.11	1.17
0253	VE	308	1	02/08/91	5.38	2.15	2.51
0253	VE	306	1	02/08/91	3.17	32.00	0.10
0253	VE	318	1	02/08/91	7.25	32.00	0.23
0253	VE	316	1	02/08/91	6.75	32.00	0.21
0253	VE	30T	1	02/08/91	5.68	2.60	2.19
0253	VE	360	1	02/15/91	7.64	2.42	3.16
0253	VE	36N	1	02/15/91	6.20	2.29	2.70
0253	VE	36L	1	02/15/91	1.80	0.00	0.00
0253	VE	366	1	02/15/91	6.04	2.42	2.50
0253	VE	3J8	1	03/01/91	9.86	1.30	7.59
0253	VE	3J7	1	03/01/91	5.49	26.90	0.20
0253	VE	3J2	1	03/01/91	7.77	2.74	2.83
0253	VE	31S	1	03/01/91	< 1.00	2.43	< 0.41
0253	VE	31N	1	03/01/91	2.95	1.92	1.53
0253	VE	3JK	1	03/01/91	11.30	1.55	7.27
0253	VE	3JF	1	03/01/91	> 32.00	1.36	> 23.56
0253	VE	3J0	1	03/01/91	8.52	2.12	4.02

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0253	VE	3PA	1	03/08/91	32.00	1.53	20.95
0253	VE	3PS	1	03/08/91 >	32.00	1.85 >	17.29
0253	VE	3QM	1	03/08/91 >	32.00	4.20 >	7.61
0253	VE	3QH	1	03/08/91	8.90	5.05	1.76
0253	VE	3PM	1	03/08/91 >	32.00	4.42 >	7.25
0253	VE	3PN	1	03/08/91 >	32.00	4.25 >	7.52
0253	VE	3PG	1	03/08/91 >	32.00	1.54 >	20.72
0253	VE	3PB	1	03/08/91 >	32.00	1.56 >	20.48
0253	VE	3ZO	1	03/15/91 <	1.00	2.36 <	0.42
0253	VE	3YN	1	03/15/91	3.02	2.59	1.17
0253	VE	3XZ	1	03/15/91	2.39	2.88	0.83
0253	VE	3ZN	1	03/15/91	2.80	2.09	1.34
0253	VE	3ZC	1	03/15/91	3.12	2.30	1.35
0253	VE	3ZS	1	03/15/91	3.34	2.07	1.61
0253	VE	3YI	1	03/15/91	6.72	2.87	2.34
0253	VE	42J	1	03/22/91 >	32.00 <	1.00 >	32.00
0253	VE	42N	1	03/22/91 >	32.00 <	1.00 >	32.00
0253	VE	42C	1	03/22/91 >	32.00 <	1.00 >	32.00
0253	VE	42A	1	03/22/91 >	32.00	1.00 >	32.00
0253	VE	420	1	03/22/91	32.00 <	1.00 >	31.98
0253	VE	425	1	03/22/91 >	32.00 <	1.00 >	32.00
0253	VE	45F	1	03/29/91	1.64	3.20	0.51
0253	VE	45B	1	03/29/91	24.10	25.70	0.93
0253	VE	4AQ	1	03/29/91	3.07 <	1.00 >	3.07
0253	VE	4AL	1	03/29/91	6.13	1.78	3.44
0253	VE	4AJ	1	03/29/91	7.14	1.05	6.78
0253	VE	4AE	1	03/29/91	6.78	1.30	5.20
0253	VE	4AC	1	03/29/91	2.02	2.63	0.77
0253	VE	4A7	1	03/29/91	2.05	4.22	0.49
0253	VE	4FR	1	04/05/91	3.44	10.00	0.34
0253	VE	4FQ	1	04/05/91	2.80	1.94	1.45
0253	VE	4FL	1	04/05/91	2.74	2.34	1.17
0253	VE	4FJ	1	04/05/91	2.07	32.00	0.06
0253	VE	4FE	1	04/05/91	2.59	2.80	0.93
0253	VE	4G2	1	04/05/91	3.00	2.60	1.15
0253	VE	4FX	1	04/05/91	2.64	32.00	0.08
0253	VE	4FW	1	04/05/91	2.97	3.11	0.95
0253	VE	4KB	1	04/12/91	21.00	0.00	0.00
0253	VE	4K6	1	04/12/91	3.09	32.00	0.10
0253	VE	4K5	1	04/12/91 <	1.00	0.00	0.00
0253	VE	4K0	1	04/12/91 <	1.00	0.00	0.00
0253	VE	4JN	1	04/12/91 <	1.00	0.00	0.00
0253	VE	4JI	1	04/12/91 <	1.00	0.00	0.00
0253	VE	4KN	1	04/12/91	27.20	24.20	1.13
0253	VE	4KC	1	04/12/91	6.84	3.45	1.98
0253	VE	4T7	1	04/19/91	2.95	6.15	0.48
0253	VE	4T2	1	04/19/91	7.04	6.33	1.11
0253	VE	4T1	1	04/19/91	5.51	4.53	1.22
0253	VE	4SW	1	04/19/91 <	1.00	4.75 <	0.21
0253	VE	4SV	1	04/19/91	5.31	0.00	0.00
0253	VE	4S0	1	04/19/91	3.04	5.24	0.58
0253	VE	4XJ	1	04/26/91	2.86	3.20	0.89
0253	VE	4XE	1	04/26/91	2.77	4.07	0.68
0253	VE	4XD	1	04/26/91	9.50	3.45	2.76
0253	VE	4X8	1	04/26/91	9.07	3.87	2.34
0253	VE	4X7	1	04/26/91	7.54	2.37	3.18
0253	VE	4XP	1	04/26/91	4.73	2.32	2.04
0253	VE	4XK	1	04/26/91	3.70	3.20	1.16
0253	VE	4X2	1	04/26/91	2.81	1.97	1.42
0253	VE	56J	1	05/03/91	3.07	10.60	0.29
0253	VE	56E	1	05/03/91	4.34	19.10	0.23
0253	VE	577	1	05/03/91	9.78	16.70	0.59
0253	VE	572	1	05/03/91	3.15	0.00	0.00
0253	VE	57W	1	05/03/91	3.30	17.90	0.18
0253	VE	57V	1	05/03/91	26.20	10.00	2.62
0253	VE	570	1	05/03/91	23.10	32.00	0.72
0253	VE	581	1	05/03/91	6.59	28.40	0.23
0253	VE	5E1	1	05/10/91	16.70	25.10	0.67
0253	VE	5EY	1	05/10/91	24.00	23.60	1.02
0253	VE	5FS	1	05/10/91 >	32.00	13.30 >	2.40
0253	VE	5FN	1	05/10/91 >	32.00	5.80 >	5.52
0253	VE	5FM	1	05/10/91	29.10	4.74	6.14
0253	VE	5FN	1	05/10/91	9.09	7.45	1.22
0253	VE	5FG	1	05/10/91	18.30	16.60	1.10

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0253	VE	5FB	1	05/10/91	> 32.00	20.00	> 1.60
0253	VE	5M3	1	05/17/91	27.10	0.00	0.00
0253	VE	5M2	1	05/17/91	8.96	0.00	0.00
0253	VE	5LW	1	05/17/91	> 32.00	2.76	> 11.59
0253	VE	5MG	1	05/17/91	9.89	0.00	0.00
0253	VE	5MA	1	05/17/91	29.30	24.30	1.21
0253	VE	5M9	1	05/17/91	2.33	0.00	0.00
0253	VE	5QE	1	05/24/91	15.50	0.00	0.00
0253	VE	5QY	1	05/24/91	7.84	0.00	0.00
0253	VE	5QS	1	05/24/91	12.40	2.65	4.69
0253	VE	5QR	1	05/24/91	9.66	0.00	0.00
0253	VE	5QL	1	05/24/91	8.48	0.00	0.00
0253	VE	5PZ	1	05/24/91	14.10	0.00	0.00
0253	VE	5PT	1	05/24/91	24.40	0.00	0.00
0253	VE	5QK	1	05/24/91	9.69	0.00	0.00
0253	VE	5ZZ	1	05/31/91	> 32.00	< 1.00	> 32.00
0253	VE	5ZY	1	05/31/91	> 32.00	< 1.00	> 32.00
0253	VE	5ZS	1	05/31/91	19.80	1.97	10.07
0253	VE	60W	1	05/31/91	31.50	1.45	21.77
0253	VE	60Q	1	05/31/91	> 32.00	3.94	> 8.11
0253	VE	5YZ	1	05/31/91	> 32.00	2.11	> 15.15
0253	VE	5YY	1	05/31/91	> 32.00	1.14	> 28.14
0253	VE	605	1	05/31/91	> 32.00	< 1.00	> 32.00
0253	VE	69W	1	06/07/91	> 32.00	1.94	> 16.52
0253	VE	690	1	06/07/91	> 32.00	4.01	> 7.98
0253	VE	67X	1	06/07/91	25.40	4.58	5.54
0253	VE	67R	1	06/07/91	26.60	1.00	26.55
0253	VE	681	1	06/07/91	> 32.00	10.00	> 3 20
0253	VE	68C	1	06/07/91	8.98	0.00	0.00
0253	VE	693	1	06/07/91	> 32.00	6.71	> 4.77
0253	VE	68X	1	06/07/91	> 32.00	3.20	> 10.00
0253	VE	6A2	1	06/07/91	20.00	8.90	2.25
0253	VE	691	1	06/07/91	> 32.00	2.57	> 12.43
0253	VE	6DF	1	06/14/91	> 32.00	7.78	> 4.11
0253	VE	6EL	1	06/14/91	16.60	2.84	5.84
0253	VE	6EF	1	06/14/91	> 32.00	5.63	> 5.68
0253	VE	6ES	1	06/14/91	27.50	32.00	0.86
0253	VE	6EM	1	06/14/91	> 32.00	< 1.00	> 32.00
0253	VE	6EZ	1	06/14/91	4.67	0.00	0.00
0253	VE	6ET	1	06/14/91	30.30	12.40	2.45
0253	VE	6DL	1	06/14/91	14.80	0.00	0.00
0253	VE	60K	1	06/28/91	8.42	10.00	0.84
0253	VE	60E	1	06/28/91	20.80	6.80	3.07
0253	VE	60D	1	06/28/91	4.57	0.00	0.00
0253	VE	607	1	06/28/91	6.48	0.00	0.00
0253	VE	60L	1	07/02/91	22.00	25.50	0.86
0253	VE	6PJ	1	07/03/91	2.65	0.00	0.00
0253	VE	6PD	1	07/03/91	3.25	0.00	0.00
0253	VE	6WH	1	07/12/91	> 32.00	32.00	> 1.00
0253	VE	6X8	1	07/12/91	9.92	0.00	0.00
0253	VE	6X2	1	07/12/91	27.30	0.00	0.00
0253	VE	6WU	1	07/12/91	> 32.00	0.00	0.00
0253	VE	6WO	1	07/12/91	> 32.00	0.00	0.00
0253	VE	6X1	1	07/12/91	15.80	0.00	0.00
0253	VE	6WV	1	07/12/91	27.90	15.40	1.81
0253	VE	6WN	1	07/12/91	21.60	0.00	0.00
0253	VE	7KJ	1	07/26/91	3.31	0.00	0.00
0253	VE	7KD	1	07/26/91	3.03	23.80	0.13
0253	VE	7HP	1	07/26/91	6.46	0.00	0.00
0253	VE	7HN	1	07/26/91	3.72	0.00	0.00
0253	VE	7HG	1	07/26/91	23.60	0.00	0.00
0253	VE	7H0	1	08/02/91	9.13	22.80	0.40
0253	VE	7DF	1	08/02/91	2.78	0.00	0.00
0253	VE	709	1	08/02/91	5.53	0.00	0.00
0253	VE	7HA	1	08/02/91	2.71	7.39	0.37
0253	VE	708	1	08/02/91	2.73	32.00	0.09
0253	VE	702	1	08/02/91	> 32.00	3.78	> 8.46
0253	VE	7HU	1	08/02/91	8.20	0.00	0.00
0253	VE	7HG	1	08/02/91	6.61	7.24	0.91
0253	VE	7Y9	1	08/09/91	8.94	24.70	0.36
0253	VE	7Y8	1	08/09/91	9.45	0.00	0.00
0253	VE	7Y2	1	08/09/91	26.10	19.80	1.31
0253	VE	847	1	08/09/91	5.50	0.00	0.00
0253	VE	841	1	08/09/91	8.75	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0253	VE	7YN	1	08/09/91	8.86	27.80	0.32
0253	VE	7YG	1	08/09/91	4.94	0.00	0.00
0253	VE	7YF	1	08/09/91	4.43	0.00	0.00
0253	VE	8EH	1	08/16/91	> 32.00	< 1.00	> 32.00
0253	VE	8EG	1	08/16/91	21.10	6.76	3.12
0253	VE	8EA	1	08/16/91	> 32.00	4.71	> 6.80
0253	VE	8E9	1	08/16/91	> 32.00	7.24	> 4.42
0253	VE	8E3	1	08/16/91	> 32.00	10.00	> 3.20
0253	VE	8EO	1	08/16/91	> 32.00	6.16	> 5.19
0253	VE	8EN	1	08/16/91	> 32.00	< 1.00	> 32.00
0253	VE	8M6	1	08/23/91	27.50	3.73	7.39
0253	VE	8LY	1	08/23/91	4.84	0.00	0.00
0253	VE	8LS	1	08/23/91	7.29	9.47	0.77
0253	VE	8LZ	1	08/23/91	5.28	0.00	0.00
0253	VE	8LR	1	08/23/91	10.90	5.26	2.06
0253	VE	8LL	1	08/23/91	9.27	19.60	0.47
0253	VE	8MC	1	08/23/91	8.66	32.00	0.27
0253	VE	8M5	1	08/23/91	5.87	0.00	0.00
0253	VE	90E	1	08/30/91	9.37	0.00	0.00
0253	VE	908	1	08/30/91	> 32.00	17.10	> 1.87
0253	VE	907	1	08/30/91	13.40	8.39	1.60
0253	VE	90S	1	08/30/91	8.65	0.00	0.00
0253	VE	90N	1	08/30/91	7.99	0.00	0.00
0253	VE	90L	1	08/30/91	6.41	0.00	0.00
0253	VE	90F	1	08/30/91	4.07	0.00	0.00
0253	VE	901	1	08/30/91	> 32.00	4.93	> 6.49
0253	VE	973	1	09/06/91	7.67	0.00	0.00
0253	VE	97A	1	09/06/91	8.48	0.00	0.00
0253	VE	974	1	09/06/91	8.19	0.00	0.00
0253	VE	96X	1	09/06/91	8.84	0.00	0.00
0253	VE	CGN	1	12/06/91	2.54	0.00	0.00
0253	YF	2ZT	1	02/01/91	17.40	3.04	5.73
0253	YF	2ZO	1	02/01/91	24.20	2.91	8.32
0253	YF	30M	1	02/05/91	14.00	8.69	1.61
0253	YF	30C	1	02/05/91	18.70	29.80	0.63
0253	YF	30N	1	02/06/91	13.80	10.00	1.38
0253	YF	30I	1	02/06/91	15.80	8.77	1.80
0253	YF	31M	1	02/08/91	25.10	3.41	7.35
0253	YF	31C	1	02/08/91	> 32.00	2.13	> 14.99
0253	YF	364	1	02/13/91	15.60	6.02	2.59
0253	YF	360	1	02/13/91	20.40	8.04	2.54
0253	YF	35Z	1	02/13/91	7.30	4.69	1.56
0253	YF	35U	1	02/13/91	26.50	4.96	5.35
0253	YF	31F	1	02/26/91	29.80	4.81	6.19
0253	YF	31L	1	02/26/91	18.00	32.00	0.56
0253	YF	3K6	1	02/27/91	8.43	0.00	0.00
0253	YF	3K1	1	02/27/91	9.95	7.19	1.38
0253	YF	3KO	1	02/28/91	18.60	4.35	4.27
0253	YF	3KJ	1	02/28/91	> 32.00	4.07	> 7.86
0253	YF	3M5	1	03/01/91	7.15	0.00	0.00
0253	YF	3M4	1	03/01/91	7.46	0.00	0.00
0253	YF	3P4	1	03/05/91	10.50	5.87	1.79
0253	YF	3OZ	1	03/05/91	> 32.00	3.78	> 8.46
0253	YF	3OS	1	03/06/91	9.39	0.00	0.00
0253	YF	3OM	1	03/06/91	9.29	8.15	1.14
0253	YF	3RA	1	03/07/91	21.60	6.04	3.58
0253	YF	3R5	1	03/07/91	> 32.00	6.66	> 4.81
0253	YF	3RG	1	03/08/91	9.61	4.12	2.33
0253	YF	3R8	1	03/08/91	> 32.00	4.51	> 7.10
0253	YF	3XY	1	03/12/91	9.55	6.45	1.48
0253	YF	3XT	1	03/12/91	11.30	32.00	0.35
0253	YF	3YC	1	03/13/91	23.90	4.35	5.48
0253	YF	3YN	1	03/13/91	6.57	0.00	0.00
0253	YF	3ZB	1	03/14/91	31.20	2.42	12.89
0253	YF	3Z6	1	03/14/91	> 32.00	3.20	> 10.00
0253	YF	3ZR	1	03/15/91	8.02	2.69	2.98
0253	YF	3ZM	1	03/15/91	19.20	7.94	2.41
0253	YF	41S	1	03/19/91	14.00	4.42	3.16
0253	YF	41N	1	03/19/91	> 32.00	2.67	> 12.00
0253	YF	41Y	1	03/20/91	7.77	9.23	0.84
0253	YF	41T	1	03/20/91	9.94	9.36	1.06
0253	YF	424	1	03/22/91	24.60	3.11	7.90
0253	YF	41Z	1	03/22/91	> 32.00	2.36	> 13.58
0253	YF	4A8	1	03/26/91	18.60	6.82	2.73

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0253	YF	4AM	1	03/26/91	21.20	6.03	3.52
0253	YF	4BN	1	03/27/91	9.04	3.96	2.28
0253	YF	4BH	1	03/27/91	1.88	0.00	0.00
0253	YF	4C4	1	03/28/91	20.70	5.29	3.92
0253	YF	4BZ	1	03/28/91 >	32.00	8.57 >	3.73
0253	YF	4CA	1	03/29/91	6.61	0.00	0.00
0253	YF	4C5	1	03/29/91	22.90	6.38	3.58
0253	YF	4KN	1	04/10/91	12.80	0.00	0.00
0253	YF	4U7	1	04/18/91	14.50	0.00	0.00
0253	YF	4U2	1	04/18/91	15.00	0.00	0.00
0253	YF	4XQ	1	04/23/91	16.00	0.00	0.00
0253	YF	4UQ	1	04/23/91	21.70 <	1.00 >	21.72
0253	YF	4YD	1	04/24/91	14.50	0.00	0.00
0253	YF	52D	1	04/25/91	15.90	0.00	0.00
0253	YF	528	1	04/25/91	22.20	0 00	0.00
0253	YF	52V	1	04/26/91	12.30	0.00	0.00
0253	YF	52Q	1	04/26/91	19.10	0.00	0.00
0253	YF	52P	1	04/26/91	22.90	0.00	0.00
0253	YF	52K	1	04/26/91	27.80 <	1.00 >	27.78
0253	YF	52J	1	04/26/91	11.60	0.00	0.00
0253	YF	52E	1	04/26/91	21.40	0.00	0.00
0253	YF	56V	1	04/30/91	14.20	0.00	0.00
0253	YF	56Q	1	04/30/91	26.50	0.00	0.00
0253	YF	57E	1	05/01/91	19.80	0.00	0.00
0253	YF	59P	1	05/02/91	14.90	0.00	0.00
0253	YF	59K	1	05/02/91	21.80	0.00	0.00
0253	YF	5A7	1	05/03/91	8.99	0.00	0.00
0253	YF	5F4	1	05/07/91	25.30	10.00	2.53
0253	YF	5EZ	1	05/07/91	24.40	0.00	0.00
0253	YF	5FY	1	05/08/91	8.49	0.00	0.00
0253	YF	5GG	1	05/09/91	13.10	0.00	0.00
0253	YF	5GB	1	05/09/91	25.80	0.00	0.00
0253	YF	5LV	1	05/14/91 >	32.00	6.63 >	4.83
0253	YF	5LP	1	05/14/91	23.30	6.70	3.48
0253	YF	5MU	1	05/15/91	20.90	0.00	0.00
0253	YF	5MD	1	05/15/91	22.60	0.00	0.00
0253	YF	5MV	1	05/16/91	20.30	0.00	0.00
0253	YF	5NS	1	05/16/91	18.[illegible]	0.00	0.00
0253	YF	5NN	1	05/16/91	18.[illegible]	0.00	0.00
0253	YF	5N1	1	05/16/91	21.60	0.00	0.00
0253	YF	5NT	1	05/17/91	13.80	0.00	0.00
0253	YF	5MM	1	05/17/91	11.50	0.00	0.00
0253	YF	5TV	1	05/23/91	22.30	0.00	0.00
0253	YF	5U1	1	05/23/91	14.40	0.00	0.00
0253	YF	5UH	1	05/24/91	7.20	0.00	0.00
0253	YF	5UG	1	05/24/91	21.60	0.00	0.00
0253	YF	5ZL	1	05/29/91	19.40	0.00	0.00
0253	YF	5Z6	1	05/29/91	13.40	0.00	0.00
0253	YF	5Z0	1	05/29/91	12.10	0.00	0.00
0253	YF	5ZR	1	05/29/91	16.80	0.00	0.00
0253	YF	60C	1	05/30/91	8.52	0.00	0.00
0253	YF	60P	1	05/30/91	6.83	0.00	0.00
0253	YF	614	1	05/31/91	24.10	0.00	0.00
0253	YF	670	1	06/04/91	22.80	0.00	0.00
0253	YF	67K	1	06/04/91	31.00	0.00	0.00
0253	YF	68P	1	06/05/91	12.30	0.00	0.00
0253	YF	68J	1	06/05/91 >	32.00 <	1.00 >	32.00
0253	YF	68M	1	06/06/91 >	32.00	3.93 >	8.15
0253	YF	68Q	1	06/06/91 >	32.00	8.77 >	3.65
0253	YF	69P	1	06/07/91 >	32.00	8.17 >	3.92
0253	YF	69V	1	06/07/91 >	32.00 <	1.00 >	32.00
0253	YF	6DH	1	06/11/91 >	32.00	1.93 >	16.62
0253	YF	6DS	1	06/11/91	32.00	2.59	12.36
0253	YF	6G1	1	06/12/91	14.50	0.00	0.00
0253	YF	6G7	1	06/12/91	15.50	0.00	0.00
0253	YF	6HH	1	06/13/91	11.60	8.95	1.30
0253	YF	6HG	1	06/13/91 >	32.00	5.83 >	5.49
0253	YF	6HF	1	06/13/91	16.00	8.43	1.90
0253	YF	6H9	1	06/13/91	0.56	32.00	0.02
0253	YF	6IE	1	06/14/91	22.40	0.00	0.00
0253	YF	618	1	06/14/91	24.40	0.00	0.00
0253	YF	611	1	06/14/91	11.60	0.00	0.00
0253	YF	617	1	06/14/91	6.27	0.00	0.00
0253	YF	6LI	1	06/18/91	24.10	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
0253	YF	6LC	1	06/18/91	> 32.00	0.00	0.00
0253	YF	6MQ	1	06/19/91	> 32.00	0.00	0.00
0253	YF	6MK	1	06/19/91	> 32.00	0.00	0.00
0253	YF	6W2	1	07/10/91	11.10	0.00	0.00
0253	YF	6VW	1	07/10/91	20.20	0.00	0.00
0253	YF	7QR	1	08/01/91	13.00	0.00	0.00
0253	YF	7QL	1	08/01/91	9.84	0.00	0.00
0253	YF	7T9	1	08/02/91	18.20	0.00	0.00
0253	YF	7T3	1	08/02/91	21.60	0.00	0.00
0253	YF	84E	1	08/06/91	15.30	0.00	0.00
0253	YF	848	1	08/06/91	22.70	0.00	0.00
0253	YF	850	1	08/08/91	6.43	0.00	0.00
0253	YF	8FF	1	08/13/91	21.50	0.00	0.00
0253	YF	8F9	1	08/13/91	19.90	0.00	0.00
0253	YF	8F2	1	08/13/91	16.50	0.00	0.00
0253	YF	8IJ	1	08/14/91	27.90	0.00	0.00
0253	YF	8FM	1	08/14/91	16.00	0.00	0.00
0253	YF	6XU	1	08/15/91	18.10	0.00	0.00
0253	YF	8FN	1	08/15/91	11.20	0.00	0.00
0253	YF	8IQ	1	08/15/91	20.90	0.00	0.00
0253	YF	6Y0	1	08/15/91	26.40	0.00	0.00
0253	YF	8L6	1	08/16/91	6.92	0.00	0.00
0253	YF	7BA	1	08/16/91	63.60	0.00	0.00
0253	YF	6XN	1	08/16/91	14.20	0.00	0.00
0253	YF	7EL	1	08/20/91	11.80	0.00	0.00
0253	YF	7F6	1	08/20/91	16.10	0.00	0.00
0253	YF	7H1	1	08/21/91	> 32.00	0.00	0.00
0253	YF	8RZ	1	08/21/91	6.86	0.00	0.00
0253	YF	8S5	1	08/21/91	4.34	0.00	0.00
0253	YF	717	1	08/22/91	13.40	0.00	0.00
0253	YF	8SC	1	08/22/91	10.50	0.00	0.00
0253	YF	8S6	1	08/22/91	17.80	0.00	0.00
0253	YF	910	1	08/27/91	18.20	0.00	0.00
0253	YF	90Z	1	08/27/91	2.97	0.00	0.00
0253	YF	93M	1	08/28/91	11.70	0.00	0.00
0253	YF	93G	1	08/28/91	14.70	0.00	0.00
0253	YF	93T	1	03/29/91	7.33	0.00	0.00
0253	YF	97M	1	09/04/91	18.20	0.00	0.00
0253	YF	982	1	09/05/91	3.60	0.00	0.00
0253	YF	9K9	1	09/20/91	> 32.00	1.44	> 22.19
0253	YF	9K3	1	09/20/91	> 32.00	1.21	> 26.52
0253	YF	9KN	1	09/21/91	17.30	0.00	0.00
0253	YF	9KH	1	09/21/91	> 32.00	6.12	> 5.23
0253	YF	9KA	1	09/21/91	> 32.00	10.00	> 3.20
0253	YF	9KG	1	09/21/91	24.40	0.00	0.00
0253	YF	AS6	1	10/16/91	29.50	0.00	0.00
0253	YF	ASO	1	10/16/91	> 32.00	0.00	0.00
0253	YF	BPP	1	11/12/91	24.90	4.21	5.92
0253	YF	BPJ	1	11/12/91	29.30	3.74	7.83
0253	YF	CNL	1	12/03/91	31.40	0.00	0.00
6724	PT	36A	67	02/12/91	> 32.00	4.83	> 6.62
6724	PT	36F	67	02/15/91	> 32.00	1.74	> 18.38
6724	PT	3J1	67	02/26/91	27.80	1.71	16.21
6724	PT	3KC	67	02/27/91	29.80	1.99	14.99
6724	PT	3KI	67	02/28/91	> 32.00	1.69	> 18.90
6724	PT	3M3	67	03/01/91	25.30	1.42	17.78
6724	PT	3QY	67	03/05/91	13.20	2.21	6.00
6724	PT	3QY	1	03/06/91	> 32.00	1.70	> 18.84
6724	PT	3R4	67	03/07/91	> 32.00	1.12	> 28.66
6724	PT	3RM	67	03/08/91	> 32.00	1.36	> 23.57
6724	PT	3YB	67	03/12/91	> 32.00	1.62	> 19.74
6724	PT	3YT	67	03/13/91	> 32.00	1.14	> 27.98
6724	PT	3YZ	67	03/14/91	> 32.00	1.62	> 19.80
6724	PT	3ZX	67	03/15/91	> 32.00	< 1.00	> 32.00
6724	PT	42V	67	03/19/91	30.70	2.72	11.25
6724	PT	431	67	03/20/91	> 32.00	1.79	> 17.85
6724	PT	437	67	03/22/91	> 32.00	1.52	> 21.01
6724	PT	481	67	03/26/91	> 32.00	1.32	> 24.17
6724	PT	4BS	67	03/27/91	> 32.00	1.62	> 19.76
6724	PT	4BY	67	03/28/91	> 32.00	1.48	> 21.65
6724	PT	4CG	67	03/29/91	26.70	1.47	18.10
6724	PT	4GB	67	04/02/91	5.06	0.00	0.00
6724	PT	4GQ	67	04/03/91	5.00	2.05	2.44
6724	PT	4HQ	67	04/04/91	5.91	10.00	0.59

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
6724	PT	418	67	04/05/91	2.63	2.34	1.12
6724	PT	4JZ	67	04/09/91	4.44	2.45	1.82
6724	PT	4KT	67	04/10/91	7.46	1.71	4.36
6724	PT	4MN	67	04/11/91	2.69	2.16	1.24
6724	PT	4TP	67	04/16/91	6.63	3.93	1.69
6724	PT	4TV	67	04/17/91	3.91	2.24	1.74
6724	PT	4UD	67	04/18/91	8.58	1.86	4.61
6724	PT	4UJ	67	04/19/91	22.90	1.61	14.21
6724	PT	4Y1	67	04/23/91	12.80	1.14	11.20
6724	PT	4Y7	67	04/24/91	> 32.00	< 1.00	> 32.00
6724	PT	527	67	04/25/91	22.30	29.70	0.75
6724	PT	531	67	04/26/91	21.30	1.11	19.14
6724	PT	571	67	04/30/91	31.10	2.23	13.95
6724	PT	57P	67	05/01/91	12.60	1.77	7.15
6724	PT	59V	67	05/02/91	> 32.00	1.74	> 18.36
6724	PT	5A1	67	05/03/91	> 32.00	1.32	> 24.20
6724	PT	5FA	67	05/07/91	14.30	1.92	7.46
6724	PT	5G4	67	05/08/91	> 32.00	1.64	> 19.46
6724	PT	5GA	67	05/09/91	26.50	2.26	11.71
6724	PT	5GS	67	05/10/91	22.30	1.67	13.34
6724	PT	5LO	67	05/14/91	29.90	1.97	15.13
6724	PT	5MN	67	05/15/91	28.80	1.71	16.88
6724	PT	5N8	67	05/16/91	22.90	1.82	12.60
6724	PT	5NF	67	05/17/91	21.80	1.37	15.89
6724	PT	5QD	67	05/22/91	6.18	1.36	4.53
6724	PT	5U8	67	05/23/91	11.70	1.74	6.76
6724	PT	5UF	67	05/24/91	12.60	1.61	7.85
6724	PT	5ZK	67	05/29/91	19.60	1.63	12.05
6724	PT	5ZD	67	05/29/91	29.90	1.49	20.04
6724	PT	60J	67	05/30/91	17.80	1.53	11.67
6724	PT	613	67	05/31/91	11.00	1.60	6.89
6724	PT	684	67	06/04/91	27.70	1.02	27.25
6724	PT	688	67	06/05/91	28.10	1.74	16.13
6724	PT	69A	67	06/06/91	23.80	< 1.00	> 23.84
6724	PT	69H	67	06/07/91	> 32.00	1.30	> 24.64
6724	PT	6DZ	67	06/11/91	> 32.00	< 1.00	> 32.00
6724	PT	6F6	67	06/11/91	> 32.00	1.78	> 17.95
6724	PT	6GE	67	06/12/91	22.40	1.07	21.02
6724	PT	6HT	67	06/13/91	19.60	1.56	12.53
6724	PT	610	67	06/14/91	20.20	< 1.00	> 20.20
6724	PT	6LP	67	06/18/91	27.30	< 1.00	> 27.26
6724	PT	6MX	67	06/19/91	> 32.00	< 1.00	> 32.00
6724	PT	6P5	67	07/02/91	7.16	< 1.00	> 7.16
6724	PT	6PC	67	07/03/91	7.23	1.34	5.39
6724	PT	6WG	67	07/09/91	8.62	32.00	0.27
6724	PT	6XF	67	07/11/91	2.43	0.00	0.00
6724	PT	7ES	67	07/17/91	9.30	< 1.00	> 9.30
6724	PT	7N8	67	07/23/91	9.23	2.98	3.10
6724	PT	7N9	67	07/30/91	9.56	2.27	4.22
6724	PT	701	67	07/31/91	11.00	6.37	1.74
6724	PT	7Y1	67	08/06/91	9.97	< 1.00	> 9.97
6724	PT	848	67	08/07/91	25.80	2.05	12.58
6724	PT	842	67	08/08/91	11.10	1.44	7.71
6724	PT	89P	67	08/09/91	7.92	1.67	4.73
6724	PT	811	67	08/14/91	8.05	2.67	3.02
6724	PT	8J3	67	08/15/91	27.30	2.62	10.42
6724	PT	8RY	67	08/21/91	6.69	2.19	3.06
6724	PT	8V1	67	08/22/91	6.90	0.00	0.00
6724	PT	8LD	67	08/22/91	8.88	2.29	3.87
6724	PT	91D	67	08/27/91	15.40	1.85	8.31
6724	PT	938	67	08/28/91	18.20	1.16	15.60
6724	PT	940	67	08/29/91	11.80	1.45	8.11
6724	PT	970	67	09/04/91	12.50	< 1.00	> 12.50
6724	PT	9K2	67	09/20/91	20.20	2.25	8.95
6724	PT	AJC	67	10/09/91	82.60	6.85	12.07
6724	PT	BS4	67	11/13/91	> 100.00	< 3.20	> 31.25
6724	PT	CJN	67	12/04/91	4.25	1.90	2.24
6724	VE	3J7	67	03/01/91	15.80	0.00	0.00
6724	VE	3IT	67	03/01/91	< 3.20	0.00	0.00
6724	VE	3JL	67	03/01/91	> 100.00	52.00	> 1.92
6724	VE	3PA	67	03/08/91	8.68	24.90	0.35
6724	VE	3PG	67	03/08/91	16.50	24.20	0.68
6724	VE	3Y5	67	03/15/91	15.10	0.00	0.00
6724	VE	3ZN	67	03/15/91	> 32.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
6724	VE	3Z5	67	03/15/91	9.50	0.00	0.00
6724	VE	42H	67	03/22/91	31.80	11.30	2.82
6724	VE	420	67	03/22/91 >	32.00	8.07 >	3.96
6724	VE	4A0	67	03/29/91	8.51	29.80	0.29
6724	VE	4AK	67	03/29/91 <	10.00	0.00	0.00
6724	VE	4AJ	67	03/29/91	11.50	0.00	0.00
6724	VE	4F0	67	04/05/91	1.62	8.82	0.18
6724	VE	4FJ	67	04/05/91	1.74	32.00	0.05
6724	VE	4G2	67	04/05/91	2.60	4.47	0.58
6724	VE	4FW	67	04/05/91	2.67	4.42	0.60
6724	VE	4KB	67	04/12/91	21.70	32.00	0.68
6724	VE	4KS	67	04/12/91 <	1.00	0.00	0.00
6724	VE	4JH	67	04/12/91 <	1.00	0.00	0.00
6724	VE	4KH	67	04/12/91	27.10	21.90	1.24
6724	VE	4T7	67	04/19/91	4.88	0.00	0.00
6724	VE	4TD	67	04/19/91	6.95	26.20	0.27
6724	VE	4XJ	67	04/26/91	4.31	21.60	0.20
6724	VE	4XD	67	04/26/91 >	32.00	0.00	0.00
6724	VE	4X7	67	04/26/91	21.70	30.30	0.71
6724	VE	4XP	67	04/26/91	4.19	25.10	0.17
6724	VE	56J	67	05/03/91	8.12	9.54	0.85
6724	VE	577	67	05/03/91	9.11	3.12	2.92
6724	VE	581	67	05/03/91	2.97	0.00	0.00
6724	VE	5FS	67	05/10/91 >	32.00	12.80 >	2.50
6724	VE	5FN	67	05/10/91 >	32.00	8.01 >	3.99
6724	VE	5H2	67	05/17/91 >	32.00	19.70 >	1.63
6724	VE	5QY	67	05/24/91	19.20	7.29	2.63
6724	VE	5QR	67	05/24/91	23.10	6.03	3.84
6724	VE	5ZY	67	05/31/91	22.40	1.29	17.36
6724	VE	60W	67	05/31/91 >	32.00	30.70 >	1.04
6724	VE	5YZ	67	05/31/91 >	32.00	0.00	0.00
6724	VE	605	67	05/31/91	20.30	1.21	16.78
6724	VE	690	67	06/07/91	23.30	2.91	8.01
6724	VE	67X	67	06/07/91	6.00	4.27	1.41
6724	VE	681	67	06/07/91 >	32.00	5.88 >	5.44
6724	VE	693	67	06/07/91	28.50	22.70	1.25
6724	VE	6A2	67	06/07/91	29.70	5.20	5.72
6724	VE	6EL	67	06/14/91	30.60	9.43	3.25
6724	VE	6ES	67	06/14/91 >	32.00	4.39 >	7.29
6724	VE	6EZ	67	06/14/91	12.80	0.00	0.00
6724	VE	6DL	67	06/14/91 >	32.00	10.00 >	3.20
6724	VE	60K	67	06/28/91	30.90	2.50	12.33
6724	VE	600	67	06/28/91	20.10	4.55	4.42
6724	VE	6PJ	67	07/03/91	1.61	0.00	0.00
6724	VE	6X8	67	07/12/91	8.98	3.44	2.61
6724	VE	6X1	67	07/12/91	8.09 <	1.00 >	8.09
6724	VE	7AV	67	07/19/91	20.80	7.98	2.61
6724	VE	7DF	67	08/02/91	6.88	0.00	0.00
6724	VE	708	67	08/02/91	14.30	27.00	0.53
6724	VE	7NU	67	08/02/91	5.46	0.00	0.00
6724	VE	7NG	67	08/02/91	19.50	0.00	0.00
6724	VE	847	67	08/09/91	16.60	6.07	2.73
6724	VE	7YH	67	08/09/91	15.30	7.10	2.15
6724	VE	8E9	67	08/16/91 >	32.00	18.00 >	1.78
6724	VE	8EU	67	08/16/91 >	32.00	17.90 >	1.79
6724	VE	8EN	67	08/16/91 >	32.00 <	1.00 >	32.00
6724	VE	8NC	67	08/23/91	29.10	24.30	1.20
6724	VE	8N5	67	08/23/91	21.50	0.00	0.00
6724	VE	90E	67	08/30/91	27.90	9.67	2.88
6724	VE	907	67	08/30/91	25.70	7.61	3.37
6724	VE	90S	67	08/30/91	13.10	8.61	1.52
6724	VE	90L	67	08/30/91	13.30	0.00	0.00
6724	VE	CQ0	67	12/06/91	1.48	0.00	0.00
6724	YF	364	67	02/13/91	27.50	3.88	7.08
6724	YF	352	67	02/13/91 >	32.00	3.29 >	9.72
6724	YF	31L	67	02/26/91	29.90	2.40	12.46
6724	YF	3K6	67	02/27/91 >	32.00	3.27 >	9.78
6724	YF	3K0	67	02/28/91 >	32.00	3.37 >	9.49
6724	YF	3N9	67	03/01/91 >	32.00	3.73 >	8.59
6724	YF	3P4	67	03/05/91 >	32.00	3.96 >	8.09
6724	YF	3Q8	67	03/06/91 >	32.00	4.29 >	7.47
6724	YF	3RA	67	03/07/91 >	32.00	3.33 >	9.60
6724	YF	3RG	67	03/08/91 >	32.00	3.13 >	10.22
6724	YF	3XY	67	03/12/91	28.20	3.01	9.35

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
6724	YF	3YH	67	03/13/91	30.60	5.20	5.89
6724	YF	3ZR	67	03/14/91	> 32.00	2.26 >	14.14
6724	YF	3ZR	67	03/15/91	> 32.00	2.44 >	13.09
6724	YF	41S	67	03/19/91	> 32.00	2.55 >	12.55
6724	YF	41Y	67	03/20/91	30.00	4.62	6.50
6724	YF	424	67	03/22/91	> 32.00	2.21 >	14.50
6724	YF	4AM	67	03/26/91	> 32.00	3.16 >	10.12
6724	YF	4BM	67	03/27/91	> 32.00	4.01 >	7.98
6724	YF	4C4	67	03/28/91	> 32.00	4.38 >	7.31
6724	YF	4CA	67	03/29/91	24.70	32.00	0.77
6724	YF	4KN	67	04/10/91	12.30	0.00	0.00
6724	YF	4TJ	67	04/16/91	9.17	0.00	0.00
6724	YF	4U1	67	04/17/91	7.57	0.00	0.00
6724	YF	4U7	67	04/18/91	20.80	0.00	0.00
6724	YF	4UP	67	04/19/91	18.50	0.00	0.00
6724	YF	4XV	67	04/23/91	7.69	0.00	0.00
6724	YF	4V1	67	04/23/91	14.40	0.00	0.00
6724	YF	4YD	67	04/24/91	25.00 <	1.00 >	24.99
6724	YF	52D	67	04/25/91	15.00	0.00	0.00
6724	YF	521	67	04/25/91	12.50	0.00	0.00
6724	YF	52V	67	04/26/91	6.82	0.00	0.00
6724	YF	52P	67	04/26/91	19.10 <	1.00 >	19.10
6724	YF	52J	67	04/26/91	9.77	0.00	0.00
6724	YF	56V	67	04/30/91	9.62	0.00	0.00
6724	YF	57J	67	05/01/91	> 32.00	6.45 >	4.96
6724	YF	59P	67	05/02/91	23.70	6.95	3.41
6724	YF	5A7	67	05/03/91	19.10	7.97	2.40
6724	YF	5F4	67	05/07/91	27.20	5.36	5.07
6724	YF	5FY	67	05/08/91	19.00	9.05	2.10
6724	YF	5GG	67	05/09/91	24.10	2.99	8.07
6724	YF	5LV	67	05/14/91	> 32.00	3.86 >	8.30
6724	YF	5MJ	67	05/15/91	24.30	5.31	4.57
6724	YF	5N8	67	05/16/91	23.90	3.55	6.72
6724	YF	5N1	67	05/16/91	27.40	3.34	8.19
6724	YF	5NN	67	05/17/91	10.90	0.00	0.00
6724	YF	5NY	67	05/17/91	17.50	0.00	0.00
6724	YF	5U1	67	05/23/91	26.40	4.82	5.49
6724	YF	5UN	67	05/24/91	24.40	5.01	4.86
6724	YF	5Z6	67	05/29/91	> 32.00	6.49 >	4.93
6724	YF	5ZR	67	05/29/91	26.70	7.19	3.72
6724	YF	60C	67	05/30/91	18.70	7.75	2.41
6724	YF	60P	67	05/30/91	20.10	7.02	2.87
6724	YF	61A	67	05/31/91	> 32.00	2.41 >	13.26
6724	YF	67Q	67	06/04/91	> 32.00	2.25 >	14.23
6724	YF	68P	67	06/05/91	> 32.00	10.00 >	3.20
6724	YF	68M	67	06/06/91	> 32.00 <	1.00 >	32.00
6724	YF	69V	1	06/07/91	> 32.00 <	1.00 >	32.00
6724	YF	6DS	67	06/11/91	> 32.00	1.85 >	17.27
6724	YF	6G7	67	06/12/91	29.80	32.00	0.93
6724	YF	6HN	67	06/13/91	29.30	7.87	3.21
6724	YF	6HF	67	06/13/91	27.00	10.00	2.70
6724	YF	61E	67	06/14/91	26.80	10.00	2.68
6724	YF	617	67	06/14/91	15.70	0.00	0.00
6724	YF	6L1	67	06/18/91	7.03	0.00	0.00
6724	YF	6MR	67	06/19/91	> 32.00	0.00	0.00
6724	YF	6N2	67	07/10/91	5.59	0.00	0.00
6724	YF	7DR	67	08/01/91	10.40	0.00	0.00
6724	YF	7T9	67	08/02/91	14.90	0.00	0.00
6724	YF	84E	67	08/06/91	16.50	0.00	0.00
6724	YF	856	67	08/08/91	13.30	0.00	0.00
6724	YF	8FF	67	08/13/91	10.20 <	1.00 >	10.20
6724	YF	8FB	67	08/13/91	19.10	0.00	0.00
6724	YF	8JP	67	08/14/91	19.10	0.00	0.00
6724	YF	8FN	67	08/14/91	6.95	0.00	0.00
6724	YF	8FT	67	08/15/91	22.50	0.00	0.00
6724	YF	8JW	67	08/15/91	7.93	0.00	0.00
6724	YF	6Y0	67	08/15/91	13.30	0.00	0.00
6724	YF	6XT	67	08/16/91	13.60	0.00	0.00
6724	YF	8L6	67	08/16/91	4.38	0.00	0.00
6724	YF	7BA	67	08/16/91	4.38	0.00	0.00
6724	YF	8RK	67	08/20/91	7.80	0.00	0.00
6724	YF	7F6	67	08/20/91	9.33	0.00	0.00
6724	YF	7N1	67	08/21/91	14.60	0.00	0.00
6724	YF	8LK	67	08/21/91	6.67	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
6724	YF	885	67	08/21/91	10.80	0.00	0.00
6724	YF	717	67	08/22/91	11.00	0.00	0.00
6724	YF	7K3	67	08/22/91	11.80	0.00	0.00
6724	YF	8SC	67	08/22/91	9.03	2.80	3.23
6724	YF	916	67	08/27/91	7.77	0.00	0.00
6724	YF	902	67	08/27/91	8.24	0.00	0.00
6724	YF	93M	67	08/28/91	8.48	0.00	0.00
6724	YF	93T	67	08/29/91	8.21	0.00	0.00
6724	YF	97M	67	09/04/91	21.20	3.83	5.54
6724	YF	982	67	09/05/91	6.16	0.00	0.00
6724	YF	9K9	67	09/20/91	31.20	1.64	19.09
6724	YF	9KM	67	09/21/91	26.70	5.87	4.55
6724	YF	9KG	67	09/21/91	9.28	8.80	1.06
6724	YF	AS6	67	10/16/91	> 32.00	5.62	> 5.70
6724	YF	BPP	67	11/12/91	51.80	5.23	9.90
6724	YF	CHM	67	12/03/91	> 32.00	8.58	> 3.73
B000361	PT	7N8	RS-2	07/23/91	> 1.00	0.00	0.00
B000361	VE	7NM	RS-2	07/26/91	> 1000.0	0.00	0.00
B000361	YF	7N1	RS-2	08/21/91	> 1000.0	0.00	0.00
B604736/F042	PT	3IU	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F042	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F042	YF	3IF	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F046	PT	3IU	15P	02/26/91	> 1000.0	736.00	> 1.36
B604736/F046	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F046	YF	3IF	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F047	PT	3IU	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F047	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F047	YF	3IF	15P	02/26/91	831.00	0.00	0.00
B604736/F055	PT	3IU	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F055	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F055	YF	3IF	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F056	PT	3IV	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F056	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F056	YF	3IG	15P	02/26/91	> 1000.0	0.00	0.00
B604736/F057	PT	3IV	15P	02/26/91	641.00	714.00	0.90
B604736/F057	VE	3IM	15P	03/01/91	812.00	0.00	0.00
B604736/F057	YF	3IG	15P	02/26/91	501.00	0.00	0.00
B604736/F058	PT	3IV	15P	02/26/91	553.00	897.00	0.62
B604736/F058	VE	3IM	15P	03/01/91	> 1000.0	0.00	0.00
B604736/F058	YF	3IG	15P	02/26/91	768.00	0.00	0.00
B631963/F010	PT	3IV	15P	02/26/91	33.40	0.00	0.00
B631963/F010	VE	3IM	15P	03/01/91	4.39	0.00	0.00
B631963/F010	YF	3IG	15P	02/26/91	33.50	0.00	0.00
B631963/F011	PT	3IV	15P	02/26/91	169.00	0.00	0.00
B631963/F011	VE	3IM	15P	03/01/91	4.75	0.00	0.00
B631963/F011	YF	3IG	15P	02/26/91	183.00	0.00	0.00
B631963/F012	PT	3IW	15P	02/26/91	297.00	0.00	0.00
B631963/F012	VE	3IO	15P	03/01/91	55.70	0.00	0.00
B631963/F012	YF	3IM	15P	02/26/91	295.00	0.00	0.00
B631963/F013	PT	3IW	15P	02/26/91	> 1000.0	0.00	0.00
B631963/F013	VE	3IO	15P	03/01/91	> 1000.0	0.00	0.00
B631963/F013	YF	3IM	15P	02/26/91	> 1000.0	0.00	0.00
B631963/F014	PT	3IW	15P	02/26/91	180.00	0.00	0.00
B631963/F014	VE	3IO	15P	03/01/91	91.50	0.00	0.00
B631963/F014	YF	3IM	15P	02/26/91	325.00	0.00	0.00
B631963/F015	PT	3IW	15P	02/26/91	17.50	0.00	0.00
B631963/F015	VE	3IO	15P	03/01/91	3.84	0.00	0.00
B631963/F015	YF	3IM	15P	02/26/91	30.20	0.00	0.00
B631963/F016	PT	3IW	15P	02/26/91	18.10	0.00	0.00
B631963/F016	VE	3IO	15P	03/01/91	5.09	0.00	0.00
B631963/F016	YF	3IM	15P	02/26/91	33.30	0.00	0.00
B634131/F028	PT	3IX	15P	02/26/91	> 1000.0	0.00	0.00
B634131/F028	VE	3IP	15P	03/01/91	> 1000.0	0.00	0.00
B634131/F028	YF	3II	15P	02/26/91	> 1000.0	0.00	0.00
B634131/F031	PT	3IX	15P	02/26/91	35.20	0.00	0.00
B634131/F031	VE	3IP	15P	03/01/91	4.23	0.00	0.00
B634131/F031	YF	3II	15P	02/26/91	33.90	0.00	0.00
B634131/F032	PT	3IX	15P	02/26/91	33.00	0.00	0.00
B634131/F032	VE	3IP	15P	03/01/91	5.28	0.00	0.00
B634131/F032	YF	3II	15P	02/26/91	32.70	0.00	0.00
B634131/F064	PT	3IX	15P	02/26/91	> 1000.0	0.00	0.00
B634131/F064	VE	3IP	15P	03/01/91	> 1000.0	0.00	0.00
B634131/F064	YF	3II	15P	02/26/91	> 1000.0	0.00	0.00
B634131/F065	PT	3IX	15P	02/26/91	183.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B634131/F065	VE	31P	15P	03/01/91	42.50	0.00	0.00
B634131/F065	YF	31I	15P	02/26/91	231.00	0.00	0.00
B534131/F068	PT	31Y	15P	02/26/91	224.00	0.00	0.00
B634131/F068	VE	31Q	15P	03/01/91	6.94	0.00	0.00
B634131/F068	YF	31J	15P	02/26/91	49.40	0.00	0.00
B642761/F016	PT	31Y	15P	02/26/91	253.00	0.00	0.00
B642761/F016	VE	31Q	15P	03/01/91	327.00	0.00	0.00
B642761/F016	YF	31J	15P	02/26/91	325.00	0.00	0.00
B642761/F017	PT	31Y	15P	02/26/91	445.00	0.00	0.00
B642761/F017	VE	31Q	15P	03/01/91	624.00	0.00	0.00
B642761/F017	YF	31J	15P	02/26/91	555.00	0.00	0.00
B642761/F018	PT	31Y	15P	02/26/91	333.00	0.00	0.00
B642761/F018	VE	31Q	15P	03/01/91	612.00	0.00	0.00
B642761/F018	YF	31J	15P	02/26/91	330.00	0.00	0.00
B644263/F106	PT	31Y	15P	02/26/91	> 1000.0	0.00	0.00
B644263/F106	VE	31Q	15P	03/01/91	335.00	0.00	0.00
B644263/F106	YF	31J	15P	02/26/91	> 1000.0	0.00	0.00
B644263/F107	PT	31Z	15P	02/26/91	56.00	0.00	0.00
B644263/F107	VE	31R	15P	03/01/91	29.50	0.00	0.00
B644263/F107	YF	31K	15P	02/26/91	197.00	0.00	0.00
B644263/F108	PT	31Z	15P	02/26/91	> 1000.0	0.00	0.00
B644263/F108	VE	31R	15P	03/01/91	> 1000.0	0.00	0.00
B644263/F108	YF	31K	15P	02/26/91	> 1000.0	0.00	0.00
B644263/F108	VE	31R	15P	03/01/91	> 1000.0	0.00	0.00
B644263/F108	YF	31K	15P	02/26/91	> 1000.0	0.00	0.00
B678018/F243	PT	31Z	15P	02/26/91	> 1000.0	628.00 >	1.59
B678018/F243	VE	31R	15P	03/01/91	> 1000.0	0.00	0.00
B678018/F243	YF	31K	15P	02/26/91	> 1000.0	0.00	0.00
B678018/F244	PT	31Z	15P	02/26/91	183.00	9.28	19.76
B678018/F244	VE	31R	15P	03/01/91	16.60	0.00	0.00
B678018/F244	YF	31K	15P	02/26/91	64.10	38.70	1.66
B678018/F245	PT	31Z	15P	02/26/91	291.00	0.00	0.00
B678018/F245	VE	31R	15P	03/01/91	< 1.00	0.00	0.00
B678018/F245	YF	31K	15P	02/26/91	512.00	0.00	0.00
B678018/F246	PT	3J0	15P	02/26/91	> 1000.0	0.00	0.00
B678018/F246	VE	31S	15P	03/01/91	250.00	0.00	0.00
B678018/F246	YF	31L	15P	02/26/91	> 1000.0	0.00	0.00
B7050085609	PT	680	23P	06/04/91	> 1000.0	0.00	0.00
B7050085609	VE	67T	23P	06/07/91	> 1000.0	0.00	0.00
B7050085609	YF	67N	23P	06/04/91	> 1000.0	0.00	0.00
B7050085610	PT	680	23P	06/04/91	305.00	0.00	0.00
B7050085610	VE	67T	23P	06/07/91	125.00	0.00	0.00
B7050085610	YF	67N	23P	06/04/91	299.00	0.00	0.00
B712496F724	PT	680	23P	06/04/91	< 1.00	0.00	0.00
B712496F724	VE	67T	23P	06/07/91	< 1.00	0.00	0.00
B712496F724	YF	67N	23P	06/04/91	< 1.00	0.00	0.00
B712496F725	PT	680	23P	06/04/91	8.38	0.00	0.00
B712496F725	VE	67T	23P	06/07/91	83.40	0.00	0.00
B712496F725	YF	67N	23P	06/04/91	68.80	0.00	0.00
B712496F726	PT	680	23P	06/04/91	< 1.00	0.00	0.00
B712496F726	VE	67T	23P	06/07/91	< 1.00	0.00	0.00
B712496F726	YF	67N	23P	06/04/91	4.05	0.00	0.00
B712496F727	PT	681	23P	06/04/91	991.00	0.00	0.00
B712496F727	VE	67U	23P	06/07/91	712.00	0.00	0.00
B712496F727	YF	67N	23P	06/04/91	769.00	0.00	0.00
B712496F728	PT	681	23P	06/04/91	6.59	0.00	0.00
B712496F728	VE	67U	23P	06/07/91	< 1.00	0.00	0.00
B712496F728	YF	67N	23P	06/04/91	6.05	0.00	0.00
B712496F729	PT	681	23P	06/04/91	59.90	0.00	0.00
B712496F729	VE	67U	23P	06/07/91	57.00	0.00	0.00
B712496F729	YF	67N	23P	06/04/91	59.60	0.00	0.00
B717488	VE	2M0	14P	02/01/91	> 1000.0	0.00	0.00
B717489	VE	2M0	14P	02/01/91	> 1000.0	0.00	0.00
B717490	VE	2M0	14P	02/01/91	618.00	0.00	0.00
B718509	VE	2M0	14P	02/01/91	> 1000.0	0.00	0.00
B718510	VE	2MP	14P	02/01/91	523.00	0.00	0.00
B718511	VE	2MP	14P	02/01/91	382.00	0.00	0.00
B718513	VE	2MP	14P	02/01/91	786.00	0.00	0.00
B718514	VE	2MP	14P	02/01/91	> 1000.0	0.00	0.00
B718515	VE	2MP	14P	02/01/91	> 1000.0	0.00	0.00
B718524	VE	2M0	14P	02/01/91	806.00	0.00	0.00
B718527	VE	2M0	14P	02/01/91	570.00	0.00	0.00
B718531	VE	2M0	14P	02/01/91	653.00	0.00	0.00
B718532	VE	2M0	14P	02/01/91	566.00	0.00	0.00
B718534	VE	2M0	14P	02/01/91	> 1000.0	0.00	0.00
B718536	VE	2MR	14P	02/01/91	773.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8718538	VE	2MR	14P	02/01/91	351.00	0.00	0.00
8718543	VE	2MR	14P	02/01/91	152.00	0.00	0.00
8718544	VE	2MR	14P	02/01/91	298.00	0.00	0.00
8718546	VE	2MR	14P	02/01/91	950.00	0.00	0.00
8718548	VE	2MS	14P	02/01/91	509.00	0.00	0.00
8718550	VE	2MS	14P	02/01/91	581.00	0.00	0.00
8718551	VE	2MS	14P	02/01/91	434.00	0.00	0.00
8718552	VE	2MS	14P	02/01/91	339.00	0.00	0.00
8718553	VE	2MS	14P	02/01/91	329.00	0.00	0.00
8718555	VE	2MT	14P	02/01/91	687.00	0.00	0.00
8718558	VE	2MU	14P	02/01/91	454.00	0.00	0.00
8718560	VE	2MU	14P	02/01/91	422.00	0.00	0.00
8718565	VE	2MU	14P	02/01/91	454.00	0.00	0.00
8718570	VE	2MU	14P	02/01/91	> 1000.0	0.00	0.00
8718574	VE	2MV	14P	02/01/91	> 1000.0	523.00	> 1.91
8718577	VE	2MV	14P	02/01/91	746.00	0.00	0.00
8718578	VE	2MV	14P	02/01/91	315.00	0.00	0.00
8718580	VE	2MV	14P	02/01/91	339.00	0.00	0.00
8718581	VE	2MV	14P	02/01/91	484.00	0.00	0.00
8718582	VE	2MW	14P	02/01/91	> 1000.0	0.00	0.00
8718583	VE	2MW	14P	02/01/91	> 1000.0	0.00	0.00
8718584	VE	2MW	14P	02/01/91	200.00	0.00	0.00
8718586	VE	2MW	14P	02/01/91	329.00	0.00	0.00
8718587	VE	2MW	14P	02/01/91	327.00	0.00	0.00
8718588	VE	2MX	14P	02/01/91	560.00	0.00	0.00
8718595	VE	2MX	14P	02/01/91	> 1000.0	0.00	0.00
8718596	VE	2MX	14P	02/01/91	326.00	0.00	0.00
8718597	VE	2MX	14P	02/01/91	334.00	0.00	0.00
8718598	VE	2MX	14P	02/01/91	> 1000.0	0.00	0.00
8718599	VE	2MY	14P	02/01/91	> 1000.0	0.00	0.00
8718600	VE	2MY	14P	02/01/91	> 1000.0	0.00	0.00
8718601	VE	2MY	14P	02/01/91	327.00	0.00	0.00
8718603	VE	2MY	14P	02/01/91	403.00	0.00	0.00
8718604	VE	2MY	14P	02/01/91	> 1000.0	0.00	0.00
8718607	VE	2MZ	14P	02/01/91	336.00	0.00	0.00
8718633	PT	2ZU	14P	02/01/91	> 1000.0	0.00	0.00
8718633	VE	2X0	14P	02/01/91	> 1000.0	0.00	0.00
8718633	YF	220	14P	02/01/91	> 1000.0	0.00	0.00
8718636	PT	2ZU	14P	02/01/91	362.00	0.00	0.00
8718636	VE	2X0	14P	02/01/91	425.00	0.00	0.00
8718636	YF	220	14P	02/01/91	531.00	0.00	0.00
8718639	PT	2ZU	14P	02/01/91	525.00	0.00	0.00
8718639	VE	2X0	14P	02/01/91	983.00	0.00	0.00
8718639	YF	220	14P	02/01/91	630.00	0.00	0.00
8718640	PT	2ZU	14P	02/01/91	211.00	0.00	0.00
8718640	VE	2X0	14P	02/01/91	> 1000.0	476.00	> 2.10
8718640	YF	220	14P	02/01/91	294.00	0.00	0.00
8718642	PT	2ZV	14P	02/01/91	> 1000.0	0.00	0.00
8718642	VE	2X1	14P	02/01/91	636.00	0.00	0.00
8718642	YF	22P	14P	02/01/91	458.00	0.00	0.00
8718645	PT	2ZV	14P	02/01/91	186.00	0.00	0.00
8718645	VE	2X1	14P	02/01/91	> 1000.0	0.00	0.00
8718645	YF	22P	14P	02/01/91	> 1000.0	0.00	0.00
8718648	PT	2ZV	14P	02/01/91	> 1000.0	0.00	0.00
8718648	VE	2X1	14P	02/01/91	> 1000.0	0.00	0.00
8718648	YF	22P	14P	02/01/91	> 1000.0	0.00	0.00
8718649	PT	2ZV	14P	02/01/91	> 1000.0	0.00	0.00
8718649	VE	2X1	14P	02/01/91	> 1000.0	0.00	0.00
8718649	YF	22P	14P	02/01/91	> 1000.0	0.00	0.00
8718650	PT	2ZV	14P	02/01/91	> 1000.0	0.00	0.00
8718650	VE	2X1	14P	02/01/91	> 1000.0	0.00	0.00
8718650	YF	22P	14P	02/01/91	> 1000.0	0.00	0.00
8718656	PT	2ZW	14P	02/01/91	> 1000.0	716.00	> 1.40
8718656	VE	2X2	14P	02/01/91	> 1000.0	0.00	0.00
8718656	YF	220	14P	02/01/91	> 1000.0	0.00	0.00
8718789	PT	2ZW	14P	02/01/91	> 1000.0	0.00	0.00
8718789	VE	2X2	14P	02/01/91	> 1000.0	0.00	0.00
8718789	YF	220	14P	02/01/91	> 1000.0	0.00	0.00
8718794	PT	2ZW	14P	02/01/91	> 1000.0	0.00	0.00
8718794	VE	2X2	14P	02/01/91	> 1000.0	0.00	0.00
8718794	YF	220	14P	02/01/91	> 1000.0	0.00	0.00
8718799	PT	2ZW	14P	02/01/91	> 1000.0	0.00	0.00
8718799	VE	2X2	14P	02/01/91	> 1000.0	0.00	0.00
8718799	YF	220	14P	02/01/91	> 1000.0	0.00	0.00

Prescreen Total Experience :Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8718803	PT	2ZW	14P	02/01/91	> 1000.0	0.00	0.00
8718803	VE	2X2	14P	02/01/91	> 1000.0	0.00	0.00
8718803	YF	2Z0	14P	02/01/91	> 1000.0	0.00	0.00
8718804	PT	2ZX	14P	02/01/91	> 1000.0	0.00	0.00
8718804	VE	2X3	14P	02/01/91	> 1000.0	0.00	0.00
8718804	YF	2ZR	14P	02/01/91	> 1000.0	0.00	0.00
8718807	PT	2ZX	14P	02/01/91	> 1000.0	0.00	0.00
8718807	VE	2X3	14P	02/01/91	> 1000.0	0.00	0.00
8718807	YF	2ZR	14P	02/01/91	> 1000.0	0.00	0.00
8718808	PT	2ZX	14P	02/01/91	416.00	0.00	0.00
8718808	VE	2X3	14P	02/01/91	> 1000.0	0.00	0.00
8718808	YF	2ZR	14P	02/01/91	> 1000.0	0.00	0.00
8718813	PT	2ZX	14P	02/01/91	328.00	0.00	0.00
8718813	VE	2X3	14P	02/01/91	531.00	0.00	0.00
8718813	YF	2ZR	14P	02/01/91	348.00	0.00	0.00
8718814	PT	2ZX	14P	02/01/91	124.00	0.00	0.00
8718814	VE	2X3	14P	02/01/91	52.60	0.00	0.00
8718814	YF	2ZR	14P	02/01/91	> 1000.0	0.00	0.00
8718819	PT	2ZY	14P	02/01/91	> 1000.0	0.00	0.00
8718819	VE	2X4	14P	02/01/91	> 1000.0	0.00	0.00
8718819	YF	2ZS	14P	02/01/91	> 1000.0	0.00	0.00
8718821	PT	2ZY	14P	02/01/91	> 1000.0	0.00	0.00
8718821	VE	2X4	14P	02/01/91	> 1000.0	0.00	0.00
8718821	YF	2ZS	14P	02/01/91	> 1000.0	0.00	0.00
8718822	PT	2ZY	14P	02/01/91	940.00	0.00	0.00
8718822	VE	2X4	14P	02/01/91	> 1000.0	0.00	0.00
8718822	YF	2ZS	14P	02/01/91	> 1000.0	0.00	0.00
8718823	PT	2ZY	14P	02/01/91	> 1000.0	0.00	0.00
8718823	VE	2X4	14P	02/01/91	> 1000.0	0.00	0.00
8718823	YF	2ZS	14P	02/01/91	> 1000.0	0.00	0.00
8718824	PT	2ZY	14P	02/01/91	964.00	0.00	0.00
8718824	VE	2X4	14P	02/01/91	> 1000.0	0.00	0.00
8718824	YF	2ZS	14P	02/01/91	> 1000.0	0.00	0.00
8718825	PT	2ZZ	14P	02/01/91	> 1000.0	0.00	0.00
8718825	VE	2X5	14P	02/01/91	> 1000.0	0.00	0.00
8718825	YF	2ZT	14P	02/01/91	> 1000.0	0.00	0.00
8718838	PT	3J0	14P	02/26/91	> 1000.0	0.00	0.00
8718838	VE	306	14P	02/08/91	544.00	0.00	0.00
8718838	YF	30C	14P	02/05/91	991.00	0.00	0.00
8718840	PT	3J0	14P	02/26/91	0.89	0.00	0.00
8718840	VE	306	14P	02/08/91	253.00	0.00	0.00
8718840	YF	30C	14P	02/05/91	234.00	0.00	0.00
8718841	PT	3J0	14P	02/26/91	438.00	0.00	0.00
8718841	VE	306	14P	02/08/91	509.00	0.00	0.00
8718841	YF	30C	14P	02/05/91	609.00	0.00	0.00
8718842	PT	3J0	14P	02/26/91	253.00	0.00	0.00
8718842	VE	306	14P	02/08/91	250.00	0.00	0.00
8718842	YF	30C	14P	02/05/91	325.00	0.00	0.00
8718843	PT	301	14P	02/05/91	276.00	0.00	0.00
8718843	VE	307	14P	02/08/91	307.00	0.00	0.00
8718843	YF	30D	14P	02/05/91	325.00	0.00	0.00
8718844	PT	301	14P	02/05/91	497.00	0.00	0.00
8718844	VE	307	14P	02/08/91	425.00	0.00	0.00
8718844	YF	30D	14P	02/05/91	437.00	0.00	0.00
8718845	PT	301	14P	02/05/91	635.00	0.00	0.00
8718845	VE	307	14P	02/08/91	600.00	0.00	0.00
8718845	YF	30D	14P	02/05/91	> 1000.0	0.00	0.00
8718848	PT	301	14P	02/05/91	101.00	0.00	0.00
8718848	VE	307	14P	02/08/91	318.00	0.00	0.00
8718848	YF	30D	14P	02/05/91	325.00	0.00	0.00
8718849	PT	301	14P	02/05/91	73.20	0.00	0.00
8718849	VE	307	14P	02/08/91	585.00	0.00	0.00
8718849	YF	30D	14P	02/05/91	> 1000.0	0.00	0.00
8718850	PT	302	14P	02/05/91	> 1000.0	0.00	0.00
8718850	VE	308	14P	02/08/91	> 1000.0	0.00	0.00
8718850	YF	30E	14P	02/05/91	> 1000.0	0.00	0.00
8718851	PT	302	14P	02/05/91	622.00	0.00	0.00
8718851	VE	308	14P	02/08/91	> 1000.0	0.00	0.00
8718851	YF	30E	14P	02/05/91	> 1000.0	0.00	0.00
8718853	PT	302	14P	02/05/91	537.00	0.00	0.00
8718853	VE	308	14P	02/08/91	> 1000.0	0.00	0.00
8718853	YF	30E	14P	02/05/91	> 1000.0	0.00	0.00
8718857	PT	302	14P	02/05/91	223.00	0.00	0.00
8718857	VE	308	14P	02/08/91	656.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8718857	YF	30E	14P	02/05/91	> 1000.0	0.00	0.00
8718859	PT	302	14P	02/05/91	> 1000.0	0.00	0.00
8718859	VE	308	14P	02/08/91	> 1000.0	0.00	0.00
8718859	YF	30E	14P	02/05/91	> 1000.0	0.00	0.00
8718860	PT	303	14P	02/05/91	> 1000.0	0.00	0.00
8718860	VE	309	14P	02/08/91	> 1000.0	0.00	0.00
8718860	YF	30F	14P	02/05/91	326.00	0.00	0.00
8718861	PT	303	14P	02/05/91	971.00	0.00	0.00
8718861	VE	309	14P	02/08/91	686.00	0.00	0.00
8718861	YF	30F	14P	02/05/91	417.00	0.00	0.00
8718862	PT	303	14P	02/05/91	825.00	0.00	0.00
8718862	VE	309	14P	02/08/91	898.00	0.00	0.00
8718862	YF	30F	14P	02/05/91	> 1000.0	0.00	0.00
8718868	PT	303	14P	02/05/91	> 1000.0	0.00	0.00
8718868	VE	309	14P	02/08/91	937.00	0.00	0.00
8718868	YF	30F	14P	02/05/91	325.00	0.00	0.00
8718870	PT	303	14P	02/05/91	541.00	0.00	0.00
8718870	VE	309	14P	02/08/91	415.00	0.00	0.00
8718870	YF	30F	14P	02/05/91	> 1000.0	0.00	0.00
8718876	PT	304	14P	02/05/91	> 1000.0	0.00	0.00
8718876	VE	30A	14P	02/08/91	> 1000.0	0.00	0.00
8718876	YF	30G	14P	02/05/91	471.00	609.00	0.77
8718882	PT	304	14P	02/05/91	671.00	0.00	0.00
8718882	VE	30A	14P	02/08/91	917.00	0.00	0.00
8718882	YF	30G	14P	02/05/91	> 1000.0	0.00	0.00
8718889	PT	304	14P	02/05/91	578.00	0.00	0.00
8718889	VE	30A	14P	02/08/91	484.00	0.00	0.00
8718889	YF	30G	14P	02/05/91	276.00	0.00	0.00
8718891	PT	304	14P	02/05/91	> 1000.0	0.00	0.00
8718891	VE	30A	14P	02/08/91	> 1000.0	0.00	0.00
8718891	YF	30G	14P	02/05/91	619.00	0.00	0.00
8718897	PT	304	14P	02/05/91	> 1000.0	0.00	0.00
8718897	VE	30A	14P	02/08/91	> 1000.0	0.00	0.00
8718897	YF	30G	14P	02/05/91	325.00	0.00	0.00
8718905	PT	305	14P	02/05/91	> 1000.0	0.00	0.00
8718905	VE	308	14P	02/08/91	> 1000.0	0.00	0.00
8718905	YF	30H	14P	02/05/91	889.00	0.00	0.00
8718911	PT	30U	14P	02/06/91	> 1000.0	0.00	0.00
8718911	VE	300	14P	02/08/91	> 1000.0	0.00	0.00
8718911	YF	301	14P	02/06/91	> 1000.0	0.00	0.00
8718913	PT	30U	14P	02/06/91	> 1000.0	0.00	0.00
8718913	VE	300	14P	02/08/91	> 1000.0	0.00	0.00
8718913	YF	301	14P	02/06/91	> 1000.0	0.00	0.00
8718917	PT	30U	14P	02/06/91	548.00	0.00	0.00
8718917	VE	300	14P	02/08/91	465.00	0.00	0.00
8718917	YF	301	14P	02/06/91	> 1000.0	0.00	0.00
8718924	PT	30U	14P	02/06/91	763.00	0.00	0.00
8718924	VE	300	14P	02/08/91	912.00	0.00	0.00
8718924	YF	301	14P	02/06/91	> 1000.0	0.00	0.00
8718932	PT	30V	14P	02/06/91	> 1000.0	0.00	0.00
8718932	VE	30P	14P	02/08/91	> 1000.0	0.00	0.00
8718932	YF	30J	14P	02/06/91	> 1000.0	0.00	0.00
8718933	PT	30V	14P	02/06/91	> 1000.0	0.00	0.00
8718933	VE	30P	14P	02/08/91	> 1000.0	0.00	0.00
8718933	YF	30J	14P	02/06/91	> 1000.0	0.00	0.00
8718934	PT	30V	14P	02/06/91	982.00	0.00	0.00
8718934	VE	30P	14P	02/08/91	762.00	0.00	0.00
8718934	YF	30J	14P	02/06/91	> 1000.0	0.00	0.00
8718935	PT	30V	14P	02/06/91	> 1000.0	0.00	0.00
8718935	VE	30P	14P	02/08/91	> 1000.0	0.00	0.00
8718935	YF	30J	14P	02/06/91	> 1000.0	0.00	0.00
8718942	PT	30V	14P	02/06/91	575.00	0.00	0.00
8718942	VE	30P	14P	02/08/91	551.00	0.00	0.00
8718942	YF	30J	14P	02/06/91	992.00	0.00	0.00
8718950	PT	30M	14P	02/06/91	> 1000.0	0.00	0.00
8718950	VE	30Q	14P	02/08/91	> 1000.0	0.00	0.00
8718950	YF	30K	14P	02/06/91	> 1000.0	0.00	0.00
8718951	PT	30M	14P	02/06/91	> 1000.0	0.00	0.00
8718951	VE	30Q	14P	02/08/91	> 1000.0	0.00	0.00
8718951	YF	30K	14P	02/06/91	> 1000.0	0.00	0.00
8718954	PT	30M	14P	02/06/91	9.51	0.00	0.00
8718954	VE	30Q	14P	02/08/91	437.00	0.00	0.00
8718954	YF	30K	14P	02/06/91	> 1000.0	0.00	0.00
8718955	PT	30M	14P	02/06/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8718955	VE	30Q	14P	02/08/91	> 1000.0	0.00	0.00
8718955	YF	30K	14P	02/06/91	> 1000.0	0.00	0.00
8718959	PT	30W	14P	02/06/91	383.00	0.00	0.00
8718959	VE	30Q	14P	02/08/91	> 1000.0	0.00	0.00
8718959	YF	30K	14P	02/06/91	> 1000.0	0.00	0.00
8718961	PT	30X	14P	02/06/91	> 1000.0	0.00	0.00
8718961	VE	30R	14P	02/08/91	> 1000.0	0.00	0.00
8718961	YF	30L	14P	02/06/91	> 1000.0	0.00	0.00
8718962	PT	30X	14P	02/06/91	> 1000.0	0.00	0.00
8718962	VE	30R	14P	02/08/91	> 1000.0	0.00	0.00
8718962	YF	30L	14P	02/06/91	> 1000.0	0.00	0.00
8718963	PT	30X	14P	02/06/91	> 1000.0	0.00	0.00
8718963	VE	30R	14P	02/08/91	> 1000.0	0.00	0.00
8718963	YF	30L	14P	02/06/91	> 1000.0	0.00	0.00
8718969	PT	30X	14P	02/06/91	> 1000.0	0.00	0.00
8718969	VE	30R	14P	02/08/91	> 1000.0	633.00 >	1.58
8718969	YF	30L	14P	02/06/91	> 1000.0	0.00	0.00
8718978	PT	30X	14P	02/06/91	156.00	0.00	0.00
8718978	VE	30R	14P	02/08/91	> 1000.0	0.00	0.00
8718978	YF	30L	14P	02/06/91	> 1000.0	0.00	0.00
8718979	PT	30Y	14P	02/06/91	899.00	0.00	0.00
8718979	VE	30S	14P	02/08/91	> 1000.0	0.00	0.00
8718979	YF	30N	14P	02/06/91	> 1000.0	0.00	0.00
8718982	PT	30Y	14P	02/06/91	630.00	0.00	0.00
8718982	VE	30S	14P	02/08/91	612.00	0.00	0.00
8718982	YF	30N	14P	02/06/91	827.00	0.00	0.00
8718983	PT	30Y	14P	02/06/91	> 1000.0	0.00	0.00
8718983	VE	30S	14P	02/08/91	> 1000.0	0.00	0.00
8718983	YF	30N	14P	02/06/91	> 1000.0	0.00	0.00
8718990	PT	30Y	14P	02/06/91	756.00	0.00	0.00
8718990	VE	30S	14P	02/08/91	> 1000.0	0.00	0.00
8718990	YF	30N	14P	02/06/91	> 1000.0	0.00	0.00
8718996	PT	30Y	14P	02/06/91	189.00	0.00	0.00
8718996	VE	30S	14P	02/08/91	167.00	0.00	0.00
8718996	YF	30N	14P	02/06/91	354.00	0.00	0.00
8718997	PT	30Z	14P	02/06/91	79.00	0.00	0.00
8718997	VE	30T	14P	02/08/91	366.00	0.00	0.00
8718997	YF	30N	14P	02/06/91	631.00	0.00	0.00
8719004	PT	310	14P	02/08/91	> 1000.0	0.00	0.00
8719004	VE	316	14P	02/08/91	> 1000.0	0.00	0.00
8719004	YF	31C	14P	02/08/91	491.00	0.00	0.00
8719006	PT	310	14P	02/08/91	> 1000.0	0.00	0.00
8719006	VE	316	14P	02/08/91	> 1000.0	0.00	0.00
8719006	YF	31C	14P	02/08/91	344.00	0.00	0.00
8719007	PT	310	14P	02/08/91	> 1000.0	888.00 >	1.13
8719007	VE	316	14P	02/08/91	> 1000.0	0.00	0.00
8719007	YF	31C	14P	02/08/91	> 1000.0	0.00	0.00
8719008	PT	310	14P	02/08/91	> 1000.0	0.00	0.00
8719008	VE	316	14P	02/08/91	> 1000.0	0.00	0.00
8719008	YF	31C	14P	02/08/91	> 1000.0	0.00	0.00
8720392	PT	311	14P	02/08/91	332.00	0.00	0.00
8720392	VE	317	14P	02/08/91	> 1000.0	491.00 >	2.04
8720392	YF	31D	14P	02/08/91	320.00	0.00	0.00
8720393	PT	311	14P	02/08/91	> 1000.0	0.00	0.00
8720393	VE	317	14P	02/08/91	> 1000.0	0.00	0.00
8720393	YF	31D	14P	02/08/91	> 1000.0	0.00	0.00
8720394	PT	311	14P	02/08/91	> 1000.0	0.00	0.00
8720394	VE	317	14P	02/08/91	> 1000.0	0.00	0.00
8720394	YF	31D	14P	02/08/91	> 1000.0	0.00	0.00
8720395	PT	311	14P	02/08/91	> 1000.0	0.00	0.00
8720395	VE	317	14P	02/08/91	> 1000.0	0.00	0.00
8720395	YF	31D	14P	02/08/91	> 1000.0	0.00	0.00
8720396	PT	311	14P	02/08/91	> 1000.0	0.00	0.00
8720396	VE	317	14P	02/08/91	> 1000.0	0.00	0.00
8720396	YF	31D	14P	02/08/91	747.00	0.00	0.00
8720397	PT	312	14P	02/08/91	20.60	0.00	0.00
8720397	VE	318	14P	02/08/91	> 1000.0	0.00	0.00
8720397	YF	31E	14P	02/08/91	> 1000.0	0.00	0.00
8720398	PT	312	14P	02/08/91	171.00	0.00	0.00
8720398	VE	318	14P	02/08/91	643.00	479.00	1.34
8720398	YF	31E	14P	02/08/91	288.00	0.00	0.00
8720399	PT	312	14P	02/08/91	103.00	0.00	0.00
8720399	VE	318	14P	02/08/91	587.00	930.00	0.63
8720399	YF	31E	14P	02/08/91	242.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B720400	PT	312	14P	02/08/91	> 1000.0	0.00	0.00
B720400	VE	318	14P	02/08/91	> 1000.0	0.00	0.00
B720400	YF	31E	14P	02/08/91	> 1000.0	0.00	0.00
B720401	PT	312	14P	02/08/91	> 1000.0	0.00	0.00
B720401	VE	318	14P	02/08/91	> 1000.0	0.00	0.00
B720401	YF	31E	14P	02/08/91	819.00	0.00	0.00
B720402	PT	313	14P	02/08/91	> 1000.0	0.00	0.00
B720402	VE	319	14P	02/08/91	> 1000.0	0.00	0.00
B720402	YF	31F	14P	02/08/91	> 1000.0	0.00	0.00
B720403	PT	313	14P	02/08/91	> 1000.0	0.00	0.00
B720403	VE	319	14P	02/08/91	1000.0	0.00	0.00
B720403	YF	31F	14P	02/08/91	1000.0	0.00	0.00
B720404	PT	313	14P	02/08/91	> 1000.0	0.00	0.00
B720404	VE	319	14P	02/08/91	> 1000.0	0.00	0.00
B720404	YF	31F	14P	02/08/91	654.00	0.00	0.00
B720405	PT	313	14P	02/08/91	804.00	0.00	0.00
B720405	VE	319	14P	02/08/91	> 1000.0	0.00	0.00
B720405	YF	31F	14P	02/08/91	535.00	0.00	0.00
B720406	PT	313	14P	02/08/91	> 1000.0	0.00	0.00
B720406	VE	319	14P	02/08/91	> 1000.0	0.00	0.00
B720406	YF	31F	14P	02/08/91	> 1000.0	0.00	0.00
B720407	PT	314	14P	02/08/91	79.30	0.00	0.00
B720407	VE	31A	14P	02/08/91	343.00	0.00	0.00
B720407	YF	31G	14P	02/08/91	511.00	0.00	0.00
B720408	PT	314	14P	02/08/91	86.70	0.00	0.00
B720408	VE	31A	14P	02/08/91	671.00	0.00	0.00
B720408	YF	31G	14P	02/08/91	> 1000.0	0.00	0.00
B720409	PT	314	14P	02/08/91	61.50	0.00	0.00
B720409	VE	31A	14P	02/08/91	596.00	0.00	0.00
B720409	YF	31G	14P	02/08/91	86.10	0.00	0.00
B720410	PT	314	14P	02/08/91	> 1000.0	0.00	0.00
B720410	VE	31A	14P	02/08/91	530.00	0.00	0.00
B720410	YF	31G	14P	02/08/91	> 1000.0	0.00	0.00
B720411	PT	314	14P	02/08/91	> 1000.0	0.00	0.00
B720411	VE	31A	14P	02/08/91	> 1000.0	0.00	0.00
B720411	YF	31G	14P	02/08/91	> 1000.0	0.00	0.00
B720412	PT	315	14P	02/08/91	600.00	0.00	0.00
B720412	VE	31B	14P	02/08/91	> 1000.0	0.00	0.00
B720412	YF	31H	14P	02/08/91	> 1000.0	0.00	0.00
B720413	PT	365	14P	02/12/91	> 1000.0	0.00	0.00
B720413	VE	36G	14P	02/15/91	> 1000.0	0.00	0.00
B720413	YF	35U	14P	02/13/91	> 1000.0	0.00	0.00
B720414	PT	365	14P	02/12/91	63.30	0.00	0.00
B720414	VE	36G	14P	02/15/91	> 1000.0	0.00	0.00
B720414	YF	35U	14P	02/13/91	> 1000.0	0.00	0.00
B720415	PT	365	14P	02/12/91	> 1000.0	0.00	0.00
B720415	VE	36G	14P	02/15/91	> 1000.0	0.00	0.00
B720415	YF	35U	14P	02/13/91	> 1000.0	0.00	0.00
B720416	PT	365	14P	02/12/91	861.00	0.00	0.00
B720416	VE	36G	14P	02/15/91	> 1000.0	0.00	0.00
B720416	YF	35U	14P	02/13/91	> 1000.0	0.00	0.00
B720417	PT	366	14P	02/12/91	> 1000.0	0.00	0.00
B720417	VE	36H	14P	02/15/91	853.00	0.00	0.00
B720417	YF	35V	14P	02/13/91	> 1000.0	0.00	0.00
B720418	PT	366	14P	02/12/91	637.00	0.00	0.00
B720418	VE	36H	14P	02/15/91	> 1000.0	0.00	0.00
B720418	YF	35V	14P	02/13/91	639.00	0.00	0.00
B720419	PT	366	14P	02/12/91	> 1000.0	0.00	0.00
B720419	VE	36H	14P	02/15/91	553.00	0.00	0.00
B720419	YF	35V	14P	02/13/91	435.00	0.00	0.00
B720420	PT	366	14P	02/12/91	> 1000.0	0.00	0.00
B720420	VE	36H	14P	02/15/91	747.00	0.00	0.00
B720420	YF	35V	14P	02/13/91	> 1000.0	0.00	0.00
B720421	PT	366	14P	02/12/91	333.00	0.00	0.00
B720421	VE	36H	14P	02/15/91	506.00	0.00	0.00
B720421	YF	35V	14P	02/13/91	442.00	0.00	0.00
B720422	PT	367	14P	02/12/91	> 1000.0	0.00	0.00
B720422	VE	36I	14P	02/15/91	> 1000.0	0.00	0.00
B720422	YF	35W	14P	02/13/91	> 1000.0	0.00	0.00
B720423	PT	367	14P	02/12/91	> 1000.0	0.00	0.00
B720423	VE	36I	14P	02/15/91	> 1000.0	0.00	0.00
B720423	YF	35W	14P	02/13/91	> 1000.0	0.00	0.00
B720424	PT	367	14P	02/12/91	43.60	0.00	0.00
B720424	VE	36I	14P	02/15/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B720424	YF	35W	14P	02/13/91	> 1000.0	0.00	0.00
B720425	PT	367	14P	02/12/91	> 1000.0	0.00	0.00
B720425	VE	361	14P	02/15/91	390.00	0.00	0.00
B720425	YF	35W	14P	02/13/91	> 1000.0	0.00	0.00
B720426	PT	367	14P	02/12/91	11.10	0.00	0.00
B720426	VE	361	14P	02/15/91	330.00	0.00	0.00
B720426	YF	35W	14P	02/13/91	327.00	0.00	0.00
B720427	PT	368	14P	02/12/91	> 1000.0	0.00	0.00
B720427	VE	36J	14P	02/15/91	537.00	0.00	0.00
B720427	YF	35X	14P	02/13/91	> 1000.0	0.00	0.00
B720428	PT	368	14P	02/12/91	77.60	0.00	0.00
B720428	VE	36J	14P	02/15/91	435.00	0.00	0.00
B720428	YF	35X	14P	02/13/91	841.00	0.00	0.00
B720429	PT	368	14P	02/12/91	72.30	0.00	0.00
B720429	VE	36J	14P	02/15/91	522.00	0.00	0.00
B720429	YF	35X	14P	02/13/91	> 1000.0	0.00	0.00
B720430	PT	368	14P	02/12/91	535.00	943.00	0.57
B720430	VE	36J	14P	02/15/91	451.00	0.00	0.00
B720430	YF	35X	14P	02/13/91	473.00	0.00	0.00
B720431	PT	368	14P	02/12/91	> 1000.0	0.00	0.00
B720431	VE	36J	14P	02/15/91	> 1000.0	0.00	0.00
B720431	YF	35X	14P	02/13/91	> 1000.0	0.00	0.00
B720432	PT	369	14P	02/12/91	> 1000.0	0.00	0.00
B720432	VE	36K	14P	02/15/91	> 1000.0	0.00	0.00
B720432	YF	35Y	14P	02/13/91	> 1000.0	0.00	0.00
B720433	PT	369	14P	02/12/91	> 1000.0	0.00	0.00
B720433	VE	36K	14P	02/15/91	> 1000.0	0.00	0.00
B720433	YF	35Y	14P	02/13/91	> 1000.0	0.00	0.00
B720434	PT	369	14P	02/12/91	91.20	0.00	0.00
B720434	VE	36K	14P	02/15/91	601.00	0.00	0.00
B720434	YF	35Y	14P	02/13/91	> 1000.0	0.00	0.00
B720435	PT	369	14P	02/12/91	> 1000 0	0.00	0.00
B720435	VE	36K	14P	02/15/91	453.00	0.00	0.00
B720435	YF	35Y	14P	02/13/91	> 1000.0	0.00	0.00
B720436	PT	369	14P	02/12/91	9.22	0.00	0.00
B720436	VE	36K	14P	02/15/91	> 1000.0	0.00	0.00
B720436	YF	35Y	14P	02/13/91	> 1000.0	0.00	0.00
B720437	PT	36A	14P	02/12/91	354.00	0.00	0.00
B720437	VE	36L	14P	02/15/91	342.00	0.00	0.00
B720437	YF	352	14P	02/13/91	330.00	0.00	0.00
B720438	PT	368	14P	02/15/91	325.00	0.00	0.00
B720438	VE	36M	14P	02/15/91	248.00	0.00	0.00
B720438	YF	360	14P	02/13/91	283.00	0.00	0.00
B720439	PT	368	14P	02/15/91	> 1000.0	0.00	0.00
B720439	VE	36M	14P	02/15/91	> 1000.0	0.00	0.00
B720439	YF	360	14P	02/13/91	> 1000.0	0.00	0.00
B720443	PT	368	14P	02/15/91	> 1000.0	0.00	0.00
B720443	VE	36M	14P	02/15/91	> 1000.0	0.00	0.00
B720443	YF	360	14P	02/13/91	> 1000.0	0.00	0.00
B720444	PT	368	14P	02/15/91	> 1000.0	0.00	0.00
B720444	VE	36M	14P	02/15/91	> 1000.0	0.00	0.00
B720444	YF	360	14P	02/13/91	> 1000.0	0.00	0.00
B720445	PT	36C	14P	02/15/91	> 1000.0	371.00 >	2.70
B720445	VE	36M	14P	02/15/91	> 1000.0	0.00	0.00
B720445	YF	361	14P	02/13/91	> 1000.0	0.00	0.00
B721957	PT	CJG	3P	12/04/91	490.00	0.00	0.00
B721957	YF	CHL	3P	12/03/91	325.00	0.00	0.00
B722012	PT	CJG	3P	12/04/91	36.30	0.00	0.00
B722048	YF	CHL	3P	12/03/91	< 1.00	0.00	0.00
B722066	YF	CHL	3P	12/03/91	234.00	0.00	0.00
B722216	PT	CJG	3P	12/04/91	439.00	0.00	0.00
B722216	YF	CHL	3P	12/03/91	161.00	0.00	0.00
B723325	PT	CJG	6P	12/04/91	495.00	0.00	0.00
B723376	VE	CGN	6P	12/06/91	> 1000.0	0.00	0.00
B723814	PT	5G7	20P	05/09/91	589.00	0.00	0.00
B723814	VE	5FJ	20P	05/10/91	32.50	0.00	0.00
B723814	YF	5GD	20P	05/09/91	973.00	0.00	0.00
B723815	PT	5G7	20P	05/09/91	> 1000.0	0.00	0.00
B723815	VE	5FJ	20P	05/10/91	899.00	0.00	0.00
B723815	YF	5GD	20P	05/09/91	> 1000.0	0.00	0.00
B723816	PT	5G8	20P	05/09/91	361.00	0.00	0.00
B723816	VE	5FK	20P	05/10/91	339.00	0.00	0.00
B723816	YF	5GE	20P	05/09/91	369.00	0.00	0.00
B723817	PT	5G8	20P	05/09/91	969.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723817	VE	5FK	20P	05/10/91	> 1000.0	0.00	0.00
B723817	YF	5GE	20P	05/09/91	> 1000.0	0.00	0.00
B723818	PT	5G8	20P	05/09/91	> 1000.0	0.00	0.00
B723818	VE	5FK	20P	05/10/91	> 1000.0	0.00	0.00
B723818	YF	5GE	20P	05/09/91	> 1000.0	0.00	0.00
B723819	PT	5G8	20P	05/09/91	401.00	0.00	0.00
B723819	VE	5FK	20P	05/10/91	326.00	0.00	0.00
B723819	YF	5GE	20P	05/09/91	358.00	0.00	0.00
B723820	PT	5G8	20P	05/09/91	22.80	0.00	0.00
B723820	VE	5FK	20P	05/10/91	31.40	0.00	0.00
B723820	YF	5GE	20P	05/09/91	27.70	0.00	0.00
B723821	PT	5G9	20P	05/09/91	685.00	0.00	0.00
B723821	VE	5FL	20P	05/10/91	590.00	0.00	0.00
B723821	YF	5GF	20P	05/09/91	687.00	0.00	0.00
B723822	PT	5G9	20P	05/09/91	539.00	0.00	0.00
B723822	VE	5FL	20P	05/10/91	504.00	0.00	0.00
B723822	YF	5GF	20P	05/09/91	480.00	0.00	0.00
B723823	PT	5G9	20P	05/09/91	848.00	0.00	0.00
B723823	VE	5FL	20P	05/10/91	497.00	0.00	0.00
B723823	YF	5GF	20P	05/09/91	1000.0	0.00	0.00
B723824	PT	5G9	20P	05/09/91	> 1000.0	0.00	0.00
B723824	VE	5FL	20P	05/10/91	728.00	0.00	0.00
B723824	YF	5GF	20P	05/09/91	862.00	0.00	0.00
B723825	PT	5G9	20P	05/09/91	288.00	0.00	0.00
B723825	VE	5FL	20P	05/10/91	37.00	0.00	0.00
B723825	YF	5GF	20P	05/09/91	294.00	0.00	0.00
B723826	PT	5GA	20P	05/09/91	> 1000.0	0.00	0.00
B723826	VE	5FM	20P	05/10/91	> 1000.0	552.00 >	1.81
B723826	YF	5GG	20P	05/09/91	739.00	693.00	1.07
B723827	PT	5GN	20P	05/10/91	659.00	0.00	0.00
B723827	VE	5FN	20P	05/10/91	741.00	0.00	0.00
B723827	YF	60K	20P	05/30/91	706.00	0.00	0.00
B723828	PT	5GN	20P	05/10/91	513.00	0.00	0.00
B723828	VE	5FN	20P	05/10/91	483.00	0.00	0.00
B723828	YF	60K	20P	05/30/91	272.00	0.00	0.00
B723829	PT	5GN	20P	05/10/91	634.00	0.00	0.00
B723829	VE	5FN	20P	05/10/91	684.00	0.00	0.00
B723829	YF	60K	20P	05/30/91	505.00	0.00	0.00
B723830	PT	5GN	20P	05/10/91	332.00	0.00	0.00
B723830	VE	5FN	20P	05/10/91	288.00	0.00	0.00
B723830	YF	60K	20P	05/30/91	710.00	0.00	0.00
B723831	PT	5GO	20P	05/10/91	298.00	0.00	0.00
B723831	VE	5FO	20P	05/10/91	319.00	31.60	10.07
B723831	YF	60L	20P	05/30/91	297.00	0.00	0.00
B723832	PT	5GO	20P	05/10/91	569.00	0.00	0.00
B723832	VE	5FO	20P	05/10/91	589.00	0.00	0.00
B723832	YF	60L	20P	05/30/91	413.00	0.00	0.00
B723833	PT	5GO	20P	05/10/91	> 1000.0	409.00 >	2.44
B723833	VE	5FO	20P	05/10/91	> 1000.0	323.00 >	3.10
B723833	YF	60L	20P	05/30/91	> 1000.0	0.00	0.00
B723834	PT	5GO	20P	05/10/91	> 1000.0	0.00	0.00
B723834	VE	5FO	20P	05/10/91	> 1000.0	0.00	0.00
B723834	YF	60L	20P	05/30/91	> 1000.0	0.00	0.00
B723835	PT	5GO	20P	05/10/91	325.00	76.30	4.26
B723835	VE	5FO	20P	05/10/91	445.00	0.00	0.00
B723835	YF	60L	20P	05/30/91	296.00	0.00	0.00
B723836	PT	5GP	20P	05/10/91	325.00	0.00	0.00
B723836	VE	5FP	20P	05/10/91	325.00	0.00	0.00
B723836	YF	60M	20P	05/30/91	325.00	0.00	0.00
B723837	PT	5GP	20P	05/10/91	46.40	0.00	0.00
B723837	VE	5FP	20P	05/10/91	32.00	0.00	0.00
B723837	YF	60M	20P	05/30/91	39.50	0.00	0.00
B723838	PT	5GP	20P	05/10/91	75.20	0.00	0.00
B723838	VE	5FP	20P	05/10/91	77.10	970.00	0.08
B723838	YF	60M	20P	05/30/91	59.50	0.00	0.00
B723839	PT	5GP	20P	05/10/91	178.00	0.00	0.00
B723839	VE	5FP	20P	05/10/91	859.00	0.00	0.00
B723839	YF	60M	20P	05/30/91	787.00	0.00	0.00
B723840	PT	5GP	20P	05/10/91	708.00	0.00	0.00
B723840	VE	5FP	20P	05/10/91	112.00	0.00	0.00
B723840	YF	60M	20P	05/30/91	40.10	0.00	0.00
B723841	PT	5GQ	20P	05/10/91	26.40	0.00	0.00
B723841	VE	5FQ	20P	05/10/91	36.80	0.00	0.00
B723841	YF	60M	20P	05/30/91	32.50	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8723842	PT	5GQ	20P	05/10/91	325.00	0.00	0.00
8723842	VE	5FQ	20P	05/10/91	256.00	0.00	0.00
8723842	YF	60N	20P	05/30/91	279.00	0.00	0.00
8723843	PT	5GQ	20P	05/10/91	502.00	0.00	0.00
8723843	VE	5FQ	20P	05/10/91	136.00	0.00	0.00
8723843	YF	60N	20P	05/30/91	578.00	0.00	0.00
8723844	PT	5GQ	20P	05/10/91	36.70	0.00	0.00
8723844	VE	5FQ	20P	05/10/91	45.00	0.00	0.00
8723844	YF	60N	20P	05/30/91	32.80	0.00	0.00
8723845	PT	5GQ	20P	05/10/91	37.90	0.00	0.00
8723845	VE	5FQ	20P	05/10/91	39.60	0.00	0.00
8723845	YF	60N	20P	05/30/91	40.30	0.00	0.00
8723846	PT	5GR	20P	05/10/91	578.00	0.00	0.00
8723846	VE	5FR	20P	05/10/91	325.00	0.00	0.00
8723846	YF	600	20P	05/30/91	512.00	0.00	0.00
8723847	PT	5GR	20P	05/10/91	40.90	0.00	0.00
8723847	VE	5FR	20P	05/10/91	45.30	0.00	0.00
8723847	YF	600	20P	05/30/91	36.40	0.00	0.00
8723848	PT	5GR	20P	05/10/91	32.60	0.00	0.00
8723848	VE	5FR	20P	05/10/91	33.10	0.00	0.00
8723848	YF	600	20P	05/30/91	32.60	0.00	0.00
8723849	PT	5GR	20P	05/10/91	445.00	0.00	0.00
8723849	VE	5FR	20P	05/10/91	> 1000.0	0.00	0.00
8723849	YF	600	20P	05/30/91	333.00	0.00	0.00
8723850	PT	5GR	20P	05/10/91	356.00	0.00	0.00
8723850	VE	5FR	20P	05/10/91	457.00	0.00	0.00
8723850	YF	600	20P	05/30/91	325.00	0.00	0.00
8723851	PT	5GS	20P	05/10/91	251.00	0.00	0.00
8723851	VE	5FS	20P	05/10/91	497.00	0.00	0.00
8723851	YF	60P	20P	05/30/91	328.00	0.00	0.00
8723852	PT	5LI	20P	05/14/91	315.00	0.00	0.00
8723852	VE	69W	20P	06/07/91	181.00	0.00	0.00
8723852	YF	5LP	20P	05/14/91	307.00	0.00	0.00
8723853	PT	5LI	20P	05/14/91	> 1000.0	0.00	0.00
8723853	VE	69W	20P	06/07/91	> 1000.0	0.00	0.00
8723853	YF	5LP	20P	05/14/91	630.00	0.00	0.00
8723854	PT	5LI	20P	05/14/91	590.00	0.00	0.00
8723854	VE	69W	20P	06/07/91	259.00	0.00	0.00
8723854	YF	5LP	20P	05/14/91	340.00	0.00	0.00
8723855	PT	5LI	20P	05/14/91	263.00	0.00	0.00
8723855	VE	69W	20P	06/07/91	62.30	0.00	0.00
8723855	YF	5LP	20P	05/14/91	344.00	0.00	0.00
8723856	PT	5LJ	20P	05/14/91	327.00	0.00	0.00
8723856	VE	69X	20P	06/07/91	326.00	0.00	0.00
8723856	YF	5LQ	20P	05/14/91	293.00	0.00	0.00
8723857	PT	5LJ	20P	05/14/91	325.00	0.00	0.00
8723857	VE	69X	20P	06/07/91	326.00	0.00	0.00
8723857	YF	5LQ	20P	05/14/91	327.00	0.00	0.00
8723858	PT	5LJ	20P	05/14/91	325.00	0.00	0.00
8723858	VE	69X	20P	06/07/91	337.00	0.00	0.00
8723858	YF	5LQ	20P	05/14/91	317.00	0.00	0.00
8723859	PT	5LJ	20P	05/14/91	225.00	0.00	0.00
8723859	VE	69X	20P	06/07/91	342.00	0.00	0.00
8723859	YF	5LQ	20P	05/14/91	444.00	0.00	0.00
8723860	PT	5LJ	20P	05/14/91	32.50	0.00	0.00
8723860	VE	69X	20P	06/07/91	9.89	0.00	0.00
8723860	YF	5LQ	20P	05/14/91	31.30	0.00	0.00
8723861	PT	5LK	20P	05/14/91	364.00	0.00	0.00
8723861	VE	69Y	20P	06/07/91	369.00	0.00	0.00
8723861	YF	5LR	20P	05/14/91	371.00	0.00	0.00
8723862	PT	5LK	20P	05/14/91	325.00	0.00	0.00
8723862	VE	69Y	20P	06/07/91	345.00	0.00	0.00
8723862	YF	5LR	20P	05/14/91	325.00	0.00	0.00
8723863	PT	5LK	20P	05/14/91	463.00	0.00	0.00
8723863	VE	69Y	20P	06/07/91	563.00	0.00	0.00
8723863	YF	5LR	20P	05/14/91	515.00	0.00	0.00
8723864	PT	5LK	20P	05/14/91	402.00	0.00	0.00
8723864	VE	69Y	20P	06/07/91	> 1000.0	619.00 >	1.62
8723864	YF	5LR	20P	05/14/91	982.00	0.00	0.00
8723865	PT	5LK	20P	05/14/91	326.00	0.00	0.00
8723865	VE	69Y	20P	06/07/91	> 1000.0	451.00 >	2.22
8723865	YF	5LR	20P	05/14/91	330.00	0.00	0.00
8723866	PT	5LL	20P	05/14/91	491.00	0.00	0.00
8723866	VE	69Z	20P	06/07/91	664.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723866	YF	5LS	20P	05/14/91	543.00	0.00	0.00
B723867	PT	5LL	20P	05/14/91	> 1000.0	0.00	0.00
B723867	VE	69Z	20P	06/07/91	956.00	0.00	0.00
B723867	YF	5LS	20P	05/14/91	> 1000.0	0.00	0.00
B723868	PT	5LL	20P	05/14/91	68.60	0.00	0.00
B723868	VE	69Z	20P	06/07/91	76.10	0.00	0.00
B723868	YF	5LS	20P	05/14/91	70.60	0.00	0.00
B723869	PT	5LL	20P	05/14/91	268.00	0.00	0.00
B723869	VE	69Z	20P	06/07/91	542.00	0.00	0.00
B723869	YF	5LS	20P	05/14/91	325.00	0.00	0.00
B723870	PT	5LL	20P	05/14/91	387.00	0.0C	0.00
B723870	VE	69Z	20P	06/07/91	156.00	0.00	0.00
B723870	YF	5LS	20P	05/14/91	374.00	0.00	0.00
B723871	PT	5LM	20P	05/14/91	> 1000.0	0.00	0.00
B723871	VE	6A0	20P	06/07/91	> 1000.0	0.00	0.00
B723871	YF	5LT	20P	05/14/91	> 1000.0	0.00	0.00
B723872	PT	5LM	20P	05/14/91	> 1000.0	0.00	0.00
B723872	VE	6A0	20P	06/07/91	764.00	0.00	0.00
B723872	YF	5LT	20P	05/14/91	882.00	0.00	0.00
B723873	PT	5LM	20P	05/14/91	394.00	0.00	0.00
B723873	VE	6A0	20P	06/07/91	343.00	0.00	0.00
B723873	YF	5LT	20P	05/14/91	424.00	0.00	0.00
B723874	PT	5LM	20P	05/14/91	> 1000.0	0.00	0.00
B723874	VE	6A0	20P	06/07/91	> 1000.0	0.00	0.00
B723874	YF	5LT	20P	05/14/91	> 1000.0	0.00	0.00
B723875	PT	5LM	20P	05/14/91	4.73	0.00	0.00
B723875	VE	6A0	20P	06/07/91	6.08	0.00	0.00
B723875	YF	5LT	20P	05/14/91	212.00	0.00	0.00
B723876	PT	5LM	20P	05/14/91	451.00	0.00	0.00
B723876	VE	6A1	20P	06/07/91	862.00	0.00	0.00
B723876	YF	5LU	20P	05/14/91	389.00	0.00	0.00
B723877	PT	5LM	20P	05/14/91	> 1000.0	0.00	0.00
B723877	VE	6A1	20P	06/07/91	> 1000.0	0.00	0.00
B723877	YF	5LU	20P	05/14/91	> 1000.0	0.00	0.00
B723878	PT	5LM	20P	05/14/91	> 1000.0	0.00	0.00
B723878	VE	6A1	20P	06/07/91	> 1000.0	0.00	0.00
B723878	YF	5LU	20P	05/14/91	> 1000.0	0.00	0.00
B723879	PT	5LM	20P	05/14/91	965.00	555.00	1.74
B723879	VE	6A1	20P	06/07/91	> 1000.0	0.00	0.00
B723879	YF	5LU	20P	05/14/91	994.00	0.00	0.00
B723880	PT	5LM	20P	05/14/91	250.00	0.00	0.00
B723880	VE	6A1	20P	06/07/91	42.00	0.00	0.00
B723880	YF	5LU	20P	05/14/91	32.70	0.00	0.00
B723881	PT	5LO	20P	05/14/91	> 1000.0	0.00	0.00
B723881	VE	6A2	20P	06/07/91	> 1000.0	0.00	0.00
B723881	YF	5LV	20P	05/14/91	> 1000.0	289.00 >	3.46
B723882	PT	5MM	20P	05/15/91	576.00	0.00	0.00
B723882	VE	5LW	20P	05/17/91	> 1000.0	0.00	0.00
B723882	YF	5MO	20P	05/15/91	419.00	0.00	0.00
B723883	PT	5MM	20P	05/15/91	495.00	0.00	0.00
B723883	VE	5LW	20P	05/17/91	> 1000.0	0.00	0.00
B723883	YF	5MO	20P	05/15/91	> 1000.0	0.00	0.00
B723884	PT	5MM	20P	05/15/91	325.00	0.00	0.00
B723884	VE	5LW	20P	05/17/91	326.00	0.00	0.00
B723884	YF	5MO	20P	05/15/91	278.00	0.00	0.00
B723885	PT	5MM	20P	05/15/91	> 1000.0	0.00	0.00
B723885	VE	5LW	20P	05/17/91	> 1000.0	528.00 >	1.89
B723885	YF	5MO	20P	05/15/91	> 1000.0	0.00	0.00
B723886	PT	5MI	20P	05/15/91	686.00	0.00	0.00
B723886	VE	5LX	20P	05/17/91	> 1000.0	0.00	0.00
B723886	YF	5MP	20P	05/15/91	> 1000.0	0.00	0.00
B723887	PT	5MI	20P	05/15/91	> 1000.0	0.00	0.00
B723887	VE	5LX	20P	05/17/91	> 1000.0	0.00	0.00
B723887	YF	5MP	20P	05/15/91	> 1000.0	0.00	0.00
B723888	PT	6F4	22P	06/11/91	149.00	0.00	0.00
B723888	VE	5QI	22P	05/24/91	296.00	0.00	0.00
B723888	YF	6IC	22P	06/14/91	> 1000.0	4.79 >	208.86
B723889	PT	6F4	22P	06/11/91	5.44	0.00	0.00
B723889	VE	5QI	22P	05/24/91	125.00	0.00	0.00
B723889	YF	6IC	22P	06/14/91	201.00	0.00	0.00
B723890	PT	6F5	22P	06/11/91	228.00	0.00	0.00
B723890	VE	5QJ	22P	05/24/91	174.00	0.00	0.00
B723890	YF	6ID	22P	06/14/91	190.00	0.00	0.00
B723891	PT	6F5	22P	06/11/91	919.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8723891	VE	5QJ	22P	05/24/91	942.00	0.00	0.00
8723891	YF	6ID	22P	06/14/91	> 1000.0	0.00	0.00
8723892	PT	6F5	22P	06/11/91	334.00	0.00	0.00
8723892	VE	5QJ	22P	05/24/91	528.00	0.00	0.00
8723892	YF	6ID	22P	06/14/91	> 1000.0	0.00	0.00
8723893	PT	6F5	22P	06/11/91	186.00	0.00	0.00
8723893	VE	5QJ	22P	05/24/91	197.00	0.00	0.00
8723893	YF	6ID	22P	06/14/91	8.37	0.00	0.00
8723894	PT	6F5	22P	06/11/91	6.28	0.00	0.00
8723894	VE	5QJ	22P	05/24/91	199.00	0.00	0.00
8723894	YF	6ID	22P	06/14/91	49.80	0.00	0.00
8723895	PT	6F6	22P	06/11/91	> 1000.0	0.00	0.00
8723895	VE	5QK	22P	05/24/91	> 1000.0	0.00	0.00
8723895	YF	6IE	22P	06/14/91	> 1000.0	0.00	0.00
8723896	PT	5U2	22P	05/23/91	325.00	0.00	0.00
8723896	VE	5QL	22P	05/24/91	198.00	0.00	0.00
8723896	YF	5TV	22P	05/23/91	211.00	0.00	0.00
8723897	PT	5U2	22P	05/23/91	37.70	0.00	0.00
8723897	VE	5QL	22P	05/24/91	18.00	0.00	0.00
8723897	YF	5TV	22P	05/23/91	25.30	0.00	0.00
8723898	PT	5U2	22P	05/23/91	53.30	0.00	0.00
8723898	VE	5QL	22P	05/24/91	35.00	0.00	0.00
8723898	YF	5TV	22P	05/23/91	41.40	0.00	0.00
8723899	PT	5U2	22P	05/23/91	62.10	0.00	0.00
8723899	VE	5QL	22P	05/24/91	33.00	0.00	0.00
8723899	YF	5TV	22P	05/23/91	40.00	0.00	0.00
8723900	PT	5U3	22P	05/23/91	238.00	0.00	0.00
8723900	VE	5QM	22P	05/24/91	21.90	0.00	0.00
8723900	YF	5TW	22P	05/23/91	62.20	0.00	0.00
8723901	PT	5U3	22P	05/23/91	> 1000.0	0.00	0.00
8723901	VE	5QM	22P	05/24/91	911.00	0.00	0.00
8723901	YF	5TW	22P	05/23/91	> 1000.0	0.00	0.00
8723902	PT	5U3	22P	05/23/91	542.00	0.00	0.00
8723902	VE	5QM	22P	05/24/91	524.00	0.00	0.00
8723902	YF	5TW	22P	05/23/91	568.00	0.00	0.00
8723903	PT	5U3	22P	05/23/91	41.50	0.00	0.00
8723903	VE	5QM	22P	05/24/91	5.70	0.00	0.00
8723903	YF	5TW	22P	05/23/91	24.70	0 00	0.00
8723904	PT	5U3	22P	05/23/91	> 1000.0	0.00	0.00
8723904	VE	5QM	22P	05/24/91	716.00	0.00	0.00
8723904	YF	5TW	22P	05/23/91	614.00	0.00	0.00
8723905	PT	5U4	22P	05/23/91	> 1000.0	0.00	0.00
8723905	VE	5QM	22P	05/24/91	136.00	0.00	0.00
8723905	YF	5TX	22P	05/23/91	571.00	0.00	0.00
8723906	PT	5U4	22P	05/23/91	> 1000.0	0.00	0.00
8723906	VE	5QM	22P	05/24/91	> 1000.0	0.00	0.00
8723906	YF	5TX	22P	05/23/91	> 1000.0	0.00	0.00
8723907	PT	5U4	22P	05/23/91	621.00	0.00	0.00
8723907	VE	5QM	22P	05/24/91	730.00	0.00	0.00
8723907	YF	5TX	22P	05/23/91	> 1000.0	0.00	0.00
8723908	PT	5U4	22P	05/23/91	590.00	685.00	0.86
8723908	VE	5QM	22P	05/24/91	321.00	0.00	0.00
8723908	YF	5TX	22P	05/23/91	290.00	0.00	0.00
8723909	PT	5U4	22P	05/23/91	43.40	0.00	0.00
8723909	VE	5QM	22P	05/24/91	182.00	63.20	2.89
8723909	YF	5TX	22P	05/23/91	35.90	0.00	0.00
8723910	PT	5U5	22P	05/23/91	695.00	845.00	0.82
8723910	VE	5QO	22P	05/24/91	677.00	0.00	0.00
8723910	YF	5TY	22P	05/23/91	580.00	0.00	0.00
8723911	PT	5U5	22P	05/23/91	> 1000.0	0.00	0.00
[illegible]11	VE	5QO	22P	05/24/91	> 1000.0	0.00	0.00
[illegible]	YF	5TY	22P	05/23/91	> 1000.0	722.00 >	1.38
[illegible]	PT	5U5	22P	05/23/91	> 1000.0	0.00	0.00
[illegible]	VE	5QO	22P	05/24/91	> 1000.0	0.00	0.00
[illegible]2	YF	5TY	22P	05/23/91	> 1000.0	340.00 >	2.94
8723913	PT	5U5	22P	05/23/91	325.00	0.00	0.00
8723913	VE	5QO	22P	05/24/91	210.00	0.00	0.00
8723913	YF	5TY	22P	05/23/91	326.00	0.00	0.00
8723914	PT	5U5	22P	05/23/91	361.00	0.00	0.00
8723914	VE	5QO	22P	05/24/91	63.40	0.00	0.00
8723914	YF	5TY	22P	05/23/91	205.00	0.00	0.00
8723915	PT	5U6	22P	05/23/91	807.00	0.00	0.00
8723915	VE	5QP	22P	05/24/91	> 1000.0	0.00	0.00
8723915	YF	5TZ	22P	05/23/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723916	PT	SU6	22P	05/23/91	817.00	0.00	0.00
B723916	VE	SQP	22P	05/24/91	938.00	0.00	0.00
B723916	YF	5TZ	22P	05/23/91	731.00	0.00	0.00
B723917	PT	SU6	22P	05/23/91	> 1000.0	0.00	0.00
B723917	VE	SQP	22P	05/24/91	902.00	0.00	0.00
B723917	YF	5TZ	22P	05/23/91	> 1000.0	381.00	> 2.63
B723918	PT	SU6	22P	05/23/91	> 1000.0	0.00	0.00
B723918	VE	SQP	22P	05/24/91	935.00	0.00	0.00
B723918	YF	5TZ	22P	05/23/91	> 1000.0	4.54	> 220.23
B723919	PT	SU6	22P	05/23/91	385.00	0.00	0.00
B723919	VE	SQP	22P	05/24/91	148.00	0.00	0.00
B723919	YF	5TZ	22P	05/23/91	181.00	0.00	0.00
B723920	PT	SU7	22P	05/23/91	325.00	0.00	0.00
B723920	VE	SQQ	22P	05/24/91	237.00	0.00	0.00
B723920	YF	SUJ	22P	05/23/91	325.00	0.00	0.00
B723921	PT	SU7	22P	05/23/91	325.00	0.00	0.00
B723921	VE	SQQ	22P	05/24/91	213.00	0.00	0.00
B723921	YF	SUO	22P	05/23/91	325.00	0.00	0.00
B723922	PT	SU7	22P	05/23/91	229.00	0.00	0.00
B723922	VE	SQQ	22P	05/24/91	> 1000.0	499.00	> 2.00
B723922	YF	SUO	22P	05/23/91	230.00	0.00	0.00
B723923	PT	SU7	22P	05/23/91	> 1000.0	0.00	0.00
B723923	VE	SQQ	22P	05/24/91	489.00	0.00	0.00
B723923	YF	SUO	22P	05/23/91	> 1000.0	0.00	0.00
B723924	PT	SU7	22P	05/23/91	325.00	0.00	0.00
B723924	VE	SQQ	22P	05/24/91	316.00	0.00	0.00
B723924	YF	SUO	22P	05/23/91	237.00	0.00	0.00
B723925	PT	SU8	22P	05/23/91	> 1000.0	0.00	0.00
B723925	VE	SQR	22P	05/24/91	445.00	0.00	0.00
B723925	YF	SU1	22P	05/23/91	805.00	0.00	0.00
B723926	PT	SU9	22P	05/24/91	493.00	0.00	0.00
B723926	VE	SQS	22P	05/24/91	325.00	0.00	0.00
B723926	YF	SUG	22P	05/24/91	648.00	0.00	0.00
B723927	PT	SU9	22P	05/24/91	215.00	0.00	0.00
B723927	VE	SQS	22P	05/24/91	348.00	0.00	0.00
B723927	YF	SUG	22P	05/24/91	304.00	0.00	0.00
B723928	PT	SU9	22P	05/24/91	63.70	0.00	0.00
B723928	VE	SQS	22P	05/24/91	183.00	0.00	0.00
B723928	YF	SUG	22P	05/24/91	138.00	0.00	0.00
B723929	PT	SU9	22P	05/24/91	> 1000.0	0.00	0.00
B723929	VE	SQS	22P	05/24/91	> 1000.0	0.00	0.00
B723929	YF	SUG	22P	05/24/91	855.00	0.00	0.00
B723930	PT	SUA	22P	05/24/91	228.00	0.00	0.00
B723930	VE	SQT	22P	05/24/91	302.00	0.00	0.00
B723930	YF	SUN	22P	05/24/91	298.00	0.00	0.00
B723931	PT	SUA	22P	05/24/91	539.00	0.00	0.00
B723931	VE	SQT	22P	05/24/91	495.00	0.00	0.00
B723931	YF	SUN	22P	05/24/91	435.00	0.00	0.00
B723932	PT	SUA	22P	05/24/91	57.50	0.00	0.00
B723932	VE	SQT	22P	05/24/91	78.50	0.00	0.00
B723932	YF	SUN	22P	05/24/91	77.80	0.00	0.00
B723933	PT	SUA	22P	05/24/91	99.00	0.00	0.00
B723933	VE	SQT	22P	05/24/91	485.00	0.00	0.00
B723933	YF	SUN	22P	05/24/91	681.00	0.00	0.00
B723934	PT	SUA	22P	05/24/91	0.96	0.00	0.00
B723934	VE	SQT	22P	05/24/91	> 1000.0	0.00	0.00
B723934	YF	SUN	22P	05/24/91	636.00	0.00	0.00
B723935	PT	SUB	22P	05/24/91	> 1000.0	0.00	0.00
B723935	VE	SQU	22P	05/24/91	> 1000.0	0.00	0.00
B723935	YF	SU1	22P	05/24/91	> 1000.0	0.00	0.00
B723936	PT	SUB	22P	05/24/91	325.00	0.00	0.00
B723936	VE	SQU	22P	05/24/91	202.00	0.00	0.00
B723936	YF	SU1	22P	05/24/91	194.00	0.00	0.00
B723937	PT	SUB	22P	05/24/91	759.00	639.00	1.19
B723937	VE	SQU	22P	05/24/91	> 1000.0	0.00	0.00
B723937	YF	SU1	22P	05/24/91	> 1000.0	0.00	0.00
B723938	PT	SUB	22P	05/24/91	30.50	0.00	0.00
B723938	VE	SQU	22P	05/24/91	35.60	0.00	0.00
B723938	YF	SU1	22P	05/24/91	32.90	0.00	0.00
B723939	PT	SUB	22P	05/24/91	456.00	0.00	0.00
B723939	VE	SQU	22P	05/24/91	> 1000.0	0.00	0.00
B723939	YF	SU1	22P	05/24/91	396.00	0.00	0.00
B723940	PT	SUC	22P	05/24/91	449.00	0.00	0.00
B723940	VE	SQV	22P	05/24/91	619.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723940	YF	SUJ	22P	05/24/91	456.00	0.00	0.00
B723941	PT	SUC	22P	05/24/91	471.00	0.00	0.00
B723941	VE	SQV	22P	05/24/91	965.00	0.00	0.00
B723941	YF	SUJ	22P	05/24/91	708.00	0.00	0.00
B723942	PT	SUC	22P	05/24/91	> 1000.0	0.00	0.00
B723942	VE	SQV	22P	05/24/91	> 1000.0	0.00	0.00
B723942	YF	SUJ	22P	05/24/91	> 1000.0	0.00	0.00
B723943	PT	SUC	22P	05/24/91	9.58	0.00	0.00
B723943	VE	SQV	22P	05/24/91	172.00	0.00	0.00
B723943	YF	SUJ	22P	05/24/91	31.30	0.00	0.00
B723944	PT	SUC	22P	05/24/91	325.00	0.00	0.00
B723944	VE	SQV	22P	05/24/91	325.00	0.00	0.00
B723944	YF	SUJ	22P	05/24/91	326.00	0.00	0.00
B723945	PT	SUD	22P	05/24/91	273.00	0.00	0.00
B723945	VE	SQW	22P	05/24/91	320.00	0.00	0.00
B723945	YF	SUK	22P	05/24/91	287.00	0.00	0.00
B723946	PT	SUD	22P	05/24/91	545.00	0.00	0.00
B723946	VE	SQW	22P	05/24/91	> 1000.0	0.00	0.00
B723946	YF	SUK	22P	05/24/91	515.00	0.00	0.00
B723947	PT	SUD	22P	05/24/91	281.00	0.00	0.00
B723947	VE	SQW	22P	05/24/91	275.00	0.00	0.00
B723947	YF	SUK	22P	05/24/91	307.00	0.00	0.00
B723948	PT	SUD	22P	05/24/91	448.00	0.00	0.00
B723948	VE	SQW	22P	05/24/91	329.00	0.00	0.00
B723948	YF	SUK	22P	05/24/91	197.00	0.00	0.00
B723949	PT	SUD	22P	05/24/91	31.10	7.66	4.06
B723949	VE	SQW	22P	05/24/91	46.80	0.00	0.00
B723949	YF	SUK	22P	05/24/91	33.70	0.00	0.00
B723950	PT	SUE	22P	05/24/91	281.00	0.00	0.00
B723950	VE	SQX	22P	05/24/91	52.00	0.00	0.00
B723950	YF	SUL	22P	05/24/91	258.00	0.00	0.00
B723951	PT	SUE	22P	05/24/91	397.00	0.00	0.00
B723951	VE	SQX	22P	05/24/91	561.00	0.00	0.00
B723951	YF	SUL	22P	05/24/91	442.00	0.00	0.00
B723952	PT	SUE	22P	05/24/91	47.50	0.00	0.00
B723952	VE	SQX	22P	05/24/91	326.00	0.00	0.00
B723952	YF	SUL	22P	05/24/91	170.00	0.00	0.00
B723953	PT	SUE	22P	05/24/91	69.90	0.00	0.00
B723953	VE	SQX	22P	05/24/91	390.00	0.00	0.00
B723953	YF	SUL	22P	05/24/91	53.50	0.00	0.00
B723954	PT	SUE	22P	05/24/91	464.00	52.20	8.89
B723954	VE	SQX	22P	05/24/91	453.00	0.00	0.00
B723954	YF	SUL	22P	05/24/91	419.00	100.00	4.19
B723955	PT	SUF	22P	05/24/91	> 1000.0	0.00	0.00
B723955	VE	SQY	22P	05/24/91	> 1000.0	0.00	0.00
B723955	YF	SUM	22P	05/24/91	> 1000.0	0.00	0.00
B723956	PT	SZ7	22P	05/29/91	20.50	0.00	0.00
B723956	VE	SYT	22P	05/31/91	64.70	0.00	0.00
B723956	YF	SZ0	22P	05/29/91	37.10	0.00	0.00
B723957	PT	SZ7	22P	05/29/91	302.00	345.00	0.88
B723957	VE	SYT	22P	05/31/91	> 1000.0	309.00 >	3.23
B723957	YF	SZ0	22P	05/29/91	> 1000.0	570.00 >	1.75
B723958	PT	SZ7	22P	05/29/91	> 1000.0	465.00 >	2.15
B723958	VE	SYT	22P	05/31/91	> 1000.0	0.00	0.00
B723958	YF	SZ0	22P	05/29/91	> 1000.0	0.00	0.00
B723959	PT	SZ7	22P	05/29/91	325.00	0.00	0.00
B723959	VE	SYT	22P	05/31/91	171.00	0.00	0.00
B723959	YF	SZ0	22P	05/29/91	27.00	0.00	0.00
B723960	PT	SZB	22P	05/29/91	407.00	0.00	0.00
B723960	VE	SYU	22P	05/31/91	> 1000.0	0.00	0.00
B723960	YF	SZ1	22P	05/29/91	> 1000.0	0.00	0.00
B723961	PT	SZB	22P	05/29/91	432.00	0.00	0.00
B723961	VE	SYU	22P	05/31/91	181.00	0.00	0.00
B723961	YF	SZ1	22P	05/29/91	89.10	0.00	0.00
B723962	PT	SZB	22P	05/29/91	> 1000.0	0.00	0.00
B723962	VE	SYU	22P	05/31/91	98.10	0.00	0.00
B723962	YF	SZ1	22P	05/29/91	> 1000.0	0.00	0.00
B723963	PT	SZB	22P	05/29/91	413.00	0.00	0.00
B723963	VE	SYU	22P	05/31/91	220.00	0.00	0.00
B723963	YF	SZ1	22P	05/29/91	641.00	0.00	0.00
B723964	PT	SZB	22P	05/29/91	325.00	0.00	0.00
B723964	VE	SYU	22P	05/31/91	336.00	0.00	0.00
B723964	YF	SZ1	22P	05/29/91	325.00	0.00	0.00
B723965	PT	SZ9	22P	05/29/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723965	VE	5YV	22P	05/31/91	> 1000.0	606.00 >	1.65
B723965	YF	5Z2	22P	05/29/91	325.00	0.00	0.00
B723966	PT	5Z9	22P	05/29/91	325.00	0.00	0.00
B723966	VE	5YV	22P	05/31/91	247.00	0.00	0.00
B723966	YF	5Z2	22P	05/29/91	325.00	0.00	0.00
B723967	PT	5Z9	22P	05/29/91	325.00	0.00	0.00
B723967	VE	5YV	22P	05/31/91	208.00	0.00	0.00
B723967	YF	5Z2	22P	05/29/91	325.00	0.00	0.00
B723968	PT	5Z9	22P	05/29/91	> 1000.0	0.00	0.00
B723968	VE	5YV	22P	05/31/91	831.00	0.00	0.00
B723968	YF	5Z2	22P	05/29/91	> 1000.0	0.00	0.00
B723969	PT	5Z9	22P	05/29/91	8.37	0.00	0.00
B723969	VE	5YV	22P	05/31/91	2.17	0.00	0.00
B723969	YF	5Z2	22P	05/29/91	19.60	0.00	0.00
B723970	PT	5ZA	22P	05/29/91	63.70	0.00	0.00
B723970	VE	5YW	22P	05/31/91	> 1000.0	507.00 >	1.97
B723970	YF	5Z3	22P	05/29/91	62.30	0.00	0.00
B723971	PT	5ZA	22P	05/29/91	335.00	0.00	0.00
B723971	VE	5YW	22P	05/31/91	341.00	0.00	0.00
B723971	YF	5Z3	22P	05/29/91	320.00	0.00	0.00
B723972	PT	5ZA	22P	05/29/91	326.00	0.00	0.00
B723972	VE	5YW	22P	05/31/91	225.00	0.00	0.00
B723972	YF	5Z3	22P	05/29/91	227.00	0.00	0.00
B723973	PT	5ZA	22P	05/29/91	588.00	0.00	0.00
B723973	VE	5YW	22P	05/31/91	315.00	0.00	0.00
B723973	YF	5Z3	22P	05/29/91	325.00	0.00	0.00
B723974	PT	5ZA	22P	05/29/91	> 1000.0	0.00	0.00
B723974	VE	5YW	22P	05/31/91	> 1000.0	0.00	0.00
B723974	YF	5Z3	22P	05/29/91	935.00	0.00	0.00
B723975	PT	5ZB	22P	05/29/91	600.00	0.00	0.00
B723975	VE	5YX	22P	05/31/91	830.00	0.00	0.00
B723975	YF	5Z4	22P	05/29/91	507.00	0.00	0.00
B723976	PT	5ZB	22P	05/29/91	> 1000.0	0.00	0.00
B723976	VE	5YX	22P	05/31/91	> 1000.0	0.00	0.00
B723976	YF	5Z4	22P	05/29/91	> 1000.0	0.00	0.00
B723977	PT	5ZB	22P	05/29/91	17.00	0.00	0.00
B723977	VE	5YX	22P	05/31/91	22.00	0.00	0.00
B723977	YF	5Z4	22P	05/29/91	16.30	0.00	0.00
B723978	PT	5ZB	22P	05/29/91	> 1000.0	0.00	0.00
B723978	VE	5YX	22P	05/31/91	> 1000.0	0.00	0.00
B723978	YF	5Z4	22P	05/29/91	> 1000.0	0.00	0.00
B723979	PT	5ZB	22P	05/29/91	5.91	0.00	0.00
B723979	VE	5YX	22P	05/31/91	38.00	0.00	0.00
B723979	YF	5Z4	22P	05/29/91	18.90	0.00	0.00
B723980	PT	5ZC	22P	05/29/91	> 1000.0	0.00	0.00
B723980	VE	5YY	22P	05/31/91	> 1000.0	0.00	0.00
B723980	YF	5Z5	22P	05/29/91	660.00	0.00	0.00
B723981	PT	5ZC	22P	05/29/91	330.00	0.00	0.00
B723981	VE	5YY	22P	05/31/91	394.00	0.00	0.00
B723981	YF	5Z5	22P	05/29/91	292.00	0.00	0.00
B723982	PT	5ZC	22P	05/29/91	215.00	0.00	0.00
B723982	VE	5YY	22P	05/31/91	257.00	0.00	0.00
B723982	YF	5Z5	22P	05/29/91	188.00	0.00	0.00
B723983	PT	5ZC	22P	05/29/91	> 1000.0	0.00	0.00
B723983	VE	5YY	22P	05/31/91	> 1000.0	0.00	0.00
B723983	YF	5Z5	22P	05/29/91	> 1000.0	0.00	0.00
B723984	PT	5ZC	22P	05/29/91	489.00	0.00	0.00
B723984	VE	5YY	22P	05/31/91	376.00	0.00	0.00
B723984	YF	5Z5	22P	05/29/91	69.20	0.00	0.00
B723985	PT	5ZD	22P	05/29/91	276.00	0.00	0.00
B723985	VE	5YZ	22P	05/31/91	> 1000.0	0.00	0.00
B723985	YF	5Z6	22P	05/29/91	474.00	0.00	0.00
B723986	PT	5ZE	22P	05/29/91	> 1000.0	0.00	0.00
B723986	VE	600	22P	05/31/91	814.00	0.00	0.00
B723986	YF	5ZL	22P	05/29/91	574.00	0.00	0.00
B723987	PT	5ZE	22P	05/29/91	699.00	0.00	0.00
B723987	VE	600	22P	05/31/91	774.00	0.00	0.00
B723987	YF	5ZL	22P	05/29/91	482.00	0.00	0.00
B723988	PT	5ZE	22P	05/29/91	325.00	0.00	0.00
B723988	VE	600	22P	05/31/91	324.00	0.00	0.00
B723988	YF	5ZL	22P	05/29/91	318.00	0.00	0.00
B723989	PT	5ZE	22P	05/29/91	140.00	29.60	4.73
B723989	VE	600	22P	05/31/91	181.00	0.00	0.00
B723989	YF	5ZL	22P	05/29/91	137.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B723990	PT	5ZF	22P	05/29/91	> 1000.0	0.00	0.00
B723990	VE	60R	22P	05/31/91	> 1000.0	0.00	0.00
B723990	YF	5ZN	22P	05/29/91	> 1000.0	0.00	0.00
B723991	PT	5ZF	22P	05/29/91	> 1000.0	0.00	0.00
B723991	VE	60R	22P	05/31/91	233.00	0.00	0.00
B723991	YF	5ZN	22P	05/29/91	297.00	0.00	0.00
B723992	PT	5ZF	22P	05/29/91	76.80	0.00	0.00
B723992	VE	60R	22P	05/31/91	388.00	0.00	0.00
B723992	YF	5ZN	22P	05/29/91	139.00	0.00	0.00
B723993	PT	5ZF	22P	05/29/91	326.00	0.00	0.00
B723993	VE	60R	22P	05/31/91	325.00	0.00	0.00
B723993	YF	5ZN	22P	05/29/91	241.00	0.00	0.00
B723994	PT	5ZF	22P	05/29/91	585.00	0.00	0.00
B723994	VE	60R	22P	05/31/91	351.00	0.00	0.00
B723994	YF	5ZN	22P	05/29/91	303.00	0.00	0.00
B723995	PT	5ZG	22P	05/29/91	> 1000.0	0.00	0.00
B723995	VE	60S	22P	05/31/91	> 1000.0	0.00	0.00
B723995	YF	5ZN	22P	05/29/91	991.00	0.00	0.00
B723996	PT	5ZG	22P	05/29/91	> 1000.0	0.00	0.00
B723996	VE	60S	22P	05/31/91	> 1000.0	0.00	0.00
B723996	YF	5ZN	22P	05/29/91	> 1000.0	0.00	0.00
B723997	PT	5ZG	22P	05/29/91	358.00	0.00	0.00
B723997	VE	60S	22P	05/31/91	424.00	0.00	0.00
B723997	YF	5ZN	22P	05/29/91	283.00	0.00	0.00
B723998	PT	5ZG	22P	05/29/91	872.00	823.00	1.0
B723998	VE	60S	22P	05/31/91	556.00	0.00	0.00
B723998	YF	5ZN	22P	05/29/91	273.00	0.00	0.00
B723999	PT	5ZG	22P	05/29/91	722.00	0.00	0.00
B723999	VE	60S	22P	05/31/91	> 1000.0	0.00	0.00
B723999	YF	5ZN	22P	05/29/91	> 1000.0	0.00	0.00
B724000	PT	5ZN	22P	05/29/91	796.00	0.00	0.00
B724000	VE	60T	22P	05/31/91	> 1000.0	0.00	0.00
B724000	YF	5ZO	22P	05/29/91	663.00	0.00	0.00
B724001	PT	5ZN	22P	05/29/91	> 1000.0	593.00 >	1.69
B724001	VE	60T	22P	05/31/91	> 1000.0	0.00	0.00
B724001	YF	5ZO	22P	05/29/91	881.00	0.00	0.00
B724002	PT	5ZN	22P	05/29/91	771.00	0.00	0.00
B724002	VE	60T	22P	05/31/91	> 1000.0	0.00	0.00
B724002	YF	5ZO	22P	05/29/91	899.00	0.00	0.00
B724003	PT	5ZN	22P	05/29/91	288.00	0.00	0.00
B724003	VE	60T	22P	05/31/91	330.00	0.00	0.00
B724003	YF	5ZO	22P	05/29/91	291.00	0.00	0.00
B724004	PT	5ZN	22P	05/29/91	753.00	836.00	0.90
B724004	VE	60T	22P	05/31/91	570.00	0.00	0.00
B724004	YF	5ZP	22P	05/29/91	291.00	0.00	0.00
B724005	PT	5ZI	22P	05/29/91	> 1000.0	0.00	0.00
B724005	VE	60U	22P	05/31/91	> 1000.0	0.00	0.00
B724005	YF	5ZP	22P	05/29/91	> 1000.0	0.00	0.00
B724006	PT	5ZI	22P	05/29/91	309.00	0.00	0.00
B724006	VE	60U	22P	05/31/91	451.00	0.00	0.00
B724006	YF	5ZP	22P	05/29/91	314.00	0.00	0.00
B724007	PT	5ZI	22P	05/29/91	> 1000.0	0.00	0.00
B724007	VE	60U	22P	05/31/91	> 1000.0	0.00	0.00
B724007	YF	5ZP	22P	05/29/91	> 1000.0	0.00	0.00
B724008	PT	5ZI	22P	05/29/91	41.80	0.00	0.00
B724008	VE	60U	22P	05/31/91	32.90	0.00	0.00
B724008	YF	5ZP	22P	05/29/91	36.40	0.00	0.00
B724009	PT	5ZI	22P	05/29/91	449.00	0.00	0.00
B724009	VE	60U	22P	05/31/91	> 1000.0	0.00	0.00
B724009	YF	5ZQ	22P	05/29/91	> 1000.0	0.00	0.00
B724010	PT	5ZJ	22P	05/29/91	> 1000.0	0.00	0.00
B724010	VE	60V	22P	05/31/91	> 1000.0	489.00 >	2.04
B724010	YF	5ZQ	22P	05/29/91	454.00	0.00	0.00
B724011	PT	5ZJ	22P	05/29/91	> 1000.0	0.00	0.00
B724011	VE	60V	22P	05/31/91	> 1000.0	0.00	0.00
B724011	YF	5ZQ	22P	05/29/91	> 1000.0	0.00	0.00
B724012	PT	5ZJ	22P	05/29/91	> 1000.0	0.00	0.00
B724012	VE	60V	22P	05/31/91	> 1000.0	0.00	0.00
B724012	YF	5ZQ	22P	05/29/91	628.00	0.00	0.00
B724013	PT	5ZJ	22P	05/29/91	439.00	0.00	0.00
B724013	VE	60V	22P	05/31/91	327.00	0.00	0.00
B724013	YF	5ZQ	22P	05/29/91	318.00	0.00	0.00
B724014	PT	5ZJ	22P	05/29/91	326.00	0.00	0.00
B724014	VE	60V	22P	05/31/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8724014	YF	5ZR	22P	05/29/91	382.00	0.00	0.00
8724015	PT	5ZK	22P	05/29/91	573.00	0.00	0.00
8724015	VE	60W	22P	05/31/91	> 1000.0	449.00 >	2.23
8724015	YF	5Z0	22P	05/29/91	482.00	0.00	0.00
8724016	PT	600	22P	05/30/91	> 1000.0	0.00	0.00
8724016	VE	5ZS	22P	05/31/91	937.00	0.00	0.00
8724016	YF	606	22P	05/30/91	325.00	0.00	0.00
8724017	PT	600	22P	05/30/91	257.00	0.00	0.00
8724017	VE	5ZS	22P	05/31/91	325.00	0.00	0.00
8724017	YF	606	22P	05/30/91	319.00	0.00	0.00
8724018	PT	600	22P	05/30/91	256.00	0.00	0.00
8724018	VE	5ZS	22P	05/31/91	116.00	0.00	0.00
8724018	YF	606	22P	05/30/91	288.00	0.00	0.00
8724019	PT	600	22P	05/30/91	0.72	0.00	0.00
8724019	VE	5ZS	22P	05/31/91	336.00	0.00	0.00
8724019	YF	606	22P	05/30/91	138.00	0.00	0.00
8724020	PT	60E	22P	05/30/91	19.40	0.00	0.00
8724020	VE	5ZT	22P	05/31/91	407.00	0.00	0.00
8724020	YF	607	22P	05/30/91	144.00	0.00	0.00
8724021	PT	60E	22P	05/30/91	277.00	0.00	0.00
8724021	VE	5ZT	22P	05/31/91	927.00	0.00	0.00
8724021	YF	607	22P	05/30/91	757.00	0.00	0.00
8724022	PT	60E	22P	05/30/91	590.00	0.00	0.00
8724022	VE	5ZT	22P	05/31/91	> 1000.0	0.00	0.00
8724022	YF	607	22P	05/30/91	> 1000.0	0.00	0.00
8724023	PT	60E	22P	05/30/91	147.00	0.00	0.00
8724023	VE	5ZT	22P	05/31/91	329.00	0.00	0.00
8724023	YF	607	22P	05/30/91	260.00	0.00	0.00
8724024	PT	60E	22P	05/30/91	0.87	0.00	0.00
8724024	VE	5ZT	22P	05/31/91	573.00	0.00	0.00
8724024	YF	607	22P	05/30/91	521.00	0.00	0.00
8724025	PT	60F	22P	05/30/91	673.00	0.00	0.00
8724025	VE	5ZU	22P	05/31/91	> 1000.0	911.00 >	1.10
8724025	YF	608	22P	05/30/91	> 1000.0	0.00	0.00
8724026	PT	60F	22P	05/30/91	14.60	0.00	0.00
8724026	VE	5ZU	22P	05/31/91	347.00	0.00	0.00
8724026	YF	608	22P	05/30/91	57.30	0.00	0.00
8724027	PT	60F	22P	05/30/91	192.00	0.00	0.00
8724027	VE	5ZU	22P	05/31/91	330.00	0.00	0.00
8724027	YF	608	22P	05/30/91	212.00	0.00	0.00
8724028	PT	60F	22P	05/30/91	114.00	0.00	0.00
8724028	VE	5ZU	22P	05/31/91	293.00	0.00	0.00
8724028	YF	608	22P	05/30/91	238.00	0.00	0.00
8724029	PT	60F	22P	05/30/91	0.71	0.00	0.00
8724029	VE	5ZU	22P	05/31/91	> 1000.0	0.00	0.00
8724029	YF	608	22P	05/30/91	833.00	0.00	0.00
8724030	PT	60G	22P	05/30/91	212.00	0.00	0.00
8724030	VE	5ZV	22P	05/31/91	466.00	0.00	0.00
8724030	YF	609	22P	05/30/91	442.00	0.00	0.00
8724031	PT	60G	22P	05/30/91	437.00	0.00	0.00
8724031	VE	5ZV	22P	05/31/91	895.00	0.00	0.00
8724031	YF	609	22P	05/30/91	957.00	0.00	0.00
8724032	PT	60G	22P	05/30/91	328.00	0.00	0.00
8724032	VE	5ZV	22P	05/31/91	445.00	0.00	0.00
8724032	YF	609	22P	05/30/91	348.00	0.00	0.00
8724033	PT	60G	22P	05/30/91	231.00	0.00	0.00
8724033	VE	5ZV	22P	05/31/91	> 1000.0	0.00	0.00
8724033	YF	609	22P	05/30/91	> 1000.0	0.00	0.00
8724034	PT	60G	22P	05/30/91	0.92	0.00	0.00
8724034	VE	5ZV	22P	05/31/91	> 1000.0	0.00	0.00
8724034	YF	609	22P	05/30/91	891.00	0.00	0.00
8724035	PT	60H	22P	05/30/91	296.00	0.00	0.00
8724035	VE	5ZW	22P	05/31/91	629.00	0.00	0.00
8724035	YF	60A	22P	05/30/91	375.00	0.00	0.00
8724036	PT	60H	22P	05/30/91	170.00	0.00	0.00
8724036	VE	5ZW	22P	05/31/91	696.00	0.00	0.00
8724036	YF	60A	22P	05/30/91	905.00	0.00	0.00
8724037	PT	60H	22P	05/30/91	325.00	0.00	0.00
8724037	VE	5ZW	22P	05/31/91	325.00	0.00	0.00
8724037	YF	60A	22P	05/30/91	327.00	0.00	0.00
8724038	PT	60H	22P	05/30/91	116.00	0.00	0.00
8724038	VE	5ZW	22P	05/31/91	289.00	0.00	0.00
8724038	YF	60A	22P	05/30/91	114.00	0.00	0.00
8724039	PT	60H	22P	05/30/91	< 1.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724039	VE	5ZW	22P	05/31/91	333.00	0.00	0.00
B724039	YF	60A	22P	05/30/91	106.00	0.00	0.00
B724040	PT	601	22P	05/30/91	264.00	0.00	0.00
B724040	VE	5ZX	22P	05/31/91	> 1000.0	870.00	> 1.15
B724040	YF	608	22P	05/30/91	205.00	0.00	0.00
B724041	PT	601	22P	05/30/91	122.00	0.00	0.00
B724041	VE	5ZX	22P	05/31/91	422.00	0.00	0.00
B724041	YF	608	22P	05/30/91	226.00	0.00	0.00
B724042	PT	601	22P	05/30/91	493.00	0.00	0.00
B724042	VE	5ZX	22P	05/31/91	533.00	0.00	0.00
B724042	YF	608	22P	05/30/91	581.00	0.00	0.00
B724043	PT	601	22P	05/30/91	8.02	0.00	0.00
B724043	VE	5ZX	22P	05/31/91	103.00	0.00	0.00
B724043	YF	608	22P	05/30/91	33.80	0.00	0.00
B724044	PT	601	22P	05/30/91	< 1.00	0.00	0.00
B724044	VE	5ZX	22P	05/31/91	54.50	0.00	0.00
B724044	YF	608	22P	05/30/91	15.80	0.00	0.00
B724045	PT	60J	22P	05/30/91	3.67	9.21	0.40
B724045	VE	5ZY	22P	05/31/91	48.60	0.00	0.00
B724045	YF	60C	22P	05/30/91	15.50	0.00	0.00
B724046	PT	60X	22P	05/31/91	0.58	0.00	0.00
B724046	VE	5ZZ	22P	05/31/91	352.00	0.00	0.00
B724046	YF	614	22P	05/31/91	190.00	0.00	0.00
B724047	PT	60X	22P	05/31/91	642.00	0.00	0.00
B724047	VE	5ZZ	22P	05/31/91	256.00	0.00	0.00
B724047	YF	614	22P	05/31/91	580.00	0.00	0.00
B724048	PT	4TS	19P	04/17/91	405.00	0.00	0.00
B724048	VE	4SY	19P	04/19/91	136.00	0.00	0.00
B724048	YF	4TY	19P	04/17/91	562.00	0.00	0.00
B724049	PT	4TT	19P	04/17/91	45.80	0.00	0.00
B724049	VE	4SZ	19P	04/19/91	123.00	0.00	0.00
B724049	YF	4TZ	19P	04/17/91	180.00	0.00	0.00
B724050	PT	4TT	19P	04/17/91	32.70	0.00	0.00
B724050	VE	4SZ	19P	04/19/91	32.50	0.00	0.00
B724050	YF	4TZ	19P	04/17/91	32.50	0.00	0.00
B724051	PT	4TT	19P	04/17/91	313.00	0.00	0.00
B724051	VE	4SZ	19P	04/19/91	466.00	0.00	0.00
B724051	YF	4TZ	19P	04/17/91	438.00	0.00	0.00
B724052	PT	4TT	19P	04/17/91	276.00	0.00	0.00
B724052	VE	4SZ	19P	04/19/91	234.00	0.00	0.00
B724052	YF	4TZ	19P	04/17/91	285.00	0.00	0.00
B724053	PT	4TT	19P	04/17/91	> 1000.0	0.00	0.00
B724053	VE	4SZ	19P	04/19/91	> 1000.0	0.00	0.00
B724053	YF	4TZ	19P	04/17/91	> 1000.0	0.00	0.00
B724054	PT	4TU	19P	04/17/91	396.00	0.00	0.00
B724054	VE	4TO	19P	04/19/91	479.00	0.00	0.00
B724054	YF	4U0	19P	04/17/91	380.00	0.00	0.00
B724055	PT	4TU	19P	04/17/91	460.00	0.00	0.00
B724055	VE	4TO	19P	04/19/91	819.00	0.00	0.00
B724055	YF	4U0	19P	04/17/91	701.00	0.00	0.00
B724056	PT	4TU	19P	04/17/91	443.00	0.00	0.00
B724056	VE	4TO	19P	04/19/91	799.00	0.00	0.00
B724056	YF	4U0	19P	04/17/91	568.00	0.00	0.00
B724057	PT	4TU	19P	04/17/91	3.38	0.00	0.00
B724057	VE	4TO	19P	04/19/91	7.81	0.00	0.00
B724057	YF	4U0	19P	04/17/91	30.00	0.00	0.00
B724058	PT	4TU	19P	04/17/91	551.00	0.00	0.00
B724058	VE	4TO	19P	04/19/91	995.00	0.00	0.00
B724058	YF	4U0	19P	04/17/91	> 1000.0	0.00	0.00
B724059	PT	4TV	19P	04/17/91	766.00	0.00	0.00
B724059	VE	4T1	19P	04/19/91	> 1000.0	0.00	0.00
B724059	YF	4U1	19P	04/17/91	913.00	0.00	0.00
B724060	PT	4U8	19P	04/18/91	186.00	0.00	0.00
B724060	VE	4T2	19P	04/19/91	65.60	0.00	0.00
B724060	YF	4U2	19P	04/18/91	167.00	0.00	0.00
B724061	PT	4U8	19P	04/18/91	411.00	0.00	0.00
B724061	VE	4T2	19P	04/19/91	577.00	0.00	0.00
B724061	YF	4U2	19P	04/18/91	421.00	0.00	0.00
B724062	PT	4U8	19P	04/18/91	> 1000.0	0.00	0.00
B724062	VE	4T2	19P	04/19/91	> 1000.0	0.00	0.00
B724062	YF	4U2	19P	04/18/91	> 1000.0	3.00	> 333.16
B724063	PT	4U8	19P	04/18/91	> 1000.0	0.00	0.00
B724063	VE	4T2	19P	04/19/91	> 1000.0	0.00	0.00
B724063	YF	4U2	19P	04/18/91	> 1000.0	4.22	> 237.17

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724064	PT	4U9	19P	04/18/91	51.80	0.00	0.00
B724064	VE	4T3	19P	04/19/91	53.20	0.00	0.00
B724064	YF	4U3	19P	04/18/91	48.70	0.00	0.00
B724065	PT	4U9	19P	04/18/91	484.00	0.00	0.00
B724065	VE	4T3	19P	04/19/91	> 1000.0	0.00	0.00
B724065	YF	4U3	19P	04/18/91	474.00	0.00	0.00
B724066	PT	4U9	19P	04/18/91	32.50	0.00	0.00
B724066	VE	4T3	19P	04/19/91	33.50	0.00	0.00
B724066	YF	4U3	19P	04/18/91	32.50	0.00	0.00
B724067	PT	4U9	19P	04/18/91	> 1000.0	0.00	0.00
B724067	VE	4T3	19P	04/19/91	> 1000.0	0.00	0.00
B724067	YF	4U3	19P	04/18/91	> 1000.0	0.00	0.00
B724068	PT	4U9	19P	04/18/91	26.50	0.00	0.00
B724068	VE	4T3	19P	04/19/91	51.30	0.00	0.00
B724068	YF	4U3	19P	04/18/91	43.70	0.00	0.00
B724069	PT	4UA	19P	04/18/91	755.00	0.00	0.00
B724069	VE	4T4	19P	04/19/91	> 1000.0	0.00	0.00
B724069	YF	4U4	19P	04/18/91	877.00	0.00	0.00
B724070	PT	4UA	19P	04/18/91	269.00	0.00	0.00
B724070	VE	4T4	19P	04/19/91	> 1000.0	0.00	0.00
B724070	YF	4U4	19P	04/18/91	261.00	0.00	0.00
B724071	PT	4UA	19P	04/18/91	479.00	0.00	0.00
B724071	VE	4T4	19P	04/19/91	637.00	0.00	0.00
B724071	YF	4U4	19P	04/18/91	519.00	0.00	0.00
B724072	PT	4UA	19P	04/18/91	325.00	0.00	0.00
B724072	VE	4T4	19P	04/19/91	55.70	0.00	0.00
B724072	YF	4U4	19P	04/18/91	307.00	0.00	0.00
B724073	PT	4UA	19P	04/18/91	726.00	0.00	0.00
B724073	VE	4T4	19P	04/19/91	> 1000.0	0.00	0.00
B724073	YF	4U4	19P	04/18/91	770.00	0.00	0.00
B724074	PT	4UB	19P	04/18/91	39.80	0.00	0.00
B724074	VE	4T5	19P	04/19/91	46.90	0.00	0.00
B724074	YF	4U5	19P	04/18/91	45.40	0.00	0.00
B724075	PT	4UB	19P	04/18/91	605.00	0.00	0.00
B724075	VE	4T5	19P	04/19/91	> 1000.0	0.00	0.00
B724075	YF	4U5	19P	04/18/91	> 1000.0	0.00	0.00
B724076	PT	4UB	19P	04/18/91	860.00	0.00	0.00
B724076	VE	4T5	19P	04/19/91	> 1000.0	0.00	0.00
B724076	YF	4U5	19P	04/18/91	> 1000.0	0.00	0.00
B724077	PT	4UB	19P	04/18/91	351.00	0.00	0.00
B724077	VE	4T5	19P	04/19/91	420.00	0.00	0.00
B724077	YF	4U5	19P	04/18/91	233.00	0.00	0.00
B724078	PT	4UB	19P	04/18/91	429.00	0.00	0.00
B724078	VE	4T5	19P	04/19/91	601.00	895.00	0.67
B724078	YF	4U5	19P	04/18/91	406.00	0.00	0.00
B724079	PT	4UC	19P	04/18/91	325.00	0.00	0.00
B724079	VE	4T6	19P	04/19/91	204.00	0.00	0.00
B724079	YF	4U6	19P	04/18/91	282.00	0.00	0.00
B724080	PT	4UC	19P	04/18/91	327.00	0.00	0.00
B724080	VE	4T6	19P	04/19/91	359.00	0.00	0.00
B724080	YF	4U6	19P	04/18/91	310.00	0.00	0.00
B724081	PT	4UC	19P	04/18/91	495.00	0.00	0.00
B724081	VE	4T6	19P	04/19/91	> 1000.0	0.00	0.00
B724081	YF	4U6	19P	04/18/91	537.00	0.00	0.00
B724082	PT	4UC	19P	04/18/91	531.00	0.00	0.00
B724082	VE	4T6	19P	04/19/91	832.00	0.00	0.00
B724082	YF	4U6	19P	04/18/91	815.00	0.00	0.00
B724083	PT	4UC	19P	04/18/91	325.00	0.00	0.00
B724083	VE	4T6	19P	04/19/91	263.00	0.00	0.00
B724083	YF	4U6	19P	04/18/91	326.00	0.00	0.00
B724084	PT	4UD	19P	04/18/91	116.00	0.00	0.00
B724084	VE	4T7	19P	04/19/91	124.00	0.00	0.00
B724084	YF	4U7	19P	04/18/91	167.00	0.00	0.00
B724085	PT	4UE	19P	04/19/91	244.00	0.00	0.00
B724085	VE	4T8	19P	04/19/91	226.00	0.00	0.00
B724085	YF	4UK	19P	04/19/91	277.00	0.00	0.00
B724086	PT	4UE	19P	04/19/91	325.00	0.00	0.00
B724086	VE	4T8	19P	04/19/91	249.00	0.00	0.00
B724086	YF	4UK	19P	04/19/91	33.00	0.00	0.00
B724087	PT	4UE	19P	04/19/91	9.64	0.00	0.00
B724087	VE	4T8	19P	04/19/91	47.20	0.00	0.00
B724087	YF	4UK	19P	04/19/91	29.70	0.00	0.00
B724088	PT	4UE	19P	04/19/91	272.00	0.00	0.00
B724088	VE	4T8	19P	04/19/91	626.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724088	YF	4UK	19P	04/19/91	230.00	0.00	0.00
B724089	PT	4UF	19P	04/19/91	242.00	0.00	0.00
B724089	VE	4T9	19P	04/19/91	71.70	0.00	0.00
B724089	YF	4UL	19P	04/19/91	103.00	0.00	0.00
B724090	PT	4UF	19P	04/19/91	324.00	0.00	0.00
B724090	VE	4T9	19P	04/19/91	334.00	0.00	0.00
B724090	YF	4UL	19P	04/19/91	325.00	0.00	0.00
B724091	PT	4UF	19P	04/19/91	> 1000.0	0.00	0.00
B724091	VE	4T9	19P	04/19/91	> 1000.0	0.00	0.00
B724091	YF	4UL	19P	04/19/91	> 1000.0	0.00	0.00
B724092	PT	4UF	19P	04/19/91	350.00	0.00	0.00
B724092	VE	4T9	19P	04/19/91	362.00	0.00	0.00
B724092	YF	4UL	19P	04/19/91	338.00	0.00	0.00
B724093	PT	4UF	19P	04/19/91	319.00	0.00	0.00
B724093	VE	4T9	19P	04/19/91	372.00	0.00	0.00
B724093	YF	4UL	19P	04/19/91	325.00	0.00	0.00
B724094	PT	4UG	19P	04/19/91	336.00	0.00	0.00
B724094	VE	4TA	19P	04/19/91	> 1000.0	0.00	0.00
B724094	YF	4UM	19P	04/19/91	333.00	0.00	0.00
B724095	PT	4UG	19P	04/19/91	312.00	0.00	0.00
B724095	VE	4TA	19P	04/19/91	507.00	0.00	0.00
B724095	YF	4UK	19P	04/19/91	326.00	0.00	0.00
B724096	PT	4UG	19P	04/19/91	321.00	0.00	0.00
B724096	VE	4TA	19P	04/19/91	102.00	0.00	0.00
B724096	YF	4UM	19P	04/19/91	297.00	0.00	0.00
B724097	PT	4UG	19P	04/19/91	308.00	0.00	0.00
B724097	VE	4TA	19P	04/19/91	325.00	0.00	0.00
B724097	YF	4UM	19P	04/19/91	325.00	0.00	0.00
B724098	PT	4UG	19P	04/19/91	> 1000.0	0.00	0.00
B724098	VE	4TA	19P	04/19/91	> 1000.0	0.00	0.00
B724098	YF	4UM	19P	04/19/91	> 1000.0	0.00	0.00
B724099	PT	4UH	19P	04/19/91	> 1000.0	0.00	0.00
B724099	VE	4TB	19P	04/19/91	0.84	0.00	0.00
B724099	YF	4UM	19P	04/19/91	> 1000.0	0.00	0.00
B724100	PT	4UH	19P	04/19/91	> 1000.0	0.00	0.00
B724100	VE	4TB	19P	04/19/91	> 1000.0	0.00	0.00
B724100	YF	4UM	19P	04/19/91	826.00	0.00	0.00
B724101	PT	4UH	19P	04/19/91	298.00	0.00	0.00
B724101	VE	4TB	19P	04/19/91	325.00	0.00	0.00
B724101	YF	4UM	19P	04/19/91	325.00	0.00	0.00
B724102	PT	4UH	19P	04/19/91	325.00	0.00	0.00
B724102	VE	4TB	19P	04/19/91	325.00	0.00	0.00
B724102	YF	4UM	19P	04/19/91	261.00	0.00	0.00
B724103	PT	4UH	19P	04/19/91	175.00	0.00	0.00
B724103	VE	4TB	19P	04/19/91	39.80	0.00	0.00
B724103	YF	4UM	19P	04/19/91	189.00	0.00	0.00
B724104	PT	4UI	19P	04/19/91	> 1000.0	0.00	0.00
B724104	VE	4TC	19P	04/19/91	0.83	0.00	0.00
B724104	YF	4UO	19P	04/19/91	> 1000.0	0.00	0.00
B724105	PT	4UI	19P	04/19/91	166.00	0.00	0.00
B724105	VE	4TC	19P	04/19/91	330.00	0.00	0.00
B724105	YF	4UO	19P	04/19/91	325.00	0.00	0.00
B724106	PT	4UI	19P	04/19/91	292.00	0.00	0.00
B724106	VE	4TC	19P	04/19/91	339.00	0.00	0.00
B724106	YF	4UO	19P	04/19/91	329.00	0.00	0.00
B724107	PT	4UI	19P	04/19/91	331.00	0.00	0.00
B724107	VE	4TC	19P	04/19/91	324.00	0.00	0.00
B724107	YF	4UO	19P	04/19/91	325.00	0.00	0.00
B724108	PT	4UI	19P	04/19/91	> 1000.0	883.00 >	1.13
B724108	VE	4TC	19P	04/19/91	> 1000.0	0.00	0.00
B724108	YF	4UO	19P	04/19/91	> 1000.0	0.00	0.00
B724109	PT	4UJ	19P	04/19/91	325.00	0.00	0.00
B724109	VE	4TD	19P	04/19/91	330.00	0.00	0.00
B724109	YF	4UP	19P	04/19/91	325.00	0.00	0.00
B724110	PT	4XW	19P	04/23/91	293.00	0.00	0.00
B724110	VE	4X2	19P	04/26/91	51.40	0.00	0.00
B724110	YF	4XQ	19P	04/23/91	162.00	0.00	0.00
B724111	PT	4XW	19P	04/23/91	> 1000.0	0.00	0.00
B724111	VE	4X2	19P	04/26/91	> 1000.0	315.00 >	3.17
B724111	YF	4XQ	19P	04/23/91	> 1000.0	0.00	0.00
B724112	PT	4XW	19P	04/23/91	> 1000.0	0.00	0.00
B724112	VE	4X2	19P	04/26/91	> 1000.0	0.00	0.00
B724112	YF	4XQ	19P	04/23/91	> 1000.0	0.00	0.00
B724113	PT	4XW	19P	04/23/91	452.00	737.00	0.61

Prescreen Total Experience (Cont'd)

DRUG #	Vik	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8724113	VE	4X2	19P	04/26/91	> 1000.0	412.00 >	2.43
8724113	YF	4XQ	19P	04/23/91	431.00	0.00	0.00
8724114	PT	4XX	19P	04/23/91	325.00	0.00	0.00
8724114	VE	4X3	19P	04/26/91	> 1000.0	329.00 >	3.04
8724114	YF	4XR	19P	04/23/91	325.00	0.00	0.00
8724115	PT	4XX	19P	04/23/91	> 1000.0	0.00	0.00
8724115	VE	4X3	19P	04/26/91	759.00	0.00	0.00
8724115	YF	4XR	19P	04/23/91	> 1000.0	0.00	0.00
8724116	PT	4XX	19P	04/23/91	> 1000.0	0.00	0.00
8724116	VE	4X3	19P	04/26/91	311.00	0.00	0.00
8724116	YF	4XR	19P	04/23/91	365.00	0.00	0.00
8724117	PT	4XX	19P	04/23/91	325.00	0.00	0.00
8724117	VE	4X3	19P	04/26/91	206.00	0.00	0.00
8724117	YF	4XR	19P	04/23/91	325.00	0.00	0.00
8724119	PT	4XX	19P	04/23/91	252.00	0.00	0.00
8724119	VE	4X3	19P	04/26/91	148.00	0.00	0.00
8724119	YF	4XR	19P	04/23/91	325.00	0.00	0.00
8724120	PT	4XY	19P	04/23/91	377.00	0.00	0.00
8724120	VE	4X4	19P	04/26/91	544.00	0.00	0.00
8724120	YF	4XS	19P	04/23/91	325.00	0.00	0.00
8724121	PT	4XY	19P	04/23/91	> 1000.0	0.00	0.00
8724121	VE	4X4	19P	04/26/91	> 1000.0	0.00	0.00
8724121	YF	4XS	19P	04/23/91	> 1000.0	0.00	0.00
8724122	PT	4XY	19P	04/23/91	> 1000.0	0.00	0.00
8724122	VE	4X4	19P	04/26/91	> 1000.0	0.00	0.00
8724122	YF	4XS	19P	04/23/91	822.00	0.00	0.00
8724123	PT	4XY	19P	04/23/91	381.00	0.00	0.00
8724123	VE	4X4	19P	04/26/91	> 1000.0	0.00	0.00
8724123	YF	4XS	19P	04/23/91	314.00	0.00	0.00
8724124	PT	4XY	19P	04/23/91	> 1000.0	0.00	0.00
8724124	VE	4X4	19P	04/26/91	303.00	0.00	0.00
8724124	YF	4XS	19P	04/23/91	325.00	0.00	0.00
8724125	PT	4XZ	19P	04/23/91	> 1000.0	0.00	0.00
8724125	VE	4X5	19P	04/26/91	325.00	0.00	0.00
8724125	YF	4XT	19P	04/23/91	> 1000.0	0.00	0.00
8724126	PT	4XZ	19P	04/23/91	271.00	0.00	0.00
8724126	VE	4X5	19P	04/26/91	> 1000.0	0.00	0.00
8724126	YF	4XT	19P	04/23/91	309.00	0.00	0.00
8724127	PT	4XZ	19P	04/23/91	> 1000.0	0.00	0.00
8724127	VE	4X5	19P	04/26/91	314.00	0.00	0.00
8724127	YF	4XT	19P	04/23/91	> 1000.0	0.00	0.00
8724128	PT	4XZ	19P	04/23/91	325.00	0.00	0.00
8724128	VE	4X5	19P	04/26/91	> 1000.0	0.00	0.00
8724128	YF	4XT	19P	04/23/91	326.00	0.00	0.00
8724129	PT	4XZ	19P	04/23/91	845.00	0.00	0.00
8724129	VE	4X5	19P	04/26/91	325.00	0.00	0.00
8724129	YF	4XT	19P	04/23/91	393.00	0.00	0.00
8724130	PT	4Y0	19P	04/23/91	> 1000.0	0.00	0.00
8724130	VE	4X6	19P	04/26/91	> 1000.0	0.00	0.00
8724130	YF	4XU	19P	04/23/91	> 1000.0	42.40 >	23.57
8724131	PT	4Y0	19P	04/23/91	129.00	82.40	1.57
8724131	VE	4X6	19P	04/26/91	44.20	0.00	0.00
8724131	YF	4XU	19P	04/23/91	46.80	0.00	0.00
8724132	PT	4Y0	19P	04/23/91	> 1000.0	0.00	0.00
8724132	VE	4X6	19P	04/26/91	> 1000.0	0.00	0.00
8724132	YF	4XU	19P	04/23/91	428.00	0.00	0.00
8724133	PT	4Y0	19P	04/23/91	325.00	0.00	0.00
8724133	VE	4X6	19P	04/26/91	> 1000.0	0.00	0.00
8724133	YF	4XU	19P	04/23/91	325.00	0.00	0.00
8724134	PT	4Y0	19P	04/23/91	> 1000.0	0.00	0.00
8724134	VE	4X6	19P	04/26/91	> 1000.0	0.00	0.00
8724134	YF	4XU	19P	04/23/91	> 1000.0	0.00	0.00
8724135	PT	4Y1	19P	04/23/91	> 1000.0	0.00	0.00
8724135	VE	4X7	19P	04/26/91	> 1000.0	0.00	0.00
8724135	YF	4XV	19P	04/23/91	590.00	0.00	0.00
8724136	PT	4Y2	19P	04/24/91	197.00	100.00	1.97
8724136	VE	4X8	19P	04/26/91	39.70	0.00	0.00
8724136	YF	4Y8	19P	04/24/91	55.20	0.00	0.00
8724137	PT	4Y2	19P	04/24/91	325.00	0.00	0.00
8724137	VE	4X8	19P	04/26/91	325.00	0.00	0.00
8724137	YF	4Y8	19P	04/24/91	325.00	7.16	45.40
8724138	PT	4Y2	19P	04/24/91	> 1000.0	0.00	0.00
8724138	VE	4X8	19P	04/26/91	> 1000.0	0.00	0.00
8724138	YF	4Y8	19P	04/24/91	955.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724139	PT	4Y2	19P	04/24/91	377.00	0.00	0.00
B724139	VE	4X8	19P	04/26/91	562.00	0.00	0.00
B724139	YF	4Y8	19P	04/24/91	248.00	0.00	0.00
B724140	PT	4Y3	19P	04/24/91	18.20	6.31	2.88
B724140	VE	4X9	19P	04/26/91	17.30	0.00	0.00
B724140	YF	4Y9	19P	04/24/91	18.50	1.84	10.02
B724141	PT	4Y3	19P	04/24/91	289.00	0.00	0.00
B724141	VE	4X9	19P	04/26/91	306.00	0.00	0.00
B724141	YF	4Y9	19P	04/24/91	534.00	0.00	0.00
B724142	PT	4Y3	19P	04/24/91	228.00	0.00	0.00
B724142	VE	4X9	19P	04/26/91	151.00	0.00	0.00
B724142	YF	4Y9	19P	04/24/91	322.00	0.00	0.00
B724143	PT	4Y3	19P	04/24/91	> 1000.0	0.00	0.00
B724143	VE	4X9	19P	04/26/91	794.00	0.00	0.00
B724143	YF	4Y9	19P	04/24/91	785.00	0.00	0.00
B724145	PT	4Y3	19P	04/24/91	> 1000.0	0.00	0.00
B724145	VE	4X9	19P	04/26/91	> 1000.0	0.00	0.00
B724145	YF	4Y9	19P	04/24/91	325.00	87.10	3.73
B724146	PT	4Y4	19P	04/24/91	325.00	0.00	0.00
B724146	VE	4XA	19P	04/26/91	357.00	0.00	0.00
B724146	YF	4YA	19P	04/24/91	231.00	0.00	0.00
B724147	PT	4Y4	19P	04/24/91	> 1000.0	0.00	0.00
B724147	VE	4XA	19P	04/26/91	888.00	0.00	0.00
B724147	YF	4YA	19P	04/24/91	736.00	0.00	0.00
B724148	PT	4Y4	19P	04/24/91	395.00	0.00	0.00
B724148	VE	4XA	19P	04/26/91	460.00	0.00	0.00
B724148	YF	4YA	19P	04/24/91	337.00	0.00	0.00
B724149	PT	4Y4	19P	04/24/91	194.00	0.00	0.00
B724149	VE	4XA	19P	04/26/91	57.50	0.00	0.00
B724149	YF	4YA	19P	04/24/91	40.20	0.00	0.00
B724150	PT	4Y4	19P	04/24/91	325.00	0.00	0.00
B724150	VE	4XA	19P	04/26/91	304.00	0.00	0.00
B724150	YF	4YA	19P	04/24/91	266.00	0.00	0.00
B724151	PT	4Y5	19P	04/24/91	612.00	0.00	0.00
B724151	VE	4XB	19P	04/26/91	147.00	0.00	0.00
B724151	YF	4YB	19P	04/24/91	256.00	0.00	0.00
B724152	PT	4Y5	19P	04/24/91	213.00	0.00	0.00
B724152	VE	4XB	19P	04/26/91	53.70	0.00	0.00
B724152	YF	4YB	19P	04/24/91	48.50	0.00	0.00
B724153	PT	4Y5	19P	04/24/91	569.00	0.00	0.00
B724153	VE	4XB	19P	04/26/91	287.00	0.00	0.00
B724153	YF	4YB	19P	04/24/91	326.00	0.00	0.00
B724154	PT	4Y5	19P	04/24/91	308.00	0.00	0.00
B724154	VE	4XB	19P	04/26/91	43.50	0.00	0.00
B724154	YF	4YB	19P	04/24/91	41.90	0.00	0.00
B724155	PT	4Y5	19P	04/24/91	602.00	0.00	0.00
B724155	VE	4XB	19P	04/26/91	108.00	0.00	0.00
B724155	YF	4YB	19P	04/24/91	326.00	0.00	0.00
B724156	PT	4Y6	19P	04/24/91	> 1000.0	0.00	0.00
B724156	VE	4XC	19P	04/26/91	> 1000.0	0.00	0.00
B724156	YF	4YC	19P	04/24/91	> 1000.0	0.00	0.00
B724157	PT	4Y6	19P	04/24/91	759.00	0.00	0.00
B724157	VE	4XC	19P	04/26/91	76.70	0.00	0.00
B724157	YF	4YC	19P	04/24/91	536.00	0.00	0.00
B724158	PT	4Y6	19P	04/24/91	268.00	0.00	0.00
B724158	VE	4XC	19P	04/26/91	229.00	0.00	0.00
B724158	YF	4YC	19P	04/24/91	326.00	0.00	0.00
B724159	PT	4Y6	19P	04/24/91	175.00	0.00	0.00
B724159	VE	4XC	19P	04/26/91	56.40	0.00	0.00
B724159	YF	4YC	19P	04/24/91	41.40	0.00	0.00
B724160	PT	4Y6	19P	04/24/91	319.00	0.00	0.00
B724160	VE	4XC	19P	04/26/91	3.66	0.00	0.00
B724160	YF	4YC	19P	04/24/91	301.00	0.00	0.00
B724161	PT	4Y7	19P	04/24/91	325.00	0.00	0.00
B724161	VE	4XD	19P	04/26/91	164.00	0.00	0.00
B724161	YF	4YD	19P	04/24/91	145.00	0.00	0.00
B724162	PT	522	19P	04/25/91	148.00	0.00	0.00
B724162	VE	4XE	19P	04/26/91	57.80	0.00	0.00
B724162	YF	51W	19P	04/25/91	8.67	0.00	0.00
B724163	PT	522	19P	04/25/91	9.60	0.00	0.00
B724163	VE	4XE	19P	04/26/91	7.72	0.00	0.00
B724163	YF	51W	19P	04/25/91	13.40	0.00	0.00
B724164	PT	522	19P	04/25/91	> 1000.0	0.00	0.00
B724164	VE	4XE	19P	04/26/91	358.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724164	YF	51W	19P	04/25/91	755.00	0.00	0.00
B724165	PT	522	19P	04/25/91	> 1000.0	0.00	0.00
B724165	VE	4XE	19P	04/26/91	419.00	0.00	0.00
B724165	YF	51W	19P	04/25/91	482.00	0.00	0.00
B724166	PT	523	19P	04/25/91	326.00	0.00	0.00
B724166	VE	4XF	19P	04/26/91	937.00	0.00	0.00
B724166	YF	51X	19P	04/25/91	319.00	0.00	0.00
B724167	PT	523	19P	04/25/91	376.00	0.00	0.00
B724167	VE	4XF	19P	04/26/91	467.00	0.00	0.00
B724167	YF	51X	19P	04/25/91	251.00	0.00	0.00
B724168	PT	523	19P	04/25/91	> 1000.0	0.00	0.00
B724168	VE	4XF	19P	04/26/91	672.00	0.00	0.00
B724168	YF	51X	19P	04/25/91	40.50	0.00	0.00
B724169	PT	523	19P	04/25/91	> 1000.0	0.00	0.00
B724169	VE	4XF	19P	04/26/91	> 1000.0	0.00	0.00
B724169	YF	51X	19P	04/25/91	> 1000.0	0.00	0.00
B724170	PT	523	19P	04/25/91	795.00	0.00	0.00
B724170	VE	4XF	19P	04/26/91	780.00	0.00	0.00
B724170	YF	51X	19P	04/25/91	506.00	0.00	0.00
B724171	PT	524	19P	04/25/91	> 1000.0	0.00	0.00
B724171	VE	4XG	19P	04/26/91	> 1000.0	0.00	0.00
B724171	YF	51Y	19P	04/25/91	> 1000.0	0.00	0.00
B724172	PT	524	19P	04/25/91	616.00	0.00	0.00
B724172	VE	4XG	19P	04/26/91	> 1000.0	0.00	0.00
B724172	YF	51Y	19P	04/25/91	496.00	0.00	0.00
B724173	PT	524	19P	04/25/91	> 1000.0	0.00	0.00
B724173	VE	4XG	19P	04/26/91	933.00	0.00	0.00
B724173	YF	51Y	19P	04/25/91	> 1000.0	0.00	0.00
B724174	PT	524	19P	04/25/91	783.00	0.00	0.00
B724174	VE	4XG	19P	04/26/91	543.00	0.00	0.00
B724174	YF	51Y	19P	04/25/91	454.00	0.00	0.00
B724175	PT	524	19P	04/25/91	52.20	0.00	0.00
B724175	VE	4XG	19P	04/26/91	160.00	0.00	0.00
B724175	YF	51Y	19P	04/25/91	207.00	0.00	0.00
B724176	PT	525	19P	04/25/91	326.00	0.00	0.00
B724176	VE	4XH	19P	04/26/91	217.00	0.00	0.00
B724176	YF	51Z	19P	04/25/91	317.00	0.00	0.00
B724177	PT	525	19P	04/25/91	> 1000.0	0.00	0.00
B724177	VE	4XH	19P	04/26/91	> 1000.0	0.00	0.00
B724177	YF	51Z	19P	04/25/91	627.00	0.00	0.00
B724178	PT	525	19P	04/25/91	283.00	0.00	0.00
B724178	VE	4XH	19P	04/26/91	56.20	0.00	0.00
B724178	YF	51Z	19P	04/25/91	277.00	0.00	0.00
B724179	PT	525	19P	04/25/91	196.00	0.00	0.00
B724179	VE	4XH	19P	04/26/91	48.40	0.00	0.00
B724179	YF	51Z	19P	04/25/91	49.60	0.00	0.00
B724180	PT	525	19P	04/25/91	204.00	0.00	0.00
B724180	VE	4XH	19P	04/26/91	348.00	0.00	0.00
B724180	YF	51Z	19P	04/25/91	394.00	0.00	0.00
B724181	PT	526	19P	04/25/91	531.00	0.00	0.00
B724181	VE	4XI	19P	04/26/91	628.00	663.00	0.95
B724181	YF	520	19P	04/25/91	490.00	0.00	0.00
B724182	PT	526	19P	04/25/91	483.00	0.00	0.00
B724182	VE	4XI	19P	04/26/91	478.00	0.00	0.00
B724182	YF	520	19P	04/25/91	156.00	0.00	0.00
B724183	PT	526	19P	04/25/91	326.00	0.00	0.00
B724183	VE	4XI	19P	04/26/91	65.80	0.00	0.00
B724183	YF	520	19P	04/25/91	304.00	0.00	0.00
B724184	PT	526	19P	04/25/91	56.20	0.00	0.00
B724184	VE	4XI	19P	04/26/91	47.70	0.00	0.00
B724184	YF	520	19P	04/25/91	33.10	0.00	0.00
B724185	PT	526	19P	04/25/91	219.00	0.00	0.00
B724185	VE	4XI	19P	04/26/91	412.00	0.00	0.00
B724185	YF	520	19P	04/25/91	304.00	0.00	0.00
B724186	PT	527	19P	04/25/91	> 1000.0	0.00	0.00
B724186	VE	4XJ	19P	04/26/91	> 1000.0	0.00	0.00
B724186	YF	521	19P	04/25/91	> 1000.0	0.00	0.00
B724187	PT	52W	19P	04/26/91	17.50	5.26	3.33
B724187	VE	4XK	19P	04/26/91	5.78	0.00	0.00
B724187	YF	520	19P	04/26/91	4.30	0.00	0.00
B724188	PT	52W	19P	04/26/91	> 1000.0	0.00	0.00
B724188	VE	4XK	19P	04/26/91	559.00	0.00	0.00
B724188	YF	520	19P	04/26/91	> 1000.0	0.00	0.00
B724189	PT	52W	19P	04/26/91	108.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724189	VE	4XK	19P	04/26/91	19.70	0.00	0.00
B724189	YF	52Q	19P	04/26/91	31.60	0.00	0.00
B724190	PT	52W	19P	04/26/91	> 1000.0	0.00	0.00
B724190	VE	4XK	19P	04/26/91	350.00	0.00	0.00
B724190	YF	52Q	19P	04/26/91	955.00	0.00	0.00
B724191	PT	52X	19P	04/26/91	162.00	0.00	0.00
B724191	VE	4XL	19P	04/26/91	214.00	0.00	0.00
B724191	YF	52R	19P	04/26/91	170.00	0.00	0.00
B724192	PT	52X	19P	04/26/91	> 1000.0	0.00	0.00
B724192	VE	4XL	19P	04/26/91	> 1000.0	0.00	0.00
B724192	YF	52R	19P	04/26/91	683.00	0.00	0.00
B724193	PT	52X	19P	04/26/91	345.00	0.00	0.00
B724193	VE	4XL	19P	04/26/91	523.00	0.00	0.00
B724193	YF	52R	19P	04/26/91	551.00	0.00	0.00
B724194	PT	52X	19P	04/26/91	432.00	0.00	0.00
B724194	VE	4XL	19P	04/26/91	638.00	0.00	0.00
B724194	YF	52R	19P	04/26/91	466.00	0.00	0.00
B724195	PT	52X	19P	04/26/91	> 1000.0	0.00	0.00
B724195	VE	4XL	19P	04/26/91	> 1000.0	0.00	0.00
B724195	YF	52R	19P	04/26/91	> 1000.0	0.00	0.00
B724196	PT	52Y	19P	04/26/91	> 1000.0	0.00	0.00
B724196	VE	4XM	19P	04/26/91	932.00	0.00	0.00
B724196	YF	52S	19P	04/26/91	891.00	0.00	0.00
B724197	PT	52Y	19P	04/26/91	325.00	0.00	0.00
B724197	VE	4XM	19P	04/26/91	189.00	0.00	0.00
B724197	YF	52S	19P	04/26/91	326.00	0.00	0.00
B724198	PT	52Y	19P	04/26/91	588.00	0.00	0.00
B724198	VE	4XM	19P	04/26/91	601.00	0.00	0.00
B724198	YF	52S	19P	04/26/91	445.00	0.00	0.00
B724199	PT	52Y	19P	04/26/91	130.00	0.00	0.00
B724199	VE	4XM	19P	04/26/91	201.00	0.00	0.00
B724199	YF	52S	19P	04/26/91	46.40	0.00	0.00
B724200	PT	52Y	19P	04/26/91	> 1000.0	0.00	0.00
B724200	VE	4XM	19P	04/26/91	> 1000.0	0.00	0.00
B724200	YF	52S	19P	04/26/91	901.00	0.00	0.00
B724201	PT	52Z	19P	04/26/91	645.00	0.00	0.00
B724201	VE	4XN	19P	04/26/91	> 1000.0	0.00	0.00
B724201	YF	52T	19P	04/26/91	445.00	0.00	0.00
B724202	PT	52Z	19P	04/26/91	633.00	814.00	0.78
B724202	VE	4XN	19P	04/26/91	> 1000.0	0.00	0.00
B724202	YF	52T	19P	04/26/91	315.00	0.00	0.00
B724203	PT	52Z	19P	04/26/91	570.00	0.00	0.00
B724203	VE	4XN	19P	04/26/91	546.00	0.00	0.00
B724203	YF	52T	19P	04/26/91	437.00	0.00	0.00
B724204	PT	52Z	19P	04/26/91	> 1000.0	0.00	0.00
B724204	VE	4XN	19P	04/26/91	> 1000.0	0.00	0.00
B724204	YF	52T	19P	04/26/91	> 1000.0	0.00	0.00
B724205	PT	52Z	19P	04/26/91	> 1000.0	0.00	0.00
B724205	VE	4XN	19P	04/26/91	> 1000.0	0.00	0.00
B724205	YF	52T	19P	04/26/91	620.00	0.00	0.00
B724206	PT	530	19P	04/26/91	56.90	0.00	0.00
B724206	VE	4XO	19P	04/26/91	205.00	0.00	0.00
B724206	YF	52U	19P	04/26/91	26.20	0.00	0.00
B724207	PT	530	19P	04/26/91	754.00	0.00	0.00
B724207	VE	4XO	19P	04/26/91	697.00	0.00	0.00
B724207	YF	52U	19P	04/26/91	382.00	0.00	0.00
B724208	PT	530	19P	04/26/91	587.00	0.00	0.00
B724208	VE	4XO	19P	04/26/91	> 1000.0	0.00	0.00
B724208	YF	52U	19P	04/26/91	264.00	0.00	0.00
B724209	PT	530	19P	04/26/91	606.00	0.00	0.00
B724209	VE	4XO	19P	04/26/91	394.00	0.00	0.00
B724209	YF	52U	19P	04/26/91	206.00	0.00	0.00
B724210	PT	530	19P	04/26/91	> 1000.0	763.00	> 1.31
B724210	VE	4XO	19P	04/26/91	> 1000.0	586.00	> 1.71
B724210	YF	52U	19P	04/26/91	577.00	0.00	0.00
B724211	PT	531	19P	04/26/91	415.00	0.00	0.00
B724211	VE	4XP	19P	04/26/91	589.00	0.00	0.00
B724211	YF	52V	19P	04/26/91	248.00	0.00	0.00
B724212	PT	56W	19P	04/30/91	778.00	0.00	0.00
B724212	VE	56E	19P	05/03/91	> 1000.0	0.00	0.00
B724212	YF	56Q	19P	04/30/91	81.00	0.00	0.00
B724213	PT	56W	19P	04/30/91	32.60	0.00	0.00
B724213	VE	56E	19P	05/03/91	32.00	0.00	0.00
B724213	YF	56Q	19P	04/30/91	32.60	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724214	PT	56W	19P	04/30/91	536.00	0.00	0.00
B724214	VE	56E	19P	05/03/91	559.00	0.00	0.00
B724214	YF	56Q	19P	04/30/91	265.00	0.00	0.00
B724215	PT	56W	19P	04/30/91	> 1000.0	0.00	0.00
B724215	VE	56E	19P	05/03/91	> 1000.0	0.00	0.00
B724215	YF	56Q	19P	04/30/91	> 1000.0	0.00	0.00
B724216	PT	56X	19P	04/30/91	557.00	0.00	0.00
B724216	VE	56F	19P	05/03/91	383.00	0.00	0.00
B724216	YF	56R	19P	04/30/91	67.20	0.00	0.00
B724217	PT	56X	19P	04/30/91	504.00	0.00	0.00
B724217	VE	56F	19P	05/03/91	522.00	0.00	0.00
B724217	YF	56R	19P	04/30/91	230.00	0.00	0.00
B724218	PT	56X	19P	04/30/91	290.00	0.00	0.00
B724218	VE	56F	19P	05/03/91	328.00	0.00	0.00
B724218	YF	56R	19P	04/30/91	159.00	0.00	0.00
B724219	PT	56X	19P	04/30/91	> 1000.0	1000.0 >	1.00
B724219	VE	56F	19P	05/03/91	> 1000.0	347.00 >	2.88
B724219	YF	56R	19P	04/30/91	754.00	0.00	0.00
B724220	PT	56X	19P	04/30/91	> 1000.0	0.00	0.00
B724220	VE	56F	19P	05/03/91	> 1000.0	0.00	0.00
B724220	YF	56R	19P	04/30/91	> 1000.0	0.00	0.00
B724221	PT	56Y	19P	04/30/91	> 1000.0	0.00	0.00
B724221	VE	56G	19P	05/03/91	> 1000.0	836.00 >	1.20
B724221	YF	56S	19P	04/30/91	> 1000.0	0.00	0.00
B724222	PT	56Y	19P	04/30/91	325.00	0.00	0.00
B724222	VE	56G	19P	05/03/91	213.00	0.00	0.00
B724222	YF	56S	19P	04/30/91	48.00	0.00	0.00
B724223	PT	56Y	19P	04/30/91	> 1000.0	0.00	0.00
B724223	VE	56G	19P	05/03/91	938.00	0.00	0.00
B724223	YF	56S	19P	04/30/91	522.00	0.00	0.00
B724224	PT	56Y	19P	04/30/91	379.00	0.00	0.00
B724224	VE	56G	19P	05/03/	[illegible]	661.00	0.46
B724224	YF	56S	19P	04/30	[illegible]	0.00	0.00
B724225	PT	56Y	19P	04/3	[illegible]	0.00	0.00
B724225	VE	56G	19P	05/0	[illegible]	0.00	0.00
B724225	YF	56S	19P	04/30	[illegible]	0.00	0.00
B724226	PT	56Z	19P	04/30/	[illegible]	0.00	0.00
B724226	VE	56M	19P	05/03/91	[illegible].0	0.00	0.00
B724226	YF	56T	19P	04/30/91	912.00	0.00	0.00
B724227	PT	56Z	19P	04/30/91	489.00	0.00	0.00
B724227	VE	56M	19P	05/03/91	593.00	0.00	0.00
B724227	YF	56T	19P	04/30/91	346.00	0.00	0.00
B724228	PT	56Z	19P	04/30/91	> 1000.0	0.00	0.00
B724228	VE	56M	19P	05/03/91	> 1000.0	0.00	0.00
B724228	YF	56T	19P	04/30/91	> 1000.0	0.00	0.00
B724229	PT	56Z	19P	04/30/91	329.00	0.00	0.00
B724229	VE	56M	19P	05/03/91	359.00	0.00	0.00
B724229	YF	56T	19P	04/30/91	257.00	0.00	0.00
B724230	PT	56Z	19P	04/30/91	> 1000.0	292.00 >	3.43
B724230	VE	56M	19P	05/03/91	> 1000.0	393.00 >	2.55
B724230	YF	56T	19P	04/30/91	> 1000.0	443.00 >	2.26
B724231	PT	570	19P	04/30/91	> 1000.0	0.00	0.00
B724231	VE	561	19P	05/03/91	749.00	0.00	0.00
B724231	YF	56U	19P	04/30/91	64.40	0.00	0.00
B724232	PT	570	19P	04/30/91	325.00	0.00	0.00
B724232	VE	561	19P	05/03/91	437.00	0.00	0.00
B724232	YF	56U	19P	04/30/91	26.00	0.00	0.00
B724233	PT	570	19P	04/30/91	468.00	0.00	0.00
B724233	VE	561	19P	05/03/91	464.00	0.00	0.00
B724233	YF	56U	19P	04/30/91	259.00	00	0.00
B724234	PT	570	19P	04/30/91	> 1000.0	0.00	0.00
B724234	VE	561	19P	05/03/91	> 1000.0	0.00	0.00
B724234	YF	56U	19P	04/30/91	> 1000.0	0.00	0.00
B724235	PT	570	19P	04/30/91	28.50	0.00	0.00
B724235	VE	561	19P	05/03/91	3.95	0.00	0.00
B724235	YF	56U	19P	04/30/91	0.94	0.00	0.00
B724236	PT	571	19P	04/30/91	> 1000.0	0.00	0.00
B724236	VE	56J	19P	05/03/91	> 1000.0	0.00	0.00
B724236	YF	56V	19P	04/30/91	8.68	0.00	0.00
B724237	PT	57K	19P	05/01/91	464.00	0.00	0.00
B724237	VE	572	19P	05/03/91	542.00	0.00	0.00
B724237	YF	57E	19P	05/01/91	484.00	0.00	0.00
B724238	PT	57K	19P	05/01/91	33.20	0.00	0.00
B724238	VE	572	19P	05/03/91	37.90	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724238	YF	57E	19P	05/01/91	284.00	0.00	0.00
B724239	PT	57K	19P	05/01/91	252.00	0.00	0.00
B724239	VE	572	19P	05/03/91	232.00	0.00	0.00
B724239	YF	57E	19P	05/01/91	229.00	0.00	0.00
B724240	PT	57K	19P	05/01/91	> 1000.0	410.00	> 2.44
B724240	VE	572	19P	05/03/91	> 1000.0	0.00	0.00
B724240	YF	57E	19P	05/01/91	> 1000.0	0.00	0.00
B724241	PT	57L	19P	05/01/91	> 1000.0	0.00	0.00
B724241	VE	573	19P	05/03/91	> 1000.0	0.00	0.00
B724241	YF	57F	19P	05/01/91	> 1000.0	0.00	0.00
B724242	PT	57L	19P	05/01/91	679.00	0.00	0.00
B724242	VE	573	19P	05/03/91	618.00	0.00	0.00
B724242	YF	57F	19P	05/01/91	979.00	0.00	0.00
B724243	PT	57L	19P	05/01/91	932.00	0.00	0.00
B724243	VE	573	19P	05/03/91	> 1000.0	0.00	0.00
B724243	YF	57F	19P	05/01/91	325.00	0.00	0.00
B724244	PT	57L	19P	05/01/91	566.00	832.00	0.68
B724244	VE	CGM	19P	12/06/91	292.00	0.00	0.00
B724244	YF	57F	19P	05/01/91	566.00	0.00	0.00
B724245	PT	57L	19P	05/01/91	2.27	0.00	0.00
B724245	VE	573	19P	05/03/91	7.67	0.00	0.00
B724245	YF	57F	19P	05/01/91	17.00	0.00	0.00
B724246	PT	57M	19P	05/01/91	326.00	0.00	0.00
B724246	VE	574	19P	05/03/91	250.00	0.00	0.00
B724246	YF	57G	19P	05/01/91	285.00	0.00	0.00
B724247	PT	57M	19P	05/01/91	524.00	0.00	0.00
B724247	VE	574	19P	05/03/91	543.00	0.00	0.00
B724247	YF	57G	19P	05/01/91	473.00	0.00	0.00
B724248	PT	57M	19P	05/01/91	326.00	0.00	0.00
B724248	VE	574	19P	05/03/91	328.00	0.00	0.00
B724248	YF	57G	19P	05/01/91	327.00	0.00	0.00
B724249	PT	57M	19P	05/01/91	362.00	0.00	0.00
B724249	VE	574	19P	05/03/91	752.00	600.00	1.25
B724249	YF	57G	19P	05/01/91	276.00	0.00	0.00
B724250	PT	57M	20P	05/01/91	325.00	0.00	0.00
B724250	VE	574	20P	05/03/91	325.00	0.00	0.00
B724250	YF	57G	20P	05/01/91	325.00	0.00	0.00
B724251	PT	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724251	VE	575	20P	05/03/91	> 1000.0	0.00	0.00
B724251	YF	57N	20P	05/01/91	> 1000.0	6.19	> 161.44
B724252	PT	57N	20P	05/01/91	561.00	0.00	0.00
B724252	VE	575	20P	05/03/91	> 1000.0	310.00	> 3.23
B724252	YF	57N	20P	05/01/91	352.00	0.00	0.00
B724253	PT	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724253	VE	575	20P	05/03/91	> 1000.0	0.00	0.00
B724253	YF	57N	20P	05/01/91	899.00	0.00	0.00
B724254	PT	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724254	VE	575	20P	05/03/91	> 1000.0	0.00	0.00
B724254	YF	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724255	PT	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724255	VE	575	20P	05/03/91	> 1000.0	0.00	0.00
B724255	YF	57N	20P	05/01/91	> 1000.0	0.00	0.00
B724256	PT	570	20P	05/01/91	312.00	0.00	0.00
B724256	VE	576	20P	05/03/91	325.00	0.00	0.00
B724256	YF	571	20P	05/01/91	325.00	0.00	0.00
B724257	PT	570	20P	05/01/91	767.00	0.00	0.00
B724257	VE	576	20P	05/03/91	334.00	635.00	0.53
B724257	YF	571	20P	05/01/91	783.00	0.00	0.00
B724258	PT	570	20P	05/01/91	306.00	0.00	0.00
B724258	VE	576	20P	05/03/91	137.00	0.00	0.00
B724258	YF	571	20P	05/01/91	325.00	0.00	0.00
B724259	PT	570	20P	05/01/91	294.00	0.00	0.00
B724259	VE	576	20P	05/03/91	213.00	0.00	0.00
B724259	YF	571	20P	05/01/91	173.00	0.00	0.00
B724260	PT	570	20P	05/01/91	668.00	0.00	0.00
B724260	VE	576	20P	05/03/91	496.00	0.00	0.00
B724260	YF	571	20P	05/01/91	556.00	0.00	0.00
B724261	PT	57P	20P	05/01/91	> 1000.0	0.00	0.00
B724261	VE	577	20P	05/03/91	> 1000.0	0.00	0.00
B724261	YF	57J	20P	05/01/91	> 1000.0	0.00	0.00
B724262	PT	59Q	20P	05/02/91	263.00	0.00	0.00
B724262	VE	57Q	20P	05/03/91	524.00	0.00	0.00
B724262	YF	59K	20P	05/02/91	325.00	0.00	0.00
B724263	PT	59Q	20P	05/02/91	214.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8724263	VE	57Q	20P	05/03/91	385.00	0.00	0.00
8724263	YF	59K	20P	05/02/91	396.00	0.00	0.00
8724264	PT	59Q	20P	05/02/91	5.09	0.00	0.00
8724264	VE	57Q	20P	05/03/91	22.70	0.00	0.00
8724264	YF	59K	20P	05/02/91	13.70	0.00	0.00
8724265	PT	59Q	20P	05/02/91	255.00	0.00	0.00
8724265	VE	57Q	20P	05/03/91	366.00	0.00	0.00
8724265	YF	59K	20P	05/02/91	325.00	0.00	0.00
8724266	PT	59R	20P	05/02/91	> 1000.0	316.00 >	3.16
8724266	VE	57R	20P	05/03/91	> 1000.0	0.00	0.00
8724266	YF	59L	20P	05/02/91	> 1000.0	0.00	0.00
8724267	PT	59R	20P	05/02/91	> 1000.0	0.00	0.00
8724267	VE	57R	20P	05/03/91	> 1000.0	0.00	0.00
8724267	YF	59L	20P	05/02/91	> 1000.0	0.00	0.00
8724268	PT	59R	20P	05/02/91	> 1000.0	806.00 >	1.24
8724268	VE	57R	20P	05/03/91	> 1000.0	0.00	0.00
8724268	YF	59L	20P	05/02/91	> 1000.0	280.00 >	3.57
8724269	PT	59R	20P	05/02/91	473.00	0.00	0.00
8724269	VE	57R	20P	05/03/91	678.00	0.00	0.00
8724269	YF	59L	20P	05/02/91	570.00	0.00	0.00
8724270	PT	59R	20P	05/02/91	532.00	0.00	0.00
8724270	VE	57R	20P	05/03/91	> 1000.0	0.00	0.00
8724270	YF	59L	20P	05/02/91	668.00	0.00	0.00
8724271	PT	59S	20P	05/02/91	> 1000.0	0.00	0.00
8724271	VE	57S	20P	05/03/91	> 1000.0	0.00	0.00
8724271	YF	59M	20P	05/02/91	> 1000.0	306.00 >	3.27
8724272	PT	59S	20P	05/02/91	> 1000.0	0.00	0.00
8724272	VE	57S	20P	05/03/91	995.00	0.00	0.00
8724272	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724273	PT	59S	20P	05/02/91	> 1000.0	0.00	0.00
8724273	VE	57S	20P	05/03/91	> 1000.0	0.00	0.00
8724273	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724274	PT	59S	20P	05/02/91	> 1000.0	0.00	0.00
8724274	VE	57S	20P	05/03/91	> 1000.0	0.00	0.00
8724274	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724275	PT	59S	20P	05/02/91	> 1000.0	606.00 >	1.65
8724275	VE	57S	20P	05/03/91	> 1000.0	0.00	0.00
8724275	YF	59M	20P	05/02/91	> 1000.0	1000.0 >	1.00
8724276	PT	59T	20P	05/02/91	> 1000.0	0.00	0.00
8724276	VE	57T	20P	05/03/91	> 1000.0	0.00	0.00
8724276	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724277	PT	59T	20P	05/02/91	> 1000.0	0.00	0.00
8724277	VE	57T	20P	05/03/91	> 1000.0	0.00	0.00
8724277	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724278	PT	59T	20P	05/02/91	> 1000.0	0.00	0.00
8724278	VE	57T	20P	05/03/91	> 1000.0	0.00	0.00
8724278	YF	59M	20P	05/02/91	> 1000.0	0.00	0.00
8724279	PT	59T	20P	05/02/91	293.00	0.00	0.00
8724279	VE	57T	20P	05/03/91	> 1000.0	0.00	0.00
8724279	YF	59M	20P	05/02/91	318.00	0.00	0.00
8724280	PT	59T	20P	05/02/91	129.00	0.00	0.00
8724280	VE	57T	20P	05/03/91	293.00	0.00	0.00
8724280	YF	59M	20P	05/02/91	189.00	0.00	0.00
8724281	PT	59U	20P	05/02/91	674.00	0.00	0.00
8724281	VE	57U	20P	05/03/91	168.00	0.00	0.00
8724281	YF	590	20P	05/02/91	494.00	0.00	0.00
8724282	PT	59U	20P	05/02/91	461.00	0.00	0.00
8724282	VE	57U	20P	05/03/91	310.00	0.00	0.00
8724282	YF	590	20P	05/02/91	607.00	0.00	0.00
8724283	PT	59U	20P	05/02/91	232.00	0.00	0.00
8724283	VE	57U	20P	05/03/91	355.00	0.00	0.00
8724283	YF	590	20P	05/02/91	42.40	0.00	0.00
8724284	PT	59U	20P	05/02/91	293.00	0.00	0.00
8724284	VE	57U	20P	05/03/91	327.00	0.00	0.00
8724284	YF	590	20P	05/02/91	246.00	0.00	0.00
8724285	PT	59U	20P	05/02/91	353.00	0.00	0.00
8724285	VE	57U	20P	05/03/91	475.00	0.00	0.00
8724285	YF	590	20P	05/02/91	344.00	0.00	0.00
8724286	PT	59V	20P	05/02/91	155.00	0.00	0.00
8724286	VE	57V	20P	05/03/91	454.00	0.00	0.00
8724286	YF	59P	20P	05/02/91	219.00	0.00	0.00
8724287	PT	59W	20P	05/03/91	543.00	0.00	0.00
8724287	VE	57W	20P	05/03/91	476.00	0.00	0.00
8724287	YF	5A2	20P	05/03/91	482.00	1.26	383.72

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724288	PT	59W	20P	05/03/91	> 1000.0	0.00	0.00
B724288	VE	57W	20P	05/03/91	> 1000.0	0.00	0.00
B724288	YF	5A2	20P	05/03/91	884.00	0.00	0.00
B724289	PT	59W	20P	05/03/91	> 1000.0	573.00 >	1.75
B724289	VE	57W	20P	05/03/91	> 1000.0	0.00	0.00
B724289	YF	5A2	20P	05/03/91	> 1000.0	0.00	0.00
B724290	PT	59W	20P	05/03/91	> 1000.0	0.00	0.00
B724290	VE	57W	20P	05/03/91	> 1000.0	0.00	0.00
B724290	YF	5A2	20P	05/03/91	644.00	0.00	0.00
B724291	PT	59X	20P	05/03/91	> 1000.0	417.00 >	2.40
B724291	VE	57X	20P	05/03/91	< 1.00	0.00	0.00
B724291	YF	5A3	20P	05/03/91	316.00	0.00	0.00
B724292	PT	59X	20P	05/03/91	> 1000.0	0.00	0.00
B724292	VE	57X	20P	05/03/91	> 1000.0	0.00	0.00
B724292	YF	5A3	20P	05/03/91	779.00	0.00	0.00
B724293	PT	59X	20P	05/03/91	> 1000.0	0.00	0.00
B724293	VE	57X	20P	05/03/91	> 1000.0	0.00	0.00
B724293	YF	5A3	20P	05/03/91	998.00	0.00	0.00
B724294	PT	59X	20P	05/03/91	> 1000.0	0.00	0.00
B724294	VE	57X	20P	05/03/91	< 1.00	0.00	0.00
B724294	YF	5A3	20P	05/03/91	> 1000.0	0.00	0.00
B724295	PT	59X	20P	05/03/91	54.60	0.00	0.00
B724295	VE	57X	20P	05/03/91	260.00	0.00	0.00
B724295	YF	5A3	20P	05/03/91	892.00	0.00	0.00
B724296	PT	59Y	20P	05/03/91	901.00	0.00	0.00
B724296	VE	57Y	20P	05/03/91	250.00	0.00	0.00
B724296	YF	5A4	20P	05/03/91	32.50	0.00	0.00
B724297	PT	59Y	20P	05/03/91	901.00	0.00	0.00
B724297	VE	57Y	20P	05/03/91	> 1000.0	0.00	0.00
B724297	YF	5A4	20P	05/03/91	594.00	0.00	0.00
B724298	PT	59Y	20P	05/03/91	972.00	0.00	0.00
B724298	VE	57Y	20P	05/03/91	> 1000.0	0.00	0.00
B724298	YF	5A4	20P	05/03/91	770.00	47.50	16.22
B724299	PT	59Y	20P	05/03/91	> 1000.0	0.00	0.00
B724299	VE	57Y	20P	05/03/91	> 1000.0	0.00	0.00
B724299	YF	5A4	20P	05/03/91	747.00	675.00	1.11
B724300	PT	59Y	20P	05/03/91	> 1000.0	0.00	0.00
B724300	VE	57Y	20P	05/03/91	> 1000.0	0.00	0.00
B724300	YF	5A4	20P	05/03/91	> 1000.0	0.00	0.00
B724301	PT	59Z	20P	05/03/91	142.00	63.60	2.23
B724301	VE	57Z	20P	05/03/91	< 1.00	0.00	0.00
B724301	YF	5A5	20P	05/03/91	54.60	0.00	0.00
B724302	PT	59Z	20P	05/03/91	> 1000.0	0.00	0.00
B724302	VE	57Z	20P	05/03/91	481.00	0.00	0.00
B724302	YF	5A5	20P	05/03/91	819.00	0.00	0.00
B724303	PT	59Z	20P	05/03/91	837.00	0.00	0.00
B724303	VE	57Z	20P	05/03/91	192.00	0.00	0.00
B724303	YF	5A5	20P	05/03/91	560.00	0.00	0.00
B724304	PT	59Z	20P	05/03/91	326.00	0.00	0.00
B724304	VE	57Z	20P	05/03/91	40.80	0.00	0.00
B724304	YF	5A5	20P	05/03/91	100.00	0.00	0.00
B724305	PT	59Z	20P	05/03/91	> 1000.0	0.00	0.00
B724305	VE	57Z	20P	05/03/91	157.00	0.00	0.00
B724305	YF	5A5	20P	05/03/91	325.00	0.00	0.00
B724306	PT	5A0	20P	05/03/91	437.00	0.00	0.00
B724306	VE	580	20P	05/03/91	36.20	0.00	0.00
B724306	YF	5A6	20P	05/03/91	51.60	0.00	0.00
B724307	PT	5A0	20P	05/03/91	221.00	0.00	0.00
B724307	VE	580	20P	05/03/91	144.00	0.00	0.00
B724307	YF	5A6	20P	05/03/91	202.00	0.00	0.00
B724308	PT	5A0	20P	05/03/91	> 1000.0	0.00	0.00
B724308	VE	580	20P	05/03/91	3.67	0.00	0.00
B724308	YF	5A6	20P	05/03/91	> 1000.0	0.00	0.00
B724309	PT	5A0	20P	05/03/91	> 1000.0	0.00	0.00
B724309	VE	580	20P	05/03/91	> 1000.0	0.00	0.00
B724309	YF	5A6	20P	05/03/91	> 1000.0	0.00	0.00
B724310	PT	5A0	20P	05/03/91	168.00	0.00	0.00
B724310	VE	580	20P	05/03/91	11.00	0.00	0.00
B724310	YF	5A6	20P	05/03/91	52.30	0.00	0.00
B724311	PT	5A1	20P	05/03/91	> 1000.0	0.00	0.00
B724311	VE	581	20P	05/03/91	> 1000.0	0.00	0.00
B724311	YF	5A7	20P	05/03/91	812.00	0.00	0.00
B724312	PT	5F5	20P	05/07/91	325.00	0.00	0.00
B724312	VE	5ET	20P	05/10/91	170.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724312	YF	5EZ	20P	05/07/91	315.00	0.00	0.00
B724313	PT	5F5	20P	05/07/91	43.10	0.00	0.00
B724313	VE	5ET	20P	05/10/91	239.00	0.00	0.00
B724313	YF	5EZ	20P	05/07/91	336.00	95.40	3.53
B724314	PT	5F5	20P	05/07/91	32.50	0.00	0.00
B724314	VE	5ET	20P	05/10/91	33.10	0.00	0.00
B724314	YF	5EZ	20P	05/07/91	26.40	0.00	0.00
B724315	PT	5F5	20P	05/07/91	3.26	0.00	0.00
B724315	VE	5ET	20P	05/10/91	4.84	0.00	0.00
B724315	YF	5EZ	20P	05/07/91	< 1.00	0.00	0.00
B724316	PT	5F6	20P	05/07/91	> 1000.0	0.00	0.00
B724316	VE	5EU	20P	05/10/91	> 1000.0	0.00	0.00
B724316	YF	5F0	20P	05/07/91	> 1000.0	0.00	0.00
B724317	PT	5F6	20P	05/07/91	32.60	0.00	0.00
B724317	VE	5EU	20P	05/10/91	24.40	0.00	0.00
B724317	YF	5F0	20P	05/07/91	32.50	0.00	0.00
B724318	PT	5F6	20P	05/07/91	614.00	0.00	0.00
B724318	VE	5EU	20P	05/10/91	707.00	0.00	0.00
B724318	YF	5F0	20P	05/07/91	> 1000.0	0.00	0.00
B724319	PT	5F6	20P	05/07/91	> 1000.0	0.00	0.00
B724319	VE	5EU	20P	05/10/91	> 1000.0	0.00	0.00
B724319	YF	5F0	20P	05/07/91	> 1000.0	0.00	0.00
B724320	PT	5F6	20P	05/07/91	133.00	0.00	0.00
B724320	VE	5EU	20P	05/10/91	858.00	0.00	0.00
B724320	YF	5F0	20P	05/07/91	337.00	0.00	0.00
B724321	PT	5F7	20P	05/07/91	328.00	0.00	0.00
B724321	VE	5EV	20P	05/10/91	320.00	0.00	0.00
B724321	YF	5F1	20P	05/07/91	349.00	0.00	0.00
B724322	PT	5F7	20P	05/07/91	505.00	0.00	0.00
B724322	VE	5EV	20P	05/10/91	514.00	0.00	0.00
B724322	YF	5F1	20P	05/07/91	480.00	0.00	0.00
B724323	PT	5F7	20P	05/07/91	622.00	779.00	0.80
B724323	VE	5EV	20P	05/10/91	> 1000.0	0.00	0.00
B724323	YF	5F1	20P	05/07/91	779.00	0.00	0.00
B724324	PT	5F7	20P	05/07/91	328.00	0.00	0.00
B724324	VE	5EV	20P	05/10/91	367.00	0.00	0.00
B724324	YF	5F1	20P	05/07/91	319.00	0.00	0.00
B724325	PT	5F7	20P	05/07/91	325.00	0.00	0.00
B724325	VE	5EV	20P	05/10/91	390.00	0.00	0.00
B724325	YF	5F1	20P	05/07/91	284.00	0.00	0.00
B724326	PT	5F8	20P	05/07/91	463.00	0.00	0.00
B724326	VE	5EW	20P	05/10/91	336.00	0.00	0.00
B724326	YF	5F2	20P	05/07/91	437.00	0.00	0.00
B724327	PT	5F8	20P	05/07/91	291.00	0.00	0.00
B724327	VE	5EW	20P	05/10/91	73.60	0.00	0.00
B724327	YF	5F2	20P	05/07/91	434.00	0.00	0.00
B724328	PT	5F8	20P	05/07/91	376.00	0.00	0.00
B724328	VE	5EW	20P	05/10/91	521.00	0.00	0.00
B724328	YF	5F2	20P	05/07/91	445.00	0.00	0.00
B724329	PT	5F8	20P	05/07/91	325.00	0.00	0.00
B724329	VE	5EW	20P	05/10/91	360.00	0.00	0.00
B724329	YF	5F2	20P	05/07/91	325.00	0.00	0.00
B724330	PT	5F8	20P	05/07/91	325.00	0.00	0.00
B724330	VE	5EW	20P	05/10/91	55.30	0.00	0.00
B724330	YF	5F2	20P	05/07/91	326.00	0.00	0.00
B724331	PT	5F9	20P	05/07/91	463.00	0.00	0.00
B724331	VE	5EX	20P	05/10/91	366.00	0.00	0.00
B724331	YF	5F3	20P	05/07/91	549.00	0.00	0.00
B724332	PT	5F9	20P	05/07/91	262.00	0.00	0.00
B724332	VE	5EX	20P	05/10/91	503.00	0.00	0.00
B724332	YF	5F3	20P	05/07/91	329.00	0.00	0.00
B724333	PT	5F9	20P	05/07/91	198.00	0.00	0.00
B724333	VE	5EX	20P	05/10/91	177.00	0.00	0.00
B724333	YF	5F3	20P	05/07/91	211.00	0.00	0.00
B724334	PT	5F9	20P	05/07/91	325.00	0.00	0.00
B724334	VE	5EX	20P	05/10/91	318.00	0.00	0.00
B724334	YF	5F3	20P	05/07/91	325.00	0.00	0.00
B724335	PT	5F9	20P	05/07/91	513.00	0.00	0.00
B724335	VE	5EX	20P	05/10/91	544.00	0.00	0.00
B724335	YF	5F3	20P	05/07/91	581.00	0.00	0.00
B724336	PT	5FA	20P	05/07/91	326.00	0.00	0.00
B724336	VE	5EY	20P	05/10/91	247.00	0.00	0.00
B724336	YF	5F4	20P	05/07/91	325.00	0.00	0.00
B724337	PT	5FZ	20P	05/08/91	585.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724337	VE	5FB	20P	05/10/91	> 1000.0	0.00	0.00
B724337	YF	5FT	20P	05/08/91	286.00	0.00	0.00
B724338	PT	5FZ	20P	05/08/91	> 1000.0	0.00	0.00
B724338	VE	5FB	20P	05/10/91	> 1000.0	0.00	0.00
B724338	YF	5FT	20P	05/08/91	> 1000.0	415.00	> 2.41
B724339	PT	5FZ	20P	05/08/91	281.00	0.00	0.00
B724339	VE	5FB	20P	05/10/91	> 1000.0	0.00	0.00
B724339	YF	5FT	20P	05/08/91	323.00	0.00	0.00
B724340	PT	5FZ	20P	05/08/91	553.00	417.00	1.33
B724340	VE	5FB	20P	05/10/91	946.00	1000.0	0.95
B724340	YF	5FT	20P	05/08/91	407.00	0.00	0.00
B724341	PT	5G0	20P	05/08/91	439.00	0.00	0.00
B724341	VE	5FC	20P	05/10/91	347.00	0.00	0.00
B724341	YF	5FU	20P	05/08/91	407.00	0.00	0.00
B724342	PT	5G0	20P	05/08/91	5.87	0.00	0.00
B724342	VE	5FC	20P	05/10/91	3.96	0.00	0.00
B724342	YF	5FU	20P	05/08/91	4.43	0.00	0.00
B724343	PT	5GC	20P	05/08/91	325.00	0.00	0.00
B724343	VE	5FC	20P	05/10/91	299.00	0.00	0.00
B724343	YF	5FU	20P	05/08/91	296.00	0.00	0.00
B724344	PT	5G0	20P	05/08/91	235.00	0.00	0.00
B724344	VE	5FC	20P	05/10/91	30.90	0.00	0.00
B724344	YF	5FU	20P	05/08/91	329.00	0.00	0.00
B724345	PT	5G0	20P	05/08/91	> 1000.0	0.00	0.00
B724345	VE	5FC	20P	05/10/91	> 1000.0	0.00	0.00
B724345	YF	5FU	20P	05/08/91	> 1000.0	0.00	0.00
B724346	PT	5G1	20P	05/08/91	> 1000.0	0.00	0.00
B724346	VE	5FD	20P	05/10/91	> 1000.0	0.00	0.00
B724346	YF	5FV	20P	05/08/91	> 1000.0	0.00	0.00
B724347	PT	5G1	20P	05/08/91	749.00	0.00	0.00
B724347	VE	5FD	20P	05/10/91	385.00	0.00	0.00
B724347	YF	5FV	20P	05/08/91	945.00	0.00	0.00
B724348	PT	5G1	20P	05/08/91	7.88	0.00	0.00
B724348	VE	5FD	20P	05/10/91	31.40	0.00	0.00
B724348	YF	5FV	20P	05/08/91	28.10	0.00	0.00
B724349	PT	5G1	20P	05/08/91	308.00	0.00	0.00
B724349	VE	5FD	20P	05/10/91	220.00	0.00	0.00
B724349	YF	5FV	20P	05/08/91	385.00	0.00	0.00
B724350	PT	5G1	20P	05/08/91	601.00	0.00	0.00
B724350	VE	5FD	20P	05/10/91	458.00	0.00	0.00
B724350	YF	5FV	20P	05/08/91	408.00	0.00	0.00
B724351	PT	5G2	20P	05/08/91	> 1000.0	0.00	0.00
B724351	VE	5FE	20P	05/10/91	465.00	0.00	0.00
B724351	YF	5FW	20P	05/08/91	> 1000.0	0.00	0.00
B724352	PT	5G2	20P	05/08/91	230.00	0.00	0.00
B724352	VE	5FE	20P	05/10/91	199.00	0.00	0.00
B724352	YF	5FW	20P	05/08/91	279.00	0.00	0.00
B724353	PT	5G2	20P	05/08/91	425.00	0.00	0.00
B724353	VE	5FE	20P	05/10/91	422.00	0.00	0.00
B724353	YF	5FW	20P	05/08/91	398.00	0.00	0.00
B724354	PT	5G2	20P	05/08/91	> 1000.0	0.00	0.00
B724354	VE	5FE	20P	05/10/91	740.00	0.00	0.00
B724354	YF	5FW	20P	05/08/91	> 1000.0	3.04	> 328.67
B724355	PT	5G2	20P	05/08/91	599.00	0.00	0.00
B724355	VE	5FE	20P	05/10/91	424.00	0.00	0.00
B724355	YF	5FW	20P	05/08/91	404.00	0.00	0.00
B724356	PT	5G3	20P	05/08/91	391.00	0.00	0.00
B724356	VE	5FF	20P	05/10/91	365.00	0.00	0.00
B724356	YF	5FX	20P	05/08/91	397.00	0.00	0.00
B724357	PT	5G3	20P	05/08/91	330.00	0.00	0.00
B724357	VE	5FF	20P	05/10/91	421.00	0.00	0.00
B724357	YF	5FX	20P	05/08/91	325.00	0.00	0.00
B724358	PT	5G3	20P	05/08/91	> 1000.0	0.00	0.00
B724358	VE	5FF	20P	05/10/91	965.00	0.00	0.00
B724358	YF	5FX	20P	05/08/91	> 1000.0	18.30	> 54.70
B724359	PT	5G3	20P	05/08/91	> 1000.0	0.00	0.00
B724359	VE	5FF	20P	05/10/91	541.00	0.00	0.00
B724359	YF	5FX	20P	05/08/91	> 1000.0	0.00	0.00
B724360	PT	5G3	20P	05/08/91	> 1000.0	0.00	0.00
B724360	VE	5FF	20P	05/10/91	> 1000.0	0.00	0.00
B724360	YF	5FX	20P	05/08/91	> 1000.0	0.00	0.00
B724361	PT	5G4	20P	05/08/91	> 1000.0	0.00	0.00
B724361	VE	5FG	20P	05/10/91	751.00	0.00	0.00
B724361	YF	5FY	20P	05/08/91	670.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B724362	PT	5G5	20P	05/09/91	> 1000.0	0.00	0.00
B724362	VE	5FH	20P	05/10/91	> 1000.0	0.00	0.00
B724362	YF	5GB	20P	05/09/91	> 1000.0	0.00	0.00
B724363	PT	5G5	20P	05/09/91	> 1000.0	0.00	0.00
B724363	VE	5FH	20P	05/10/91	479.00	0.00	0.00
B724363	YF	5GB	20P	05/09/91	485.00	0.00	0.00
B724364	PT	5G5	20P	05/09/91	381.00	0.00	0.00
B724364	VE	5FH	20P	05/10/91	196.00	0.00	0.00
B724364	YF	5GB	20P	05/09/91	0.89	0.00	0.00
B724365	PT	5G5	20P	05/09/91	> 1000.0	0.00	0.00
B724365	VE	5FH	20P	05/10/91	402.00	0.00	0.00
B724365	YF	5GB	20P	05/09/91	735.00	0.00	0.00
B724366	PT	5G6	20P	05/09/91	497.00	0.00	0.00
B724366	VE	5FI	20P	05/10/91	> 1000.0	904.00 >	1.11
B724366	YF	5GC	20P	05/09/91	553.00	0.00	0.00
B724367	PT	5G6	20P	05/09/91	> 1000.0	0.00	0.00
B724367	VE	5FI	20P	05/10/91	482.00	0.00	0.00
B724367	YF	5GC	20P	05/09/91	353.00	0.00	0.00
B724368	PT	5G6	20P	05/09/91	47.40	0.00	0.00
B724368	VE	5FI	20P	05/10/91	59.30	0.00	0.00
B724368	YF	5GC	20P	05/09/91	43.90	0.00	0.00
B724369	PT	5G6	20P	05/09/91	> 1000.0	0.00	0.00
B724369	VE	5FI	20P	05/10/91	623.00	0.00	0.00
B724369	YF	5GC	20P	05/09/91	> 1000.0	0.00	0.00
B724370	PT	5G6	20P	05/09/91	> 1000.0	0.00	0.00
B724370	VE	5FI	20P	05/10/91	325.00	0.00	0.00
B724370	YF	5GC	20P	05/09/91	> 1000.0	0.00	0.00
B724422	PT	CJN	1P	12/04/91	491.00	0.00	0.00
B724422	YF	CHN	1P	12/03/91	114.00	0.00	0.00
B724772	PT	CJN	1P	12/04/91	119.00	0.00	0.00
B724952	YF	CHN	4P	12/03/91	0.86	0.00	0.00
B725004	PT	3Y8	16P	03/12/91	227.00	0.00	0.00
B725004	VE	3Y1	16P	03/15/91	124.00	0.00	0.00
B725004	YF	3XV	16P	03/12/91	310.00	0.00	0.00
B725005	PT	3Y9	16P	03/12/91	325.00	0.00	0.00
B725005	VE	3Y2	16P	03/15/91	218.00	0.00	0.00
B725005	YF	3XW	16P	03/12/91	315.00	0.00	0.00
B725006	PT	3Y9	16P	03/12/91	26.40	0.00	0.00
B725006	VE	3Y2	16P	03/15/91	175.00	0.00	0.00
B725006	YF	3XW	16P	03/12/91	179.00	0.00	0.00
B725007	PT	3Y9	16P	03/12/91	> 1000.0	0.00	0.00
B725007	VE	3Y2	16P	03/15/91	37.40	0.00	0.00
B725007	YF	3XW	16P	03/12/91	485.00	0.00	0.00
B725008	PT	3Y9	16P	03/12/91	335.00	0.00	0.00
B725008	VE	3Y2	16P	03/15/91	401.00	0.00	0.00
B725008	YF	3XW	16P	03/12/91	392.00	0.00	0.00
B725011	PT	7XW	27P	08/06/91	325.00	0.00	0.00
B725011	VE	7Y4	27P	08/09/91	32.60	0.00	0.00
B725011	YF	84A	27P	08/06/91	39.10	0.00	0.00
B725012	PT	7XW	27P	08/06/91	260.00	0.00	0.00
B725012	VE	7Y4	27P	08/09/91	94.80	0.00	0.00
B725012	YF	84A	27P	08/06/91	145.00	0.00	0.00
B725013	PT	7XW	27P	08/06/91	42.60	0.00	0.00
B725013	VE	7Y4	27P	08/09/91	43.10	0.00	0.00
B725013	YF	84A	27P	08/06/91	325.00	0.00	0.00
B725014	PT	7XX	27P	08/06/91	38.20	0.00	0.00
B725014	VE	7Y5	27P	08/09/91	6.70	0.00	0.00
B725014	YF	848	27P	08/06/91	37.60	0.00	0.00
B725015	PT	7XX	27P	08/06/91	325.00	0.00	0.00
B725015	VE	7Y5	27P	08/09/91	326.00	0.00	0.00
B725015	YF	848	27P	08/06/91	326.00	0.00	0.00
B725016	PT	7XX	27P	08/06/91	180.00	0.00	0.00
B725016	VE	7Y5	27P	08/09/91	77.40	0.00	0.00
B725016	YF	848	27P	08/06/91	78.80	0.00	0.00
B725017	PT	7XX	27P	08/06/91	373.00	0.00	0.00
B725017	VE	7Y5	27P	08/09/91	380.00	0.00	0.00
B725017	YF	848	27P	08/06/91	282.00	0.00	0.00
B725018	PT	7XX	27P	08/06/91	> 1000.0	0.00	0.00
B725018	VE	7Y5	27P	08/09/91	> 1000.0	0.00	0.00
B725018	YF	848	27P	08/06/91	> 1000.0	0.00	0.00
B725019	PT	7XY	27P	08/06/91	280.00	0.00	0.00
B725019	VE	7Y6	27P	08/09/91	247.00	0.00	0.00
B725019	YF	84C	27P	08/06/91	197.00	0.00	0.00
B725020	PT	7XY	27P	08/06/91	186.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B725020	VE	7Y6	27P	08/09/91	46.10	0.00	0.00
B725020	YF	84C	27P	08/06/91	59.30	0.00	0.00
B725021	PT	7XY	27P	08/06/91	> 1000.0	0.00	0.00
B725021	VE	7Y6	27P	08/09/91	327.00	0.00	0.00
B725021	YF	84C	27P	08/06/91	325.00	0.00	0.00
B725022	PT	7XY	27P	08/06/91	313.00	0.00	0.00
B725022	VE	7Y6	27P	08/09/91	74.90	0.00	0.00
B725022	YF	84C	27P	08/06/91	333.00	0.00	0.00
B725023	PT	7XY	27P	08/06/91	17.60	0.00	0.00
B725023	VE	7Y6	27P	08/09/91	0.96	0.00	0.00
B725023	YF	84C	27P	08/06/91	46.20	0.00	0.00
B725024	PT	7XZ	27P	08/06/91	> 1000.0	0.00	0.00
B725024	VE	7Y7	27P	08/09/91	> 1000.0	0.00	0.00
B725024	YF	84D	27P	08/06/91	> 1000.0	0.00	0.00
B725025	PT	942	28P	08/30/91	> 1000.0	0.00	0.00
B725025	VE	90N	28P	08/30/91	> 1000.0	0.00	0.00
B725025	YF	BPK	28P	11/12/91	> 1000.0	0.00	0.00
B725026	PT	97T	28P	09/05/91	7.48	0.00	0.00
B725026	VE	978	28P	09/06/91	7.60	0.00	0.00
B725026	YF	980	28P	09/05/91	39.10	0.00	0.00
B7250275185	PT	681	23P	06/04/91	73.90	0.00	0.00
B7250275185	VE	67U	23P	06/07/91	83.10	0.00	0.00
B7250275185	YF	67N	23P	06/04/91	67.60	0.00	0.00
B848728	VE	2X5	11P	02/01/91	> 1000.0	0.00	0.00
B849174	PT	60X	22P	05/31/91	327.00	0.00	0.00
B849174	VE	5ZZ	22P	05/31/91	221.00	0.00	0.00
B849174	YF	614	22P	05/31/91	219.00	0.00	0.00
B849175	PT	60X	22P	05/31/91	912.00	0.00	0.00
B849175	VE	5ZZ	22P	05/31/91	73.50	0.00	0.00
B849175	YF	614	22P	05/31/91	> 1000.0	0.00	0.00
B849181	PT	60Y	22P	05/31/91	721.00	0.00	0.00
B849181	VE	600	22P	05/31/91	> 1000.0	0.00	0.00
B849181	YF	615	22P	05/31/91	> 1000.0	0.00	0.00
B849182	PT	60Y	22P	05/31/91	471.00	0.00	0.00
B849182	VE	600	22P	05/31/91	960.00	0.00	0.00
B849182	YF	615	22P	05/31/91	> 1000.0	0.00	0.00
B849183	PT	60Y	22P	05/31/91	392.00	0.00	0.00
B849183	VE	600	22P	05/31/91	> 1000.0	0.00	0.00
B849183	YF	615	22P	05/31/91	> 1000.0	0.00	0.00
B849184	PT	60Y	22P	05/31/91	129.00	0.00	0.00
B849184	VE	600	22P	05/31/91	210.00	0.00	0.00
B849184	YF	615	22P	05/31/91	51.30	0.00	0.00
B849185	PT	60Y	22P	05/31/91	8.43	0.00	0.00
B849185	VE	600	22P	05/31/91	> 1000.0	0.00	0.00
B849185	YF	615	22P	05/31/91	> 1000.0	0.00	0.00
B849186	PT	60Z	22P	05/31/91	> 1000.0	0.00	0.00
B849186	VE	601	22P	05/31/91	> 1000.0	0.00	0.00
B849186	YF	616	22P	05/31/91	> 1000.0	0.00	0.00
B849187	PT	60Z	22P	05/31/91	37.30	0.00	0.00
B849187	VE	601	22P	05/31/91	626.00	0.00	0.00
B849187	YF	616	22P	05/31/91	199.00	0.00	0.00
B849188	PT	60Z	22P	05/31/91	> 1000.0	0.00	0.00
B849188	VE	601	22P	05/31/91	> 1000.0	0.00	0.00
B849188	YF	616	22P	05/31/91	> 1000.0	0.00	0.00
B849189	PT	602	22P	05/31/91	> 1000.0	0.00	0.00
B849189	VE	601	22P	05/31/91	> 1000.0	0.00	0.00
B849189	YF	616	22P	05/31/91	891.00	0.00	0.00
B849190	PT	602	22P	05/31/91	5.26	0.00	0.00
B849190	VE	601	22P	05/31/91	> 1000.0	0.00	0.00
B849190	YF	616	22P	05/31/91	708.00	0.00	0.00
B849191	PT	610	22P	05/31/91	> 1000.0	0.00	0.00
B849191	VE	602	22P	05/31/91	> 1000.0	0.00	0.00
B849191	YF	617	22P	05/31/91	> 1000.0	0.00	0.00
B849192	PT	610	22P	05/31/91	307.00	43.90	7.01
B849192	VE	602	22P	05/31/91	206.00	59.80	3.45
B849192	YF	617	22P	05/31/91	231.00	0.00	0.00
B849193	PT	610	22P	05/31/91	389.00	0.00	0.00
B849193	VE	602	22P	05/31/91	498.00	0.00	0.00
B849193	YF	617	22P	05/31/91	354.00	0.00	0.00
B849194	PT	610	22P	05/31/91	295.00	0.00	0.00
B849194	VE	[illegible]	22P	05/31/91	> 1000.0	0.00	0.00
B849194	YF	617	[illegible]	05/31/91	441.00	0.00	0.00
B849195	PT	610	22P	05/31/91	9.07	0.00	0.00
B849195	VE	602	22P	05/31/91	346.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B849195	YF	617	22P	05/31/91	265.00	0.00	0.00
B849196	PT	611	22P	05/31/91	134.00	0.00	0.00
B849196	VE	603	22P	05/31/91	285.00	0.00	0.00
B849196	YF	618	22P	05/31/91	37.60	0.00	0.00
B849197	PT	611	22P	05/31/91	356.00	0.00	0.00
B849197	VE	603	22P	05/31/91	481.60	0.00	0.00
B849197	YF	618	22P	05/31/91	320.00	0.00	0.00
B849198	PT	611	22P	05/31/91	341.00	0.00	0.00
B849198	VE	603	22P	05/31/91	493.00	0.00	0.00
B849198	YF	618	22P	05/31/91	386.00	0.00	0.00
B849199	PT	611	22P	05/31/91	> 1000.0	520.00 >	1.92
B849199	VE	603	22P	05/31/91	0.76	0.00	0.00
B849199	YF	618	22P	05/31/91	656.00	0.00	0.00
B849200	PT	611	22P	05/31/91	4.94	0.00	0.00
B849200	VE	603	22P	05/31/91	509.00	0.00	0.00
B849200	YF	618	22P	05/31/91	101.00	0.00	0.00
B849201	PT	612	22P	05/31/91	325.00	0.00	0.00
B849201	VE	604	22P	05/31/91	> 1000.0	0.00	0.00
B849201	YF	619	22P	05/31/91	914.00	0.00	0.00
B849202	PT	612	22P	05/31/91	60.30	0.00	0.00
B849202	VE	604	22P	05/31/91	206.00	0.00	0.00
B849202	YF	619	22P	05/31/91	40.00	0.00	0.00
B849203	PT	612	22P	05/31/91	7.08	0.00	0.00
B849203	VE	604	22P	05/31/91	6.13	0.00	0.00
B849203	YF	619	22P	05/31/91	8.10	0.00	0.00
B849204	PT	612	22P	05/31/91	355.00	0.00	0.00
B849204	VE	604	22P	05/31/91	> 1000.0	0.00	0.00
B849204	YF	619	22P	05/31/91	9.61	0.00	0.00
B849205	PT	612	22P	05/31/91	> 1000.0	0.00	0.00
B849205	VE	604	22P	05/31/91	> 1000.0	0.00	0.00
B849205	YF	619	22P	05/31/91	> 1000.0	0.00	0.00
B849206	PT	613	22P	05/31/91	504.00	0.00	0.00
B849206	VE	605	22P	05/31/91	> 1000.0	0.00	0.00
B849206	YF	61A	22P	05/31/91	333.00	0.00	0.00
B849207	PT	67Y	22P	06/04/91	181.00	0.00	0.00
B849207	VE	67R	22P	06/07/91	152.00	0.00	0.00
B849207	YF	67K	22P	06/04/91	47.70	0.00	0.00
B849208	PT	67Y	22P	06/04/91	> 1000.0	0.00	0.00
B849208	VE	67R	22P	06/07/91	932.00	0.00	0.00
B849208	YF	67K	22P	06/04/91	> 1000.0	0.00	0.00
B849209	PT	67Y	22P	06/04/91	> 1000.0	0.00	0.00
B849209	VE	67R	22P	06/07/91	92.90	0.00	0.00
B849209	YF	67K	22P	06/04/91	455.00	0.00	0.00
B849210	PT	67Y	22P	06/04/91	231.00	0.00	0.00
B849210	VE	67R	22P	06/07/91	0.75	0.00	0.00
B849210	YF	67K	22P	06/04/91	207.00	0.00	0.00
B849211	PT	67Z	22P	06/04/91	306.00	0.00	0.00
B849211	VE	67S	22P	06/07/91	358.00	0.00	0.00
B849211	YF	67L	22P	06/04/91	230.00	0.00	0.00
B849212	PT	67Z	22P	06/04/91	965.00	0.00	0.00
B849212	VE	67S	22P	06/07/91	491.00	0.00	0.00
B849212	YF	67L	22P	06/04/91	855.00	0.00	0.00
B849213	PT	67Z	22P	06/04/91	338.00	0.00	0.00
B849213	VE	67S	22P	06/07/91	366.00	0.00	0.00
B849213	YF	67L	22P	06/04/91	325.00	0.00	0.00
B849214	PT	67Z	22P	06/04/91	274.00	0.00	0.00
B849214	VE	67S	22P	06/07/91	0.87	0.00	0.00
B849214	YF	67L	22P	06/04/91	162.00	0.00	0.00
B849215	PT	67Z	22P	06/04/91	> 1000.0	0.00	0.00
B849215	VE	67S	22P	06/07/91	0.95	0.00	0.00
B849215	YF	67L	22P	06/04/91	> 1000.0	0.00	0.00
B849216	PT	5G7	20P	05/09/91	888.00	0.00	0.00
B849216	VE	5FJ	20P	05/10/91	> 1000.0	0.00	0.00
B849216	YF	5GD	20P	05/09/91	> 1000.0	0.00	0.00
B849219	PT	5G7	20P	05/09/91	477.00	0.00	0.00
B849219	VE	5FJ	20P	05/10/91	399.00	0.00	0.00
B849219	YF	5GD	20P	05/09/91	325.00	0.00	0.00
B849220	PT	5G7	20P	05/09/91	> 1000.0	0.00	0.00
B849220	VE	5FJ	20P	05/10/91	> 1000.0	0.00	0.00
B849220	YF	5GD	20P	05/09/91	> 1000.0	0.00	0.00
B849267	PT	435	17P	03/22/91	412.00	0.00	0.00
B849267	VE	429	17P	03/22/91	368.00	0.00	0.00
B849267	YF	422	17P	03/22/91	194.00	0.00	0.00
B849268	PT	436	17P	03/22/91	> 1000.0	557.00 >	1.80

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B849268	VE	429	17P	03/22/91	> 1000.0	0.00	0.00
B849268	YF	423	17P	03/22/91	938.00	0.00	0.00
B849269	PT	436	17P	03/22/91	45.00	0.00	0.00
B849269	VE	429	17P	03/22/91	42.10	0.00	0.00
B849269	YF	423	17P	03/22/91	47.60	0.00	0.00
B849270	PT	436	17P	03/22/91	> 1000.0	0.00	0.00
B849270	VE	429	17P	03/22/91	> 1000.0	0.00	0.00
B849270	YF	423	17P	03/22/91	> 1000.0	0.00	0.00
B849271	PT	436	17P	03/22/91	> 1000.0	280.00	> 3.57
B849271	VE	429	17P	03/22/91	> 1000.0	0.00	0.00
B849271	YF	423	17P	03/22/91	> 1000.0	0.00	0.00
B849272	PT	436	17P	03/22/91	745.00	654.00	1.14
B849272	VE	42A	17P	03/22/91	> 1000.0	0.00	0.00
B849272	YF	423	17P	03/22/91	> 1000.0	0.00	0.00
B849273	PT	437	17P	03/22/91	> 1000.0	0.00	0.00
B849273	VE	427	17P	03/22/91	> 1000.0	0.00	0.00
B849273	YF	424	17P	03/22/91	> 1000.0	0.00	0.00
B849274	PT	4AX	17P	03/26/91	503.00	0.00	0.00
B849274	VE	45B	17P	03/29/91	879.00	0.00	0.00
B849274	YF	4AS	17P	03/26/91	671.00	0.00	0.00
B849275	PT	4AX	17P	03/26/91	470.00	0.00	0.00
B849275	VE	45B	17P	03/29/91	> 1000.0	0.00	0.00
B849275	YF	4AS	17P	03/26/91	846.00	0.00	0.00
B849276	PT	4AX	17P	03/26/91	566.00	0.00	0.00
B849276	VE	45B	17P	03/29/91	513.00	0.00	0.00
B849276	YF	4AS	17P	03/26/91	928.00	0.00	0.00
B849277	PT	4AX	17P	03/26/91	723.00	0.00	0.00
B849277	VE	45B	17P	03/29/91	> 1000.0	0.00	0.00
B849277	YF	4AS	17P	03/26/91	854.00	0.00	0.00
B849278	PT	4AY	17P	03/26/91	759.00	0.00	0.00
B849278	VE	45C	17P	03/29/91	451.00	0.00	0.00
B849278	YF	4AT	17P	03/26/91	> 1000.0	0.00	0.00
B849279	PT	4AY	17P	03/26/91	> 1000.0	0.00	0.00
B849279	VE	45C	17P	03/29/91	> 1000.0	0.00	0.00
B849279	YF	4AT	17P	03/26/91	> 1000.0	0.00	0.00
B849280	PT	4AY	17P	03/26/91	755.00	0.00	0.00
B849280	VE	45C	17P	03/29/91	> 1000.0	0.00	0.00
B849280	YF	4AT	17P	03/26/91	903.00	0.00	0.00
B849281	PT	4AY	17P	03/26/91	> 1000.0	0.00	0.00
B849281	VE	45C	17P	03/29/91	> 1000.0	0.00	0.00
B849281	YF	4AT	17P	03/26/91	> 1000.0	0.00	0.00
B849282	PT	4AY	17P	03/26/91	269.00	0.00	0.00
B849282	VE	45C	17P	03/29/91	> 1000.0	0.00	0.00
B849282	YF	4AT	17P	03/26/91	> 1000.0	0.00	0.00
B849283	PT	4AZ	17P	03/26/91	519.00	0.00	0.00
B849283	VE	45D	17P	03/29/91	> 1000.0	0.00	0.00
B849283	YF	4AU	17P	03/26/91	575.00	0.00	0.00
B849284	PT	4AZ	17P	03/26/91	986.00	808.00	1.22
B849284	VE	45D	17P	03/29/91	> 1000.0	0.00	0.00
B849284	YF	4AU	17P	03/26/91	742.00	0.00	0.00
B849285	PT	4AZ	17P	03/26/91	> 1000.0	0.00	0.00
B849285	VE	45D	17P	03/29/91	662.00	0.00	0.00
B849285	YF	4AU	17P	03/26/91	> 1000.0	0.00	0.00
B849287A	PT	6MF	24P	07/09/91	401.00	0.00	0.00
B849287A	VE	6MM	24P	07/12/91	359.00	0.00	0.00
B849287A	YF	8FS	24P	08/15/91	381.00	0.00	0.00
B849288	PT	4AZ	17P	03/26/91	28.20	0.00	0.00
B849288	VE	45D	17P	03/29/91	> 1000.0	0.00	0.00
B849288	YF	4AU	17P	03/26/91	44.80	0.00	0.00
B849289	PT	4AZ	17P	03/26/91	417.00	94.00	4.44
B849289	VE	45D	17P	03/29/91	39.50	0.00	0.00
B849289	YF	4AU	17P	03/26/91	447.00	0.00	0.00
B849290	PT	4B0	17P	03/26/91	4.84	0.00	0.00
B849290	VE	45E	17P	03/29/91	< 1.00	0.00	0.00
B849290	YF	4AV	17P	03/26/91	32.70	0.00	0.00
B849291	PT	4B0	17P	03/26/91	571.00	0.00	0.00
B849291	VE	45E	17P	03/29/91	320.00	0.00	0.00
B849291	YF	4AV	17P	03/26/91	325.00	0.00	0.00
B849292	PT	4B0	17P	03/26/91	> 1000.0	0.00	0.00
B849292	VE	45E	17P	03/29/91	837.00	0.00	0.00
B849292	YF	4AV	17P	03/26/91	> 1000.0	0.00	0.00
B849293	PT	4B0	17P	03/26/91	233.00	0.00	0.00
B849293	VE	45E	17P	03/29/91	820.00	0.00	0.00
B849293	YF	4AV	17P	03/26/91	294.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B849294	PT	480	17P	03/26/91	202.00	0.00	0.00
B849294	VE	45E	17P	03/29/91	378.00	0.00	0.00
B849294	YF	4AV	17P	03/26/91	219.00	0.00	0.00
B849295	PT	481	17P	03/26/91	170.00	0.00	0.00
B849295	VE	45F	17P	03/29/91	250.00	0.00	0.00
B849295	YF	4AW	17P	03/26/91	168.00	0.00	0.00
B849296	PT	48N	17P	03/27/91	331.00	0.00	0.00
B849296	VE	4A7	17P	03/29/91	463.00	0.00	0.00
B849296	YF	48N	17P	03/27/91	283.00	0.00	0.00
B849297	PT	48N	17P	03/27/91	32.80	2.12	15.45
B849297	VE	4A7	17P	03/29/91	27.00	0.00	0.00
B849297	YF	48N	17P	03/27/91	17.20	0.00	0.00
B849298	PT	48N	17P	03/27/91	3.52	7.29	0.48
B849298	VE	4A7	17P	03/29/91	48.40	0.00	0.00
B849298	YF	48N	17P	03/27/91	56.60	0.00	0.00
B849299	PT	48N	17P	03/27/91	349.00	89.20	3.89
B849299	VE	4A7	17P	03/29/91	406.00	0.00	0.00
B849299	YF	48N	17P	03/27/91	267.00	0.00	0.00
B849300	PT	480	17P	03/27/91	725.00	0.00	0.00
B849300	VE	4A8	17P	03/29/91	> 1000.0	0.00	0.00
B849300	YF	481	17P	03/27/91	927.00	0.00	0.00
B849301	PT	480	17P	03/27/91	162.00	0.00	0.00
B849301	VE	4A8	17P	03/29/91	437.00	0.00	0.00
B849301	YF	481	17P	03/27/91	57.60	0.00	0.00
B849302	PT	480	17P	03/27/91	6.86	0.00	0.00
B849302	VE	4A8	17P	03/29/91	8.70	0.00	0.00
B849302	YF	481	17P	03/27/91	44.20	0.00	0.00
B849303	PT	480	17P	03/27/91	93.10	0.00	0.00
B849303	VE	4A8	17P	03/29/91	494.00	0.00	0.00
B849303	YF	481	17P	03/27/91	571.00	0.00	0.00
B849304	PT	48C	17P	03/27/91	178.00	0.00	0.00
B849304	VE	4A8	17P	03/29/91	398.00	0.00	0.00
B849304	YF	481	17P	03/27/91	371.00	0.00	0.00
B849305	PT	48P	17P	03/27/91	282.00	0.00	0.00
B849305	VE	4A9	17P	03/29/91	291.00	0.00	0.00
B849305	YF	48J	17P	03/27/91	326.00	0.00	0.00
B849306	PT	48P	17P	03/27/91	44.40	0.00	0.00
B849306	VE	4A9	17P	03/29/91	271.00	0.00	0.00
B849306	YF	48J	17P	03/27/91	46.60	0.00	0.00
B849307	PT	48P	17P	03/27/91	47.10	0.00	0.00
B849307	VE	4A9	17P	03/29/91	6.80	0.00	0.00
B849307	YF	48J	17P	03/27/91	51.70	0.00	0.00
B849308	PT	48P	17P	03/27/91	4.49	0.00	0.00
B849308	VE	4A9	17P	03/29/91	8.23	0.00	0.00
B849308	YF	48J	17P	03/27/91	32.90	0.00	0.00
B849309	PT	48P	17P	03/27/91	634.00	0.00	0.00
B849309	VE	4A9	17P	03/29/91	26.40	0.00	0.00
B849309	YF	48J	17P	03/27/91	> 1000.0	0.00	0.00
B849310	PT	6MF	24P	07/09/91	> 1000.0	0.00	0.00
B849310	VE	6MM	24P	07/12/91	> 1000.0	0.00	0.00
B849310	YF	8FS	24P	08/15/91	> 1000.0	0.00	0.00
B849311	PT	6MG	24P	07/09/91	325.00	0.00	0.00
B849311	VE	6MN	24P	07/12/91	326.00	0.00	0.00
B849311	YF	8FT	24P	08/15/91	325.00	0.00	0.00
B849312	PT	7XN	24P	08/06/91	554.00	0.00	0.00
B849312	VE	6MO	24P	07/12/91	242.00	0.00	0.00
B849312	YF	6VW	1	07/10/91	314.00	0.00	0.00
B849313	PT	7XN	24P	08/06/91	> 1000.0	0.00	0.00
B849313	VE	6MO	24P	07/12/91	453.00	0.00	0.00
B849313	YF	6VW	1	07/10/91	542.00	0.00	0.00
B849314	PT	7XN	24P	08/06/91	738.00	0.00	0.00
B849314	VE	6MO	24P	07/12/91	869.00	0.00	0.00
B849314	YF	6VW	1	07/10/91	658.00	0.00	0.00
B849315	PT	7XN	24P	08/06/91	151.00	0.00	0.00
B849315	VE	6MO	24P	07/12/91	151.00	0.00	0.00
B849315	YF	6VW	1	07/10/91	52.60	0.00	0.00
B849316	PT	7XO	24P	08/06/91	291.00	0.00	0.00
B849316	VE	6MP	24P	07/12/91	379.00	0.00	0.00
B849316	YF	6VX	1	07/10/91	268.00	0.00	0.00
B849317	PT	7XO	24P	08/06/91	239.00	0.00	0.00
B849317	VE	6MP	24P	07/12/91	337.00	0.00	0.00
B849317	YF	6VX	1	07/10/91	246.00	0.00	0.00
B849318	PT	7XO	24P	08/06/91	383.00	0.00	0.00
B849318	VE	6MP	24P	07/12/91	547.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
8849318	YF	6VX	1	07/10/91	262.00	0.00	0.00
8849319	PT	7XO	24P	08/06/91	77.60	0.00	0.00
8849319	VE	6WP	24P	07/12/91	> 1000.0	0.00	0.00
8849319	YF	6VX	1	07/10/91	61.50	0.00	0.00
8849320	PT	7XO	24P	08/06/91	326.00	0.00	0.00
8849320	VE	6WP	24P	07/12/91	328.00	0.00	0.00
8849320	YF	6VX	1	07/10/91	190.00	0.00	0.00
8849321	PT	7XP	24P	08/06/91	> 1000.0	0.00	0.00
8849321	VE	6WQ	24P	07/12/91	> 1000.0	0.00	0.00
8849321	YF	6VY	1	07/10/91	> 1000.0	0.00	0.00
8849322	PT	7XP	24P	08/06/91	> 1000.0	0.00	0.00
8849322	VE	6WQ	24P	07/12/91	> 1000.0	0.00	0.00
8849322	YF	6VY	1	07/10/91	910.00	0.00	0.00
8849323	PT	7XP	24P	08/06/91	338.00	0.00	0.00
8849323	VE	6WQ	24P	07/12/91	332.00	0.00	0.00
8849323	YF	6VY	1	07/10/91	364.00	0.00	0.00
8849324	PT	7XP	24P	08/06/91	336.00	0.00	0.00
8849324	VE	6WQ	24P	07/12/91	513.00	0.00	0.00
8849324	YF	6VY	1	07/10/91	413.00	0.00	0.00
8849325	PT	7XP	24P	08/06/91	> 1000.0	0.00	0.00
8849325	VE	6WQ	24P	07/12/91	> 1000.0	0.00	0.00
8849325	YF	6VY	1	07/10/91	> 1000.0	0.00	0.00
8849326	PT	7XQ	24P	08/06/91	790.00	0.00	0.00
8849326	VE	6WR	24P	07/12/91	> 1000.0	0.00	0.00
8849326	YF	6VZ	1	07/10/91	590.00	0.00	0.00
8849327	PT	7XQ	24P	08/06/91	> 1000.0	0.00	0.00
8849327	VE	6WR	24P	07/12/91	> 1000.0	0.00	0.00
8849327	YF	6VZ	1	07/10/91	979.00	0.00	0.00
8849328	PT	7XQ	24P	08/06/91	262.00	0.00	0.00
8849328	VE	6WR	24P	07/12/91	200.00	0.00	0.00
8849328	YF	6VZ	1	07/10/91	187.00	0.00	0.00
8849329	PT	7XQ	24P	08/06/91	> 1000.0	0.00	0.00
8849329	VE	6WR	24P	07/12/91	> 1000.0	0.00	0.00
8849329	YF	6VZ	1	07/10/91	243.00	0.00	0.00
8849330	PT	7XQ	24P	08/06/91	690.00	0.00	0.00
8849330	VE	6WR	24P	07/12/91	> 1000.0	0.00	0.00
8849330	YF	6VZ	1	07/10/91	741.00	0.00	0.00
8849331	PT	7XR	24P	08/06/91	241.00	0.00	0.00
8849331	VE	6WS	24P	07/12/91	57.50	0.00	0.00
8849331	YF	6W0	1	07/10/91	42.90	0.00	0.00
8849332	PT	7XR	24P	08/06/91	4.95	0.00	0.00
8849332	VE	6WS	24P	07/12/91	> 1000.0	0.00	0.00
8849332	YF	6W0	1	07/10/91	380.00	0.00	0.00
8849333	PT	7XR	24P	08/06/91	> 1000.0	0.00	0.00
8849333	VE	6WS	24P	07/12/91	> 1000.0	0.00	0.00
8849333	YF	6W0	1	07/10/91	982.00	0.00	0.00
8849334	PT	7XR	24P	08/06/91	460.00	0.00	0.00
8849334	VE	6WS	24P	07/12/91	> 1000.0	0.00	0.00
8849334	YF	6W0	1	07/10/91	538.00	0.00	0.00
8849335	PT	7XR	24P	08/06/91	325.00	0.00	0.00
8849335	VE	6WS	24P	07/12/91	154.00	0.00	0.00
8849335	YF	6W0	1	07/10/91	53.00	0.00	0.00
8849336	PT	7XS	24P	08/06/91	807.00	0.00	0.00
8849336	VE	6WT	24P	07/12/91	417.00	0.00	0.00
8849336	YF	6W1	1	07/10/91	8.01	0.00	0.00
8849337	PT	7XS	24P	08/06/91	> 1000.0	0.00	0.00
8849337	VE	6WT	24P	07/12/91	> 1000.0	0.00	0.00
8849337	YF	6W1	1	07/10/91	> 1000.0	0.00	0.00
8849338	PT	7XS	24P	08/06/91	459.00	0.00	0.00
8849338	VE	6WT	24P	07/12/91	711.00	0.00	0.00
8849338	YF	6W1	1	07/10/91	545.00	0.00	0.00
8849339	PT	7XS	24P	08/06/91	21.70	0.00	0.00
8849339	VE	6WT	24P	07/12/91	< 1.00	0.00	0.00
8849339	YF	6W1	1	07/10/91	24.40	0.00	0.00
8849340	PT	7XS	24P	08/06/91	> 1000.0	0.00	0.00
8849340	VE	6WT	24P	07/12/91	> 1000.0	0.00	0.00
8849340	YF	6W1	1	07/10/91	501.00	0.00	0.00
8849341	PT	7XT	24P	08/06/91	327.00	0.00	0.00
8849341	VE	6WU	24P	07/12/91	63.80	0.00	0.00
8849341	YF	6W2	1	07/10/91	120.00	0.00	0.00
8849342	PT	7XZ	27P	08/06/91	643.00	0.00	0.00
8849342	VE	7Y7	27P	08/09/91	> 1000.0	540.00 >	1.85
8849342	YF	840	27P	08/06/91	644.00	0.00	0.00
8849343	PT	7XZ	27P	08/06/91	537.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
B849343	VE	7Y7	27P	08/09/91	505.00	0.00	0.00
B849343	YF	84D	27P	08/06/91	462.00	0.00	0.00
B849344	PT	7XZ	27P	08/06/91	967.00	0.00	0.00
B849344	VE	7Y7	27P	08/09/91	> 1000.0	0.00	0.00
B849344	YF	84D	27P	08/06/91	302.00	0.00	0.00
B849345	PT	7XZ	27P	08/06/91	325.00	0.00	0.00
B849345	VE	7Y7	27P	08/09/91	123.00	0.00	0.00
B849345	YF	84D	27P	08/06/91	325.00	0.00	0.00
B849346	PT	7Y0	27P	08/06/91	250.00	0.00	0.00
B849346	VE	7Y8	27P	08/09/91	427.00	0.00	0.00
B849346	YF	84E	27P	08/06/91	329.00	0.00	0.00
B849347	PT	84M	27P	08/07/91	770.00	0.00	0.00
B849347	VE	7Y9	27P	08/09/91	227.00	0.00	0.00
B849347	YF	910	27P	08/27/91	605.00	0.00	0.00
B849348	PT	84M	27P	08/07/91	> 1000.0	0.00	0.00
B849348	VE	7Y9	27P	08/09/91	809.00	0.00	0.00
B849348	YF	910	27P	08/27/91	905.00	0.00	0.00
B849351F001	PT	97U	28P	09/05/91	> 1000.0	0.00	0.00
B849351F001	VE	979	28P	09/06/91	> 1000.0	0.00	0.00
B849351F001	YF	981	28P	09/05/91	> 1000.0	0.00	0.00
B849351F002	PT	97U	28P	09/05/91	> 1000.0	0.00	0.00
B849351F002	VE	979	28P	09/06/91	> 1000.0	0.00	0.00
B849351F002	YF	981	28P	09/05/91	940.00	0.00	0.00
B849351F004	PT	97U	28P	09/05/91	710.00	0.00	0.00
B849351F004	VE	979	28P	09/06/91	> 1000.0	0.00	0.00
B849351F004	YF	981	28P	09/05/91	453.00	0.00	0.00
B849351F005	PT	97U	28P	09/05/91	> 1000.0	0.00	0.00
B849351F005	VE	979	28P	09/06/91	> 1000.0	0.00	0.00
B849351F005	YF	981	28P	09/05/91	> 1000.0	0.00	0.00
B849351F006	PT	97U	28P	09/05/91	606.00	0.00	0.00
B849351F006	VE	979	28P	09/06/91	939.00	0.00	0.00
B849351F006	YF	981	28P	09/05/91	389.00	0.00	0.00
B849351F007	PT	97V	28P	09/05/91	> 1000.0	0.00	0.00
B849351F007	VE	97A	28P	09/06/91	> 1000.0	0.00	0.00
B849351F007	YF	982	28P	09/05/91	> 1000.0	0.00	0.00
B849356	PT	97T	28P	09/05/91	195.00	0.00	0.00
B849356	VE	978	28P	09/06/91	331.00	0.00	0.00
B849356	YF	980	28P	09/05/91	233.00	0.00	0.00
B849358	PT	97T	28P	09/05/91	23.00	0.00	0.00
B849358	VE	978	28P	09/06/91	8.45	0.00	0.00
B849358	YF	980	28P	09/05/91	39.20	0.00	0.00
DN1811161	PT	5MI	21P	05/15/91	> 1000.0	0.00	0.00
DN1811161	VE	5LX	21P	05/17/91	> 1000.0	0.00	0.00
DN1811161	YF	5MP	21P	05/15/91	> 1000.0	0.00	0.00
DN181117J	PT	5MI	21P	05/15/91	600.00	0.00	0.00
DN181117J	VE	5LX	21P	05/17/91	728.00	0.00	0.00
DN181117J	YF	5MP	21P	05/15/91	582.00	0.00	0.00
DN181118K	PT	5MI	21P	05/15/91	> 1000.0	0.00	0.00
DN181118K	VE	5LX	21P	05/17/91	> 1000.0	0.00	0.00
DN181118K	YF	5MP	21P	05/15/91	> 1000.0	0.00	0.00
DN181119L	PT	5MJ	21P	05/15/91	> 1000.0	0.00	0.00
DN181119L	VE	5LY	21P	05/17/91	> 1000.0	0.00	0.00
DN181119L	YF	5MQ	21P	05/15/91	> 1000.0	0.00	0.00
DN181121N	PT	5MJ	21P	05/15/91	285.00	0.00	0.00
DN181121N	VE	5LY	21P	05/17/91	325.00	0.00	0.00
DN181121N	YF	5MQ	21P	05/15/91	186.00	0.00	0.00
DN1811220	PT	5MJ	21P	05/15/91	> 1000.0	311.00 >	3.21
DN1811220	VE	5LY	21P	05/17/91	> 1000.0	0.00	0.00
DN1811220	YF	5MQ	21P	05/15/91	> 1000.0	199.00 >	5.03
DN181123P	PT	5MJ	21P	05/15/91	349.00	0.00	0.00
DN181123P	VE	5LY	21P	05/17/91	405.00	0.00	0.00
DN181123P	YF	5MQ	21P	05/15/91	343.00	0.00	0.00
DN181124Q	PT	5MJ	21P	05/15/91	757.00	0.00	0.00
DN181124Q	VE	5LY	21P	05/17/91	> 1000.0	0.00	0.00
DN181124Q	YF	5MQ	21P	05/15/91	781.00	0.00	0.00
DN181125R	PT	5MK	21P	05/15/91	> 1000.0	0.00	0.00
DN181125R	VE	5LZ	21P	05/17/91	> 1000.0	0.00	0.00
DN181125R	YF	5MR	21P	05/15/91	> 1000.0	0.00	0.00
DN181126S	PT	5MK	21P	05/15/91	379.00	0.00	0.00
DN181126S	VE	5LZ	21P	05/17/91	385.00	0.00	0.00
DN181126S	YF	5MR	21P	05/15/91	386.00	0.00	0.00
DN181127T	PT	5MK	21P	05/15/91	325.00	0.00	0.00
DN181127T	VE	5LZ	21P	05/17/91	307.00	0.00	0.00
DN181127T	YF	5MR	21P	05/15/91	327.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
DN181128U	PT	5MK	21P	05/15/91	347.00	0.00	0.00
DN181128U	VE	5LZ	21P	05/17/91	402.00	0.00	0.00
DN181128U	YF	5MR	21P	05/15/91	358.00	0.00	0.00
DN181129V	PT	5MK	21P	05/15/91	> 1000.0	0.00	0.00
DN181129V	VE	5LZ	21P	05/17/91	> 1000.0	0.00	0.00
DN181129V	YF	5MR	21P	05/15/91	> 1000.0	0.00	0.00
DN181130W	PT	5ML	21P	05/15/91	> 1000.0	0.00	0.00
DN181130W	VE	5M0	21P	05/17/91	> 1000.0	0.00	0.00
DN181130W	YF	5MS	21P	05/15/91	> 1000.0	0.00	0.00
DN181131X	PT	5ML	21P	05/15/91	> 1000.0	0.00	0.00
DN181131X	VE	5M0	21P	05/17/91	> 1000.0	0.00	0.00
DN181131X	YF	5MS	21P	05/15/91	> 1000.0	0.00	0.00
DN181132Y	PT	5ML	21P	05/15/91	381.00	0.00	0.00
DN181132Y	VE	5M0	21P	05/17/91	520.00	0.00	0.00
DN181132Y	YF	5MS	21P	05/15/91	250.00	0.00	0.00
DN181133Z	PT	5ML	21P	05/15/91	> 1000.0	0.00	0.00
DN181133Z	VE	5M0	21P	05/17/91	> 1000.0	0.00	0.00
DN181133Z	YF	5MS	21P	05/15/91	> 1000.0	0.00	0.00
DN181134A	PT	5ML	21P	05/15/91	> 1000.0	0.00	0.00
DN181134A	VE	5M0	21P	05/17/91	> 1000.0	0.00	0.00
DN181134A	YF	5MS	21P	05/15/91	> 1000.0	0.00	0.00
DN181134A	VE	5M0	21P	05/17/91	> 1000.0	0.00	0.00
DN181134A	YF	5MS	21P	05/15/91	> 1000.0	0.00	0.00
DN181135C	PT	5MN	21P	05/15/91	> 1000.0	0.00	0.00
DN181135C	VE	5M1	21P	05/17/91	> 1000.0	0.00	0.00
DN181135C	YF	5MT	21P	05/15/91	> 1000.0	0.00	0.00
DN181136F	PT	5MN	21P	05/15/91	> 1000.0	0.00	0.00
DN181136F	VE	5M1	21P	05/17/91	> 1000.0	0.00	0.00
DN181136F	YF	5MT	21P	05/15/91	> 1000.0	0.00	0.00
DN181137G	PT	5MN	21P	05/15/91	357.00	0.00	0.00
DN181137G	VE	5M1	21P	05/17/91	> 1000.0	0.00	0.00
DN181137G	YF	5MT	21P	05/15/91	454.00	0.00	0.00
DN181138H	PT	5MN	21P	05/15/91	498.00	0.00	0.00
DN181138H	VE	5M1	21P	05/17/91	377.00	0.00	0.00
DN181138H	YF	5MT	21P	05/15/91	165.00	0.00	0.00
DN181139I	PT	5MN	21P	05/15/91	> 1000.0	0.00	0.00
DN181139I	VE	5M1	21P	05/17/91	> 1000.0	0.00	0.00
DN181139I	YF	5MT	21P	05/15/91	> 1000.0	0.00	0.00
DN181140J	PT	5MN	21P	05/15/91	> 1000.0	0.00	0.00
DN181140J	VE	5M2	21P	05/17/91	> 1000.0	0.00	0.00
DN181140J	YF	5MU	21P	05/15/91	> 1000.0	0.00	0.00
DN181141K	PT	5M2	21P	05/16/91	> 1000.0	0.00	0.00
DN181141K	VE	5M3	21P	05/17/91	> 1000.0	0.00	0.00
DN181141K	YF	5MV	21P	05/16/91	> 1000.0	0.00	0.00
DN181142L	PT	5M2	21P	05/16/91	> 1000.0	0.00	0.00
DN181142L	VE	5M3	21P	05/17/91	> 1000.0	0.00	0.00
DN181142L	YF	5MV	21P	05/16/91	> 1000.0	0.00	0.00
DN181143M	PT	5M2	21P	05/16/91	> 1000.0	377.00 >	2.65
DN181143M	VE	5M3	21P	05/17/91	> 1000.0	0.00	0.00
DN181143M	YF	5MV	21P	05/16/91	> 1000.0	0.00	0.00
DN181144N	PT	5M2	21P	05/16/91	> 1000.0	0.00	0.00
DN181144N	VE	5M3	21P	05/17/91	> 1000.0	0.00	0.00
DN181144N	YF	5MV	21P	05/16/91	> 1000.0	0.00	0.00
DN181145O	PT	5M3	21P	05/16/91	62.20	0.00	0.00
DN181145O	VE	5M4	21P	05/17/91	> 1000.0	0.00	0.00
DN181145O	YF	5MW	21P	05/16/91	> 1000.0	0.00	0.00
DN181146P	PT	5M3	21P	05/16/91	> 1000.0	0.00	0.00
DN181146P	VE	5M4	21P	05/17/91	> 1000.0	0.00	0.00
DN181146P	YF	5MW	21P	05/16/91	> 1000.0	0.00	0.00
DN181147Q	PT	5M3	21P	05/16/91	354.00	0.00	0.00
DN181147Q	VE	5M4	21P	05/17/91	518.00	0.00	0.00
DN181147Q	YF	5MW	21P	05/16/91	396.00	0.00	0.00
DN181148R	PT	5M3	21P	05/16/91	> 1000.0	0.00	0.00
DN181148R	VE	5M4	21P	05/17/91	> 1000.0	0.00	0.00
DN181148R	YF	5MW	21P	05/16/91	> 1000.0	0.00	0.00
DN181149S	PT	5M3	21P	05/16/91	> 1000.0	0.00	0.00
DN181149S	VE	5M4	21P	05/17/91	> 1000.0	0.00	0.00
DN181149S	YF	5MW	21P	05/16/91	> 1000.0	0.00	0.00
DN181150T	PT	5M4	21P	05/16/91	470.00	0.00	0.00
DN181150T	VE	5M5	21P	05/17/91	478.00	0.00	0.00
DN181150T	YF	5MX	21P	05/16/91	> 1000.0	0.00	0.00
DN181151U	PT	5M4	21P	05/16/91	61.00	0.00	0.00
DN181151U	VE	5M5	21P	05/17/91	312.00	0.00	0.00
DN181151U	YF	5MX	21P	05/16/91	430.00	0.00	0.00
DN181152V	PT	5M4	21P	05/16/91	373.00	0.00	0.00
DN181152V	VE	5M5	21P	05/17/91	389.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
DN181152V	YF	5MX	21P	05/16/91	369.00	0.00	0.00
DN181153W	PT	5N4	21P	05/16/91	> 1000.0	0.00	0.00
DN181153W	VE	5M5	21P	05/17/91	> 1000.0	0.00	0.00
DN181153W	YF	5MX	21P	05/16/91	> 1000.0	0.00	0.00
DN181154X	PT	5N4	21P	05/16/91	55.80	0.00	0.00
DN181154X	VE	5M5	21P	05/17/91	448.00	0.00	0.00
DN181154X	YF	5MX	21P	05/16/91	353.00	0.00	0.00
DN181155Y	PT	5N5	21P	05/16/91	45.20	0.00	0.00
DN181155Y	VE	5M6	21P	05/17/91	119.00	0.00	0.00
DN181155Y	YF	5MY	21P	05/16/91	185.00	0.00	0.00
DN181156Z	PT	5N5	21P	05/16/91	117.00	0.00	0.00
DN181156Z	VE	5M6	21P	05/17/91	357.00	0.00	0.00
DN181156Z	YF	5MY	21P	05/16/91	342.00	0.00	0.00
DN181157A	PT	5N5	21P	05/16/91	> 1000.0	0.00	0.00
DN181157A	VE	5M6	21P	05/17/91	181.00	0.00	0.00
DN181157A	YF	5MY	21P	05/16/91	> 1000.0	0.00	0.00
DN181160G	PT	5N5	21P	05/16/91	52.90	0.00	0.00
DN181160G	VE	5M6	21P	05/17/91	46.90	0.00	0.00
DN181160G	YF	5MY	21P	05/16/91	271.00	0.00	0.00
DN181161H	PT	5N5	21P	05/16/91	801.00	0.00	0.00
DN181161H	VE	5M6	21P	05/17/91	> 1000.0	0.00	0.00
DN181161H	YF	5MY	21P	05/16/91	> 1000.0	0.00	0.00
DN1811621	PT	5N6	21P	05/16/91	353.00	0.00	0.00
DN1811621	VE	5M7	21P	05/17/91	600.00	0.00	0.00
DN1811621	YF	5MZ	21P	05/16/91	359.00	0.00	0.00
DN181163J	PT	5N6	21P	05/16/91	190.00	0.00	0.00
DN181163J	VE	5M7	21P	05/17/91	137.00	0.00	0.00
DN181163J	YF	5MZ	21P	05/16/91	327.00	0.00	0.00
DN181164K	PT	5N6	21P	05/16/91	> 1000.0	0.00	0.00
DN181164K	VE	5M7	21P	05/17/91	> 1000.0	0.00	0.00
DN181164K	YF	5MZ	21P	05/16/91	> 1000.0	0.00	0.00
DN181165L	PT	5N6	21P	05/16/91	588.00	0.00	0.00
DN181165L	VE	5M7	21P	05/17/91	> 1000.0	0.00	0.00
DN181165L	YF	5MZ	21P	05/16/91	> 1000.0	0.00	0.00
DN181166M	PT	5N6	21P	05/16/91	462.00	0.00	0.00
DN181166M	VE	5M7	21P	05/17/91	> 1000.0	0.00	0.00
DN181166M	YF	5MZ	21P	05/16/91	561.00	0.00	0.00
DN181167N	PT	5N7	21P	05/16/91	203.00	0.00	0.00
DN181167N	VE	5M8	21P	05/17/91	432.00	0.00	0.00
DN181167N	YF	5N0	21P	05/16/91	356.00	0.00	0.00
DN1811680	PT	5N7	21P	05/16/91	771.00	0.00	0.00
DN1811680	VE	5M8	21P	05/17/91	210.00	0.00	0.00
DN1811680	YF	5N0	21P	05/16/91	758.00	0.00	0.00
DN181169P	PT	5N7	21P	05/16/91	94.70	0.00	0.00
DN181169P	VE	5M8	21P	05/17/91	225.00	0.00	0.00
DN181169P	YF	5N0	21P	05/16/91	> 1000.0	0.00	0.00
DN1811700	PT	5N7	21P	05/16/91	> 1000.0	472.00 >	2.12
DN1811700	VE	5M8	21P	05/17/91	> 1000.0	0.00	0.00
DN1811700	YF	5N0	21P	05/16/91	943.00	0.00	0.00
DN181171R	PT	5N7	21P	05/16/91	325.00	0.00	0.00
DN181171R	VE	5M8	21P	05/17/91	333.00	0.00	0.00
DN181171R	YF	5N0	21P	05/16/91	328.00	0.00	0.00
DN181172S	PT	5M8	21P	05/16/91	278.00	0.00	0.00
DN181172S	VE	5M9	21P	05/17/91	413.00	279.00	1.48
DN181172S	YF	5N1	21P	05/16/91	540.00	0.00	0.00
DN181173T	PT	5M9	21P	05/17/	896.00	0.00	0.00
DN181173T	VE	5MA	21P	05/17/91	> 1000.0	0.00	0.00
DN181173T	YF	5NG	21P	05/17/91	856.00	0.00	0.00
DN181174U	PT	5M9	21P	05/17/91	47.90	0.00	0.00
DN181174U	VE	5MA	21P	05/17/91	45.80	0.00	0.00
DN181174U	YF	5NG	21P	05/17/91	30.60	0.00	0.00
DN181175V	PT	5M9	21P	05/17/91	829.00	0.00	0.00
DN181175V	VE	5MA	21P	05/17/91	> 1000.0	0.00	0.00
DN181175V	YF	5NG	21P	05/17/91	> 1000.0	0.00	0.00
DN181176W	PT	5M9	21P	05/17/91	> 1000.0	0.00	0.00
DN181176W	VE	5MA	21P	05/17/91	> 1000.0	0.00	0.00
DN181176W	YF	5NG	21P	05/17/91	> 1000.0	0.00	0.00
DN181177X	PT	5MA	21P	05/17/91	565.00	0.00	0.00
DN181177X	VE	5MB	21P	05/17/91	483.00	0.00	0.00
DN181177X	YF	5NH	21P	05/17/91	411.00	0.00	0.00
DN181178Y	PT	5MA	21P	05/17/91	880.00	468.00	1.88
DN181178Y	VE	5MB	21P	05/17/91	> 1000.0	655.00 >	1.53
DN181178Y	YF	5NH	21P	05/17/91	330.00	0.00	0.00
DN1811792	PT	5MA	21P	05/17/91	728.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
DN181179Z	VE	5MB	21P	05/17/91	452.00	0.00	0.00
DN181179Z	YF	5NN	21P	05/17/91	341.00	0.00	0.00
DN181180A	PT	5NA	21P	05/17/91	39.00	0.00	0.00
DN181180A	VE	5MB	21P	05/17/91	491.00	0.00	0.00
DN181180A	YF	5NN	21P	05/17/91	256.00	0.00	0.00
DN181181C	PT	5NA	21P	05/17/91	50.20	0.00	0.00
DN181181C	VE	5MB	21P	05/17/91	622.00	1000.0	0.62
DN181181C	YF	5NN	21P	05/17/91	173.00	0.00	0.00
DN181182F	PT	5NB	21P	05/17/91	215.00	55.20	3.89
DN181182F	VE	5MC	21P	05/17/91	359.00	0.00	0.00
DN181182F	YF	5NI	21P	05/17/91	229.00	0.00	0.00
DN181183G	PT	5NB	21P	05/17/91	743.00	0.00	0.00
DN181183G	VE	5MC	21P	05/17/91	> 1000.0	0.00	0.00
DN181183G	YF	5NI	21P	05/17/91	581.00	0.00	0.00
DN181184H	PT	5NB	21P	05/17/91	351.00	0.00	0.00
DN181184H	VE	5MC	21P	05/17/91	319.00	0.00	0.00
DN181184H	YF	5NI	21P	05/17/91	299.00	0.00	0.00
DN181185I	PT	5NB	21P	05/17/91	> 1000.0	0.00	0.00
DN181185I	VE	5MC	21P	05/17/91	> 1000.0	0.00	0.00
DN181185I	YF	5NI	21P	05/17/91	604.00	0.00	0.00
DN181186J	PT	5NB	21P	05/17/91	450.00	0.00	0.00
DN181186J	VE	5MC	21P	05/17/91	625.00	0.00	0.00
DN181186J	YF	5NI	21P	05/17/91	438.00	0.00	0.00
DN181187K	PT	5NC	21P	05/17/91	456.00	0.00	0.00
DN181187K	VE	5ND	21P	05/17/91	768.00	0.00	0.00
DN181187K	YF	5NJ	21P	05/17/91	438.00	0.00	0.00
DN181190N	PT	5NC	21P	05/17/91	> 1000.0	0.00	0.00
DN181190N	VE	5ND	21P	05/17/91	> 1000.0	0.00	0.00
DN181190N	YF	5NJ	21P	05/17/91	> 1000.0	[illegible].00	0.00
DN1811910	PT	5NC	21P	05/17/91	> 1000.0	0.00	0.00
DN1811910	VE	5ND	21P	05/17/91	> 1000.0	0.00	0.00
DN1811910	YF	5NJ	21P	05/17/91	> 1000.0	0.00	0.00
DN181192P	PT	5NC	21P	05/17/91	> 1000.0	0.00	0.00
DN181192P	VE	5ND	21P	05/17/91	> 1000.0	0.00	0.00
DN181192P	YF	5NJ	21P	05/17/91	> 1000.0	0.00	0.00
DN181195S	PT	5NC	21P	05/17/91	> 1000.0	0.00	0.00
DN181195S	VE	5ND	21P	05/17/91	> 1000.0	0.00	0.00
DN181195S	YF	5NJ	21P	05/17/91	> 1000.0	0.00	0.00
DN181196T	PT	5ND	21P	05/17/91	301.00	0.00	0.00
DN181196T	VE	5NE	21P	05/17/91	413.00	0.00	0.00
DN181196T	YF	5. (	21P	05/17/91	183.00	0.00	0.00
DN181197U	PT	5ND	21P	05/17/91	411.00	0.00	0.00
DN181197U	VE	5NE	21P	05/17/91	383.00	0.00	0.00
DN181197U	YF	5NK	21P	05/17/91	401.00	0.00	0.00
DN181198V	PT	5ND	21P	05/17/91	< 1.00	0.00	0.00
DN181198V	VE	5NE	21P	05/17/91	5.05	0.00	0.00
DN181198V	YF	5NK	21P	05/17/91	4.28	0.00	0.00
DN181384X	PT	5ND	21P	05/17/91	> 1000.0	0.00	0.00
DN181384X	VE	5NE	21P	05/17/91	> 1000.0	0.00	0.00
DN181384X	YF	5NK	21P	05/17/91	> 1000.0	0.00	0.00
DN181387A	PT	5ND	21P	05/17/91	389.00	75.30	5.16
DN181387A	VE	5NE	21P	05/17/91	431.00	0.00	0.00
DN181387A	YF	5NK	21P	05/17/91	370.00	0.00	0.00
DN181388C	PT	5NE	21P	05/17/91	205.00	0.00	0.00
DN181388C	VE	5NF	21P	05/17/91	540.00	0.00	0.00
DN181388C	YF	5NL	21P	05/17/91	305.00	0.00	0.00
DN181389F	PT	5NE	21P	05/17/91	787.00	0.00	0.00
DN181389F	VE	5NF	21P	05/17/91	> 1000.0	0.00	0.00
DN181389F	YF	5NL	21P	05/17/91	601.00	0.00	0.00
DN181391H	PT	5NE	21P	05/17/91	> 1000.0	0.00	0.00
DN181391H	VE	5NF	21P	05/17/91	> 1000.0	0.00	0.00
DN181391H	YF	5NL	21P	05/17/91	932.00	0.00	0.00
DN1813921	PT	5NE	21P	05/17/91	250.00	0.00	0.00
DN1813921	VE	5NF	21P	05/17/91	473.00	0.00	0.00
DN1813921	YF	5NL	21P	05/17/91	271.00	0.00	0.00
DN181393J	PT	5NE	21P	05/17/91	387.00	0.00	0.00
DN181393J	VE	5NF	21P	05/17/91	563.00	0.00	0.00
DN181393J	YF	5NL	21P	05/17/91	308.00	0.00	0.00
DN181394K	PT	5NF	21P	05/17/91	4.77	0.00	0.00
DN181394K	VE	5NG	21P	05/17/91	177.00	0.00	0.00
DN181394K	YF	5NM	21P	05/17/91	115.00	0.00	0.00
DN181395L	PT	5Q7	21P	05/22/91	185.00	0.00	0.00
DN181395L	VE	5PT	21P	05/24/91	187.00	0.00	0.00
DN181395L	YF	6HG	21P	06/13/91	112.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
DN181396N	PT	5Q7	21P	05/22/91	103.00	0.00	0.00
DN181396N	VE	5PT	21P	05/24/91	235.00	0.00	0.00
DN181396N	YF	6HG	21P	06/13/91	257.00	0.00	0.00
DN181397N	PT	5Q7	21P	05/22/91	325.00	0.00	0.00
DN181397N	VE	5PT	21P	05/24/91	> 1000.0	0.00	0.00
DN181397N	YF	6HG	21P	06/13/91	327.00	0.00	0.00
DN1813980	PT	5Q7	21P	05/22/91	902.00	0.00	0.00
DN1813980	VE	5PT	21P	05/24/91	348.00	0.00	0.00
DN1813980	YF	6HG	21P	06/13/91	764.00	0.00	0.00
DN181399P	PT	5Q8	21P	05/22/91	492.00	71.80	6.85
DN181399P	VE	5PU	21P	05/24/91	447.00	0.00	0.00
DN181399P	YF	6HH	21P	06/13/91	369.00	0.00	0.00
DN181400Q	PT	5Q8	21P	05/22/91	374.00	0.00	0.00
DN181400Q	VE	5PU	21P	05/24/91	418.00	0.00	0.00
DN181400Q	YF	6HH	21P	06/13/91	353.00	0.00	0.00
DN181401R	PT	5Q8	21P	05/22/91	328.00	0.00	0.00
DN181401R	VE	5PU	21P	05/24/91	288.00	0.00	0.00
DN181401R	YF	6HH	21P	06/13/91	298.00	0.00	0.00
DN181402S	PT	5Q8	21P	05/22/91	758.00	676.00	1.12
DN181402S	VE	5PU	21P	05/24/91	473.00	0.00	0.00
DN181402S	YF	6HH	21P	06/13/91	397.00	0.00	0.00
DN181403T	PT	5Q8	21P	05/22/91	> 1000.0	0.00	0.00
DN181403T	VE	5PU	21P	05/24/91	> 1000.0	0.00	0.00
DN181403T	PT	5Q8	21P	05/22/91	> 1000.0	0.00	0.00
DN181403T	VE	5PU	21P	05/24/91	> 1000.0	0.00	0.00
DN181403T	YF	6HH	21P	06/13/91	> 1000.0	0.00	0.00
DN181404U	PT	5Q9	21P	05/22/91	369.00	0.00	0.00
DN181404U	VE	5PV	21P	05/24/91	489.00	0.00	0.00
DN181404U	YF	6HI	21P	06/13/91	400.00	0.00	0.00
DN181405V	PT	5Q9	21P	05/22/91	471.00	0.00	0.00
DN181405V	VE	5PV	21P	05/24/91	382.00	0.00	0.00
DN181405V	YF	6HI	21P	06/13/91	319.00	0.00	0.00
DN181406W	PT	5Q9	21P	05/22/91	216.00	0.00	0.00
DN181406W	VE	5PV	21P	05/24/91	393.00	0.00	0.00
DN181406W	YF	6HI	21P	06/13/91	513.00	0.00	0.00
DN181407X	PT	5Q9	21P	05/22/91	59.80	0.00	0.00
DN181407X	VE	5PV	21P	05/24/91	212.00	0.00	0.00
DN181407X	YF	6HI	21P	06/13/91	47.90	0.00	0.00
DN181408Y	PT	5Q9	21P	05/22/91	> 1000.0	0.00	0.00
DN181408Y	VE	5PV	21P	05/24/91	> 1000.0	0.00	0.00
DN181408Y	YF	6HI	21P	06/13/91	> 1000.0	0.00	0.00
DN181409Z	PT	5QA	21P	05/22/91	471.00	0.00	0.00
DN181409Z	VE	5PW	21P	05/24/91	574.00	0.00	0.00
DN181409Z	YF	6HJ	21P	06/13/91	509.00	0.00	0.00
DN181410A	PT	5QA	21P	05/22/91	629.00	0.00	0.00
DN181410A	VE	5PW	21P	05/24/91	> 1000.0	0.00	0.00
DN181410A	YF	6HJ	21P	06/13/91	> 1000.0	0.00	0.00
DN181411C	PT	5QA	21P	05/22/91	369.00	0.00	0.00
DN181411C	VE	5PW	21P	05/24/91	927.00	0.00	0.00
DN181411C	YF	6HJ	21P	06/13/91	536.00	0.00	0.00
DN181412F	PT	5QA	21P	05/22/91	> 1000.0	0.00	0.00
DN181412F	VE	5PW	21P	05/24/91	> 1000.0	0.00	0.00
DN181412F	YF	6HJ	21P	06/13/91	> 1000.0	0.00	0.00
DN181413G	PT	5QA	21P	05/22/91	389.00	0.00	0.00
DN181413G	VE	5PW	21P	05/24/91	340.00	0.00	0.00
DN181413G	YF	6HJ	21P	06/13/91	554.00	0.00	0.00
DN181485J	PT	5QB	21P	05/22/91	> 1000.0	0.00	0.00
DN181485J	VE	5PX	21P	05/24/91	> 1000.0	0.00	0.00
DN181485J	PT	5QB	21P	05/22/91	> 1000.0	0.00	0.00
DN181485J	VE	5PX	21P	05/24/91	> 1000.0	0.00	0.00
DN181485J	YF	6HK	21P	06/13/91	> 1000.0	0.00	0.00
DN[illegible]486K	PT	5QB	21P	05/22/91	360.00	0.00	0.00
DN[illegible]	VE	5PX	21P	05/24/91	325.00	0.00	0.00
DN[illegible]AK	YF	6HK	21P	06/13/91	235.00	0.00	0.00
DN[illegible]L	PT	5QB	21P	05/22/91	325.00	0.00	0.00
DN[illegible]	VE	5PX	21P	05/24/91	328.00	0.00	0.00
DN[illegible]	YF	6HK	21P	06/13/91	311.00	0.00	0.00
DN[illegible]	PT	5QB	21P	05/22/91	455.00	0.00	0.00
DN[illegible]488M	VE	5PX	21P	05/24/91	> 1000.0	0.00	0.00
DN181488M	YF	6HK	21P	06/13/91	> 1000.0	0.00	0.00
DN181489N	PT	5QB	21P	05/22/91	> 1000.0	0.00	0.00
DN181489N	VE	5PX	21P	05/24/91	465.00	0.00	0.00
DN181489N	YF	6HK	21P	06/13/91	431.00	0.00	0.00
DN1814900	PT	5QC	21P	05/22/91	599.00	0.00	0.00
DN1814900	VE	5PY	21P	05/24/91	> 1000.0	0.00	0.00
DN1814900	YF	6HL	21P	06/13/91	863.00	0.00	0.00
DN181491P	PT	5QC	21P	05/22/91	816.00	693.00	1.18
DN181491P	VE	5PY	21P	05/24/91	466.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
DN181491P	YF	6HL	21P	06/13/91	358.00	0.00	0.00
DN181492Q	PT	5QC	21P	05/22/91	325.00	0.00	0.00
DN181492Q	VE	5PY	21P	05/24/91	> 1000.0	0.00	0.00
DN181492Q	YF	6HL	21P	06/13/91	> 1000.0	0.00	0.00
DN181493R	PT	5QC	21P	05/22/91	> 1000.0	0.00	0.00
DN181493R	VE	5PY	21P	05/24/91	> 1000.0	0.00	0.00
DN181493R	YF	6HL	21P	06/13/91	> 1000.0	0.00	0.00
DN181494S	PT	5QC	21P	05/22/91	> 1000.0	764.00 >	1.31
DN181494S	VE	5PY	21P	05/24/91	> 1000.0	0.00	0.00
DN181494S	YF	6HL	21P	06/13/91	445.00	0.00	0.00
DN181495T	PT	5QD	21P	05/22/91	374.00	0.00	0.00
DN181495T	VE	5P2	21P	05/24/91	486.00	0.00	0.00
DN181495T	YF	6HN	21P	06/13/91	45.60	0.00	0.00
DN181496U	PT	6F0	21P	06/11/91	> 1000.0	0.00	0.00
DN181496U	VE	5QE	21P	05/24/91	> 1000.0	0.00	0.00
DN181496U	YF	618	21P	06/14/91	852.00	0.00	0.00
DN181497V	PT	6F0	21P	06/11/91	345.00	0.00	0.00
DN181497V	VE	5QE	21P	05/24/91	920.00	0.00	0.00
DN181497V	YF	618	21P	06/14/91	585.00	0.00	0.00
DN181498W	PT	6F0	21P	06/11/91	238.00	0.00	0.00
DN181498W	VE	5QE	21P	05/24/91	339.00	0.00	0.00
DN181498W	YF	618	21P	06/14/91	336.00	0.00	0.00
DN181499X	PT	6F0	21P	06/11/91	> 1000.0	436.00 >	2.30
DN181499X	VE	5QE	21P	05/24/91	> 1000.0	932.00 >	1.07
DN181499X	YF	618	21P	06/14/91	> 1000.0	0.00	0.00
DN181500Y	PT	6F1	21P	06/11/91	6.33	0.00	0.00
DN181500Y	VE	5QF	21P	05/24/91	> 1000.0	0.00	0.00
DN181500Y	YF	619	21P	06/14/91	> 1000.0	0.00	0.00
DN181501Z	PT	6F1	21P	06/11/91	0.81	0.00	0.00
DN181501Z	VE	5QF	21P	05/24/91	737.00	0.00	0.00
DN181501Z	YF	619	21P	06/14/91	> 1000.0	0.00	0.00
DN181502A	PT	6F1	21P	06/11/91	645.00	0.00	0.00
DN181502A	VE	5QF	21P	05/24/91	> 1000.0	0.00	0.00
DN181502A	YF	619	21P	06/14/91	> 1000.0	0.00	0.00
DN181503C	PT	6F1	21P	06/11/91	> 1000.0	0.00	0.00
DN181503C	VE	5QF	21P	05/24/91	> 1000.0	0.00	0.00
DN181503C	YF	619	21P	06/14/91	> 1000.0	0.00	0.00
DN181504F	PT	6F1	21P	06/11/91	394.00	0.00	0.00
DN181504F	VE	5QF	21P	05/24/91	703.00	0.00	0.00
DN181504F	YF	619	21P	06/14/91	650.00	0.00	0.00
DN181505G	PT	6F2	21P	06/11/91	< 1.00	0.00	0.00
DN181505G	VE	5QG	21P	05/24/91	> 1000.0	0.00	0.00
DN181505G	YF	61A	21P	06/14/91	1.38	0.00	0.00
DN181506H	PT	6F2	21P	06/11/91	152.00	0.00	0.00
DN181506H	VE	5QG	21P	05/24/91	954.00	0.00	0.00
DN181506H	YF	61A	21P	06/14/91	492.00	0.00	0.00
DN181507I	PT	6F2	21P	06/11/91	150.00	0.00	0.00
DN181507I	VE	5QG	21P	05/24/91	557.00	0.00	0.00
DN181507I	YF	61A	21P	06/14/91	480.00	0.00	0.00
DN181508J	PT	6F2	21P	06/11/91	9.71	0.00	0.00
DN181508J	VE	5QG	21P	05/24/91	380.00	0.00	0.00
DN181508J	YF	61A	21P	06/14/91	418.00	0.00	0.00
DN181509K	PT	6F2	21P	06/11/91	32.40	0.00	0.00
DN181509K	VE	5QG	21P	05/24/91	323.00	0.00	0.00
DN181509K	YF	61A	21P	06/14/91	152.00	0.00	0.00
DN181510L	PT	6F3	21P	06/11/91	135.00	0.00	0.00
DN181510L	VE	5QH	21P	05/24/91	358.00	0.00	0.00
DN181510L	YF	61B	21P	06/14/91	182.00	0.00	0.00
DN181511M	PT	6F3	21P	06/11/91	197.00	0.00	0.00
DN181511M	VE	5QH	21P	05/24/91	310.00	0.00	0.00
DN181511M	YF	61B	21P	06/14/91	325.00	0.00	0.00
DN181512N	PT	6F3	21P	06/11/91	299.00	0.00	0.00
DN181512N	VE	5QH	21P	05/24/91	320.00	0.00	0.00
DN181512N	YF	61B	21P	06/14/91	377.00	0.00	0.00
DN1815130	PT	6F3	21P	06/11/91	312.00	0.00	0.00
DN1815130	VE	5QH	21P	05/24/91	384.00	0.00	0.00
DN1815130	YF	61B	21P	06/14/91	434.00	0.00	0.00
DN181514P	PT	6F3	21P	06/11/91	336.00	0.00	0.00
DN181514P	VE	5QH	21P	05/24/91	517.00	0.00	0.00
DN181514P	YF	61B	21P	06/14/91	540.00	0.00	0.00
DN181515Q	PT	6F4	21P	06/11/91	214.00	58.40	3.66
DN181515Q	VE	5QI	21P	05/24/91	243.00	0.00	0.00
DN181515Q	YF	61C	21P	06/14/91	325.00	0.00	0.00
DN181516R	PT	6F4	21P	06/11/91	93.90	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
DN181516R	VE	5QI	21P	05/24/91	759.00	0.00	0.00
DN181516R	YF	6IC	21P	06/14/91	800.00	0.00	0.00
DN181517S	PT	6F4	21P	06/11/91	8.68	0.00	0.00
DN181517S	VE	5QI	21P	05/24/91	596.00	0.00	0.00
DN181517S	YF	6IC	21P	06/14/91	264.00	0.00	0.00
GRP18057	PT	36C	14P	02/15/91	58.70	0.00	0.00
GRP18057	VE	36N	14P	02/15/91	141.00	0.00	0.00
GRP18057	YF	361	14P	02/13/91	56.10	0.00	0.00
GRP18058	PT	36C	14P	02/15/91	64.50	0.00	0.00
GRP18058	VE	36N	14P	02/15/91	47.10	0.00	0.00
GRP18058	YF	361	14P	02/13/91	216.00	0.00	0.00
GRP18059	PT	36C	14P	02/15/91	39.90	0.00	0.00
GRP18059	VE	36N	14P	02/15/91	37.60	0.00	0.00
GRP18059	YF	361	14P	02/13/91	37.30	0.00	0.00
GRP18060	PT	36C	14P	02/15/91	32.50	0.00	0.00
GRP18060	VE	36N	14P	02/15/91	4.29	0.00	0.00
GRP18060	YF	361	14P	02/13/91	32.50	0.00	0.00
GRP18061	PT	360	14P	02/15/91	376.00	0.00	0.00
GRP18061	VE	360	14P	02/15/91	4.60	0.00	0.00
GRP18061	YF	362	14P	02/13/91	115.00	0.00	0.00
GRP18062	PT	360	14P	02/15/91	325.00	0.00	0.00
GRP18062	VE	360	14P	02/15/91	331.00	0.00	0.00
GRP18062	YF	362	14P	02/13/91	326.00	0.00	0.00
GRP18063	PT	360	14P	02/15/91	108.00	0.00	0.00
GRP18063	VE	360	14P	02/15/91	43.20	0.00	0.00
GRP18063	YF	362	14P	02/13/91	135.00	0.00	0.00
GRP18064	PT	360	14P	02/15/91	333.00	0.00	0.00
GRP18064	VE	360	14P	02/15/91	335.00	0.00	0.00
GRP18064	YF	362	14P	02/13/91	326.00	0.00	0.00
GRP18065	PT	360	14P	02/15/91	32.50	0.00	0.00
GRP18065	VE	360	14P	02/15/91	5.52	0.00	0.00
GRP18065	YF	362	14P	02/13/91	16.20	0.00	0.00
GRP18066	PT	36E	14P	02/15/91	143.00	0.00	0.00
GRP18066	VE	36P	14P	02/15/91	360.00	0.00	0.00
GRP18066	YF	363	14P	02/13/91	325.00	39.20	8.30
GRP18067	PT	36E	14P	02/15/91	43.20	0.00	0.00
GRP18067	VE	36P	14P	02/15/91	32.50	0.00	0.00
GRP18067	YF	363	14P	02/13/91	39.40	0.00	0.00
GRP18068	PT	36E	14P	02/15/91	325.00	0.00	0.00
GRP18068	VE	36P	14P	02/15/91	326.00	0.00	0.00
GRP18068	YF	363	14P	02/13/91	326.00	0.00	0.00
GRP18069	PT	36E	14P	02/15/91	45.20	0.00	0.00
GRP18069	VE	36P	14P	02/15/91	383.00	0.00	0.00
GRP18069	YF	363	14P	02/13/91	281.00	0.00	0.00
GRP18070	PT	36E	14P	02/15/91	327.00	0.00	0.00
GRP18070	VE	36P	14P	02/15/91	281.00	0.00	0.00
GRP18070	YF	363	14P	02/13/91	326.00	0.00	0.00
GRP18071	PT	36F	14P	02/15/91	2.79	0.00	0.00
GRP18071	VE	36Q	14P	02/15/91	2.67	0.00	0.00
GRP18071	YF	364	14P	02/13/91	2.82	0.00	0.00
GRP19456	PT	3K7	16P	02/27/91	> 1000 0	0.00	0.00
GRP19456	VE	3J2	16P	03/01/91	> 100(0	0.00	0.00
GRP19456	YF	3K1	16P	02/27/91	> 1000.0	0.00	0.00
GRP19457	PT	3K7	16P	02/27/91	> 1000.0	0.00	0.00
GRP19457	VE	3J2	16P	03/01/91	321.00	0.00	0.00
GRP19457	YF	3K1	16P	02/27/91	> 1000.0	0.00	0.00
GRP19458	PT	3K7	16P	02/27/91	531.00	0.00	0.00
GRP19458	VE	3J2	16P	03/01/91	> 1000.0	0.00	0.00
GRP19458	YF	3K1	16P	02/27/91	602.00	0.00	0.00
GRP19458	VE	3J2	16P	03/01/91	> 1000.0	0.00	0.00
GRP19458	YF	3K1	16P	02/27/91	602.00	0.00	0.00
GRP19459	PT	3K7	16P	02/27/91	> 1000.0	399.00 >	2.51
GRP19459	VE	3J2	16P	03/01/91	> 1000.0	0.00	0.00
GRP19459	YF	3K1	16P	02/27/91	> 1000.0	0.00	0.00
GRP19460	PT	3K8	16P	02/27/91	861.00	0.00	0.00
GRP19460	VE	3J3	16P	03/01/91	> 1000.0	0.00	0.00
GRP19460	YF	3K2	16P	02/27/91	> 1000.0	0.00	0.00
GRP19461	PT	3K8	16P	02/27/91	936.00	0.00	0.00
GRP19461	VE	3J3	16P	03/01/91	> 1000.0	0.00	0.00
GRP19461	YF	3K2	16P	02/27/91	> 1000.0	0.00	0.00
GRP19462	PT	3K8	16P	02/27/91	764.00	386.00	1.98
GRP19462	VE	3J3	16P	03/01/91	746.00	0.00	0.00
GRP19462	YF	3K2	16P	02/27/91	> 1000.0	0.00	0.00
GRP19463	PT	3K8	16P	02/27/91	768.00	913.00	0.84
GRP19463	VE	3J3	16P	03/01/91	> 1000.0	0.00	0.00
GRP19463	YF	3K2	16P	02/27/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19464	PT	3K8	16P	02/27/91	179.00	0.00	0.00
GRP19464	VE	3J3	16P	03/01/91	> 1000.0	0.00	0.00
GRP19464	YF	3K2	16P	02/27/91	505.00	0.00	0.00
GRP19465	PT	3K9	16P	02/27/91	> 1000.0	0.00	0.00
GRP19465	VE	3J4	16P	03/01/91	> 1000.0	0.00	0.00
GRP19465	YF	3K3	16P	02/27/91	> 1000.0	0.00	0.00
GRP19467	PT	3K9	16P	02/27/91	> 1000.0	0.00	0.00
GRP19467	VE	3J4	16P	03/01/91	> 1000.0	0.00	0.00
GRP19467	YF	3K3	16P	02/27/91	> 1000.0	0.00	0.00
GRP19468	PT	3K9	16P	02/27/91	175.00	0.00	0.00
GRP19468	VE	3J4	16P	03/01/91	583.00	0.00	0.00
GRP19468	YF	3K3	16P	02/27/91	378.00	0.00	0.00
GRP19469	PT	3K9	16P	02/27/91	> 1000.0	0.00	0.00
GRP19469	VE	3J4	16P	03/01/91	> 1000.0	0.00	0.00
GRP19469	YF	3K3	16P	02/27/91	> 1000.0	0.00	0.00
GRP19470	PT	3K9	16P	02/27/91	104.00	0.00	0.00
GRP19470	VE	3J4	16P	03/01/91	512.00	0.00	0.00
GRP19470	YF	3K3	16P	02/27/91	390.00	0.00	0.00
GRP19471	PT	3KA	16P	02/27/91	> 1000.0	0.00	0.00
GRP19471	VE	3J5	16P	03/01/91	> 1000.0	0.00	0.00
GRP19471	YF	3K4	16P	02/27/91	> 1000.0	0.00	0.00
GRP19472	PT	3KA	16P	02/27/91	240.00	0.00	0.00
GRP19472	VE	3J5	16P	03/01/91	329.00	0.00	0.00
GRP19472	YF	3K4	16P	02/27/91	325.00	0.00	0.00
GRP19473	PT	3KA	16P	02/27/91	29.40	0.00	0.00
GRP19473	VE	3J5	16P	03/01/91	335.00	0.00	0.00
GRP19473	YF	3K4	16P	02/27/91	424.00	0.00	0.00
GRP19474	PT	3KA	16P	02/27/91	> 1000.0	0.00	0.00
GRP19474	VE	3J5	16P	03/01/91	> 1000.0	0.00	0.00
GRP19474	YF	3K4	16P	02/27/91	> 1000.0	0.00	0.00
GRP19477	PT	3KA	16P	02/27/91	293.00	0.00	0.00
GRP19477	VE	3J5	16P	03/01/91	603.00	0.00	0.00
GRP19477	YF	3K4	16P	02/27/91	570.00	0.00	0.00
GRP19478	PT	3KB	16P	02/27/91	309.00	0.00	0.00
GRP19478	VE	3J6	16P	03/01/91	> 1000.0	0.00	0.00
GRP19478	YF	3K5	16P	02/27/91	> 1000.0	0.00	0.00
GRP19479	PT	3KB	16P	02/27/91	393.00	0.00	0.00
GRP19479	VE	3J6	16P	03/01/91	62.20	0.00	0.00
GRP19479	YF	3K5	16P	02/27/91	589.00	0.00	0.00
GRP19480	PT	3KB	16P	02/27/91	68.80	0.00	0.00
GRP19480	VE	3J6	16P	03/01/91	> 1000.0	0.00	0.00
GRP19480	YF	3K5	16P	02/27/91	556.00	0.00	0.00
GRP19481	PT	3KB	16P	02/27/91	> 1000.0	0.00	0.00
GRP19481	VE	3J6	16P	03/01/91	> 1000.0	0.00	0.00
GRP19481	YF	3K5	16P	02/27/91	975.00	0.00	0.00
GRP19482	PT	3KB	16P	02/27/91	> 1000.0	0.00	0.00
GRP19482	VE	3J6	16P	03/01/91	643.00	0.00	0.00
GRP19482	YF	3K5	16P	02/27/91	> 1000.0	0.00	0.00
GRP19483	PT	3KC	16P	02/27/91	247.00	0.00	0.00
GRP19483	VE	3J7	16P	03/01/91	253.00	0.00	0.00
GRP19483	YF	3K6	16P	02/27/91	208.00	0.00	0.00
GRP19484	PT	3KD	16P	02/28/91	757.00	0.00	0.00
GRP19484	VE	3J8	16P	03/01/91	> 1000.0	0.00	0.00
GRP19484	YF	3KJ	16P	02/28/91	190.00	0.00	0.00
GRP19485	PT	3KD	16P	02/28/91	971.00	0.00	0.00
GRP19485	VE	3J8	16P	03/01/91	> 1000.0	0.00	0.00
GRP19485	YF	3KJ	16P	02/28/91	97.10	0.00	0.00
GRP19486	PT	3KD	16P	02/28/91	486.00	0.00	0.00
GRP19486	VE	3J8	16P	03/01/91	> 1000.0	0.00	0.00
GRP19486	YF	3KJ	16P	02/28/91	918.00	0.00	0.00
GRP19487	PT	3KD	16P	02/28/91	> 1000.0	0.00	0.00
GRP19487	VE	3J8	16P	03/01/91	564.00	0.00	0.00
GRP19487	YF	3KJ	16P	02/28/91	> 1000.0	0.00	0.00
GRP19489	PT	3KE	16P	02/28/91	8.25	0.00	0.00
GRP19489	VE	3J9	16P	03/01/91	> 1000.0	0.00	0.00
GRP19489	YF	3KK	16P	02/28/91	> 1000.0	0.00	0.00
GRP19490	PT	3KE	16P	02/28/91	599.00	930.00	0.64
GRP19490	VE	3J9	16P	03/01/91	811.00	610.00	1.33
GRP19490	YF	3KK	16P	02/28/91	637.00	0.00	0.00
GRP19491	PT	3KE	16P	02/28/91	69.80	0.00	0.00
GRP19491	VE	3J9	16P	03/01/91	87.60	0.00	0.00
GRP19491	YF	3KK	16P	02/28/91	94.20	0.00	0.00
GRP19492	PT	3KE	16P	02/28/91	319.00	1000.0	0.32
GRP19492	VE	3J9	16P	03/01/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19492	YF	3KK	16P	02/28/91	445.00	0.00	0.00
GRP19493	PT	3KE	16P	02/28/91	> 1000.0	0.00	0.00
GRP19493	VE	3J9	16P	03/01/91	> 1000.0	0.00	0.00
GRP19493	YF	3KK	16P	02/28/91	> 1000.0	0.00	0.00
GRP19494	PT	3KF	16P	02/28/91	0.86	0.00	0.00
GRP19494	VE	3JA	16P	03/01/91	424.00	0.00	0.00
GRP19494	YF	3KL	16P	02/28/91	359.00	0.00	0.00
GRP19495	PT	3KF	16P	02/28/91	443.00	0.00	0.00
GRP19495	VE	3JA	16P	03/01/91	> 1000.0	0.00	0.00
GRP19495	YF	3KL	16P	02/28/91	783.00	0.00	0.00
GRP19496	PT	3KF	16P	02/28/91	275.00	0.00	0.00
GRP19496	VE	3JA	16P	03/01/91	606.00	0.00	0.00
GRP19496	YF	3KL	16P	02/28/91	446.00	0.00	0.00
GRP19497	PT	3KF	16P	02/28/91	28.20	0.00	0.00
GRP19497	VE	3JA	16P	03/01/91	33.50	0.00	0.00
GRP19497	YF	3KL	16P	02/28/91	32.80	0.00	0.00
GRP19498	PT	3KF	16P	02/28/91	596.00	0.00	0.00
GRP19498	VE	3JA	16P	03/01/91	> 1000.0	0.00	0.00
GRP19498	YF	3KL	16P	02/28/91	905.00	0.00	0.00
GRP19500	PT	3KG	16P	02/28/91	< 1.00	0.00	0.00
GRP19500	VE	3JB	16P	03/01/91	198.00	0.00	0.00
GRP19500	YF	3KM	16P	02/28/91	129.00	0.00	0.00
GRP19501	PT	3KG	16P	02/28/91	319.00	0.00	0.00
GRP19501	VE	3JB	16P	03/01/91	564.00	0.00	0.00
GRP19501	YF	3KM	16P	02/28/91	446.00	0.00	0.00
GRP19502	PT	3KG	16P	02/28/91	45.40	0.00	0.00
GRP19502	VE	3JB	16P	03/01/91	44.00	0.00	0.00
GRP19502	YF	3KM	16P	02/28/91	59.30	0.00	0.00
GRP19503	PT	3KG	16P	02/28/91	186.00	0.00	0.00
GRP19503	VE	3JB	16P	03/01/91	332.00	0.00	0.00
GRP19503	YF	3KM	16P	02/28/91	326.00	0.00	0.00
GRP19504	PT	3KG	16P	02/28/91	926.00	0.00	0.00
GRP19504	VE	3JB	16P	03/01/91	> 1000.0	0.00	0.00
GRP19504	YF	3KM	16P	02/28/91	703.00	0.00	0.00
GRP19505	PT	3KH	16P	02/28/91	255.00	0.00	0.00
GRP19505	VE	3JC	16P	03/01/91	> 1000.0	0.00	0.00
GRP19505	YF	3KH	16P	02/28/91	618.00	0.00	0.00
GRP19506	PT	3KH	16P	02/28/91	719.00	0.00	0.00
GRP19506	VE	3JC	16P	03/01/91	> 1000.0	0.00	0.00
GRP19506	YF	3KH	16P	02/28/91	> 1000.0	0.00	0.00
GRP19507	PT	3KH	16P	02/28/91	976.00	0.00	0.00
GRP19507	VE	3JC	16P	03/01/91	> 1000.0	0.00	0.00
GRP19507	YF	3KH	16P	02/28/91	> 1000.0	0.00	0.00
GRP19508	PT	3KH	16P	02/28/91	536.00	0.00	0.00
GRP19508	VE	3JC	16P	03/01/91	> 1000.0	0.00	0.00
GRP19508	YF	3KH	16P	02/28/91	830.00	0.00	0.00
GRP19509	PT	3KH	16P	02/28/91	992.00	0.00	0.00
GRP19509	VE	3JC	16P	03/01/91	945.00	0.00	0.00
GRP19509	YF	3KH	16P	02/28/91	786.00	0.00	0.00
GRP19510	PT	3KI	16P	02/28/91	427.00	0.00	0.00
GRP19510	VE	3JD	16P	03/01/91	594.00	0.00	0.00
GRP19510	YF	3KO	16P	02/28/91	469.00	0.00	0.00
GRP19511	PT	3LY	16P	03/01/91	> 1000.0	682.00 >	1.47
GRP19511	VE	3JF	16P	03/01/91	> 1000.0	0.00	0.00
GRP19511	YF	3M4	16P	03/01/91	645.00	0.00	0.00
GRP19512	PT	3LY	16P	03/01/91	317.00	0.00	0.00
GRP19512	VE	3JF	16P	03/01/91	325.00	0.00	0.00
GRP19512	YF	3M4	16P	03/01/91	307.00	0.00	0.00
GRP19513	PT	3LY	16P	03/01/91	> 1000.0	0.00	0.00
GRP19513	VE	3JF	16P	03/01/91	> 1000.0	0.00	0.00
GRP19513	YF	3M4	16P	03/01/91	> 1000.0	0.00	0.00
GRP19514	PT	3LY	16P	03/01/91	> 1000.0	0.00	0.00
GRP19514	VE	3JF	16P	03/01/91	> 1000.0	0.00	0.00
GRP19514	YF	3M4	16P	03/01/91	> 1000.0	0.00	0.00
GRP19515	PT	3Y9	17P	03/12/91	> 1000.0	0.00	0.00
GRP19515	VE	3Y2	17P	03/15/91	104.00	0.00	0.00
GRP19515	YF	3XW	17P	03/12/91	> 1000.0	0.00	0.00
GRP19516	PT	3YA	17P	03/12/91	> 1000.0	544.00 >	1.84
GRP19516	VE	3Y3	17P	03/15/91	> 1000.0	0.00	0.00
GRP19516	YF	3XX	17P	03/12/91	> 1000.0	0.00	0.00
GRP19517	PT	3YA	17P	03/12/91	942.00	0.00	0.00
GRP19517	VE	3Y3	17P	03/15/91	> 1000.0	0.00	0.00
GRP19517	YF	3XX	17P	03/12/91	956.00	0.00	0.00
GRP19518	PT	3YA	17P	03/12/91	874.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19518	VE	3Y3	17P	03/15/91	> 1000.0	0.00	0.00
GRP19518	YF	3XX	17P	03/12/91	990.00	0.00	0.00
GRP19519	PT	3YA	17P	03/12/91	> 1000.0	0.00	0.00
GRP19519	VE	3Y3	17P	03/15/91	242.00	0.00	0.00
GRP19519	YF	3XX	17P	03/12/91	> 1000.0	0.00	0.00
GRP19520	PT	3YA	17P	03/12/91	> 1000.0	0.00	0.00
GRP19520	VE	3Y3	17P	03/15/91	> 1000.0	0.00	0.00
GRP19520	YF	3XX	17P	03/12/91	> 1000.0	0.00	0.00
GRP19521	PT	3YB	17P	03/12/91	> 1000.0	0.00	0.00
GRP19521	VE	3Y4	17P	03/15/91	> 1000.0	0.00	0.00
GRP19521	YF	3XY	17P	03/12/91	> 1000.0	0.00	0.00
GRP19522	PT	3YO	17P	03/13/91	340.00	0.00	0.00
GRP19522	VE	3YI	17P	03/15/91	737.00	0.00	0.00
GRP19522	YF	3YC	17P	03/13/91	> 1000.0	0.00	0.00
GRP19523	PT	3YO	17P	03/13/91	325.00	0.00	0.00
GRP19523	VE	3YI	17P	03/15/91	> 1000.0	0.00	0.00
GRP19523	YF	3YC	17P	03/13/91	> 1000.0	0.00	0.00
GRP19524	PT	3YO	17P	03/13/91	294.00	0.00	0.00
GRP19524	VE	3YI	17P	03/15/91	76.90	0.00	0.00
GRP19524	YF	3YC	17P	03/13/91	649.00	0.00	0.00
GRP19525	PT	3YO	17P	03/13/91	32.50	0.00	0.00
GRP19525	VE	3YI	17P	03/15/91	75.80	0.00	0.00
GRP19525	YF	3YC	17P	03/13/91	31.90	0.00	0.00
GRP19526	PT	3YP	17P	03/13/91	905.00	0.00	0.00
GRP19526	VE	3YJ	17P	03/15/91	106.00	0.00	0.00
GRP19526	YF	3YD	17P	03/13/91	> 1000.0	0.00	0.00
GRP19527	PT	3YP	17P	03/13/91	607.00	0.00	0.00
GRP19527	VE	3YJ	17P	03/15/91	490.00	0.00	0.00
GRP19527	YF	3YD	17P	03/13/91	734.00	0.00	0.00
GRP19528	PT	3YP	17P	03/13/91	7.49	0.00	0.00
GRP19528	VE	3YJ	17P	03/15/91	8.50	0.00	0.00
GRP19528	YF	3YD	17P	03/13/91	44.50	0.00	0.00
GRP19529	PT	3YP	17P	03/13/91	371.00	0.00	0.00
GRP19529	VE	3YJ	17P	03/15/91	297.00	0.00	0.00
GRP19529	YF	3YD	17P	03/13/91	472.00	0.00	0.00
GRP19530	PT	3YP	17P	03/13/91	164.00	0.00	0.00
GRP19530	VE	3YJ	17P	03/15/91	48.90	0.00	0.00
GRP19530	YF	3YD	17P	03/13/91	259.00	0.00	0.00
GRP19531	PT	3YQ	17P	03/13/91	> 1000.0	0.00	0.00
GRP19531	VE	3YK	17P	03/15/91	352.00	0.00	0.00
GRP19531	YF	3YE	17P	03/13/91	445.00	0.00	0.00
GRP19532	PT	3YQ	17P	03/13/91	665.00	0.00	0.00
GRP19532	VE	3YK	17P	03/15/91	8.15	0.00	0.00
GRP19532	YF	3YE	17P	03/13/91	> 1000.0	0.00	0.00
GRP19533	PT	3YQ	17P	03/13/91	> 1000.0	0.00	0.00
GRP19533	VE	3YK	17P	03/15/91	> 1000.0	0.00	0.00
GRP19533	YF	3YE	17P	03/13/91	> 1000.0	0.00	0.00
GRP19534	PT	3YQ	17P	03/13/91	447.00	0.00	0.00
GRP19534	VE	3YK	17P	03/15/91	442.00	0.00	0.00
GRP19534	YF	3YE	17P	03/13/91	413.00	0.00	0.00
GRP19535	PT	3YQ	17P	03/13/91	> 1000.0	0.00	0.00
GRP19535	VE	3YK	17P	03/15/91	> 1000.0	0.00	0.00
GRP19535	YF	3YE	17P	03/13/91	> 1000.0	0.00	0.00
GRP19536	PT	3YR	17P	03/13/91	> 1000.0	0.00	0.00
GRP19536	VE	3YL	17P	03/15/91	> 1000.0	0.00	0.00
GRP19536	YF	3YF	17P	03/13/91	> 1000.0	0.00	0.00
GRP19537	PT	3YR	17P	03/13/91	> 1000.0	0.00	0.00
GRP19537	VE	3YL	17P	03/15/91	> 1000.0	0.00	0.00
GRP19537	YF	3YF	17P	03/13/91	> 1000.0	0.00	0.00
GRP19538	PT	3YR	17P	03/13/91	907.00	0.00	0.00
GRP19538	VE	3YL	17P	03/15/91	532.00	0.00	0.00
GRP19538	YF	3YF	17P	03/13/91	800.00	0.00	0.00
GRP19539	PT	3YR	17P	03/13/91	> 1000.0	336.00	> 2.98
GRP19539	VE	3YL	17P	03/15/91	> 1000.0	0.00	0.00
GRP19539	YF	3YF	17P	03/13/91	> 1000.0	0.00	0.00
GRP19541	PT	3YR	17P	03/13/91	770.00	0.00	0.00
GRP19541	VE	3YL	17P	03/15/91	510.00	0.00	0.00
GRP19541	YF	3YF	17P	03/13/91	615.00	0.00	0.00
GRP19542	PT	3YS	17P	03/13/91	> 1000.0	0.00	0.00
GRP19542	VE	3YM	17P	03/15/91	> 1000.0	0.00	0.00
GRP19542	YF	3YG	17P	03/13/91	> 1000.0	0.00	0.00
GRP19543	PT	3YS	17P	03/13/91	432.00	0.00	0.00
GRP19543	VE	3YM	17P	03/15/91	214.00	0.00	0.00
GRP19543	YF	3YG	17P	03/13/91	301.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19544	PT	3YS	17P	03/13/91	> 1000.0	0.00	0.00
GRP19544	VE	3YN	17P	03/15/91	605.00	0.00	0.00
GRP19544	YF	3YG	17P	03/13/91	967.00	0.00	0.00
GRP19545	PT	3YS	17P	03/13/91	> 1000.0	603.00 >	1.66
GRP19545	VE	3YN	17P	03/15/91	> 1000.0	0.00	0.00
GRP19545	YF	3YG	17P	03/13/91	> 1000.0	0.00	0.00
GRP19547	PT	3YS	17P	03/13/91	938.00	0.00	0.00
GRP19547	VE	3YN	17P	03/15/91	> 1000.0	0.00	0.00
GRP19547	YF	3YG	17P	03/13/91	870.00	0.00	0.00
GRP19548	PT	3YT	17P	03/13/91	289.00	0.00	0.00
GRP19548	VE	3YN	17P	03/15/91	611.00	0.00	0.00
GRP19548	YF	3YN	17P	03/13/91	> 1000.0	0.00	0.00
GRP19549	PT	3YU	17P	03/14/91	> 1000.0	0.00	0.00
GRP19549	VE	320	17P	03/15/91	> 1000.0	0.00	0.00
GRP19549	YF	326	17P	03/14/91	> 1000.0	0.00	0.00
GRP19550	PT	3YU	17P	03/14/91	7.93	0.00	0.00
GRP19550	VE	320	17P	03/15/91	> 1000.0	0.00	0.00
GRP19550	YF	326	17P	03/14/91	603.00	0.00	0.00
GRP19551	PT	3YU	17P	03/14/91	771.00	0.00	0.00
GRP19551	VE	320	17P	03/15/91	> 1000.0	0.00	0.00
GRP19551	YF	326	17P	03/14/91	> 1000.0	0.00	0.00
GRP19552	PT	3YU	17P	03/14/91	342.00	0.00	0.00
GRP19552	VE	320	17P	03/15/91	715.00	0.00	0.00
GRP19552	YF	326	17P	03/14/91	182.00	0.00	0.00
GRP19555	PT	3YV	17P	03/14/91	349.00	0.00	0.00
GRP19555	VE	321	17P	03/15/91	499.00	0.00	0.00
GRP19555	YF	327	17P	03/14/91	435.00	0.00	0.00
GRP19557	PT	3YV	17P	03/14/91	> 1000.0	0.00	0.00
GRP19557	VE	321	17P	03/15/91	689.00	0.00	0.00
GRP19557	YF	327	17P	03/14/91	> 1000.0	0.00	0.00
GRP19558	PT	3YV	17P	03/14/91	> 1000.0	0.00	0.00
GRP19558	VE	321	17P	03/15/91	771.00	0.00	0.00
GRP19558	YF	327	17P	03/14/91	816.00	0.00	0.00
GRP19559	PT	3YV	17P	03/14/91	285.00	0.00	0.00
GRP19559	VE	321	17P	03/15/91	26.50	0.00	0.00
GRP19559	YF	327	17P	03/14/91	31.50	0.00	0.00
GRP19560	PT	3YV	17P	03/14/91	325.00	0.00	0.00
GRP19560	VE	321	17P	03/15/91	76.20	0.00	0.00
GRP19560	YF	327	17P	03/14/91	325.00	0.00	0.00
GRP19561	PT	3YW	17P	03/14/91	332.00	0.00	0.00
GRP19561	VE	322	17P	03/15/91	444.00	0.00	0.00
GRP19561	YF	328	17P	03/14/91	330.00	0.00	0.00
GRP19567	PT	3YW	17P	03/14/91	527.00	0.00	0.00
GRP19567	VE	322	17P	03/15/91	257.00	0.00	0.00
GRP19567	YF	328	17P	03/14/91	408.00	0.00	0.00
GRP19569	PT	3YW	17P	03/14/91	238.00	0.00	0.00
GRP19569	VE	322	17P	03/15/91	249.00	0.00	0.00
GRP19569	YF	328	17P	03/14/91	335.00	0.00	0.00
GRP19570	PT	3YW	17P	03/14/91	> 1000.0	0.00	0.00
GRP19570	VE	322	17P	03/15/91	> 1000.0	0.00	0.00
GRP19570	YF	328	17P	03/14/91	> 1000.0	0.00	0.00
GRP19573	PT	3YW	17P	03/14/91	699.00	0.00	0.00
GRP19573	VE	322	17P	03/15/91	630.00	0.00	0.00
GRP19573	YF	328	17P	03/14/91	> 1000.0	0.00	0.00
GRP19574	PT	3YX	17P	03/14/91	266.00	0.00	0.00
GRP19574	VE	323	17P	03/15/91	677.00	0.00	0.00
GRP19574	YF	329	17P	03/14/91	510.00	0.00	0.00
GRP19575	PT	3YX	17P	03/14/91	637.00	0.00	0.00
GRP19575	VE	323	17P	03/15/91	> 1000.0	0.00	0.00
GRP19575	YF	329	17P	03/14/91	782.00	0.00	0.00
GRP19576	PT	3YX	17P	03/14/91	> 1000.0	0.00	0.00
GRP19576	VE	323	17P	03/15/91	> 1000.0	0.00	0.00
GRP19576	YF	329	17P	03/14/91	> 1000.0	0.00	0.00
GRP19578	PT	3YX	17P	03/14/91	42.80	0.00	0.00
GRP19578	VE	323	17P	03/15/91	114.00	0.00	0.00
GRP19578	YF	329	17P	03/14/91	176.00	0.00	0.00
GRP19579	PT	3YX	17P	03/14/91	> 1000.0	0.00	0.00
GRP19579	VE	323	17P	03/15/91	> 1000.0	0.00	0.00
GRP19579	YF	329	17P	03/14/91	> 1000.0	0.00	0.00
GRP19580	PT	3YY	17P	03/14/91	136.00	0.00	0.00
GRP19580	VE	324	17P	03/15/91	25.00	0.00	0.00
GRP19580	YF	32A	17P	03/14/91	58.20	0.00	0.00
GRP19583	PT	3YY	17P	03/14/91	559.00	0.00	0.00
GRP19583	VE	324	17P	03/15/91	247.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19583	YF	3ZA	17P	03/14/91	578.00	0.00	0.00
GRP19584	PT	3YY	17P	03/14/91	310.00	0.00	0.00
GRP19584	VE	3Z4	17P	03/15/91	135.00	0.00	0.00
GRP19584	YF	3ZA	17P	03/14/91	260.00	0.00	0.00
GRP19585	PT	3YY	17P	03/14/91	972.00	0.00	0.00
GRP19585	VE	3Z4	17P	03/15/91	857.00	0.00	0.00
GRP19585	YF	3ZA	17P	03/14/91	921.00	0.00	0.00
GRP19587	PT	3YY	17P	03/14/91	> 1000.0	0.00	0.00
GRP19587	VE	3Z4	17P	03/15/91	976.00	0.00	0.00
GRP19587	YF	3ZA	17P	03/14/91	772.00	0.00	0.00
GRP19590	PT	3YZ	17P	03/14/91	606.00	0.00	0.00
GRP19590	VE	3Z5	17P	03/15/91	271.00	0.00	0.00
GRP19590	YF	3ZB	17P	03/14/91	484.00	0.00	0.00
GRP19591	PT	3ZS	17P	03/15/91	201.00	0.00	0.00
GRP19591	VE	3ZC	17P	03/15/91	429.00	0.00	0.00
GRP19591	YF	3ZM	17P	03/15/91	641.00	0.00	0.00
GRP19592	PT	3ZS	17P	03/15/91	862.00	0.00	0.00
GRP19592	VE	3ZC	17P	03/15/91	612.00	0.00	0.00
GRP19592	YF	3ZM	17P	03/15/91	> 1000.0	0.00	0.00
GRP19593	PT	3ZS	17P	03/15/91	804.00	0.00	0.00
GRP19593	VE	3ZC	17P	03/15/91	344.00	0.00	0.00
GRP19593	YF	3ZM	17P	03/15/91	632.00	0.00	0.00
GRP19594	PT	3ZS	17P	03/15/91	606.00	0.00	0.00
GRP19594	VE	3ZC	17P	03/15/91	> 1000.0	0.00	0.00
GRP19594	YF	3ZM	17P	03/15/91	> 1000.0	0.00	0.00
GRP19595	PT	3ZT	17P	03/15/91	219.00	0.00	0.00
GRP19595	VE	3ZD	17P	03/15/91	136.00	0.00	0.00
GRP19595	YF	3ZN	17P	03/15/91	118.00	0.00	0.00
GRP19596	PT	3ZT	17P	03/15/91	57.20	0.00	0.00
GRP19596	VE	3ZD	17P	03/15/91	43.00	0.00	0.00
GRP19596	YF	3ZN	17P	03/15/91	39.20	0.00	0.00
GRP19597	PT	3ZT	17P	03/15/91	26.60	0.00	0.00
GRP19597	VE	3ZD	17P	03/15/91	7.82	0.00	0.00
GRP19597	YF	3ZN	17P	03/15/91	20.90	0.00	0.00
GRP19598	PT	3ZT	17P	03/15/91	123.00	0.00	0.00
GRP19598	VE	3ZD	17P	03/15/91	253.00	0.00	0.00
GRP19598	YF	3ZN	17P	03/15/91	327.00	0.00	0.00
GRP19599	PT	3ZT	17P	03/15/91	425.00	0.00	0.00
GRP19599	VE	3ZD	17P	03/15/91	> 1000.0	0.00	0.00
GRP19599	YF	3ZN	17P	03/15/91	449.00	0.00	0.00
GRP19600	PT	3ZU	17P	03/15/91	366.00	0.00	0.00
GRP19600	VE	3ZE	17P	03/15/91	213.00	0.00	0.00
GRP19600	YF	3ZO	17P	03/15/91	432.00	0.00	0.00
GRP19601	PT	3ZU	17P	03/15/91	213.00	734.00	0.29
GRP19601	VE	3ZE	17P	03/15/91	> 1000.0	0.00	0.00
GRP19601	YF	3ZO	17P	03/15/91	594.00	0.00	0.00
GRP19602	PT	3ZU	17P	03/15/91	825.00	560.00	1.47
GRP19602	VE	3ZE	17P	03/15/91	871.00	0.00	0.00
GRP19602	YF	3ZO	17P	03/15/91	475.00	0.00	0.00
GRP19603	PT	3ZU	17P	03/15/91	729.00	0.00	0.00
GRP19603	VE	3ZE	17P	03/15/91	997.00	0.00	0.00
GRP19603	YF	3ZO	17P	03/15/91	686.00	0.00	0.00
GRP19604	PT	3ZU	17P	03/15/91	190.00	0.00	0.00
GRP19604	VE	3ZE	17P	03/15/91	705.00	0.00	0.00
GRP19604	YF	3ZO	17P	03/15/91	249.00	0.00	0.00
GRP19605	PT	3ZV	17P	03/15/91	> 1000.0	0.00	0.00
GRP19605	VE	3ZF	17P	03/15/91	> 1000.0	0.00	0.00
GRP19605	YF	3ZP	17P	03/15/91	> 1000.0	0.00	0.00
GRP19606	PT	3ZV	17P	03/15/91	288.00	0.00	0.00
GRP19606	VE	3ZF	17P	03/15/91	> 1000.0	0.00	0.00
GRP19606	YF	3ZP	17P	03/15/91	300.00	0.00	0.00
GRP19607	PT	3ZV	17P	03/15/91	249.00	0.00	0.00
GRP19607	VE	3ZF	17P	03/15/91	> 1000.0	0.00	0.00
GRP19607	YF	3ZP	17P	03/15/91	350.00	0.00	0.00
GRP19608	PT	3ZV	17P	03/15/91	> 1000.0	0.00	0.00
GRP19608	VE	3ZF	17P	03/15/91	> 1000.0	0.00	0.00
GRP19608	YF	3ZP	17P	03/15/91	> 1000.0	0.00	0.00
GRP19609	PT	3ZV	17P	03/15/91	737.00	0.00	0.00
GRP19609	VE	3ZF	17P	03/15/91	> 1000.0	0.00	0.00
GRP19609	YF	3ZP	17P	03/15/91	574.00	0.00	0.00
GRP19610	PT	3ZW	17P	03/15/91	> 1000.0	0.00	0.00
GRP19610	PT	3ZW	17P	03/15/91	792.00	790.00	1.00
GRP19610	VE	3ZG	17P	03/15/91	803.00	0.00	0.00
GRP19610	YF	3ZQ	17P	03/15/91	242.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19611	PT	3ZW	17P	03/15/91	825.00	0.00	0.00
GRP19611	VE	3ZG	17P	03/15/91	> 1000.0	0.00	0.00
GRP19611	YF	3ZQ	17P	03/15/91	385.00	0.00	0.00
GRP19612	PT	3ZW	17P	03/15/91	99.30	600.00	0.17
GRP19612	VE	3ZG	17P	03/15/91	> 1000.0	0.00	0.00
GRP19612	YF	3ZQ	17P	03/15/91	465.00	0.00	0.00
GRP19613	PT	3ZY	17P	03/15/91	39.50	0.00	0.00
GRP19613	VE	3ZG	17P	03/15/91	34.30	0.00	0.00
GRP19613	YF	3ZQ	17P	03/15/91	20.90	0.00	0.00
GRP19614	PT	3ZW	17P	03/15/91	496.00	0.00	0.00
GRP19614	VE	3ZG	17P	03/15/91	528.00	0.00	0.00
GRP19614	YF	3ZQ	17P	03/15/91	352.00	0.00	0.00
GRP19619	PT	3ZX	17P	03/15/91	556.00	0.00	0.00
GRP19619	VE	3ZH	17P	03/15/91	148.00	0.00	0.00
GRP19619	YF	3ZR	17P	03/15/91	192.00	0.00	0.00
GRP19621	PT	42Q	17P	03/19/91	> 1000.0	0.00	0.00
GRP19621	VE	42J	17P	03/22/91	> 1000.0	0.00	0.00
GRP19621	YF	41N	17P	03/19/91	> 1000.0	0.00	0.00
GRP19622	PT	42Q	17P	03/19/91	663.00	0.00	0.00
GRP19622	VE	42J	17P	03/22/91	> 1000.0	0.00	0.00
GRP19622	YF	41N	17P	03/19/91	865.00	0.00	0.00
GRP19623	PT	42Q	17P	03/19/91	674.00	0.00	0.00
GRP19623	VE	42J	17P	03/22/91	> 1000.0	0.00	0.00
GRP19623	YF	41N	1[illegible]	03/19/91	> 1000.0	0.00	0.00
GRP19624	PT	42Q	17P	03/19/91	343.00	0.00	0.00
GRP19624	VE	42J	17P	03/22/91	861.00	0.00	0.00
GRP19624	YF	41N	17P	03/19/91	459.00	0.00	0.00
GRP19625	PT	42R	17P	03/19/91	418.00	0.00	0.00
GRP19625	VE	42K	17P	03/22/91	816.00	0.00	0.00
GRP19625	YF	410	17P	03/19/91	49.80	0.00	0.00
GRP19626	PT	42R	17P	03/19/91	299.00	0.00	0.00
GRP19626	VE	42K	17P	03/22/91	> 1000.0	0.00	0.00
GRP19626	YF	410	17P	03/19/91	617.00	0.00	0.00
GRP19631	PT	42R	17P	03/19/91	2.24	0.00	0.00
GRP19631	VE	42K	17P	03/22/91	4.52	272.00	0.02
GRP19631	YF	410	17P	03/19/91	< 1.00	0.00	0.00
GRP19633	PT	42R	17P	03/19/91	5.95	0.00	0.00
GRP19633	VE	42K	17P	03/22/91	6.13	0.00	0.00
GRP19633	YF	410	17P	03/19/91	9.06	0.00	0.00
GRP19634	PT	42R	17P	03/19/91	368.00	0.00	0.00
GRP19634	VE	42K	17P	03/22/91	576.00	1000.0	0.58
GRP19634	YF	410	17P	03/19/91	331.00	0.00	0.00
GRP19635	PT	42S	17P	03/19/91	> 1000.0	928.00 >	1.08
GRP19635	VE	42[illegible]	17P	03/22/91	> 1000.0	0.00	0.00
GRP19635	YF	4[illegible]P	17P	03/19/91	> 1000.0	0.00	0.00
GRP19636	PT	42S	17P	03/19/91	356.00	0.00	0.00
GRP19636	VE	42L	17P	03/22/91	> 1000.0	0.00	0.00
GRP19636	YF	41P	17P	03/19/91	462.00	0.00	0.00
GRP19638	PT	42S	17P	03/19/91	293.00	0.00	0.00
GRP19638	VE	42L	17P	03/22/91	> 1000.0	0.00	0.00
GRP19638	YF	41P	17P	03/19/91	742.00	0.00	0.00
GRP19640	PT	42S	17P	03/19/91	307.00	0.00	0.00
GRP19640	VE	42L	17P	03/22/91	> 1000.0	0.00	0.00
GRP19640	YF	41P	17P	03/19/91	479.00	0.00	0.00
GRP19641	PT	42S	17P	03/19/91	511.00	0.00	0.00
GRP19641	VE	42L	17P	03/22/91	> 1000.0	0.00	0.00
GRP19641	YF	41P	17P	03/19/91	763.00	0.00	0.00
GRP19642	PT	42T	17P	03/19/91	426.00	0.00	0.00
GRP19642	VE	42M	17P	03/22/91	> 1000.0	0.00	0.00
GRP19642	YF	41Q	17P	03/19/91	688.00	0.00	0.00
GRP19643	PT	42T	17P	03/19/91	107.00	0.00	0.00
GRP19643	VE	42M	17P	03/22/91	235.00	0.00	0.00
GRP19643	YF	41Q	17P	03/19/91	206.00	0.00	0.00
GRP19644	PT	42T	17P	03/19/91	444.00	0.00	0.00
GRP19644	VE	42M	17P	03/22/91	> 1000.0	0.00	0.00
GRP19644	YF	41Q	17P	03/19/91	458.00	0.00	0.00
GRP19645	PT	42T	17P	03/19/91	942.00	0.00	0.00
GRP19645	VE	42M	17P	03/22/91	> 1000.0	0.00	0.00
GRP19645	YF	41Q	17P	03/19/91	> 1000.0	0.00	0.00
GRP19646	PT	42T	17P	03/19/91	696.00	0.00	0.00
GRP19646	VE	42M	17P	03/22/91	56.90	0.00	0.00
GRP19646	YF	41Q	17P	03/19/91	771.00	0.00	0.00
GRP19647	PT	42U	17P	03/19/91	7.41	0.00	0.00
GRP19647	VE	42N	17P	03/22/91	6.53	651.00	0.01

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19647	YF	41R	17P	03/19/91	6.15	0.00	0.00
GRP19648	PT	42U	17P	03/19/91	238.00	0.00	0.00
GRP19648	VE	42N	17P	03/22/91	746.00	0.00	0.00
GRP19648	YF	41R	17P	03/19/91	300.00	0.00	0.00
GRP19649	PT	42U	17P	03/19/91	784.00	942.00	0.83
GRP19649	VE	42N	17P	03/22/91	349.00	0.00	0.00
GRP19649	YF	41R	17P	03/19/91	565.00	0.00	0.00
GRP19650	PT	42U	17P	03/19/91	666.00	0.00	0.00
GRP19650	VE	42N	17P	03/22/91	> 1000.0	0.00	0.00
GRP19650	YF	41R	17P	03/19/91	> 1000.0	0.00	0.00
GRP19651	PT	42U	17P	03/19/91	602.00	0.00	0.00
GRP19651	VE	42N	17P	03/22/91	7.71	0.00	0.00
GRP19651	YF	41R	17P	03/19/91	439.00	0.00	0.00
GRP19652	PT	42V	17P	03/19/91	79.80	0.00	0.00
GRP19652	VE	420	17P	03/22/91	468.00	0.00	0.00
GRP19652	YF	41S	17P	03/19/91	228.00	0.00	0.00
GRP19653	PT	42W	17P	03/20/91	> 1000.0	0.00	0.00
GRP19653	VE	42C	17P	03/22/91	722.00	0.00	0.00
GRP19653	YF	41T	17P	03/20/91	> 1000.0	0.00	0.00
GRP19654	PT	42W	17P	03/20/91	355.00	0.00	0.00
GRP19654	VE	42C	17P	03/22/91	500.00	0.00	0.00
GRP19654	YF	41T	17P	03/20/91	356.00	0.00	0.00
GRP19655	PT	42W	17P	03/20/91	340.00	0.00	0.00
GRP19655	VE	42C	17P	03/22/91	> 1000.0	530.00 >	1.89
GRP19655	YF	41T	17P	03/20/91	470.00	0.00	0.00
GRP19656	PT	42W	17P	03/20/91	137.00	0.00	0.00
GRP19656	VE	42C	17P	03/22/91	120.00	0.00	0.00
GRP19656	YF	41T	17P	03/20/91	171.00	0.00	0.00
GRP19657	PT	42X	17P	03/20/91	261.00	0.00	0.00
GRP19657	VE	42D	17P	03/22/91	> 1000.0	0.00	0.00
GRP19657	YF	41U	17P	03/20/91	457.00	0.00	0.00
GRP19662	PT	42X	17P	03/20/91	661.00	0.00	0.00
GRP19662	VE	42D	17P	03/22/91	> 1000.0	0.00	0.00
GRP19662	YF	41U	17P	03/20/91	> 1000.0	0.00	0.00
GRP19663	PT	42X	17P	03/20/91	789.00	0.00	0.00
GRP19663	VE	42D	17P	03/22/91	> 1000.0	0.00	0.00
GRP19663	YF	41U	17P	03/20/91	847.00	0.00	0.00
GRP19664	PT	42X	17P	03/20/91	313.00	0.00	0.00
GRP19664	VE	42D	17P	03/22/91	> 1000.0	0.00	0.00
GRP19664	YF	41U	17P	03/20/91	327.00	0.00	0.00
GRP19666	PT	42X	17P	03/20/91	33.30	0.00	0.00
GRP19666	VE	42D	17P	03/22/91	32.70	0.00	0.00
GRP19666	YF	41U	17P	03/20/91	29.00	0.00	0.00
GRP19667	PT	42Y	17P	03/20/91	369.00	0.00	0.00
GRP19667	VE	42E	17P	03/22/91	700.00	0.00	0.00
GRP19667	YF	41V	17P	03/20/91	654.00	0.00	0.00
GRP19670	PT	42Y	17P	03/20/91	261.00	0.00	0.00
GRP19670	VE	42E	17P	03/22/91	> 1000.0	0.00	0.00
GRP19670	YF	41V	17P	03/20/91	357.00	0.00	0.00
GRP19671	PT	42Y	17P	03/20/91	411.00	0.00	0.00
GRP19671	VE	42E	17P	03/22/91	606.00	789.00	0.77
GRP19671	YF	41V	17P	03/20/91	421.00	0.00	0.00
GRP19672	PT	42Y	17P	03/20/91	176.00	0.00	0.00
GRP19672	VE	42E	17P	03/22/91	369.00	0.00	0.00
GRP19672	YF	41V	17P	03/20/91	169.00	0.00	0.00
GRP19673	PT	42Y	17P	03/20/91	341.00	0.00	0.00
GRP19673	VE	42E	17P	03/22/91	615.00	0.00	0.00
GRP19673	YF	41V	17P	03/20/91	403.00	0.00	0.00
GRP19674	PT	42Z	17P	03/20/91	465.00	0.00	0.00
GRP19674	VE	42F	17P	03/22/91	> 1000.0	0.00	0.00
GRP19674	YF	41W	17P	03/20/91	> 1000.0	0.00	0.00
GRP19675	PT	42Z	17P	03/20/91	718.00	649.00	1.11
GRP19675	VE	42F	17P	03/22/91	> 1000.0	0.00	0.00
GRP19675	YF	41W	17P	03/20/91	529.00	0.00	0.00
GRP19676	PT	42Z	17P	03/20/91	128.00	96.90	1.32
GRP19676	VE	42F	17P	03/22/91	325.00	0.00	0.00
GRP19676	YF	41W	17P	03/20/91	191.00	0.00	0.00
GRP19677	PT	42Z	17P	03/20/91	331.00	0.00	0.00
GRP19677	VE	42F	17P	03/22/91	> 1000.0	0.00	0.00
GRP19677	YF	41W	17P	03/20/91	657.00	0.00	0.00
GRP19678	PT	42Z	17P	03/20/91	367.00	0.00	0.00
GRP19678	VE	42F	17P	03/22/91	> 1000.0	0.00	0.00
GRP19678	YF	41W	17P	03/20/91	634.00	0.00	0.00
GRP19679	PT	430	17P	03/20/91	393.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19679	VE	42G	17P	03/22/91	788.00	0.00	0.00
GRP19679	YF	41X	17P	03/20/91	475.00	0.00	0.00
GRP19680	PT	430	17P	03/20/91	278.00	0.00	0.00
GRP19680	VE	42G	17P	03/22/91	632.00	0.00	0.00
GRP19680	YF	41X	17P	03/20/91	252.00	0.00	0.00
GRP19681	PT	430	17P	03/20/91	728.00	0.00	0.00
GRP19681	VE	42G	17P	03/22/91	> 1000.0	0.00	0.00
GRP19681	YF	41X	17P	03/20/91	713.00	0.00	0.00
GRP19682	PT	430	17P	03/20/91	> 1000.0	0.00	0.00
GRP19682	VE	42G	17P	03/22/91	> 1000.0	0.00	0.00
GRP19682	YF	41X	17P	03/20/91	> 1000.0	0.00	0.00
GRP19683	PT	430	17P	03/20/91	> 1000.0	0.00	0.00
GRP19683	VE	42G	17P	03/22/91	> 1000.0	0.00	0.00
GRP19683	YF	41X	17P	03/20/91	> 1000.0	0.00	0.00
GRP19684	PT	431	17P	03/20/91	> 1000.0	0.00	0.00
GRP19684	VE	42H	17P	03/22/91	> 1000.0	0.00	0.00
GRP19684	YF	41Y	17P	03/20/91	936.00	0.00	0.00
GRP19685	PT	432	17P	03/22/91	157.00	90.30	1.74
GRP19685	VE	425	17P	03/22/91	293.00	0.00	0.00
GRP19685	YF	41Z	17P	03/22/91	203.00	0.00	0.00
GRP19686	PT	432	17P	03/22/91	969.00	0.00	0.00
GRP19686	VE	425	17P	03/22/91	> 1000.0	403.00 >	2.48
GRP19686	YF	41Z	17P	03/22/91	> 1000.0	0.00	0.00
GRP19687	PT	432	17P	03/22/91	977.00	0.00	0.00
GRP19687	VE	425	17P	03/22/91	> 1000.0	0.00	0.00
GRP19687	YF	41Z	17P	03/22/91	76.50	0.00	0.00
GRP19688	PT	432	17P	03/22/91	> 1000.0	0.00	0.00
GRP19688	VE	425	17P	03/22/91	> 1000.0	0.00	0.00
GRP19688	YF	41Z	17P	03/22/91	> 1000.0	0.00	0.00
GRP19689	PT	433	17P	03/22/91	700.00	0.00	0.00
GRP19689	VE	426	17P	03/22/91	> 1000.0	0.00	0.00
GRP19689	YF	420	17P	03/22/91	579.00	0.00	0.00
GRP19690	PT	433	17P	03/22/91	709.00	0.00	0.00
GRP19690	VE	426	17P	03/22/91	> 1000.0	0.00	0.00
GRP19690	YF	420	17P	03/22/91	628.00	0.00	0.00
GRP19691	PT	433	17P	03/22/91	989.00	611.00	1.62
GRP19691	VE	426	17P	03/22/91	> 1000.0	0.00	0.00
GRP19691	YF	420	17P	03/22/91	919.00	0.00	0.00
GRP19692	PT	433	17P	03/22/91	> 1000.0	0.00	0.00
GRP19692	VE	426	17P	03/22/91	> 1000.0	0.00	0.00
GRP19692	YF	420	17P	03/22/91	> 1000.0	0.00	0.00
GRP19693	PT	433	17P	03/22/91	942.00	0.00	0.00
GRP19693	VE	426	17P	03/22/91	> 1000.0	0.00	0.00
GRP19693	YF	420	17P	03/22/91	> 1000.0	0.00	0.00
GRP19695	PT	434	17P	03/22/91	> 1000.0	0.00	0.00
GRP19695	VE	427	17P	03/22/91	> 1000.0	0.00	0.00
GRP19695	YF	421	17P	03/22/91	4.58	0.00	0.00
GRP19696	PT	434	17P	03/22/91	934.00	0.00	0.00
GRP19696	VE	427	17P	03/22/91	749.00	0.00	0.00
GRP19696	YF	421	17P	03/22/91	374.00	0.00	0.00
GRP19697	PT	434	17P	03/22/91	60.40	0.00	0.00
GRP19697	VE	427	17P	03/22/91	610.00	0.00	0.00
GRP19697	YF	421	17P	03/22/91	611.00	0.00	0.00
GRP19698	PT	434	17P	03/22/91	> 1000.0	0.00	0.00
GRP19698	VE	427	17P	03/22/91	> 1000.0	0.00	0.00
GRP19698	YF	421	17P	03/22/91	0.84	0.00	0.00
GRP19699	PT	434	17P	03/22/91	> 1000.0	0.00	0.00
GRP19699	VE	428	17P	03/22/91	> 1000.0	0.00	0.00
GRP19699	YF	421	17P	03/22/91	> 1000.0	0.00	0.00
GRP19700	PT	435	17P	03/22/91	> 1000.0	531.00 >	1.88
GRP19700	VE	428	17P	03/22/91	> 1000.0	0.00	0.00
GRP19700	YF	422	17P	03/22/91	> 1000.0	0.00	0.00
GRP19701	PT	435	17P	03/22/91	> 1000.0	887.00 >	1.13
GRP19701	VE	428	17P	03/22/91	> 1000.0	0.00	0.00
GRP19701	YF	422	17P	03/22/91	> 1000.0	0.00	0.00
GRP19702	PT	435	17P	03/22/91	919.00	0.00	0.00
GRP19702	VE	428	17P	03/22/91	692.00	0.00	0.00
GRP19702	YF	422	17P	03/22/91	969.00	0.00	0.00
GRP19705	PT	435	17P	03/22/91	32.50	0.00	0.00
GRP19705	VE	428	17P	03/22/91	29.60	0.00	0.00
GRP19705	YF	422	17P	03/22/91	2.28	0.00	0.00
GRP19707	PT	6P3	24P	07/02/91	> 1000.0	0.00	0.00
GRP19707	VE	6OP	24P	07/02/91	> 1000.0	0.00	0.00
GRP19707	YF	8FD	24P	08/13/91	723.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19708	PT	6P3	24P	07/02/91	438.00	0.00	0.00
GRP19708	VE	6OP	24P	07/02/91	553.00	0.00	0.00
GRP19708	YF	8FD	24P	08/13/91	483.00	0.00	0.00
GRP19709	PT	6P3	24P	07/02/91	253.00	0.00	0.00
GRP19709	VE	6OP	24P	07/02/91	340.00	0.00	0.00
GRP19709	YF	8FD	24P	08/13/91	329.00	0.00	0.00
GRP19710	PT	6P3	24P	07/02/91	> 1000.0	694.00 >	1.44
GRP19710	VE	6OP	24P	07/02/91	> 1000.0	0.00	0.00
GRP19710	YF	8FD	24P	08/13/91	325.00	0.00	0.00
GRP19711	PT	6P4	24P	07/02/91	295.00	0.00	0.00
GRP19711	VE	7NT	26P	07/26/91	32.30	0.00	0.00
GRP19711	YF	8FE	24P	08/13/91	162.00	0.00	0.00
GRP19712	PT	6P4	24P	07/02/91	> 1000.0	0.00	0.00
GRP19712	VE	7NT	26P	07/26/91	344.00	0.00	0.00
GRP19712	YF	8FE	24P	08/13/91	330.00	0.00	0.00
GRP19713	PT	6P4	24P	07/02/91	352.00	0.00	0.00
GRP19713	VE	CGN	24P	12/06/91	418.00	0.00	0.00
GRP19713	YF	8FE	24P	08/13/91	793.00	0.00	0.00
GRP19714	PT	6P4	24P	07/02/91	> 1000.0	0.00	0.00
GRP19714	VE	CGN	24P	12/06/91	> 1000.0	0.00	0.00
GRP19714	YF	8FE	24P	08/13/91	> 1000.0	0.00	0.00
GRP19715	PT	6P4	24P	07/02/91	> 1000.0	0.00	0.00
GRP19715	VE	CGO	24P	12/06/91	820.00	0.00	0.00
GRP19715	YF	8FE	24P	08/13/91	> 1000.0	0.00	0.00
GRP19717	PT	6P5	24P	07/02/91	> 1000.0	516.00 >	1.94
GRP19717	VE	CGO	24P	12/06/91	> 1000.0	948.00 >	1.05
GRP19717	YF	8FF	24P	08/13/91	467.00	0.00	0.00
GRP19718	PT	6P6	24P	07/03/91	161.00	0.00	0.00
GRP19718	VE	6PD	24P	07/03/91	389.00	0.00	0.00
GRP19718	YF	8FG	24P	08/14/91	294.00	0.00	0.00
GRP19719	PT	6P6	24P	07/03/91	325.00	0.00	0.00
GRP19719	VE	6PD	24P	07/03/91	392.00	0.00	0.00
GRP19719	YF	8FG	24P	08/14/91	325.00	0.00	0.00
GRP19721	PT	6P6	24P	07/03/91	> 1000.0	0.00	0.00
GRP19721	VE	6PD	24P	07/03/91	809.00	802.00	1.01
GRP19721	YF	8FG	24P	08/14/91	> 1000.0	0.00	0.00
GRP19722	PT	6P6	24P	07/03/91	> 1000.0	0.00	0.00
GRP19722	VE	6PD	24P	07/03/91	835.00	729.00	1.15
GRP19722	YF	8FG	24P	08/14/91	> 1000.0	0.00	0.00
GRP19723	PT	6P7	24P	07/03/91	0.89	0.00	0.00
GRP19723	VE	6PE	24P	07/03/91	> 1000.0	0.00	0.00
GRP19723	YF	8FH	24P	08/14/91	> 1000.0	0.00	0.00
GRP19724	PT	6P7	24P	07/03/91	329.00	0.00	0.00
GRP19724	VE	6PE	24P	07/03/91	309.00	0.00	0.00
GRP19724	YF	8FH	24P	08/14/91	538.00	0.00	0.00
GRP19726	PT	6P7	24P	07/03/91	641.00	0.00	0.00
GRP19726	VE	6PE	24P	07/03/91	529.00	0.00	0.00
GRP19726	YF	8FH	24P	08/14/91	> 1000.0	0.00	0.00
GRP19727	PT	6P7	24P	07/03/91	> 1000.0	0.00	0.00
GRP19727	VE	6PE	24P	07/03/91	867.00	0.00	0.00
GRP19727	YF	8FH	24P	08/14/91	> 1000.0	0.00	0.00
GRP19728	PT	6P7	24P	07/03/91	966.00	818.00	1.18
GRP19728	VE	6PE	24P	07/03/91	594.00	0.00	0.00
GRP19728	YF	8FH	24P	08/14/91	592.00	0.00	0.00
GRP19729	PT	6P8	24P	07/03/91	785.00	0.00	0.00
GRP19729	VE	6PF	24P	07/03/91	> 1000.0	0.00	0.00
GRP19729	YF	8FI	24P	08/14/91	> 1000.0	0.00	0.00
GRP19732	PT	6P8	24P	07/03/91	690.00	0.00	0.00
GRP19732	VE	6PF	24P	07/03/91	600.00	0.00	0.00
GRP19732	YF	8FI	24P	08/14/91	> 1000.0	0.00	0.00
GRP19735	PT	6P8	24P	07/03/91	644.00	0.00	0.00
GRP19735	VE	6PF	24P	07/03/91	> 1000.0	0.00	0.00
GRP19735	YF	8FI	24P	08/14/91	> 1000.0	0.00	0.00
GRP19736	PT	6P8	24P	07/03/91	163.00	0.00	0.00
GRP19736	VE	6PF	24P	07/03/91	509.00	0.00	0.00
GRP19736	YF	8FI	24P	08/14/91	595.00	0.00	0.00
GRP19738	PT	6P8	24P	07/03/91	> 1000.0	0.00	0.00
GRP19738	VE	6PF	24P	07/03/91	> 1000.0	0.00	0.00
GRP19738	YF	8FI	24P	08/14/91	> 1000.0	0.00	0.00
GRP19739	PT	6PS	24P	07/03/91	766.00	0.00	0.00
GRP19739	VE	6PC	24P	07/03/91	> 1000.0	0.00	0.00
GRP19739	YF	8F.	24P	08/14/91	> 1000.0	0.00	0.00
GRP19741	PT	6P9	24P	07/03/91	411.00	0.00	0.00
GRP19741	VE	6PG	24P	07/03/91	505.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19741	YF	8FJ	24P	08/14/91	255.00	0.00	0.00
GRP19742	PT	6P9	24P	07/03/91	790.00	0.00	0.00
GRP19742	VE	6PG	24P	07/03/91	832.00	0.00	0.00
GRP19742	YF	8FJ	24P	08/14/91	> 1000.0	0.00	0.00
GRP19743	PT	6P9	24P	07/03/91	> 1000.0	329.00 >	3.04
GRP19743	VE	6PG	24P	07/03/91	> 1000.0	460.00 >	2.18
GRP19743	YF	8FJ	24P	08/14/91	886.00	0.00	0.00
GRP19744	PT	6P9	24P	07/03/91	673.00	0.00	0.00
GRP19744	VE	6PG	24P	07/03/91	> 1000.0	0.00	0.00
GRP19744	YF	8FJ	24P	08/14/91	402.00	0.00	0.00
GRP19745	PT	6PA	24P	07/03/91	297.00	0.00	0.00
GRP19745	VE	6PH	24P	07/03/91	349.00	0.00	0.00
GRP19745	YF	8FK	24P	08/14/91	644.00	0.00	0.00
GRP19746	PT	6PA	24P	07/03/91	585.00	0.00	0.00
GRP19746	VE	6PH	24P	07/03/91	> 1000.0	0.00	0.00
GRP19746	YF	8FK	24P	08/14/91	> 1000.0	0.00	0.00
GRP19747	PT	6PA	24P	07/03/91	686.00	0.00	0.00
GRP19747	VE	6PH	24P	07/03/91	845.00	0.00	0.00
GRP19747	YF	8FK	24P	08/14/91	265.00	0.00	0.00
GRP19748	PT	6PA	24P	07/03/91	144.00	0.00	0.00
GRP19748	VE	6PH	24P	07/03/91	> 1000.0	0.00	0.00
GRP19748	YF	8FK	24P	08/14/91	901.00	0.00	0.00
GRP19749	PT	6PA	24P	07/03/91	0.84	0.00	0.00
GRP19749	VE	6PH	24P	07/03/91	332.00	0.00	0.00
GRP19749	YF	8FK	24P	08/14/91	319.00	0.00	0.00
GRP19752	PT	6PB	24P	07/03/91	0.85	0.00	0.00
GRP19752	VE	6PI	24P	07/03/91	> 1000.0	0.00	0.00
GRP19752	YF	8FL	24P	08/14/91	> 1000.0	0.00	0.00
GRP19753	PT	6PB	24P	07/03/91	661.00	0.00	0.00
GRP19753	VE	6PI	24P	07/03/91	> 1000.0	833.00 >	1.20
GRP19753	YF	8FL	24P	08/14/91	> 1000.0	0.00	0.00
GRP19754	PT	6PB	24P	07/03/91	637.00	0.00	0.00
GRP19754	VE	6PI	24P	07/03/91	684.00	0.00	0.00
GRP19754	YF	8FL	24P	08/14/91	> 1000.0	0.00	0.00
GRP19755	PT	6PB	24P	07/03/91	89.80	0.00	0.00
GRP19755	VE	6PI	24P	07/03/91	> 1000.0	0.00	0.00
GRP19755	YF	8FL	24P	08/14/91	> 1000.0	0.00	0.00
GRP19757	PT	6PB	24P	07/03/91	0.89	0.00	0.00
GRP19757	VE	6PI	24P	07/03/91	877.00	789.00	1.11
GRP19757	YF	8FL	24P	08/14/91	> 1000.0	0.00	0.00
GRP19758	PT	6PC	24P	07/03/91	657.00	0.00	0.00
GRP19758	VE	6PJ	24P	07/03/91	442.00	0.00	0.00
GRP19758	YF	8FM	24P	08/14/91	> 1000.0	0.00	0.00
GRP19759	PT	6MA	24P	07/09/91	> 1000.0	0.00	0.00
GRP19759	VE	6MN	24P	07/12/91	> 1000.0	0.00	0.00
GRP19759	YF	8FN	24P	08/15/91	> 1000.0	0.00	0.00
GRP19760	PT	6MA	24P	07/09/91	> 1000.0	0.00	0.00
GRP19760	VE	6MN	24P	07/12/91	> 1000.0	0.00	0.00
GRP19760	YF	8FN	24P	08/15/91	> 1000.0	0.00	0.00
GRP19761	PT	6MA	24P	07/09/91	> 1000.0	0.00	0.00
GRP19761	VE	6MN	24P	07/12/91	> 1000.0	0.00	0.00
GRP19761	YF	8FN	24P	08/15/91	> 1000.0	0.00	0.00
GRP19764	PT	6MA	24P	07/09/91	443.00	0.00	0.00
GRP19764	VE	6MN	24P	07/12/91	329.00	0.00	0.00
GRP19764	YF	8FN	24P	08/15/91	492.00	0.00	0.00
GRP19765	PT	6MB	24P	07/09/91	437.00	0.00	0.00
GRP19765	VE	6MI	24P	07/12/91	377.00	0.00	0.00
GRP19765	YF	8FO	24P	08/15/91	432.00	0.00	0.00
GRP19771	PT	6MB	24P	07/09/91	> 1000.0	0.00	0.00
GRP19771	VE	6MI	24P	07/12/91	> 1000.0	0.00	0.00
GRP19771	YF	8FO	24P	08/15/91	> 1000.0	0.00	0.00
GRP19772	PT	6MB	24P	07/09/91	200.00	0.00	0.00
GRP19772	VE	6MI	24P	07/12/91	474.00	0.00	0.00
GRP19772	YF	8FO	24P	08/15/91	420.00	0.00	0.00
GRP19774	PT	6MB	24P	07/09/91	> 1000.0	0.00	0.00
GRP19774	VE	6MI	24P	07/12/91	959.00	0.00	0.00
GRP19774	YF	8FO	24P	08/15/91	> 1000.0	0.00	0.00
GRP19776	PT	6MB	24P	07/09/91	> 1000.0	0.00	0.00
GRP19776	VE	6MI	24P	07/12/91	> 1000.0	0.00	0.00
GRP19776	YF	8FO	24P	08/15/91	> 1000.0	0.00	0.00
GRP19777	PT	6MC	24P	07/09/91	> 1000.0	0.00	0.00
GRP19777	VE	6MJ	24P	07/12/91	714.00	0.00	0.00
GRP19777	YF	8FP	24P	08/15/91	> 1000.0	0.00	0.00
GRP19778	PT	6MC	24P	07/09/91	> 1000.0	429.00 >	2.33

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
GRP19778	VE	6WJ	24P	07/12/91	> 1000.0	0.00	0.00
GRP19778	YF	8FP	24P	08/15/91	> 1000.0	0.00	0.00
GRP19779	PT	6WC	24P	07/09/91	> 1000.0	0.00	0.00
GRP19779	VE	6WJ	24P	07/12/91	419.00	0.00	0.00
GRP19779	YF	8FP	24P	08/15/91	728.00	0.00	0.00
GRP19780	PT	6WC	24P	07/09/91	624.00	931.00	0.67
GRP19780	VE	6WJ	24P	07/12/91	335.00	0.00	0.00
GRP19780	YF	8FP	24P	08/15/91	> 1000.0	0.00	0.00
GRP19781	PT	6WC	24P	07/09/91	915.00	0.00	0.00
GRP19781	VE	6WJ	24P	07/12/91	> 1000.0	0.00	0.00
GRP19781	YF	8FP	24P	08/15/91	> 1000.0	0.00	0.00
GRP19782	PT	6WD	24P	07/09/91	> 1000.0	0.00	0.00
GRP19782	VE	6WK	24P	07/12/91	> 1000.0	0.00	0.00
GRP19782	YF	8FQ	24P	08/15/91	> 1000.0	0.00	0.00
GRP19783	PT	6WD	24P	07/09/91	> 1000.0	0.00	0.00
GRP19783	VE	6WK	24P	07/12/91	> 1000.0	600.00 >	1.67
GRP19783	YF	8FQ	24P	08/15/91	> 1000.0	0.00	0.00
GRP19784	PT	6WD	24P	07/09/91	302.00	0.00	0.00
GRP19784	VE	6WK	24P	07/12/91	170.00	0.00	0.00
GRP19784	YF	8FQ	24P	08/15/91	> 1000.0	0.00	0.00
GRP19785	PT	6WD	24P	07/09/91	660.00	0.00	0.00
GRP19785	VE	6WK	24P	07/12/91	847.00	0.00	0.00
GRP19785	YF	8FQ	24P	08/15/91	> 1000.0	0.00	0.00
GRP19786	PT	6WD	24P	07/09/91	654.00	0.00	0.00
GRP19786	VE	6WK	24P	07/12/91	> 1000.0	0.00	0.00
GRP19786	YF	8FQ	24P	08/15/91	> 1000.0	0.00	0.00
GRP19787	PT	6WE	24P	07/09/91	> 1000.0	0.00	0.00
GRP19787	VE	6WL	24P	07/12/91	> 1000.0	0.00	0.00
GRP19787	YF	8FR	24P	08/15/91	> 1000.0	0.00	0.00
GRP19789	PT	6WE	24P	07/09/91	257.00	0.00	0.00
GRP19789	VE	6WL	24P	07/12/91	347.00	0.00	0.00
GRP19789	YF	8FR	24P	08/15/91	497.00	0.00	0.00
GRP19790	PT	6WE	24P	07/09/91	230.00	0.00	0.00
GRP19790	VE	6WL	24P	07/12/91	586.00	0.00	0.00
GRP19790	YF	8FR	24P	08/15/91	351.00	0.00	0.00
GRP19791	PT	6WE	24P	07/09/91	736.00	0.00	0.00
GRP19791	VE	6WL	24P	07/12/91	592.00	0.00	0.00
GRP19791	YF	8FR	24P	08/15/91	> 1000.0	0.00	0.00
GRP19792	PT	6WE	24P	07/09/91	686.00	0.00	0.00
GRP19792	VE	6WL	24P	07/12/91	679.00	0.00	0.00
GRP19792	YF	8FR	24P	08/15/91	560.00	0.00	0.00
GRP19793	PT	6WF	24P	07/09/91	> 1000.0	0.00	0.00
GRP19793	VE	6WM	24P	07/12/91	> 1000.0	0.00	0.00
GRP19793	YF	8FS	24P	08/15/91	> 1000.0	0.00	0.00
GRP19794	PT	6WF	24P	07/09/91	> 1000.0	0.00	0.00
GRP19794	VE	6WM	24P	07/12/91	> 1000.0	0.00	0.00
GRP19794	YF	8FS	24P	08/15/91	> 1000.0	0.00	0.00
GRP19795	PT	6WF	24P	07/09/91	417.00	0.00	0.00
GRP19795	VE	6WM	24P	07/12/91	326.00	0.00	0.00
GRP19795	YF	8FS	24P	08/15/91	384.00	0.00	0.00
GRP19796	PT	6X9	25P	07/11/91	457.00	0.00	0.00
GRP19796	VE	6WV	25P	07/12/91	889.00	0.00	0.00
GRP19796	YF	6XU	25P	08/15/91	654.00	0.00	0.00
GRP19797	PT	6X9	25P	07/11/91	329.00	0.00	0.00
GRP19797	VE	6WV	25P	07/12/91	456.00	0.00	0.00
GRP19797	YF	6XU	25P	08/15/91	484.00	0.00	0.00
GRP19798	PT	6X9	25P	07/11/91	> 1000.0	438.00 >	2.28
GRP19798	VE	6WV	25P	07/12/91	> 1000.0	0.00	0.00
GRP19798	YF	6XU	25P	08/15/91	> 1000.0	0.00	0.00
GRP19799	PT	6X9	25P	07/11/91	> 1000.0	0.00	0.00
GRP19799	VE	6WV	25P	07/12/91	> 1000.0	0.00	0.00
GRP19799	YF	6XU	25P	08/15/91	> 1000.0	0.00	0.00
GRP19800	PT	6XA	25P	07/11/91	254.00	0.00	0.00
GRP19800	VE	6WW	25P	07/12/91	893.00	1000.0	0.89
GRP19800	YF	6XV	25P	08/15/91	463.00	0.00	0.00
GRP19801	PT	6XA	25P	07/11/91	182.00	0.00	0.00
GRP19801	VE	6WW	25P	07/12/91	273.00	0.00	0.00
GRP19801	YF	6XV	25P	08/15/91	322.00	0.00	0.00
GRP19802	PT	6XA	25P	07/11/91	50.60	0.00	0.00
GRP19802	VE	6WW	25P	07/12/91	103.00	0.00	0.00
GRP19802	YF	6XV	25P	08/15/91	150.00	0.00	0.00
GRP19803	PT	6XA	25P	07/11/91	> 1000.0	0.00	0.00
GRP19803	VE	6WW	25P	07/12/91	> 1000.0	0.00	0.00
GRP19803	YF	6XV	25P	08/15/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19804	PT	6XA	25P	07/11/91	335.00	0.00	0.00
GRP19804	VE	6WW	25P	07/12/91	> 1000.0	421.00 >	2.37
GRP19804	YF	6XV	25P	08/15/91	> 1000.0	0.00	0.00
GRP19806	PT	6XB	25P	07/11/91	> 1000.0	0.00	0.00
GRP19806	VE	6WX	25P	07/12/91	> 1000.0	498.00 >	2.01
GRP19806	YF	6XW	25P	08/15/91	> 1000.0	0.00	0.00
GRP19807	PT	6XB	25P	07/11/91	332.00	0.00	0.00
GRP19807	VE	6WX	25P	07/12/91	356.00	0.00	0.00
GRP19807	YF	6XW	25P	08/15/91	122.00	0.00	0.00
GRP19808	PT	6XB	25P	07/11/91	287.00	0.00	0.00
GRP19808	VE	6WX	25P	07/12/91	293.00	0.00	0.00
GRP19808	YF	6XW	25P	08/15/91	466.00	0.00	0.00
GRP19809	PT	6XB	25P	07/11/91	231.00	0.00	0.00
GRP19809	VE	6WX	25P	07/12/91	> 1000.0	289.00 >	3.46
GRP19809	YF	6XW	25P	08/15/91	330.00	0.00	0.00
GRP19810	PT	6XB	25P	07/11/91	196.00	0.00	0.00
GRP19810	VE	6WX	25P	07/12/91	181.00	0.00	0.00
GRP19810	YF	6XW	25P	08/15/91	122.00	0.00	0.00
GRP19812	PT	6XC	25P	07/11/91	> 1000.0	0.00	0.00
GRP19812	VE	6WY	25P	07/12/91	> 1000.0	0.00	0.00
GRP19812	YF	6XX	25P	08/15/91	> 1000.0	0.00	0.00
GRP19813	PT	6XC	25P	07/11/91	557.00	0.00	0.00
GRP19813	VE	6WY	25P	07/12/91	732.00	0.00	0.00
GRP19813	YF	6XX	25P	08/15/91	498.00	0.00	0.00
GRP19814	PT	6XC	25P	07/11/91	187.00	0.00	0.00
GRP19814	VE	6WY	25P	07/12/91	269.00	0.00	0.00
GRP19814	YF	6XX	25P	08/15/91	199.00	0.00	0.00
GRP19815	PT	6XC	25P	07/11/91	648.00	0.00	0.00
GRP19815	VE	6WY	25P	07/12/91	> 1000.0	0.00	0.00
GRP19815	YF	6XX	25P	08/15/91	> 1000.0	0.00	0.00
GRP19816	PT	6XC	25P	07/11/91	330.00	0.00	0.00
GRP19816	VE	6WZ	25P	07/12/91	> 1000.0	418.00 >	2.39
GRP19816	YF	6XX	25P	08/15/91	396.00	0.00	0.00
GRP19817	PT	6XD	25P	07/11/91	276.00	0.00	0.00
GRP19817	VE	6WZ	25P	07/12/91	> 1000.0	0.00	0.00
GRP19817	YF	6XY	25P	08/15/91	331.00	0.00	0.00
GRP19818	PT	6XD	25P	07/11/91	764.00	0.00	0.00
GRP19818	VE	6WZ	25P	07/12/91	> 1000.0	0.00	0.00
GRP19818	YF	6XY	25P	08/15/91	> 1000.0	0.00	0.00
GRP19819	PT	6XD	25P	07/11/91	258.00	0.00	0.00
GRP19819	VE	6WZ	25P	07/12/91	358.00	0.00	0.00
GRP19819	YF	6XY	25P	08/15/91	190.00	0.00	0.00
GRP19820	PT	6XD	25P	07/11/91	215.00	0.00	0.00
GRP19820	VE	6WZ	25P	07/12/91	174.00	0.00	0.00
GRP19820	YF	6XY	25P	08/15/91	327.00	0.00	0.00
GRP19821	PT	6XD	25P	07/11/91	67.40	0.00	0.00
GRP19821	VE	6X0	25P	07/12/91	336.00	0.00	0.00
GRP19821	YF	6XY	25P	08/15/91	32.80	0.00	0.00
GRP19822	PT	6XE	25P	07/11/91	496.00	0.00	0.00
GRP19822	VE	6X0	25P	07/12/91	997.00	0.00	0.00
GRP19822	YF	6XZ	25P	08/15/91	> 1000.0	0.00	0.00
GRP19823	PT	6XE	25P	07/11/91	523.00	0.00	0.00
GRP19823	VE	6X0	25P	07/12/91	756.00	0.00	0.00
GRP19823	YF	6XZ	25P	08/15/91	534.00	0.00	0.00
GRP19824	PT	6XE	25P	07/11/91	326.00	0.00	0.00
GRP19824	VE	6X0	25P	07/12/91	716.00	0.00	0.00
GRP19824	YF	6XZ	25P	08/15/91	316.00	0.00	0.00
GRP19825	PT	6XE	25P	07/11/91	833.00	0.00	0.00
GRP19825	VE	6X0	25P	07/12/91	> 1000.0	0.00	0.00
GRP19825	YF	6XZ	25P	08/15/91	> 1000.0	0.00	0.00
GRP19826	PT	6XE	25P	07/11/91	520.00	0.00	0.00
GRP19826	VE	6X1	25P	07/12/91	470.00	0.00	0.00
GRP19826	YF	6XZ	25P	08/15/91	479.00	0.00	0.00
GRP19827	PT	6XF	25P	07/11/91	> 1000.0	0.00	0.00
GRP19827	VE	7AV	24P	07/19/91	> 1000.0	0.00	0.00
GRP19827	YF	6Y0	25P	08/15/91	> 1000.0	0.00	0.00
GRP19828	PT	7Y0	27P	08/06/91	892.00	0.00	0.00
GRP19828	VE	6X2	25P	07/12/91	912.00	0.00	0.00
GRP19828	YF	6XN	25P	08/16/91	42.30	0.00	0.00
GRP19829	PT	7Y0	27P	08/06/91	> 1000.0	0.00	0.00
GRP19829	VE	6X2	25P	07/12/91	> 1000.0	0.00	0.00
GRP19829	YF	6XN	25P	08/16/91	676.00	0.00	0.00
GRP19830	PT	7Y0	27P	08/06/91	> 1000.0	0.00	0.00
GRP19830	VE	6X2	25P	07/12/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19830	YF	6XN	25P	08/16/91	505.00	0.00	0.00
GRP19831	PT	7Y0	27P	08/06/91	> 1000.0	0.00	0.00
GRP19831	VE	6X2	25P	07/12/91	> 1000.0	0.00	0.00
GRP19831	YF	6XN	25P	08/16/91	163.00	0.00	0.00
GRP19832	VE	6X3	25P	07/12/91	> 1000.0	0.00	0.00
GRP19832	YF	6XO	25P	08/16/91	783.00	0.00	0.00
GRP19833	VE	6X3	25P	07/12/91	438.00	0.00	0.00
GRP19833	YF	6XO	25P	08/16/91	221.00	0.00	0.00
GRP19834	VE	6X3	25P	07/12/91	790.00	0.00	0.00
GRP19834	YF	6XO	25P	08/16/91	314.00	0.00	0.00
GRP19835	VE	6X3	25P	07/12/91	478.00	0.00	0.00
GRP19835	YF	6XO	25P	08/16/91	167.00	0.00	0.00
GRP19836	VE	6X3	25P	07/12/91	> 1000.0	0.00	0.00
GRP19836	YF	6XO	25P	08/16/91	584.00	0.00	0.00
GRP19837	VE	6X4	25P	07/12/91	> 1000.0	0.00	0.00
GRP19837	YF	6XP	25P	08/16/91	197.00	0.00	0.00
GRP19838	VE	6X4	25P	07/12/91	555.00	0.00	0.00
GRP19838	YF	6XP	25P	08/16/91	218.00	0.00	0.00
GRP19839	VE	6X4	25P	07/12/91	696.00	0.00	0.00
GRP19839	YF	6XP	25P	08/16/91	190.00	0.00	0.00
GRP19840	VE	6X4	25P	07/12/91	> 1000.0	0.00	0.00
GRP19840	YF	6XP	25P	08/16/91	209.00	0.00	0.00
GRP19841	VE	6X4	25P	07/12/91	> 1000.0	0.00	0.00
GRP19841	YF	6XP	25P	08/16/91	308.00	0.00	0.00
GRP19842	VE	6X5	25P	07/12/91	> 1000.0	0.00	0.00
GRP19842	YF	6XQ	25P	08/16/91	391.00	0.00	0.00
GRP19843	VE	6X5	25P	07/12/91	> 1000.0	0.00	0.00
GRP19843	YF	6XQ	25P	08/16/91	427.00	0.00	0.00
GRP19844	VE	6X5	25P	07/12/91	806.00	0.00	0.00
GRP19844	YF	6XQ	25P	08/16/91	130.00	0.00	0.00
GRP19845	VE	6X5	25P	07/12/91	> 1000.0	0.00	0.00
GRP19845	YF	6XQ	25P	08/16/91	727.00	0.00	0.00
GRP19846	VE	6X5	25P	07/12/91	19.90	0.00	0.00
GRP19846	YF	6XQ	25P	08/16/91	95.60	0.00	0.00
GRP19847	VE	6X6	25P	07/12/91	509.00	0.00	0.00
GRP19847	YF	6XR	25P	08/16/91	262.00	0.00	0.00
GRP19848	VE	6X6	25P	07/12/91	770.00	0.00	0.00
GRP19848	YF	6XR	25P	08/16/91	258.00	0.00	0.00
GRP19849	VE	6X6	25P	07/12/91	> 1000.0	0.00	0.00
GRP19849	YF	6XR	25P	08/16/91	173.00	0.00	0.00
GRP19850	VE	6X6	25P	07/12/91	> 1000.0	0.00	0.00
GRP19850	YF	6XR	25P	08/16/91	877.00	0.00	0.00
GRP19852	VE	6X6	25P	07/12/91	> 1000.0	0.00	0.00
GRP19852	YF	6XR	25P	08/16/91	0.28	0.00	0.00
GRP19855	VE	6X7	25P	07/12/91	> 1000.0	0.00	0.00
GRP19855	YF	6XS	25P	08/16/91	724.00	0.00	0.00
GRP19856	VE	6X7	25P	07/12/91	757.00	0.00	0.00
GRP19856	YF	6XS	25P	08/16/91	377.00	0.00	0.00
GRP19857	VE	6X7	25P	07/12/91	> 1000.0	872.00 >	1.15
GRP19857	YF	6XS	25P	08/16/91	221.00	0.00	0.00
GRP19858	VE	6X7	25P	07/12/91	> 1000.0	0.00	0.00
GRP19858	YF	6XS	25P	08/16/91	177.00	0.00	0.00
GRP19859	VE	6X7	25P	07/12/91	> 1000.0	0.00	0.00
GRP19859	YF	6XS	25P	08/16/91	> 1000.0	0.00	0.00
GRP19860	VE	6X8	25P	07/12/91	> 1000.0	0.00	0.00
GRP19860	YF	6XT	25P	08/16/91	572.00	0.00	0.00
GRP19861	YF	784	25P	08/16/91	177.00	0.00	0.00
GRP19862	YF	784	25P	08/16/91	285.00	0.00	0.00
GRP19863	YF	784	25P	08/16/91	195.00	0.00	0.00
GRP19864	YF	784	25P	08/16/91	37.10	0.00	0.00
GRP19865	YF	785	25P	08/16/91	221.00	0.00	0.00
GRP19866	YF	785	25P	08/16/91	49.40	0.00	0.00
GRP19868	YF	785	25P	08/16/91	595.00	0.00	0.00
GRP19869	YF	785	25P	08/16/91	> 1000.0	0.00	0.00
GRP19870	YF	785	25P	08/16/91	358.00	0.00	0.00
GRP19871	YF	786	25P	08/16/91	995.00	0.00	0.00
GRP19872	YF	786	25P	08/16/91	968.00	0.00	0.00
GRP19873	YF	786	25P	08/16/91	178.00	0.00	0.00
GRP19874	YF	786	25P	08/16/91	> 1000.0	0.00	0.00
GRP19875	YF	786	25P	08/16/91	434.00	0.00	0.00
GRP19876	YF	787	25P	08/16/91	52.30	0.00	0.00
GRP19877	YF	787	25P	08/16/91	118.00	0.00	0.00
GRP19878	YF	787	25P	08/16/91	462.00	0.00	0.00
GRP19879	YF	787	25P	08/16/91	184.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19881	YF	7B7	25P	08/16/91	182.00	0.00	0.00
GRP19882	YF	7B8	25P	08/16/91	220.00	0.00	0.00
GRP19883	YF	7B8	25P	08/16/91	112.00	0.00	0.00
GRP19884	YF	7B8	25P	08/16/91	511.00	0.00	0.00
GRP19885	YF	7B8	25P	08/16/91	252.00	0.00	0.00
GRP19886	YF	7B8	25P	08/16/91	3.08	0.00	0.00
GRP19887	YF	7B9	25P	08/16/91	407.00	0.00	0.00
GRP19888	YF	7B9	25P	08/16/91	160.00	0.00	0.00
GRP19889	YF	7B9	25P	08/16/91	185.00	0.00	0.00
GRP19890	YF	7B9	25P	08/16/91	210.00	0.00	0.00
GRP19891	YF	7B9	25P	08/16/91	223.00	0.00	0.00
GRP19892	VE	7AV	25P	07/19/91	331.00	0.00	0.00
GRP19892	YF	7BA	25P	08/16/91	51.50	0.00	0.00
GRP19893	PT	7EH	25P	07/17/91	> 1000.0	0.00	0.00
GRP19893	YF	7EF	25P	08/20/91	720.00	0.00	0.00
GRP19894	PT	7EH	25P	07/17/91	555.00	0.00	0.00
GRP19894	YF	7EF	25P	08/20/91	383.00	0.00	0.00
GRP19895	PT	7EH	25P	07/17/91	> 1000.0	0.00	0.00
GRP19895	YF	7EF	25P	08/20/91	> 1000.0	0.00	0.00
GRP19896	PT	7EH	25P	07/17/91	638.00	0.00	0.00
GRP19896	YF	7EF	25P	08/20/91	501.00	0.00	0.00
GRP19897	PT	7EH	25P	07/17/91	346.00	0.00	0.00
GRP19897	YF	7EG	25P	08/20/91	314.00	0.00	0.00
GRP19898	PT	7EH	25P	07/17/91	> 1000.0	0.00	0.00
GRP19898	YF	7EG	25P	08/20/91	> 1000.0	0.00	0.00
GRP19899	PT	7EH	25P	07/17/91	320.00	0.00	0.00
GRP19899	YF	7EG	25P	08/20/91	0.93	0.00	0.00
GRP19902	PT	7EH	25P	07/17/91	431.00	0.00	0.00
GRP19902	YF	7EG	25P	08/20/91	459.00	0.00	0.00
GRP19903	PT	7EH	25P	07/17/91	209.00	0.00	0.00
GRP19903	YF	7EG	25P	08/20/91	595.00	0.00	0.00
GRP19904	PT	7EO	25P	07/17/91	701.00	0.00	0.00
GRP19904	YF	7EH	25P	08/20/91	675.00	0.00	0.00
GRP19905	YF	8LG	25P	08/21/91	585.00	0.00	0.00
GRP19906	YF	8LG	25P	08/21/91	564.00	0.00	0.00
GRP19907	YF	8LG	25P	08/21/91	349.00	0.00	0.00
GRP19908	YF	8LG	25P	08/21/91	0.64	0.00	0.00
GRP19909	YF	8LH	25P	08/21/91	970.00	0.00	0.00
GRP19912	YF	8LH	25P	08/21/91	304.00	0.00	0.00
GRP19913	YF	8LH	25P	08/21/91	808.00	0.00	0.00
GRP19914	YF	8LH	25P	08/21/91	362.00	0.00	0.00
GRP19915	YF	8LH	25P	08/21/91	0.68	0.00	0.00
GRP19916	YF	8LI	25P	08/21/91	475.00	0.00	0.00
GRP19919	YF	8LI	25P	08/21/91	598.00	0.00	0.00
GRP19920	YF	8LI	25P	08/21/91	550.00	0.00	0.00
GRP19921	YF	8LI	25P	08/21/91	995.00	0.00	0.00
GRP19922	YF	8LI	25P	08/21/91	0.73	0.00	0.00
GRP19923	YF	8LJ	25P	08/21/91	> 1000.0	0.00	0.00
GRP19924	YF	8LJ	25P	08/21/91	> 1000.0	0.00	0.00
GRP19925	YF	8LJ	25P	08/21/91	499.00	0.00	0.00
GRP19926	YF	8LJ	25P	08/21/91	> 1000.0	0.00	0.00
GRP19927	YF	8LJ	25P	08/21/91	642.00	0.00	0.00
GRP19928	YF	8LK	25P	08/21/91	> 1000.0	0.00	0.00
GRP19929	PT	7H2	25P	07/23/91	273.00	0.00	0.00
GRP19929	VE	7HG	25P	07/26/91	335.00	0.00	0.00
GRP19929	YF	7GV	25P	08/21/91	173.00	0.00	0.00
GRP19930	PT	7H2	25P	07/23/91	> 1000.0	0.00	0.00
GRP19930	VE	7HG	25P	07/26/91	> 1000.0	0.00	0.00
GRP19930	YF	7GV	25P	08/21/91	> 1000.0	0.00	0.00
GRP19931	PT	7H2	25P	07/23/91	328.00	0.00	0.00
GRP19931	VE	7HG	25P	07/26/91	191.00	0.00	0.00
GRP19931	YF	7GV	25P	08/21/91	327.00	0.00	0.00
GRP19932	PT	7H2	25P	07/23/91	> 1000.0	0.00	0.00
GRP19932	VE	7HG	25P	07/26/91	> 1000.0	0.00	0.00
GRP19932	YF	7GV	25P	08/21/91	> 1000.0	0.00	0.00
GRP19933	PT	7H3	25P	07/23/91	> 1000.0	0.00	0.00
GRP19933	VE	7HH	25P	07/26/91	528.00	0.00	0.00
GRP19933	YF	7GW	25P	08/21/91	> 1000.0	0.00	0.00
GRP19934	PT	7H3	25P	07/23/91	> 1000.0	0.00	0.00
GRP19934	VE	7HH	25P	07/26/91	779.00	0.00	0.00
GRP19934	YF	7GW	25P	08/21/91	> 1000.0	0.00	0.00
GRP19935	PT	7H3	25P	07/23/91	> 1000.0	0.00	0.00
GRP19935	VE	7HH	25P	07/26/91	> 1000.0	0.00	0.00
GRP19935	YF	7GW	25P	08/21/91	501.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19936	PT	7N3	25P	07/23/91	> 1000.0	0.00	0.00
GRP19936	VE	7NN	25P	07/26/91	> 1000.0	0.00	0.00
GRP19936	YF	7GW	25P	08/21/91	> 1000.0	0.00	0.00
GRP19937	PT	7N3	25P	07/23/91	861.00	0.00	0.00
GRP19937	VE	7NN	25P	07/26/91	> 1000.0	0.00	0.00
GRP19937	YF	7GW	25P	08/21/91	700.00	0.00	0.00
GRP19938	PT	7N4	25P	07/23/91	> 1000.0	0.00	0.00
GRP19938	VE	7NI	25P	07/26/91	620.00	0.00	0.00
GRP19938	YF	7GX	25P	08/21/91	768.00	0.00	0.00
GRP19939	PT	7N4	25P	07/23/91	433.00	0.00	0.00
GRP19939	VE	7NI	25P	07/26/91	433.00	0.00	0.00
GRP19939	YF	7GX	25P	08/21/91	325.00	0.00	0.00
GRP19940	PT	7N4	25P	07/23/91	> 1000.0	0.00	0.00
GRP19940	VE	7NI	25P	07/26/91	> 1000.0	0.00	0.00
GRP19940	YF	7GX	25P	08/21/91	> 1000.0	0.00	0.00
GRP19941	PT	7N4	25P	07/23/91	> 1000.0	0.00	0.00
GRP19941	VE	7NI	25P	07/26/91	198.00	0.00	0.00
GRP19941	YF	7GX	25P	08/21/91	> 1000.0	0.00	0.00
GRP19942	PT	7N4	25P	07/23/91	535.00	0.00	0.00
GRP19942	VE	7NI	25P	07/26/91	486.00	0.00	0.00
GRP19942	YF	7GX	25P	08/21/91	572.00	0.00	0.00
GRP19943	PT	7N5	25P	07/23/91	> 1000.0	0.00	0.00
GRP19943	VE	7NJ	25P	07/26/91	528.00	0.00	0.00
GRP19943	YF	7GY	25P	08/21/91	> 1000.0	0.00	0.00
GRP19944	PT	7N5	25P	07/23/91	396.00	0.00	0.00
GRP19944	VE	7NJ	25P	07/26/91	46.60	0.00	0.00
GRP19944	YF	7GY	25P	08/21/91	52.10	0.00	0.00
GRP19945	PT	7N5	25P	07/23/91	> 1000.0	0.00	0.00
GRP19945	VE	7NJ	25P	07/26/91	717.00	0.00	0.00
GRP19945	YF	7GY	25P	08/21/91	540.00	0.00	0.00
GRP19946	PT	7N5	25P	07/23/91	> 1000.0	0.00	0.00
GRP19946	VE	7NJ	25P	07/26/91	> 1000.0	0.00	0.00
GRP19946	YF	7GY	25P	08/21/91	> 1000.0	0.00	0.00
GRP19947	PT	7N5	25P	07/23/91	367.00	0.00	0.00
GRP19947	VE	7NJ	25P	07/26/91	340.00	0.00	0.00
GRP19947	YF	7GY	25P	08/21/91	349.00	0.00	0.00
GRP19948	PT	7N6	25P	07/23/91	> 1000.0	0.00	0.00
GRP19948	VE	7NK	25P	07/26/91	> 1000.0	0.00	0.00
GRP19948	YF	7GZ	25P	08/21/91	> 1000.0	0.00	0.00
GRP19949	PT	7NV	26P	07/31/91	> 1000.0	0.00	0.00
GRP19949	VE	7NO	26P	08/02/91	> 1000.0	0.00	0.00
GRP19949	YF	9KN	26P	09/21/91	> 1000.0	0.00	0.00
GRP19950	PT	7NV	26P	07/31/91	> 1000.0	0.00	0.00
GRP19950	VE	7NO	26P	08/02/91	> 1000.0	0.00	0.00
GRP19950	YF	9KN	26P	09/21/91	> 1000.0	0.00	0.00
GRP19951	PT	7NW	26P	07/31/91	237.00	0.00	0.00
GRP19951	VE	7NP	26P	08/02/91	328.00	0.00	0.00
GRP19951	YF	9KI	26P	09/21/91	537.00	0.00	0.00
GRP19952	PT	7NW	26P	07/31/91	> 1000.0	0.00	0.00
GRP19952	VE	7NP	26P	08/02/91	> 1000.0	0.00	0.00
GRP19952	YF	9KI	26P	09/21/91	> 1000.0	0.00	0.00
GRP19953	PT	7NW	26P	07/31/91	520.00	0.00	0.00
GRP19953	VE	7NP	26P	08/02/91	> 1000.0	0.00	0.00
GRP19953	YF	9KI	26P	09/21/91	> 1000.0	0.00	0.00
GRP19954	PT	7NW	26P	07/31/91	661.00	0.00	0.00
GRP19954	VE	7NP	26P	08/02/91	523.00	0.00	0.00
GRP19954	YF	9KI	26P	09/21/91	> 1000.0	0.00	0.00
GRP19955	PT	7NW	26P	07/31/91	> 1000.0	911.00 >	1.10
GRP19955	VE	7NP	26P	08/02/91	> 1000.0	806.00 >	1.24
GRP19955	YF	9KI	26P	09/21/91	> 1000.0	0.00	0.00
GRP19956	PT	7NX	26P	07/31/91	> 1000.0	0.00	0.00
GRP19956	VE	7NQ	26P	08/02/91	> 1000.0	0.00	0.00
GRP19956	YF	9KJ	26P	09/21/91	> 1000.0	0.00	0.00
GRP19957	PT	7NX	26P	07/31/91	269.00	0.00	0.00
GRP19957	VE	7NQ	26P	08/02/91	36.10	0.00	0.00
GRP19957	YF	9KJ	26P	09/21/91	325.00	0.00	0.00
GRP19958	PT	7NX	26P	07/31/91	956.00	0.00	0.00
GRP19958	VE	7NQ	26P	08/02/91	> 1000.0	0.00	0.00
GRP19958	YF	9KJ	26P	09/21/91	> 1000.0	0.00	0.00
GRP19959	PT	7NX	26P	07/31/91	> 1000.0	0.00	0.00
GRP19959	VE	7NQ	26P	08/02/91	428.00	0.00	0.00
GRP19959	YF	9KJ	26P	09/21/91	> 1000.0	0.00	0.00
GRP19962	PT	7NX	26P	07/31/91	325.00	0.00	0.00
GRP19962	VE	7NQ	26P	08/02/91	> 1000.0	771.00 >	1.30

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19962	YF	9KJ	26P	09/21/91	366.00	0.00	0.00
GRP19963	PT	7NY	26P	07/31/91	> 1000.0	0.00	0.00
GRP19963	VE	7NR	26P	08/02/91	412.00	0.00	0.00
GRP19963	YF	9KK	26P	09/21/91	> 1000.0	0.00	0.00
GRP19964	PT	7NY	26P	07/31/91	> 1000.0	0.00	0.00
GRP19964	VE	7NR	26P	08/02/91	> 1000.0	0.00	0.00
GRP19964	YF	9KK	26P	09/21/91	> 1000.0	0.00	0.00
GRP19965	PT	7NY	26P	07/31/91	380.00	0.00	0.00
GRP19965	VE	7NR	26P	08/02/91	454.00	0.00	0.00
GRP19965	YF	9KK	26P	09/21/91	386.00	0.00	0.00
GRP19966	PT	7NY	26P	07/31/91	> 1000.0	0.00	0.00
GRP19966	VE	7NR	26P	08/02/91	605.00	0.00	0.00
GRP19966	YF	9KK	26P	09/21/91	> 1000.0	0.00	0.00
GRP19967	PT	7NY	26P	07/31/91	335.00	0.00	0.00
GRP19967	VE	7NR	26P	08/02/91	871.00	829.00	1.05
GRP19967	YF	9KK	26P	09/21/91	460.00	0.00	0.00
GRP19968	PT	7NZ	26P	07/31/91	323.00	0.00	0.00
GRP19968	VE	7NS	26P	08/02/91	329.00	0.00	0.00
GRP19968	YF	9KL	26P	09/21/91	345.00	0.00	0.00
GRP19969	PT	7NZ	26P	07/31/91	> 1000.0	0.00	0.00
GRP19969	VE	7NS	26P	08/02/91	> 1000.0	0.00	0.00
GRP19969	YF	9KL	26P	09/21/91	> 1000.0	0.00	0.00
GRP19970	PT	7NZ	26P	07/31/91	541.00	0.00	0.00
GRP19970	VE	7NS	26P	08/02/91	> 1000.0	486.00 >	2.06
GRP19970	YF	9KL	26P	09/21/91	513.00	0.00	0.00
GRP19971	PT	7NZ	26P	07/31/91	> 1000.0	0.00	0.00
GRP19971	VE	7NS	26P	08/02/91	> 1000.0	0.00	0.00
GRP19971	YF	9KL	26P	09/21/91	635.00	0.00	0.00
GRP19972	PT	7NZ	26P	07/31/91	325.00	0.00	0.00
GRP19972	VE	7NS	26P	08/02/91	323.00	0.00	0.00
GRP19972	YF	9KL	26P	09/21/91	238.00	0.00	0.00
GRP19973	PT	7N0	26P	07/31/91	> 1000.0	0.00	0.00
GRP19973	VE	7NT	26P	08/02/91	> 1000.0	0.00	0.00
GRP19973	YF	9KM	26P	09/21/91	> 1000.0	0.00	0.00
GRP19974	PT	7N0	26P	07/31/91	665.00	0.00	0.00
GRP19974	VE	7NT	26P	08/02/91	677.00	0.00	0.00
GRP19974	YF	9KM	26P	09/21/91	> 1000.0	0.00	0.00
GRP19975	PT	7N0	26P	07/31/91	325.00	0.00	0.00
GRP19975	VE	7NT	26P	08/02/91	39.50	0.00	0.00
GRP19975	YF	9KM	26P	09/21/91	325.00	0.00	0.00
GRP19976	PT	7N0	26P	07/31/91	13.40	0.00	0.00
GRP19976	VE	7NT	26P	08/02/91	491.00	0.00	0.00
GRP19976	YF	9KM	26P	09/21/91	328.00	0.00	0.00
GRP19977	PT	7N0	26P	07/31/91	637.00	0.00	0.00
GRP19977	VE	7NT	26P	08/02/91	> 1000.0	0.00	0.00
GRP19977	YF	9KM	26P	09/21/91	> 1000.0	0.00	0.00
GRP19978	PT	7N1	26P	07/31/91	329.00	0.00	0.00
GRP19978	VE	7NU	26P	08/02/91	382.00	0.00	0.00
GRP19978	YF	9KN	26P	09/21/91	705.00	0.00	0.00
GRP19979	PT	7QS	26P	08/01/91	454.00	0.00	0.00
GRP19979	VE	702	26P	08/02/91	> 1000.0	876.00 >	1.14
GRP19979	YF	7QL	26P	08/01/91	319.00	0.00	0.00
GRP19980	PT	7QS	26P	08/01/91	499.00	0.00	0.00
GRP19980	VE	702	26P	08/02/91	> 1000.0	0.00	0.00
GRP19980	YF	7QL	26P	08/01/91	373.00	0.00	0.00
GRP19981	PT	7QS	26P	08/01/91	> 1000.0	0.00	0.00
GRP19981	VE	702	26P	08/02/91	> 1000.0	0.00	0.00
GRP19981	YF	7QL	26P	08/01/91	> 1000.0	0.00	0.00
GRP19982	PT	7QS	26P	08/01/91	724.00	0.00	0.00
GRP19982	VE	702	26P	08/02/91	> 1000.0	843.00 >	1.19
GRP19982	YF	7QL	26P	08/01/91	> 1000.0	0.00	0.00
GRP19983	PT	7QT	26P	08/01/91	> 1000.0	0.00	0.00
GRP19983	VE	703	26P	08/02/91	> 1000.0	0.00	0.00
GRP19983	YF	7QM	26P	08/01/91	> 1000.0	0.00	0.00
GRP19984	PT	7QT	26P	08/01/91	> 1000.0	0.00	0.00
GRP19984	VE	703	26P	08/02/91	> 1000.0	743.00 >	1.35
GRP19984	YF	7QM	26P	08/01/91	> 1000.0	0.00	0.00
GRP19985	PT	7QT	26P	08/01/91	> 1000.0	931.00 >	1.07
GRP19985	VE	703	26P	08/02/91	> 1000.0	605.00 >	1.65
GRP19985	YF	7QM	26P	08/01/91	817.00	0.00	0.00
GRP19987	PT	7QT	26P	08/01/91	> 1000.0	0.00	0.00
GRP19987	VE	703	26P	08/02/91	> 1000.0	0.00	0.00
GRP19987	YF	7QM	26P	08/01/91	> 1000.0	0.00	0.00
GRP19988	PT	7QT	26P	08/01/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP19988	VE	703	26P	08/02/91	> 1000.0	0.00	0.00
GRP19988	YF	70N	26P	08/01/91	897.00	0.00	0.00
GRP19989	PT	70U	26P	08/01/91	> 1000.0	0.00	0.00
GRP19989	VE	704	26P	08/02/91	> 1000.0	0.00	0.00
GRP19989	YF	70N	26P	08/01/91	> 1000.0	0.00	0.00
GRP19990	PT	70U	26P	08/01/91	> 1000.0	0.00	0.00
GRP19990	VE	704	26P	08/02/91	> 1000.0	0.00	0.00
GRP19990	YF	70N	26P	08/01/91	> 1000.0	0.00	0.00
GRP19991	PT	70U	26P	08/01/91	> 1000.0	0.00	0.00
GRP19991	VE	704	26P	08/02/91	> 1000.0	0.00	0.00
GRP19991	YF	70N	26P	08/01/91	> 1000.0	0.00	0.00
GRP19992	PT	70U	26P	08/01/91	530.00	0.00	0.00
GRP19992	VE	704	26P	08/02/91	919.00	0.00	0.00
GRP19992	YF	70N	26P	08/01/91	415.00	0.00	0.00
GRP19993	PT	70U	26P	08/01/91	> 1000.0	0.00	0.00
GRP19993	VE	704	26P	08/02/91	> 1000.0	632.00 >	1.58
GRP19993	YF	70N	26P	08/01/91	> 1000.0	0.00	0.00
GRP19994	PT	70V	26P	08/01/91	> 1000.0	0.00	0.00
GRP19994	VE	705	26P	08/02/91	> 1000.0	315.00 >	3.17
GRP19994	YF	700	26P	08/01/91	574.00	0.00	0.00
GRP19995	PT	70V	26P	08/01/91	> 1000.0	0.00	0.00
GRP19995	VE	705	26P	08/02/91	> 1000.0	0.00	0.00
GRP19995	YF	700	26P	08/01/91	> 1000.0	0.00	0.00
GRP19996	PT	70V	26P	08/01/91	735.00	0.00	0.00
GRP19996	VE	705	26P	08/02/91	699.00	882.00	0.79
GRP19996	YF	700	26P	08/01/91	484.00	0.00	0.00
GRP19997	PT	70V	26P	08/01/91	> 1000.0	0.00	0.00
GRP19997	VE	705	26P	08/02/91	> 1000.0	0.00	0.00
GRP19997	YF	700	26P	08/01/91	> 1000.0	0.00	0.00
GRP19998	PT	70V	26P	08/01/91	> 1000.0	0.00	0.00
GRP19998	VE	705	26P	08/02/91	886.00	0.00	0.00
GRP19998	YF	700	26P	08/01/91	426.00	0.00	0.00
GRP19999	PT	70N	26P	08/01/91	507.00	0.00	0.00
GRP19999	VE	706	26P	08/02/91	728.00	0.00	0.00
GRP19999	YF	70P	26P	08/01/91	372.00	0.00	0.00
GRP21186	YF	CHN	4P	12/03/91	223.00	0.00	0.00
GRP21188	PT	3LZ	16P	03/01/91	55.90	0.00	0.00
GRP21188	VE	3JG	16P	03/01/91	48.70	0.00	0.00
GRP21188	YF	3M5	16P	03/01/91	58.00	0.00	0.00
GRP21189	PT	3LZ	16P	03/01/91	255.00	0.00	0.00
GRP21189	VE	3JG	16P	03/01/91	238.00	0.00	0.00
GRP21189	YF	3M5	16P	03/01/91	327.00	0.00	0.00
GRP21190	PT	3LZ	16P	03/01/91	304.00	0.00	0.00
GRP21190	VE	3JG	16P	03/01/91	480.00	0.00	0.00
GRP21190	YF	3M5	16P	03/01/91	262.00	0.00	0.00
GRP21191	PT	3LZ	16P	03/01/91	194.00	0.00	0.00
GRP21191	VE	3JG	16P	03/01/91	275.00	0.00	0.00
GRP21191	YF	3M5	16P	03/01/91	334.00	0.00	0.00
GRP21192	PT	7E0	25P	07/17/91	41.10	0.00	0.00
GRP21192	YF	7EH	25P	08/20/91	54.90	0.00	0.00
GRP21194	PT	3LZ	16P	03/01/91	786.00	0.00	0.00
GRP21194	VE	3JG	16P	03/01/91	614.00	0.00	0.00
GRP21194	YF	3M5	16P	03/01/91	660.00	0.00	0.00
GRP21195	PT	3M0	16P	03/01/91	576.00	1000.0	0.58
GRP21195	VE	3JH	16P	03/01/91	> 1000.0	0.00	0.00
GRP21195	YF	3M6	16P	03/01/91	852.00	0.00	0.00
GRP21196	PT	3M0	16P	03/01/91	166.00	0.00	0.00
GRP21196	VE	3JH	16P	03/01/91	390.00	0.00	0.00
GRP21196	YF	3M6	16P	03/01/91	262.00	0.00	0.00
GRP21197	PT	3M0	16P	03/01/91	230.00	0.00	0.00
GRP21197	VE	3JH	16P	03/01/91	768.00	0.00	0.00
GRP21197	YF	3M6	16P	03/01/91	493.00	0.00	0.00
GRP21198	PT	3M0	16P	03/01/91	719.00	0.00	0.00
GRP21198	VE	3JH	16P	03/01/91	> 1000.0	0.00	0.00
GRP21198	YF	3M6	16P	03/01/91	601.00	0.00	0.00
GRP21199	PT	3M0	16P	03/01/91	173.00	0.00	0.00
GRP21199	VE	3JH	16P	03/01/91	401.00	0.00	0.00
GRP21199	YF	3M6	16P	03/01/91	306.00	0.00	0.00
GRP21200	PT	3M1	16P	03/01/91	416.00	0.00	0.00
GRP21200	VE	3JI	16P	03/01/91	763.00	0.00	0.00
GRP21200	YF	3M7	16P	03/01/91	326.00	0.00	0.00
GRP21201	PT	3M1	16P	03/01/91	430.00	0.00	0.00
GRP21201	VE	3JI	16P	03/01/91	501.00	0.00	0.00
GRP21201	YF	3M7	16P	03/01/91	435.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21203	PT	3M1	16P	03/01/91	> 1000.0	0.00	0.00
GRP21203	VE	3JI	16P	03/01/91	> 1000.0	0.00	0.00
GRP21203	YF	3M7	16P	03/01/91	> 1000.0	0.00	0.00
GRP21205	PT	3M1	16P	03/01/91	505.00	0.00	0.00
GRP21205	VE	3JI	16P	03/01/91	947.00	512.00	1.85
GRP21205	YF	3M7	16P	03/01/91	344.00	0.00	0.00
GRP21206	PT	3M1	16P	03/01/91	560.00	0.00	0.00
GRP21206	VE	3JI	16P	03/01/91	506.00	0.00	0.00
GRP21206	YF	3M7	16P	03/01/91	371.00	0.00	0.00
GRP21207	PT	3M2	16P	03/01/91	325.00	0.00	0.00
GRP21207	VE	3JJ	16P	03/01/91	> 1000.0	0.00	0.00
GRP21207	YF	3M8	16P	03/01/91	332.00	0.00	0.00
GRP21208	PT	3M2	16P	03/01/91	> 1000.0	0.00	0.00
GRP21208	VE	3JJ	16P	03/01/91	> 1000.0	0.00	0.00
GRP21208	YF	3M8	16P	03/01/91	> 1000.0	0.00	0.00
GRP21209	PT	3M2	16P	03/01/91	202.00	0.00	0.00
GRP21209	VE	3JJ	16P	03/01/91	423.00	0.00	0.00
GRP21209	YF	3M8	16P	03/01/91	449.00	0.00	0.00
GRP21213	PT	3M2	16P	03/01/91	217.00	0.00	0.00
GRP21213	VE	3JJ	16P	03/01/91	634.00	0.00	0.00
GRP21213	YF	3M8	16P	03/01/91	306.00	0.00	0.00
GRP21214	PT	3M2	16P	03/01/91	269.00	0.00	0.00
GRP21214	VE	3JJ	16P	03/01/91	681.00	0.00	0.00
GRP21214	YF	3M8	16P	03/01/91	395.00	0.00	0.00
GRP21215	PT	3M3	16P	03/01/91	325.00	0.00	0.00
GRP21215	VE	3JK	16P	03/01/91	252.00	0.00	0.00
GRP21215	YF	3M9	16P	03/01/91	304.00	0.00	0.00
GRP21216	PT	30T	16P	03/05/91	526.00	0.00	0.00
GRP21216	VE	3P5	16P	03/08/91	758.00	0.00	0.00
GRP21216	YF	30Z	16P	03/05/91	340.00	0.00	0.00
GRP21217	PT	30T	16P	03/05/91	347.00	0.00	0.00
GRP21217	VE	3P5	16P	03/08/91	471.00	0.00	0.00
GRP21217	YF	30Z	16P	03/05/91	279.00	0.00	0.00
GRP21219	PT	30T	16P	03/05/91	33.30	0.00	0.00
GRP21219	VE	3P5	16P	03/08/91	31.80	0.00	0.00
GRP21219	YF	30Z	16P	03/05/91	33.10	0.00	0.00
GRP21220	PT	30T	16P	03/05/91	373.00	0.00	0.00
GRP21220	VE	3P5	16P	03/08/91	712.00	0.00	0.00
GRP21220	YF	30Z	16P	03/05/91	> 1000.0	0.00	0.00
GRP21221	PT	30U	16P	03/05/91	124.00	0.00	0.00
GRP21221	VE	3P6	16P	03/08/91	502.00	0.00	0.00
GRP21221	YF	3P0	16P	03/05/91	325.00	0.00	0.00
GRP21222	PT	30U	16P	03/05/91	> 1000.0	733.00 >	1.37
GRP21222	VE	3P6	16P	03/08/91	> 1000.0	0.00	0.00
GRP21222	YF	3P0	16P	03/05/91	> 1000.0	0.00	0.00
GRP21223	PT	30U	16P	03/05/91	> 1000.0	576.00 >	1.74
GRP21223	VE	3P6	16P	03/08/91	529.00	0.00	0.00
GRP21223	YF	3P0	16P	03/05/91	295.00	0.00	0.00
GRP21224	PT	30U	16P	03/05/91	6.50	0.00	0.00
GRP21224	VE	3P6	16P	03/08/91	962.00	0.00	0.00
GRP21224	YF	3P0	16P	03/05/91	327.00	0.00	0.00
GRP21225	PT	30U	16P	03/05/91	> 1000.0	0.00	0.00
GRP21225	VE	3P6	16P	03/08/91	988.00	0.00	0.00
GRP21225	YF	3P0	16P	03/05/91	> 1000.0	0.00	0.00
GRP21226	PT	30V	16P	03/05/91	> 1000.0	0.00	0.00
GRP21226	VE	3P7	16P	03/08/91	649.00	0.00	0.00
GRP21226	YF	3P1	16P	03/05/91	625.00	0.00	0.00
GRP21227	PT	30V	16P	03/05/91	398.00	0.00	0.00
GRP21227	VE	3P7	16P	03/08/91	913.00	0.00	0.00
GRP21227	YF	3P1	16P	03/05/91	241.00	0.00	0.00
GRP21228	PT	30V	16P	03/05/91	764.00	0.00	0.00
GRP21228	VE	3P7	16P	03/08/91	596.00	0.00	0.00
GRP21228	YF	3P1	16P	03/05/91	590.00	0.00	0.00
GRP21229	PT	30V	16P	03/05/91	> 1000.0	0.00	0.00
GRP21229	VE	3P7	16P	03/08/91	722.00	0.00	0.00
GRP21229	YF	3P1	16P	03/05/91	> 1000.0	0.00	0.00
GRP21230	PT	30V	16P	03/05/91	296.00	0.00	0.00
GRP21230	VE	3P7	16P	03/08/91	422.00	0.00	0.00
GRP21230	YF	3P1	16P	03/05/91	253.00	0.00	0.00
GRP21231	PT	30W	16P	03/05/91	278.00	0.00	0.00
GRP21231	VE	3P8	16P	03/08/91	104.00	0.00	0.00
GRP21231	YF	3P2	16P	03/05/91	258.00	0.00	0.00
GRP21232	PT	30W	16P	03/05/91	156.00	0.00	0.00
GRP21232	VE	3P8	16P	03/08/91	42.90	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21232	YF	3P2	16P	03/05/91	166.00	0.00	0.00
GRP21233	PT	30W	16P	03/05/91	327.00	820.00	0.40
GRP21233	VE	3P8	16P	03/08/91	588.00	0.00	0.00
GRP21233	YF	3P2	16P	03/05/91	447.00	0.00	0.00
GRP21234	PT	30W	16P	03/05/91	159.00	0.00	0.00
GRP21234	VE	3P8	16P	03/08/91	> 1000.0	209.00	> 4.79
GRP21234	YF	3P2	16P	03/05/91	268.00	0.00	0.00
GRP21235	PT	30W	16P	03/05/91	204.00	0.00	0.00
GRP21235	VE	3P8	16P	03/08/91	106.00	0.00	0.00
GRP21235	YF	3P2	16P	03/05/91	258.00	0.00	0.00
GRP21236	PT	30X	16P	03/05/91	316.00	0.00	0.00
GRP21236	VE	3P9	16P	03/08/91	516.00	0.00	0.00
GRP21236	YF	3P3	16P	03/05/91	423.00	0.00	0.00
GRP21237	PT	30X	16P	03/05/91	> 1000.0	0.00	0.00
GRP21237	VE	3P9	16P	03/08/91	> 1000.0	0.00	0.00
GRP21237	YF	3P3	16P	03/05/91	> 1000.0	0.00	0.00
GRP21238	PT	30X	16P	03/05/91	249.00	0.00	0.00
GRP21238	VE	3P9	16P	03/08/91	570.00	0.00	0.00
GRP21238	YF	3P3	16P	03/05/91	458.00	0.00	0.00
GRP21239	PT	30X	16P	03/05/91	253.00	0.00	0.00
GRP21239	VE	3P9	16P	03/08/91	363.00	0.00	0.00
GRP21239	YF	3P3	16P	03/05/91	309.00	0.00	0.00
GRP21240	PT	30X	16P	03/05/91	> 1000.0	0.00	0.00
GRP21240	VE	3P9	16P	03/08/91	> 1000.0	0.00	0.00
GRP21240	YF	3P3	16P	03/05/91	> 1000.0	0.00	0.00
GRP21241	PT	30Y	16P	03/05/91	181.00	0.00	0.00
GRP21241	VE	3PA	16P	03/08/91	343.00	0.00	0.00
GRP21241	YF	3P4	16P	03/05/91	169.00	0.00	0.00
GRP21242	PT	30T	16P	03/06/91	753.00	0.00	0.00
GRP21242	VE	3P8	16P	03/08/91	> 1000.0	0.00	0.00
GRP21242	YF	30N	16P	03/06/91	> 1000.0	0.00	0.00
GRP21243	PT	30T	16P	03/06/91	> 1000.0	0.00	0.00
GRP21243	VE	3P8	16P	03/08/91	> 1000.0	0.00	0.00
GRP21243	YF	30N	16P	03/06/91	> 1000.0	0.00	0.00
GRP21244	PT	30T	16P	03/06/91	615.00	0.00	0.00
GRP21244	VE	3P8	16P	03/08/91	> 1000.0	0.00	0.00
GRP21244	YF	30N	16P	03/06/91	> 1000.0	0.00	0.00
GRP21245	PT	30T	16P	03/06/91	706.00	0.00	0.00
GRP21245	VE	3P8	16P	03/08/91	> 1000.0	0.00	0.00
GRP21245	YF	30N	16P	03/06/91	> 1000.0	0.00	0.00
GRP21246	PT	30U	16P	03/06/91	783.00	0.00	0.00
GRP21246	VE	3PC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21246	YF	30O	16P	03/06/91	> 1000.0	0.00	0.00
GRP21247	PT	30U	16P	03/06/91	437.00	0.00	0.00
GRP21247	VE	3PC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21247	YF	30O	16P	03/06/91	> 1000.0	0.00	0.00
GRP21248	PT	30U	16P	03/06/91	158.00	0.00	0.00
GRP21248	VE	3PC	16P	03/08/91	735.00	1000.0	0.74
GRP21248	YF	30O	16P	03/06/91	354.00	0.00	0.00
GRP21249	PT	30U	16P	03/06/91	> 1000.0	0.00	0.00
GRP21249	VE	3PC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21249	YF	30O	16P	03/06/91	> 1000.0	0.00	0.00
GRP21250	PT	30U	16P	03/06/91	130.00	0.00	0.00
GRP21250	VE	3PC	16P	03/08/91	705.00	0.00	0.00
GRP21250	YF	30O	16P	03/06/91	584.00	0.00	0.00
GRP21251	PT	30V	16P	03/06/91	28.00	0.00	0.00
GRP21251	VE	3PD	16P	03/08/91	630.00	0.00	0.00
GRP21251	YF	30P	16P	03/06/91	473.00	0.00	0.00
GRP21253	PT	30V	16P	03/06/91	549.00	0.00	0.00
GRP21253	VE	3PD	16P	03/08/91	> 1000.0	331.00	> 3.02
GRP21253	YF	30P	16P	03/06/91	424.00	0.00	0.00
GRP21254	PT	30V	16P	03/06/91	930.00	0.00	0.00
GRP21254	VE	3PD	16P	03/08/91	> 1000.0	0.00	0.00
GRP21254	YF	30P	16P	03/06/91	> 1000.0	0.00	0.00
GRP21255	PT	30V	16P	03/06/91	373.00	0.00	0.00
GRP21255	VE	3PD	16P	03/08/91	997.00	567.00	1.76
GRP21255	YF	30P	16P	03/06/91	669.00	0.00	0.00
GRP21256	PT	30V	16P	03/06/91	143.00	0.00	0.00
GRP21256	VE	3PD	16P	03/08/91	450.00	0.00	0.00
GRP21256	YF	30P	16P	03/06/91	239.00	0.00	0.00
GRP21257	PT	30W	16P	03/06/91	43.00	0.00	0.00
GRP21257	VE	3PE	16P	03/08/91	28.00	0.00	0.00
GRP21257	YF	30Q	16P	03/06/91	32.90	0.00	0.00
GRP21258	PT	30W	16P	03/06/91	287.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21258	VE	3PE	16P	03/08/91	151.00	0.00	0.00
GRP21258	YF	3QQ	16P	03/06/91	309.00	0.00	0.00
GRP21259	PT	3QW	16P	03/06/91	211.00	0.00	0.00
GRP21259	VE	3PE	16P	03/08/91	36.60	0.00	0.00
GRP21259	YF	3QQ	16P	03/06/91	51.40	0.00	0.00
GRP21260	PT	3QW	16P	03/06/91	> 1000.0	0.00	0.00
GRP21260	VE	3PE	16P	03/08/91	> 1000.0	0.00	0.00
GRP21260	YF	3QQ	16P	03/06/91	> 1000.0	0.00	0.00
GRP21261	PT	3QW	16P	03/06/91	766.00	0.00	0.00
GRP21261	VE	3PE	16P	03/08/91	> 1000.0	0.00	0.00
GRP21261	YF	3QQ	16P	03/06/91	> 1000.0	0.00	0.00
GRP21262	PT	3QX	16P	03/06/91	456.00	0.00	0.00
GRP21262	VE	3PF	16P	03/08/91	542.00	0.00	0.00
GRP21262	YF	3QR	16P	03/06/91	289.00	0.00	0.00
GRP21263	PT	3QX	16P	03/06/91	698.00	0.00	0.00
GRP21263	VE	3PF	16P	03/08/91	457.00	0.00	0.00
GRP21263	YF	3QR	16P	03/06/91	899.00	0.00	0.00
GRP21264	PT	3QX	16P	03/06/91	583.00	938.00	0.62
GRP21264	VE	3PF	16P	03/08/91	> 1000.0	398.00 >	2.51
GRP21264	YF	3QR	16P	03/06/91	474.00	0.00	0.00
GRP21265	PT	3QX	16P	03/06/91	892.00	0.00	0.00
GRP21265	VE	3PF	16P	03/08/91	> 1000.0	0.00	0.00
GRP21265	YF	3QR	16P	03/06/91	> 1000.0	0.00	0.00
GRP21266	PT	3QX	16P	03/06/91	> 1000.0	0.00	0.00
GRP21266	VE	3PF	16P	03/08/91	> 1000.0	0.00	0.00
GRP21266	YF	3QR	16P	03/06/91	> 1000.0	0.00	0.00
GRP21267	PT	3QY	16P	03/06/91	> 1000.0	639.00 >	1.57
GRP21267	VE	3PG	16P	03/08/91	696.00	0.00	0.00
GRP21267	YF	3QS	16P	03/06/91	> 1000.0	0.00	0.00
GRP21268	PT	3QZ	16P	03/07/91	419.00	0.00	0.00
GRP21268	VE	3PH	16P	03/08/91	743.00	0.00	0.00
GRP21268	YF	3R5	16P	03/07/91	> 1000.0	0.00	0.00
GRP21269	PT	3QZ	16P	03/07/91	710.00	0.00	0.00
GRP21269	VE	3PH	16P	03/08/91	780.00	0.00	0.00
GRP21269	YF	3R5	16P	03/07/91	> 1000.0	0.00	0.00
GRP21270	PT	3QZ	16P	03/07/91	880.00	0.00	0.00
GRP21270	VE	3PH	16P	03/08/91	737.00	0.00	0.00
GRP21270	YF	3R5	16P	03/07/91	> 1000.0	0.00	0.00
GRP21271	PT	3QZ	16P	03/07/91	148.00	0.00	0.00
GRP21271	VE	3PH	16P	03/08/91	343.00	0.00	0.00
GRP21271	YF	3R5	16P	03/07/91	196.00	0.00	0.00
GRP21272	PT	3R0	16P	03/07/91	699.00	0.00	0.00
GRP21272	VE	3PI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21272	YF	3R6	16P	03/07/91	321.00	0.00	0.00
GRP21273	PT	3R0	16P	03/07/91	383.00	0.00	0.00
GRP21273	VE	3PI	16P	03/08/91	389.00	0.00	0.00
GRP21273	YF	3R6	16P	03/07/91	464.00	0.00	0.00
GRP21274	PT	3R0	16P	03/07/91	665.00	0.00	0.00
GRP21274	VE	3PI	16P	03/08/91	857.00	0.00	0.00
GRP21274	YF	3R6	16P	03/07/91	767.00	0.00	0.00
GRP21275	PT	3R0	16P	03/07/91	329.00	0.00	0.00
GRP21275	VE	3PI	16P	03/08/91	654.00	0.00	0.00
GRP21275	YF	3R6	16P	03/07/91	426.00	0.00	0.00
GRP21276	PT	3R0	16P	03/07/91	434.00	0.00	0.00
GRP21276	VE	3PI	16P	03/08/91	583.00	0.00	0.00
GRP21276	YF	3R6	16P	03/07/91	569.00	0.00	0.00
GRP21277	PT	3R1	16P	03/07/91	915.00	0.00	0.00
GRP21277	VE	3PJ	16P	03/08/91	> 1000.0	0.00	0.00
GRP21277	YF	3R7	16P	03/07/91	551.00	0.00	0.00
GRP21278	PT	3R1	16P	03/07/91	558.00	1000.0	0.56
GRP21278	VE	3PJ	16P	03/08/91	> 1000.0	0.00	0.00
GRP21278	YF	3R7	16P	03/07/91	> 1000.0	0.00	0.00
GRP21279	PT	3R1	16P	03/07/91	24.40	0.00	0.00
GRP21279	VE	3PJ	16P	03/08/91	6.49	0.00	0.00
GRP21279	YF	3R7	16P	03/07/91	31.70	0.00	0.00
GRP21280	PT	3R1	16P	03/07/91	534.00	0.00	0.00
GRP21280	VE	3PJ	16P	03/08/91	490.00	0.00	0.00
GRP21280	YF	3R7	16P	03/07/91	513.00	0.00	0.00
GRP21281	PT	3R1	16P	03/07/91	137.00	0.00	0.00
GRP21281	PT	4G3	16P	04/02/91	> 1.00	0.00	0.00
GRP21281	VE	3PJ	16P	03/08/91	< 1.00	0.00	0.00
GRP21281	VE	4FE	16P	04/05/91	> 1.00	0.00	0.00
GRP21281	YF	3R7	16P	03/07/91	164.00	0.00	0.00
GRP21281	YF	4UQ	16P	04/23/91	> 1.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21282	PT	3R2	16P	03/07/91	68.70	0.00	0.00
GRP21282	VE	3PK	16P	03/08/91	70.20	0.00	0.00
GRP21282	YF	3R8	16P	03/07/91	58.90	0.00	0.00
GRP21284	PT	3R2	16P	03/07/91	922.00	0.00	0.00
GRP21284	VE	3PK	16P	03/08/91	846.00	0.00	0.00
GRP21284	YF	3R8	16P	03/07/91	> 1000.0	0.00	0.00
GRP21285	PT	3R2	16P	03/07/91	845.00	0.00	0.00
GRP21285	VE	3PK	16P	03/08/91	> 1000.0	0.00	0.00
GRP21285	YF	3R8	16P	03/07/91	> 1000.0	0.00	0.00
GRP21286	PT	3R2	16P	03/07/91	> 1000.0	0.00	0.00
GRP21286	VE	3PK	16P	03/08/91	615.00	0.00	0.00
GRP21286	YF	3R8	16P	03/07/91	972.00	0.00	0.00
GRP21287	PT	3R2	16P	03/07/91	423.00	6.11	69.18
GRP21287	VE	3PK	16P	03/08/91	485.00	0.00	0.00
GRP21287	YF	3R8	16P	03/07/91	389.00	0.00	0.00
GRP21288	PT	3R3	16P	03/07/91	288.00	0.00	0.00
GRP21288	VE	3PL	16P	03/08/91	874.00	0.00	0.00
GRP21288	YF	3R9	16P	03/07/91	375.00	0.00	0.00
GRP21289	PT	3R3	16P	03/07/91	645.00	0.00	0.00
GRP21289	VE	3PL	16P	03/08/91	705.00	0.00	0.00
GRP21289	YF	3R9	16P	03/07/91	647.00	0.00	0.00
GRP21290	PT	3R3	16P	03/07/91	386.00	0.00	0.00
GRP21290	VE	3PL	16P	03/08/91	> 1000.0	0.00	0.00
GRP21290	YF	3R9	16P	03/07/91	995.00	0.00	0.00
GRP21291	PT	3R3	16P	03/07/91	> 1000.0	276.00 >	3.62
GRP21291	VE	3PL	16P	03/08/91	951.00	0.00	0.00
GRP21291	YF	3R9	16P	03/07/91	> 1000.0	0.00	0.00
GRP21292	PT	3R3	16P	03/07/91	530.00	0.00	0.00
GRP21292	VE	3PL	16P	03/08/91	> 1000.0	0.00	0.00
GRP21292	YF	3R9	16P	03/07/91	> 1000.0	0.00	0.00
GRP21293	PT	3R4	16P	03/07/91	32.00	0.00	0.00
GRP21293	VE	3PM	16P	03/08/91	7.94	0.00	0.00
GRP21293	YF	3RA	16P	03/07/91	25.10	0.00	0.00
GRP21294	PT	3RH	16P	03/08/91	253.00	0.00	0.00
GRP21294	VE	3QH	16P	03/08/91	> 1000.0	0.00	0.00
GRP21294	YF	3RB	16P	03/08/91	873.00	0.00	0.00
GRP21295	PT	3RH	16P	03/08/91	175.00	0.00	0.00
GRP21295	VE	3QH	16P	03/08/91	587.00	0.00	0.00
GRP21295	YF	3RB	16P	03/08/91	801.00	0.00	0.00
GRP21296	PT	3RH	16P	03/08/91	462.00	0.00	0.00
GRP21296	VE	3QH	16P	03/08/91	657.00	0.00	0.00
GRP21296	YF	3RB	16P	03/08/91	802.00	0.00	0.00
GRP21297	PT	3RH	16P	03/08/91	147.00	0.00	0.00
GRP21297	VE	3QH	16P	03/08/91	218.00	0.00	0.00
GRP21297	YF	3RB	16P	03/08/91	438.00	0.00	0.00
GRP21298	PT	3RI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21298	VE	3QI	16P	03/08/91	836.00	0.00	0.00
GRP21298	YF	3RC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21299	PT	3RI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21299	VE	3QI	16P	03/08/91	513.00	0.00	0.00
GRP21299	YF	3RC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21300	PT	3RI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21300	VE	3QI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21300	YF	3RC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21301	PT	3RI	16P	03/08/91	927.00	0.00	0.00
GRP21301	VE	3QI	16P	03/08/91	> 1000.0	0.00	0.00
GRP21301	YF	3RC	16P	03/08/91	> 1000.0	0.00	0.00
GRP21302	PT	3RI	16P	03/08/91	195.00	0.00	0.00
GRP21302	VE	3QI	16P	03/08/91	55.60	0.00	0.00
GRP21302	YF	3RC	16P	03/08/91	76.50	0.00	0.00
GRP21303	PT	3RJ	16P	03/08/91	352.00	0.00	0.00
GRP21303	VE	3QJ	16P	03/08/91	812.00	0.00	0.00
GRP21303	YF	3RD	16P	03/08/91	804.00	0.00	0.00
GRP21304	PT	3RJ	16P	03/08/91	419.00	0.00	0.00
GRP21304	VE	3QJ	16P	03/08/91	> 1000.0	0 00	0.00
GRP21304	YF	3RD	16P	03/08/91	> 1000.0	0.00	0.00
GRP21305	PT	3RJ	16P	03/08/91	247.00	0.00	0.00
GRP21305	VE	3QJ	16P	03/08/91	381.00	0.00	0.00
GRP21305	YF	3RD	16P	03/08/91	> 1000.0	0.00	0.00
GRP21306	PT	3RJ	16P	03/08/91	105.00	0.00	0.00
GRP21306	VE	3QJ	16P	03/08/91	224.00	0.00	0.00
GRP21306	YF	3RD	16P	03/08/91	306.00	0.00	0.00
GRP21307	PT	3RJ	16P	03/08/91	60.50	0.00	0.00
GRP21307	VE	3QJ	16P	03/08/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21307	YF	3RD	16P	03/08/91	> 1000.0	0.00	0.00
GRP21308	PT	3RK	16P	03/08/91	601.00	0.00	0.00
GRP21308	VE	3QK	16P	03/08/91	> 1000.0	0.00	0.00
GRP21308	YF	3RE	16P	03/08/91	> 1000.0	0.00	0.00
GRP21309	PT	3RK	16P	03/08/91	> 1000.0	0.00	0.00
GRP21309	VE	3QK	16P	03/08/91	504.00	0.00	0.00
GRP21309	YF	3RE	16P	03/08/91	> 1000.0	0.00	0.00
GRP21310	PT	3RK	16P	03/08/91	745.00	0.00	0.00
GRP21310	VE	3QK	16P	03/08/91	> 1000.0	0.00	0.00
GRP21310	YF	3RE	16P	03/08/91	> 1000.0	0.00	0.00
GRP21311	PT	3RK	16P	03/08/91	141.00	0.00	0.00
GRP21311	VE	3QK	16P	03/08/91	385.00	0.00	0.00
GRP21311	YF	3RE	16P	03/08/91	327.00	0.00	0.00
GRP21312	PT	3RK	16P	03/08/91	427.00	0.00	0.00
GRP21312	VE	3QK	16P	03/08/91	692.00	0.00	0.00
GRP21312	YF	3RE	16P	03/08/91	679.00	0.00	0.00
GRP21313	PT	3RL	16P	03/08/91	296.00	0.00	0.00
GRP21313	VE	3QL	16P	03/08/91	346.00	0.00	0.00
GRP21313	YF	3RF	16P	03/08/91	325.00	0.00	0.00
GRP21314	PT	3RL	16P	03/08/91	336.00	0.00	0.00
GRP21314	VE	3QL	16P	03/08/91	288.00	0.00	0.00
GRP21314	YF	3RF	16P	03/08/91	330.00	0.00	0.00
GRP21315	PT	3RL	16P	03/08/91	> 1000.0	0.00	0.00
GRP21315	VE	3QL	16P	03/08/91	> 1000.0	0.00	0.00
GRP21315	YF	3RF	16P	03/08/91	> 1000.0	0.00	0.00
GRP21316	PT	3RL	16P	03/08/91	241.00	0.00	0.00
GRP21316	VE	3QL	16P	03/08/91	188.00	0.00	0.00
GRP21316	YF	3RF	16P	03/08/91	263.00	0.00	0.00
GRP21317	PT	3RL	16P	03/08/91	248.00	0.00	0.00
GRP21317	VE	3QL	16P	03/08/91	207.00	0.00	0.00
GRP21317	YF	3RF	16P	03/08/91	325.00	0.00	0.00
GRP21318	PT	3RM	16P	03/08/91	130.00	0.00	0.00
GRP21318	VE	3QM	16P	03/08/91	328.00	0.00	0.00
GRP21318	YF	3RG	16P	03/08/91	325.00	0.00	0.00
GRP21319	PT	3Y6	16P	03/12/91	738.00	0.00	0.00
GRP21319	VE	3XZ	16P	03/15/91	239.00	0.00	0.00
GRP21319	YF	3XT	16P	03/12/91	> 1000.0	0.00	0.00
GRP21320	PT	3Y6	16P	03/12/91	325.00	9.13	35.63
GRP21320	VE	3XZ	16P	03/15/91	352.00	0.00	0.00
GRP21320	YF	3XT	16P	03/12/91	325.00	0.00	0.00
GRP21321	PT	3Y6	16P	03/12/91	686.00	924.00	0.74
GRP21321	VE	3XZ	16P	03/15/91	13.40	0.00	0.00
GRP21321	YF	3XT	16P	03/12/91	259.00	0.00	0.00
GRP21322	PT	3Y6	16P	03/12/91	325.00	0.00	0.00
GRP21322	VE	3XZ	16P	03/15/91	32.50	0.00	0.00
GRP21322	YF	3XT	16P	03/12/91	326.00	0.00	0.00
GRP21323	PT	3Y7	16P	03/12/91	> 1000.0	0.00	0.00
GRP21323	VE	3Y0	16P	03/15/91	529.00	0.00	0.00
GRP21323	YF	3XU	16P	03/12/91	453.00	0.00	0.00
GRP21324	PT	3Y7	16P	03/12/91	442.00	0.00	0.00
GRP21324	VE	3Y0	16P	03/15/91	546.00	0.00	0.00
GRP21324	YF	3XU	16P	03/12/91	582.00	0.00	0.00
GRP21325	PT	3Y7	16P	03/12/91	> 1000.0	564.00 >	1.77
GRP21325	VE	3Y0	16P	03/15/91	532.00	0.00	0.00
GRP21325	YF	3XU	16P	03/12/91	708.00	0.00	0.00
GRP21326	PT	3Y7	16P	03/12/91	866.00	0.00	0.00
GRP21326	VE	3Y0	16P	03/15/91	470.00	0.00	0.00
GRP21326	YF	3XU	16P	03/12/91	849.00	0.00	0.00
GRP21327	PT	3Y7	16P	03/12/91	449.00	0.00	0.00
GRP21327	VE	3Y0	16P	03/15/91	473.00	0.00	0.00
GRP21327	YF	3XU	16P	03/12/91	744.00	0.00	0.00
GRP21328	PT	3Y8	16P	03/12/91	685.00	0.00	0.00
GRP21328	VE	3Y1	16P	03/15/91	263.00	0.00	0.00
GRP21328	YF	3XV	16P	03/12/91	272.00	0.00	0.00
GRP21329	PT	3Y8	16P	03/12/91	> 1000.0	0.00	0.00
GRP21329	VE	3Y1	16P	03/15/91	291.00	0.00	0.00
GRP21329	YF	3XV	16P	03/12/91	> 1000.0	0.00	0.00
GRP21330	PT	3Y8	16P	03/12/91	293.00	0.00	0.00
GRP21330	VE	3Y1	16P	03/15/91	403.00	0.00	0.00
GRP21330	YF	3XV	16P	03/12/91	33.60	0.00	0.00
GRP21331	PT	3Y8	16P	03/12/91	496.00	0.00	0.00
GRP21331	VE	3Y1	16P	03/15/91	26.60	0.00	0.00
GRP21331	YF	3XV	16P	03/12/91	435.00	0.00	0.00
GRP21332	PT	7E0	25P	07/17/91	133.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21332	YF	7EH	25P	08/20/91	277.00	0.00	0.00
GRP21333	PT	7EO	25P	07/17/91	672.00	0.00	0.00
GRP21333	YF	7EH	25P	08/20/91	239.00	0.00	0.00
GRP21334	PT	7EO	25P	07/17/91	161.00	0.00	0.00
GRP21334	YF	7EH	25P	08/20/91	247.00	0.00	0.00
GRP21337	PT	7EP	25P	07/17/91	> 1000.0	0.00	0.00
GRP21337	YF	7EI	25P	08/20/91	> 1000.0	0.00	0.00
GRP21338	PT	7EP	25P	07/17/91	353.00	0.00	0.00
GRP21338	YF	7EI	25P	08/20/91	489.00	0.00	0.00
GRP21339	PT	7EP	25P	07/17/91	844.00	0.00	0.00
GRP21339	YF	7EI	25P	08/20/91	832.00	0.00	0.00
GRP21340	PT	7EP	25P	07/17/91	710.00	0.00	0.00
GRP21340	YF	7EI	25P	08/20/91	992.00	0.00	0.00
GRP21341	PT	7EP	25P	07/17/91	366.00	0.00	0.00
GRP21341	YF	7EI	25P	08/20/91	240.00	0.00	0.00
GRP21343	PT	7EQ	25P	07/17/91	35.00	0.00	0.00
GRP21343	YF	7EJ	25P	08/20/91	189.00	0.00	0.00
GRP21344	PT	7EQ	25P	07/17/91	928.00	963.00	0.96
GRP21344	YF	7EJ	25P	08/20/91	778.00	0.00	0.00
GRP21345	PT	7EQ	25P	07/17/91	156.00	0.00	0.00
GRP21345	YF	7EJ	25P	08/20/91	193.00	0.00	0.00
GRP21349	PT	7EQ	25P	07/17/91	637.00	0.00	0.00
GRP21349	YF	7EJ	25P	08/20/91	567.00	0.00	0.00
GRP21350	PT	7EQ	25P	07/17/91	> 1000.0	0.00	0.00
GRP21350	YF	7EJ	25P	08/20/91	> 1000.0	0.00	0.00
GRP21351	PT	7ER	25P	07/17/91	> 1000.0	0.00	0.00
GRP21351	YF	7EK	25P	08/20/91	997.00	0.00	0.00
GRP21354	PT	7ER	25P	07/17/91	285.00	0.00	0.00
GRP21354	YF	7EK	25P	08/20/91	326.00	0.00	0.00
GRP21355	PT	7ER	25P	07/17/91	644.00	0.00	0.00
GRP21355	YF	7EK	25P	08/20/91	748.00	0.00	0.00
GRP21359	PT	7ER	25P	07/17/91	> 1000.0	0.00	0.00
GRP21359	YF	7EK	25P	08/20/91	> 1000.0	0.00	0.00
GRP21360	PT	7ER	25P	07/17/91	> 1000.0	0.00	0.00
GRP21360	YF	7EK	25P	08/20/91	> 1000.0	0.00	0.00
GRP21361	PT	7ES	25P	07/17/91	410.00	0.00	0.00
GRP21361	YF	7EL	25P	08/20/91	408.00	0.00	0.00
GRP21362	PT	7ET	25P	07/18/91	950.00	0.00	0.00
GRP21362	YF	7F0	25P	08/20/91	> 1000.0	0.00	0.00
GRP21363	PT	7ET	25P	07/18/91	> 1000.0	0.00	0.00
GRP21363	YF	7F0	25P	08/20/91	> 1000.0	0.00	0.00
GRP21364	PT	7ET	25P	07/18/91	> 1000.0	0.00	0.00
GRP21364	YF	7F0	25P	08/20/91	326.00	0.00	0.00
GRP21365	PT	7ET	25P	07/18/91	326.00	0.00	0.00
GRP21365	YF	7F0	25P	08/20/91	262.00	0.00	0.00
GRP21366	PT	7EU	25P	07/18/91	> 1000.0	0.00	0.00
GRP21366	YF	7F1	25P	08/20/91	> 1000.0	0.00	0.00
GRP21367	PT	7EU	25P	07/18/91	436.00	0.00	0.00
GRP21367	YF	7F1	25P	08/20/91	190.00	0.00	0.00
GRP21368	PT	7EU	25P	07/18/91	307.00	0.00	0.00
GRP21368	YF	7F1	25P	08/20/91	56.20	0.00	0.00
GRP21369	PT	7EU	25P	07/18/91	419.00	0.00	0.00
GRP21369	YF	7F1	25P	08/20/91	376.00	0.00	0.00
GRP21370	PT	7EU	25P	07/18/91	308.00	0.00	0.00
GRP21370	YF	7F1	25P	08/20/91	173.00	0.00	0.00
GRP21371	PT	7EV	25P	07/18/91	491.00	0.00	0.00
GRP21371	YF	7F2	25P	08/20/91	420.00	0.00	0.00
GRP21372	PT	7EV	25P	07/18/91	74.90	0.00	0.00
GRP21372	YF	7F2	25P	08/20/91	50.80	0.00	0.00
GRP21373	PT	7EV	25P	07/18/91	> 1000.0	0.00	0.00
GRP21373	YF	7F2	25P	08/20/91	169.00	0.00	0.00
GRP21374	PT	7EV	25P	07/18/91	641.00	0.00	0.00
GRP21374	YF	7F2	25P	08/20/91	419.00	0.00	0.00
GRP21375	PT	7EV	25P	07/18/91	48.10	0.00	0.00
GRP21375	YF	7F2	25P	08/20/91	43.50	0.00	0.00
GRP21376	PT	7EW	25P	07/18/91	> 1000.0	0.00	0.00
GRP21376	YF	7F3	25P	08/20/91	> 1000.0	823.00 >	1.21
GRP21377	PT	7EW	25P	07/18/91	480.00	0.00	0.00
GRP21377	YF	7F3	25P	08/20/91	444.00	0.00	0.00
GRP21378	PT	7EW	25P	07/18/91	> 1000.0	0.00	0.00
GRP21378	YF	7F3	25P	08/20/91	> 1000.0	0.00	0.00
GRP21379	PT	7EW	25P	07/18/91	368.00	0.00	0.00
GRP21379	YF	7F3	25P	08/20/91	357.00	0.00	0.00
GRP21380	PT	7EW	25P	07/18/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21380	YF	7F3	25P	08/20/91	> 1000.0	0.00	0.00
GRP21382	PT	7EX	25P	07/18/91	> 1000.0	0.00	0.00
GRP21382	YF	7F4	25P	08/20/91	> 1000.0	0.00	0.00
GRP21383	PT	7EX	25P	07/18/91	> 1000.0	0.00	0.00
GRP21383	YF	7F4	25P	08/20/91	> 1000.0	0.00	0.00
GRP21384	PT	7EX	25P	07/18/91	> 1000.0	0.00	0.00
GRP21384	YF	7F4	25P	08/20/91	> 1000.0	0.00	0.00
GRP21385	PT	7EX	25P	07/18/91	> 1000.0	0.00	0.00
GRP21385	YF	7F4	25P	08/20/91	> 1000.0	0.00	0.00
GRP21386	PT	7EX	25P	07/18/91	303.00	0.00	0.00
GRP21386	YF	7F4	25P	08/20/91	202.00	0.00	0.00
GRP21387	PT	7EY	25P	07/18/91	354.00	0.00	0.00
GRP21387	YF	7F5	25P	08/20/91	339.00	0.00	0.00
GRP21388	PT	7EY	25P	07/18/91	> 1000.0	0.00	0.00
GRP21388	YF	7F5	25P	08/20/91	896.00	0.00	0.00
GRP21390	PT	7EY	25P	07/18/91	478.00	0.00	0.00
GRP21390	YF	7F5	25P	08/20/91	299.00	0.00	0.00
GRP21391	PT	7EY	25P	07/18/91	> 1000.0	0.00	0.00
GRP21391	YF	7F5	25P	08/20/91	> 1000.0	0.00	0.00
GRP21392	PT	7EY	25P	07/18/91	346.00	0.00	0.00
GRP21392	YF	7F5	25P	08/20/91	232.00	0.00	0.00
GRP21393	PT	7EZ	25P	07/18/91	> 1000.0	0.00	0.00
GRP21393	YF	7F6	25P	08/20/91	668.00	0.00	0.00
GRP21393	YF	CHM	25P	12/03/91	> 1000.0	0.00	0.00
GRP21395	YF	8LE	25P	08/21/91	453.00	0.00	0.00
GRP21397	YF	8LE	25P	08/21/91	544.00	0.00	0.00
GRP21398	YF	8LE	25P	08/21/91	83.40	0.00	0.00
GRP21399	YF	8LE	25P	08/21/91	0.74	0.00	0.00
GRP21400	YF	8LF	25P	08/21/91	537.00	0.00	0.00
GRP21401	YF	8LF	25P	08/21/91	476.00	0.00	0.00
GRP21402	YF	8LF	25P	08/21/91	410.00	0.00	0.00
GRP21406	YF	8LF	25P	08/21/91	31.70	0.00	0.00
GRP21407	YF	8LF	25P	08/21/91	0.57	0.00	0.00
GRP21408	YF	8LG	25P	08/21/91	846.00	0.00	0.00
GRP21438	PT	943	28P	08/30/91	63.90	0.00	0.00
GRP21438	VE	900	28P	08/30/91	43.50	0.00	0.00
GRP21438	YF	BPL	28P	11/12/91	77.60	0.00	0.00
GRP21440	PT	943	28P	08/30/91	3.25	0.00	0.00
GRP21440	VE	900	28P	08/30/91	3.25	0.00	0.00
GRP21440	YF	BPL	28P	11/12/91	2.53	0.00	0.00
GRP21441	PT	943	28P	08/30/91	325.00	0.00	0.00
GRP21441	VE	900	28P	08/30/91	169.00	0.00	0.00
GRP21441	YF	BPL	28P	11/12/91	31.40	0.00	0.00
GRP21442	PT	943	28P	08/30/91	325.00	0.00	0.00
GRP21442	VE	900	28P	08/30/91	280.00	0.00	0.00
GRP21442	YF	BPL	28P	11/12/91	325.00	0.00	0.00
GRP21443	PT	943	28P	08/30/91	325.00	0.00	0.00
GRP21443	VE	900	28P	08/30/91	0.82	0.00	0.00
GRP21443	YF	BPL	28P	11/12/91	385.00	0.00	0.00
GRP21444	PT	944	28P	08/30/91	209.00	0.00	0.00
GRP21444	VE	90P	28P	08/30/91	52.50	0.00	0.00
GRP21444	YF	BPM	28P	11/12/91	164.00	0.00	0.00
GRP21445	PT	944	28P	08/30/91	199.00	0.00	0.00
GRP21445	VE	90P	28P	08/30/91	60.70	0.00	0.00
GRP21445	YF	BPM	28P	11/12/91	54.90	1.00	54.86
GRP21446	PT	944	28P	08/30/91	32.50	0.00	0.00
GRP21446	VE	90P	28P	08/30/91	24.60	0.00	0.00
GRP21446	YF	BPM	28P	11/12/91	32.60	0.00	0.00
GRP21447	PT	944	28P	08/30/91	720.00	0.00	0.00
GRP21447	VE	90P	28P	08/30/91	242.00	0.00	0.00
GRP21447	YF	BPM	28P	11/12/91	325.00	0.00	0.00
GRP21448	PT	944	28P	08/30/91	135.00	0.00	0.00
GRP21448	VE	90P	28P	08/30/91	61.80	0.00	0.00
GRP21448	YF	BPM	28P	11/12/91	325.00	0.00	0.00
GRP21449	PT	945	28P	08/30/91	> 1000.0	0.00	0.00
GRP21449	VE	90Q	28P	08/30/91	537.00	0.00	0.00
GRP21449	YF	BPN	28P	11/12/91	502.00	0.00	0.00
GRP21450	PT	945	28P	08/30/91	260.00	0.00	0.00
GRP21450	VE	90Q	28P	08/30/91	256.00	0.00	0.00
GRP21450	YF	BPN	28P	11/12/91	175.00	0.00	0.00
GRP21451	PT	945	28P	08/30/91	493.00	0.00	0.00
GRP21451	VE	90Q	28P	08/30/91	177.00	0.00	0.00
GRP21451	YF	BPN	28P	11/12/91	> 1000.0	0.00	0.00
GRP21452	PT	945	28P	08/30/91	308.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21452	VE	900	28P	08/30/91	296.00	0.00	0.00
GRP21452	YF	BPN	28P	11/12/91	86.20	0.00	0.00
GRP21453	PT	945	28P	08/30/91	287.00	0.00	0.00
GRP21453	VE	900	28P	08/30/91	330.00	0.00	0.00
GRP21453	YF	BPN	28P	11/12/91	139.00	0.00	0.00
GRP21454	PT	946	28P	08/30/91	32.50	0.00	0.00
GRP21454	VE	90R	28P	08/30/91	32.80	0.00	0.00
GRP21454	YF	BPO	28P	11/12/91	32.60	0.00	0.00
GRP21455	PT	946	28P	08/30/91	300.00	0.00	0.00
GRP21455	VE	90R	28P	08/30/91	327.00	0.00	0.00
GRP21455	YF	BPO	28P	11/12/91	162.00	0.00	0.00
GRP21456	PT	946	28P	08/30/91	170.00	0.00	0.00
GRP21456	VE	90R	28P	08/30/91	546.00	0.00	0.00
GRP21456	YF	BPO	28P	11/12/91	129.00	0.00	0.00
GRP21457	PT	917	28P	08/27/91	> 1000.0	0.00	0.00
GRP21457	VE	901	28P	08/30/91	763.00	0.00	0.00
GRP21457	YF	90T	28P	08/27/91	> 1000.0	0.00	0.00
GRP21458	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21458	VE	902	28P	08/30/91	0.96	0.00	0.00
GRP21458	YF	90U	28P	08/27/91	> 1000.0	0.00	0.00
GRP21459	PT	918	28P	08/27/91	< 1.00	0.00	0.00
GRP21459	VE	902	28P	08/30/91	24.80	< 1.00 >	24.84
GRP21459	YF	90U	28P	08/27/91	3.56	0.00	0.00
GRP21460	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21460	VE	902	28P	08/30/91	653.00	681.00	0.96
GRP21460	YF	90U	28P	08/27/91	469.00	0.00	0.00
GRP21461	PT	918	28P	08/27/91	447.00	0.00	0.00
GRP21461	VE	902	28P	08/30/91	174.00	0.00	0.00
GRP21461	YF	90U	28P	08/27/91	188.00	0.00	0.00
GRP21463	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21463	VE	902	28P	08/30/91	765.00	0.00	0.00
GRP21463	YF	90U	28P	08/27/91	361.00	0.00	0.00
GRP21464	PT	919	28P	08/27/91	> 1000.0	0.00	0.00
GRP21464	VE	903	28P	08/30/91	> 1000.0	0.00	0.00
GRP21464	YF	90V	28P	08/27/91	> 1000.0	0.00	0.00
GRP21465	PT	919	28P	08/27/91	591.00	0.00	0.00
GRP21465	VE	903	28P	08/30/91	499.00	0.00	0.00
GRP21465	YF	90V	28P	08/27/91	510.00	0.00	0.00
GRP21466	PT	919	28P	08/27/91	310.00	0.00	0.00
GRP21466	VE	903	28P	08/30/91	203.00	0.00	0.00
GRP21466	YF	90V	28P	08/27/91	32.60	0.00	0.00
GRP21467	PT	919	28P	08/27/91	211.00	0.00	0.00
GRP21467	VE	903	28P	08/30/91	275.00	0.00	0.00
GRP21467	YF	90V	28P	08/27/91	32.80	0.00	0.00
GRP21468	PT	919	28P	08/27/91	96.00	0.00	0.00
GRP21468	VE	903	28P	08/30/91	202.00	0.00	0.00
GRP21468	YF	90V	28P	08/27/91	37.80	0.00	0.00
GRP21469	PT	91A	28P	08/27/91	454.00	0.00	0.00
GRP21469	VE	904	28P	08/30/91	396.00	0.00	0.00
GRP21469	YF	90W	28P	08/27/91	250.00	0.00	0.00
GRP21470	PT	91A	28P	08/27/91	398.00	0.00	0.00
GRP21470	VE	904	28P	08/30/91	493.00	0.00	0.00
GRP21470	YF	90W	28P	08/27/91	580.00	0.00	0.00
GRP21472	PT	91A	28P	08/27/91	523.00	0.00	0.00
GRP21472	VE	904	28P	08/30/91	480.00	0.00	0.00
GRP21472	YF	90W	28P	08/27/91	523.00	0.00	0.00
GRP21473	PT	91A	28P	08/27/91	38.90	0.00	0.00
GRP21473	VE	904	28P	08/30/91	24.90	0.00	0.00
GRP21473	YF	90W	28P	08/27/91	8.27	0.00	0.00
GRP21474	PT	91A	28P	08/27/91	> 1000.0	0.00	0.00
GRP21474	VE	904	28P	08/30/91	325.00	0.00	0.00
GRP21474	YF	90W	28P	08/27/91	325.00	0.00	0.00
GRP21475	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21475	VE	905	28P	08/30/91	0.74	0.00	0.00
GRP21475	YF	90X	28P	08/27/91	> 1000.0	0.00	0.00
GRP21476	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21476	VE	905	28P	08/30/91	697.00	0.00	0.00
GRP21476	YF	90X	28P	08/27/91	872.00	0.00	0.00
GRP21477	PT	918	28P	08/27/91	458.00	0.00	0.00
GRP21477	VE	905	28P	08/30/91	496.00	0.00	0.00
GRP21477	YF	90X	28P	08/27/91	523.00	0.00	0.00
GRP21478	PT	918	28P	08/27/91	> 1000.0	0.00	0.00
GRP21478	VE	905	28P	08/30/91	71.20	571.00	0.12
GRP21478	YF	90X	28P	08/27/91	267.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21479	PT	91B	28P	08/27/91	> 1000.0	0.00	0.00
GRP21479	VE	905	28P	08/30/91	> 1000.0	0.00	0.00
GRP21479	YF	90X	28P	08/27/91	> 1000.0	345.00 >	2.90
GRP21480	PT	91C	28P	08/27/91	> 1000.0	0.00	0.00
GRP21480	VE	906	28P	08/30/91	0.76	0.00	0.00
GRP21480	YF	90Y	28P	08/27/91	> 1000.0	0.00	0.00
GRP21481	PT	91C	28P	08/27/91	507.00	0.00	0.00
GRP21481	VE	906	28P	08/30/91	528.00	0.00	0.00
GRP21481	YF	90Y	28P	08/27/91	518.00	0.00	0.00
GRP21498	PT	91C	28P	08/27/91	191.00	0.00	0.00
GRP21498	VE	906	28P	08/30/91	211.00	0.00	0.00
GRP21498	YF	90Y	28P	08/27/91	39.80	0.00	0.00
GRP21499	PT	91C	28P	08/27/91	> 1000.0	0.00	0.00
GRP21499	VE	906	28P	08/30/91	49.10	0.00	0.00
GRP21499	YF	90Y	28P	08/27/91	618.00	0.00	0.00
GRP21500	PT	91C	28P	08/27/91	> 1000.0	0.00	0.00
GRP21500	VE	906	28P	08/30/91	665.00	0.00	0.00
GRP21500	YF	90Y	28P	08/27/91	> 1000.0	0.00	0.00
GRP21501	PT	91D	28P	08/27/91	> 1000.0	0.00	0.00
GRP21501	VE	907	28P	08/30/91	> 1000.0	0.00	0.00
GRP21501	YF	90Z	28P	08/27/91	> 1000.0	0.00	0.00
GRP21502	PT	932	28P	08/28/91	441.00	0.00	0.00
GRP21502	VE	908	28P	08/30/91	[illegible].00	0.00	0.00
GRP21502	YF	AS0	28P	10/16/91	262.00	0.00	0.00
GRP21503	PT	932	28P	08/28/91	735.00	0.00	0.00
GRP21503	VE	908	28P	08/30/91	> 1000.0	351.00 >	2.85
GRP21503	YF	AS0	28P	10/16/91	336.00	0.00	0.00
GRP21504	PT	932	28P	08/28/91	43.40	0.00	0.00
GRP21504	VE	908	28P	08/30/91	221.00	0.00	0.00
GRP21504	YF	AS0	28P	10/16/91	131.00	0.00	0.00
GRP21505	PT	932	28P	08/28/91	416.00	0.00	0.00
GRP21505	VE	908	28P	08/30/91	754.00	0.00	0.00
GRP21505	YF	AS0	28P	10/16/91	320.00	0.00	0.00
GRP21506	PT	933	28P	08/28/91	> 1000.0	0.00	0.00
GRP21506	VE	909	28P	08/30/91	92.10	0.00	0.00
GRP21506	YF	AS1	28P	10/16/91	933.00	0.00	0.00
GRP21507	PT	933	28P	08/28/91	905.00	0.00	0.00
GRP21507	VE	909	28P	08/30/91	761.00	0.00	0.00
GRP21507	YF	AS1	28P	10/16/91	597.00	0.00	0.00
GRP21508	PT	933	28P	08/28/91	> 1000.0	0.00	0.00
GRP21508	VE	909	28P	08/30/91	907.00	0.00	0.00
GRP21508	YF	AS1	28P	10/16/91	320.00	0.00	0.00
GRP21509	PT	933	28P	08/28/91	99.20	0.00	0.00
GRP21509	VE	909	28P	08/30/91	25.80	0.00	0.00
GRP21509	YF	AS1	28P	10/16/91	60.50	0.00	0.00
GRP21510	PT	933	28P	08/28/91	22.70	0.00	0.00
GRP21510	VE	909	28P	08/30/91	26.70	0.00	0.00
GRP21510	YF	AS1	28P	10/16/91	305.00	0.00	0.00
GRP21511	PT	934	28P	08/28/91	> 1000.0	415.00 >	2.41
GRP21511	VE	90A	28P	08/30/91	5.15	0.00	0.00
GRP21511	YF	AS2	28P	10/16/91	> 1000.0	560.00 >	1.78
GRP21512	PT	934	28P	08/28/91	6.10	0.00	0.00
GRP21512	VE	90A	28P	08/30/91	23.00	0.00	0.00
GRP21512	YF	AS2	28P	10/16/91	13.10	0.00	0.00
GRP21513	PT	934	28P	08/28/91	> 1000.0	0.00	0.00
GRP21513	VE	90A	28P	08/30/91	67.00	0.00	0.00
GRP21513	YF	AS2	28P	10/16/91	> 1000.0	0.00	0.00
GRP21514	PT	934	28P	08/28/91	> 1000.0	0.00	0.00
GRP21514	VE	90A	28P	08/30/91	652.00	0.00	0.00
GRP21514	YF	AS2	28P	10/16/91	> 1000.0	0.00	0.00
GRP21515	PT	934	28P	08/28/91	270.00	0.00	0.00
GRP21515	VE	90A	28P	08/30/91	341.00	0.00	0.00
GRP21515	YF	AS2	28P	10/16/91	325.00	0.00	0.00
GRP21516	PT	935	28P	08/28/91	19.30	0.00	0.00
GRP21516	VE	908	28P	08/30/91	< 1.00	0.00	0.00
GRP21516	YF	AS3	28P	10/16/91	191.00	0.00	0.00
GRP21517	PT	935	28P	08/28/91	> 1000.0	0.00	0.00
GRP21517	VE	908	28P	08/30/91	> 1000.0	0.00	0.00
GRP21517	YF	AS3	28P	10/16/91	> 1000.0	0.00	0.00
GRP21518	PT	935	28P	08/28/91	400.00	0.00	0.00
GRP21518	VE	908	28P	08/30/91	617.00	0.00	0.00
GRP21518	YF	AS3	28P	10/16/91	527.00	0.00	0.00
GRP21519	PT	935	28P	08/28/91	819.00	0.00	0.00
GRP21519	VE	908	28P	08/30/91	740.00	309.00	2.39

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21519	YF	AS3	28P	10/16/91	798.00	626.00	1.28
GRP21520	PT	935	28P	08/28/91	> 1000.0	0.00	0.00
GRP21520	VE	908	28P	08/30/91	> 1000.0	0.00	0.00
GRP21520	YF	AS3	28P	10/16/91	> 1000.0	0.00	0.00
GRP21521	PT	936	28P	08/28/91	32.80	0.00	0.00
GRP21521	VE	90C	28P	08/30/91	20.40	0.00	0.00
GRP21521	YF	AS4	28P	10/16/91	21.90	0.00	0.00
GRP21522	PT	936	28P	08/28/91	8.15	0.00	0.00
GRP21522	VE	90C	28P	08/30/91	30.70	0.00	0.00
GRP21522	YF	AS4	28P	10/16/91	21.30	0.00	0.00
GRP21523	PT	936	28P	08/28/91	703.00	0.00	0.00
GRP21523	VE	90C	28P	08/30/91	839.00	0.00	0.00
GRP21523	YF	AS4	28P	10/16/91	438.00	0.00	0.00
GRP21524	PT	936	28P	08/28/91	33.00	0.00	0.00
GRP21524	VE	90C	28P	08/30/91	47.50	0.00	0.00
GRP21524	YF	AS4	28P	10/16/91	31.40	0.00	0.00
GRP21525	PT	936	28P	08/28/91	292.00	0.00	0.00
GRP21525	VE	90C	28P	08/30/91	> 1000.0	0.00	0.00
GRP21525	YF	AS4	28P	10/16/91	205.00	0.00	0.00
GRP21526	PT	937	28P	08/28/91	778.00	0.00	0.00
GRP21526	VE	90D	28P	08/30/91	234.00	0.00	0.00
GRP21526	YF	AS5	28P	10/16/91	581.00	0.00	0.00
GRP21527	PT	937	28P	08/28/91	> 1000.0	0.00	0.00
GRP21527	VE	90D	28P	08/30/91	577.00	0.00	0.00
GRP21527	YF	AS5	28P	10/16/91	714.00	0.00	0.00
GRP21528	PT	937	28P	08/28/91	430.00	0.00	0.00
GRP21528	VE	90D	28P	08/30/91	466.00	0.00	0.00
GRP21528	YF	AS5	28P	10/16/91	227.00	0.00	0.00
GRP21529	PT	937	28P	08/28/91	235.00	0.00	0.00
GRP21529	VE	90D	28P	08/30/91	151.00	0.00	0.00
GRP21529	YF	AS5	28P	10/16/91	197.00	0.00	0.00
GRP21530	PT	937	28P	08/28/91	201.00	0.00	0.00
GRP21530	VE	90D	28P	08/30/91	347.00	0.00	0.00
GRP21530	YF	AS5	28P	10/16/91	248.00	0.00	0.00
GRP21531	PT	938	28P	08/28/91	325.00	0.00	0.00
GRP21531	VE	90E	28P	08/30/91	298.00	0.00	0.00
GRP21531	YF	AS6	28P	10/16/91	167.00	0.00	0.00
GRP21532	PT	93U	28P	08/29/91	134.00	0.00	0.00
GRP21532	VE	90F	28P	08/30/91	196.00	0.00	0.00
GRP21532	YF	93N	28P	08/29/91	178.00	0.00	0.00
GRP21533	PT	93U	28P	08/29/91	325.00	0.00	0.00
GRP21533	VE	90F	28P	08/30/91	343.00	0.00	0.00
GRP21533	YF	93N	28P	08/29/91	325.00	0.00	0.00
GRP21534	PT	93U	28P	08/29/91	387.00	0.00	0.00
GRP21534	VE	90F	28P	08/30/91	217.00	0.00	0.00
GRP21534	YF	93N	28P	08/29/91	505.00	0.00	0.00
GRP21535	PT	93U	28P	08/29/91	0.84	0.00	0.00
GRP21535	VE	90F	28P	08/30/91	6.04	0.00	0.00
GRP21535	YF	93N	28P	08/29/91	59.50	0.00	0.00
GRP21536	PT	93V	28P	08/29/91	> 1000.0	713.00 >	1.40
GRP21536	VE	90G	28P	08/30/91	0.91	771.00	0.00
GRP21536	YF	930	28P	08/29/91	> 1000.0	0.00	0.00
GRP21537	PT	93V	28P	08/29/91	74.10	0.00	0.00
GRP21537	VE	90G	28P	08/30/91	65.40	0.00	0.00
GRP21537	YF	930	28P	08/29/91	55.30	0.00	0.00
GRP21538	PT	93V	28P	08/29/91	575.00	0.00	0.00
GRP21538	VE	90G	28P	08/30/91	488.00	0.00	0.00
GRP21538	YF	930	28P	08/29/91	608.00	0.00	0.00
GRP21539	PT	93V	28P	08/29/91	717.00	0.00	0.00
GRP21539	VE	90G	28P	08/30/91	270.00	0.00	0.00
GRP21539	YF	930	28P	08/29/91	422.00	0.00	0.00
GRP21540	PT	93V	28P	08/29/91	11.40	0.00	0.00
GRP21540	VE	90G	28P	08/30/91	4.04	0.00	0.00
GRP21540	YF	930	28P	08/29/91	7.35	0.00	0.00
GRP21541	PT	93W	28P	08/29/91	325.00	0.00	0.00
GRP21541	VE	90H	28P	08/30/91	0.82	0.00	0.00
GRP21541	YF	93P	28P	08/29/91	158.00	0.00	0.00
GRP21542	PT	93W	28P	08/29/91	337.00	0.00	0.00
GRP21542	VE	90H	28P	08/30/91	336.00	0.00	0.00
GRP21542	YF	93P	28P	08/29/91	238.00	0.00	0.00
GRP21543	PT	93W	28P	08/29/91	> 1000.0	0.00	0.00
GRP21543	VE	90H	28P	08/30/91	705.00	0.00	0.00
GRP21543	YF	93P	28P	08/29/91	846.00	0.00	0.00
GRP21544	PT	93W	28P	08/29/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21544	VE	90H	28P	08/30/91	< 1.00	0.00	0.00
GRP21544	YF	93P	28P	08/29/91	936.00	0.00	0.00
GRP21545	PT	93W	28P	08/29/91	> 1000.0	0.00	0.00
GRP21545	VE	90H	28P	08/30/91	> 1000.0	0.00	0.00
GRP21545	YF	93P	28P	08/29/91	> 1000.0	0.00	0.00
GRP21546	PT	93X	28P	08/29/91	412.00	0.00	0.00
GRP21546	VE	901	28P	08/30/91	334.00	0.00	0.00
GRP21546	YF	93Q	28P	08/29/91	534.00	0.00	0.00
GRP21548	PT	93X	28P	08/29/91	473.00	0.00	0.00
GRP21548	VE	901	28P	08/30/91	443.00	0.00	0.00
GRP21548	YF	93Q	28P	08/29/91	266.00	0.00	0.00
GRP21549	PT	93X	28P	08/29/91	> 1000.0	0.00	0.00
GRP21549	VE	901	28P	08/30/91	611.00	0.00	0.00
GRP21549	YF	93Q	28P	08/29/91	> 1000.0	0.00	0.00
GRP21550	PT	93X	28P	08/29/91	> 1000.0	363.00 >	2.75
GRP21550	VE	901	28P	08/30/91	6.30	0.00	0.00
GRP21550	YF	93Q	28P	08/29/91	> 1000.0	588.00 >	1.70
GRP21551	PT	93X	28P	08/29/91	2.93	0.00	0.00
GRP21551	VE	901	28P	08/30/91	3.25	0.00	0.00
GRP21551	YF	93Q	28P	08/29/91	32.50	0.00	0.00
GRP21552	PT	93Y	28P	08/29/91	> 1000.0	0.00	0.00
GRP21552	VE	90J	28P	08/30/91	< 1.00	0.00	0.00
GRP21552	YF	93R	28P	08/29/91	> 1000.0	0.00	0.00
GRP21553	PT	93Y	28P	08/29/91	40.10	0.00	0.00
GRP21553	VE	90J	28P	08/30/91	46.10	0.00	0.00
GRP21553	YF	93R	28P	08/29/91	107.00	0.00	0.00
GRP21554	PT	93Y	28P	08/29/91	4.20	0.00	0.00
GRP21554	VE	90J	28P	08/30/91	3.34	0.00	0.00
GRP21554	YF	93R	28P	08/29/91	28.60	0.00	0.00
GRP21555	PT	93Y	28P	08/29/91	433.00	0.00	0.00
GRP21555	VE	90J	28P	08/30/91	104.00	0.00	0.00
GRP21555	YF	93R	28P	08/29/91	398.00 <	1.00 >	398.44
GRP21556	PT	93Y	28P	08/29/91	49.60	0.00	0.00
GRP21556	VE	90J	28P	08/30/91	46.10	0.00	0.00
GRP21556	YF	93R	28P	08/29/91	152.00	0.00	0.00
GRP21557	PT	93Z	28P	08/29/91	32.50	0.00	0.00
GRP21557	VE	90K	28P	08/30/91	37.80	0.00	0.00
GRP21557	YF	93S	28P	08/29/91	3.23	0.00	0.00
GRP21558	PT	93Z	28P	08/29/91	149.00	0.00	0.00
GRP21558	VE	90K	28P	08/30/91	45.90	0.00	0.00
GRP21558	YF	93S	28P	08/29/91	46.10	0.00	0.00
GRP21559	PT	93Z	28P	08/29/91	325.00	0.00	0.00
GRP21559	VE	90K	28P	08/30/91	279.00	0.00	0.00
GRP21559	YF	93S	28P	08/29/91	325.00	0.00	0.00
GRP21560	PT	93Z	28P	08/29/91	> 1000.0	0.00	0.00
GRP21560	VE	90K	28P	08/30/91	> 1000.0	0.00	0.00
GRP21560	YF	93S	28P	08/29/91	417.00	0.00	0.00
GRP21561	PT	93Z	28P	08/29/91	42.40	0.00	0.00
GRP21561	VE	90K	28P	08/30/91	49.80	0.00	0.00
GRP21561	YF	93S	28P	08/29/91	36.30	0.00	0.00
GRP21562	PT	940	28P	08/29/91	> 1000.0	0.00	0.00
GRP21562	VE	90L	28P	08/30/91	194.00	0.00	0.00
GRP21562	YF	93T	28P	08/29/91	504.00	0.00	0.00
GRP21563	PT	941	28P	08/30/91	296.00	0.00	0.00
GRP21563	VE	90M	28P	08/30/91	0.74	746.00	0.00
GRP21563	YF	BPJ	28P	11/12/91	247.00	0.00	0.00
GRP21564	PT	941	28P	08/30/91	516.00	0.00	0.00
GRP21564	VE	90M	28P	08/30/91	6.58	341.00	0.02
GRP21564	YF	BPJ	28P	11/12/91	307.00	0.00	0.00
GRP21565	PT	941	28P	08/30/91	182.00	0.00	0.00
GRP21565	VE	90M	28P	08/30/91	49.10	0.00	0.00
GRP21565	YF	BPJ	28P	11/12/91	178.00	0.00	0.00
GRP21566	PT	941	28P	08/30/91	575.00	0.00	0.00
GRP21566	VE	90M	28P	08/30/91	324.00	0.00	0.00
GRP21566	YF	BPJ	28P	11/12/91	277.00	0.00	0.00
GRP21567	PT	942	28P	08/30/91	732.00	0.00	0.00
GRP21567	VE	90M	28P	08/30/91	641.00	0.00	0.00
GRP21567	YF	BPK	28P	11/12/91	324.00	0.00	0.00
GRP21568	PT	942	28P	08/30/91	> 1000.0	0.00	0.00
GRP21568	VE	90M	28P	08/30/91	647.00	0.00	0.00
GRP21568	YF	BPK	28P	11/12/91	96.70	0.00	0.00
GRP21569	PT	942	28P	08/30/91	233.00	0.00	0.00
GRP21569	VE	90M	28P	08/30/91	774.00	0.00	0.00
GRP21569	YF	BPK	28P	11/12/91	90.60	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21573	PT	942	28P	08/30/91	> 1000.0	0.00	0.00
GRP21573	VE	90N	28P	08/30/91	> 1000.0	0.00	0.00
GRP21573	YF	BPK	28P	11/12/91	391.00	0.00	0.00
GRP21666	PT	48Q	18P	03/27/91	> 1000.0	0.00	0.00
GRP21666	VE	4AA	18P	03/29/91	> 1000.0	0.00	0.00
GRP21666	YF	48K	18P	03/27/91	> 1000.0	0.00	0.00
GRP21667	PT	48Q	18P	03/27/91	68.80	0.00	0.00
GRP21667	VE	4AA	18P	03/29/91	> 1000.0	0.00	0.00
GRP21667	YF	48K	18P	03/27/91	> 1000.0	0.00	0.00
GRP21668	PT	48Q	18P	03/27/91	86.50	0.00	0.00
GRP21668	VE	4AA	18P	03/29/91	> 1000.0	0.00	0.00
GRP21668	YF	48K	18P	03/27/91	> 1000.0	654.00 >	1.53
GRP21669	PT	48Q	18P	03/27/91	71.10	0.00	0.00
GRP21669	VE	4AA	18P	03/29/91	> 1000.0	0.00	0.00
GRP21669	YF	48K	18P	03/27/91	336.00	0.00	0.00
GRP21670	PT	48Q	18P	03/27/91	8.74	0.00	0.00
GRP21670	VE	4AA	18P	03/29/91	463.00	0.00	0.00
GRP21670	YF	48K	18P	03/27/91	32.50	0.00	0.00
GRP21671	PT	48R	18P	03/27/91	721.00	0.00	0.00
GRP21671	VE	4AB	18P	03/29/91	13.90	0.00	0.00
GRP21671	YF	48L	18P	03/27/91	> 1000.0	0.00	0.00
GRP21672	PT	48R	18P	03/27/91	9.30	0.00	0.00
GRP21672	VE	4AB	18P	03/29/91	> 1000.0	0.00	0.00
GRP21672	YF	48L	18P	03/27/91	9.42	0.00	0.00
GRP21673	PT	48R	18P	03/27/91	8.59	0.00	0.00
GRP21673	VE	4AB	18P	03/29/91	3.50	0.00	0.00
GRP21673	YF	48L	18P	03/27/91	8.32	0.00	0.00
GRP21674	PT	48R	18P	03/27/91	243.00	0.00	0.00
GRP21674	VE	4AB	18P	03/29/91	3.70	0.00	0.00
GRP21674	YF	48L	18P	03/27/91	> 1000.0	0.00	0.00
GRP21675	PT	48R	18P	03/27/91	> 1000.0	0.00	0.00
GRP21675	VE	4AB	18P	03/29/91	> 1000.0	0.00	0.00
GRP21675	YF	48L	18P	03/27/91	> 1000.0	0.00	0.00
GRP21676	PT	48S	18P	03/27/91	3.67	0.00	0.00
GRP21676	VE	4AC	18P	03/29/91	788.00	0.00	0.00
GRP21676	YF	48M	18P	03/27/91	32.70	0.00	0.00
GRP21677	PT	48T	18P	03/28/91	229.00	0.00	0.00
GRP21677	VE	4AE	18P	03/29/91	287.00	0.00	0.00
GRP21677	YF	48Z	18P	03/28/91	214.00	0.00	0.00
GRP21678	PT	48T	18P	03/28/91	393.00	0.00	0.00
GRP21678	VE	4AE	18P	03/29/91	173.00	0.00	0.00
GRP21678	YF	48Z	18P	03/28/91	236.00	0.00	0.00
GRP21679	PT	48T	18P	03/28/91	229.00	0.00	0.00
GRP21679	VE	4AE	18P	03/29/91	282.00	0.00	0.00
GRP21679	YF	48Z	18P	03/28/91	208.00	0.00	0.00
GRP21680	PT	48T	18P	03/28/91	512.00	1000.0	0.51
GRP21680	VE	4AE	18P	03/29/91	326.00	0.00	0.00
GRP21680	YF	48Z	18P	03/28/91	356.00	0.00	0.00
GRP21681	PT	48U	18P	03/28/91	37.30	0.00	0.00
GRP21681	VE	4AF	18P	03/29/91	32.80	0.00	0.00
GRP21681	YF	4C0	18P	03/28/91	29.90	0.00	0.00
GRP21682	PT	48U	18P	03/28/91	313.00	0.00	0.00
GRP21682	VE	4AF	18P	03/29/91	201.00	0.00	0.00
GRP21682	YF	4C0	18P	03/28/91	325.00	0.00	0.00
GRP21683	PT	48U	18P	03/28/91	399.00	0.00	0.00
GRP21683	VE	4AF	18P	03/29/91	434.00	0.00	0.00
GRP21683	YF	4C0	18P	03/28/91	324.00	0.00	0.00
GRP21684	PT	48U	18P	03/28/91	221.00	0.00	0.00
GRP21684	VE	4AF	18P	03/29/91	289.00	0.00	0.00
GRP21684	YF	4C0	18P	03/28/91	287.00	0.00	0.00
GRP21685	PT	48U	18P	03/28/91	301.00	0.00	0.00
GRP21685	VE	4AF	18P	03/29/91	327.00	0.00	0.00
GRP21685	YF	4C0	18P	03/28/91	325.00	0.00	0.00
GRP21686	PT	48V	18P	03/28/91	284.00	0.00	0.00
GRP21686	VE	4AG	18P	03/29/91	286.00	0.00	0.00
GRP21686	YF	4C1	18P	03/28/91	325.00	0.00	0.00
GRP21687	PT	48V	18P	03/28/91	> 1000.0	0.00	0.00
GRP21687	VE	4AG	18P	03/29/91	> 1000.0	0.00	0.00
GRP21687	YF	4C1	18P	03/28/91	> 1000.0	0.00	0.00
GRP21688	PT	48V	18P	03/28/91	707.00	0.00	0.00
GRP21688	VE	4AG	18P	03/29/91	> 1000.0	0.00	0.00
GRP21688	YF	4C1	18P	03/28/91	> 1000.0	0.00	0.00
GRP21689	PT	48V	18P	03/28/91	344.00	58.00	5.93
GRP21689	VE	4AG	18P	03/29/91	81.30	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21689	YF	4C1	18P	03/28/91	370.00	0.00	0.00
GRP21690	PT	4BV	18P	03/28/91	587.00	0.00	0.00
GRP21690	VE	4AG	18P	03/29/91	657.00	0.00	0.00
GRP21690	YF	4C1	18P	03/28/91	476.00	0.00	0.00
GRP21691	PT	4BW	18P	03/28/91	> 1000.0	0.00	0.00
GRP21691	VE	4AH	18P	03/29/91	591.00	0.00	0.00
GRP21691	YF	4C2	18P	03/28/91	> 1000.0	0.00	0.00
GRP21692	PT	4BW	18P	03/28/91	> 1000.0	0.00	0.00
GRP21692	VE	4AH	18P	03/29/91	540.00	0.00	0.00
GRP21692	YF	4C2	18P	03/28/91	> 1000.0	0.00	0.00
GRP21693	PT	4BW	18P	03/28/91	473.00	0.00	0.00
GRP21693	VE	4AH	18P	03/29/91	360.00	0.00	0.00
GRP21693	YF	4C2	18P	03/28/91	479.00	0.00	0.00
GRP21694	PT	4BW	18P	03/28/91	167.00	0.00	0.00
GRP21694	VE	4AH	18P	03/29/91	196.00	0.00	0.00
GRP21694	YF	4C2	18P	03/28/91	235.00	0.00	0.00
GRP21695	PT	4BW	18P	03/28/91	216.00	0.00	0.00
GRP21695	VE	4AH	18P	03/29/91	200.00	0.00	0.00
GRP21695	YF	4C2	18P	03/28/91	261.00	0.00	0.00
GRP21696	PT	4BX	18P	03/28/91	331.00	0.00	0.00
GRP21696	VE	4AI	18P	03/29/91	656.00	0.00	0.00
GRP21696	YF	4C3	18P	03/28/91	541.00	0.00	0.00
GRP21697	PT	4BX	18P	03/28/91	256.00	0.00	0.00
GRP21697	VE	4AI	18P	03/29/91	261.00	0.00	0.00
GRP21697	YF	4C3	18P	03/28/91	232.00	0.00	0.00
GRP21698	PT	4BX	18P	03/28/91	> 1000.0	0.00	0.00
GRP21698	VE	4AI	18P	03/29/91	891.00	0.00	0.00
GRP21698	YF	4C3	18P	03/28/91	> 1000.0	0.00	0.00
GRP21699	PT	4BX	18P	03/28/91	118.00	0.00	0.00
GRP21699	VE	4AI	18P	03/29/91	284.00	0.00	0.00
GRP21699	YF	4C3	18P	03/28/91	301.00	0.00	0.00
GRP21700	PT	4BX	18P	03/28/91	494.00	0.00	0.00
GRP21700	VE	4AI	18P	03/29/91	672.00	0.00	0.00
GRP21700	YF	4C3	18P	03/28/91	857.00	0.00	0.00
GRP21701	PT	4BY	18P	03/28/91	265.00	0.00	0.00
GRP21701	VE	4AJ	18P	03/29/91	287.00	0.00	0.00
GRP21701	YF	4C4	18P	03/28/91	319.00	0.00	0.00
GRP21702	PT	4CB	18P	03/29/91	252.00	0.00	0.00
GRP21702	VE	4AL	18P	03/29/91	152.00	0.00	0.00
GRP21702	YF	4C5	18P	03/29/91	241.00	0.00	0.00
GRP21703	PT	4CB	18P	03/29/91	224.00	0.00	0.00
GRP21703	VE	4AL	18P	03/29/91	181.00	0.00	0.00
GRP21703	YF	4C5	18P	03/29/91	327.00	0.00	0.00
GRP21704	PT	4CB	18P	03/29/91	> 1000.0	0.00	0.00
GRP21704	VE	4AL	18P	03/29/91	799.00	0.00	0.00
GRP21704	YF	4C5	18P	03/29/91	> 1000.0	0.00	0.00
GRP21705	PT	4CB	18P	03/29/91	228.00	45.10	5.04
GRP21705	VE	4AL	18P	03/29/91	39.20	0.00	0.00
GRP21705	YF	4C5	18P	03/29/91	280.00	0.00	0.00
GRP21706	PT	4CC	18P	03/29/91	> 1000.0	42.00	> 23.80
GRP21706	VE	4AM	18P	03/29/91	> 1000.0	0.00	0.00
GRP21706	YF	4C6	18P	03/29/91	745.00	0.00	0.00
GRP21707	PT	4CC	18P	03/29/91	198.00	0.00	0.00
GRP21707	VE	4AM	18P	03/29/91	111.00	0.00	0.00
GRP21707	YF	4C6	18P	03/29/91	165.00	0.00	0.00
GRP21708	PT	4CC	18P	03/29/91	> 1000.0	383.00	> 2.61
GRP21708	VE	4AM	18P	03/29/91	590.00	0.00	0.00
GRP21708	YF	4C6	18P	03/29/91	> 1000.0	0.00	0.00
GRP21709	PT	682	23P	06/04/91	8.36	0.00	0.00
GRP21709	VE	67V	23P	06/07/91	23.30	0.00	0.00
GRP21709	YF	670	23P	06/04/91	13.40	0.00	0.00
GRP21710	PT	682	23P	06/04/91	26.70	0.00	0.00
GRP21710	VE	67V	23P	06/07/91	36.90	0.00	0.00
GRP21710	YF	670	23P	06/04/91	32.80	0.00	0.00
GRP21711	PT	682	23P	06/04/91	112.00	0.00	0.00
GRP21711	VE	67V	23P	06/07/91	0.77	0.00	0.00
GRP21711	YF	670	23P	06/04/91	50.30	0.00	0.00
GRP21712	PT	683	23P	06/04/91	45.10	0.00	0.00
GRP21712	VE	67W	23P	06/07/91	28.40	0.00	0.00
GRP21712	YF	67P	23P	06/04/91	60.30	0.00	0.00
GRP21713	PT	683	23P	06/04/91	311.00	0.00	0.00
GRP21713	VE	67W	23P	06/07/91	42.30	0.00	0.00
GRP21713	YF	67P	23P	06/04/91	113.00	0.00	0.00
GRP21714	PT	683	23P	06/04/91	38.20	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21714	VE	67W	23P	06/07/91	37.30	0.00	0.00
GRP21714	YF	67P	23P	06/04/91	32.80	0.00	0.00
GRP21715	PT	683	23P	06/04/91	32.70	0.00	0.00
GRP21715	VE	67W	23P	06/07/91	35.90	0.00	0.00
GRP21715	YF	67P	23P	06/04/91	32.60	0.00	0.00
GRP21716	PT	683	23P	06/04/91	210.00	0.00	0.00
GRP21716	VE	67W	23P	06/07/91	0.65	0.00	0.00
GRP21716	YF	67P	23P	06/04/91	299.00	0.00	0.00
GRP21717	PT	684	23P	06/04/91	> 1000.0	0.00	0.00
GRP21717	VE	67X	23P	06/07/91	798.00	0.00	0.00
GRP21717	YF	67Q	23P	06/04/91	> 1000.0	0.00	0.00
GRP21718	PT	685	23P	06/05/91	197.00	0.00	0.00
GRP21718	VE	68C	23P	06/07/91	272.00	0.00	0.00
GRP21718	YF	68J	23P	06/05/91	46.70	0.00	0.00
GRP21719	PT	685	23P	06/05/91	64.80	0.00	0.00
GRP21719	VE	68C	23P	06/07/91	283.00	0.00	0.00
GRP21719	YF	68J	23P	06/05/91	32.50	0.00	0.00
GRP21720	PT	685	23P	06/05/91	6.52	372.00	0.02
GRP21720	VE	68C	23P	06/07/91	756.00	460.00	1.65
GRP21720	YF	68J	23P	06/05/91	> 1000.0	0.00	0.00
GRP21721	PT	685	23P	06/05/91	0.62	0.00	0.00
GRP21721	VE	68C	23P	06/07/91	0.96	0.00	0.00
GRP21721	YF	68J	23P	06/05/91	> 1000.0	0.00	0.00
GRP21722	PT	686	23P	06/05/91	293.00	0.00	0.00
GRP21722	VE	68D	23P	06/07/91	866.00	0.00	0.00
GRP21722	YF	68K	23P	06/05/91	500.00	0.00	0.00
GRP21723	PT	68[illegible]	23P	06/05/91	305.00	0.00	0.00
GRP21723	VE	68D	23P	06/07/91	317.00	0.00	0.00
GRP21723	YF	68K	23P	06/05/91	325.00	0.00	0.00
GRP21724	PT	686	23P	06/05/91	40.50	0.00	0.00
GRP21724	VE	68D	23P	06/07/91	56.50	0.00	0.00
GRP21724	YF	68K	23P	06/05/91	35.60	0.00	0.00
GRP21725	PT	686	23P	06/05/91	9.20	0.00	0.00
GRP21725	VE	68D	23P	06/07/91	38.10	0.00	0.00
GRP21725	YF	68K	23P	06/05/91	112.00	0.00	0.00
GRP21726	PT	686	23P	06/05/91	0.95	0.00	0.00
GRP21726	VE	68D	23P	06/07/91	0.87	0.00	0.00
GRP21726	YF	68K	23P	06/05/91	651.00	0.00	0.00
GRP21727	PT	687	23P	06/05/91	209.00	0.00	0.00
GRP21727	VE	68E	23P	06/07/91	328.00	0.00	0.00
GRP21727	YF	68L	23P	06/05/91	322.00	0.00	0.00
GRP21728	PT	687	23P	06/05/91	< 1.00	0.00	0.00
GRP21728	VE	68E	23P	06/07/91	475.00	0.00	0.00
GRP21728	YF	68L	23P	06/05/91	581.00	0.00	0.00
GRP21729	PT	687	23P	06/05/91	24.30	0.00	0.00
GRP21729	VE	68E	23P	06/07/91	44.40	0.00	0.00
GRP21729	YF	68L	23P	06/05/91	32.60	0.00	0.00
GRP21730	PT	687	23P	06/05/91	32.80	0.00	0.00
GRP21730	VE	68E	23P	06/07/91	0.92	0.00	0.00
GRP21730	YF	68L	23P	06/05/91	224.00	84.90	2.64
GRP21731	PT	687	23P	06/05/91	< 1.00	0.00	0.00
GRP21731	VE	68E	23P	06/07/91	0.95	0.00	0.00
GRP21731	YF	68L	23P	06/05/91	601.00	0.00	0.00
GRP21732	PT	688	23P	06/05/91	133.00	0.00	0.00
GRP21732	VE	68F	23P	06/07/91	> 1000.0	928.00 >	1.08
GRP21732	YF	68M	23P	06/05/91	329.00	0.00	0.00
GRP21733	PT	688	23P	06/05/91	47.40	0.00	0.00
GRP21733	VE	68F	23P	06/07/91	202.00	0.00	0.00
GRP21733	YF	68M	23P	06/05/91	307.00	0.00	0.00
GRP21734	PT	688	23P	06/05/91	155.00	0.00	0.00
GRP21734	VE	68F	23P	06/07/91	239.00	0.00	0.00
GRP21734	YF	68M	23P	06/05/91	59.10	0.00	0.00
GRP21735	PT	688	23P	06/05/91	5.11	0.00	0.00
GRP21735	VE	68F	23P	06/07/91	607.00	0.00	0.00
GRP21735	YF	68M	23P	06/05/91	882.00	0.00	0.00
GRP21736	PT	688	23P	06/05/91	0.77	0.00	0.00
GRP21736	VE	68F	23P	06/07/91	0.81	575.00	0.00
GRP21736	YF	68M	23P	06/05/91	325.00	0.00	0.00
GRP21737	PT	689	23P	06/05/91	522.00	909.00	0.57
GRP21737	VE	68G	23P	06/07/91	> 1000.0	865.00 >	1.16
GRP21737	YF	68N	23P	06/05/91	262.00	0.00	0.00
GRP21738	PT	689	23P	06/05/91	194.00	0.00	0.00
GRP21738	VE	68G	23P	06/07/91	206.00	0.00	0.00
GRP21738	YF	68N	23P	06/05/91	57.60	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21739	PT	689	23P	06/05/91	325.00	0.00	0.00
GRP21739	VE	68G	23P	06/07/91	117.00	0.00	0.00
GRP21739	YF	68N	23P	06/05/91	325.00	0.00	0.00
GRP21740	PT	689	23P	06/05/91	279.00	0.00	0.00
GRP21740	VE	68G	23P	06/07/91	208.00	0.00	0.00
GRP21740	YF	68N	23P	06/05/91	155.00	0.00	0.00
GRP21741	PT	689	23P	06/05/91	412.00	0.00	0.00
GRP21741	VE	68G	23P	06/07/91	0.82	0.00	0.00
GRP21741	YF	68N	23P	06/05/91	478.00	0.00	0.00
GRP21742	PT	68A	23P	06/05/91	33.90	0.00	0.00
GRP21742	VE	68H	23P	06/07/91	52.40	0.00	0.00
GRP21742	YF	680	23P	06/05/91	16.50	0.00	0.00
GRP21743	PT	68A	23P	06/05/91	> 1000.0	318.00	> 3.15
GRP21743	VE	68H	23P	06/07/91	> 1000.0	0.00	0.00
GRP21743	YF	680	23P	06/05/91	0.57	895.00	0.00
GRP21744	PT	68A	23P	06/05/91	538.00	580.00	0.93
GRP21744	VE	68H	23P	06/07/91	> 1000.0	0.00	0.00
GRP21744	YF	680	23P	06/05/91	579.00	0.00	0.00
GRP21745	PT	68A	23P	06/05/91	219.00	618.00	0.35
GRP21745	VE	68H	23P	06/07/91	87.40	0.00	0.00
GRP21745	YF	680	23P	06/05/91	603.00	0.00	0.00
GRP21746	PT	68A	23P	06/05/91	197.00	0.00	0.00
GRP21746	VE	68H	23P	06/07/91	0.85	0.00	0.00
GRP21746	YF	680	23P	06/05/91	< 1.00	0.00	0.00
GRP21747	PT	688	23P	06/05/91	212.00	0.00	0.00
GRP21747	VE	681	23P	06/07/91	958.00	0.00	0.00
GRP21747	YF	68P	23P	06/05/91	275.00	0.00	0.00
GRP21748	PT	694	23P	06/06/91	235.00	0.00	0.00
GRP21748	VE	68X	23P	06/07/91	197.00	0.00	0.00
GRP21748	YF	68Q	23P	06/06/91	212.00	0.00	0.00
GRP21749	PT	694	23P	06/06/91	268.00	0.00	0.00
GRP21749	VE	68X	23P	06/07/91	36.40	0.00	0.00
GRP21749	YF	68Q	23P	06/06/91	324.00	0.00	0.00
GRP21750	PT	694	23P	06/06/91	457.00	0.00	0.00
GRP21750	VE	68X	23P	06/07/91	696.00	0.00	0.00
GRP21750	YF	68Q	23P	06/06/91	536.00	0.00	0.00
GRP21751	PT	694	23P	06/06/91	3.26	0.00	0.00
GRP21751	VE	68X	23P	06/07/91	2.39	0.00	0.00
GRP21751	YF	68Q	23P	06/06/91	7.44	0.00	0.00
GRP21752	PT	695	23P	06/06/91	190.00	46.40	4.09
GRP21752	VE	68Y	23P	06/07/91	29.20	0.00	0.00
GRP21752	YF	68R	23P	06/06/91	46.70	0.00	0.00
GRP21753	PT	695	23P	06/06/91	195.00	0.00	0.00
GRP21753	VE	68Y	23P	06/07/91	104.00	0.00	0.00
GRP21753	YF	68R	23P	06/06/91	131.00	0.00	0.00
GRP21754	PT	695	23P	06/06/91	184.00	0.00	0.00
GRP21754	VE	68Y	23P	06/07/91	51.40	0.00	0.00
GRP21754	YF	68R	23P	06/06/91	52.80	0.00	0.00
GRP21755	PT	695	23P	06/06/91	32.80	0.00	0.00
GRP21755	VE	68Y	23P	06/07/91	7.62	0.00	0.00
GRP21755	YF	68R	23P	06/06/91	33.30	0.00	0.00
GRP21756	PT	695	23P	06/06/91	140.00	0.00	0.00
GRP21756	VE	68Y	23P	06/07/91	50.20	0.00	0.00
GRP21756	YF	68R	23P	06/06/91	261.00	0.00	0.00
GRP21757	PT	696	23P	06/06/91	325.00	0.00	0.00
GRP21757	VE	68Z	23P	06/07/91	949.00	441.00	2.15
GRP21757	YF	68S	23P	06/06/91	325.00	0.00	0.00
GRP21758	PT	696	23P	06/06/91	< 1.00	0.00	0.00
GRP21758	VE	68Z	23P	06/07/91	< 1.00	0.00	0.00
GRP21758	YF	68S	23P	06/06/91	< 1.00	0.00	0.00
GRP21759	PT	696	23P	06/06/91	32.60	0.00	0.00
GRP21759	VE	68Z	23P	06/07/91	37.30	0.00	0.00
GRP21759	YF	68S	23P	06/06/91	29.60	0.00	0.00
GRP21760	PT	696	23P	06/06/91	296.00	0.00	0.00
GRP21760	VE	68Z	23P	06/07/91	155.00	0.00	0.00
GRP21760	YF	68S	23P	06/06/91	302.00	0.00	0.00
GRP21761	PT	696	23P	06/06/91	29.80	0.00	0.00
GRP21761	VE	68Z	23P	06/07/91	20.50	0.00	0.00
GRP21761	YF	68S	23P	06/06/91	34.00	0.00	0.00
GRP21762	PT	697	23P	06/06/91	326.00	0.00	0.00
GRP21762	VE	690	23P	06/07/91	36.50	0.00	0.00
GRP21762	YF	68T	23P	06/06/91	260.00	0.00	0.00
GRP21763	PT	697	23P	06/06/91	460.00	0.00	0.00
GRP21763	VE	690	23P	06/07/91	315.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
GRP21763	YF	68T	23P	06/06/91	192.00	0.00	0.00
GRP21764	PT	697	23P	06/06/91	35.00	0.00	0.00
GRP21764	VE	690	23P	06/07/91	37.60	0.00	0.00
GRP21764	YF	68T	23P	06/06/91	37.00	0.00	0.00
GRP21765	PT	697	23P	06/06/91	209.00	0.00	0.00
GRP21765	VE	690	23P	06/07/91	134.00	0.00	0.00
GRP21765	YF	68T	23P	06/06/91	244.00	0.00	0.00
GRP21766	PT	697	23P	06/06/91	25.60	0.00	0.00
GRP21766	VE	690	23P	06/07/91	32.60	0.00	0.00
GRP21766	YF	68T	23P	06/06/91	32.50	0.00	0.00
GRP21767	PT	698	23P	06/06/91	546.00	0.00	0.00
GRP21767	VE	691	23P	06/07/91	553.00	0.00	0.00
GRP21767	YF	68U	23P	06/06/91	699.00	0.00	0.00
GRP21768	PT	698	23P	06/06/91	325.00	0.00	0.00
GRP21768	VE	691	23P	06/07/91	361.00	0.00	0.00
GRP21768	YF	68U	23P	06/06/91	224.00	0.00	0.00
GRP21769	PT	698	23P	06/06/91	119.00	0.00	0.00
GRP21769	VE	691	23P	06/07/91	200.00	0.00	0.00
GRP21769	YF	68U	23P	06/06/91	326.00	0.00	0.00
GRP21770	PT	698	23P	06/06/91	231.00	0.00	0.00
GRP21770	VE	691	23P	06/07/91	204.00	0.00	0.00
GRP21770	YF	68U	23P	06/06/91	327.00	0.00	0.00
GRP21771	PT	698	23P	06/06/91	325.00	0.00	0.00
GRP21771	VE	691	23P	06/07/91	293.00	0.00	0.00
GRP21771	YF	68U	23P	06/06/91	325.00	0.00	0.00
GRP21772	PT	699	23P	06/06/91	306.00	0.00	0.00
GRP21772	VE	692	23P	06/07/91	29.00	0.00	0.00
GRP21772	YF	68V	23P	06/06/91	32.50	0.00	0.00
GRP21773	PT	699	23P	06/06/91	321.00	0.00	0.00
GRP21773	VE	692	23P	06/07/91	164.00	0.00	0.00
GRP21773	YF	68V	23P	06/06/91	288.00	0.00	0.00
GRP21774	PT	699	23P	06/06/91	325.00	0.00	0.00
GRP21774	VE	692	23P	06/07/91	103.00	0.00	0.00
GRP21774	YF	68V	23P	06/06/91	300.00	0.00	0.00
GRP21775	PT	699	23P	06/06/91	> 1000.0	0.00	0.00
GRP21775	VE	692	23P	06/07/91	> 1000.0	0.00	0.00
GRP21775	YF	68V	23P	06/06/91	346.00	0.00	0.00
GRP21776	PT	699	23P	06/06/91	325.00	0.00	0.00
GRP21776	VE	692	23P	06/07/91	158.00	0.00	0.00
GRP21776	YF	68V	23P	06/06/91	325.00	0.00	0.00
GRP21777	PT	69A	23P	06/06/91	38.40	0.00	0.00
GRP21777	VE	693	23P	06/07/91	127.00	0.00	0.00
GRP21777	YF	68W	23P	06/06/91	29.90	0.00	0.00
GRP21778	PT	698	23P	06/07/91	265.00	59.10	4.47
GRP21778	VE	691	23P	06/07/91	299.00	0.00	0.00
GRP21778	YF	69P	23P	06/07/91	122.00	0.00	0.00
GRP21779	PT	698	23P	06/07/91	236.00	0.00	0.00
GRP21779	VE	691	23P	06/07/91	9.91	0.00	0.00
GRP21779	YF	69P	23P	06/07/91	196.00	0.00	0.00
GRP21780	PT	698	23P	06/07/91	< 1.00	0.00	0.00
GRP21780	VE	691	23P	06/07/91	32.50	0.00	0.00
GRP21780	YF	69P	23P	06/07/91	2.69	0.00	0.00
GRP21781	PT	698	23P	06/07/91	2.62	0.00	0.00
GRP21781	VE	691	23P	06/07/91	34.60	0.00	0.00
GRP21781	YF	69P	23P	06/07/91	8.72	0.00	0.00
GRP21782	PT	69C	23P	06/07/91	25.70	0.00	0.00
GRP21782	VE	69J	23P	06/07/91	36.30	0.00	0.00
GRP21782	YF	69Q	23P	06/07/91	10.10	0.00	0.00
GRP21783	PT	69C	23P	06/07/91	4.91	0.00	0.00
GRP21783	VE	69J	23P	06/07/91	4.87	0.00	0.00
GRP21783	YF	69Q	23P	06/07/91	27.50	0.00	0.00
GRP21784	PT	69C	23P	06/07/91	32.60	0.00	0.00
GRP21784	VE	69J	23P	06/07/91	59.40	0.00	0.00
GRP21784	YF	69Q	23P	06/07/91	33.30	0.00	0.00
GRP21785	PT	69C	23P	06/07/91	131.00	0.00	0.00
GRP21785	VE	69J	23P	06/07/91	169.00	0.00	0.00
GRP21785	YF	69Q	23P	06/07/91	150.00	0.00	0.00
GRP21786	PT	69C	23P	06/07/91	> 1000.0	0.00	0.00
GRP21786	VE	69J	23P	06/07/91	> 1000.0	0.00	0.00
GRP21786	YF	69Q	23P	06/07/91	> 1000.0	0.00	0.00
GRP21787	PT	69D	23P	06/07/91	118.00	0.00	0.00
GRP21787	VE	69K	23P	06/07/91	> 1000.0	0.00	0.00
GRP21787	YF	69R	23P	06/07/91	417.00	0.00	0.00
GRP21788	PT	69D	23P	06/07/91	43.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21788	VE	69K	23P	06/07/91	55.10	0.00	0.00
GRP21788	YF	69R	23P	06/07/91	50.10	0.00	0.00
GRP21789	PT	69D	23P	06/07/91	336.00	0.00	0.00
GRP21789	VE	69K	23P	06/07/91	871.00	670.00	1.30
GRP21789	YF	69R	23P	06/07/91	100.00	0.00	0.00
GRP21790	PT	69D	23P	06/07/91	188.00	0.00	0.00
GRP21790	VE	69K	23P	06/07/91	> 1000.0	355.00	> 2.81
GRP21790	YF	69R	23P	06/07/91	389.00	0.00	0.00
GRP21791	PT	69D	23P	06/07/91	< 1.00	0.00	0.00
GRP21791	VE	69K	23P	06/07/91	22.00	0.00	0.00
GRP21791	YF	69R	23P	06/07/91	23.10	0.00	0.00
GRP21792	PT	69E	23P	06/07/91	195.00	0.00	0.00
GRP21792	VE	69L	23P	06/07/91	304.00	0.00	0.00
GRP21792	YF	69S	23P	06/07/91	326.00	0.00	0.00
GRP21793	PT	69E	23P	06/07/91	> 1000.0	0.00	0.00
GRP21793	VE	69L	23P	06/07/91	> 1000.0	0.00	0.00
GRP21793	YF	69S	23P	06/07/91	> 1000.0	0.00	0.00
GRP21794	PT	69E	23P	06/07/91	189.00	0.00	0.00
GRP21794	VE	69L	23P	06/07/91	215.00	0.00	0.00
GRP21794	YF	69S	23P	06/07/91	202.00	0.00	0.00
GRP21795	PT	69E	23P	06/07/91	32.90	0.00	0.00
GRP21795	VE	69L	23P	06/07/91	44.60	0.00	0.00
GRP21795	YF	69S	23P	06/07/91	37.40	0.00	0.00
GRP21796	PT	69E	23P	06/07/91	207.00	0.00	0.00
GRP21796	VE	69L	23P	06/07/91	484.00	0.00	0.00
GRP21796	YF	69S	23P	06/07/91	378.00	0.00	0.00
GRP21797	PT	69F	23P	06/07/91	225.00	0.00	0.00
GRP21797	VE	69M	23P	06/07/91	326.00	0.00	0.00
GRP21797	YF	69T	23P	06/07/91	296.00	0.00	0.00
GRP21798	PT	69F	23P	06/07/91	381.00	0.00	0.00
GRP21798	VE	69M	23P	06/07/91	96.90	0.00	0.00
GRP21798	YF	69T	23P	06/07/91	206.00	0.00	0.00
GRP21799	PT	69F	23P	06/07/91	32.10	0.00	0.00
GRP21799	VE	69M	23P	06/07/91	15.90	0.00	0.00
GRP21799	YF	69T	23P	06/07/91	6.19	0.00	0.00
GRP21800	PT	69F	23P	06/07/91	769.00	0.00	0.00
GRP21800	VE	69M	23P	06/07/91	525.00	0.00	0.00
GRP21800	YF	69T	23P	06/07/91	> 1000.0	0.00	0.00
GRP21801	PT	69F	23P	06/07/91	33.40	0.00	0.00
GRP21801	VE	69M	23P	06/07/91	145.00	0.00	0.00
GRP21801	YF	69T	23P	06/07/91	183.00	0.00	0.00
GRP21802	PT	69G	23P	06/07/91	254.00	0.00	0.00
GRP21802	VE	69N	23P	06/07/91	325.00	0.00	0.00
GRP21802	YF	69U	23P	06/07/91	271.00	0.00	0.00
GRP21803	PT	69G	23P	06/07/91	353.00	0.00	0.00
GRP21803	VE	69N	23P	06/07/91	495.00	0.00	0.00
GRP21803	YF	69U	23P	06/07/91	255.00	0.00	0.00
GRP21804	PT	69G	23P	06/07/91	> 1000.0	0.00	0.00
GRP21804	VE	69N	23P	06/07/91	> 1000.0	0.00	0.00
GRP21804	YF	69U	23P	06/07/91	436.00	0.00	0.00
GRP21805	PT	69G	23P	06/07/91	332.00	0.00	0.00
GRP21805	VE	69N	23P	06/07/91	278.00	0.00	0.00
GRP21805	YF	69U	23P	06/07/91	294.00	0.00	0.00
GRP21806	PT	69G	23P	06/07/91	46.10	53.20	0.87
GRP21806	VE	69N	23P	06/07/91	172.00	0.00	0.00
GRP21806	YF	69U	23P	06/07/91	40.20	0.00	0.00
GRP21807	PT	69M	23P	06/07/91	343.00	0.00	0.00
GRP21807	VE	69O	23P	06/07/91	277.00	0.00	0.00
GRP21807	YF	69V	23P	06/07/91	333.00 <	1.00	> 333.47
GRP21808	PT	84M	27P	08/07/91	417.00	0.00	0.00
GRP21808	VE	7Y9	27P	08/09/91	236.00	0.00	0.00
GRP21808	YF	910	27P	08/27/91	514.00	0.00	0.00
GRP21809	PT	84M	27P	08/07/91	> 1000.0	0.00	0.00
GRP21809	VE	7Y9	27P	08/09/91	> 1000.0	0.00	0.00
GRP21809	YF	910	27P	08/27/91	> 1000.0	0.00	0.00
GRP21810	PT	84N	27P	08/07/91	30.00	0.00	0.00
GRP21810	VE	7YA	27P	08/09/91	5.83	0.00	0.00
GRP21810	YF	911	27P	08/27/91	160.00	0.00	0.00
GRP21811	PT	84N	27P	08/07/91	558.00	0.00	0.00
GRP21811	VE	7YA	27P	08/09/91	325.00	0.00	0.00
GRP21811	YF	911	27P	08/27/91	746.00	0.00	0.00
GRP21812	PT	84N	27P	08/07/91	325.00	0.00	0.00
GRP21812	VE	7YA	27P	08/09/91	32.40	0.00	0.00
GRP21812	YF	911	27P	08/27/91	172.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
GRP21813	PT	84N	27P	08/07/91	34.10	0.00	0.00
GRP21813	VE	7YA	27P	08/09/91	6.56	0.00	0.00
GRP21813	YF	911	27P	08/27/91	34.70	0.00	0.00
GRP21814	PT	84N	27P	08/07/91	45.90	0.00	0.00
GRP21814	VE	7YA	27P	08/09/91	60.80	0.00	0.00
GRP21814	YF	911	27P	08/27/91	62.00	0.00	0.00
GRP21815	PT	840	27P	08/07/91	327.00	0.00	0.00
GRP21815	VE	7YB	27P	08/09/91	335.00	0.00	0.00
GRP21815	YF	912	27P	08/27/91	427.00	0.00	0.00
GRP21816	PT	840	27P	08/07/91	60.90	0.00	0.00
GRP21816	VE	7YB	27P	08/09/91	49.10	0.00	0.00
GRP21816	YF	912	27P	08/27/91	217.00	0.00	0.00
GRP21817	PT	840	27P	08/07/91	330.00	0.00	0.00
GRP21817	VE	7YB	27P	08/09/91	415.00	0.00	0.00
GRP21817	YF	912	27P	08/27/91	194.00	0.00	0.00
GRP21818	PT	840	27P	08/07/91	> 1000.0	0.00	0.00
GRP21818	VE	7YB	27P	08/09/91	278.00	0.00	0.00
GRP21818	YF	912	27P	08/27/91	886.00	0.00	0.00
GRP21819	PT	840	27P	08/07/91	437.00	0.00	0.00
GRP21819	VE	7YB	27P	08/09/91	> 1000.0	0.00	0.00
GRP21819	YF	912	27P	08/27/91	492.00	0.00	0.00
GRP21820	PT	84P	27P	08/07/91	917.00	0.00	0.00
GRP21820	VE	7YC	27P	08/09/91	326.00	0.00	0.00
GRP21820	YF	913	27P	08/27/91	501.00	0.00	0.00
GRP21821	PT	84P	27P	08/07/91	724.00	0.00	0.00
GRP21821	VE	7YC	27P	08/09/91	> 1000.0	415.00	> 2.41
GRP21821	YF	913	27P	08/27/91	406.00	6.19	65.60
GRP21822	PT	84P	27P	08/07/91	31.40	0.00	0.00
GRP21822	VE	7YC	27P	08/09/91	31.70	0.00	0.00
GRP21822	YF	913	27P	08/27/91	32.50	0.00	0.00
GRP21823	PT	84P	27P	08/07/91	568.00	0.00	0.00
GRP21823	VE	7YC	27P	08/09/91	569.00	0.00	0.00
GRP21823	YF	913	27P	08/27/91	590.00	0.00	0.00
GRP21824	PT	84P	27P	08/07/91	326.00	0.00	0.00
GRP21824	VE	7YC	27P	08/09/91	64.30	0.00	0.00
GRP21824	YF	913	27P	08/27/91	325.00	0.00	0.00
GRP21825	PT	84Q	27P	08/07/91	327.00	0.00	0.00
GRP21825	VE	7YD	27P	08/09/91	254.00	0.00	0.00
GRP21825	YF	914	27P	08/27/91	> 1000.0	0.00	0.00
GRP21826	PT	84Q	27P	08/07/91	42.50	0.00	0.00
GRP21826	VE	7YD	27P	08/09/91	4.27	0.00	0.00
GRP21826	YF	914	27P	08/27/91	54.30	0.00	0.00
GRP21827	PT	84Q	27P	08/07/91	> 1000.0	0.00	0.00
GRP21827	VE	7YD	27P	08/09/91	> 1000.0	0.00	0.00
GRP21827	YF	914	27P	08/27/91	> 1000.0	0.00	0.00
GRP21828	PT	84Q	27P	08/07/91	> 1000.0	0.00	0.00
GRP21828	VE	7YD	27P	08/09/91	326.00	0.00	0.00
GRP21828	YF	914	27P	08/27/91	> 1000.0	0.00	0.00
GRP21829	PT	84Q	27P	08/07/91	557.00	0.00	0.00
GRP21829	VE	7YD	27P	08/09/91	389.00	0.00	0.00
GRP21829	YF	914	27P	08/27/91	419.00	0.00	0.00
GRP21830	PT	84R	27P	08/07/91	> 1000.0	0.00	0.00
GRP21830	VE	7YE	27P	08/09/91	> 1000.0	0.00	0.00
GRP21830	YF	915	27P	08/27/91	> 1000.0	0.00	0.00
GRP21831	PT	84R	27P	08/07/91	20.60	0.00	0.00
GRP21831	VE	7YE	27P	08/09/91	9.22	0.00	0.00
GRP21831	YF	915	27P	08/27/91	21.60	0.00	0.00
GRP21832	PT	84R	27P	08/07/91	260.00	0.00	0.00
GRP21832	VE	7YE	27P	08/09/91	344.00	0.00	0.00
GRP21832	YF	915	27P	08/27/91	185.00	0.00	0.00
GRP21833	PT	84R	27P	08/07/91	33.60	0.00	0.00
GRP21833	VE	7YE	27P	08/09/91	65.30	84.50	0.77
GRP21833	YF	915	27P	08/27/91	[illegible]	0.00	0.00
GRP21834	PT	84R	27P	08/07/91	[illegible]	0.00	0.00
GRP21834	VE	7YE	27P	08/09/91		0.00	0.00
GRP21834	YF	915	27P	08/27/91	16>.00	0.00	0.00
GRP21835	PT	84S	27P	08/07/91	> 1000.0	0.00	0.00
GRP21835	VE	7YF	27P	[illegible]/09/91	> 1000.0	0.00	0.00
GRP21835	YF	916	27P	[illegible]27/91	> 1000.0	0.00	0.00
GRP21836	PT	84T	27P	08/08/91	> 1000.0	0.00	0.00
GRP21836	VE	7YG	27P	08/09/91	726.00	0.00	0.00
GRP21836	YF	850	27P	08/08/91	> 1000.0	0.00	0.00
GRP21837	PT	84T	27P	08/08/91	3.80	0.00	0.00
GRP21837	VE	7YG	27P	08/09/91	31.30	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21837	YF	850	27P	08/08/91	7.91	0.00	0.00
GRP21838	PT	84T	27P	08/08/91	8.56	0.00	0.00
GRP21838	VE	7YG	27P	08/09/91	8.48	0.00	0.00
GRP21838	YF	850	27P	08/08/91	33.70	0.00	0.00
GRP21839	PT	84T	27P	08/08/91	329.00	0.00	0.00
GRP21839	VE	7YG	27P	08/09/91	325.00	0.00	0.00
GRP21839	YF	850	27P	08/08/91	327.00	0.00	0.00
GRP21840	PT	84U	27P	08/08/91	> 1000.0	0.00	0.00
GRP21840	VE	7YH	27P	08/09/91	> 1000.0	0.00	0.00
GRP21840	YF	851	27P	08/08/91	> 1000.0	5.90	> 169.50
GRP21841	PT	84U	27P	08/08/91	31.50	0.00	0.00
GRP21841	VE	7YH	27P	08/09/91	54.70	0.00	0.00
GRP21841	YF	851	27P	08/08/91	33.80	0.00	0.00
GRP21842	PT	84U	27P	08/08/91	0.89	0.00	0.00
GRP21842	VE	7YH	27P	08/09/91	> 1000.0	0.00	0.00
GRP21842	YF	851	27P	08/08/91	> 1000.0	0.00	0.00
GRP21843	PT	84U	27P	08/08/91	> 1000.0	0.00	0.00
GRP21843	VE	7YH	27P	08/09/91	> 1000.0	0.00	0.00
GRP21843	YF	851	27P	08/08/91	> 1000.0	0.00	0.00
GRP21844	PT	84U	27P	08/08/91	> 1000.0	0.00	0.00
GRP21844	VE	7YH	27P	08/09/91	> 1000.0	0.00	0.00
GRP21844	YF	851	27P	08/08/91	> 1000.0	541.00	> 1.85
GRP21845	PT	84V	27P	08/08/91	211.00	0.00	0.00
GRP21845	VE	7YI	27P	08/09/91	15.20	0.00	0.00
GRP21845	YF	852	27P	08/08/91	35.00	0.00	0.00
GRP21846	PT	84V	27P	08/08/91	789.00	0.00	0.00
GRP21846	VE	7YI	27P	08/09/91	> 1000.0	480.00	> 2.08
GRP21846	YF	852	27P	08/08/91	855.00	0.00	0.00
GRP21847	PT	84V	27P	08/08/91	257.00	896.00	0.29
GRP21847	VE	7YI	27P	08/09/91	> 1000.0	0.00	0.00
GRP21847	YF	852	27P	08/08/91	225.00	0.00	0.00
GRP21848	PT	84V	27P	08/08/91	28.40	0.00	0.00
GRP21848	VE	7YI	27P	08/09/91	39.50	0.00	0.00
GRP21848	YF	852	27P	08/08/91	37.90	0.00	0.00
GRP21849	PT	84V	27P	08/08/91	28.00	0.00	0.00
GRP21849	VE	7YI	27P	08/09/91	34.30	0.00	0.00
GRP21849	YF	852	27P	08/08/91	42.80	0.00	0.00
GRP21850	PT	84W	27P	08/08/91	212.00	0.00	0.00
GRP21850	VE	7YJ	27P	08/09/91	714.00	0.00	0.00
GRP21850	YF	853	27P	08/08/91	193.00	0.00	0.00
GRP21851	PT	84W	27P	08/08/91	> 1000.0	0.00	0.00
GRP21851	VE	7YJ	27P	08/09/91	> 1000.0	0.00	0.00
GRP21851	YF	853	27P	08/08/91	325.00	0.00	0.00
GRP21852	PT	84W	27P	08/08/91	166.00	0.00	0.00
GRP21852	VE	7YJ	27P	08/09/91	434.00	0.00	0.00
GRP21852	YF	853	27P	08/08/91	360.00	0.00	0.00
GRP21853	PT	84W	27P	08/08/91	220.00	0.00	0.00
GRP21853	VE	7YJ	27P	08/09/91	486.00	0.00	0.00
GRP21853	YF	853	27P	08/08/91	54.70	0.00	0.00
GRP21854	PT	84W	27P	08/08/91	> 1000.0	0.00	0.00
GRP21854	VE	7YJ	27P	08/09/91	> 1000.0	0.00	0.00
GRP21854	YF	853	27P	08/08/91	> 1000.0	0.00	0.00
GRP21855	PT	84X	27P	08/08/91	> 1000.0	0.00	0.00
GRP21855	VE	7YK	27P	08/09/91	> 1000.0	0.00	0.00
GRP21855	YF	854	27P	08/08/91	> 1000.0	0.00	0.00
GRP21856	PT	84X	27P	08/08/91	287.00	0.00	0.00
GRP21856	VE	7YK	27P	08/09/91	335.00	0.00	0.00
GRP21856	YF	854	27P	08/08/91	325.00	0.00	0.00
GRP21857	PT	84X	27P	08/08/91	734.00	0.00	0.00
GRP21857	VE	7YK	27P	08/09/91	> 1000.0	0.00	0.00
GRP21857	YF	854	27P	08/08/91	620.00	0.00	0.00
GRP21858	PT	84X	27P	08/08/91	48.30	0.00	0.00
GRP21858	VE	7YK	27P	08/09/91	9.12	0.00	0.00
GRP21858	YF	854	27P	08/08/91	39.70	0.00	0.00
GRP21859	PT	84X	27P	08/08/91	188.00	0.00	0.00
GRP21859	VE	7YK	27P	08/09/91	269.00	0.00	0.00
GRP21859	YF	854	27P	08/08/91	400.00	0.00	0.00
GRP21860	PT	84Y	27P	08/08/91	493.00	0.00	0.00
GRP21860	VE	7YL	27P	08/09/91	623.00	0.00	0.00
GRP21860	YF	855	27P	08/08/91	692.00	< 1.00	> 691.96
GRP21861	PT	84Y	27P	08/08/91	> 1000.0	0.00	0.00
GRP21861	VE	7YL	27P	08/09/91	648.00	0.00	0.00
GRP21861	YF	855	27P	08/08/91	904.00	0.00	0.00
GRP21862	PT	84Y	27P	08/08/91	217.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21862	VE	7YL	27P	08/09/91	389.00	0.00	0.00
GRP21862	YF	855	27P	08/08/91	571.00	0.00	0.00
GRP21863	PT	84Y	27P	08/08/91	3.25	0.00	0.00
GRP21863	VE	7YL	27P	08/09/91	3.26	0.00	0.00
GRP21863	YF	855	27P	08/08/91	7.00	0.00	0.00
GRP21864	PT	84Y	27P	08/08/91	610.00	0.00	0.00
GRP21864	VE	7YL	27P	08/09/91	516.00	0.00	0.00
GRP21864	YF	855	27P	08/08/91	477.00	0.00	0.00
GRP21865	PT	842	27P	08/08/91	32.60	0.00	0.00
GRP21865	VE	7YM	27P	08/09/91	32.50	0.00	0.00
GRP21865	YF	856	27P	08/08/91	32.60	0.00	0.00
GRP21866	PT	89J	27P	08/09/91	> 1000.0	0.00	0.00
GRP21866	VE	841	27P	08/09/91	> 1000.0	0.00	0.00
GRP21866	YF	93G	27P	08/28/91	> 1000.0	0.00	0.00
GRP21867	PT	89J	27P	08/09/91	861.00	0.00	0.00
GRP21867	VE	841	27P	08/09/91	> 1000.0	0.00	0.00
GRP21867	YF	93G	27P	08/28/91	> 1000.0	0.00	0.00
GRP21868	PT	89J	27P	08/09/91	270.00	0.00	0.00
GRP21868	VE	841	27P	08/09/91	372.00	0.00	0.00
GRP21868	YF	93G	27P	08/28/91	454.00	0.00	0.00
GRP21869	PT	89J	27P	08/09/91	325.00	0.00	0.00
GRP21869	VE	841	27P	08/09/91	247.00	0.00	0.00
GRP21869	YF	93G	27P	08/28/91	204.00	0.00	0.00
GRP21870	PT	89K	27P	08/09/91	34.40	0.00	0.00
GRP21870	VE	842	27P	08/09/91	327.00	0.00	0.00
GRP21870	YF	93H	27P	08/28/91	325.00	0.00	0.00
GRP21871	PT	89K	27P	08/09/91	833.00	0.00	0.00
GRP21871	VE	842	27P	08/09/91	> 1000.0	0.00	0.00
GRP21871	YF	93H	27P	08/28/91	> 1000.0	0.00	0.00
GRP21872	PT	89K	27P	08/09/91	10.10	0.00	0.00
GRP21872	VE	842	27P	08/09/91	5.78	0.00	0.00
GRP21872	YF	93H	27P	08/28/91	19.00	0.00	0.00
GRP21873	PT	89K	27P	08/09/91	642.00	0.00	0.00
GRP21873	VE	842	27P	08/09/91	> 1000.0	0.00	0.00
GRP21873	YF	93H	27P	08/28/91	612.00	0.00	0.00
GRP21874	PT	89K	27P	08/09/91	30.00	0.00	0.00
GRP21874	VE	842	27P	08/09/91	27.00	0.00	0.00
GRP21874	YF	93H	27P	08/28/91	41.70	0.00	0.00
GRP21875	PT	89L	27P	08/09/91	51.30	0.00	0.00
GRP21875	VE	843	27P	08/09/91	37.30	0.00	0.00
GRP21875	YF	931	27P	08/28/91	53.40	0.00	0.00
GRP21876	PT	89L	27P	08/09/91	40.60	0.00	0.00
GRP21876	VE	843	27P	08/09/91	59.80	0.00	0.00
GRP21876	YF	931	27P	08/28/91	20.90	0.00	0.00
GRP21877	PT	89L	27P	08/09/91	459.00	0.00	0.00
GRP21877	VE	843	27P	08/09/91	568.00	0.00	0.00
GRP21877	YF	931	27P	08/28/91	405.00	0.00	0.00
GRP21878	PT	89L	27P	08/09/91	557.00	0.00	0.00
GRP21878	VE	843	27P	08/09/91	940.00	0.00	0.00
GRP21878	YF	931	27P	08/28/91	> 1000.0	0.00	0.00
GRP21879	PT	89L	27P	08/09/91	734.00	0.00	0.00
GRP21879	VE	843	27P	08/09/91	> 1000.0	371.00 >	2.70
GRP21879	YF	931	27P	08/28/91	171.00	0.00	0.00
GRP21880	PT	89M	27P	08/09/91	843.00	0.00	0.00
GRP21880	VE	844	27P	08/09/91	> 1000.0	0.00	0.00
GRP21880	YF	93J	27P	08/28/91	658.00	0.00	0.00
GRP21881	PT	89M	27P	08/09/91	52.10	0 00	0.00
GRP21881	VE	844	27P	08/09/91	48.60	0.00	0.00
GRP21881	YF	93J	27P	08/28/91	346.00	0.00	0.00
GRP21882	PT	89M	27P	08/09/91	> 1000.0	0.00	0.00
GRP21882	VE	844	27P	08/09/91	883.00	0.00	0.00
GRP21882	YF	93J	27P	08/28/91	> 1000.0	0.00	0.00
GRP21883	PT	89M	27P	08/09/91	> 1000.0	0.00	0.00
GRP21883	VE	844	27P	08/09/91	989.00	0.00	0.00
GRP21883	YF	93J	27P	08/28/91	> 1000.0	0.00	0.00
GRP21884	PT	89M	27P	08/09/91	57.60	0.00	0.00
GRP21884	VE	844	27P	08/09/91	25.10	0.00	0.00
GRP21884	YF	93J	27P	08/28/91	185.00	0.00	0.00
GRP21885	PT	89M	27P	08/09/91	697.00	0.00	0.00
GRP21885	VE	845	27P	08/09/91	586.00	0.00	0.00
GRP21885	YF	93K	27P	08/28/91	462.00	0.00	0.00
GRP21886	PT	89M	27P	08/09/91	325.00	0.00	0.00
GRP21886	VE	845	27P	08/09/91	315.00	0.00	0.00
GRP21886	YF	93K	27P	08/28/91	296.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21887	PT	89N	27P	08/09/91	929.00	0.00	0.00
GRP21887	VE	845	27P	08/09/91	495.00	0.00	0.00
GRP21887	YF	93K	27P	08/28/91	555.00	0.00	0.00
GRP21888	PT	89N	27P	08/09/91	> 1000.0	0.00	0.00
GRP21888	VE	845	27P	08/09/91	> 1000.0	0.00	0.00
GRP21888	YF	93K	27P	08/28/91	> 1000.0	0.00	0.00
GRP21889	PT	89N	27P	08/09/91	325.00	0.00	0.00
GRP21889	VE	845	27P	08/09/91	325.00	0.00	0.00
GRP21889	YF	93K	27P	08/28/91	326.00	93.50	3.48
GRP21890	PT	890	27P	08/09/91	34.70	0.00	0.00
GRP21890	VE	846	27P	08/09/91	30.40	0.00	0.00
GRP21890	YF	93L	27P	08/28/91	285.00	0.00	0.00
GRP21891	PT	890	27P	08/09/91	581.00	0.00	0.00
GRP21891	VE	846	27P	08/09/91	727.00	0.00	0.00
GRP21891	YF	93L	27P	08/28/91	923.00	0.00	0.00
GRP21892	PT	890	27P	08/09/91	630.00	0.00	0.00
GRP21892	VE	846	27P	08/09/91	> 1000.0	0.00	0.00
GRP21892	YF	93L	27P	08/28/91	930.00	0.00	0.00
GRP21893	PT	890	27P	08/09/91	> 1000.0	0.00	0.00
GRP21893	VE	846	27P	08/09/91	> 1000.0	0.00	0.00
GRP21893	YF	93L	27P	08/28/91	> 1000.0	0.00	0.00
GRP21894	PT	890	27P	08/09/91	327.00	0.00	0.00
GRP21894	VE	846	27P	08/09/91	426.00	0.00	0.00
GRP21894	YF	93L	27P	08/28/91	> 1000.0	0.00	0.00
GRP21895	PT	89P	27P	08/09/91	4.98	0.00	0.00
GRP21895	VE	847	27P	08/09/91	3.38	0.00	0.00
GRP21895	YF	93M	27P	08/28/91	3.21	0.00	0.00
GRP21896	PT	8EV	27P	08/13/91	> 1000.0	0.00	0.00
GRP21896	VE	8E3	27P	08/16/91	> 1000.0	0.00	0.00
GRP21896	YF	8F2	27P	08/13/91	> 1000.0	0.00	0.00
GRP21897	PT	8EV	27P	08/13/91	328.00	0.00	0.00
GRP21897	VE	8E3	27P	08/16/91	333.00	0.00	0.00
GRP21897	YF	8F2	27P	08/13/91	327.00	0.00	0.00
GRP21898	PT	8EV	27P	08/13/91	329.00	0.00	0.00
GRP21898	VE	8E3	27P	08/16/91	241.00	0.00	0.00
GRP21898	YF	8F2	27P	08/13/91	111.00	0.00	0.00
GRP21899	PT	8EV	27P	08/13/91	267.00	0.00	0.00
GRP21899	VE	8E3	27P	08/16/91	355.00	0.00	0.00
GRP21899	YF	8F2	27P	08/13/91	317.00	0.00	0.00
GRP21900	PT	8EW	27P	08/13/91	320.00	0.00	0.00
GRP21900	VE	8E4	27P	08/16/91	325.00	0.00	0.00
GRP21900	YF	8F3	27P	08/13/91	325.00	0.00	0.00
GRP21901	PT	8EW	27P	08/13/91	25.40	0.00	0.00
GRP21901	VE	8E4	27P	08/16/91	5.89	0.00	0.00
GRP21901	YF	8F3	27P	08/13/91	30.90	0.00	0.00
GRP21902	PT	8EW	27P	08/13/91	> 1000.0	0.00	0.00
GRP21902	VE	8E4	27P	08/16/91	> 1000.0	0.00	0.00
GRP21902	YF	8F3	27P	08/13/91	> 1000.0	0.00	0.00
GRP21903	PT	8EW	27P	08/13/91	> 1000.0	0.00	0.00
GRP21903	VE	8E4	27P	08/16/91	> 1000.0	0.00	0.00
GRP21903	YF	8F3	27P	08/13/91	> 1000.0	0.00	0.00
GRP21904	PT	8EW	27P	08/13/91	164.00	0.00	0.00
GRP21904	VE	8E4	27P	08/16/91	204.00	0.00	0.00
GRP21904	YF	8F3	27P	08/13/91	47.40	0.00	0.00
GRP21905	PT	8EX	27P	08/13/91	209.00	0.00	0.00
GRP21905	VE	8E5	27P	08/16/91	> 1000.0	0.00	0.00
GRP21905	YF	8F4	27P	08/13/91	110.00	0.00	0.00
GRP21906	PT	8EX	27P	08/13/91	202.00	0.00	0.00
GRP21906	VE	8E5	27P	08/16/91	> 1000.0	0.00	0.00
GRP21906	YF	8F4	27P	08/13/91	325.00 <	1.00 >	325.00
GRP21907	PT	8EX	27P	08/13/91	> 1000.0	0.00	0.00
GRP21907	VE	8E5	27P	08/16/91	> 1000.0	0.00	0.00
GRP21907	YF	8F4	27P	08/13/91	> 1000.0	0.00	0.00
GRP21908	PT	8EX	27P	08/13/91	32.60	0.00	0.00
GRP21908	VE	8E5	27P	08/16/91	33.10	0.00	0.00
GRP21908	YF	8F4	27P	08/13/91	30.50	0.00	0.00
GRP21909	PT	8EX	27P	08/13/91	246.00	0.00	0.00
GRP21909	VE	8E5	27P	08/16/91	130.00	0.00	0.00
GRP21909	YF	8F4	27P	08/13/91	231.00	0.00	0.00
GRP21910	PT	8EY	27P	08/13/91	49.80	0.00	0.00
GRP21910	VE	8E6	27P	08/16/91	6.77	0.00	0.00
GRP21910	YF	8F5	27P	08/13/91	48.00	0.00	0.00
GRP21911	PT	8EY	27P	08/13/91	805.00	0.00	0.00
GRP21911	VE	8E6	27P	08/16/91	3.70	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP21911	YF	8F5	27P	08/13/91	> 1000.0	0.00	0.00
GRP23000	PT	70W	26P	08/01/91	637.00	0.00	0.00
GRP23000	VE	706	26P	08/02/91	330.00	0.00	0.00
GRP23000	YF	70P	26P	08/01/91	307.00	0.00	0.00
GRP23002	PT	70W	26P	08/01/91	> 1000.0	0.00	0.00
GRP23002	VE	706	26P	08/02/91	> 1000.0	0.00	0.00
GRP23002	YF	70P	26P	08/01/91	> 1000.0	0.00	0.00
GRP23003	PT	70W	26P	08/01/91	> 1000.0	0.00	0.00
GRP23003	VE	706	26P	08/02/91	> 1000.0	0.00	0.00
GRP23003	YF	70P	26P	08/01/91	> 1000.0	0.00	0.00
GRP23004	PT	70W	26P	08/01/91	> 1000.0	490.00 >	2.04
GRP23004	VE	706	26P	08/02/91	> 1000.0	360.00 >	2.78
GRP23004	YF	70P	26P	08/01/91	> 1000.0	0.00	0.00
GRP23006	PT	70X	26P	08/01/91	525.00	0.00	0.00
GRP23006	VE	707	26P	08/02/91	998.00	0.00	0.00
GRP23006	YF	70Q	26P	08/01/91	524.00	0.00	0.00
GRP23007	PT	70X	26P	08/01/91	969.00	0.00	0.00
GRP23007	VE	707	26P	08/02/91	> 1000.0	0.00	0.00
GRP23007	YF	70Q	26P	08/01/91	720.00	0.00	0.00
GRP23009	PT	70X	26P	08/01/91	344.00	0.00	0.00
GRP23009	VE	707	26P	08/02/91	409.00	0.00	0.00
GRP23009	YF	70Q	26P	08/01/91	329.00	0.00	0.00
GRP23010	PT	70X	26P	08/01/91	> 1000.0	0.00	0.00
GRP23010	VE	707	26P	08/02/91	> 1000.0	0.00	0.00
GRP23010	YF	70Q	26P	08/01/91	> 1000.0	0.00	0.00
GRP23011	PT	70X	26P	08/01/91	309.00	0.00	0.00
GRP23011	VE	707	26P	08/02/91	32.70	0.00	0.00
GRP23011	YF	70Q	26P	08/01/91	321.00	0.00	0.00
GRP23012	PT	70Y	26P	08/01/91	326.00	0.00	0.00
GRP23012	VE	708	26P	08/02/91	225.00	0.00	0.00
GRP23012	YF	70R	26P	08/01/91	319.00	0.00	0.00
GRP23013	PT	BRY	26P	11/13/91	> 1000.0	0.00	0.00
GRP23013	VE	709	26P	08/02/91	> 1000.0	0.00	0.00
GRP23013	YF	7T3	26P	08/02/91	> 1000.0	0.00	0.00
GRP23014	PT	BRY	26P	11/13/91	424.00	0.00	0.00
GRP23014	VE	709	26P	08/02/91	470.00	0.00	0.00
GRP23014	YF	7T3	26P	08/02/91	363.00	0.00	0.00
GRP23015	PT	BRY	26P	11/13/91	936.00	316.00	2.96
GRP23015	VE	709	26P	08/02/91	> 1000.0	512.00 >	1.95
GRP23015	YF	7T3	26P	08/02/91	> 1000.0	0.00	0.00
GRP23016	PT	BRY	26P	11/13/91	> 1000.0	0.00	0.00
GRP23016	VE	709	26P	08/02/91	> 1000.0	0.00	0.00
GRP23016	YF	7T3	26P	08/02/91	> 1000.0	0.00	0.00
GRP23017	PT	BRZ	26P	11/13/91	325.00	0.00	0.00
GRP23017	VE	70A	26P	08/02/91	> 1000.0	0.00	0.00
GRP23017	YF	7T4	26P	08/02/91	> 1000.0	0.00	0.00
GRP23018	PT	BRZ	26P	11/13/91	325.00	0.00	0.00
GRP23018	VE	70A	26P	08/02/91	866.00	0.00	0.00
GRP23018	YF	7T4	26P	08/02/91	> 1000.0	0.00	0.00
GRP23019	PT	BRZ	26P	11/13/91	> 1000.0	0.00	0.00
GRP23019	VE	70A	26P	08/02/91	> 1000.0	0.00	0.00
GRP23019	YF	7T4	26P	08/02/91	745.00	0.00	0.00
GRP23020	PT	BRZ	26P	11/13/91	549.00	0.00	0.00
GRP23020	VE	70A	26P	08/02/91	638.00	656.00	0.97
GRP23020	YF	7T4	26P	08/02/91	405.00	0.00	0.00
GRP23021	PT	BRZ	26P	11/13/91	337.00	0.00	0.00
GRP23021	VE	70A	26P	08/02/91	627.00	862.00	0.73
GRP23021	YF	7T4	26P	08/02/91	418.00	0.00	0.00
GRP23022	PT	BS0	26P	11/13/91	> 1000.0	0.00	0.00
GRP23022	VE	708	26P	08/02/91	> 1000.0	0.00	0.00
GRP23022	YF	7T5	26P	08/02/91	492.00	0.00	0.00
GRP23023	PT	BS0	26P	11/13/91	467.00	0.00	0.00
GRP23023	VE	708	26P	08/02/91	416.00	0.00	0.00
GRP23023	YF	7T5	26P	08/02/91	64.10	0.00	0.00
GRP23025	PT	BS0	26P	11/13/91	354.00	0.00	0.00
GRP23025	VE	708	26P	08/02/91	> 1000.0	0.00	0.00
GRP23025	YF	7T5	26P	08/02/91	> 1000.0	0.00	0.00
GRP23026	PT	BS0	26P	11/13/91	472.00	894.00	0.53
GRP23026	VE	708	26P	08/02/91	> 1000.0	0.00	0.00
GRP23026	YF	7T5	26P	08/02/91	> 1000.0	0.00	0.00
GRP23029	PT	BS0	26P	11/13/91	312.00	0.00	0.00
GRP23029	VE	708	26P	08/02/91	328.00	0.00	0.00
GRP23029	YF	7T5	26P	08/02/91	328.00	0.00	0.00
GRP23030	PT	BS1	26P	11/13/91	267.00	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23030	VE	70C	26P	08/02/91	> 1000.0	0.00	0.00
GRP23030	YF	7T6	26P	08/02/91	> 1000.0	0.00	0.00
GRP23031	PT	BS1	26P	11/13/91	> 1000.0	0.00	0.00
GRP23031	VE	70C	26P	08/02/91	831.00	909.00	0.91
GRP23031	YF	7T6	26P	08/02/91	281.00	0.00	0.00
GRP23032	PT	BS1	26P	11/13/91	> 1000.0	0.00	0.00
GRP23032	VE	70C	26P	08/02/91	836.00	0.00	0.00
GRP23032	YF	7T6	26P	08/02/91	> 1000.0	0.00	0.00
GRP23033	PT	BS1	26P	11/13/91	> 1000.0	0.00	0.00
GRP23033	VE	70C	26P	08/02/91	> 1000.0	0.00	0.00
GRP23033	YF	7T6	26P	08/02/91	> 1000.0	0.00	0.00
GRP23034	PT	BS1	26P	11/13/91	325.00	0.00	0.00
GRP23034	VE	70C	26P	08/02/91	884.00	0.00	0.00
GRP23034	YF	7T6	26P	08/02/91	501.00	0.00	0.00
GRP23035	PT	BS2	26P	11/13/91	325.00	736.00	0.44
GRP23035	VE	70D	26P	08/02/91	> 1000.0	310.00 >	3.23
GRP23035	YF	7T7	26P	08/02/91	> 1000.0	0.00	0.00
GRP23037	PT	BS2	26P	11/13/91	642.00	0.00	0.00
GRP23037	VE	70D	26P	08/02/91	520.00	0.00	0.00
GRP23037	YF	7T7	26P	08/02/91	542.00	0.00	0.00
GRP23038	PT	BS2	26P	11/13/91	261.00	0.00	0.00
GRP23038	VE	70D	26P	08/02/91	363.00	0.00	0.00
GRP23038	YF	7T7	26P	08/02/91	328.00	0.00	0.00
GRP23039	PT	BS2	26P	11/13/91	188.00	764.00	0.25
GRP23039	VE	70D	26P	08/02/91	72.10	386.00	0.19
GRP23039	YF	7T7	26P	08/02/91	209.00	0.00	0.00
GRP23040	PT	BS2	26P	11/13/91	276.00	0.00	0.00
GRP23040	VE	70D	26P	08/02/91	> 1000.0	0.00	0.00
GRP23040	YF	7T7	26P	08/02/91	719.00	0.00	0.00
GRP23041	PT	BS3	26P	11/13/91	454.00	0.00	0.00
GRP23041	VE	70E	26P	08/02/91	524.00	0.00	0.00
GRP23041	YF	7T8	26P	08/02/91	362.00	0.00	0.00
GRP23042	PT	BS3	26P	11/13/91	> 1000.0	0.00	0.00
GRP23042	VE	70E	26P	08/02/91	879.00	0.00	0.00
GRP23042	YF	7T8	26P	08/02/91	577.00	0.00	0.00
GRP23043	PT	BS3	26P	11/13/91	435.00	0.00	0.00
GRP23043	VE	70E	26P	08/02/91	> 1000.0	304.00 >	3.29
GRP23043	YF	7T8	26P	08/02/91	436.00	0.00	0.00
GRP23044	PT	BS3	26P	11/13/91	283.00	0.00	0.00
GRP23044	VE	70E	26P	08/02/91	365.00	0.00	0.00
GRP23044	YF	7T8	26P	08/02/91	487.00	0.00	0.00
GRP23045	PT	BS3	26P	11/13/91	299.00	0.00	0.00
GRP23045	VE	70E	26P	08/02/91	> 1000.0	0.00	0.00
GRP23045	YF	7T8	26P	08/02/91	879.00	0.00	0.00
GRP23046	PT	BS4	26P	11/13/91	> 1000.0	723.00 >	1.38
GRP23046	VE	70F	26P	08/02/91	> 1000.0	0.00	0.00
GRP23046	YF	7T9	26P	08/02/91	977.00	0.00	0.00
GRP23047	PT	7XU	26P	08/06/91	> 1000.0	0.00	0.00
GRP23047	VE	7Y2	26P	08/09/91	> 1000.0	0.00	0.00
GRP23047	YF	848	26P	08/06/91	606.00	0.00	0.00
GRP23048	PT	7XU	26P	08/06/91	> 1000.0	0.00	0.00
GRP23048	VE	7Y2	26P	08/09/91	> 1000.0	0.00	0.00
GRP23048	YF	848	26P	08/06/91	681.00	0.00	0.00
GRP23049	PT	7XU	26P	08/06/91	> 1000.0	0.00	0.00
GRP23049	VE	7Y2	26P	08/09/91	> 1000.0	0.00	0.00
GRP23049	YF	848	26P	08/06/91	200.00	0.00	0.00
GRP23050	PT	7XU	26P	08/06/91	> 1000.0	0.00	0.00
GRP23050	VE	7Y2	26P	08/09/91	> 1000.0	0.00	0.00
GRP23050	YF	848	26P	08/06/91	402.00	0.00	0.00
GRP23052	PT	7XV	26P	08/06/91	> 1000.0	0.00	0.00
GRP23052	VE	7Y3	26P	08/09/91	> 1000.0	0.00	0.00
GRP23052	YF	849	26P	08/06/91	> 1000.0	0.00	0.00
GRP23053	PT	7XV	26P	08/06/91	> 1000.0	0.00	0.00
GRP23053	VE	7Y3	26P	08/09/91	528.00	0.00	0.00
GRP23053	YF	849	26P	08/06/91	465.00	0.00	0.00
GRP23054	PT	7XV	26P	08/06/91	> 1000.0	0.00	0.00
GRP23054	VE	7Y3	26P	08/09/91	> 1000.0	0.00	0.00
GRP23054	YF	849	26P	08/06/91	> 1000.0	0.00	0.00
GRP23055	PT	7XV	26P	08/06/91	> 1000.0	0.00	0.00
GRP23055	VE	7Y3	26P	08/09/91	> 1000.0	0.00	0.00
GRP23055	YF	849	26P	08/06/91	890.00	0.00	0.00
GRP23056	PT	7XV	26P	08/06/91	> 1000.0	0.00	0.00
GRP23056	VE	7Y3	26P	08/09/91	> 1000.0	0.00	0.00
GRP23056	YF	849	26P	08/06/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23057	PT	7XW	26P	08/06/91	> 1000.0	0.00	0.00
GRP23057	VE	7Y4	26P	08/09/91	> 1000.0	0.00	0.00
GRP23057	YF	84A	26P	08/06/91	> 1000.0	0.00	0.00
GRP23058	PT	7XW	26P	08/06/91	> 1000.0	0.00	0.00
GRP23058	VE	7Y4	26P	08/09/91	> 1000.0	0.00	0.00
GRP23058	YF	84A	26P	08/06/91	764.00	0.00	0.00
GRP23060	PT	946	28P	08/30/91	902.00	0.00	0.00
GRP23060	VE	90R	28P	08/30/91	> 1000.0	0.00	0.00
GRP23060	YF	BPO	28P	11/12/91	> 1000.0	0.00	0.00
GRP23061	PT	946	28P	08/30/91	> 1000.0	0.00	0.00
GRP23061	VE	90R	28P	08/30/91	355.00	0.00	0.00
GRP23061	YF	BPO	28P	11/12/91	268.00	0.00	0.00
GRP23062	PT	947	28P	08/30/91	459.00	0.00	0.00
GRP23062	VE	90S	28P	08/30/91	512.00	0.00	0.00
GRP23062	YF	BPP	28P	11/12/91	20.20	0.00	0.00
GRP23063	PT	971	28P	09/04/91	379.00	0.00	0.00
GRP23063	VE	96X	28P	09/06/91	> 1000.0	0.00	0.00
GRP23063	YF	97B	28P	09/04/91	361.00	0.00	0.00
GRP23064	PT	971	28P	09/04/91	333.00	0.00	0.00
GRP23064	VE	96X	28P	09/06/91	284.00	0.00	0.00
GRP23064	YF	97B	28P	09/04/91	374.00	0.00	0.00
GRP23065	PT	971	28P	09/04/91	549.00	0.00	0.00
GRP23065	VE	96X	28P	09/06/91	65.80	0.00	0.00
GRP23065	YF	97B	28P	09/04/91	721.00	0.00	0.00
GRP23066	PT	97J	28P	09/04/91	349.00	0.00	0.00
GRP23066	VE	96Y	28P	09/06/91	732.00	0.00	0.00
GRP23066	YF	97C	28P	09/04/91	811.00	0.00	0.00
GRP23067	PT	97J	28P	09/04/91	290.00	0.00	0.00
GRP23067	VE	96Y	28P	09/06/91	548.00	0.00	0.00
GRP23067	YF	97C	28P	09/04/91	564.00	0.00	0.00
GRP23068	PT	97J	28P	09/04/91	376.00	0.00	0.00
GRP23068	VE	96Y	28P	09/06/91	621.00	0.00	0.00
GRP23068	YF	97C	28P	09/04/91	481.00	0.00	0.00
GRP23069	PT	97J	28P	09/04/91	> 1000.0	0.00	0.00
GRP23069	VE	96Y	28P	09/06/91	> 1000.0	0.00	0.00
GRP23069	YF	97C	28P	09/04/91	> 1000.0	0.00	0.00
GRP23070	PT	97J	28P	09/04/91	49.40	0.00	0.00
GRP23070	VE	96Y	28P	09/06/91	314.00	0.00	0.00
GRP23070	YF	97C	28P	09/04/91	223.00	0.00	0.00
GRP23071	PT	97K	28P	09/04/91	344.00	0.00	0.00
GRP23071	VE	96Z	28P	09/06/91	652.00	0.00	0.00
GRP23071	YF	97D	28P	09/04/91	375.00	0.00	0.00
GRP23072	PT	97K	28P	09/04/91	29.20	0.00	0.00
GRP23072	VE	96Z	28P	09/06/91	133.00	0.00	0.00
GRP23072	YF	97D	28P	09/04/91	56.40	0.00	0.00
GRP23073	PT	97K	28P	09/04/91	> 1000.0	0.00	0.00
GRP23073	VE	96Z	28P	09/06/91	974.00	0.00	0.00
GRP23073	YF	97D	28P	09/04/91	0.53	0.00	0.00
GRP23074	PT	97K	28P	09/04/91	880.00	0.00	0.00
GRP23074	VE	96Z	28P	09/06/91	420.00	0.00	0.00
GRP23074	YF	97D	28P	09/04/91	823.00	0.00	0.00
GRP23075	PT	97K	28P	09/04/91	344.00	0.00	0.00
GRP23075	VE	96Z	28P	09/06/91	129.00	0.00	0.00
GRP23075	YF	97D	28P	09/04/91	302.00	0.00	0.00
GRP23076	PT	97L	28P	09/04/91	346.00	0.00	0.00
GRP23076	VE	970	28P	09/06/91	433.00	0.00	0.00
GRP23076	YF	97E	28P	09/04/91	331.00	0.00	0.00
GRP23077	PT	97L	28P	09/04/91	4.14	0.00	0.00
GRP23077	VE	970	28P	09/06/91	1.00	0.00	0.00
GRP23077	YF	97E	28P	09/04/91	10.40	0.00	0.00
GRP23078	PT	97L	28P	09/04/91	69.90	0.00	0.00
GRP23078	VE	970	28P	09/06/91	0.28	0.00	0.00
GRP23078	YF	97E	28P	09/04/91	414.00	31.10	13.28
GRP23079	PT	97L	28P	09/04/91	81.90	0.00	0.00
GRP23079	VE	970	28P	09/06/91	46.90	0.00	0.00
GRP23079	YF	97E	28P	09/04/91	334.00	29.30	11.40
GRP23082	PT	97L	28P	09/04/91	870.00	0.00	0.00
GRP23082	VE	970	28P	09/06/91	> 1000.0	0.00	0.00
GRP23082	YF	97E	28P	09/04/91	921.00	0.00	0.00
GRP23083	PT	97M	28P	09/04/91	572.00	0.00	0.00
GRP23083	VE	971	28P	09/06/91	549.00	0.00	0.00
GRP23083	YF	97F	28P	09/04/91	423.00	0.00	0.00
GRP23084	PT	97M	28P	09/04/91	296.00	0.00	0.00
GRP23084	VE	971	28P	09/06/91	353.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23084	YF	97F	28P	09/04/91	325.00	0.00	0.00
GRP23085	PT	97N	28P	09/04/91	356.00	0.00	0.00
GRP23085	VE	971	28P	09/06/91	570.00	0.00	0.00
GRP23085	YF	97F	28P	09/04/91	530.00	0.00	0.00
GRP23086	PT	97N	28P	09/04/91	330.00	0.00	0.00
GRP23086	VE	971	28P	09/06/91	590.00	0.00	0.00
GRP23086	YF	97F	28P	09/04/91	314.00	0.00	0.00
GRP23087	PT	97N	28P	09/04/91	489.00	0.00	0.00
GRP23087	VE	971	28P	09/06/91	497.00	0.00	0.00
GRP23087	YF	97F	28P	09/04/91	426.00	0.00	0.00
GRP23088	PT	97N	28P	09/04/91	548.00	0.00	0.00
GRP23088	VE	972	28P	09/06/91	644.00	0.00	0.00
GRP23088	YF	97G	28P	09/04/91	446.00	0.00	0.00
GRP23089	PT	97N	28P	09/04/91	> 1000.0	0.00	0.00
GRP23089	VE	972	28P	09/06/91	551.00	0.00	0.00
GRP23089	YF	97G	28P	09/04/91	652.00	0.00	0.00
GRP23090	PT	97N	28P	09/04/91	345.00	0.00	0.00
GRP23090	VE	972	28P	09/06/91	455.00	0.00	0.00
GRP23090	YF	97G	28P	09/04/91	469.00	0.00	0.00
GRP23091	PT	97N	28P	09/04/91	125.00	0.00	0.00
GRP23091	VE	972	28P	09/06/91	44.00	0.00	0.00
GRP23091	YF	97G	28P	09/04/91	42.00	0.00	0.00
GRP23092	PT	97N	28P	09/04/91	7.67	0.00	0.00
GRP23092	VE	972	28P	09/06/91	35.90	0.00	0.00
GRP23092	YF	97G	28P	09/04/91	44.10	0.00	0.00
GRP23093	PT	970	28P	09/04/91	269.00	0.00	0.00
GRP23093	VE	973	28P	09/06/91	778.00	0.00	0.00
GRP23093	YF	97N	28P	09/04/91	607.00	0.00	0.00
GRP23094	PT	97P	28P	09/05/91	248.00	0.00	0.00
GRP23094	VE	974	28P	09/06/91	554.00	0.00	0.00
GRP23094	YF	97W	28P	09/05/91	182.00	0.00	0.00
GRP23095	PT	97P	28P	09/05/91	7.96	0.00	0.00
GRP23095	VE	974	28P	09/06/91	568.00	0.00	0.00
GRP23095	YF	97W	28P	09/05/91	359.00	0.00	0.00
GRP23096	PT	97P	28P	09/05/91	355.00	0.00	0.00
GRP23096	VE	974	28P	09/06/91	9.00	0.00	0.00
GRP23096	YF	97W	28P	09/05/91	302.00	0.00	0.00
GRP23097	PT	97P	28P	09/05/91	159.00	0.00	0.00
GRP23097	VE	974	28P	09/06/91	417.00	0.00	0.00
GRP23097	YF	97W	28P	09/05/91	15.30	0.00	0.00
GRP23098	PT	970	28P	09/05/91	578.00	0.00	0.00
GRP23098	VE	975	28P	09/06/91	> 1000.0	0.00	0.00
GRP23098	YF	97X	28P	09/05/91	> 1000.0	0.00	0.00
GRP23099	PT	970	28P	09/05/91	333.00	0.00	0.00
GRP23099	VE	975	28P	09/06/91	367.00	0.00	0.00
GRP23099	YF	97X	28P	09/05/91	331.00	0.00	0.00
GRP23100	PT	970	28P	09/05/91	> 1000.0	0.00	0.00
GRP23100	VE	975	28P	09/06/91	668.00	0.00	0.00
GRP23100	YF	97X	28P	09/05/91	> 1000.0	0.00	0.00
GRP23101	PT	970	28P	09/05/91	128.00	0.00	0.00
GRP23101	VE	975	28P	09/06/91	> 1000.0	0.00	0.00
GRP23101	YF	97X	28P	09/05/91	644.00	0.00	0.00
GRP23102	PT	970	28P	09/05/91	366.00	0.00	0.00
GRP23102	VE	975	28P	09/06/91	773.00	0.00	0.00
GRP23102	YF	97X	28P	09/05/91	533.00	0.00	0.00
GRP23103	PT	97R	28P	09/05/91	551.00	0.00	0.00
GRP23103	VE	976	28P	09/06/91	424.00	0.00	0.00
GRP23103	YF	97Y	28P	09/05/91	531.00	0.00	0.00
GRP23104	PT	97R	28P	09/05/91	277.00	0.00	0.00
GRP23104	VE	976	28P	09/06/91	269.00	0.00	0.00
GRP23104	YF	97Y	28P	09/05/91	326.00	0.00	0.00
GRP23105	PT	97R	28P	09/05/91	394.00	0.00	0.00
GRP23105	VE	976	28P	09/06/91	299.00	0.00	0.00
GRP23105	YF	97Y	28P	09/05/91	48.10	0.00	0.00
GRP23106	PT	97R	28P	09/05/91	820.00	0.00	0.00
GRP23106	VE	976	28P	09/06/91	> 1000.0	0.00	0.00
GRP23106	YF	97Y	28P	09/05/91	824.00	0.00	0.00
GRP23107	PT	97R	28P	09/05/91	> 1000.0	0.00	0.00
GRP23107	VE	976	28P	09/06/91	> 1000.0	0.00	0.00
GRP23107	YF	97Y	28P	09/05/91	> 1000.0	0.00	0.00
GRP23108	PT	97S	28P	09/05/91	251.00	0.00	0.00
GRP23108	VE	977	28P	09/06/91	427.00	0.00	0.00
GRP23108	YF	972	28P	09/05/91	245.00	0.00	0.00
GRP23109	PT	97S	28P	09/05/91	719.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23109	VE	977	28P	09/06/91	> 1000.0	0.00	0.00
GRP23109	YF	972	28P	09/05/91	> 1000.0	0.00	0.00
GRP23110	PT	978	28P	09/05/91	322.00	0.00	0.00
GRP23110	VE	977	28P	09/06/91	0.29	0.00	0.00
GRP23110	YF	972	28P	09/05/91	325.00	0.00	0.00
GRP23111	PT	978	28P	09/05/91	> 1000.0	0.00	0.00
GRP23111	VE	977	28P	09/06/91	> 1000.0	0.00	0.00
GRP23111	YF	972	28P	09/05/91	> 1000.0	0.00	0.00
GRP23112	PT	978	28P	09/05/91	> 1000.0	0.00	0.00
GRP23112	VE	977	28P	09/06/91	> 1000.0	0.00	0.00
GRP23112	YF	972	28P	09/05/91	> 1000.0	0.00	0.00
GRP23113	PT	971	28P	09/05/91	> 1000.0	0.00	0.00
GRP23113	VE	978	28P	09/06/91	> 1000.0	0.00	0.00
GRP23113	YF	980	28P	09/05/91	> 1000.0	0.00	0.00
GRP23114	PT	971	28P	09/05/91	> 1000.0	0.00	0.00
GRP23114	VE	978	28P	09/06/91	> 1000.0	0.00	0.00
GRP23114	YF	980	28P	09/05/91	> 1000.0	0.00	0.00
GRP23161	PT	971	28P	09/04/91	> 1000.0	0.00	0.00
GRP23161	VE	96X	28P	09/06/91	> 1000.0	0.00	0.00
GRP23161	YF	978	28P	09/04/91	> 1000.0	0.00	0.00
GRP23174	PT	4CC	18P	03/29/91	52.40	0.00	0.00
GRP23174	VE	4AH	18P	03/29/91	45.40	0.00	0.00
GRP23174	YF	4C6	18P	03/29/91	62.40	0.00	0.00
GRP23175	PT	4CC	18P	03/29/91	270.00	0.00	0.00
GRP23175	VE	4AH	18P	03/29/91	177.00	0.00	0.00
GRP23175	YF	4C6	18P	03/29/91	51.30	0.00	0.00
GRP23176	PT	4CD	18P	03/29/91	306.00	0.00	0.00
GRP23176	VE	4AN	18P	03/29/91	325.00	0.00	0.00
GRP23176	YF	4C7	18P	03/29/91	282.00	0.00	0.00
GRP23177	PT	4CD	18P	03/29/91	201.00	0.00	0.00
GRP23177	VE	4AN	18P	03/29/91	23.50	0.00	0.00
GRP23177	YF	4C7	18P	03/29/91	28.80	0.00	0.00
GRP23178	PT	4CD	18P	03/29/91	206.00	0.00	0.00
GRP23178	VE	4AN	18P	03/29/91	172.00	0.00	0.00
GRP23178	YF	4C7	18P	03/29/91	239.00	0.00	0.00
GRP23179	PT	4CD	18P	03/29/91	446.00	0.00	0.00
GRP23179	VE	4AN	18P	03/29/91	532.00	0.00	0.00
GRP23179	YF	4C7	18P	03/29/91	502.00	0.00	0.00
GRP23180	PT	4CD	18P	03/29/91	325.00	0.00	0.00
GRP23180	VE	4AN	18P	03/29/91	314.00	0.00	0.00
GRP23180	YF	4C7	18P	03/29/91	326.00	0.00	0.00
GRP23181	PT	4CE	18P	03/29/91	206.00	0.00	0.00
GRP23181	VE	4AO	18P	03/29/91	306.00	0.00	0.00
GRP23181	YF	4C8	18P	03/29/91	233.00	0.00	0.00
GRP23182	PT	4CE	18P	03/29/91	217.00	0.00	0.00
GRP23182	VE	4AO	18P	03/29/91	319.00	0.00	0.00
GRP23182	YF	4C8	18P	03/29/91	347.00	0.00	0.00
GRP23183	PT	4CE	18P	03/29/91	411.00	0.00	0.00
GRP23183	VE	4AO	18P	03/29/91	389.00	0.00	0.00
GRP23183	YF	4C8	18P	03/29/91	442.00	0.00	0.00
GRP23184	PT	4CE	18P	03/29/91	130.00	0.00	0.00
GRP23184	VE	4AO	18P	03/29/91	404.00	578.00	0.70
GRP23184	YF	4C8	18P	03/29/91	250.00	0.00	0.00
GRP23185	PT	4CE	18P	03/29/91	> 1000.0	0.00	0.00
GRP23185	VE	4AO	18P	03/29/91	668.00	0.00	0.00
GRP23185	YF	4C8	18P	03/29/91	380.00	0.00	0.00
GRP23186	PT	4CF	18P	03/29/91	> 1000.0	651.00 >	1.54
GRP23186	VE	4AP	18P	03/29/91	907.00	0.00	0.00
GRP23186	YF	4C9	18P	03/29/91	0.88	0.00	0.00
GRP23187	PT	4CF	18P	03/29/91	126.00	0.00	0.00
GRP23187	VE	4AP	18P	03/29/91	471.00	0.00	0.00
GRP23187	YF	4C9	18P	03/29/91	174.00	0.00	0.00
GRP23188	PT	4CF	18P	03/29/91	140.00	0.00	0.00
GRP23188	VE	4AP	18P	03/29/91	46.20	0.00	0.00
GRP23188	YF	4C9	18P	03/29/91	34.70	0.00	0.00
GRP23189	PT	4CF	18P	03/29/91	518.00	0.00	0.00
GRP23189	VE	4AP	18P	03/29/91	344.00	0.00	0.00
GRP23189	YF	4C9	18P	03/29/91	175.00	0.00	0.00
GRP23190	PT	4CF	18P	03/29/91	> 1000.0	295.00 >	3.39
GRP23190	VE	4AP	18P	03/29/91	603.00	0.00	0.00
GRP23190	YF	4C9	18P	03/29/91	> 1000.0	0.00	0.00
GRP23191	PT	4CG	18P	03/29/91	> 1000.0	0.00	0.00
GRP23191	VE	4AQ	18P	03/29/91	> 1000.0	0.00	0.00
GRP23191	YF	4CA	18P	03/29/91	> 1000.0	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23192	PT	4G3	18P	04/02/91	415.00	0.00	0.00
GRP23192	VE	4FE	18P	04/05/91	370.00	0.00	0.00
GRP23192	YF	4UQ	18P	04/23/91	341.00	0.00	0.00
GRP23193	PT	4G3	18P	04/02/91	> 1000.0	0.00	0.00
GRP23193	VE	4FE	18P	04/05/91	> 1000.0	0.00	0.00
GRP23193	YF	4UQ	18P	04/23/91	> 1000.0	< 1.00	> 1000.0
GRP23194	PT	4G3	18P	04/02/91	50.10	0.00	0.00
GRP23194	VE	4FE	18P	04/05/91	54.50	0.00	0.00
GRP23194	YF	4UQ	18P	04/23/91	191.00	1.00	190.93
GRP23195	PT	4G4	18P	04/02/91	> 1000.0	0.00	0.00
GRP23195	VE	4FF	18P	04/05/91	> 1000.0	0.00	0.00
GRP23195	YF	4UR	18P	04/23/91	> 1000.0	0.00	0.00
GRP23196	PT	4G4	18P	04/02/91	424.00	0.00	0.00
GRP23196	VE	4FF	18P	04/05/91	> 1000.0	0.00	0.00
GRP23196	YF	4UR	18P	04/23/91	> 1000.0	0.00	0.00
GRP23197	PT	4G4	18P	04/02/91	> 1000.0	0.00	0.00
GRP23197	VE	4FF	18P	04/05/91	> 1000.0	0.00	0.00
GRP23197	YF	4UR	18P	04/23/91	> 1000.0	0.00	0.00
GRP23198	PT	4G4	18P	04/02/91	> 1000.0	0.00	0.00
GRP23198	VE	4FF	18P	04/05/91	> 1000.0	0.00	0.00
GRP23198	YF	4UR	18P	04/23/91	> 1000.0	0.00	0.00
GRP23199	PT	4G4	18P	04/02/91	> 1000.0	0.00	0.00
GRP23199	VE	4FF	18P	04/05/91	> 1000.0	0.00	0.00
GRP23199	YF	4UR	18P	04/23/91	> 1000.0	0.00	0.00
GRP23200	PT	4G5	18P	04/02/91	> 1000.0	0.00	0.00
GRP23200	VE	4FG	18P	04/05/91	> 1000.0	0.00	0.00
GRP23200	YF	4US	18P	04/23/91	> 1000.0	0.00	0.00
GRP23201	PT	4G5	18P	04/02/91	30.50	0.00	0.00
GRP23201	VE	4FG	18P	04/05/91	3.91	0.00	0.00
GRP23201	YF	4US	18P	04/23/91	222.00	0.00	0.00
GRP23202	PT	4G5	18P	04/02/91	275.00	0.00	0.00
GRP23202	VE	4FG	18P	04/05/91	351.00	0.00	0.00
GRP23202	YF	4US	18P	04/23/91	325.00	83.60	3.89
GRP23203	PT	4G5	18P	04/02/91	859.00	0.00	0.00
GRP23203	VE	4FG	18P	04/05/91	> 1000.0	0.00	0.00
GRP23203	YF	4US	18P	04/23/91	> 1000.0	0.00	0.00
GRP23204	PT	4G5	18P	04/02/91	> 1000.0	0.00	0.00
GRP23204	VE	4FG	18P	04/05/91	> 1000.0	0.00	0.00
GRP23204	YF	4US	18P	04/23/91	> 1000.0	0.00	0.00
GRP23205	PT	4G6	18P	04/02/91	> 1000.0	0.00	0.00
GRP23205	VE	4FH	18P	04/05/91	> 1000.0	0.00	0.00
GRP23205	YF	4UT	18P	04/23/91	> 1000.0	0.00	0.00
GRP23206	PT	4G6	18P	04/02/91	273.00	0.00	0.00
GRP23206	VE	4FH	18P	04/05/91	612.00	0.00	0.00
GRP23206	YF	4UT	18P	04/23/91	316.00	0.00	0.00
GRP23207	PT	4G6	18P	04/02/91	307.00	0.00	0.00
GRP23207	VE	4FH	18P	04/05/91	872.00	0.00	0.00
GRP23207	YF	4UT	18P	04/23/91	562.00	0.00	0.00
GRP23208	PT	4G6	18P	04/02/91	450.00	0.00	0.00
GRP23208	VE	4FH	18P	04/05/91	> 1000.0	0.00	0.00
GRP23208	YF	4UT	18P	04/23/91	501.00	0.00	0.00
GRP23209	PT	4G6	18P	04/02/91	324.00	0.00	0.00
GRP23209	VE	4FH	18P	04/05/91	337.00	0.00	0.00
GRP23209	YF	4UT	18P	04/23/91	275.00	0.00	0.00
GRP23210	PT	4G7	18P	04/02/91	> 1000.0	0.00	0.00
GRP23210	VE	4FI	18P	04/05/91	> 1000.0	0.00	0.00
GRP23210	YF	4UU	18P	04/23/91	> 1000.0	0.00	0.00
GRP23211	PT	4G7	18P	04/02/91	393.00	0.00	0.00
GRP23211	VE	4FI	18P	04/05/91	> 1000.0	0.00	0.00
GRP23211	YF	4UU	18P	04/23/91	484.00	0.00	0.00
GRP23212	PT	4G7	18P	04/02/91	262.00	0.00	0.00
GRP23212	VE	4FI	18P	04/05/91	349.00	0.00	0.00
GRP23212	YF	4UU	18P	04/23/91	198.00	0.00	0.00
GRP23213	PT	4G7	18P	04/02/91	486.00	0.00	0.00
GRP23213	VE	4FI	18P	04/05/91	> 1000.0	0.00	0.00
GRP23213	YF	4UU	18P	04/23/91	434.00	0.00	0.00
GRP23214	PT	4G7	18P	04/02/91	464.00	0.00	0.00
GRP23214	VE	4FI	18P	04/05/91	325.00	0.00	0.00
GRP23214	YF	4UV	18P	04/23/91	338.00	0.00	0.00
GRP23214	YF	61A	1	05/31/91	796.00	0.00	0.00
GRP23215	PT	4G8	18P	04/02/91	893.00	0.00	0.00
GRP23215	VE	4FJ	18P	04/05/91	384.00	0.00	0.00
GRP23215	YF	4UU	18P	04/23/91	853.00	0.00	0.00
GRP23216	PT	4GL	18P	04/03/91	624.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23216	VE	4FL	18P	04/05/91	> 1000.0	0.00	0.00
GRP23216	YF	5NN	18P	05/16/91	838.00	0.00	0.00
GRP23217	PT	4GL	18P	04/03/91	403.00	0.00	0.00
GRP23217	VE	4FL	18P	04/05/91	517.00	0.00	0.00
GRP23217	YF	5NN	18P	05/16/91	745.00	0.00	0.00
GRP23218	PT	4GL	18P	04/03/91	> 1000.0	0.00	0.00
GRP23218	VE	4FL	18P	04/05/91	> 1000.0	936.00 >	1.07
GRP23218	YF	5NN	18P	05/16/91	> 1000.0	0.00	0.00
GRP23219	PT	4GL	18P	04/03/91	904.00	0.00	0.00
GRP23219	VE	4FL	18P	04/05/91	441.00	0.00	0.00
GRP23219	YF	5NN	18P	05/16/91	> 1000.0	0.00	0.00
GRP23220	PT	4GM	18P	04/03/91	3.35	0.00	0.00
GRP23220	VE	4FM	18P	04/05/91	2.97	0.00	0.00
GRP23220	YF	5NO	18P	05/16/91	25.30	0.00	0.00
GRP23221	PT	4GM	18P	04/03/91	45.40	0.00	0.00
GRP23221	VE	4FM	18P	04/05/91	56.80	0.00	0.00
GRP23221	YF	5NO	18P	05/16/91	325.00	0.00	0.00
GRP23222	PT	4GM	18P	04/03/91	> 1000.0	410.00 >	2.44
GRP23222	VE	4FM	18P	04/05/91	920.00	0.00	0.00
GRP23222	YF	5NO	18P	05/16/91	> 1000.0	610.00 >	1.64
GRP23223	PT	4GM	18P	04/03/91	457.00	0.00	0.00
GRP23223	VE	4FM	18P	04/05/91	425.00	0.00	0.00
GRP23223	YF	5NO	18P	05/16/91	438.00	0.00	0.00
GRP23224	PT	4GM	18P	04/03/91	> 1000.0	0.00	0.00
GRP23224	VE	4FM	18P	04/05/91	> 1000.0	0.00	0.00
GRP23224	YF	5NO	18P	05/16/91	677.00	0.00	0.00
GRP23225	PT	4GM	18P	04/03/91	> 1000.0	0.00	0.00
GRP23225	VE	4FM	18P	04/05/91	> 1000.0	0.00	0.00
GRP23225	YF	5NP	18P	05/16/91	937.00	0.00	0.00
GRP23226	PT	4GM	18P	04/03/91	> 1000.0	430.00 >	2.32
GRP23226	VE	4FM	18P	04/05/91	> 1000.0	0.00	0.00
GRP23226	YF	5NP	18P	05/16/91	> 1000.0	0.00	0.00
GRP23227	PT	4GM	18P	04/03/91	> 1000.0	427.00 >	2.34
GRP23227	VE	4FM	18P	04/05/91	109.00	0.00	0.00
GRP23227	YF	5NP	18P	05/16/91	947.00	0.00	0.00
GRP23228	PT	4GM	18P	04/03/91	> 1000.0	0.00	0.00
GRP23228	VE	4FM	18P	04/05/91	> 1000.0	0.00	0.00
GRP23228	YF	5NP	18P	05/16/91	> 1000.0	0.00	0.00
GRP23229	PT	4GM	18P	04/03/91	750.00	0.00	0.00
GRP23229	VE	4FM	18P	04/05/91	> 1000.0	0.00	0.00
GRP23229	YF	5NP	18P	05/16/91	517.00	0.00	0.00
GRP23230	PT	4GO	18P	04/03/91	28.70	0.00	0.00
GRP23230	VE	4FO	18P	04/05/91	15.60	0.00	0.00
GRP23230	YF	5NQ	18P	05/16/91	40.50	0.00	0.00
GRP23231	PT	4GO	18P	04/03/91	> 1000.0	0.00	0.00
GRP23231	VE	4FO	18P	04/05/91	> 1000.0	0.00	0.00
GRP23231	YF	5NQ	18P	05/16/91	> 1000.0	0.00	0.00
GRP23232	PT	4GO	18P	04/03/91	338.00	0.00	0.00
GRP23232	VE	4FO	18P	04/05/91	466.00	0.00	0.00
GRP23232	YF	5NQ	18P	05/16/91	412.00	0.00	0.00
GRP23233	PT	4GO	18P	04/03/91	708.00	632.00	1.12
GRP23233	VE	4FO	18P	04/05/91	> 1000.0	0.00	0.00
GRP23233	YF	5NQ	18P	05/16/91	760.00	0.00	0.00
GRP23234	PT	4GO	18P	04/03/91	362.00	0.00	0.00
GRP23234	VE	4FO	18P	04/05/91	601.00	0.00	0.00
GRP23234	YF	5NQ	18P	05/16/91	> 1000.0	0.00	0.00
GRP23235	PT	4GP	18P	04/03/91	296.00	0.00	0.00
GRP23235	VE	4FP	18P	04/05/91	> 1000.0	290.00 >	3.45
GRP23235	YF	5NR	18P	05/16/91	> 1000.0	230.00 >	4.34
GRP23236	PT	4GP	18P	04/03/91	315.00	0.00	0.00
GRP23236	VE	4FP	18P	04/05/91	> 1000.0	340.00 >	2.94
GRP23236	YF	5NR	18P	05/16/91	312.00	0.00	0.00
GRP23237	PT	4GP	18P	04/03/91	340.00	0.00	0.00
GRP23237	VE	4FP	18P	04/05/91	828.00	0.00	0.00
GRP23237	YF	5NR	18P	05/16/91	412.00	0.00	0.00
GRP23238	PT	4GP	18P	04/03/91	> 1000.0	568.00 >	1.76
GRP23238	VE	4FP	18P	04/05/91	> 1000.0	0.00	0.00
GRP23238	YF	5NR	18P	05/16/91	> 1000.0	0.00	0.00
GRP23239	PT	4GP	18P	04/03/91	703.00	0.00	0.00
GRP23239	VE	4FP	18P	04/05/91	960.00	0.00	0.00
GRP23239	YF	5NR	18P	05/16/91	735.00	0.00	0.00
GRP23240	PT	4GQ	18P	04/03/91	507.00	0.00	0.00
GRP23240	VE	4FQ	18P	04/05/91	577.00	0.00	0.00
GRP23240	YF	5NS	18P	05/16/91	461.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23241	PT	4HL	18P	04/04/91	424.00	0.00	0.00
GRP23241	VE	4FR	18P	04/05/91	> 1000.0	0.00	0.00
GRP23241	YF	528	18P	04/25/91	680.00	0.00	0.00
GRP23242	PT	4HL	18P	04/04/91	450.00	0.00	0.00
GRP23242	VE	4FR	18P	04/05/91	> 1000.0	0.00	0.00
GRP23242	YF	528	18P	04/25/91	812.00	0.00	0.00
GRP23243	PT	4HL	18P	04/04/91	296.00	0.00	0.00
GRP23243	VE	4FR	18P	04/05/91	> 1000.0	428.00 >	2.34
GRP23243	YF	528	18P	04/25/91	519.00	0.00	0.00
GRP23244	PT	4HL	18P	04/04/91	133.00	0.00	0.00
GRP23244	VE	4FR	18P	04/05/91	> 1000.0	0.00	0.00
GRP23244	YF	528	18P	04/25/91	270.00	0.00	0.00
GRP23245	PT	4HM	18P	04/04/91	> 1000.0	831.00 >	1.20
GRP23245	VE	4FS	18P	04/05/91	> 1000.0	0.00	0.00
GRP23245	YF	529	18P	04/25/91	> 1000.0	311.00 >	3.21
GRP23246	PT	4HM	18P	04/04/91	395.00	0.00	0.00
GRP23246	VE	4FS	18P	04/05/91	498.00	0.00	0.00
GRP23246	YF	529	18P	04/25/91	705.00	0.00	0.00
GRP23247	PT	4HM	18P	04/04/91	524.00	0.00	0.00
GRP23247	VE	4FS	18P	04/05/91	> 1000.0	0.00	0.00
GRP23247	YF	529	18P	04/25/91	247.00	0.00	0.00
GRP23248	PT	4HM	18P	04/04/91	327.00	0.00	0.00
GRP23248	VE	4FS	18P	04/05/91	> 1000.0	716.00 >	1.40
GRP23248	YF	529	18P	04/25/91	326.00	0.00	0.00
GRP23249	PT	4HM	18P	04/04/91	524.00	0.00	0.00
GRP23249	VE	4FS	18P	04/05/91	> 1000.0	0.00	0.00
GRP23249	YF	529	18P	04/25/91	511.00	0.00	0.00
GRP23250	PT	4HN	18P	04/04/91	320.00	0.00	0.00
GRP23250	VE	4FT	18P	04/05/91	796.00	863.00	0.92
GRP23250	YF	52A	18P	04/25/91	360.00	0.00	0.00
GRP23251	PT	4HN	18P	04/04/91	282.00	0.00	0.00
GRP23251	VE	4FT	18P	04/05/91	330.00	0.00	0.00
GRP23251	YF	52A	18P	04/25/91	234.00	0.00	0.00
GRP23252	PT	4HN	18P	04/04/91	555.00	1000.0	0.56
GRP23252	VE	4FT	18P	04/05/91	> 1000.0	857.00 >	1.17
GRP23252	YF	52A	18P	04/25/91	968.00	0.00	0.00
GRP23253	PT	4HN	18P	04/04/91	354.00	0.00	0.00
GRP23253	VE	4FT	18P	04/05/91	> 1000.0	0.00	0.00
GRP23253	YF	52A	18P	04/25/91	338.00	0.00	0.00
GRP23254	PT	4HN	18P	04/04/91	> 1000.0	0.00	0.00
GRP23254	VE	4FT	18P	04/05/91	> 1000.0	0.00	0.00
GRP23254	YF	52A	18P	04/25/91	> 1000.0	0.00	0.00
GRP23255	PT	4HO	18P	04/04/91	301.00	0.00	0.00
GRP23255	VE	4FU	18P	04/05/91	> 1000.0	448.00 >	2.23
GRP23255	YF	52B	18P	04/25/91	449.00	0.00	0.00
GRP23256	PT	4HO	18P	04/04/91	365.00	0.00	0.00
GRP23256	VE	4FU	18P	04/05/91	> 1000.0	0.00	0.00
GRP23256	YF	52B	18P	04/25/91	> 1000.0	0.00	0.00
GRP23257	PT	4HO	18P	04/04/91	364.00	0.00	0.00
GRP23257	VE	4FU	18P	04/05/91	591.00	0.00	0.00
GRP23257	YF	52B	18P	04/25/91	301.00	0.00	0.00
GRP23258	PT	4HO	18P	04/04/91	262.00	0.00	0.00
GRP23258	VE	4FU	18P	04/05/91	> 1000.0	350.00 >	2.86
GRP23258	YF	52B	18P	04/25/91	351.00	0.00	0.00
GRP23259	PT	4HO	18P	04/04/91	182.00	0.00	0.00
GRP23259	VE	4FU	18P	04/05/91	332.00	0.00	0.00
GRP23259	YF	52B	18P	04/25/91	203.00	0.00	0.00
GRP23260	PT	4HP	18P	04/04/91	258.00	0.00	0.00
GRP23260	VE	4FV	18P	04/05/91	471.00	0.00	0.00
GRP23260	YF	52C	18P	04/25/91	298.00	0.00	0.00
GRP23261	PT	4HP	18P	04/04/91	194.00	0.00	0.00
GRP23261	VE	4FV	18P	04/05/91	840.00	0.00	0.00
GRP23261	YF	52C	18P	04/25/91	253.00	0.00	0.00
GRP23262	PT	4HP	18P	04/04/91	465.00	0.00	0.00
GRP23262	VE	4FV	18P	04/05/91	> 1000.0	0.00	0.00
GRP23262	YF	52C	18P	04/25/91	813.00	0.00	0.00
GRP23263	PT	4HP	18P	04/04/91	> 1000.0	0.00	0.00
GRP23263	VE	4FV	18P	04/05/91	> 1000.0	0.00	0.00
GRP23263	YF	52C	18P	04/25/91	> 1000.0	0.00	0.00
GRP23264	PT	4HP	18P	04/04/91	232.00	0.00	0.00
GRP23264	VE	4FV	18P	04/05/91	380.00	0.00	0.00
GRP23264	YF	52C	18P	04/25/91	374.00	0.00	0.00
GRP23265	PT	4HQ	18P	04/04/91	981.00	436.00	2.25
GRP23265	VE	4FW	18P	04/05/91	> 1000.0	547.00 >	1.83

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23265	YF	52D	18P	04/25/91	261.00	0.00	0.00
GRP23266	PT	413	18P	04/05/91	> 1000.0	0.00	0.00
GRP23266	VE	4FX	18P	04/05/91	> 1000.0	0.00	0.00
GRP23266	YF	52E	18P	04/26/91	> 1000.0	0.00	0.00
GRP23267	PT	413	18P	04/05/91	359.00	0.00	0.00
GRP23267	VE	4FX	18P	04/05/91	594.00	693.00	0.86
GRP23267	YF	52E	18P	04/26/91	328.00	0.00	0.00
GRP23268	PT	413	18P	04/05/91	300.00	0.00	0.00
GRP23268	VE	4FX	18P	04/05/91	350.00	0.00	0.00
GRP23268	YF	52E	18P	04/26/91	37.30	0.00	0.00
GRP23269	PT	413	18P	04/05/91	325.00	0.00	0.00
GRP23269	VE	4FX	18P	04/05/91	465.00	0.00	0.00
GRP23269	YF	52E	18P	04/26/91	325.00	0.00	0.00
GRP23270	PT	414	18P	04/05/91	316.00	0.00	0.00
GRP23270	VE	4FY	18P	04/05/91	326.00	0.00	0.00
GRP23270	YF	52F	18P	04/26/91	285.00	3.71	76.98
GRP23271	PT	414	18P	04/05/91	356.00	0.00	0.00
GRP23271	VE	4FY	18P	04/05/91	> 1000.0	886.00 >	1.13
GRP23271	YF	52F	18P	04/26/91	> 1000.0	0.00	0.00
GRP23272	PT	414	18P	04/05/91	27.80	0.00	0.00
GRP23272	VE	4FY	18P	04/05/91	42.50	0.00	0.00
GRP23272	YF	52F	18P	04/26/91	32.80	0.00	0.00
GRP23273	PT	414	18P	04/05/91	323.00	0.00	0.00
GRP23273	VE	4FY	18P	04/05/91	325.00	0.00	0.00
GRP23273	YF	52F	18P	04/26/91	228.00	0.00	0.00
GRP23274	PT	414	18P	04/05/91	> 1000.0	474.00 >	2.11
GRP23274	VE	4FY	18P	04/05/91	> 1000.0	0.00	0.00
GRP23274	YF	52F	18P	04/26/91	> 1000.0	0.00	0.00
GRP23275	PT	415	18P	04/05/91	358.00	0.00	0.00
GRP23275	VE	4FZ	18P	04/05/91	> 1000.0	0.00	0.00
GRP23275	YF	52G	18P	04/26/91	982.00	0.00	0.00
GRP23276	PT	415	18P	04/05/91	328.00	0.00	0.00
GRP23276	VE	4FZ	18P	04/05/91	335.00	0.00	0.00
GRP23276	YF	52G	18P	04/26/91	839.00	0.00	0.00
GRP23277	PT	415	18P	04/05/91	458.00	0.00	0.00
GRP23277	VE	4FZ	18P	04/05/91	> 1000.0	0.00	0.00
GRP23277	YF	52G	18P	04/26/91	905.00	0.00	0.00
GRP23278	PT	415	18P	04/05/91	31.10	0.00	0.00
GRP23278	VE	4FZ	18P	04/05/91	35.40	0.00	0.00
GRP23278	YF	52G	18P	04/26/91	33.90	0.00	0.00
GRP23279	PT	415	18P	04/05/91	201.00	0.00	0.00
GRP23279	VE	4FZ	18P	04/05/91	325.00	0.00	0.00
GRP23279	YF	52G	18P	04/26/91	42.60	0.00	0.00
GRP23280	PT	416	18P	04/05/91	336.00	0.00	0.00
GRP23280	VE	4GO	18P	04/05/91	380.00	0.00	0.00
GRP23280	YF	52H	18P	04/26/91	331.00	0.00	0.00
GRP23281	PT	416	18P	04/05/91	459.00	0.00	0.00
GRP23281	VE	4GO	18P	04/05/91	416.00	0.00	0.00
GRP23281	YF	52H	18P	04/26/91	331.00	0.00	0.00
GRP23282	PT	416	18P	04/05/91	360.00	0.00	0.00
GRP23282	VE	4GO	18P	04/05/91	325.00	0.00	0.00
GRP23282	YF	52H	18P	04/26/91	321.00	0.00	0.00
GRP23283	PT	416	18P	04/05/91	> 1000.0	0.00	0.00
GRP23283	VE	4GO	18P	04/05/91	> 1000.0	0.00	0.00
GRP23283	YF	52H	18P	04/26/91	> 1000.0	0.00	0.00
GRP23284	PT	416	18P	04/05/91	> 1000.0	296.00 >	3.38
GRP23284	VE	4GO	18P	04/05/91	> 1000.0	0.00	0.00
GRP23284	YF	52H	18P	04/26/91	503.00	0.00	0.00
GRP23285	PT	417	18P	04/05/91	429.00	0.00	0.00
GRP23285	VE	4G1	18P	04/05/91	619.00	0.00	0.00
GRP23285	YF	521	18P	04/26/91	722.00	0.00	0.00
GRP23286	PT	417	18P	04/05/91	517.00	0.00	0.00
GRP23286	VE	4G1	18P	04/05/91	> 1000.0	0.00	0.00
GRP23286	YF	521	18P	04/26/91	708.00	0.00	0.00
GRP23287	PT	417	18P	04/05/91	> 1000.0	330.00 >	3.03
GRP23287	VE	4G1	18P	04/05/91	> 1000.0	0.00	0.00
GRP23287	YF	521	18P	04/26/91	447.00	0.00	0.00
GRP23288	PT	417	18P	04/05/91	814.00	0.00	0.00
GRP23288	VE	4G1	18P	04/05/91	> 1000.0	0.00	0.00
GRP23288	YF	521	18P	04/26/91	> 1000.0	0.00	0.00
GRP23289	PT	417	18P	04/05/91	256.00	0.00	0.00
GRP23289	VE	4G1	18P	04/05/91	392.00	0.00	0.00
GRP23289	YF	521	18P	04/26/91	400.00	0.00	0.00
GRP23290	PT	418	18P	04/05/91	325.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23290	VE	4G2	18P	04/05/91	329.00	0.00	0.00
GRP23290	YF	52J	18P	04/26/91	325.00	0.00	0.00
GRP23291	PT	4JU	18P	04/09/91	769.00	0.00	0.00
GRP23291	VE	4JI	18P	04/12/91	< 1.00	0.00	0.00
GRP23291	YF	4UW	18P	04/23/91	> 1000.0	0.00	0.00
GRP23292	PT	4JU	18P	04/09/91	404.00	0.00	0.00
GRP23292	VE	4JI	18P	04/12/91	0.70	0.00	0.00
GRP23292	YF	4UW	18P	04/23/91	529.00	0.00	0.00
GRP23293	PT	4JU	18P	04/09/91	> 1000.0	463.00 >	2.16
GRP23293	VE	4JI	18P	04/12/91	0.89	0.00	0.00
GRP23293	YF	4UW	18P	04/23/91	> 1000.0	246.00 >	4.06
GRP23306	PT	4JU	18P	04/09/91	140.00	0.00	0.00
GRP23306	VE	4JI	18P	04/12/91	0.72	542.00	0.00
GRP23306	YF	4UW	18P	04/23/91	332.00	0.00	0.00
GRP23307	PT	4JV	18P	04/09/91	325.00	0.00	0.00
GRP23307	VE	4JJ	18P	04/12/91	97.70	0.00	0.00
GRP23307	YF	4UX	18P	04/23/91	325.00	0.00	0.00
GRP23308	PT	4JV	18P	04/09/91	280.00	0.00	0.00
GRP23308	VE	4JJ	18P	04/12/91	0.63	0.00	0.00
GRP23308	YF	4UX	18P	04/23/91	775.00	0.00	0.00
GRP23309	PT	4JV	18P	04/09/91	114.00	0.00	0.00
GRP23309	VE	4JJ	18P	04/12/91	0.77	0.00	0.00
GRP23309	YF	4UX	18P	04/23/91	451.00	0.00	0.00
GRP23310	PT	4JV	18P	04/09/91	326.00	0.00	0.00
GRP23310	VE	4JJ	18P	04/12/91	4.00	0.00	0.00
GRP23310	YF	4UX	18P	04/23/91	470.00	0.00	0.00
GRP23311	PT	4JV	18P	04/09/91	> 1000.0	0.00	0.00
GRP23311	VE	4JJ	18P	04/12/91	0.85	0.00	0.00
GRP23311	YF	4UX	18P	04/23/91	> 1000.0	0.00	0.00
GRP23312	PT	4JW	18P	04/09/91	226.00	0.00	0.00
GRP23312	VE	4JK	18P	04/12/91	0.67	0.00	0.00
GRP23312	YF	4UY	18P	04/23/91	325.00	0.00	0.00
GRP23313	PT	4JW	18P	04/09/91	218.00	0.00	0.00
GRP23313	VE	4JK	18P	04/12/91	< 1.00	0.00	0.00
GRP23313	YF	4UY	18P	04/23/91	331.00	0.00	0.00
GRP23314	PT	4JW	18P	04/09/91	838.00	0.00	0.00
GRP23314	VE	4JK	18P	04/12/91	< 1.00	0.00	0.00
GRP23314	YF	4UY	18P	04/23/91	> 1000.0	0.00	0.00
GRP23315	PT	4JW	18P	04/09/91	324.00	0.00	0.00
GRP23315	VE	4JK	18P	04/12/91	0.81	0.00	0.00
GRP23315	YF	4UY	18P	04/23/91	326.00	0.00	0.00
GRP23316	PT	4JW	18P	04/09/91	143.00	0.00	0.00
GRP23316	VE	4JK	18P	04/12/91	< 1.00	0.00	0.00
GRP23316	YF	4UY	18P	04/23/91	329.00	0.00	0.00
GRP23317	PT	4JX	18P	04/09/91	400.00	0.00	0.00
GRP23317	VE	4JL	18P	04/12/91	< 1.00	0.00	0.00
GRP23317	YF	4UZ	18P	04/23/91	345.00	0.00	0.00
GRP23318	PT	4JX	18P	04/09/91	467.00	0.00	0.00
GRP23318	VE	4JL	18P	04/12/91	0.73	0.00	0.00
GRP23318	YF	4UZ	18P	04/23/91	513.00	0.00	0.00
GRP23319	PT	4JX	18P	04/09/91	330.00	0.00	0.00
GRP23319	VE	4JL	18P	04/12/91	0.78	0.00	0.00
GRP23319	YF	4UZ	18P	04/23/91	138.00	0.00	0.00
GRP23320	PT	4JX	18P	04/09/91	530.00	0.00	0.00
GRP23320	VE	4JL	18P	04/12/91	< 1.00	0.00	0.00
GRP23320	YF	4UZ	18P	04/23/91	560.00	0.00	0.00
GRP23321	PT	4JX	18P	04/09/91	418.00	0.00	0.00
GRP23321	VE	4JL	18P	04/12/91	< 1.00	0.00	0.00
GRP23321	YF	4UZ	18P	04/23/91	958.00	0.00	0.00
GRP23322	PT	4JY	18P	04/09/91	> 1000.0	0.00	0.00
GRP23322	VE	4JM	18P	04/12/91	0.78	0.00	0.00
GRP23322	YF	4V0	18P	04/23/91	> 1000.0	0.00	0.00
GRP23323	PT	4JY	18P	04/09/91	477.00	0.00	0.00
GRP23323	VE	4JM	18P	04/12/91	0.79	0.00	0.00
GRP23323	YF	4V0	18P	04/23/91	606.00	0.00	0.00
GRP23324	PT	4JY	18P	04/09/91	369.00	0.00	0.00
GRP23324	VE	4JM	18P	04/12/91	0.76	0.00	0.00
GRP23324	YF	4V0	18P	04/23/91	867.00	0.00	0.00
GRP23325	PT	4JY	18P	04/09/91	377.00	0.00	0.00
GRP23325	VE	4JM	18P	04/12/91	0.93	0.00	0.00
GRP23325	YF	4V0	18P	04/23/91	515.00	0.00	0.00
GRP23326	PT	4JY	18P	04/09/91	> 1000.0	0.00	0.00
GRP23326	VE	4JM	18P	04/12/91	0.71	0.00	0.00
GRP23326	YF	4V0	18P	04/23/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23327	PT	4JZ	18P	04/09/91	> 1000.0	0.00	0.00
GRP23327	VE	4JN	18P	04/12/91	432.00	0.00	0.00
GRP23327	YF	4V1	18P	04/23/91	> 1000.0	0.00	0.00
GRP23328	PT	4KO	18P	04/10/91	> 1000.0	0.00	0.00
GRP23328	VE	4KO	18P	04/12/91	0.68	0.00	0.00
GRP23328	YF	4KI	18P	04/10/91	> 1000.0	0.00	0.00
GRP23329	PT	4KO	18P	04/10/91	138.00	0.00	0.00
GRP23329	VE	4KO	18P	04/12/91	< 1.00	0.00	0.00
GRP23329	YF	4KI	18P	04/10/91	285.00	0.00	0.00
GRP23330	PT	4KO	18P	04/10/91	767.00	859.00	0.89
GRP23330	VE	4KO	18P	04/12/91	0.72	0.00	0.00
GRP23330	YF	4KI	18P	04/10/91	> 1000.0	0.00	0.00
GRP23331	PT	4KO	18P	04/10/91	605.00	666.00	0.91
GRP23331	VE	4KO	18P	04/12/91	0.72	592.00	0.00
GRP23331	YF	4KI	18P	04/10/91	759.00	0.00	0.00
GRP23332	PT	4KP	18P	04/10/91	106.00	0.00	0.00
GRP23332	VE	4K1	18P	04/12/91	0.89	0.00	0.00
GRP23332	YF	4KJ	18P	04/10/91	357.00	0.00	0.00
GRP23333	PT	4KP	18P	04/10/91	260.00	0.00	0.00
GRP23333	VE	4K1	18P	04/12/91	0.98	0.00	0.00
GRP23333	YF	4KJ	18P	04/10/91	325.00	0.00	0.00
GRP23334	PT	4KP	18P	04/10/91	514.00	0.00	0.00
GRP23334	VE	4K1	18P	04/12/91	4.98	0.00	0.00
GRP23334	YF	4KJ	18P	04/10/91	> 1000.0	0.00	0.00
GRP23335	PT	4KP	18P	04/10/91	522.00	0.00	0.00
GRP23335	VE	4K1	18P	04/12/91	0.80	0.00	0.00
GRP23335	YF	4KJ	18P	04/10/91	> 1000.0	0.00	0.00
GRP23336	PT	4KP	18P	04/10/91	610.00	0.00	0.00
GRP23336	VE	4K1	18P	04/12/91	0.74	0.00	0.00
GRP23336	YF	4KJ	18P	04/10/91	741.00	0.00	0.00
GRP23337	PT	4KQ	18P	04/10/91	429.00	0.00	0.00
GRP23337	VE	4K2	18P	04/12/91	741.00	0.00	0.00
GRP23337	YF	4KK	18P	04/10/91	387.00	0.00	0.00
GRP23338	PT	4KQ	18P	04/10/91	775.00	510.00	1.52
GRP23338	VE	4K2	18P	04/12/91	0.89	0.00	0.00
GRP23338	YF	4KK	18P	04/10/91	887.00	0.00	0.00
GRP23339	PT	4KQ	18P	04/10/91	624.00	872.00	0.72
GRP23339	VE	4K2	18P	04/12/91	745.00	0.00	0.00
GRP23339	YF	4KK	18P	04/10/91	667.00	0.00	0.00
GRP23340	PT	4KQ	18P	04/10/91	295.00	0.00	0.00
GRP23340	VE	4K2	18P	04/12/91	146.00	0.00	0.00
GRP23340	YF	4KK	18P	04/10/91	259.00	0.00	0.00
GRP23341	PT	4KQ	18P	04/10/91	332.00	0.00	0.00
GRP23341	VE	4K2	18P	04/12/91	49.00	0.00	0.00
GRP23341	YF	4KK	18P	04/10/91	331.00	0.00	0.00
GRP23342	PT	4KR	18P	04/10/91	739.00	0.00	0.00
GRP23342	VE	4K3	18P	04/12/91	0.96	0.00	0.00
GRP23342	YF	4KL	18P	04/10/91	343.00	0.00	0.00
GRP23343	PT	4KR	18P	04/10/91	> 1000.0	0.00	0.00
GRP23343	VE	4K3	18P	04/12/91	0.84	0.00	0.00
GRP23343	YF	4KL	18P	04/10/91	> 1000.0	0.00	0.00
GRP23344	PT	4KR	18P	04/10/91	> 1000.0	452.00 >	2.21
GRP23344	VE	4K3	18P	04/12/91	0.86	0.00	0.00
GRP23344	YF	4KL	18P	04/10/91	> 1000.0	0.00	0.00
GRP23345	PT	4KR	18P	04/10/91	310.00	0.00	0.00
GRP23345	VE	4K3	18P	04/12/91	142.00	0.00	0.00
GRP23345	YF	4KL	18P	04/10/91	201.00	0.00	0.00
GRP23346	PT	4KR	18P	04/10/91	499.00	0.00	0.00
GRP23346	VE	4K3	18P	04/12/91	331.00	0.00	0.00
GRP23346	YF	4KL	18P	04/10/91	365.00	0.00	0.00
GRP23347	PT	4KS	18P	04/10/91	> 1000.0	0.00	0.00
GRP23347	VE	4K4	18P	04/12/91	0.87	0.00	0.00
GRP23347	YF	4KM	18P	04/10/91	0.94	0.00	0.00
GRP23348	PT	4KS	18P	04/10/91	327.00	0.00	0.00
GRP23348	VE	4K4	18P	04/12/91	353.00	0.00	0.00
GRP23348	YF	4KM	18P	04/10/91	326.00	0.00	0.00
GRP23349	PT	4KS	18P	04/10/91	695.00	0.00	0.00
GRP23349	VE	4K4	18P	04/12/91	0.86	0.00	0.00
GRP23349	YF	4KM	18P	04/10/91	809.00	0.00	0.00
GRP23350	PT	4KS	18P	04/10/91	182.00	0.00	0.00
GRP23350	VE	4K4	18P	04/12/91	140.00	0.00	0.00
GRP23350	YF	4KM	18P	04/10/91	170.00	0.00	0.00
GRP23351	PT	4KS	18P	04/10/91	339.00	0.00	0.00
GRP23351	VE	4K4	18P	04/12/91	20.30	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23351	YF	4KM	18P	04/10/91	331.00	0.00	0.00
GRP23352	PT	4KT	18P	04/10/91	160.00	0.00	0.00
GRP23352	VE	4KS	18P	04/12/91	< 1.00	0.00	0.00
GRP23352	YF	4KM	18P	04/10/91	184.00	0.00	0.00
GRP23353	PT	4MI	18P	04/11/91	302.00	0.00	0.00
GRP23353	VE	4K6	18P	04/12/91	478.00	0.00	0.00
GRP23353	YF	5NT	18P	05/17/91	469.00	0.00	0.00
GRP23354	PT	4MI	18P	04/11/91	> 1000.0	0.00	0.00
GRP23354	VE	4K6	18P	04/12/91	985.00	0.00	0.00
GRP23354	YF	5NT	18P	05/17/91	898.00	0.00	0.00
GRP23355	PT	4MI	18P	04/11/91	519.00	0.00	0.00
GRP23355	VE	4K6	18P	04/12/91	424.00	0.00	0.00
GRP23355	YF	5NT	18P	05/17/91	228.00	0.00	0.00
GRP23356	PT	4MI	18P	04/11/91	195.00	0.00	0.00
GRP23356	VE	4K6	18P	04/12/91	948.00	0.00	0.00
GRP23356	YF	5NT	18P	05/17/91	> 1000.0	0.00	0.00
GRP23357	PT	4MJ	18P	04/11/91	> 1000.0	0.00	0.00
GRP23357	VE	4K7	18P	04/12/91	> 1000.0	0.00	0.00
GRP23357	YF	5NU	18P	05/17/91	> 1000.0	0.00	0.00
GRP23358	PT	4MJ	18P	04/11/91	227.00	0.00	0.00
GRP23358	VE	4K7	18P	04/12/91	380.00	0.00	0.00
GRP23358	YF	5NU	18P	05/17/91	908.00	0.00	0.00
GRP23359	PT	4MJ	18P	04/11/91	> 1000.0	0.00	0.00
GRP23359	VE	4K7	18P	04/12/91	393.00	0.00	0.00
GRP23359	YF	5NU	18P	05/17/91	> 1000.0	0.00	0.00
GRP23360	PT	4MJ	18P	04/11/91	328.00	0.00	0.00
GRP23360	VE	4K7	18P	04/12/91	> 1000.0	0.00	0.00
GRP23360	YF	5NU	18P	05/17/91	325.00	0.00	0.00
GRP23361	PT	4MJ	18P	04/11/91	369.00	0.00	0.00
GRP23361	VE	4K7	18P	04/12/91	> 1000.0	0.00	0.00
GRP23361	YF	5NU	18P	05/17/91	379.00	0.00	0.00
GRP23362	PT	4MK	18P	04/11/91	454.00	0.00	0.00
GRP23362	VE	4K8	18P	04/12/91	574.00	0.00	0.00
GRP23362	YF	5NV	18P	05/17/91	497.00	0.00	0.00
GRP23363	PT	4MK	18P	04/11/91	> 1000.0	386.00 >	2.59
GRP23363	VE	4K8	18P	04/12/91	> 1000.0	0.00	0.00
GRP23363	YF	5NV	18P	05/17/91	> 1000.0	0.00	0.00
GRP23364	PT	4MK	18P	04/11/91	348.00	0.00	0.00
GRP23364	VE	4K8	18P	04/12/91	646.00	0.00	0.00
GRP23364	YF	5NV	18P	05/17/91	> 1000.0	0.00	0.00
GRP23365	PT	4MK	18P	04/11/91	> 1000.0	0.00	0.00
GRP23365	VE	4K8	18P	04/12/91	> 1000.0	0.00	0.00
GRP23365	YF	5NV	18P	05/17/91	895.00	0.00	0.00
GRP23366	PT	4MK	18P	04/11/91	53.20	0.00	0.00
GRP23366	VE	4K8	18P	04/12/91	74.10	0.00	0.00
GRP23366	YF	5NV	18P	05/17/91	312.00	0.00	0.00
GRP23367	PT	4ML	18P	04/11/91	> 1000.0	0.00	0.00
GRP23367	VE	4K9	18P	04/12/91	> 1000.0	0.00	0.00
GRP23367	YF	5NW	18P	05/17/91	> 1000.0	0.00	0.00
GRP23368	PT	4ML	18P	04/11/91	> 1000.0	0.00	0.00
GRP23368	VE	4K9	18P	04/12/91	> 1000.0	0.00	0.00
GRP23368	YF	5NW	18P	05/17/91	398.00	0.00	0.00
GRP23369	PT	4ML	18P	04/11/91	114.00	0.00	0.00
GRP23369	VE	4K9	18P	04/12/91	512.00	0.00	0.00
GRP23369	YF	5NW	18P	05/17/91	> 1000.0	0.00	0.00
GRP23370	PT	4ML	18P	04/11/91	31.60	0.00	0.00
GRP23370	VE	4K9	18P	04/12/91	5.11	200.00	0.03
GRP23370	YF	5NW	18P	05/17/91	68.70	0.00	0.00
GRP23371	PT	4ML	18P	04/11/91	33.60	0.00	0.00
GRP23371	VE	4K9	18P	04/12/91	50.20	324.00	0.15
GRP23371	YF	5NW	18P	05/17/91	525.00	0.00	0.00
GRP23372	PT	4MN	18P	04/11/91	> 1000.0	447.00 >	2.24
GRP23372	VE	4KA	18P	04/12/91	> 1000.0	0.00	0.00
GRP23372	YF	5NX	18P	05/17/91	> 1000.0	0.00	0.00
GRP23373	PT	4MN	18P	04/11/91	193.00	0.00	0.00
GRP23373	VE	4KA	18P	04/12/91	364.00	0.00	0.00
GRP23373	YF	5NX	18P	05/17/91	385.00	0.00	0.00
GRP23374	PT	4MN	18P	04/11/91	199.00	0.00	0.00
GRP23374	VE	4KA	18P	04/12/91	> 1000.0	490.00 >	2.04
GRP23374	YF	5NX	18P	05/17/91	> 1000.0	0.00	0.00
GRP23375	PT	4MN	18P	04/11/91	366.00	0.00	0.00
GRP23375	VE	4KA	18P	04/12/91	650.00	0.00	0.00
GRP23375	YF	5NX	18P	05/17/91	444.00	0.00	0.00
GRP23376	PT	4MN	18P	04/11/91	270.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23376	VE	4KA	18P	04/12/91	873.00	575.00	1.52
GRP23376	YF	5NX	18P	05/17/91	273.00	0.00	0.00
GRP23377	PT	4MN	18P	04/11/91	841.00	684.00	1.23
GRP23377	VE	4KB	18P	04/12/91	484.00	0.00	0.00
GRP23377	YF	5NY	18P	05/17/91	519.00	0.00	0.00
GRP23378	PT	4NO	18P	04/12/91	> 1000.0	0.00	0.00
GRP23378	VE	4KC	18P	04/12/91	> 1000.0	0.00	0.00
GRP23378	YF	52K	18P	04/26/91	434.00	0.00	0.00
GRP23379	PT	4NO	18P	04/12/91	412.00	0.00	0.00
GRP23379	VE	4KC	18P	04/12/91	652.00	0.00	0.00
GRP23379	YF	52K	18P	04/26/91	556.00	0.00	0.00
GRP23380	PT	4NO	18P	04/12/91	293.00	0.00	0.00
GRP23380	VE	4KC	18P	04/12/91	938.00	331.00	2.46
GRP23380	YF	52K	18P	04/26/91	325.00	0.00	0.00
GRP23381	PT	4NO	18P	04/12/91	416.00	0.00	0.00
GRP23381	VE	4KC	18P	04/12/91	556.00	0.00	0.00
GRP23381	YF	52K	18P	04/26/91	370.00	0.00	0.00
GRP23382	PT	4N1	18P	04/12/91	525.00	0.00	0.00
GRP23382	VE	4KD	18P	04/12/91	764.00	0.00	0.00
GRP23382	YF	52L	18P	04/26/91	326.00	0.00	0.00
GRP23383	PT	4N1	18P	04/12/91	91.10	0.00	0.00
GRP23383	VE	4KD	18P	04/12/91	551.00	559.00	0.98
GRP23383	YF	52L	18P	04/26/91	326.00	0.00	0.00
GRP23384	PT	4N1	18P	04/12/91	774.00	0.00	0.00
GRP23384	VE	4KD	18P	04/12/91	375.00	0.00	0.00
GRP23384	YF	52L	18P	04/26/91	656.00	0.00	0.00
GRP23385	PT	4N1	18P	04/12/91	332.00	0.00	0.00
GRP23385	VE	4KD	18P	04/12/91	342.00	0.00	0.00
GRP23385	YF	52L	18P	04/26/91	326.00	0.00	0.00
GRP23386	PT	4N1	18P	04/12/91	514.00	0.00	0.00
GRP23386	VE	4KD	18P	04/12/91	> 1000.0	484.00	> 2.07
GRP23386	YF	52L	18P	04/26/91	493.00	0.00	0.00
GRP23387	PT	4N2	18P	04/12/91	423.00	0.00	0.00
GRP23387	VE	4KE	18P	04/12/91	628.00	0.00	0.00
GRP23387	YF	52M	18P	04/26/91	> 1000.0	0.00	0.00
GRP23388	PT	4N2	18P	04/12/91	563.00	0.00	0.00
GRP23388	VE	4KE	18P	04/12/91	> 1000.0	487.00	> 2.05
GRP23388	YF	52M	18P	04/26/91	> 1000.0	0.00	0.00
GRP23389	PT	4N2	18P	04/12/91	569.00	0.00	0.00
GRP23389	VE	4KE	18P	04/12/91	619.00	0.00	0.00
GRP23389	YF	52M	18P	04/26/91	889.00	0.00	0.00
GRP23390	PT	4N2	18P	04/12/91	> 1000.0	0.00	0.00
GRP23390	VE	4KE	18P	04/12/91	> 1000.0	0.00	0.00
GRP23390	YF	52M	18P	04/26/91	856.00	0.00	0.00
GRP23391	PT	4N2	18P	04/12/91	582.00	0.00	0.00
GRP23391	VE	4KE	18P	04/12/91	842.00	812.00	1.04
GRP23391	YF	52M	18P	04/26/91	611.00	0.00	0.00
GRP23392	PT	4N3	18P	04/12/91	170.00	0.00	0.00
GRP23392	VE	4KF	18P	04/12/91	327.00	0.00	0.00
GRP23392	YF	52N	18P	04/26/91	325.00	0.00	0.00
GRP23393	PT	4N3	18P	04/12/91	3.34	0.00	0.00
GRP23393	VE	4KF	18P	04/12/91	4.84	0.00	0.00
GRP23393	YF	52N	18P	04/26/91	48.40	0.00	0.00
GRP23394	PT	4N3	18P	04/12/91	205.00	0.00	0.00
GRP23394	VE	4KF	18P	04/12/91	437.00	0.00	0.00
GRP23394	YF	52N	18P	04/26/91	308.00	0.00	0.00
GRP23395	PT	4N3	18P	04/12/91	357.00	0.00	0.00
GRP23395	VE	4KF	18P	04/12/91	706.00	0.00	0.00
GRP23395	YF	52N	18P	04/26/91	392.00	0.00	0.00
GRP23396	PT	4N3	18P	04/12/91	453.00	0.00	0.00
GRP23396	VE	4KF	18P	04/12/91	942.00	521.00	1.81
GRP23396	YF	52N	18P	04/26/91	535.00	0.00	0.00
GRP23397	PT	4N4	18P	04/12/91	271.00	0.00	0.00
GRP23397	VE	4KG	18P	04/12/91	> 1000.0	584.00	> 1.71
GRP23397	YF	520	18P	04/26/91	330.00	0.00	0.00
GRP23398	PT	4N4	18P	04/12/91	553.00	0.00	0.00
GRP23398	VE	4KG	18P	04/12/91	> 1000.0	551.00	> 1.81
GRP23398	YF	520	18P	04/26/91	> 1000.0	0.00	0.00
GRP23399	PT	4N4	18P	04/12/91	> 1000.0	0.00	0.00
GRP23399	VE	4KG	18P	04/12/91	899.00	0.00	0.00
GRP23399	YF	520	18P	04/26/91	> 1000.0	0.00	0.00
GRP23400	PT	4N4	18P	04/12/91	415.00	0.00	0.00
GRP23400	VE	4KG	18P	04/12/91	> 1000.0	600.00	> 1.67
GRP23400	YF	520	18P	04/26/91	440.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23401	PT	4N4	18P	04/12/91	168.00	0.00	0.00
GRP23401	VE	4KG	18P	04/12/91	143.00	0.00	0.00
GRP23401	YF	520	18P	04/26/91	333.00	0.00	0.00
GRP23402	PT	4N5	18P	04/12/91	418.00	0.00	0.00
GRP23402	VE	4KH	18P	04/12/91	> 1000.0	0.00	0.00
GRP23402	YF	52P	18P	04/26/91	> 1000.0	0.00	0.00
GRP23403	PT	4TK	18P	04/16/91	42.70	0.00	0.00
GRP23403	VE	4SQ	18P	04/19/91	39.80	0.00	0.00
GRP23403	YF	4TE	18P	04/16/91	44.20	0.00	0.00
GRP23404	PT	4TK	18P	04/16/91	279.00	0.00	0.00
GRP23404	VE	4SQ	18P	04/19/91	573.00	0.00	0.00
GRP23404	YF	4TE	18P	04/16/91	354.00	0.00	0.00
GRP23405	PT	4TK	18P	04/16/91	474.00	0.00	0.00
GRP23405	VE	4SQ	18P	04/19/91	8.24	0.00	0.00
GRP23405	YF	4TE	18P	04/16/91	> 1000.0	0.00	0.00
GRP23406	PT	4TK	18P	04/16/91	934.00	0.00	0.00
GRP23406	VE	4SQ	18P	04/19/91	0.41	0.00	0.00
GRP23406	YF	4TE	18P	04/16/91	> 1000.0	0.00	0.00
GRP23407	PT	4TL	18P	04/16/91	352.00	0.00	0.00
GRP23407	VE	4SR	18P	04/19/91	> 1000.0	0.00	0.00
GRP23407	YF	4TF	18P	04/16/91	503.00	0.00	0.00
GRP23408	PT	4TL	18P	04/16/91	142.00	52.50	2.70
GRP23408	VE	4SR	18P	04/19/91	377.00	0.00	0.00
GRP23408	YF	4TF	18P	04/16/91	104.00	81.00	1.28
GRP23409	PT	4TL	18P	04/16/91	440.00	0.00	0.00
GRP23409	VE	4SR	18P	04/19/91	399.00	0.00	0.00
GRP23409	YF	4TF	18P	04/16/91	437.00	0.00	0.00
GRP23410	PT	4TL	18P	04/16/91	182.00	0.00	0.00
GRP23410	VE	4SR	18P	04/19/91	651.00	0.00	0.00
GRP23410	YF	4TF	18P	04/16/91	355.00	0.00	0.00
GRP23411	PT	4TL	18P	04/16/91	446.00	0.00	0.00
GRP23411	VE	4SR	18P	04/19/91	32.90	0.00	0.00
GRP23411	YF	4TF	18P	04/16/91	183.00	0.00	0.00
GRP23412	PT	4TN	18P	04/16/91	779.00	669.00	1.17
GRP23412	VE	4SS	18P	04/19/91	47.40	0.00	0.00
GRP23412	YF	4TG	18P	04/16/91	> 1000.0	92.00	> 10.87
GRP23413	PT	4TN	18P	04/16/91	441.00	0.00	0.00
GRP23413	VE	4SS	18P	04/19/91	8.11	0.00	0.00
GRP23413	YF	4TG	18P	04/16/91	488.00	0.00	0.00
GRP23414	PT	4TN	18P	04/16/91	443.00	0.00	0.00
GRP23414	VE	4SS	18P	04/19/91	> 1000.0	0.00	0.00
GRP23414	YF	4TG	18P	04/16/91	590.00	0.00	0.00
GRP23415	PT	4TN	18P	04/16/91	323.00	0.00	0.00
GRP23415	VE	4SS	18P	04/19/91	397.00	0.00	0.00
GRP23415	YF	4TG	18P	04/16/91	324.00	0.00	0.00
GRP23416	PT	4TN	18P	04/16/91	327.00	0.00	0.00
GRP23416	VE	4SS	18P	04/19/91	> 1000.0	0.00	0.00
GRP23416	YF	4TG	18P	04/16/91	385.00	0.00	0.00
GRP23417	PT	4TN	18P	04/16/91	438.00	0.00	0.00
GRP23417	VE	4ST	18P	04/19/91	> 1000.0	0.00	0.00
GRP23417	YF	4TH	18P	04/16/91	837.00	0.00	0.00
GRP23418	PT	4TN	18P	04/16/91	49.50	0.00	0.00
GRP23418	VE	4ST	18P	04/19/91	396.00	0.00	0.00
GRP23418	YF	4TH	18P	04/16/91	49.00	0.00	0.00
GRP23419	PT	4TN	18P	04/16/91	168.00	0.00	0.00
GRP23419	VE	4ST	18P	04/19/91	321.00	0.00	0.00
GRP23419	YF	4TH	18P	04/16/91	325.00	0.00	0.00
GRP23420	PT	4TN	18P	04/16/91	209.00	0.00	0.00
GRP23420	VE	4ST	18P	04/19/91	532.00	0.00	0.00
GRP23420	YF	4TH	18P	04/16/91	493.00	0.00	0.00
GRP23421	PT	4TN	18P	04/16/91	949.00	0.00	0.00
GRP23421	VE	4ST	18P	04/19/91	261.00	0.00	0.00
GRP23421	YF	4TH	18P	04/16/91	> 1000.0	0.00	0.00
GRP23422	PT	4TO	18P	04/16/91	329.00	0.00	0.00
GRP23422	VE	4SU	18P	04/19/91	329.00	0.00	0.00
GRP23422	YF	4TI	18P	04/16/91	330.00	0.00	0.00
GRP23423	PT	4TO	18P	04/16/91	267.00	0.00	0.00
GRP23423	VE	4SU	18P	04/19/91	325.00	0.00	0.00
GRP23423	YF	4TI	18P	04/16/91	325.00	0.00	0.00
GRP23424	PT	4TO	18P	04/16/91	890.00	0.00	0.00
GRP23424	VE	4SU	18P	04/19/91	> 1000.0	0.00	0.00
GRP23424	YF	4TI	18P	04/16/91	> 1000.0	0.00	0.00
GRP23425	PT	4TO	18P	04/16/91	30.90	0.00	0.00
GRP23425	VE	4SU	18P	04/19/91	220.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23425	YF	4TI	18P	04/16/91	132.00	0.00	0.00
GRP23426	PT	4TO	18P	04/16/91	696.00	0.00	0.00
GRP23426	VE	4SU	18P	04/19/91	> 1000.0	0.00	0.00
GRP23426	YF	4TI	18P	04/16/91	> 1000.0	0.00	0.00
GRP23427	PT	4TP	18P	04/16/91	514.00	0.00	0.00
GRP23427	VE	4SV	18P	04/19/91	> 1000.0	0.00	0.00
GRP23427	YF	4TJ	18P	04/16/91	> 1000.0	0.00	0.00
GRP23428	PT	4TQ	18P	04/17/91	499.00	0.00	0.00
GRP23428	VE	4SW	18P	04/19/91	849.00	726.00	1.17
GRP23428	YF	4TW	18P	04/17/91	478.00	0.00	0.00
GRP23429	PT	4TQ	18P	04/17/91	> 1000.0	356.00	> 2.81
GRP23429	VE	4SW	18P	04/19/91	463.00	0.00	0.00
GRP23429	YF	4TW	18P	04/17/91	810.00	0.00	0.00
GRP23430	PT	4TQ	18P	04/17/91	0.04	0.00	0.00
GRP23430	VE	4SW	18P	04/19/91	17.40	0.00	0.00
GRP23430	YF	4TW	18P	04/17/91	36.60	0.00	0.00
GRP23431	PT	4[illegible]	18P	04/17/91	436.00	0.00	0.00
GRP23431	VE	4SW	18P	04/19/91	602.00	0.00	0.00
GRP23431	YF	4TW	18P	04/17/91	449.00	0.00	0.00
GRP23432	PT	4TR	18P	04/17/91	202.00	0.00	0.00
GRP23432	VE	4SX	18P	04/19/91	397.00	0.00	0.00
GRP23432	YF	4TX	18P	04/17/91	211.00	0.00	0.00
GRP23433	PT	4TR	18P	04/17/91	147.00	0.00	0.00
GRP23433	VE	4SX	18P	04/19/91	417.00	0.00	0.00
GRP23433	YF	4TX	18P	04/17/91	299.00	0.00	0.00
GRP23434	PT	4TR	18P	04/17/91	0.59	0.00	0.00
GRP23434	VE	4SX	18P	04/19/91	474.00	0.00	0.00
GRP23434	YF	4TX	18P	04/17/91	327.00	0.00	0.00
GRP23435	PT	4TR	18P	04/17/91	106.00	0.00	0.00
GRP23435	VE	4SX	18P	04/19/91	257.00	0.00	0.00
GRP23435	YF	4TX	18P	04/17/91	253.00	0.00	0.00
GRP23436	PT	4TR	18P	04/17/91	271.00	0.00	0.00
GRP23436	VE	4SX	18P	04/19/91	337.00	0.00	0.00
GRP23436	YF	4TX	18P	04/17/91	374.00	0.00	0.00
GRP23437	PT	4TS	18P	04/17/91	530.00	0.00	0.00
GRP23437	VE	4SY	18P	04/19/91	> 1000.0	0.00	0.00
GRP23437	YF	4TY	18P	04/17/91	519.00	0.00	0.00
GRP23438	PT	4TS	18P	04/17/91	328.00	0.00	0.00
GRP23438	VE	4SY	18P	04/19/91	301.00	0.00	0.00
GRP23438	YF	4TY	18P	04/17/91	325.00	0.00	0.00
GRP23439	PT	4TS	18P	04/17/91	441.00	961.00	0.46
GRP23439	VE	4SY	18P	04/19/91	> 1000.0	0.00	0.00
GRP23439	YF	4TY	18P	04/17/91	325.00	0.00	0.00
GRP23440	PT	4TS	18P	04/17/91	> 1000.0	0.00	0.00
GRP23440	VE	4SY	18P	04/19/91	> 1000.0	0.00	0.00
GRP23440	YF	4TY	18P	04/17/91	> 1000.0	0.00	0.00
GRP23442	PT	6DT	23P	06/11/91	> 1000.0	0.00	0.00
GRP23442	VE	6DF	23P	06/14/91	> 1000.0	0.00	0.00
GRP23442	YF	6DN	23P	06/11/91	> 1000.0	0.00	0.00
GRP23443	PT	6DT	23P	06/11/91	4.04	0.00	0.00
GRP23443	VE	6DF	23P	06/14/91	3.97	0.00	0.00
GRP23443	YF	6DN	23P	06/11/91	3.32	0.00	0.00
GRP23444	PT	6DT	23P	06/11/91	124.00	0.00	0.00
GRP23444	VE	6DF	23P	06/14/91	326.00	0.00	0.00
GRP23444	YF	6DN	23P	06/11/91	327.00	0.00	0.00
GRP23445	PT	6DT	23P	06/11/91	457.00	0.00	0.00
GRP23445	VE	6DF	23P	06/14/91	325.00	0.00	0.00
GRP23445	YF	6DN	23P	06/11/91	586.00	0.00	0.00
GRP23446	PT	6DU	23P	06/11/91	> 1000.0	877.00	> 1.14
GRP23446	VE	6DG	23P	06/14/91	> 1000.0	0.00	0.00
GRP23446	YF	6DN	23P	06/11/91	> 1000.0	0.00	0.00
GRP23447	PT	6DU	23P	06/11/91	293.00	0.00	0.00
GRP23447	VE	6DG	23P	06/14/91	325.00	0.00	0.00
GRP23447	YF	6DN	23P	06/11/91	61.80	0.00	0.00
GRP23448	PT	6DU	23P	06/11/91	9.48	0.00	0.00
GRP23448	VE	6DG	23P	06/14/91	8.00	0.00	0.00
GRP23448	YF	6DN	23P	06/11/91	5.99	0.00	0.00
GRP23449	PT	6DU	23P	06/11/91	325.00	0.00	0.00
GRP23449	VE	6DG	23P	06/14/91	117.00	0.00	0.00
GRP23449	YF	6DN	23P	06/11/91	243.00	0.00	0.00
GRP23450	PT	6DU	23P	06/11/91	325.00	0.00	0.00
GRP23450	VE	6DG	23P	06/14/91	284.00	0.00	0.00
GRP23450	YF	6DN	23P	06/11/91	325.00	0.00	0.00
GRP23451	PT	6DV	23P	06/11/91	272.00	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23451	VE	6DH	23P	06/14/91	271.00	0.00	0.00
GRP23451	YF	6DO	23P	06/11/91	239.00	0.00	0.00
GRP23452	PT	6DV	23P	06/11/91	250.00	0.00	0.00
GRP23452	VE	6DH	23P	06/14/91	453.00	0.00	0.00
GRP23452	YF	6DO	23P	06/11/91	236.00	0.00	0.00
GRP23453	PT	6DV	23P	06/11/91	328.00	70.10	4.68
GRP23453	VE	6DH	23P	06/14/91	351.00	0.00	0.00
GRP23453	YF	6DO	23P	06/11/91	115.00	0.00	0.00
GRP23454	PT	6DV	23P	06/11/91	< 1.00	0.00	0.00
GRP23454	VE	6DH	23P	06/14/91	185.00	0.00	0.00
GRP23454	YF	6DO	23P	06/11/91	325.00	0.00	0.00
GRP23455	PT	6DV	23P	06/11/91	274.00	0.00	0.00
GRP23455	VE	6DH	23P	06/14/91	331.00	0.00	0.00
GRP23455	YF	6DO	23P	06/11/91	< 1.00	0.00	0.00
GRP23456	PT	6DW	23P	06/11/91	35.50	0.00	0.00
GRP23456	VE	6DI	23P	06/14/91	30.50	0.00	0.00
GRP23456	YF	6DP	23P	06/11/91	30.50	0.00	0.00
GRP23457	PT	6DW	23P	06/11/91	331.00	0.00	0.00
GRP23457	VE	6DI	23P	06/14/91	> 1000.0	0.00	0.00
GRP23457	YF	6DP	23P	06/11/91	316.00	0.00	0.00
GRP23458	PT	6DW	23P	06/11/91	330.00	0.00	0.00
GRP23458	VE	6DI	23P	06/14/91	817.00	744.00	1.10
GRP23458	YF	6DP	23P	06/11/91	330.00	0.00	0.00
GRP23459	PT	6DW	23P	06/11/91	> 1000.0	686.00 >	1.46
GRP23459	VE	6DI	23P	06/14/91	> 1000.0	0.00	0.00
GRP23459	YF	6DP	23P	06/11/91	955.00	0.00	0.00
GRP23460	PT	6DW	23P	06/11/91	760.00	726.00	1.05
GRP23460	VE	6DI	23P	06/14/91	430.00	0.00	0.00
GRP23460	YF	6DP	23P	06/11/91	214.00	0.00	0.00
GRP23461	PT	6DX	23P	06/11/91	293.00	38.80	7.55
GRP23461	VE	6DJ	23P	06/14/91	312.00	0.00	0.00
GRP23461	YF	6DQ	23P	06/11/91	63.50	0.00	0.00
GRP23469	PT	6DX	23P	06/11/91	336.00	0.00	0.00
GRP23469	VE	6DJ	23P	06/14/91	334.00	0.00	0.00
GRP23469	YF	6DQ	23P	06/11/91	117.00	0.00	0.00
GRP23470	PT	6DX	23P	06/11/91	> 1000.0	584.00 >	1.71
GRP23470	VE	6DJ	23P	06/14/91	980.00	0.00	0.00
GRP23470	YF	6DQ	23P	06/11/91	614.00	0.00	0.00
GRP23471	PT	6DX	23P	06/11/91	547.00	0.00	0.00
GRP23471	VE	6DJ	23P	06/14/91	443.00	0.00	0.00
GRP23471	YF	6DQ	23P	06/11/91	500.00	0.00	0.00
GRP23472	PT	6DX	23P	06/11/91	544.00	0.00	0.00
GRP23472	VE	6DJ	23P	06/14/91	577.00	0.00	0.00
GRP23472	YF	6DQ	23P	06/11/91	386.00	0.00	0.00
GRP23473	PT	6DY	23P	06/11/91	116.00	0.00	0.00
GRP23473	VE	6DK	23P	06/14/91	151.00	0.00	0.00
GRP23473	YF	6DR	23P	06/11/91	135.00	0.00	0.00
GRP23474	PT	6DY	23P	06/11/91	> 1000.0	407.00 >	2.46
GRP23474	VE	6DK	23P	06/14/91	> 1000.0	0.00	0.00
GRP23474	YF	6DR	23P	06/11/91	> 1000.0	0.00	0.00
GRP23475	PT	6DY	23P	06/11/91	62.50	0.00	0.00
GRP23475	VE	6DK	23P	06/14/91	79.50	0.00	0.00
GRP23475	YF	6DR	23P	06/11/91	51.40	0.00	0.00
GRP23476	PT	6DY	23P	06/11/91	335.00	50.70	6.60
GRP23476	VE	6DK	23P	06/14/91	440.00	0.00	0.00
GRP23476	YF	6DR	23P	06/11/91	183.00	0.00	0.00
GRP23477	PT	6DY	23P	06/11/91	474.00	0.00	0.00
GRP23477	VE	6DK	23P	06/14/91	328.00	0.00	0.00
GRP23477	YF	6DR	23P	06/11/91	326.00	0.00	0.00
GRP23478	PT	6DZ	23P	06/11/91	> 1000.0	0.00	0.00
GRP23478	VE	6DL	23P	06/14/91	> 1000.0	0.00	0.00
GRP23478	YF	6DS	23P	06/11/91	> 1000.0	0.00	0.00
GRP23479	PT	6G8	23P	06/12/91	39.40	0.00	0.00
GRP23479	VE	6EF	23P	06/14/91	5.07	0.00	0.00
GRP23479	YF	6G1	23P	06/12/91	46.60	0.00	0.00
GRP23480	PT	6G8	23P	06/12/91	> 1000.0	0.00	0.00
GRP23480	VE	6EF	23P	06/14/91	> 1000.0	0.00	0.00
GRP23480	YF	6G1	23P	06/12/91	> 1000.0	0.00	0.00
GRP23481	PT	6G8	23P	06/12/91	253.00	0.00	0.00
GRP23481	VE	6EF	23P	06/14/91	> 1000.0	0.00	0.00
GRP23481	YF	6G1	23P	06/12/91	> 1000.0	0.00	0.00
GRP23482	PT	6G8	23P	06/12/91	352.00	41.70	8.43
GRP23482	VE	6EF	23P	06/14/91	453.00	0.00	0.00
GRP23482	YF	6G1	23P	06/12/91	450.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23483	PT	6G9	23P	06/12/91	> 1000.0	0.00	0.00
GRP23483	VE	6EG	23P	06/14/91	> 1000.0	0.00	0.00
GRP23483	YF	6G2	23P	06/12/91	> 1000.0	0.00	0.00
GRP23484	PT	6G9	23P	06/12/91	0.66	0.00	0.00
GRP23484	VE	6EG	23P	06/14/91	562.00	0.00	0.00
GRP23484	YF	6G2	23P	06/12/91	> 1000.0	0.00	0.00
GRP23485	PT	6G9	23P	06/12/91	462.00	0.00	0.00
GRP23485	VE	6EG	23P	06/14/91	702.00	0.00	0.00
GRP23485	YF	6G2	23P	06/12/91	498.00	0.00	0.00
GRP23486	PT	6G9	23P	06/12/91	508.00	0.00	0.00
GRP23486	VE	6EG	23P	06/14/91	492.00	0.00	0.00
GRP23486	YF	6G2	23P	06/12/91	599.00	0.00	0.00
GRP23487	PT	6G9	23P	06/12/91	115.00	0.00	0.00
GRP23487	VE	6EG	23P	06/14/91	> 1000.0	427.00 >	2.34
GRP23487	YF	6G2	23P	06/12/91	339.00	0.00	0.00
GRP23488	PT	6GA	23P	06/12/91	840.00	0.00	0.00
GRP23488	VE	6EH	23P	06/14/91	> 1000.0	0.00	0.00
GRP23488	YF	6G3	23P	06/12/91	> 1000.0	0.00	0.00
GRP23489	PT	6GA	23P	06/12/91	515.00	0.00	0.00
GRP23489	VE	6EH	23P	06/14/91	> 1000.0	0.00	0.00
GRP23489	YF	6G3	23P	06/12/91	> 1000.0	0.00	0.00
GRP23490	PT	6GA	23P	06/12/91	730.00	0.00	0.00
GRP23490	VE	6EH	23P	06/14/91	921.00	0.00	0.00
GRP23490	YF	6G3	23P	06/12/91	517.00	0.00	0.00
GRP23491	PT	6GA	23P	06/12/91	232.00	0.00	0.00
GRP23491	VE	6EH	23P	06/14/91	273.00	0.00	0.00
GRP23491	YF	6G3	23P	06/12/91	110.00	0.00	0.00
GRP23492	PT	6GA	23P	06/12/91	370.00	0.00	0.00
GRP23492	VE	6EH	23P	06/14/91	> 1000.0	0.00	0.00
GRP23492	YF	6G3	23P	06/12/91	290.00	0.00	0.00
GRP23493	PT	6GB	23P	06/12/91	253.00	0.00	0.00
GRP23493	VE	6EI	23P	06/14/91	332.00	0.00	0.00
GRP23493	YF	6G4	23P	06/12/91	256.00	0.00	0.00
GRP23494	PT	6GB	23P	06/12/91	376.00	0.00	0.00
GRP23494	VE	6EI	23P	06/14/91	> 1000.0	0.00	0.00
GRP23494	YF	6G4	23P	06/12/91	596.00	0.00	0.00
GRP23495	PT	6GB	23P	06/12/91	377.00	0.00	0.00
GRP23495	VE	6EI	23P	06/14/91	335.00	0.00	0.00
GRP23495	YF	6G4	23P	06/12/91	390.00	0.00	0.00
GRP23496	PT	6GB	23P	06/12/91	> 1000.0	0.00	0.00
GRP23496	VE	6EI	23P	06/14/91	> 1000.0	0.00	0.00
GRP23496	YF	6G4	23P	06/12/91	> 1000.0	0.00	0.00
GRP23497	PT	6GB	23P	06/12/91	< 1.00	0.00	0.00
GRP23497	VE	6EI	23P	06/14/91	< 1.00	0.00	0.00
GRP23497	YF	6G4	23P	06/12/91	1.91	0.00	0.00
GRP23498	PT	6GC	23P	06/12/91	314.00	0.00	0.00
GRP23498	VE	6EJ	23P	06/14/91	823.00	0.00	0.00
GRP23498	YF	6G5	23P	06/12/91	232.00	0.00	0.00
GRP23499	PT	6GC	23P	06/12/91	808.00	0.00	0.00
GRP23499	VE	6EJ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23499	YF	6G5	23P	06/12/91	794.00	0.00	0.00
GRP23500	PT	6GC	23P	06/12/91	411.00	0.00	0.00
GRP23500	VE	6EJ	23P	06/14/91	538.00	0.00	0.00
GRP23500	YF	6G5	23P	06/12/91	458.00	0.00	0.00
GRP23501	PT	6GC	23P	06/12/91	530.00	0.00	0.00
GRP23501	VE	6EJ	23P	06/14/91	652.00	745.00	0.88
GRP23501	YF	6G5	23P	06/12/91	607.00	0.00	0.00
GRP23502	PT	6GC	23P	06/12/91	924.00	0.00	0.00
GRP23502	VE	6EJ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23502	YF	6G5	23P	06/12/91	766.00	0.00	0.00
GRP23503	PT	6GD	23P	06/12/91	400.00	0.00	0.00
GRP23503	VE	6EK	23P	06/14/91	589.00	0.00	0.00
GRP23503	YF	6G6	23P	06/12/91	281.00	0.00	0.00
GRP23504	PT	6GD	23P	06/12/91	508.00	0.00	0.00
GRP23504	VE	6EK	23P	06/14/91	437.00	0.00	0.00
GRP23504	YF	6G6	23P	06/12/91	738.00	0.00	0.00
GRP23505	PT	6GD	23P	06/12/91	337.00	0.00	0.00
GRP23505	VE	6EK	23P	06/14/91	339.00	0.00	0.00
GRP23505	YF	6G6	23P	06/12/91	325.00	0.00	0.00
GRP23506	PT	6GD	23P	06/12/91	676.00	0.00	0.00
GRP23506	VE	6EK	23P	06/14/91	417.00	0.00	0.00
GRP23506	YF	6G6	23P	06/12/91	209.00	0.00	0.00
GRP23507	PT	6GD	23P	06/12/91	399.00	0.00	0.00
GRP23507	VE	6EK	23P	06/14/91	> 1000.0	1000.0 >	1.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23507	YF	6G6	23P	06/12/91	483.00	0.00	0.00
GRP23508	PT	6GE	23P	06/12/91	153.00	0.00	0.00
GRP23508	VE	6EL	23P	06/14/91	119.00	0.00	0.00
GRP23508	YF	6G7	23P	06/12/91	43.10	0.00	0.00
GRP23509	PT	6HN	23P	06/13/91	259.00	0.00	0.00
GRP23509	VE	6EM	23P	06/14/91	619.00	0.00	0.00
GRP23509	YF	6N9	23P	06/13/91	91.50	0.00	0.00
GRP23510	PT	6HN	23P	06/13/91	174.00	86.80	2.01
GRP23510	VE	6EM	23P	06/14/91	363.00	0.00	0.00
GRP23510	YF	6N9	23P	06/13/91	294.00	0.00	0.00
GRP23511	PT	6HN	23P	06/13/91	253.00	55.00	4.60
GRP23511	VE	6EM	23P	06/14/91	390.00	0.00	0.00
GRP23511	YF	6N9	23P	06/13/91	7.98	0.00	0.00
GRP23512	PT	6HN	23P	06/13/91	399.00	0.00	0.00
GRP23512	VE	6EM	23P	06/14/91	311.00	0.00	0.00
GRP23512	YF	6N9	23P	06/13/91	460.00	0.00	0.00
GRP23513	PT	6HO	23P	06/13/91	444.00	0.00	0.00
GRP23513	VE	6EN	23P	06/14/91	502.00	0.00	0.00
GRP23513	YF	6HA	23P	06/13/91	242.00	0.00	0.00
GRP23514	PT	6HO	23P	06/13/91	511.00	0.00	0.00
GRP23514	VE	6EN	23P	06/14/91	> 1000.0	0.00	0.00
GRP23514	YF	6HA	23P	06/13/91	273.00	0.00	0.00
GRP23515	PT	6HO	23P	06/13/91	886.00	436.00	2.03
GRP23515	VE	6EN	23P	06/14/91	> 1000.0	253.00 >	3.95
GRP23515	YF	6HA	23P	06/13/91	310.00	0.00	0.00
GRP23516	PT	6HO	23P	06/13/91	338.00	80.30	4.21
GRP23516	VE	6EN	23P	06/14/91	470.00	0.00	0.00
GRP23516	YF	6HA	23P	06/13/91	125.00	0.00	0.00
GRP23517	PT	6HO	23P	06/13/91	> 1000.0	0.00	0.00
GRP23517	VE	6EN	23P	06/14/91	> 1000.0	0.00	0.00
GRP23517	YF	6HA	23P	06/13/91	873.00	0.00	0.00
GRP23518	PT	6HP	23P	06/13/91	571.00	0.00	0.00
GRP23518	VE	6EO	23P	06/14/91	158.00	0.00	0.00
GRP23518	YF	6HB	23P	06/13/91	373.00	0.00	0.00
GRP23519	PT	6HP	23P	06/13/91	> 1000.0	336.00 >	2.98
GRP23519	VE	6EO	23P	06/14/91	197.00	0.00	0.00
GRP23519	YF	6HB	23P	06/13/91	785.00	0.00	0.00
GRP23520	PT	6HP	23P	06/13/91	198.00	0.00	0.00
GRP23520	VE	6EO	23P	06/14/91	315.00	0.00	0.00
GRP23520	YF	6HB	23P	06/13/91	166.00	0.00	0.00
GRP23521	PT	6HP	23P	06/13/91	615.00	0.00	0.00
GRP23521	VE	6EO	23P	06/14/91	379.00	0.00	0.00
GRP23521	YF	6HB	23P	06/13/91	442.00	0.00	0.00
GRP23522	PT	6HP	23P	06/13/91	57.20	0.00	0.00
GRP23522	VE	6EO	23P	06/14/91	6.35	0.00	0.00
GRP23522	YF	6HB	23P	06/13/91	33.00	0.00	0.00
GRP23523	PT	6HQ	23P	06/13/91	136.00	0.00	0.00
GRP23523	VE	6EP	23P	06/14/91	521.00	0.00	0.00
GRP23523	YF	6HC	23P	06/13/91	177.00	0.00	0.00
GRP23524	PT	6HQ	23P	06/13/91	446.00	472.00	0.94
GRP23524	VE	6EP	23P	06/14/91	342.00	0.00	0.00
GRP23524	YF	6HC	23P	06/13/91	287.00	0.00	0.00
GRP23525	PT	6HQ	23P	06/13/91	> 1000.0	188.00 >	5.33
GRP23525	VE	6EP	23P	06/14/91	> 1000.0	0.00	0.00
GRP23525	YF	6HC	23P	06/13/91	318.00	0.00	0.00
GRP23526	PT	6HQ	23P	06/13/91	322.00	0.00	0.00
GRP23526	VE	6EP	23P	06/14/91	338.00	0.00	0.00
GRP23526	YF	6HC	23P	06/13/91	256.00	0.00	0.00
GRP23528	PT	6HQ	23P	06/13/91	499.00	0.00	0.00
GRP23528	VE	6EP	23P	06/14/91	> 1000.0	263.00 >	3.80
GRP23528	YF	6HC	23P	06/13/91	499.00	0.00	0.00
GRP23529	PT	6HR	23P	06/13/91	331.00	0.00	0.00
GRP23529	VE	6EQ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23529	YF	6HD	23P	06/13/91	325.00	0.00	0.00
GRP23530	PT	6HR	23P	06/13/91	393.00	660.00	0.60
GRP23530	VE	6EQ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23530	YF	6HD	23P	06/13/91	505.00	0.00	0.00
GRP23531	PT	6HR	23P	06/13/91	497.00	0.00	0.00
GRP23531	VE	6EQ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23531	YF	6HD	23P	06/13/91	461.00	0.00	0.00
GRP23532	PT	6HR	23P	06/13/91	865.00	713.00	1.21
GRP23532	VE	6EQ	23P	06/14/91	790.00	0.00	0.00
GRP23532	YF	6HD	23P	06/13/91	802.00	0.00	0.00
GRP23533	PT	6HR	23P	06/13/91	887.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23533	VE	6EQ	23P	06/14/91	> 1000.0	0.00	0.00
GRP23533	YF	6ND	23P	06/13/91	472.00	0.00	0.00
GRP23534	PT	6HS	23P	06/13/91	795.00	650.00	1.22
GRP23534	VE	6ER	23P	06/14/91	> 1000.0	0.00	0.00
GRP23534	YF	6HE	23P	06/13/91	401.00	0.00	0.00
GRP23535	PT	6HS	23P	06/13/91	352.00	0.00	0.00
GRP23535	VE	6ER	23P	06/14/91	489.00	0.00	0.00
GRP23535	YF	6HE	23P	06/13/91	226.00	0.00	0.00
GRP23536	PT	6HS	23P	06/13/91	644.00	0.00	0.00
GRP23536	VE	6ER	23P	06/14/91	> 1000.0	0.00	0.00
GRP23536	YF	6HE	23P	06/13/91	> 1000.0	0.00	0.00
GRP23537	PT	6HS	23P	06/13/91	> 1000.0	366.00 >	2.73
GRP23537	VE	6ER	23P	06/14/91	> 1000.0	0.00	0.00
GRP23537	YF	6HE	23P	06/13/91	> 1000.0	0.00	0.00
GRP23538	PT	6HS	23P	06/13/91	> 1000.0	428.00 >	2.33
GRP23538	VE	6ER	23P	06/14/91	> 1000.0	413.00 >	2.42
GRP23538	YF	6HE	23P	06/13/91	429.00	0.00	0.00
GRP23539	PT	6HT	23P	06/13/91	45.10	0.00	0.00
GRP23539	VE	6ES	23P	06/14/91	33.70	0.00	0.00
GRP23539	YF	6HF	23P	06/13/91	33.40	0.00	0.00
GRP23540	PT	6HU	23P	06/14/91	882.00	679.00	1.30
GRP23540	VE	6ET	23P	06/14/91	655.00	0.00	0.00
GRP23540	YF	611	23P	06/14/91	620.00	0.00	0.00
GRP23541	PT	6HU	23P	06/14/91	325.00	0.00	0.00
GRP23541	VE	6ET	23P	06/14/91	340.00	0.00	0.00
GRP23541	YF	611	23P	06/14/91	265.00	0.00	0.00
GRP23542	PT	6HU	23P	06/14/91	4.84	0.00	0.00
GRP23542	VE	6ET	23P	06/14/91	7.74	0.00	0.00
GRP23542	YF	611	23P	06/14/91	4.89	0.00	0.00
GRP23543	PT	6HU	23P	06/14/91	967.00	562.00	1.72
GRP23543	VE	6ET	23P	06/14/91	629.00	0.00	0.00
GRP23543	YF	611	23P	06/14/91	4.76	0.00	0.00
GRP23544	PT	6HV	23P	06/14/91	> 1000.0	691.00 >	1.45
GRP23544	VE	6EU	23P	06/14/91	343.00	0.00	0.00
GRP23544	YF	612	23P	06/14/91	450.00	0.00	0.00
GRP23545	PT	6HV	23P	06/14/91	325.00	0.00	0.00
GRP23545	VE	6EU	23P	06/14/91	900.00	474.00	1.90
GRP23545	YF	612	23P	06/14/91	325.00	0.00	0.00
GRP23546	PT	6HV	23P	06/14/91	53.40	0.00	0.00
GRP23546	VE	6EU	23P	06/14/91	51.00	0.00	0.00
GRP23546	YF	612	23P	06/14/91	63.70	0.00	0.00
GRP23547	PT	6HV	23P	06/14/91	167.00	0.00	0.00
GRP23547	VE	6EU	23P	06/14/91	221.00	0.00	0.00
GRP23547	YF	612	23P	06/14/91	64.20	0.00	0.00
GRP23548	PT	6HV	23P	06/14/91	339.00	0.00	0.00
GRP23548	VE	6EU	23P	06/14/91	42.30	0.00	0.00
GRP23548	YF	612	23P	06/14/91	368.00	0.00	0.00
GRP23549	PT	6HW	23P	06/14/91	0.83	74.10	0.01
GRP23549	VE	6EV	23P	06/14/91	> 1000.0	518.00 >	1.93
GRP23549	YF	613	23P	06/14/91	385.00	0.00	0.00
GRP23550	PT	6HW	24P	06/14/91	566.00	0.00	0.00
GRP23550	VE	6EV	24P	06/14/91	> 1000.0	0.00	0.00
GRP23550	YF	613	24P	06/14/91	959.00	0.00	0.00
GRP23551	PT	6HW	24P	06/14/91	808.00	0.00	0.00
GRP23551	VE	6EV	24P	06/14/91	> 1000.0	0.00	0.00
GRP23551	YF	613	24P	06/14/91	> 1000.0	0.00	0.00
GRP23552	PT	6HW	24P	06/14/91	697.00	0.00	0.00
GRP23552	VE	6EV	24P	06/14/91	> 1000.0	0.00	0.00
GRP23552	YF	613	24P	06/14/91	> 1000.0	0.00	0.00
GRP23553	PT	6HW	24P	06/14/91	325.00	0.00	0.00
GRP23553	VE	6EV	24P	06/14/91	335.00	0.00	0.00
GRP23553	YF	613	24P	06/14/91	327.00	0.00	0.00
GRP23554	PT	6HX	24P	06/14/91	100.00	0.00	0.00
GRP23554	VE	6EW	24P	06/14/91	42.10	0.00	0.00
GRP23554	YF	614	24P	06/14/91	59.20	0.00	0.00
GRP23555	PT	6HX	24P	06/14/91	163.00	0.00	0.00
GRP23555	VE	6EW	24P	06/14/91	33.10	0.00	0.00
GRP23555	YF	614	24P	06/14/91	106.00	0.00	0.00
GRP23556	PT	6HX	24P	06/14/91	481.00	0.00	0.00
GRP23556	VE	6EW	24P	06/14/91	666.00	0.00	0.00
GRP23556	YF	614	24P	06/14/91	509.00	0.00	0.00
GRP23557	PT	6HX	24P	06/14/91	346.00	0.00	0.00
GRP23557	VE	6EW	24P	06/14/91	350.00	0.00	0.00
GRP23557	YF	614	24P	06/14/91	198.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23558	PT	6HX	24P	06/14/91	36.60	0.00	0.00
GRP23558	VE	6EW	24P	06/14/91	162.00	0.00	0.00
GRP23558	YF	614	24P	06/14/91	20.50	0.00	0.00
GRP23559	PT	6HY	24P	06/14/91	441.00	0.00	0.00
GRP23559	VE	6EX	24P	06/14/91	490.00	0.00	0.00
GRP23559	YF	615	24P	06/14/91	536.00	0.00	0.00
GRP23560	PT	6HY	24P	06/14/91	423.00	0.00	0.00
GRP23560	VE	6EX	24P	06/14/91	391.00	0.00	0.00
GRP23560	YF	615	24P	06/14/91	292.00	0.00	0.00
GRP23561	PT	6HY	24P	06/14/91	436.00	0.00	0.00
GRP23561	VE	6EX	24P	06/14/91	512.00	0.00	0.00
GRP23561	YF	615	24P	06/14/91	413.00	0.00	0.00
GRP23562	PT	6HY	24P	06/14/91	> 1000.0	352.00	> 2.84
GRP23562	VE	6EX	24P	06/14/91	> 1000.0	0.00	0.00
GRP23562	YF	615	24P	06/14/91	> 1000.0	0.00	0.00
GRP23563	PT	6HY	24P	06/14/91	320.00	0.00	0.00
GRP23563	VE	6EX	24P	06/14/91	> 1000.0	313.00	> 3.20
GRP23563	YF	615	24P	06/14/91	325.00	0.00	0.00
GRP23564	PT	6HZ	24P	06/14/91	> 1000.0	482.00	> 2.07
GRP23564	VE	6EY	24P	06/14/91	> 1000.0	0.00	0.00
GRP23564	YF	616	24P	06/14/91	26.60	0.00	0.00
GRP23565	PT	6HZ	24P	06/14/91	297.00	0.00	0.00
GRP23565	VE	6EY	24P	06/14/91	445.00	0.00	0.00
GRP23565	YF	616	24P	06/14/91	215.00	0.00	0.00
GRP23566	PT	6HZ	24P	06/14/91	80.40	79.50	1.01
GRP23566	VE	6EY	24P	06/14/91	45.40	0.00	0.00
GRP23566	YF	616	24P	06/14/91	123.00	0.00	0.00
GRP23567	PT	6HZ	24P	06/14/91	915.00	314.00	2.91
GRP23567	VE	6EY	24P	06/14/91	572.00	0.00	0.00
GRP23567	YF	616	24P	06/14/91	289.00	0.00	0.00
GRP23568	PT	6HZ	24P	06/14/91	> 1000.0	709.00	> 1.41
GRP23568	VE	6EY	24P	06/14/91	> 1000.0	0.00	0.00
GRP23568	YF	616	24P	06/14/91	> 1000.0	0.00	0.00
GRP23569	PT	61C	24P	06/14/91	> 1000.0	374.00	> 2.67
GRP23569	VE	6EZ	24P	06/14/91	> 1000.0	0.00	0.00
GRP23569	YF	617	24P	06/14/91	> 1000.0	0.00	0.00
GRP23570	PT	6LJ	24P	06/18/91	> 1000.0	439.00	> 2.28
GRP23570	VE	607	24P	06/28/91	> 1000.0	0.00	0.00
GRP23570	YF	6LC	24P	06/18/91	> 1000.0	0.00	0.00
GRP23571	PT	6LJ	24P	06/18/91	381.00	0.00	0.00
GRP23571	VE	607	24P	06/28/91	330.00	0.00	0.00
GRP23571	YF	6LC	24P	06/18/91	140.00	0.00	0.00
GRP23572	PT	6LJ	24P	06/18/91	33.80	0.00	0.00
GRP23572	VE	607	24P	06/28/91	13.60	0.00	0.00
GRP23572	YF	6LC	24P	06/18/91	32.90	0.00	0.00
GRP23573	PT	6LJ	24P	06/18/91	176.00	0.00	0.00
GRP23573	VE	607	24P	06/28/91	325.00	0.00	0.00
GRP23573	YF	6LC	24P	06/18/91	154.00	0.00	0.00
GRP23574	PT	6LK	24P	06/18/91	319.00	0.00	0.00
GRP23574	VE	608	24P	06/28/91	340.00	0.00	0.00
GRP23574	YF	6LD	24P	06/18/91	366.00	0.00	0.00
GRP23575	PT	6LK	24P	06/18/91	613.00	1000.0	0.61
GRP23575	VE	608	24P	06/28/91	> 1000.0	0.00	0.00
GRP23575	YF	6LD	24P	06/18/91	531.00	0.00	0.00
GRP23576	PT	6LK	24P	06/18/91	36.90	0.00	0.00
GRP23576	VE	608	24P	06/28/91	21.00	0.00	0.00
GRP23576	YF	6LD	24P	06/18/91	7.26	0.00	0.00
GRP23577	PT	6LK	24P	06/18/91	408.00	0.00	0.00
GRP23577	VE	608	24P	06/28/91	> 1000.0	0.00	0.00
GRP23577	YF	6LD	24P	06/18/91	96.10	0.00	0.00
GRP23578	PT	6LK	24P	06/18/91	23.70	0.00	0.00
GRP23578	VE	608	24P	06/28/91	20.30	0.00	0.00
GRP23578	YF	6LD	24P	06/18/91	3.04	0.00	0.00
GRP23579	PT	6LL	24P	06/18/91	194.00	0.00	0.00
GRP23579	VE	609	24P	06/28/91	330.00	0.00	0.00
GRP23579	YF	6LE	24P	06/18/91	169.00	0.00	0.00
GRP23580	PT	6LL	24P	06/18/91	53.30	0.00	0.00
GRP23580	VE	609	24P	06/28/91	25.30	0.00	0.00
GRP23580	YF	6LE	24P	06/18/91	58.40	0.00	0.00
GRP23581	PT	6LL	24P	06/18/91	375.00	0.00	0.00
GRP23581	VE	609	24P	06/28/91	> 1000.0	0.00	0.00
GRP23581	YF	6LE	24P	06/18/91	837.00	0.00	0.00
GRP23582	PT	6LL	24P	06/18/91	249.00	0.00	0.00
GRP23582	VE	609	24P	06/28/91	270.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23582	YF	6LE	24P	06/18/91	409.00	0.00	0.00
GRP23583	PT	6LL	24P	06/18/91	377.00	0.00	0.00
GRP23583	VE	609	24P	06/28/91	324.00	0.00	0.00
GRP23583	YF	6LE	24P	06/18/91	280.00	0.00	0.00
GRP23584	PT	6LM	24P	06/18/91	375.00	0.00	0.00
GRP23584	VE	60A	24P	06/28/91	590.00	0.00	0.00
GRP23584	YF	6LF	24P	06/18/91	399.00	0.00	0.00
GRP23585	PT	6LM	24P	06/18/91	344.00	0.00	0.00
GRP23585	VE	60A	24P	06/28/91	682.00	0.00	0.00
GRP23585	YF	6LF	24P	06/18/91	> 1000.0	0.00	0.00
GRP23586	PT	6LM	24P	06/18/91	34.20	0.00	0.00
GRP23586	VE	60A	24P	06/28/91	38.60	0.00	0.00
GRP23586	YF	6LF	24P	06/18/91	33.60	0.00	0.00
GRP23587	PT	6LM	24P	06/18/91	394.00	0.00	0.00
GRP23587	VE	60A	24P	06/28/91	538.00	0.00	0.00
GRP23587	YF	6LF	24P	06/18/91	326.00	0.00	0.00
GRP23588	PT	6LM	24P	06/18/91	23.80	0.00	0.00
GRP23588	VE	60A	24P	06/28/91	32.80	0.00	0.00
GRP23588	YF	6LF	24P	06/18/91	5.84	0.00	0.00
GRP23589	PT	6LM	24P	06/18/91	> 1000.0	272.00 >	3.67
GRP23589	VE	60B	24P	06/28/91	> 1000.0	686.00 >	1.46
GRP23589	YF	6LG	24P	06/18/91	> 1000.0	570.00 >	1.75
GRP23590	PT	6LM	24P	06/18/91	> 1000.0	288.00 >	3.48
GRP23590	VE	60B	24P	06/28/91	325.00	0.00	0.00
GRP23590	YF	6LG	24P	06/18/91	173.00	0.00	0.00
GRP23591	PT	6LM	24P	06/18/91	> 1000.0	550.00 >	1.82
GRP23591	VE	60B	24P	06/28/91	> 1000.0	0.00	0.00
GRP23591	YF	6LG	24P	06/18/91	> 1000.0	0.00	0.00
GRP23592	PT	6LM	24P	06/18/91	323.00	0.00	0.00
GRP23592	VE	60B	24P	06/28/91	975.00	0.00	0.00
GRP23592	YF	6LG	24P	06/18/91	338.00	0.00	0.00
GRP23593	PT	6LM	24P	06/18/91	34.10	0.00	0.00
GRP23593	VE	60B	24P	06/28/91	39.40	0.00	0.00
GRP23593	YF	6LG	24P	06/18/91	32.00	0.00	0.00
GRP23594	PT	6LO	24P	06/18/91	487.00	51.10	9.52
GRP23594	VE	60C	24P	06/28/91	278.00	0.00	0.00
GRP23594	YF	6LM	24P	06/18/91	336.00	0.00	0.00
GRP23595	PT	6LO	24P	06/18/91	276.00	0.00	0.00
GRP23595	VE	60C	24P	06/28/91	325.00	0.00	0.00
GRP23595	YF	6LM	24P	06/18/91	360.00	0.00	0.00
GRP23596	PT	6LO	24P	06/18/91	262.00	0.00	0.00
GRP23596	VE	60C	24P	06/28/91	3.25	0.00	0.00
GRP23596	YF	6LM	24P	06/18/91	251.00	0.00	0.00
GRP23597	PT	6LO	24P	06/18/91	317.00	83.70	3.78
GRP23597	VE	60C	24P	06/28/91	30.10	0.00	0.00
GRP23597	YF	6LM	24P	06/18/91	468.00	0.00	0.00
GRP23598	PT	6LO	24P	06/18/91	> 1000.0	0.00	0.00
GRP23598	VE	60C	24P	06/28/91	> 1000.0	0.00	0.00
GRP23598	YF	6LM	24P	06/18/91	274.00	0.00	0.00
GRP23599	PT	6LP	24P	06/18/91	> 1000.0	0.00	0.00
GRP23599	VE	60D	24P	06/28/91	> 1000.0	0.00	0.00
GRP23599	YF	6LI	24P	06/18/91	> 1000.0	0.00	0.00
GRP23600	PT	6MR	24P	06/19/91	261.00	0.00	0.00
GRP23600	VE	60E	24P	06/28/91	332.00	0.00	0.00
GRP23600	YF	6MK	24P	06/19/91	327.00	0.00	0.00
GRP23601	PT	6MR	24P	06/19/91	> 1000.0	0.00	0.00
GRP23601	VE	60E	24P	06/28/91	> 1000.0	0.00	0.00
GRP23601	YF	6MK	24P	06/19/91	468.00	0.00	0.00
GRP23602	PT	6MR	24P	06/19/91	> 1000.0	431.00 >	2.32
GRP23602	VE	60E	24P	06/28/91	682.00	456.00	1.49
GRP23602	YF	6MK	24P	06/19/91	328.00	0.00	0.00
GRP23603	PT	6MR	24P	06/19/91	409.00	0.00	0.00
GRP23603	VE	60E	24P	06/28/91	> 1000.0	0.00	0.00
GRP23603	YF	6MK	24P	06/19/91	478.00	0.00	0.00
GRP23604	PT	6MS	24P	06/19/91	> 1000.0	316.00 >	3.17
GRP23604	VE	60F	24P	06/28/91	> 1000.0	0.00	0.00
GRP23604	YF	6ML	24P	06/19/91	646.00	0.00	0.00
GRP23605	PT	6MS	24P	06/19/91	448.00	0.00	0.00
GRP23605	VE	60F	24P	06/28/91	614.00	0.00	0.00
GRP23605	YF	6ML	24P	06/19/91	306.00	0.00	0.00
GRP23606	PT	6MS	24P	06/19/91	325.00	0.00	0.00
GRP23606	VE	60F	24P	06/28/91	329.00	0.00	0.00
GRP23606	YF	6ML	24P	06/19/91	325.00	0.00	0.00
GRP23607	PT	6MS	24P	06/19/91	> 1000.0	108.00 >	9.29

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23607	VE	60F	24P	06/28/91	> 1000.0	0.00	0.00
GRP23607	YF	6NL	24P	06/19/91	> 1000.0	0.00	0.00
GRP23608	PT	6NS	24P	06/19/91	> 1000.0	316.00 >	3.17
GRP23608	VE	60F	24P	06/28/91	> 1000.0	768.00 >	1.30
GRP23608	YF	6NL	24P	06/19/91	> 1000.0	411.00 >	2.43
GRP23609	PT	6NT	24P	06/19/91	596.00	0.00	0.00
GRP23609	VE	60G	24P	06/28/91	> 1000.0	0.00	0.00
GRP23609	YF	6NN	24P	06/19/91	449.00	0.00	0.00
GRP23610	PT	6NT	24P	06/19/91	313.00	50.90	6.15
GRP23610	VE	60G	24P	06/28/91	183.00	0.00	0.00
GRP23610	YF	6NN	24P	06/19/91	36.10	0.00	0.00
GRP23611	PT	6NT	24P	06/19/91	> 1000.0	0.00	0.00
GRP23611	VE	60G	24P	06/28/91	> 1000.0	0.00	0.00
GRP23611	YF	6NN	24P	06/19/91	> 1000.0	0.00	0.00
GRP23612	PT	6NT	24P	06/19/91	329.00	0.00	0.00
GRP23612	VE	60G	24P	06/28/91	> 1000.0	0.00	0.00
GRP23612	YF	6NN	24P	06/19/91	173.00	0.00	0.00
GRP23613	PT	6NT	24P	06/19/91	> 1000.0	0.00	0.00
GRP23613	VE	60G	24P	06/28/91	> 1000.0	0.00	0.00
GRP23613	YF	6NN	24P	06/19/91	> 1000.0	0.00	0.00
GRP23614	PT	6NU	24P	06/19/91	283.00	0.00	0.00
GRP23614	VE	60H	24P	06/28/91	448.00	0.00	0.00
GRP23614	YF	6NN	24P	06/19/91	315.00	0.00	0.00
GRP23615	PT	6NU	24P	06/19/91	> 1000.0	0.00	0.00
GRP23615	VE	60H	24P	06/28/91	> 1000.0	0.00	0.00
GRP23615	YF	6NN	24P	06/19/91	> 1000.0	0.00	0.00
GRP23616	PT	6NU	24P	06/19/91	378.00	0.00	0.00
GRP23616	VE	60H	24P	06/28/91	844.00	0.00	0.00
GRP23616	YF	6NN	24P	06/19/91	498.00	0.00	0.00
GRP23617	PT	6NU	24P	06/19/91	> 1000.0	0.00	0.00
GRP23617	VE	60H	24P	06/28/91	> 1000.0	0.00	0.00
GRP23617	YF	6NN	24P	06/19/91	325.00	0.00	0.00
GRP23618	PT	6NU	24P	06/19/91	885.00	973.00	0.91
GRP23618	VE	60H	24P	06/28/91	944.00	0.00	0.00
GRP23618	YF	6NN	24P	06/19/91	325.00	0.00	0.00
GRP23619	PT	6NV	24P	06/19/91	> 1000.0	0.00	0.00
GRP23619	VE	60I	24P	06/28/91	> 1000.0	0.00	0.00
GRP23619	YF	6NO	24P	06/19/91	> 1000.0	0.00	0.00
GRP23620	PT	6NV	24P	06/19/91	694.00	819.00	0.85
GRP23620	VE	60I	24P	06/28/91	156.00	0.00	0.00
GRP23620	YF	6NO	24P	06/19/91	251.00	0.00	0.00
GRP23621	PT	6NV	24P	06/19/91	> 1000.0	0.00	0.00
GRP23621	VE	60I	24P	06/28/91	> 1000.0	0.00	0.00
GRP23621	YF	6NO	24P	06/19/91	> 1000.0	0.00	0.00
GRP23622	PT	6NV	24P	06/19/91	204.00	0.00	0.00
GRP23622	VE	60I	24P	06/28/91	429.00	0.00	0.00
GRP23622	YF	6NO	24P	06/19/91	234.00	0.00	0.00
GRP23623	PT	6NV	24P	06/19/91	180.00	0.00	0.00
GRP23623	VE	60I	24P	06/28/91	800.00	0.00	0.00
GRP23623	YF	6NO	24P	06/19/91	246.00	0.00	0.00
GRP23624	PT	6NW	24P	06/19/91	> 1000.0	656.00 >	1.52
GRP23624	VE	60J	24P	06/28/91	> 1000.0	0.00	0.00
GRP23624	YF	6NP	24P	06/19/91	660.00	0.00	0.00
GRP23625	PT	6NW	24P	06/19/91	277.00	0.00	0.00
GRP23625	VE	60J	24P	06/28/91	259.00	0.00	0.00
GRP23625	YF	6NP	24P	06/19/91	325.00	0.00	0.00
GRP23626	PT	6NW	24P	06/19/91	329.00	0.00	0.00
GRP23626	VE	60J	24P	06/28/91	230.00	0.00	0.00
GRP23626	YF	6NP	24P	06/19/91	214.00	0.00	0.00
GRP23627	PT	6NW	24P	06/19/91	55.30	0.00	0.00
GRP23627	VE	60J	24P	06/28/91	> 1000.0	0.00	0.00
GRP23627	YF	6NP	24P	06/19/91	> 1000.0	0.00	0.00
GRP23628	PT	6NW	24P	06/19/91	404.00	949.00	0.43
GRP23628	VE	60J	24P	06/28/91	> 1000.0	0.00	0.00
GRP23628	YF	6NP	24P	06/19/91	548.00	0.00	0.00
GRP23629	PT	6NX	24P	06/19/91	> 1000.0	475.00 >	2.10
GRP23629	VE	60K	24P	06/28/91	> 1000.0	0.00	0.00
GRP23629	YF	6NQ	24P	06/19/91	816.00	0.00	0.00
GRP23630	PT	60Z	24P	07/02/91	> 1000.0	0.00	0.00
GRP23630	VE	60L	24P	07/02/91	> 1000.0	0.00	0.00
GRP23630	YF	8F9	24P	08/13/91	449.00	0.00	0.00
GRP23631	PT	60Z	24P	07/02/91	336.00	0.00	0.00
GRP23631	VE	60L	24P	07/02/91	336.00	0.00	0.00
GRP23631	YF	8F9	24P	08/13/91	377.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23632	PT	60Z	24P	07/02/91	921.00	299.00	3.08
GRP23632	VE	60L	24P	07/02/91	> 1000.0	594.00 >	1.68
GRP23632	YF	8F9	24P	08/13/91	322.00	0.00	0.00
GRP23633	PT	60Z	24P	07/02/91	> 1000.0	0.00	0.00
GRP23633	VE	60L	24P	07/02/91	556.00	0.00	0.00
GRP23633	YF	8F9	24P	08/13/91	> 1000.0	0.00	0.00
GRP23634	PT	6P0	24P	07/02/91	> 1000.0	441.00 >	2.27
GRP23634	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23634	YF	8FA	24P	08/13/91	287.00	0.00	0.00
GRP23635	PT	6P0	24P	07/02/91	> 1000.0	0.00	0.00
GRP23635	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23635	YF	8FA	24P	08/13/91	> 1000.0	0.00	0.00
GRP23636	PT	6P0	24P	07/02/91	> 1000.0	0.00	0.00
GRP23636	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23636	YF	8FA	24P	08/13/91	> 1000.0	0.00	0.00
GRP23637	PT	6P0	24P	07/02/91	> 1000.0	0.00	0.00
GRP23637	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23637	YF	8FA	24P	08/13/91	882.00	0.00	0.00
GRP23638	PT	6P0	24P	07/02/91	> 1000.0	0.00	0.00
GRP23638	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23638	YF	8FA	24P	08/13/91	> 1000.0	0.00	0.00
GRP23639	PT	6P1	24P	07/02/91	264.00	0.00	0.00
GRP23639	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23639	YF	8FB	24P	08/13/91	> 1000.0	0.00	0.00
GRP23640	PT	6P1	24P	07/02/91	327.00	0.00	0.00
GRP23640	VE	60N	24P	07/02/91	230.00	0.00	0.00
GRP23640	YF	8FB	24P	08/13/91	> 1000.0	0.00	0.00
GRP23641	PT	6P1	24P	07/02/91	705.00	666.00	1.06
GRP23641	VE	60N	24P	07/02/91	335.00	0.00	0.00
GRP23641	YF	8FB	24P	08/13/91	496.00	0.00	0.00
GRP23642	PT	6P1	24P	07/02/91	> 1000.0	0.00	0.00
GRP23642	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23642	YF	8FB	24P	08/13/91	> 1000.0	0.00	0.00
GRP23643	PT	6P1	24P	07/02/91	> 1000.0	328.00 >	3.05
GRP23643	VE	60N	24P	07/02/91	> 1000.0	0.00	0.00
GRP23643	YF	8FB	24P	08/13/91	> 1000.0	0.00	0.00
GRP23644	PT	6P2	24P	07/02/91	> 1000.0	0.00	0.00
GRP23644	VE	600	24P	07/02/91	> 1000.0	0.00	0.00
GRP23644	YF	8FC	24P	08/13/91	918.00	0.00	0.00
GRP23645	PT	6P2	24P	07/02/91	355.00	0.00	0.00
GRP23645	VE	60U	24P	07/02/91	253.00	0.00	0.00
GRP23645	YF	8FC	24P	08/13/91	868.00	0.00	0.00
GRP23646	PT	6P2	24P	07/02/91	72.40	0.00	0.00
GRP23646	VE	600	24P	07/02/91	48.00	0.00	0.00
GRP23646	YF	8FC	24P	08/13/91	76.30	0.00	0.00
GRP23647	PT	6P2	24P	07/02/91	> 1000.0	0.00	0.00
GRP23647	VE	600	24P	07/02/91	> 1000.0	0.00	0.00
GRP23647	YF	8FC	24P	08/13/91	781.00	0.00	0.00
GRP23648	PT	6P2	24P	07/02/91	< 1.00	0.00	0.00
GRP23648	PT	CJH	24P	12/04/91	30.10	0.00	0.00
GRP23648	VE	7HT	26P	07/26/91	< 1.00	0.00	0.00
GRP23648	VE	CGO	24P	12/06/91	0.82	0.00	0.00
GRP23648	YF	8FC	24P	08/13/91	1.56	0.00	0.00
GRP23648	YF	CHN	24P	12/03/91	0.95	0.00	0.00
GRP23649	PT	6P3	24P	07/02/91	693.00	0.00	0.00
GRP23649	VE	60P	24P	07/02/91	543.00	0.00	0.00
GRP23649	YF	8FD	24P	08/13/91	506.00	0.00	0.00
GRP23650	PT	7H6	26P	07/23/91	> 1000.0	0.00	0.00
GRP23650	VE	7HK	25P	07/26/91	727.00	0.00	0.00
GRP23650	YF	7GZ	25P	08/21/91	> 1000.0	0.00	0.00
GRP23651	PT	7H6	26P	07/23/91	333.00	0.00	0.00
GRP23651	VE	7HK	26P	07/26/91	270.00	0.00	0.00
GRP23651	YF	7GZ	26P	08/21/91	147.00	0.00	0.00
GRP23652	PT	7H6	26P	07/23/91	305.00	0.00	0.00
GRP23652	VE	7HK	26P	07/26/91	176.00	0.00	0.00
GRP23652	YF	7GZ	26P	08/21/91	248.00	0.00	0.00
GRP23653	PT	7H6	26P	07/23/91	678.00	0.00	0.00
GRP23653	VE	7HK	26P	07/26/91	334.00	0.00	0.00
GRP23653	YF	7GZ	26P	08/21/91	326.00	0.00	0.00
GRP23654	PT	7H7	26P	07/23/91	325.00	0.00	0.00
GRP23654	VE	7HL	26P	07/26/91	294.00	0.00	0.00
GRP23654	YF	7H0	26P	08/21/91	211.00	0.00	0.00
GRP23655	PT	7H7	26P	07/23/91	717.00	0.00	0.00
GRP23655	VE	7HL	26P	07/26/91	468.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23655	YF	7H0	26P	08/21/91	318.00	0.00	0.00
GRP23656	PT	7H7	26P	07/23/91	183.00	0.00	0.00
GRP23656	VE	7HL	26P	07/26/91	43.70	961.00	0.05
GRP23656	YF	7H0	26P	08/21/91	33.10	0.00	0.00
GRP23657	PT	7H7	26P	07/23/91	803.00	0.00	0.00
GRP23657	VE	7HL	26P	07/26/91	338.00	0.00	0.00
GRP23657	YF	7H0	26P	08/21/91	333.00	0.00	0.00
GRP23658	PT	7H7	26P	07/23/91	> 1000.0	0.00	0.00
GRP23658	VE	7HL	26P	07/26/91	> 1000.0	0.00	0.00
GRP23658	YF	7H0	26P	08/21/91	> 1000.0	0.00	0.00
GRP23659	PT	8L7	26P	08/22/91	291.00	0.00	0.00
GRP23659	VE	7HN	26P	07/26/91	168.00	0.00	0.00
GRP23659	YF	711	26P	08/22/91	43.60	0.00	0.00
GRP23660	PT	8L7	26P	08/22/91	246.00	0.00	0.00
GRP23660	VE	7HN	26P	07/26/91	288.00	0.00	0.00
GRP23660	YF	711	26P	08/22/91	310.00	0.00	0.00
GRP23661	PT	8L7	26P	08/22/91	677.00	0.00	0.00
GRP23661	VE	7HN	26P	07/26/91	643.00	0.00	0.00
GRP23661	YF	711	26P	08/22/91	351.00	0.00	0.00
GRP23662	PT	8L7	26P	08/22/91	511.00	0.00	0.00
GRP23662	VE	7HN	26P	07/26/91	426.00	0.00	0.00
GRP23662	YF	711	26P	08/22/91	470.00	0.00	0.00
GRP23663	PT	8L8	26P	08/22/91	5.04	0.00	0.00
GRP23663	VE	7H0	26P	07/26/91	2.11	771.00	0.00
GRP23663	YF	712	26P	08/22/91	5.22	0.00	0.00
GRP23664	PT	8L8	26P	08/22/91	518.00	0.00	0.00
GRP23664	VE	7H0	26P	07/26/91	499.00	0.00	0.00
GRP23664	YF	712	26P	08/22/91	328.00	0.00	0.00
GRP23665	PT	8L8	26P	08/22/91	282.00	0.00	0.00
GRP23665	VE	7H0	26P	07/26/91	62.60	0.00	0.00
GRP23665	YF	712	26P	08/22/91	331.00	0.00	0.00
GRP23666	PT	8L8	26P	08/22/91	415.00	0.00	0.00
GRP23666	VE	7H0	26P	07/26/91	> 1000.0	0.00	0.00
GRP23666	YF	712	26P	08/22/91	547.00	0.00	0.00
GRP23667	PT	8L8	26P	08/22/91	> 1000.0	0.00	0.00
GRP23667	VE	7H0	26P	07/26/91	> 1000.0	0.00	0.00
GRP23667	YF	712	26P	08/22/91	> 1000.0	0.00	0.00
GRP23668	PT	8L9	26P	08/22/91	188.00	0.00	0.00
GRP23668	VE	7HP	26P	07/26/91	> 1000.0	0.00	0.00
GRP23668	YF	713	26P	08/22/91	114.00	0.00	0.00
GRP23669	PT	8L9	26P	08/22/91	231.00	0.00	0.00
GRP23669	VE	7HP	26P	07/26/91	434.00	0.00	0.00
GRP23669	YF	713	26P	08/22/91	412.00	0.00	0.00
GRP23670	PT	8L9	26P	08/22/91	> 1000.0	0.00	0.00
GRP23670	VE	7HP	26P	07/26/91	309.00	0.00	0.00
GRP23670	YF	713	26P	08/22/91	333.00	0.00	0.00
GRP23671	PT	8L9	26P	08/22/91	262.00	0.00	0.00
GRP23671	VE	7HP	26P	07/26/91	402.00	0.00	0.00
GRP23671	YF	713	26P	08/22/91	344.00	0.00	0.00
GRP23672	PT	8L9	26P	08/22/91	325.00	0.00	0.00
GRP23672	VE	7HQ	26P	07/26/91	> 1000.0	0.00	0.00
GRP23672	YF	713	26P	08/22/91	492.00	0.00	0.00
GRP23673	PT	8LA	26P	08/22/91	189.00	0.00	0.00
GRP23673	VE	7HQ	26P	07/26/91	221.00	0.00	0.00
GRP23673	YF	714	26P	08/22/91	140.00	0.00	0.00
GRP23674	PT	8LA	26P	08/22/91	410.00	0.00	0.00
GRP23674	VE	7HQ	26P	07/26/91	487.00	0.00	0.00
GRP23674	YF	714	26P	08/22/91	337.00	0.00	0.00
GRP23675	PT	8LA	26P	08/22/91	210.00	0.00	0.00
GRP23675	VE	7HQ	26P	07/26/91	63.90	371.00	0.17
GRP23675	YF	714	26P	08/22/91	57.40	0.00	0.00
GRP23676	PT	8LA	26P	08/22/91	> 1000.0	348.00	> 2.87
GRP23676	VE	7HQ	26P	07/26/91	> 1000.0	0.00	0.00
GRP23676	YF	714	26P	08/22/91	> 1000.0	0.00	0.00
GRP23677	PT	8LA	26P	08/22/91	> 1000.0	0.00	0.00
GRP23677	VE	7HR	26P	07/26/91	> 1000.0	0.00	0.00
GRP23677	YF	714	26P	08/22/91	> 1000.0	0.00	0.00
GRP23678	PT	8LB	26P	08/22/91	278.00	0.00	0.00
GRP23678	VE	7HR	26P	07/26/91	423.00	512.00	0.83
GRP23678	YF	715	26P	08/22/91	338.00	0.00	0.00
GRP23679	PT	8LB	26P	08/22/91	184.00	0.00	0.00
GRP23679	VE	7HR	26P	07/26/91	187.00	0.00	0.00
GRP23679	YF	715	26P	08/22/91	167.00	0.00	0.00
GRP23680	PT	8LB	26P	08/22/91	200.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23680	VE	7HR	26P	07/26/91	714.00	0.00	0.00
GRP23680	YF	715	26P	08/22/91	266.00	0.00	0.00
GRP23681	PT	8LB	26P	08/22/91	292.00	0.00	0.00
GRP23681	VE	7HR	26P	07/26/91	490.00	0.00	0.00
GRP23681	YF	715	26P	08/22/91	276.00	0.00	0.00
GRP23682	PT	8LB	26P	08/22/91	52.90	0.00	0.00
GRP23682	VE	7HS	26P	07/26/91	203.00	0.00	0.00
GRP23682	YF	715	26P	08/22/91	36.80	0.00	0.00
GRP23683	PT	8LC	26P	08/22/91	> 1000.0	0.00	0.00
GRP23683	VE	7HS	26P	07/26/91	> 1000.0	0.00	0.00
GRP23683	YF	716	26P	08/22/91	> 1000.0	0.00	0.00
GRP23684	[illegible]	8LC	26P	08/22/91	> 1000.0	0.00	0.00
GRP23684	VE	7HS	26P	07/26/91	> 1000.0	0.00	0.00
GRP23684	YF	716	26P	08/22/91	> 1000.0	0.00	0.00
GRP23685	PT	8LC	26P	08/22/91	280.00	0.00	0.00
GRP23685	VE	7HS	26P	07/26/91	340.00	0.00	0.00
GRP23685	YF	716	26P	08/22/91	286.00	0.00	0.00
GRP23686	PT	8LC	26P	08/22/91	> 1000.0	0.00	0.00
GRP23686	VE	7HS	26P	07/26/91	0.97	0.00	0.00
GRP23686	YF	716	26P	08/22/91	> 1000.0	0.00	0.00
GRP23687	PT	8LC	26P	08/22/91	328.00	0.00	0.00
GRP23687	VE	7HT	26P	07/26/91	392.00	0.00	0.00
GRP23687	YF	716	26P	08/22/91	354.00	0.00	0.00
GRP23688	PT	8LD	26P	08/22/91	306.00	0.00	0.00
GRP23688	VE	7HT	26P	07/26/91	442.00	0.00	0.00
GRP23689	YF	717	26P	08/22/91	238.00	0.00	0.00
GRP23689	PT	AJ6	26P	10/09/91	265.00	0.00	0.00
GRP23689	VE	7KD	26P	07/26/91	446.00	0.00	0.00
GRP23689	YF	7JZ	26P	08/22/91	280.00	0.00	0.00
GRP23690	PT	AJ6	26P	10/09/91	5.37	0.00	0.00
GRP23690	VE	7KD	26P	07/26/91	4.63	0.00	0.00
GRP23690	YF	7JZ	26P	08/22/91	4.03	0.00	0.00
GRP23691	PT	AJ6	26P	10/09/91	340.00	0.00	0.00
GRP23691	VE	7KD	26P	07/26/91	> 1000.0	0.00	0.00
GRP23691	YF	7JZ	26P	08/22/91	325.00	0.00	0.00
GRP23692	PT	AJ6	26P	10/09/91	> 1000.0	0.00	0.00
GRP23692	VE	7KD	26P	07/26/91	> 1000.0	0.00	0.00
GRP23692	YF	7JZ	26P	08/22/91	> 1000.0	0.00	0.00
GRP23693	PT	AJ7	26P	10/09/91	435.00	0.00	0.00
GRP23693	VE	7KE	26P	07/26/91	81.60	0.00	0.00
GRP23693	YF	7K0	26P	08/22/91	55.50	0.00	0.00
GRP23694	PT	AJ7	26P	10/09/91	826.00	0.00	0.00
GRP23694	VE	7KE	26P	07/26/91	422.00	0.00	0.00
GRP23694	YF	7K0	26P	08/22/91	307.00	0.00	0.00
GRP23695	PT	AJ7	26P	10/09/91	368.00	0.00	0.00
GRP23695	VE	7KE	26P	07/26/91	> 1000.0	877.00 >	1.14
GRP23695	YF	7K0	26P	08/22/91	365.00	0.00	0.00
GRP23696	PT	AJ7	26P	10/09/91	52.00	0.00	0.00
GRP23696	VE	7KE	26P	07/26/91	169.00	0.00	0.00
GRP23696	YF	7K0	26P	08/22/91	127.00	0.00	0.00
GRP23697	PT	AJ7	26P	10/09/91	> 1000.0	0.00	0.00
GRP23697	VE	7KE	26P	07/26/91	> 1000.0	0.00	0.00
GRP23697	YF	7K0	26P	08/22/91	> 1000.0	0.00	0.00
GRP23698	PT	AJ8	26P	10/09/91	732.00	0.00	0.00
GRP23698	VE	7KF	26P	07/26/91	701.00	0.00	0.00
GRP23698	YF	7K1	26P	08/22/91	369.00	0.00	0.00
GRP23699	PT	AJ8	26P	10/09/91	317.00	0.00	0.00
GRP23699	VE	7KF	26P	07/26/91	> 1000.0	0.00	0.00
GRP23699	YF	7K1	26P	08/22/91	325.00	0.00	0.00
GRP23700	PT	AJ8	26P	10/09/91	> 1000.0	0.00	0.00
GRP23700	VE	7KF	26P	07/26/91	> 1000.0	0.00	0.00
GRP23700	YF	7K1	26P	08/22/91	470.00	0.00	0.00
GRP23701	PT	AJ8	26P	10/09/91	> 1000.0	0.00	0.00
GRP23701	VE	7KF	26P	07/26/91	> 1000.0	0.00	0.00
GRP23701	YF	7K1	26P	08/22/91	972.00	0.00	0.00
GRP23702	PT	AJ9	26P	10/09/91	383.00	0.00	0.00
GRP23702	VE	7KG	26P	07/26/91	331.00	0.00	0.00
GRP23702	YF	7K2	26P	08/22/91	555.00	0.00	0.00
GRP23703	PT	AJ9	26P	10/09/91	542.00	0.00	0.00
GRP23703	VE	7KG	26P	07/26/91	581.00	0.00	0.00
GRP23703	YF	7K2	26P	08/22/91	501.00	0.00	0.00
GRP23704	PT	AJ9	26P	10/09/91	761.00	0.00	0.00
GRP23704	VE	7KG	26P	07/26/91	327.00	0.00	0.00
GRP23704	YF	7K2	26P	08/22/91	306.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23705	PT	AJ9	26P	10/09/91	422.00	0.00	0.00
GRP23705	VE	7KG	26P	07/26/91	35.80	0.00	0.00
GRP23705	YF	7K2	26P	08/22/91	35.60	0.00	0.00
GRP23706	PT	AJ9	26P	10/09/91	> 1000.0	0.00	0.00
GRP23706	VE	7KG	26P	07/26/91	> 1000.0	0.00	0.00
GRP23706	YF	7K2	26P	08/22/91	> 1000.0	0.00	0.00
GRP23707	PT	AJA	26P	10/09/91	325.00	0.00	0.00
GRP23707	VE	7KH	26P	07/26/91	561.00	0.00	0.00
GRP23707	YF	7K3	26P	08/22/91	318.00	0.00	0.00
GRP23708	PT	AJA	26P	10/09/91	> 1000.0	0.00	0.00
GRP23708	VE	7KH	26P	07/26/91	> 1000.0	0.00	0.00
GRP23708	YF	7K3	26P	08/22/91	344.00	0.00	0.00
GRP23709	PT	AJA	26P	10/09/91	234.00	0.00	0.00
GRP23709	VE	7KH	26P	07/26/91	48.90	0.00	0.00
GRP23709	YF	7K3	26P	08/22/91	40.10	0.00	0.00
GRP23710	PT	AJA	26P	10/09/91	> 1000.0	0.00	0.00
GRP23710	VE	7KH	26P	07/26/91	620.00	0.00	0.00
GRP23710	YF	7K3	26P	08/22/91	456.00	0.00	0.00
GRP23711	PT	AJA	26P	10/09/91	569.00	0.00	0.00
GRP23711	VE	7KH	26P	07/26/91	23.20	919.00	0.03
GRP23711	YF	7K3	26P	08/22/91	59.80	0.00	0.00
GRP23712	PT	AJB	26P	10/09/91	511.00	0.00	0.00
GRP23712	VE	7KI	26P	07/26/91	315.00	0.00	0.00
GRP23712	YF	7K4	26P	08/22/91	188.00	0.00	0.00
GRP23713	PT	AJB	26P	10/09/91	764.00	0.00	0.00
GRP23713	VE	7KI	26P	07/26/91	> 1000.0	0.00	0.00
GRP23713	YF	7K4	26P	08/22/91	809.00	0.00	0.00
GRP23714	PT	AJB	26P	10/09/91	> 1000.0	0.00	0.00
GRP23714	VE	7KI	26P	07/26/91	> 1000.0	0.00	0.00
GRP23714	YF	7K4	26P	08/22/91	> 1000.0	0.00	0.00
GRP23715	PT	AJB	26P	10/09/91	495.00	0.00	0.00
GRP23715	VE	7KI	26P	07/26/91	687.00	0.00	0.00
GRP23715	YF	7K4	26P	08/22/91	605.00	0.00	0.00
GRP23716	PT	AJB	26P	10/09/91	> 1000.0	0.00	0.00
GRP23716	VE	7KI	26P	07/26/91	> 1000.0	0.00	0.00
GRP23716	YF	7K4	26P	08/22/91	444.00	0.00	0.00
GRP23717	PT	AJC	26P	10/09/91	> 1000.0	0.00	0.00
GRP23717	VE	7KJ	26P	07/26/91	659.00	0.00	0.00
GRP23717	YF	7K5	26P	08/22/91	483.00	0.00	0.00
GRP23718	PT	7N3	26P	07/30/91	> 1000.0	0.00	0.00
GRP23718	VE	7NA	26P	08/02/91	> 1000.0	0.00	0.00
GRP23718	YF	9KA	26P	09/21/91	> 1000.0	0.00	0.00
GRP23719	PT	7N3	26P	07/30/91	862.00	0.00	0.00
GRP23719	VE	7NA	26P	08/02/91	912.00	0.00	0.00
GRP23719	YF	9KA	26P	09/21/91	813.00	0.00	0.00
GRP23720	PT	7N3	26P	07/30/91	332.00	0.00	0.00
GRP23720	VE	7NA	26P	08/02/91	963.00	0.00	0.00
GRP23720	YF	9KA	26P	09/21/91	875.00	0.00	0.00
GRP23721	PT	7N3	26P	07/30/91	> 1000.0	0.00	0.00
GRP23721	VE	7NA	26P	08/02/91	> 1000.0	0.00	0.00
GRP23721	YF	9KA	26P	09/21/91	> 1000.0	0.00	0.00
GRP23722	PT	7N4	26P	07/30/91	> 1000.0	409.00 >	2.44
GRP23722	VE	7NB	26P	08/02/91	519.00	0.00	0.00
GRP23722	YF	9KB	26P	09/21/91	> 1000.0	0.00	0.00
GRP23723	PT	7N4	26P	07/30/91	> 1000.0	0.00	0.00
GRP23723	VE	7NB	26P	08/02/91	327.00	0.00	0.00
GRP23723	YF	9KB	26P	09/21/91	> 1000.0	0.00	0.00
GRP23724	PT	7N4	26P	07/30/91	435.00	0.00	0.00
GRP23724	VE	7NB	26P	08/02/91	552.00	0.00	0.00
GRP23724	YF	9KB	26P	09/21/91	> 1000.0	0.00	0.00
GRP23725	PT	7N4	26P	07/30/91	> 1000.0	0.00	0.00
GRP23725	VE	7NB	26P	08/02/91	> 1000.0	0.00	0.00
GRP23725	YF	9KB	26P	09/21/91	> 1000.0	0.00	0.00
GRP23726	PT	7N4	26P	07/30/91	> 1000.0	0.00	0.00
GRP23726	VE	7NB	26P	08/02/91	756.00	0.00	0.00
GRP23726	YF	9KB	26P	09/21/91	> 1000.0	0.00	0.00
GRP23727	PT	7N5	26P	07/30/91	926.00	0.00	0.00
GRP23727	VE	7NC	26P	08/02/91	500.00	0.00	0.00
GRP23727	YF	9KC	26P	09/21/91	525.00	0.00	0.00
GRP23728	PT	681	23P	06/04/91	252.00	29.70	8.48
GRP23728	VE	67U	23P	06/07/91	0.81	0.00	0.00
GRP23728	YF	67N	23P	06/04/91	294.00	36.90	7.98
GRP23729	PT	682	23P	06/04/91	165.00	29.80	5.55
GRP23729	VE	67V	23P	06/07/91	62.10	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23729	YF	670	23P	06/04/91	274.00	37.80	7.26
GRP23730	PT	682	23P	06/04/91	140.00	100.00	1.40
GRP23730	VE	67V	23P	06/07/91	347.00	0.00	0.00
GRP23730	YF	670	23P	06/04/91	319.00	0.00	0.00
GRP23731	PT	7N5	26P	07/30/91	325.00	0.00	0.00
GRP23731	VE	7NC	26P	08/02/91	325.00	0.00	0.00
GRP23731	YF	9KC	26P	09/21/91	282.00	0.00	0.00
GRP23732	PT	7N5	26P	07/30/91	456.00	0.00	0.00
GRP23732	VE	7NC	26P	08/02/91	436.00	0.00	0.00
GRP23732	YF	9KC	26P	09/21/91	670.00	0.00	0.00
GRP23733	PT	7N5	26P	07/30/91	> 1000.0	0.00	0.00
GRP23733	VE	7NC	26P	08/02/91	> 1000.0	0.00	0.00
GRP23733	YF	9KC	26P	09/21/91	> 1000.0	0.00	0.00
GRP23734	PT	7N5	26P	07/30/91	32.80	0.00	0.00
GRP23734	VE	7NC	26P	08/02/91	326.00	0.00	0.00
GRP23734	YF	9KC	26P	09/21/91	859.00	0.00	0.00
GRP23735	PT	7N6	26P	07/30/91	782.00	0.00	0.00
GRP23735	VE	7ND	26P	08/02/91	> 1000.0	0.00	0.00
GRP23735	YF	9KD	26P	09/21/91	787.00	0.00	0.00
GRP23736	PT	7N6	26P	07/30/91	429.00	0.00	0.00
GRP23736	VE	7ND	26P	08/02/91	547.00	0.00	0.00
GRP23736	YF	9KD	26P	09/21/91	734.00	0.00	0.00
GRP23737	PT	7N6	26P	07/30/91	> 1000.0	0.00	0.00
GRP23737	VE	7ND	26P	08/02/91	> 1000.0	0.00	0.00
GRP23737	YF	9KD	26P	09/21/91	> 1000.0	0.00	0.00
GRP23738	PT	7N6	26P	07/30/91	> 1000.0	0.00	0.00
GRP23738	VE	7ND	26P	08/02/91	> 1000.0	0.00	0.00
GRP23738	YF	9KD	26P	09/21/91	484.00	0.00	0.00
GRP23739	PT	7N6	26P	07/30/91	336.00	0.00	0.00
GRP23739	VE	7ND	26P	08/02/91	337.00	0.00	0.00
GRP23739	YF	9KD	26P	09/21/91	195.00	0.00	0.00
GRP23740	PT	7N7	26P	07/30/91	325.00	0.00	0.00
GRP23740	VE	7NE	26P	08/02/91	50.70	0.00	0.00
GRP23740	YF	9KE	26P	09/21/91	263.00	0.00	0.00
GRP23741	PT	7N7	26P	07/30/91	> 1000.0	0.00	0.00
GRP23741	VE	7NE	26P	08/02/91	561.00	0.00	0.00
GRP23741	YF	9KE	26P	09/21/91	486.00	0.00	0.00
GRP23742	PT	7N7	26P	07/30/91	999.00	0.00	0.00
GRP23742	VE	7NE	26P	08/02/91	593.00	0.00	0.00
GRP23742	YF	9KE	26P	09/21/91	477.00	0.00	0.00
GRP23743	PT	7N7	26P	07/30/91	498.00	0.00	0.00
GRP23743	VE	7NE	26P	08/02/91	172.00	0.00	0.00
GRP23743	YF	9KE	26P	09/21/91	371.00	0.00	0.00
GRP23744	PT	7N7	26P	07/30/91	336.00	0.00	0.00
GRP23744	VE	7NE	26P	08/02/91	402.00	0.00	0.00
GRP23744	YF	9KE	26P	09/21/91	201.00	0.00	0.00
GRP23745	PT	7N8	26P	07/30/91	> 1000.0	0.00	0.00
GRP23745	VE	7NF	26P	08/02/91	> 1000.0	0.00	0.00
GRP23745	YF	9KF	26P	09/21/91	557.00	0.00	0.00
GRP23746	PT	7N8	26P	07/30/91	> 1000.0	0.00	0.00
GRP23746	VE	7NF	26P	08/02/91	> 1000.0	0.00	0.00
GRP23746	YF	9KF	26P	09/21/91	643.00	0.00	0.00
GRP23747	PT	7N8	26P	07/30/91	384.00	0.00	0.00
GRP23747	VE	7NF	26P	08/02/91	396.00	0.00	0.00
GRP23747	YF	9KF	26P	09/21/91	439.00	0.00	0.00
GRP23748	PT	7N8	26P	07/30/91	> 1000.0	0.00	0.00
GRP23748	VE	7NF	26P	08/02/91	549.00	0.00	0.00
GRP23748	YF	9KF	26P	09/21/91	499.00	0.00	0.00
3749	PT	7N8	26P	07/30/91	326.00	0.00	0.00
9	VE	7NF	26P	08/02/91	325.00	0.00	0.00
9	YF	9KF	26P	09/21/91	890.00	0.00	0.00
0	PT	7N9	26P	07/30/91	> 1000.0	0.00	0.00
50	VE	7NG	26P	08/02/91	3.42	0.00	0.00
3750	YF	9KG	26P	09/21/91	361.00	0.00	0.00
GRP23751	PT	7NV	26P	07/31/91	> 1000.0	0.00	0.00
GRP23751	VE	7NO	26P	08/02/91	> 1000.0	0.00	0.00
GRP23751	YF	9KH	26P	09/21/91	> 1000.0	0.00	0.00
GRP23752	PT	7NV	26P	07/31/91	435.00	0.00	0.00
GRP23752	VE	7NO	26P	08/02/91	348.00	0.00	0.00
GRP23752	YF	9KH	26P	09/21/91	463.00	0.00	0.00
GRP23753	PT	8EY	27P	08/13/91	238.00	0.00	0.00
GRP23753	VE	8E6	27P	08/16/91	287.00	0.00	0.00
GRP23753	YF	8F5	27P	08/13/91	533.00	0.00	0.00
GRP23754	PT	8EY	27P	08/13/91	445.00	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23754	VE	8E6	27P	08/16/91	399.00	0.00	0.00
GRP23754	YF	8F5	27P	08/13/91	239.00	0.00	0.00
GRP23755	PT	8EY	27P	08/13/91	162.00	0.00	0.00
GRP23755	VE	8E6	27P	08/16/91	60.20	0.00	0.00
GRP23755	YF	8F5	27P	08/13/91	194.00	0.00	0.00
GRP23756	PT	8EZ	27P	08/13/91	> 1000.0	0.00	0.00
GRP23756	VE	8E7	27P	08/16/91	> 1000.0	0.00	0.00
GRP23756	YF	8F6	27P	08/13/91	> 1000.0	0.00	0.00
GRP23757	PT	8EZ	27P	08/13/91	423.00	0.00	0.00
GRP23757	VE	8E7	27P	08/16/91	958.00	0.00	0.00
GRP23757	YF	8F6	27P	08/13/91	500.00	0.00	0.00
GRP23758	PT	8EZ	27P	08/13/91	325.00	0.00	0.00
GRP23758	VE	8E7	27P	08/16/91	408.00	0.00	0.00
GRP23758	YF	8F6	27P	08/13/91	266.00	0.00	0.00
GRP23759	PT	8EZ	27P	08/13/91	397.00	0.00	0.00
GRP23759	VE	8E7	27P	08/16/91	485.00	0.00	0.00
GRP23759	YF	8F6	27P	08/13/91	60.30	0.00	0.00
GRP23760	PT	8EZ	27P	08/13/91	> 1000.0	0.00	0.00
GRP23760	VE	8E7	27P	08/16/91	> 1000.0	0.00	0.00
GRP23760	YF	8F6	27P	08/13/91	> 1000.0	0.00	0.00
GRP23761	PT	8F0	27P	08/13/91	> 1000.0	0.00	0.00
GRP23761	VE	8E8	27P	08/16/91	> 1000.0	0.00	0.00
GRP23761	YF	8F7	27P	08/13/91	> 1000.0	0.00	0.00
GRP23762	PT	8F0	27P	08/13/91	> 1000.0	0.00	0.00
GRP23762	VE	8E8	27P	08/16/91	289.00	0.00	0.00
GRP23762	YF	8F7	27P	08/13/91	> 1000.0	0.00	0.00
GRP23763	PT	8F0	27P	08/13/91	173.00	0.00	0.00
GRP23763	VE	8E8	27P	08/16/91	533.00	0.00	0.00
GRP23763	YF	8F7	27P	08/13/91	325.00	0.00	0.00
GRP23764	PT	8F0	27P	08/13/91	> 1000.0	0.00	0.00
GRP23764	VE	8E8	27P	08/16/91	879.00	0.00	0.00
GRP23764	YF	8F7	27P	08/13/91	981.00	0.00	0.00
GRP23765	PT	8F0	27P	08/13/91	325.00	0.00	0.00
GRP23765	VE	8E8	27P	08/16/91	729.00	0.00	0.00
GRP23765	YF	8F7	27P	08/13/91	325.00	0.00	0.00
GRP23766	PT	8F1	27P	08/13/91	339.00	0.00	0.00
GRP23766	VE	8E9	27P	08/16/91	323.00	0.00	0.00
GRP23766	YF	8F8	27P	08/13/91	239.00	0.00	0.00
GRP23767	PT	8IC	27P	08/14/91	325.00	0.00	0.00
GRP23767	VE	8EA	27P	08/16/91	325.00	0.00	0.00
GRP23767	YF	8IJ	27P	08/14/91	325.00	0.00	0.00
GRP23768	PT	8IC	27P	08/14/91	338.00	0.00	0.00
GRP23768	VE	8EA	27P	08/16/91	353.00	0.00	0.00
GRP23768	YF	8IJ	27P	08/14/91	405.00	0.00	0.00
GRP23769	PT	8IC	27P	08/14/91	> 1000.0	0.00	0.00
GRP23769	VE	8EA	27P	08/16/91	> 1000.0	0.00	0.00
GRP23769	YF	8IJ	27P	08/14/91	> 1000.0	0.00	0.00
GRP23770	PT	8IC	27P	08/14/91	544.00	0.00	0.00
GRP23770	VE	8EA	27P	08/16/91	414.00	0.00	0.00
GRP23770	YF	8IJ	27P	08/14/91	482.00	0.00	0.00
GRP23771	PT	8ID	27P	08/14/91	> 1000.0	0.00	0.00
GRP23771	VE	8EB	27P	08/16/91	> 1000.0	0.00	0.00
GRP23771	YF	8IK	27P	08/14/91	> 1000.0	0.00	0.00
GRP23772	PT	8ID	27P	08/14/91	534.00	0.00	0.00
GRP23772	VE	8EB	27P	08/16/91	> 1000.0	0.00	0.00
GRP23772	YF	8IK	27P	08/14/91	464.00	0.00	0.00
GRP23773	PT	8ID	27P	08/14/91	> 1000.0	0.00	0.00
GRP23773	VE	8EB	27P	08/16/91	> 1000.0	0.00	0.00
GRP23773	YF	8IK	27P	08/14/91	923.00	0.00	0.00
GRP23774	PT	8ID	27P	08/14/91	471.00	0.00	0.00
GRP23774	VE	8EB	27P	08/16/91	> 1000.0	0.00	0.00
GRP23774	YF	8IK	27P	08/14/91	486.00	0.00	0.00
GRP23775	PT	8ID	27P	08/14/91	272.00	0.00	0.00
GRP23775	VE	8EB	27P	08/16/91	328.00	0.00	0.00
GRP23775	YF	8IK	27P	08/14/91	208.00	0.00	0.00
GRP23776	PT	8IE	27P	08/14/91	337.00	0.00	0.00
GRP23776	VE	8EC	27P	08/16/91	419.00	0.00	0.00
GRP23776	YF	8IL	27P	08/14/91	330.00	0.00	0.00
GRP23777	PT	8IE	27P	08/14/91	> 1000.0	0.00	0.00
GRP23777	VE	8EC	27P	08/16/91	> 1000.0	778.00 >	1.29
GRP23777	YF	8IL	27P	08/14/91	343.00	0.00	0.00
GRP23778	PT	8IE	27P	08/14/91	> 1000.0	0.00	0.00
GRP23778	VE	8EC	27P	08/16/91	> 1000.0	0.00	0.00
GRP23778	YF	8IL	27P	08/14/91	877.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23779	PT	8IE	27P	08/14/91	243.00	100.00	2.43
GRP23779	VE	8EC	27P	08/16/91	> 1000.0	436.00 >	2.30
GRP23779	YF	8IL	27P	08/14/91	235.00	0.00	0.00
GRP23780	PT	8IE	27P	08/14/91	428.00	0.00	0.00
GRP23780	VE	8EC	27P	08/16/91	438.00	0.00	0.00
GRP23780	YF	8IL	27P	08/14/91	355.00	0.00	0.00
GRP23781	PT	8IF	27P	08/14/91	> 1000.0	0.00	0.00
GRP23781	VE	8ED	27P	08/16/91	> 1000.0	0.00	0.00
GRP23781	YF	8IM	27P	08/14/91	644.00	0.00	0.00
GRP23782	PT	8IF	27P	08/14/91	601.00	0.00	0.00
GRP23782	VE	8ED	27P	08/16/91	> 1000.0	0.00	0.00
GRP23782	YF	8IM	27P	08/14/91	373.00	0.00	0.00
GRP23783	PT	8IF	27P	08/14/91	232.00	0.00	0.00
GRP23783	VE	8ED	27P	08/16/91	328.00	0.00	0.00
GRP23783	YF	8IM	27P	08/14/91	178.00	0.00	0.00
GRP23784	PT	8IF	27P	08/14/91	274.00	0.00	0.00
GRP23784	VE	8ED	27P	08/16/91	656.00	548.00	1.20
GRP23784	YF	8IM	27P	08/14/91	303.00	0.00	0.00
GRP23785	PT	8IF	27P	08/14/91	> 1000.0	0.00	0.00
GRP23785	VE	8ED	27P	08/16/91	567.00	1000.0	0.57
GRP23785	YF	8IM	27P	08/14/91	246.00	0.00	0.00
GRP23786	PT	8IG	27P	08/14/91	322.00	0.00	0.00
GRP23786	VE	8EE	27P	08/16/91	378.00	0.00	0.00
GRP23786	YF	8IN	27P	08/14/91	278.00	0.00	0.00
GRP23787	PT	8IG	27P	08/14/91	> 1000.0	0.00	0.00
GRP23787	VE	8EE	27P	08/16/91	> 1000.0	0.00	0.00
GRP23787	YF	8IN	27P	08/14/91	562.00	0.00	0.00
GRP23788	PT	8IG	27P	08/14/91	404.00	0.00	0.00
GRP23788	VE	8EE	27P	08/16/91	471.00	0.00	0.00
GRP23788	YF	8IN	27P	08/14/91	324.00	0.00	0.00
GRP23789	PT	8IG	27P	08/14/91	> 1000.0	0.00	0.00
GRP23789	VE	8EE	27P	08/16/91	> 1000.0	0.00	0.00
GRP23789	YF	8IN	27P	08/14/91	> 1000.0	0.00	0.00
GRP23790	PT	8IG	27P	08/14/91	123.00	0.00	0.00
GRP23790	VE	8EE	27P	08/16/91	241.00	0.00	0.00
GRP23790	YF	8IN	27P	08/14/91	134.00	0.00	0.00
GRP23791	PT	8IN	27P	08/14/91	403.00	0.00	0.00
GRP23791	VE	8EF	27P	08/16/91	332.00	0.00	0.00
GRP23791	YF	8IO	27P	08/14/91	344.00	0.00	0.00
GRP23792	PT	8IN	27P	08/14/91	> 1000.0	0.00	0.00
GRP23792	VE	8EF	27P	08/16/91	> 1000.0	0.00	0.00
GRP23792	YF	8IO	27P	08/14/91	815.00	0.00	0.00
GRP23793	PT	8IN	27P	08/14/91	944.00	0.00	0.00
GRP23793	VE	8EF	27P	08/16/91	> 1000.0	0.00	0.00
GRP23793	YF	8IO	27P	08/14/91	> 1000.0	0.00	0.00
GRP23794	PT	8IN	27P	08/14/91	588.00	0.00	0.00
GRP23794	VE	8EF	27P	08/16/91	387.00	0.00	0.00
GRP23794	YF	8IO	27P	08/14/91	448.00	0.00	0.00
GRP23795	PT	8IN	27P	08/14/91	> 1000.0	0.00	0.00
GRP23795	VE	8EF	27P	08/16/91	> 1000.0	0.00	0.00
GRP23795	YF	8IO	27P	08/14/91	> 1000.0	0.00	0.00
GRP23796	PT	8II	27P	08/14/91	485.00	0.00	0.00
GRP23796	VE	8EG	27P	08/16/91	453.00	0.00	0.00
GRP23796	YF	8IP	27P	08/14/91	264.00	0.00	0.00
GRP23797	PT	8IX	27P	08/15/91	435.00	0.00	0.00
GRP23797	VE	8EH	27P	08/16/91	> 1000.0	0.00	0.00
GRP23797	YF	8IQ	27P	08/15/91	302.00	0.00	0.00
GRP23798	PT	8IX	27P	08/15/91	> 1000.0	0.00	0.00
GRP23798	VE	8EH	27P	08/16/91	> 1000.0	0.00	0.00
GRP23798	YF	8IQ	27P	08/15/91	> 1000.0	0.00	0.00
GRP23799	PT	8IX	27P	08/15/91	> 1000.0	0.00	0.00
GRP23799	VE	8EH	27P	08/16/91	> 1000.0	0.00	0.00
GRP23799	YF	8IQ	27P	08/15/91	> 1000.0	0.00	0.00
GRP23800	PT	8IX	27P	08/15/91	520.00	0.00	0.00
GRP23800	VE	8EH	27P	08/16/91	> 1000.0	267.00 >	3.74
GRP23800	YF	8IQ	27P	08/15/91	163.00	0.00	0.00
GRP23801	PT	8IY	27P	08/15/91	174.00	0.00	0.00
GRP23801	VE	8EI	27P	08/16/91	363.00	0.00	0.00
GRP23801	YF	8IR	27P	08/15/91	187.00	0.00	0.00
GRP23802	PT	8IY	27P	08/15/91	362.00	0.00	0.00
GRP23802	VE	8EI	27P	08/16/91	> 1000.0	0.00	0.00
GRP23802	YF	8IR	27P	08/15/91	187.00	0.00	0.00
GRP23803	PT	8IY	27P	08/15/91	325.00	0.00	0.00
GRP23803	VE	8EI	27P	08/16/91	328.00	0.00	0.00

Preacreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23803	YF	8IR	27P	08/15/91	181.00	0.00	0.00
GRP23804	PT	8IY	27P	08/15/91	222.00	0.00	0.00
GRP23804	VE	8EI	27P	08/16/91	> 1000.0	167.00 >	5.99
GRP23804	YF	8IR	27P	08/15/91	232.00	0.00	0.00
GRP23805	PT	8IY	27P	08/15/91	635.00	0.00	0.00
GRP23805	VE	8EI	27P	08/16/91	> 1000.0	401.00 >	2.50
GRP23805	YF	8IR	27P	08/15/91	526.00	0.00	0.00
GRP23806	PT	8IZ	27P	08/15/91	397.00	0.00	0.00
GRP23806	VE	8EJ	27P	08/16/91	524.00	0.00	0.00
GRP23806	YF	8IS	27P	08/15/91	356.00	0.00	0.00
GRP23807	PT	8IZ	27P	08/15/91	> 1000.0	0.00	0.00
GRP23807	VE	8EJ	27P	08/16/91	> 1000.0	0.00	0.00
GRP23807	YF	8IS	27P	08/15/91	> 1000.0	0.00	0.00
GRP23808	PT	8IZ	27P	08/15/91	837.00	0.00	0.00
GRP23808	VE	8EJ	27P	08/16/91	> 1000.0	535.00 >	1.87
GRP23808	YF	8IS	27P	08/15/91	392.00	0.00	0.00
GRP23809	PT	8IZ	27P	08/15/91	318.00	0.00	0.00
GRP23809	VE	8EJ	27P	08/16/91	347.00	0.00	0.00
GRP23809	YF	8IS	27P	08/15/91	275.00	0.00	0.00
GRP23810	PT	8IZ	27P	08/15/91	945.00	0.00	0.00
GRP23810	VE	8EJ	27P	08/16/91	> 1000.0	239.00 >	4.19
GRP23810	YF	8IS	27P	08/15/91	0.84	0.00	0.00
GRP23811	PT	8J0	27P	08/15/91	> 1000.0	0.00	0.00
GRP23811	VE	8EK	27P	08/16/91	> 1000.0	0.00	0.00
GRP23811	YF	8IT	27P	08/15/91	797.00	0.00	0.00
GRP23812	PT	8J0	27P	08/15/91	329.00	0.00	0.00
GRP23812	VE	8EK	27P	08/16/91	356.00	0.00	0.00
GRP23812	YF	8IT	27P	08/15/91	184.00	0.00	0.00
GRP23813	PT	8J0	27P	08/15/91	871.00	0.00	0.00
GRP23813	VE	8EK	27P	08/16/91	963.00	0.00	0.00
GRP23813	YF	8IT	27P	08/15/91	> 1000.0	0.00	0.00
GRP23814	PT	8J0	27P	08/15/91	290.00	0.00	0.00
GRP23814	VE	8EK	27P	08/16/91	> 1000.0	183.00 >	5.46
GRP23814	YF	8IT	27P	08/15/91	265.00	0.00	0.00
GRP23815	PT	8J0	27P	08/15/91	499.00	0.00	0.00
GRP23815	VE	8EK	27P	08/16/91	879.00	0.00	0.00
GRP23815	YF	8IT	27P	08/15/91	390.00	0.00	0.00
GRP23816	PT	8J1	27P	08/15/91	> 1000.0	310.00 >	3.23
GRP23816	VE	8EL	27P	08/16/91	891.00	0.00	0.00
GRP23816	YF	8IU	27P	08/15/91	> 1000.0	395.00 >	2.53
GRP23817	PT	8J1	27P	08/15/91	375.00	0.00	0.00
GRP23817	VE	8EL	27P	08/16/91	> 1000.0	31.60 >	31.62
GRP23817	YF	8IU	27P	08/15/91	38.70	0.00	0.00
GRP23818	PT	8J1	27P	08/15/91	464.00	0.00	0.00
GRP23818	VE	8EL	27P	08/16/91	916.00	0.00	0.00
GRP23818	YF	8IU	27P	08/15/91	245.00	0.00	0.00
GRP23819	PT	8J1	27P	08/15/91	458.00	0.00	0.00
GRP23819	VE	8EL	27P	08/16/91	331.00	0.00	0.00
GRP23819	YF	8IU	27P	08/15/91	429.00	0.00	0.00
GRP23820	PT	8J1	27P	08/15/91	270.00	0.00	0.00
GRP23820	VE	8EL	27P	08/16/91	> 1000.0	0.00	0.00
GRP23820	YF	8IU	27P	08/15/91	410.00	0.00	0.00
GRP23821	PT	8J2	27P	08/15/91	40.40	0.00	0.00
GRP23821	VE	8EN	27P	08/16/91	357.00	0.00	0.00
GRP23821	YF	8IV	27P	08/15/91	43.70	0.00	0.00
GRP23822	PT	8J2	27P	08/15/91	337.00	0.00	0.00
GRP23822	VE	8EN	27P	08/16/91	> 1000.0	0.00	0.00
GRP23822	YF	8IV	27P	08/15/91	224.00	0.00	0.00
GRP23823	PT	8J2	27P	08/15/91	327.00	0.00	0.00
GRP23823	VE	8EN	27P	08/16/91	491.00	0.00	0.00
GRP23823	YF	8IV	27P	08/15/91	260.00	0.00	0.00
GRP23824	PT	8J2	27P	08/15/91	631.00	0.00	0.00
GRP23824	VE	8EN	27P	08/16/91	> 1000.0	0.00	0.00
GRP23824	YF	8IV	27P	08/15/91	733.00	0.00	0.00
GRP23825	PT	8J2	27P	08/15/91	456.00	0.00	0.00
GRP23825	VE	8EN	27P	08/16/91	> 1000.0	749.00 >	1.34
GRP23825	YF	8IV	27P	08/15/91	367.00	0.00	0.00
GRP23826	PT	8J3	27P	08/15/91	636.00	0.00	0.00
GRP23826	VE	8EN	27P	08/16/91	425.00	0.00	0.00
GRP23826	YF	8IW	27P	08/15/91	323.00	0.00	0.00
GRP23827	PT	8KT	27P	08/16/91	37.00	0.00	0.00
GRP23827	VE	8EO	27P	08/16/91	63.60	0.00	0.00
GRP23827	YF	8L0	27P	08/16/91	32.40	0.00	0.00
GRP23828	PT	8KT	27P	08/16/91	345.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SNIP #	TEST DATE	TC 25	IC 50	SI
GRP23828	VE	8EO	27P	08/16/91	377.00	0.00	0.00
GRP23828	YF	8L0	27P	08/16/91	252.00	0.00	0.00
GRP23829	PT	8KT	27P	08/16/91	419.00	0.00	0.00
GRP23829	VE	8EO	27P	08/16/91	406.00	0.00	0.00
GRP23829	YF	8L0	27P	08/16/91	5.90	0.00	0.00
GRP23830	PT	8KT	27P	08/16/91	394.00	0.00	0.00
GRP23830	VE	8EO	27P	08/16/91	325.00	0.00	0.00
GRP23830	YF	8L0	27P	08/16/91	170.00	0.00	0.00
GRP23831	PT	8KU	27P	08/16/91	> 1000.0	0.00	0.00
GRP23831	VE	8EP	27P	08/16/91	> 1000.0	0.00	0.00
GRP23831	YF	8L1	27P	08/16/91	> 1000.0	0.00	0.00
GRP23832	PT	8KU	27P	08/16/91	11.70	0.00	0.00
GRP23832	VE	8EP	27P	08/16/91	32.70	0.00	0.00
GRP23832	YF	8L1	27P	08/16/91	0.42	0.00	0.00
GRP23833	PT	8KU	27P	08/16/91	33.10	0.00	0.00
GRP23833	VE	8EP	27P	08/16/91	343.00	0.00	0.00
GRP23833	YF	8L1	27P	08/16/91	47.60	0.00	0.00
GRP23834	PT	8KU	27P	08/16/91	628.00	0.00	0.00
GRP23834	VE	8EP	27P	08/16/91	> 1000.0	0.00	0.00
GRP23834	YF	8L1	27P	08/16/91	> 1000.0	0.00	0.00
GRP23835	PT	8KU	27P	08/16/91	274.00	0.00	0.00
GRP23835	VE	8EP	27P	08/16/91	430.00	0.00	0.00
GRP23835	YF	8L1	27P	08/16/91	301.00	0.00	0.00
GRP23836	PT	8KV	27P	08/16/91	412.00	0.00	0.00
GRP23836	VE	8EQ	27P	08/16/91	> 1000.0	600.00 >	1.67
GRP23836	YF	8L2	27P	08/16/91	158.00	0.00	0.00
GRP23837	PT	8KV	27P	08/16/91	269.00	0.00	0.00
GRP23837	VE	8EQ	27P	08/16/91	325.00	0.00	0.00
GRP23837	YF	8L2	27P	08/16/91	39.90	0.00	0.00
GRP23838	PT	8KV	27P	08/16/91	374.00	0.00	0.00
GRP23838	VE	8EQ	27P	08/16/91	315.00	0.00	0.00
GRP23838	YF	8L2	27P	08/16/91	52.00	0.00	0.00
GRP23839	PT	8KV	27P	08/16/91	252.00	0.00	0.00
GRP23839	VE	8EQ	27P	08/16/91	339.00	0.00	0.00
GRP23839	YF	8L2	27P	08/16/91	274.00	0.00	0.00
GRP23840	PT	8KV	27P	08/16/91	0.26	0.00	0.00
GRP23840	VE	8EQ	27P	08/16/91	424.00	0.00	0.00
GRP23840	YF	8L2	27P	08/16/91	391.00	0.00	0.00
GRP23841	PT	8KW	27P	08/16/91	311.00	0.00	0.00
GRP23841	VE	8E..	27P	08/16/91	352.00	0.00	0.00
GRP23841	YF	8L3	27P	08/16/91	325.00	0.00	0.00
GRP23842	PT	8KW	27P	08/16/91	> 1000.0	0.00	0.00
GRP23842	VE	8ER	27P	08/16/91	300.00	0.00	0.00
GRP23842	YF	8L3	27P	08/16/91	247.00	0.00	0.00
GRP23843	PT	8KW	27P	08/16/91	848.00	0.00	0.00
GRP23843	VE	8ER	27P	08/16/91	563.00	0.00	0.00
GRP23843	YF	8L3	27P	08/16/91	381.00	0.00	0.00
GRP23844	PT	8KW	27P	08/16/91	297.00	0.00	0.00
GRP23844	VE	8ER	27P	08/16/91	387.00	0.00	0.00
GRP23844	YF	8L3	27P	08/16/91	300.00	0.00	0.00
GRP23845	PT	8KW	27P	08/16/91	292.00	0.00	0.00
GRP23845	VE	8ER	27P	08/16/91	550.00	349.00	1.58
GRP23845	YF	8L3	27P	08/16/91	104.00	0.00	0.00
GRP23846	PT	8KX	27P	08/16/91	9.83	0.00	0.00
GRP23846	VE	8ES	27P	08/16/91	832.00	0.00	0.00
GRP23846	YF	8L4	27P	08/16/91	536.00	0.00	0.00
GRP23847	PT	8KX	27P	08/16/91	47.00	0.00	0.00
GRP23847	VE	8ES	27P	08/16/91	405.00	0.00	0.00
GRP23847	YF	8L4	27P	08/16/91	384.00	0.00	0.00
GRP23848	PT	8KX	27P	08/16/91	163.00	0.00	0.00
GRP23848	VE	8ES	27P	08/16/91	592.00	0.00	0.00
GRP23848	YF	8L4	27P	08/16/91	177.00	0.00	0.00
GRP23849	PT	8KX	27P	08/16/91	638.00	0.00	0.00
GRP23849	VE	8ES	27P	08/16/91	400.00	0.00	0.00
GRP23849	YF	8L4	27P	08/16/91	325.00	0.00	0.00
GRP23850	PT	8KX	27P	08/16/91	248.00	0.00	0.00
GRP23850	VE	8ES	27P	08/16/91	361.00	0.00	0.00
GRP23850	YF	8L4	27P	08/16/91	122.00	0.00	0.00
GRP23851	PT	8KY	27P	08/16/91	220.00	0.00	0.00
GRP23851	VE	8ET	27P	08/16/91	404.00	0.00	0.00
GRP23851	YF	8L5	27P	08/16/91	220.00	0.00	0.00
GRP23852	PT	8KY	27P	08/16/91	355.00	0.00	0.00
GRP23852	VE	8ET	27P	08/16/91	317.00	292.00	1.08
GRP23852	YF	8L5	27P	08/16/91	299.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23853	PT	8KY	27P	08/16/91	237.00	0.00	0.00
GRP23853	VE	8ET	27P	08/16/91	325.00	0.00	0.00
GRP23853	YF	8L5	27P	08/16/91	188.00	0.00	0.00
GRP23854	PT	8KY	27P	08/16/91	276.00	0.00	0.00
GRP23854	VE	8ET	27P	08/16/91	> 1000.0	595.00 >	1.68
GRP23854	YF	8L5	27P	08/16/91	255.00	0.00	0.00
GRP23855	PT	8KY	27P	08/16/91	287.00	0.00	0.00
GRP23855	VE	8ET	27P	08/16/91	600.00	0.00	0.00
GRP23855	YF	8L5	27P	08/16/91	187.00	0.00	0.00
GRP23856	PT	8KZ	27P	08/16/91	263.00	0.00	0.00
GRP23856	VE	8EU	27P	08/16/91	> 1000.0	298.00 >	3.35
GRP23856	YF	8L6	27P	08/16/91	329.00	0.00	0.00
GRP23857	PT	8RL	27P	08/20/91	26.80	0.00	0.00
GRP23857	VE	8LL	27P	08/23/91	336.00	0.00	0.00
GRP23857	YF	8RE	27P	08/20/91	196.00	0.00	0.00
GRP23858	PT	8RL	27P	08/20/91	< 1.00	0.00	0.00
GRP23858	VE	8LL	27P	08/23/91	742.00	0.00	0.00
GRP23858	YF	8RE	27P	08/20/91	855.00	0.00	0.00
GRP23859	PT	8RL	27P	08/20/91	395.00	0.00	0.00
GRP23859	VE	8LL	27P	08/23/91	969.00	0.00	0.00
GRP23859	YF	8RE	27P	08/20/91	406.00	0.00	0.00
GRP23860	PT	8RL	27P	08/20/91	329.00	0.00	0.00
GRP23860	VE	8LL	27P	08/23/91	> 1000.0	520.00 >	1.92
GRP23860	YF	8RE	27P	08/20/91	311.00	0.00	0.00
GRP23861	PT	8RM	27P	08/20/91	325.00	0.00	0.00
GRP23861	VE	8LM	27P	08/23/91	> 1000.0	0.00	0.00
GRP23861	PT	8RM	27P	08/20/91	325.00	0.00	0.00
GRP23861	VE	8LM	27P	08/23/91	> 1000.0	0.00	0.00
GRP23861	YF	8RF	27P	08/20/91	326.00	0.00	0.00
GRP23862	PT	8RM	27P	08/20/91	633.00	0.00	0.00
GRP23862	VE	8LM	27P	08/23/91	> 1000.0	0.00	0.00
GRP23862	YF	8RF	27P	08/20/91	657.00	0.00	0.00
GRP23863	PT	8RM	27P	08/20/91	570.00	0.00	0.00
GRP23863	VE	8LM	27P	08/23/91	676.00	728.00	0.93
GRP23863	YF	8RF	27P	08/20/91	472.00	0.00	0.00
GRP23864	PT	8RM	27P	08/20/91	> 1000.0	0.00	0.00
GRP23864	VE	8LM	27P	08/23/91	> 1000.0	0.00	0.00
GRP23864	YF	8RF	27P	08/20/91	> 1000.0	0.00	0.00
GRP23865	PT	8RM	27P	08/20/91	> 1000.0	0.00	0.00
GRP23865	VE	8LM	27P	08/23/91	> 1000.0	0.00	0.00
GRP23865	YF	8RF	27P	08/20/91	> 1000.0	0.00	0.00
GRP23866	PT	8RN	27P	08/20/91	> 1000.0	0.00	0.00
GRP23866	VE	8LN	27P	08/23/91	761.00	0.00	0.00
GRP23866	YF	8RG	27P	08/20/91	751.00	0.00	0.00
GRP23867	PT	8RN	27P	08/20/91	532.00	0.00	0.00
GRP23867	VE	8LN	27P	08/23/91	> 1000.0	332.00 >	3.01
GRP23867	YF	8RG	27P	08/20/91	544.00	0.00	0.00
GRP23868	PT	8RN	27P	08/20/91	458.00	0.00	0.00
GRP23868	VE	8LN	27P	08/23/91	666.00	0.00	0.00
GRP23868	YF	8RG	27P	08/20/91	402.00	0.00	0.00
GRP23869	PT	8RN	27P	08/20/91	> 1000.0	0.00	0.00
GRP23869	VE	8LN	27P	08/23/91	> 1000.0	0.00	0.00
GRP23869	YF	8RG	27P	08/20/91	> 1000.0	0.00	0.00
GRP23870	PT	8RN	27P	08/20/91	> 1000.0	0.00	0.00
GRP23870	VE	8LN	27P	08/23/91	910.00	0.00	0.00
GRP23870	YF	8RG	27P	08/20/91	772.00	0.00	0.00
GRP23871	PT	8RO	27P	08/20/91	> 1000.0	0.00	0.00
GRP23871	VE	8LO	27P	08/23/91	> 1000.0	0.00	0.00
GRP23871	YF	8RH	27P	08/20/91	> 1000.0	0.00	0.00
GRP23872	PT	8RO	27P	08/20/91	740.00	0.00	0.00
GRP23872	VE	8LO	27P	08/23/91	471.00	0.00	0.00
GRP23872	YF	8RH	27P	08/20/91	598.00	0.00	0.00
GRP23873	PT	8RO	27P	08/20/91	463.00	0.00	0.00
GRP23873	VE	8LO	27P	08/23/91	> 1000.0	0.00	0.00
GRP23873	YF	8RH	27P	08/20/91	492.00	0.00	0.00
GRP23874	PT	8RO	27P	08/20/91	> 1000.0	0.00	0.00
GRP23874	VE	8LO	27P	08/23/91	> 1000.0	0.00	0.00
GRP23874	YF	8RH	27P	08/20/91	> 1000.0	0.00	0.00
GRP23875	PT	8RO	27P	08/20/91	330.00	0.00	0.00
GRP23875	VE	8LO	27P	08/23/91	345.00	0.00	0.00
GRP23875	YF	8RH	27P	08/20/91	329.00	0.00	0.00
GRP23876	PT	8RP	27P	08/20/91	377.00	0.00	0.00
GRP23876	VE	8LP	27P	08/23/91	> 1000.0	0.00	0.00
GRP23876	YF	8RI	27P	08/20/91	385.00	0.00	0.00
GRP23877	PT	8RP	27P	08/20/91	> 1000.0	0.00	0.00
GRP23877	VE	8LP	27P	08/23/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23877	YF	8RI	27P	08/20/91	> 1000.0	0.00	0.00
GRP23878	PT	8RP	27P	08/20/91	> 1000.0	0.00	0.00
GRP23878	VE	8LP	27P	08/23/91	> 1000.0	0.00	0.00
GRP23878	YF	8RI	27P	08/20/91	> 1000.0	0.00	0.00
GRP23879	PT	8RP	27P	08/20/91	348.00	0.00	0.00
GRP23879	VE	8LP	27P	08/23/91	344.00	0.00	0.00
GRP23879	YF	8RI	27P	08/20/91	337.00	0.00	0.00
GRP23880	PT	8RP	27P	08/20/91	> 1000.0	0.00	0.00
GRP23880	VE	8LP	27P	08/23/91	751.00	0.00	0.00
GRP23880	YF	8RI	27P	08/20/91	> 1000.0	0.00	0.00
GRP23881	PT	8RQ	27P	08/20/91	> 1000.0	0.00	0.00
GRP23881	VE	8LQ	27P	08/23/91	> 1000.0	0.00	0.00
GRP23881	YF	8RJ	27P	08/20/91	> 1000.0	0.00	0.00
GRP23882	PT	8RQ	27P	08/20/91	434.00	0.00	0.00
GRP23882	VE	8LQ	27P	08/23/91	> 1000.0	0.00	0.00
GRP23882	YF	8RJ	27P	08/20/91	421.00	0.00	0.00
GRP23883	PT	8RQ	27P	08/20/91	339.00	0.00	0.00
GRP23883	VE	8LQ	27P	08/23/91	610.00	0.00	0.00
GRP23883	YF	8RJ	27P	08/20/91	337.00	0.00	0.00
GRP23884	PT	8RQ	27P	08/20/91	677.00	0.00	0.00
GRP23884	VE	8LQ	27P	08/23/91	> 1000.0	0.00	0.00
GRP23884	YF	8RJ	27P	08/20/91	602.00	0.00	0.00
GRP23885	PT	8RQ	27P	08/20/91	351.00	0.00	0.00
GRP23885	VE	8LQ	27P	08/23/91	> 1000.0	683.00 >	1.46
GRP23885	YF	8RJ	27P	08/20/91	573.00	0.00	0.00
GRP23886	PT	8RR	27P	08/20/91	346.00	0.00	0.00
GRP23886	VE	8LR	27P	08/23/91	517.00	0.00	0.00
GRP23886	YF	8RK	27P	08/20/91	234.00	0.00	0.00
GRP23887	PT	8RS	27P	08/21/91	> 1000.0	0.00	0.00
GRP23887	VE	8LS	27P	08/23/91	232.00	0.00	0.00
GRP23887	YF	8RZ	27P	08/21/91	340.00	0.00	0.00
GRP23888	PT	8RS	27P	08/21/91	363.00	0.00	0.00
GRP23888	VE	8LS	27P	08/23/91	366.00	0.00	0.00
GRP23888	YF	8RZ	27P	08/21/91	325.00	0.00	0.00
GRP23889	PT	8RS	27P	08/21/91	290.00	0.00	0.00
GRP23889	VE	8LS	27P	08/23/91	364.00	0.00	0.00
GRP23889	YF	8RZ	27P	08/21/91	109.00	0.00	0.00
GRP23890	PT	8RS	27P	08/21/91	0.40	0.00	0.00
GRP23890	VE	8LS	27P	08/23/91	308.00	0.00	0.00
GRP23890	YF	8RZ	27P	08/21/91	0.76	0.00	0.00
GRP23891	PT	8RT	27P	08/21/91	517.00	0.00	0.00
GRP23891	VE	8LT	27P	08/23/91	519.00	0.00	0.00
GRP23891	YF	8S0	27P	08/21/91	1.15	0.00	0.00
GRP23892	PT	8RT	27P	08/21/91	601.00	0.00	0.00
GRP23892	VE	8L1	27P	08/23/91	> 1000.0	0.00	0.00
GRP23892	YF	8S0	27P	08/21/91	744.00	0.00	0.00
GRP23893	PT	8RT	27P	08/21/91	391.00	0.00	0.00
GRP23893	VE	8LT	27P	08/23/91	227.00	0.00	0.00
GRP23893	YF	8S0	27P	08/21/91	338.00	0.00	0.00
GRP23894	PT	8RT	27P	08/21/91	278.00	0.00	0.00
GRP23894	VE	8LT	27P	08/23/91	453.00	0.00	0.00
GRP23894	YF	8S0	27P	08/21/91	27.30	0.00	0.00
GRP23895	PT	8RT	27P	08/21/91	404.00	0.00	0.00
GRP23895	VE	8LT	27P	08/23/91	463.00	0.00	0.00
GRP23895	YF	8S0	27P	08/21/91	0.77	0.00	0.00
GRP23896	PT	8RU	27P	08/21/91	359.00	0.00	0.00
GRP23896	VE	8LU	27P	08/23/91	598.00	0.00	0.00
GRP23896	YF	8S1	27P	08/21/91	49.80	0.00	0.00
GRP23897	PT	8RU	27P	08/21/91	> 1000.0	0.00	0.00
GRP23897	VE	8LU	27P	08/23/91	> 1000.0	0.00	0.00
GRP23897	YF	8S1	27P	08/21/91	992.00	0.00	0.00
GRP23898	PT	8RU	27P	08/21/91	325.00	0.00	0.00
GRP23898	VE	8LU	27P	08/23/91	60.10	0.00	0.00
GRP23898	YF	8S1	27P	08/21/91	202.00	0.00	0.00
GRP23899	PT	8RU	27P	08/21/91	376.00	0.00	0.00
GRP23899	VE	8LU	27P	08/23/91	419.00	0.00	0.00
GRP23899	YF	8S1	27P	08/21/91	17.40	0.00	0.00
GRP23900	PT	8RU	27P	08/21/91	35.90	0.00	0.00
GRP23900	VE	8LU	27P	08/23/91	367.00	0.00	0.00
GRP23900	YF	8S1	27P	08/21/91	0.80	0.00	0.00
GRP23901	PT	8RV	27P	08/21/91	> 1000.0	0.00	0.00
GRP23901	VE	8LV	27P	08/23/91	572.00	0.00	0.00
GRP23901	YF	8S2	27P	08/21/91	0.87	0.00	0.00
GRP23902	PT	8RV	27P	08/21/91	691.00	0.00	0.00

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23902	VE	8LV	27P	08/23/91	502.00	0.00	0.00
GRP23902	YF	8S2	27P	08/21/91	439.00	0.00	0.00
GRP23903	PT	8RV	27P	08/21/91	663.00	0.00	0.00
GRP23903	VE	8LV	27P	08/23/91	294.00	0.00	0.00
GRP23903	YF	8S2	27P	08/21/91	289.00	0.00	0.00
GRP23904	PT	8RV	27P	08/21/91	786.00	0.00	0.00
GRP23904	VE	8LV	27P	08/23/91	> 1000.0	0.00	0.00
GRP23904	YF	8S2	27P	08/21/91	74.80	0.00	0.00
GRP23905	PT	8RV	27P	08/21/91	330.00	0.00	0.00
GRP23905	VE	8LV	27P	08/23/91	328.00	0.00	0.00
GRP23905	YF	8S2	27P	08/21/91	0.81	0.00	0.00
GRP23906	PT	8RW	27P	08/21/91	> 1000.0	710.00 >	1.41
GRP23906	VE	8LW	27P	08/23/91	> 1000.0	469.00 >	2.13
GRP23906	YF	8S3	27P	08/21/91	161.00	0.00	0.00
GRP23907	PT	8RW	27P	08/21/91	352.00	0.00	0.00
GRP23907	VE	8LW	27P	08/23/91	237.00	0.00	0.00
GRP23907	YF	8S3	27P	08/21/91	330.00	0.00	0.00
GRP23908	PT	8RW	27P	08/21/91	424.00	0.00	0.00
GRP23908	VE	8LW	27P	08/23/91	489.00	0.00	0.00
GRP23908	YF	8S3	27P	08/21/91	409.00	0.00	0.00
GRP23909	PT	8RW	27P	08/21/91	971.00	0.00	0.00
GRP23909	VE	8LW	27P	08/23/91	> 1000.0	0.00	0.00
GRP23909	YF	8S3	27P	08/21/91	491.00	0.00	0.00
GRP23910	PT	8RW	27P	08/21/91	41.10	0.00	0.00
GRP23910	VE	8LW	27P	08/23/91	53.30	0.00	0.00
GRP23910	YF	8S3	27P	08/21/91	0.94	0.00	0.00
GRP23911	PT	8RX	27P	08/21/91	471.00	0.00	0.00
GRP23911	VE	8LX	27P	08/23/91	622.00	0.00	0.00
GRP23911	YF	8S4	27P	08/21/91	229.00	0.00	0.00
GRP23912	PT	8RX	27P	08/21/91	> 1000.0	0.00	0.00
GRP23912	VE	8LX	27P	08/23/91	> 1000.0	0.00	0.00
GRP23912	YF	8S4	27P	08/21/91	584.00	0.00	0.00
GRP23913	PT	8RX	27P	08/21/91	478.00	0.00	0.00
GRP23913	VE	8LX	27P	08/23/91	410.00	0.00	0.00
GRP23913	YF	8S4	27P	08/21/91	371.00	0.00	0.00
GRP23914	PT	8RX	27P	08/21/91	351.00	0.00	0.00
GRP23914	VE	8LX	27P	08/23/91	375.00	0.00	0.00
GRP23914	YF	8S4	27P	08/21/91	104.00	0.00	0.00
GRP23915	PT	8RX	27P	08/21/91	> 1000.0	0.00	0.00
GRP23915	VE	8LX	27P	08/23/91	> 1000.0	0.00	0.00
GRP23915	YF	8S4	27P	08/21/91	0.81	0.00	0.00
GRP23916	PT	8RY	27P	08/21/91	> 1000.0	0.00	0.00
GRP23916	VE	8LY	27P	08/23/91	693.00	0.00	0.00
GRP23916	YF	8S5	27P	08/21/91	332.00	0.00	0.00
GRP23917	PT	8UV	27P	08/22/91	149.00	0.00	0.00
GRP23917	VE	8LZ	27P	08/23/91	263.00	0.00	0.00
GRP23917	YF	8S6	27P	08/22/91	296.00	0.00	0.00
GRP23918	PT	8UV	27P	08/22/91	254.00	0.00	0.00
GRP23918	VE	8LZ	27P	08/23/91	287.00	0.00	0.00
GRP23918	YF	8S6	27P	08/22/91	315.00	0.00	0.00
GRP23919	PT	8UV	27P	08/22/91	< 1.00	0.00	0.00
GRP23919	VE	8LZ	27P	08/23/91	747.00	0.00	0.00
GRP23919	YF	8S8	27P	08/22/91	992.00	0.00	0.00
GRP23920	PT	8UV	27P	08/22/91	37.80	0.00	0.00
GRP23920	VE	8LZ	27P	08/23/91	228.00	0.00	0.00
GRP23920	YF	8S6	27P	08/22/91	328.00	0.00	0.00
GRP23921	PT	8UW	27P	08/22/91	0.63	0.00	0.00
GRP23921	VE	8N0	27P	08/23/91	359.00	0.00	0.00
GRP23921	YF	8S7	27P	08/22/91	291.00	0.00	0.00
GRP23922	PT	8UW	27P	08/22/91	334.00	0.00	0.00
GRP23922	VE	8N0	27P	08/23/91	398.00	740.00	0.54
GRP23922	YF	8S7	27P	08/22/91	336.00	0.00	0.00
GRP23923	PT	8UW	27P	08/22/91	395.00	0.00	0.00
GRP23923	VE	8N0	27P	08/23/91	207.00	0.00	0.00
GRP23923	YF	8S7	27P	08/22/91	633.00	0.00	0.00
GRP23924	PT	8UW	27P	08/22/91	< 1.00	0.00	0.00
GRP23924	VE	8N0	27P	08/23/91	> 1000.0	0.00	0.00
GRP23924	YF	8S7	27P	08/22/91	> 1000.0	0.00	0.00
GRP23925	PT	8UW	27P	08/22/91	> 1000.0	882.00 >	1.13
GRP23925	VE	8N0	27P	08/23/91	> 1000.0	0.00	0.00
GRP23925	YF	8S7	27P	08/22/91	> 1000.0	0.00	0.00
GRP23926	PT	8UX	27P	08/22/91	< 1.00	0.00	0.00
GRP23926	VE	8N1	27P	08/23/91	330.00	0.00	0.00
GRP23926	YF	8S8	27P	08/22/91	331.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23927	PT	8UX	27P	08/22/91	713.00	904.00	0.79
GRP23927	VE	8N1	27P	08/23/91	> 1000.0	0.00	0.00
GRP23927	YF	8S8	27P	08/22/91	445.00	0.00	0.00
GRP23928	PT	8UX	27P	08/22/91	535.00	0.00	0.00
GRP23928	VE	8N1	27P	08/23/91	935.00	0.00	0.00
GRP23928	YF	8S6	27P	08/22/91	> 1000.0	0.00	0.00
GRP23929	PT	8UX	27P	08/22/91	1.49	0.00	0.00
GRP23929	VE	8N1	27P	08/23/91	> 1000.0	0.00	0.00
GRP23929	YF	8S8	27P	08/22/91	470.00	0.00	0.00
GRP23930	PT	8UX	27P	08/22/91	467.00	0.00	0.00
GRP23930	VE	8N1	27P	08/23/91	515.00	0.00	0.00
GRP23930	YF	8S8	27P	08/22/91	650.00	0.00	0.00
GRP23931	PT	AJ8	26P	10/09/91	> 1000.0	424.00 >	2.36
GRP23931	VE	7KF	26P	07/26/91	> 1000.0	0.00	0.00
GRP23931	YF	7K1	26P	08/22/91	557.00	0.00	0.00
GRP23932	PT	8UY	27P	08/22/91	0.80	0.00	0.00
GRP23932	VE	8N2	27P	08/23/91	> 1000.0	0.00	0.00
GRP23932	YF	8S9	27P	08/22/91	843.00	0.00	0.00
GRP23933	PT	8UY	27P	08/22/91	579.00	0.00	0.00
GRP23933	VE	8N2	27P	08/23/91	> 1000.0	0.00	0.00
GRP23933	YF	8S9	27P	08/22/91	> 1000.0	0.00	0.00
GRP23934	PT	8UY	27P	08/22/91	489.00	0.00	0.00
GRP23934	VE	8N2	27P	08/23/91	549.00	0.00	0.00
GRP23934	YF	8S9	27P	08/22/91	324.00	0.00	0.00
GRP23935	PT	8UY	27P	09/22/91	8.19	0.00	0.00
GRP23935	VE	8N2	27P	08/23/91	> 1000.0	1000.0 >	1.00
GRP23935	YF	8S9	27P	08/22/91	355.00	0.00	0.00
GRP23936	PT	8UY	27P	08/22/91	325.00	0.00	0.00
GRP23936	VE	8N2	27P	08/23/91	539.00	0.00	0.00
GRP23936	YF	8S9	27P	08/22/91	389.00	0.00	0.00
GRP23937	PT	8UZ	27P	08/22/91	< 1.00	0.00	0.00
GRP23937	VE	8N3	27P	08/23/91	177.00	0.00	0.00
GRP23937	YF	8SA	27P	08/22/91	51.40	0.00	0.00
GRP23938	PT	8UZ	27P	08/22/91	340.00	0.00	0.00
GRP23938	VE	8N3	27P	08/23/91	340.00	0.00	0.00
GRP23938	YF	8SA	27P	08/22/91	321.00	0.00	0.00
GRP23939	PT	8UZ	27P	08/22/91	589.00	0.00	0.00
GRP23939	VE	8N3	27P	08/23/91	633.00	0.00	0.00
GRP23939	YF	8SA	27P	08/22/91	765.00	0.00	0.00
GRP23940	PT	8UZ	27P	08/22/91	14.30	0.00	0.00
GRP23940	VE	8N3	27P	08/23/91	376.00	0.00	0.00
GRP23940	YF	8SA	27P	08/22/91	185.00	0.00	0.00
GRP23941	PT	8UZ	27P	08/22/91	878.00	0.00	0.00
GRP23941	VE	8N3	27P	08/23/91	> 1000.0	0.00	0.00
GRP23941	YF	8SA	27P	08/22/91	838.00	0.00	0.00
GRP23942	PT	8V0	27P	08/22/91	337.00	0.00	0.00
GRP23942	VE	8N4	27P	08/23/91	758.00	0.00	0.00
GRP23942	YF	8SB	27P	08/22/91	488.00	0.00	0.00
GRP23943	PT	8V0	27P	08/22/91	295.00	0.00	0.00
GRP23943	VE	8N4	27P	08/23/91	> 1000.0	0.00	0.00
GRP23943	YF	8SB	27P	08/22/91	347.00	0.00	0.00
GRP23944	PT	8V0	27P	08/22/91	611.00	0.00	0.00
GRP23944	VE	8N4	27P	08/23/91	702.00	0.00	0.00
GRP23944	YF	8SB	27P	08/22/91	863.00	0.00	0.00
GRP23945	PT	8V0	27P	08/22/91	566.00	0.00	0.00
GRP23945	VE	8N4	27P	08/23/91	> 1000.0	0.00	0.00
GRP23945	YF	8SB	27P	08/22/91	> 1000.0	0.00	0.00
GRP23946	PT	8V0	27P	08/22/91	> 1000.0	0.00	0.00
GRP23946	VE	8N4	27P	08/23/91	645.00	0.00	0.00
GRP23946	YF	8SB	27P	08/22/91	760.00	0.00	0.00
GRP23947	PT	8V1	27P	08/22/91	332.00	0.00	0.00
GRP23947	VE	8N5	27P	08/23/91	332.00	0.00	0.00
GRP23947	YF	8SC	27P	08/22/91	290.00	0.00	0.00
GRP23948	PT	9JW	27P	09/20/91	497.00	0.00	0.00
GRP23948	VE	8N6	27P	08/23/91	> 1000.0	0.00	0.00
GRP23948	YF	9K3	27P	09/20/91	7.71	0.00	0.00
GRP23949	PT	9JW	27P	09/20/91	27.90	0.00	0.00
GRP23949	VE	8N6	27P	08/23/91	481.00	0.00	0.00
GRP23949	YF	9K3	27P	09/20/91	5.37	0.00	0.00
GRP23950	PT	9JW	27P	09/20/91	869.00	0.00	0.00
GRP23950	VE	8N6	27P	08/23/91	> 1000.0	0.00	0.00
GRP23950	YF	9K3	27P	09/20/91	> 1000.0	0.00	0.00
GRP23951	PT	9JW	27P	09/20/91	347.00	0.00	0.00
GRP23951	VE	8N6	27P	08/23/91	> 1000.0	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23951	YF	9K3	27P	09/20/91	481.00	0.00	0.00
GRP23952	PT	9JX	27P	09/20/91	> 1000.0	0.00	0.00
GRP23952	VE	8M7	27P	08/23/91	> 1000.0	0.00	0.00
GRP23952	YF	9K4	27P	09/20/91	> 1000.0	0.00	0.00
GRP23953	PT	9JX	27P	09/20/91	347.00	0.00	0.00
GRP23953	VE	8M7	27P	08/23/91	567.00	0.00	0.00
GRP23953	YF	9K4	27P	09/20/91	250.00	0.00	0.00
GRP23954	PT	9JX	27P	09/20/91	738.00	0.00	0.00
GRP23954	VE	8M7	27P	08/23/91	> 1000.0	0.00	0.00
GRP23954	YF	9K4	27P	09/20/91	71.70	0.00	0.00
GRP23955	PT	9JX	27P	09/20/91	45.60	0.00	0.00
GRP23955	VE	8M7	27P	08/23/91	53.50	0.00	0.00
GRP23955	YF	9K4	27P	09/20/91	182.00	0.00	0.00
GRP23956	PT	9JX	27P	09/20/91	584.00	0.00	0.00
GRP23956	VE	8M7	27P	08/23/91	> 1000.0	0.00	0.00
GRP23956	YF	9K4	27P	09/20/91	641.00	0.00	0.00
GRP23957	PT	9JY	27P	09/20/91	> 1000.0	0.00	0.00
GRP23957	VE	8M8	27P	08/23/91	308.00	0.00	0.00
GRP23957	YF	9K5	27P	09/20/91	> 1000.0	0.00	0.00
GRP23958	PT	9JY	27P	09/20/91	295.00	0.00	0.00
GRP23958	VE	8M8	27P	08/23/91	390.00	0.00	0.00
GRP23958	YF	9K5	27P	09/20/91	168.00	0.00	0.00
GRP23959	PT	9JY	27P	09/20/91	> 1000.0	0.00	0.00
GRP23959	VE	8M8	27P	08/23/91	98.10	0.00	0.00
GRP23959	YF	9K5	27P	09/20/91	82.30	0.00	0.00
GRP23960	PT	9JY	27P	09/20/91	278.00	0.00	0.00
GRP23960	VE	8M8	27P	08/23/91	200.00	0.00	0.00
GRP23960	YF	9K5	27P	09/20/91	346.00	0.00	0.00
GRP23961	PT	9JY	27P	09/20/91	930.00	0.00	0.00
GRP23961	VE	8M8	27P	08/23/91	> 1000.0	882.00 >	1.13
GRP23961	YF	9K5	27P	09/20/91	809.00	0.00	0.00
GRP23962	PT	9JZ	27P	09/20/91	414.00	0.00	0.00
GRP23962	VE	8M9	27P	08/23/91	381.00	0.00	0.00
GRP23962	YF	9K6	27P	09/20/91	466.00	0.00	0.00
GRP23963	PT	9JZ	27P	09/20/91	445.00	0.00	0.00
GRP23963	VE	8M9	27P	08/23/91	> 1000.0	0.00	0.00
GRP23963	YF	9K6	27P	09/20/91	517.00	0.00	0.00
GRP23964	PT	9JZ	27P	09/20/91	380.00	0.00	0.00
GRP23964	VE	8M9	27P	08/23/91	215.00	0.00	0.00
GRP23964	YF	9K6	27P	09/20/91	219.00	0.00	0.00
GRP23965	PT	9JZ	27P	09/20/91	> 1000.0	0.00	0.00
GRP23965	VE	8M9	27P	08/23/91	> 1000.0	0.00	0.00
GRP23965	YF	9K6	27P	09/20/91	> 1000.0	0.00	0.00
GRP23966	PT	9JZ	27P	09/20/91	172.00	0.00	0.00
GRP23966	VE	8M9	27P	08/23/91	483.00	0.00	0.00
GRP23966	YF	9K6	27P	09/20/91	168.00	0.00	0.00
GRP23967	PT	9K0	27P	09/20/91	282.00	0.00	0.00
GRP23967	VE	8MA	27P	08/23/91	730.00	686.00	1.06
GRP23967	YF	9K7	27P	09/20/91	257.00	0.00	0.00
GRP23968	PT	9K0	27P	09/20/91	528.00	0.00	0.00
GRP23968	VE	8MA	27P	08/23/91	> 1000.0	0.00	0.00
GRP23968	YF	9K7	27P	09/20/91	96.10	0.00	0.00
GRP23969	PT	9K0	27P	09/20/91	> 1000.0	0.00	0.00
GRP23969	VE	8MA	27P	08/23/91	> 1000.0	0.00	0.00
GRP23969	YF	9K7	27P	09/20/91	> 1000.0	0.00	0.00
GRP23970	PT	9K0	27P	09/20/91	316.00	0.00	0.00
GRP23970	VE	8MA	27P	08/23/91	801.00	460.00	1.74
GRP23970	YF	9K7	27P	09/20/91	281.00	0.00	0.00
GRP23971	PT	9K0	27P	09/20/91	336.00	0.00	0.00
GRP23971	VE	8MA	27P	08/23/91	393.00	0.00	0.00
GRP23971	YF	9K7	27P	09/20/91	335.00	0.00	0.00
GRP23972	PT	9K1	27P	09/20/91	> 1000.0	0.00	0.00
GRP23972	VE	8MB	27P	08/23/91	> 1000.0	0.00	0.00
GRP23972	YF	9K8	27P	09/20/91	> 1000.0	0.00	0.00
GRP23973	PT	9K1	27P	09/20/91	442.00	0.00	0.00
GRP23973	VE	8MB	27P	08/23/91	277.00	0.00	0.00
GRP23973	YF	9K8	27P	09/20/91	53.40	0.00	0.00
GRP23974	PT	9K1	27P	09/20/91	325.00	0.00	0.00
GRP23974	VE	8MB	27P	08/23/91	253.00	0.00	0.00
GRP23974	YF	9K8	27P	09/20/91	231.00	0.00	0.00
GRP23975	PT	9K1	27P	09/20/91	362.00	0.00	0.00
GRP23975	VE	8MB	27P	08/23/91	580.00	0.00	0.00
GRP23975	YF	9K8	27P	09/20/91	549.00	0.00	0.00
GRP23976	PT	9K1	27P	09/20/91	582.00	0.00	0.00

Prescreen Total Experience (Cont'd)

DRUG #	VIR	PLT #	SHIP #	TEST DATE	TC 25	IC 50	SI
GRP23976	VE	8N8	27P	08/23/91	49.40	0.00	0.00
GRP23976	YF	9K8	27P	09/20/91	890.00	0.00	0.00
GRP23977	PT	9K2	27P	09/20/91	762.00	0.00	0.00
GRP23977	VE	8NC	27P	08/23/91	342.00	0.00	0.00
GRP23977	YF	9K9	27P	09/20/91	411.00	0.00	0.00
GRP23978	PT	917	27P	08/27/91	296.00	0.00	0.00
GRP23978	VE	901	27P	08/30/91	379.00	0.00	0.00
GRP23978	YF	90T	27P	08/27/91	153.00	0.00	0.00
GRP23979	PT	917	27P	08/27/91	290.00	0.00	0.00
GRP23979	VE	901	27P	08/30/91	444.00	0.00	0.00
GRP23979	YF	90T	27P	08/27/91	332.00	0.00	0.00
GRP23980	PT	917	27P	08/27/91	325.00	0.00	0.00
GRP23980	VE	901	27P	08/30/91	329.00	0.00	0.00
GRP23980	YF	90T	27P	08/27/91	139.00	0.00	0.00

TC_{25} = The minimum drug concentration (µg/ml) that reduced cell viability by 25%.

IC_{50} = The minimum drug concentration (µg/ml) that inhibited the CPE by 50%, calculated by using a regression analysis program for semilog curve fitting.

SI = Selectivity Index, calculated by dividing the TC_{25} by the IC_{50}.

APPENDIX B

Cumulative Summary of Antiviral Primary Screening (MTT Assays)
(February 1, 1991 through December 31, 1991)

Cumulative Summary of Antiviral Primary Screening
(February 1, 1991 through December 31, 1991)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	JE	BZT	1	11/20/91	1.110	179.00	52.40	0.29 >	2.13
0001	JE	CIB	1	12/04/91	0.970	0.00	185.00	0.00 >	9.44
0001	PT	350	1	02/07/91	0.788	69.00	226.00	3.27 >	11.47
0001	PT	38D	1	02/12/91	0.628	90.40	157.00	1.73	4.49
0001	PT	3AI	1	02/20/91	1.008	26.70	296.00	11.11 >	40.25
0001	PT	3C4	1	02/20/91	1.131	34.00 >	320.00 >	9.42 >	31.05
0001	PT	3BR	1	02/20/91	1.228	39.50	320.00	8.10 >	26.39
0001	PT	3AV	1	02/20/91	0.963	13.90	247.00	17.69 >	47.43
0001	PT	3EM	1	02/21/91	0.773	26.40 >	320.00 >	12.14 >	35.89
0001	PT	3E9	1	02/21/91	0.879	38.10 >	320.00 >	8.41 >	32.09
0001	PT	3H4	1	02/26/91	1.015	12.80 >	320.00 >	25.09 >	53.76
0001	PT	3GR	1	02/26/91	0.858	7.33 >	320.00 >	43.66 >	64.25
0001	PT	3JZ	1	02/26/91	1.302	24.60	192.00	7.78 >	24.58
0001	PT	3LH	1	02/28/91	1.067	63.40	0.89	0.01 >	12.71
0001	PT	3L4	1	02/28/91	0.961	51.30	210.00	4.09 >	17.82
0001	PT	3OC	1	03/05/91	0.709	51.60	227.00	4.40	17.52
0001	PT	3NZ	1	03/05/91	0.576	33.90	304.00	8.97 >	28.10
0001	PT	3S0	1	03/07/91	1.122	25.20	294.00	11.65 >	33.17
0001	PT	3RN	1	03/07/91	0.982	20.40	189.00	9.25 >	38.13
0001	PT	3U8	1	03/12/91	1.369	12.60	283.00	22.45 >	43.65
0001	PT	3UK	1	03/12/91	1.286	19.00 >	320.00 >	16.84 >	42.56
0001	PT	3WY	1	03/14/91	1.127	16.20 >	320.00 >	19.79 >	43.80
0001	PT	3WM	1	03/14/91	1.222	17.10 >	320.00 >	18.73 >	40.23
0001	PT	43L	1	03/19/91	1.104	19.70 >	320.00 >	16.24 >	45.27
0001	PT	438	1	03/19/91	1.287	33.40 >	320.00 >	9.57 >	39.90
0001	PT	45U	1	03/21/91	1.054	27.30 >	320.00 >	11.74 >	40.71
0001	PT	45H	1	03/21/91	0.964	22.20 >	320.00 >	14.43 >	34.96
0001	PT	47P	1	03/26/91	1.143	19.70	320.00	16.27 >	38.26
0001	PT	47E	1	03/26/91	1.206	19.60 >	320.00 >	16.29 >	41.56
0001	PT	49Q	1	03/28/91	0.965	0.00	57.80	0.00	10.05
0001	PT	4E3	1	04/02/91	1.151	53.70	125.00	2.33	14.81
0001	PT	4DQ	1	04/02/91	1.166	48.70	117.00	2.40	15.39
0001	PT	4H4	1	04/04/91	0.656	19.50	74.50	3.82	17.61
0001	PT	4GR	1	04/04/91	0.701	32.00	66.00	2.06 >	7.86
0001	PT	4LH	1	04/09/91	1.488	20.30	72.00	3.55	16.86
0001	PT	4L9	1	04/09/91	1.502	18.20	96.40	5.29	24.69
0001	PT	4NY	1	04/11/91	1.037	17.70	51.40	2.90	14.83
0001	PT	4NL	1	04/11/91	1.055	18.40	72.20	3.93 >	20.15
0001	PT	4Q1	1	04/16/91	1.177	19.10	133.00	6.95	29.77
0001	PT	4PO	1	04/16/91	0.989	17.10	220.00	12.82 >	38.03
0001	PT	4S8	1	04/18/91	1.098	32.00	197.00	6.14	28.44
0001	PT	4RU	1	04/18/91	1.134	38.00	169.00	4.46	22.96
0001	PT	4YR	1	04/23/91	1.213	17.30	173.00	10.03	37.14
0001	PT	4YE	1	04/23/91	1.093	18.90	187.00	9.87	31.54
0001	PT	511	1	04/25/91	1.121	15.50	205.00	13.27	41.56
0001	PT	500	1	04/25/91	1.148	18.90	159.00	8.46	29.22
0001	PT	540	1	04/30/91	1.193	21.60	245.00	11.33 >	37.44
0001	PT	548	1	04/30/91	1.437	34.20	183.00	5.34 >	21.49
0001	PT	58U	1	05/02/91	1.230	6.52 >	320.00 >	49.06 >	48.87
0001	PT	5BW	1	05/07/91	0.922	16.50	249.00	15.10 >	45.03
0001	PT	5C9	1	05/07/91	1.205	19.40	157.00	8.05	33.75
0001	PT	5EC	1	05/09/91	1.158	16.40	197.00	11.97 >	38.34
0001	PT	5DZ	1	05/09/91	1.065	18.80	210.00	11.16 >	35.93
0001	PT	5IR	1	05/14/91	1.122	16.80	281.00	16.71 >	44.84
0001	PT	5IE	1	05/14/91	1.245	17.60	302.00	17.17 >	41.66
0001	PT	5KU	1	05/16/91	1.204	17.50	216.00	12.29 >	40.52
0001	PT	5KH	1	05/16/91	1.240	18.20	210.00	11.56 >	36.33
0001	PT	50X	1	05/22/91	1.039	20.20	96.90	4.79	22.71
0001	PT	50K	1	05/22/91	1.115	20.20	100.00	4.96	24.92
0001	PT	5TE	1	05/23/91	1.128	17.40	207.00	11.88 >	37.47
0001	PT	5T1	1	05/23/91	1.259	22.10	193.00	8.73 >	29.90
0001	PT	5W9	1	05/29/91	1.112	20.00	228.00	11.38 >	37.03
0001	PT	5VW	1	05/29/91	0.988	20.90	224.00	10.69 >	34.54
0001	PT	5YC	1	05/30/91	0.910	16.30	210.00	12.91 >	42.21
0001	PT	5XZ	1	05/30/91	1.048	15.30	126.00	8.25	30.64
0001	PT	62X	1	06/04/91	1.220	16.60	235.00	14.16 >	42.03
0001	PT	62K	1	06/04/91	1.126	15.60	312.00	19.94 >	47.94
0001	PT	650	1	06/05/91	1.147	18.70	172.00	9.18	29.30
0001	PT	64N	1	06/05/91	1.271	17.90	142.00	7.92	28.96
0001	PT	673	1	06/06/91	1.314	207.00	200.00	0.97 >	5.65
0001	PT	66Q	1	06/06/91	1.261	174.00 >	320.00 >	1.83 >	11.33
0001	PT	68P	1	06/11/91	0.991	12.10	257.00	21.18 >	52.62
0001	PT	68C	1	06/11/91	0.852	12.90	253.00	19.60 >	46.62

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	PT	6F7	1	06/12/91	1.090	14.70	296.00	20.12 >	50.24
0001	PT	6IF	1	06/13/91	1.198	18.20	260.00	14.27 >	35.56
0001	PT	6IS	1	06/13/91	1.140	21.70	256.00	11.79 >	34.26
0001	PT	6KV	1	06/18/91	0.758	16.00	240.00	15.01	36.98
0001	PT	6KI	1	06/18/91	0.971	18.30	32.00	1.75	18.79
0001	PT	6NB	1	06/19/91	1.149	15.70	158.00	10.06	31.52
0001	PT	6NY	1	06/19/91	1.195	19.30	138.00	7.12 >	26.61
0001	PT	6T5	1	07/02/91	1.026	18.20	64.40	3.53	20.27
0001	PT	6SR	1	07/02/91	1.179	25.50	59.20	2.32	12.26
0001	PT	6V8	1	07/03/91	0.979	15.50	159.00	10.31 >	37.59
0001	PT	6UV	1	07/03/91	1.200	19.60	100.00	5.09	22.77
0001	PT	6ZN	1	07/09/91	1.226	17.50	107.00	6.10	26.99
0001	PT	6ZA	1	07/09/91	1.059	16.50	204.00	12.33	41.42
0001	PT	731	1	07/11/91	0.552	28.40	118.00	4.17 >	18.10
0001	PT	786	1	07/16/91	0.749	62.20	188.00	3.02 >	12.52
0001	PT	77T	1	07/16/91	0.534	61.90 >	320.00 >	5.17 >	23.69
0001	PT	7JI	1	07/23/91	0.668	62.30	213.00	3.42	15.24
0001	PT	7J5	1	07/23/91	0.755	82.70	180.00	2.18	7.83
0001	PT	7LT	1	07/25/91	0.628	73.10	207.00	2.83 >	12.15
0001	PT	7M6	1	07/25/91	0.584	90.20	169.00	1.88	5.33
0001	PT	7RC	1	07/30/91	0.693	81.30	126.00	1.55	10.16
0001	PT	7TU	1	08/01/91	0.665	25.70	82.30	3.20	16.00
0001	PT	82T	1	08/06/91	0.609	33.20 >	320.00 >	9.65 >	37.06
0001	PT	835	1	08/06/91	0.624	54.00	265.00	4.90 >	26.05
0001	PT	89H	1	08/08/91	0.842	53.30	177.00	3.31	17.12
0001	PT	894	1	08/08/91	1.117	32.00 <	1.00 <	0.03	3.96
0001	PT	81Z	1	08/08/91	0.704	293.00 >	320.00 >	1.09 >	3.03
0001	PT	886	1	08/13/91	0.459	77.90 >	320.00 >	4.11 >	13.69
0001	PT	8D9	1	08/15/91	0.669	38.60	320.00	8.30 >	32.22
0001	PT	8KB	1	08/15/91	0.590	46.80	267.00	5.70 >	26.05
0001	PT	8JY	1	08/15/91	0.489	19.90 >	320.00 >	16.06 >	42.96
0001	PT	8DM	1	08/15/91	0.618	60.10	[illegible] >	5.32 >	24.06
0001	PT	8NZ	1	08/20/91	0.678	0.0[illegible] >	[illegible]	0.00 >	9.79
0001	PT	8TK	1	08/21/91	0.568	46.2[illegible]	[illegible]	4.78	21.44
0001	PT	8T7	1	08/21/91	0.446	72.4[illegible]	[illegible]	2.90	7.81
0001	PT	8UG	1	08/22/91	0.765	55.1[illegible]	[illegible] >	5.80 >	21.84
0001	PT	8UT	1	08/22/91	0.748	55.20	[illegible]	0.99	8.92
0001	PT	8PN	1	08/22/91	0.838	24.40	[illegible]	5.66	27.97
0001	PT	8PA	1	08/22/91	0.806	19.90	265.00	13.33 >	34.63
0001	PT	8UE	1	08/22/91	0.541	93.50	191.00	2.04 >	23.28
0001	PT	8U1	1	08/22/91	0.570	34.40	238.00	6.90	20.33
0001	PT	8MP	1	08/23/91	0.376	49.60	152.00	3.06 >	13.26
0001	PT	8YQ	1	08/27/91	0.468	21.90 >	320.00 >	14.60 >	35.26
0001	PT	8Z7	1	08/28/91	0.490	73.30	196.00	2.68	11.57
0001	PT	92L	1	08/29/91	0.496	95.20	179.00	1.89 >	6.51
0001	PT	961	1	09/04/91	0.545	47.30	238.00	5.02 >	25.29
0001	PT	950	1	09/04/91	0.470	32.00	265.00	8.28 >	39.74
0001	PT	99A	1	09/05/91	0.566	95.90	195.00	2.04	8.92
0001	PT	9A6	1	09/06/91	0.739	100.00	243.00	2.43	8.99
0001	PT	9A4	1	09/06/91	0.690	70.00	165.00	2.36	9.29
0001	PT	99R	1	09/06/91	0.562	62.70	191.00	3.04	14.25
0001	PT	9AJ	1	09/06/91	0.667	81.40	232.00	2.85	10.02
0001	PT	9AL	1	09/06/91	0.423	64.30	272.00	4.23	14.88
0001	PT	9CC	1	09/10/91	0.679	44.60 >	320.00 >	7.18 >	23.80
0001	PT	9H8	1	09/11/91	0.586	61.40	222.00	3.62	14.08
0001	PT	9J0	1	09/12/91	0.675	52.00	290.00	5.57 >	24.30
0001	PT	9EK	1	09/12/91	0.660	97.80	279.00	2.85 >	8.27
0001	PT	9NC	1	09/17/91	0.583	74.00	303.00	4.10	12.30
0001	PT	9T5	1	09/18/91	0.474	48.40	277.00	5.73	21.74
0001	PT	9RT	1	09/19/91	0.879	50.30	290.00	5 [illegible]6 >	25.37
0001	PT	9PK	1	09/19/91	0.612	38.10 >	320.00 >	8.40 >	44.81
0001	PT	9YV	1	09/25/91	0.666	32.00	160.00	5.00	16.78
0001	PT	9ZS	1	09/26/91	0.599	18.90 >	320.00 >	16.97 >	47.67
0001	PT	A13	1	09/26/91	0.576	49.90	267.00	5.34	22.25
0001	PT	A2F	1	09/26/91	0.638	49.00	272.00	5.55 >	24.36
0001	PT	A05	1	09/26/91	0.615	36.20	272.00	7.52 >	33.54
0001	PT	A4N	1	10/01/91	0.814	52.80	218.00	4.12	17.94
0001	PT	A8K	1	10/02/91	0.661	61.00	210.00	3.44	15.58
0001	PT	ABN	1	10/03/91	0.692	42.30	213.00	5.04	21.71
0001	PT	AAA	1	10/03/91	0.425	56.20	267.00	4.75 >	24.03
0001	PT	ADE	1	10/08/91	0.745	38.90	276.00	7.09 >	26.21
0001	PT	AIA	1	10/09/91	0.607	76.70	191.00	2.49	13.87
0001	PT	AK9	1	10/10/91	0.561	57.10 >	320.00 >	5.60 >	21.94
0001	PT	AFM	1	10/10/91	0.579	47.30	304.00	6.42 >	24.94

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	PT	AMB	1	10/15/91	0.569	42.80	277.00	6.48 >	27.30
0001	PT	AR4	1	10/16/91	0.461	50.90	238.00	4.67 >	29.63
0001	PT	AT3	1	10/17/91	0.797	52.00	283.00	5.45 >	26.07
0001	PT	APC	1	10/17/91	0.775	50.80	283.00	5.58 >	24.72
0001	PT	AVR	1	10/22/91	0.587	48.60	185.00	3.81 >	21.84
0001	PT	BON	1	10/23/91	0.730	28.60	187.00	6.53	25.78
0001	PT	B2F	1	10/24/91	0.494	51.20	234.00	4.57	20.38
0001	PT	AXZ	1	10/24/91	0.804	59.60	155.00	2.60	14.89
0001	PT	B4N	1	10/29/91	0.472	13.20	86.80	6.60 >	26.07
0001	PT	B9J	1	10/30/91	0.793	27.70	183.00	6.62	25.81
0001	PT	B7R	1	10/31/91	0.538	52.70	237.00	4.49	19.56
0001	PT	B8B	1	10/31/91	0.507	63.70	233.00	3.66	14.49
0001	PT	BDJ	1	11/05/91	0.624	69.40	171.00	2.46	8.94
0001	PT	BHZ	1	11/06/91	0.955	29.30	186.00	6.33	24.50
0001	PT	BK7	1	11/07/91	0.658	51.60	267.00	5.17 >	23.28
0001	PT	BFR	1	11/07/91	0.543	67.10 >	320.00 >	4.77 >	19.00
0001	PT	BMF	1	11/12/91	0.601	46.20	295.00	6.38 >	26.00
0001	PT	BR2	1	11/13/91	0.671	38.10	283.00	7.43 >	26.75
0001	PT	BT1	1	11/14/91	0.508	56.10 >	320.00 >	5.71 >	22.40
0001	PT	BON	1	11/14/91	0.486	53.40 >	320.00 >	5.99 >	25.89
0001	PT	BW8	1	11/19/91	0.447	43.80	267.00	6.10 >	24.98
0001	PT	C3B	1	11/20/91	0.701	39.00	173.00	4.44	22.20
0001	PT	C3A	1	11/20/91	0.647	32.00	199.00	6.23	24.43
0001	PT	BY0	1	11/20/91	0.687	53.40	185.00	3.47	19.29
0001	PT	C1Y	1	11/21/91	0.685	64.60	160.00	2.48	12.17
0001	PT	CS2	1	11/21/91	0.592	64.10	175.00	2.73	12.68
0001	PT	C87	1	11/26/91	0.561	66.40	222.00	3.35	12.69
0001	PT	C9Z	1	11/26/91	0.561	81.40	222.00	2.73	9.56
0001	PT	CC7	1	11/27/91	0.543	33.20	175.00	5.26	23.04
0001	PT	CIR	1	12/04/91	0.850	64.50	100.00	1.55	11.84
0001	PT	CIG	1	12/04/91	0.976	100.00	120.00	1.20	7.40
0001	PT	CKO	1	12/05/91	0.486	41.20	-13.00	5.16	23.14
0001	PT	CGP	1	12/05/91	0.441	20.80	198.00	9.49	31.04
0001	SF	33R	1	02/05/91	0.644	22.40	96.20	4.29	13.91
0001	SF	344	1	02/05/91	0.507	20.10	134.00	6.69	17.08
0001	SF	35F	1	02/07/91	0.620	28.30	293.00	10.33 >	23.06
0001	SF	38S	1	02/12/91	0.611	8.47	213.00	25.15	34.45
0001	SF	38F	1	02/12/91	0.624	9.61	181.00	18.83 >	36.94
0001	SF	3C6	1	02/20/91	0.638	21.70 >	320.00 >	14.74 >	26.80
0001	SF	3CJ	1	02/20/91	0.537	23.00 >	320.00 >	13.94 >	24.39
0001	SF	3E0	1	02/21/91	0.464	5.14 >	320.00 >	62.20 >	65.78
0001	SF	3F1	1	02/21/91	0.525	2.22 >	320.00 >	143.83 >	82.47
0001	SF	3H6	1	02/26/91	0.689	10.90	226.00	20.64 >	29.35
0001	SF	3HJ	1	02/26/91	0.703	7.27 >	320.00 >	44.03 >	44.73
0001	SF	3LJ	1	02/28/91	0.480	5.92 >	320.00 >	54.01 >	63.13
0001	SF	3LW	1	02/28/91	0.565	6.30 >	320.00 >	50.79 >	52.84
0001	SF	3OR	1	03/05/91	0.746	17.20	250.00	14.52 >	41.34
0001	SF	3OE	1	03/05/91	0.792	12.50 >	320.00 >	25.59 >	44.10
0001	SF	3PN	1	03/06/91	1.079	10.00	176.00	17.59	34.50
0001	SF	3Q0	1	03/06/91	0.893	8.64	217.00	25.15 >	45.91
0001	SF	3SU	1	03/07/91	0.461	4.53 >	320.00 >	70.60 >	61.68
0001	SF	3SH	1	03/07/91	0.510	1.99 >	320.00 >	160.94 >	63.35
0001	SF	3UZ	1	03/12/91	0.621	6.30 >	320.00 >	50.79 >	63.14
0001	SF	3UN	1	03/12/91	0.712	5.45 >	320.00 >	58.76 >	66.23
0001	SF	469	1	03/21/91	0.651	6.84	263.00	38.39	45.30
0001	SF	45W	1	03/21/91	0.807	13.40	0.96	0.07	24.59
0001	SF	44U	1	03/22/91	0.772	12.30 >	320.00 >	26.11 >	51.95
0001	SF	44H	1	03/22/91	0.928	11.70 >	320.00 >	27.26 >	56.44
0001	SF	482	1	03/26/91	0.690	7.52	245.00	32.54	52.69
0001	SF	47R	1	03/26/91	0.661	12.90 >	320.00 >	24.85 >	47.73
0001	SF	4EI	1	04/02/91	1.099	12.00	29.10	2.42	27.97
0001	SF	4E5	1	04/02/91	1.182	16.80	41.10	2.45	19.44
0001	SF	4H6	1	04/04/91	0.785	56.60	49.90	0.88	8.16
0001	SF	4HJ	1	04/04/91	0.702	54.10	83.70	1.55	14.41
0001	SF	4Q3	1	04/16/91	1.222	12.40	139.00	11.27 >	37.87
0001	SF	4QG	1	04/16/91	1.145	22.90	131.00	5.75 >	23.36
0001	SF	4S0	1	04/18/91	0.675	19.70	232.00	11.75 >	38.34
0001	SF	4SA	1	04/18/91	0.851	20.60	108.00	5.26	26.94
0001	SF	4Z6	1	04/23/91	0.959	13.30	1.00	0.08	34.40
0001	SF	4YT	1	04/23/91	0.880	10.20	182.00	17.76 >	48.97
0001	SF	400	1	04/24/91	1.232	16.50	107.00	6.46 >	28.70
0001	SF	4ZL	1	04/24/91	1.044	16.60	106.00	6.42	28.41
0001	SF	4Z8	1	04/24/91	1.252	17.60	77.30	4.38	21.35
0001	SF	40D	1	04/24/91	1.090	14.40	162.00	11.21	32.53

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	SF	513	1	04/25/91	1.082	9.61	143.00	14.85 >	43.61
0001	SF	51G	1	04/25/91	0.907	11.10	178.00	16.02 >	42.41
0001	SF	511	1	04/26/91	0.959	14.70	145.00	9.92 >	37.03
0001	SF	51U	1	04/26/91	0.846	14.30	236.00	16.53 >	46.01
0001	SF	540	1	04/30/91	1.034	13.10	241.00	18.43 >	51.62
0001	SF	553	1	04/30/91	0.993	13.50	228.00	16.91 >	49.01
0001	SF	599	1	05/02/91	0.932	17.00	167.00	9.86	29.04
0001	SF	5CO	1	05/07/91	1.057	3.42	42.60	12.46 >	43.65
0001	SF	5CB	1	05/07/91	1.109	9.60	169.00	17.62 >	45.23
0001	SF	5EE	1	05/09/91	1.203	16.40	89.50	5.46	24.46
0001	SF	5J6	1	05/14/91	1.010	8.56	240.00	28.03 >	55.01
0001	SF	51T	1	05/14/91	0.780	11.20	238.00	21.26	47.40
0001	SF	5L9	1	05/16/91	0.795	6.91	210.00	30.39 >	53.45
0001	SF	5KW	1	05/16/91	0.801	5.66	213.00	37.60 >	55.88
0001	SF	5PC	1	05/22/91	0.932	19.60	90.30	4.62	19.44
0001	SF	5QZ	1	05/22/91	0.969	14.70	60.30	4.09	21.98
0001	SF	5TT	1	05/23/91	0.627	11.30	277.00	24.49	48.13
0001	SF	5TG	1	05/23/91	0.770	16.20	257.00	15.89	36.23
0001	SF	5WO	1	05/29/91	0.898	15.10	201.00	13.30 >	39.53
0001	SF	5WB	1	05/29/91	0.972	11.10	180.00	16.19 >	39.64
0001	SF	5YR	1	05/30/91	0.707	10.50	197.00	18.69 >	46.53
0001	SF	5YE	1	05/30/91	0.930	14.00	100.00	7.13 >	26.20
0001	SF	62Z	1	06/04/91	0.830	7.91	180.00	22.76	40.03
0001	SF	63C	1	06/04/91	0.586	15.30	218.00	14.23	35.54
0001	SF	65F	1	06/05/91	0.776	9.29	168.00	18.05	38.74
0001	SF	652	1	06/05/91	0.802	8.75	155.00	17.72 >	40.37
0001	SF	675	1	06/06/91	0.610	12.90 >	320.00 >	24.90 >	46.14
0001	SF	671	1	06/06/91	0.676	13.70 >	320.00 >	23.30 >	33.41
0001	SF	6BR	1	06/11/91	0.834	25.20	17.30	0.69 >	11.12
0001	SF	6C4	1	06/11/91	0.652	22.20	134.00	6.05	17.70
0001	SF	6FZ	1	06/12/91	0.766	12.40 >	320.00 >	25.90 >	51.94
0001	SF	6FM	1	06/12/91	0.826	7.37 >	320.00 >	43.44 >	53.73
0001	SF	6IU	1	06/13/91	0.622	10.00 >	320.00 >	32.00 >	51.02
0001	SF	6J7	1	06/13/91	0.479	6.48 >	320.00 >	49.39 >	62.84
0001	SF	6LA	1	06/18/91	0.629	9.52	216.00	22.75 >	39.33
0001	SF	6KX	1	06/18/91	0.549	17.90	228.00	12.74	34.61
0001	SF	6ND	1	06/19/91	0.927	22.80	85.70	3.76 >	21.06
0001	SF	6NQ	1	06/19/91	0.935	16.80	157.00	9.30 >	30.81
0001	SF	6T7	1	07/02/91	1.045	12.90	53.50	4.13 >	24.47
0001	SF	6TK	1	07/02/91	0.991	11.70	81.50	6.99 >	31.70
0001	SF	6VA	1	07/03/91	0.925	24.80	54.70	2.21	12.12
0001	SF	6VN	1	07/03/91	0.999	25.40	113.00	4.45 >	21.03
0001	SF	704	1	07/09/91	1.163	15.20	207.00	13.58 >	39.35
0001	SF	702	1	07/09/91	1.081	16.10	150.00	9.30 >	29.24
0001	SF	6ZP	1	07/09/91	0.941	19.40	220.00	11.35 >	34.51
0001	SF	70N	1	07/09/91	0.945	14.30	277.00	19.44 >	48.74
0001	SF	74A	1	07/10/91	0.881	12.40	255.00	20.59 >	47.13
0001	SF	74N	1	07/10/91	0.991	15.80	185.00	11.70 >	40.52
0001	SF	76B	1	07/11/91	0.599	13.60	249.00	18.26 >	47.52
0001	SF	75Y	1	07/11/91	0.812	18.10	121.00	6.70 >	26.95
0001	SF	78N	1	07/16/91	1.027	13.70	118.00	8.64	29.94
0001	SF	78L	1	07/16/91	1.115	16.30	193.00	11.82 >	33.17
0001	SF	788	1	07/16/91	1.116	16.80	170.00	10.09 >	30.66
0001	SF	790	1	07/16/91	0.865	16.90	257.00	15.19 >	41.43
0001	SF	7ED	1	07/17/91	1.118	16.30	199.00	12.15 >	37.33
0001	SF	7E0	1	07/17/91	1.176	17.00	198.00	11.61 >	33.25
0001	SF	7GT	1	07/18/91	1.052	17.00	220.00	12.89 >	39.87
0001	SF	7GG	1	07/18/91	1.058	16.90	210.00	12.41 >	37.06
0001	SF	7JX	1	07/23/91	1.119	16.60	110.00	6.60	28.12
0001	SF	7JK	1	07/23/91	1.163	19.50	151.00	7.74	28.34
0001	SF	7ML	1	07/25/91	1.171	15.90	133.00	8.40	34.73
0001	SF	7MB	1	07/25/91	1.242	14.50	96.00	6.63 >	32.39
0001	SF	7RE	1	07/30/91	1.031	17.30	210.00	12.12 >	33.55
0001	SF	7RT	1	07/30/91	0.994	14.10	164.00	11.58 >	35.86
0001	SF	7RR	1	07/30/91	1.049	16.30	131.00	8.08 >	31.14
0001	SF	7S6	1	07/30/91	0.928	16.90	188.00	11.12 >	35.30
0001	SF	7VX	1	07/31/91	1.064	15.60	108.00	6.94 >	33.98
0001	SF	7VK	1	07/31/91	1.159	23.10	118.00	5.13	20.12
0001	SF	7X8	1	08/01/91	1.118	17.70	138.00	7.78 >	31.10
0001	SF	7XL	1	08/01/91	1.070	21.50	68.00	3.16	17.28
0001	SF	82E	1	08/06/91	0.972	15.50	109.00	7.00 >	30.85
0001	SF	809	1	08/06/91	0.976	17.20	95.50	5.57 >	27.00
0001	SF	7ZW	1	08/06/91	0.956	16.80	146.00	8.64	31.03
0001	SF	82R	1	08/06/91	1.053	16.60	89.10	5.37 >	25.94

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	SF	86G	1	08/07/91	1.368	23.10	30.20	1.30	12.93
0001	SF	86T	1	08/07/91	1.155	19.30	89.80	4.66 >	24.02
0001	SF	892	1	08/08/91	0.889	18.20	100.00	5.48	25.21
0001	SF	88P	1	08/08/91	0.884	20.10	95.50	4.75	19.65
0001	SF	88Y	1	08/13/91	1.044	15.30	180.00	11.78 >	37.33
0001	SF	88L	1	08/13/91	0.936	16.90	201.00	11.91	34.61
0001	SF	8E1	1	08/13/91	0.925	14.80	164.00	11.06 >	37.66
0001	SF	8DO	1	08/13/91	0.906	13.80	193.00	14.03	40.61
0001	SF	8GN	1	08/14/91	0.863	13.90	165.00	11.86 >	39.71
0001	SF	8G9	1	08/14/91	0.932	21.40	88.70	4.15	17.23
0001	SF	8KD	1	08/15/91	0.977	14.50	230.00	15.86 >	40.73
0001	SF	8KQ	1	08/15/91	0.813	12.90	259.00	20.11 >	50.61
0001	SF	8OV	1	08/20/91	0.856	23.30	71.70	3.08	14.69
0001	SF	8OE	1	08/20/91	0.913	24.60	126.00	5.13	18.00
0001	SF	801	1	08/20/91	0.874	66.10	58.20	0.88	7.13
0001	SF	8P8	1	08/20/91	0.897	17.90	81.90	4.58	22.84
0001	SF	8WA	1	08/22/91	0.819	17.10	119.00	6.95 >	21.82
0001	SF	8WN	1	08/22/91	0.900	12.30	164.00	13.37 >	41.60
0001	SF	8YS	1	08/27/91	0.865	8.69	320.00	36.81 >	49.83
0001	SF	8TZ	1	08/27/91	0.722	4.17	283.00	67.96 >	70.00
0001	SF	8TN	1	08/27/91	0.942	6.45	283.00	43.92 >	62.31
0001	SF	8Z5	1	08/27/91	0.926	5.11	241.00	47.20 >	62.99
0001	SF	92N	1	08/29/91	0.618	14.70	214.00	14.55	35.83
0001	SF	930	1	08/29/91	0.751	15.40	171.00	11.08 >	38.74
0001	SF	96G	1	09/04/91	0.862	13.60	167.00	12.22 >	39.41
0001	SF	963	1	09/04/91	0.649	7.65	304.00	39.71 >	58.00
0001	SF	99P	1	09/05/91	0.830	24.10	176.00	7.29	22.02
0001	SF	99C	1	09/05/91	0.701	18.60	255.00	13.70 >	40.43
0001	SF	9HO	1	09/11/91	0.846	17.90	190.00	10.64	27.80
0001	SF	9F0	1	09/12/91	0.570	9.16	247.00	26.93	35.66
0001	SF	9JG	1	09/12/91	0.686	10.70	158.00	14.75	31.89
0001	SF	9NS	1	09/17/91	0.705	6.04	283.00	46.88 >	52.10
0001	SF	9SP	1	09/18/91	0.682	6.65	218.00	32.81 >	48.65
0001	SF	9S9	1	09/19/91	0.663	8.50 >	320.00 >	37.66 >	49.65
0001	SF	9Q0	1	09/19/91	0.665	12.90	306.00	23.78 >	30.14
0001	SF	9ZD	1	09/25/91	0.763	12.20	178.00	14.61 >	39.17
0001	SF	A2V	1	09/26/91	0.535	3.85 >	320.00 >	83.13 >	70.01
0001	SF	A1J	1	09/26/91	0.679	9.66	296.00	30.68 >	55.73
0001	SF	A1Z	1	09/27/91	0.593	7.38 >	320.00 >	43.36 >	60.13
0001	SF	A8Z	1	10/02/91	0.822	14.00	245.00	17.42 >	43.56
0001	SF	AAQ	1	10/03/91	0.583	6.99	139.00	19.87	32.52
0001	SF	AB6	1	10/03/91	0.572	10.90	135.00	12.40	26.76
0001	SF	ADU	1	10/08/91	0.709	5.79	255.00	43.99 >	54.20
0001	SF	AIQ	1	10/09/91	0.514	15.20	237.00	15.53	32.92
0001	SF	AG2	1	10/10/91	0.599	5.26	276.00	52.49 >	53.05
0001	SF	AKP	1	10/10/91	0.510	5.05	256.00	50.68 >	49.38
0001	SF	AMR	1	10/15/91	0.595	9.55 >	320.00 >	33.52 >	48.42
0001	SF	ARK	1	10/16/91	0.556	6.42	139.00	21.69 >	45.58
0001	SF	APS	1	10/17/91	0.655	12.80	199.00	15.61	32.50
0001	SF	ATJ	1	10/17/91	0.699	9.09	198.00	21.75	36.61
0001	SF	ATZ	1	10/18/91	0.869	8.78	214.00	24.42 >	42.53
0001	SF	AW7	1	10/22/91	0.844	5.66	189.00	33.42 >	52.68
0001	SF	B13	1	10/23/91	0.920	17.90	83.00	4.64 >	20.90
0001	SF	AYF	1	10/24/91	0.910	16.50	173.00	10.53 >	33.78
0001	SF	B2V	1	10/24/91	0.832	19.90	179.00	8.99 >	27.16
0001	SF	B53	1	10/29/91	0.695	13.60	224.00	16.50	32.32
0001	SF	B9Z	1	10/30/91	0.595	12.40	199.00	16.14 >	32.57
0001	SF	BBR	1	10/31/91	0.412	13.80	258.00	18.75	36.44
0001	SF	BDZ	1	11/05/91	0.784	10.90	308.00	28.20 >	49.48
0001	SF	BIF	1	11/06/91	0.824	7.48	230.00	30.73	51.98
0001	SF	BG7	1	11/07/91	0.710	14.00 >	320.00 >	22.79 >	43.05
0001	SF	BKN	1	11/07/91	0.615	5.72	262.00	45.74	55.52
0001	SF	BMV	1	11/12/91	0.880	11.10	198.00	17.88 >	40.93
0001	SF	BRI	1	11/13/91	0.754	6.84	247.00	36.06 >	54.82
0001	SF	BTH	1	11/14/91	0.556	10.20 >	320.00 >	31.28 >	58.63
0001	SF	BP3	1	11/14/91	0.725	7.79 >	320.00 >	41.09 >	56.37
0001	SF	BUG	1	11/19/91	0.699	6.44	277.00	43.09 >	56.31
0001	SF	BWO	1	11/19/91	0.678	5.66 >	320.00 >	56.57 >	64.52
0001	SF	BYG	1	11/20/91	0.958	7.08	139.00	19.61 >	42.30
0001	SF	C3R	1	11/20/91	0.882	10.60	169.00	15.94 >	41.79
0001	SF	C3Q	1	11/20/91	0.878	9.02	183.00	20.32 >	48.56
0001	SF	C5I	1	11/21/91	0.895	7.83	186.00	23.78 >	48.03
0001	SF	C2E	1	11/21/91	0.902	6.45	149.00	23.14	50.25
0001	SF	C8N	1	11/27/91	0.644	6.34	135.00	21.28 >	46.66

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0001	SF	CAV	1	11/27/91	0.657	6.27	118.00	18.81 >	37.75
0001	SF	CAF	1	11/27/91	0.540	10.00	140.00	14.03	38.45
0001	SF	CEF	1	12/03/91	0.858	12.90	81.20	6.32	25.76
0001	SF	CJ7	1	12/04/91	0.855	12.90	197.00	15.30	36.96
0001	SF	CIW	1	12/04/91	0.890	13.20	150.00	11.39 >	36.62
0001	SF	CLO	1	12/05/91	0.907	5.54	165.00	29.82 >	41.06
0001	SF	CH5	1	12/05/91	0.670	4.73	185.00	39.00 >	51.36
0001	VE	C08	1	11/22/91	0.979	59.60	111.00	1.86 >	17.47
0001	VE	CGI	1	12/06/91	1.268	0.00	28.90	0.00	0.00
0001	YF	BZD	1	11/20/91	0.886	0.00	144.00	0.00	5.57
0001	YF	CJT	1	12/04/91	1.109	0.00	24.00	0.00 >	0.99
0111	JE	CIC	42	12/04/91	0.980	0.00	69.80	0.00	0.00
0111	PT	CIS	42	12/04/91	0.786	0.00	76.70	0.00	0.08
0111	SF	CJ8	42	12/04/91	0.888	0.00	81.90	0.00	0.28
0111	VE	CGJ	42	12/06/91	1.268	0.00	16.50	0.00 >	1.91
0111	YF	CJU	42	12/04/91	1.061	0.00	3.01	0.00	0.57
0148	JE	CIB	2/67	12/04/91	0.970	0.92	2.74	2.98	15.99
0148	PT	CIR	2/67	12/04/91	0.850	0.00	2.57	0.00	0.87
0148	SF	CJ7	2/67	12/04/91	0.855	0.66	2.90	4.36 >	22.24
0148	VE	CGI	2/67	12/06/91	1.268	0.00	0.40	0.00	0.00
0148	YF	CJT	2/67	12/04/91	1.109	0.73	1.23	1.67	12.89
0206	JE	BZS	5/67	11/20/91	0.966	275.00	335.00	1.22	4.58
0206	PT	C3A	5/67	11/20/91	0.647	254.00	100.00	0.39	4.11
0206	SF	C30	5/67	11/20/91	0.878	43.30	477.00	11.02	39.92
0206	VE	C07	5/67	11/22/91	1.325	0.00	191.00	0.00	0.00
0206	YF	BZC	5/67	11/20/91	0.922	255.00	233.00	0.91	6.25
0230	JE	CIC	1	12/04/91	0.980	0.00	58.80	0.00 >	1.39
0230	PT	CIS	1	12/04/91	0.786	0.00	78.10	0.00 >	0.20
0230	SF	CJ8	1	12/04/91	0.888	0.00	86.40	0.00	0.33
0230	VE	CGJ	1	12/06/91	1.268	0.00	17.20	0.00	0.96
0230	YF	CJU	1	12/04/91	1.061	0.00	66.70	0.00	1.21
0253	JE	31X	1	02/06/91	1.088	0.00	5.82	0.00	0.00
0253	JE	34Y	1	02/07/91	0.813	0.00	5.98	0.00	0.17
0253	JE	34L	1	02/07/91	0.749	0.00	5.84	0.00	0.00
0253	JE	399	1	02/14/91	0.681	3.20 >	100.00 >	31.25 >	51.64
0253	JE	39M	1	02/14/91	0.743	3.80	77.30	20.33 >	40.06
0253	JE	3BP	1	02/20/91	0.677	5.96	84.30	14.15 >	35.67
0253	JE	3BC	1	02/20/91	0.645	4.35 >	100.00 >	22.97 >	41.74
0253	JE	3DS	1	02/21/91	0.879	7.52	22.00	2.93	19.50
0253	JE	3DF	1	02/21/91	0.905	5.25	27.20	5.18	26.53
0253	JE	3FV	1	02/27/91	1.097	4.81	10.00	2.08	20.11
0253	JE	3FI	1	02/27/91	0.909	2.35	12.80	5.43 >	35.34
0253	JE	3GA	1	02/27/91	1.001	3.45	31.20	9.02 >	40.45
0253	JE	3FX	1	02/27/91	0.954	7.72	29.60	3.84 >	29.63
0253	JE	310	1	02/28/91	0.966	4.31	95.10	22.09 >	39.95
0253	JE	31D	1	02/28/91	0.823	2.42 >	100.00 >	41.38 >	46.76
0253	JE	3MP	1	03/06/91	0.662	0.00	16.90	0.00	11.68
0253	JE	3N2	1	03/06/91	0.874	0.00	8.20	0.00	5.47
0253	JE	3Q2	1	03/07/91	1.011	6.84	20.00	2.92 >	16.53
0253	JE	3QF	1	03/07/91	0.981	7.27	7.73	1.06	9.05
0253	JE	3TA	1	03/13/91	0.952	0.00	5.36	0.00	0.02
0253	JE	3TM	1	03/13/91	0.853	0.00	7.17	0.00	2.55
0253	JE	3W6	1	03/14/91	1.006	0.00	6.91	0.00	5.00
0253	JE	3VU	1	03/14/91	1.039	0.00	6.29	0.00	3.05
0253	JE	40R	1	03/20/91	0.991	0.00	4.90	0.00	0.35
0253	JE	40E	1	03/20/91	0.968	0.00	3.58	0.00	0.00
0253	JE	43N	1	03/21/91	0.717	5.31	44.40	8.35 >	29.05
0253	JE	440	1	03/21/91	0.813	6.40	19.10	2.98	20.55
0253	JE	460	1	03/27/91	0.860	0.00	4.17	0.00	0.00
0253	JE	46Z	1	03/27/91	0.793	0.00	5.47	0.00	0.00
0253	JE	48W	1	03/28/91	0.734	29.00	92.20	3.17 >	14.80
0253	JE	48J	1	03/28/91	0.816	63.40	91.10	1.44 >	10.60
0253	JE	409	1	04/03/91	0.744	0.00	4.79	0.00	2.23
0253	JE	4FC	1	04/04/91	0.927	0.00	3.20	0.00	0.12
0253	JE	4J3	1	04/10/91	0.722	0.00	5.80	0.00	3.69
0253	JE	4JG	1	04/10/91	0.768	0.00	4.85	0.00	0.61
0253	JE	4M3	1	04/11/91	0.696	0.00	3.43	0.00	2.47
0253	JE	4QU	1	04/17/91	0.465	0.00	16.70	0.00	3.35
0253	JE	4P7	1	04/17/91	0.762	0.00	9.51	0.00	5.53
0253	JE	4RE	1	04/18/91	0.665	0.00	9.62	0.00	6.22
0253	JE	4RS	1	04/18/91	0.735	0.00	6.88	0.00 >	4.29
0253	JE	4ZU	1	04/25/91	0.636	0.00	7.93	0.00	3.89
0253	JE	507	1	04/25/91	0.533	0.00	9.06	0.00	11.04
0253	JE	53H	1	05/01/91	0.698	0.00	6.60	0.00	10.52

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	JE	53U	1	05/01/91	0.745	0.00	5.65	0.00	3.88
0253	JE	56C	1	05/02/91	0.786	0.00	8.99	0.00	10.97
0253	JE	55Z	1	05/02/91	0.597	7.52	10.90	1.45	11.77
0253	JE	58F	1	05/08/91	0.842	0.00	11.90	0.00	8.61
0253	JE	505	1	05/09/91	0.744	0.00	9.24	0.00 >	7.46
0253	JE	501	1	05/09/91	0.747	0.00	7.23	0.00	1.47
0253	JE	5HK	1	05/15/91	0.909	0.00	6.00	0.00	1.90
0253	JE	5HX	1	05/15/91	0.968	0.00	5.35	0.00	1.22
0253	JE	5KO	1	05/16/91	0.924	0.00	7.73	0.00	5.94
0253	JE	5JN	1	05/16/91	0.967	0.00	3.96	0.00	0.12
0253	JE	5RS	1	05/23/91	0.726	0.00	12.40	0.00	8.55
0253	JE	5SK	1	05/23/91	0.680	6.52	22.20	3.41 >	16.56
0253	JE	5S5	1	05/23/91	0.745	0.00	8.70	0.00	2.95
0253	JE	5XK	1	05/30/91	0.786	8.71	25.60	2.94 >	14.62
0253	JE	5VF	1	05/30/91	0.925	0.00	11.00	0.00	6.59
0253	JE	5V2	1	05/30/91	0.829	0.00	18.60	0.00 >	7.27
0253	JE	5XX	1	05/30/91	0.779	9.19	26.70	2.91 >	16.64
0253	JE	623	1	06/04/91	0.939	0.00	7.65	0.00	0.87
0253	JE	61Q	1	06/04/91	0.727	8.67	24.10	2.78 >	19.05
0253	JE	63T	1	06/05/91	0.967	5.59	26.20	4.68 >	28.37
0253	JE	646	1	06/05/91	1.069	6.84	21.00	3.07	17.20
0253	JE	660	1	06/06/91	1.142	6.69	24.70	3.69 >	23.40
0253	JE	668	1	06/06/91	1.296	8.50	21.50	2.53 >	16.37
0253	JE	6AV	1	06/11/91	1.121	0.00	19.80	0.00	12.11
0253	JE	6AI	1	06/11/91	1.112	7.00	24.70	3.52	22.03
0253	JE	6CL	1	06/12/91	1.222	7.96	20.20	2.54	16.39
0253	JE	6CY	1	06/12/91	1.145	8.78	22.70	2.59	15.88
0253	JE	6H7	1	06/13/91	1.019	10.00	27.90	2.79	22.25
0253	JE	6GU	1	06/13/91	1.008	8.50	29.40	3.46 >	23.44
0253	JE	6JO	1	06/18/91	1.114	0.00	11.80	0.00	8.62
0253	JE	6K1	1	06/18/91	1.072	0.00	10.00	0.00	6.65
0253	JE	6MI	1	06/19/91	0.982	0.00	6.86	0.00	2.56
0253	JE	6M5	1	06/19/91	0.803	0.00	18.30	0.00	13.67
0253	JE	6SA	1	07/02/91	1.050	0.00	14.90	0.00	2.78
0253	JE	6RX	1	07/02/91	1.006	7.76	9.27	1.19	11.17
0253	JE	6UT	1	07/03/91	0.970	9.16	17.80	1.94	11.97
0253	JE	6UG	1	07/03/91	0.873	6.42	15.70	2.45	14.49
0253	JE	6YG	1	07/09/91	1.050	0.00	13.50	0.00 >	2.41
0253	JE	6YT	1	07/09/91	0.990	0.00	12.80	0.00	2.75
0253	JE	71S	1	07/10/91	0.608	6.98	32.00	4.59 >	19.66
0253	JE	72K	1	07/10/91	0.806	6.92	21.80	3.15 >	17.33
0253	JE	727	1	07/10/91	0.702	5.83	21.40	3.68	17.14
0253	JE	725	1	07/10/91	0.729	7.22	24.50	3.39 >	18.05
0253	JE	754	1	07/11/91	1.019	8.27	8.79	1.06	9.27
0253	JE	75H	1	07/11/91	0.954	7.96	14.40	1.81 >	12.70
0253	JE	76Z	1	07/16/91	0.915	5.66	23.90	4.22 >	23.33
0253	JE	77C	1	07/16/91	1.102	0.00	17.70	0.00	6.21
0253	JE	7BX	1	07/17/91	0.863	8.16	21.70	2.66	16.64
0253	JE	7DJ	1	07/17/91	0.854	3.20	24.90	7.79 >	30.51
0253	JE	7D6	1	07/17/91	0.747	3.32	24.70	7.42 >	30.76
0253	JE	7CA	1	07/17/91	0.937	6.47	22.50	3.47	20.72
0253	JE	7F7	1	07/18/91	1.014	0.00	8.43	0.00	3.75
0253	JE	7FK	1	07/18/91	1.175	0.00	8.35	0.00	5.22
0253	JE	71B	1	07/23/91	0.682	0.00	21.50	0.00 >	11.10
0253	JE	710	1	07/23/91	0.670	0.00	23.40	0.00 >	9.86
0253	JE	7KZ	1	07/25/91	0.818	8.11	17.30	2.14	12.07
0253	JE	7LC	1	07/25/91	0.834	8.70	17.60	2.02 >	11.15
0253	JE	7P8	1	07/30/91	0.783	0.00	15.50	0.00	6.65
0253	JE	70V	1	07/30/91	0.766	0.00	21.80	0.00	11.06
0253	JE	7UQ	1	07/31/91	0.623	8.45	24.30	2.88	14.18
0253	JE	7UO	1	07/31/91	0.776	0.00	19.10	0.00	7.00
0253	JE	7UB	1	07/31/91	0.655	0.00	25.70	0.00 >	9.40
0253	JE	7V3	1	07/31/91	0.736	8.23	21.00	2.55 >	12.24
0253	JE	7ME	1	08/01/91	0.608	6.89	27.20	3.95	17.21
0253	JE	7MR	1	08/01/91	0.762	8.79	23.90	2.72 >	13.28
0253	JE	7ZF	1	08/06/91	0.819	8.50	18.30	2.15	8.21
0253	JE	7Z2	1	08/06/91	0.690	6.40	32.00	5.00	17.82
0253	JE	815	1	08/07/91	0.612	9.47	24.90	2.63	15.23
0253	JE	85Z	1	08/07/91	0.765	7.70	21.40	2.78	12.23
0253	JE	85H	1	08/07/91	0.725	7.96	19.70	2.47	12.27
0253	JE	811	1	08/07/91	0.738	6.59	23.90	3.63	16.48
0253	JE	87V	1	08/08/91	0.846	0.00	2.89	0.00 >	5.00
0253	JE	888	1	08/08/91	0.936	0.00	0.74	0.00	0.43
0253	JE	8AC	1	08/13/91	0.853	9.16	24.70	2.69	13.08

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
0253	JE	8AP	1	08/13/91	0.946	0.00	14.20	0.00		3.22
0253	JE	8NI	1	08/14/91	0.793	0.00	5.58	0.00		0.21
0253	JE	8CS	1	08/14/91	0.821	0.00	8.23	0.00		1.57
0253	JE	8CF	1	08/14/91	0.746	0.00	7.01	0.00		0.11
0253	JE	8NV	1	08/14/91	0.903	0.00	6.03	0.00		0.00
0253	JE	8JW	1	08/15/91	0.898	0.00	15.00	0.00		4.36
0253	JE	8JJ	1	08/15/91	0.778	0.00	16.20	0.00		7.48
0253	JE	8N5	1	08/20/91	0.662	0.00	17.10	0.00		2.46
0253	JE	8NS	1	08/20/91	0.700	0.00	8.40	0.00		0.83
0253	JE	8Q4	1	08/21/91	0.717	0.00	14.40	0.00		6.88
0253	JE	8QH	1	08/21/91	0.711	7.13	20.60	2.89	>	15.06
0253	JE	8SS	1	08/21/91	0.950	0.00	3.54	0.00		0.00
0253	JE	8T5	1	08/21/91	0.857	0.00	5.72	0.00	>	1.88
0253	JE	8W8	1	08/22/91	0.953	0.00	5.47	0.00		0.00
0253	JE	8VV	1	08/22/91	0.901	0.00	5.47	0.00		0.00
0253	JE	8XJ	1	08/28/91	0.836	0.00	20.60	0.00		3.88
0253	JE	8XW	1	08/28/91	0.793	0.00	14.40	0.00		2.45
0253	JE	91T	1	08/29/91	0.866	0.00	8.98	0.00		3.26
0253	JE	926	1	08/29/91	0.781	0.00	13.00	0.00		4.09
0253	JE	957	1	09/04/91	0.813	0.00	16.40	0.00		4.58
0253	JE	94U	1	09/04/91	0.765	0.00	20.50	0.00	>	9.00
0253	JE	98V	1	09/05/91	0.801	0.00	9.41	0.00		3.04
0253	JE	981	1	09/05/91	0.818	0.00	10.00	0.00	>	5.12
0253	JE	98G	1	09/10/91	0.736	0.00	28.20	0.00		14.66
0253	JE	9GS	1	09/11/91	0.834	0.00	8.64	0.00		5.92
0253	JE	9DO	1	09/11/91	0.652	0.00	21.40	0.00	>	8.97
0253	JE	91K	1	09/12/91	1.004	0.00	23.00	0.00		7.99
0253	JE	9MG	1	09/17/91	0.939	0.00	25.70	0.00		7.24
0253	JE	9LK	1	09/18/91	0.755	0.00	9.74	0.00		8.44
0253	JE	900	1	09/18/91	0.755	0.00	20.30	0.00	>	8.99
0253	JE	9RD	1	09/19/91	0.884	10.00	18.60	1.86		12.28
0253	JE	9U1	1	09/24/91	0.701	9.69	22.40	2.32		9.02
0253	JE	9X6	1	09/25/91	0.858	7.57	26.70	3.53		14.88
0253	JE	9YG	1	09/25/91	0.863	0.00	18.10	0.00		6.91
0253	JE	A0N	1	09/26/91	0.867	0.00	28.30	0.00	>	13.93
0253	JE	A3R	1	10/01/91	0.824	0.00	23.90	0.00		5.94
0253	JE	A7Q	79	10/02/91	0.794	0.00	12.60	0.00	>	8.17
0253	JE	A7A	1	10/02/91	0.848	0.00	15.80	0.00	>	6.11
0253	JE	A9E	1	10/03/91	0.919	9.42	18.70	1.98		7.76
0253	JE	ACI	1	10/08/91	0.920	0.00	13.50	0.00		8.54
0253	JE	AEQ	1	10/09/91	0.632	7.48	29.60	3.96		16.39
0253	JE	AGY	1	10/09/91	0.840	0.00	14.90	0.00		7.53
0253	JE	AJD	1	10/10/91	0.861	0.00	26.70	0.00		16.19
0253	JE	AL5	1	10/15/91	0.770	8.16	48.20	5.91		18.60
0253	JE	AO0	1	10/16/91	0.790	0.00	5.79	0.00	>	0.24
0253	JE	AQO	1	10/16/91	0.940	0.00	3.65	0.00		0.00
0253	JE	ASN	1	10/17/91	0.943	0.00	23.00	0.00		9.67
0253	JE	AUV	1	10/22/91	1.047	0.00	18.70	0.00	>	8.88
0253	JE	AXJ	1	10/23/91	0.826	0.00	10.80	0.00	>	0.65
0253	JE	AYV	1	10/23/91	0.734	0.00	20.60	0.00		5.31
0253	JE	B1Z	1	10/24/91	0.882	0.00	12.30	0.00		4.91
0253	JE	B3R	1	10/29/91	0.642	0.00	25.50	0.00		10.61
0253	JE	B5Z	1	10/29/91	0.784	0.00	24.20	0.00		8.42
0253	JE	B8N	1	10/30/91	0.791	0.00	20.00	0.00		9.28
0253	JE	BAV	1	10/31/91	0.923	0.00	20.50	0.00		7.81
0253	JE	BCN	1	11/05/91	0.925	0.00	21.00	0.00		7.79
0253	JE	BH3	1	11/06/91	0.954	0.00	7.91	0.00	>	3.62
0253	JE	BEV	1	11/06/91	0.867	0.00	9.64	0.00		1.08
0253	JE	BJB	1	11/07/91	1.073	0.00	9.69	0.00	>	4.21
0253	JE	BLJ	1	11/12/91	1.112	0.00	18.60	0.00		10.43
0253	JE	BNR	1	11/13/91	0.815	7.17	26.90	3.75		19.96
0253	JE	BQ6	1	11/13/91	1.019	0.00	23.90	0.00	>	12.96
0253	JE	BSL	1	11/14/91	1.098	8.78	18.00	2.05		10.16
0253	JE	BVC	1	11/19/91	0.792	0.00	22.30	0.00		7.42
0253	JE	BZT	1	11/20/91	1.110	0.00	7.73	0.00		0.89
0253	JE	BZS	1	11/20/91	0.966	0.00	10.70	0.00		3.05
0253	JE	C4M	1	11/21/91	1.011	0.00	18.00	0.00		12.02
0253	JE	C12	1	11/21/91	0.988	0.00	20.00	0.00		13.19
0253	JE	C7R	1	11/26/91	1.220	9.70	11.90	1.23		5.15
0253	JE	CBR	1	11/27/91	1.079	9.64	16.00	1.66	>	10.50
0253	JE	C9J	1	11/27/91	1.077	10.00	13.80	1.38		7.93
0253	JE	CD3	1	12/03/91	1.003	9.35	16.00	1.71		8.74
0253	JE	CFB	1	12/04/91	1.027	0.00	9.50	0.00		6.20
0253	JE	C10	1	12/04/91	0.974	0.00	7.63	0.00		4.45

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	JE	CID	5/67	12/04/91	0.952	0.00	8.03	0.00	6.24
0253	JE	CKO	1	12/05/91	0.983	0.00	6.60	0.00	4.29
0253	PT	C38	1	11/20/91	0.701	0.00	6.74	0.00	0.00
0253	PT	CIT	5/67	12/04/91	0.770	0.00	7.33	.00	0.00
0253	SF	C3R	1	11/20/91	0.882	0.00	9.35	0.00	0.00
0253	SF	CJ9	5/67	12/04/91	0.831	0.00	9.48	0.00	0.00
0253	VE	2YR	1	02/01/91	1.015	10.00	1.94	0.19	4.95
0253	VE	2YE	1	02/01/91	0.920	5.66	2.38	0.42 >	10.50
0253	VE	32R	1	02/08/91	1.020	0.85	3.12	3.68 >	20.33
0253	VE	32P	1	02/08/91	1.099	0.31	1.79	2.23 >	12.60
0253	VE	32C	1	02/08/91	1.194	0.80	2.34	2.92 >	15.20
0253	VE	334	1	02/08/91	0.999	0.77	2.18	2.84 >	15.81
0253	VE	37L	1	02/15/91	1.215	2.81	1.64	0.58	5.86
0253	VE	397	1	02/15/91	1.210	0.00	1.73	0.00	3.28
0253	VE	38U	1	02/15/91	1.032	2.24	2.20	0.98 >	9.23
0253	VE	37Y	1	02/15/91	1.082	0.00	1.81	0.00	3.72
0253	VE	3CY	1	02/26/91	1.026	0.46	16.30	35.70 >	51.25
0253	VE	3CL	1	02/26/91	1.097	0.65	8.73	13.47 >	41.16
0253	VE	3DU	1	03/01/91	1.129	0.84	1.59	1.89 >	12.14
0253	VE	3HL	1	03/01/91	1.336	0.00	1.08	0.00 >	4.40
0253	VE	3GP	1	03/01/91	1.194	0.00	0.91	0.00 >	2.07
0253	VE	3GC	1	03/01/91	1.261	2.88	1.53	0.53 >	5.49
0253	VE	3E7	1	03/01/91	1.228	1.34	1.65	1.24 >	9.16
0253	VE	3HY	1	03/01/91	1.133	2.47	0.79	0.32 >	2.07
0253	VE	3MA	1	03/08/91	1.045	0.87	15.50	17.75 >	44.94
0253	VE	3NI	1	03/08/91	1.184	1.11	4.33	3.90 >	28.44
0253	VE	3N4	1	03/08/91	1.151	0.81	7.96	9.87 >	37.85
0253	VE	3MN	1	03/08/91	1.169	1.08	3.11	2.88 >	28.04
0253	VE	3UO	1	03/15/91	1.098	79.60	1.46	0.02 >	4.52
0253	VE	3TO	1	03/15/91	1.142	2.71	1.88	0.69 >	6.50
0253	VE	3WK	1	03/15/91	1.171	2.39	1.13	0.47 >	6.40
0253	VE	3W8	1	03/15/91	1.096	2.50	1.62	0.65 >	5.84
0253	VE	418	1	03/22/91	1.023	0.82	6.60	8.02 >	39.04
0253	VE	416	1	03/22/91	1.162	0.84	7.09	8.41 >	37.74
0253	VE	40T	1	03/22/91	1.191	0.76	13.10	17.24 >	41.34
0253	VE	41L	1	03/22/91	1.129	1.68	2.85	1.70 >	17.52
0253	VE	471	1	03/29/91	1.203	0.95	2.62	2.75 >	16.16
0253	VE	498	1	03/29/91	1.269	32.00	22.00	0.69	8.61
0253	VE	48Y	1	03/29/91	1.191	29.00	23.40	0.80	10.06
0253	VE	47C	1	03/29/91	1.311	3.20	1.78	0.56 >	6.88
0253	VE	4DB	1	04/05/91	0.910	1.42	5.58	3.94	21.13
0253	VE	4EX	1	04/05/91	0.981	1.97	3.04	1.54 >	13.17
0253	VE	4EK	1	04/05/91	0.872	1.98	3.08	1.56	14.52
0253	VE	4DO	1	04/05/91	1.007	1.62	2.74	1.69	12.85
0253	VE	4KU	1	04/12/91	0.807	2.34	2.52	1.08	9.28
0253	VE	4N1	1	04/12/91	0.744	2.01	3.12	1.55	15.31
0253	VE	4LO	1	04/12/91	0.669	2.24	5.60	2.50 >	20.52
0253	VE	4L7	1	04/12/91	0.801	2.37	2.35	0.99	8.45
0253	VE	4P9	1	04/19/91	0.936	1.68	8.37	4.97 >	32.86
0253	VE	4QW	1	04/19/91	1.185	2.83	6.36	2.25 >	14.93
0253	VE	4QI	1	04/19/91	0.991	1.76	6.45	3.66 >	24.94
0253	VE	4PN	1	04/19/91	1.163	2.50	7.55	3.02	20.17
0253	VE	4W8	1	04/26/91	0.896	3.05	2.06	0.68 >	5.11
0253	VE	4X0	1	04/26/91	0.893	100.00	1.73	0.02	2.18
0253	VE	4WN	1	04/26/91	0.938	2.45	1.90	0.78 >	8.92
0253	VE	4WL	1	04/26/91	0.847	2.50	2.15	0.86 >	7.65
0253	VE	53W	1	05/03/91	0.939	2.12	3.20	1.51 >	21.25
0253	VE	58F	1	05/03/91	1.151	2.01	2.36	1.18 >	11.19
0253	VE	582	1	05/03/91	0.886	1.49	7.03	4.71 >	34.26
0253	VE	549	1	05/03/91	1.144	2.32	2.51	1.08	10.85
0253	VE	5BN	1	05/10/91	1.176	2.02	3.12	1.54 >	13.64
0253	VE	50X	1	05/10/91	1.323	2.43	3.20	1.32	10.62
0253	VE	50K	1	05/10/91	1.264	1.68	3.82	2.28 >	18.34
0253	VE	5BU	1	05/10/91	1.215	2.60	2.90	1.11	11.11
0253	VE	5HZ	1	05/17/91	1.154	1.04	8.64	8.28 >	31.95
0253	VE	5KF	1	05/17/91	1.299	1.06	4.00	3.77	22.09
0253	VE	5K2	1	05/17/91	1.070	0.90	8.30	9.21 >	39.67
0253	VE	51C	1	05/17/91	1.180	1.08	6.88	6.40	31.08
0253	VE	5PE	1	05/24	1.265	1.25	7.53	6.04 >	33.46
0253	VE	501	1	05/24	1.[illegible]	1.44	7.84	5.44 >	32.45
0253	VE	505	1	05/24/91	1.381	1.95	4.63	2.37 >	20.54
0253	VE	5PR	1	05/24/91	1.272	1.58	4.63	2.94 >	23.14
0253	VE	5W0	1	05/31/91	0.959	0.55 >	100.00 >	181.88 >	66.27
0253	VE	5VU	1	05/31/91	1.033	0.66	32.00	48.23 >	57.27

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	VE	5VN	1	05/31/91	0.958	0.61	29.30	47.57 >	56.57
0253	VE	5X3	1	05/31/91	1.074	0.71	54.70	76.81 >	56.49
0253	VE	625	1	06/07/91	1.273	1.15	6.46	5.61 >	30.26
0253	VE	65N	1	06/07/91	1.423	1.48	8.51	5.73	33.02
0253	VE	64L	1	06/07/91	1.377	0.94	3.82	4.08	21.81
0253	VE	648	1	06/07/91	1.255	0.85	7.45	8.77 >	34.06
0253	VE	621	1	06/07/91	1.274	1.23	5.98	4.87 >	26.93
0253	VE	65U	1	06/07/91	1.338	0.65	9.15	14.00 >	48.37
0253	VE	6E0	1	06/14/91	0.776	0.71	6.11	8.64 >	42.00
0253	VE	6D0	1	06/14/91	1.207	0.58	9.60	16.54 >	41.55
0253	VE	6AX	1	06/14/91	1.296	0.61	7.85	12.80 >	44.77
0253	VE	6ED	1	06/14/91	0.987	0.00	0.66	0.00	1.27
0253	VE	6DD	1	06/14/91	1.320	0.69	3.56	5.12 >	26.64
0253	VE	6NS	1	06/28/91	1.061	1.72	5.38	3.12	20.81
0253	VE	6KG	1	06/28/91	1.253	2.28	2.32	1.02	7.87
0253	VE	6K3	1	06/28/91	1.267	2.07	2.89	1.39	12.31
0253	VE	605	1	06/28/91	1.230	2.17	2.51	1.16	9.39
0253	VE	6SP	1	07/02/91	0.907	1.47	10.00	6.79 >	41.37
0253	VE	6SC	1	07/02/91	1.109	1.93	5.29	2.74	21.47
0253	VE	6TZ	1	07/03/91	0.989	2.20	2.06	0.94	6.77
0253	VE	6TN	1	07/03/91	1.011	2.27	2.25	0.99 >	8.06
0253	VE	70Y	1	07/12/91	1.116	1.82	3.96	2.18 >	18.84
0253	VE	6YV	1	07/12/91	1.130	1.37	6.45	4.71 >	28.85
0253	VE	710	1	07/12/91	1.168	2.31	4.90	2.12	14.62
0253	VE	71D	1	07/12/91	1.174	2.32	2.91	1.26	12.25
0253	VE	718	1	07/12/91	1.113	2.33	2.65	1.14 >	10.67
0253	VE	70W	1	07/12/91	1.194	1.95	7.32	3.75 >	22.76
0253	VE	70J	1	07/12/91	1.146	1.81	8.35	4.61 >	32.05
0253	VE	628	1	07/12/91	1.236	1.65	4.71	2.85 >	19.06
0253	VE	77E	1	07/19/91	1.108	0.71	7.57	10.72 >	42.42
0253	VE	79W	1	07/19/91	1.240	2.00	6.34	3.17 >	26.24
0253	VE	79F	1	07/19/91	1.096	0.62	6.60	10.62 >	42.17
0253	VE	792	1	07/19/91	1.086	0.67	8.87	13.17 >	43.87
0253	VE	77R	2	07/19/91	1.157	0.80	6.44	8.09 >	35.86
0253	VE	79U	1	07/19/91	1.237	1.77	9.38	5.31 >	35.35
0253	VE	79N	1	07/19/91	1.208	1.29	8.30	6.45 >	38.15
0253	VE	7A9	1	07/19/91	1.191	1.62	9.18	5.66 >	36.96
0253	VE	710	1	07/26/91	0.938	1.60	6.74	4.21 >	23.34
0253	VE	7LR	1	07/26/91	0.992	1.61	4.82	2.99 >	22.54
0253	VE	7LE	1	07/26/91	0.959	1.51	6.00	3.97 >	26.05
0253	VE	7J3	1	07/26/91	1.114	2.17	2.78	1.28	10.90
0253	VE	7PA	1	08/02/91	1.099	1.37	2.26	1.64	11.71
0253	VE	7PR	1	08/02/91	0.954	0.90	8.73	9.70 >	40.57
0253	VE	7PP	1	08/02/91	1.115	1.64	2.86	1.75 >	16.73
0253	VE	7T1	1	08/02/91	1.097	2.07	2.72	1.31 >	13.84
0253	VE	7SO	1	08/02/91	1.164	2.92	2.72	0.93	9.43
0253	VE	704	1	08/02/91	1.184	1.60	2.83	1.77	13.87
0253	VE	81K	1	08/09/91	0.996	0.72	7.99	11.06 >	42.67
0253	VE	7ZU	1	08/09/91	1.152	0.84	3.02	3.60	23.68
0253	VE	7ZH	1	08/09/91	1.013	0.77	5.35	6.92 >	30.95
0253	VE	83M	1	08/09/91	1.196	0.96	8.23	8.60 >	37.26
0253	VE	83K	1	08/09/91	1.245	0.85	6.08	7.11 >	34.17
0253	VE	837	1	08/09/91	1.475	1.83	5.20	2.84	19.16
0253	VE	81X	1	08/09/91	1.141	1.09	2.69	2.46	16.53
0253	VE	706	1	08/09/91	0.975	0.68	8.15	12.04 >	42.65
0253	VE	83Z	1	08/09/91	1.222	0.89	2.47	2.79	19.24
0253	VE	70J	1	08/09/91	1.059	0.68	5.09	7.48 >	35.26
0253	VE	8CU	1	08/16/91	0.985	1.05 >	100.00 >	95.62 >	70.77
0253	VE	884	1	08/16/91	1.118	1.54	29.60	19.21 >	45.46
0253	VE	8AR	1	08/16/91	1.005	1.19 >	100.00 >	83.74 >	62.06
0253	VE	81A	1	08/16/91	1.090	0.92	6.29	6.86 >	36.40
0253	VE	8HX	1	08/16/91	1.217	1.36	4.11	3.01 >	27.16
0253	VE	8D7	1	08/16/91	0.977	1.35	100.00	74.02 >	46.87
0253	VE	8GO	1	08/16/91	1.215	1.00	1.80	1.80 >	25.89
0253	VE	8H1	1	08/16/91	1.087	1.15	8.30	7.20 >	44.41
0253	VE	8M7	1	08/23/91	0.804	3.05	2.91	0.95 >	12.25
0253	VE	80T	1	08/23/91	0.937	10.00	1.96	0.20	1.85
0253	VE	8NK	1	08/23/91	0.838	2.74	2.41	0.88 >	10.82
0253	VE	8QJ	1	08/23/91	1.022	0.84	2.97	3.51 >	29.34
0253	VE	8RB	1	08/23/91	1.142	1.05	4.48	4.28 >	29.65
0253	VE	8QY	1	08/23/91	1.105	1.11	4.33	3.90 >	28.88
0253	VE	8QW	1	08/23/91	1.083	0.85	4.22	4.93 >	26.64
0253	VE	8QG	1	08/23/91	0.756	1.25	32.00	25.64 >	23.92
0253	VE	8YB	1	08/30/91	0.927	1.17	5.86	4.99 >	28.14

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	VE	8XY	1	08/30/91	1.077	1.46	4.83	3.31	23.29
0253	VE	8ZZ	1	08/30/91	0.995	1.15	5.65	4.91 >	24.96
0253	VE	959	1	09/06/91	1.201	0.95	2.47	2.58	14.55
0253	VE	96V	1	09/06/91	0.978	0.82	2.72	3.31 >	20.88
0253	VE	9oI	1	09/06/91	0.840	0.66	7.03	10.65 >	38.76
0253	VE	95M	1	09/06/91	1.124	0.90	2.32	2.59	13.68
0253	VE	98W	1	09/13/91	1.031	0.72	8.87	12.28 >	45.99
0253	VE	9FW	1	09/13/91	1.217	1.75	15.20	8.68 >	35.57
0253	VE	9E4	1	09/13/91	1.068	0.75	9.03	12.11 >	44.58
0253	VE	9FG	1	09/13/91	1.231	0.70	6.22	8.87 >	35.58
0253	VE	9MW	1	09/20/91	1.183	0.84	21.70	25.94 >	49.49
0253	VE	9P4	1	09/20/91	0.927	0.59	23.90	40.59 >	64.59
0253	VE	9QG	1	09/20/91	1.395	0.95	7.88	8.24 >	36.19
0253	VE	9KO	1	09/20/91	1.028	1.22	100.00	82.04 >	66.79
0253	VE	[illegible]UH	1	09/27/91	1.015	0.64 >	100.00 >	155.88 >	69.47
0253	VE	[illegible]XM	1	09/27/91	1.087	0.79	19.00	23.91 >	55.39
0253	VE	9WA	1	09/27/91	1.024	0.70 >	100.00 >	142.34 >	68.78
0253	VE	9WQ	1	09/27/91	1.008	0.94 >	100.00 >	106.79 >	56.17
0253	VE	A47	1	10/04/91	1.103	1.06	3.11	2.94 >	21.25
0253	VE	A6F	1	10/04/91	1.165	1.79	2.95	1.65 >	20.84
0253	VE	A5Z	1	10/04/91	1.092	0.98	4.56	4.67	24.19
0253	VE	A6U	1	10/04/91	1.064	1.70	3.20	1.88 >	20.33
0253	VE	ACY	1	10/08/91	1.098	1.21	2.53	2.09 >	14.33
0253	VE	AF6	1	10/11/91	0.910	0.70	9.38	13.48 >	59.37
0253	VE	AHE	1	10/11/91	1.181	1.58	7.96	5.04 >	33.25
0253	VE	AGI	1	10/11/91	1.242	1.86	7.14	3.84 >	28.28
0253	VE	AHK	1	10/18/91	0.760	1.00	6.60	6.60 >	33.54
0253	VE	ALY	1	10/18/91	1.003	1.65	2.56	1.55 >	15.63
0253	VE	AOG	1	10/18/91	1.395	2.23	3.20	1.43	15.62
0253	VE	AOW	1	10/18/91	1.362	2.20	3.12	1.41 >	18.97
0253	VE	AVB	1	10/25/91	0.807	0.86	2.51	2.90 >	22.22
0253	VE	AZB	1	10/25/91	1.134	4.25	5.09	1.20 >	15.73
0253	VE	AX3	1	10/25/91	0.729	1.00	8.40	8.40 >	40.54
0253	VE	AZR	1	10/25/91	1.131	4.68	4.11	0.88 >	14.12
0253	VE	B47	1	11/01/91	0.973	1.25	14.90	11.93 >	36.24
0253	VE	B6V	1	11/01/91	1.323	5.66	2.21	0.39 >	6.94
0253	VE	B6F	1	11/01/91	0.910	1.31	8.64	6.61 >	38.64
0253	VE	B7B	1	11/01/91	1.162	1.13	15.51	13.67 >	42.36
0253	VE	BD3	1	11/08/91	0.924	0.95	2.96	3.11 >	22.80
0253	VE	BJR	1	11/08/91	1.073	2.71	2.83	1.05 >	14.93
0253	VE	BFB	1	11/08/91	0.884	0.90	6.42	7.16	30.68
0253	VE	BHJ	1	11/08/91	1.225	0.00	2.18	0.00	3.51
0253	VE	BO7	1	11/15/91	0.922	1.79	3.08	1.69 >	25.53
0253	VE	BLZ	1	11/15/91	0.961	2.71	2.30	0.85 >	9.65
0253	VE	BS5	1	11/15/91	1.230	2.89	6.18	2.14 >	17.06
0253	VE	BQM	1	11/15/91	1.257	6.52	3.96	0.61	7.87
0253	VE	BVS	1	11/22/91	0.866	0.73	14.40	19.58 >	48.49
0253	VE	C08	1	11/22/91	0.979	2.22	2.96	1.33 >	16.00
0253	VE	C07	1	11/22/91	1.325	0.00	2.13	0.00	5.74
0253	VE	BXK	1	11/22/91	1.089	0.86	5.67	6.58	22.68
0253	VE	C2U	1	11/22/91	1.253	1.67	5.69	3.41 >	20.10
0253	VE	C1I	1	11/22/91	1.182	3.20	2.94	0.92	11.32
0253	VE	C6F	1	11/26/91	1.257	7.52	3.10	0.41 >	13.26
0253	VE	C5Y	1	11/26/91	1.391	0.00	1.12	0.00 >	2.20
0253	VE	C6V	1	11/26/91	1.222	0.89	7.49	8.40 >	36.36
0253	VE	CDJ	1	12/06/91	0.959	2.21	2.83	1.28 >	12.53
0253	VE	CG7	1	12/06/91	1.205	0.00	1.64	0.00 >	0.74
0253	VE	CFR	1	12/06/91	1.109	0.00	2.10	0.00 >	5.23
0253	VE	CHQ	1	12/06/91	1.280	0.00	1.09	0.00	0.00
0253	VE	CGK	5/67	12/06/91	1.255	0.00 <	1.00	0.00	0.00
0253	VV	1EF		02/14/91	1.102	3.05	8.12	2.66 >	16.51
0253	VV	1F1		02/21/91	1.158	1.95	9.24	4.74 >	23.81
0253	VV	1FF		02/21/91	1.142	4.52	18.40	4.07	23.14
0253	VV	1FR		02/28/91	1.175	5.32	17.70	3.32	18.72
0253	VV	1FL		02/28/91	1.198	5.02	25.60	5.11	28.29
0253	VV	1GL		03/07/91	1.285	5.89	17.00	2.89 >	17.26
0253	VV	1GF		03/07/91	1.347	5.60	20.10	3.59 >	20.59
0253	VV	1GQ		03/14/91	1.186	5.46	23.40	4.28 >	25.06
0253	VV	1GO		03/14/91	1.107	5.42	30.40	5.60 >	32.55
0253	VV	1HX		03/28/91	1.369	5.87	16.80	2.87	16.49
0253	VV	1HI		03/28/91	1.173	6.29	22.70	3.60	16.04
0253	VV	1IG		04/04/91	1.316	6.31	22.10	3.49	17.04
0253	VV	1IF		04/04/91	1.220	4.93	19.10	3.87 >	21.00
0253	VV	1J6		04/18/91	1.262	5.35	27.90	5.22 >	28.20

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	VV	1IS		04/18/91	1.176	5.48	25.30	4.62 >	24.47
0253	VV	1JA		04/25/91	1.255	4.95	23.90	4.83 >	27.75
0253	VV	1JP		04/25/91	1.281	5.38	21.80	4.05 >	22.96
0253	VV	1KA		05/02/91	1.179	5.81	20.20	3.47 >	19.33
0253	VV	1JV		05/02/91	1.148	5.18	12.10	2.33 >	19.02
0253	VV	1KV		05/09/91	1.267	5.20	28.10	5.40 >	27.99
0253	VV	1KU		05/09/91	1.264	5.46	24.00	4.40 >	26.72
0253	VV	1L3		05/16/91	0.706	6.14	23.20	3.78 >	18.00
0253	VV	1L2		[illegible]16/91	0.726	5.20	27.90	5.37 >	25.79
0253	VV	1LN		[illegible]3/91	1.255	2.91	10.00	3.44 >	19.85
0253	VV	1LM		05/23/91	1.239	2.02	[illegible].68	4.29 >	22.47
0253	VV	1MG		05/30/91	1.267	3.56	16.90	4.74 >	22.66
0253	VV	1M7		05/30/91	1.078	2.29	13.80	6.0[illegible] >	25.67
0253	VV	1MT		06/06/91	1.044	3.65	20.30	[illegible] >	28.16
0253	VV	1PO		07/11/91	0.944	9.67	9.74	[illegible]	7.36
0253	VV	1QM		07/11/91	[illegible].966	4.41	18.90	4.[illegible] >	20.48
0253	VV	1PK		07/25/91	0.997	4.53	21.90	4.84 >	23.29
0253	VV	1PG		07/25/91	0.868	5.78	24.50	4.24	20.78
0253	VV	1QE		08/01/91	1.107	2.76	15.80	5.72 >	25.84
0253	VV	1Q2		08/01/91	1.041	4.19	25.80	6.17 >	32.19
0253	VV	1RO		08/08/91	1.102	2.05	8.09	3.95 >	20.05
0253	VV	1QN		08/08/91	1.014	2.37	14.20	5.99 >	22.66
0253	VV	1RM		08/15/91	0.947	6.09	22.00	3.61 >	19.77
0253	VV	1R8		08/15/91	0.896	6.66	23.90	3.60	16.95
0253	VV	1RS		08/22/91	1.115	3.11	19.20	6.16 >	26.88
0253	VV	1SR		09/04/91	1.158	2.93	14.70	5.03 >	22.16
0253	VV	1TR		09/12/91	1.474	5.73	[illegible]3.40	2.34	15.30
0253	VV	1TD		09/12/91	1.325	3.69	10.00	2.71 >	16.32
0253	VV	1UB		09/19/91	1.041	5.81	8.99	1.55 >	16.07
0253	VV	1TY		09/19/91	1.013	6.10	8.82	1.45	11.92
0253	VV	1UU		09/26/91	1.448	6.03	8.30	1.38 >	12.60
0253	VV	1UG		09/26/91	1.567	4.68	8.64	1.85 >	13.68
0253	VV	1VH		10/03/91	0.704	4.91	31.20	6.35 >	32.45
0253	VV	1V1		10/03/91	0.697	4.11	28.70	7.00 >	37.38
0253	VV	1VO		10/09/91	1.391	5.46	6.98	1.28 >	11.08
0253	VV	1W9		10/09/91	1.471	5.05	8.45	1.67 >	15.40
0253	VV	1WU		10/10/91	1.550	5.59	7.49	1.34 >	12.04
0253	VV	1WC		10/10/91	1.362	4.68	8.54	1.83 >	14.73
0253	VV	1WY		10/16/91	1.277	6.92	9.15	1.32 >	12.08
0253	VV	1XM		10/17/91	1.507	2.57	8.64	3.36 >	18.67
0253	VV	1Y1		10/17/91	1.486	5.88	8.87	1.51 >	14.03
0253	VV	1YI		10/24/91	0.712	5.12	70.90	13.84 >	35.54
0253	VV	1Z3		10/31/91	1.210	5.42	16.90	3.13 >	22.16
0253	VV	1YP		10/31/91	1.016	4.61	20.10	4.36 >	26.26
0253	VV	1ZD		11/07/91	1.518	5.90	9.07	1.54 >	13.08
0253	VV	1ZP		11/07/91	1.605	5.81	8.11	1.40	10.43
0253	VV	201		11/14/91	1.246	5.78	29.70	5.14 >	29.01
0253	VV	20K		11/14/91	1.497	5.29	16.00	3.03 >	19.25
0253	VV	21K		11/21/91	1.092	4.95	20.50	4.13 >	24.43
0253	VV	20Z		11/21/91	1.001	4.73	24.90	5.28 >	30.58
0253	YF	31V	1	02/06/91	1.021	0.00	3.93	0.00 >	7.46
0253	YF	31I	1	02/06/91	0.991	0.00	5.97	0.00 >	16.96
0253	YF	346	1	02/07/91	0.971	8.97	9.18	1.02 >	12.22
0253	YF	34J	1	02/07/91	0.731	5.66	18.00	3.18 >	20.03
0253	YF	374	1	02/13/91	0.966	8.67	7.73	0.89	10.94
0253	YF	36R	1	02/13/91	0.945	0.00	5.58	0.00	4.83
0253	YF	3A1	1	02/14/91	0.695	8.31	16.30	1.96	8.88
0253	YF	390	1	02/14/91	0.810	0.00	9.48	0.00	1.69
0253	YF	3F3	1	03/05/91	1.052	0.00	16.30	0.00 >	14.13
0253	YF	3FG	1	03/05/91	0.957	5.66	14.90	2.63 >	20.76
0253	YF	3NX	1	03/06/91	1.063	2.92	8.64	2.96	15.99
0253	YF	3NK	1	03/06/91	1.112	0.00	6.34	0.00	10.77
0253	YF	3SF	1	03/07/91	0.798	0.00	15.20	0.00	3.92
0253	YF	3S2	1	03/07/91	0.940	0.00	11.20	0.00	7.14
0253	YF	3SW	1	03/13/91	1.344	0.00	5.05	0.00	3.41
0253	YF	3VE	1	03/13/91	1.060	0.00	9.50	0.00 >	8.49
0253	YF	3T8	1	03/13/91	1.051	0.00	4.90	0.00	0.00
0253	YF	3ZZ	1	03/20/91	1.220	7.61	17.70	2.32 >	20.38
0253	YF	44F	1	03/20/91	1.082	0.00	9.24	0.00 >	6.77
0253	YF	442	1	03/20/91	1.143	0.00	6.73	0.00 >	1.48
0253	YF	40C	1	03/20/91	1.320	20.10	12.10	0.60	13.44
0253	YF	44W	1	03/21/91	1.320	0.00	10.00	0.00 >	10.81
0253	YF	459	1	03/21/91	1.132	9.09	19.30	2.12 >	23.87
0253	YF	46M	1	03/27/91	1.017	0.00	7.59	0.00 >	10.97

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	YF	468	1	03/27/91	1.044	0.00	6.19	0.00	4.25
0253	YF	48N	1	03/28/91	0.968	4.94	13.90	2.81 >	21.99
0253	YF	484	1	03/28/91	1.253	8.81	7.85	0.89 >	10.83
0253	YF	4CU	1	04/03/91	1.091	0.00	4.48	0.00	0.48
0253	YF	4IN	1	04/04/91	1.061	0.00	4.60	0.00	2.14
0253	YF	419	1	04/04/91	1.146	0.00	3.82	0.00	0.50
0253	YF	4J1	1	04/10/91	1.084	0.00	3.88	0.00	0.00
0253	YF	4IO	1	04/10/91	1.106	0.00	4.40	0.00	0.10
0253	YF	4N6	1	04/11/91	1.032	0.00	3.79	0.00	0.00
0253	YF	4NJ	1	04/11/91	1.016	0.00	3.45	0.00	0.00
0253	YF	4OS	1	04/17/91	1.052	0.00	14.10	0.00 >	10.37
0253	YF	4OF	1	04/17/91	1.068	0.00	14.50	0.00	10.22
0253	YF	4QY	1	04/18/91	0.807	0.00	13.50	0.00 >	6.32
0253	YF	4RC	1	04/18/91	0.990	0.00	16.30	0.00 >	7.10
0253	YF	4VR	1	04/24/91	1.016	0.00	8.43	0.00 >	8.91
0253	YF	4VE	1	04/24/91	1.373	0.00	4.80	0.00	0.05
0253	YF	4ZS	1	04/24/91	0.986	0.00	8.91	0.00 >	12.56
0253	YF	4ZN	1	04/24/91	1.152	0.00	6.88	0.00 >	6.20
0253	YF	50H	1	04/25/91	0.948	8.27	24.20	2.93 >	20.92
0253	YF	509	1	04/25/91	1.178	0.00	7.20	0.00	3.31
0253	YF	53F	1	05/01/91	0.975	0.00	16.60	0.00 >	10.39
0253	YF	532	1	05/01/91	1.417	0.00	6.76	0.00	0.00
0253	YF	555	1	05/02/91	0.953	0.00	17.60	0.00	4.20
0253	YF	551	1	05/02/91	1.069	0.00	13.50	0.00	7.64
0253	YF	5AL	1	05/08/91	1.255	0.00	17.60	0.00	12.46
0253	YF	5A8	1	05/08/91	1.286	0.00	19.90	0.00	11.13
0253	YF	5CQ	1	05/09/91	1.215	0.00	10.00	0.00 >	10.79
0253	YF	5D3	1	05/09/91	1.097	0.00	10.80	0.00 >	10.57
0253	YF	5M5	1	05/15/91	1.238	0.00	8.06	0.00 >	6.73
0253	YF	5MI	1	05/15/91	1.106	0.00	7.28	0.00 >	2.92
0253	YF	5J8	1	05/22/91	1.040	0.00	16.40	0.00 >	12.32
0253	YF	5RQ	1	05/22/91	1.093	0.00	9.74	0.00 >	10.13
0253	YF	5RD	1	05/22/91	1.244	0.00	11.80	0.00 >	11.17
0253	YF	5JL	1	05/22/91	1.170	0.00	9.06	0.00	9.33
0253	YF	5SM	1	05/23/91	0.872	24.70	20.00	0.81 >	16.82
0253	YF	5SZ	1	05/23/91	0.802	0.00	7.60	0.00 >	6.31
0253	YF	5UM	1	05/29/91	0.905	0.00	14.80	0.00 >	13.13
0253	YF	5V0	1	05/29/91	0.792	0.00	6.98	0.00 >	6.37
0253	YF	5X5	1	05/30/91	0.876	0.00	14.70	0.00	12.65
0253	YF	5XI	1	05/30/91	1.084	0.00	8.51	0.00	5.44
0253	YF	610	1	06/04/91	1.199	6.98	8.40	1.20 >	20.11
0253	YF	61B	1	06/04/91	1.059	0.00	7.47	0.00 >	13.81
0253	YF	63E	1	06/05/91	1.208	0.00	7.15	0.00 >	5.64
0253	YF	63R	1	06/05/91	0.906	0.00 <	0.32	0.00	0.00
0253	YF	669	1	06/06/91	0.972	0.00	24.30	0.00 >	18.20
0253	YF	6AG	1	06/11/91	1.063	9.06	14.20	1.57 >	18.65
0253	YF	6A3	1	06/11/91	1.062	6.58	25.50	3.87 >	27.05
0253	YF	6CJ	1	06/12/91	1.476	0.00	6.47	0.00 >	5.34
0253	YF	6C6	1	06/12/91	1.521	0.00	7.88	0.00 >	5.17
0253	YF	6GS	1	06/13/91	1.142	0.00	15.70	0.00 >	19.72
0253	YF	6GF	1	06/13/91	1.233	0.00	15.70	0.00 >	15.31
0253	YF	6J9	1	06/18/91	0.665	6.40	16.10	2.52 >	20.56
0253	YF	6JN	1	06/18/91	0.911	0.00	2.38	0.00	0.00
0253	YF	6LQ	1	06/19/91	1.061	5.17	16.10	3.11 >	24.54
0253	YF	6M3	1	06/19/91	1.231	5.27	9.50	1.80 >	20.09
0253	YF	6RI	1	07/02/91	1.151	0.00	7.73	0.00	1.08
0253	YF	6RV	1	07/02/91	0.948	0.00	19.20	0.00 >	8.84
0253	YF	6U1	1	07/03/91	0.670	0.00	12.90	0.00	8.42
0253	YF	6UE	1	07/03/91	0.932	0.00	6.48	0.00	2.12
0253	YF	6YE	1	07/09/91	1.046	0.00	9.72	0.00 >	4.24
0253	YF	6Y1	1	07/09/91	1.063	0.00	13.10	0.00	2.25
0253	YF	72M	1	07/10/91	0.956	0.00	21.00	0.00 >	16.19
0253	YF	73T	1	07/10/91	0.840	0.00	100.00	0.00 >	18.82
0253	YF	73G	1	07/10/91	0.865	0.00	16.70	0.00	5.74
0253	YF	722	1	07/10/91	1.139	6.48	22.60	3.48 >	29.44
0253	YF	74P	1	07/11/91	1.038	0.00	8.06	0.00	3.28
0253	YF	76X	1	07/16/91	1.085	0.00	4.80	0.00	0.00
0253	YF	76K	1	07/16/91	1.218	0.00	8.80	0.00	0.77
0253	YF	7BI	1	07/17/91	0.993	0.00	7.49	0.00 >	3.54
0253	YF	7CR	1	07/17/91	1.041	0.00	8.12	0.00 >	5.38
0253	YF	7BV	1	07/17/91	0.967	0.00	9.11	0.00 >	5.31
0253	YF	7FZ	1	07/18/91	1.040	0.00	9.74	0.00 >	4.87
0253	YF	7FM	1	07/18/91	1.155	0.00	8.59	0.00 >	3.27
0253	YF	719	1	07/23/91	0.956	0.00	14.00	0.00	2.03

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	YF	7MW	1	07/23/91	1.069	0.00	9.15	0.00	0.83
0253	YF	7CK	1	07/25/91	1.197	0.00	2.94	0.00 >	0.15
0253	YF	7OG	1	07/30/91	1.047	0.00	2.57	0.00	0.00
0253	YF	7OT	1	07/30/91	0.942	0.00	7.17	0.00	0.08
0253	YF	7TW	1	07/31/91	0.764	0.00	11.30	0.00 >	7.24
0253	YF	7V5	1	07/31/91	0.845	0.00	8.19	0.00	2.44
0253	YF	7U9	1	07/31/91	0.926	0.00	5.21	0.00	0.00
0253	YF	7VI	1	07/31/91	1.049	0.00	7.63	0.00	3.93
0253	YF	7WC	1	08/01/91	0.883	0.00	2.21	0.00	0.00
0253	YF	7VZ	1	08/01/91	1.077	0.00	3.58	0.00	0.00
0253	YF	7YN	1	08/06/91	1.151	0.00	16.90	0.00	11.08
0253	YF	7Z0	1	08/06/91	1.068	0.00	8.49	0.00	5.22
0253	YF	857	1	08/07/91	1.245	0.00	3.52	0.00	0.00
0253	YF	85K	1	08/07/91	0.895	0.00	12.80	0.00	10.10
0253	YF	813	1	08/07/91	0.777	9.39	20.00	2.13 >	16.77
0253	YF	80Q	1	08/07/91	1.089	0.00	9.15	0.00 >	8.58
0253	YF	87T	1	08/08/91	1.067	0.00	2.06	0.00	1.99
0253	YF	87G	1	08/08/91	0.984	0.00	3.03	0.00	6.69
0253	YF	8AA	1	08/13/91	0.979	0.00	20.20	0.00	9.14
0253	YF	8C0	1	08/14/91	0.749	0.00	2.98	0.00	0.00
0253	YF	8NG	1	08/14/91	0.772	0.00	9.27	0.00 >	8.64
0253	YF	8N3	1	08/14/91	0.989	0.00	6.75	0.00	1.41
0253	YF	8CD	1	08/14/91	0.731	0.00	12.20	0.00	6.04
0253	YF	8JN	1	08/15/91	0.976	7.72	19.10	2.47	16.68
0253	YF	8J4	1	08/15/91	1.132	8.67	5.84	0.67	5.66
0253	YF	8MD	1	08/20/91	0.925	0.00	8.87	0.00 >	9.88
0253	YF	8MQ	1	08/20/91	1.068	0.00	6.98	0.00 >	5.24
0253	YF	8Q2	1	08/21/91	1.017	0.00	7.37	0.00 >	4.23
0253	YF	8PP	1	08/21/91	1.003	0.00	9.03	0.00 >	6.51
0253	YF	8SQ	1	08/21/91	0.992	0.00	8.87	0.00 >	7.84
0253	YF	8SD	1	08/21/91	0.89.	0.00	9.18	0.00 >	7.67
0253	YF	8VT	1	08/22/91	0.990	0.00	6.26	0.00	7.60
0253	YF	8VG	1	08/22/91	0.877	5.37	12.80	2.37 >	21.48
0253	YF	8XH	1	08/28/91	1.022	0.00	6.86	0.00 >	4.38
0253	YF	8X4	1	08/28/91	1.045	0.00	5.47	0.00	1.43
0253	YF	91R	1	08/29/91	0.979	0.00	6.40	0.00 >	2.32
0253	YF	91E	1	08/29/91	0.863	0.00	7.32	0.00 >	3.77
0253	YF	94F	1	09/04/91	0.908	10.00	9.74	0.97 >	12.94
0253	YF	94S	1	09/04/91	1.107	0.00	6.73	0.00	3.07
0253	YF	983	1	09/05/91	1.154	0.00	4.61	0.00	0.19
0253	YF	98G	1	09/05/91	0.960	0.00	6.15	0.00	3.33
0253	YF	980	1	09/10/91	0.944	29.00	23.50	0.81 >	16.02
0253	YF	908	1	09/10/91	1.074	7.83	31.10	3.97 >	27.24
0253	YF	9GC	1	09/11/91	0.990	8.41	14.30	1.69	9.40
0253	YF	914	1	09/12/91	0.989	0.00	21.90	0.00 >	12.26
0253	YF	9N0	1	09/17/91	1.069	0.00	12.90	0.00	4.81
0253	YF	908	1	09/17/91	1.049	0.00	19.80	0.00	13.18
0253	YF	9QX	1	09/19/91	0.990	0.00	19.90	0.00 >	16.03
0253	YF	9TL	1	09/24/91	1.112	0.00	10.90	0.00 >	12.27
0253	YF	9VU	1	09/24/91	1.068	6.64	18.10	2.72 >	21.03
0253	YF	9Y1	1	09/25/91	1.032	7.62	12.50	1.64 >	15.44
0253	YF	A07	1	09/26/91	0.860	0.00	23.70	0.00 >	13.23
0253	YF	A5J	1	10/01/91	0.994	9.02	18.50	2.05 >	18.44
0253	YF	A38	1	10/01/91	0.997	9.70	14.90	1.53	11.41
0253	YF	A85	1	10/02/91	1.018	0.00	12.80	0.00 >	12.90
0253	YF	A9U	1	10/03/91	1.107	10.00	8.91	0.89	10.34
0253	YF	AC2	1	10/08/91	1.045	3.81	14.80	3.88 >	23.06
0253	YF	AEA	1	10/08/91	0.924	6.57	11.30	1.72 >	19.18
0253	YF	AMU	1	10/09/91	0.674	0.00	6.52	0.00 >	10.49
0253	YF	AJT	1	10/10/91	0.904	0.00	22.40	0.00	17.80
0253	YF	ALI	1	10/15/91	0.868	5.93	19.60	3.30 >	23.46
0253	YF	AM4	1	10/15/91	0.927	4.16	9.50	2.28 >	16.82
0253	YF	AQ8	1	10/16/91	1.054	0.00	5.96	0.00	4.70
0253	YF	AS7	1	10/17/91	0.897	0.00	15.70	0.00 >	10.84
0253	YF	AUF	1	10/22/91	0.988	0.00	20.20	0.00 >	11.42
0253	YF	AWN	1	10/22/91	0.872	0.00	21.00	0.00	12.26
0253	YF	B07	1	10/23/91	0.955	0.00	10.00	0.00	4.37
0253	YF	B1J	1	10/24/91	0.833	0.00	15.20	0.00	3.14
0253	YF	B38	1	10/29/91	0.984	0.00	12.30	0.00 >	8.21
0253	YF	B5J	1	10/29/91	1.045	0.00	20.10	0.00 >	17.03
0253	YF	B93	1	10/30/91	0.923	0.00	8.95	0.00 >	8.03
0253	YF	BAF	1	10/31/91	0.763	8.62	23.40	2.72 >	24.02
0253	YF	BC7	1	11/05/91	0.868	0.00	9.20	0.00	1.44
0253	YF	BEF	1	11/05/91	0.937	0.00	16.10	0.00 >	13.99

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
0253	YF	BGN	1	11/06/91	0.900	0.00	8.35	0.00	7.27
0253	YF	BIV	1	11/07/91	0.984	0.00	7.14	0.00	5.11
0253	YF	BL3	1	11/12/91	1.020	0.00	5.73	0.00 >	4.57
0253	YF	BNB	1	11/12/91	1.099	0.00	11.10	0.00	9.98
0253	YF	BPQ	1	11/13/91	1.023	0.00	8.58	0.00	1.57
0253	YF	BTX	1	11/14/91	0.875	0.00	8.64	0.00	3.44
0253	YF	BUW	1	11/19/91	0.980	0.00	9.41	0.00 >	5.78
0253	YF	BYW	1	11/19/91	0.964	0.00	10.00	0.00 >	10.33
0253	YF	BZD	1	11/20/91	0.886	0.00	8.87	0.00	4.18
0253	YF	BZC	1	11/20/91	0.922	0.00	7.56	0.00 >	5.45
0253	YF	C0M	1	11/21/91	0.806	0.00	10.00	0.00 >	7.89
0253	YF	C46	1	11/22/91	0.866	0.00	8.93	0.00 >	6.85
0253	YF	C7B	1	11/26/91	0.933	0.00	17.00	0.00 >	11.81
0253	YF	C93	1	11/27/91	0.858	6.03	25.30	4.19 >	26.96
0253	YF	C8B	1	11/27/91	0.830	7.67	20.50	2.67 >	20.35
0253	YF	CCN	1	12/03/91	1.054	0.00	7.38	0.00 >	4.43
0253	YF	CEV	1	12/03/91	1.099	0.00	7.80	0.00 >	7.87
0253	YF	CJV	5/67	12/04/91	1.151	0.00	6.60	0.00 >	1.68
0253	YF	CJI	1	12/04/91	1.112	0.00	6.82	0.00 >	2.75
0253	YF	CKC	1	12/05/91	0.924	0.00	1.88	0.00 >	0.79
0360	JE	3VU	2/48	03/14/91	1.039	0.88 >	1.00 >	1.14 >	4.31
0360	PT	3VM	2/48	03/14/91	1.222	0.52	0.03	0.06 >	10.37
0360	SF	511	2/48	04/26/91	0.959	0.00 >	1.00	0.00 >	7.58
0360	VE	3W8	2/48	03/15/91	1.096	0.00	0.51	0.00	0.13
0360	YF	3VG	2/48	03/14/91	0.701	0.75 >	1.00 >	1.33 >	5.75
0361	JE	3VV	2/48	03/14/91	0.941	0.03	0.06	1.82	6.11
0361	PT	3VN	2/48	03/14/91	1.232	0.00	0.06	0.00 >	9.95
0361	SF	51J	2/48	04/26/91	1.093	0.00	0.16	0.00	0.00
0361	VE	3W9	2/48	03/15/91	1.099	0.00	0.03	0.00	0.00
0361	YF	3VH	2/48	03/14/91	0.672	0.00	0.06	0.00	4.02
1436	YF	BZK	67	11/20/91	0.905	0.00	263.00	0.00 >	0.07
1463	PT	C3I	67	11/20/91	0.605	0.00 >	1000.00	0.00	0.00
1463	SF	C3Y	67	11/20/91	0.874	0.00	903.00	0.00	0.00
1463	VE	COF	67	11/22/91	1.231	0.00 >	1000.00	0.00	0.00
1752	VV	1EZ		02/14/91	1.278	1.39	25.50	18.37 >	48.49
1752	VV	1EY		02/14/91	1.139	1.61	34.90	21.64 >	49.06
1752	VV	1FG		02/21/91	1.233	2.14	36.20	16.92 >	40.92
1752	VV	1FH		02/21/91	1.044	1.72	45.10	26.27 >	51.77
1752	VV	1FT		02/28/91	1.161	1.67	32.00	19.16 >	49.58
1752	VV	1FS		02/28/91	1.257	2.22	41.70	18.78 >	45.64
1752	VV	1GN		03/07/91	1.252	2.30	56.90	24.72 >	49.46
1752	VV	1GK		03/07/91	1.366	2.14	37.40	17.52 >	43.06
1752	VV	1H8		03/14/91	1.193	1.97	46.30	23.55	45.97
1752	VV	1H7		03/14/91	1.134	2.23	43.60	19.51	40.80
1752	VV	112		03/28/91	1.293	2.11	30.90	14.63 >	38.29
1752	VV	111		03/28/91	1.334	2.15	23.40	10.85	34.12
1752	VV	1IM		04/04/91	1.327	2.86	28.10	9.84	28.93
1752	VV	1IN		04/04/91	1.254	2.66	28.90	10.85	33.97
1752	VV	1J9		04/18/91	1.236	2.11	42.30	20.08	40.02
1752	VV	1J8		04/18/91	1.352	2.66	36.10	13.55	30.91
1752	VV	1JT		04/25/91	1.270	2.50	44.60	17.82	42.82
1752	VV	1JU		04/25/91	1.227	1.88	45.40	24.10	45.05
1752	VV	1KD		05/02/91	1.205	2.07	40.40	19.46	44.50
1752	VV	1KX		05/09/91	1.266	2.23	51.20	22.95 >	48.61
1752	VV	1KW		05/09/91	1.246	4.45	80.00	18.00 >	47.67
1752	VV	1LK		05/16/91	0.767	1.84	75.60	41.02	55.04
1752	VV	1LL		05/16/91	0.741	1.72	68.30	39.57	56.33
1752	VV	1M5		05/23/91	1.280	2.13	36.40	17.11	43.13
1752	VV	1M6		05/23/91	1.014	1.89	53.90	28.46	46.29
1752	VV	1MI		05/30/91	1.369	1.51	22.50	14.92	39.84
1752	VV	1MH		05/30/91	1.318	1.72	27.20	15.84 >	45.97
1752	VV	1MV		06/06/91	1.101	1.21	21.90	18.03 >	50.32
1752	VV	1MU		06/06/91	0.978	0.91	19.20	21.12 >	49.26
1752	VV	1N5		06/13/91	1.407	4.15	41.50	10.01	33.81
1752	VV	1N6		06/13/91	1.436	3.65	42.10	11.52	38.21
1752	VV	105		06/20/91	1.399	2.77	42.10	15.21	41.04
1752	VV	104		06/20/91	1.447	2.83	41.90	14.81 >	41.25
1752	VV	1P2		07/11/91	1.138	1.55	24.40	15.72 >	43.82
1752	VV	1P1		07/11/91	1.084	1.66	26.70	16.05 >	42.88
1752	VV	1PZ		07/25/91	0.940	1.65	47.60	23.82	52.07
1752	VV	1PY		07/25/91	0.988	1.63	52.90	32.43 >	54.39
1752	VV	1QJ		08/01/91	1.066	1.50	52.30	34.74 >	57.65
1752	VV	1QF		08/01/91	1.029	2.03	56.20	27.63	49.29
1752	VV	1R6		08/08/91	1.005	1.82	58.70	32.19	55.28

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
1752	VV	1R1		08/08/91	1.154	1.90	57.70	30.35 >	54.91
1752	VV	1RR		08/15/91	0.962	2.00	62.80	31.39 >	50.84
1752	VV	1RQ		08/15/91	0.942	1.88	54.20	28.87 >	49.59
1752	VV	1SO		08/22/91	1.202	1.96	47.80	24.44	47.46
1752	VV	1SH		08/29/91	1.353	1.88	23.40	12.41	32.86
1752	VV	1SG		08/29/91	1.325	2.06	35.90	17.45	38.85
1752	VV	1SV		09/04/91	1.354	2.14	28.00	13.08	32.37
1752	VV	1SS		09/04/91	1.084	2.30	44.30	19.22	42.47
1752	VV	1TV		09/12/91	1.454	3.46	54.20	15.68	42.50
1752	VV	1TU		09/12/91	1.425	4.06	60.80	14.96	40.81
1752	VV	1UD		09/19/91	1.072	2.51	54.70	21.77	46.50
1752	VV	1UC		09/19/91	1.029	2.56	53.80	20.97 >	45.60
1752	VV	1UZ		09/26/91	1.544	3.37	34.90	10.37	34.88
1752	VV	1UV		09/26/91	1.531	2.52	42.50	16.82 >	43.94
1752	VV	1VJ		10/03/91	0.731	1.35	92.70	68.67 >	67.29
1752	VV	1VI		10/03/91	0.738	1.39	92.70	66.50 >	68.31
1752	VV	1WB		10/09/91	1.518	2.76	33.50	12.16 >	35.26
1752	VV	1WA		10/09/91	1.420	2.45	21.90	8.95	30.43
1752	VV	1WX		10/10/91	1.378	4.60	33.60	7.30	28.80
1752	VV	1WV		10/10/91	1.710	5.24	33.60	6.41	22.31
1752	VV	1XI		10/16/91	1.477	1.55	11.90	7.66 >	28.03
1752	VV	1XH		10/16/91	1.418	1.47	15.70	10.63 >	35.28
1752	VV	1Y3		10/17/91	1.590	2.34	29.40	12.57 >	32.96
1752	VV	1Y2		10/17/91	1.560	3.80	40.30	10.62 >	31.73
1752	VV	1YO		10/24/91	0.759	1.74 >	100.00 >	57.52 >	62.90
1752	VV	1YN		10/24/91	0.744	1.79	100.00	55.90 >	59.59
1752	VV	1ZC		10/31/91	1.170	1.89	57.70	30.57 >	51.67
1752	VV	1ZB		10/31/91	1.127	1.96	54.70	27.88	48.95
1752	VV	1ZQ		11/07/91	1.538	2.17	26.30	12.09	35.72
1752	VV	1ZR		11/07/91	1.514	2.03	16.10	7.94	28.02
1752	VV	20L		11/14/91	1.504	3.51	42.80	12.20	33.38
1752	VV	20M		11/14/91	1.435	4.00	45.60	11.41	33.01
1752	VV	21M		11/21/91	1.057	1.56	48.30	30.95 >	53.91
1752	VV	21L		11/21/91	0.985	2.16	55.60	25.77	45.11
2318	JE	A3R	82	10/01/91	0.824	1.56	7.73	4.97 >	18.71
2318	JE	C1D	67/82	12/04/91	0.952	0.65	2.38	3.65	20.10
2318	PT	A4N	82	10/01/91	0.814 <	1.00	3.20 >	3.20 >	6.66
2318	PT	C1T	67/82	12/04/91	0.770	0.00	2.53	0.00	0.00
2318	SF	ATZ	82	10/18/91	0.869 <	1.00	2.41 >	2.41 >	7.40
2318	SF	CJ9	67/82	12/04/91	0.831	0.00	2.62	0.00	0.83
2318	VE	A47	82	10/04/91	1.103	7.96	4.90	0.62 >	5.37
2318	VE	CGK	67/82	12/06/91	1.255	0.00	0.97	0.00	0.00
2318	VV	1YM	82	10/24/91	0.714	0.31	48.20	154.29	-20.10
2318	VV	20N	82	11/14/91	1.542	0.62	0.00	0.00	-4.82
2318	YF	A3B	82	10/01/91	0.997 <	1.00	5.47 >	5.47 >	27.04
2318	YF	CJV	67/82	12/04/91	1.151	0.57	1.83	3.17	18.35
2467	JE	3TD	18	03/13/91	0.910	0.00	36.30	0.00	0.00
2467	PT	3UB	18	03/12/91	1.319	0.00	39.60	0.00	0.00
2467	SF	3UQ	18	03/12/91	0.838	0.00	41.70	0.00 >	1.60
2467	VE	3TR	18	03/15/91	1.027	0.00	20.40	0.00	0.11
2467	YF	3SZ	18	03/13/91	1.163	0.00	46.30	0.00	0.00
2527	JE	3TE	20	03/13/91	0.817	0.00 >	320.00	0.00	0.00
2527	PT	3UM	20	03/12/91	1.482	0.00 >	320.00	0.00	0.00
2527	SF	3UR	20	03/12/91	0.718	0.00 >	320.00	0.00	0.20
2527	VE	3TS	20	03/15/91	1.090	0.00 >	320.00	0.00 >	0.10
2527	YF	3TO	20	03/13/91	1.205	0.00 >	320.00	0.00 >	2.07
2538	JE	C0O	20	11/20/91	0.856	0.00	1090.00	0.00	2.72
2538	PT	C3I	20	11/20/91	0.605	0.00	1770.00	0.00	0.00
2538	SF	C3Y	20	11/20/91	0.874	0.00	1620.00	0.00	0.00
2538	VE	C0F	67	11/22/91	1.231	0.00	1460.00	0.00	0.00
2538	YF	BZK	20	11/20/91	0.905	0.00	1710.00	0.00	0.00
2563	JE	3VV	21/48	03/14/91	0.941	0.51	1.57	3.10	16.56
2563	PT	3WN	21/48	03/14/91	1.232	0.34	0.86	2.48	12.15
2563	SF	51J	21/48	04/26/91	1.093	0.00	0.97	0.00	0.00
2563	VE	3W9	21/48	03/15/91	1.099	0.00	0.49	0.00	0.00
2563	YF	3VH	21/48	03/14/91	0.672	0.00	1.13	0.00 >	12.26
2703	JE	3VW	48	03/14/91	0.984	0.00	221.00	0.00	0.00
2703	PT	3WO	48	03/14/91	1.116	0.00	157.00	0.00 >	0.84
2703	SF	51K	48	04/26/91	1.068	0.00 >	32.00	0.00	0.00
2703	VE	3WA	48	03/15/91	1.097	0.00	210.00	0.00	0.00
2703	YF	3VI	48	03/14/91	0.701	0.00	112.00	0.00 >	1.01
2811	JE	3VW	RS-1	03/14/91	0.984	0.06	0.14	2.53	12.28
2811	PT	3WO	RS-1	03/14/91	1.116	0.05	0.13	2.37	11.43
2811	SF	51K	RS-1	04/26/91	1.068	0.00 >	1.00	0.00 >	0.13

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
2811	VE	3WA	RS-1	03/15/91	1.097	0.00	0.06	0.00	0.00
2811	YF	3VI	RS-1	03/14/91	0.701	0.08	0.20	2.46 >	9.33
2812	JE	3VX	RS-1	03/14/91	0.895	0.01	0.02	2.43	9.08
2812	PT	3WP	RS-1	03/14/91	1.106	0.01	0.01	1.68	7.41
2812	SF	51L	RS-1	04/26/91	1.008	0.00	0.02	0.00 >	0.80
2812	VE	3WB	RS-1	03/15/91	1.157	0.00	0.01	0.00	0.00
2812	YF	3VJ	RS-1	03/14/91	0.772	0.01	0.02	1.96 >	8.18
2978	JE	3VX	25/27	03/14/91	0.895	724.00	683.00	0.94 >	4.39
2978	PT	3WP	25/27	03/14/91	1.106	0.00	151.00	0.00	0.00
2978	SF	51L	25/27	04/26/91	1.008	0.00 >	32.00	0.00 >	0.82
2978	VE	3WB	25/27	03/15/91	1.157	0.00	210.00	0.00	0.00
2978	YF	3VJ	25/27	03/14/91	0.772	0.00	815.00	0.00 >	9.80
2979	JE	3VY	27/48	03/14/91	0.960	0.00	4.17	0.00	1.30
2979	PT	3WQ	27/48	03/14/91	1.268	0.00	10.00	0.00	3.33
2979	SF	51M	25/27	04/26/91	0.936	0.00	5.90	0.00 >	1.38
2979	VE	3WC	27/48	03/15/91	1.077	0.00	2.45	0.00	0.00
2979	YF	3VK	25/27	03/14/91	0.674	5.76	12.90	2.23 >	13.25
2980	JE	3VY	48/61	03/14/91	0.960	0.78	1.84	2.37	8.37
2980	PT	3WQ	48/61	03/14/91	1.268	0.85	1.58	1.87	9.45
2980	SF	51M	28/61	04/26/91	0.936	3.20	2.45	0.76	5.16
2980	VE	3WC	48/61	03/15/91	1.077	0.00	0.56	0.00	0.00
2980	YF	3VK	25/28	03/14/91	0.674	0.00	2.06	0.00 >	7.27
3527	JE	BZZ	84	11/20/91	1.072	0.00	3.08	0.00	0.00
3527	PT	C3H	84	11/20/91	0.714	0.00	3.48	0.00	0.00
3527	SF	C3X	84	11/20/91	0.772	0.00	4.44	0.00 >	2.45
3527	VE	COE	81	11/22/91	1.173	19.60	7.41	0.38	8.99
3527	VV	21I	84	11/21/91	1.135	0.00	4.62	0.00	-2.87
3527	YF	BZJ	84	11/20/91	1.031	0.00	4.14	0.00	0.00
3986	JE	3TE	36	03/13/91	0.817	0.00 >	320.00	0.00 >	0.07
3986	PT	3UC	36	03/12/91	1.311	0.00	247.00	0.00	0.00
3986	SF	3UR	36	03/12/91	0.718	0.00	281.00	0.00 >	1.46
3986	VE	3TS	36	03/15/91	1.090	0.00 >	320.00	0.00	0.00
3986	YF	3TO	36	03/13/91	1.205	0.00	239.00	0.00	0.00
4070	JE	3VZ	48	03/14/91	0.923	0.00	6.19	0.00	6.16
4070	PT	3WR	48	03/14/91	1.152	2.62	5.55	2.12 >	10.78
4070	SF	51N	48	04/26/91	0.944	8.15	9.50	1.17 >	7.30
4070	VE	3WD	48	03/15/91	1.175	0.00	1.26	0.00	0.00
4070	YF	3VL	48	03/14/91	0.638	0.00	5.87	0.00 >	3.78
4074	JE	3VZ	RS-1	03/14/91	0.923	0.51	1.81	3.53 >	19.13
4074	PT	3WR	RS-1	03/14/91	1.152	0.61	1.09	1.78	9.68
4074	SF	51N	RS-1	04/26/91	0.944	0.82	1.28	1.57	6.53
4074	VE	3WD	RS-1	03/15/91	1.175	0.00	0.46	0.00	0.00
4074	YF	3VL	RS-1	03/14/91	0.638	0.84	1.63	1.94	6.79
4105	JE	3WO	48	03/14/91	1.023	0.00 >	320.00	0.00	0.00
4105	PT	3WS	48	03/14/91	1.101	244.00 >	320.00 >	1.31 >	5.58
4105	SF	510	48	04/26/91	0.836	0.00	272.00	0.00	0.92
4105	VE	3WE	48	03/15/91	1.135	0.00 >	320.00	0.00	0.00
4105	YF	3VM	48	03/14/91	0.610	0.00 >	320.00	0.00	0.00
4113	JE	3WO	39/48	03/14/91	1.023	0.57	1.46	2.59	12.11
4113	PT	3WS	39/48	03/14/91	1.101	0.60	1.29	2.15	10.94
4113	SF	510	39/48	04/26/91	0.836	0.00	1.67	0.00	0.76
4113	VE	3WE	39/48	03/15/91	1.135	0.00	0.62	0.00	0.15
4113	YF	3VM	39/48	03/14/91	0.610	0.66	1.45	2.19 >	12.45
4222	JE	3W1	44/48	03/14/91	0.945	0.00	1140.00	0.00 >	0.01
4222	PT	3WT	44/48	03/14/91	1.118	0.00	83.00	0.00	2.13
4222	SF	51P	44/48	04/26/91	0.984	0.00 >	32.00	0.00 >	2.54
4222	VE	3WF	44/48	03/15/91	1.085	0.00	451.00	0.00	0.07
4222	YF	3VM	44/48	03/14/91	0.588	0.00	660.00	0.00	0.00
4223	JE	3W2	RS-1	03/14/91	0.952	0.00	0.30	0.00	5.62
4223	JE	3W2	RS-1	03/14/91	0.952	0.72	0.59	0.83	3.65
4223	PT	3WU	RS-1	03/14/91	1.139	0.28	0.68	2.44	11.75
4223	PT	3WU	RS-1	03/14/91	1.139	0.00	0.28	0.00 >	3.92
4223	SF	51Q	RS-1	04/26/91	0.992	0.00	0.55	0.00	0.05
4223	SF	51Q	RS-1	04/26/91	0.992	0.00	0.31	0.00 >	0.08
4223	VE	3WG	RS-1	03/15/91	1.050	0.00	0.23	0.00 >	0.05
4223	VE	3WG	RS-1	03/15/91	1.050	0.00	0.20	0.00	0.00
4223	YF	3VO	RS-1	03/14/91	0.708	0.00	0.46	0.00	4.12
4223	YF	3VO	RS-1	03/14/91	0.708	0.00	0.26	0.00	0.96
4280	JE	3TC	77	03/13/91	0.862	0.00	24.40	0.00	1.15
4280	PT	3UA	77	03/12/91	1.263	29.00	17.70	0.61	1.09
4280	SF	3UP	77	03/12/91	0.647	0.00	26.50	0.00	0.33
4280	VE	3TQ	77	03/15/91	1.135	0.00	11.90	0.00	0.00
4280	VV	1KW	77	05/09/91	1.246	0.00	16.00	0.00	0.00
4280	YF	3SY	77	03/13/91	1.172	6.14	16.80	2.74 >	13.28

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
4527	JE	3W1	47	03/14/91	0.945	0.00 >	100.00	0.00	0.00
4527	PT	3WT	47	03/14/91	1.113	0.00 >	100.00	0.00 >	2.14
4527	SF	51P	47	04/26/91	0.984	0.00 >	100.00	0.00 >	0.20
4527	VE	3WF	47	03/15/91	1.085	0.00 >	100.00	0.00	0.00
4527	YF	3VN	47	03/14/91	0.588	0.00 >	100.00	0.00 >	0.69
4590	JE	3W3	RS-1	03/14/91	0.975	0.00	6.60	0.00	4.34
4590	PT	3WV	RS-1	03/14/91	1.210	2.89	7.01	2.43	15.91
4590	SF	51R	RS-1	04/26/91	0.928	0.00	6.35	0.00	0.85
4590	VE	3WH	RS-1	03/15/91	1.191	0.00	2.40	0.00	0.00
4590	YF	3VP	RS-1	03/14/91	0.652	0.00	6.51	0.00	1.35
4591	JE	3W4	RS-1	03/14/91	0.988	0.00 <	1.00	0.00	0.00
4591	JE	3W4	RS-1	03/14/91	0.988	0.00 <	0.10	0.00	0.00
4591	JE	4RR	RS-1	04/18/91	0.750	0.00	0.02	3.50 >	18.42
4591	JE	ALH	RS-1	10/15/91	0.916	0.00 <	0.00	0.00 >	0.04
4591	JE	ALG	RS-1	10/15/91	0.840	0.00 <	0.32	0.00	0.00
4591	PT	3WW	RS-1	03/14/91	1.242	0.00 <	1.00	0.00	0.00
4591	PT	3WM	RS-1	03/14/91	1.242	0.00 <	0.10	0.00	0.00
4591	PT	4S7	RS-1	04/18/91	1.107	0.00	0.02	0.00	4.12
4591	PT	AMQ	RS-1	10/15/91	0.660	0.00 <	0.00	0.00	0.00
4591	PT	AMP	RS-1	10/15/91	0.629	0.00 <	0.32	0.00	0.00
4591	SF	4SN	RS-1	04/18/91	0.624	0.00	0.02	0.00	1.44
4591	SF	51S	RS-1	04/26/91	0.910	0.00 <	1.00	0.00	0.00
4591	SF	51S	RS-1	04/26/91	0.910	0.00 <	0.10	0.00	0.00
4591	SF	AM3	RS-1	10/15/91	0.684	0.00 <	0.00	0.00	0.00
4591	SF	AM2	RS-1	10/15/91	0.610	0.00 <	0.32	0.00	0.00
4591	VE	3WI	RS-1	03/15/91	1.203	0.00 <	1.00	0.00	0.00
4591	VE	3WI	RS-1	03/15/91	1.203	0.00 <	0.10	0.00	0.00
4591	VE	4QV	RS-1	04/19/91	1.114	0.00	0.02	0.00 >	0.07
4591	VE	AMA	RS-1	10/18/91	0.971	0.00 <	0.00	0.00	0.00
4591	VE	AM9	RS-1	10/18/91	0.980	0.00 <	0.32	0.00	0.00
4591	YF	3VQ	RS-1	03/14/91	0.655	0.00 <	1.00	0.00	0.00
4591	YF	3VQ	RS-1	03/14/91	0.655	0.00 <	0.10	0.00	0.00
4591	YF	4RB	RS-1	04/18/91	1.062	0.00	0.01	0.00 >	6.62
4591	YF	ALX	RS-1	10/15/91	1.000	0.00 <	0.00	0.00	0.00
4591	YF	ALW	RS-1	10/15/91	0.959	0.00 <	0.32	0.00	0.00
4592	JE	3W3	RS-1	03/14/91	0.975	7.44	8.57	1.15	4.94
4592	PT	3WV	RS-1	03/14/91	1.210	6.63	8.93	1.35	9.54
4592	SF	51R	RS-1	04/26/91	0.928	0.00	7.15	0.00 >	1.14
4592	VE	3WH	RS-1	03/15/91	1.191	0.00	5.23	0.00	0.00
4592	YF	3VP	RS-1	03/14/91	0.652	0.00	12.40	0.00	3.02
4609	JE	3W5	RS-1	03/14/91	0.979	0.00 >	1.00	0.00	0.00
4609	PT	3WX	RS-1	03/14/91	1.138	0.00 >	1.00	0.00	1.83
4609	SF	51T	RS-1	04/26/91	0.816	0.00 >	1.00	0.00 >	1.40
4609	VE	3WJ	RS-1	03/15/91	1.203	0.00 >	1.00	0.00	0.00
4609	YF	3VR	RS-1	03/14/91	0.658	0.00 >	1.00	0.00	0.00
4617	JE	CIE	43	12/04/91	1.019	0.00	1290.00	0.00	0.00
4617	PT	CIU	43	12/04/91	0.801	0.00	1940.00	0.00	0.00
4617	SF	CJA	43	12/04/91	0.792	815.00	2250.00	2.76	13.84
4617	VE	CGL	43	12/06/91	1.232	0.00	915.00	0.00 >	0.10
4617	YF	CJW	43	12/04/91	1.146	0.00	1140.00	0.00	0.15
4855	JE	3TF	48	03/13/91	0.787	26.90	160.00	5.97 >	28.55
4855	PT	3UD	48	03/12/91	1.343	29.70	277.00	9.34 >	38.16
4855	SF	3US	48	03/12/91	0.744	18.10	156.00	8.62 >	36.43
4855	VE	3TT	48	03/15/91	1.108	0.00	13.80	0.00	0.00
4855	YF	3T1	48	03/13/91	1.273	20.50	187.00	9.16	34.16
5998	JE	CKO	61	12/05/91	0.983	7.93	29.00	3.66 >	15.99
5998	PT	CKO	61	12/05/91	0.486	7.14 >	32.00 >	4.48	13.81
5998	SF	CLO	61	12/05/91	0.907	25.60	32.00	1.25 >	7.34
5998	VE	CHQ	61	12/06/91	1.280	0.00	20.10	0.00 >	0.16
5998	YF	CKC	61	12/05/91	0.924	7.04	21.40	3.03 >	13.38
6509	JE	3TF	66	03/13/91	0.787	0.00	19.60	0.00	0.00
6509	PT	3UD	66	03/12/91	1.343	0.00	6.86	0.00	0.00
6509	SF	3US	66	03/12/91	0.744	0.00	29.30	0.00 >	2.78
6509	VE	3TT	66	03/15/91	1.108	0.00	15.40	0.00	0.40
6509	YF	3T1	66	03/13/91	1.273	0.00	10.90	0.00 >	6.59
6707	JE	3TG	67	03/13/91	0.868	0.00	15.30	0.00 >	0.70
6707	PT	3UE	67	03/12/91	1.413	0.00	7.42	0.00	0.00
6707	SF	3UT	67	03/12/91	0.802	0.00	13.30	0.00	0.00
6707	VE	3TU	67	03/15/91	1.036	0.00	4.99	0.00	0.71
6707	YF	3T2	67	03/13/91	1.268	0.00	12.40	0.00 >	5.35
6708	JE	3TG	67	03/13/91	0.868	0.00	52.40	0.00	0.00
6708	PT	3UE	67	03/12/91	1.413	0.00	9.09	0.00	0.00
6708	SF	3UT	67	03/12/91	0.802	0.00	28.00	0.00 >	1.91
6708	VE	3TU	67	03/15/91	1.036	0.00	16.60	0.00	1.03

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6708	YF	3T2	67	03/13/91	1.268	0.00	164.00	0.00 >	0.55
6709	JE	3TN	67	03/13/91	0.954	0.00	40.20	0.00	0.00
6709	PT	3UF	67	03/12/91	1.096	0.00	4.45	0.00 >	0.26
6709	SF	3UU	67	03/12/91	0.617	0.00	23.40	0.00	0.00
6709	VE	3TV	67	03/15/91	1.144	0.00	3.20	0.00	0.00
6709	YF	3T3	67	03/13/91	1.295	0.00	51.20	0.00	2.34
6710	JE	3TN	67	03/13/91	0.954	0.00	723.00	0.00	0.00
6710	PT	3UF	67	03/12/91	1.096	0.00	291.00	0.00	0.00
6710	SF	3UU	67	03/12/91	0.617	0.00	508.00	0.00	0.00
6710	VE	3TV	67	03/15/91	1.144	0.00	907.00	0.00 >	0.10
6710	YF	3T3	67	03/13/91	1.295	0.00	124.00	0.00	5.92
6711	JE	3TI	67	03/13/91	0.879	0.00 >	1000.00	0.00 >	0.20
6711	PT	3UG	67	03/12/91	1.298	0.00	437.00	0.00	3.47
6711	SF	3UV	67	03/12/91	0.556	0.00	619.00	0.00	12.18
6711	VE	3TW	67	03/15/91	1.201	0.00	482.00	0.00	0.00
6711	YF	3T4	67	03/13/91	1.240	0.00	260.00	0.00	0.00
6712	JE	3TI	67	03/13/91	0.879	0.00 >	1000.00	0.00	0.00
6712	PT	3UG	67	03/12/91	1.298	0.00	456.00	0.00	0.00
6712	SF	3UV	67	03/12/91	0.556	0.00 >	1000.00	0.00	0.00
6712	VE	3TW	67	03/15/91	1.201	0.00 >	1000.00	0.00	0.00
6712	YF	3T4	67	03/13/91	1.240	0.00	1000.00	0.00	0.00
6723	JE	3TJ	67	03/13/91	0.834	0.00	553.00	0.00	0.00
6723	PT	3UH	67	03/12/91	1.258	0.00	544.00	0.00	0.00
6723	SF	3UW	67	03/12/91	0.690	0.00	566.00	0.00	3.86
6723	VE	3TX	67	03/15/91	1.181	0.00	485.00	0.00	0.00
6723	YF	3T5	67	03/13/91	1.219	0.00	507.00	0.00	0.00
6724	JE	39M	67	02/14/91	0.743	2.64 >	100.00 >	37.94 >	46.26
6724	JE	3BP	67	02/20/91	0.677	3.41 >	100.00 >	29.30 >	54.36
6724	JE	3DS	67	02/21/91	0.879	3.62	92.20	25.46 >	41.97
6724	JE	3FV	67	02/27/91	1.097	4.33	69.10	15.97 >	39.86
6724	JE	3GA	67	02/27/91	1.001	2.91	88.30	30.31 >	52.96
6724	JE	3I0	67	02/28/91	0.823	2.31 >	100.00 >	43.25 >	59.76
6724	JE	3N2	67	03/06/91	0.874	4.47	50.10	11.22 >	31.96
6724	JE	3QF	67	03/07/91	0.981	4.02	24.70	6.14 >	26.64
6724	JE	3TM	67	03/13/91	0.853	9.55	50.50	5.29 >	22.84
6724	JE	3W5	67	03/14/91	0.979	8.16	24.70	3.02 >	16.44
6724	JE	40R	67	03/20/91	0.991	10.00	23.50	2.35	14.07
6724	JE	440	67	03/21/91	0.813	4.57	74.90	16.40 >	37.26
6724	JE	46Z	67	03/27/91	0.793	0.00	26.50	0.00 >	13.19
6724	JE	48W	67	03/28/91	0.734	3.32	50.90	15.31 >	35.68
6724	JE	4D9	67	04/03/91	0.744	0.00	3.84	0.00	3.18
6724	JE	4FC	67	04/04/91	0.927	0.00	2.90	0.00 >	4.49
6724	JE	4JG	67	04/10/91	0.768	0.00	6.41	0.00	6.21
6724	JE	4MG	67	04/11/91	0.678	0.00	4.05	0.00 >	3.82
6724	JE	4P7	67	04/17/91	0.762	2.83	9.74	3.44	17.40
6724	JE	4RR	67	04/18/91	0.750	2.93	7.62	2.60	11.66
6724	JE	4W6	67	04/24/91	0.894	0.00	7.05	0.00	4.71
6724	JE	507	67	04/25/91	0.533	3.89	25.40	6.52	26.04
6724	JE	53U	67	05/01/91	0.745	2.22	10.00	4.51	19.83
6724	JE	56C	67	05/02/91	0.786	3.53	18.90	5.36	22.60
6724	JE	5D1	67	05/09/91	0.747	4.15	17.90	4.31	19.56
6724	JE	5HX	67	05/15/91	0.968	3.20	11.20	3.51	13.69
6724	JE	5K0	67	05/16/91	0.924	5.19	25.60	4.93	22.16
6724	JE	5SK	67	05/23/91	0.680	2.93 >	100.00 >	34.17 >	49.77
6724	JE	5S5	67	05/23/91	0.745	3.96	54.70	13.80	31.10
6724	JE	5VF	67	05/30/91	0.925	5.99	61.10	10.21 >	31.45
6724	JE	5XX	67	05/30/91	0.779	2.97 >	100.00 >	33.66 >	46.25
6724	JE	623	67	06/04/91	0.939	6.40	52.00	8.12 >	30.55
6724	JE	646	67	06/05/91	1.069	3.85 >	100.00 >	25.98 >	45.86
6724	JE	660	67	06/06/91	1.142	4.76 >	100.00 >	21.00 >	44.03
6724	JE	6AV	67	06/11/91	1.121	4.74	61.90	13.06 >	33.97
6724	JE	6CY	67	06/12/91	1.145	5.44	74.50	13.70 >	36.76
6724	JE	6H7	67	06/13/91	1.019	6.92	95.50	13.80 >	39.15
6724	JE	6K1	67	06/18/91	1.072	6.06	26.10	4.31	24.71
6724	JE	6MI	67	06/19/91	0.982	5.21	28.90	5.53	22.67
6724	JE	6SA	67	07/02/91	1.050	7.76	6.76	0.87	7.02
6724	JE	6UT	67	07/03/91	0.970	5.37	8.95	1.67	14.99
6724	JE	6YT	67	07/09/91	0.990	0.00	9.74	0.00	5.39
6724	JE	72K	67	07/10/91	0.806	4.53	23.40	5.16	24.94
6724	JE	725	67	07/10/91	0.729	5.14	24.70	4.79 >	22.71
6724	JE	75H	67	07/11/91	0.954	2.49	9.74	3.92	25.16
6724	JE	77C	67	07/16/91	1.102	8.18	8.30	1.01	5.51
6724	JE	7DJ	67	07/17/91	0.854	2.80	30.00	10.73 >	39.46
6724	JE	7CA	67	07/17/91	0.937	4.42	28.50	6.45 >	31.75

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	JE	7FK	67	07/18/91	1.175	0.00	8.87	0.00	10.86
6724	JE	710	67	07/23/91	0.670	9.09	25.80	2.84 >	15.05
6724	JE	7LC	67	07/25/91	0.834	7.79	26.90	3.45 >	20.23
6724	JE	7P8	67	07/30/91	0.783	0.00	17.90	0.00 >	9.27
6724	JE	7U0	67	07/31/91	0.776	6.68	23.50	3.52	16.18
6724	JE	7V3	67	07/31/91	0.736	5.33	24.30	4.57 >	22.30
6724	JE	7WR	1	08/01/91	0.762	4.88	26.70	5.48 >	25.99
6724	JE	7ZF	67	08/06/91	0.819	7.41	18.50	2.49	12.12
6724	JE	852	67	08/07/91	0.765	5.71	30.60	5.36 >	22.75
6724	JE	811	67	08/07/91	0.738	5.40	39.60	7.32 >	27.55
6724	JE	888	67	08/08/91	0.936	3.07	3.20	1.04	7.24
6724	JE	8AP	67	08/13/91	0.946	7.46	17.80	2.38 >	13.64
6724	JE	8CS	67	08/14/91	0.821	9.31	9.32	1.00	6.31
6724	JE	8HV	67	08/14/91	0.903	0.00	6.34	0.00	1.47
6724	JE	8JW	67	08/15/91	0.898	0.00	18.30	0.00 >	4.93
6724	JE	8N5	67	08/20/91	0.662	0.00	21.40	0.00	9.37
6724	JE	8QH	67	08/21/91	0.711	3.88	61.80	15.89 >	37.98
6724	JE	8T5	67	08/21/91	0.857	94.20	9.22	0.10 >	4.86
6724	JE	8W8	67	08/22/91	0.953	0.00	6.86	0.00	0.00
6724	JE	8XW	67	08/28/91	0.793	0.00	23.30	0.00	6.75
6724	JE	925	67	08/29/91	0.877	0.00	8.57	0.00	3.22
6724	JE	957	67	09/04/91	0.813	0.00	24.70	0.00	13.44
6724	JE	98V	67	09/05/91	0.801	0.00	16.60	0.00	8.98
6724	JE	98V	67	09/10/91	0.770	9.55	31.00	3.25 >	24.64
6724	JE	9E3	67	09/11/91	0.873	0.00	25.70	0.00	14.00
6724	JE	9H7	67	09/11/91	0.830	9.55	23.00	2.41	13.25
6724	JE	9IZ	67	09/12/91	0.944	7.13	21.50	3.01	18.18
6724	JE	9QW	67	09/17/91	0.964	0.00	30.80	0.00	11.16
6724	JE	9P3	67	09/18/91	0.977	10.00	23.70	2.37	12.13
6724	JE	9LZ	1	09/18/91	0.932	0.00	14.60	0.00 >	8.29
6724	JE	9RS	67	09/19/91	0.814	7.89	40.50	5.14 >	20.35
6724	JE	9UG	67	09/24/91	0.891	0.00	28.90	0.00 >	16.84
6724	JE	9YU	67	09/25/91	0.885	8.50	17.60	2.07	12.54
6724	JE	9XL	67	09/25/91	0.880	7.52	51.40	6.84 >	26.04
6724	JE	A12	67	09/26/91	1.032	14.40	30.20	2.10 >	20.35
6724	JE	A46	67	10/01/91	0.932	9.29	27.40	2.95	19.77
6724	JE	A7P	67	10/02/91	0.871	0.00	15.30	0.00	4.96
6724	JE	A84	67	10/02/91	0.804	0.00	21.90	0.00 >	11.04
6724	JE	A9T	67	10/03/91	0.928	9.19	35.80	3.89 >	22.36
6724	JE	ACX	67	10/08/91	0.868	10.00	32.00	3.20	21.94
6724	JE	AHD	67	10/09/91	0.957	5.66	24.90	4.41	19.10
6724	JE	AF5	67	10/09/91	0.676	4.72	74.20	15.72 >	34.67
6724	JE	AJS	67	10/10/91	0.989	13.10	30.30	2.31 >	19.75
6724	JE	ALH	67	10/15/91	0.916	7.00	35.00	4.99	20.69
6724	JE	AR3	67	10/16/91	0.885	0.00	13.30	0.00	6.81
6724	JE	AOF	67	10/16/91	0.866	0.00	9.15	0.00	5.67
6724	JE	AT2	67	10/17/91	0.940	15.30	30.10	1.96 >	19.13
6724	JE	AVA	67	10/22/91	0.970	14.30	24.30	1.70	15.14
6724	JE	AZA	67	10/23/91	0.786	8.71	24.70	2.83	14.29
6724	JE	AXY	67	10/23/91	0.826	0.00	21 50	0.00	11.48
6724	JE	B2E	67	10/24/91	0.888	0.00	6.44	0.00	1.88
6724	JE	B46	67	10/29/91	0.883	32.00	23.80	0.74	13.76
6724	JE	B6E	67	10/29/91	0.821	27.10	22.70	0.84	12.18
6724	JE	B92	67	10/30/91	0.895	0.00	19.90	0.00	10.13
6724	JE	BBA	67	10/31/91	1.014	9.31	23.70	2.54	18.05
6724	JE	BD2	67	11/05/91	0.984	20.70	21.80	1.06	10.74
6724	JE	BFA	67	11/06/91	0.955	0.00	18.60	0.00	7.46
6724	JE	BHI	67	11/06/91	0.968	0.00	18.80	0.00	7.73
6724	JE	BJQ	67	11/07/91	1.001	8.55	32.00	3.74 >	23.35
6724	JE	BLY	67	11/12/91	0.709	5.74 >	100.00 >	17.43 >	40.14
6724	JE	BQL	67	11/13/91	0.980	7.10	70.90	9.97 >	30.44
6724	JE	BO6	67	11/13/91	0.988	5.57	70.90	12.71 >	32.37
6724	JE	BTO	67	11/14/91	0.943	7.22	49.00	6.79 >	28.35
6724	JE	BVR	67	11/19/91	0.874	12.10	27.70	2.29	17.88
6724	JE	BXJ	67	11/20/91	0.967	7.82	30.40	3.89	20.69
6724	JE	C06	67	11/20/91	0.966	6.91	41.30	5.97	23.05
6724	JE	C51	67	11/21/91	1.055	5.86	24.10	4.11	22.98
6724	JE	C1H	67	11/21/91	1.097	0.00	17.30	0.00	14.97
6724	JE	C86	67	11/26/91	1.190	11.60	58.40	5.05 >	22.18
6724	JE	C9Y	67	11/27/91	1.149	8.71	27.60	3.17	17.62
6724	JE	CC6	67	11/27/91	1.124	8.71	80.00	9.18 >	29.54
6724	JE	CDI	67	12/03/91	1.071	6.56	27.70	4.23 >	21.66
6724	JE	CFQ	67	12/04/91	1.048	7.20	27.70	3.86 >	21.04
6724	JE	CIF	67	12/04/91	1.005	8.18	21.40	2.62	14.93

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	JE	CK9	67	12/05/91	0.982	5.37	28.00	5.21	23.85
6724	PT	380	67	02/12/91	0.628	4.37	37.90	8.68	27.75
6724	PT	3C4	67	02/20/91	1.131	6.07	64.20	10.57 >	37.95
6724	PT	3AV	67	02/20/91	0.963	4.33	0.32	0.07 >	34.60
6724	PT	3EN	67	02/21/91	0.773	2.41	86.40	35.80 >	49.47
6724	PT	3H4	67	02/26/91	1.015	1.74	83.70	48.18 >	63.89
6724	PT	3JZ	67	02/26/91	1.302	2.02	45.60	22.62	47.00
6724	PT	3LH	67	02/28/91	1.067	7.52	0.32	0.04 >	17.66
6724	PT	30C	67	03/05/91	0.709	5.53	28.70	5.20 >	22.52
6724	PT	3S0	67	03/07/91	1.122	2.60	54.70	21.06 >	40.87
6724	PT	3UJ	67	03/12/91	1.294	1.57	49.90	31.74 >	54.99
6724	PT	3WX	67	03/14/91	1.138	2.65	35.40	13.39 >	37.03
6724	PT	43L	67	03/19/91	1.104	3.44	43.80	12.73 >	41.28
6724	PT	45U	67	03/21/91	1.054	5.55	76.00	13.70 >	38.64
6724	PT	47P	67	03/26/91	1.143	4.51	48.20	10.68 >	36.36
6724	PT	490	67	03/28/91	0.965	3.67	24.70	6.71	28.66
6724	PT	4E3	67	04/02/91	1.151	7.44	7.00	0.94	7.51
6724	PT	4H4	67	04/04/91	0.656	0.72	2.17	3.02 >	12.20
6724	PT	4LM	67	04/09/91	1.488	2.03	3.94	1.94	10.63
6724	PT	4NY	67	04/11/91	1.037	2.35	2.18	0.93 >	6.27
6724	PT	4Q1	67	04/16/91	1.177	1.92	8.68	4.52	24.10
6724	PT	4S7	67	04/18/91	1.107	2.87	9.15	3.19 >	19.08
6724	PT	4YR	67	04/23/91	1.213	1.67	23.50	14.09	44.69
6724	PT	511	67	04/25/91	1.121	1.66	30.40	18.24 >	49.24
6724	PT	540	67	04/30/91	1.193	2.68	26.10	9.73	34.08
6724	PT	58U	67	05/02/91	1.230	0.47	5.75	12.29 >	38.44
6724	PT	5C9	67	05/07/91	1.205	1.65	20.70	12.52	43.19
6724	PT	5EC	67	05/09/91	1.158	1.17	15.80	13.45	42.60
6724	PT	5IR	67	05/14/91	1.122	1.81	87.30	48.09 >	57.89
6724	PT	5KU	67	05/16/91	1.204	1.72	29.60	17.20 >	49.20
6724	PT	5OX	67	05/22/91	1.039	1.73	32.00	18.47 >	52.98
6724	PT	5TE	67	05/23/91	1.128	1.87	30.40	16.22 >	46.77
6724	PT	5W9	67	05/29/91	1.112	2.02	25.80	12.77 >	40.49
6724	PT	5YC	67	05/30/91	0.910	1.09	59.20	54.31 >	63.29
6724	PT	62X	67	06/04/91	1.220	1.68	73.60	43.86 >	59.58
6724	PT	650	67	06/05/91	1.147	1.68	68.30	40.71 >	54.70
6724	PT	673	67	06/06/91	1.314	19.40	64.00	3.29 >	18.01
6724	PT	68P	67	06/11/91	0.991	0.53	79.10	149.36 >	76.62
6724	PT	6IS	67	06/13/91	1.140	1.07	76.30	71.48 >	67.51
6724	PT	6KV	67	06/18/91	0.758	0.64	35.00	54.25 >	63.32
6724	PT	6NB	67	06/19/91	1.149	1.59	48.30	30.43 >	53.01
6724	PT	6T5	67	07/02/91	1.026	1.66	4.66	2.81	17.96
6724	PT	6V8	67	07/03/91	0.979	1.19	8.20	6.87 >	33.48
6724	PT	6ZN	67	07/09/91	1.226	1.51	6.60	4.36	25.96
6724	PT	73E	67	07/11/91	0.636	0.00	4.33	0.00 >	6.09
6724	PT	835	67	08/06/91	0.624	1.54	19.40	12.61 >	33.31
6724	PT	89H	67	08/08/91	0.842	2.41	7.82	3.24	15.61
6724	PT	8KB	67	08/15/91	0.590	2.33	24.90	10.70 >	31.25
6724	PT	8DN	67	08/15/91	0.618	3.87	25.40	6.56	19.90
6724	PT	8PN	67	08/22/91	0.838	3.11	17.30	5.57	21.42
6724	PT	8UE	67	08/22/91	0.541	2.01	12.10	6.02	20.22
6724	PT	8YQ	67	08/27/91	0.468	2.30	28.20	12.25	28.82
6724	PT	9AJ	67	09/06/91	0.667	8.22	9.60	1.17	7.50
6724	PT	9CR	67	09/10/91	0.490	3.09	16.80	5.43	24.45
6724	PT	9JF	67	09/12/91	0.727	3.47	19.70	5.67	23.38
6724	PT	9ET	67	09/12/91	0.522	6.51	24.70	3.79	12.39
6724	PT	9NR	67	09/17/91	0.506	1.00	68.00	68.00 >	63.72
6724	PT	9TK	1	09/18/91	0.756	0.00	20.20	0.00	4.98
6724	PT	9PZ	67	09/19/91	0.754	4.49	26.30	5.85	29.97
6724	PT	9S8	67	09/19/91	0.890	3.20	10.00	3.13	15.57
6724	PT	9VC	67	09/24/91	0.633	4.91	19.80	4.03	20.42
6724	PT	A1I	67	09/26/91	0.564	2.64	21.40	8.13	27.58
6724	PT	A2U	67	09/26/91	0.594	6.61	18.40	2.78	13.90
6724	PT	A05	67	09/26/91	0.615	2.19	46.30	21.11	40.31
6724	PT	A52	67	10/01/91	0.750	3.44	22.50	6.54 >	20.93
6724	PT	AAP	67	10/03/91	0.437	1.56	19.80	12.67 >	39.50
6724	PT	AC1	67	10/03/91	0.666	6.18	11.20	1.82 >	12.89
6724	PT	ADT	67	10/08/91	0.692	3.20	14.20	4.43	13.57
6724	PT	AG1	67	10/10/91	0.586	1.46	24.10	16.56	43.82
6724	PT	AKO	67	10/10/91	0.729	2.12	25.10	11.84	38.33
6724	PT	AMQ	67	10/15/91	0.660	2.55	25.70	10.10 >	25.74
6724	PT	ATI	67	10/17/91	0.666	5.73	25.50	4.45	18.12
6724	PT	APR	67	10/17/91	0.840	7.60	0.30	0.04	3.08
6724	PT	AW6	67	10/22/91	0.516	2.47	46.80	18.93	37.14

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	PT	AYE	67	10/24/91	0.757	10.00	6.19	0.62 >	8.65
6724	PT	B2U	67	10/24/91	0.458	1.61	8.52	5.29 >	20.77
6724	PT	B8Q	67	10/31/91	0.739	2.81	17.60	6.28	18.20
6724	PT	B86	67	10/31/91	0.575	2.83	18.90	6.70	16.86
6724	PT	BG6	67	11/07/91	0.511	2.83	32.00	11.33	31.61
6724	PT	BKM	67	11/07/91	0.686	4.72	21.90	4.64	23.58
6724	PT	BMU	67	11/12/91	0.539	4.80	31.20	6.49 >	28.98
6724	PT	BRH	67	11/13/91	0.656	7.28	25.50	3.51 >	17.53
6724	PT	BP2	67	11/14/91	0.600	6.01	21.80	3.62	14.91
6724	PT	BTG	67	11/14/91	0.718	5.41	23.00	4.26	19.17
6724	PT	BWN	67	11/19/91	0.627	3.06	23.00	7.52	22.00
6724	PT	C2D	67	11/21/91	0.642	2.93	13.10	4.48 >	15.60
6724	PT	CEE	67	12/03/91	0.477	10.00 >	100.00 >	10.00 >	16.92
6724	PT	CH4	67	12/05/91	0.409	2.09	31.20	14.92	34.73
6724	PT	CKX	67	12/05/91	0.433	1.59	25.70	16.19 >	46.71
6724	SF	3F1	67	02/21/91	0.525	1.28	97.00	75.63 >	51.80
6724	SF	3NJ	67	02/26/91	0.703	4.78	30.40	6.35 >	31.05
6724	SF	3LW	67	02/28/91	0.565	2.04	24.70	12.09	28.71
6724	SF	3QR	67	03/05/91	0.746	7.90	22.70	2.87	12.96
6724	SF	3QQ	67	03/06/91	0.893	7.45	16.70	2.24	11.19
6724	SF	3SU	67	03/07/91	0.461	1.84	36.50	19.81	38.75
6724	SF	3UZ	67	03/12/91	0.621	4.35	88.00	20.25	37.39
6724	SF	469	67	03/21/91	0.651	5.85	28.10	4.80	18.34
6724	SF	44U	67	03/22/91	0.772	5.29	49.90	9.43	27.44
6724	SF	482	67	03/26/91	0.690	3.58	32.00	8.95 >	30.70
6724	SF	4A5	67	03/28/91	0.619	2.85	22.70	7.97	22.74
6724	SF	4E1	67	04/02/91	1.099	2.67	2.06	0.77	3.33
6724	SF	4HJ	67	04/04/91	0.702	2.77	5.41	1.95	8.42
6724	SF	4QG	67	04/16/91	1.145	8.67	8.41	0.97 >	4.35
6724	SF	4SN	67	04/18/91	0.624	5.56	28.30	5.10 >	27.70
6724	SF	4Z6	67	04/23/91	0.959	5.55	23.50	4.23	21.61
6724	SF	4ZL	67	04/24/91	1.044	5.33	9.72	1.82	13.82
6724	SF	4QD	67	04/24/91	1.090	8.27	12.30	1.48	6.53
6724	SF	5JT	67	04/26/91	0.816	5.48	15.10	2.75 >	16.46
6724	SF	553	67	04/30/91	0.993	2.77	21.40	7.73	28.41
6724	SF	599	67	05/02/91	0.932	10.00	10.80	1.08	7.00
6724	SF	5J6	67	05/14/91	1.010	2.11	31.20	14.80 >	37.01
6724	SF	5L9	67	05/16/91	0.795	2.17	20.10	9.24	28.73
6724	SF	5PC	67	05/22/91	0.932	6.50	13.70	2.10	13.71
6724	SF	5TT	67	05/23/91	0.627	4.30	42.20	9.82	31.82
6724	SF	5WO	67	05/29/91	0.898	2.71	22.10	8.17	29.48
6724	SF	5YR	67	05/30/91	0.707	6.38	24.70	3.87	18.16
6724	SF	63C	67	06/04/91	0.586	2.41	36.50	15.14	32.70
6724	SF	65F	67	06/05/91	0.776	4.63	25.90	5.60	22.85
6724	SF	6C4	67	06/11/91	0.652	8.03	0.27	0.03	7.35
6724	SF	6FZ	67	06/12/91	0.766	6.23	29.60	4.75	24.04
6724	SF	6J7	67	06/13/91	0.479	1.61	59.80	37.05 >	50.12
6724	SF	6LA	67	06/18/91	0.629	1.88	22.50	11.96	36.39
6724	SF	6NQ	67	06/19/91	0.935	8.70	26.20	3.01 >	15.77
6724	SF	6TK	67	07/02/91	0.991	2.65	2.05	0.77	3.84
6724	SF	702	67	07/09/91	1.081	6.64	15.10	2.27	12.82
6724	SF	70N	67	07/09/91	0.945	4.39	14.70	3.35 >	24.55
6724	SF	74N	67	07/10/91	0.991	6.31	8.64	1.37	12.43
6724	SF	768	67	07/11/91	0.599	2.73	11.50	4.21	18.68
6724	SF	78L	67	07/16/91	1.115	6.78	6.60	0.97	6.71
6724	SF	790	67	07/16/91	0.865	5.66	11.10	1.96	13.97
6724	SF	7ED	67	07/17/91	1.118	8.02	15.10	1.89	8.62
6724	SF	7GT	67	07/18/91	1.052	8.52	9.06	1.06	5.06
6724	SF	7JX	67	07/23/91	1.119	8.43	7.12	0.84	4.22
6724	SF	7ML	67	07/25/91	1.171	8.35	8.79	1.05	5.26
6724	SF	7RR	67	07/30/91	1.049	8.50	7.65	0.90	3.69
6724	SF	7S6	67	07/30/91	0.928	7.89	9.50	1.20	8.17
6724	SF	7VX	67	07/31/91	1.064	9.45	7.45	0.79	3.52
6724	SF	809	67	08/06/91	0.976	10.00	6.15	0.61	3.78
6724	SF	82R	67	08/06/91	1.053	8.78	7.24	0.82	4.91
6724	SF	88Y	67	08/13/91	1.044	8.30	8.87	1.07	5.25
6724	SF	8E1	67	08/13/91	0.925	6.77	13.40	1.98	12.90
6724	SF	8GM	82	08/14/91	0.863	10.00	11.60	1.16 >	4.93
6724	SF	8MN	67	08/22/91	0.900	2.96	7.38	2.49	15.67
6724	SF	8TZ	67	08/27/91	0.722	2.38	18.40	7.73 >	35.65
6724	SF	8Z5	67	08/27/91	0.926	4.02	16.70	4.16	20.27
6724	SF	92Z	67	08/29/91	0.773	7.22	10.70	1.49 >	7.86
6724	SF	96G	67	09/04/91	0.862	6.91	10.80	1.57	8.30
6724	SF	99P	67	09/05/91	0.830	9.38	7.99	0.85	2.37

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	SF	913	67	09/11/91	0.744	7.31	18.80	2.57	10.04
6724	SF	9FF	67	09/12/91	0.559	2.67	29.30	10.95 >	22.87
6724	SF	9JV	67	09/12/91	0.544	2.22	17.00	7.66	20.45
6724	SF	907	67	09/17/91	0.521	2.55	24.70	9.65	25.71
6724	SF	9T4	1	09/18/91	0.688	2.88	27.70	9.64	20.00
6724	SF	9S0	67	09/19/91	0.668	2.36	20.10	8.52 >	19.71
6724	SF	9VT	67	09/24/91	0.601	2.08	18.90	9.11 >	27.23
6724	SF	9ZR	67	09/25/91	0.623	8.24	23.00	2.80	10.61
6724	SF	ABL	67	10/03/91	0.732	3.00	7.22	2.41	10.05
6724	SF	AJ5	67	10/09/91	0.658	9.19	16.10	1.75	6.00
6724	SF	AL4	67	10/10/91	0.570	2.91	12.80	4.38	12.55
6724	SF	AN3	67	10/15/91	0.684	8.85	18.40	2.08	7.52
6724	SF	ARZ	67	10/16/91	0.611	9.02	7.73	0.86	2.76
6724	SF	AUE	67	10/18/91	0.899	5.16	12.30	2.38	15.87
6724	SF	AUM	67	10/22/91	0.745	2.77	25.30	9.11	30.14
6724	SF	B1I	67	10/23/91	0.813	9.38	10.00	1.07	4.52
6724	SF	B3A	67	10/24/91	0.871	9.14	6.95	0.76	3.20
6724	SF	B5I	1	10/29/91	0.740	10.00	16.80	1.68	5.21
6724	SF	BEE	67	11/05/91	0.946	4.73	0.30	0.06	13.34
6724	SF	BIU	67	11/06/91	0.723	5.94	29.60	4.99 >	23.28
6724	SF	BL2	67	11/07/91	0.678	4.89	20.10	4.11	18.28
6724	SF	BGM	67	11/07/91	0.713	5.00	23.20	4.64	21.89
6724	SF	BNA	67	11/12/91	0.753	4.33	10.80	2.50 >	20.74
6724	SF	BRX	67	11/13/91	0.706	4.76	18.70	3.92	17.41
6724	SF	BTW	67	11/14/91	0.711	2.24	42.50	18.94 >	39.37
6724	SF	BX3	67	11/19/91	0.781	2.52	25.70	10.22	27.10
6724	SF	BUV	67	11/19/91	0.771	4.39	29.40	6.69 >	31.86
6724	SF	BYV	67	11/20/91	0.981	7.22	25.30	3.50 >	17.65
6724	SF	C45	67	11/20/91	1.006	8.55	23.90	2.80	13.60
6724	SF	C2T	67	11/21/91	0.924	2.21	13.80	6.24	24.20
6724	SF	C5X	67	11/21/91	0.871	2.08	10.00	4.82	26.34
6724	SF	CAU	67	11/27/91	0.732	6.47	28.50	4.40	19.30
6724	SF	C92	67	11/27/91	0.764	7.14	28.30	3.97	17.67
6724	SF	CBA	67	11/27/91	0.692	6.20	26.00	4.19 >	20.50
6724	SF	CEU	67	12/03/91	0.924	7.49	25.20	3.36 >	16.26
6724	SF	CJB	67	12/04/91	0.775	7.40	18.50	2.50 >	12.32
6724	SF	CHK	67	12/05/91	0.700	4.50	17.30	3.85	20.10
6724	SF	CL7	67	12/05/91	0.887	3.36	15.50	4.61	19.61
6724	VE	3CY	67	02/26/91	1.026	12.00	75.30	6.25 >	24.63
6724	VE	3GP	67	03/01/91	1.194	0.00	8.06	0.00	0.00
6724	VE	3E7	67	03/01/91	1.228	0.00	9.62	0.00 >	0.27
6724	VE	3HY	67	03/01/91	1.133	0.00	9.55	0.00 >	0.43
6724	VE	3MN	67	03/08/91	1.100	205.00 >	320.00 >	1.56 >	8.72
6724	VE	3MN	77	03/08/91	1.169	42.50	21.00	0.49 >	4.64
6724	VE	3U0	67	03/15/91	1.098	0.00	6.22	0.00 >	0.75
6724	VE	3WJ	67	03/15/91	1.203	0.00	6.18	0.00 >	0.01
6724	VE	416	67	03/22/91	1.162	23.60	17.30	0.74 >	8.83
6724	VE	49B	67	03/29/91	1.269	0.00	9.69	0.00	0.00
6724	VE	47C	67	03/29/91	1.311	0.00	8.11	0.00	0.00
6724	VE	4EX	67	04/05/91	0.981	2.21	2.26	1.02 >	7.13
6724	VE	4DO	67	04/05/91	1.007	2.45	2.26	0.92	5.52
6724	VE	4M1	67	04/12/91	0.744	5.45	2.99	0.55 >	6.56
6724	VE	4L7	67	04/12/91	0.801	8.56	2.74	0.32	1.14
6724	VE	4QV	67	04/19/91	1.114	11.80	8.06	0.68 >	8.41
6724	VE	4PM	67	04/19/91	1.163	21.70	9.60	0.44 >	7.41
6724	VE	4X0	67	04/26/91	0.893	0.00	2.98	0.00 >	0.02
6724	VE	4WL	67	04/26/91	0.847	0.00	5.47	0.00 >	0.02
6724	VE	58F	67	05/03/91	1.151	64.50	5.20	0.08 >	0.80
6724	VE	549	67	05/03/91	1.144	147.00	7.91	0.05 >	0.49
6724	VE	5DX	67	05/10/91	1.323	0.00	7.28	0.00	0.00
6724	VE	5KF	67	05/17/91	1.299	24.90	8.64	0.35 >	4.85
6724	VE	51C	67	05/17/91	1.180	25.00	32.00	1.28 >	10.31
6724	VE	501	67	05/24/91	1.276	54.90	26.90	0.49 >	4.79
6724	VE	5PR	67	05/24/91	1.272	85.00	21.60	0.25 >	1.70
6724	VE	5VU	67	05/31/91	1.033	3.20	77.30	24.17 >	41.75
6724	VE	5X3	67	05/31/91	1.074	3.77	94.30	25.05 >	40.14
6724	VE	64L	67	06/07/91	1.377	6.78	6.98	1.03 >	11.02
6724	VE	621	67	06/07/91	1.274	11.70	22.80	1.96 >	15.40
6724	VE	65U	67	06/07/91	1.338	1.98	16.60	8.37 >	35.85
6724	VE	68A	67	06/14/91	1.091	6.52	21.70	3.33 >	23.83
6724	VE	6ED	67	06/14/91	0.987	0.00	2.51	0.00	0.00
6724	VE	6D0	67	06/14/91	1.320	7.33	9.69	1.32 >	16.72
6724	VE	6KG	67	06/28/91	1.253	7.76	2.74	0.35	3.51
6724	VE	605	67	06/28/91	1.230	8.81	2.74	0.31	4.15

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	VE	6SP	67	07/02/91	0.907	1.94	27.90	14.34 >	43.17
6724	VE	6TZ	67	07/03/91	0.989	0.00	1.73	0.00 >	0.05
6724	VE	710	67	07/12/91	1.168	61.50	9.24	0.15 >	5.91
6724	VE	718	67	07/12/91	1.113	100.00	7.45	0.07 >	4.94
6724	VE	70W	67	07/12/91	1.194	2.20	16.60	7.55 >	34.04
6724	VE	6Z8	67	07/12/91	1.256	4.43	4.90	1.11	13.74
6724	VE	79F	67	07/19/91	1.096	1.46	24.70	16.93 >	47.16
6724	VE	77R	67	07/19/91	1.157	2.12	18.80	8.89 >	38.24
6724	VE	79U	67	07/19/91	1.237	2.56	52.40	20.44 >	39.95
6724	VE	7A9	67	07/19/91	1.191	12.70 >	100.00 >	7.90 >	33.82
6724	VE	7LR	67	07/26/91	0.992	20.80	25.40	1.22 >	17.30
6724	VE	7J3	67	07/26/91	1.114	22.10	7.45	0.34 >	6.51
6724	VE	7PP	67	08/02/91	1.115	4.97	8.64	1.74 >	22.02
6724	VE	7T1	1	08/02/91	1.097	21.10	3.96	0.19 >	12.91
6724	VE	704	67	08/02/91	1.184	6.64	6.29	0.95 >	14.59
6724	VE	7ZU	67	08/09/91	1.152	3.38	9.32	2.76 >	22.74
6724	VE	83K	67	08/09/91	1.245	4.68	10.00	2.14 >	22.42
6724	VE	81X	67	08/09/91	1.141	5.27	9.55	1.81 >	22.23
6724	VE	83Z	67	08/09/91	1.222	6.31	6.60	1.05 >	17.92
6724	VE	70J	67	08/09/91	1.059	2.52	23.80	9.42 >	35.44
6724	VE	884	67	08/16/91	1.118	95.90 >	100.00 >	1.04 >	5.73
6724	VE	81A	67	08/16/91	1.090	7.42 >	100.00 >	13.48 >	27.24
6724	VE	8D7	67	08/16/91	0.977	25.70 >	100.00 >	3.89 >	17.99
6724	VE	8H1	67	08/16/91	1.087	6.84 >	100.00 >	14.62 >	32.84
6724	VE	80T	67	08/23/91	0.937	0.00	2.55	0.00	0.00
6724	VE	8NK	67	08/23/91	0.838	100.00	5.05	0.05 >	1.29
6724	VE	8RB	67	08/23/91	1.142	28.10	32.00	1.14 >	8.43
6724	VE	80W	67	08/23/91	1.083	76.50	26.00	0.34 >	4.06
6724	VE	8YB	67	08/30/91	0.927	32.00	12.80	0.40 >	11.80
6724	VE	8ZY	67	08/30/91	0.912	35.80	38.20	1.07 >	16.61
6724	VE	96V	67	09/06/91	0.978	10.00	9.03	0.90 >	10.13
6724	VE	95M	67	09/06/91	1.124	10.00	6.60	0.66	4.10
6724	VE	9EJ	67	09/13/91	1.213	9.42	8.52	0.90 >	9.22
6724	VE	9CB	67	09/13/91	1.215	19.40	7.60	0.39 >	5.49
6724	VE	9GB	67	09/13/91	1.329	10.00	8.64	0.86	5.87
6724	VE	9FV	67	09/13/91	1.260	7.60	10.00	1.32 >	12.32
6724	VE	9PJ	67	09/20/91	1.153	4.07	21.00	5.15 >	29.36
6724	VE	9NB	67	09/20/91	1.274	5.79	16.80	2.90 >	24.23
6724	VE	9L3	1	09/20/91	1.318	0.00	21.00	0.00	0.00
6724	VE	9QV	67	09/20/91	1.329	5.74	8.93	1.56 >	17.64
6724	VE	9WP	67	09/27/91	1.151	2.61	54.70	20.98 >	40.94
6724	VE	9UW	67	09/27/91	1.206	3.11	27.60	8.87 >	30.78
6724	VE	9Y0	1	09/27/91	1.028	1.72	84.90	49.25 >	54.17
6724	VE	9X5	67	09/27/91	1.165	1.74 >	100.00 >	57.47 >	55.96
6724	VE	A6E	67	10/04/91	1.136	0.00	13.90	0.00	0.04
6724	VE	A4M	67	10/04/91	1.221	0.00	7.09	0.00	0.00
6724	VE	A6T	67	10/04/91	1.058	0.00	23.50	0.00	0.00
6724	VE	ADD	67	10/08/91	1.024	7.63	6.98	0.91 >	6.93
6724	VE	AGX	67	10/11/91	1.051	0.00	28.10	0.00	0.24
6724	VE	AFL	67	10/11/91	1.069	34.40	30.20	0.88 >	17.92
6724	VE	AMA	67	10/18/91	0.971	100.00	4.33	0.04 >	0.20
6724	VE	ANZ	67	10/18/91	1.058	0.00	6.34	0.00 >	0.08
6724	VE	APB	67	10/18/91	1.218	0.00	20.30	0.00	0.00
6724	VE	AOV	67	10/18/91	1.227	0.00	9.24	0.00 >	0.00
6724	VE	AXI	67	10/25/91	1.035	0.00	3.02	0.00	0.00
6724	VE	AVQ	67	10/25/91	1.036	0.00	3.08	0.00	0.00
6724	VE	B6U	67	11/01/91	1.149	6.40	3.82	0.60 >	8.56
6724	VE	B4M	67	11/01/91	1.140	5.05	2.99	0.59 >	13.53
6724	VE	B7A	1	11/01/91	1.104	54.50	4.90	0.09 >	0.20
6724	VE	B7Q	67	11/01/91	1.169	2.90	10.00	3.45 >	24.42
6724	VE	BFQ	67	11/08/91	1.242	0.00	3.20	0.00	0.00
6724	VE	BDI	67	11/08/91	1.222	0.00	3.06	0.00	0.00
6724	VE	BK6	67	11/08/91	1.191	0.00	1.69	0.00	0.00
6724	VE	BME	67	11/15/91	1.178	0.00	2.51	0.00	0.00
6724	VE	BOM	67	11/15/91	1.186	0.00	3.06	0.00	0.00
6724	VE	BSK	67	11/15/91	1.132	0.00	6.03	0.00 >	0.20
6724	VE	BR1	67	11/15/91	1.119	0.00	5.09	0.00	0.00
6724	VE	BXZ	67	11/22/91	1.135	7.79	7.20	0.92 >	6.30
6724	VE	BW7	67	11/22/91	1.087	10.00	6.91	0.69	5.49
6724	VE	COL	67	11/22/91	1.065	0.00	2.98	0.00	0.00
6724	VE	C1X	67	11/22/91	1.094	0.00	6.80	0.00 >	0.21
6724	VE	C39	67	11/22/91	1.184	7.87	3.65	0.46	4.50
6724	VE	C7A	67	11/26/91	1.311	9.20	9.69	1.05 >	9.92
6724	VE	CG6	67	12/06/91	1.167	0.00	2.96	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	VE	CDY	67	12/06/91	1.180	0.00	4.82	0.00	0.00
6724	YF	374	67	02/13/91	0.966	2.34	30.40	12.98	41.98
6724	YF	3A1	67	02/14/91	0.695	1.37	40.50	29.64 >	44.83
6724	YF	3FG	67	03/05/91	0.957	0.68	28.30	41.42 >	53.25
6724	YF	3NX	67	03/06/91	1.063	1.38	80.60	58.33 >	50.76
6724	YF	3SF	67	03/07/91	0.798	2.14	47.10	21.99	35.18
6724	YF	3XR	67	03/12/91	0.546	2.17	64.60	29.77	46.32
6724	YF	3VE	67	03/13/91	1.060	1.86	49.90	26.83 >	46.29
6724	YF	3T8	67	03/13/91	1.051	5.81	24.10	4.15	19.05
6724	YF	3VR	67	03/14/91	0.658	7.59	59.20	7.80 >	22.68
6724	YF	44F	67	03/20/91	1.082	4.71	83.70	17.75 >	40.52
6724	YF	40C	67	03/20/91	1.320	3.04 >	100.00 >	32.91 >	50.70
6724	YF	459	67	03/21/91	1.132	3.11	51.40	16.51 >	46.77
6724	YF	46M	67	03/27/91	1.017	6.05	25.20	4.16	23.26
6724	YF	48H	67	03/28/91	0.968	4.11	27.20	6.62	32.88
6724	YF	4CU	67	04/03/91	1.091	0.00	2.29	0.00	0.06
6724	YF	41M	67	04/04/91	1.061	0.00	3.41	0.00	3.77
6724	YF	4J1	67	04/10/91	1.084	0.00	3.86	0.00 >	0.70
6724	YF	4NJ	67	04/11/91	1.016	0.00	2.35	0.00	0.00
6724	YF	40S	67	04/17/91	1.052	5.78	8.87	1.53 >	14.43
6724	YF	4RB	67	04/18/91	1.062	9.27	9.15	0.99 >	8.03
6724	YF	4VR	67	04/24/91	1.016	4.96	19.10	3.84 >	26.85
6724	YF	4ZR	67	04/24/91	0.853	6.61	8.87	1.34	12.13
6724	YF	50M	67	04/25/91	0.948	2.84	64.20	22.59 >	46.08
6724	YF	53F	67	05/01/91	0.975	5.05	22.60	4.47	22.78
6724	YF	551	67	05/02/91	1.069	4.45	0.29	0.06	24.36
6724	YF	503	67	05/09/91	1.097	3.95	23.90	6.05 >	28.37
6724	YF	5HI	67	05/15/91	1.106	5.76	16.20	2.80	19.65
6724	YF	5RQ	67	05/22/91	1.093	4.81	29.40	6.11 >	31.54
6724	YF	5JL	67	05/22/91	1.170	5.21	21.40	4.11 >	23.17
6724	YF	5SZ	67	05/23/91	0.802	3.65	34.50	9.46 >	41.08
6724	YF	5V0	67	05/29/91	0.792	4.72	32.00	6.78 >	32.90
6724	YF	5XI	67	05/30/91	1.084	4.34	43.80	10.11 >	36.30
6724	YF	610	67	06/04/91	1.199	3.89	22.10	5.68 >	33.96
6724	YF	63R	67	06/05/91	0.906	0.00 <	0.32	0.00	0.00
6724	YF	669	67	06/06/91	0.972	3.54	69.80	19.72 >	35.56
6724	YF	6AG	67	06/11/91	1.063	3.79	68.30	18.15 >	49.40
6724	YF	6CJ	67	06/12/91	1.476	5.46	21.00	3.85	23.22
6724	YF	6GS	67	06/13/91	1.142	2.51	36.30	14.43 >	40.35
6724	YF	6JM	67	06/18/91	0.911	7.30	15.70	2.16 >	12.46
6724	YF	6N3	67	06/19/91	1.231	3.58	39.30	10.98	42.30
6724	YF	6RV	67	07/02/91	0.948	0.00	7.81	0.00	10.26
6724	YF	6UE	67	07/03/91	0.932	0.00	5.28	0.00 >	6.68
6724	YF	6YE	67	07/09/91	1.046	8.81	7.91	0.90 >	10.47
6724	YF	73T	67	07/10/91	0.840	5.12	13.90	2.71 >	20.10
6724	YF	72Z	67	07/10/91	1.139	2.22	9.06	4.08 >	32.08
6724	YF	752	67	07/11/91	0.898	3.20	2.79	0.87	2.46
6724	YF	76X	67	07/16/91	1.085	9.50	5.97	0.63 >	4.30
6724	YF	7D4	67	07/17/91	1.006	7.26	9.06	1.25	12.59
6724	YF	7BV	67	07/17/91	0.967	7.52	8.87	1.18	10.75
6724	YF	7FZ	67	07/18/91	1.040	7.10	9.50	1.34 >	12.27
6724	YF	719	67	07/23/91	0.956	0.00	10.00	0.00 >	5.75
6724	YF	7KX	67	07/25/91	0.850	0.00	5.01	0.00	0.00
6724	YF	7DT	67	07/30/91	0.942	0.00	6.80	0.00	1.96
6724	YF	7U9	67	07/31/91	0.926	0.00	5.47	0.00	1.06
6724	YF	7VI	67	07/31/91	1.049	7.45	5.84	0.78	5.20
6724	YF	7WC	67	08/01/91	0.883	7.67	6.44	0.84	5.72
6724	YF	720	67	08/06/91	1.068	7.02	8.10	1.15	10.74
6724	YF	85K	67	08/07/91	0.895	4.95	19.40	3.92	23.05
6724	YF	813	67	08/07/91	0.777	5.39	30.30	5.63 >	25.26
6724	YF	87T	67	08/08/91	1.067	3.20	1.93	0.60	2.87
6724	YF	8AA	67	08/13/91	0.979	18.70	25.10	1.34 >	15.33
6724	YF	8HG	67	08/14/91	0.772	6.41	50.50	7.88 >	25.54
6724	YF	8CD	67	08/14/91	0.731	8.11	9.74	1.20	11.30
6724	YF	8JH	67	08/15/91	0.976	6.64	25.00	3.77	19.80
6724	YF	8MQ	67	08/20/91	1.068	9.27	7.99	0.86 >	11.05
6724	YF	8Q2	67	08/21/91	1.017	7.04	9.22	1.31 >	15.34
6724	YF	8SQ	67	08/21/91	0.992	5.05	8.87	1.76 >	18.73
6724	YF	8VT	67	08/22/91	0.990	5.77	8.30	1.44 >	15.16
6724	YF	8XH	67	08/28/91	1.022	0.00	7.67	0.00 >	6.21
6724	YF	91Q	67	08/29/91	0.970	0.00	8.15	0.00 >	6.13
6724	YF	94S	67	09/04/91	1.107	7.59	12.00	1.58	13.13
6724	YF	98G	67	09/05/91	0.960	7.91	9.74	1.23	10.75
6724	YF	9DN	67	09/10/91	1.096	5.31	42.50	8.00 >	32.78

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
6724	YF	9BF	67	09/10/91	0.968	4.83	57.10	11.81 >	36.93
6724	YF	9GR	67	09/11/91	1.098	4.76	21.00	4.41 >	25.95
6724	YF	91J	67	09/12/91	1.000	4.62	27.20	5.88	33.04
6724	YF	9NF	67	09/17/91	1.128	4.33	26.50	6.12	35.00
6724	YF	90N	67	09/17/91	0.875	3.81	52.90	13.88 >	37.15
6724	YF	9RC	67	09/19/91	0.982	4.23	35.20	8.34	34.51
6724	YF	9W9	67	09/24/91	1.110	5.24	6.60	1.26 >	15.17
6724	YF	9U0	67	09/24/91	0.904	3.64	73.60	20.20 >	48.17
6724	YF	9YF	67	09/25/91	1.138	7.96	5.92	0.74	5.32
6724	YF	A0N	67	09/26/91	0.934	5.60	41.70	7.45 >	27.42
6724	YF	A3Q	67	10/01/91	0.979	4.08	25.30	6.19	33.18
6724	YF	A5Y	67	10/01/91	0.926	1.79	49.00	27.39 >	52.70
6724	YF	A8J	67	10/02/91	0.943	4.23	81.50	19.25 >	43.17
6724	YF	AA9	67	10/03/91	1.080	3.40	23.20	6.82	34.28
6724	YF	AEP	67	10/08/91	0.867	5.31	29.00	5.46 >	32.00
6724	YF	ACH	67	10/08/91	0.874	3.93	75.70	19.27 >	43.56
6724	YF	AI9	67	10/09/91	0.761	7.72	12.10	1.56	13.68
6724	YF	AK8	67	10/10/91	1.038	4.89	77.30	15.83 >	40.55
6724	YF	ANJ	67	10/15/91	1.005	5.46	46.30	8.48 >	33.78
6724	YF	ALX	RS-1	10/15/91	1.000	5.66	21.40	3.79	23.10
6724	YF	AQN	67	10/16/91	0.982	6.27	21.00	3.35	19.14
6724	YF	ASN	67	10/17/91	0.928	4.38	60.30	13.78 >	34.23
6724	YF	AX2	67	10/22/91	1.007	5.74	27.70	4.84 >	30.43
6724	YF	AUU	67	10/22/91	1.081	7.82	22.10	2.82	17.41
6724	YF	BON	67	10/23/91	0.916	9.13	11.80	1.29	11.24
6724	YF	B1Y	67	10/24/91	0.978	0.00	8.30	0.00	3.71
6724	YF	B3Q	67	10/29/91	0.902	5.42	22.80	4.20	28.41
6724	YF	B5Y	67	10/29/91	0.985	4.92 >	100.00 >	20.32 >	44.74
6724	YF	B9I	67	10/30/91	0.980	7.00	22.50	3.21	18.85
6724	YF	BAU	67	10/31/91	0.932	4.95	26.90	5.44	26.05
6724	YF	BEU	67	11/05/91	0.972	5.33	24.70	4.63	24.48
6724	YF	BCN	67	11/05/91	0.811	5.73	28.30	4.95	27.09
6724	YF	BH2	67	11/06/91	0.980	4.50	9.50	2.11 >	27.43
6724	YF	BJA	67	11/07/91	1.009	3.68	29.60	8.06 >	39.95
6724	YF	BLI	67	11/12/91	0.893	3.81	59.20	15.55 >	48.88
6724	YF	BNQ	67	11/12/91	0.861	3.74	52.90	14.13 >	48.67
6724	YF	BQ5	67	11/13/91	1.018	6.84	20.50	2.99 >	20.01
6724	YF	BUC	67	11/14/91	0.856	4.49	26.80	5.97 >	32.67
6724	YF	BVB	67	11/19/91	0.823	4.63	24.90	5.38 >	32.83
6724	YF	BZR	67	11/20/91	0.974	5.40	18.60	3.44	21.52
6724	YF	C11	67	11/21/91	0.994	9.27	9.68	1.04	9.65
6724	YF	C4L	67	11/22/91	0.865	5.37	17.30	3.23	19.47
6724	YF	C7Q	67	11/26/91	1.046	5.00	25.30	5.06	29.98
6724	YF	C9I	67	11/27/91	0.883	2.11	61.10	28.95 >	52.29
6724	YF	CBQ	67	11/27/91	1.045	8.67	27.40	3.16 >	25.75
6724	YF	CFA	67	12/03/91	1.048	4.36	29.00	6.65 >	37.66
6724	YF	CD2	67	12/03/91	1.115	5.23	21.00	4.01	25.85
6724	YF	CJX	67	12/04/91	1.293	6.06	10.90	1.80	14.55
6724	YF	CKL	67	12/05/91	0.994	3.55	26.70	7.52 >	38.98
6725	JE	3TJ	67	03/13/91	0.834	0.00	640.00	0.00	0.00
6725	PT	3UH	67	03/12/91	1.258	0.00	349.00	0.00	0.00
6725	SF	3UW	67	03/12/91	0.690	0.00	463.00	0.00	0.00
6725	VE	3TX	67	03/15/91	1.181	0.00	89.50	0.00	0.00
6725	YF	3T5	67	03/13/91	1.219	0.00	444.00	0.00	0.00
6726	JE	3TK	67	03/13/91	0.826	0.00	8.87	0.00 >	0.00
6726	PT	3UI	67	03/12/91	1.266	0.00	8.19	0.00	0.00
6726	SF	3UX	67	03/12/91	0.661	0.00	17.60	0.00	0.00
6726	VE	3TY	67	03/15/91	1.172	0.00	57.50	0.00	0.00
6726	YF	3T6	67	03/13/91	1.150	0.00	4.90	0.00	0.00
6729	JE	3TK	67	03/13/91	0.826	0.00	22.10	0.00 >	0.04
6729	PT	3UI	67	03/12/91	1.266	0.00	7.73	0.00	0.00
6729	SF	3UX	67	03/12/91	0.661	0.00	12.90	0.00	0.00
6729	VE	3TY	67	03/15/91	1.172	0.00	14.30	0.00	0.00
6729	YF	3T6	67	03/13/91	1.150	0.00	14.60	0.00 >	5.99
6732	JE	3TL	67	03/13/91	0.840	0.00	513.00	0.00 >	0.19
6732	PT	3UJ	67	03/12/91	1.294	0.00	507.00	0.00	0.00
6732	SF	3UY	67	03/12/91	0.645	0.00	530.00	0.00	0.00
6732	VE	3TZ	67	03/15/91	1.134	0.00	66.00	0.00	0.00
6732	YF	3T7	67	03/13/91	1.165	0.00	473.00	0.00	0.00
6839	PT	C3K	68	11/20/91	0.623	0.00	398.00	0.00	0.00
6839	YF	BZM	68	11/20/91	0.882	0.00	411.00	0.00 >	1.82
6855	PT	C3K	68	11/20/91	0.623	0.00	312.00	0.00	0.00
6855	SF	C40	68	11/20/91	0.759	0.00	196.00	0.00	0.00
6855	YF	BZM	68	11/20/91	0.882	0.00	381.00	0.00 >	0.10

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
7315	VV	1HS	77	03/28/91	1.420	0.00	271.00	0.00	0.00
7316	JE	AHA	77	10/09/91	0.765	0.00	958.00	0.00	0.00
7316	PT	AIH	77	10/09/91	0.565	0.00	320.00	0.00	0.00
7316	SF	AJ2	77	10/09/91	0.637	0.00	1060.00	0.00 >	0.80
7316	VE	AGU	77	10/11/91	1.078	0.00	1530.00	0.00	0.20
7316	VV	1HT	77	03/28/91	1.303	0.00	251.00	0.00	0.00
7316	YF	A16	77	10/09/91	0.828	0.00	1330.00	0.00	7.25
7317	VV	1HT	77	03/28/91	1.303	0.00	198.00	0.00	0.00
7892	JE	C02	74	11/20/91	0.999	0.00	185.00	0.00	0.69
7892	PT	C3L	74	11/20/91	0.640	0.00	97.40	0.00	0.00
7892	SF	C41	74	11/20/91	0.764	0.00	200.00	0.00	0.00
7892	VE	COH	74	11/22/91	1.074	0.00	100.00	0.00	0.00
7892	YF	BZN	74	11/20/91	0.832	0.00	199.00	0.00	1.85
7893	JE	C02	74	11/20/91	0.999	0.00	592.00	0.00	0.05
7893	PT	C3L	74	11/20/91	0.640	0.00	196.00	0.00	0.00
7893	SF	C41	74	11/20/91	0.764	0.00	146.00	0.00	0.00
7893	VE	COH	74	11/22/91	1.074	0.00 >	1000.00	0.00	0.00
7893	YF	BZN	74	11/20/91	0.832	0.00 >	320.00	0.00	0.00
7910	JE	48J	75	03/28/91	0.816	0.00	5090.00	0.00	0.00
7910	PT	490	75	03/28/91	0.994	0.00	152.00	0.00	0.02
7910	SF	49S	75	03/28/91	0.549	0.00	289.00	0.00 >	0.75
7910	VE	48Y	75	03/29/91	1.191	0.00	5700.00	0.00 >	10.42
7910	YF	484	75	03/28/91	1.253	0.00	210.00	0.00	0.00
7924	JE	48X	75	03/28/91	0.880	0.00	1000.00	0.00	0.00
7924	PT	49E	75	03/28/91	0.992	0.00	198.00	0.00	0.00
7924	SF	49T	75	03/28/91	0.778	0.00	28.60	0.00	0.00
7924	VE	48Z	75	03/29/91	1.256	0.00	1570.00	0.00	0.00
7924	YF	485	75	03/28/91	1.094	0.00	281.00	0.00	0.00
7925	JE	48L	75	03/28/91	0.866	0.00	3650.00	0.00	0.00
7925	PT	49F	75	03/28/91	0.913	0.00	720.00	0.00	0.00
7925	SF	49U	75	03/28/91	0.751	0.00	238.00	0.00	0.00
7925	VE	490	75	03/29/91	1.189	0.00	3710.00	0.00 >	0.65
7925	YF	486	75	03/28/91	1.139	0.00	320.00	0.00	0.00
7930	JE	48L	75	03/28/91	0.866	0.00	1090.00	0.00	0.00
7930	PT	49F	75	03/28/91	0.913	0.00	320.00	0.00	0.00
7930	SF	49U	75	03/28/91	0.751	0.00	10.00	0.00	0.00
7930	VE	490	75	03/29/91	1.189	0.00	1750.00	0.00	0.40
7930	YF	486	75	03/28/91	1.139	0.00	773.00	0.00	0.00
7931	JE	48M	75	03/28/91	0.829	0.00	255.00	0.00	0.00
7931	PT	49G	75	03/28/91	1.046	0.00	60.30	0.00	0.00
7931	SF	49V	75	03/28/91	0.725	0.00	32.00	0.00	0.00
7931	VE	491	75	03/29/91	1.153	0.00 <	10.00	0.00	0.00
7931	YF	487	75	03/28/91	1.124	0.00	77.30	0.00	0.00
7935	JE	48M	75	03/28/91	0.829	0.00	738.00	0.00	0.00
7935	PT	49G	75	03/28/91	1.046	0.00	363.00	0.00	4.55
7935	SF	49V	75	03/28/91	0.725	0.00	229.00	0.00	3.01
7935	VE	491	75	03/29/91	1.153	0.00	493.00	0.00	0.00
7935	YF	487	75	03/28/91	1.124	0.00	283.00	0.00	3.72
7936	JE	48N	75	03/28/91	0.810	0.00	299.00	0.00	0.00
7936	PT	49H	75	03/28/91	0.908	0.00	286.00	0.00	0.00
7936	SF	49W	75	03/28/91	0.628	0.00	100.00	0.00	0.00
7940	JE	48N	75	03/28/91	0.810	0.00	1160.00	0.00	0.00
7940	PT	49H	75	03/28/91	0.908	725.00	845.00	1.17	5.88
7940	SF	49W	75	03/28/91	0.628	0.00	358.00	0.00	2.12
7940	VE	492	75	03/29/91	1.213	0.00	1610.00	0.00	1.62
7940	YF	488	75	03/28/91	1.065	86.20	320.00	3.71	25.69
7942	JE	480	75	03/28/91	0.769	0.00	213.00	0.00	0.00
7942	PT	491	75	03/28/91	0.823	0.00	157.00	0.00	0.00
7942	SF	49X	75	03/28/91	0.758	0.00	7.96	0.00	0.00
7942	VE	493	75	03/29/91	1.213	0.00	262.00	0.00	0.00
7942	YF	489	75	03/28/91	1.089	0.00	123.00	0.00	3.64
7944	JE	480	75	03/28/91	0.769	0.00	304.00	0.00	0.00
7944	PT	491	75	03/28/91	0.823	0.00	32.00	0.00	0.00
7944	SF	49X	75	03/28/91	0.758	0.00	13.70	0.00	0.00
7944	VE	493	75	03/29/91	1.213	0.00	2130.00	0.00	0.00
7944	YF	489	75	03/28/91	1.089	0.00	100.00	0.00	0.20
7945	JE	48P	75	03/28/91	0.750	0.00	1060.00	0.00 >	3.01
7945	PT	49J	75	03/28/91	0.844	0.00	525.00	0.00	0.00
7945	SF	49Y	75	03/28/91	0.689	0.00	134.00	0.00	0.00
7945	VE	494	75	03/29/91	1.243	0.00	499.00	0.00	0.00
7945	YF	48A	75	03/28/91	1.020	0.00	622.00	0.00	0.41
7946	JE	48P	75	03/28/91	0.750	0.00	239.00	0.00	0.00
7946	PT	49J	75	03/28/91	0.844	0.00	2.86	0.00	0.00
7946	SF	49Y	75	03/28/91	0.689	0.00	94.80	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
7946	VE	494	75	03/29/91	1.243	0.00	32.00	0.00	0.00
7946	YF	48A	75	03/28/91	1.020	0.00	34.60	0.00	0.00
7947	JE	48Q	75	03/28/91	0.841	0.00	958.00	0.00	0.00
7947	PT	49K	75	03/28/91	0.894	814.00	830.00	1.02	3.06
7947	SF	49Z	75	03/28/91	0.662	0.00	100.00	0.00	0.00
7947	VE	495	75	03/29/91	1.368	0.00	298.00	0.00	0.00
7947	YF	488	75	03/28/91	1.023	0.00	100.00	0.00	0.00
7949	JE	48Q	75	03/28/91	0.841	0.00	393.00	0.00	0.00
7949	PT	49K	75	03/28/91	0.894	0.00	618.00	0.00	0.00
7949	SF	49Z	75	03/28/91	0.662	0.00	117.00	0.00	0.00
7949	VE	495	75	03/29/91	1.368	0.00	260.00	0.00	0.00
7949	YF	488	75	03/28/91	1.023	677.00	3.08	0.00	0.00
7951	JE	48R	75	03/28/91	0.792	0.00	6110.00	0.00 >	0.05
7951	PT	49L	75	03/28/91	0.853	0.00	3880.00	0.00	0.00
7951	SF	4A0	75	03/28/91	0.718	0.00	70.30	0.00	0.00
7951	VE	496	75	03/29/91	1.235	0.00	4900.00	0.00	0.00
7951	YF	48C	75	03/28/91	1.105	0.00	2220.00	0.00	0.51
8212	JE	40E	75	03/20/91	0.968	0.00	320.00	0.00	0.00
8212	PT	438	75	03/19/91	1.287	305.00	456.00	1.49 >	8.57
8212	SF	44H	75	03/22/91	0.928	0.00	652.00	0.00	1.90
8212	VE	40T	75	03/22/91	1.191	861.00	1300.00	1.51	9.55
8212	YF	3ZZ	75	03/20/91	1.220	722.00	802.00	1.11	8.16
8218	JE	40F	75	03/20/91	0.950	0.00	356.00	0.00	0.00
8218	PT	439	75	03/19/91	1.184	0.00	660.00	0.00	3.03
8218	SF	441	75	03/22/91	0.770	0.00	629.00	0.00	1.53
8218	VE	40U	75	03/22/91	1.212	0.00	1340.00	0.00	3.30
8218	YF	400	75	03/20/91	1.376	0.00	1000.00	0.00	1.66
8219	JE	40F	75	03/20/91	0.950	0.00	261.00	0.00	0.00
8219	PT	439	75	03/19/91	1.184	0.00	361.00	0.00 >	1.10
8219	SF	441	75	03/22/91	0.770	0.00	188.00	0.00	0.00
8219	VE	40U	75	03/22/91	1.212	0.00	417.00	0.00	0.00
8219	YF	400	75	03/20/91	1.376	0.00	2.91	0.00	0.00
8221	JE	40G	75	03/20/91	0.895	18.50	33.80	1.83 >	8.86
8221	PT	43A	75	03/19/91	1.120	0.00	6.90	0.00 >	2.31
8221	SF	44J	75	03/22/91	0.884	0.00	5.89	0.00 >	0.60
8221	VE	40V	75	03/22/91	1.237	17.90	155.00	8.66	33.28
8221	VV	1EZ	75	02/14/91	1.278	0.00	4.99	0.00	0.00
8221	YF	401	75	03/20/91	1.256	0.00	11.30	0.00	1.60
8222	JE	40G	75	03/20/91	0.895	0.00	615.00	0.00	0.63
8222	PT	43A	75	03/19/91	1.120	0.00	496.00	0.00 >	6.06
8222	SF	44J	75	03/22/91	0.884	0.00	462.00	0.00	2.15
8222	VE	40V	75	03/22/91	1.237	0.00 >	1000.00	0.00 >	3.15
8222	YF	401	75	03/20/91	1.256	0.00	552.00	0.00	5.93
8224	JE	40H	75	03/20/91	0.960	0.00	773.00	0.00	2.26
8224	PT	438	75	03/19/91	1.119	0.00	806.00	0.00 >	10.22
8224	SF	44K	75	03/22/91	0.792	0.00	660.00	0.00	0.00
8224	VE	40W	75	03/22/91	1.276	0.00	660.00	0.00	0.00
8224	YF	402	75	03/20/91	1.274	0.00	29.80	0.00	6.26
8225	JE	40H	75	03/20/91	0.960	0.00	175.00	0.00	3.11
8225	PT	438	75	03/19/91	1.119	0.00	114.00	0.00 >	3.41
8225	SF	44K	75	03/22/91	0.792	0.00	139.00	0.00	0.00
8225	VE	40W	75	03/22/91	1.276	0.00	144.00	0.00	0.00
8225	YF	402	75	03/20/91	1.274	10.00	77.30	7.73 >	25.78
8228	JE	401	75	03/20/91	0.972	0.00	320.00	0.00	0.00
8228	PT	43C	75	03/19/91	1.315	287.00	461.00	1.61 >	7.47
8228	SF	44L	75	03/22/91	0.756	177.00	490.00	2.76	15.74
8228	VE	40X	75	03/22/91	1.209	0.00 >	1000.00	0.00 >	3.50
8228	YF	403	75	03/20/91	1.300	298.00	446.00	1.49	6.37
8229	JE	401	75	03/20/91	0.972	0.00	188.00	0.00	0.00
8229	PT	43C	75	03/19/91	1.315	0.00	444.00	0.00	0.00
8229	SF	44L	75	03/22/91	0.756	0.00	668.00	0.00	1.08
8229	VE	40X	75	03/22/91	1.209	0.00	1560.00	0.00	3.50
8229	YF	403	75	03/20/91	1.300	0.00	614.00	0.00	1.08
8230	JE	48R	75	03/28/91	0.792	0.00	245.00	0.00 >	1.10
8230	PT	49L	75	03/28/91	0.853	0.00	450.00	0.00	0.00
8230	SF	4A0	75	03/28/91	0.718	0.00	74.50	0.00	0.00
8230	VE	496	75	03/29/91	1.235	0.00	512.00	0.00	1.23
8230	YF	48C	75	03/28/91	1.105	0.00	279.00	0.00	0.00
8233	JE	40J	75	03/20/91	0.903	0.00 >	3200.00	0.00	0.00
8233	PT	430	75	03/19/91	1.102	970.00	1400.00	1.44	4.12
8233	SF	44M	75	03/22/91	0.802	0.00	1440.00	0.00	0.00
8233	VE	40Y	75	03/22/91	1.257	0.00	3200.00	0.00 >	6.03
8233	YF	404	75	03/20/91	1.197	0.00	119.00	0.00	0.00
8234	JE	40J	75	03/20/91	0.903	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
8234	PT	43D	75	03/19/91	1.102	147.00		73.60	0.50	>	11.39
8234	SF	44M	75	03/22/91	0.802	0.00		6.29	0.00		0.00
8234	VE	40Y	75	03/22/91	1.257	0.00		86.40	0.00	>	8.67
8234	YF	404	75	03/20/91	1.197	0.00		50.10	0.00		2.86
8237	JE	40K	75	03/20/91	0.921	0.00	>	3200.00	0.00		0.00
8237	PT	43E	75	03/19/91	1.079	548.00		1230.00	2.25	>	12.38
8237	SF	44N	75	03/22/91	0.772	0.00		1310.00	0.00	>	0.01
8237	VE	40Z	75	03/22/91	1.301	0.00		3200.00	0.00		1.14
8237	YF	405	75	03/20/91	1.241	2550.0		94.30	0.04	>	2.83
8240	JE	40K	75	03/20/91	0.921	0.00		1250.00	0.00		0.00
8240	PT	43E	75	03/19/91	1.079	607.00		1120.00	1.84		6.75
8240	SF	44N	75	03/22/91	0.772	800.00		1140.00	1.42		5.10
8240	VE	40Z	75	03/22/91	1.301	2050.0		2860.00	1.40	>	9.23
8240	YF	405	75	03/20/91	1.241	684.00		260.00	0.38	>	4.46
8241	JE	40L	75	03/20/91	1.038	0.00		100.00	0.00		0.00
8241	PT	43F	75	03/19/91	1.047	0.00		456.00	0.00	>	3.13
8241	SF	440	75	03/22/91	0.762	0.00		810.00	0.00		1.58
8241	VE	410	75	03/22/91	1.117	0.00		1620.00	0.00	>	7.61
8241	YF	406	75	03/20/91	1.203	0.00		348.00	0.00		1.04
8248	JE	40L	76	03/20/91	1.038	0.00		334.00	0.00		0.00
8248	PT	43F	75	03/19/91	1.047	0.00		364.00	0.00	>	2.18
8248	SF	440	76	03/22/91	0.762	0.00		467.00	0.00		0.05
8248	VE	410	76	03/22/91	1.117	0.00		767.00	0.00		4.20
8248	YF	406	76	03/20/91	1.203	0.00		384.00	0.00	>	1.71
8250	JE	40M	76	03/20/91	0.929	0.00		137.00	0.00		0.00
8250	PT	43G	75	03/19/91	1.038	0.00		141.00	0.00	>	9.75
8250	SF	44P	76	03/22/91	0.626	0.00		155.00	0.00		10.34
8250	VE	411	76	03/22/91	1.190	0.00		338.00	0.00		0.52
8250	YF	407	76	03/20/91	1.220	0.00		120.00	0.00		0.02
8251	JE	40M	76	03/20/91	0.929	0.00		363.00	0.00	>	0.22
8251	PT	43G	75	03/19/91	1.038	157.00		490.00	3.12	>	16.46
8251	SF	44P	76	03/22/91	0.626	320.00		490.00	1.53		16.13
8251	VE	411	76	03/22/91	1.190	0.00		490.00	0.00		4.24
8251	YF	407	76	03/20/91	1.220	0.00		490.00	0.00		0.03
8259	JE	40N	76	03/20/91	0.883	0.00		2760.00	0.00	>	1.43
8259	PT	43H	75	03/19/91	1.178	179.00		200.00	1.12		9.71
8259	SF	44Q	76	03/22/91	0.808	0.00		422.00	0.00		0.00
8259	VE	412	76	03/22/91	1.235	0.00		1440.00	0.00	>	8.33
8259	YF	408	76	03/20/91	1.400	0.00		137.00	0.00		0.00
8260	JE	40N	76	03/20/91	0.883	0.00		1180.00	0.00	>	0.03
8260	PT	43H	75	03/19/91	1.178	264.00		276.00	1.05		10.03
8260	SF	44Q	76	03/22/91	0.808	0.00		499.00	0.00		0.00
8260	VE	412	76	03/22/91	1.235	0.00		1520.00	0.00	>	12.69
8260	YF	408	76	03/20/91	1.400	0.00		247.00	0.00		0.00
8261	JE	400	76	03/20/91	0.946	0.00		660.00	0.00		0.00
8261	PT	431	75	03/19/91	1.225	320.00		135.00	0.42		1.36
8261	SF	44R	76	03/22/91	0.828	0.00		238.00	0.00		0.00
8261	VE	413	76	03/22/91	1.257	0.00		698.00	0.00	>	10.00
8261	YF	409	76	03/20/91	1.263	293.00		247.00	0.84	>	4.51
8262	JE	400	76	03/20/91	0.946	0.00		830.00	0.00		0.00
8262	PT	431	75	03/19/91	1.225	0.00		122.00	0.00		0.34
8262	SF	44R	76	03/22/91	0.828	0.00		358.00	0.00		0.00
8262	VE	413	76	03/22/91	1.257	1770.0		3780.00	2.14	>	12.41
8262	YF	409	76	03/20/91	1.263	0.00		283.00	0.00		0.92
8263	JE	40P	76	03/20/91	1.011	93.50		125.00	1.34		3.71
8263	PT	43J	75	03/19/91	1.098	207.00		223.00	1.08	>	9.64
8263	SF	44S	76	03/22/91	0.771	0.00		202.00	0.00		2.13
8263	VE	414	76	03/22/91	1.270	0.00		166.00	0.00	>	0.01
8263	YF	40A	76	03/20/91	1.329	0.00		177.00	0.00		5.72
8268	JE	40P	76	03/20/91	1.011	0.00		93.80	0.00	>	2.49
8268	PT	43J	75	03/19/91	1.098	0.00		68.60	0.00	>	0.58
8268	SF	44S	76	03/22/91	0.771	0.00		120.00	0.00		0.60
8268	VE	414	76	03/22/91	1.270	0.00		152.00	0.00		0.00
8268	YF	40A	76	03/20/91	1.329	0.00		100.00	0.00	>	20.10
8269	JE	40Q	76	03/20/91	0.993	0.00		469.00	0.00		0.19
8269	PT	43K	75	03/19/91	1.088	0.00	>	1000.00	0.00	>	9.61
8269	SF	44T	76	03/22/91	0.661	259.00		568.00	2.19		8.22
8269	VE	415	76	03/22/91	1.240	0.00		575.00	0.00	>	0.01
8269	YF	408	76	03/20/91	1.295	0.00		28.20	0.00	>	6.71
8270	JE	40Q	76	03/20/91	0.993	0.00		289.00	0.00		0.00
8270	PT	43K	75	03/19/91	1.088	0.00		717.00	0.00	>	5.59
8270	SF	44T	76	03/22/91	0.661	0.00		1080.00	0.00		1.78
8270	VE	415	76	03/22/91	1.240	1610.0		4000.00	2.49		14.04
8270	YF	408	76	03/20/91	1.295	0.00		283.00	0.00		0.01

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
8271	JE	43N	76	03/21/91	0.717	0.00	490.00	0.00	0.00
8271	PT	45H	76	03/21/91	0.964	79.60	490.00	6.15 >	22.36
8271	SF	45W	76	03/21/91	0.807	201.00	433.00	2.16	8.25
8271	VE	418	76	03/22/91	1.023	0.00	887.00	0.00	1.96
8271	YF	44W	76	03/21/91	1.320	273.00	400.00	1.46	6.66
8272	JE	430	76	03/21/91	0.938	0.00	156.00	0.00	0.00
8272	PT	451	76	03/21/91	0.782	0.00	155.00	0.00 >	0.40
8272	SF	45X	76	03/21/91	0.593	0.00	124.00	0.00	0.00
8272	VE	419	76	03/22/91	1.261	0.00	148.00	0.00	0.00
8272	YF	44X	76	03/21/91	1.105	0.00	156.00	0.00	1.05
8281	JE	48S	75	03/28/91	0.761	0.00	85.10	0.00 >	2.33
8281	PT	49M	75	03/28/91	0.845	0.00	145.00	0.00	4.15
8281	SF	4A1	75	03/28/91	0.709	0.00	85.10	0.00	0.00
8281	VE	497	75	03/29/91	1.209	0.00	27.20	0.00	0.45
8281	YF	48D	75	03/28/91	0.955	0.00	83.50	0.00	0.33
8285	JE	48S	75	03/28/91	0.761	0.00 >	1000.00	0.00	0.00
8285	PT	49M	75	03/28/91	0.845	0.00 >	1000.00	0.00	0.00
8285	SF	4A1	75	03/28/91	0.709	0.00	100.00	0.00	0.00
8285	VE	497	75	03/29/91	1.209	0.00	935.00	0.00	0.00
8285	YF	48D	75	03/28/91	0.955	0.00	962.00	0.00 >	0.61
8293	JE	48T	75	03/28/91	0.759	0.00 >	3200.00	0.00	0.00
8293	PT	49N	75	03/28/91	0.895	0.00	1690.00	0.00 >	0.30
8293	SF	4A2	75	03/28/91	0.738	0.00	27.60	0.00	0.00
8293	VE	498	75	03/29/91	1.177	0.00	1380.00	0.00	0.00
8293	YF	48E	75	03/28/91	0.860	0.00 >	3200.00	0.00	0.12
8309	JE	430	76	03/21/91	0.938	0.00	5110.00	0.00	0.00
8309	PT	451	76	03/21/91	0.782	1430.0	5300.00	3.71	21.44
8309	SF	45X	76	03/21/91	0.593	0.00	95.50	0.00	0.00
8309	VE	419	76	03/22/91	1.261	0.00	3740.00	0.00	0.24
8309	YF	44X	76	03/21/91	1.105	0.00	4900.00	0.00	0.51
8311	JE	43P	76	03/21/91	0.972	0.00	559.00	0.00	0.00
8311	PT	45J	76	03/21/91	0.892	665.00	1280.00	1.93 >	9.61
8311	SF	45Y	76	03/21/91	0.628	0.00	686.00	0.00	2.72
8311	VE	41A	76	03/22/91	1.240	0.00	1030.00	0.00	0.28
8311	YF	44Y	76	03/21/91	1.251	0.00	79.30	0.00	1.21
8312	JE	43P	76	03/21/91	0.972	0.00	1260.00	0.00	0.00
8312	PT	45J	76	03/21/91	0.892	672.00	1550.00	2.31 >	19.89
8312	SF	45Y	76	03/21/91	0.628	0.00	1300.00	0.00	5.15
8312	VE	41A	76	03/22/91	1.240	0.00	1550.00	0.00	4.29
8312	YF	44Y	76	03/21/91	1.251	0.00	1240.00	0.00	5.45
8315	JE	43Q	76	03/21/91	0.980	0.00	173.00	0.00	0.00
8315	PT	45K	76	03/21/91	0.896	0.00	505.00	0.00 >	9.97
8315	SF	45Z	76	03/21/91	0.695	0.00	364.00	0.00	0.24
8315	VE	41B	76	03/22/91	1.214	666.00	592.00	0.89	8.13
8315	YF	44Z	76	03/21/91	1.221	0.00	124.00	0.00	0.00
8318	JE	43Q	76	03/21/91	0.980	0.00	864.00	0.00	0.00
8318	PT	45K	76	03/21/91	0.896	0.00	561.00	0.00	0.49
8318	SF	45Z	76	03/21/91	0.695	0.00	440.00	0.00	0.00
8318	VE	41B	76	03/22/91	1.214	733.00	943.00	1.29 >	9.87
8318	YF	44Z	76	03/21/91	1.221	0.00	89.30	0.00	0.00
8326	JE	43R	76	03/21/91	0.976	0.00	278.00	0.00	0.00
8326	PT	45L	76	03/21/91	1.137	0.00	329.00	0.00 >	0.14
8326	SF	460	76	03/21/91	0.747	292.00	66.00	0.23	1.58
8326	VE	41C	76	03/22/91	1.301	0.00	227.00	0.00 >	0.30
8326	YF	450	76	03/21/91	1.320	0.00	75.30	0.00	0.00
8327	JE	43R	76	03/21/91	0.976	0.00	4010.00	0.00	0.00
8327	PT	45L	76	03/21/91	1.137	0.00	3360.00	0.00 >	3.55
8327	SF	460	76	03/21/91	0.747	0.00	611.00	0.00	0.00
8327	VE	41C	76	03/22/91	1.301	0.00	3040.00	0.00	0.00
8327	YF	450	76	03/21/91	1.320	0.00	320.00	0.00	0.00
8332	JE	43S	76	03/21/91	0.981	0.00	399.00	0.00	0.00
8332	PT	45M	76	03/21/91	0.918	0.00	452.00	0.00 >	5.88
8332	SF	461	76	03/21/91	0.720	0.00	355.00	0.00	2.83
8332	VE	41D	76	03/22/91	1.259	0.00	903.00	0.00	4.92
8332	YF	451	76	03/21/91	1.304	0.00	240.00	0.00	0.14
8339	JE	3Q2	77	03/07/91	1.011	0.00	279.00	0.00	0.00
8339	PT	3RN	77	03/07/91	0.982	286.00	329.00	1.15 >	4.46
8339	SF	3SH	77	03/07/91	0.510	0.00	221.00	0.00 >	0.18
8339	VE	3N4	77	03/08/91	1.151	0.00	332.00	0.00	0.41
8339	VV	1HP	77	03/28/91	1.310	0.00	210.00	0.00	0.00
8339	YF	3S2	77	03/07/91	0.940	0.00	320.00	0.00 >	0.40
8340	JE	3Q3	77	03/07/91	0.924	0.00	221.00	0.00	0.00
8340	PT	3RO	77	03/07/91	0.897	0.00	214.00	0.00 >	1.60
8340	SF	3S1	77	03/07/91	0.507	0.00	173.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
8340	VE	3N5	77	03/08/91	1.082	0.00	223.00	0.00		0.00
8340	YF	3S3	77	03/07/91	0.800	0.00	217.00	0.00	>	0.89
8341	JE	3Q3	77	03/07/91	0.924	0.00	353.00	0.00		0.00
8341	PT	3R0	77	03/07/91	0.897	0.00	367.00	0.00		0.00
8341	SF	3S1	77	03/07/91	0.507	0.00	320.00	0.00		0.00
8341	VE	3N5	77	03/08/91	1.082	0.00	893.00	0.00		0.04
8341	VV	117	77	04/04/91	1.289	0.00	226.00	0.00		0.00
8341	YF	3S3	77	03/07/91	0.800	0.00	180.00	0.00		0.00
8347	JE	48T	75	03/28/91	0.759	0.00	125.00	0.00		1.09
8347	PT	49N	75	03/28/91	0.895	0.00	72.20	0.00		0.00
8347	SF	4A2	75	03/28/91	0.738	0.00	16.10	0.00		0.00
8347	VE	498	75	03/29/91	1.177	0.00	54.10	0.00	>	0.01
8347	YF	48E	75	03/28/91	0.860	0.00	76.70	0.00		0.38
8348	JE	48U	75	03/28/91	0.790	0.00	16.50	0.00		0.03
8348	PT	490	75	03/28/91	1.046	0.00	10.40	0.00		0.00
8348	SF	4A3	75	03/28/91	0.736	0.00	3.31	0.00		0.00
8348	VE	499	75	03/29/91	1.254	0.00	13.90	0.00		0.00
8348	YF	48F	75	03/28/91	0.925	0.00	16.40	0.00	>	0.10
8349	JE	48U	75	03/28/91	0.790	0.00	166.00	0.00		0.00
8349	PT	490	75	03/28/91	1.046	0.00	121.00	0.00		0.00
8349	SF	4A3	75	03/28/91	0.736	0.00	112.00	0.00		0.08
8349	VE	499	75	03/29/91	1.254	0.00	123.00	0.00	>	2.98
8349	YF	48F	75	03/28/91	0.925	0.00	128.00	0.00		0.00
8350	JE	48V	75	03/28/91	0.725	0.00	12.10	0.00		0.25
8350	PT	49P	75	03/28/91	0.955	0.00	6.60	0.00		0.00
8350	SF	4A4	75	03/28/91	0.727	0.00	4.73	0.00	>	5.65
8350	VE	49A	75	03/29/91	1.194	0.00	11.00	0.00		0.00
8350	YF	48G	75	03/28/91	0.924	0.00	15.40	0.00		0.54
8352	JE	48V	75	03/28/91	0.725	3.85	13.80	3.59	>	18.16
8352	PT	49P	75	03/28/91	0.955	0.00	6.18	0.00		0.16
8352	SF	4A4	75	03/28/91	0.727	0.00	6.03	0.00		7.13
8352	VE	49A	75	03/29/91	1.194	0.00	5.47	0.00		0.00
8352	YF	48G	75	03/28/91	0.924	6.14	8.20	1.34		11.57
8353	JE	46Q	75	03/27/91	0.921	0.00	51.80	0.00		1.91
8353	JE	C03	74	11/20/91	0.979	9.76	64.70	6.64	>	23.78
8353	PT	47G	75	03/26/91	1.028	17.90	333.00	18.59	>	43.49
8353	PT	C3M	75	11/20/91	0.573	0.00	7.86	0.00		0.00
8353	SF	47T	75	03/26/91	0.633	16.20	242.00	14.96		33.07
8353	SF	C42	75	11/20/91	0.664	8.69	18.40	2.12		7.54
8353	VE	473	75	03/29/91	1.265	0.00	72.20	0.00		0.32
8353	VE	C01	75	11/22/91	1.009	0.00	24.70	0.00		0.25
8353	YF	460	75	03/27/91	1.063	31.10	76.70	2.47	>	16.30
8353	YF	BZO	75	11/20/91	0.885	2.98	16.00	5.37	>	28.60
8355	JE	46R	76	03/27/91	0.868	0.00	32.00	0.00		4.59
8355	PT	47N	76	03/26/91	1.165	16.20	84.90	5.24		25.98
8355	SF	47U	76	03/26/91	0.622	18.90	85.10	4.50	>	19.72
8355	VE	474	75	03/29/91	1.199	0.00	83.70	0.00		0.00
8355	YF	46E	76	03/27/91	0.967	0.00	45.60	0.00		8.77
8356	VV	1F1	76	02/21/91	1.111	0.00	8.19	0.00	>	20.24
8358	JE	46R	76	03/27/91	0.868	0.00	156.00	0.00		1.56
8358	PT	47N	76	03/26/91	1.165	63.40	146.00	2.30		11.46
8358	SF	47U	76	03/26/91	0.622	38.70	156.00	4.03		23.75
8358	VE	474	75	03/29/91	1.199	0.00	165.00	0.00		7.31
8358	YF	46E	76	03/27/91	0.967	0.00	137.00	0.00		0.00
8364	JE	43S	76	03/21/91	0.981	0.00	83.00	0.00		0.00
8364	PT	45M	76	03/21/91	0.918	0.00	181.00	0.00	>	3.92
8364	SF	461	76	03/21/91	0.720	0.00	70.10	0.00		0.00
8364	VE	41D	76	03/22/91	1.259	0.00	386.00	0.00		0.00
8364	YF	451	76	03/21/91	1.304	0.00	48.00	0.00		0.00
8370	JE	460	76	03/27/91	0.860	0.00	620.00	0.00		0.00
8370	PT	47E	76	03/26/91	1.206	0.00	643.00	0.00		0.00
8370	SF	47R	76	03/26/91	0.661	278.00	552.00	1.99		10.83
8370	VE	471	76	03/29/91	1.203	0.00	725.00	0.00		0.46
8370	YF	468	76	03/27/91	1.044	0.00	529.00	0.00		0.21
8371	JE	43T	76	03/21/91	0.943	0.00	1310.00	0.00		0.00
8371	PT	45N	76	03/21/91	0.906	0.00	1390.00	0.00	>	2.22
8371	SF	462	76	03/21/91	0.705	0.00	128.00	0.00		0.00
8371	VE	41E	76	03/22/91	1.214	0.00	1440.00	0.00	>	6.05
8371	YF	452	76	03/21/91	1.203	0.00	296.00	0.00		2.57
8372	JE	43U	76	03/21/91	0.932	2470.0	2470.00	1.00	>	4.95
8372	PT	450	76	03/21/91	0.925	2520.0	2320.00	0.92	>	6.24
8372	SF	463	76	03/21/91	0.582	0.00	864.00	0.00		0.00
8372	VE	41F	76	03/22/91	1.000	0.00	7560.00	0.00		11.00
8372	YF	453	76	03/21/91	1.270	3200.0	505.00	0.16		0.21

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
8373	JE	46P	76	03/27/91	0.929	0.00	2030.00	0.00 >	0.18
8373	PT	47F	76	03/26/91	1.169	0.00	25.80	0.00	0.00
8373	SF	47S	76	03/26/91	0.640	0.00	2020.00	0.00	0.00
8373	VE	472	76	03/29/91	1.252	0.00	480.00	0.00 >	0.47
8373	YF	46C	76	03/27/91	1.041	0.00	1730.00	0.00	0.82
8374	JE	43V	76	03/21/91	0.808	0.00	1550.00	0.00 >	10.49
8374	PT	45P	76	03/21/91	1.005	0.00	3190.00	0.00 >	11.79
8374	SF	464	76	03/21/91	0.608	477.00	887.00	1.86	11.50
8374	VE	41G	76	03/22/91	1.132	1880.0	3200.00	1.70 >	8.87
8374	YF	454	76	03/21/91	1.131	827.00	1000.00	1.21 >	10.36
8375	JE	43V	76	03/21/91	0.808	0.00	692.00	0.00	0.40
8375	PT	45P	76	03/21/91	1.005	0.00	433.00	0.00	0.41
8375	SF	464	76	03/21/91	0.608	0.00	320.00	0.00	0.00
8375	VE	41G	76	03/22/91	1.132	0.00	483.00	0.00 >	1.21
8375	YF	454	76	03/21/91	1.131	0.00	224.00	0.00 >	0.05
8376	JE	43W	76	03/21/91	0.811	0.00	77.90	0.00 >	4.99
8376	PT	45Q	76	03/21/91	1.156	24.40	46.70	1.92 >	9.88
8376	SF	465	76	03/21/91	0.625	0.00	44.60	0.00	0.03
8376	VE	41H	76	03/22/91	1.226	0.00	51.70	0.00	0.00
8376	YF	455	76	03/21/91	1.142	0.00	62.20	0.00 >	3.32
8377	JE	43W	76	03/21/91	0.811	0.00	220.00	0.00 >	4.13
8377	PT	45Q	76	03/21/91	1.156	49.80	136.00	2.72	12.70
8377	SF	465	76	03/21/91	0.625	0.00	180.00	0.00	12.30
8377	VE	41H	76	03/22/91	1.226	0.00	76.30	0.00	0.00
8377	YF	455	76	03/21/91	1.142	0.00	183.00	0.00 >	12.02
8378	JE	43X	76	03/21/91	0.941	0.00	346.00	0.00	0.48
8378	PT	45R	76	03/21/91	0.847	235.00	407.00	1.73	6.04
8378	SF	466	76	03/21/91	0.599	84.70	420.00	4.96 >	15.81
8378	VE	411	76	03/22/91	1.200	0.00	598.00	0.00	4.65
8378	YF	456	76	03/21/91	1.115	0.00	420.00	0.00	4.08
8384	JE	46P	76	03/27/91	0.929	0.00 >	3200.00	0.00	0.00
8384	PT	47F	76	03/26/91	1.169	0.00 >	3200.00	0.00 >	1.78
8384	SF	47S	76	03/26/91	0.640	0.00 >	3200.00	0.00 >	0.50
8384	VE	472	76	03/29/91	1.252	0.00	2910.00	0.00	4.03
8384	YF	46C	76	03/27/91	1.041	0.00 >	3200.00	0.00 >	3.10
8391	JE	46Q	76	03/27/91	0.921	0.00 >	3200.00	0.00	0.74
8391	PT	47G	76	03/26/91	1.028	0.00 >	3200.00	0.00 >	6.92
8391	SF	47T	76	03/26/91	0.633	0.00 >	3200.00	0.00	0.00
8391	VE	473	76	03/29/91	1.265	0.00	2540.00	0.00	0.82
8391	YF	46D	76	03/27/91	1.063	0.00 >	3200.00	0.00 >	4.81
8395	JE	43Z	76	03/21/91	1.057	0.00	283.00	0.00	0.00
8395	PT	45T	76	03/21/91	1.097	0.00	257.00	0.00 >	0.03
8395	SF	468	76	03/21/91	0.645	0.00	514.00	0.00	0.00
8395	VE	41K	76	03/22/91	1.110	0.00	835.00	0.00 >	3.39
8395	YF	458	76	03/21/91	1.082	0.00	849.00	0.00	5.30
8396	JE	43T	76	03/21/91	0.943	0.00	712.00	0.00	0.00
8396	PT	45N	76	03/21/91	0.906	0.00	2380.00	0.00 >	17.60
8396	SF	462	76	03/21/91	0.705	0.00	678.00	0.00	0.00
8396	VE	41E	76	03/22/91	1.214	0.00 >	3200.00	0.00 >	8.41
8396	YF	452	76	03/21/91	1.203	0.00	529.00	0.00	0.20
8397	JE	43U	76	03/21/91	0.932	0.00	311.00	0.00	0.00
8397	PT	450	76	03/21/91	0.925	0.00	153.00	0.00 >	4.17
8397	SF	463	76	03/21/91	0.582	0.00	148.00	0.00	0.01
8397	VE	41F	76	03/22/91	1.000	0.00	304.00	0.00 >	8.00
8397	YF	453	76	03/21/91	1.270	0.00	92.00	0.00	0.19
8398	JE	43Y	76	03/21/91	0.928	0.00	207.00	0.00 >	0.34
8398	PT	45S	76	03/21/91	0.808	0.00	168.00	0.00 >	0.16
8398	SF	467	76	03/21/91	0.652	0.00	173.00	0.00	0.00
8398	VE	41J	76	03/22/91	1.193	0.00	268.00	0.00	0.00
8398	YF	457	76	03/21/91	1.161	0.00	92.40	0.00 >	0.01
8400	JE	43Z	76	03/21/91	1.057	0.00	444.00	0.00	0.00
8400	PT	45T	76	03/21/91	1.097	0.00	745.00	0.00	0.00
8400	SF	468	76	03/21/91	0.645	0.00	100.00	0.00	0.00
8400	VE	41K	76	03/22/91	1.110	0.00	1800.00	0.00 >	6.02
8400	YF	458	76	03/21/91	1.082	0.00	247.00	0.00	0.00
8418	JE	46S	75	03/27/91	0.921	0.00	189.00	0.00	0.00
8418	PT	471	75	03/26/91	1.106	0.00	223.00	0.00 >	0.46
8418	SF	47V	75	03/26/91	0.658	0.00	100.00	0.00	0.00
8418	VE	475	75	03/29/91	1.236	0.00	273.00	0.00	0.00
8418	YF	46F	75	03/27/91	1.118	0.00	138.00	0.00 >	0.30
8499	JE	46S	75	03/27/91	0.921	0.00	193.00	0.00	0.11
8499	PT	471	75	03/26/91	1.106	54.60	265.00	4.85 >	19.84
8499	SF	47V	75	03/26/91	0.658	94.50	173.00	1.83 >	11.56
8499	VE	475	75	03/29/91	1.236	312.00	175.00	0.56	0.51

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
8499	YF	46F	75	03/27/91	1.118	0.00	128.00	0.00	2.20
8511	JE	43Y	76	03/21/91	0.928	0.00	3720.00	0.00	0.00
8511	PT	45S	76	03/21/91	0.808	1200.0	3290.00	2.75	12.95
8511	SF	467	76	03/21/91	0.652	0.00	2050.00	0.00	4.45
8511	VE	41J	76	03/22/91	1.193	0.00	4920.00	0.00	6.47
8511	YF	457	76	03/21/91	1.161	1570.0	1000.00	0.64	11.32
8513	JE	43X	76	03/21/91	0.941	0.00	192.00	0.00	0.00
8513	PT	45R	76	03/21/91	0.847	0.00	400.00	0.00	2.61
8513	SF	466	76	03/21/91	0.599	0.00	338.00	0.00	3.25
8513	VE	411	76	03/22/91	1.200	458.00	1430.00	3.11	17.35
8513	YF	456	76	03/21/91	1.115	0.00	236.00	0.00	0.00
8528	JE	4CZ	76	04/03/91	0.813	0.00	0.26	0.00	0.00
8528	PT	4DT	76	04/02/91	1.174	0.00	0.42	0.00	0.00
8528	SF	4E8	76	04/02/91	1.097	0.00	0.20	0.00	0.00
8528	VE	4DE	76	04/05/91	0.991	0.00	0.20	0.00	0.11
8528	YF	4CK	76	04/03/91	1.064	0.00	0.23	0.00	0.00
8532	VV	1EY	76	02/14/91	1.139	17.90	25.30	1.41	11.07
8541	JE	46T	76	03/27/91	0.833	0.00	5.47	0.00	0.00
8541	PT	47J	76	03/26/91	1.051	0.00	7.73	0.00 >	11.18
8541	SF	47W	76	03/26/91	0.600	41.20 >	320.00 >	7.76 >	24.69
8541	VE	476	76	03/29/91	1.255	0.00	223.00	0.00	0.26
8541	YF	4ZN	76	04/24/91	1.152	0.00 >	320.00	0.00 >	8.14
8548	VV	1F0	76	02/14/91	1.191	0.00	1.48	0.00	0.00
8561	JE	46T	76	03/27/91	0.833	0.00	1.55	0.00	0.00
8561	PT	47J	76	03/26/91	1.051	0.00	2.14	0.00	0.00
8561	SF	47W	76	03/26/91	0.600	0.00	4.28	0.00 >	2.31
8561	VE	476	76	03/29/91	1.255	0.00	1.91	0.00	0.00
8561	VV	1FK	76	02/21/91	1.219	0.00	0.28	0.00	0.22
8561	YF	4Z0	76	04/24/91	1.056	0.00	1.96	0.00 >	0.60
8563	JE	46U	76	03/27/91	0.874	0.00	198.00	0.00	0.00
8563	PT	47K	76	03/26/91	1.128	0.00	83.50	0.00 >	0.30
8563	SF	47X	76	03/26/91	0.753	0.00	161.00	0.00	0.00
8563	VE	477	76	03/29/91	1.324	0.00	47.10	0.00	0.00
8563	YF	4Z0	76	04/24/91	1.056	0.00	249.00	0.00	1.58
8568	VV	1FG	76	02/21/91	1.233	0.00	37.00	0.00	0.00
8569	JE	46U	76	03/27/91	0.874	0.00	13.10	0.00	0.00
8569	PT	47K	76	03/26/91	1.128	0.00	42.70	0.00 >	0.68
8569	SF	47X	76	03/26/91	0.753	0.00	11.20	0.00	0.64
8569	VE	477	76	03/29/91	1.324	0.00	22.80	0.00	0.00
8569	VV	1FJ	76	02/21/91	1.218	0.00	6.16	0.00	0.00
8569	YF	4ZP	76	04/24/91	1.057	0.00	19.80	0.00	4.49
8571	VV	1FJ	76	02/21/91	1.218	0.00	1.43	0.00	0.78
8575	VV	1FH	76	02/21/91	1.044	0.00	12.70	0.00	0.00
8582	VV	1FI	76	02/21/91	1.111	0.00	5.03	0.00	0.00
8586	VV	1F1	76	02/21/91	1.158	82.70	180.00	2.17	15.40
8586	VV	1N1	76	06/13/91	1.306	18.30 >	320.00 >	17.44 >	36.48
8590	VV	1FK	76	02/21/91	1.219	0.00	0.52	0.00	0.00
8601	JE	46V	76	03/27/91	0.710	0.00	13.70	0.00	0.00
8601	PT	47L	76	03/26/91	0.927	8.62	18.10	2.10	10.26
8601	SF	47Y	76	03/26/91	0.718	0.00	25.20	0.00	1.18
8601	VE	478	76	03/29/91	1.162	0.00	88.20	0.00 >	1.02
8601	YF	4ZP	76	04/24/91	1.057	0.00	39.40	0.00	0.00
8605	VV	1FR	76	02/28/91	1.175	0.00	1.00	0.00	0.00
8607	JE	46V	76	03/27/91	0.710	0.00 >	320.00	0.00	0.00
8607	PT	47L	76	03/26/91	0.927	0.00 >	320.00	0.00	0.00
8607	SF	47Y	76	03/26/91	0.718	0.00 >	320.00	0.00	0.00
8607	VE	478	76	03/29/91	1.162	0.00 >	320.00	0.00	0.00
8607	YF	4ZQ	76	04/24/91	1.075	0.00 >	320.00	0.00	0.00
8614	VV	1FS	76	02/28/91	1.257	0.00	1.68	0.00	0.00
8616	VV	1FT	76	02/28/91	1.161	0.00	1.46	0.00	0.00
8618	VV	1FU	76	02/28/91	1.280	0.00	1.56	0.00	0.00
8619	VV	1FU	76	02/28/91	1.280	0.00	2.55	0.00	0.00
8620	JE	46W	76	03/27/91	0.849	0.00 >	10.00	0.00 >	0.15
8620	PT	47M	76	03/26/91	0.754	0.00	7.17	0.00	0.00
8620	SF	47Z	76	03/26/91	0.488	0.00 >	10.00	0.00	0.00
8620	VE	479	76	03/29/91	1.263	0.00 >	10.00	0.00	0.00
8620	YF	4ZQ	76	04/24/91	1.075	0.00	7.56	0.00	0.50
8621	VV	1FV	76	02/28/91	1.284	0.00	1.49	0.00	0.00
8627	VV	1FV	76	02/28/91	1.284	0.00	0.87	0.00	0.00
8629	VV	1EF	76	02/14/91	1.102	0.00	2.96	0.00	0.00
8630	VV	1EG	76	02/14/91	1.091	0.00	14.10	0.00	1.80
8631	VV	1EG	76	02/14/91	1.091	0.00	238.00	0.00	0.00
8632	VV	1EH	76	02/14/91	1.153	0.00	178.00	0.00	0.00
8633	VV	1EH	76	02/14/91	1.153	0.00	179.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
8634	VV	1EI	76	02/14/91	1.105	0.00	155.00	0.00	0.00
8635	VV	1EI	76	02/14/91	1.105	0.00	18.80	0.00	0.00
8636	VV	1EJ	76	02/14/91	1.125	22.40	20.10	0.90 >	10.96
8637	VV	1FW	76	02/28/91	1.371	0.00	2.47	0.00	0.44
8638	VV	1FY	76	02/28/91	1.340	0.00	1.98	0.00	0.00
8639	VV	1EK	76	02/14/91	1.184	0.00	14.00	0.00	0.00
8640	VV	1FW	76	02/28/91	1.371	0.00	1.55	0.00	0.00
8641	VV	1FX	76	02/28/91	1.365	0.00	1.23	0.00	0.00
8642	VV	1EM	76	02/14/91	1.160	0.00	22.20	0.00	0.00
8643	VV	1FZ	76	02/28/91	1.361	0.00	1.53	0.00	0.00
8644	VV	1EN	76	02/14/91	1.164	0.00	163.00	0.00	0.00
8645	VV	1EN	76	02/14/91	1.164	0.00	44.20	0.00	0.00
8646	VV	1FX	76	02/28/91	1.365	0.00	1.78	0.00	0.15
8647	VV	1EO	76	02/14/91	1.113	0.00	71.50	0.00	0.00
8648	VV	1EP	76	02/14/91	1.082	0.00	10.50	0.00	0.00
8649	VV	1FY	76	02/28/91	1.340	0.00	1.73	0.00	0.00
8650	VV	1EQ	76	02/14/91	1.097	0.00	168.00	0.00	0.00
8651	VV	1EQ	76	02/14/91	1.097	0.00	19.90	0.00	0.00
8652	VV	1ER	76	02/14/91	1.167	0.00	49.00	0.00	0.00
8653	VV	1ER	76	02/14/91	1.167	0.00	5.66	0.00	0.00
8654	VV	1ES	76	02/14/91	1.110	0.00	19.60	0.00	0.00
8655	VV	1ES	76	02/14/91	1.110	0.00	42.80	0.00	2.73
8656	VV	1ET	76	02/14/91	1.188	0.00	15.80	0.00	0.00
8657	VV	1ET	76	02/14/91	1.188	0.00	47.20	0.00	0.00
8658	VV	1GO	76	02/28/91	1.277	0.00	16.60	0.00	0.00
8659	VV	1GO	76	02/28/91	1.277	0.00	15.10	0.00	2.26
8660	VV	1EV	76	02/14/91	1.175	0.00	2.27	0.00	0.00
8661	JE	46W	76	03/27/91	0.849	0.00	15.10	0.00 >	0.05
8661	PT	47M	76	03/26/91	0.754	0.00	9.38	0.00	0.00
8661	SF	47Z	76	03/26/91	0.488	0.00	29.30	0.00	0.00
8661	VE	479	76	03/29/91	1.263	0.00	46.50	0.00	0.11
8661	VV	1G1	76	02/28/91	1.298	0.00	28.90	0.00	0.00
8661	YF	4ZR	76	04/24/91	0.853	0.00 >	100.00	0.00 >	2.20
8662	VV	1FZ	76	02/28/91	1.361	0.00	1.91	0.00	0.00
8663	VV	1EX	76	02/14/91	1.259	0.00 >	320.00	0.00 >	3.19
8664	VV	1EX	76	02/14/91	1.259	0.00	16.00	0.00	0.00
8665	VV	1F2	76	02/21/91	1.102	0.00	208.00	0.00	1.52
8666	VV	1F2	76	02/21/91	1.102	0.00	245.00	0.00	0.00
8667	VV	1F3	76	02/21/91	1.151	0.00	83.00	0.00	0.36
8668	VV	1F3	76	02/21/91	1.151	0.00	212.00	0.00	0.00
8669	VV	1F4	76	02/21/91	1.114	0.00	13.10	0.00	0.00
8670	VV	1F4	76	02/21/91	1.114	0.00	63.40	0.00	0.00
8671	VV	1F5	76	02/21/91	1.176	0.00	43.30	0.00	0.48
8672	VV	1F5	76	02/21/91	1.176	0.00	36.60	0.00	0.00
8673	VV	1F6	76	02/21/91	1.085	0.00	14.40	0.00	0.00
8674	JE	46X	76	03/27/91	0.886	0.00	423.00	0.00	0.00
8674	PT	47N	76	03/26/91	0.946	0.00	459.00	0.00 >	0.40
8674	SF	480	76	03/26/91	0.670	0.00	474.00	0.00 >	0.20
8674	VE	47A	76	03/29/91	1.214	0.00	437.00	0.00	0.00
8674	VV	1F6	76	02/21/91	1.085	252.00 >	320.00 >	1.27 >	6.35
8674	VV	1GP	76	03/14/91	1.122	227.00 >	320.00 >	1.41 >	7.15
8674	YF	46K	76	03/27/91	1.087	0.00	169.00	0.00	0.00
8675	VV	1GP	76	03/14/91	1.122	0.00	10.00	0.00	0.00
8676	VV	1H7	76	03/14/91	1.134	0.00	35.30	0.00	0.00
8677	JE	46X	76	03/27/91	0.886	0.00	408.00	0.00	0.00
8677	PT	47N	76	03/26/91	0.946	0.00	1000.00	0.00 >	0.60
8677	SF	480	76	03/26/91	0.670	0.00	717.00	0.00	0.00
8677	VE	47A	76	03/29/91	1.214	0.00	698.00	0.00	0.00
8677	VV	1F8	76	02/21/91	1.145	0.00	162.00	0.00	0.00
8677	YF	46K	76	03/27/91	1.087	0.00	619.00	0.00	0.00
8678	VV	1F8	76	02/21/91	1.145	0.00	85.10	0.00	0.00
8679	VV	1F9	76	02/21/91	1.118	0.00	41.30	0.00	0.00
8680	VV	1F9	76	02/21/91	1.118	0.00	69.00	0.00	0.00
8681	JE	46Y	76	03/27/91	0.803	0.00 >	1000.00	0.00 >	4.03
8681	PT	470	76	03/26/91	1.042	0.00	262.00	0.00 >	0.67
8681	SF	481	76	03/26/91	0.651	0.00 >	1000.00	0.00 >	1.46
8681	VE	47B	76	03/29/91	1.247	0.00	728.00	0.00	0.15
8681	VV	1FA	76	02/21/91	1.113	320.00	217.00	0.68 >	2.50
8681	YF	46L	76	03/27/91	0.942	0.00 >	1000.00	0.00 >	1.04
8682	VV	1FA	76	02/21/91	1.113	0.00	12.20	0.00	0.00
8683	VV	1FB	76	02/21/91	1.108	0.00	62.90	0.00	0.00
8684	VV	1FB	76	02/21/91	1.108	0.00	37.00	0.00	0.00
8685	VV	1FC	76	02/21/91	1.130	0.00	37.10	0.00	0.00
8686	VV	1H8	76	03/14/91	1.193	0.00	9.43	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
8687	VV	1FD	76	02/21/91	1.157	0.00	16.90	0.00 >	1.97
8688	VV	1FD	76	02/21/91	1.157	0.00	183.00	0.00	0.00
8689	VV	1FE	76	02/21/91	1.179	0.00	181.00	0.00	0.00
8690	VV	1FE	76	02/21/91	1.179	0.00	129.00	0.00	0.00
8691	VV	1FF	76	02/21/91	1.142	0.00	72.80	0.00	0.00
8692	VV	1FL	76	02/28/91	1.198	0.00	83.50	0.00	0.00
8693	JE	46Y	76	03/27/91	0.803	0.00	320.00	0.00	0.00
8693	PT	470	76	03/26/91	1.042	0.00	150.00	0.00	0.00
8693	SF	481	76	03/26/91	0.651	0.00	173.00	0.00	0.00
8693	VE	47B	76	03/29/91	1.247	0.00	74.50	0.00	0.00
8693	VV	1FN	76	02/28/91	1.246	0.00	76.60	0.00	0.77
8693	YF	46L	76	03/27/91	0.942	0.00	412.00	0.00	0.00
8694	VV	1FM	76	02/28/91	1.246	265.00	234.00	0.88 >	3.51
8695	VV	1FN	76	02/28/91	1.269	0.00	45.60	0.00	0.00
8696	JE	4CW	76	04/03/91	0.689	0.00	96.40	0.00	0.00
8696	PT	4DQ	76	04/02/91	1.166	0.00	398.00	0.00	0.00
8696	SF	4E5	76	04/02/91	1.182	734.00	320.00	0.44 >	1.32
8696	VE	4DB	76	04/05/91	0.910	0.00	539.00	0.00 >	0.30
8696	VV	1FN	76	02/28/91	1.269	0.00	155.00	0.00	3.16
8696	YF	4CN	76	04/03/91	1.133	0.00	350.00	0.00	0.00
8697	VV	1FO	76	02/28/91	1.296	0.00	81.50	0.00	0.51
8698	JE	4CX	76	04/03/91	0.747	0.00	23.40	0.00	0.00
8698	PT	4DR	76	04/02/91	1.193	0.00	48.50	0.00	0.00
8698	SF	4E6	76	04/02/91	1.114	0.00	45.10	0.00	0.00
8698	VE	4DC	76	04/05/91	0.921	0.00	137.00	0.00 >	2.70
8698	VV	1FO	76	02/28/91	1.296	0.00	16.00	0.00	1.68
8698	YF	4CI	76	04/03/91	1.079	0.00	24.00	0.00	0.00
8699	JE	4CX	76	04/03/91	0.747	0.00	23.80	0.00	0.00
8699	PT	4DR	76	04/02/91	1.193	0.00	54.70	0.00	0.00
8699	SF	4E6	76	04/02/91	1.114	0.00	30.30	0.00	0.00
8699	VE	4DC	76	04/05/91	0.921	0.00	177.00	0.00 >	3.68
8699	VV	1FP	76	02/28/91	1.286	0.00	222.00	0.00	0.00
8699	YF	4CI	76	04/03/91	1.079	0.00	49.00	0.00	0.00
8700	VV	1FP	76	02/28/91	1.286	0.00	202.00	0.00	0.15
8701	JE	4CY	76	04/03/91	0.784	0.00 >	1000.00	0.00	0.00
8701	PT	4DS	76	04/02/91	1.243	20.80 >	1000.00 >	48.08 >	42.93
8701	SF	4E7	76	04/02/91	1.078	0.00 >	1000.00	0.00 >	0.41
8701	VE	4DD	76	04/05/91	0.983	0.00	791.00	0.00 >	14.25
8701	VV	1FQ	76	02/28/91	1.216	0.00 >	320.00	0.00 >	1.10
8701	YF	4CJ	76	04/03/91	1.075	0.00 >	1000.00	0.00	0.48
8702	JE	4CY	76	04/03/91	0.784	0.00 >	320.00	0.00	0.00
8702	PT	4DS	76	04/02/91	1.243	9.66 >	320.00 >	33.12 >	41.17
8702	SF	4E7	76	04/02/91	1.078	0.00 >	320.00	0.00 >	0.21
8702	VE	4DD	76	04/05/91	0.983	0.00	210.00	0.00	14.13
8702	VV	1FQ	76	02/28/91	1.216	0.00 >	320.00	0.00 >	0.20
8702	YF	4CJ	76	04/03/91	1.075	0.00 >	320.00	0.00	0.72
9121	JE	AGY	77	10/09/91	0.840	9330.0	6600.00	0.71 >	1.06
9121	PT	AIA	77	10/09/91	0.607	0.00	5610.00	0.00 >	1.58
9121	SF	AIQ	77	10/09/91	0.514	6360.0 >	10000.0 >	1.57 >	8.23
9121	VE	2YE	77	02/01/91	0.920	0.00 >	3200.00	0.00 >	2.02
9121	VE	AGI	77	10/11/91	1.242	5820.0 >	10000.0 >	1.72 >	8.36
9121	VV	1G2	77	03/07/91	1.214	0.00 >	320.00	0.00	0.40
9121	YF	AHU	77	10/09/91	0.674	2840.0 >	10000.0 >	3.52 >	23.48
9122	VE	2YF	77	02/01/91	0.982	0.00	1900.00	0.00	1.67
9122	VV	1G2	77	03/07/91	1.214	0.00 >	320.00	0.00 >	0.32
9123	JE	AGZ	77	10/09/91	0.833	0.00	698.00	0.00	0.00
9123	PT	AIB	77	10/09/91	0.565	0.00	396.00	0.00	0.00
9123	SF	AIR	77	10/09/91	0.499	0.00	1160.00	0.00	0.00
9123	VE	2YF	77	02/01/91	0.982	0.00	1070.00	0.00	1.68
9123	VE	AGJ	77	10/11/91	1.222	0.00	1200.00	0.00	0.00
9123	VV	1G3	77	03/07/91	1.305	0.00 >	320.00	0.00	0.23
9123	YF	AHV	77	10/09/91	0.657	0.00	1340.00	0.00 >	15.57
9124	VE	2YG	77	02/01/91	1.071	0.00	830.00	0.00 >	0.05
9124	VV	1G3	77	03/07/91	1.305	0.00 >	320.00	0.00 >	0.60
9125	VE	2YG	77	02/01/91	1.071	0.00	199.00	0.00 >	0.34
9125	VV	1G4	77	03/07/91	1.300	0.00	164.00	0.00 >	1.55
9126	VE	2YH	77	02/01/91	1.063	0.00	417.00	0.00	0.00
9126	VV	1G4	77	03/07/91	1.300	0.00	121.00	0.00	0.00
9127	JE	AGZ	77	10/09/91	0.833	0.00	1000.00	0.00	0.00
9127	PT	AIB	77	10/09/91	0.565	0.00	840.00	0.00	0.00
9127	SF	AIR	77	10/09/91	0.499	0.00	1670.00	0.00	0.00
9127	VE	2YH	77	02/01/91	1.063	0.00 >	3200.00	0.00 >	2.99
9127	VE	AGJ	77	10/11/91	1.222	0.00	4100.00	0.00	2.82
9127	VV	1G5	77	03/07/91	1.314	0.00 >	320.00	0.00 >	0.50

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9127	YF	AMV	77	10/09/91	0.657	1430.0	4140.00	2.88 >	21.55
9128	JE	AHO	77	10/09/91	0.818	0.00	3290.00	0.00	0.00
9128	PT	AIC	77	10/09/91	0.577	0.00	3380.00	0.00	0.00
9128	SF	AIS	77	10/09/91	0.532	0.00	1000.00	0.00	0.00
9128	VE	2YI	77	02/01/91	1.060	0.00	2690.00	0.00 >	0.24
9128	VE	AGK	77	10/11/91	1.176	0.00	4690.00	0.00	0.13
9128	VV	1G5	77	03/07/91	1.314	0.00 >	320.00	0.00	0.00
9128	YF	AMW	77	10/09/91	0.647	1830.0	3930.00	2.15	13.71
9129	VE	2YI	77	02/01/91	1.060	0.00	1990.00	0.00 >	0.23
9129	VV	1G6	77	03/07/91	1.236	0.00 >	320.00	0.00 >	1.91
9130	VE	2YJ	77	02/01/91	1.003	0.00	2200.00	0.00 >	3.67
9130	VV	1G6	77	03/07/91	1.236	0.00 >	320.00	0.00 >	1.61
9131	VE	2YJ	77	02/01/91	1.003	0.00	2160.00	0.00	0.11
9131	VV	1G7	77	03/07/91	1.221	0.00 >	320.00	0.00 >	1.61
9132	VE	2YK	77	02/01/91	1.023	0.00	1590.00	0.00 >	0.03
9132	VV	1G7	77	03/07/91	1.221	0.00 >	320.00	0.00	0.00
9133	VE	2YK	77	02/01/91	1.023	[illegible]	3200.00	0.00	0.00
9133	VV	1G8	77	03/07/91	1.272	[illegible]	32.00	0.00	0.00
9134	JE	AHO	77	10/09/91	0.818	0.00	458.00	0.00	0.00
9134	PT	AIC	77	10/09/91	0.577	0.00	400.00	0.00	0.00
9134	SF	AIS	77	10/09/91	0.532	0.00	386.00	0.00	0.00
9134	VE	2YL	77	02/01/91	1.182	2520.0	2200.00	0.87 >	2.54
9134	VE	AGK	77	10/11/91	1.176	0.00	474.00	0.00	4.75
9134	VV	1G8	77	03/07/91	1.272	0.00	177.00	0.00	1.24
9134	YF	AMW	77	10/09/91	0.647	0.00	492.00	0.00 >	6.46
9135	VE	2YL	77	02/01/91	1.182	0.00	234.00	0.00	0.02
9135	VV	1G9	77	03/07/91	1.281	0.00 >	320.00	0.00	0.00
9136	JE	AH1	77	10/09/91	0.880	0.00	1000.00	0.00	0.00
9136	PT	AID	77	10/09/91	0.576	0.00	86.80	0.00	0.00
9136	SF	AIT	77	10/09/91	0.578	0.00	935.00	0.00	0.00
9136	VE	2YM	77	02/01/91	0.925	0.00	2850.00	0.00	2.69
9136	VE	AGL	77	10/11/91	1.165	0.00	2690.00	0.00	0.57
9136	VV	1G9	77	03/07/91	1.281	0.00 >	320.00	0.00	0.00
9136	YF	AMX	77	10/09/91	0.659	0.00	1590.00	0.00	3.35
9137	JE	AH1	77	10/09/91	0.880	0.00	586.00	0.00	0.00
9137	PT	AID	77	10/09/91	0.576	0.00	736.00	0.00	0.00
9137	SF	AIT	77	10/09/91	0.578	0.00	541.00	0.00	0.00
9137	VE	2YM	77	02/01/91	0.925	0.00	922.00	0.00	1.80
9137	VE	AGL	77	10/11/91	1.165	0.00	622.00	0.00	0.00
9137	VV	1GA	77	03/07/91	1.380	0.00 >	320.00	0.00	0.00
9137	YF	AMX	77	10/09/91	0.659	0.00	1330.00	0.00 >	2.56
9138	VE	2YN	77	02/01/91	1.010	0.00	792.00	0.00	1.15
9138	VV	1GA	77	03/07/91	1.380	0.00 >	320.00	0.00	0.00
9139	VE	2YN	77	02/01/91	1.010	0.00	845.00	0.00	0.36
9139	VV	1GB	77	03/07/91	1.347	0.00 >	320.00	0.00	0.00
9140	VE	2YO	77	02/01/91	0.970	0.00	1650.00	0.00	0.00
9140	VV	1GB	77	03/07/91	1.347	0.00	54.70	0.00	0.00
9141	VE	2YO	77	02/01/91	0.970	0.00	1030.00	0.00	0.00
9141	VV	1GC	77	03/07/91	1.342	0.00	277.00	0.00	1.23
9142	VE	2YP	77	02/01/91	1.043	0.00	684.00	0.00	0.00
9142	VV	1GC	77	03/07/91	1.342	0.00 >	320.00	0.00 >	0.13
9143	VE	2YP	77	02/01/91	1.043	0.00	305.00	0.00	0.00
9143	VV	1GD	77	03/07/91	1.281	0.00	49.00	0.00	0.00
9144	VE	2YQ	77	02/01/91	0.971	0.00	756.00	0.00 >	0.52
9144	VV	1GD	77	03/07/91	1.281	0.00 >	320.00	0.00 >	0.90
9145	VE	2YQ	77	02/01/91	0.971	0.00	725.00	0.00	0.11
9145	VV	1GE	77	03/07/91	1.201	0.00 >	320.00	0.00	0.00
9146	JE	31X	77	02/06/91	1.088	0.00	529.00	0.00	0.00
9146	PT	3JM	77	02/26/91	1.047	0.00	3030.00	0.00	0.00
9146	SF	33R	77	02/05/91	0.644	0.00	309.00	0.00	0.00
9146	VE	32C	77	02/08/91	1.194	0.00	417.00	0.00	0.00
9146	VV	1GE	77	03/07/91	1.201	0.00	300.00	0.00	0.00
9146	YF	311	77	02/06/91	0.991	0.00	524.00	0.00 >	2.97
9147	JE	31Y	77	02/06/91	0.989	0.00	793.00	0.00 >	0.01
9147	PT	3JN	77	02/26/91	1.153	0.00	1550.00	0.00	0.49
9147	SF	33S	77	02/05/91	0.578	0.00	592.00	0.00	0.00
9147	VE	32D	77	02/08/91	1.130	0.00	685.00	0.00	0.05
9147	VV	1GF	77	03/07/91	1.347	0.00 >	320.00	0.00	0.00
9147	YF	31J	77	02/06/91	1.010	0.00	1170.00	0.00	0.10
9148	JE	31Y	77	02/06/91	0.989	0.00	1380.00	0.00	0.00
9148	PT	3JN	77	02/26/91	1.153	0.00	3120.00	0.00	0.00
9148	SF	33S	77	02/05/91	0.578	0.00	1180.00	0.00	0.00
9148	VE	32D	77	02/08/91	1.130	0 00	1520.00	0.00	0.97
9148	VV	1GG	77	03/07/91	1.204	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9148	YF	31J	77	02/06/91	1.010	0.00	1280.00	0.00	0.00
9149	JE	31Z	77	02/06/91	0.920	0.00	2690.00	0.00	0.11
9149	JE	AN2	77	10/09/91	0.793	0.00	4900.00	0.00	0.00
9149	PT	3JO	77	02/26/91	0.986	2260.0 >	3200.00 >	1.42 >	15.20
9149	PT	AIE	77	10/09/91	0.549	0.00	1940.00	0.00	0.05
9149	SF	33T	77	02/05/91	0.556	0.00	1090.00	0.00	0.00
9149	SF	AIU	77	10/09/91	0.565	0.00	2590.00	0.00	3.20
9149	VE	32E	77	02/08/91	1.131	0.00	2940.00	0.00 >	15.57
9149	VE	AGN	77	10/11/91	1.184	0.00	5170.00	0.00	0.25
9149	VV	1GG	77	03/07/91	1.204	0.00 >	320.00	0.00 >	7.72
9149	YF	31K	77	02/06/91	0.991	0.00	2680.00	0.00 >	9.65
9149	YF	AHY	77	10/09/91	0.660	5940.0	6600.00	1.11 >	21.13
9150	JE	31Z	77	02/06/91	0.920	0.00	3060.00	0.00	0.00
9150	PT	3JO	77	02/26/91	0.986	0.00 <	10.00	0.00	0.00
9150	SF	33T	77	02/05/91	0.556	0.00	2890.00	0.00 >	0.14
9150	VE	32E	77	02/08/91	1.131	0.00	1940.00	0.00 >	4.69
9150	VV	1GH	77	03/07/91	1.206	0.00 >	320.00	0.00	0.00
9150	YF	31K	77	02/06/91	0.991	0.00	2710.00	0.00	0.00
9151	JE	320	77	02/06/91	0.981	0.00 >	3200.00	0.00	0.00
9151	PT	3JP	77	02/26/91	1.168	0.00 >	3200.00	0.00 >	0.33
9151	SF	33U	77	02/05/91	0.599	0.00	276.00	0.00	0.00
9151	VE	32F	77	02/08/91	1.157	0.00	2610.00	0.00 >	5.05
9151	VV	1GH	77	03/07/91	1.206	0.00 >	320.00	0.00	0.00
9151	YF	31L	77	02/06/91	1.017	0.00 >	3200.00	0.00	0.00
9152	JE	320	77	02/06/91	0.981	0.00	1390.00	0.00	0.00
9152	PT	3JP	77	02/26/91	1.168	0.00	1070.00	0.00	0.96
9152	SF	33U	77	02/05/91	0.599	0.00	1110.00	0.00	0.46
9152	VE	32F	77	02/08/91	1.157	0.00	2490.00	0.00	3.56
9152	VV	1GI	77	03/07/91	1.285	0.00 >	320.00	0.00 >	2.40
9152	YF	31L	77	02/06/91	1.017	0.00	1450.00	0.00	3.32
9153	JE	321	77	02/06/91	0.931	0.00	830.00	0.00	0.00
9153	JE	AH2	77	10/09/91	0.793	0.00	4140.00	0.00	0.00
9153	PT	3JQ	77	02/26/91	1.131	3010.0	1960.00	0.65 >	1.48
9153	PT	AIE	77	10/09/91	0.549	0.00	660.00	0.00	0.00
9153	SF	33V	77	02/05/91	0.629	0.00	39.60	0.00	0.00
9153	SF	AIU	77	10/09/91	0.565	0.00	840.00	0.00	0.00
9153	VE	32G	77	02/08/91	1.095	0.00	1840.00	0.00 >	1.27
9153	VE	AGN	77	10/11/91	1.184	0.00	3900.00	0.00	0.00
9153	VV	1GI	77	03/07/91	1.285	0.00 >	320.00	0.00	0.00
9153	YF	31M	77	02/06/91	1.178	0.00	417.00	0.00	0.00
9153	YF	AHY	77	10/09/91	0.660	0.00	4900.00	0.00	4.78
9154	JE	321	77	02/06/91	0.931	0.00	873.00	0.00	0.00
9154	PT	3JQ	77	02/26/91	1.131	0.00	1630.00	0.00	0.00
9154	SF	33V	77	02/05/91	0.629	0.00	137.00	0.00	0.00
9154	VE	32G	77	02/08/91	1.095	0.00	720.00	0.00	0.00
9154	VV	1GJ	77	03/07/91	1.247	0.00	302.00	0.00	0.00
9154	YF	31M	77	02/06/91	1.178	0.00	749.00	0.00	0.00
9155	JE	322	77	02/06/91	0.891	0.00	815.00	0.00	0.00
9155	PT	3JR	77	02/26/91	1.203	0.00	1370.00	0.00	2.60
9155	SF	33W	77	02/05/91	0.652	0.00	180.00	0.00	0.00
9155	VE	32H	77	02/08/91	1.099	0.00	800.00	0.00	0.00
9155	VV	1GJ	77	03/07/91	1.247	0.00 >	320.00	0.00	0.00
9155	YF	31N	77	02/06/91	1.025	0.00	773.00	0.00	0.00
9156	JE	322	77	02/06/91	0.891	0.00 >	3200.00	0.00	0.00
9156	PT	3JR	77	02/26/91	1.203	0.00 >	3200.00	0.00	0.00
9156	SF	33W	77	02/05/91	0.652	0.00 <	10.00	0.00	0.00
9156	VE	32H	77	02/08/91	1.099	0.00	238.00	0.00 >	0.03
9156	VV	1GK	77	03/07/91	1.366	0.00	24.70	0.00	0.00
9156	YF	31N	77	02/06/91	1.025	0.00	2570.00	0.00	0.00
9157	JE	323	77	02/06/91	1.007	0.00 >	3200.00	0.00	0.00
9157	PT	3JS	77	02/26/91	1.258	0.00 >	3200.00	0.00	0.09
9157	SF	33X	77	02/05/91	0.570	0.00 >	3200.00	0.00	0.00
9157	VE	321	77	02/08/91	1.061	0.00 >	3200.00	0.00 >	0.43
9157	VV	1GL	77	03/07/91	1.285	0.00 >	320.00	0.00 >	2.41
9157	YF	310	77	02/06/91	1.006	0.00	3200.00	0.00 >	0.78
9158	JE	323	77	02/06/91	1.007	0.00	1860.00	0.00	0.00
9158	PT	3JS	77	02/26/91	1.258	0.00 >	3200.00	0.00	0.00
9158	SF	33X	77	02/05/91	0.570	0.00	32.00	0.00	0.00
9158	VE	321	77	02/08/91	1.061	0.00	1510.00	0.00 >	0.41
9158	VV	1GM	77	03/07/91	1.252	0.00	155.00	0.00	0.00
9158	YF	310	77	02/06/91	1.006	0.00	2720.00	0.00 >	0.37
9159	JE	324	77	02/06/91	1.112	0.00	61.10	0.00	0.00
9159	PT	3JT	77	02/26/91	1.264	0.00	2050.00	0.00 >	0.32
9159	SF	33Y	77	02/05/91	0.554	0.00	128.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9159	VE	32J	77	02/08/91	1.235	0.00	1220.00	0.00	0.00
9159	VV	1GQ	77	03/14/91	1.186	0.00	262.00	0.00	0.00
9159	YF	31P	77	02/06/91	0.969	0.00	2260.00	0.00	0.00
9160	JE	324	77	02/06/91	1.112	0.00	843.00	0.00	0.00
9160	PT	3JY	77	02/26/91	1.264	0.00	2830.00	0.00	2.01
9160	SF	33Y	77	02/05/91	0.554	0.00	676.00	0.00	0.00
9160	VE	32J	77	02/08/91	1.235	0.00 <	10.00	0.00	0.00
9160	VV	1GR	77	03/14/91	1.187	0.00 >	320.00	0.00 >	1.41
9160	YF	31P	77	02/06/91	0.969	0.00	1550.00	0.00	1.20
9161	JE	325	77	02/06/91	1.124	0.00	686.00	0.00	0.00
9161	PT	3JU	77	02/26/91	1.124	0.00	1350.00	0.00 >	2.52
9161	SF	33Z	77	02/05/91	0.546	0.00	226.00	0.00	0.00
9161	VE	32K	77	02/08/91	1.175	0.00	1520.00	0.00	6.12
9161	VV	1GR	77	03/14/91	1.187	0.00 >	320.00	0.00 >	1.07
9161	YF	31Q	77	02/06/91	1.012	0.00	298.00	0.00	0.00
9162	JE	325	77	02/06/91	1.124	0.00	508.00	0.00	0.00
9162	JE	AH3	77	10/09/91	0.844	0.00	938.00	0.00	0.00
9162	PT	3JU	77	02/26/91	1.124	0.00	1060.00	0.00 >	0.80
9162	PT	AIF	77	10/09/91	0.543	0.00	879.00	0.00	0.00
9162	SF	33Z	77	02/05/91	0.546	0.00	360.00	0.00	0.00
9162	SF	AIV	77	10/09/91	0.629	0.00	1000.00	0.00	0.00
9162	VE	32K	77	02/08/91	1.175	773.00	815.00	1.05 >	10.05
9162	VE	AGN	77	10/11/91	1.137	0.00	1110.00	0.00	2.96
9162	VV	1GS	77	03/14/91	1.157	0.00 >	320.00	0.00	0.58
9162	YF	31Q	77	02/06/91	1.012	0.00	606.00	0.00	0.00
9162	YF	AHZ	77	10/09/91	0.690	0.00	1500.00	0.00	6.68
9163	JE	326	77	02/06/91	0.906	0.00	522.00	0.00	0.00
9163	JE	AH3	77	10/09/91	0.844	0.00	383.00	0.00	0.00
9163	PT	3JV	77	02/26/91	1.068	0.00	558.00	0.00	0.11
9163	PT	AIF	77	10/09/91	0.543	0.00	425.00	0.00	0.00
9163	SF	340	77	02/05/91	0.591	0.00	442.00	0.00	0.00
9163	SF	AIV	77	10/09/91	0.629	0.00	1060.00	0.00	0.00
9163	VE	32L	77	02/08/91	1.096	669.00	629.00	0.94 >	6.70
9163	VE	AGN	77	10/11/91	1.137	0.00	932.00	0.00 >	0.26
9163	VV	1GS	77	03/14/91	1.157	0.00 >	320.00	0.00 >	0.64
9163	YF	31R	77	02/06/91	0.964	0.00	519.00	0.00	0.93
9163	YF	AHZ	77	10/09/91	0.690	0.00	652.00	0.00	0.49
9164	JE	326	77	02/06/91	0.906	0.00 >	3200.00	0.00 >	0.10
9164	JE	AH4	77	10/09/91	0.829	0.00	1110.00	0.00	0.00
9164	PT	3JV	77	02/26/91	1.068	0.00	1140.00	0.00 >	1.07
9164	PT	AIG	77	10/09/91	0.581	0.00	909.00	0.00	0.00
9164	SF	340	77	02/05/91	0.591	0.00	709.00	0.00	0.00
9164	SF	AIW	77	10/09/91	0.613	0.00	2270.00	0.00	0.00
9164	VE	32L	77	02/08/91	1.096	0.00 >	3200.00	0.00 >	5.20
9164	VE	AGO	77	10/11/91	1.167	0.00	1530.00	0.00	0.00
9164	VV	1GT	77	03/14/91	1.060	0.00 >	320.00	0.00 >	2.60
9164	YF	31R	77	02/06/91	0.964	3200.0	320.00	0.10 >	1.01
9164	YF	AIO	77	10/09/91	0.715	0.00	1550.00	0.00	2.21
9165	JE	327	77	02/06/91	1.029	0.00	475.00	0.00	0.00
9165	PT	3JW	77	02/26/91	1.206	0.00	1330.00	0.00 >	0.60
9165	SF	341	77	02/05/91	0.672	0.00	163.00	0.00	0.00
9165	VE	32M	77	02/08/91	1.121	0.00	616.00	0.00	0.00
9165	VV	1GT	77	03/14/91	1.060	0.00 >	320.00	0.00 >	0.20
9165	YF	31S	77	02/06/91	1.015	0.00	482.00	0.00	0.00
9166	JE	327	77	02/06/91	1.029	0.00	241.00	0.00	0.00
9166	JE	AH4	77	10/09/91	0.829	0.00	416.00	0.00	0.77
9166	PT	3JW	77	02/26/91	1.206	0.00	379.00	0.00 >	0.15
9166	PT	AIG	77	10/09/91	0.581	0.00	276.00	0.00	0.00
9166	SF	341	77	02/05/91	0.672	0.00	311.00	0.00	0.00
9166	SF	AIW	77	10/09/91	0.613	0.00	210.00	0.00	0.00
9166	VE	32M	77	02/08/91	1.121	856.00	304.00	0.35	3.19
9166	VE	AGO	77	10/11/91	1.167	0.00	1420.00	0.00 >	2.29
9166	VV	1GU	77	03/14/91	1.128	0.00 >	320.00	0.00 >	4.31
9166	YF	31S	77	02/06/91	1.015	0.00	265.00	0.00	0.81
9166	YF	AIO	77	10/09/91	0.715	0.00	485.00	0.00	2.33
9167	JE	328	77	02/06/91	1.050	0.00	247.00	0.00	0.00
9167	JE	AH5	77	10/09/91	0.841	0.00	1110.00	0.00	0.00
9167	PT	3JX	77	02/26/91	1.302	2300.0	94.80	0.04	0.00
9167	PT	AIH	77	10/09/91	0.561	0.00	183.00	0.00	0.00
9167	SF	342	77	02/05/91	0.591	0.00	165.00	0.00	0.00
9167	SF	AIX	77	10/09/91	0.602	0.00	887.00	0.00	0.00
9167	VE	32N	77	02/08/91	1.094	0.00	2470.00	0.00 >	6.50
9167	VE	AGP	77	10/11/91	1.042	0.00	4900.00	0.00 >	6.43
9167	VV	1GU	77	03/14/91	1.128	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9167	YF	31T	77	02/06/91	0.961	0.00	773.00	0.00	0.00
9167	YF	AI1	77	10/09/91	0.732	1820.0	1370.00	0.75	4.19
9168	JE	328	77	02/06/91	1.050	0.00	430.00	0.00	0.00
9168	JE	AH5	77	10/09/91	0.841	0.00	346.00	0.00	0.02
9168	PT	3JX	77	02/26/91	1.302	0.00	242.00	0.00	1.22
9168	PT	AIH	77	10/09/91	0.561	0.00	356.00	0.00	0.00
9168	SF	342	77	02/05/91	0.591	0.00	343.00	0.00	0.00
9168	SF	AIX	77	10/09/91	0.602	0.00	338.00	0.00 >	0.26
9168	VE	32N	77	02/08/91	1.094	0.00	1000.00	0.00 >	5.22
9168	VE	AGP	77	10/11/91	1.042	0.00	1280.00	0.00 >	1.40
9168	VV	1GV	77	03/14/91	1.133	0.00	168.00	0.00	0.31
9168	YF	31T	77	02/06/91	0.961	0.00	571.00	0.00	1.29
9168	YF	AI1	77	10/09/91	0.732	0.00	492.00	0.00	1.51
9169	JE	329	77	02/06/91	1.045	0.00	598.00	0.00	0.00
9169	PT	3JY	77	02/26/91	1.271	0.00	1330.00	0.00 >	0.04
9169	SF	343	77	02/05/91	0.552	0.00	1110.00	0.00	0.00
9169	VE	320	77	02/08/91	1.124	0.00	547.00	0.00	0.00
9169	VV	1GV	77	03/14/91	1.133	0.00 >	320.00	0.00 >	1.90
9169	YF	31U	77	02/06/91	0.971	0.00	709.00	0.00 >	2.52
9170	JE	329	77	02/06/91	1.045	0.00	437.00	0.00	0.00
9170	PT	3JY	77	02/26/91	1.271	0.00	501.00	0.00	0.06
9170	SF	343	77	02/05/91	0.552	0.00	390.00	0.00	0.00
9170	VE	320	77	02/08/91	1.124	0.00	577.00	0.00	0.00
9170	VV	1GW	77	03/14/91	1.139	0.00 >	320.00	0.00	0.24
9170	YF	31U	77	02/06/91	0.971	0.00	535.00	0.00 >	0.24
9171	JE	34L	77	02/07/91	0.749	0.00	513.00	0.00 >	1.19
9171	JE	AH6	77	10/09/91	0.696	0.00	756.00	0.00	1.64
9171	PT	350	77	02/07/91	0.788	0.00	310.00	0.00	0.00
9171	PT	AI1	77	10/09/91	0.593	0.00	22.10	0.00	0.00
9171	SF	35F	77	02/07/91	0.620	0.00	240.00	0.00	0.00
9171	SF	AIY	77	10/09/91	0.583	0.00	698.00	0.00 >	1.10
9171	VE	32R	77	02/03/91	1.020	957.00	269.00	0.28 >	1.10
9171	VE	AGQ	77	10/11/91	1.174	0.00	950.00	0.00	3.82
9171	VV	1GW	77	03/14/91	1.139	0.00 >	320.00	0.00 >	1.50
9171	YF	346	77	02/07/91	0.971	0.00	268.00	0.00 >	3.34
9171	YF	AI2	77	10/09/91	0.795	0.00	1140.00	0.00	3.84
9172	JE	34M	77	02/07/91	0.769	0.00	547.00	0.00	0.00
9172	JE	AH6	77	10/09/91	0.696	0.00	1630.00	0.00	0.42
9172	PT	351	77	02/07/91	0.883	0.00	283.00	0.00	0.00
9172	PT	AI1	77	10/09/91	0.593	0.00	293.00	0.00	0.00
9172	SF	35G	77	02/07/91	0.620	0.00	688.00	0.00	2.18
9172	SF	AIY	77	10/09/91	0.583	0.00	1140.00	0.00 >	1.32
9172	VE	32S	77	02/08/91	0.990	922.00	887.00	0.96 >	9.68
9172	VE	AGQ	77	10/11/91	1.174	0.00	927.00	0.00 >	0.30
9172	VV	1GX	77	03/14/91	1.113	0.00 >	320.00	0.00	0.00
9172	YF	347	77	02/07/91	0.990	0.00	320.00	0.00	0.00
9172	YF	AI2	77	10/09/91	0.795	0.00	471.00	0.00	0.00
9173	JE	34M	77	02/07/91	0.769	0.00 >	3200.00	0.00 >	0.50
9173	JE	AH7	77	10/09/91	0.769	0.00	5250.00	0.00	0.00
9173	PT	351	77	02/07/91	0.883	1910.0	524.00	0.27 >	6.23
9173	PT	AIJ	77	10/09/91	0.574	0.00	3920.00	0.00	0.70
9173	SF	35G	77	02/07/91	0.620	1160.0	830.00	0.71 >	11.63
9173	SF	AIZ	77	10/09/91	0.684	1770.0	4760.00	2.69	10.94
9173	VE	32S	77	02/08/91	0.990	3040.0 >	3200.00 >	1.05 >	10.75
9173	VE	AGR	77	10/11/91	1.114	8270.0 >	10000.0 >	1.21 >	7.18
9173	VV	1GX	77	03/14/91	1.113	0.00 >	320.00	0.00	0.00
9173	YF	347	77	02/07/91	0.990	2860.0	163.00	0.06 >	3.11
9173	YF	AI3	77	10/09/91	0.748	2450.0	5990.00	2.45	11.33
9174	JE	34N	77	02/07/91	0.775	0.00	166.00	0.00	0.00
9174	JE	AH7	77	10/09/91	0.769	0.00	378.00	0.00	0.00
9174	PT	352	77	02/07/91	0.791	0.00	128.00	0.00	0.00
9174	PT	AIJ	77	10/09/91	0.574	0.00	262.00	0.00	0.00
9174	SF	35H	77	02/07/91	0.546	0.00	165.00	0.00	0.00
9174	SF	AIZ	77	10/09/91	0.684	0.00	281.00	0.00 >	0.23
9174	VE	32T	77	02/08/91	1.034	0.00	277.00	0.00	7.25
9174	VE	AGR	77	10/11/91	1.114	0.00	840.00	0.00	0.04
9174	VV	1GY	77	03/14/91	1.112	0.00	155.00	0.00	1.35
9174	YF	348	77	02/07/91	0.991	0.00	49.00	0.00	0.00
9174	YF	AI3	77	10/09/91	0.748	0.00	492.00	0.00 >	0.83
9175	JE	34N	77	02/07/91	0.775	0.00	146.00	0.00	0.00
9175	PT	352	77	02/07/91	0.791	0.00	47.70	0.00	0.00
9175	SF	35H	77	02/07/91	0.546	0.00	93.80	0.00	0.00
9175	VE	32T	77	02/08/91	1.034	0.00	601.00	0.00 >	5.63
9175	VV	1GY	77	03/14/91	1.112	0.00	132.00	0.00	0.48

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9175	YF	348	77	02/07/91	0.991	0.00	29.30	0.00	0.00
9176	JE	340	77	02/07/91	0.802	0.00	95.80	0.00	0.00
9176	PT	353	77	02/07/91	0.832	0.00	85.70	0.00	0.00
9176	SF	351	77	02/07/91	0.595	0.00	70.30	0.00	0.00
9176	VE	32U	77	02/08/91	1.054	0.00	238.00	0.00 >	11.07
9176	VV	1GZ	77	03/14/91	1.165	0.00	51.80	0.00 >	6.19
9176	YF	349	77	02/07/91	0.954	0.00	93.80	0.00	0.00
9177	JE	340	77	02/07/91	0.802	0.00 >	3200.00	0.00	0.00
9177	PT	353	77	02/07/91	0.832	0.00	13.70	0.00	0.00
9177	SF	351	77	02/07/91	0.595	0.00 <	10.00	0.00	0.00
9177	VE	32U	77	02/08/91	1.054	0.00	2650.00	0.00 >	0.01
9177	VV	1IN	77	04/04/91	1.254	0.00	21.00	0.00	0.00
9177	YF	349	77	02/07/91	0.954	0.00	14.40	0.00	0.00
9178	JE	34P	77	02/07/91	0.868	0.00	333.00	0.00	0.00
9178	PT	354	77	02/07/91	0.878	0.00	30.00	0.00	0.00
9178	SF	35J	77	02/07/91	0.555	0.00	59.20	0.00	0.00
9178	VE	32V	77	02/08/91	1.091	0.00	409.00	0.00 >	1.53
9178	VV	1HO	77	03/14/91	1.155	0.00	141.00	0.00	0.00
9178	YF	34A	77	02/07/91	0.926	0.00	100.00	0.00	0.00
9179	JE	34P	77	02/07/91	0.868	0.00	155.00	0.00	0.00
9179	PT	354	77	02/07/91	0.878	0.00 <	10.00	0.00	0.00
9179	SF	35J	77	02/07/91	0.555	0.00 <	10.00	0.00	0.00
9179	VE	32V	77	02/08/91	1.091	0.00	334.00	0.00	0.00
9179	VV	1HO	77	03/14/91	1.155	0.00	165.00	0.00	0.00
9179	YF	34A	77	02/07/91	0.926	0.00	51.40	0.00	0.00
9180	JE	340	77	02/07/91	0.841	0.00	244.00	0.00	0.00
9180	PT	355	77	02/07/91	0.911	0.00	74.90	0.00	0.00
9180	SF	35K	77	02/07/91	0.684	0.00	115.00	0.00	0.00
9180	VE	32W	77	02/08/91	1.089	0.00	304.00	0.00 >	1.17
9180	VV	1H1	77	03/14/91	1.209	0.00 >	320.00	0.00	0.00
9180	YF	348	77	02/07/91	0.826	0.00	160.00	0.00 >	0.02
9181	JE	340	77	02/07/91	0.841	0.00	1370.00	0.00 >	0.05
9181	PT	355	77	02/07/91	0.911	0.00	66.00	0.00	0.00
9181	SF	35K	77	02/07/91	0.684	0.00	54.70	0.00	0.00
9181	VE	32W	77	02/08/91	1.089	0.00	1160.00	0.00	0.00
9181	VV	1H1	77	03/14/91	1.209	0.00 >	320.00	0.00	0.00
9181	YF	348	77	02/07/91	0.826	0.00	1210.00	0.00	0.00
9182	JE	34R	77	02/07/91	0.787	0.00	163.00	0.00	0.20
9182	PT	356	77	02/07/91	0.836	0.00	148.00	0.00	0.00
9182	SF	35L	77	02/07/91	0.581	0.00	108.00	0.00	0.00
9182	VE	32X	77	02/08/91	1.026	0.00	171.00	0.00 >	0.43
9182	VV	1H2	77	03/14/91	1.185	0.00	151.00	0.00	0.00
9182	YF	34C	77	02/07/91	0.717	0.00	208.00	0.00 >	2.56
9183	JE	34R	77	02/07/91	0.787	0.00	48.30	0.00 >	3.15
9183	JE	AH8	77	10/09/91	0.778	0.00	97.40	0.00	2.56
9183	PT	356	77	02/07/91	0.836	0.00	21.00	0.00	0.00
9183	PT	AIK	77	10/09/91	0.564	0.00	65.10	0.00	0.00
9183	SF	35L	77	02/07/91	0.581	0.00 <	10.00	0.00	0.00
9183	SF	AJO	77	10/09/91	0.660	0.00	64.60	0.00	0.13
9183	VE	32X	77	02/08/91	1.026	0.00	49.00	0.00 >	0.25
9183	VE	AGS	77	10/11/91	1.082	0.00	167.00	0.00	0.00
9183	VV	1H2	77	03/14/91	1.185	0.00	86.40	0.00	5.39
9183	VV	1IL	77	04/04/91	1.281	0.00	56.30	0.00	0.00
9183	YF	34C	77	02/07/91	0.717	10.00 <	66.00 >	6.60 >	19.18
9183	YF	AI4	77	10/09/91	0.820	26.10	100.00	3.84	18.68
9184	JE	34S	77	02/07/91	0.785	89.00	85.10	0.96 >	6.09
9184	JE	AH8	77	10/09/91	0.778	230.00	300.00	1.31	5.65
9184	PT	357	77	02/07/91	0.805	0.00	62.20	0.00	2.47
9184	PT	AIK	77	10/09/91	0.564	0.00	212.00	0.00 >	0.79
9184	SF	35M	77	02/07/91	0.609	10.00 <	67.00 >	6.70 >	14.81
9184	SF	AJO	77	10/09/91	0.660	0.00	54.20	0.00 >	0.40
9184	VE	32Y	77	02/08/91	0.997	0.00	105.00	0.00 >	1.45
9184	VE	AGS	77	10/11/91	1.082	0.00	396.00	0.00	0.00
9184	VV	1H3	77	03/14/91	1.148	0.00	105.00	0.00	0.00
9184	YF	34D	77	02/07/91	0.802	21.30	106.00	5.00 >	19.38
9184	YF	AI4	77	10/09/91	0.820	62.30	371.00	5.95	25.72
9185	JE	39E	77	02/14/91	0.810	0.00	1550.00	0.00	0.00
9185	PT	3AN	77	02/20/91	1.051	0.00	1550.00	0.00	2.05
9185	SF	3PS	77	03/06/91	0.823	0.00	513.00	0.00	6.64
9185	VE	38Z	77	02/15/91	1.125	0.00	1590.00	0.00	2.60
9185	VV	1H3	77	03/14/91	1.148	0.00	177.00	0.00	4.01
9185	YF	39T	77	02/14/91	0.814	0.00	1550.00	0.00 >	12.49
9186	JE	34T	77	02/07/91	0.693	0.00	265.00	0.00	0.00
9186	PT	358	77	02/07/91	0.864	0.00	41.70	0.00	0.00

Cumulative Summary (Cont'd)

AVE No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9186	SF	35N	77	02/07/91	0.580	0.00 <	10.00	0.00	0.00
9186	VE	32Z	77	02/08/91	1.006	0.00	173.00	0.00 >	2.87
9186	VV	1N4	77	03/14/91	1.289	0.00	58.20	0.00	0.00
9186	YF	34E	77	02/07/91	0.901	0.00	115.00	0.00	0.00
9187	JE	34T	77	02/07/91	0.693	0.00	565.00	0.00	0.00
9187	PT	358	77	02/07/91	0.864	0.00	90.30	0.00	0.00
9187	SF	35N	77	02/07/91	0.580	0.00	26.50	0.00	0.00
9187	VE	32Z	77	02/08/91	1.006	0.00	377.00	0.00 >	4.18
9187	VV	1N4	77	03/14/91	1.289	0.00 >	320.00	0.00	0.00
9187	YF	34E	77	02/07/91	0.901	0.00	232.00	0.00 >	0.08
9188	JE	34U	77	02/07/91	0.868	0.00	1240.00	0.00	4.86
9188	PT	359	77	02/07/91	0.856	0.00	1480.00	0.00 >	2.70
9188	SF	350	77	02/07/91	0.631	0.00	1460.00	0.00	12.89
9188	VE	330	77	02/08/91	1.093	0.00	1180.00	0.00 >	2.24
9188	VV	1N5	77	03/14/91	1.124	0.00 >	320.00	0.00 >	2.52
9188	YF	34F	77	02/07/91	0.938	0.00	1210.00	0.00	5.36
9189	JE	34U	77	02/07/91	0.868	0.00 <	10.00	0.00	0.00
9189	PT	359	77	02/07/91	0.856	0.00	20.40	0.00	0.00
9189	SF	350	77	02/07/91	0.631	0.00	21.00	0.00	0.00
9189	VE	330	77	02/08/91	1.093	0.00	22.80	0.00	0.00
9189	VV	1N5	77	03/14/91	1.124	0.00	119.00	0.00	0.00
9189	YF	34F	77	02/07/91	0.938	0.00	26.50	0.00	0.00
9190	JE	34V	77	02/07/91	0.738	0.00	144.00	0.00	0.00
9190	PT	35A	77	02/07/91	0.951	0.00	50.50	0.00	0.00
9190	SF	35P	77	02/07/91	0.693	0.00	18.80	0.00	0.00
9190	VE	331	77	02/08/91	1.117	0.00	119.00	0.00	0.00
9190	VV	1IL	77	04/04/91	1.281	0.00	28.00	0.00	0.00
9190	YF	34G	77	02/07/91	0.914	0.00	58.20	0.00	0.00
9191	JE	34V	77	02/07/91	0.738	0.00 >	3200.00	0.00	0.00
9191	PT	35A	77	02/07/91	0.951	0.00	66.00	0.00	0.00
9191	SF	35P	77	02/07/91	0.693	0.00	14.40	0.00	0.00
9191	VE	331	77	02/08/91	1.117	0.00	1800.00	0.00 >	0.33
9191	VV	1N6	77	03/14/91	1.280	0.00	62.20	0.00	0.00
9191	YF	34G	77	02/07/91	0.914	0.00	2100.00	0.00	0.00
9192	JE	34W	77	02/07/91	0.775	0.00	343.00	0.00	0.11
9192	PT	358	77	02/07/91	0.837	0.00	339.00	0.00	0.00
9192	SF	35Q	77	02/07/91	0.589	0.00	226.00	0.00	0.00
9192	VE	332	77	02/08/91	0.995	0.00	704.00	0.00	1.23
9192	VV	1NI	77	03/28/91	1.173	0.00	45.60	0.00	0.00
9192	YF	34H	77	02/07/91	0.911	0.00	514.00	0.00	0.00
9193	JE	34W	77	02/07/91	0.775	0.00	307.00	0.00	0.00
9193	PT	358	77	02/07/91	0.837	0.00	257.00	0.00	0.00
9193	SF	35Q	77	02/07/91	0.589	0.00	192.00	0.00	0.00
9193	VE	332	77	02/08/91	0.995	0.00	632.00	0.00 >	4.09
9193	VV	1NJ	77	03/28/91	1.260	0.00	46.60	0.00	0.00
9193	YF	34H	77	02/07/91	0.911	0.00	393.00	0.00 >	0.60
9194	JE	34X	77	02/07/91	0.752	0.00	2390.00	0.00	0.00
9194	PT	35C	77	02/07/91	0.836	0.00	1550.00	0.00	0.20
9194	SF	35R	77	02/07/91	0.560	0.00 <	10.00	0.00	0.00
9194	VE	333	77	02/08/91	0.964	0.00	1350.00	0.00	0.48
9194	VV	1NJ	77	03/28/91	1.260	0.00	22.80	0.00	0.00
9194	YF	341	77	02/07/91	0.758	0.00	137.00	0.00 >	0.32
9195	JE	34X	77	02/07/91	0.752	0.00	528.00	0.00	0.00
9195	PT	35C	77	02/07/91	0.836	0.00	1550.00	0.00	0.00
9195	SF	35R	77	02/07/91	0.560	0.00	400.00	0.00	0.00
9195	VE	333	77	02/08/91	0.964	0.00	800.00	0.00	2.30
9195	VV	1NK	77	03/28/91	1.278	0.00	100.00	0.00	0.00
9195	YF	341	77	02/07/91	0.758	0.00	757.00	0.00	1.48
9196	JE	3FX	77	02/27/91	0.954	0.00	1990.00	0.00 >	7.91
9196	PT	380	77	02/12/91	0.630	0.00	66.00	0.00	0.00
9196	SF	38F	77	02/12/91	0.624	0.00	210.00	0.00	0.00
9196	VE	37L	77	02/15/91	1.215	0.00	131.00	0.00	0.00
9196	VV	1NK	77	03/28/91	1.278	0.00	27.60	0.00	0.00
9196	YF	36R	77	02/13/91	0.945	0.00	396.00	0.00	0.00
9197	JE	3FY	77	02/27/91	0.985	0.00	474.00	0.00 >	7.76
9197	PT	381	77	02/12/91	0.638	0.00	218.00	0.00	0.00
9197	SF	38G	77	02/12/91	0.626	0.00	247.00	0.00	0.21
9197	VE	37M	77	02/15/91	1.139	0.00	735.00	0.00	3.28
9197	VV	1NL	77	03/28/91	1.277	0.00	118.00	0.00	0.00
9197	YF	36S	77	02/13/91	0.927	0.00	183.00	0.00	0.00
9198	JE	3FY	77	02/27/91	0.985	0.00	2600.00	0.00	7.77
9198	PT	381	77	02/12/91	0.638	0.00	15.50	0.00	0.00
9198	SF	38G	77	02/12/91	0.626	0.00	40.50	0.00	0.00
9198	VE	37M	77	02/15/91	1.139	0.00	100.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9198	VV	1HL	77	03/28/91	1.277	0.00	52.00	0.00	0.00
9198	YF	36S	77	02/13/91	0.927	0.00	240.00	0.00	0.00
9199	JE	3FZ	77	02/27/91	0.998	765.00	686.00	0.90 >	6.96
9199	JE	AH9	77	10/09/91	0.841	0.00	456.00	0.00	0.00
9199	PT	382	77	02/12/91	0.580	0.00	68.00	0.00	0.00
9199	PT	AIL	77	10/09/91	0.603	0.00	226.00	0.00	0.00
9199	SF	38N	77	02/12/91	0.651	0.00	26.50	0.00	0.00
9199	SF	AJ1	77	10/09/91	0.622	0.00	309.00	0.00	0.00
9199	VE	37N	77	02/15/91	1.183	0.00	260.00	0.00	0.00
9199	VE	AGT	77	10/11/91	1.066	0.00	1430.00	0.00	0.40
9199	VV	1HM	77	03/28/91	1.299	0.00 >	320.00	0.00 >	1.62
9199	YF	36T	77	02/13/91	0.881	0.00	254.00	0.00 >	0.02
9199	YF	AI5	77	10/09/91	0.844	918.00	791.00	0.86	2.05
9200	JE	3FZ	77	02/27/91	0.998	0.00	225.00	0.00 >	9.59
9200	PT	382	77	02/12/91	0.580	0.00	100.00	0.00	0.00
9200	SF	38N	77	02/12/91	0.651	0.00	184.00	0.00	0.00
9200	VE	37N	77	02/15/91	1.183	0.00	137.00	0.00	0.00
9200	VV	1HM	77	03/28/91	1.299	0.00	37.70	0.00	0.00
9200	YF	36T	77	02/13/91	0.881	0.00	186.00	0.00	1.33
9201	JE	3G0	77	02/27/91	0.849	0.00 >	3200.00	0.00 >	11.02
9201	PT	383	77	02/12/91	0.703	0.00	45.60	0.00	0.00
9201	SF	381	77	02/12/91	0.605	0.00	29.30	0.00	0.00
9201	VE	370	77	02/15/91	1.169	0.00	72.80	0.00	0.00
9201	VV	1HN	77	03/28/91	1.301	0.00	12.40	0.00	0.00
9201	YF	36U	77	02/13/91	0.914	0.00	356.00	0.00	0.00
9202	JE	3G0	77	02/27/91	0.849	508.00	1430.00	2.82 >	21.97
9202	JE	AH9	77	10/09/91	0.841	0.00	709.00	0.00	1.30
9202	PT	383	77	02/12/91	0.703	0.00	10.00	0.00	0.00
9202	PT	AIL	77	10/09/91	0.603	0.00	745.00	0.00	0.00
9202	SF	381	77	02/12/91	0.605	0.00	210.00	0.00	0.00
9202	SF	AJ1	77	10/09/91	0.622	0.00	683.00	0.00	0.00
9202	VE	370	77	02/15/91	1.169	0.00	632.00	0.00	0.16
9202	VE	AGT	77	10/11/91	1.066	0.00	1450.00	0.00	0.71
9202	VV	1HN	77	03/28/91	1.301	0.00 >	320.00	0.00	0.23
9202	YF	36U	77	02/13/91	0.914	0.00	569.00	0.00	0.00
9202	YF	AI5	77	10/09/91	0.844	902.00	941.00	1.04	3.04
9203	JE	3G1	77	02/27/91	0.976	0.00	50.90	0.00 >	12.96
9203	PT	384	77	02/12/91	0.683	0.00	35.40	0.00	0.00
9203	SF	38J	77	02/12/91	0.618	0.00	46.30	0.00 >	12.78
9203	VE	37P	77	02/15/91	1.138	0.00	28.10	0.00	0.00
9203	VV	1HO	77	03/28/91	1.363	0.00	10.60	0.00	0.00
9203	YF	36V	77	02/13/91	0.970	0.00	28.50	0.00	3.26
9204	JE	3G1	77	02/27/91	0.976	0.00	150.00	0.00 >	13.19
9204	PT	384	77	02/12/91	0.683	0.00	42.80	0.00	0.00
9204	SF	38J	77	02/12/91	0.618	0.00	159.00	0.00	8.90
9204	VE	37P	77	02/15/91	1.138	0.00	92.00	0.00	0.00
9204	VV	1HO	77	03/28/91	1.363	0.00	30.40	0.00	0.00
9204	YF	36V	77	02/13/91	0.970	0.00	133.00	0.00	1.93
9205	JE	3G2	77	02/27/91	1.024	0.00	2100.00	0.00 >	8.61
9205	PT	385	77	02/12/91	0.571	0.00	32.00	0.00	0.00
9205	SF	38K	77	02/12/91	0.788	0.00	12.80	0.00	0.00
9205	VE	37Q	77	02/15/91	1.141	0.00	514.00	0.00	0.00
9205	VV	1HP	77	03/28/91	1.310	0.00	29.30	0.00	0.00
9205	YF	36W	77	02/13/91	0.927	0.00	1280.00	0.00 >	0.05
9208	JE	3G2	77	02/27/91	1.024	0.00	608.00	0.00 >	9.11
9208	PT	385	77	02/12/91	0.571	0.00	466.00	0.00	0.00
9208	SF	38K	77	02/12/91	0.788	0.00	384.00	0.00	0.00
9208	VE	37Q	77	02/15/91	1.141	0.00	694.00	0.00	0.00
9208	VV	1HQ	77	03/28/91	1.304	0.00	180.00	0.00	0.00
9208	YF	36W	77	02/13/91	0.927	0.00	398.00	0.00 >	0.28
9209	JE	3G3	77	02/27/91	1.002	0.00 >	3200.00	0.00 >	11.22
9209	JE	AHA	77	10/09/91	0.765	0.00 >	3200.00	0.00	0.00
9209	PT	386	77	02/12/91	0.622	0.00	32.00	0.00	0.00
9209	PT	AIM	77	10/09/91	0.565	0.00	80.60	0.00	0.00
9209	SF	38L	77	02/12/91	0.703	0.00	100.00	0.00	0.00
9209	SF	AJ2	77	10/09/91	0.637	0.00	1730.00	0.00 >	0.26
9209	VE	37R	77	02/15/91	1.208	0.00	100.00	0.00 >	0.39
9209	VE	AGU	77	10/11/91	1.078	0.00 >	3200.00	0.00	0.15
9209	VV	1HR	77	03/28/91	1.395	0.00	66.00	0.00	0.00
9209	YF	36X	77	02/13/91	0.861	0.00	2160.00	0.00 >	12.59
9209	YF	AI6	77	10/09/91	0.828	0.00 >	3200.00	0.00 >	15.10
9210	JE	3G3	77	02/27/91	1.002	0.00 >	3200.00	0.00 >	9.97
9210	PT	386	77	02/12/91	0.622	0.00	173.00	0.00	0.00
9210	SF	38L	77	02/12/91	0.703	0.00	1000.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	TC 50	TC 25	SI	TAI
9210	VE	37R	77	02/15/91	1.208	0.00	417.00	0.00	0.00
9210	VV	1HR	77	03/28/91	1.395	0.00	59.20	0.00	0.00
9210	YF	36X	77	02/13/91	0.861	0.00	> 3200.00	0.00	2.41
9211	JE	3G4	77	02/27/91	1.096	0.00	1590.00	0.00 >	10.30
9211	PT	387	77	02/12/91	0.729	0.00	100.00	0.00	0.00
9211	SF	38M	77	02/12/91	0.623	0.00	1000.00	0.00	0.00
9211	VE	37S	77	02/15/91	1.210	0.00	3200.00	0.00 >	0.81
9211	YF	36Y	77	02/13/91	0.895	0.00	1200.00	0.00 >	7.07
9212	JE	3G4	77	02/27/91	1.096	0.00	> 3200.00	0.00 >	14.56
9212	PT	387	77	02/12/91	0.729	0.00	79.10	0.00	0.00
9212	SF	38M	77	02/12/91	0.623	0.00	1000.00	0.00	0.00
9212	VE	37S	77	02/15/91	1.210	0.00	2100.00	0.00	0.00
9212	VV	1HS	77	03/28/91	1.420	0.00	228.00	0.00	0.00
9212	YF	36Y	77	02/13/91	0.895	0.00	773.00	0.00 >	2.70
9213	JE	3G5	77	02/27/91	0.934	0.00	1240.00	0.00 >	10.29
9213	PT	388	77	02/12/91	0.671	0.00	100.00	0.00	0.00
9213	SF	38N	77	02/12/91	0.764	0.00	265.00	0.00	0.00
9213	VE	37T	77	02/15/91	1.028	0.00	1330.00	0.00	1.02
9213	YF	36Z	77	02/13/91	1.011	0.00	536.00	0.00 >	18.21
9214	JE	3G5	77	02/27/91	0.934	0.00	924.00	0.00 >	8.82
9214	PT	388	77	02/12/91	0.671	0.00	399.00	0.00	0.00
9214	SF	38N	77	02/12/91	0.764	0.00	468.00	0.00	0.00
9214	VE	37T	77	02/15/91	1.028	0.00	343.00	0.00	0.00
9214	YF	36Z	77	02/13/91	1.011	0.00	582.00	0.00 >	3.17
9215	JE	3G6	77	02/27/91	0.869	0.00	647.00	0.00 >	7.60
9215	PT	389	77	02/12/91	0.681	0.00	407.00	0.00	0.00
9215	SF	380	77	02/12/91	0.651	0.00	363.00	0.00	0.00
9215	VE	37U	77	02/15/91	1.167	0.00	426.00	0.00	0.00
9215	VV	1HU	77	03/28/91	1.111	0.00	210.00	0.00	0.20
9215	YF	370	77	02/13/91	0.949	0.00	444.00	0.00 >	2.60
9216	JE	3G6	77	02/27/91	0.869	0.00	525.00	0.00 >	6.26
9216	PT	389	77	02/12/91	0.681	0.00	78.80	0.00	0.00
9216	SF	380	77	02/12/91	0.651	0.00	427.00	0.00	0.35
9216	VE	37U	77	02/15/91	1.167	0.00	228.00	0.00	0.00
9216	VV	1HU	77	03/28/91	1.111	0.00	173.00	0.00	1.40
9216	YF	370	77	02/13/91	0.949	0.00	386.00	0.00 >	0.93
9217	JE	3G7	77	02/27/91	1.001	0.00	1500.00	0.00 >	21.58
9217	JE	AHB	77	10/09/91	0.842	0.00	3200.00	0.00 >	2.99
9217	PT	38A	77	02/12/91	0.545	0.00	1550.00	0.00	3.94
9217	PT	AIN	77	10/09/91	0.544	0.00	82.30	0.00	0.00
9217	SF	38P	77	02/12/91	0.590	255.00	1570.00	6.13	27.17
9217	SF	AJ3	77	10/09/91	0.656	618.00	1530.00	2.48 >	15.91
9217	VE	37V	77	02/15/91	1.136	0.00	898.00	0.00	1.50
9217	VE	AGV	77	10/11/91	0.998	1750.0 >	3200.00 >	1.82 >	10.26
9217	VV	1HV	77	03/28/91	1.292	0.00 >	320.00	0.00	0.00
9217	YF	371	77	02/13/91	0.919	305.00	1330.00	4.35	17.01
9217	YF	AI7	77	10/09/91	0.701	873.00	2380.00	2.72 >	15.08
9218	JE	3G7	77	02/27/91	1.001	0.00	1500.00	0.00 >	8.61
9218	PT	38A	77	02/12/91	0.545	0.00	1140.00	0.00	0.00
9218	SF	38P	77	02/12/91	0.590	0.00	1110.00	0.00	0.00
9218	VE	37V	77	02/15/91	1.136	0.00	611.00	0.00	0.00
9218	VV	1HV	77	03/28/91	1.292	0.00	93.20	0.00	0.00
9218	YF	371	77	02/13/91	0.919	0.00	1150.00	0.00	0.00
9219	JE	3G8	77	02/27/91	1.054	0.00	2570.00	0.00 >	6.47
9219	PT	388	77	02/12/91	0.510	0.00	320.00	0.00	0.00
9219	SF	38Q	77	02/12/91	0.561	0.00	2100.00	0.00 >	0.82
9219	VE	37W	77	02/15/91	1.142	0.00	1260.00	0.00	0.00
9219	VV	1HW	77	03/28/91	1.309	0.00	85.40	0.00 >	0.07
9219	YF	372	77	02/13/91	0.964	0.00	238.00	0.00	0.00
9220	JE	3G8	77	02/27/91	1.054	0.00	1850.00	0.00 >	9.44
9220	PT	388	77	02/12/91	0.510	0.00	1380.00	0.00	0.00
9220	SF	38Q	77	02/12/91	0.561	0.00	1410.00	0.00	0.00
9220	VE	37W	77	02/15/91	1.142	0.00	592.00	0.00	0.00
9220	VV	1HW	77	03/28/91	1.309	0.00	144.00	0.00	0.12
9220	YF	372	77	02/13/91	0.964	0.00	1330.00	0.00	4.98
9221	JE	3G9	77	02/27/91	1.000	0.00	2410.00	0.00 >	7.80
9221	JE	AHB	77	10/09/91	0.842	2450.0	1510.00	0.62	0.00
9221	PT	38C	77	02/12/91	0.570	0.00	1390.00	0.00	0.00
9221	PT	AIN	77	10/09/91	0.544	0.00	1530.00	0.00	0.00
9221	SF	38R	77	02/12/91	0.531	0.00	1560.00	0.00	0.21
9221	SF	AJ3	77	10/09/91	0.656	0.00	1280.00	0.00	0.00
9221	VE	37X	77	02/15/91	1.072	2030.0	924.00	0.46 >	3.75
9221	VE	AGV	77	10/11/91	0.998	0.00	3540.00	0.00 >	3.01
9221	VV	1HX	77	03/28/91	1.369	0.00	238.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9221	YF	373	77	02/13/91	1.010	0.00	320.00	0.00	0.00
9221	YF	AI7	77	10/09/91	0.701	0.00	1550.00	0.00	0.63
9222	JE	3G9	77	02/27/91	1.000	0.00	719.00	0.00 >	6.66
9222	PT	38C	77	02/12/91	0.570	0.00	320.00	0.00	0.00
9222	SF	38R	77	02/12/91	0.531	0.00	603.00	0.00	0.00
9222	VE	37X	77	02/15/91	1.072	0.00	168.00	0.00	0.00
9222	VV	1HY	77	03/28/91	1.350	0.00	142.00	0.00	0.00
9222	YF	373	77	02/13/91	1.010	0.00	402.00	0.00	0.00
9223	JE	399	77	02/14/91	0.681	0.00	1060.00	0.00 >	4.20
9223	PT	3AI	77	02/20/91	1.008	0.00	1350.00	0.00	0.00
9223	SF	3PN	77	03/06/91	1.079	0.00	165.00	0.00	0.00
9223	VE	38U	77	02/15/91	1.032	0.00	1100.00	0.00 >	3.03
9223	VV	1HY	77	03/28/91	1.350	0.00	[illegible].70	0.00	0.00
9223	YF	390	77	02/14/91	0.810	0.00	247.[illegible]	0.00	0.00
9224	JE	39A	77	02/14/91	0.805	0.00 >	3200.00	0.00	0.00
9224	PT	3AJ	77	02/20/91	0.895	0.00 >	3200.00	0.00	3.15
9224	SF	3PO	77	03/06/91	1.030	0.00	2800.00	0.00	0.00
9224	VE	38V	77	02/15/91	1.150	0.00 >	3200.00	0.00 >	0.21
9224	VV	1HZ	77	03/28/91	1.295	0.00 >	320.00	0.00	0.00
9224	YF	39P	77	02/14/91	0.651	0.00	3200.00	0.00	0.00
9225	JE	39A	77	02/14/91	0.805	294.00	256.00	0.87	2.02
9225	JE	AHC	77	10/09/91	0.[illegible]75	320.00	296.00	0.93	2.61
9225	PT	3AJ	77	02/20/91	0.895	197.00	433.00	2.20	14.89
9225	PT	AIO	77	10/09/91	0.572	0.00	143.00	0.00	0.00
9225	SF	3PO	77	03/06/91	1.030	0.00	115.00	0.00	0.00
9225	SF	AJ4	77	10/09/91	0.69[illegible]	0.00	175.00	0.00 >	2.21
9225	VE	38V	77	02/15/91	1.15[illegible]	0.00	242.00	0.00	0.56
9225	VE	AGW	77	10/11/91	1.074	0.00	474.00	0.00	1.79
9225	VV	1HZ	77	03/28/91	1.295	0.00	48.00	0.00	0.11
9225	YF	39P	77	02/14/91	0.6[illegible]1	0.00	129.00	0.00	0.00
9225	YF	AI8	77	10/09/91	0.738	0.00	185.00	0.00 >	5.81
9226	JE	398	77	02/14/91	0.853	0.00	1340.00	0.00	0.00
9226	PT	3AK	77	02/20/91	0.949	0.00	1720.00	0.00	0.05
9226	SF	3PP	77	03/06/91	0.874	0.00	1000.00	0.00	0.00
9226	VE	38W	77	02/15/91	1.257	0.00	567.00	0.00	0.00
9226	VV	110	77	03/28/91	1.315	0.00	257.00	0.00 >	0.06
9226	YF	39Q	77	02/14/91	0.698	0.00	924.00	0.00 >	0.45
9227	JE	398	77	02/14/91	0.853	283.00	226.00	0.80	1.79
9227	JE	AHC	77	10/09/91	0.675	0.00	290.00	0.00	2.09
9227	PT	3AK	77	02/20/91	0.949	217.00	249.00	1.15	9.99
9227	PT	AIO	77	10/09/91	0.572	0.00	152.00	0.00	0.00
9227	SF	3PP	77	03/06/91	0.874	0.00	10.00	0.00	0.00
9227	SF	AJ4	77	10/09/91	0.690	0.00	157.00	0.00	0.00
9227	VE	38W	77	02/15/91	1.257	0.00	88.70	0.00	0.00
9227	VE	AGW	77	10/11/91	1.074	0.00	338.00	0.00	0.40
9227	VV	110	77	03/28/91	1.315	0.00	49.90	0.00	0.04
9227	YF	39Q	77	02/14/91	0.698	0.00	151.00	0.00	0.00
9227	YF	AI8	77	10/09/91	0.738	277.00	210.00	0.76	5.81
9228	JE	39C	77	02/14/91	0.889	0.00	227.00	0.00	0.00
9228	PT	3AL	77	02/20/91	0.944	0.00	463.00	0.00	4.18
9228	SF	3PQ	77	03/06/91	0.858	0.00	166.00	0.00	0.00
9228	VE	38X	77	02/15/91	1.125	0.00	149.00	0.00	0.00
9228	VV	111	77	03/28/91	1.334	0.00	50.90	0.00 >	0.40
9228	YF	39R	77	02/14/91	0.769	0.00	100.00	0.00 >	0.39
9229	JE	39C	77	02/14/91	0.889	0.00	289.00	0.00	0.00
9229	JE	AHD	77	10/09/91	0.957	0.00	188.00	0.00	0.00
9229	PT	3AL	77	02/20/91	0.944	582.00	1600.00	2.75	14.31
9229	PT	AIP	77	10/09/91	0.598	0.00	477.00	0.00 >	0.03
9229	SF	3PQ	77	03/06/91	0.858	0.00	1250.00	0.00	0.00
9229	SF	AJ5	77	10/09/91	0.658	0.00	215.00	0.00	0.00
9229	VE	38X	77	02/15/91	1.125	0.00	300.00	0.00	0.83
9229	VE	AGX	77	10/11/91	1.051	0.00	906.00	0.00 >	2.23
9229	VV	113	77	04/04/91	1.297	0.00	280.00	0.00	0.00
9229	YF	39R	77	02/14/91	0.769	0.00	1000.00	0.00 >	2.10
9229	YF	AI9	77	10/09/91	0.761	0.00	1000.00	0.00	6.70
9230	JE	390	77	02/14/91	0.885	0.00	203.00	0.00	0.00
9230	PT	3AM	77	02/20/91	0.925	0.00	781.00	0.00	0.00
9230	SF	3PR	77	03/06/91	1.037	0.00	332.00	0.00	0.00
9230	VE	38Y	77	02/15/91	1.166	0.00	273.00	0.00	0.00
9230	VV	113	77	04/04/91	1.297	0.00	93.20	0.00	0.00
9230	YF	39S	77	02/14/91	0.661	0.00	293.00	0.00 >	0.11
9231	JE	390	77	02/14/91	0.885	0.00	375.00	0.00	0.00
9231	PT	3AM	77	02/20/91	0.925	0.00	1210.00	0.00	0.49
9231	SF	3PR	77	03/06/91	1.037	0.00	350.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9231	VE	38Y	77	02/15/91	1.166	0.00	374.00	0.00	0.00
9231	VV	114	77	04/04/91	1.195	0.00	120.00	0.00	0.00
9231	YF	39S	77	02/14/91	0.661	0.00	398.00	0.00	0.00
9232	JE	39E	77	02/14/91	0.810	0.00	281.00	0.00	0.00
9232	PT	3AN	77	02/20/91	1.051	0.00	283.00	0.00	0.00
9232	SF	3PS	77	03/06/91	0.823	0.00	215.00	0.00	0.00
9232	VE	38Z	77	02/15/91	1.125	0.00	239.00	0.00	0.05
9232	VV	114	77	04/04/91	1.195	0.00	134.00	0.00	0.00
9232	YF	39T	77	02/14/91	0.814	0.00	306.00	0.00 >	2.91
9233	JE	3Q4	77	03/07/91	0.939	0.00	620.00	0.00	1.57
9233	JE	AJD	77	10/10/91	0.861	0.00	1550.00	0.00	0.12
9233	PT	3RP	77	03/07/91	1.030	0.00	608.00	0.00	2.99
9233	PT	AK9	77	10/10/91	0.561	0.00	1920.00	0.00	0.00
9233	SF	[illegible]	77	03/07/91	0.370	75.90	767.00	10.12	31.97
9233	SF	[illegible]	77	10/10/91	0.510	0.00	1230.00	0.00 >	0.81
9233	VE	3M6	77	03/08/91	1.098	0.00	927.00	0.00 >	2.38
9233	VE	AME	12	10/11/91	1.181	0.00	6.76	0.00	0.00
9233	VV	115	77	04/04/91	1.268	0.00	257.00	0.00 >	0.79
9233	YF	3S4	77	03/07/91	0.784	0.00	635.00	0.00 >	0.89
9233	YF	AJT	77	10/10/91	0.904	0.00	1800.00	0.00	13.67
9234	JE	39F	77	02/14/91	0.764	0.00	1720.00	0.00	0.00
9234	PT	3AO	77	02/20/91	1.027	0.00	938.00	0.00	0.73
9234	SF	3PT	77	03/06/91	0.881	0.00	235.00	0.00	0.00
9234	VE	390	77	02/15/91	1.163	0.00	293.00	0.00	0.00
9234	VV	115	77	04/04/91	1.268	0.00	47.10	0.00	0.00
9234	YF	39U	77	02/14/91	0.698	0.00	433.00	0.00	0.00
9235	JE	39F	77	02/14/91	0.764	896.00	1160.00	1.30	8.93
9235	JE	AJE	77	10/10/91	0.942	0.00	1210.00	0.00 >	9.85
9235	PT	3AO	77	02/20/91	1.027	799.00	767.00	0.96	3.70
9235	PT	AKA	77	10/10/91	0.647	0.00	765.00	0.00	0.00
9235	SF	3PT	77	03/06/91	0.881	0.00	417.00	0.00	5.29
9235	SF	AKQ	77	10/10/91	0.588	100.00	660.00	6.60 >	27.56
9235	VE	390	77	02/15/91	1.163	0.00	660.00	0.00	0.00
9235	VE	AMF	12	10/11/91	1.088	0.00	1300.00	0.00	0.40
9235	VV	116	77	04/04/91	1.187	0.00	198.00	0.00	0.40
9235	YF	39U	77	02/14/91	0.698	0.00	686.00	0.00	0.03
9235	YF	AJU	77	10/10/91	0.847	0.00	1190.00	0.00 >	10.18
9236	JE	39G	77	02/14/91	0.805	0.00	162.00	0.00	0.00
9236	JE	AJE	77	10/10/91	0.942	0.00	143.00	0.00 >	0.45
9236	PT	3AP	77	02/20/91	0.955	0.00	185.00	0.00	0.00
9236	PT	AKA	77	10/10/91	0.647	0.00	49.30	0.00	0.00
9236	SF	3PU	77	03/06/91	0.964	0.00	126.00	0.00	0.00
9236	SF	AKQ	77	10/10/91	0.588	0.00	73.60	0.00	0.00
9236	VE	391	77	02/15/91	1.176	1000.0	183.00	0.18	0.80
9236	VE	AMF	12	10/11/91	1.088	0.00	269.00	0.00	0.15
9236	VV	116	77	04/04/91	1.187	0.00	44.80	0.00	0.00
9236	YF	39V	77	02/14/91	0.744	0.00	109.00	0.00	0.00
9236	YF	AJU	77	10/10/91	0.847	0.00	119.00	0.00	0.00
9238	JE	39G	77	02/14/91	0.805	0.00	170.00	0.00 >	3.48
9238	JE	AJF	77	10/10/91	0.972	0.00	188.00	0.00 >	10.31
9238	PT	3AP	77	02/20/91	0.955	239.00	369.00	1.54 >	17.89
9238	PT	AKB	77	10/10/91	0.567	0.00	329.00	0.00	0.00
9238	SF	3PU	77	03/06/91	0.964	0.00	178.00	0.00	0.00
9238	SF	AKR	77	10/10/91	0.632	0.00	229.00	0.00 >	0.36
9238	VE	391	77	02/15/91	1.176	0.00	57.50	0.00	0.00
9238	VE	AMG	12	10/11/91	1.109	0.00	221.00	0.00	0.10
9238	VV	117	77	04/04/91	1.289	0.00	136.00	0.00	0.35
9238	YF	39V	77	02/14/91	0.744	0.00 <	3.20	0.00 >	2.86
9238	YF	AJV	77	10/10/91	0.851	3.20	143.00	44.56 >	34.54
9239	JE	39H	77	02/14/91	0.734	0.00	474.00	0.00	2.31
9239	PT	3AQ	77	02/20/91	1.166	0.00	305.00	0.00	0.00
9239	SF	3PV	77	03/06/91	0.822	0.00	279.00	0.00	0.00
9239	VE	392	77	02/15/91	0.963	0.00	300.00	0.00	0.00
9239	VV	118	77	04/04/91	1.352	0.00	142.00	0.00 >	2.90
9239	YF	39W	77	02/14/91	0.557	0.00	386.00	0.00 >	6.81
9240	JE	39H	77	02/14/91	0.734	0.00	445.00	0.00	0.00
9240	PT	3AQ	77	02/20/91	1.166	0.00	276.00	0.00	0.00
9240	SF	3PV	77	03/06/91	0.822	0.00	353.00	0.00	0.00
9240	VE	392	77	02/15/91	0.963	0.00	239.00	0.00	0.00
9240	VV	118	77	04/04/91	1.352	0.00	16.30	0.00	0.00
9240	YF	39W	77	02/14/91	0.557	0.00	100.00	0.00	0.00
9241	JE	391	77	02/14/91	0.843	0.00	1340.00	0.00	0.00
9241	PT	3AR	77	02/20/91	0.946	0.00	1250.00	0.00	0.70
9241	SF	3PW	77	03/06/91	0.832	0.00	1240.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9241	VE	393	77	02/15/91	1.216	0.00	100.00	0.00	0.00
9241	VV	119	77	04/04/91	1.239	0.00	232.00	0.00	0.00
9241	YF	39X	77	02/14/91	0.796	0.00	265.00	0.00	0.02
9242	JE	391	77	02/14/91	0.843	0.00	1260.00	0.00	0.00
9242	PT	3AR	77	02/20/91	0.946	0.00	903.00	0.00	0.00
9242	SF	3PW	77	03/06/91	0.832	0.00	1190.00	0.00	0.00
9242	VE	393	77	02/15/91	1.216	0.00	320.00	0.00	0.00
9242	VV	119	77	04/04/91	1.239	0.00	320.00	0.00	0.00
9242	YF	39X	77	02/14/91	0.796	0.00	283.00	0.00 >	0.01
9243	JE	39J	77	02/14/91	0.755	0.00	1470.00	0.00	0.11
9243	PT	3AS	77	02/20/91	0.990	0.00	1240.00	0.00	1.03
9243	SF	3PX	77	03/06/91	0.948	0.00	1500.00	0.00	1.28
9243	VE	394	77	02/15/91	1.105	0.00	210.00	0.00	0.00
9243	VV	11A	77	04/04/91	1.306	0.00	210.00	0.00	0.00
9243	YF	39Y	77	02/14/91	0.664	0.00	1060.00	0.00	0.00
9244	JE	39J	77	02/14/91	0.755	0.00	221.00	0.00	0.16
9244	PT	3AS	77	02/20/91	0.990	0.00	346.00	0.00	0.00
9244	SF	3PX	77	03/06/91	0.948	0.00	148.00	0.00	0.00
9244	VE	394	77	02/15/91	1.105	0.00	291.00	0.00	0.11
9244	VV	11A	77	04/04/91	1.306	0.00	77.30	0.00	0.00
9244	YF	39Y	77	02/14/91	0.664	0.00	32.00	0.00	0.00
9245	JE	39K	77	02/14/91	0.728	0.00	1820.00	0.00 >	0.50
9245	PT	3AT	77	02/20/91	0.931	0.00	1260.00	0.00 >	2.49
9245	SF	3PY	77	03/06/91	0.815	0.00	1560.00	0.00	0.00
9245	VE	395	77	02/15/91	1.213	0.00	254.00	0.00	0.00
9245	VV	11B	77	04/04/91	1.288	0.00	100.00	0.00	0.00
9245	YF	39Z	77	02/14/91	0.674	0.00	709.00	0.00	0.00
9246	JE	39K	77	02/14/91	0.728	0.00	1480.00	0.00 >	0.03
9246	JE	AJF	77	10/10/91	0.972	0.00	1300.00	0.00 >	0.30
9246	PT	3AT	77	02/20/91	0.931	3130.0	2250.00	0.72 >	2.51
9246	PT	AKB	77	10/10/91	0.567	0.00	1500.00	0.00	0.00
9246	SF	3PY	77	03/06/91	0.815	0.00	1370.00	0.00	0.85
9246	SF	AKR	77	10/10/91	0.632	0.00	1350.00	0.00 >	0.06
9246	VE	395	77	02/15/91	1.213	0.00	660.00	0.00	0.00
9246	VE	ANG	12	10/11/91	1.109	0.00	1340.00	0.00	0.20
9246	VV	11B	77	04/04/91	1.288	0.00	194.00	0.00	0.00
9246	YF	39Z	77	02/14/91	0.674	0.00	547.00	0.00	0.00
9246	YF	AJV	77	10/10/91	0.851	0.00	1300.00	0.00 >	1.41
9247	JE	39L	77	02/14/91	0.767	0.00	526.00	0.00 >	1.50
9247	JE	AJG	77	10/10/91	0.974	0.00	469.00	0.00	0.00
9247	PT	3AU	77	02/20/91	0.970	0.00	698.00	0.00	0.04
9247	PT	AKC	77	10/10/91	0.583	0.00	603.00	0.00	0.00
9247	SF	3PZ	77	03/06/91	0.897	0.00	1570.00	0.00	0.36
9247	SF	AKS	77	10/10/91	0.627	68.40	344.00	5.03 >	20.08
9247	VE	396	77	02/15/91	1.192	0.00	360.00	0.00	0.00
9247	VE	AHH	12	10/11/91	1.071	0.00	613.00	0.00 >	0.70
9247	VV	11C	77	04/04/91	1.237	0.00 >	320.00	0.00	0.00
9247	YF	3A0	77	02/14/91	0.614	249.00	547.00	2.19	9.17
9247	YF	AJW	77	10/10/91	0.745	0.00	550.00	0.00 >	7.59
9248	JE	39L	77	02/14/91	0.767	1270.0 >	3200.00 >	2.52 >	19.70
9248	JE	AJG	77	10/10/91	0.974	566.00	2100.00	3.71	17.09
9248	PT	3AU	77	02/20/91	0.970	1950.0 >	3200.00 >	1.64 >	8.64
9248	PT	AKC	77	10/10/91	0.583	0.00	4570.00	0.00	0.00
9248	SF	3PZ	77	03/06/91	0.897	178.00 >	3200.00 >	18.03 >	44.95
9248	SF	AKS	77	10/10/91	0.627	45.00	2220.00	49.20 >	57.32
9248	VE	396	77	02/15/91	1.192	0.00	280.00	0.00	0.00
9248	VE	AHH	12	10/11/91	1.071	0.00	3780.00	0.00	0.82
9248	VV	11C	77	04/04/91	1.237	0.00 >	320.00	0.00 >	0.08
9248	YF	3A0	77	02/14/91	0.614	708.00 >	3200.00 >	4.52 >	20.10
9248	YF	AJW	77	10/10/91	0.745	309.00	490.00	1.59	9.99
9249	JE	38C	77	02/20/91	0.645	0.00	518.00	0.00	1.97
9249	PT	38R	77	02/20/91	1.228	0.00	420.00	0.00	0.02
9249	SF	3C6	77	02/20/91	0.638	0.00	427.00	0.00 >	6.88
9249	VE	3CL	77	02/26/91	1.097	0.00	1370.00	0.00	7.86
9249	VV	11D	77	04/04/91	1.415	0.00	61.10	0.00	0.00
9249	YF	3XE	77	03/12/91	0.586	0.00	363.00	0.00 >	1.10
9250	JE	38D	77	02/20/91	0.604	0.00	1570.00	0.00	2.99
9250	PT	38S	77	02/20/91	1.320	0.00	1090.00	0.00	0.00
9250	SF	3C7	77	02/20/91	0.595	0.00	1090.00	0.00	0.00
9250	VE	3CM	77	02/26/91	1.054	0.00	679.00	0.00	0.12
9250	VV	11D	77	04/04/91	1.415	0.00	93.80	0.00	0.00
9250	YF	3XF	77	03/12/91	0.820	0.00	501.00	0.00 >	7.50
9251	JE	38D	77	02/20/91	0.604	0.00	253.00	0.00	0.00
9251	JE	AJH	77	10/10/91	0.983	0.00 >	100.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9251	PT	3BS	77	02/20/91	1.320	0.00		66.00		0.00		0.00
9251	PT	AKD	77	10/10/91	0.599	0.00		85.10		0.00		0.00
9251	SF	3C7	77	02/20/91	0.595	0.00		155.00		0.00	>	1.39
9251	SF	AKT	77	10/10/91	0.665	0.00	>	100.00		0.00		0.00
9251	VE	3CM	77	02/26/91	1.054	0.00		160.00		0.00	>	0.54
9251	VE	AHI	12	10/11/91	1.076	0.00	>	100.00		0.00		0.31
9251	VV	11E	77	04/04/91	1.290	0.00		39.70		0.00		0.00
9251	YF	3XF	77	03/12/91	0.820	0.00		91.10		0.00	>	4.59
9251	YF	AJX	77	10/10/91	0.793	0.00	>	100.00		0.00	>	13.59
9252	JE	3BE	77	02/20/91	0.710	0.00		598.00		0.00		0.00
9252	PT	3BT	77	02/20/91	1.179	0.00		100.00		0.00		0.00
9252	SF	3C8	77	02/20/91	0.553	0.00		173.00		0.00		0.00
9252	VE	3CN	77	02/26/91	1.033	0.00		660.00		0.00		0.58
9252	VV	11E	77	04/04/91	1.290	0.00		112.00		0.00		0.26
9252	YF	3XG	77	03/12/91	0.810	0.00		94.30		0.00		0.00
9253	JE	3BE	77	02/20/91	0.710	0.00		2570.00		0.00		5.89
9253	JE	AJH	77	10/10/91	0.983	0.00		478.00		0.00	>	4.65
9253	PT	3BT	77	02/20/91	1.179	2390.0		1790.00		0.75	>	3.15
9253	PT	AKD	77	10/10/91	0.599	0.00		1110.00		0.00		0.00
9253	SF	3C8	77	02/20/91	0.553	0.00		2190.00		0.00	>	3.64
9253	SF	AKT	77	10/10/91	0.665	0.00		271.00		0.00		0.16
9253	VE	3CN	77	02/26/91	1.033	1490.0	>	3200.00	>	2.15	>	14.52
9253	VE	AHI	77	10/11/91	1.076	0.00		361.00		0.00	>	0.23
9253	VV	11F	77	04/04/91	1.220	0.00		296.00		0.00		0.85
9253	YF	3XG	77	03/12/91	0.810	0.00		788.00		0.00		0.00
9253	YF	AJX	77	10/10/91	0.793	0.00		453.00		0.00		1.50
9254	JE	3BF	77	02/20/91	0.776	0.00		561.00		0.00		0.00
9254	PT	3BU	77	02/20/91	1.261	0.00		302.00		0.00		0.00
9254	SF	3C9	77	02/20/91	0.624	0.00		254.00		0.00		0.10
9254	VE	3CO	77	02/26/91	1.065	0.00		571.00		0.00		0.00
9254	VV	11G	77	04/04/91	1.316	0.00		161.00		0.00		0.07
9254	YF	3XH	77	03/12/91	0.773	0.00		265.00		0.00		0.00
9255	JE	3BF	77	02/20/91	0.776	0.00		3200.00		0.00		3.51
9255	JE	AJI	77	10/10/91	0.950	2810.0		955.00		0.34	>	11.00
9255	PT	3BU	77	02/20/91	1.261	1970.0		703.00		0.36	>	1.95
9255	PT	AKE	77	10/10/91	0.558	0.00		4120.00		0.00		1.89
9255	SF	3C9	77	02/20/91	0.624	0.00		518.00		0.00	>	6.00
9255	SF	AKU	77	10/10/91	0.660	124.00		2200.00		17.81	>	30.24
9255	VE	3CO	77	02/26/91	1.065	0.00		1150.00		0.00		0.00
9255	VE	AHJ	77	10/11/91	1.060	0.00		4400.00		0.00		1.11
9255	VV	11H	77	04/04/91	1.227	0.00	>	320.00		0.00		0.00
9255	YF	3XH	77	03/12/91	0.773	0.00		616.00		0.00		0.72
9255	YF	AJY	77	10/10/91	0.778	183.00		4990.00		27.20	>	50.00
9256	JE	3BG	77	02/20/91	0.710	0.00		346.00		0.00		0.86
9256	JE	AJI	77	10/10/91	0.950	0.00		296.00		0.00	>	0.90
9256	PT	3BV	77	02/20/91	1.293	0.00		210.00		0.00		0.00
9256	PT	AKE	77	10/10/91	0.558	0.00		187.00		0.00		0.00
9256	SF	3CA	77	02/20/91	0.668	0.00		169.00		0.00	>	0.71
9256	SF	AKU	77	10/10/91	0.660	0.00		173.00		0.00		0.00
9256	VE	3CP	77	02/26/91	1.057	0.00		423.00		0.00		7.29
9256	VE	AHJ	77	10/11/91	1.060	0.00		304.00		0.00		0.20
9256	VV	11H	77	04/04/91	1.227	0.00		100.00		0.00		0.00
9256	YF	3XI	77	03/12/91	0.801	0.00		126.00		0.00	>	1.49
9256	YF	AJY	77	10/10/91	0.778	0.00		312.00		0.00		7.52
9257	JE	3BG	77	02/20/91	0.710	0.00		629.00		0.00		0.00
9257	PT	3BV	77	02/20/91	1.293	0.00		352.00		0.00		0.00
9257	JE	AJJ	77	10/10/91	0.961	0.00		185.00		0.00		0.00
9257	PT	3BW	77	02/20/91	1.069	3010.0		1590.00		0.53		0.02
9257	SF	3CA	77	02/20/91	0.668	0.00		270.00		0.00	>	8.40
9257	VE	3CP	77	02/26/91	1.057	0.00		429.00		0.00		0.00
9257	VV	111	77	04/04/91	1.374	0.00		79.60		0.00		0.00
9257	YF	3XI	77	03/12/91	0.801	0.00		210.00		0.00	>	0.01
9258	JE	3BH	77	02/20/91	0.641	0.00		1110.00		0.00	>	3.67
9258	JE	AJJ	77	10/10/91	0.961	0.00		183.00		0.00		0.00
9258	PT	3BW	77	02/20/91	1.069	72.90		278.00		3.81		23.56
9258	PT	AKF	77	10/10/91	0.588	0.00		274.00		0.00		4.62
9258	SF	3CB	77	02/20/91	0.598	0.00		28.60		0.00		0.00
9258	SF	AKV	77	10/10/91	0.583	0.00		68.10		0.00	>	0.13
9258	VE	3CQ	77	02/26/91	0.992	0.00		969.00		0.00		1.62
9258	VE	AHK	77	10/11/91	1.049	0.00		1190.00		0.00		0.11
9258	VV	111	77	04/04/91	1.374	0.00		83.80		0.00		0.00
9258	YF	3XJ	77	03/12/91	0.723	0.00		95.10		0.00		0.00
9258	YF	AJZ	77	10/10/91	0.758	909.00		320.00		0.35	>	6.08
9259	JE	3BH	77	02/20/91	0.641	0.00		2130.00		0.00		0.00
9259	JE	AJJ	77	10/10/91	0.961	0.00		185.00		0.00		0.00
9259	PT	3BW	77	02/20/91	1.069	3010.0		1590.00		0.53		0.02

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9259	PT	AKF	77	10/10/91	0.588	0.00	1310.00	0.00	0.00
9259	SF	3CB	77	02/20/91	0.598	0.00	47.10	0.00 >	0.02
9259	SF	AKV	77	10/10/91	0.583	0.00	1140.00	0.00	0.00
9259	VE	3CQ	77	02/26/91	0.992	0.00	396.00	0.00 >	1.94
9259	VE	AHK	77	10/11/91	1.049	0.00	1940.00	0.00	0.20
9259	VV	11J	77	04/04/91	1.371	0.00	28.60	0.00 >	0.02
9259	YF	3XJ	77	03/12/91	0.723	0.00	83.00	0.00	0.00
9259	YF	AJZ	77	10/10/91	0.758	0.00	215.00	0.00	0.00
9260	JE	3BI	77	02/20/91	0.693	0.00	437.00	0.00	0.00
9260	PT	3BX	77	02/20/91	1.126	0.00	431.00	0.00	0.00
9260	SF	3CC	77	02/20/91	0.666	0.00	168.00	0.00	0.00
9260	VE	3CR	77	02/26/91	1.030	0.00	341.00	0.00 >	0.36
9260	VV	11J	77	04/04/91	1.371	0.00	56.30	0.00	0.07
9260	YF	3XK	77	03/12/91	0.648	0.00	346.00	0.00	0.00
9261	JE	3BI	77	02/20/91	0.693	0.00 >	3200.00	0.00	0.00
9261	PT	3BX	77	02/20/91	1.126	0.00	1440.00	0.00 >	0.00
9261	SF	3CC	77	02/20/91	0.666	0.00	124.00	0.00	0.00
9261	VE	3CR	77	02/26/91	1.030	0.00	2940.00	0.00	5.79
9261	VV	11K	77	04/04/91	1.376	0.00	86.40	0.00 >	0.42
9261	YF	3XK	77	03/12/91	0.648	0.00	257.00	0.00	0.00
9262	JE	3BJ	77	02/20/91	0.665	0.00	1830.00	0.00	17.89
9262	PT	3BY	77	02/20/91	1.346	0.00	1180.00	0.00	0.00
9262	SF	3CD	77	02/20/91	0.498	0.00	1000.00	0.00	4.17
9262	VE	3CS	77	02/26/91	1.075	0.00	2280.00	0.00 >	0.63
9262	VV	11K	77	04/04/91	1.376	0.00	320.00	0.00	0.00
9262	YF	3XL	77	03/12/91	0.616	0.00	1140.00	0.00	0.00
9263	JE	3BJ	77	02/20/91	0.665	0.00 >	3200.00	0.00 >	16.59
9263	PT	3BY	77	02/20/91	1.346	2520.0 <	10.00 <	0.00	0.00
9263	SF	3CD	77	02/20/91	0.498	0.00	203.00	0.00 >	0.79
9263	VE	3CS	77	02/26/91	1.075	0.00	2100.00	0.00 >	0.01
9263	VV	11S	77	04/18/91	1.176	0.00 >	320.00	0.00	0.00
9263	YF	3XL	77	03/12/91	0.616	0.00	1060.00	0.00	0.00
9264	JE	3BK	77	02/20/91	0.544	0.00	490.00	0.00 >	4.20
9264	PT	3BZ	77	02/20/91	1.167	0.00	469.00	0.00	0.00
9264	SF	3CE	77	02/20/91	0.658	59.60	485.00	8.14 >	26.09
9264	VE	3CT	77	02/26/91	0.897	531.00	1300.00	2.45	15.50
9264	VV	11T	77	04/18/91	1.218	0.00	210.00	0.00 >	2.69
9264	YF	3XM	77	03/12/91	0.393	0.00	[illegible].00	0.00	0.00
9265	JE	3BK	77	02/20/91	0.544	0.00	706.00	0.00	0.32
9265	PT	3BZ	77	02/20/91	1.167	0.00	427.00	0.00 >	0.08
9265	SF	3CE	77	02/20/91	0.658	0.00	384.00	0.00 >	12.22
9265	VE	3CT	77	02/26/91	0.897	0.00	706.00	0.00	1.53
9265	VV	11T	77	04/18/91	1.218	0.00	290.00	0.00	5.36
9265	YF	3XM	77	03/12/91	0.393	0.00	276.00	0.00	0.00
9266	JE	3BL	77	02/20/91	0.531	0.00	400.00	0.00	0.20
9266	PT	3CO	77	02/20/91	1.134	0.00	212.00	0.00	5.41
9266	SF	3CF	77	02/20/91	0.474	0.00	267.00	0.00	0.00
9266	VE	3CU	77	02/26/91	1.002	0.00	276.00	0.00	0.00
9266	VV	11U	77	04/18/91	1.182	0.00	122.00	0.00	0.00
9266	YF	3XN	77	03/12/91	0.572	0.00	176.00	0.00	0.00
9267	JE	3BL	77	02/20/91	0.531	0.00	1500.00	0.00 >	0.20
9267	PT	3CO	77	02/20/91	1.134	0.00	1080.00	0.00	0.00
9267	SF	3CF	77	02/20/91	0.474	0.00	1000.00	0.00 >	2.79
9267	VE	3CU	77	02/26/91	1.002	2820.0	2220.00	0.79 >	1.59
9267	VV	11U	77	04/18/91	1.182	0.00 >	320.00	0.00 >	7.81
9267	YF	3XN	77	03/12/91	0.572	183.00	414.00	2.25	12.11
9268	JE	3BN	77	02/20/91	0.617	0.00	488.00	0.00 >	0.60
9268	PT	3C1	77	02/20/91	1.017	0.00	420.00	0.00	2.59
9268	SF	3CG	77	02/20/91	0.485	0.00	[illegible]	0.00	0.00
9268	VE	3CV	77	02/26/91	0.988	566.00	1210.00	2.14	11.98
9268	VV	11V	77	04/18/91	1.200	0.00	139.00	0.00	2.37
9268	YF	3XO	77	03/12/91	0.480	0.00	261.00	0.00	0.00
9269	JE	3BN	77	02/20/91	0.617	0.00	[illegible].00	0.00	0.00
9269	PT	3C1	77	02/20/91	1.017	762.00	1480.00	[illegible] >	9.06
9269	SF	3CG	77	02/20/91	0.485	0.00	490.00	0.00 >	13.13
9269	VE	3CV	77	02/26/91	0.988	0.00	647.00	0.00 >	7.89
9269	VV	11V	77	04/18/91	1.200	0.00	173.00	0.00	0.00
9269	YF	3XO	77	03/12/91	0.480	0.00	572.00	0.00	0.00
9270	JE	3B6	77	03/07/91	0.939	0.00	451.00	0.00	0.00
9270	PT	3RP	77	03/07/91	1.030	892.00	501.00	0.56 >	1.29
9270	SF	3SJ	77	03/07/91	0.370	0.00 >	1000.00	[illegible]	1.00
9270	VE	3M6	77	03/08/91	1.098	0.00 >	1000.00	0.00 >	6.98
9270	VV	11M	77	04/18/91	1.237	0.00 >	320.00	0.00 >	0.07
9270	YF	3S4	77	03/07/91	0.784	0.00	611.00	0.00 >	2.62

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL	IC 50	TC 25	SI	TAI
9271	JE	3BN	77	02/20/91	0.592	0.00	1920.00	0.00	0.00
9271	PT	3C2	77	02/20/91	0.971	924.00	691.00	0.75	2.60
9271	SF	3CH	77	02/20/91	0.541	0.00 <	10.00	0.00	0.00
9271	VE	3CW	77	02/26/91	1.013	0.00	660.00	0.00 >	0.52
9271	VV	11W	77	04/18/91	1.237	0.00	57.50	0.00	0.00
9271	YF	3XP	77	03/12/91	0.628	0.00	13.70	0.00	0.00
9272	JE	3BO	77	02/20/91	0.764	0.00 >	3200.00	0.00	0.00
9272	PT	3C3	77	02/20/91	1.151	0.00	89.50	0.00	0.00
9272	SF	3CI	77	02/20/91	0.436	0.00	15.50	0.00	0.00
9272	VE	3CX	77	02/26/91	0.994	0.00 >	3200.00	0.00	0.00
9272	VV	11X	77	04/18/91	1.317	0.00	155.00	0.00	0.00
9272	YF	3XQ	77	03/12/91	0.508	0.00	66.00	0.00	0.00
9273	JE	3BO	77	02/20/91	0.764	0.00 >	3200.00	0.00	0.00
9273	PT	3C3	77	02/20/91	1.151	0.00	232.00	0.00	0.00
9273	SF	3CI	77	02/20/91	0.436	0.00	38.80	0.00	0.00
9273	VE	3CX	77	02/26/91	0.994	0.00	2350.00	0.00	0.00
9273	VV	11X	77	04/18/91	1.317	0.00	232.00	0.00	0.00
9273	YF	3XQ	77	03/12/91	0.508	0.00	120.00	0.00	0.00
9274	JE	3MP	77	03/06/91	0.662	0.00	756.00	0.00	0.00
9274	PT	3NZ	77	03/05/91	0.576	0.00	602.00	0.00	0.00
9274	SF	3OE	77	03/05/91	0.792	0.00	715.00	0.00	7.35
9274	VE	3MA	77	03/08/91	1.045	0.00 >	1000.00	0.00 >	4.55
9274	VV	11Y	77	04/18/91	1.248	276.00 >	320.00 >	1.16 >	5.03
9274	YF	3NK	77	03/06/91	1.112	0.00	603.00	0.00 >	3.68
9275	JE	3MQ	77	03/06/91	0.851	0.00	382.00	0.00	0.00
9275	PT	300	77	03/05/91	0.614	0.00	45.60	0.00	0.00
9275	SF	3OF	77	03/05/91	0.763	0.00	149.00	0.00	0.00
9275	VE	3MB	77	03/08/91	1.131	0.00	2900.00	0.00	1.12
9275	VV	11Y	77	04/18/91	1.248	0.00 >	320.00	0.00	0.00
9275	YF	3NL	77	03/06/91	1.057	0.00	210.00	0.00	0.00
9276	JE	3DF	77	02/21/91	0.905	0.00	2770.00	0.00 >	1.71
9276	PT	3E9	77	02/21/91	0.879	2680.0 >	3200.00 >	1.19 >	2.71
9276	SF	3EO	77	02/21/91	0.464	505.00	2100.00	4.16 >	33.97
9276	VE	3DU	77	03/01/91	1.129	2860.0	2040.00	0.71 >	3.10
9276	VV	11Z	77	04/18/91	1.205	0.00 >	320.00	0.00 >	0.13
9276	YF	3V1	77	03/13/91	0.829	0.00	186.00	0.00	0.00
9277	JE	3DG	77	02/21/91	0.898	0.00	1530.00	0.00 >	0.02
9277	PT	3EA	77	02/21/91	0.911	0.00	1470.00	0.00 >	0.10
9277	SF	3EP	77	02/21/91	0.460	0.00	1330.00	0.00	0.00
9277	VE	3DV	77	03/01/91	1.059	0.00	2830.00	0.00	0.90
9277	VV	11Z	77	04/18/91	1.205	0.00 >	320.00	0.00	0.00
9277	YF	3V2	77	03/13/91	0.761	0.00	709.00	0.00	0.00
9278	JE	3DG	77	02/21/91	0.898	0.00	854.00	0.00 >	0.01
9278	PT	3EA	77	02/21/91	0.911	0.00	400.00	0.00 >	0.01
9278	SF	3EP	77	02/21/91	0.460	0.00	640.00	0.00	0.00
9278	VE	3DV	77	03/01/91	1.059	0.00	1800.00	0.00	1.10
9278	VV	1J0	77	04/18/91	1.301	0.00 >	320.00	0.00 >	0.05
9278	YF	3V2	77	03/13/91	0.761	0.00	265.00	0.00	0.00
9279	JE	3DH	77	02/21/91	0.937	0.00	396.00	0.00	0.00
9279	PT	3EB	77	02/21/91	0.911	0.00	58.20	0.00	0.00
9279	SF	3EQ	77	02/21/91	0.487	0.00	64.20	0.00	0.00
9279	VE	3DW	77	03/01/91	1.066	0.00	210.00	0.00	0.00
9279	VV	1J0	77	04/18/91	1.301	0.00	8.30	0.00	0.00
9279	YF	3V3	77	03/13/91	0.768	0.00	895.00	0.00	0.00
9280	JE	3DH	77	02/21/91	0.937	0.00	629.00	0.00	0.00
9280	PT	3EB	77	02/21/91	0.911	0.00	210.00	0.00	0.00
9280	SF	3EQ	77	02/21/91	0.487	0.00	81.50	0.00	0.00
9280	VE	3DW	77	03/01/91	1.066	0.00	592.00	0.00	0.23
9280	VV	1J1	77	04/18/91	1.285	0.00	100.00	0.00 >	0.03
9280	YF	3V3	77	03/13/91	0.768	0.00	283.00	0.00	0.00
9281	JE	3DI	77	02/21/91	0.907	0.00	1000.00	0.00 >	0.01
9281	PT	3EC	77	02/21/91	0.949	0.00	72.80	0.00	0.00
9281	SF	3ER	77	02/21/91	0.476	0.00	94.80	0.00	0.00
9281	VE	3DX	77	03/01/91	1.132	0.00	634.00	0.00	0.00
9281	VV	1J1	77	04/18/91	1.285	0.00 >	320.00	0.00	0.00
9281	YF	3V4	77	03/13/91	0.727	0.00	192.00	0.00	0.00
9282	JE	3DI	77	02/21/91	0.907	0.00	560.00	0.00 >	0.20
9282	PT	3EC	77	02/21/91	0.949	0.00	74.50	0.00	0.00
9282	SF	3ER	77	02/21/91	0.476	0.00	56.30	0.00	0.00
9282	VE	3DX	77	03/01/91	1.132	0.00	678.00	0.00	0.00
9282	VV	1J2	77	04/18/91	1.205	0.00	222.00	0.00	0.00
9282	YF	3V4	77	03/13/91	0.727	0.00	66.00	0.00	0.40
9283	JE	3DJ	77	02/21/91	0.883	0.00	611.00	0.00	0.00
9283	PT	3ED	77	02/21/91	1.144	0.00	75.70	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RMTL.	IC 50	TC 25	SI	TAI
9283	SF	3ES	77	02/21/91	0.624	0.00	28.60	0.00	0.00
9283	VE	3DY	77	03/01/91	1.132	0.00	444.00	0.00	0.00
9283	VV	1J2	77	04/18/91	1.205	0.00	232.00	0.00	0.00
9283	YF	3V5	77	03/13/91	0.852	0.00	173.00	0.00	0.00
9284	JE	3DJ	77	02/21/91	0.883	0.00	467.00	0.00	0.00
9284	PT	3ED	77	02/21/91	1.144	0.00	320.00	0.00	0.00
9284	SF	3ES	77	02/21/91	0.624	0.00	335.00	0.00	1.57
9284	VE	3DY	77	03/01/91	1.132	0.00	525.00	0.00 >	2.07
9284	VV	1J3	77	04/18/91	1.226	150.00 >	320.00 >	2.13 >	18.97
9284	VV	1KF	77	05/09/91	1.158	169.00 >	320.00 >	1.89 >	14.47
9284	YF	3V5	77	03/13/91	0.852	0.00	70.90	0.00	0.00
9285	JE	3DK	77	02/21/91	0.856	0.00	2930.00	0.00	0.00
9285	PT	3EE	77	02/21/91	0.951	0.00	1000.00	0.00	0.00
9285	SF	3ET	77	02/21/91	0.540	0.00	849.00	0.00	0.00
9285	VE	3DZ	77	03/01/91	1.158	0.00	2730.00	0.00	0.20
9285	VV	1J3	77	04/18/91	1.226	0.00 >	320.00	0.00	0.00
9285	YF	3V6	77	03/13/91	0.771	0.00	66.00	0.00	0.00
9286	JE	3DK	77	02/21/91	0.856	0.00	1630.00	0.00	0.00
9286	PT	3EE	77	02/21/91	0.951	0.00	698.00	0.00	0.00
9286	SF	3ET	77	02/21/91	0.540	0.00	86.40	0.00	0.00
9286	VE	3DZ	77	03/01/91	1.158	0.00	793.00	0.00	0.00
9286	VV	1J4	77	04/18/91	1.253	0.00 >	320.00	0.00	0.00
9286	YF	3V6	77	03/13/91	0.771	0.00	95.10	0.00	0.00
9287	JE	3DL	77	02/21/91	0.851	0.00 >	3200.00	0.00	0.00
9287	PT	3EF	77	02/21/91	0.945	0.00	796.00	0.00 >	0.52
9287	SF	3EU	77	02/21/91	0.445	0.00	1490.00	0.00 >	0.13
9287	VE	3E0	77	03/01/91	1.142	0.00 >	3200.00	0.00 >	0.33
9287	VV	1J4	77	04/18/91	1.253	0.00 >	320.00	0.00	0.00
9287	YF	3V7	77	03/13/91	0.820	0.00	852.00	0.00	0.00
9288	JE	3DL	77	02/21/91	0.851	0.00	1180.00	0.00	0.00
9288	PT	3EF	77	02/21/91	0.945	0.00	709.00	0.00	0.00
9288	SF	3EU	77	02/21/91	0.445	0.00	524.00	0.00	0.00
9288	VE	3E0	77	03/01/91	1.142	0.00	2470.00	0.00	0.00
9288	VV	1J5	77	04/18/91	1.273	0.00 >	320.00	0.00 >	0.05
9288	YF	3V7	77	03/13/91	0.820	0.00	392.00	0.00	0.00
9289	JE	3DM	77	02/21/91	0.861	0.00	738.00	0.00	0.00
9289	PT	3EG	77	02/21/91	0.970	0.00	54.70	0.00	0.00
9289	SF	3EV	77	02/21/91	0.509	0.00	68.60	0.00	0.00
9289	VE	3E1	77	03/01/91	1.102	0.00	293.00	0.00	0.00
9289	VV	1J5	77	04/18/91	1.273	0.00	232.00	0.00	0.00
9289	YF	3V8	77	03/13/91	0.824	0.00	320.00	0.00 >	0.72
9290	JE	3DM	77	02/21/91	0.861	0.00	935.00	0.00	0.00
9290	PT	3EG	77	02/21/91	0.970	0.00	173.00	0.00	0.00
9290	SF	3EV	77	02/21/91	0.509	0.00	158.00	0.00 >	0.11
9290	VE	3E1	77	03/01/91	1.102	0.00	471.00	0.00	0.00
9290	VV	1J6	77	04/18/91	1.262	0.00 >	320.00	0.00	0.00
9290	YF	3V8	77	03/13/91	0.824	0.00	3020.00	0.00 >	1.20
9291	JE	3DN	77	02/21/91	0.804	0.00	243.00	0.00	0.00
9291	PT	3EH	77	02/21/91	0.976	0.00	320.00	0.00	0.00
9291	SF	3EW	77	02/21/91	0.544	0.00	25.70	0.00	0.00
9291	VE	3E2	77	03/01/91	1.121	0.00	364.00	0.00	0.00
9291	VV	1J7	77	04/18/91	1.275	0.00	128.00	0.00	0.00
9291	YF	3V9	77	03/13/91	1.017	0.00	1000.00	0.00	0.00
9292	JE	3DN	77	02/21/91	0.804	0.00	616.00	0.00	0.19
9292	PT	3EH	77	02/21/91	0.976	0.00	360.00	0.00	0.00
9292	SF	3EW	77	02/21/91	0.544	0.00	276.00	0.00	0.00
9292	VE	3E2	77	03/01/91	1.121	0.00	846.00	0.00 >	0.80
9292	VV	1J7	77	04/18/91	1.275	0.00 >	320.00	0.00	0.44
9292	YF	3V9	77	03/13/91	1.017	0.00	296.00	0.00 >	7.69
9293	JE	3DO	77	02/21/91	0.780	0.00	575.00	0.00 >	0.10
9293	PT	3EI	77	02/21/91	1.189	0.00	205.00	0.00	0.00
9293	SF	3EX	77	02/21/91	0.545	0.00	482.00	0.00	4.79
9293	VE	3E3	77	03/01/91	1.125	0.00	1340.00	0.00 >	1.80
9293	VV	1J8	77	04/18/91	1.352	0.00 >	320.00	0.00 >	2.51
9293	YF	3VA	77	03/13/91	0.963	0.00	304.00	0.00	0.94
9294	JE	3DO	77	02/21/91	0.780	0.00	348.00	0.00	0.00
9294	PT	3EI	77	02/21/91	1.189	0.00	179.00	0.00	0.00
9294	SF	3EX	77	02/21/91	0.545	0.00	274.00	0.00	0.00
9294	VE	3E3	77	03/01/91	1.125	0.00	672.00	0.00 >	1.08
9294	VV	1J9	77	04/18/91	1.236	0.00 >	320.00	0.00	0.81
9294	YF	3VA	77	03/13/91	0.963	0.00	226.00	0.00	0.84
9295	JE	3DP	77	02/21/91	0.739	0.00	660.00	0.00 >	0.60
9295	PT	3EJ	77	02/21/91	0.887	0.00	336.00	0.00	0.00
9295	SF	3EY	77	02/21/91	0.593	0.00	141.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9295	VE	3E4	77	03/01/91	1.152	0.00		709.00		0.00	>	2.41
9295	VV	1JA	77	04/25/91	1.255	0.00	>	320.00		0.00		0.00
9295	YF	3VB	77	03/13/91	0.988	0.00		194.00		0.00		0.00
9296	JE	3DP	77	02/21/91	0.739	0.00		600.00		0.00		0.00
9296	PT	3EJ	77	02/21/91	0.887	0.00		152.00		0.00		0.00
9296	SF	3EY	77	02/21/91	0.593	0.00		35.80		0.00		0.00
9296	VE	3E4	77	03/01/91	1.152	0.00		1410.00		0.00	>	1.75
9296	VV	1JB	77	04/25/91	1.250	0.00	>	320.00		0.00		0.00
9296	YF	3VB	77	03/13/91	0.988	0.00		137.00		0.00		0.00
9297	JE	3DQ	77	02/21/91	0.807	0.00		1260.00		0.00	>	0.03
9297	PT	3EK	77	02/21/91	0.871	0.00		260.00		0.00		0.00
9297	SF	3EZ	77	02/21/91	0.498	0.00		78.50		0.00		0.00
9297	VE	3E5	77	03/01/91	1.177	0.00		1420.00		0.00	>	5.11
9297	VV	1JB	77	04/25/91	1.250	0.00	>	320.00		0.00		1.62
9297	YF	3VC	77	03/13/91	0.808	0.00		75.90		0.00		0.00
9298	JE	3DQ	77	02/21/91	0.807	0.00		2540.00		0.00		0.00
9298	PT	3EK	77	02/21/91	0.871	0.00		151.00		0.00		0.00
9298	SF	3EZ	77	02/21/91	0.498	0.00		232.00		0.00		0.00
9298	VE	3E5	77	03/01/91	1.177	1370.0		2340.00		1.70	>	17.00
9298	VV	1JC	77	04/25/91	1.234	0.00	>	320.00		0.00	>	2.78
9298	YF	3VC	77	03/13/91	0.808	0.00		291.00		0.00		0.00
9299	JE	3DR	77	02/21/91	0.871	0.00		293.00		0.00		0.00
9299	PT	3EL	77	02/21/91	0.795	0.00		1000.00		0.00		0.00
9299	SF	3F0	77	02/21/91	0.513	0.00	<	10.00		0.00		0.00
9299	VE	3E6	77	03/01/91	1	0.00		224.00		0.00	>	0.04
9299	VV	1JC	77	04/25/91	1.234	0.00		70.90		0.00		0.00
9299	YF	3VD	77	03/13/91	0.938	0.00		83.80		0.00		0.00
9300	JE	3DR	77	02/21/91	0.871	0.00		558.00		0.00		0.00
9300	PT	3EL	77	02/21/91	0.795	0.00		77.30		0.00		0.00
9300	SF	3F0	77	02/21/91	0.513	0.00		18.60		0.00		0.00
9300	VE	3E6	77	03/01/91	1.141	0.00		477.00		0.00	>	0.73
9300	VV	1JD	77	04/25/91	1.274	0.00	>	320.00		0.00		0.63
9300	YF	3VD	77	03/13/91	0.938	0.00		140.00		0.00		0.00
9301	JE	3FI	77	02/27/91	0.909	0.00		1990.00		0.00	>	5.80
9301	PT	3GR	77	02/26/91	0.858	0.00		714.00		0.00		0.61
9301	SF	3H6	77	02/26/91	0.689	0.00		286.00		0.00		0.00
9301	VE	3GC	77	03/01/91	1.261	0.00		1140.00		0.00		0.00
9301	VV	1JD	77	04/25/91	1.274	0.00	>	320.00		0.00	>	0.54
9301	YF	3F3	77	03/05/91	1.052	0.00		636.00		0.00	>	4.01
9302	JE	3FJ	77	02/27/91	1.109	0.00		830.00		0.00	>	0.74
9302	PT	3GS	77	02/26/91	0.913	0.00		2470.00		0.00		0.00
9302	SF	3H7	77	02/26/91	0.572	0.00		269.00		0.00		0.00
9302	VE	3GD	77	03/01/91	1.118	0.00		2160.00		0.00		0.00
9302	VV	1JE	77	04/25/91	1.265	0.00		291.00		0.00		0.00
9302	YF	3F4	77	03/05/91	0.973	0.00		753.00		0.00	>	3.17
9303	JE	3FJ	77	02/27/91	1.109	0.00		918.00		0.00		0.74
9303	PT	3GS	77	02/26/91	0.913	0.00		145.00		0.00	>	1.53
9303	SF	3H7	77	02/26/91	0.572	0.00		107.00		0.00		0.00
9303	VE	3GD	77	03/01/91	1.118	0.00		72.80		0.00		0.00
9303	VV	1JE	77	04/25/91	1.265	0.00		36.40		0.00		0.00
9303	YF	3F4	77	03/05/91	0.973	298.00		299.00		0.50	>	6.94
9304	JE	3FK	77	02/27/91	1.120	0.00		228.00		0.00	>	1.39
9304	PT	3GT	77	02/26/91	1.005	0.00		228.00		0.00	>	2.01
9304	SF	3H8	77	02/26/91	0.652	0.00		210.00		0.00		0.00
9304	VE	3GE	77	03/01/91	1.165	0.00		169.00		0.00		0.00
9304	VV	1JF	77	04/25/91	1.354	0.00		62.60		0.00		0.00
9304	YF	3F5	77	03/05/91	0.953	0.00		379.00		0.00	>	2.20
9305	JE	3FK	77	02/27/91	1.120	0.00		887.00		0.00	>	3.79
9305	PT	3GT	77	02/26/91	1.005	0.00		320.00		0.00	>	0.84
9305	SF	3H8	77	02/26/91	0.652	0.00		38.20		0.00		0.00
9305	VE	3GE	77	03/01/91	1.165	0.00		2830.00		0.00		1.27
9305	VV	1JF	77	04/25/91	1.354	0.00	>	320.00		0.00		0.00
9305	YF	3F5	77	03/05/91	0.953	0.00		444.00		0.00	>	0.30
9306	JE	3FL	77	02/27/91	1.159	0.00		2240.00		0.00	>	7.52
9306	PT	3GU	77	02/26/91	1.024	0.00		2240.00		0.00	>	0.99
9306	SF	3H9	77	02/26/91	0.647	0.00		1000.00		0.00		0.00
9306	VE	3GF	77	03/01/91	1.104	0.00	>	3200.00		0.00		0.00
9306	VV	1JG	77	04/25/91	1.399	0.00	>	320.00		0.00		0.77
9306	YF	3F6	77	03/05/91	0.968	0.00		1000.00		0.00	>	5.38
9307	JE	3FL	77	02/27/91	1.159	0.00		131.00		0.00		0.11
9307	PT	3GU	77	02/26/91	1.024	0.00		166.00		0.00	>	0.01
9307	SF	3H9	77	02/26/91	0.647	0.00		66.00		0.00		0.00
9307	VE	3GF	77	03/01/91	1.104	0.00		159.00		0.00		0.00
9307	VV	1JG	77	04/25/91	1.399	0.00		216.00		0.00		0.07

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9307	YF	3F6	77	03/05/91	0.968	0.00	118.00	0.00 >	2.26
9308	JE	3FM	77	02/27/91	1.150	0.00	1510.00	0.00 >	1.82
9308	PT	3GV	77	02/26/91	1.138	0.00	1260.00	0.00	0.92
9308	SF	3HA	77	02/26/91	0.740	0.00	1290.00	0.00	0.00
9308	VE	3GG	77	03/01/91	1.170	0.00	2680.00	0.00	0.00
9308	VV	1JH	77	04/25/91	1.391	0.00 >	320.00	0.00	0.00
9308	YF	3F7	77	03/05/91	0.906	0.00	1690.00	0.00 >	2.70
9309	JE	3FM	77	02/27/91	1.150	0.00	2600.00	0.00	0.00
9309	PT	3GV	77	02/26/91	1.138	0.00	1860.00	0.00 >	3.22
9309	SF	3HA	77	02/26/91	0.740	0.00	93.50	0.00	0.00
9309	VE	3GG	77	03/01/91	1.170	0.00	2670.00	0.00	0.00
9309	VV	1JH	77	04/25/91	1.391	0.00	302.00	0.00	0.00
9309	YF	3F7	77	03/05/91	0.906	0.00	938.00	0.00	0.00
9310	JE	3FN	77	02/27/91	1.150	0.00	466.00	0.00 >	0.84
9310	PT	3GW	77	02/26/91	0.923	0.00	950.00	0.00	2.63
9310	SF	3HB	77	02/26/91	0.661	0.00	276.00	0.00	0.00
9310	VE	3GH	77	03/01/91	1.101	0.00	1420.00	0.00	1.00
9310	VV	1JI	77	04/25/91	1.407	0.00 >	320.00	0.00	0.00
9310	YF	3F8	77	03/05/91	1.023	0.00	351.00	0.00 >	0.38
9311	JE	3FN	77	02/27/91	1.150	0.00	456.00	0.00 >	0.60
9311	PT	3GW	77	02/26/91	0.923	0.00	547.00	0.00 >	2.62
9311	SF	3HB	77	02/26/91	0.661	0.00	200.00	0.00	0.00
9311	VE	3GH	77	03/01/91	1.101	0.00	1000.00	0.00	0.00
9311	VV	1JI	77	04/25/91	1.407	0.00 >	320.00	0.00	0.00
9311	YF	3F8	77	03/05/91	1.023	0.00	66.00	0.00	0.00
9312	JE	3FO	77	02/27/91	1.170	0.00	210.00	0.00	0.00
9312	PT	3GX	77	02/26/91	1.059	0.00	1090.00	0.00 >	1.65
9312	SF	3HC	77	02/26/91	0.600	0.00	673.00	0.00 >	0.01
9312	VE	3GI	77	03/01/91	1.123	0.00	2570.00	0.00	0.00
9312	VV	1JJ	77	04/25/91	1.288	0.00	252.00	0.00	0.00
9312	YF	3F9	77	03/05/91	0.981	0.00	951.00	0.00 >	1.30
9313	JE	3FO	77	02/27/91	1.170	0.00	1000.00	0.00 >	0.01
9313	PT	3GX	77	02/26/91	1.059	0.00 <	32.00	0.00	0.00
9313	SF	3HC	77	02/26/91	0.600	0.00	87.30	0.00	0.00
9313	VE	3GI	77	03/01/91	1.123	0.00	821.00	0.00	0.03
9313	VV	1JJ	77	04/25/91	1.288	0.00 >	320.00	0.00	0.00
9313	YF	3F9	77	03/05/91	0.981	0.00	252.00	0.00 >	0.03
9314	JE	3FP	77	02/27/91	1.219	0.00	232.00	0.00 >	0.08
9314	PT	3GY	77	02/26/91	1.027	0.00	312.00	0.00	0.00
9314	SF	3HD	77	02/26/91	0.580	0.00	482.00	0.00	0.00
9314	VE	3GJ	77	03/01/91	1.098	0.00	203.00	0.00 >	0.13
9314	VV	1JK	77	04/25/91	1.309	0.00	90.90	0.00	0.36
9314	YF	3FA	77	03/05/91	1.019	0.00	320.00	0.00 >	0.28
9315	JE	3FP	77	02/27/91	1.219	0.00	1520.00	0.00 >	2.15
9315	PT	3GY	77	02/26/91	1.027	0.00	1340.00	0.00	0.00
9315	SF	3HD	77	02/26/91	0.580	0.00	1660.00	0.00	0.00
9315	VE	3GJ	77	03/01/91	1.098	0.00	2000.00	0.00	1.84
9315	VV	1JK	77	04/25/91	1.309	0.00 >	320.00	0.00	0.33
9315	YF	3FA	77	03/05/91	1.019	0.00	611.00	0.00	0.00
9316	JE	3FQ	77	02/27/91	0.888	0.00	1300.00	0.00 >	1.22
9316	PT	3GZ	77	02/26/91	1.090	0.00	265.00	0.00	0.00
9316	SF	3HE	77	02/26/91	0.561	0.00	508.00	0.00	0.00
9316	VE	3GK	77	03/01/91	1.134	0.00	660.00	0.00 >	0.76
9316	VV	1JL	77	04/25/91	1.437	0.00 >	320.00	0.00	0.00
9316	YF	3FB	77	03/05/91	0.978	0.00	274.00	0.00 >	2.89
9317	JE	3FQ	77	02/27/91	0.888	0.00 >	3200.00	0.00 >	9.50
9317	PT	3GZ	77	02/26/91	1.090	1150.0	280.00	0.24 >	8.05
9317	SF	3HE	77	02/26/91	0.561	0.00	238.00	0.00	0.00
9317	VE	3GK	77	03/01/91	1.134	0.00 <	10.00	0.00	0.00
9317	VV	1JL	77	04/25/91	1.437	0.00 >	320.00	0.00	0.00
9317	YF	3FB	77	03/05/91	0.978	752.00	1800.00	2.39 >	26.29
9318	JE	3FR	77	02/27/91	1.055	0.00	924.00	0.00 >	0.14
9318	PT	3HO	77	02/26/91	1.151	0.00	451.00	0.00 >	1.49
9318	SF	3HF	77	02/26/91	0.806	0.00	79.10	0.00	0.00
9318	VE	3GL	77	03/01/91	1.200	0.00	461.00	0.00	0.00
9318	VV	1JM	77	04/25/91	1.373	0.00	236.00	0.00	0.00
9318	YF	3FC	77	03/05/91	1.011	0.00	137.00	0.00 >	1.10
9319	JE	3FR	77	02/27/91	1.055	0.00	1510.00	0.00 >	1.03
9319	PT	3HO	77	02/26/91	1.151	1710.0	320.00	0.19 >	2.19
9319	SF	3HF	77	02/26/91	0.806	0.00	45.60	0.00	0.00
9319	VE	3GL	77	03/01/91	1.200	0.00	252.00	0.00	0.00
9319	VV	1JM	77	04/25/91	1.373	0.00	100.00	0.00	0.00
9319	YF	3FC	77	03/05/91	1.011	0.00	514.00	0.00 >	0.50
9320	JE	3FS	77	02/27/91	1.103	0.00	1210.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9320	PT	3H1	77	02/26/91	0.917	0.00	283.00	0.00 >	1.59
9320	SF	3HG	77	02/26/91	0.554	0.00	291.00	0.00	0.90
9320	VE	3GM	77	03/01/91	1.157	0.00	320.00	0.00	0.00
9320	VV	1JN	77	04/25/91	1.297	0.00	91.50	0.00	0.00
9320	YF	3FD	77	03/05/91	1.051	0.00	41.70	0.00	0.00
9321	JE	3FS	77	02/27/91	1.103	0.00	1060.00	0.00 >	6.33
9321	PT	3H1	77	02/26/91	0.917	0.00	1550.00	0.00	5.64
9321	SF	3HG	77	02/26/91	0.554	0.00	1240.00	0.00	0.00
9321	VE	3GM	77	03/01/91	1.157	0.00	806.00	0.00	0.00
9321	VV	1JN	77	04/25/91	1.297	0.00	32.00	0.00	0.00
9321	YF	3FD	77	03/05/91	1.051	0.00	320.00	0.00	0.00
9322	JE	3FT	77	02/27/91	1.051	0.00	1640.00	0.00	0.00
9322	PT	3H2	77	02/26/91	0.976	538.00	210.00	0.39	11.40
9322	SF	3HN	77	02/26/91	0.671	0.00	229.00	0.00	0.00
9322	VE	3GN	77	03/01/91	1.118	0.00	298.00	0.00	0.00
9322	VV	1JO	77	04/25/91	1.345	0.00	86.40	0.00	0.00
9322	YF	3FE	77	03/05/91	1.004	0.00	547.00	0.00	0.00
9323	JE	3FT	77	02/27/91	1.051	0.00	1280.00	0.00 >	0.82
9323	PT	3H2	77	02/26/91	0.976	0.00	238.00	0.00	0.80
9323	SF	3HN	77	02/26/91	0.671	827.00	45.60	0.06	2.23
9323	VE	3GN	77	03/01/91	1.118	0.00	241.00	0.00	0.00
9323	VV	1JO	77	04/25/91	1.345	0.00	228.00	0.00 >	1.27
9323	YF	3FE	77	03/05/91	1.004	0.00	1080.00	0.00	0.00
9324	JE	3FU	77	02/27/91	1.129	0.00 >	3200.00	0.00 >	4.00
9324	PT	3H3	77	02/26/91	0.978	806.00	2100.00	2.61 >	18.21
9324	SF	3HI	77	02/26/91	0.685	0.00	2140.00	0.00	0.00
9324	VE	3GO	77	03/01/91	1.167	0.00	3200.00	0.00 >	4.22
9324	VV	1JP	77	04/25/91	1.281	0.00 >	320.00	0.00	0.00
9324	YF	3FF	77	03/05/91	0.962	0.00	2960.00	0.00 >	3.00
9325	JE	3FU	77	02/27/91	1.129	0.00	1000.00	0.00 >	0.45
9325	PT	3H3	77	02/26/91	0.978	209.00	173.00	0.83 >	13.40
9325	SF	3HI	77	02/26/91	0.685	0.00	66.00	0.00	0.00
9325	VE	3GO	77	03/01/91	1.167	0.00	159.00	0.00	0.00
9325	VV	1JQ	77	04/25/91	1.376	0.00	320.00	0.00	0.00
9325	YF	3FF	77	03/05/91	0.962	0.00	100.00	0.00	0.00
9326	JE	310	77	02/28/91	0.966	0.00	2100.00	0.00	0.00
9326	PT	3L4	77	02/28/91	0.961	0.00	210.00	0.00	0.00
9326	SF	3LJ	77	02/28/91	0.480	0.00	2050.00	0.00 >	1.48
9326	VE	3HL	77	03/01/91	1.336	0.00	1330.00	0.00	0.00
9326	VV	1JQ	77	04/25/91	1.376	0.00 >	320.00	0.00	0.00
9326	YF	442	77	03/20/91	1.143	0.00	728.00	0.00	0.00
9327	JE	311	77	02/28/91	1.091	0.00	773.00	0.00	0.00
9327	PT	3L5	77	02/28/91	0.924	710.00	28.60	0.04	2.97
9327	SF	3LK	77	02/28/91	0.589	620.00	830.00	1.34	7.75
9327	VE	3HM	77	03/01/91	1.159	0.00	193.00	0.00 >	2.74
9327	VV	1JR	77	04/25/91	1.148	0.00 >	320.00	0.00	0.00
9327	YF	443	77	03/20/91	1.202	0.00	232.00	0.00	1.76
9328	JE	311	77	02/28/91	1.091	0.00	173.00	0.00	0.00
9328	PT	3L5	77	02/28/91	0.924	0.00	26.70	0.00	0.00
9328	SF	3LK	77	02/28/91	0.589	858.00	25.80	0.03	3.39
9328	VE	3HM	77	03/01/91	1.159	0.00	290.00	0.00	0.00
9328	VV	1JR	77	04/25/91	1.148	0.00 >	320.00	0.00	0.00
9328	YF	443	77	03/20/91	1.202	0.00	70.10	0.00	0.00
9329	JE	312	77	02/28/91	1.070	0.00	582.00	0.00 >	0.60
9329	PT	3L6	77	02/28/91	0.925	0.00	100.00	0.00	0.00
9329	SF	3LL	77	02/28/91	0.501	0.00	260.00	0.00	0.00
9329	VE	3HN	77	03/01/91	1.270	0.00	1000.00	0.00	0.00
9329	VV	1JS	77	04/25/91	1.139	0.00 >	320.00	0.00	0.00
9329	YF	444	77	03/20/91	1.161	0.00	198.00	0.00	0.54
9330	JE	312	77	02/28/91	1.070	0.00	202.00	0.00	0.00
9330	PT	3L6	77	02/28/91	0.925	0.00	110.00	0.00	0.00
9330	SF	3LL	77	02/28/91	0.501	0.00	310.00	0.00	0.00
9330	VE	3HN	77	03/01/91	1.270	0.00	78.80	0.00	0.00
9330	VV	1JS	77	04/25/91	1.139	0.00 >	320.00	0.00	0.00
9330	YF	444	77	03/20/91	1.161	0.00	155.00	0.00	0.00
9331	JE	313	77	02/28/91	1.068	0.00	2280.00	0.00	0.00
9331	PT	3L7	77	02/28/91	0.979	0.00	14.40	0.00	0.00
9331	SF	3LM	77	02/28/91	0.693	0.00	320.00	0.00 >	2.30
9331	VE	3HO	77	03/01/91	1.221	0.00	235.00	0.00 >	0.02
9331	VV	1JT	77	04/25/91	1.270	0.00	88.70	0.00	0.00
9331	YF	445	77	03/20/91	1.158	0.00	257.00	0.00	0.00
9332	JE	313	77	02/28/91	1.068	0.00	1730.00	0.00	0.00
9332	PT	3L7	77	02/28/91	0.979	0.00	480.00	0.00	0.00
9332	SF	3LM	77	02/28/91	0.693	0.00	1380.00	0.00 >	11.15

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9332	VE	3HO	77	03/01/91	1.221	0.00	1550.00	0.00	0.00
9332	VV	1JV	77	05/02/91	1.148	0.00 >	320.00	0.00	0.00
9332	YF	445	77	03/20/91	1.158	0.00	358.00	0.00	0.00
9333	JE	314	77	02/28/91	1.030	0.00	254.00	0.00	0.00
9333	PT	3L8	77	02/28/91	1.164	0.00	90.30	0.00	0.00
9333	SF	3LN	77	02/28/91	0.509	0.00	456.00	0.00	0.00
9333	VE	3HP	77	03/01/91	1.216	0.00	50.90	0.00	0.00
9333	VV	1JW	77	05/02/91	1.107	0.00	30.00	0.00	0.00
9333	YF	446	77	03/20/91	1.091	0.00	100.00	0.00	0.00
9334	JE	314	77	02/28/91	1.030	0.00	887.00	0.00	0.00
9334	PT	3L8	77	02/28/91	1.164	0.00	100.00	0.00	0.00
9334	SF	3LN	77	02/28/91	0.509	0.00	1200.00	0.00	0.00
9334	VE	3HP	77	03/01/91	1.216	0.00	118.00	0.00	0.00
9334	VV	1JW	77	05/02/91	1.107	0.00	100.00	0.00	0.00
9334	YF	446	77	03/20/91	1.091	0.00	514.00	0.00 >	0.01
9335	JE	315	77	02/28/91	1.051	0.00	456.00	0.00	0.00
9335	PT	3L9	77	02/28/91	0.943	0.00	66.00	0.00	0.00
9335	SF	3LO	77	02/28/91	0.369	0.00	1690.00	0.00	0.00
9335	VE	3HQ	77	03/01/91	1.203	0.00	110.00	0.00	0.00
9335	VV	1JX	77	05/02/91	1.203	0.00	47.10	0.00	0.00
9335	YF	447	77	03/20/91	1.106	0.00	320.00	0.00	0.00
9336	JE	315	77	02/28/91	1.051	0.00	297.00	0.00	0.00
9336	PT	3L9	77	02/28/91	0.943	0.00	232.00	0.00	0.00
9336	SF	3LO	77	02/28/91	0.369	0.00	1140.00	0.00	0.00
9336	VE	3HQ	77	03/01/91	1.203	0.00	232.00	0.00	0.00
9336	VV	1JX	77	05/02/91	1.203	0.00 >	320.00	0.00	0.00
9336	YF	447	77	03/20/91	1.106	0.00	222.00	0.00	0.00
9337	JE	316	77	02/28/91	1.091	0.00	265.00	0.00	0.00
9337	PT	3LA	77	02/28/91	1.094	0.00	915.00	0.00	1.94
9337	SF	3LP	77	02/28/91	0.513	0.00	854.00	0.00	0.00
9337	VE	3HR	77	03/01/91	1.095	0.00	32.00	0.00 >	0.01
9337	VV	1JY	77	05/02/91	1.215	0.00	88.00	0.00 >	0.90
9337	YF	448	77	03/20/91	1.127	0.00	13.70	0.00	0.00
9338	JE	316	77	02/28/91	1.091	0.00	660.00	0.00	0.00
9338	PT	3LA	77	02/28/91	1.094	0.00 <	32.00	0.00	0.00
9338	SF	3LP	77	02/28/91	0.513	802.00	32.00	0.04	1.94
9338	VE	3HR	77	03/01/91	1.095	0.00	131.00	0.00	0.00
9338	VV	1JY	77	05/02/91	1.215	0.00 >	320.00	0.00	0.35
9338	YF	448	77	03/20/91	1.127	0.00 <	32.00	0.00	0.00
9339	JE	317	77	02/28/91	1.137	0.00	1790.00	0.00	0.00
9339	PT	3LB	77	02/28/91	1.052	881.00	24.70	0.03	5.17
9339	SF	3LQ	77	02/28/91	0.552	0.00	1530.00	0.00	0.00
9339	VE	3HS	77	03/01/91	1.163	0.00	129.00	0.00	0.00
9339	VV	1JZ	77	05/02/91	1.291	0.00	6.60	0.00	0.00
9339	YF	449	77	03/20/91	1.098	0.00	59.80	0.00	0.00
9340	JE	317	77	02/28/91	1.137	0.00	306.00	0.00	0.00
9340	PT	3LB	77	02/28/91	1.052	0.00 <	32.00	0.00	0.00
9340	SF	3LQ	77	02/28/91	0.552	0.00	155.00	0.00	0.00
9340	VE	3HS	77	03/01/91	1.163	0.00	128.00	0.00	0.00
9340	VV	1HQ	77	03/28/91	1.304	0.00	276.00	0.00	0.00
9340	VV	1JZ	77	05/02/91	1.291	0.00 >	320.00	0.00	0.00
9340	YF	449	77	03/20/91	1.098	0.00	958.00	0.00	0.00
9341	JE	318	77	02/28/91	0.922	0.00	1260.00	0.00	0.00
9341	PT	3LC	77	02/28/91	1.072	0.00	1080.00	0.00	0.00
9341	SF	3LR	77	02/28/91	0.550	0.00	815.00	0.00	0.54
9341	VE	3HT	77	03/01/91	1.263	0.00	720.00	0.00	0.00
9341	VV	1KO	77	05/02/91	1.211	0.00 >	320.00	0.00	0.00
9341	YF	44A	77	03/20/91	1.041	0.00	396.00	0.00	0.00
9342	JE	318	77	02/28/91	0.922	0.00	2280.00	0.00 >	0.10
9342	PT	3LC	77	02/28/91	1.072	2770.0	183.00	0.07	0.76
9342	SF	3LR	77	02/28/91	0.550	0.00	1420.00	0.00	0.51
9342	VE	3HT	77	03/01/91	1.263	0.00	1880.00	0.00	0.06
9342	VV	1KO	77	05/02/91	1.211	0.00 >	320.00	0.00	0.00
9342	YF	44A	77	03/20/91	1.041	0.00	1100.00	0.00	0.00
9343	JE	319	77	02/28/91	1.020	0.00	1000.00	0.00	0.00
9343	PT	3LD	77	02/28/91	1.081	0.00	134.00	0.00	0.00
9343	SF	3LS	77	02/28/91	0.585	0.00	709.00	0.00	0.00
9343	VE	3HU	77	03/01/91	1.183	0.00	1630.00	0.00 >	0.53
9343	VV	1K1	77	05/02/91	1.139	0.00	157.00	0.00 >	1.15
9343	YF	44B	77	03/20/91	1.116	0.00	265.00	0.00	0.00
9344	JE	319	77	02/28/91	1.020	0.00	1160.00	0.00	0.04
9344	PT	3LD	77	02/28/91	1.081	0.00	20.40	0.00	0.00
9344	SF	3LS	77	02/28/91	0.585	0.00	320.00	0.00	0.00
9344	VE	3HU	77	03/01/91	1.183	0.00	733.00	0.00 >	2.24

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9344	VV	1K1	77	05/02/91	1.139	0.00		226.00	0.00	>	0.91
9344	YF	44B	77	03/20/91	1.116	0.00		137.00	0.00	>	0.01
9345	JE	31A	77	02/28/91	0.871	0.00		200.00	0.00	>	0.50
9345	PT	3LE	77	02/28/91	1.023	0.00		8.62	0.00		0.00
9345	SF	3LT	77	02/28/91	0.496	0.00		150.00	0.00		0.00
9345	VE	3HV	77	03/01/91	1.186	0.00		169.00	0.00	>	0.38
9345	VV	1K2	77	05/02/91	1.199	0.00		51.60	0.00		0.00
9345	YF	44C	77	03/20/91	1.146	0.00		119.00	0.00		0.00
9346	JE	31A	77	02/28/91	0.871	0.00		3790.00	0.00		0.00
9346	PT	3LE	77	02/28/91	1.023	0.00		54.70	0.00		0.00
9346	SF	3LT	77	02/28/91	0.496	0.00		289.00	0.00		0.00
9346	VE	3HV	77	03/01/91	1.186	0.00		1640.00	0.00		0.00
9346	VV	1K2	77	05/02/91	1.199	0.00		320.00	0.00		0.00
9346	YF	44C	77	03/20/91	1.146	0.00		815.00	0.00		0.00
9347	JE	31B	77	02/28/91	0.987	0.00		938.00	0.00		0.00
9347	PT	3LF	77	02/28/91	1.076	0.00		30.80	0.00		0.00
9347	SF	3LU	77	02/28/91	0.520	0.00		547.00	0.00		0.00
9347	VE	3HW	77	03/01/91	1.177	0.00		1040.00	0.00	>	0.03
9347	VV	1K3	77	05/02/91	1.190	0.00		216.00	0.00		0.00
9347	YF	44D	77	03/20/91	1.154	0.00		358.00	0.00		0.00
9348	JE	31B	77	02/28/91	0.987	0.00		458.00	0.00		0.00
9348	PT	3LF	77	02/28/91	1.076	0.00	<	32.00	0.00		0.00
9348	SF	3LU	77	02/28/91	0.520	0.00		951.00	0.00		0.00
9348	VE	3HW	77	03/01/91	1.177	0.00		915.00	0.00		0.00
9348	VV	1K3	77	05/02/91	1.190	0.00		210.00	0.00		0.00
9348	YF	44D	77	03/20/91	1.154	0.00		298.00	0.00		0.00
9349	JE	31C	77	02/28/91	0.896	0.00		1440.00	0.00		0.00
9349	PT	3LG	77	02/28/91	1.029	0.00		1260.00	0.00		0.00
9349	SF	3LV	77	02/28/91	0.549	0.00		1030.00	0.00		0.00
9349	VE	3HX	77	03/01/91	1.132	0.00		232.00	0.00		0.00
9349	VV	1K4	77	05/02/91	1.189	0.00	>	320.00	0.00		0.00
9349	YF	44E	77	03/20/91	1.155	0.00		830.00	0.00		0.00
9350	JE	31C	77	02/28/91	0.896	0.00		898.00	0.00		0.00
9350	PT	3LG	77	02/28/91	1.029	0.00		173.00	0.00		0.00
9350	SF	3LV	77	02/28/91	0.549	0.00		93.20	0.00		0.00
9350	VE	3HX	77	03/01/91	1.132	904.00		660.00	0.73	>	2.80
9350	VV	1K4	77	05/02/91	1.189	0.00		116.00	0.00		0.00
9350	YF	44E	77	03/20/91	1.155	0.00		210.00	0.00		0.00
9351	JE	3HQ	77	03/06/91	0.851	0.00		1630.00	0.00		0.00
9351	PT	300	77	03/05/91	0.614	0.00		407.00	0.00	>	0.15
9351	SF	30F	77	03/05/91	0.763	0.00		660.00	0.00		0.00
9351	VE	3HB	77	03/08/91	1.131	0.00		1000.00	0.00		1.58
9351	VV	1K5	77	05/02/91	1.197	0.00		68.60	0.00		0.00
9351	YF	3HL	77	03/06/91	1.057	0.00		276.00	0.00		0.00
9352	JE	3HR	77	03/06/91	0.922	0.00		365.00	0.00		0.00
9352	PT	301	77	03/05/91	0.527	0.00		296.00	0.00		0.00
9352	SF	30G	77	03/05/91	0.798	0.00		382.00	0.00		0.00
9352	VE	3HC	77	03/08/91	1.164	0.00		2380.00	0.00		0.00
9352	VV	1K5	77	05/02/91	1.197	0.00		94.30	0.00		0.00
9352	YF	3HN	77	03/06/91	1.105	0.00		202.00	0.00		0.00
9353	JE	3HR	77	03/06/91	0.922	0.00		183.00	0.00		0.00
9353	PT	301	77	03/05/91	0.527	0.00		240.00	0.00		0.00
9353	SF	30G	77	03/05/91	0.798	0.00		144.00	0.00		0.00
9353	VE	3HC	77	03/08/91	1.164	0.00		1670.00	0.00	>	0.04
9353	VV	1K6	77	05/02/91	1.242	0.00		185.00	0.00		0.00
9353	YF	3HN	77	03/06/91	1.105	0.00		51.40	0.00		0.00
9354	JE	3HS	77	03/06/91	0.851	0.00		1390.00	0.00		0.00
9354	PT	302	77	03/05/91	0.626	0.00		45.60	0.00		0.00
9354	SF	30H	77	03/05/91	0.760	791.00		210.00	0.27		5.55
9354	VE	3HD	77	03/08/91	1.165	0.00		1390.00	0.00		0.27
9354	VV	1K6	77	05/02/91	1.242	0.00	>	320.00	0.00		0.18
9354	YF	3HN	77	03/06/91	1.111	0.00		298.00	0.00		0.00
9355	JE	3HS	77	03/06/91	0.851	0.00		388.00	0.00		0.00
9355	PT	302	77	03/05/91	0.626	0.00		29.80	0.00		0.00
9355	SF	30H	77	03/05/91	0.760	0.00		198.00	0.00		0.00
9355	VE	3HD	77	03/08/91	1.165	0.00		547.00	0.00		1.62
9355	VV	1K7	77	05/02/91	1.280	0.00		74.50	0.00		0.00
9355	YF	3HN	77	03/06/91	1.111	0.00		10.00	0.00		0.00
9356	JE	3HT	77	03/06/91	0.819	0.00		887.00	0.00		0.00
9356	PT	303	77	03/05/91	0.704	0.00		347.00	0.00		0.00
9356	SF	301	77	03/05/91	0.810	0.00		265.00	0.00		0.00
9356	VE	3HE	77	03/08/91	1.175	0.00		5710.00	0.00		8.95
9356	VV	1K7	77	05/02/91	1.280	0.00		194.00	0.00		0.00
9356	YF	3HO	77	03/06/91	1.162	0.00		122.00	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9357	JE	3MT	77	03/06/91	0.819	0.00	253.00	0.00	0.00
9357	PT	303	77	03/05/91	0.704	0.00	41.70	0.00	0.00
9357	SF	301	77	03/05/91	0.810	0.00	50.50	0.00	0.00
9357	VE	3ME	77	03/08/91	1.175	0.00	1840.00	0.00	5.70
9357	VV	1K8	77	05/02/91	1.133	0.00	252.00	0.00	6.20
9357	YF	3MO	77	03/06/91	1.162	0.00	66.00	0.00	0.00
9358	JE	3MU	77	03/06/91	0.819	0.00	1140.00	0.00	0.00
9358	PT	304	77	03/05/91	0.644	0.00	210.00	0.00	0.00
9358	SF	30J	77	03/05/91	0.665	0.00	320.00	0.00 >	3.31
9358	VE	3MF	77	03/08/91	1.095	0.00	2720.00	0.00 >	6.41
9358	VV	1K8	77	05/02/91	1.133	0.00	203.00	0.00	0.00
9358	YF	3MP	77	03/06/91	1.181	0.00	320.00	0.00	0.00
9359	JE	3MU	77	03/06/91	0.819	0.00	1110.00	0.00	0.00
9359	PT	304	77	03/05/91	0.644	0.00	210.00	0.00	0.00
9359	SF	30J	12	03/05/91	0.665	0.00	1580.00	0.00 >	6.86
9359	VE	3MF	77	03/08/91	1.095	0.00	1760.00	0.00	3.93
9359	VV	1K9	77	05/02/91	1.226	0.00 >	320.00	0.00	0.00
9359	YF	3MP	77	03/06/91	1.181	0.00	320.00	0.00	0.30
9360	JE	3MV	77	03/06/91	0.818	0.00	1330.00	0.00	0.00
9360	PT	305	77	03/05/91	0.615	0.00	235.00	0.00	0.00
9360	SF	30K	12	03/05/91	0.815	0.00	417.00	0.00	0.00
9360	VE	3MG	77	03/08/91	1.163	7070.0	3630.00	0.51	3.56
9360	VV	1K9	77	05/02/91	1.226	0.00 >	320.00	0.00 >	0.53
9360	YF	3MQ	77	03/06/91	1.188	0.00	200.00	0.00	0.00
9361	JE	3MV	77	03/06/91	0.818	0.00	642.00	0.00	0.00
9361	PT	305	77	03/05/91	0.615	0.00	411.00	0.00	0.00
9361	SF	30K	77	03/05/91	0.815	0.00	433.00	0.00	0.00
9361	VE	3MG	77	03/08/91	1.163	0.00	1890.00	0.00	1.43
9361	VV	1KA	77	05/02/91	1.179	0.00	296.00	0.00	0.00
9361	YF	3MQ	77	03/06/91	1.188	0.00	100.00	0.00	0.00
9362	JE	3MW	77	03/06/91	0.988	0.00	497.00	0.00	0.00
9362	PT	306	77	03/05/91	0.600	0.00	471.00	0.00	0.00
9362	SF	30L	77	03/05/91	0.760	0.00	765.00	0.00	2.02
9362	VE	3MH	77	03/08/91	1.210	0.00	1550.00	0.00	10.14
9362	VV	1KB	77	05/02/91	1.205	0.00 >	320.00	0.00 >	4.87
9362	YF	3MR	77	03/06/91	1.243	0.00	681.00	0.00	0.00
9363	JE	3MW	77	03/06/91	0.988	0.00	210.00	0.00	0.00
9363	PT	306	77	03/05/91	0.600	0.00	94.80	0.00	0.00
9363	SF	30L	77	03/05/91	0.760	0.00	365.00	0.00	0.00
9363	VE	3MH	77	03/08/91	1.210	0.00	1600.00	0.00	0.04
9363	VV	1KB	77	05/02/91	1.205	0.00 >	320.00	0.00	0.00
9363	YF	3MR	77	03/06/91	1.243	0.00	118.00	0.00 >	0.54
9364	JE	3MX	77	03/06/91	0.786	0.00	242.00	0.00	1.63
9364	PT	307	77	03/05/91	0.591	0.00	329.00	0.00	0.00
9364	SF	30M	77	03/05/91	0.841	278.00	192.00	0.69 >	2.81
9364	VE	3MI	77	03/08/91	1.074	0.00	469.00	0.00	0.00
9364	VV	1KC	77	05/02/91	1.244	0.00	45.60	0.00	0.00
9364	YF	3MS	77	03/06/91	1.047	232.00	346.00	1.49	9.36
9365	JE	3MX	77	03/06/91	0.786	0.00	517.00	0.00 >	0.10
9365	PT	307	77	03/05/91	0.591	0.00	286.00	0.00 >	0.05
9365	SF	30M	77	03/05/91	0.841	0.00	440.00	0.00	1.16
9365	VE	3MI	77	03/08/91	1.074	0.00	1110.00	0.00	0.65
9365	VV	1KC	77	05/02/91	1.244	0.00	100.00	0.00	0.93
9365	YF	3MS	77	03/06/91	1.047	0.00	254.00	0.00	0.73
9366	JE	3MY	77	03/06/91	0.875	0.00	471.00	0.00	0.00
9366	PT	308	77	03/05/91	0.547	0.00	320.00	0.00	0.00
9366	SF	30N	77	03/05/91	0.864	0.00	408.00	0.00	0.00
9366	VE	3MJ	77	03/08/91	1.084	1520.0	2140.00	1.40 >	11.32
9366	VV	1KD	77	05/02/91	1.205	0.00	100.00	0.00	0.00
9366	YF	3MT	77	03/06/91	1.145	0.00	477.00	0.00	0.00
9367	JE	3MY	77	03/06/91	0.875	0.00	124.00	0.00	0.00
9367	PT	308	77	03/05/91	0.547	0.00	95.10	0.00	0.00
9367	SF	30N	77	03/05/91	0.864	0.00	180.00	0.00	0.00
9367	VE	3MJ	77	03/08/91	1.084	0.00	272.00	0.00	0.00
9367	VV	1KE	77	05/02/91	1.205	0.00	7.57	0.00	0.00
9367	YF	3MT	77	03/06/91	1.145	0.00	47.10	0.00	0.00
9368	JE	3MZ	77	03/06/91	0.794	0.00	388.00	0.00	0.00
9368	PT	309	77	03/05/91	0.598	0.00	276.00	0.00	0.00
9368	SF	300	77	03/05/91	0.721	0.00	456.00	0.00	0.00
9368	VE	3MK	77	03/08/91	1.192	0.00	698.00	0.00	0.00
9368	VV	1KF	77	05/09/91	1.158	0.00	238.00	0.00	0.00
9368	YF	3MU	77	03/06/91	1.100	0.00	240.00	0.00	0.00
9369	JE	3MZ	77	03/06/91	0.794	0.00	510.00	0.00	0.00
9369	PT	309	77	03/05/91	0.598	0.00	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9369	SF	3OO	77	03/05/91	0.721	0.00	402.00	0.00	0.00
9369	VE	3MK	77	03/08/91	1.192	0.00	422.00	0.00	0.00
9369	VV	1KG	77	05/09/91	1.262	0.00	93.20	0.00	0.00
9369	YF	3MU	77	03/06/91	1.100	0.00	30.00	0.00	0.00
9370	JE	3N0	77	03/06/91	0.910	0.00	210.00	0.00	0.00
9370	PT	3OA	77	03/05/91	0.526	0.00	87.60	0.00	0.00
9370	SF	3OP	77	03/05/91	0.694	0.00	265.00	0.00	0.00
9370	VE	3ML	77	03/08/91	1.220	0.00	683.00	0.00	0.25
9370	VV	1KG	77	05/09/91	1.262	0.00	265.00	0.00 >	4.99
9370	YF	3MV	77	03/06/91	1.171	0.00	77.30	0.00	0.05
9371	JE	3N0	77	03/06/91	0.910	0.00	93.80	0.00	0.00
9371	PT	3OA	77	03/05/91	0.526	0.00	100.00	0.00	0.00
9371	SF	3OP	77	03/05/91	0.694	0.00	378.00	0.00	2.73
9371	VE	3ML	77	03/08/91	1.220	0.00	620.00	0.00	0.00
9371	VV	1KH	77	05/09/91	1.306	0.00	177.00	0.00 >	3.75
9371	YF	3MV	77	03/06/91	1.171	0.00	23.80	0.00	0.00
9372	JE	3N1	77	03/06/91	0.794	0.00	773.00	0.00	0.00
9372	PT	3OB	77	03/05/91	0.554	0.00	84.90	0.00	0.00
9372	SF	3OQ	77	03/05/91	0.741	0.00	521.00	0.00	0.00
9372	VE	3MM	77	03/08/91	1.191	0.00	1380.00	0.00	0.00
9372	VV	1KH	77	05/09/91	1.306	0.00	257.00	0.00 >	6.10
9372	YF	3MW	77	03/06/91	1.147	0.00	95.10	0.00	0.00
9373	JE	3N1	77	03/06/91	0.794	0.00	367.00	0.00	0.00
9373	PT	3OB	77	03/05/91	0.554	0.00	265.00	0.00	0.00
9373	SF	3OQ	77	03/05/91	0.741	0.00	283.00	0.00	0.00
9373	VE	3MM	77	03/08/91	1.191	0.00	575.00	0.00	0.00
9373	VV	1KI	77	05/09/91	1.264	0.00	210.00	0.00 >	0.23
9373	YF	3MW	77	03/06/91	1.147	0.00	70.90	0.00	0.00
9374	JE	3TC	77	03/13/91	0.862	0.00	20.00	0.00	0.00
9374	PT	3UA	77	03/12/91	1.263	0.00	12.80	0.00	0.00
9374	SF	3UP	77	03/12/91	0.647	0.00	15.90	0.00 >	3.93
9374	VE	3TQ	77	03/15/91	1.135	0.00	18.90	0.00 >	0.78
9374	VV	1KI	77	05/09/91	1.264	0.00	42.10	0.00 >	9.14
9374	YF	3SY	77	03/13/91	1.172	0.00	11.30	0.00 >	0.60
9375	JE	3TD	77	03/13/91	0.910	0.00	592.00	0.00	0.00
9375	PT	3UB	77	03/12/91	1.319	0.00	216.00	0.00	0.00
9375	SF	3UQ	77	03/12/91	0.838	0.00	210.00	0.00	0.00
9375	VE	3TR	77	03/15/91	1.027	0.00	1500.00	0.00	1.47
9375	VV	1KJ	77	05/09/91	1.238	0.00 >	320.00	0.00 >	4.67
9375	YF	3SZ	77	03/13/91	1.163	0.00	257.00	0.00	0.00
9376	JE	3Q5	77	03/07/91	0.941	0.00	210.00	0.00	0.00
9376	PT	3RQ	77	03/07/91	0.912	0.00	173.00	0.00 >	0.04
9376	SF	3SK	77	03/07/91	0.533	0.00	16.80	0.00	0.00
9376	VE	3N7	77	03/08/91	1.153	0.00	918.00	0.00 >	6.21
9376	VV	1KJ	77	05/09/91	1.238	0.00 >	320.00	0.00	0.00
9376	YF	3S5	77	03/07/91	0.828	0.00	77.30	0.00	0.00
9377	JE	3Q5	77	03/07/91	0.941	0.00	320.00	0.00	0.00
9377	PT	3RQ	77	03/07/91	0.912	0.00	336.00	0.00	0.33
9377	SF	3SK	77	03/07/91	0.533	0.00	61.10	0.00	0.00
9377	VE	3N7	77	03/08/91	1.153	0.00	1060.00	0.00	2.30
9377	VV	1KK	77	05/09/91	1.235	0.00 >	320.00	0.00	2.26
9377	YF	3S5	77	03/07/91	0.828	0.00	70.90	0.00	0.00
9378	JE	3Q6	77	03/07/91	0.928	0.00	261.00	0.00	0.00
9378	PT	3RR	77	03/07/91	1.188	0.00	58.20	0.00	0.00
9378	SF	3SL	77	03/07/91	0.434	0.00	196.00	0.00	0.00
9378	VE	3N8	77	03/08/91	1.170	0.00	1330.00	0.00	1.52
9378	VV	1KK	77	05/09/91	1.235	0.00 >	320.00	0.00 >	0.56
9378	YF	3S6	77	03/07/91	0.756	0.00	79.60	0.00	0.00
9379	JE	3Q6	77	03/07/91	0.928	0.00	584.00	0.00	0.00
9379	PT	3RR	77	03/07/91	1.188	0.00	72.80	0.00	0.00
9379	SF	3SL	77	03/07/91	0.434	0.00	137.00	0.00	0.00
9379	VE	3N8	77	03/08/91	1.170	0.00	753.00	0.00	0.11
9379	VV	1KL	77	05/09/91	1.350	0.00	179.00	0.00 >	0.20
9379	YF	3S6	77	03/07/91	0.756	0.00	58.40	0.00	0.00
9380	JE	3Q7	77	03/07/91	0.922	0.00	603.00	0.00	0.00
9380	PT	3RS	77	03/07/91	0.819	0.00	660.00	0.00	1.26
9380	SF	3SM	77	03/07/91	0.375	0.00	1290.00	0.00	0.00
9380	VE	3N9	77	03/08/91	1.142	0.00	297.00	0.00 >	0.83
9380	VV	1KL	77	05/09/91	1.350	0.00	22.60	0.00	0.00
9380	YF	3S7	77	03/07/91	0.805	0.00	490.00	0.00 >	0.37
9381	JE	3Q7	77	03/07/91	0.922	0.00	137.00	0.00	0.00
9381	PT	3RS	77	03/07/91	0.819	0.00	117.00	0.00	0.00
9381	SF	3SM	77	03/07/91	0.375	0.00	66.00	0.00	0.00
9381	VE	3N9	77	03/08/91	1.142	2260.0	1190.00	0.53 >	4.20

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9381	VV	1KN	77	05/09/91	1.356	277.00	155.00	0.56 >	6.81
9381	YF	3S7	77	03/07/91	0.805	0.00	53.30	0.00	0.00
9382	JE	3Q8	77	03/07/91	0.867	0.00	547.00	0.00	0.00
9382	PT	3RT	77	03/07/91	0.884	0.00	510.00	0.00	1.04
9382	SF	3SN	77	03/07/91	0.468	0.00	239.00	0.00	0.00
9382	VE	3NA	77	03/08/91	1.192	0.00	640.00	0.00	1.94
9382	VV	1KN	77	05/09/91	1.356	0.00	222.00	0.00	3.55
9382	YF	3S8	77	03/07/91	0.805	0.00	151.00	0.00	0.00
9383	JE	3Q8	77	03/07/91	0.867	0.00	188.00	0.00	0.00
9383	PT	3RT	77	03/07/91	0.884	0.00	85.20	0.00	1.54
9383	SF	3SN	77	03/07/91	0.468	0.00 <	10.00	0.00	0.00
9383	VE	3NA	77	03/08/91	1.192	0.00	577.00	0.00	0.00
9383	VV	1KN	77	05/09/91	1.282	0.00	24.70	0.00	0.00
9383	YF	3S8	77	03/07/91	0.805	0.00 <	10.00	0.00	0.00
9384	JE	3Q9	77	03/07/91	0.940	0.00	210.00	0.00	0.00
9384	PT	3RU	77	03/07/91	0.903	0.00	433.00	0.00 >	0.82
9384	SF	3SO	77	03/07/91	0.458	0.00	9.26	0.00	0.00
9384	VE	3NB	77	03/08/91	1.257	0.00	1500.00	0.00	0.00
9384	VV	1KN	77	05/09/91	1.282	0.00	232.00	0.00	0.00
9384	YF	3S9	77	03/07/91	0.895	0.00	70.90	0.00	0.00
9385	JE	3Q9	77	03/07/91	0.940	0.00	32.00	0.00	0.00
9385	PT	3RU	77	03/07/91	0.903	0.00	310.00	0.00 >	5.96
9385	SF	3SO	77	03/07/91	0.458	0.00	47.70	0.00	0.00
9385	VE	3NB	77	03/08/91	1.257	0.00	736.00	0.00	0.15
9385	VV	1KO	77	05/09/91	1.176	0.00	241.00	0.00	0.34
9385	YF	3S9	77	03/07/91	0.895	0.00	52.40	0.00	0.00
9386	JE	3QA	77	03/07/91	0.870	0.00	262.00	0.00	0.00
9386	PT	3RV	77	03/07/91	1.049	0.00	210.00	0.00 >	1.35
9386	SF	3SP	77	03/07/91	0.312	0.00	181.00	0.00	0.00
9386	VE	3NC	77	03/08/91	1.131	0.00	363.00	0.00	0.00
9386	VV	1KO	77	05/09/91	1.176	0.00	117.00	0.00	0.00
9386	YF	3SA	77	03/07/91	1.006	0.00	253.00	0.00 >	4.29
9387	JE	3QA	77	03/07/91	0.870	0.00	297.00	0.00	0.00
9387	PT	3RV	77	03/07/91	1.049	0.00	376.00	0.00 >	2.86
9387	SF	3SP	77	03/07/91	0.312	0.00	356.00	0.00	0.00
9387	VE	3NC	77	03/08/91	1.131	0.00	543.00	0.00	0.06
9387	VV	1KP	77	05/09/91	1.240	0.00	254.00	0.00 >	0.40
9387	YF	3SA	77	03/07/91	1.006	0.00	241.00	0.00 >	4.42
9388	JE	3Q8	77	03/07/91	0.939	0.00	363.00	0.00	0.00
9388	PT	3RW	77	03/07/91	1.123	64.50	363.00	5.62 >	23.27
9388	SF	3SQ	77	03/07/91	0.319	0.00	440.00	0.00	6.74
9388	VE	3NC	77	03/08/91	0.968	0.00	493.00	0.00 >	15.52
9388	VV	1KP	77	05/09/91	1.240	0.00	228.00	0.00 >	5.49
9388	YF	3SB	77	03/07/91	0.770	0.00	218.00	0.00	2.08
9389	JE	3Q8	77	03/07/91	0.939	0.00	1560.00	0.00	0.00
9389	PT	3RW	77	03/07/91	1.123	468.00	1530.00	3.28 >	14.60
9389	SF	3SQ	77	03/07/91	0.319	0.00	1120.00	0.00	0.00
9389	VE	3NC	77	03/08/91	0.968	1790.0 >	3200.00 >	1.79 >	15.14
9389	VV	1KQ	77	05/09/91	1.267	0.00 >	320.00	0.00 >	11.62
9389	YF	3SB	77	03/07/91	0.770	0.00	1350.00	0.00 >	0.69
9390	JE	3QC	77	03/07/91	0.932	0.00	2540.00	0.00	0.00
9390	PT	3RX	77	03/07/91	0.864	0.00	2100.00	0.00 >	2.44
9390	SF	3SR	77	03/07/91	0.364	0.00	2800.00	0.00	0.00
9390	VE	3NE	77	03/08/91	1.085	0.00 >	3200.00	0.00 >	2.01
9390	VV	1KQ	77	05/09/91	1.267	0.00 >	320.00	0.00 >	3.62
9390	YF	3SC	77	03/07/91	0.796	0.00	1000.00	0.00	0.00
9391	JE	3QC	77	03/07/91	0.932	0.00	1550.00	0.00	0.00
9391	PT	3RX	77	03/07/91	0.864	3200.0 >	3200.00 >	1.00 >	2.17
9391	SF	3SR	77	03/07/91	0.364	0.00	1640.00	0.00	1.18
9391	VE	3NE	77	03/08/91	1.085	0.00	2570.00	0.00	0.64
9391	VV	1KR	77	05/09/91	1.145	0.00 >	320.00	0.00 >	2.30
9391	YF	3SC	77	03/07/91	0.796	0.00	1880.00	0.00 >	0.25
9392	JE	3Q0	77	03/07/91	0.933	0.00 >	3200.00	0.00	0.00
9392	PT	3RY	77	03/07/91	0.910	0.00 >	3200.00	0.00 >	4.51
9392	SF	3SS	77	03/07/91	0.422	0.00 >	3200.00	0.00 >	6.99
9392	VE	3NF	77	03/08/91	1.210	0.00 >	3200.00	0.00	0.00
9392	VV	1KR	77	05/09/91	1.145	0.00 >	320.00	0.00 >	0.30
9392	YF	3SD	77	03/07/91	0.802	0.00	1220.00	0.00	0.23
9393	JE	3Q0	77	03/07/91	0.933	0.00	89.50	0.00	0.00
9393	PT	3RY	77	03/07/91	0.910	835.00	280.00	0.34	3.70
9393	SF	3SS	77	03/07/91	0.422	0.00	505.00	0.00	0.07
9393	VE	3NF	77	03/08/91	1.210	0.00	2160.00	0.00	5.42
9393	VV	1KS	77	05/09/91	1.206	0.00 >	320.00	0.00 >	5.35
9393	YF	3SD	77	03/07/91	0.802	0.00	217.00	0.00 >	1.32

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9394	JE	3QE	77	03/07/91	0.918	0.00	1330.00	0.00	0.00
9394	PT	3RZ	77	03/07/91	0.910	959.00	1560.00	1.63 >	15.69
9394	SF	3ST	77	03/07/91	0.451	416.00	1570.00	3.78	20.81
9394	VE	3NG	77	03/08/91	1.080	1650.0 >	3200.00 >	1.94 >	12.57
9394	VV	1KS	77	05/09/91	1.206	0.00 >	320.00	0.00 >	3.55
9394	YF	3SE	77	03/07/91	0.839	0.00	1170.00	0.00 >	0.81
9395	JE	3QE	77	03/07/91	0.918	0.00 >	3200.00	0.00	0.00
9395	PT	3RZ	77	03/07/91	0.910	0.00 >	3200.00	0.00 >	5.30
9395	SF	3ST	77	03/07/91	0.451	0.00 >	3200.00	0.00	0.00
9395	VE	3NG	77	03/08/91	1.080	0.00 >	3200.00	0.00 >	0.60
9395	VV	1KT	77	05/09/91	1.236	0.00	114.00	0.00 >	0.20
9395	YF	3SE	77	03/07/91	0.839	0.00	3100.00	0.00 >	2.41
9396	JE	3TA	77	03/13/91	0.952	0.00	1380.00	0.00	0.00
9396	PT	3UB	77	03/12/91	1.369	937.00 <	10.00 <	0.01	0.50
9396	SF	3UN	77	03/12/91	0.712	0.00	24.70	0.00	0.00
9396	VE	3TO	77	03/15/91	1.142	0.00	182.00	0.00 >	2.45
9396	VV	1KT	77	05/09/91	1.236	0.00 >	320.00	0.00 >	0.71
9396	YF	3SW	77	03/13/91	1.344	0.00	10.00	0.00	0.00
9397	JE	3TB	77	03/13/91	0.813	0.00	180.00	0.00	0.00
9397	PT	3U9	77	03/12/91	1.349	0.00	333.00	0.00	0.00
9397	SF	3UO	77	03/12/91	0.688	0.00	493.00	0.00	0.00
9397	VE	3TP	77	03/15/91	1.118	0.00	162.00	0.00	0.00
9397	VV	1KU	77	05/09/91	1.264	0.00 >	320.00	0.00 >	1.43
9397	YF	3SX	77	03/13/91	1.169	0.00	118.00	0.00	0.00
9398	JE	3TB	77	03/13/91	0.813	0.00	163.00	0.00	0.00
9398	PT	3U9	77	03/12/91	1.349	0.00 <	10.00	0.00	0.00
9398	SF	3UO	77	03/12/91	0.688	0.00	22.80	0.00	0.00
9398	VE	3TP	77	03/15/91	1.118	0.00	147.00	0.00	0.00
9398	VV	1KV	77	05/09/91	1.267	0.00	32.00	0.00 >	0.04
9398	YF	3SX	77	03/13/91	1.169	0.00 <	10.00	0.00	0.00
9414	JE	72E	81	07/10/91	0.983	0.00 >	100.00	0.00	0.00
9414	JE	ACQ	81	10/08/91	0.647	491.00 >	1000.00 >	2.04 >	15.72
9414	PT	82Z	81	08/06/91	0.794	0.00 >	320.00	0.00 >	3.59
9414	PT	ADM	81	10/08/91	0.430	362.00 >	1000.00 >	2.77 >	18.74
9414	SF	74M	81	07/10/91	1.005	0.00 >	100.00	0.00 >	5.50
9414	SF	AE2	81	10/08/91	0.731	334.00 >	1000.00 >	2.99 >	30.65
9414	VE	715	80	07/12/91	1.186	0.00 >	100.00	0.00	0.05
9414	VE	AD6	81	10/08/91	1.041	520.00 >	1000.00 >	1.92 >	11.88
9414	YF	73M	81	07/10/91	0.887	0.00 >	100.00	0.00 >	0.40
9414	YF	ACA	81	10/08/91	1.121	486.00 >	1000.00 >	2.06 >	13.25
9415	JE	72E	81	07/10/91	0.983	0.00	205.00	0.00	0.00
9415	PT	830	81	08/06/91	0.548	0.00	208.00	0.00	0.00
9415	SF	74M	81	07/10/91	1.005	0.00	92.40	0.00	2.94
9415	VE	715	80	07/12/91	1.186	0.00	60.00	0.00 >	0.13
9415	YF	73M	81	07/10/91	0.887	0.00	232.00	0.00 >	0.18
9416	JE	94U	82	09/04/91	0.765	17.20	168.00	9.74 >	28.75
9416	JE	C04	82	11/20/91	1.008	19.10	54.00	2.82	12.15
9416	PT	950	82	09/04/91	0.470	15.20	80.60	5.30 >	28.28
9416	PT	C3M	82	11/20/91	0.608	0.00	40.20	0.00	0.00
9416	SF	963	82	09/04/91	0.649	20.90	69.10	3.31 >	15.77
9416	SF	C43	82	11/20/91	0.814	29.30	34.30	1.17	5.53
9416	VE	959	82	09/06/91	1.201	0.00	37.20	0.00	2.37
9416	VE	C0J	82	11/22/91	0.997	0.00	27.60	0.00	0.00
9416	VV	1MA	82	10/09/91	1.420	8.69	17.60	2.03	8.16
9416	VV	1YM	82	10/24/91	0.744	6.11	62.00	10.14	29.78
9416	YF	96F	82	09/04/91	0.908	16.60	78.60	4.72 >	28.45
9416	YF	BZP	82	11/20/91	0.867	19.30	48.50	2.51	13.84
9417	JE	72F	81	07/10/91	0.690	0.00 <	1.00	0.00	0.00
9417	JE	ACR	81	10/08/91	0.799	0.00	2.72	0.00 >	0.80
9417	JE	C05	81	11/20/91	0.971	0.00 <	0.32	0.00	0.00
9417	PT	830	81	08/06/91	0.548	0.00 <	1.00	0.00	0.00
9417	PT	ADM	81	10/08/91	0.598	0.00	1.59	0.00	0.00
9417	PT	C30	81	11/20/91	0.650	0.00 <	0.32	0.00	0.00
9417	SF	741	81	07/10/91	0.981	0.00 <	1.00	0.00	0.00
9417	SF	AE3	81	10/08/91	0.825	0.00	1.51	0.00 >	4.15
9417	SF	C44	81	11/20/91	0.856	0.00 <	0.32	0.00	0.00
9417	VE	716	80	07/12/91	0.955	0.00 <	1.00	0.00	0.00
9417	VE	AD7	81	10/08/91	1.056	0.00	1.78	0.00	0.00
9417	VE	C0K	81	11/22/91	1.055	0.00 <	0.32	0.00	0.00
9417	YF	730	81	07/10/91	0.796	0.00 <	1.00	0.00	0.00
9417	YF	ACB	81	10/08/91	0.932	0.00	3.04	0.00 >	1.10
9417	YF	BZQ	81	11/20/91	0.892	0.00 <	0.32	0.00	0.00
9418	JE	72G	81	07/10/91	0.784	0.00 <	1.00	0.00	0.00
9418	JE	ACR	81	10/08/91	0.799	0.00 <	0.03	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9418	PT	831	81	08/06/91	0.701	0.00 <	1.00	0.00	0.00
9418	PT	ADN	81	10/08/91	0.598	0.00 <	0.03	0.00	0.00
9418	SF	74J	81	07/10/91	0.995	0.00 <	1.00	0.00	0.00
9418	SF	AE3	81	10/08/91	0.825	0.00 <	0.03	0.00	0.00
9418	VE	717	80	07/12/91	1.048	0.00	1.00	0.00	0.00
9418	VE	AD7	81	10/08/91	1.056	0.00 <	0.03	0.00	0.00
9418	YF	73P	81	07/10/91	0.831	0.00 <	1.00	0.00	0.00
9418	YF	ACB	81	10/08/91	0.932	0.00 <	0.03	0.00	0.00
9419	JE	71W	80	07/10/91	0.751	0.00	249.00	0.00 >	10.92
9419	JE	ACS	80	10/08/91	0.864	0.00	220.00	0.00	2.01
9419	JE	CK1	80	12/05/91	0.969	0.00	238.00	0.00	5.52
9419	PT	735	80	07/11/91	0.721	0.00	76.20	0.00	5.84
9419	PT	ADO	80	10/08/91	0.682	0.00	171.00	0.00	3.55
9419	PT	CKP	80	12/05/91	0.431	52.00	245.00	4.71	19.86
9419	SF	708	80	07/09/91	1.024	0.00	290.00	0.00 >	5.99
9419	SF	AE4	80	10/08/91	0.717	0.00	225.00	0.00 >	7.26
9419	SF	CL1	80	12/05/91	0.858	0.00	218.00	0.00	5.14
9419	VE	70N	80	07/12/91	1.196	0.00	197.00	0.00 >	3.08
9419	VE	AD8	80	10/08/91	0.994	0.00	108.00	0.00	0.00
9419	VE	CNR	80	12/06/91	1.067	0.00	118.00	0.00	0.00
9419	VV	1UM	80	09/26/91	1.464	0.00	58.00	0.00	0.00
9419	YF	72Q	80	07/10/91	0.905	0.00	216.00	0.00 >	6.19
9419	YF	ACC	80	10/08/91	1.006	0.00	217.00	0.00	4.90
9419	YF	CKD	80	12/05/91	0.846	0.00	222.00	0.00	6.44
9420	JE	71X	80	07/10/91	0.847	0.00 >	320.00	0.00 >	1.32
9420	JE	CK1	80	12/05/91	0.969	245.00	452.00	1.85	8.65
9420	PT	736	80	07/11/91	0.681	0.00	190.00	0.00	0.77
9420	PT	CKP	80	12/05/91	0.431	69.10	487.00	7.04	14.60
9420	SF	709	80	07/09/91	1.118	0.00	290.00	0.00	0.00
9420	SF	CL1	80	12/05/91	0.858	156.00	308.00	1.97	11.07
9420	VE	700	80	07/12/91	1.197	0.00	179.00	0.00 >	1.56
9420	VE	CNR	80	12/06/91	1.067	0.00	21.00	0.00	0.00
9420	VV	1UN	80	09/26/91	1.528	0.00	49.50	0.00	0.00
9420	YF	72R	80	07/10/91	0.908	0.00	312.00	0.00	2.29
9420	YF	CKD	80	12/05/91	0.846	188.00	267.00	1.42	10.08
9421	JE	720	80	07/10/91	0.693	0.00	155.00	0.00 >	4.82
9421	SF	70C	80	07/09/91	1.008	0.00	152.00	0.00	0.00
9421	VE	70R	80	07/12/91	1.252	0.00	156.00	0.00 >	2.43
9421	VV	1V2	80	10/03/91	0.633	22.90	40.20	1.76	10.68
9421	YF	72U	80	07/10/91	0.935	0.00	155.00	0.00	0.00
9422	JE	720	80	07/10/91	0.693	0.00 >	320.00	0.00 >	4.21
9422	JE	ACT	80	10/08/91	0.923	0.00	485.00	0.00	2.22
9422	PT	ADP	80	10/08/91	0.681	56.60	490.00	8.66	35.12
9422	SF	70C	80	07/09/91	1.008	0.00 >	320.00	0.00	0.00
9422	SF	AE5	80	10/08/91	0.776	0.00	518.00	0.00 >	17.20
9422	VE	70R	80	07/12/91	1.252	0.00 >	320.00	0.00 >	1.50
9422	VE	AD9	80	10/08/91	0.985	0.00	527.00	0.00	0.60
9422	VV	1V3	80	10/03/91	0.604	29.60	190.00	6.42	27.17
9422	VV	1YJ	80	10/24/91	0.716	67.70	196.00	2.90	13.76
9422	YF	72U	80	07/10/91	0.935	0.00 >	320.00	0.00 >	0.10
9422	YF	ACD	80	10/08/91	0.915	0.00	490.00	0.00	0.21
9423	JE	721	80	07/10/91	0.882	0.00 >	320.00	0.00 >	4.17
9423	JE	ACT	80	10/08/91	0.923	0.00	490.00	0.00	2.17
9423	PT	73A	80	07/11/91	0.648	62.30 >	320.00 >	5.14	17.66
9423	PT	ADP	80	10/08/91	0.681	52.70	490.00	9.29	36.11
9423	SF	700	80	07/09/91	0.890	0.00 >	320.00	0.00	0.00
9423	SF	AE5	80	10/08/91	0.776	0.00	490.00	0.00 >	14.37
9423	VE	70S	80	07/12/91	1.157	0.00 >	320.00	0.00 >	2.40
9423	VE	AD9	80	10/08/91	0.985	0.00	509.00	0.00	0.90
9423	VV	1V3	80	10/03/91	0.604	55.60	172.00	3.10 >	23.00
9423	YF	72V	80	07/10/91	0.992	0.00 >	320.00	0.00 >	0.10
9423	YF	ACD	80	10/08/91	0.915	0.00	490.00	0.00 >	0.40
9424	JE	721	80	07/10/91	0.882	0.00 >	320.00	0.00	4.06
9424	PT	73A	80	07/11/91	0.648	93.40 >	320.00 >	3.43 >	11.28
9424	SF	700	80	07/09/91	0.890	0.00 >	320.00	0.00	0.00
9424	VE	70S	80	07/12/91	1.157	0.00 >	320.00	0.00 >	3.43
9424	VV	1V4	80	10/03/91	0.670	68.40	196.00	2.87	11.70
9424	YF	72V	80	07/10/91	0.992	0.00 >	320.00	0.00 >	0.50
9425	JE	722	80	07/10/91	0.749	0.00 >	320.00	0.00	5.42
9425	PT	738	80	07/11/91	0.670	0.00	219.00	0.00 >	1.65
9425	SF	70E	80	07/09/91	1.091	0.00	1.00	0.00	0.00
9425	VE	70T	80	07/12/91	1.213	0.00 >	320.00	0.00 >	1.83
9425	VV	1V4	80	10/03/91	0.670	0.00	66.00	0.00	1.85
9425	YF	72U	80	07/10/91	1.051	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9426	JE	722	80	07/10/91	0.749	0.00 >	320.00	0.00 >	6.29
9426	PT	738	80	07/11/91	0.670	249.00 >	320.00 >	1.29 >	10.14
9426	SF	70E	80	07/09/91	1.091	0.00 >	320.00	0.00	0.00
9426	VE	70T	80	07/12/91	1.213	0.00 >	320.00	0.00 >	3.30
9426	VV	1V5	80	10/03/91	0.803	64.10	267.00	4.16 >	17.67
9426	YF	72W	80	07/10/91	1.051	0.00 >	320.00	0.00 >	0.30
9427	JE	723	80	07/10/91	0.731	0.00	49.00	0.00 >	0.90
9427	PT	73C	80	07/11/91	0.629	0.00	39.40	0.00	0.52
9427	SF	70F	80	07/09/91	1.103	0.00	84.90	0.00	0.39
9427	VE	70U	80	07/12/91	1.196	0.00	111.00	0.00 >	4.90
9427	VV	1V5	80	10/03/91	0.803	0.00	15.50	0.00 >	4.23
9427	YF	72X	80	07/10/91	0.986	0.00	49.00	0.00	0.00
9428	JE	723	80	07/10/91	0.731	0.00 >	320.00	0.00 >	2.10
9428	PT	73C	80	07/11/91	0.629	0.00 >	320.00	0.00	0.00
9428	SF	70F	80	07/09/91	1.103	0.00 >	320.00	0.00	0.00
9428	VE	70U	80	07/12/91	1.196	0.00 >	320.00	0.00 >	4.00
9428	VV	1V6	80	10/03/91	0.640	0.00	249.00	0.00	0.00
9428	YF	72X	80	07/10/91	0.986	0.00 >	320.00	0.00 >	1.00
9429	JE	724	80	07/10/91	0.799	64.70	155.00	2.40 >	12.26
9429	PT	73D	80	07/11/91	0.645	0.00	41.30	0.00	0.20
9429	SF	70G	80	07/09/91	1.129	0.00	130.00	0.00	3.33
9429	VE	70V	80	07/12/91	1.212	0.00	156.00	0.00 >	5.12
9429	VV	1V6	80	10/03/91	0.640	0.00	49.20	0.00	2.48
9429	YF	72Y	80	07/10/91	0.997	0.00	65.30	0.00	0.00
9430	JE	724	80	07/10/91	0.799	17.80	38.60	2.17	12.50
9430	JE	ACV	80	10/08/91	0.867	0.00	49.50	0.00	2.85
9430	PT	73D	80	07/11/91	0.645	0.00	13.90	0.00	0.49
9430	PT	ADR	80	10/08/91	0.628	0.00	49.00	0.00	0.00
9430	SF	70G	80	07/09/91	1.129	0.00	35.40	0.00	0.00
9430	SF	AE7	80	10/08/91	0.757	1.88	49.00	26.04	30.34
9430	VE	70V	80	07/12/91	1.212	0.00	54.40	0.00 >	3.87
9430	VE	ADB	80	10/08/91	0.990	0.00	53.50	0.00 >	1.61
9430	VV	1V7	80	10/03/91	0.654	0.00	15.80	0.00	1.80
9430	YF	72Y	80	07/10/91	0.997	0.00	22.00	0.00	0.00
9430	YF	ACF	80	10/08/91	0.957	0.00	49.50	0.00	4.10
9431	JE	727	80	07/10/91	0.702	0.00 >	320.00	0.00	2.91
9431	PT	82T	80	08/06/91	0.609	0.00 >	320.00	0.00	1.20
9431	SF	74A	80	07/10/91	0.881	0.00 >	320.00	0.00 >	4.20
9431	VE	70Y	80	07/12/91	1.116	0.00 >	320.00	0.00 >	0.90
9431	VV	1V7	80	10/03/91	0.654	0.00	210.00	0.00	0.00
9431	YF	73G	80	07/10/91	0.865	0.00	10.00	0.00 >	0.02
9432	JE	728	80	07/10/91	0.908	0.00	124.00	0.00	0.00
9432	SF	748	80	07/10/91	0.977	0.00	148.00	0.00	2.05
9432	VE	70Z	80	07/12/91	1.096	0.00	143.00	0.00	0.97
9432	VV	1V8	80	10/03/91	0.713	0.00	59.80	0.00	1.92
9432	YF	73H	80	07/10/91	0.788	0.00	137.00	0.00	6.64
9433	JE	728	80	07/10/91	0.908	0.00 >	320.00	0.00	0.00
9433	JE	ACV	80	10/08/91	0.752	590.00	1550.00	2.63 >	13.43
9433	PT	82U	80	08/06/91	0.718	0.00 >	320.00	0.00 >	2.13
9433	PT	ADS	80	10/08/91	0.653	0.00	271.00	0.00	0.00
9433	SF	748	80	07/10/91	0.977	233.00	272.00	1.17 >	4.53
9433	SF	AE8	80	10/08/91	0.732	147.00	440.00	2.98 >	20.69
9433	VE	70Z	80	07/12/91	1.096	0.00 >	320.00	0.00 >	2.11
9433	VE	ADC	80	10/08/91	0.990	0.00	836.00	0.00 >	2.60
9433	VV	1V8	80	10/03/91	0.713	0.00 >	320.00	0.00 >	6.50
9433	YF	73H	80	07/10/91	0.788	264.00 >	320.00 >	1.21 >	10.94
9433	YF	ACG	80	10/08/91	0.931	516.00	1000.00	1.94	14.40
9434	JE	729	80	07/10/91	0.938	0.00 >	320.00	0.00	0.00
9434	PT	82U	80	08/06/91	0.718	0.00 >	320.00	0.00	0.00
9434	SF	74C	80	07/10/91	1.015	0.00 >	320.00	0.00	0.00
9434	VE	710	80	07/12/91	1.110	0.00 >	320.00	0.00	0.00
9434	VV	1V9	80	10/03/91	0.763	0.00	238.00	0.00 >	3.76
9434	YF	731	80	07/10/91	0.900	0.00 >	320.00	0.00 >	0.10
9435	JE	729	80	07/10/91	0.938	0.00 >	320.00	0.00	0.00
9435	PT	82V	80	08/06/91	0.731	0.00 >	320.00	0.00	0.00
9435	SF	74C	80	07/10/91	1.015	0.00 >	320.00	0.00	0.00
9435	VE	710	80	07/12/91	1.110	0.00 >	320.00	0.00	0.00
9435	VV	1V9	80	10/03/91	0.763	0.00	222.00	0.00	1.24
9435	YF	731	80	07/10/91	0.900	0.00 >	320.00	0.00 >	0.20
9436	JE	72A	80	07/10/91	0.974	0.00 >	320.00	0.00	0.00
9436	JE	ACX	80	10/08/91	0.868	0.00	377.00	0.00	2.60
9436	PT	82V	80	08/06/91	0.731	0.00 >	320.00	0.00	0.00
9436	PT	ADT	80	10/08/91	0.692	0.00	244.00	0.00	0.00
9436	SF	74D	80	07/10/91	0.958	0.00 >	320.00	0.00 >	3.93

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9436	SF	AE9	80	10/08/91	0.880	0.00	137.00	0.00	0.00
9436	VE	711	80	07/12/91	1.142	0.00 >	320.00	0.00 >	0.10
9436	VE	ADD	80	10/08/91	1.024	0.00	290.00	0.00	0.30
9436	VV	1VA	80	10/03/91	0.671	0.00	172.00	0.00	6.29
9436	YF	73J	80	07/10/91	0.937	312.00 >	320.00 >	1.03 >	6.14
9436	YF	ACH	80	10/08/91	0.874	0.00	496.00	0.00 >	6.40
9437	JE	712	80	07/10/91	0.860	0.00 >	320.00	0.00 >	0.24
9437	PT	738	80	07/11/91	0.762	0.00 >	320.00	0.00 >	1.45
9437	SF	708	80	07/09/91	1.002	0.00 >	320.00	0.00	1.66
9437	VE	709	80	07/12/91	1.226	0.00 >	320.00	0.00 >	1.60
9437	VV	1V1	80	10/03/91	0.697	0.00	196.00	0.00	0.00
9437	YF	72T	80	07/10/91	0.900	0.00 >	320.00	0.00 >	0.74
9438	JE	71Z	80	07/10/91	0.860	0.00 >	320.00	0.00 >	4.30
9438	PT	738	80	07/11/91	0.762	0.00 >	320.00	0.00	0.00
9438	SF	708	80	07/09/91	1.002	0.00 >	320.00	0.00 >	1.02
9438	VE	709	80	07/12/91	1.226	0.00 >	320.00	0.00 >	1.38
9438	VV	1V2	80	10/03/91	0.633	0.00	204.00	0.00	0.00
9438	YF	72T	80	07/10/91	0.900	0.00 >	320.00	0.00 >	0.30
9439	JE	4VT	79	04/24/91	0.682	158.40 >	320.00 >	2.02 >	16.10
9439	JE	A43	79	10/01/91	0.746	0.00 >	3200.00	0.00 >	5.69
9439	PT	4YE	79	04/23/91	1.093	0.00 >	320.00	0.00	0.00
9439	PT	A4J	79	10/01/91	0.658	2480.0 >	3200.00 >	1.29 >	4.88
9439	SF	4YT	79	04/23/91	0.880	0.00 >	320.00	0.00 >	2.12
9439	VE	4W8	79	04/26/91	0.896	0.00 >	320.00	0.00 >	0.22
9439	VE	A4J	79	10/04/91	1.079	0.00 >	3200.00	0.00	0.00
9439	YF	4VE	79	04/24/91	1.373	0.00 >	320.00	0.00 >	1.81
9439	YF	A3N	79	10/01/91	0.866	2520.0 >	3200.00 >	1.27 >	5.88
9440	JE	4VU	79	04/24/91	0.780	0.00	155.00	0.00	4.05
9440	PT	4YF	79	04/23/91	1.127	0.00	155.00	0.00	0.20
9440	SF	4YU	79	04/23/91	0.926	0.00	148.00	0.00	1.08
9440	VE	4W9	79	04/26/91	0.860	0.00	160.00	0.00 >	0.01
9440	YF	4VF	79	04/24/91	1.227	0.00	143.00	0.00	0.00
9441	JE	4VU	79	04/24/91	0.780	0.00	58.20	0.00	0.49
9441	PT	4YF	79	04/23/91	1.127	0.00	114.00	0.00	3.98
9441	SF	4YU	79	04/23/91	0.926	0.00	24.70	0.00	0.00
9441	VE	4W9	79	04/26/91	0.860	0.00	155.00	0.00 >	0.50
9441	YF	4VF	79	04/24/91	1.227	0.00	51.00	0.00 >	0.10
9442	JE	4VV	79	04/24/91	0.893	0.00	55.40	0.00	0.00
9442	PT	4YG	79	04/23/91	1.204	0.00	54.40	0.00	0.52
9442	SF	4YV	79	04/23/91	0.853	0.00	7.33	0.00 >	0.16
9442	VE	4WA	79	04/26/91	0.819	0.00	77.30	0.00 >	0.05
9442	YF	4VG	79	04/24/91	1.184	0.00	41.20	0.00	0.00
9443	JE	4VV	79	04/24/91	0.893	0.00	62.20	0.00	0.00
9443	JE	A43	79	10/01/91	0.746	0.00	148.00	0.00 >	0.60
9443	PT	4YG	79	04/23/91	1.204	84.50	88.70	1.05	4.38
9443	PT	A4Z	79	10/01/91	0.658	0.00	119.00	0.00	0.00
9443	SF	4YV	79	04/23/91	0.853	0.00	8.69	0.00	0.00
9443	SF	AUB	79	10/18/91	0.873	0.00	90.30	0.00	1.35
9443	VE	4WA	79	04/26/91	0.819	0.00	119.00	0.00 >	1.00
9443	VE	A4J	79	10/04/91	1.079	0.00	151.00	0.00	1.02
9443	YF	4VG	79	04/24/91	1.184	0.00	70.90	0.00	0.00
9443	YF	A3N	79	10/01/91	0.866	0.00	103.00	0.00	0.20
9444	JE	4VW	79	04/24/91	0.846	0.00	44.00	0.00 >	0.03
9444	PT	4YH	79	04/23/91	1.251	0.00	49.00	0.00	7.25
9444	SF	4YW	79	04/23/91	0.889	0.00	13.70	0.00 >	10.53
9444	VE	4WB	79	04/26/91	0.851	0.00	59.00	0.00 >	1.14
9444	YF	4VH	79	04/24/91	1.197	0.00	45.20	0.00	0.00
9445	JE	4VW	79	04/24/91	0.846	0.00	18.60	0.00	0.00
9445	JE	A44	79	10/01/91	0.858	0.00	34.70	0.00	0.00
9445	PT	4YH	79	04/23/91	1.251	6.38	17.50	2.75	14.12
9445	PT	A50	79	10/01/91	0.658	0.00	2.17	0.00	0.00
9445	SF	4YW	79	04/23/91	0.889	0.00	2.61	0.00 >	3.64
9445	SF	AUC	79	10/18/91	0.904	20.10	6.60	0.33	9.80
9445	VE	4WB	79	04/26/91	0 851	0.00	22.60	0.00 >	0.30
9445	VE	A4K	79	10/04/91	1.159	0.00	47.10	0.00	0.00
9445	YF	4VH	79	04/24/91	1.197	30.80	30.40	0.99	7.88
9445	YF	A3O	79	10/01/91	0.932	5.18	49.30	9.52 >	29.19
9446	JE	4VX	79	04/24/91	0.897	66.40	137.00	2.06	8.88
9446	JE	A44	79	10/01/91	0.858	0.00	159.00	0.00	5.27
9446	PT	4YI	79	04/23/91	1.389	58.20	124.00	2.13	11.73
9446	PT	A50	79	10/01/91	0.658	0.00	156.00	0.00	0.74
9446	SF	4YX	79	04/23/91	0.993	0.00	7.65	0.00	0.00
9446	SF	AUC	79	10/18/91	0.904	93.60	30.70	0.33	1.03
9446	VE	4WC	79	04/26/91	0.861	0.00	151.00	0.00 >	0.15

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9446	VE	A4K	79	10/04/91	1.159	0.00	181.00	0.00	0.38
9446	YF	4VI	79	04/24/91	1.187	81.00	128.00	1.59	7.75
9446	YF	A30	79	10/01/91	0.932	0.00	159.00	0.00	0.14
9447	JE	4VX	79	04/24/91	0.897	0.00	90.30	0.00	0.00
9447	JE	A45	79	10/01/91	0.839	0.00	208.00	0.00 >	1.50
9447	PT	4YI	79	04/23/91	1.389	0.00	186.00	0.00	2.98
9447	PT	A51	79	10/01/91	0.728	0.00	32.00	0.00	0.00
9447	SF	4YX	79	04/23/91	0.993	100.00	66.00	0.66	1.09
9447	SF	AUD	79	10/18/91	0.874	0.00	84.30	0.00	0.04
9447	VE	4WC	79	04/26/91	0.841	0.00	61.30	0.00	0.25
9447	VE	A4L	79	10/04/91	1.080	0.00	72.40	0.00	0.00
9447	YF	4VI	79	04/24/91	1.187	0.00	154.00	0.00	0.34
9447	YF	A3P	79	10/01/91	0.889	0.00	202.00	0.00	1.44
9448	JE	4V;	79	04/24/91	0.924	219.00	88.70	0.40 >	2.39
9448	JE	A45	79	10/01/91	0.839	0.00	492.00	0.00 >	3.29
9448	PT	4YJ	79	04/23/91	1.104	136.00 >	320.00 >	2.36 >	14.43
9448	PT	A51	79	10/01/91	0.728	0.00	493.00	0.00	3.15
9448	SF	4YY	79	04/23/91	0.833	0.00	40.00	0.00	4.09
9448	VE	4WD	79	04/26/91	0.855	265.00 >	320.00 >	1.21 >	6.50
9448	VE	A4L	79	10/04/91	1.080	0.00	618.00	0.00	4.28
9448	YF	4VJ	79	04/24/91	1.204	224.00	256.00	1.14 >	3.55
9448	YF	A3P	79	10/01/91	0.889	0.00	492.00	0.00 >	5.18
9449	JE	4VY	79	04/24/91	0.924	63.10	89.80	1.42	6.89
9449	JE	A46	79	10/01/91	0.932	0.00	161.00	0.00	0.00
9449	PT	4YJ	79	04/23/91	1.104	0.00	49.90	0.00	1.33
9449	PT	A52	79	10/01/91	0.750	0.00	2.76	0.00	0.00
9449	SF	4YY	79	04/23/91	0.833	0.00	8.54	0.00	0.00
9449	SF	AUE	79	10/18/91	0.899	0.00	52.40	0.00 >	4.42
9449	VE	4WD	79	04/26/91	0.855	57.40	160.00	2.78 >	16.13
9449	VE	A4M	79	10/04/91	1.221	0.00	181.00	0.00	7.32
9449	YF	4VJ	79	04/24/91	1.204	0.00	51.20	0.00	0.00
9449	YF	A3Q	79	10/01/91	0.979	74.00	115.00	1.55	6.40
9450	JE	4VZ	79	04/24/91	0.897	0.00	51.30	0.00	0.00
9450	JE	A7A	79	10/02/91	0.848	67.10	119.00	1.77 >	9.34
9450	PT	4YK	79	04/23/91	1.038	0.00	55.90	0.00 >	4.60
9450	PT	ABN	79	10/03/91	0.692	0.00	15.20	0.00	0.00
9450	SF	4YZ	79	04/23/91	0.875	0.00	3.86	0.00	0.00
9450	SF	AB6	79	10/03/91	0.572	0.00	21.30	0.00	0.00
9450	VE	4WE	79	04/26/91	0.861	79.60	70.60	0.89 >	6.15
9450	VE	A5Z	79	10/04/91	1.092	53.10	122.00	2.29	14.75
9450	YF	4VK	79	04/24/91	1.181	0.00	48.00	0.00	0.00
9450	YF	A5J	79	10/01/91	0.994	0.00	66.00	0.00	0.00
9451	JE	4VZ	79	04/24/91	0.897	0.00	44.80	0.00	0.00
9451	JE	A7B	79	10/02/91	0.865	0.00	60.80	0.00 >	0.40
9451	PT	4YK	79	04/23/91	1.038	17.90	50.70	2.83	15.36
9451	PT	ABN	79	10/03/91	0.563	0.00	33.50	0.00	0.00
9451	SF	4YZ	79	04/23/91	0.875	0.00	4.90	0.00 >	1.36
9451	SF	AB7	79	10/03/91	0.555	17.90	59.40	3.32	16.18
9451	VE	4WE	79	04/26/91	0.861	0.00	53.00	0.00 >	6.22
9451	VE	A60	79	10/04/91	1.092	65.60	75.60	1.15 >	7.92
9451	YF	4VK	79	04/24/91	1.181	0.00	47.50	0.00	0.79
9451	YF	A5K	79	10/01/91	0.953	0.00	57.40	0.00	1.46
9452	JE	4W0	79	04/24/91	0.957	0.00	42.90	0.00	0.00
9452	JE	A7B	79	10/02/91	0.865	0.00	66.70	0.00 >	0.36
9452	PT	4YL	79	04/23/91	1.121	23.00	57.40	2.49	11.71
9452	PT	ABN	79	10/03/91	0.563	0.00	36.10	0.00	0.00
9452	SF	420	79	04/23/91	0.832	0.00	3.63	0.00	0.00
9452	SF	AB7	79	10/03/91	0.555	17.90	52.70	2.95	15.51
9452	VE	4WF	79	04/26/91	0.918	90.90	66.70	0.73 >	6.99
9452	VE	A60	79	10/04/91	1.092	65.70	100.00	1.52	9.56
9452	YF	4VL	79	04/24/91	1.218	0.00	48.50	0.00	0.07
9452	YF	A5K	79	10/01/91	0.953	0.00	66.00	0.00	0.55
9453	JE	4W0	79	04/24/91	0.957	0.00	46.60	0.00	0.00
9453	PT	4YL	79	04/23/91	1.121	0.00	128.00	0.00	0.00
9453	SF	420	79	04/23/91	0.832	0.00	36.30	0.00	0.00
9453	VE	4WF	79	04/26/91	0.918	0.00	56.90	0.00	0.00
9453	YF	4VL	79	04/24/91	1.218	0.00	49.80	0.00	0.00
9454	JE	4W1	79	04/24/91	0.883	0.00 >	320.00	0.00	11.11
9454	JE	A7C	79	10/02/91	0.790	0.00	819.00	0.00 >	18.20
9454	PT	4YM	79	04/23/91	1.232	0.00 >	320.00	0.00	1.33
9454	PT	ABO	79	10/03/91	0.568	0.00	688.00	0.00	0.00
9454	SF	421	79	04/23/91	0.967	0.00	195.00	0.00	0.00
9454	SF	AB8	79	10/03/91	0.529	0.00	753.00	0.00	0.00
9454	VE	4WG	79	04/26/91	0.915	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9454	VE	A61	79	10/04/91	1.102	0.00	849.00	0.00	0.31
9454	YF	4VH	79	04/24/91	1.252	2.45 >	320.00 >	130.79 >	46.75
9454	YF	A5L	79	10/01/91	0.848	5.66	601.00	106.31 >	47.86
9455	JE	4J1	79	04/24/91	0.883	0.00	203.00	0.00	4.99
9455	JE	A7C	79	10/02/91	0.790	0.00	494.00	0.00 >	14.91
9455	PT	4YH	79	04/23/91	1.232	282.00	304.00	1.08 >	6.42
9455	PT	ABO	79	10/03/91	0.568	0.00	496.00	0.00	0.00
9455	SF	4Z1	79	04/23/91	0.967	0.00	17.30	0.00	0.00
9455	SF	AB8	79	10/03/91	0.529	0.00	281.00	0.00	0.00
9455	VE	4J6	79	04/26/91	0.915	0.00	296.00	0.00	0.00
9455	VE	A61	79	10/04/91	1.102	0.00	277.00	0.00	0.10
9455	YF	4VH	79	04/24/91	1.252	4.68	227.00	48.50 >	34.36
9455	YF	A5L	79	10/01/91	0.848	11.20	550.00	48.94 >	39.49
9456	JE	4J2	79	04/24/91	0.819	0.00	15.80	0.00	0.00
9456	PT	4YH	79	04/23/91	1.370	0.00	15.90	0.00 >	0.01
9456	SF	4Z2	79	04/23/91	0.924	0.00	8.91	0.00	0.00
9456	VE	4JH	79	04/26/91	0.862	0.00	17.80	0.00 >	0.10
9456	YF	4VH	79	04/24/91	1.216	0.00	7.67	0.00 >	0.50
9457	JE	4J2	79	04/24/91	0.819	0.00	204.00	0.00	0.00
9457	PT	4YH	79	04/23/91	1.370	0.00	320.00	0.00 >	0.13
9457	SF	4Z2	79	04/23/91	0.924	0.00	10.60	0.00	0.00
9457	VE	4JH	79	04/26/91	0.862	0.00	267.00	0.00	0.00
9457	YF	4VH	79	04/24/91	1.216	0.00	241.00	0.00 >	2.49
9458	JE	4J3	79	04/24/91	0.925	0.00	185.00	0.00	0.05
9458	JE	A7D	79	10/02/91	0.809	0.00	187.00	0.00 >	2.40
9458	PT	4YO	79	04/23/91	0.978	0.00	165.00	0.00	1.27
9458	PT	ABP	79	10/03/91	0.581	0.00	114.00	0.00	0.00
9458	SF	4Z3	79	04/23/91	0.803	0.00	23.00	0.00 >	1.36
9458	SF	AB9	79	10/03/91	0.620	0.00	121.00	0.00	0.00
9458	VE	4JI	79	04/26/91	0.842	0.00	238.00	0.00	0.00
9458	VE	A62	79	10/04/91	1.084	0.00	210.00	0.00	0.00
9458	YF	4VO	79	04/24/91	1.231	57.90	145.00	2.50 >	13.51
9458	YF	A5N	79	10/01/91	0.809	35.50	204.00	5.74 >	29.64
9459	JE	4J3	79	04/24/91	0.925	0.00	59.20	0.00	0.00
9459	PT	4YO	79	04/23/91	0.978	0.00	73.50	0.00	0.00
9459	SF	4Z3	79	04/23/91	0.803	0.00	28.90	0.00	0.00
9459	VE	4JI	79	04/26/91	0.842	0.00	180.00	0.00	0.00
9459	YF	4VO	79	04/24/91	1.231	0.00	52.40	0.00	0.00
9460	JE	4J4	79	04/24/91	0.860	0.00	128.00	0.00	0.00
9460	JE	A7D	79	10/02/91	0.809	0.00	156.00	0.00 >	0.80
9460	PT	4VP	79	04/23/91	1.097	0.00	131.00	0.00	0.00
9460	PT	ABP	79	10/03/91	0.581	0.00	118.00	0.00	0.00
9460	SF	4Z4	79	04/23/91	0.870	0.00	23.20	0.00 >	0.01
9460	SF	AB9	79	10/03/91	0.620	0.00	81.10	0.00	0.00
9460	VE	4JJ	79	04/26/91	0.856	0.00 >	320.00	0.00 >	0.40
9460	VE	A62	79	10/04/91	1.084	0.00	189.00	0.00	0.00
9460	YF	4VP	79	04/24/91	1.206	16.00	87.00	5.45 >	20.42
9460	YF	A5N	79	10/01/91	0.809	12.50	88.70	7.08 >	30.92
9461	JE	6J5	80	07/03/91	1.001	0.00	207.00	0.00 >	1.28
9461	PT	6V7	80	07/03/91	1.084	0.00	212.00	0.00 >	1.50
9461	SF	6VH	80	07/03/91	1.019	0.00	114.00	0.00	0.00
9461	VE	6TY	80	07/03/91	0.959	0.00	144.00	0.00 >	0.01
9461	YF	6JD	80	07/03/91	0.814	0.00	215.00	0.00	1.14
9463	JE	72A	80	07/10/91	0.974	0.00 >	320.00	0.00	0.00
9463	PT	82W	80	08/06/91	0.765	0.00 >	320.00	0.00	0.00
9463	SF	740	80	07/10/91	0.958	0.00 >	320.00	0.00	0.00
9463	VE	711	80	07/12/91	1.142	0.00 >	320.00	0.00	0.10
9463	VV	1VA	80	10/03/91	0.671	0.00 >	320.00	0.00 >	2.10
9463	YF	73J	80	07/10/91	0.937	0.00 >	320.00	0.00 >	0.81
9470	JE	4J4	79	04/24/91	0.860	0.00 >	320.00	0.00	0.00
9470	JE	A7E	79	10/02/91	0.815	0.00	556.00	0.00 >	2.30
9470	PT	4YP	79	04/23/91	1.097	288.00 >	320.00 >	1.11 >	5.55
9470	PT	ABO	79	10/03/91	0.542	0.00	550.00	0.00	0.00
9470	SF	4Z4	79	04/23/91	0.870	0.00	37.30	0.00	0.00
9470	SF	ABA	79	10/03/91	0.583	0.00	257.00	0.00	0.00
9470	VE	4JJ	79	04/26/91	0.856	0.00 >	320.00	0.00	0.00
9470	VE	A63	79	10/04/91	1.122	0.00	463.00	0.00	0.55
9470	YF	4VP	79	04/24/91	1.206	0.00 >	320.00	0.00 >	3.10
9470	YF	A5N	79	10/01/91	0.853	0.00	559.00	0.00	3.39
9472	JE	4J5	79	04/24/91	0.893	0.00	73.20	0.00	0.00
9472	PT	4YQ	79	04/23/91	1.135	0.00	141.00	0.00	3.20
9472	SF	4Z5	79	04/23/91	0.970	0.00	5.14	0.00	0.00
9472	VE	4JK	79	04/26/91	0.837	0.00	157.00	0.00	0.52
9472	YF	4VQ	79	04/24/91	1.163	0.00	103.00	0.00 >	2.04

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9473	JE	4ZU	79	04/25/91	0.636	0.00	24.70	0.00	0.00
9473	PT	500	79	04/25/91	1.148	0.00	40.70	0.00	2.86
9473	SF	513	79	04/25/91	1.082	0.00	10.30	0.00 >	5.86
9473	VE	4WN	79	04/26/91	0.938	0.00	43.70	0.00	0.63
9473	YF	509	79	04/25/91	1.178	0.00	45.20	0.00 >	3.49
9474	JE	4ZV	79	04/25/91	0.665	0.00	5.27	0.00	0.00
9474	PT	50P	79	04/25/91	1.342	0.00	4.02	0.00 >	0.01
9474	SF	514	79	04/25/91	1.046	0.00	6.18	0.00	0.21
9474	VE	4WO	79	04/26/91	0.878	0.00	6.03	0.00	0.00
9474	YF	50A	79	04/25/91	1.006	0.00	5.01	0.00	0.00
9475	JE	4ZV	79	04/25/91	0.665	0.00	19.20	0.00	0.00
9475	JE	A7E	79	10/02/91	0.815	0.00	28.70	0.00 >	0.40
9475	PT	50P	79	04/25/91	1.342	7.39	18.50	2.51	10.51
9475	PT	ABQ	79	10/03/91	0.542	0.00	14.30	0.00	0.00
9475	SF	514	79	04/25/91	1.046	10.00	9.43	0.94 >	11.01
9475	SF	ABA	79	10/03/91	0.583	10.00	14.20	1.42	4.48
9475	VE	4WO	79	04/26/91	0.878	0.00	22.10	0.00	0.00
9475	VE	A63	79	10/04/91	1.122	0.00	155.00	0.00	0.00
9475	YF	50A	79	04/25/91	1.006	19.40	26.20	1.35 >	14.51
9475	YF	A5N	79	10/01/91	0.853	8.85	22.80	2.57 >	15.26
9476	JE	4ZW	79	04/25/91	0.555	0.00	52.50	0.00	0.10
9476	PT	5QJ	79	04/25/91	1.231	0.00	48.50	0.00	0.00
9476	SF	515	79	04/25/91	1.054	0.00	16.80	0.00 >	0.53
9476	VE	4WP	79	04/26/91	0.862	87.70	103.00	1.17	3.38
9476	YF	508	79	04/25/91	1.044	0.00	71.40	0.00 >	2.69
9477	JE	3TL	RS-1	03/13/91	0.840	0.00	547.00	0.00	0.00
9477	PT	3UM	RS-1	03/12/91	1.482	0.00	518.00	0.00	0.00
9477	SF	3UY	RS-1	03/12/91	0.645	0.00	556.00	0.00	1.34
9477	VE	3T2	RS-1	03/15/91	1.134	0.00	359.00	0.00	0.00
9477	YF	3T7	RS-1	03/13/91	1.165	0.00	488.00	0.00	0.00
9478	JE	6YL	80	07/09/91	1.073	0.00	17.60	0.00 >	0.11
9478	PT	6ZF	80	07/09/91	1.181	0.00	14.00	0.00	0.00
9478	SF	6ZU	80	07/09/91	1.200	0.00	16.50	0.00 >	0.07
9478	VE	6Z0	80	07/12/91	1.304	0.00	18.20	0.00	0.00
9478	VV	1U3	80	09/19/91	1.089	0.00	10.00	0.00	0.00
9478	YF	6Y6	80	07/09/91	1.078	0.00	17.60	0.00	0.20
9479	JE	6YM	80	07/09/91	1.030	0.00	219.00	0.00	0.00
9479	PT	6ZG	80	07/09/91	1.205	0.00	170.00	0.00	0.05
9479	SF	6ZV	80	07/09/91	1.155	0.00	146.00	0.00	0.00
9479	VE	6Z1	80	07/12/91	1.227	0.00	210.00	0.00	0.53
9479	VV	1U4	80	09/19/91	1.085	0.00	112.00	0.00	0.00
9479	YF	6Y7	80	07/09/91	1.056	0.00 >	320.00	0.00 >	18.59
9480	JE	6YM	80	07/09/91	1.030	0.00	158.00	0.00	0.00
9480	JE	AER	80	10/09/91	0.729	0.00	200.00	0.00	0.00
9480	JE	BZZ	80	11/20/91	1.072	0.00	35.00	0.00	0.00
9480	PT	6ZG	80	07/09/91	1.205	0.00	25.10	0.00	2.30
9480	PT	AFN	80	10/10/91	0.536	0.00	149.00	0.00	0.00
9480	PT	C3N	80	11/20/91	0.714	0.00	45.20	0.00	0.00
9480	SF	6ZV	80	07/09/91	1.155	67.70	24.00	0.35	8.68
9480	SF	AG3	80	10/10/91	0.656	0.00	43.30	0.00	0.00
9480	SF	C3X	80	11/20/91	0.772	0.00	114.00	0.00	4.51
9480	VE	6Z1	80	07/12/91	1.227	0.00	169.00	0.00	1.89
9480	VE	AF7	80	10/11/91	1.042	0.00 >	1000.00	0.00 >	1.22
9480	VE	C0E	80	11/22/91	1.173	0.00	462.00	0.00	0.00
9480	VV	1U4	80	09/19/91	1.085	12.30 >	320.00 >	25.95 >	51.02
9480	VV	21J	80	11/21/91	1.078	17.60	249.00	14.15	38.09
9480	YF	6Y7	80	07/09/91	1.056	0.00	159.00	0.00 >	11.81
9480	YF	AEB	80	10/08/91	0.961	0.00	171.00	0.00	0.00
9480	YF	BZJ	80	11/20/91	1.031	0.00	107.00	0.00	0.00
9481	JE	6YN	80	07/09/91	1.189	0.00	43.50	0.00	0.00
9481	PT	6ZH	80	07/09/91	1.125	0.00	49.30	0.00	1.31
9481	SF	6ZW	80	07/09/91	1.146	0.00	30.00	0.00	0.00
9481	VE	6Z2	80	07/12/91	1.240	0.00	55.60	0.00 >	2.04
9481	VV	1U5	80	09/19/91	1.043	0.00	17.20	0.00	0.00
9481	YF	6Y8	80	07/09/91	0.980	0.00	49.30	0.00 >	2.51
9482	JE	6YN	80	07/09/91	1.189	0.00	26.80	0.00	0.00
9482	PT	6ZH	80	07/09/91	1.125	0.00	62.60	0.00	1.60
9482	SF	6ZW	80	07/09/91	1.146	0.00	7.49	0.00	2.61
9482	VE	6Z2	80	07/12/91	1.240	0.00	86.40	0.00	0.55
9482	VV	1U5	80	09/19/91	1.043	0.00	52.90	0.00	0.00
9482	YF	6Y8	80	07/09/91	0.980	0.00	72.80	0.00 >	0.20
9485	JE	6Y0	80	07/09/91	0.842	0.00 >	320.00	0.00	1.00
9485	PT	6Z1	80	07/09/91	1.210	0.00 >	320.00	0.00	0.00
9485	SF	6ZX	80	07/09/91	1.196	0.00	210.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9485	VE	6Z3	80	07/12/91	1.145	0.00 >	320.00	0.00 >	0.20
9485	VV	1U6	80	09/19/91	1.048	0.00	114.00	0.00	0.00
9485	YF	6Y9	80	07/09/91	1.059	0.00 >	320.00	0.00 >	0.60
9487	JE	6YO	80	07/09/91	0.842	0.00	29.60	0.00 >	0.20
9487	JE	AE[illegible]	80	10/09/91	0.729	0.00	39.70	0.00	0.00
9487	PT	6Z1	80	07/09/91	1.210	28.30	13.10	0.46	3.19
9487	PT	AFN	80	10/10/91	0.536	0.00	43.30	0.00	0.00
9487	SF	6ZX	80	07/09/91	1.196	0.00	18.50	0.00	0.00
9487	SF	AG3	80	10/10/91	0.656	0.00	7.45	0.00 >	1.80
9487	VE	6Z3	80	07/12/91	1.145	0.00	134.00	0.00 >	2.84
9487	VE	AF7	80	10/11/91	1.042	301.00 >	320.00 >	1.06 >	7.65
9487	VV	1VI	80	10/03/91	0.738	0.00	10.00	0.00 >	0.07
9487	YF	6Y9	80	07/09/91	1.059	0.00	16.60	0.00 >	1.08
9487	YF	AEB	80	10/08/91	0.961	0.00	7.49	0.00	0.00
9488	JE	6YP	80	07/09/91	1.076	0.00	44.00	0.00	0.04
9488	PT	6ZJ	80	07/09/91	1.239	0.00	27.90	0.00	0.00
9488	SF	6ZY	80	07/09/91	1.158	0.00	0.96	0.00	0.00
9488	VE	6Z4	80	[illegible]/12/91	1.189	0.00	55.30	0.00 >	1.35
9488	VV	1U7	80	09/19/91	1.018	0.00	20.00	0.00	0.38
9488	YF	6YA	80	07/09/91	1.018	0.00	37.00	0.00 >	0.20
9489	JE	6YP	80	07/09/91	1.076	0.00	32.00	0.00	0.00
9489	JE	AES	80	10/09/91	0.785	0.00	173.00	0.00	0.00
9489	PT	6ZJ	80	07/09/91	1.239	0.00	26.50	0.00	0.65
9489	PT	AFO	80	10/10/91	0.580	0.00	103.00	0.00	0.00
9489	SF	6ZY	80	07/09/91	1.158	91.90	32.00	0.35	2.95
9489	SF	AG4	80	10/10/91	0.588	0.00	35.40	0.00	0.00
9489	VE	6Z4	80	07/12/91	1.189	0.00	181.00	0.00	0.46
9489	VE	AF8	80	10/1[illegible]/91	1.050	201.00	312.00	1.55	9.57
9489	VV	1U7	80	09/19/91	1.018	20.60	14.90	0.72	11.96
9489	VV	1YL	80	10/24/91	0.792	22.80	106.00	4.63	18.81
9489	VV	20K	80	11/14/91	1.497	54.90	19.60	0.36 >	3.80
9489	YF	6YA	80	07/09/91	1.018	0.00	29.00	0.00	0.00
9489	YF	AEC	80	10/08/91	1.000	0.00	16.80	0.00	0.00
9492	JE	6YQ	80	07/09/91	1.061	0.00	34.60	0.00	0.00
9492	PT	6ZK	80	07/09/91	1.244	0.00	28.00	0.00	1.11
9492	SF	6ZZ	80	07/09/91	1.096	0.00	34.20	0.00	0.00
9492	VE	6Z5	80	07/12/91	1.290	0.00	54.40	0.00 >	1.87
9492	VV	1U8	80	09/19/91	1.047	0.00	4.81	0.00	0.00
9492	YF	6YB	80	07/09/91	1.023	0.00	32.90	0.00	0.13
9501	JE	6YQ	80	07/09/91	1.061	0.00	172.00	0.00	0.00
9501	PT	6ZK	80	07/09/91	1.244	0.00	32.00	0.00	1.90
9501	SF	6ZZ	80	07/09/91	1.096	0.00	154.00	0.00	1.52
9501	VE	6Z5	80	07/12/91	1.290	0.00	320.00	0.00 >	1.90
9501	VV	1U8	80	09/19/91	1.047	0.00	253.00	0.00	2.11
9501	YF	6YB	80	07/09/91	1.023	0.00	158.00	0.00 >	0.39
9503	JE	6YR	80	07/09/91	1.065	0.00	6.85	0.00	0.00
9503	PT	6ZL	80	07/09/91	1.159	0.00	6.40	0.00	0.04
9503	SF	700	80	07/09/91	1.053	0.00	7.35	0.00	0.00
9503	VE	6Z6	80	07/12/91	1.239	0.00	12.50	0.00 >	0.44
9503	VV	1UG	80	09/26/91	1.567	0.00	3.08	0.00	0.02
9503	YF	6YC	80	07/09/91	1.026	0.00	6.69	0.00 >	0.84
9508	JE	6YR	80	07/09/91	1.065	0.00	16.90	0.00	0.00
9508	PT	6ZL	80	07/09/91	1.159	0.00	8.02	0.00	0.00
9508	SF	700	80	07/09/91	1.053	0.00	17.70	0.00	0.00
9508	VE	6Z6	80	07/12/91	1.239	0.00 >	320.00	0.00 >	0.90
9508	VV	1UH	80	09/26/91	1.482	0.00	34.80	0.00	0.00
9508	YF	6YC	80	07/09/91	1.026	0.00	16.00	0.00 >	0.30
9509	JE	6YS	80	07/09/91	1.033	0.00	9.69	0.00	0.00
9509	PT	6ZM	80	07/09/91	1.161	0.00	10.00	0.00	0.05
9509	SF	701	80	07/09/91	1.152	0.00	17.30	0.00	0.00
9509	VE	6Z7	80	07/12/91	1.194	0.00	68.60	0.00 >	1.65
9509	VV	1UH	80	09/26/91	1.482	0.00	24.00	0.00	0.06
9509	YF	6YD	80	07/09/91	1.024	0.00	9.74	0.00 >	2.02
9510	JE	6YS	80	07/09/91	1.033	0.00	12.60	0.00	0.00
9510	PT	6ZM	80	07/09/91	1.161	0.00	9.58	0.00	0.00
9510	SF	701	80	07/09/91	1.152	0.00	12.10	0.00	0.00
9510	VE	6Z7	80	07/12/91	1.194	0.00	16.80	0.00 >	0.55
9510	VV	1UI	80	09/26/91	1.467	0.00	8.12	0.00 >	0.02
9510	YF	6YD	80	07/09/91	1.024	0.00	13.00	0.00 >	0.30
9511	JE	71[illegible]	80	07/10/91	0.608	0.00	141.00	0.00	3.25
9511	JE	4E[illegible]	80	10/09/91	0.785	0.00	51.40	0.00	0.00
9511	PT	731	80	07/11/91	0.552	0.00	24.90	0.00 >	0.81
9511	PT	AFO	80	10/10/91	0.580	0.00	29.10	0.00	0.00
9511	SF	704	80	07/09/91	1.163	0.00	17.70	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9511	SF	AG4	80	10/10/91	0.588	0.00	16.40	0.00	0.00
9511	VE	70J	80	07/12/91	1.146	0.00	154.00	0.00 >	4.31
9511	VE	AF8	80	10/11/91	1.050	69.50	86.40	1.24	5.38
9511	VV	1UI	80	09/26/91	1.467	8.95	6.80	0.76	2.70
9511	YF	72N	80	07/10/91	0.956	71.70	57.50	0.80 >	3.82
9511	YF	AEC	80	10/08/91	1.000	0.00	38.60	0.00	0.00
9512	JE	71T	80	07/10/91	0.916	0.00	51.10	0.00	0.00
9512	PT	732	80	07/11/91	0.749	0.00	47.60	0.00	0.11
9512	SF	705	80	07/09/91	1.151	0.00	47.30	0.00	0.00
9512	VE	70K	80	07/12/91	1.099	0.00	163.00	0.00 >	4.23
9512	VV	1UJ	80	09/26/91	1.359	18.30	106.00	5.78	28.69
9512	VV	1WV	80	10/10/91	1.710	57.00	156.00	2.73	15.20
9512	YF	72N	80	07/10/91	0.809	0.00	53.00	0.00	0.00
9513	JE	71T	80	07/10/91	0.916	0.00	16.90	0.00	0.00
9513	JE	AET	80	10/09/91	0.854	0.00	12.60	0.00	0.00
9513	PT	732	80	07/11/91	0.749	0.00	6.08	0.00	0.00
9513	PT	AFP	80	10/10/91	0.549	0.00	6.29	0.00	0.00
9513	SF	705	80	07/09/91	1.151	0.00	12.10	0.00	0.00
9513	SF	AG5	80	10/10/91	0.606	0.00	10.60	0.00	0.00
9513	VE	70K	80	07/12/91	1.099	90.60	31.10	0.34 >	1.34
9513	VE	AF9	80	10/11/91	1.111	0.00	19.50	0.00	0.00
9513	VV	1UJ	80	09/26/91	1.359	0.00	2.83	0.00 >	0.03
9513	YF	72N	80	07/10/91	0.809	0.00	12.20	0.00	0.00
9513	YF	AED	80	10/08/91	0.973	0.00	15.30	0.00	0.00
9514	JE	71U	80	07/10/91	0.780	0.00	23.40	0.00	0.00
9514	PT	733	80	07/11/91	0.743	0.00	3.65	0.00	0.00
9514	SF	706	80	07/09/91	1.086	0.00	16.10	0.00	0.00
9514	VE	70L	80	07/12/91	1.246	0.00	15.30	0.00 >	0.32
9514	VV	1UK	80	09/26/91	1.443	0.00	3.76	0.00	0.00
9514	YF	720	80	07/10/91	0.927	0.00	17.60	0.00 >	0.20
9516	JE	71U	80	07/10/91	0.780	0.00	38.80	0.00	0.00
9516	PT	733	80	07/11/91	0.743	0.00	2.21	0.00	0.00
9516	SF	706	80	07/09/91	1.086	0.00	61.90	0.00	0.00
9516	VE	70L	80	07/12/91	1.246	0.00	72.80	0.00 >	1.31
9516	VV	1UK	80	09/26/91	1.443	0.00	42.90	0.00	3.75
9516	YF	720	80	07/10/91	0.927	0.00	44.60	0.00	0.00
9519	JE	71V	80	07/10/91	0.862	0.00	59.20	0.00	0.00
9519	PT	734	80	07/11/91	0.741	0.00	9.51	0.00	0.00
9519	SF	707	80	07/09/91	1.075	0.00	238.00	0.00	0.00
9519	VE	70M	80	07/12/91	1.251	0.00	28.30	0.00 >	0.35
9519	VV	1WW	80	10/10/91	1.623	0.00	1.00	0.00 >	3.19
9519	YF	72P	80	07/10/91	0.937	0.00	119.00	0.00	0.00
9520	JE	71V	80	07/10/91	0.862	0.00	7.18	0.00	0.00
9520	PT	734	80	07/11/91	0.741	0.00	3.80	0.00	0.00
9520	SF	707	80	07/09/91	1.075	0.00	6.34	0.00	0.00
9520	VE	70M	80	07/12/91	1.251	0.00	9.27	0.00 >	0.80
9520	VV	1WW	80	10/10/91	1.623	0.00	1.88	0.00	3.99
9520	YF	72P	80	07/10/91	0.937	0.00	5.90	0.00	0.00
9521	JE	71W	80	07/10/91	0.751	0.00	18.90	0.00	0.00
9521	PT	735	80	07/11/91	0.721	0.00	5.47	0.00	0.00
9521	SF	708	80	07/09/91	1.024	0.00	12.80	0.00	0.00
9521	VE	70N	80	07/12/91	1.196	0.00	10.00	0.00 >	0.21
9521	VV	1UM	80	09/26/91	1.464	0.00	2.69	0.00	0.00
9521	YF	729	80	07/10/91	0.905	0.00	17.20	0.00 >	1.48
9524	JE	4ZW	79	04/25/91	0.555	0.00	55.60	0.00	0.00
9524	PT	508	79	04/25/91	1.231	0.00	37.20	0.00	0.00
9524	SF	515	79	04/25/91	1.054	0.00	21.60	0.00 >	1.12
9524	VE	4MP	79	04/26/91	0.862	0.00	24.70	0.00	0.00
9524	VV	1N7	79	06/13/91	1.196	0.00	4.53	0.00	0.00
9524	YF	508	79	04/25/91	1.044	0.00	72.80	0.00 >	0.10
9525	JE	4ZX	79	04/25/91	0.743	0.00	225.00	0.00	0.00
9525	PT	50R	79	04/25/91	1.245	0.00	168.00	0.00	0.06
9525	SF	516	79	04/25/91	1.062	0.00	121.00	0.00 >	1.07
9525	VE	4MQ	79	04/26/91	0.852	0.00	201.00	0.00	0.00
9525	VV	1L3	79	05/16/91	0.706	0.00	196.00	0.00	0.00
9525	YF	50C	79	04/25/91	1.044	0.00	268.00	0.00	1.17
9526	JE	4ZX	79	04/25/91	0.743	0.00	4.69	0.00	0.00
9526	PT	50R	79	04/25/91	1.245	0.00 <	1.00	0.00	0.00
9526	SF	516	79	04/25/91	1.062	0.00	4.33	0.00 >	4.70
9526	VE	4MQ	79	04/26/91	0.852	0.00	6.98	0.00	0.00
9526	VV	1L4	79	05/16/91	0.753	0.00	2.89	0.00	0.00
9526	YF	50C	79	04/25/91	1.044	0.00	32.90	0.00	0.00
9527	JE	4ZY	79	04/25/91	0.650	0.00	4.06	0.00	0.00
9527	PT	508	79	04/25/91	1.291	0.00	2.19	0.00	0.00

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9527	SF	517	79	04/25/91	1.148	0.00	1.75	0.00	0.00
9527	VE	4UR	79	04/26/91	0.876	0.00	1.75	0.00	0.00
9527	VV	1N9	79	06/13/91	1.464	0.00	0.68	0.00	0.00
9527	YF	500	79	04/25/91	1.058	0.00	3.53	0.00	0.00
9528	JE	4ZY	79	04/25/91	0.650	0.00	4.62	0.00	0.00
9528	PT	508	79	04/25/91	1.291	0.00	14.30	0.00	0.00
9528	SF	517	79	04/25/91	1.148	0.00	1.99	0.00 >	0.07
9528	VE	4UR	79	04/26/91	0.876	0.00	5.35	0.00	0.00
9528	VV	1N0	79	06/13/91	1.501	0.00	1.52	0.00	0.11
9528	YF	500	79	04/25/91	1.058	0.00	45.40	0.00	0.00
9529	JE	4ZZ	79	04/25/91	0.708	0.00	6.41	0.00	0.00
9529	JE	A7F	79	10/02/91	0.863	0.00	7.24	0.00 >	0.38
9529	PT	50?	79	04/25/91	1.107	2.07	23.20	11.19 >	27.65
9529	PT	ABR	79	10/03/91	0.597	0.00	2.74	0.00	0.00
9529	SF	518	79	04/25/91	0.940	2.81	4.67	1.66 >	7.82
9529	SF	ABB	79	10/03/91	0.614	0.00	2.31	0.00 >	0.02
9529	VE	4U8	79	04/26/91	0.835	0.00	7.88	0.00	0.00
9529	VE	A64	79	10/04/91	1.104	0.00	23.20	0.00 >	0.03
9529	VV	1L5	79	05/16/91	0.689	0.00	3.32	0.00	0.00
9529	YF	50E	79	04/25/91	1.045	0.00	38.40	0.00	0.00
9529	YF	A50	79	10/01/91	0.870	0.00	8.95	0.00	0.95
9530	JE	4ZZ	79	04/25/91	0.708	0.00	21.60	0.00	0.00
9530	JE	A7G	79	10/02/91	0.892	0.00	49.90	0.00 >	3.50
9530	PT	50T	79	04/25/91	1.107	17.50	42.90	2.46	14.90
9530	PT	ABS	79	10/03/91	0.603	0.00	49.90	0.00	0.00
9530	SF	518	79	04/25/91	0.940	25.50	43.20	1.69	7.29
9530	SF	ABC	79	10/03/91	0.515	26.80	49.90	1.86	8.18
9530	VE	4U8	79	04/26/91	0.835	0.00	51.10	0.00 >	3.10
9530	VE	A65	79	10/04/91	1.098	0.00	160.00	0.00 >	2.44
9530	VV	1L6	79	05/16/91	0.763	0.00	15.70	0.00 >	0.30
9530	YF	50E	79	04/25/91	1.045	0.00	21.50	0.00 >	0.41
9530	YF	A5P	79	10/01/91	0.835	16.80	49.90	2.98	18.71
9532	JE	500	79	04/25/91	0.621	0.00	8.68	0.00	0.00
9532	PT	50U	79	04/25/91	1.133	0.00	12.60	0.00	0.00
9532	SF	519	79	04/25/91	1.137	0.00	2.02	0.00	0.00
9532	VE	4WT	79	04/26/91	0.860	0.00	5.69	0.00	0.00
9532	VV	1L7	79	05/16/91	0.768	0.00	6.25	0.00 >	1.62
9532	YF	50F	79	04/25/91	0.937	0.00	14.80	0.00	0.00
9533	JE	500	79	04/25/91	0.621	0.00	3.05	0.00	0.00
9533	PT	50U	79	04/25/91	1.133	0.00	3.80	0.00 >	0.55
9533	SF	519	79	04/25/91	1.137	0.00	4.01	0.00	0.00
9533	VE	4WT	79	04/26/91	0.860	0.00 <	1.00	0.00	0.00
9533	VV	1L7	79	05/16/91	0.768	0.00	2.20	0.00 >	0.20
9533	YF	50F	79	04/25/91	0.937	0.00	4.08	0.00	0.00
9534	JE	501	79	04/25/91	0.845	0.00	16.60	0.00 >	3.68
9534	PT	50V	79	04/25/91	0.902	0.00	13.80	0.00	0.00
9534	SF	51A	79	04/25/91	1.035	0.00	4.58	0.00	0.00
9534	VE	4WU	79	04/26/91	0.725	0.00	8.00	0.00	0.00
9534	VV	1PZ	79	07/25/91	0.940	0.00	0.42	0.00	0.00
9534	YF	50G	79	04/25/91	1.257	0.00	19.50	0.00 >	0.03
9535	JE	501	79	04/25/91	0.845	0.00	2.22	0.00 >	0.12
9535	PT	50V	79	04/25/91	0.902	0.00	15.50	0.00	0.00
9535	SF	51A	79	04/25/91	1.035	0.00	2.74	0.00	0.00
9535	VE	4WU	79	04/26/91	0.725	0.00	5.74	0.00	0.00
9535	VV	1L8	79	05/16/91	0.756	0.00	6.40	0.00 >	1.12
9535	YF	50G	79	04/25/91	1.257	0.00	16.30	0.00	0.00
9536	JE	502	79	04/25/91	0.600	0.00	44.80	0.00 >	0.20
9536	PT	50W	79	04/25/91	1.134	0.00	34.40	0.00	0.00
9536	SF	518	79	04/25/91	1.067	0.00	13.30	0.00	0.00
9536	VE	4WV	79	04/26/91	0.798	0.00	49.00	0.00 >	0.10
9536	VV	1L9	79	05/16/91	0.706	0.00	5.13	0.00	0.00
9536	YF	50H	79	04/25/91	0.988	0.00	56.80	0.00 >	1.02
9537	JE	502	79	04/25/91	0.600	0.00	49.00	0.00 >	0.20
9537	PT	50W	79	04/25/91	1.134	0.00	49.00	0.00	0.10
9537	SF	518	79	04/25/91	1.067	0.00	32.90	0.00	3.30
9537	VE	4WV	79	04/26/91	0.798	0.00	49.00	0.00 >	0.91
9537	VV	1L9	79	05/16/91	0.706	0.00	14.70	0.00	0.03
9537	YF	50H	79	04/25/91	0.988	0.00	49.20	0.00 >	5.73
9538	JE	503	79	04/25/91	0.539	0.00	6.08	0.00	0.00
9538	PT	50X	79	04/25/91	1.168	0.00	2.96	0.00	0.00
9538	SF	51C	79	04/25/91	1.009	0.00	1.57	0.00	0.00
9538	VE	4WW	79	04/26/91	0.795	0.00	1.80	0.00	0.00
9538	VV	1N0	79	06/13/91	1.501	0.00	1.93	0.00 >	0.01
9538	YF	501	79	04/25/91	1.042	0.00	6.29	0.00 >	0.10

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9539	JE	503	79	04/25/91	0.539	0.00	56.30	0.00	0.00
9539	PT	50X	79	04/25/91	1.168	0.00	64.50	0.00	0.00
9539	SF	51C	79	04/25/91	1.009	0.00	38.60	0.00 >	0.26
9539	VE	4WW	79	04/26/91	0.795	0.00	55.90	0.00	0.00
9539	VV	1LA	79	05/16/91	0.785	0.00	4.75	0.00 >	0.06
9539	YF	50[illegible]	79	04/25/91	1.042	0.00	71.50	0.00	1.53
9540	JE	5C4	79	04/25/91	0.542	0.00	36.30	0.00	0.00
9540	PT	50Y	79	04/25/91	1.065	0.00	28.30	0.00	0.60
9540	SF	51D	79	04/25/91	0.953	0.00	26.50	0.00	0.00
9540	VE	4WX	79	04/26/91	0.903	0.00	26.00	0.00	0.00
9540	VV	[illegible]	79	05/16/91	0.776	0.00	4.10	0.00	0.00
9540	YF	50J	79	04/25/91	0.852	0.00	49.00	0.00	0.00
9541	JE	504	79	04/25/91	0.542	0.00 <	1.00	0.00	0.00
9541	JE	A7G	79	10/02/91	0.892	0.00	0.60	0.00	0.00
9541	PT	50Y	79	04/25/91	1.065	0.00 <	1.00	0.00	0.00
9541	PT	ABS	79	10/03/91	0.603	0.00	0.81	0.00	0.00
9541	SF	51D	79	04/25/91	0.953	0.00 <	1.00	0.00	0.00
9541	SF	ABC	79	10/03/91	0.515	0.00	0.47	0.00	0.00
9541	VE	4WX	79	04/26/91	0.903	0.00 <	1.00	0.00	0.00
9541	VE	A65	79	10/04/91	1.098	0.00	0.57	0.00	0.06
9541	VV	1NE	79	06/13/91	1.471	0.00	0.71	0.00	0.00
9541	YF	50J	79	04/25/91	0.852	0.00 <	1.00	0.00	0.00
9541	YF	A5P	79	10/01/91	0.835	0.29	0.61	2.10	11.29
9542	JE	505	79	04/25/91	0.993	0.00	2.00	0.00 >	0.55
9542	JE	A7H	79	10/02/91	0.905	0.00	0.45	0.00 >	1.13
9542	PT	50Z	79	04/25/91	1.229	0.00	1.62	0.00 >	0.23
9542	PT	ABT	79	10/03/91	0.600	0.00	0.43	0.00	0.00
9542	SF	51E	79	04/25/91	1.124	0.00 <	1.00	0.00	0.00
9542	SF	ABD	79	10/03/91	0.641	0.00	0.23	0.00	0.00
9542	VE	4WY	79	04/26/91	0.907	0.00	1.47	0.00	0.00
9542	VE	A66	79	10/04/91	1.192	0.00	0.39	0.00	0.00
9542	VV	1NW	79	06/13/91	1.209	0.00	0.01	0.00	0.00
9542	YF	50K	79	04/25/91	1.224	0.00 <	1.00	0.00	0.00
9542	YF	A5Q	79	10/01/91	0.788	0.00	0.61	0.00 >	12.59
9543	JE	505	79	04/25/91	0.993	0.00 <	1.00	0.00	0.00
9543	JE	A7H	79	10/02/91	0.905	0.00	0.36	0.00 >	0.05
9543	PT	50Z	79	04/25/91	1.229	0.00 <	1.00	0.00	0.00
9543	PT	ABT	79	10/03/91	0.600	0.00	0.27	0.00	0.00
9543	SF	51E	79	04/25/91	1.124	0.00 <	1	0.00	0.00
9543	SF	ABD	79	10/03/91	0.641	0.00	0	0.00	0.00
9543	VE	4WY	79	04/26/91	0.907	0.00 <	1.00	0.00	0.00
9543	VE	A66	79	10/04/91	1.192	0.00	0.29	0.00	0.00
9543	VV	1NX	79	06/13/91	1.292	0.00	0.00	0.00	0.00
9543	YF	50K	79	04/25/91	1.224 <	1.00	1.35 >	1.35 >	1.25
9543	YF	A5Q	79	10/01/91	0.788	0.00	0.54	0.00 >	12.87
9544	JE	506	79	04/25/91	0.887	0.00 <	1.00	0.00	0.00
9544	JE	A7I	79	10/02/91	0.835	0.00	0.36	0.00	0.60
9544	PT	510	79	04/25/91	1.090	0.00 <	1.00	0.00	0.00
9544	PT	ABU	79	10/03/91	0.705	0.00	0.29	0.00	0.00
9544	SF	51F	79	04/25/91	0.941	0.00 <	1.00	0.00	0.00
9544	SF	ABE	79	10/03/91	0.603	0.00	0.21	0.00	0.00
9544	VE	4WZ	79	04/26/91	0.887	0.00 <	1.00	0.00	0.00
9544	VE	A67	79	10/04/91	1.125	0.00	0.24	0.00 >	0.50
9544	VV	1NY	79	06/13/91	1.243	0.00	0.01	0.00	0.00
9544	YF	50L	79	04/25/91	1.047	0.00 <	1.00	0.00	0.00
9544	YF	A5R	79	10/01/91	1.010	0.00	0.39	0.00 >	6.12
9545	JE	506	79	04/25/91	0.887	0.00 <	1.00	0.00	0.00
9545	JE	A7I	79	10/02/91	0.835	0.00	0.50	0.00	0.66
9545	PT	510	79	04/25/91	1.090	0.00 <	1.00	0.00	0.00
9545	PT	ABU	79	10/03/91	0.705	0.00	0.47	0.00	0.00
9545	SF	51F	79	04/25/91	0.941	0.00 <	1.00	0.00	0.00
9545	SF	ABE	79	10/03/91	0.603	0.00	0.42	0.00	0.00
9545	VE	4WZ	79	04/26/91	0.887	0.00 <	1.00	0.00	0.00
9545	VE	A67	79	10/04/91	1.125	0.00	0.17	0.00 >	0.03
9545	VV	1NZ	79	06/13/91	1.352	0.00	1.73	0.00	0.00
9545	VV	1NZ	79	06/13/91	1.352	0.00 >	0.32	0.00	1.10
9545	YF	50L	79	04/25/91	1.047 <	1.00	1.55 >	1.55 >	2.27
9545	YF	A5R	79	10/01/91	1.010	0.00	0.71	0.00	7.86
9546	JE	53H	79	05/01/91	0.698	0.00	5.53	0.00	0.00
9546	PT	548	79	04/30/91	1.437	0.00	4.47	0.00	0.00
9546	SF	540	79	04/30/91	1.038	0.00	5.38	0.00 >	1.60
9546	VE	53W	79	05/03/91	0.939	0.00	9.06	0.00	0.02
9546	VV	100	79	06/20/91	1.472	0.00	4.52	0.00	0.16
9546	YF	532	79	05/01/91	1.417	0.00	10.00	0.00	0.00

AVS No.	VIR	PLT #	S[illegible]P #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
9547	JE	531	79	05/01/91	0.849	0.00	10.70	0.00		0.00
9547	PT	54C	79	04/30/91	1.288	0.00	11.70	0.00	>	0.03
9547	SF	54R	79	04/30/91	1.035	0.00	14.40	0.00		0.00
9547	VE	53X	79	05/03/91	0.891	0.00	5.66	0.00		0.00
9547	VV	1N8	79	06/13/91	1.283	0.00	0.68	0.00		0.00
9547	YF	533	79	05/01/91	1.215	0.00	9.48	0.00		0.00
9548	JE	531	79	05/01/91	0.849	0.00	14.70	0.00	>	1.18
9548	PT	54C	79	04/30/91	1.288	0.00	13.90	0.00		0.00
9548	SF	54R	79	04/30/91	1.035	0.00	8.06	0.00	>	1.07
9548	VE	53X	79	05/03/91	0.891	0.00	15.50	0.00		0.00
9548	VV	1LF	79	05/16/91	0.665	0.00	15.70	0.00	>	0.20
9548	YF	533	79	05/01/91	1.215	0.00	13.30	0.00		0.00
9549	JE	53J	79	05/01/91	0.790	0.00	44.40	0.00		0.00
9549	PT	540	79	04/30/91	1.312	0.00	43.90	0.00		0.00
9549	SF	54S	79	04/30/91	0.977	0.00	44.60	0.00		0.20
9549	VE	53Y	79	05/03/91	0.952	0.00	44.40	0.00		0.00
9549	VV	1LF	79	05/16/91	0.665	0.00	49.50	0.00		0.00
9549	YF	534	79	05/01/91	1.175	0.00	51.60	0.00		0.00
9550	JE	53J	79	05/01/91	0.790	0.00	24.30	0.00	>	0.30
9550	PT	540	79	04/30/91	1.312	0.00	36.40	0.00		0.00
9550	SF	54S	79	04/30/91	0.977	0.00	37.30	0.00		0.00
9550	VE	53Y	79	05/03/91	0.952	0.00	17.20	0.00		0.00
9550	VV	1L6	79	05/16/91	0.763	0.00	70.60	0.00	>	0.23
9550	YF	534	79	05/01/91	1.175	0.00	37.70	0.00		0.00
9551	JE	53K	79	05/01/91	0.783	0.00	47.10	0.00	>	0.32
9551	PT	54E	79	04/30/91	1.372	0.00	320.00	0.00		0.00
9551	SF	54T	79	04/30/91	1.006	0.00	96.40	0.00		0.40
9551	VE	53Z	79	05/03/91	0.928	0.00	100.00	0.00		0.00
9551	VV	1NA	79	06/13/91	1.356	0.00	4.92	0.00	>	0.80
9551	YF	535	79	05/01/91	1.118	0.00	92.40	0.00		0.00
9552	JE	53K	79	05/01/91	0.783	0.00	13.20	0.00	>	1.23
9552	PT	54E	79	04/30/91	1.372	0.00	7.53	0.00		0.00
9552	SF	54T	79	04/30/91	1.006	0.00	8.35	0.00		0.10
9552	VE	53Z	79	05/03/91	0.928	0.00	6.13	0.00		0.00
9552	VV	1LG	79	05/16/91	0.784	0.00	10.40	0.00	>	1.86
9552	YF	535	79	05/01/91	1.118	0.00	12.40	0.00		0.00
9553	JE	53L	79	05/01/91	0.755	0.00	18.10	0.00		0.00
9553	PT	54F	79	04/30/91	1.469	0.00	20.30	0.00		0.13
9553	SF	54U	79	04/30/91	1.028	0.00	25.30	0.00	>	0.10
9553	VE	540	79	05/03/91	0.921	0.00	23.90	0.00		0.00
9553	VV	1LH	79	05/16/91	0.679	0.00	34.40	0.00		0.00
9553	YF	536	79	05/01/91	0.942	0.00	24.90	0.00		0.00
9554	JE	53L	79	05/01/91	0.755	0.00	9.46	0.00		0.00
9554	PT	54F	79	04/30/91	1.469	0.00	17.30	0.00		1.03
9554	SF	54U	79	04/30/91	1.028	0.00	14.70	0.00	>	0.40
9554	VE	540	79	05/03/91	0.921	0.00	6.41	0.00		0.00
9554	VV	1LH	79	05/16/91	0.679	0.00	17.30	0.00		0.00
9554	YF	536	79	05/01/91	0.942	0.00	19.50	0.00		0.00
9555	JE	53M	79	05/01/91	0.807	0.00	8.46	0.00	>	4.20
9555	PT	54G	79	04/30/91	1.336	0.00	13.00	0.00		0.00
9555	SF	54V	79	04/30/91	1.032	0.00	5.39	0.00		0.00
9555	VE	541	79	05/03/91	0.663	0.00	9.74	0.00		0.00
9555	VV	1LI	79	05/16/91	0.745	0.00	5.27	0.00	>	2.51
9555	YF	537	79	05/01/91	1.132	0.00	7.73	0.00		0.00
9556	JE	53M	79	05/01/91	0.807	0.00	11.10	0.00	>	2.28
9556	PT	54G	79	04/30/91	1.336	0.00	13.60	0.00		0.00
9556	SF	54V	79	04/30/91	1.032	0.00	6.02	0.00		0.00
9556	VE	541	79	05/03/91	0.663	0.00	6.90	0.00		0.00
9556	VV	1LI	79	05/16/91	0.745	0.00	5.94	0.00	>	1.11
9556	YF	537	79	05/01/91	1.132	0.00	9.06	0.00		0.00
9557	JE	53M	79	05/01/91	0.703	0.00	2.02	0.00		0.00
9557	PT	54N	79	04/30/91	1.327	0.00	1.67	0.00		0.00
9557	SF	54W	79	04/30/91	1.096	0.00	1.85	0.00		0.00
9557	VE	542	79	05/03/91	1.098	0.00	2.12	0.00		0.00
9557	VV	1NE	79	06/13/91	1.471	0.00	1.36	0.00		0.97
9557	YF	538	79	05/01/91	1.092	0.00	1.92	0.00	>	0.00
9558	JE	53N	79	05/01/91	0.703	0.00	15.20	0.00		1.25
9558	PT	54N	79	04/30/91	1.327	0.00	13.30	0.00		0.00
9558	SF	54W	79	04/30/91	1.096	0.00	15.50	0.00	>	1.30
9558	VE	542	79	05/03/91	1.098	0.00	16.40	0.00	>	0.02
9558	VV	1LJ	79	05/16/91	0.679	0.00	3.70	0.00	>	0.17
9558	YF	538	79	05/01/91	1.092	0.00	15.50	0.00	>	5.51
9559	JE	530	79	05/01/91	0.684	0.00	21.00	0.00	>	0.47
9559	PT	541	79	04/30/91	1.342	0.00	20.30	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9559	SF	54X	79	04/30/91	1.051	0.00	22.20	0.00 >	1.43
9559	VE	543	79	05/03/91	1.108	0.00	26.50	0.00	0.00
9559	VV	1NA	79	06/13/91	1.356	0.00	4.09	0.00	0.00
9559	YF	539	79	05/01/91	1.001	0.00	22.20	0.00 >	1.91
9560	JE	530	79	05/01/91	0.684	0.00	35.40	0.00	0.00
9560	PT	541	79	04/30/91	1.342	0.00	28.50	0.00	0.00
9560	SF	54X	79	04/30/91	1.051	0.00	24.10	0.00 >	2.10
9560	VE	543	79	05/03/91	1.108	0.00	33.90	0.00	0.00
9560	VV	1NB	79	06/13/91	1.477	0.00	3.04	0.00	0.00
9560	YF	539	79	05/01/91	1.001	0.00	17.70	0.00 >	2.16
9561	JE	53P	79	05/01/91	0.615	0.00	1.35	0.00	0.00
9561	PT	54J	79	04/30/91	1.342	0.00	1.67	0.00	0.00
9561	SF	54Y	79	04/30/91	1.046	0.00	2.06	0.00 >	0.04
9561	VE	544	79	05/03/91	1.038	0.00	1.73	0.00	0.00
9561	VV	1LM	79	05/23/91	1.239	1.97	4.62	2.35	11.90
9561	VV	1N9	79	06/13/91	1.464	0.00	1.14	0.00 >	1.06
9561	YF	53A	79	05/01/91	0.924	0.00	2.45	0.00 >	0.01
9562	JE	53P	79	05/01/91	0.615	0.00	22.20	0.00	0.00
9562	PT	54J	79	04/30/91	1.342	0.00	16.00	0.00	0.00
9562	SF	54Y	79	04/30/91	1.046	0.00	20.80	0.00 >	1.91
9562	VE	544	79	05/03/91	1.038	0.00	40.20	0.00	0.00
9562	VV	1LN	79	05/23/91	1.255	0.00	3.38	0.00	0.00
9562	YF	53A	79	05/01/91	0.924	0.00	15.5	0.00	2.19
9563	JE	53Q	79	05/01/91	0.649	0.00	18.[illegible]	0.00	0.00
9563	PT	54K	79	04/30/91	1.396	0.00	17.30	0.00	0.89
9563	SF	542	79	04/30/91	1.075	0.00	8.87	0.00	0.00
9563	VE	545	79	05/03/91	1.075	0.00	43.30	0.00	0.43
9563	VV	1LO	79	05/23/91	1.236	0.00	6.28	0.00	1.01
9563	YF	538	79	05/01/91	1.003	0.00	16.40	0.00 >	0.38
9564	JE	53Q	79	05/01/91	0.649	0.00	13.70	0.00	0.00
9564	PT	54K	79	04/30/91	1.396	0.00	13.00	0.00	0.00
9564	SF	542	79	04/30/91	1.075	0.00	14.40	0.00 >	0.52
9564	VE	545	79	05/03/91	1.075	0.00	25.3[illegible]	0.00	0.18
9564	VV	1LO	79	05/23/91	1.236	0.00	4.[illegible]	0.00	0.66
9564	YF	538	79	05/01/91	1.003	0.00	15.[illegible]	0.00 >	1.10
9565	JE	53R	79	05/01/91	0.726	0.00	32.90	0.00	0.00
9565	PT	54L	79	04/30/91	1.209	0.00	36.30	0.00	0.00
9565	SF	550	79	04/30/91	1.075	0.00	34.60	0.00 >	0.30
9565	VE	546	79	05/03/91	1.104	0.00	34.60	0.00	0.00
9565	VV	1LP	79	05/23/91	1.257	0.00	4.52	0.00	0.00
9565	YF	53C	79	05/01/91	0.991	0.00	19.20	0.00	0.40
9566	JE	53R	79	05/01/91	0.726	0.00	13.90	0.00	0.00
9566	PT	54L	79	04/30/91	1.209	0.00	16.40	0.00	0.12
9566	SF	550	79	04/30/91	1.075	0.00	15.50	0.00	0.60
9566	VE	546	79	05/03/91	1.104	0.00	25.70	0.00	0.10
9566	VV	1NB	79	06/13/91	1.477	0.00	1.64	0.00	0.00
9566	YF	53C	79	05/01/91	0.991	0.00	13.70	0.00	0.12
9567	JE	53S	79	05/01/91	0.664	0.00	24.20	0.00	0.92
9567	PT	54M	79	04/30/91	1.139	0.00	18.50	0.00	0.00
9567	SF	551	79	04/30/91	1.075	0.00	15.50	0.00	0.00
9567	VE	547	79	05/03/91	1.131	0.00	20.60	0.00	0.00
9567	VV	1LQ	79	05/23/91	1.241	0.00	7.14	0.00	0.00
9567	YF	53D	79	05/01/91	0.964	0.00	15.50	0.00	1.45
9568	JE	53S	79	05/01/91	0.664	0.00	22.40	0.00	0.00
9568	PT	54M	79	04/30/91	1.139	0.00	26.20	0.00	0.00
9568	SF	551	79	04/30/91	1.075	0.00	15.30	0.00 >	0.18
9568	VE	547	79	05/03/91	1.131	0.00	23.00	0.00	0.00
9568	VV	1LQ	79	05/23/91	1.241	0.00	3.99	0.00	0.00
9568	YF	53D	79	05/01/91	0.964	0.00	15.50	0.00	1.36
9569	JE	53T	79	05/01/91	0.818	0.00	18.60	0.00	0.00
9569	PT	54N	79	04/30/91	1.141	0.00	20.40	0.00	0.83
9569	SF	552	79	04/30/91	0.923	0.00	17.60	0.00	0.00
9569	VE	548	79	05/03/91	1.109	0.00	32.00	0.00	0.00
9569	VV	1LR	79	05/23/91	1.219	0.00	10.30	0.00	0.13
9569	YF	53E	79	05/01/91	0.948	0.00	15.60	0.00	0.00
9570	JE	53T	79	05/01/91	0.818	0.00	271.00	0.00 >	0.03
9570	PT	54N	79	04/30/91	1.141	0.00 >	320.00	0.00	2.40
9570	SF	552	79	04/30/91	0.923	0.00 >	320.00	0.00	0.00
9570	VE	548	79	05/03/91	1.109	0.00	245.00	0.00	0.83
9570	VV	1LR	79	05/23/91	1.219	0.00	241.00	0.00	0.00
9570	YF	53E	79	05/01/91	0.948	0.00	296.00	0.00	0.47
9571	JE	552	79	05/02/91	0.597	0.00	49.00	0.00 >	6.81
9571	PT	58H	79	05/02/91	1.36[illegible]	0.00	130.00	0.00	0.00
9571	SF	58W	79	05/02/91	0.85[illegible]	0.00	63.50	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9571	VE	582	79	05/03/91	0.886	0.00	52.00	0.00	0.53
9571	VV	1LS	79	05/23/91	1.250	0.00	39.30	0.00	0.00
9571	YF	555	79	05/02/91	0.953	0.00	17.30	0.00	0.00
9572	JE	560	79	05/02/91	0.728	0.00	14.40	0.00	0.00
9572	PT	581	79	05/02/91	1.326	0.00	8.37	0.00	0.00
9572	SF	58X	79	05/02/91	0.896	0.00	6.69	0.00	0.00
9572	VE	583	79	05/03/91	0.905	0.00	17.40	0.00 >	0.70
9572	VV	1LS	79	05/23/91	1.250	0.00	8.87	0.00 >	3.71
9572	YF	556	79	05/02/91	1.033	0.00	11.00	0.00	0.00
9573	JE	560	79	05/02/91	0.728	0.00	15.50	0.00	0.11
9573	PT	581	79	05/02/91	1.326	0.00	44.00	0.00	0.00
9573	SF	58X	79	05/02/91	0.896	0.00	23.80	0.00	0.00
9573	VE	583	79	05/03/91	0.905	0.00	15.50	0.00 >	0.40
9573	VV	1LT	79	05/23/91	1.196	0.00	15.00	0.00	0.41
9573	YF	556	79	05/02/91	1.033	0.00	15.50	0.00	0.00
9574	JE	561	79	05/02/91	0.731	0.00	5.13	0.00	0.00
9574	PT	58J	79	05/02/91	1.310	0.00	14.60	0.00	0.00
9574	SF	58Y	79	05/02/91	0.929	0.00	41.10	0.00	0.00
9574	VE	584	79	05/03/91	1.048	0.00	5.59	0.00 >	0.20
9574	VV	1LT	79	05/23/91	1.196	0.00	4.92	0.00	0.00
9574	YF	557	79	05/02/91	1.079	0.00	4.14	0.00 >	0.52
9575	JE	561	79	05/02/91	0.731	0.00	28.30	0.00	0.00
9575	PT	58J	79	05/02/91	1.310	0.00	21.00	0.00	0.00
9575	SF	58Y	79	05/02/91	0.929	0.00	22.10	0.00	0.30
9575	VE	584	79	05/03/91	1.048	0.00	41.70	0.00	0.00
9575	VV	1LU	79	05/23/91	1.226	0.00	11.40	0.00	0.65
9575	YF	557	79	05/02/91	1.079	0.00	16.70	0.00	0.91
9576	JE	562	79	05/02/91	0.711	0.00	117.00	0.00	0.40
9576	PT	58K	79	05/02/91	1.330	0.00	46.90	0.00	0.00
9576	SF	58Z	79	05/02/91	1.031	0.00	175.00	0.00	0.00
9576	VE	585	79	05/03/91	1.087	0.00	52.90	0.00	0.00
9576	VV	1LU	79	05/23/91	1.226	0.00	5.66	0.00	0.10
9576	YF	558	79	05/02/91	1.052	0.00	232.00	0.00	0.00
9577	JE	562	79	05/02/91	0.711	0.00	14.00	0.00 >	0.20
9577	PT	58K	79	05/02/91	1.330	0.00	10.60	0.00	0.00
9577	SF	58Z	79	05/02/91	1.031	0.00	7.32	0.00	1.41
9577	VE	585	79	05/03/91	1.087	0.00	14.20	0.00	0.00
9577	VV	1LV	79	05/23/91	1.240	0.00	4.99	0.00	1.71
9577	YF	558	79	05/02/91	1.052	0.00	9.06	0.00 >	2.93
9578	JE	563	79	05/02/91	0.768	0.00 <	1.00	0.00	0.00
9578	JE	A7J	79	10/02/91	0.741	0.00 >	1.00	0.00	0.60
9578	PT	58L	79	05/02/91	1.420	0.00 <	1.00	0.00	0.00
9578	PT	ABV	79	10/03/91	0.558	0.00	0.83	0.00	0.00
9578	SF	590	79	05/02/91	1.104	0.00 <	1.00	0.00	0.00
9578	SF	ABF	79	10/03/91	0.526	0.00	0.61	0.00	0.00
9578	VE	586	79	05/03/91	1.060	0.00 <	1.00	0.00	0.00
9578	VE	A68	79	10/04/91	1.094	0.00	0.72	0.00	0.00
9578	VV	1NF	79	06/13/91	1.462	0.00	0.23	0.00	0.00
9578	YF	559	79	05/02/91	1.057	0.00 <	1.00	0.00	0.00
9578	YF	A5S	79	10/01/91	0.810	0.00	0.89	0.00	0.20
9579	JE	563	79	05/02/91	0.768	0.00	15.50	0.00	3.98
9579	PT	58L	79	05/02/91	1.420	0.00	14.40	0.00	0.00
9579	SF	590	79	05/02/91	1.104	0.00	14.60	0.00	0.00
9579	VE	586	79	05/03/91	1.060	0.00	13.90	0.00	0.00
9579	VV	1LW	79	05/23/91	1.081	0.00	4.90	0.00	0.00
9579	YF	559	79	05/02/91	1.057	0.00	14.60	0.00	0.00
9580	JE	564	79	05/02/91	0.709	0.00	4.90	0.00	0.00
9580	PT	58M	79	05/02/91	1.372	0.00	1.51	0.00	0.00
9580	SF	591	79	05/02/91	1.035	0.00	1.73	0.00	0.00
9580	VE	587	79	05/03/91	1.126	0.00	4.33	0.00	0.00
9580	VV	1LW	79	05/23/91	1.081	0.00	1.99	0.00	0.00
9580	YF	55A	79	05/02/91	1.154	0.00	3.78	0.00	0.00
9581	JE	564	79	05/02/91	0.709	0.00	2.41	0.00	0.00
9581	PT	58M	79	05/02/91	1.372	0.00 <	1.00	0.00	0.00
9581	SF	591	79	05/02/91	1.035	0.00 <	1.00	0.00	0.00
9581	VE	587	79	05/03/91	1.126	0.00	1.00	0.00	0.00
9581	VV	1LX	79	05/23/91	1.276	0.00	2.28	0.00	0.14
9581	YF	55A	79	05/02/91	1.154	0.00	2.63	0.00 >	0.00
9582	JE	565	79	05/02/91	0.741	0.00	1.56	0.00	0.00
9582	PT	58N	79	05/02/91	1.270	0.00	1.73	0.00	0.00
9582	SF	592	79	05/02/91	0.891	0.00	2.62	0.00	0.00
9582	VE	588	79	05/03/91	1.110	0.00	1.73	0.00 >	0.00
9582	VV	1NF	79	06/13/91	1.462	0.00	1.41	0.00	1.21
9582	YF	558	79	05/02/91	1.048	0.00	1.44	0.00 >	0.0

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9583	JE	565	79	05/02/91	0.741	0.00 >	320.00	0.00	1.63
9583	PT	58N	79	05/02/91	1.270	0.00 >	320.00	0.00	0.00
9583	SF	592	79	05/02/91	0.891	0.00 >	320.00	0.00	0.00
9583	VE	588	79	05/03/91	1.110	0.00 >	320.00	0.00	0.00
9583	VV	1LY	79	05/23/91	1.088	0.00	23.10	0.00	0.00
9583	YF	558	79	05/02/91	1.048	0.00 >	320.00	0.00	0.00
9584	JE	566	79	05/02/91	0.756	0.00	7.45	0.00	0.00
9584	PT	580	79	05/02/91	1.215	0.00	1.81	0.00	0.00
9584	SF	593	79	05/02/91	1.121	0.00	3.79	0.00	0.00
9584	VE	589	79	05/03/91	0.658	0.00	5.67	0.00	0.00
9584	VV	1LY	79	05/23/91	1.088	0.00	7.05	0.00	0.00
9584	YF	55C	79	05/02/91	1.053	0.00	5.77	0.00	0.00
9585	JE	566	79	05/02/91	0.756	0.00	8.00	0.00	0.00
9585	PT	580	79	05/02/91	1.215	0.00	4.09	0.00	0.00
9585	SF	593	79	05/02/91	1.121	0.00	4.71	0.00	0.00
9585	VE	589	79	05/03/91	0.658	0.00	6.67	0.00	0.00
9585	VV	1LZ	79	05/23/91	1.011	0.00	5.17	0.00	0.41
9585	YF	55C	79	05/02/91	1.053	0.00	6.73	0.00 >	0.11
9586	JE	567	79	05/02/91	0.640	0.00	6.35	0.00 >	1.37
9586	PT	58P	79	05/02/91	1.078	0.00	6.47	0.00	0.00
9586	SF	594	79	05/02/91	1.043	0.00	3.88	0.00	0.00
9586	VE	58A	79	05/03/91	0.619	0.00	6.53	0.00	0.00
9586	VV	1LZ	79	05/23/91	1.011	0.00	16.20	0.00	0.00
9586	YF	550	79	05/02/91	1.116	0.00	9.03	0.00	0.00
9587	JE	567	79	05/02/91	0.640	0.00	2.45	0.00 >	0.25
9587	PT	58P	79	05/02/91	1.078	0.00	1.19	0.00	0.00
9587	SF	594	79	05/02/91	1.043	0.00	1.35	0.00	0.00
9587	VE	58A	79	05/03/91	0.619	0.00	2.10	0.00	0.00
9587	VV	1NG	79	06/13/91	1.421	0.00	0.57	0.00	0.00
9587	YF	550	79	05/02/91	1.116	0.00	1.44	0.00 >	0.02
9588	JE	568	79	05/02/91	0.657	0.00	15.50	0.00 >	0.90
9588	PT	580	79	05/02/91	1.396	0.00	0.63	0.00	0.00
9588	SF	595	79	05/02/91	0.926	0.00	4.40	0.00	0.00
9588	VE	588	79	05/03/91	0.937	0.00	14.70	0.00	0.00
9588	VV	1NG	79	05/23/91	1.158	0.00	3.70	0.00	0.00
9588	YF	55E	79	05/02/91	0.958	0.00	8.17	0.00	0.00
9589	JE	568	79	05/02/91	0.657	36.20 >	320.00 >	8.85 >	46.62
9589	JE	A7J	79	10/02/91	0.741	56.60	13.40	0.24 >	20.81
9589	PT	580	79	05/02/91	1.396	0.00	12.80	0.00	0.00
9589	PT	ABV	79	10/03/91	0.558	46.30	490.00	10.58 >	40.63
9589	SF	595	79	05/02/91	0.926	179.00	18.70	0.10 >	6.19
9589	SF	ABF	79	10/03/91	0.526	40.50	272.00	6.72 >	29.47
9589	VE	588	79	05/03/91	0.937	22.60 >	320.00 >	14.13 >	44.09
9589	VE	A68	79	10/04/91	1.094	42.90	262.00	6.10	25.19
9589	VV	1N1	79	05/23/91	1.225	40.20	155.00	3.86	20.98
9589	VV	1N0	79	06/13/91	1.294	170.00 >	320.00 >	1.88 >	15.05
9589	VV	1PR	79	07/25/91	0.997	14.30	155.00	10.86 >	42.28
9589	YF	55E	79	05/02/91	0.958	2.41 >	320.00 >	132.57 >	45.61
9589	YF	A5S	79	10/01/91	0.810	39.90	490.00	12.28	42.07
9590	JE	569	79	05/02/91	0.814	0.00	153.00	0.00	3.61
9590	JE	A7K	79	10/02/91	0.648	566.00	133.00	0.23 >	5.86
9590	PT	58R	79	05/02/91	1.229	0.00	55.60	0.00	0.11
9590	PT	ABW	79	10/03/91	0.532	722.00	46.90	0.06 >	1.94
9590	SF	596	79	05/02/91	0.798	25.20	49.00	1.94	9.06
9590	SF	ABG	79	10/03/91	0.440	566.00	42.00	0.07 >	12.23
9590	VE	58C	79	05/03/91	1.017	0.00	49.00	0.00	3.46
9590	VE	A69	79	10/04/91	0.879	566.00	37.00	0.07 >	4.96
9590	VV	1N1	79	05/23/91	1.225	33.40	25.30	0.76	13.00
9590	VV	1N6	79	06/13/91	1.436	11.40 >	100.00 >	8.80 >	31.76
9590	YF	55F	79	05/02/91	1.047	0.00	68.90	0.00	2.36
9590	YF	A5T	79	10/01/91	0.741	53.10 >	1000.00 >	18.83 >	51.60
9591	JE	569	79	05/02/91	0.814	0.00	4.87	0.00	0.00
9591	PT	58R	79	05/02/91	1.229	0.00	13.70	0.00	0.00
9591	SF	596	79	05/02/91	0.798	0.00	14.60	0.00	0.00
9591	VE	58C	79	05/03/91	1.017	0.00	6.60	0.00	0.15
9591	VV	1N2	79	05/23/91	1.182	0.00	1.46	0.00	0.00
9591	YF	55F	79	05/02/91	1.047	0.00	4.92	0.00	0.00
9592	JE	56A	79	05/02/91	0.762	0.00	1.54	0.00	0.00
9592	PT	588	79	05/02/91	1.408	0.00 <	1.00	0.00	0.00
9592	SF	597	79	05/02/91	0.879	0.00	1.00	0.00	0.00
9592	VE	58D	79	05/03/91	1.132	0.00	1.53	0.00	0.00
9592	VV	1NG	79	06/13/91	1.421	0.00	1.41	0.00	0.00
9592	YF	55G	79	05/02/91	1.193	0.00	3.56	0.00	0.31
9593	JE	56A	79	05/02/91	0.762	0.00	64.10	0.00	0.51

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
9593	PT	588	79	05/02/91	1.408	0.00	38.10	0.00		0.00
9593	SF	597	79	05/02/91	0.879	0.00	39.30	0.00		0.00
9593	VE	58D	79	05/03/91	1.132	0.00	54.70	0.00		0.00
9593	VV	1N3	79	05/23/91	1.202	0.00	49.00	0.00		0.10
9593	YF	55G	79	05/02/91	1.193	0.00	39.60	0.00		0.00
9594	JE	568	79	05/02/91	0.828	0.00	155.00	0.00		2.68
9594	PT	58T	79	05/02/91	1.284	0.00	59.90	0.00		0.00
9594	SF	598	79	05/02/91	0.907	0.00	114.00	0.00		0.00
9594	VE	58E	79	05/03/91	1.084	0.00	155.00	0.00		0.00
9594	VV	1N3	79	05/23/91	1.202	0.00	15.80	0.00		0.15
9594	YF	55N	79	05/02/91	1.135	0.00	50.10	0.00		0.00
9595	JE	568	79	05/02/91	0.828	0.00	14.10	0.00	>	1.71
9595	PT	58T	79	05/02/91	1.284	0.00	1.57	0.00		0.00
9595	SF	598	79	05/02/91	0.907	0.00	6.49	0.00		0.00
9595	VE	58E	79	05/03/91	1.084	0.00	8.82	0.00		0.00
9595	VV	1NC	79	06/13/91	1.463	0.00	3.38	0.00		0.00
9595	YF	55N	79	05/02/91	1.135	0.00	5.36	0.00		0.00
9596	JE	582	79	05/08/91	0.917	0.00	39.30	0.00		0.00
9596	JE	A7K	79	10/02/91	0.648	0.00	37.90	0.00	>	1.10
9596	PT	5BM	79	05/07/91	0.922	0.00	49.00	0.00	>	5.08
9596	PT	ABM	79	10/03/91	0.532	0.00	20.50	0.00		0.00
9596	SF	5CB	79	05/07/91	1.109	8.18	35.40	4.33	>	22.08
9596	SF	ABG	79	10/03/91	0.440	6.77	22.80	3.37		14.99
9596	VE	5BH	79	05/10/91	1.176	0.00	44.20	0.00		0.00
9596	VE	A69	79	10/04/91	0.879	0.00	45.90	0.00		0.00
9596	VV	1N4	79	05/23/91	1.235	0.00	15.10	0.00		0.89
9596	YF	5A8	79	05/08/91	1.286	0.00	44.00	0.00		0.89
9596	YF	A5T	79	10/01/91	0.741	0.00	32.90	0.00		0.00
9597	JE	583	79	05/08/91	1.005	0.00	19.10	0.00	>	0.96
9597	PT	5BX	79	05/07/91	1.171	0.00	17.10	0.00		0.00
9597	SF	5CC	79	05/07/91	1.032	0.00	15.10	0.00		0.00
9597	VE	5BI	79	05/10/91	1.138	0.00	19.80	0.00		0.00
9597	VV	1N5	79	05/23/91	1.280	0.00	8.79	0.00		0.51
9597	YF	5A9	79	05/08/91	1.207	0.00	20.60	0.00		0.00
9598	JE	583	79	05/08/91	1.005	0.00	20.30	0.00	>	0.45
9598	JE	A7L	79	10/02/91	0.845	0.00	15.30	0.00	>	2.93
9598	PT	5BX	79	05/07/91	1.171	0.00	5.05	0.00		2.14
9598	PT	ABX	79	10/03/91	0.693	0.00	13.90	0.00	>	0.61
9598	SF	5CC	79	05/07/91	1.032	2.98	5.64	1.89	>	8.71
9598	SF	ABN	79	10/03/91	0.481	0.00	15.50	0.00		4.54
9598	VE	5BI	79	05/10/91	1.138	0.00	10.60	0.00		0.11
9598	VE	A6A	79	10/04/91	1.115	0.00	15.60	0.00		0.20
9598	VV	1NC	79	06/13/91	1.463	0.00	4.35	0.00		0.00
9598	YF	5A9	79	05/08/91	1.207	0.00	13.30	0.00		0.00
9598	YF	A5U	79	10/01/91	0.786	0.00	14.10	0.00		1.03
9599	JE	584	79	05/08/91	1.022	0.00	1.23	0.00		0.00
9599	JE	A7L	79	10/02/91	0.845	0.00	1.52	0.00	>	3.84
9599	PT	5BY	79	05/07/91	1.258	0.00	1.21	0.00		0.00
9599	PT	ABX	79	10/03/91	0.693	0.00	1.55	0.00	>	0.36
9599	SF	5CD	79	05/07/91	1.130	0.00	1.28	0.00		0.00
9599	SF	ABN	79	10/03/91	0.481	0.00	0.55	0.00		0.00
9599	VE	5BJ	79	05/10/91	1.253	0.00	1.30	0.00		0.00
9599	VE	A6A	79	10/04/91	1.115	0.00	1.53	0.00		0.00
9599	VV	1N3	79	06/20/91	1.452	0.00	0.19	0.00		0.00
9599	YF	5AA	79	05/08/91	1.097	0.00	1.58	0.00		0.00
9599	YF	A5U	79	10/01/91	0.786	0.00	0.10	0.00		0.00
9600	JE	584	79	05/08/91	1.022	0.00	42.30	0.00	>	1.62
9600	JE	A7M	79	10/02/91	0.886	0.00	46.70	0.00	>	5.20
9600	PT	5BY	79	05/07/91	1.258	0.00	[illegible].80	0.00		0.[illegible]
9600	PT	ABY	79	10/03/91	0.525	0.00	66.[illegible]0	0.00		0.[illegible]
9600	SF	5CD	79	05/07/91	1.130	10.00	40.00	4.00	>	21.[illegible]
9600	SF	ABI	79	10/03/91	0.424	2.91	39.80	13.68	>	31.27
9600	VE	5BJ	79	05/10/91	1.253	0.00	46.90	0.00	>	0.10
9600	VE	A6B	79	10/04/91	1.086	0.00	82.00	0.00		0.00
9600	VV	1N8	79	05/30/91	1.011	0.00	20.00	0.00		0.[illegible]
9600	YF	5AA	79	05/08/91	1.097	0.00	47.90	0.00		0.00
9600	YF	A5V	79	10/01/91	0.656	0.00	66.00	0.00		5.42
9601	JE	585	79	05/08/91	1.006	[illegible]	320.00	0.00	>	1.10
9601	PT	5B2	79	05/07/91	1.[illegible]	[illegible].0	13.60	0.00		0.00
9601	SF	5CE	79	05/07/91	1.085	0.00	13.90	0.00		0.00
9601	VE	5BK	79	05/10/91	1.[illegible]	[illegible]	18.70	0.00		0.00
9601	VV	1N8	79	05/30/91	1.011	1.0[illegible]	206.00	0.00		0.00
9601	YF	5AB	79	05/08/91	1.267	[illegible]	19.70	0.00		0.00
9602	JE	585	79	05/08/91	1.006	[illegible]	45.20	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9602	PT	5BZ	79	05/07/91	1.250	0.00		16.00	0.00		0.00
9602	SF	5CE	79	05/07/91	1.085	0.00		13.70	0.00		2.96
9602	VE	5BK	79	05/10/91	1.228	0.00		17.40	0.00		0.00
9602	VV	1H9	79	05/30/91	0.841	0.00		15.00	0.00		0.00
9602	YF	5AB	79	05/08/91	1.247	0.00		37.00	0.00		0.00
9603	JE	5B6	79	05/08/91	0.945	0.00		15.00	0.00	>	0.50
9603	JE	A7N	79	10/02/91	0.886	0.00		14.10	0.00	>	2.47
9603	PT	5C0	79	05/07/91	1.306	9.60		12.80	1.36	>	7.61
9603	PT	ABY	79	10/03/91	0.525	0.00		15.60	0.00		0.00
9603	SF	5CF	79	05/07/91	1.242	5.14		12.80	2.49	>	16.34
9603	SF	AB1	79	10/03/91	0.424	0.00		9.24	0.00		11.49
9603	VE	5BL	79	05/10/91	1.216	0.00		13.90	0.00	>	0.38
9603	VE	A6B	79	10/04/91	1.086	0.00		15.60	0.00		0.00
9603	VV	1H9	79	05/30/91	0.841	1.42		4.36	3.08	>	10.87
9603	VV	1N2	79	06/20/91	1.379	0.00		3.63	0.00		3.34
9603	YF	5AC	79	05/08/91	1.135	0.00		12.40	0.00		1.98
9603	YF	A5V	79	10/01/91	0.656	0.00		13.50	0.00		17.96
9604	JE	5B6	79	05/08/91	0.945	0.00		176.00	0.00		0.00
9604	JE	A7N	79	10/02/91	0.764	0.00		446.00	0.00		0.00
9604	PT	5C0	79	05/07/91	1.306	0.00		171.00	0.00		8.72
9604	PT	ABZ	79	10/03/91	0.561	0.00		83.00	0.00		0.00
9604	SF	5CF	79	05/07/91	1.242	10.00		136.00	13.60	>	30.64
9604	SF	ABJ	79	10/03/91	0.585	65.70		238.00	3.61	>	18.76
9604	VE	5BL	79	05/10/91	1.216	0.00		243.00	0.00	>	1.86
9604	VE	A6C	79	10/04/91	1.037	0.00		492.00	0.00		0.51
9604	VV	1MA	79	05/30/91	1.031	198.00		241.00	1.22	>	12.39
9604	VV	1N2	79	06/20/91	1.379	0.00		173.00	0.00		3.27
9604	YF	5AC	79	05/08/91	1.135	0.00		181.00	0.00		[illegible]
9604	YF	A5W	79	10/01/91	0.837	0.00		429.00	0.00	>	[illegible]
9605	JE	5B7	79	05/08/91	0.930	0.00		4.90	0.00	>	2.37
9605	PT	5C1	79	05/07/91	0.946	0.00		4.90	0.00		0.00
9605	SF	5CG	79	05/07/91	1.133	0.00		4.90	0.00		0.00
9605	VE	5BN	79	05/10/91	1.233	0.00		4.20	0.00		0.00
9605	VV	101	79	06/20/91	1.437	0.00		1.39	0.00		0.00
9605	YF	5AD	79	05/08/91	1.088	0.00		4.85	0.00		0.00
9606	JE	5B7	79	05/08/91	0.930	0.00		15.50	0.00	>	1.11
9606	PT	5C1	79	05/07/91	0.946	0.00	<	1.00	0.00		0.00
9606	SF	5CG	79	05/07/91	1.133	0.00		14.40	0.00	>	0.60
9606	VE	5BN	79	05/10/91	1.233	0.00		14.80	0.00		0.48
9606	VV	100	79	06/20/91	1.472	0.00		2.93	0.00		0.19
9606	YF	5AD	79	05/08/91	1.088	0.00		13.50	0.00		0.00
9607	JE	5B8	79	05/08/91	0.915	0.00		6.98	0.00	>	0.55
9607	JE	A7N	79	10/02/91	0.764	0.00		13.70	0.00	>	2.93
9607	PT	5C2	79	05/07/91	1.024	9.43		17.30	1.84	>	10.69
9607	PT	ABZ	79	10/03/91	0.561	0.00		12.60	0.00		0.00
9607	SF	5CH	79	05/07/91	1.168	0.00		5.57	0.00	>	6.47
9607	SF	ABJ	79	10/03/91	0.585	0.00		13.10	0.00	>	16.57
9607	VE	5BN	79	05/10/91	1.147	0.00		17.20	0.00	>	0.80
9607	VE	A6C	79	10/04/91	1.037	0.00		7.56	0.00		0.65
9607	VV	1MB	79	05/30/91	1.145	1.68		20.00	11.89	>	36.30
9607	VV	101	79	06/20/91	1.431	4.45		17.90	4.02	>	25.37
9607	YF	5AE	79	05/08/91	1.176	0.00		16.10	0.00	>	9.81
9607	YF	A5W	79	10/01/91	0.837	5.13		18.90	3.68	>	24.32
9608	JE	5B8	79	05/08/91	0.915	0.00		1.63	0.00		0.00
9608	JE	A7O	79	10/02/91	0.767	0.00		4.74	0.00		1.54
9608	PT	5C2	79	05/07/91	1.024	0.00		1.55	0.00		0.00
9608	PT	AC0	79	10/03/91	0.610	0.00		1.54	0.00		0.00
9608	SF	5CH	79	05/07/91	1.168	0.00		1.37	0.00		0.00
9608	SF	ABK	79	10/03/91	0.555	0.00		1.55	0.00		2.51
9608	VE	5BN	79	05/10/91	1.147	0.00		1.55	0.00		0.00
9608	VE	A6D	79	10/04/91	1.050	0.00		1.56	0.00		0.10
9608	VV	1P8	79	07/25/91	0.987	0.00		1.53	0.00	>	0.09
9608	VV	1P8	79	07/25/91	0.987	0.00	>	0.37	0.00	>	0.10
9608	YF	5AE	79	05/08/91	1.176	0.00		1.71	0.00	>	0.05
9608	YF	A5X	79	10/01/91	0.873	0.00		0.70	0.00	>	4.71
9609	JE	5B9	79	05/08/91	0.982	0.00		4.80	0.00		0.00
9609	PT	5C3	79	05/07/91	1.210	0.00		2.95	0.00		0.00
9609	SF	5CI	79	05/07/91	1.183	0.00		1.86	0.00		0.00
9609	VE	5B0	79	05/10/91	1.278	0.00		2.25	0.00	>	0.00
9609	VV	1NC	79	05/30/91	1.027	0.00		1.79	0.00	>	0.01
9609	YF	5AF	79	05/08/91	1.286	0.00		14.50	0.00	>	0.03
9610	JE	5B9	79	05/08/91	0.982	0.00		18.80	0.00		0.00
9610	JE	A7O	79	10/02/91	0.767	0.00		24.50	0.00		0.00
9610	PT	5C3	79	05/07/91	1.210	1.88		19.20	10.22	>	30.75

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9610	PT	ACO	79	10/03/91	0.610	0.00	13.50	0.00	0.01
9610	SF	5CI	79	05/07/91	1.183	1.00	15.70	15.70 >	27.65
9610	SF	ABK	79	10/03/91	0.555	0.79	23.10	29.18 >	46.35
9610	VE	5BO	79	05/10/91	1.278	0.00	15.10	0.00	0.78
9610	VE	A6O	79	10/04/91	1.050	0.00	21.20	0.00	1.56
9610	VV	1MD	79	05/30/91	1.231	0.00	18.60	0.00 >	8.08
9610	YF	5AF	79	05/08/91	1.286	0.00	23.20	0.00	2.26
9610	YF	A5X	79	10/01/91	0.873	0.00	24.10	0.00 >	13.23
9611	JE	5BA	79	05/08/91	0.764	0.00	4.93	0.00	0.00
9611	PT	5C4	79	05/07/91	1.192	0.00	4.90	0.00	0.00
9611	SF	5CJ	79	05/07/91	1.179	0.00	4.41	0.00	0.00
9611	VE	5BP	79	05/10/91	1.226	0.00	4.76	0.00	0.00
9611	VV	1MD	79	05/30/91	1.231	0.00	1.37	0.00	0.00
9611	YF	5AG	79	05/08/91	1.397	0.00	4.59	0.00	0.42
9612	JE	5BA	79	05/08/91	0.764	0.00	15.60	0.00	0.00
9612	PT	5C4	79	05/07/91	1.192	0.00	5.25	0.00	0.00
9612	SF	5CJ	79	05/07/91	1.179	0.00	12.80	0.00	0.00
9612	VE	5BP	79	05/10/91	1.226	0.00	5.25	0.00	0.00
9612	VV	1MF	79	05/30/91	1.161	0.00	1.44	0.00	0.00
9612	YF	5AG	79	05/08/91	1.397	0.00	14.70	0.00	0.64
9613	JE	5BB	79	05/08/91	0.853	0.00	5.13	0.00	0.00
9613	PT	5C5	79	05/07/91	1.260	0.00	4.85	0.00 >	0.20
9613	SF	5CK	79	05/07/91	1.197	0.00	4.92	0.00 >	0.30
9613	VE	5BQ	79	05/10/91	1.241	0.00	4.90	0.00	0.00
9613	VV	1O2	79	06/20/91	1.403	0.00	4.53	0.00 >	0.10
9613	YF	5AH	79	05/08/91	1.338	0.00	4.57	0.00	0.31
9614	JE	5BB	79	05/08/91	0.853	0.00	6.13	0.00	0.00
9614	PT	5C5	79	05/07/91	1.260	0.00	5.20	0.00	0.05
9614	SF	5CK	79	05/07/91	1.197	0.00	13.90	0.00	0.06
9614	VE	5BQ	79	05/10/91	1.241	0.00	5.54	0.00	0.00
9614	VV	1MF	79	05/30/91	1.200	0.00	4.69	0.00	0.00
9614	YF	5AH	79	05/08/91	1.338	0.00	5.07	0.00	0.38
9615	JE	5BC	79	05/08/91	0.945	0.00	15.50	0.00 >	0.10
9615	PT	5C6	79	05/07/91	0.992	0.00	15.50	0.00 >	0.50
9615	SF	5CL	79	05/07/91	1.099	0.00	14.60	0.00	0.19
9615	VE	5BR	79	05/10/91	1.230	0.00	15.50	0.00	0.00
9615	VV	1MF	79	05/30/91	1.200	0.00	1.50	0.00	0.00
9615	YF	5AI	79	05/08/91	1.292	0.00	13.50	0.00	0.00
9616	JE	5BC	79	05/08/91	0.945	0.00	15.50	0.00	0.00
9616	PT	5C6	79	05/07/91	0.992	0.00	4.97	0.00	0.00
9616	SF	5CL	79	05/07/91	1.099	0.00	13.30	0.00	0.14
9616	VE	5BR	79	05/10/91	1.230	0.00	5.72	0.00	0.00
9616	VV	1O2	79	06/20/91	1.403	0.00	1.56	0.00	0.00
9616	YF	5AI	79	05/08/91	1.292	0.00	4.71	0.00	0.00
9617	JE	5BD	79	05/08/91	1.004	0.00	4.90	0.00 >	0.30
9617	PT	5C7	79	05/07/91	1.094	0.00	4.90	0.00	0.53
9617	SF	5CM	79	05/07/91	1.129	0.00	4.85	0.00	0.00
9617	VE	5BS	79	05/10/91	1.193	0.00	4.99	0.00	0.42
9617	VV	1O5	79	06/20/91	1.399	0.00	1.06	0.00 >	0.28
9617	YF	5AJ	79	05/08/91	1.200	0.00	4.14	0.00	0.00
9618	JE	5BD	79	05/08/91	1.004	0.00	4.62	0.00 >	0.01
9618	PT	5C7	79	05/07/91	1.094	0.00	4.90	0.00	0.12
9618	SF	5CM	79	05/07/91	1.129	0.00	4.72	0.00 >	0.30
9618	VE	5BS	79	05/10/91	1.193	0.00	4.32	0.00	0.00
9618	VV	1O3	79	06/20/91	1.452	0.00	1.28	0.00	0.00
9618	YF	5AJ	79	05/08/91	1.200	0.00	4.28	0.00	0.00
9619	JE	5BE	79	05/08/91	0.935	0.00	2.15	0.00	0.00
9619	PT	5C8	79	05/07/91	1.145	0.00	2.22	0.00 >	0.04
9619	SF	5CN	79	05/07/91	1.084	0.00	4.90	0.00	1.58
9619	VE	5BT	79	05/10/91	1.199	0.00	4.83	0.00	0.42
9619	VV	1NJ	79	06/06/91	0.882	0.00	3.55	0.00 >	0.31
9619	YF	5AK	79	05/08/91	1.171	0.00	3.86	0.00	0.00
9620	JE	5BE	79	05/08/91	0.935	0.00	7.81	0.00	0.00
9620	PT	5C8	79	05/07/91	1.145	0.00	10.30	0.00	0.00
9620	SF	5CN	79	05/07/91	1.084	0.00	7.04	0.00 >	6.14
9620	VE	5BT	79	05/10/91	1.199	0.00	8.95	0.00 >	0.10
9620	VV	1NJ	79	06/06/91	0.882	0.00	5.55	0.00 >	2.17
9620	YF	5AK	79	05/08/91	1.171	0.00	6.07	0.00 >	1.71
9621	JE	5O5	79	05/09/91	0.744	0.00	18.80	0.00 >	3.27
9621	PT	5O2	79	05/09/91	1.065	0.00	49.30	0.00	5.29
9621	SF	5EE	79	05/09/91	1.203	0.00	14.20	0.00	0.00
9621	VE	5DK	79	05/10/91	1.264	0.00	15.10	0.00 >	0.18
9621	VV	1NK	79	06/06/91	0.974	0.00	16.50	0.00 >	3.11
9621	YF	5C0	79	05/09/91	1.215	0.00	44.70	0.00 >	4.38

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9622	JE	5D6	79	05/09/91	0.846	0.00		12.80	0.00	>	0.07
9622	PT	5E0	79	05/09/91	1.142	0.00		15.60	0.00		0.10
9622	SF	5EF	79	05/09/91	1.261	0.00		13.70	0.00		0.63
9622	VE	50L	79	05/10/91	1.160	0.00		15.50	0.00	>	1.54
9622	VV	1MK	79	06/06/91	0.974	0.00		7.67	0.00		0.13
9622	YF	5CR	79	05/09/91	1.143	0.00		18.70	0.00	>	1.72
9623	JE	5D6	79	05/09/91	0.846	0.00		1.52	0.00	>	0.02
9623	PT	5E0	79	05/09/91	1.142	0.00		1.52	0.00		0.00
9623	SF	5EF	79	05/09/91	1.261	0.00		1.49	0.00	>	0.00
9623	VE	50L	79	05/10/91	1.160	0.00		1.75	0.00	>	0.05
9623	VV	1P3	79	07/11/91	1.155	0.00		0.77	0.00		0.00
9623	YF	5CR	79	05/09/91	1.143	0.00		3.78	0.00	>	0.71
9624	JE	5D7	79	05/09/91	0.802	0.00		1.44	0.00		0.00
9624	JE	A7P	79	10/02/91	0.871	0.00		1.53	0.00		0.53
9624	PT	5E1	79	05/09/91	1.126	0.00		1.56	0.00		0.00
9624	PT	AC1	79	10/03/91	0.666	0.00		1.56	0.00		0.31
9624	SF	5EG	79	05/09/91	1.219	0.00	<	1.00	0.00		0.00
9624	SF	ABL	79	10/03/91	0.732	0.00		1.52	0.00	>	1.83
9624	VE	5DM	79	05/10/91	1.138	0.00		1.55	0.00	>	0.00
9624	VE	A6E	79	10/04/91	1.136	0.00		1.56	0.00		0.41
9624	VV	1ML	79	06/06/91	1.048	0.00		1.52	0.00	>	0.01
9624	YF	5CS	79	05/09/91	1.074	0.00		1.48	0.00	>	0.15
9624	YF	A5Y	79	10/01/91	0.926	0.00		27.80	0.00		3.48
9624	YF	A8B	79	10/02/91	0.870	0.00		1.55	0.00	>	0.83
9625	JE	5D7	79	05/09/91	0.802	0.00		1.61	0.00		0.00
9625	PT	5E1	79	05/09/91	1.126	0.00		1.52	0.00		0.00
9625	SF	5EG	79	05/09/91	1.219	0.00		4.20	0.00		0.00
9625	VE	5DM	79	05/10/91	1.138	0.00		4.90	0.00	>	0.10
9625	VV	1MN	79	06/06/91	1.010	0.00		4.99	0.00	>	1.93
9625	YF	5CS	79	05/09/91	1.074	0.00		1.85	0.00		0.00
9626	JE	5D8	79	05/09/91	0.777	0.00		5.01	0.00		0.00
9626	PT	5E2	79	05/09/91	1.084	0.00		3.76	0.00		0.00
9626	SF	5EH	79	05/09/91	1.191	0.00		2.44	0.00		0.00
9626	VE	5DN	79	05/10/91	1.187	0.00		6.08	0.00	>	0.30
9626	VV	1MM	79	06/06/91	1.010	0.00		5.99	0.00		0.10
9626	YF	5CT	79	05/09/91	1.059	0.00		4.90	0.00		0.00
9627	JE	5D8	79	05/09/91	0.777	0.00		2.16	0.00		0.00
9627	PT	5E2	79	05/09/91	1.084	0.00		4.90	0.00		0.00
9627	SF	5EH	79	05/09/91	1.191	0.00		4.46	0.00		0.00
9627	VE	5DN	79	05/10/91	1.187	0.00		2.34	0.00	>	0.00
9627	VV	1MM	79	06/06/91	1.039	0.00		4.90	0.00	>	0.40
9627	YF	5CT	79	05/09/91	1.059	0.00		2.17	0.00	>	0.01
9628	JE	5D9	79	05/09/91	0.780	0.00		6.18	0.00		0.00
9628	PT	5E3	79	05/09/91	1.253	0.00		15.30	0.00		0.00
9628	SF	5EI	79	05/09/91	1.310	0.00		5.60	0.00		0.00
9628	VE	5DO	79	05/10/91	1.200	0.00		16.20	0.00	>	0.05
9628	VV	1MN	79	06/06/91	1.039	0.00		14.70	0.00	>	0.71
9628	YF	5CU	79	05/09/91	1.126	0.00		10.60	0.00		0.04
9629	JE	5D9	79	05/09/91	0.780	0.00		4.48	0.00		0.00
9629	PT	5E3	79	05/09/91	1.253	0.00		3.37	0.00		0.00
9629	SF	5EI	79	05/09/91	1.310	0.00		4.30	0.00	>	0.01
9629	VE	5DO	79	05/10/91	1.200	0.00		11.70	0.00	>	0.21
9629	VV	1MO	79	06/06/91	1.061	0.00		6.19	0.00		2.16
9629	YF	5CU	79	05/09/91	1.126	0.00		5.74	0.00	>	0.60
9630	JE	5DA	79	05/09/91	0.999	0.00		1.53	0.00	>	0.05
9630	PT	5E4	79	05/09/91	1.149	0.00		1.24	0.00		0.00
9630	SF	5EJ	79	05/09/91	1.235	0.00	<	1.00	0.00		0.00
9630	VE	5DP	79	05/10/91	1.264	0.00		1.63	0.00		0.00
9630	VV	1P4	79	07/11/91	1.130	0.00		0.88	0.00	>	6.09
9630	YF	5CV	79	05/09/91	1.092	0.00		1.12	0.00		0.00
9631	JE	5DA	79	05/09/91	0.999	0.00		4.90	0.00	>	3.75
9631	PT	5E4	79	05/09/91	1.149	0.00		15.50	0.00		0.06
9631	SF	5EJ	79	05/09/91	1.235	0.00		5.11	0.00		0.00
9631	VE	5DP	79	05/10/91	1.264	0.00		5.16	0.00		0.00
9631	VV	1P3	79	07/11/91	1.155	0.00		1.71	0.00		0.00
9631	YF	5CV	79	05/09/91	1.092	0.00		15.50	0.00	>	2.06
9632	JE	5D8	79	05/09/91	0.727	0.00		49.70	0.00	>	2.43
9632	JE	A7D	79	10/02/91	0.794	0.00		53.10	0.00	>	1.30
9632	PT	5E5	79	05/09/91	1.216	0.00		48.10	0.00		4.32
9632	PT	A8K	79	10/02/91	0.661	0.00		21.60	0.00	>	1.05
9632	SF	5EK	79	05/09/91	1.232	7.69		49.20	6.40	>	29.82
9632	SF	A8Z	79	10/02/91	0.822	16.20		49.20	3.03	>	23.96
9632	VE	5DQ	79	05/10/91	1.123	0.00		49.00	0.00	>	0.30
9632	VE	A6F	79	10/04/91	1.165	0.00		51.10	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9632	VV	1NP	79	06/06/91	0.838	0.00	22.20	0.00 >	2.08
9632	YF	5CW	79	05/09/91	1.096	0.00	49.00	0.00	2.36
9632	YF	A85	79	10/02/91	1.018	0.00	50.10	0.00	0.10
9633	JE	5D8	79	05/09/91	0.727	0.00	4.90	0.00 >	0.20
9633	PT	5E5	79	05/09/91	1.216	0.00	4.90	0.00	1.58
9633	SF	5EK	79	05/09/91	1.232	0.00	2.54	0.00	0.00
9633	VE	5DQ	79	05/10/91	1.123	0.00	4.90	0.00	0.10
9633	VV	1NQ	79	06/06/91	1.051	0.00	4.92	0.00 >	0.62
9633	YF	5CW	79	05/09/91	1.096	0.00	4.63	0.00 >	6.07
9634	JE	5DC	79	05/09/91	0.855	0.00	16.80	0.00	0.00
9634	PT	5E6	79	05/09/91	1.076	0.00	38.60	0.00	4.46
9634	SF	5EL	79	05/09/91	1.297	0.00	15.30	0.00	2.75
9634	VE	5DR	79	05/10/91	1.269	0.00	19.00	0.00	0.10
9634	VV	1NQ	79	06/06/91	1.051	2.76	11.40	4.12	19.63
9634	VV	1P1	79	07/11/91	1.084	14.30	28.50	1.99	11.39
9634	YF	5CX	79	05/09/91	1.112	0.00	25.20	0.00	0.00
9635	JE	5DC	79	05/09/91	0.855	0.00	4.90	0.00	0.00
9635	PT	5E6	79	05/09/91	1.076	0.00	5.77	0.00	0.00
9635	SF	5EL	79	05/09/91	1.297	0.00	2.53	0.00	0.00
9635	VE	5DR	79	05/10/91	1.269	0.00	4.26	0.00	0.00
9635	VV	1P4	79	07/11/91	1.130	0.00	1.55	0.00 >	0.79
9635	YF	5CX	79	05/09/91	1.112	0.00	8.20	0.00 >	1.53
9636	JE	5DD	79	05/09/91	0.626	0.00	9.11	0.00	0.00
9636	PT	5E7	79	05/09/91	1.148	0.00	7.36	0.00	0.00
9636	SF	5EM	79	05/09/91	1.179	0.00	3.39	0.00	0.00
9636	VE	5DS	79	05/10/91	1.085	0.00	6.47	0.00	0.00
9636	VV	1QD	79	08/01/91	0.920	0.00	1.81	0.00	0.00
9636	VV	1QD	79	08/01/91	0.920	0.00 >	0.32	0.00	0.20
9636	YF	5CY	79	05/09/91	1.004	0.00	8.09	0.00	0.00
9637	JE	5DD	79	05/09/91	0.626	0.00	11.90	0.00	0.00
9637	PT	5E7	79	05/09/91	1.148	0.00	9.72	0.00	0.00
9637	SF	5EM	79	05/09/91	1.179	0.00	3.88	0.00	0.00
9637	VE	5DS	79	05/10/91	1.085	0.00	9.74	0.00	0.00
9637	VV	1NS	79	06/06/91	0.846	0.00	2.23	0.00	0.00
9637	YF	5CY	79	05/09/91	1.004	0.00	12.70	0.00	0.00
9639	JE	5DE	79	05/09/91	0.801	0.00	10.70	0.00	0.00
9639	PT	5E8	79	05/09/91	1.252	0.00	12.10	0.00	0.00
9639	SF	5EN	79	05/09/91	1.271	0.00	8.64	0.00 >	1.21
9639	VE	5DT	79	05/10/91	1.287	0.00	7.65	0.00	0.00
9639	VV	1NS	79	06/06/91	0.846	0.00	6.18	0.00	0.83
9639	YF	5CZ	79	05/09/91	1.080	0.00	7.24	0.00 >	1.27
9640	JE	5DE	79	05/09/91	0.801	0.00	14.40	0.00	0.00
9640	PT	5E8	79	05/09/91	1.252	0.00	14.80	0.00	0.00
9640	SF	5EN	79	05/09/91	1.271	0.00	14.60	0.00 >	8.68
9640	VE	5DT	79	05/10/91	1.287	0.00	15.50	0.00	0.20
9640	VV	1NT	79	06/06/91	1.044	3.95	9.11	2.31 >	13.79
9640	VV	1P2	79	07/11/91	1.138	20.70	47.20	2.27	12.82
9640	YF	5CZ	79	05/09/91	1.080	0.00	15.30	0.00	0.00
9641	JE	5DF	79	05/09/91	0.857	0.00	4.40	0.00	0.00
9641	PT	5E9	79	05/09/91	1.025	0.00	4.90	0.00	0.00
9641	SF	5EO	79	05/09/91	1.036	0.00	4.80	0.00	1.58
9641	VE	5DU	79	05/10/91	1.225	0.00	4.63	0.00	0.00
9641	VV	1P5	79	07/11/91	1.148	0.00	0.39	0.00	0.00
9641	YF	5DD	79	05/09/91	1.113	0.00	4.90	0.00	0.00
9642	JE	5DF	79	05/09/91	0.857	0.00	4.74	0.00	0.00
9642	PT	5E9	79	05/09/91	1.025	0.00	4.90	0.00	0.00
9642	SF	5EO	79	05/09/91	1.036	0.00	4.90	0.00 >	5.00
9642	VE	5DU	79	05/10/91	1.225	0.00	4.80	0.00	0.00
9642	VV	1PY	79	07/25/91	0.988	0.00	0.55	0.00 >	0.13
9642	YF	5DD	79	05/09/91	1.113	0.00	4.85	0.00	0.00
9643	JE	5DG	79	05/09/91	0.771	0.00	14.70	0.00	0.00
9643	PT	5EA	79	05/09/91	1.171	0.00	49.00	0.00	0.00
9643	SF	5EP	79	05/09/91	1.265	0.00	48.00	0.00	5.09
9643	VE	5DV	79	05/10/91	1.212	0.00	15.70	0.00	0.00
9643	VV	1N2	79	06/13/91	1.256	0.00	1.77	0.00	0.00
9643	YF	5D1	79	05/09/91	1.088	0.00	49.00	0.00	0.31
9644	JE	5DG	79	05/09/91	0.771	0.00	4.52	0.00	0.00
9644	PT	5EA	79	05/09/91	1.171	0.00	2.02	0.00	0.00
9644	SF	5EP	79	05/09/91	1.265	0.00	1.69	0.00	0.00
9644	VE	5DV	79	05/10/91	1.212	0.00	4.99	0.00	0.00
9644	VV	1N3	79	06/13/91	1.401	0.00	2.19	0.00 >	0.07
9644	YF	5D1	79	05/09/91	1.088	0.00	2.28	0.00 >	0.05
9645	JE	5DH	79	05/09/91	0.728	0.00	16.00	0.00	0.00
9645	PT	5EB	79	05/09/91	1.142	0.00	15.30	0.00	5.70

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9645	SF	5EQ	79	05/09/91	1.154	0.00	124.00	0.00	0.00
9645	VE	5DW	79	05/10/91	1.240	0.00	18.90	0.00	0.00
9645	VV	1L3	79	06/13/91	1.401	0.00	4.40	0.00	0.00
9645	YF	5D2	79	05/09/91	1.047	0.00	42.20	0.00	2.05
9646	JE	5DN	79	05/09/91	0.728	0.00	6.22	0.00	0.00
9646	PT	5EB	79	05/09/91	1.142	0.00	5.24	0.00	0.00
9646	SF	5EQ	79	05/09/91	1.154	0.00 >	320.00	0.00 >	8.60
9646	VE	5DW	79	05/10/91	1.240	0.00	10.00	0.00	0.00
9646	VV	1PT	79	07/25/91	0.963	0.00	10.00	0.00	5.04
9646	YF	5D2	79	05/09/91	1.047	0.00	10.00	0.00 >	3.86
9647	JE	5MK	79	05/15/91	0.909	0.00	105.00	0.00	0.00
9647	PT	5IE	79	05/14/91	1.245	0.00	166.00	0.00	1.70
9647	SF	5IT	79	05/14/91	0.780	0.00	175.00	0.00	0.00
9647	VE	5HZ	79	05/17/91	1.154	0.00	130.00	0.00	0.00
9647	VV	1M4	79	06/13/91	1.427	0.00	51.90	0.00	0.00
9647	YF	5H5	79	05/15/91	1.238	0.00	155.00	0.00 >	1.35
9648	JE	5ML	79	05/15/91	0.894	0.00	4.85	0.00	0.00
9648	JE	A7R	79	10/02/91	0.828	0.00	1.92	0.00	0.00
9648	PT	5IF	79	05/14/91	1.135	0.00	4.90	0.00	0.00
9648	PT	A8L	79	10/02/91	0.624	0.00	0.27	0.00	0.00
9648	SF	5IU	79	05/14/91	0.991	0.00	1.81	0.00 >	0.29
9648	SF	A9Q	79	10/02/91	0.844	0.00	2.04	0.00	0.00
9648	VE	5I0	79	05/17/91	1.244	0.00	7.45	0.00	0.02
9648	VE	A6G	79	10/04/91	0.903	0.00	2.67	0.00	0.20
9648	VV	1PW	79	07/25/91	0.963	0.00	1.81	0.00	1.91
9648	YF	5H6	79	05/15/91	1.294	0.00 <	1.00	0.00	0.00
9648	YF	A86	79	10/02/91	0.971	0.00	2.56	0.00	0.20
9649	JE	5HL	79	05/15/91	0.894	0.00	56.30	0.00	0.00
9649	JE	A7R	79	10/02/91	0.828	0.00	130.00	0.00	0.00
9649	PT	5IF	79	05/14/91	1.135	97.80	71.50	0.73	0.85
9649	PT	A8L	79	10/02/91	0.624	0.00	66.70	0.00	0.00
9649	SF	5IU	79	05/14/91	0.991	0.00	60.10	0.00 >	0.70
9649	SF	A9Q	79	10/02/91	0.844	0.00	49.40	0.00	0.00
9649	VE	5I0	79	05/17/91	1.244	0.00	54.70	0.00	0.00
9649	VE	A6G	79	10/04/91	0.903	0.00	62.40	0.00	0.11
9649	VV	1HL	79	06/20/91	1.294	0.00	28.30	0.00	0.80
9649	YF	5H6	79	05/15/91	1.294	0.00	44.80	0.00	0.00
9649	YF	A86	79	10/02/91	0.971	0.00	89.50	0.00	0.00
9650	JE	5HM	79	05/15/91	0.932	0.00	4.20	0.00	0.00
9650	PT	5IG	79	05/14/91	1.048	0.00	4.90	0.00	1.22
9650	SF	5IV	79	05/14/91	1.080	0.00	3.38	0.00 >	0.92
9650	VE	5I1	79	05/17/91	1.210	0.00	5.94	0.00	0.00
9650	VV	1HM	79	06/20/91	1.388	0.00	4.70	0.00 >	1.42
9650	YF	5H7	79	05/15/91	1.228	0.00	1.76	0.00	0.00
9651	JE	5HM	79	05/15/91	0.932	0.00	19.60	0.00	0.00
9651	PT	5IG	79	05/14/91	1.048	0.00	49.00	0.00	2.81
9651	SF	5IV	79	05/14/91	1.080	0.00	39.30	0.00 >	12.91
9651	VE	5I1	79	05/17/91	1.210	0.00	17.60	0.00	0.65
9651	VV	1HM	79	06/20/91	1.388	0.00	16.30	0.00	1.04
9651	YF	5H7	79	05/15/91	1.228	0.00	38.60	0.00	1.27
9652	JE	5HM	79	05/15/91	0.924	0.00	44.60	0.00	0.00
9652	PT	5IN	79	05/14/91	1.109	0.00	89.50	0.00	0.00
9652	SF	5IW	79	05/14/91	0.893	0.00	63.10	0.00	0.00
9652	VE	5I2	79	05/17/91	1.232	0.00	52.40	0.00	0.02
9652	VV	1HN	79	06/20/91	1.266	0.00	21.30	0.00 >	0.20
9652	YF	5H8	79	05/15/91	1.273	0.00	30.70	0.00	0.00
9653	JE	5HN	79	05/15/91	0.924	0.00	46.30	0.00	0.00
9653	PT	5IN	79	05/14/91	1.109	0.00	64.70	0.00	0.00
9653	SF	5IW	79	05/14/91	0.893	0.00	61.30	0.00	0.00
9653	VE	5I2	79	05/17/91	1.232	0.00	62.20	0.00	0.00
9653	VV	1HN	79	06/20/91	1.266	0.00	18.40	0.00	0.00
9653	YF	5H8	79	05/15/91	1.273	0.00	51.00	0.00	0.00
9654	JE	5HO	79	05/15/91	0.916	0.00	13.70	0.00	0.00
9654	PT	5II	79	05/14/91	1.401	0.00	14.80	0.00	0.00
9654	SF	5IX	79	05/14/91	0.791	0.00	15.50	0.00	0.00
9654	VE	5I3	79	05/17/91	1.311	0.00	15.70	0.00	0.32
9654	VV	1HO	79	06/20/91	1.347	0.00	8.74	0.00	0.00
9654	YF	5H9	79	05/15/91	1.335	0.00	13.30	0.00	0.39
9655	JE	5HO	79	05/15/91	0.916	0.00	13.00	0.00	0.00
9655	PT	5II	79	05/14/91	1.401	0.00	15.50	0.00	1.02
9655	SF	5IX	79	05/14/91	0.791	0.00	15.20	0.00	4.01
9655	VE	5I3	79	05/17/91	1.311	0.00	14.50	0.00	0.00
9655	VV	1HO	79	06/20/91	1.347	0.00	5.67	0.00	0.00
9655	YF	5H9	79	05/15/91	1.335	0.00	15.50	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-ENTL.	IC 50		TC 25		SI		TAI
9656	JE	5HP	79	05/15/91	0.900	0.00		68.30		0.00		0.00
9656	PT	51J	79	05/14/91	1.241	0.00		111.00		0.00		0.00
9656	SF	51Y	79	05/14/91	0.853	0.00		90.60		0.00	>	8.37
9656	VE	514	79	05/17/91	1.324	0.00		50.50		0.00		0.00
9656	VV	1NP	79	06/20/91	1.317	0.00		41.20		0.00		0.00
9656	YF	5HA	79	05/15/91	1.116	0.00		46.00		0.00	>	0.80
9657	JE	5HP	79	05/15/91	0.900	0.00	<	1.00		0.00		0.00
9657	JE	A7S	79	10/02/91	0.878	0.00		0.52		0.00	>	2.50
9657	PT	51J	79	05/14/91	1.241	0.00		1.03		0.00		0.00
9657	PT	ABM	79	10/02/91	0.778	0.00		0.52		0.00	>	2.91
9657	SF	51Y	79	05/14/91	0.893	0.00		1.03		0.00		0.00
9657	SF	A91	79	10/02/91	0.911	0.00		0.49		0.00		0.00
9657	VE	514	79	05/17/91	1.324	0.00	<	1.00		0.00		0.00
9657	VE	A6M	79	10/04/91	1.005	0.00		0.58		0.00		0.32
9657	VV	1PU	79	07/25/91	1.010	0.00		0.96		0.00		0.00
9657	YF	5HA	79	05/15/91	1.116	0.00		1.73		0.00	>	0.48
9657	YF	A87	79	10/02/91	0.827	0.00		0.95		0.00		7.18
9658	JE	5HQ	79	05/15/91	1.035	0.00		4.90		0.00	>	1.41
9658	PT	51K	79	05/14/91	1.153	0.00		1.96		0.00		0.00
9658	SF	512	79	05/14/91	0.859	0.00		4.27		0.00	>	0.79
9658	VE	515	79	05/17/91	1.252	0.00		4.67		0.00		0.00
9658	VV	1NQ	79	06/20/91	1.269	0.00		4.92		0.00	>	0.82
9658	YF	5HB	79	05/15/91	1.223	0.00		3.70		0.00		0.00
9659	JE	5HQ	79	05/15/91	1.035	0.00		8.38		0.00	>	1.32
9659	JE	A7S	79	10/02/91	0.878	0.00		7.92		0.00		1.89
9659	PT	51K	79	05/14/91	1.153	7.76		12.40		1.59		6.51
9659	PT	ABM	79	10/02/91	0.778	0.00		8.35		0.00	>	3.79
9659	SF	512	79	05/14/91	0.859	0.00		7.92		0.00		0.00
9659	SF	A91	79	10/02/91	0.911	0.00		6.03		0.00		0.00
9659	VE	515	79	05/17/91	1.252	0.00		8.95		0.00		0.00
9659	VE	A6M	79	10/04/91	1.005	0.00		7.56		0.00		0.00
9659	YF	5HB	79	05/15/91	1.223	0.00		8.20		0.00	>	0.77
9659	YF	A87	79	10/02/91	0.827	0.00		10.30		0.00		1.90
9660	JE	5HR	79	05/15/91	0.983	0.00		2.65		0.00		0.00
9660	PT	51L	79	05/14/91	1.156	0.00		4.00		0.00		0.00
9660	SF	5J0	79	05/14/91	0.908	0.00		2.67		0.00		0.00
9660	VE	516	79	05/17/91	1.309	0.00		2.94		0.00		0.00
9660	VV	1PU	79	07/25/91	1.010	0.00		0.76		0.00		0.00
9660	YF	5HC	79	05/15/91	1.153	0.00		3.04		0.00	>	0.02
9661	JE	5HR	79	05/15/91	0.983	0.00		34.60		0.00		0.00
9661	PT	51L	79	05/14/91	1.156	0.00		49.00		0.00		0.00
9661	SF	5J0	79	05/14/91	0.908	0.00		48.10		0.00	>	7.50
9661	VE	516	79	05/17/91	1.309	0.00		28.00		0.00		0.00
9661	VV	1NR	79	06/20/91	1.302	0.00		11.40		0.00		0.00
9661	YF	5HC	79	05/15/91	1.153	0.00		39.30		0.00		1.70
9662	JE	5HS	79	05/15/91	0.896	0.00		8.51		0.00	>	0.30
9662	PT	51N	79	05/14/91	1.289	0.00		11.10		0.00	>	1.35
9662	SF	5J1	79	05/14/91	0.993	0.00		6.78		0.00		0.00
9662	VE	517	79	05/17/91	1.225	0.00		12.80		0.00	>	0.23
9662	VV	1NS	79	06/20/91	1.404	0.00		24.70		0.00		0.00
9662	YF	5HD	79	05/15/91	1.202	0.00		7.18		0.00		0.36
9663	JE	5HS	79	05/15/91	0.896	0.00		2.12		0.00	>	0.03
9663	PT	51N	79	05/14/91	1.289	0.00		4.90		0.00		0.00
9663	SF	5J1	79	05/14/91	0.993	0.00		4.90		0.00		0.00
9663	VE	517	79	05/17/91	1.225	0.00		11.90		0.00	>	0.30
9663	VV	1NS	79	06/20/91	1.404	0.00		5.59		0.00		1.15
9663	YF	5HD	79	05/15/91	1.202	0.00		6.35		0.00		0.00
9664	JE	5HT	79	05/15/91	0.955	0.00		4.64		0.00		0.00
9664	PT	51N	79	05/14/91	1.278	0.00		10.00		0.00		0.00
9664	SF	5J2	79	05/14/91	0.716	0.00		7.15		0.00		0.00
9664	VE	518	79	05/17/91	1.147	0.00		6.44		0.00		0.00
9664	VV	1PX	79	07/25/91	0.974	0.00		0.52		0.00		0.00
9664	YF	5HE	79	05/15/91	1.218	0.00		5.98		0.00		0.00
9665	JE	5HT	79	05/15/91	0.955	0.00		3.43		0.00		0.00
9665	PT	51N	79	05/14/91	1.278	0.00		7.43		0.00		0.00
9665	SF	5J2	79	05/14/91	0.716	0.00		6.60		0.00		0.00
9665	VE	518	79	05/17/91	1.147	0.00		4.56		0.00		0.00
9665	VV	1PV	79	07/25/91	0.952	0.00		0.68		0.00		0.00
9665	YF	5HE	79	05/15/91	1.218	0.00		5.75		0.00		0.00
9666	JE	5HU	79	05/15/91	0.947	0.00		3.29		0.00		0.00
9666	PT	510	79	05/14/91	1.243	0.00		4.14		0.00		0.00
9666	SF	5J3	79	05/14/91	0.723	0.00		4.57		0.00		0.00
9666	VE	519	79	05/17/91	1.247	0.00		4.85		0.00		0.00
9666	VV	1PV	79	07/25/91	0.952	0.00		1.16		0.00	>	0.52

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	IC 25	SI	TAI
9666	YF	5NF	79	05/15/91	1.176	0.00	4.80	0.00	0.00
9667	JE	5NU	79	05/15/91	0.947	0.00	3.96	0.00	0.00
9667	PT	5IO	79	05/14/91	1.243	0.00	6.27	0.00	0.00
9667	SF	5J3	79	05/14/91	0.723	0.00	4.95	0.00	0.00
9667	VE	5I9	79	05/17/91	1.247	0.00	4.53	0.00	0.00
9667	VV	1PW	79	07/25/91	0.963	0.00	0.62	0.00	0.00
9667	YF	5NF	79	05/15/91	1.176	0.00	6.03	0.00	0.10
9668	JE	5NV	79	05/15/91	0.925	0.00	42.70	0.00	0.00
9668	PT	5IP	79	05/14/91	1.137	0.00	71.50	0.00 >	1.21
9668	SF	5J4	79	05/14/91	1.103	0.00	64.50	0.00 >	7.51
9668	VE	5IA	79	05/17/91	1.287	0.00	51.60	0.00	0.00
9668	VV	1NV	79	06/20/91	1.418	286.00	5.71	0.02	0.00
9668	YF	5NG	79	05/15/91	1.151	0.00	59.90	0.00	0.00
9669	JE	5NV	79	05/15/91	0.925	176.00	14.60	0.08 >	4.23
9669	JE	A7T	79	10/02/91	0.836	0.00	9.69	0.00	0.00
9669	PT	5IP	79	05/14/91	1.137	80.60	31.20	0.39 >	2.87
9669	PT	A8N	79	10/02/91	0.594	0.00	14.20	0.00	0.00
9669	SF	5J4	79	05/14/91	1.103	100.00	20.70	0.21 >	3.29
9669	SF	A92	79	10/02/91	0.844	0.00	6.89	0.00	0.00
9669	VE	5IA	79	05/17/91	1.287	0.00	7.99	0.00	0.00
9669	VE	A6I	79	10/04/91	1.033	0.00	5.08	0.00	0.29
9669	VV	1NV	79	06/20/91	1.418	96.70	2.78	0.03 >	0.48
9669	YF	5NG	79	05/15/91	1.151	0.00	20.00	0.00	0.41
9669	YF	A8B	79	10/02/91	0.961	0.00	13.40	0.00 >	0.05
9670	JE	5NW	79	05/15/91	0.949	0.00	15.50	0.00 >	0.70
9670	PT	5IQ	79	05/14/91	1.140	0.00	15.50	0.00	0.85
9670	SF	5J5	79	05/14/91	1.017	2.66	15.50	5.83 >	28.62
9670	VE	5IB	79	05/17/91	1.252	0.00	15.60	0.00	0.41
9670	VV	1UF	79	09/19/91	1.054	2.57	2.76	1.07	-3.07
9670	VV	1VK	79	10/03/91	0.721	2.01	3.29	1.64 >	14.82
9670	YF	5NN	79	05/15/91	1.074	0.00	15.50	0.00	0.00
9671	JE	5NW	79	05/15/91	0.949	0.00	70.40	0.00 >	0.45
9671	PT	5IQ	79	05/14/91	1.140	0.00	189.00	0.00	0.00
9671	SF	5J5	79	05/14/91	1.017	0.00	161.00	0.00 >	3.02
9671	VE	5IB	79	05/17/91	1.252	0.00	38.20	0.00	0.00
9671	VV	1NW	79	06/20/91	1.303	0.00	8.52	0.00	0.00
9671	YF	5NN	79	05/15/91	1.074	0.00	92.70	0.00	0.22
9672	JE	5JN	79	05/16/91	0.967	0.00	13.80	0.00	0.00
9672	PT	5KN	79	05/16/91	1.240	0.00	15.50	0.00	0.00
9672	SF	5KW	79	05/16/91	0.801	0.00	14.80	0.00 >	9.13
9672	VE	5K2	79	05/17/91	1.070	0.00	13.50	0.00	0.38
9672	VV	1NX	79	06/20/91	1.429	6.34	7.88	1.24 >	8.75
9672	VV	1PT	79	07/25/91	0.963	1.34	13.10	9.77 >	32.41
9672	YF	5J8	79	05/22/91	1.040	0.00	12.60	0.00	2.25
9673	JE	5JO	79	05/16/91	0.983	0.00	15.60	0.00 >	0.13
9673	PT	5KI	79	05/16/91	1.141	0.00	5.82	0.00	0.00
9673	SF	5KX	79	05/16/91	0.816	0.00	11.10	0.00 >	10.50
9673	VE	5K3	79	05/17/91	1.206	0.00	15.50	0.00	0.53
9673	VV	1NX	79	06/20/91	1.429	0.00	4.27	0.00 >	1.15
9673	YF	5J9	79	05/22/91	1.066	0.00	4.46	0.00	0.00
9674	JE	5JO	79	05/16/91	0.983	0.00	49.00	0.00 >	2.70
9674	PT	5KI	79	05/16/91	1.141	0.00	21.50	0.00 >	0.10
9674	SF	5KX	79	05/16/91	0.816	0.00	15.50	0.00 >	8.11
9674	VE	5K3	79	05/17/91	1.206	0.00	45.70	0.00	1.31
9674	VV	1NY	79	06/20/91	1.426	0.00	4.21	0.00 >	3.28
9674	YF	5J9	79	05/22/91	1.066	0.00	15.50	0.00	0.20
9675	JE	5JP	79	05/16/91	1.006	0.00	55.20	0.00	0.00
9675	JE	A7T	79	10/02/91	0.836	0.00	56.30	0.00	0.00
9675	PT	5KJ	79	05/16/91	1.202	0.00	50.50	0.00 >	5.88
9675	PT	A8N	79	10/02/91	0.594	0.00	27.70	0.00 >	1.29
9675	SF	5KY	79	05/16/91	0.838	93.00	90.60	0.97 >	4.54
9675	SF	A92	79	10/02/91	0.844	0.00	28.70	0.00 >	0.80
9675	VE	5K4	79	05/17/91	1.296	0.00	150.00	0.00	0.11
9675	VE	A6I	79	10/04/91	1.033	0.00	155.00	0.00	0.00
9675	VV	1QH	79	07/11/91	0.966	0.00	44.80	0.00 >	6.25
9675	YF	5JA	79	05/22/91	1.088	0.00	32.00	0.00	1.77
9675	YF	A8B	79	10/02/91	0.961	0.00	26.90	0.00 >	3.70
9676	JE	5JP	79	05/16/91	1.006	0.00 <	1.00	0.00	0.00
9676	JE	A7U	79	10/02/91	0.858	0.00	1.70	0.00 >	0.32
9676	PT	5KJ	79	05/16/91	1.202	0.00 <	1.00	0.00	0.00
9676	PT	A8O	79	10/02/91	0.682	0.00	1.86	0.00	0.00
9676	SF	5KY	79	05/16/91	0.838	0.00 <	1.00	0.00	0.00
9676	SF	A93	79	10/02/91	0.825	0.00	1.82	0.00	0.00
9676	VE	5K4	79	05/17/91	1.296	0.00	1.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9676	VE	A6J	79	10/04/91	1.010	0.00 >	3.20	0.00	0.00
9676	VV	1QI	79	08/01/91	1.037	0.00	0.22	0.00	0.00
9676	YF	5JA	79	05/22/91	1.088	0.00	1.19	0.00	0.00
9676	YF	A89	79	10/02/91	0.910	0.00	1.93	0.00	0.00
9677	JE	5JQ	79	05/16/91	0.963	0.00	5.64	0.00	0.00
9677	PT	5KK	79	05/16/91	1.181	0.00	5.47	0.00	0.00
9677	SF	5KZ	79	05/16/91	0.898	0.00	6.22	0.00	0.00
9677	VE	5KS	79	05/17/91	1.267	0.00	5.84	0.00	0.00
9677	VV	1QN	79	07/11/91	1.002	0.00	15.50	0.00	0.00
9677	YF	5JB	79	05/22/91	0.952	0.00	7.21	0.00	0.00
9678	JE	5JQ	79	05/16/91	0.963	0.00	6.60	0.00	0.00
9678	JE	A7U	79	10/02/91	0.858	0.00	4.23	0.00	0.00
9678	PT	5KK	79	05/16/91	1.181	2.66	4.93	1.85 >	8.34
9678	PT	A8O	79	10/02/91	0.682	0.00	4.95	0.00 >	5.74
9678	SF	5KZ	79	05/16/91	0.898	0.00	4.60	0.00	0.32
9678	SF	A93	79	10/02/91	0.825	0.00	4.77	0.00	1.05
9678	VE	5KS	79	05/17/91	1.267	0.00	7.17	0.00	0.00
9678	VE	A6J	79	10/04/91	1.010	0.00	6.17	0.00	0.00
9678	VV	1QO	79	07/11/91	1.007	0.00	4.83	0.00	3.69
9678	YF	5JB	79	05/22/91	0.952	0.00	4.92	0.00	0.00
9678	YF	A89	79	10/02/91	0.910	0.00	4.92	0.00	3.43
9679	JE	5JR	79	05/16/91	1.019	0.00	13.10	0.00	0.00
9679	PT	5KL	79	05/16/91	1.171	0.00	16.60	0.00 >	0.10
9679	SF	5L0	79	05/16/91	0.933	0.00	15.20	0.00	0.00
9679	VE	5K6	79	05/17/91	1.274	0.00	17.70	0.00	0.00
9679	VV	1QO	79	07/11/91	1.007	0.00	15.80	0.00	0.00
9679	YF	5JC	79	05/22/91	1.079	0.00	35.50	0.00	0.00
9680	JE	5JR	79	05/16/91	1.019	0.00	1.24	0.00	0.00
9680	JE	A7V	79	10/02/91	0.867	0.00	1.37	0.00 >	0.08
9680	PT	5KL	79	05/16/91	1.171 <	1.00 <	1.00 -	1.00 >	0.28
9680	PT	A8P	79	10/02/91	0.674	0.00	1.55	0.00	1.35
9680	SF	5L0	79	05/16/91	0.933	0.00	1.39	0.00 >	0.91
9680	SF	A94	79	10/02/91	0.844	0.00	1.46	0.00 >	11.13
9680	VE	5K6	79	05/17/91	1.274	0.00	1.37	0.00	0.00
9680	VE	A6K	79	10/04/91	1.047	0.00	1.71	0.00	0.00
9680	VV	1QF	79	08/01/91	1.029	0.00	1.50	0.00	1.48
9680	YF	5JC	79	05/22/91	1.079	0.00	1.30	0.00 >	0.50
9680	YF	A8A	79	10/02/91	0.941	0.74	1.50	2.02 >	11.47
9681	JE	5JS	79	05/16/91	0.991	0.00	1.46	0.00	0.00
9681	JE	A7V	79	10/02/91	0.867	0.00	0.68	0.00	0.00
9681	PT	5KN	79	05/16/91	1.273	0.00	1.55	0.00 >	0.40
9681	PT	A8P	79	10/02/91	0.674	0.00	1.55	0.00 >	6.57
9681	SF	5L1	79	05/16/91	0.829	1.00	1.55	1.55 >	1.68
9681	SF	A94	79	10/02/91	0.844	0.00	1.50	0.00	6.65
9681	VE	5K7	79	05/17/91	1.286	0.00	1.59	0.00	0.00
9681	VE	A6K	79	10/04/91	1.047	0.00	1.28	0.00	0.65
9681	YF	5JD	79	05/22/91	1.124	0.00	1.31	0.00	0.00
9681	YF	A8A	79	10/02/91	0.941	0.00	1.55	0.00	6.05
9682	JE	5JS	79	05/16/91	0.991	0.00	6.19	0.00	0.00
9682	PT	5KN	79	05/16/91	1.273	0.00	6.06	0.00 >	0.10
9682	SF	5L1	79	05/16/91	0.829	0.00	6.08	0.00	0.00
9682	VE	5K7	79	05/17/91	1.286	0.00	6.60	0.00	0.00
9682	VV	1QQ	79	07/11/91	0.998	0.00	6.50	0.00	0.00
9682	YF	5JD	79	05/22/91	1.124	0.00	11.80	0.00	0.00
9683	JE	5JT	79	05/16/91	1.017	0.00	151.00	0.00 >	0.01
9683	PT	5KN	79	05/16/91	1.161	0.00	185.00	0.00 >	2.68
9683	SF	5L2	79	05/16/91	0.956	0.00	156.00	0.00	1.70
9683	VE	5K8	79	05/17/91	1.273	0.00	180.00	0.00	0.00
9683	VV	1QQ	79	07/11/91	0.998	0.00	172.00	0.00 >	0.30
9683	YF	5JE	79	05/22/91	1.100	0.00	169.00	0.00	2.69
9684	JE	5JT	79	05/16/91	1.017	0.00	20.60	0.00	0.00
9684	PT	5KN	79	05/16/91	1.161	0.00	25.30	0.00 >	0.92
9684	SF	5L2	79	05/16/91	0.956	0.00	19.20	0.00	0.00
9684	VE	5K8	79	05/17/91	1.273	0.00	50.00	0.00	0.00
9684	VV	1QR	79	07/11/91	0.992	0.00	9.32	0.00	0.00
9684	YF	5JE	79	05/22/91	1.100	0.00	24.50	0.00 >	4.04
9685	JE	5JU	79	05/16/91	0.914	0.00	18.50	0.00 >	0.20
9685	PT	5KO	79	05/16/91	1.230	0.00	18.90	0.00 >	0.91
9685	SF	5L3	79	05/16/91	0.981	0.00	18.60	0.00 >	6.12
9685	VE	5K9	79	05/17/91	1.147	0.00	19.60	0.00	0.20
9685	VV	1QR	79	07/11/91	0.992	0.00	21.00	0.00	0.00
9685	YF	5JF	79	05/22/91	1.164	0.00	14.00	0.00	0.00
9686	JE	5JU	79	05/16/91	0.914	0.00	9.27	0.00 >	1.43
9686	PT	5KO	79	05/16/91	1.230	0.00	19.50	0.00 >	1.26

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9686	SF	5L3	79	05/16/91	0.981	0.00	18.50	0.00 >	7.49
9686	VE	5K9	79	05/17/91	1.147	0.00	24.50	0.00	0.00
9686	VV	108	79	07/11/91	1.042	0.00	7.73	0.00	0.00
9686	YF	5JF	79	05/22/91	1.164	0.00	10.00	0.00	0.00
9687	JE	5JV	79	05/16/91	0.797	0.00	1.41	0.00	0.00
9687	PT	5KP	79	05/16/91	1.199	0.00	1.55	0.00	0.00
9687	SF	5L4	79	05/16/91	0.858	0.00	1.55	0.00	0.00
9687	VE	5KA	79	05/17/91	1.134	0.00	1.59	0.00	0.00
9687	VV	1QJ	79	08/01/91	1.066	0.00 >	1.00	0.00	0.52
9687	YF	5JG	79	05/[illegible]/91	1.185	0.00	1.35	0.00	0.00
9688	JE	5JV	79	05/[illegible]/91	0.797	0.00	19.20	0.00	2.11
9688	PT	5KP	79	05/16/91	1.199	0.00	16.20	0.00 >	0.40
9688	SF	5L4	79	05/16/91	0.858	0.00	15.00	0.00 >	1.22
9688	VE	5KA	79	05/17/91	1.134	0.00	30.30	0.00	0.00
9688	VV	1QT	79	07/11/91	1.085	0.00	8.15	0.00	0.00
9688	YF	5JG	79	05/22/91	1.185	0.00	5.70	0.00 >	0.82
9689	JE	5JW	79	05/16/91	0.963	0.00	218.00	0.00	1.86
9689	PT	5KQ	79	05/16/91	1.316	77.60	218.00	2.80 >	14.77
9689	SF	5L5	79	05/16/91	0.812	0.00	196.00	0.00	14.61
9689	VE	5KB	79	05/17/91	1.188	0.00	208.00	0.00	0.00
9689	VV	1QT	79	07/11/91	1.085	0.00	34.60	0.00	3.15
9689	YF	5JH	79	05/22/91	1.112	0.00	142.00	0.00	0.00
9690	JE	5JW	79	05/16/91	0.963	0.00	75.50	0.00	0.00
9690	PT	5KQ	79	05/16/91	1.316	0.00	64.10	0.00	0.15
9690	SF	5L5	79	05/16/91	0.812	0.00	69.80	0.00 >	6.53
9690	VE	5KB	79	05/17/91	1.188	0.00	56.50	0.00	0.00
9690	VV	1QU	79	07/11/91	1.083	0.00	15.40	0.00	0.00
9690	YF	5JH	79	05/22/91	1.112	0.00	45.30	0.00	0.00
9691	JE	5JX	79	05/16/91	1.014	0.00	16.50	0.00	0.00
9691	PT	5KR	79	05/16/91	1.178	0.00	16.70	0.00	0.00
9691	SF	5L6	79	05/16/91	0.676	0.00	17.60	0.00	0.30
9691	VE	5KC	79	05/17/91	1.146	0.00	66.00	0.00 >	0.03
9691	VV	1QU	79	07/11/91	1.083	0.00	8.06	0.00	0.00
9691	YF	5JI	79	05/22/91	1.132	0.00	13.20	0.00	0.00
9692	JE	5JX	79	05/16/91	1.014	0.00	3.93	0.00	0.00
9692	PT	5KR	79	05/16/91	1.178	0.00	4.90	0.00 >	0.50
9692	SF	5L6	79	05/16/91	0.676	0.00	4.90	0.00 >	0.71
9692	VE	5KC	79	05/17/91	1.146	0.00	4.90	0.00 >	1.77
9692	VV	1QG	79	08/01/91	1.083	0.00 >	3.20	0.00	2.02
9692	YF	5JI	79	05/22/91	1.132	0.00	4.41	0.00	0.00
9693	JE	5JY	79	05/16/91	0.964	0.00	89.50	0.00	0.00
9693	PT	5KS	79	05/16/91	1.132	0.00	49.20	0.00 >	0.90
9693	SF	5L7	79	05/16/91	0.808	0.00	49.20	0.00 >	0.61
9693	VE	5KD	79	05/17/91	1.221	0.00	50.80	0.00	0.00
9693	VV	1QN	79	08/01/91	1.094	0.00	7.88	0.00	0.00
9693	YF	5JJ	79	05/22/91	1.147	0.00	42.00	0.00	0.00
9694	JE	5JY	79	05/16/91	0.964	0.00	66.00	0.00	0.00
9694	PT	5KS	79	05/16/91	1.132	0.00	64.10	0.00 >	1.00
9694	SF	5L7	79	05/16/91	0.808	0.00	43.80	0.00 >	1.18
9694	VE	5KD	79	05/17/91	1.221	0.00	61.10	0.00	0.00
9694	VV	1QN	79	07/11/91	1.036	0.00	27.10	0.00	0.00
9694	YF	5JJ	79	05/22/91	1.147	0.00	6.13	0.00 >	0.61
9695	JE	5JZ	79	05/16/9[illegible]	1.011	0.00	63.60	0.00	0.00
9695	PT	5KT	79	05/16/91	1.257	0.00	67.40	0.00	0.40
9695	SF	5L8	79	05/16/91	0.906	0.00	61.30	0.00 >	0.54
9695	VE	5KE	79	05/17/91	1.245	0.00	53.30	0.00	0.00
9695	VV	1QM	79	07/11/91	1.036	0.00	57.00	0.00	0.00
9695	YF	5JK	79	05/22/91	1.170	0.00	56.00	0.00	0.00
9696	JE	5JZ	79	05/16/91	1.011	0.00	42.70	0.00	0.00
9696	JE	A7W	79	10/02/91	0.747	0.00	48.50	0.00	0.00
9696	PT	5KT	79	05/16/91	1.257	28.80	46.50	1.61 >	7.30
9696	PT	A8Q	79	10/02/91	0.615	0.00	49.20	0.00 >	12.0[illegible]
9696	SF	5L8	79	05/16/91	0.906	4.92	39.30	7.98 >	33.01
9696	SF	A9S	79	10/02/91	0.859	20.00	39.30	1.97 >	8.73
9696	VE	5KE	79	05/17/91	1.245	0.00	44.00	0.00	0.00
9696	VE	A6L	79	10/04/91	1.071	0.00	62.40	0.00	0.00
9696	VV	10X	79	07/11/91	1.018	0.00	13.90	0.00	0.20
9696	YF	5JK	79	05/22/91	1.170	0.00	35.40	0.00	0.00
9696	YF	A8B	79	10/02/91	0.870	0.00	47.40	0.00 >	0.10
9697	JE	5RS	79	05/23/91	0.726	0.00	1.58	0.00	0.00
9697	JE	A7X	79	10/02/91	0.815	0.00	1.62	0.00 >	0.08
9697	PT	50K	79	05/22/91	1.115	0.00 <	1.00	0.00	0.00
9697	PT	A8R	79	10/02/91	0.697	0.00	1.17	0.00	0.00
9697	SF	502	79	05/22/91	0.969	0.00 <	1.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9697	SF	A96	79	10/02/91	0.869	0.00		1.54		0.00		0.00
9697	VE	505	79	05/24/91	1.381	0.00		1.59		0.00	>	0.00
9697	VE	A6M	79	10/04/91	1.112	0.00		1.56		0.00		0.00
9697	VV	1QG	79	08/01/91	1.083	0.00		0.56		0.00		1.40
9697	YF	5RD	79	05/22/91	1.244	0.00	<	1.00		0.00		0.00
9697	YF	ABC	79	10/02/91	0.957	0.00		1.89		0.00		0.65
9698	JE	5RT	79	05/23/91	0.726	0.00		45.50		0.00		0.00
9698	PT	50L	79	05/22/91	1.018	0.00		42.20		0.00		0.00
9698	SF	5P0	79	05/22/91	0.929	0.00		19.40		0.00		0.37
9698	VE	506	79	05/24/91	1.361	0.00		53.20		0.00		0.02
9698	VV	10Y	79	07/11/91	1.056	0.00		14.70		0.00		2.36
9698	YF	5RE	79	05/22/91	1.097	0.00		34.60		0.00		0.00
9699	JE	5RT	79	05/23/91	0.726	0.00		73.50		0.00		5.72
9699	JE	A7X	79	10/02/91	0.815	0.00		170.00		0.00	>	1.62
9699	PT	50L	79	05/22/91	1.018	0.00		57.40		0.00		0.00
9699	PT	A8R	79	10/02/91	0.697	0.00		70.60		0.00	>	6.23
9699	SF	5P0	79	05/22/91	0.929	18.60		38.60		2.07		16.73
9699	SF	A96	79	10/02/91	0.869	59.60		155.00		2.60		20.30
9699	VE	506	79	05/24/91	1.361	0.00		86.80		0.00		0.00
9699	VE	A6M	79	10/04/91	1.112	0.00		46.00		0.00		0.00
9699	VV	10Y	79	07/11/91	1.056	0.00		155.00		0.00		3.77
9699	YF	5RE	79	05/22/91	1.097	0.00		53.30		0.00		0.00
9699	YF	ABC	79	10/02/91	0.957	0.00		187.00		0.00		0.00
9700	JE	5RU	79	05/23/91	0.760	0.00		7.73		0.00		0.00
9700	PT	50M	79	05/22/91	1.058	0.00		4.82		0.00		0.00
9700	SF	5P1	79	05/22/91	0.918	0.00	<	1.00		0.00		0.00
9700	VE	507	79	05/24/91	1.277	0.00		9.66		0.00		0.00
9700	VV	1QH	79	08/01/91	1.094	0.00		1.00		0.00	>	0.70
9700	YF	5RF	79	05/22/91	1.108	0.00		6.29		0.00		0.00
9701	JE	5RU	79	05/23/91	0.760	0.00		11.40		0.00		0.00
9701	PT	50M	79	05/22/91	1.058	0.00		4.58		0.00	>	0.06
9701	SF	5P1	79	05/22/91	0.918	0.00		4.98		0.00		0.00
9701	VE	507	79	05/24/91	1.277	0.00		7.25		0.00	>	0.20
9701	VV	1QZ	79	07/11/91	1.110	0.00		4.28		0.00		0.00
9701	YF	5RF	79	05/22/91	1.108	0.00		5.39		0.00	>	0.02
9702	JE	5RV	79	05/23/91	0.952	0.00		13.50		0.00	>	6.39
9702	PT	50M	79	05/22/91	1.160	0.00		4.85		0.00		0.59
9702	SF	5P2	79	05/22/91	0.851	0.00		4.46		0.00		0.00
9702	VE	508	79	05/24/91	1.238	0.00		13.50		0.00	>	1.71
9702	VV	1QI	79	08/01/91	1.037	0.00		6.36		0.00		0.00
9702	YF	5RG	79	05/22/91	1.125	0.00		6.24		0.00	>	3.18
9703	JE	5RV	79	05/23/91	0.952	0.00		19.60		0.00	>	9.46
9703	PT	50M	79	05/22/91	1.160	0.00		17.20		0.00		1.21
9703	SF	5P2	79	05/22/91	0.851	0.00		18.70		0.00		0.10
9703	VE	508	79	05/24/91	1.238	0.00		57.40		0.00		0.00
9703	VV	1PG	79	07/25/91	0.868	0.00		57.10		0.00		0.00
9703	YF	5RG	79	05/22/91	1.125	0.00		49.70		0.00	>	6.04
9704	JE	5RW	79	05/23/91	0.839	0.00		47.50		0.00		0.00
9704	PT	500	79	05/22/91	1.091	0.00		49.00		0.00	>	3.50
9704	SF	5P3	79	05/22/91	0.900	0.00		40.00		0.00		0.00
9704	VE	509	79	05/24/91	1.292	0.00		37.10		0.00	>	0.10
9704	VV	1PH	79	07/25/91	0.874	0.00		21.00		0.00		0.00
9704	YF	5RH	79	05/22/91	1.100	0.00		47.60		0.00		0.00
9705	JE	5RW	79	05/23/91	0.839	0.00		73.60		0.00		0.00
9705	PT	500	79	05/22/91	1.091	0.00		129.00		0.00	>	0.62
9705	SF	5P3	79	05/22/91	0.900	0.00		83.80		0.00	>	0.77
9705	VE	509	79	05/24/91	1.292	0.00		97.30		0.00	>	0.10
9705	VV	1PH	79	07/25/91	0.874	0.00		174.00		0.00		0.00
9705	YF	5RH	79	05/22/91	1.100	0.00		100.00		0.00	>	0.13
9706	JE	5RX	79	05/23/91	0.894	0.00		5.78		0.00	>	2.24
9706	PT	50P	79	05/22/91	1.132	0.00		3.20		0.00		0.00
9706	SF	5P4	79	05/22/91	0.898	0.00		2.18		0.00		0.00
9706	VE	50A	79	05/24/91	1.219	0.00		5.78		0.00		0.00
9706	VV	1PI	79	07/25/91	0.861	0.00		3.12		0.00		0.00
9706	YF	5RI	79	05/22/91	0.913	0.00		5.63		0.00		0.00
9707	JE	5RX	79	05/23/91	0.894	0.00		14.60		0.00	>	1.94
9707	PT	50P	79	05/22/91	1.132	0.00		5.75		0.00	>	1.00
9707	SF	5P4	79	05/22/91	0.898	0.00		13.50		0.00		0.00
9707	VE	50A	79	05/24/91	1.219	0.00		16.40		0.00		0.40
9707	VV	1PI	79	07/25/91	0.861	0.00		4.90		0.00		0.00
9707	YF	5RI	79	05/22/91	0.913	0.00		15.50		0.00		0.00
9708	JE	5RY	79	05/23/91	0.757	0.00		10.00		0.00		0.00
9708	PT	50Q	79	05/22/91	1.028	0.00		7.49		0.00	>	4.96
9708	SF	5P5	79	05/22/91	0.828	0.00		6.09		0.00	>	8.86

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9708	VE	508	79	05/24/91	1.214	0.00	11.90	0.00	0.23
9708	VV	1R3	79	08/08/91	1.063	0.00	0.65	0.00	0.00
9708	YF	5RJ	79	05/22/91	1.111	0.00	9.18	0.00	0.00
9709	JE	5RY	79	05/23/91	0.757	0.00	4.90	0.00	0.00
9709	JE	A7Y	79	10/02/91	0.726	0.00 >	3.20	0.00 >	1.70
9709	PT	50Q	79	05/22/91	1.028	0.00	1.73	0.00 >	0.04
9709	PT	A8S	79	10/02/91	0.725	0.00	0.93	0.00	0.00
9709	SF	5P5	79	05/22/91	0.828	0.00	1.33	0.00	0.00
9709	SF	A97	79	10/02/91	0.817	0.00	2.41	0.00	0.43
9709	VE	508	79	05/24/91	1.214	0.00	17.80	0.00	0.00
9709	VE	A6M	79	10/04/91	1.236	0.00	1.37	0.00	0.00
9709	VV	1R1	79	08/08/91	1.154	0.00	2.49	0.00 >	3.80
9709	YF	5RJ	79	05/22/91	1.111	0.00	2.13	0.00	0.00
9709	YF	A8D	79	10/02/91	1.096	0.00	2.29	0.00	0.00
9710	JE	5RZ	79	05/23/91	1.002	0.00	1.20	0.00	0.00
9710	JE	A7Y	79	10/02/91	0.726	0.00	0.68	0.00 >	0.85
9710	PT	50R	79	05/22/91	1.096	0.00 <	1.00	0.00	0.00
9710	PT	A8S	79	10/02/91	0.725	0.00	0.72	0.00	0.00
9710	SF	5P6	79	05/22/91	0.803	0.00 <	1.00	0.00	0.00
9710	SF	A97	79	10/02/91	0.817	0.00	0.91	0.00 >	1.01
9710	VE	50C	79	05/24/91	1.266	0.00	1.25	0.00	0.00
9710	VE	A6M	79	10/04/91	1.236	0.00	0.41	0.00	0.00
9710	VV	1R2	79	08/08/91	1.203	0.00	0.34	0.00 >	0.32
9710	YF	5RK	79	05/22/91	1.087	0.00 <	1.00	0.00	0.00
9710	YF	A8D	79	10/02/91	1.096	0.00	0.85	0.00	0.00
9711	JE	5RZ	79	05/23/91	1.002	0.00 <	1.00	0.00	0.00
9711	JE	A7Z	79	10/02/91	0.812	0.00	0.29	0.00	0.00
9711	PT	50R	79	05/22/91	1.096	0.00 <	1.00	0.00	0.00
9711	PT	A8T	79	10/02/91	0.710	0.00	0.49	0.00	0.00
9711	SF	5P6	79	05/22/91	0.803	0.00 <	1.00	0.00	0.00
9711	SF	A98	79	10/02/91	0.797	0.00	0.48	0.00	0.00
9711	VE	50C	79	05/24/91	1.266	0.00	1.27	0.00	0.00
9711	VE	A6O	79	10/04/91	1.038	0.00	0.43	0.00	0.00
9711	VV	1R2	79	08/08/91	1.203	0.00	0.65	0.00	0.00
9711	YF	5RK	79	05/22/91	1.087	0.00 <	1.00	0.00	0.00
9711	YF	A8E	79	10/02/91	1.063	0.00	0.69	0.00	0.00
9712	JE	5S0	79	05/23/91	0.581	0.00	4.90	0.00 >	7.03
9712	JE	A7Z	79	10/02/91	0.812	0.00	4.90	0.00	3.44
9712	PT	50S	79	05/22/91	1.017	0.00	3.04	0.00	1.46
9712	PT	A8T	79	10/02/91	0.710	0.00	4.69	0.00	1.40
9712	SF	5P7	79	05/22/91	0.884 <	1.00	1.11 >	1.11 >	1.41
9712	SF	A98	79	10/02/91	0.797	0.32	4.90	15.31 >	33.23
9712	VE	50D	79	05/24/91	1.197	0.00	4.90	0.00 >	0.95
9712	VE	A6O	79	10/04/91	1.038	0.00	4.92	0.00	0.00
9712	VV	1R5	79	08/08/91	1.095	0.00	0.70	0.00	9.45
9712	YF	5RL	79	05/22/91	1.223	0.00	1.42	0.00	0.00
9712	YF	A8E	79	10/02/91	1.063	0.00	4.90	0.00	0.31
9713	JE	5S0	79	05/23/91	0.581	0.00	4.90	0.00	0.00
9713	PT	50S	79	05/22/91	1.017	0.00	1.57	0.00 >	0.23
9713	SF	5P7	79	05/22/91	0.884	0.00	1.55	0.00 >	0.06
9713	VE	50D	79	05/24/91	1.197	0.00	4.93	0.00	0.64
9713	VV	1R3	79	08/08/91	1.063	0.00	0.39	0.00	0.00
9713	YF	5RL	79	05/22/91	1.223	0.00	1.91	0.00	0.00
9714	JE	5S1	79	05/23/91	0.768	0.00	4.90	0.00	0.00
9714	PT	50T	79	05/22/91	1.096	0.00	1.57	0.00 >	0.13
9714	SF	5P8	79	05/22/91	0.921	0.00	1.55	0.00 >	0.03
9714	VE	50E	79	05/24/91	1.139	0.00	4.90	0.00 >	0.31
[illegible]	[illegible]	1PH	79	07/25/91	0.916	0.00	1.53	0.00	0.00
[illegible]	[illegible]	5RH	79	05/22/91	1.065	0.00	1.44	0.00	0.00
[illegible]	[illegible]	[illegible]S1	79	05/23/91	0.768	0.00	9.50	0.00	0.00
[illegible]	[illegible]	[illegible]OT	79	05/22/91	1.096	0.00	4.66	0.00 >	0.01
[illegible]	[illegible]	5P8	79	05/22/91	0.921	0.00	3.04	0.00 >	0.03
9715	VE	50E	79	05/24/91	1.139	0.00	289.00	0.00 >	0.30
9715	VV	1PH	79	07/25/91	0.916	0.00	8.99	0.00	0.00
9715	YF	5RH	79	05/22/91	1.065	0.00	5.80	0.00	0.00
9716	JE	5S2	79	05/23/91	0.753	0.00	1.52	0.00	0.00
9716	PT	50U	79	05/22/91	1.079	0.00	1.75	0.00 >	0.05
9716	SF	5P9	79	05/22/91	0.986	0.00	1.49	0.00	0.00
9716	VE	50F	79	05/24/91	1.271	0.00	1.71	0.00 >	0.00
9716	VV	1R4	79	08/08/91	1.150	0.00	[illegible].87	0.00 >	0.52
9716	YF	5RN	79	05/22/91	1.026	0.00	2.27	0.00	0.00
9717	JE	5S2	79	05/23/91	0.753	0.00	13.00	0.00	0.00
9717	PT	50U	79	05/22/91	1.079	0.00	4.52	0.00 >	0.28
9717	SF	5P9	79	05/22/91	0.986	0.00	4.19	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9717	VE	5OF	79	05/24/91	1.271	0.00		15.60		0.00	>	0.30
9717	VV	1R4	79	08/08/91	1.150	0.00		5.19		0.00		0.56
9717	YF	5RN	79	05/22/91	1.026	0.00		4.79		0.00	>	0.28
9718	JE	5S3	79	05/23/91	0.793	0.00		122.00		0.00		0.00
9718	PT	5OV	79	05/22/91	0.949	0.00		85.10		0.00		0.00
9718	SF	5PA	79	05/22/91	0.889	0.00		69.10		0.00		0.00
9718	VE	5OG	79	05/24/91	1.293	0.00		140.00		0.00	>	0.40
9718	VV	1PO	79	07/25/91	1.010	0.00		72.50		0.00		0.00
9718	YF	5RO	79	05/22/91	1.055	0.00		139.00		0.00		1.64
9719	JE	5S3	79	05/23/91	0.793	0.00		107.00		0.00		0.00
9719	PT	5OV	79	05/22/91	0.949	0.00		76.70		0.00	>	1.80
9719	SF	5PA	79	05/22/91	0.889	0.00		62.50		0.00		0.00
9719	VE	5OG	79	05/24/91	1.293	0.00		163.00		0.00		0.00
9719	VV	1PO	79	07/25/91	1.010	0.00		112.00		0.00		0.00
9719	YF	5RO	79	05/22/91	1.055	0.00		136.00		0.00		0.29
9720	JE	5S4	79	05/23/91	0.687	0.00		12.40		0.00		0.00
9720	PT	5OW	79	05/22/91	0.999	0.00		4.63		0.00		0.42
9720	SF	5PB	79	05/22/91	1.004	0.00		4.77		0.00		0.02
9720	VE	5OH	79	05/24/91	1.252	0.00		15.50		0.00		1.63
9720	VV	1PP	79	07/25/91	0.929	0.00		4.51		0.00		0.00
9720	YF	5RP	79	05/22/91	1.068	0.00		4.07		0.00		0.00
9721	JE	5S4	79	05/23/91	0.687	0.00		15.30		0.00		0.00
9721	PT	5OW	79	05/22/91	0.999	0.00		5.01		0.00		0.00
9721	SF	5PB	79	05/22/91	1.004	0.00		11.40		0.00		0.00
9721	VE	5OH	79	05/24/91	1.252	0.00		17.40		0.00		0.00
9721	VV	1PP	79	07/25/91	0.929	0.00		4.92		0.00		0.00
9721	YF	5RP	79	05/22/91	1.068	0.00		4.79		0.00		0.00
9722	JE	5S7	79	05/23/91	0.444	0.00		16.10		0.00		1.92
9722	PT	5T1	79	05/23/91	1.259	0.00		1.06		0.00		0.00
9722	SF	5TG	79	05/23/91	0.770	0.00	<	1.00		0.00		0.00
9722	VE	5PE	79	05/24/91	1.265	0.00		9.20		0.00		0.00
9722	VV	1PQ	79	07/25/91	0.954	0.00		2.77		0.00	>	0.09
9722	YF	5SN	79	05/23/91	0.872	0.00		1.83		0.00		0.00
9723	JE	5S8	79	05/23/91	0.603	0.00		15.50		0.00	>	0.71
9723	PT	5T2	79	05/23/91	1.095	0.00		15.50		0.00		0.00
9723	SF	5TH	79	05/23/91	0.692	0.00		14.80		0.00		0.00
9723	VE	5PF	79	05/24/91	1.287	0.00		15.50		0.00		0.25
9723	VV	1R5	79	08/08/91	1.095	0.00		5.09		0.00		5.06
9723	YF	5SN	79	05/23/91	0.789	0.00		15.60		0.00	>	3.30
9724	JE	5S8	79	05/23/91	0.603	0.00		56.30		0.00		1.83
9724	PT	5T2	79	05/23/91	1.095	0.00		52.50		0.00		3.89
9724	SF	5TH	79	05/23/91	0.692	0.00		58.70		0.00		0.00
9724	VE	5PF	79	05/24/91	1.287	0.00		27.70		0.00		0.12
9724	VV	1Q2	79	08/01/91	1.041	0.00		30.40		0.00		0.00
9724	YF	5SN	79	05/23/91	0.789	0.00		46.10		0.00		0.00
9725	JE	5S9	79	05/23/91	0.773	0.00		47.40		0.00		0.00
9725	PT	5T3	79	05/23/91	1.191	0.00		44.60		0.00		0.00
9725	SF	5TI	79	05/23/91	0.889	0.00		49.00		0.00		0.00
9725	VE	5PG	79	05/24/91	1.233	0.00		49.00		0.00		0.20
9725	VV	1Q3	79	08/01/91	1.162	0.00		13.90		0.00	>	5.42
9725	YF	5S0	79	05/23/91	0.802	0.00		49.20		0.00	>	4.81
9726	JE	5S9	79	05/23/91	0.773	0.00		13.50		0.00		0.00
9726	PT	5T3	79	05/23/91	1.191	0.00		15.50		0.00		0.00
9726	SF	5TI	79	05/23/91	0.889	0.00		15.50		0.00		0.00
9726	VE	5PG	79	05/24/91	1.233	0.00		16.10		0.00		0.30
9726	VV	1Q3	79	08/01/91	1.162	0.00		4.22		0.00		1.41
9726	YF	5S0	79	05/23/91	0.802	0.00		11.40		0.00		0.00
9727	JE	5SA	79	05/23/91	0.729	0.00		42.00		0.00	>	0.69
9727	PT	5T4	79	05/23/91	1.180	0.00		43.30		0.00		0.00
9727	SF	5TJ	79	05/23/91	0.844	0.00		49.00		0.00		0.31
9727	VE	5PH	79	05/24/91	1.248	0.00		39.30		0.00	>	0.32
9727	VV	1Q4	79	08/01/91	1.084	0.00		15.60		0.00		4.22
9727	YF	5SP	79	05/23/91	0.842	0.00		33.80		0.00		0.00
9728	JE	5SA	79	05/23/91	0.729	0.00		14.30		0.00	>	1.20
9728	PT	5T4	79	05/23/91	1.180	0.00		15.50		0.00		0.00
9728	SF	5TJ	79	05/23/91	0.844	0.00		15.00		0.00		3.11
9728	VE	5PH	79	05/24/91	1.248	0.00		15.50		0.00		0.40
9728	VV	1Q4	79	08/01/91	1.084	0.00		4.74		0.00	>	5.22
9728	YF	5SP	79	05/23/91	0.842	0.00		4.12		0.00		0.00
9730	JE	5S8	79	05/23/91	0.728	0.00		1.53		0.00	>	0.01
9730	PT	5T5	79	05/23/91	0.815	0.00		4.92		0.00		3.77
9730	SF	5TK	79	05/23/91	0.783	0.00		1.56		0.00		0.00
9730	VE	5PI	79	05/24/91	1.258	0.00		1.82		0.00	>	0.02
9730	VV	1Q5	79	08/01/91	1.031	0.00		1.53		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9730	YF	5SQ	79	05/23/91	0.808	0.00	1.19	0.00	0.00
9731	JE	5SB	79	05/23/91	0.728	0.00	7.67	0.00	0.00
9731	JE	A80	79	10/02/91	0.822	0.00	6.72	0.00	0.00
9731	PT	5T5	79	05/23/91	0.815	0.00	80.60	0.00	0.00
9731	PT	A8U	79	10/02/91	0.699	0.00	6.29	0.00 >	11.57
9731	SF	5TK	79	05/23/91	0.783	2.30	5.38	2.34 >	11.66
9731	SF	A99	79	10/02/91	0.766	0.00	5.66	0.00	7.15
9731	VE	5PI	79	05/24/91	1.258	0.00	7.67	0.00	0.22
9731	VE	A6P	79	10/04/91	0.974	0.00 >	32.00	0.00	0.00
9731	VV	1Q5	79	08/01/91	1.031	0.00	4.36	0.00 >	2.90
9731	YF	5SQ	79	05/23/91	0.808	0.00	2.72	0.00	0.00
9731	YF	A8F	79	10/02/91	0.978	0.00	7.93	0.00	8.06
9732	JE	5SC	79	05/23/91	0.747	0.00	14.10	0.00 >	0.31
9732	PT	5T6	79	05/23/91	0.632	0.00 <	1.00	0.00	).00
9732	SF	5TL	79	05/23/91	0.783	0.00	1.56	0.00	0.00
9732	VE	5PJ	79	05/24/91	1.280	0.00	5.82	0.00	0.00
9732	VV	1Q6	79	08/01/91	0.982	0.00	14.60	0.00	0.00
9732	YF	5SR	79	05/23/91	0.761	0.00	11.10	0.00	0.00
9733	JE	5SC	79	05/23/91	0.747	0.00	80.30	0.00	1.44
9733	JE	A80	79	10/02/91	0.822	0.00 >	100.00	0.00 >	0.56
9733	PT	5T6	79	05/23/91	0.632	0.00	15.50	0.00	3.19
9733	PT	A8U	79	10/02/91	0.699	0.00 >	100.00	0.00 >	7.00
9733	SF	5TL	79	05/23/91	0.783	2.30	5.38	2.34 >	11.66
9733	SF	A99	79	10/02/91	0.766	0.00 >	100.00	0.00	0.00
9733	VE	5PJ	79	05/24/91	1.280	0.00	88.70	0.00	0.12
9733	VE	A6P	79	10/04/91	0.974	0.00	7.67	0.00	0.00
9733	VV	1Q6	79	08/01/91	0.982	0.00	22.00	0.00	0.00
9733	YF	5SR	79	05/23/91	0.761	0.00	14.40	0.00	0.00
9733	YF	A8F	79	10/02/91	0.978	0.00	90.60	0.00	0.10
9734	JE	5SD	79	05/23/91	0.643	0.00 <	1.00	0.00	0.00
9734	JE	A81	79	10/02/91	0.812	0.00	0.69	0.00 >	2.90
9734	PT	5T7	79	05/23/91	1.117	0.00	1.53	0.00 >	0.02
9734	PT	A8V	79	10/02/91	0.561	0.00	0.89	0.00	0.00
9734	SF	5TM	79	05/23/91	1.088	0.00 <	1.00	0.00	0.00
9734	SF	A9A	79	10/02/91	0.776	0.00	0.21	0.00	0.00
9734	VE	5PK	79	05/24/91	1.289	0.00 <	1.00	0.00	0.00
9734	VE	A6Q	79	10/04/91	1.043	0.00	1.55	0.00	0.00
9734	VV	1S0	79	08/22/91	1.202	0.00	0.23	0.00	0.00
9734	YF	5SS	79	05/23/91	0.759	0.00 <	1.00	0.00	0.00
9734	YF	A8G	79	10/02/91	0.988	0.00	0.69	0.00	0.40
9735	JE	5SD	79	05/23/91	0.643	0.00	14.30	0.00	0.00
9735	PT	5T7	79	05/23/91	1.117	0.00	7.06	0.00 >	3.72
9735	SF	5TM	79	05/23/91	1.088	0.00	15.00	0.00	0.05
9735	VE	5PK	79	05/24/91	1.289	0.00	14.10	0.00	0.00
9735	VV	1Q7	79	08/01/91	1.057	8.32	14.40	1.74	10.19
9735	YF	5SS	79	05/23/91	0.759	0.00	5.34	0.00	0.00
9736	JE	5SE	79	05/23/91	0.694	0.00	103.00	0.00	0.00
9736	PT	5T8	79	05/23/91	0.725	0.00	77.90	0.00	0.00
9736	SF	5TN	79	05/23/91	1.104	0.00	124.00	0.00 >	0.23
9736	VE	5PL	79	05/24/91	1.274	0.00	143.00	0.00	0.00
9736	VV	1Q8	79	08/01/91	1.085	0.00	114.00	0.00	0.00
9736	YF	5ST	79	05/23/91	0.733	0.00	121.00	0.00	0.00
9737	JE	5SE	79	05/23/91	0.694	0.00	15.90	0.00 >	1.73
9737	PT	5T8	79	05/23/91	0.725	0.00	15.70	0.00	3.99
9737	SF	5TN	79	05/23/91	1.104	0.00	15.70	0.00	4.66
9737	VE	5PL	79	05/24/91	1.274	0.00	16.50	0.00	0.30
9737	VV	1Q8	79	08/01/91	1.085	0.00	15.90	0.00 >	1.81
9737	YF	5ST	79	05/23/91	0.733	0.00	14.60	0.00	0.52
9738	JE	5SF	79	05/23/91	0.546	0.00	15.50	0.00	0.00
9738	PT	5T9	79	05/23/91	0.635	0.00	4.99	0.00	0.00
9738	SF	5TO	79	05/23/91	1.184	0.00	4.85	0.00 >	1.42
9738	VE	5PM	79	05/24/91	1.239	0.00	14.40	0.00 >	1.42
9738	VV	1Q9	79	08/01/91	1.115	0.00	15.10	0.00	0.00
9738	YF	5SU	79	05/23/91	0.809	0.00	15.60	0.00 >	4.46
9739	JE	5SF	79	05/23/91	0.546	0.00	15.60	0.00 >	0.91
9739	PT	5T9	79	05/23/91	0.635	0.00	15.50	0.00	0.00
9739	SF	5TO	79	05/23/91	1.184	0.00	15.50	0.00	0.74
9739	VE	5PM	79	05/24/91	1.239	0.00	15.50	0.00 >	0.71
9739	VV	1Q9	79	08/01/91	1.115	0.00	4.27	0.00	0.00
9739	YF	5SU	79	05/23/91	0.809	0.00	15.60	0.00 >	2.81
9740	JE	5SG	79	05/23/91	0.612	0.00	15.50	0.00	0.00
9740	PT	5TA	79	05/23/91	0.714	0.00	7.35	0.00	0.00
9740	SF	5TP	79	05/23/91	1.119	0.00	15.60	0.00	4.67
9740	VE	5PN	79	05/24/91	1.254	0.00	15.30	0.00	1.80

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9740	VV	10A	79	08/01/91	1.105	0.00	7.92	0.00	0.00
9740	YF	5SV	79	05/23/91	0.820	0.00	15.60	0.00 >	1.14
9741	JE	5SG	79	05/23/91	0.612	0.00	15.50	0.00	0.00
9741	PT	5TA	79	05/23/91	0.714	0.00	14.60	0.00	0.00
9741	SF	5TP	79	05/23/91	1.119	0.00	15.50	0.00 >	1.01
9741	VE	5PN	79	05/24/91	1.254	0.00	15.50	0.00	0.63
9741	VV	10A	79	08/01/91	1.105	0.00	11.40	0.00 >	0.73
9741	YF	5SV	79	05/23/91	0.820	0.00	15.60	0.00	0.10
9742	JE	5SN	79	05/23/91	0.756	0.00	7.06	0.00	0.11
9742	PT	5TB	79	05/23/91	1.189	0.00	4.92	0.00 >	1.14
9742	SF	5TQ	79	05/23/91	0.657	0.00	4.90	0.00	4.49
9742	VE	5PO	79	05/24/91	1.292	0.00	5.63	0.00	0.00
9742	VV	10B	79	08/01/91	0.983	0.00	8.30	0.00	0.00
9742	YF	5SW	79	05/23/91	0.881	0.00	9.27	0.00 >	1.64
9743	JE	5SN	79	05/23/91	0.756	0.00	15.60	0.00 >	1.30
9743	PT	5TB	79	05/23/91	1.189	0.00	15.10	0.00 >	1.00
9743	SF	5TQ	79	05/23/91	0.657	0.00	15.60	0.00	2.31
9743	VE	5PO	79	05/24/91	1.292	0.00	15.50	0.00	0.00
9743	VV	10B	79	08/01/91	0.983	0.00	14.80	0.00	0.00
9743	YF	5SW	79	05/23/91	0.881	0.00	18.30	0.00 >	2.04
9744	JE	5SI	79	05/23/91	0.640	0.00	15.70	0.00	0.00
9744	PT	5TC	79	05/23/91	1.034	0.00	15.60	0.00 >	1.52
9744	SF	5TR	79	05/23/91	0.728	0.00	14.60	0.00	0.31
9744	VE	5PP	79	05/24/91	1.316	0.00	15.50	0.00	0.00
9744	VV	10C	79	08/01/91	1.019	0.00	5.06	0.00	0.00
9744	YF	5SX	79	05/23/91	0.855	0.00	22.80	0.00 >	3.83
9745	JE	5SI	79	05/23/91	0.640	0.00	15.50	0.00	0.52
9745	JE	A81	79	10/02/91	0.812	0.00	15.50	0.00 >	0.96
9745	PT	5TC	79	05/23/91	1.034	7.26	15.60	2.14 >	11.58
9745	PT	A8V	79	10/02/91	0.561	0.00	8.20	0.00 >	0.21
9745	SF	5TR	79	05/23/91	0.728	0.00	15.60	0.00	6.18
9745	SF	A9A	79	10/02/91	0.776	7.96	15.60	1.95 >	17.41
9745	VE	5PP	79	05/24/91	1.316	0.00	15.50	0.00	0.10
9745	VE	A6Q	79	10/04/91	1.043	0.00	49.90	0.00	0.00
9745	VV	10C	79	08/01/91	1.019	0.00	4.90	0.00	0.00
9745	YF	5SX	79	05/23/91	0.855	0.00	15.50	0.00	1.96
9745	YF	A8G	79	10/02/91	0.988	0.00	15.50	0.00	3.49
9746	JE	5SJ	79	05/23/91	0.640	0.00	12.80	0.00 >	1.54
9746	PT	5TD	79	05/23/91	1.083	0.00	19.50	0.00 >	1.24
9746	SF	5TS	79	05/23/91	0.611	0.00	30.40	0.00	0.00
9746	VE	5PQ	79	05/24/91	1.263	0.00	15.70	0.00	0.45
9746	VV	10N	79	08/08/91	1.014	0.00	15.90	0.00	5.97
9746	YF	5SY	79	05/23/91	0.798	0.00	1.68	0.00 >	0.00
9747	JE	5SJ	79	05/23/91	0.640	0.00	157.00	0.00 >	4.00
9747	PT	5TD	79	05/23/91	1.083	0.00	126.00	0.00 >	2.27
9747	SF	5TS	79	05/23/91	0.611	0.00	135.00	0.00	1.02
9747	VE	5PQ	79	05/24/91	1.263	0.00	142.00	0.00	0.00
9747	VV	10O	79	08/08/91	0.947	0.00	48.40	0.00 >	0.20
9747	YF	5SY	79	05/23/91	0.798	0.00	70.30	0.00	0.00
9748	JE	5V2	79	05/30/91	0.829	0.00	89.50	0.00	0.00
9748	JE	A82	79	10/02/91	0.814	0.00	106.00	0.00 >	0.65
9748	PT	5VW	79	05/29/91	0.988	0.00	46.90	0.00 >	3.06
9748	PT	A8W	79	10/02/91	0.686	0.00	49.00	0.00	0.00
9748	SF	5W8	79	05/29/91	0.972	25.70	38.60	1.50	7.39
9748	SF	A98	79	10/02/91	0.705	0.00	44.00	0.00	0.00
9748	VE	5VN	79	05/31/91	0.958	0.00	66.80	0.00 >	0.36
9748	VE	A6R	79	10/04/91	1.061	0.00	69.00	0.00	0.00
9748	VV	10O	79	08/08/91	0.947	0.00	42.00	0.00	0.00
9748	YF	5UN	79	05/29/91	0.905	0.00	43.50	0.00	0.20
9748	YF	A8N	79	10/02/91	0.876	0.00	42.00	0.00	0.00
9749	JE	5V3	79	05/30/91	1.052	0.00	14.40	0.00 >	4.04
9749	JE	A82	79	10/02/91	0.814	0.00	44.60	0.00 >	1.71
9749	PT	5VX	79	05/29/91	1.117	0.00	15.10	0.00	0.27
9749	PT	A8W	79	10/02/91	0.686	0.00	15.50	0.00 >	7.76
9749	SF	5WC	79	05/29/91	1.001	8.31	13.70	1.65	8.35
9749	SF	A98	79	10/02/91	0.705	0.00	15.40	0.00	0.00
9749	VE	5VI	79	05/31/91	1.038	0.00	46.30	0.00	0.60
9749	VE	A6R	79	10/04/91	1.061	0.00	15.50	0.00	0.00
9749	VV	10P	79	08/08/91	1.123	0.00	10.80	0.00	0.00
9749	YF	5UO	79	05/29/91	1.162	0.00	15.60	0.00	1.51
9749	YF	A8N	79	10/02/91	0.876	0.00	15.50	0.00	2.71
9750	JE	5V3	79	05/30/91	1.052	0.00	49.00	0.00 >	1.70
9750	PT	5VX	79	05/29/91	1.117	0.00	45.70	0.00	0.00
9750	SF	5WC	79	05/29/91	1.001	0.00	40.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9750	VE	5VI	79	05/31/91	1.038	0.00	49.20	0.00	1.01
9750	VV	1QP	79	08/08/91	1.123	0.00	49.00	0.00 >	2.10
9750	YF	5UO	79	05/29/91	1.162	0.00	42.20	0.00	0.00
9751	JE	5V4	79	05/30/91	0.972	0.00 >	320.00	0.00 >	3.77
9751	PT	5VY	79	05/29/91	1.154	0.00 >	320.00	0.00 >	0.32
9751	SF	5WD	79	05/29/91	0.976	232.00 >	320.00 >	1.38 >	7.91
9751	VE	5VJ	79	05/31/91	1.085	0.00 >	320.00	0.00 >	2.62
9751	VV	1QQ	79	08/08/91	0.882	0.00	56.30	0.00	2.59
9751	YF	5UP	79	05/29/91	1.084	0.00 >	320.00	0.00 >	0.07
9752	JE	5V4	79	05/30/91	0.972	0.00 >	320.00	0.00 >	2.57
9752	PT	5VY	79	05/29/91	1.154	0.00 >	320.00	0.00	0.15
9752	SF	5WD	79	05/29/91	0.976	72.70 >	320.00 >	4.40 >	21.30
9752	VE	5VJ	79	05/31/91	1.085	0.00	181.00	0.00	4.40
9752	VV	1QQ	79	08/08/91	0.882	0.00	24.90	0.00	0.00
9752	YF	5UP	79	05/29/91	1.084	0.00 >	320.00	0.00 >	0.01
9753	JE	5V5	79	05/30/91	0.993	0.00	153.00	0.00 >	10.07
9753	JE	A83	79	10/02/91	0.677	0.00	556.00	0.00 >	7.12
9753	PT	5VZ	79	05/29/91	1.221	0.00	219.00	0.00	0.00
9753	PT	A8X	79	10/02/91	0.726	0.00	523.00	0.00	0.00
9753	SF	5WE	79	05/29/91	1.043	29.90	214.00	7.13 >	25.43
9753	SF	A9C	79	10/02/91	0.791	172.00	585.00	3.41	19.54
9753	VE	5VK	79	05/31/91	1.035	0.00	155.00	0.00 >	5.67
9753	VE	A6S	79	10/04/91	0.982	0.00	130.00	0.00	0.30
9753	VV	1QR	79	08/08/91	1.103	0.00	49.00	0.00 >	1.14
9753	YF	5UQ	79	05/29/91	1.093	0.00	8.25	0.00 >	0.05
9753	YF	A8I	79	10/02/91	0.916	0.00	440.00	0.00	0.05
9754	JE	5V5	79	05/30/91	0.993	0.00	144.00	0.00	1.15
9754	PT	5VZ	79	05/29/91	1.221	0.00	137.00	0.00	0.00
9754	SF	5WE	79	05/29/91	1.043	0.00	23.40	0.00	0.00
9754	VE	5VK	79	05/31/91	1.035	0.00	155.00	0.00 >	1.30
9754	VV	1QR	79	08/08/91	1.103	0.00	49.00	0.00 >	0.28
9754	YF	5UQ	79	05/29/91	1.093	0.00	108.00	0.00	0.00
9755	JE	5V6	79	05/30/91	1.107	0.00	12.10	0.00	0.00
9755	PT	5W0	79	05/29/91	1.269	0.00	4.56	0.00	0.00
9755	SF	5WF	79	05/29/91	1.143	0.00	8.40	0.00	0.30
9755	VE	5VL	79	05/31/91	1.038	0.00	15.30	0.00	0.10
9755	VV	1QS	79	08/08/91	1.091	0.00	12.00	0.00	0.00
9755	YF	5UR	79	05/29/91	1.116	0.00	5.38	0.00 >	1.81
9756	JE	5V6	79	05/30/91	1.107	0.00	44.70	0.00	0.20
9756	PT	5W0	79	05/29/91	1.269	0.00	45.90	0.00	0.00
9756	SF	5WF	79	05/29/91	1.143	0.00	30.00	0.00	1.49
9756	VE	5VL	79	05/31/91	1.038	0.00	62.40	0.00	1.62
9756	VV	1QS	79	08/08/91	1.091	17.30	42.30	2.45	13.16
9756	VV	1SJ	79	08/29/91	1.278	0.00	18.50	0.00	0.00
9756	YF	5UR	79	05/29/91	1.116	0.00	15.90	0.00 >	0.07
9757	JE	5V7	79	05/30/91	0.923	0.00 <	1.00	0.00	0.00
9757	JE	A83	79	10/02/91	0.677	0.00	0.52	0.00 >	1.40
9757	PT	5W1	79	05/29/91	0.996	0.00 <	1.00	0.00	0.00
9757	PT	A8X	79	10/02/91	0.726	0.00	0.03	0.00 >	0.20
9757	SF	5WG	79	05/29/91	0.933	0.00 <	1.00	0.00	0.00
9757	SF	A9C	79	10/02/91	0.791	0.00	0.49	0.00	0.00
9757	VE	5VM	79	05/31/91	1.014	0.00 <	1.00	0.00	0.00
9757	VE	A6S	79	10/04/91	0.982	0.00	0.30	0.00	0.00
9757	VV	1SG	79	08/29/91	1.325	0.00	0.55	0.00	0.00
9757	YF	5US	79	05/29/91	0.918	0.00 <	1.00	0.00	0.00
9757	YF	A8I	79	10/02/91	0.916	0.00	0.58	0.00	4.93
9758	JE	5V7	79	05/30/91	0.923	0.00 <	1.00	0.00	0.00
9758	JE	A84	79	10/02/91	0.804	0.00	0.47	0.00 >	0.10
9758	PT	5W1	79	05/29/91	0.996	0.00 <	1.00	0.00	0.00
9758	PT	A8Y	79	10/02/91	0.738	0.00	0.00	0.00	0.00
9758	SF	5WG	79	05/29/91	0.933	0.00 <	1.00	0.00	0.00
9758	SF	A9D	79	10/02/91	0.871	0.00	0.49	0.00	0.00
9758	VE	5VM	79	05/31/91	1.014	0.00 <	1.00	0.00	0.00
9758	VE	A6T	79	10/04/91	1.058	0.00	0.48	0.00	0.00
9758	VV	1QT	79	08/08/91	1.003	0.00	1.46	0.00	0.00
9758	YF	5US	79	05/29/91	0.918	0.00 <	1.00	0.00	0 00
9758	YF	A8J	79	10/02/91	0.943	0.00	0.57	0.00	3.03
9759	JE	5V8	79	05/30/91	0.902	0.00	1.14	0.00	0.00
9759	JE	A9E	79	10/03/91	0.919	0.00	0.15	0.00 >	0.10
9759	PT	5W2	79	05/29/91	1.041	0.00 <	1.00	0.00	0.00
9759	PT	AAA	79	10/03/91	0.425	0.00	0.07	0.00 >	0.97
9759	SF	5WH	79	05/29/91	0.968	0.00 <	1.00	0.00	0.00
9759	SF	AAQ	79	10/03/91	0.583	0.00	0.05	0.00	0.00
9759	VE	5VN	79	05/31/91	1.068	0.00	1.56	0.00 >	0.01

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9759	VE	A6U	79	10/04/91	1.064	0.00	0.06	0.00	0.00
9759	VV	1 [illegible]	79	08/08/91	1.119	0.00	1.46	0.00 >	0.00
9759	YF	[illegible]T	79	05/29/91	1.044	0.00 <	1.00	0.00	0.00
9759	YF	[illegible]U	79	10/03/91	1.107	0.00	0.12	0.00	2.27
9760	JE	[illegible]8	79	05/30/91	0.902	0.00	4.07	0.00	0.00
9760	PT	5[illegible]2	79	05/29/91	1.041	0.00	1.30	0.00	0.00
9760	SF	5[illegible]I	79	05/29/91	0.968	0.00	1.32	0.00	0.00
9760	VE	5VN	79	05/31/91	1.068	0.00	5.59	0.00	0.09
9760	VV	1[illegible]U	79	08/08/91	1.119	0.00	2.05	0.00	0.00
9760	YF	5JT	79	05/29/91	1.044	0.00	2.38	0.00	0.00
9761	JE	5V9	79	05/30/91	1.062	0.00 <	1.00	0.00	0.00
9761	JE	A9F	79	10/03/91	0.854	0.00	0.09	0.00 >	1.30
9761	PT	5W3	79	05/29/91	1.119	0.00 <	1.00	0.00	0.00
9761	PT	AAB	79	10/03/91	0.407	0.00	0.07	0.00	0.00
9761	SF	5WI	79	05/29/91	1.032	0.00 <	1.00	0.00	0.00
9761	SF	AAR	79	10/03/91	0.615	0.00	0.06	0.00	0.00
9761	VE	5VO	79	05/31/91	1.144	0.00 <	1.00	0.00	0.00
9761	VE	A6V	79	10/04/91	1.068	0.00	0.05	0.00	0.00
9761	VV	1BH	79	08/29/91	1.353	0.00	0.20	0.00	0.00
9761	YF	5UU	79	05/29/91	0.765	0.00 <	1.00	0.00	0.00
9761	YF	A9V	79	10/03/91	1.102	0.00	0.06	0.00	0.00
9762	JE	5V9	79	05/30/91	1.062	0.00 <	1.00	0.00	0.00
9762	JE	A9F	79	10/03/91	0.854	0.00	0.15	0.00 >	0.40
9762	PT	5W3	79	05/29/91	1.119	0.00 <	1.00	0.00	0.00
9762	PT	AAB	79	10/03/91	0.407	0.00	0.13	0.00	0.00
9762	SF	5WI	79	05/29/91	1.032	0.00 <	1.00	0.00	0.00
9762	SF	AAR	79	10/03/91	0.615	0.00	0.05	0.00	0.00
9762	VE	5VO	79	05/31/91	1.144	0.00	1.40	0.00	0.00
9762	VE	A6V	79	10/04/91	1.068	0.00	0.05	0.00	0.00
9762	VV	1QV	79	08/08/91	1.087	0.00	3.63	0.00	0.00
9762	YF	5UU	79	05/29/91	0.765	0.00 <	1.00	0.00	0.00
9762	YF	A9V	79	10/03/91	1.102	0.00	0.14	0.00	0.84
9763	JE	5VA	79	05/30/91	0.955	0.00	11.60	0.00 >	0.30
9763	PT	5W4	79	05/29/91	1.067	0.00	13.30	0.00	0.11
9763	SF	5WJ	79	05/29/91	0.945	0.00	11.10	0.00	0.00
9763	VE	5VP	79	05/31/91	0.988	0.00	16.80	0.00 >	0.50
9763	VV	1QW	79	08/08/91	0.934	0.00	4.37	0.00	0.00
9763	YF	5UV	79	05/29/91	0.886	0.00	8.20	0.00 >	2.80
9764	JE	5VA	79	05/30/91	0.955	0.00	16.40	0.00	0.51
9764	PT	5W4	79	05/29/91	1.067	0.00	10.50	0.00	0.00
9764	SF	5WJ	79	05/29/91	0.945	0.00	13.00	0.00	0.00
9764	VE	5VP	79	05/31/91	0.988	0.00	21.20	0.00	0.18
9764	VV	1SJ	79	08/29/91	1.278	0.00	2.24	0.00	0.00
9764	YF	5UV	79	05/29/91	0.886	0.00	7.15	0.00 >	0.43
9765	JE	5VB	79	05/30/91	0.901	0.00	7.15	0.00 >	0.20
9765	PT	5W5	79	05/29/91	1.243	0.00	6.39	0.00	0.00
9765	SF	5WK	79	05/29/91	1.037	0.00	15.00	0.00	0.00
9765	VE	5VQ	79	05/31/91	0.967	0.00	13.00	0.00	0.11
9765	VV	1QX	79	08/08/91	1.084	0.00	4.14	0.00	0.42
9765	YF	5UW	79	05/29/91	0.921	0.00	4.81	0.00	0.21
9766	JE	5VB	79	05/30/91	0.901	0.00 <	1.00	0.00	0.00
9766	JE	A9G	79	10/03/91	0.902	0.00	0.01	0.00 >	0.13
9766	PT	5W5	79	05/29/91	1.243	0.00 <	1.00	0.00	0.00
9766	PT	AAC	79	10/03/91	0.350	0.00	0.02	0.00	0.00
9766	SF	5WK	79	05/29/91	1.037	0.00 <	1.00	0.00	0.00
9766	SF	AAS	79	10/03/91	0.622	0.00	0.01	0.00	0.00
9766	VE	5VQ	79	05/31/91	0.967	0.00 <	1.00	0.00	0.00
9766	VE	A6W	79	10/04/91	1.054	0.00	0.01	0.00	0.00
9766	VV	1SK	79	08/29/91	1.407	0.00	0.01	0.00	0.00
9766	YF	5UW	79	05/29/91	0.921	0.00 <	1.00	0.00	0.00
9766	YF	A9W	79	10/03/91	1.039	0.00	0.01	0.00	0.00
9767	JE	5VC	79	05/30/91	0.911	0.00 <	1.00	0.00	0.00
9767	JE	A9G	79	10/03/91	0.902	0.00	0.02	0.00	0.00
9767	PT	5W6	79	05/29/91	0.951	0.00 <	1.00	0.00	0.00
9767	PT	AAC	79	10/03/91	0.350	0.00	0.02	0.00	0.00
9767	SF	5WL	79	05/29/91	0.798	0.00 <	1.00	0.00	0.00
9767	SF	AAS	79	10/03/91	0.622	0.00	0.01	0.00	0.00
9767	VE	5VR	79	05/31/91	1.008	0.00 <	1.00	0.00	0.00
9767	VE	A6W	79	10/04/91	1.054	0.00	0.01	0.00	0.00
9767	VV	1SK	79	08/29/91	1.407	0.00	0.06	0.00 >	0.03
9767	YF	5UX	79	05/29/91	0.830	0.00 <	1.00	0.00	0.00
9767	YF	A9W	79	10/03/91	1.039	0.03	0.02	0.71	4.10
9768	JE	5VC	79	05/30/91	0.911	0.00 <	1.00	0.00	0.00
9768	JE	A9H	79	10/03/91	0.912	0.00	0.27	0.00 >	0.38

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9768	PT	5U6	79	05/29/91	0.951	0.00	<	1.00		0.00		0.00
9768	PT	AAD	79	10/03/91	0.428	0.00		0.19		0.00		0.00
9768	SF	5UL	79	05/29/91	0.798	0.00	<	1.00		0.00		0.00
9768	SF	AAT	79	10/03/91	0.622	0.00		0.16		0.00		0.00
9768	VE	5VR	79	05/31/91	1.008	10.00	<	1.00	<	0.10		0.12
9768	VE	A6X	79	10/04/91	1.037	0.00		0.14		0.00		0.00
9768	VV	1S1	79	08/29/91	1.422	0.00		0.05		0.00		0.00
9768	YF	5UX	79	05/29/91	0.830	0.00	<	1.00		0.00		0.00
9768	YF	A9X	79	10/03/91	1.062	0.00		0.17		0.00		0.00
9769	JE	5VD	79	05/30/91	0.964	0.00		15.10		0.00	>	0.10
9769	PT	5W7	79	05/29/91	1.133	0.00		12.80		0.00	>	0.10
9769	SF	5UM	79	05/29/91	0.889	0.00		15.50		0.00		0.00
9769	VE	5VS	79	05/31/91	1.000	0.00		15.50		0.00		0.20
9769	VV	1QZ	79	08/08/91	1.094	0.00		2.18		0.00		0.00
9769	YF	5UY	79	05/29/91	0.790	0.00		6.05		0.00		0.00
9770	JE	5VD	79	05/30/91	0.964	0.00		4.87		0.00		0.00
9770	PT	5W7	79	05/29/91	1.133	0.00		4.42		0.00		0.00
9770	SF	5UM	79	05/29/91	0.889	0.00		4.46		0.00		0.00
9770	VE	5VS	79	05/31/91	1.000	0.00		7.45		0.00	>	0.31
9770	VV	1S1	79	08/29/91	1.422	0.00		0.42		0.00		0.00
9770	YF	5UY	79	05/29/91	0.790	0.00		2.50		0.00		0.00
9771	JE	5VE	79	05/30/91	0.937	0.00		4.93		0.00	>	0.30
9771	PT	5U8	79	05/29/91	1.061	0.00		15.50		0.00	>	0.71
9771	SF	5UN	79	05/29/91	0.873	0.00		15.60		0.00		0.00
9771	VE	5VT	79	05/31/91	0.997	0.00		14.60		0.00	>	0.43
9771	VV	1R0	79	08/08/91	1.102	0.00		13.30		0.00		0.20
9771	YF	5UZ	79	05/29/91	0.823	0.00		4.46		0.00		0.00
9772	JE	5VE	79	05/30/91	0.937	0.00		4.20		0.00	>	0.50
9772	JE	A9W	79	10/03/91	0.912	0.00		15.50		0.00	>	4.89
9772	PT	5U8	79	05/29/91	1.061	0.00		4.90		0.00	>	0.10
9772	PT	AAD	79	10/03/91	0.428	0.00		15.50		0.00		0.00
9772	SF	5UN	79	05/29/91	0.873	0.00		4.90		0.00		5.31
9772	SF	AAT	79	10/03/91	0.622	0.00		8.68		0.00		2.91
9772	VE	5VT	79	05/31/91	0.997	8.11		8.51		1.05		3.72
9772	VE	A6X	79	10/04/91	1.037	0.00		10.00		0.00		0.00
9772	VV	1R8	79	08/15/91	0.896	0.00		4.90		0.00		0.00
9772	YF	5UZ	79	05/29/91	0.823	0.00		4.90		0.00		0.00
9772	YF	A9X	79	10/03/91	1.062	0.00		14.60		0.00		0.00
9773	JE	5XK	79	05/30/91	0.786	0.00		4.41		0.00		0.00
9773	PT	5XZ	79	05/30/91	1.048	0.00		1.24		0.00		0.00
9773	SF	5YE	79	05/30/91	0.930	0.00		1.50		0.00	>	0.03
9773	VE	5W9	79	05/31/91	0.959	0.00		15.90		0.00	>	1.49
9773	VV	1R9	79	08/15/91	0.932	0.00		4.87		0.00		0.12
9773	YF	5X5	79	05/30/91	0.876	0.00		1.87		0.00		0.00
9774	JE	5XL	79	05/30/91	0.930	0.00		4.95		0.00	>	0.30
9774	PT	5Y0	79	05/30/91	1.113	0.00		1.37		0.00	>	0.07
9774	SF	5YF	79	05/30/91	0.890	0.00		1.59		0.00	>	0.00
9774	VE	5WR	79	05/31/91	0.964	0.00		15.50		0.00	>	0.80
9774	VV	1R9	79	08/15/91	0.932	0.00		3.78		0.00		0.00
9774	YF	5X6	79	05/30/91	0.888	0.00		2.12		0.00	>	0.01
9775	JE	5XL	79	05/30/91	0.930	0.00		4.90		0.00	>	3.27
9775	PT	5Y0	79	05/30/91	1.113	0.00		1.48		0.00		0.00
9775	SF	5YF	79	05/30/91	0.890	0.00		1.52		0.00	>	0.02
9775	VE	5WR	79	05/31/91	0.964	0.00		15.50		0.00	>	1.11
9775	VV	1RA	79	08/15/91	0.929	0.00		5.33		0.00		0.00
9775	YF	5X6	79	05/30/91	0.888	0.00		4.90		0.00		0.00
9776	JE	5XM	79	05/30/91	0.944	0.00		37.10		0.00	>	1.10
9776	PT	5Y1	79	05/30/91	1.011	0.00		27.00		0.00		0.00
9776	SF	5YG	79	05/30/91	0.883	0.00		7.47		0.00		0.49
9776	VE	5W8	79	05/31/91	1.134	0.00		72.80		0.00		0.00
9776	VV	1RA	79	08/15/91	0.929	36.40		155.00		4.26		32.97
9776	VV	1SR	79	09/04/91	1.158	0.00		25.40		0.00		10.20
9776	YF	5X7	79	05/30/91	0.951	0.00		16.30		0.00		0.00
9777	JE	5XM	79	05/30/91	0.944	0.00		11.40		0.00	>	1.11
9777	PT	5Y1	79	05/30/91	1.011	0.00		4.41		0.00		0.00
9777	SF	5YG	79	05/30/91	0.883	0.00		2.83		0.00	>	0.68
9777	VE	5W8	79	05/31/91	1.134	0.00		15.50		0.00		0.89
9777	VV	1RB	79	08/15/91	0.927	0.00		16.50		0.00		0.00
9777	YF	5X7	79	05/30/91	0.951	0.00		5.82		0.00		0.00
9778	JE	5XN	79	05/30/91	1.053	0.00		15.00		0.00	>	3.00
9778	PT	5Y2	79	05/30/91	1.040	0.00		8.43		0.00	>	1.91
9778	SF	5YH	79	05/30/91	0.886	0.00		3.43		0.00		0.00
9778	VE	5WT	79	05/31/91	1.080	0.00		16.50		0.00	>	0.50
9778	VV	1RB	79	08/15/91	0.927	0.00		4.51		0.00		0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.		IC 50		TC 25		SI		TAI
9778	YF	5X8	79	05/30/91	0.922		0.00		6.67		0.00		0.00
9779	JE	5XH	79	05/30/91	1.053		0.00		16.90		0.00	>	0.98
9779	PT	5Y2	79	05/30/91	1.040		0.00		17.00		0.00		0.00
9779	SF	5YH	79	05/30/91	0.886		0.00		8.52		0.00	>	0.63
9779	VE	5WT	79	05/31/91	1.080		0.00		41.70		0.00	>	1.01
9779	VV	1RC	79	08/15/91	0.882		0.00		23.10		0.00		0.00
9779	YF	5X8	79	05/30/91	0.922		0.00		11.90		0.00		0.02
9780	JE	5XO	79	05/30/91	1.073		0.00		4.76		0.00	>	2.42
9780	PT	5Y3	79	05/30/91	1.046		0.00		1.35		0.00		0.00
9780	SF	5YI	79	05/30/91	0.769		0.00		1.52		0.00	>	0.34
9780	VE	5WU	79	05/31/91	1.067		0.00		4.95		0.00		0.81
9780	VV	1RC	79	08/15/91	0.882		0.00		6.17		0.00		0.80
9780	YF	5X9	79	05/30/91	0.880		0.00		4.92		0.00		3.02
9781	JE	5XO	79	05/30/91	1.073		0.00		6.90		0.00	>	3.41
9781	JE	A9I	79	10/03/91	0.980		0.00		12.40		0.00	>	0.91
9781	PT	5Y3	79	05/30/91	1.046		0.00		5.40		0.00		0.27
9781	PT	AAE	79	10/03/91	0.536	<	1.00		7.92	>	7.92	>	6.69
9781	SF	5YI	79	05/30/91	0.769		0.00		4.20		0.00	>	2.59
9781	SF	AAU	79	10/03/91	0.685		0.00		4.78		0.00	>	0.72
9781	VE	5WU	79	05/31/91	1.067		0.00		15.50		0.00	>	0.55
9781	VE	A6Y	79	10/04/91	1.068		0.00		6.90		0.00		0.00
9781	VV	1RD	79	08/15/91	0.952		0.00		14.30		0.00	>	0.20
9781	YF	5X9	79	05/30/91	0.880		0.00		4.86		0.00		0.00
9781	YF	A9Y	79	10/03/91	0.999		0.00		12.10		0.00		1.33
9782	JE	5XP	79	05/30/91	0.980		0.00		15.50		0.00	>	4.01
9782	PT	5Y4	79	05/30/91	0.935		0.00		7.91		0.00		0.00
9782	SF	5YJ	79	05/30/91	0.911		0.00		4.93		0.00		0.00
9782	VE	5WV	79	05/31/91	0.955		0.00		15.50		0.00	>	0.10
9782	VV	1RD	79	08/15/91	0.952		0.00		5.53		0.00		0.00
9782	YF	5XA	79	05/30/91	1.009		0 00		5.47		0.00	>	1.33
9783	JE	5XP	79	05/30/91	0.980		0.00		18.10		0.00	>	6.94
9783	PT	5Y4	79	05/30/91	0.935		0.00		15.60		0.00		0.00
9783	SF	5YJ	79	05/30/91	0.911		0.00		13.30		0.00		0.00
9783	VE	5WV	79	05/31/91	0.955		0.00		33.80		0.00	>	0.10
9783	VV	1RE	79	08/15/91	0.938		0.00		5.20		0.00		0.00
9783	YF	5XA	79	05/30/91	1.009		0.00		14.40		0.00	>	2.97
9784	JE	5XQ	79	05/30/91	0.992		0.00		17.40		0.00	>	0.10
9784	PT	5Y5	79	05/30/91	0.908		0.00		14.10		0.00		0.00
9784	SF	5YK	79	05/30/91	1.009		0.00		8.95		0.00	>	6.83
9784	VE	5WW	79	05/31/91	1.005		0.00		58.60		0.00		0.00
9784	VV	1RE	79	08/15/91	0.938		0.00		21.70		0.00		0.00
9784	YF	5XB	79	05/30/91	0.967		0.00		15.20		0.00	>	0.80
9785	JE	5XQ	79	05/30/91	0.992		0.00		2.21		0.00		0.00
9785	PT	5Y5	79	05/30/91	0.908		0.00	<	1.00		0.00		0.00
9785	SF	5YK	79	05/30/91	1.009		0.00	<	1.00		0.00		0.00
9785	VE	5WW	79	05/31/91	1.005		0.00		1.89		0.00		0.00
9785	VV	1ST	79	09/04/91	1.260		0.00		0.41		0.00		0.00
9785	YF	5XB	79	05/30/91	0.967		0.00	<	1.00		0.00		0.00
9786	JE	5XR	79	05/30/91	1.093		0.00		4.71		0.00		0.00
9786	PT	5Y6	79	05/30/91	0.960		0.00		3.63		0.00		0.16
9786	SF	5YL	79	05/30/91	0.846		0.00		1.45		0.00	>	0.12
9786	VE	5WX	79	05/31/91	1.187		0.00		6.84		0.00		0.76
9786	VV	1SU	79	09/04/91	1.141		0.00		2.42		0.00		4.65
9786	YF	5XC	79	05/30/91	0.952		0.00		2.90		0.00		0.00
9787	JE	5XR	79	05/30/91	1.093		0.00		15.50		0.00		0.00
9787	PT	5Y6	79	05/30/91	0.960		0.00		2.41		0.00		0.00
9787	SF	5YL	79	05/30/91	0.846		0.00		1.55		0.00		0.00
9787	VE	5WX	79	05/31/91	1.187		0.00		15.20		0.00		0.00
9787	VV	1RG	79	08/15/91	0.917		0.00		42.70		0.00		0.20
9787	YF	5XC	79	05/30/91	0.952		0.00		1.37		0.00		0.00
9788	JE	5XS	79	05/30/91	0.834		0.00		15.50		0.00	>	2.00
9788	PT	5Y7	79	05/30/91	0.936		0.00		4.74		0.00		0.00
9788	SF	5YH	79	05/30/91	0.613		0.00		4.90		0.00	>	0.62
9788	VE	5WY	79	05/31/91	0.986		0.00		15.50		0.00	>	0.20
9788	VV	1RG	79	08/15/91	0.917		0.00		4.87		0.00		0.00
9788	YF	5XD	79	05/30/91	1.046		0.00		4.92		0.00		0.21
9789	JE	5XS	79	05/30/91	0.834		0.00		49.20		0.00	>	1.50
9789	PT	5Y7	79	05/30/91	0.936		0.00		49.20		0.00		1.64
9789	SF	5YH	79	05/30/91	0.613		0.00		52.70		0.00	>	4.67
9789	VE	5WY	79	05/31/91	0.986		0.00		155.00		0.00		4.91
9789	VV	1RH	79	08/15/91	0.879		0.00		26.70		0.00		0.00
9789	YF	5XD	79	05/30/91	1.046		0.00		61.30		0.00		0.00
9790	JE	5XT	79	05/30/91	0.989		0.00		49.00		0.00		1.34
9790	PT	5Y8	79	05/30/91	1.089		0.00		29.00		0.00		1.04

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9790	SF	5YN	79	05/30/91	0.821	0.00	42.00	0.00 >	3.11
9790	VE	5W2	79	05/31/91	0.993	0.00	143.00	0.00	2.34
9790	VV	1RH	79	08/15/91	0.879	0.00	13.50	0.00	0.00
9790	YF	5XE	79	05/30/91	1.058	0.00	51.10	0.00 >	0.50
9791	JE	5XT	79	05/30/91	0.989	0.00	49.20	0.00 >	2.60
9791	JE	A9I	79	10/03/91	0.980	0.00	45.80	0.00 >	1.48
9791	PT	5Y8	79	05/30/91	1.089	23.50	41.40	1.76	7.72
9791	PT	AAE	79	10/03/91	0.536	< 1.00	44.80 >	44.84 >	7.37
9791	SF	5YN	79	05/30/91	0.821	0.00	34.60	0.00 >	5.41
9791	SF	AAU	79	10/03/91	0.685	0.00	15.60	0.00 >	4.42
9791	VE	5W2	79	05/31/91	0.993	0.00	77.90	0.00	1.25
9791	VE	A6Y	79	10/04/91	1.068	0.00	55.30	0.00	0.10
9791	VV	1RI	79	08/15/91	0.926	0.00	15.90	0.00	0.00
9791	YF	5XE	79	05/30/91	1.058	0.00	49.20	0.00 >	0.60
9791	YF	A9Y	79	10/03/91	0.999	0.00	40.90	0.00	0.34
9792	JE	5XU	79	05/30/91	1.017	0.00	4.90	0.00 >	2.47
9792	PT	5Y9	79	05/30/91	0.730	0.00	4.92	0.00	0.00
9792	SF	5YO	79	05/30/91	0.504	0.00	4.33	0.00	0.00
9792	VE	5X0	79	05/31/91	0.978	0.00	15.50	0.00	1.68
9792	VV	1RI	79	08/15/91	0.926	0.00	9.06	0.00	0.00
9792	YF	5XF	79	05/30/91	1.021	0.00	4.90	0.00	0.00
9793	JE	5XU	79	05/30/91	1.017	0.00	16.90	0.00 >	2.32
9793	JE	A9J	79	10/03/91	0.783	0.00	15.50	0.00 >	0.94
9793	PT	5Y9	79	05/30/91	0.730	0.00	5.01	0.00 >	9.50
9793	PT	AAF	79	10/03/91	0.423	0.00	15.50	0.00	0.00
9793	SF	5YO	79	05/30/91	0.504	0.00	4.65	0.00	0.89
9793	SF	AAV	79	10/03/91	0.448	0.00	5.94	0.00	12.71
9793	VE	5X0	79	05/31/91	0.978	0.00	28.30	0.00	0.50
9793	VE	A6Z	79	10/04/91	1.009	0.00	11.40	0.00	0.00
9793	VV	1SS	79	09/04/91	1.084	0.00	3.63	0.00	10.01
9793	YF	5XF	79	05/30/91	1.021	0.00	1.91	0.00 >	0.07
9793	YF	A9Z	79	10/03/91	1.032	0.00	10.30	0.00 >	8.56
9794	JE	5XV	79	05/30/91	0.902	0.00	1.56	0.00 >	0.01
9794	PT	5YA	79	05/30/91	1.069	0.00	1.29	0.00	0.00
9794	SF	5YP	79	05/30/91	0.771	0.00 <	1.00	0.00	0.00
9794	VE	5X1	79	05/31/91	1.094	0.00	3.46	0.00	0.00
9794	VV	1SV	79	09/04/91	1.354	0.00	0.95	0.00	0.00
9794	YF	5XG	79	05/30/91	0.978	0.00	1.57	0.00	0.00
9795	JE	5XV	79	05/30/91	0.902	0.00	16.90	0.00 >	0.40
9795	PT	5YA	79	05/30/91	1.069	0.00	14.50	0.00	4.19
9795	SF	5YP	79	05/30/91	0.771	0.00	16.50	0.00 >	7.90
9795	VE	5X1	79	05/31/91	1.094	0.00	29.60	0.00 >	2.40
9795	VV	1RK	79	08/15/91	0.943	13.50	53.80	3.98 >	26.30
9795	VV	1ST	79	09/04/91	1.260	4.33	28.30	6.55	29.09
9795	VV	1UU	79	09/26/91	1.448	17.10	33.40	1.96 >	16.94
9795	YF	5XG	79	05/30/91	0.978	0.00	37.10	0.00	0.00
9796	JE	5XW	79	05/30/91	0.939	0.00	15.50	0.00 >	2.70
9796	JE	A9J	79	10/03/91	0.783	0.00	15.50	0.00 >	3.21
9796	PT	5YB	79	05/30/91	0.964	0.00	14.80	0.00	0.00
9796	PT	AAF	79	10/03/91	0.423	0.00	15.50	0.00 >	3.40
9796	SF	5YQ	79	05/30/91	0.727	0.00	15.50	0.00	1.28
9796	SF	AAV	79	10/03/91	0.448	0.00	13.30	0.00	0.00
9796	VE	5X2	79	05/31/91	1.039	29.40	18.60	0.63 >	0.10
9796	VE	A6Z	79	10/04/91	1.009	0.00	15.50	0.00	0.00
9796	VV	1RK	79	08/15/91	0.943	0.00	2.54	0.00	0.00
9796	YF	5XH	79	05/30/91	1.036	0.00	11.40	0.00 >	1.32
9796	YF	A9Z	79	10/03/91	1.032	0.00	11.60	0.00	0.00
9797	JE	5XW	79	05/30/91	0.939	0.00	131.00	0.00 >	2.40
9797	JE	A9K	79	10/03/91	0.963	0.00	42.70	0.00	0.00
9797	PT	5YB	79	05/30/91	0.964	82.70	96.20	1.16	3.59
9797	PT	AAG	79	10/03/91	0.451	0.00	29.50	0.00	0.00
9797	SF	5YQ	79	05/30/91	0.727	0.00	142.00	0.00 >	7.76
9797	SF	AAW	79	10/03/91	0.709	0.00	15.00	0.00 >	1.35
9797	VE	5X2	79	05/31/91	1.039	0.00	181.00	0.00	1.57
9797	VE	A70	79	10/04/91	0.986	0.00	51.80	0.00	0.21
9797	VV	1RL	79	08/15/91	0.914	0.00	21.00	0.00	0.00
9797	YF	5XH	79	05/30/91	1.036	0.00	156.00	0.00	0.00
9797	YF	AA0	79	10/03/91	1.061	0.00	41.40	0.00	2.28
9798	JE	61Q	79	06/04/91	0.727	0.00	6.03	0.00 >	3.19
9798	PT	62K	79	06/04/91	1.126	0.00	15.60	0.00	0.28
9798	SF	62Z	79	06/04/91	0.830	0.00	13.00	0.00 >	1.75
9798	VE	625	79	06/07/91	1.273	0.00	47.00	0.00	1.22
9798	VV	1RL	79	08/15/91	0.914	0.00	4.87	0.00	0.00
9798	YF	61B	79	06/04/91	1.059	0.00	15.60	0.00	4.51

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9799	JE	61R	79	06/04/91	0.923	0.00		14.70	0.00	>	2.61
9799	PT	62L	79	06/04/91	1.056	0.00		49.20	0.00		4.58
9799	SF	630	79	06/04/91	0.822	0.00		54.70	0.00	>	3.21
9799	VE	626	79	06/07/91	1.313	0.00		156.00	0.00		1.13
9799	VV	1RN	79	08/15/91	0.947	0.00		45.00	0.00	>	4.81
9799	YF	61C	79	06/04/91	1.122	0.00		130.00	0.00		2.48
9800	JE	61R	79	06/04/91	0.923	0.00		40.10	0.00	>	9.17
9800	PT	62L	79	06/04/91	1.056	0.00		59.40	0.00	>	0.50
9800	SF	630	79	06/04/91	0.822	0.00		42.20	0.00		0.00
9800	VE	626	79	06/07/91	1.313	0.00		40.80	0.00		0.00
9800	VV	1SU	79	09/04/91	1.141	0.00		7.38	0.00		1.83
9800	YF	61C	79	06/04/91	1.122	0.00		27.60	0.00		1.16
9801	JE	61S	79	06/04/91	0.913	0.00		14.40	0.00	>	12.35
9801	PT	62M	79	06/04/91	1.116	0.00		15.50	0.00	>	7.30
9801	SF	631	79	06/04/91	0.998	0.00		9.72	0.00	>	1.31
9801	VE	627	79	06/07/91	1.288	0.00		7.19	0.00		0.00
9801	VV	1RN	79	08/15/91	0.882	0.00		5.59	0.00		0.00
9801	YF	61D	79	06/04/91	1.192	0.00		13.70	0.00	>	1.23
9802	JE	61S	79	06/04/91	0.913	0.00		15.80	0.00	>	9.21
9802	JE	A9K	79	10/03/91	0.963	0.00		15.10	0.00	>	0.46
9802	PT	62M	79	06/04/91	1.116	8.27		15.70	1.90	>	9.19
9802	PT	AAG	79	10/03/91	0.451	0.00		15.70	0.00	>	3.90
9802	SF	631	79	06/04/91	0.998	0.00		14.70	0.00	>	2.20
9802	SF	AAM	79	10/03/91	0.709	0.00		0.20	0.00		1.57
9802	VE	627	79	06/07/91	1.288	0.00		14.70	0.00		0.00
9802	VE	A70	79	10/04/91	0.986	0.00		13.50	0.00		0.00
9802	VV	1RO	79	08/15/91	1.061	0.00		48.80	0.00	>	1.74
9802	YF	61D	79	06/04/91	1.192	0.00		15.30	0.00		0.27
9802	YF	AA0	79	10/03/91	1.061	0.00		15.00	0.00	>	3.86
9803	JE	61T	79	06/04/91	0.989	0.00		3.29	0.00	>	0.35
9803	PT	62N	79	06/04/91	1.124	0.00		4.80	0.00		0.00
9803	SF	632	79	06/04/91	0.760	0.00		13.40	0.00		0.00
9803	VE	628	79	06/07/91	1.246	0.00		157.00	0.00		0.02
9803	VV	1RO	79	08/15/91	1.061	0.00		4.28	0.00	>	0.11
9803	YF	61E	79	06/04/91	1.200	0.00		19.30	0.00		0.73
9804	JE	61T	79	06/04/91	0.989	0.00		5.73	0.00	>	3.21
9804	PT	62N	79	06/04/91	1.124	0.00		7.45	0.00		0.00
9804	SF	632	79	06/04/91	0.760	0.00		5.14	0.00		0.00
9804	VE	628	79	06/07/91	1.246	0.00		6.29	0.00	>	0.64
9804	VV	1RP	79	08/15/91	0.992	0.00		2.45	0.00	>	0.19
9804	YF	61E	79	06/04/91	1.200	0.00		4.38	0.00		0.00
9805	JE	61U	79	06/04/91	0.999	0.00	<	1.00	0.00		0.00
9805	JE	A9L	79	10/03/91	0.900	0.00		0.04	0.00		0.00
9805	PT	620	79	06/04/91	1.305	0.00	<	1.00	0.00		0.00
9805	PT	AAH	79	10/03/91	0.529	0.00		0.05	0.00		0.00
9805	SF	633	79	06/04/91	0.842	0.00	<	1.00	0.00		0.00
9805	SF	AAX	79	10/03/91	0.610	0.00		0.05	0.00		0.00
9805	VE	629	79	06/07/91	1.323	0.00	<	1.00	0.00		0.00
9805	VE	A71	79	10/04/91	1.237	0.00		0.05	0.00		0.53
9805	VV	1RF	79	08/15/91	0.992	0.00		1.53	0.00	>	0.06
9805	YF	61F	79	06/04/91	1.215	0.00	<	1.00	0.00		0.00
9805	YF	AA1	79	10/03/91	1.177	0.00		0.05	0.00	>	0.16
9806	JE	61U	79	06/04/91	0.999	0.00		15.20	0.00	>	8.24
9806	JE	A9L	79	10/03/91	0.900	0.00		15.00	0.00	>	2.81
9806	PT	620	79	06/04/91	1.305	6.84		13.50	1.97	>	11.02
9806	PT	AAH	79	10/03/91	0.529	0.00		15.20	0.00		0.00
9806	SF	633	79	06/04/91	0.842	0.00		12.40	0.00		0.00
9806	SF	AAX	79	10/03/91	0.610	0.00		8.51	0.00		0.00
9806	VE	629	79	06/07/91	1.323	0.00		13.10	0.00		0.00
9806	VE	A71	79	10/04/91	1.237	0.00		12.80	0.00		0.28
9806	VV	1RQ	79	08/15/91	0.942	0.00		49.00	0.00		0.00
9806	YF	61F	79	06/04/91	1.215	0.00		14.40	0.00		0.00
9806	YF	AA1	79	10/03/91	1.177	0.00		11.90	0.00		0.00
9807	JE	61V	79	06/04/91	0.954	0.00		35.90	0.00	>	1.35
9807	PT	62P	79	06/04/91	1.039	0.00	>	320.00	0.00	>	3.96
9807	SF	634	79	06/04/91	0.665	0.00		1.00	0.00		0.00
9807	VE	62A	79	06/07/91	1.309	0.00		137.00	0.00		0.00
9807	VV	1RR	79	08/15/91	0.962	0.00		179.00	0.00		0.03
9807	YF	61G	79	06/04/91	1.086	0.00		221.00	0.00		0.17
9808	JE	61V	79	06/04/91	0.954	0.00		8.58	0.00	>	1.12
9808	PT	62P	79	06/04/91	1.039	0.00		12.80	0.00	>	0.10
9808	SF	634	79	06/04/91	0.665	0.00		2.67	0.00	>	0.03
9808	VE	62A	79	06/07/91	1.309	0.00		13.80	0.00		0.00
9808	VV	1TW	79	09/12/91	1.424	0.00		1.39	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9808	YF	61G	79	06/04/91	1.086	0.00	10.30	0.00 >	1.06
9809	JE	61W	79	06/04/91	0.932	0.00	2.39	0.00	1.10
9809	JE	A9M	79	10/03/91	0.884	0.00	4.69	0.00 >	0.49
9809	PT	62Q	79	06/04/91	1.090	2.30	2.86	1.25 >	14.54
9809	PT	AAI	79	10/03/91	0.355	0.00	3.44	0.00	0.00
9809	SF	635	79	06/04/91	0.691	0.00	6.76	0.00	0.00
9809	SF	AAY	79	10/03/91	0.627	0.00	2.89	0.00 >	0.02
9809	VE	62B	79	06/07/91	1.289	0.00	13.80	0.00	0.00
9809	VE	A72	79	10/04/91	1.070	0.00	5.39	0.00	0.00
9809	VV	1TV	79	09/12/91	1.454	0.00	4.79	0.00	8.60
9809	YF	61H	79	06/04/91	1.149	0.00	3.20	0.00 >	0.63
9809	YF	AA2	79	10/03/91	1.112	0.00	5.47	0.00 >	7.31
9810	JE	61W	79	06/04/91	0.932	0.00	6.95	0.00 >	1.32
9810	PT	62Q	79	06/04/91	1.090	0.00	15.70	0.00	3.03
9810	SF	635	79	06/04/91	0.691	0.00	15.20	0.00 >	0.38
9810	VE	62B	79	06/07/91	1.289	0.00	20.00	0.00	0.14
9810	VV	1RT	79	08/22/91	1.169	0.00	4.69	0.00	0.00
9810	YF	61H	79	06/04/91	1.149	0.00	4.77	0.00	0.12
9811	JE	61X	79	06/04/91	1.053	0.00	14.10	0.00 >	1.22
9811	PT	62R	79	06/04/91	0.908	0.00	18.40	0.00	0.66
9811	SF	636	79	06/04/91	0.676	0.00	13.90	0.00	0.00
9811	VE	62C	79	06/07/91	1.363	0.00	17.50	0.00	0.00
9811	VV	1RU	79	08/22/91	1.167	0.00	13.70	0.00	0.00
9811	YF	61I	79	06/04/91	1.049	0.00	16.40	0.00	1.42
9812	JE	61X	79	06/04/91	1.053	0.00	14.80	0.00 >	7.59
9812	PT	62R	79	06/04/91	0.908	0.00	16.00	0.00	0.00
9812	SF	636	79	06/04/91	0.676	0.00	13.00	0.00	0.00
9812	VE	62C	79	06/07/91	1.363	0.00	14.20	0.00	0.00
9812	VV	1RU	79	08/22/91	1.167	0.00	3.49	0.00	0.00
9812	YF	61I	79	06/04/91	1.049	0.00	14.10	0.00 >	0.62
9813	JE	61Y	79	06/04/91	0.741	0.00	15.50	0.00 >	5.00
9813	PT	62S	79	06/04/91	1.076	0.00	15.50	0.00 >	1.35
9813	SF	637	79	06/04/91	0.725	0.00	3.78	0.00	0.00
9813	VE	62D	79	06/07/91	1.287	0.00	15.50	0.00 >	0.07
9813	VV	1RV	79	08/22/91	1.210	0.00	4.94	0.00	0.00
9813	YF	61J	79	06/04/91	1.215	0.00	12.10	0.00	0.00
9814	JE	61Y	79	06/04/91	0.741	0.00	16.40	0.00 >	5.50
9814	JE	A9M	79	10/03/91	0.884	0.00	16.70	0.00 >	0.22
9814	PT	62S	79	06/04/91	1.076	26.50	32.00	1.21 >	5.28
9814	PT	AAI	79	10/03/91	0.355	0.00	14.80	0.00	0.00
9814	SF	637	79	06/04/91	0.725	0.00	1.55	0.00	0.00
9814	SF	AAY	79	10/03/91	0.627	0.00	13.50	0.00	0.00
9814	VE	62D	79	06/07/91	1.287	0.00	34.60	0.00 >	0.01
9814	VE	A72	79	10/04/91	1.070	0.00	13.70	0.00	0.00
9814	VV	1RV	79	08/22/91	1.210	0.00	3.34	0.00	0.00
9814	YF	61J	79	06/04/91	1.215	0.00	13.10	0.00 >	1.21
9814	YF	AA2	79	10/03/91	1.112	0.00	14.50	0.00	0.00
9815	JE	61Z	79	06/04/91	0.928	0.00	4.64	0.00	0.00
9815	PT	62T	79	06/04/91	1.278	0.00	4.54	0.00	0.00
9815	SF	638	79	06/04/91	0.794	0.00 >	320.00	0.00	0.00
9815	VE	62E	79	06/07/91	1.252	0.00	6.08	0.00 >	0.05
9815	VV	1RW	79	08/22/91	1.162	0.00	1.86	0.00	0.00
9815	YF	61K	79	06/04/91	1.045	0.00	4.39	0.00 >	0.23
9816	JE	61Z	79	06/04/91	0.928	0.00	3.86	0.00	0.00
9816	JE	A9N	79	10/03/91	0.871	0.00	4.69	0.00 >	1.67
9816	PT	62T	79	06/04/91	1.278	0.00	4.40	0.00	0.66
9816	PT	AAJ	79	10/03/91	0.355	0.00	4.69	0.00	0.00
9816	SF	638	79	06/04/91	0.794	0.00 >	320.00	0.00	0.00
9816	SF	AAZ	79	10/03/91	0.493	0.00	4.20	0.00	0.00
9816	VE	62E	79	06/07/91	1.252	0.00	5.63	0.00	0.00
9816	VE	A73	79	10/04/91	1.038	28.80	4.00	0.14 >	0.11
9816	VV	1TW	79	09/12/91	1.424	0.00	1.10	0.00	0.00
9816	YF	61K	79	06/04/91	1.045	0.00	2.91	0.00 >	1.49
9816	YF	AA3	79	10/03/91	1.048	0.00	4.40	0.00 >	0.27
9817	JE	620	79	06/04/91	0.950	0.00	6.04	0.00 >	1.89
9817	JE	A9N	79	10/03/91	0.871	0.00	13.90	0.00 >	0.96
9817	PT	63J	79	06/04/91	1.095	0.00	15.60	0.00	1.08
9817	PT	AAJ	79	10/03/91	0.355	0.00	0.97	0.00	0.00
9817	SF	639	79	06/04/91	0.529	7.06	13.90	1.96	8.39
9817	SF	AAZ	79	10/03/91	0.493	0.00	5.25	0.00	3.29
9817	VE	62F	79	06/07/91	1.278	0.00	15.60	0.00	0.21
9817	VE	A73	79	10/04/91	1.038	0.00	4.93	0.00	0.00
9817	VV	1RX	79	08/22/91	1.157	0.00	9.62	0.00 >	2.93
9817	YF	61L	79	06/04/91	1.225	0.00	9.38	0.00	0.50

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9817	YF	AA3	79	10/03/91	1.048	0.00		11.90	0.00	>	4.28
9818	JE	620	79	06/04/91	0.950	0.00		5.16	0.00	>	0.95
9818	JE	A90	79	10/03/91	0.883	0.00	>	100.00	0.00		0.00
9818	PT	62U	79	06/04/91	1.095	0.00		15.30	0.00	>	0.31
9818	PT	AAK	79	10/03/91	0.293	0.00		15.40	0.00		0.00
9818	SF	639	79	06/04/91	0.529	7.74		13.90	1.80		7.84
9818	SF	A80	79	10/03/91	0.590	0.00		71.70	0.00		0.00
9818	VE	62F	79	06/07/91	1.278	0.00		14.70	0.00		0.00
9818	VE	A7E	79	10/04/91	1.050	0.00		90.60	0.00		0.00
9818	VV	1RX	79	08/22/91	1.157	0.00		155.00	0.00		4.53
9818	YF	61L	79	06/04/91	1.225	0.00		10.30	0.00	>	4.75
9818	YF	AA4	79	10/03/91	1.118	0.00	>	100.00	0.00	>	0.63
9819	JE	621	79	06/04/91	0.830	0.00		155.00	0.00	>	7.00
9819	PT	62V	79	06/04/91	0.994	0.00		156.00	0.00	>	2.70
9819	SF	63A	79	06/04/91	0.600	0.00		155.00	0.00		2.05
9819	VE	62G	79	06/07/91	1.280	0.00		179.00	0.00	>	0.01
9819	VV	1RY	79	08/22/91	1.162	47.70		156.00	3.26		18.78
9819	VV	1TU	79	09/12/91	1.425	58.60		130.00	2.23		10.02
9819	YF	61M	79	06/04/91	1.191	0.00		128.00	0.00		0.15
9820	JE	621	79	06/04/91	0.830	0.00		48.50	0.00	>	2.20
9820	PT	62V	79	06/04/91	0.994	0.00		55.60	0.00		4.21
9820	SF	63A	79	06/04/91	0.600	0.00		41.30	0.00		0.00
9820	VE	62G	79	06/07/91	1.280	0.00		62.90	0.00	>	0.01
9820	VV	1RY	79	08/22/91	1.162	0.00		40.20	0.00		4.26
9820	YF	61M	79	06/04/91	1.191	0.00		41.20	0.00	>	5.64
9821	JE	622	79	06/04/91	0.846	0.00		15.50	0.00	>	3.93
9821	PT	62W	79	06/04/91	1.006	0.00		49.00	0.00	>	1.60
9821	SF	638	79	06/04/91	0.591	0.00		49.00	0.00		0.10
9821	VE	62N	79	06/07/91	1.291	0.00		146.00	0.00		0.00
9821	VV	1RZ	79	08/22/91	1.157	0.00		14.30	0.00		0.00
9821	YF	61N	79	06/04/91	1.019	0.00		155.00	0.00	>	3.16
9822	JE	622	79	06/04/91	0.846	0.00		17.70	0.00	>	5.26
9822	PT	62W	79	06/04/91	1.006	0.00		16.50	0.00	>	0.70
9822	SF	638	79	06/04/91	0.591	0.00		13.00	0.00		0.00
9822	VE	62N	79	06/07/91	1.291	0.00		26.30	0.00		0.00
9822	VV	1RZ	79	08/22/91	1.157	0.00		15.00	0.00		0.00
9822	YF	61N	79	06/04/91	1.019	0.00		13.40	0.00	>	9.71
9823	JE	63T	79	06/05/91	0.967	0.00		19.30	0.00		0.00
9823	PT	64N	79	06/05/91	1.271	0.00		16.00	0.00		1.32
9823	SF	652	79	06/05/91	0.802	0.00		15.90	0.00	>	11.41
9823	VE	648	79	06/07/91	1.255	0.00		20.20	0.00		5.33
9823	VV	1S6	79	08/29/91	1.402	0.00		4.86	0.00		0.00
9823	YF	63E	79	06/05/91	1.208	0.00		15.00	0.00		0.00
9824	JE	63U	79	06/05/91	1.211	0.00		8.76	0.00		0.00
9824	PT	640	79	06/05/91	1.133	0.00		6.13	0.00		0.00
9824	SF	653	79	06/05/91	0.754	0.00		4.86	0.00	>	0.94
9824	VE	649	79	06/07/91	1.265	0.00		6.35	0.00		0.00
9824	VV	1S7	79	08/29/91	1.247	0.00		2.10	0.00		0.00
9824	YF	63F	79	06/05/91	1.047	0.00		4.24	0.00		0.00
9825	JE	63U	79	06/05/91	1.211	0.00		49.00	0.00		0.00
9825	JE	A90	79	10/03/91	0.883	0.00		46.90	0.00		0.00
9825	PT	640	79	06/05/91	1.133	28.30		32.00	1.13		3.49
9825	PT	AAK	79	10/03/91	0.293	0.00		15.50	0.00		0.00
9825	SF	653	79	06/05/91	0.754	0.00		28.30	0.00		0.00
9825	SF	A80	79	10/03/91	0.590	0.00		20.80	0.00	>	0.20
9825	VE	649	79	06/07/91	1.265	0.00		46.90	0.00		0.00
9825	VE	A74	79	10/04/91	1.050	0.00		24.10	0.00		0.00
9825	VV	1S7	79	08/29/91	1.247	0.00		13.50	0.00		0.00
9825	YF	63F	79	06/05/91	1.047	0.00		39.40	0.00		0.00
9825	YF	AA4	79	10/03/91	1.118	0.00		37.80	0.00		2.35
9826	JE	63V	79	06/05/91	1.212	71.40		81.90	1.15		4.36
9826	JE	A9P	79	10/03/91	1.030	0.00		54.40	0.00		0.00
9826	PT	64P	79	06/05/91	1.151	0.00		43.30	0.00		1.28
9826	PT	AAL	79	10/03/91	0.380	0.00	>	1000.00	0.00	>	2.19
9826	SF	654	79	06/05/91	0.679	0.00		37.80	0.00		0.00
9826	SF	A81	79	10/03/91	0.390	0.00		35.40	0.00		0.00
9826	VE	64A	79	06/07/91	1.345	0.00		41.70	0.00		0.00
9826	VE	A75	79	10/04/91	1.049	0.00		47.40	0.00		0.13
9826	VV	1S8	79	08/29/91	1.262	0.00		3.10	0.00		0.00
9826	YF	63G	79	06/05/91	1.236	0.00		49.50	0.00		0.03
9826	YF	AA5	79	10/03/91	1.054	0.00		40.00	0.00	>	3.79
9827	JE	63V	79	06/05/91	1.212	0.00		5.23	0.00		0.00
9827	PT	64P	79	06/05/91	1.151	0.00		4.92	0.00		0.00
9827	SF	654	79	06/05/91	0.679	0.00		4.27	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9827	VE	64A	79	06/07/91	1.345	0.00		6.15		0.00		0.05
9827	VV	1S8	79	08/29/91	1.262	0.00		1.53		0.00		0.00
9827	YF	63G	79	06/05/91	1.236	0.00		3.71		0.00		0.00
9828	JE	63W	79	06/05/91	1.108	0.00		2.07		0.00		0.00
9828	PT	64Q	79	06/05/91	1.247	0.00		1.09		0.00		0.00
9828	SF	655	79	06/05/91	0.685	0.00	<	1.00		0.00		0.00
9828	VE	64B	79	06/07/91	1.248	0.00	<	1.00		0.00		0.00
9828	VV	1UC	79	09/19/91	1.029	0.00		0.59		0.00		0.00
9828	YF	63N	79	06/05/91	1.208	0.00	<	1.00		0.00		0.00
9829	JE	63W	79	06/05/91	1.108	0.00		25.40		0.00		0.00
9829	PT	64Q	79	06/05/91	1.247	0.00		37.80		0.00	>	6.09
9829	SF	655	79	06/05/91	0.685	0.00		44.40		0.00		0.77
9829	VE	64B	79	06/07/91	1.248	0.00		126.00		0.00		0.20
9829	VV	1S9	79	08/29/91	1.341	0.00		30.40		0.00		0.00
9829	YF	63N	79	06/05/91	1.208	0.00		8.80		0.00		0.02
9830	JE	63Y	79	06/05/91	1.253	0.00		1.43		0.00		0.00
9830	PT	64R	79	06/05/91	1.280	0.00		1.56		0.00	>	0.00
9830	SF	656	79	06/05/91	0.847	0.00		1.35		0.00		0.00
9830	VE	64C	79	06/07/91	1.256	0.00		4.90		0.00		0.53
9830	VV	1UD	79	09/19/91	1.072	0.00	>	1.00		0.00		0.00
9830	YF	631	79	06/05/91	1.209	0.00		1.50		0.00	>	0.09
9831	JE	63X	79	06/05/91	1.253	0.00		11.20		0.00		0.00
9831	PT	64R	79	06/05/91	1.280	0.00		15.50		0.00	>	1.72
9831	SF	656	79	06/05/91	0.847	0.00		14.60		0.00	>	1.31
9831	VE	64C	79	06/07/91	1.256	0.00		16.10		0.00		0.00
9831	VV	1SA	79	08/29/91	1.417	23.70		22.90		0.97		6.89
9831	YF	631	79	06/05/91	1.209	0.00		13.10		0.00		0.00
9832	JE	63Y	79	06/05/91	1.233	0.00		77.30		0.00		0.00
9832	PT	64S	79	06/05/91	1.130	0.00		135.00		0.00		0.00
9832	SF	657	79	06/05/91	0.741	0.00		145.00		0.00		0.77
9832	VE	64D	79	06/07/91	1.288	0.00		126.00		0.00		0.00
9832	YF	63J	79	06/05/91	1.260	0.00		128.00		0.00		0.00
9833	JE	63Y	79	06/05/91	1.233	0.00	<	1.00		0.00		0.00
9833	JE	A9P	79	10/03/91	1.030	0.00		0.05		0.00		0.60
9833	PT	64S	79	06/05/91	1.130	0.00	<	1.00		0.00		0.00
9833	PT	AAL	79	10/03/91	0.380	0.00		0.05		0.00		0.00
9833	SF	657	79	06/05/91	0.741	0.00	<	1.00		0.00		0.00
9833	SF	AB1	79	10/03/91	0.390	0.00		0.02		0.00		0.00
9833	VE	64D	79	06/07/91	1.288	0.00	<	1.00		0.00		0.00
9833	VE	A75	79	10/04/91	1.049	0.00		0.01		0.00	>	0.02
9833	VV	1UE	79	09/19/91	1.081	0.00		0.16		0.00	>	0.02
9833	YF	63J	79	06/05/91	1.260	0.00	<	1.00		0.00		0.00
9833	YF	AA5	79	10/03/91	1.054	0.00		0.05		0.00	>	0.94
9834	JE	63Z	79	06/05/91	1.178	0.00		12.10		0.00		0.00
9834	PT	64T	79	06/05/91	1.131	0.00		8.35		0.00		0.45
9834	SF	658	79	06/05/91	0.739	0.00		6.98		0.00		0.00
9834	VE	64E	79	06/07/91	1.392	0.00		6.48		0.00		0.00
9834	VV	1SC	79	08/29/91	1.330	3.02		3.65		1.21		4.14
9834	VV	1UE	79	09/19/91	1.081	0.00		5.57		0.00		3.51
9834	YF	63K	79	06/05/91	1.244	0.00		6.20		0.00		0.00
9835	JE	63Z	79	06/05/91	1.178	0.00		52.70		0.00		0.00
9835	PT	64T	79	06/05/91	1.131	0.00		69.80		0.00		11.71
9835	SF	658	79	06/05/91	0.739	0.00		30.90		0.00		1.01
9835	VE	64E	79	06/07/91	1.392	0.00		57.30		0.00		0.00
9835	VV	1SC	79	08/29/91	1.330	0.00		29.00		0.00		0.10
9835	YF	63K	79	06/05/91	1.244	0.00		35.90		0.00		0.00
9836	JE	640	79	06/05/91	1.124	0.00		53.30		0.00		0.00
9836	PT	64U	79	06/05/91	1.065	0.00		40.90		0.00		0.00
9836	SF	659	79	06/05/91	0.705	0.00		29.40		0.00	>	0.56
9836	VE	64F	79	06/07/91	1.394	0.00		42.10		0.00		0.00
9836	VV	1SD	79	08/29/91	1.252	0.00		41.60		0.00		0.00
9836	YF	63L	79	06/05/91	1.103	0.00		40.20		0.00		0.00
9837	JE	640	79	06/05/91	1.124	0.00		4.56		0.00		0.00
9837	PT	64U	79	06/05/91	1.065	0.00		2.49		0.00		0.00
9837	SF	659	79	06/05/91	0.705	0.00		4.09		0.00		0.00
9837	VE	64F	79	06/07/91	1.394	0.00		4.90		0.00		0.00
9837	VV	1SD	79	08/29/91	1.252	0.00		23.10		0.00		0.57
9837	YF	63L	79	06/05/91	1.103	0.00		1.83		0.00		0.00
9838	JE	641	79	06/05/91	0.811	0.00		16.30		0.00		0.00
9838	PT	64V	79	06/05/91	0.570	0.00		10.00		0.00		0.00
9838	SF	65A	79	06/05/91	0.301	0.00		13.30		0.00		0.00
9838	VE	64G	79	06/07/91	1.416	0.00		5.20		0.00		0.00
9838	YF	63M	79	06/05/91	0.762	0.00		8.06		0.00		0.00
9839	JE	641	79	06/05/91	0.811	0.00		46.40		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9839	PT	64V	79	06/05/91	0.570	0.00	2.69	0.00 >	4.94
9839	SF	65A	79	06/05/91	0.301	0.00	21.60	0.00	0.00
9839	VE	64G	79	06/07/91	1.416	0.00	41.10	0.00	0.00
9839	VV	1SW	79	09/04/91	1.322	0.00	28.50	0.00	0.00
9839	YF	63M	79	06/05/91	0.762	0.00	1.00	0.00	0.00
9840	JE	642	79	06/05/91	1.178	0.00	103.00	0.00	0.00
9840	PT	64W	79	06/05/91	1.226	0.00	10.00	0.00	1.77
9840	SF	65B	79	06/05/91	0.709	0.00	91.10	0.00 >	7.91
9840	VE	64H	79	06/07/91	1.403	0.00	128.00	0.00	0.00
9840	VV	1SX	79	09/04/91	1.393	0.00	50.50	0.00	0.00
9840	YF	63N	79	06/05/91	1.265	0.00	50.80	0.00	0.00
9841	JE	642	79	06/05/91	1.178	0.00	17.50	0.00	0.00
9841	PT	64W	79	06/05/91	1.226	0.00	3.12	0.00	0.00
9841	SF	65B	79	06/05/91	0.709	0.00	19.00	0.00	1.76
9841	VE	64H	79	06/07/91	1.403	0.00	19.50	0.00	0.00
9841	VV	1SX	79	09/04/91	1.393	0.00	6.78	0.00	0.00
9841	YF	63N	79	06/05/91	1.265	0.00	14.20	0.00	0.00
9842	JE	643	79	06/05/91	1.126	0.00	222.00	0.00	0.44
9842	JE	A9Q	79	10/03/91	0.900	0.00	296.00	0.00	0.00
9842	PT	64X	79	06/05/91	1.192	36.20	163.00	4.49	25.63
9842	PT	AAM	79	10/03/91	0.316	0.00	156.00	0.00	3.97
9842	SF	65C	79	06/05/91	0.681	21.20	156.00	7.33	31.91
9842	SF	AB2	79	10/03/91	0.433	25.00	153.00	6.14	23.88
9842	VE	641	79	06/07/91	1.312	93.40	162.00	1.74	7.68
9842	VE	A76	79	10/04/91	1.053	0.00	161.00	0.00	1.54
9842	VV	1SY	79	09/04/91	1.309	31.20	152.00	4.88	25.96
9842	VV	1UV	79	09/26/91	1.531	38.60	131.00	3.41	18.53
9842	YF	630	79	06/05/91	1.242	0.00	188.00	0.00	4.94
9842	YF	AA6	79	10/03/91	1.041	62.30	152.00	2.44	12.66
9843	JE	643	79	06/05/91	1.126	0.00	[illegible].30	0.00	0.00
9843	JE	A9Q	79	10/03/91	0.900	[illegible]	[illegible].70	0.00	0.00
9843	PT	64X	79	06/05/91	1.192	[illegible]	[illegible]	0.00	0.14
9843	PT	AAM	79	10/03/91	0.316	[illegible]	[illegible]	0.00	0.00
9843	SF	65C	79	06/05/91	0.681	[illegible]	[illegible].70	2.37	11.81
9843	SF	AB2	79	10/03/91	0.433	[illegible]	[illegible]	0.00	0.00
9843	VE	641	79	06/07/91	1.312	0.00	[illegible].60	0.00	0.04
9843	VE	A76	79	10/04/91	1.053	0.00	44.00	0.00	0.00
9843	VV	1SY	79	09/04/91	1.309	0.00	5.82	0.00	0.11
9843	YF	630	79	06/05/91	1.242	0.00	32.00	0.00	0.00
9843	YF	AA6	79	10/03/91	1.041	0.00	35.40	0.00	0.02
9844	JE	644	79	06/05/91	1.138	0.00	91.10	0.00 >	1.21
9844	JE	A9R	79	10/03/91	0.898	0.00	66.00	0.00 >	0.50
9844	PT	64Y	79	06/05/91	1.116	95.50	72.80	0.76	3.80
9844	PT	AAN	79	10/03/91	0.331	0.00	67.50	0.00	0.00
9844	SF	650	79	06/05/91	0.713	0.00	108.00	0.00	0.19
9844	SF	AB3	79	10/03/91	0.521	0.00	48.50	0.00	0.00
9844	VE	64J	79	06/07/91	1.358	0.00	78.20	0.00	0.00
9844	VE	A77	79	10/04/91	1.019	0.00	56.30	0.00	0.00
9844	VV	1SZ	79	09/04/91	1.427	0.00	32.00	0.00	0.00
9844	YF	63P	79	06/05/91	1.213	0.00	32.00	0.00	0.00
9844	YF	AA7	79	10/03/91	1.020	0.00	41.40	0.00 >	0.23
9845	JE	644	79	06/05/91	1.138	0.00 >	320.00	0.00	0.00
9845	PT	64Y	79	06/05/91	1.116	0.00 >	320.00	0.00 >	0.02
9845	SF	650	79	06/05/91	0.713	0.00 >	320.00	0.00	0.00
9845	VE	64J	79	06/07/91	1.358	0.00 >	320.00	0.00	0.00
9845	VV	1SZ	79	09/04/91	1.427	0.00	71.20	0.00	0.00
9845	YF	63P	79	06/05/91	1.213	0.00 >	320.00	0.00	0.00
9846	JE	645	79	06/05/91	1.146	0.00	30.00	0.00	0.00
9846	PT	64Z	79	06/05/91	1.142	0.00	27.20	0.00	2.32
9846	SF	65E	79	06/05/91	0.721	0.00	23.50	0.00	0.00
9846	VE	64K	79	06/07/91	1.244	0.00	58.20	0.00	0.00
9846	VV	1T0	79	09/04/91	1.306	0.00	7.93	0.00 >	0.05
9846	YF	63Q	79	06/05/91	1.130	0.00	8.87	0.00 >	0.02
9847	JE	645	79	06/05/91	1.146	0.00	32.00	0.00	0.00
9847	JE	A9R	79	10/03/91	0.898	0.00	9.24	0.00	0.00
9847	PT	64Z	79	06/05/91	1.142	7.06	13.70	1.94 >	13.49
9847	PT	AAN	79	10/03/91	0.331	0.00	30.00	0.00	0.00
9847	SF	65E	79	06/05/91	0.721	1.65	12.70	7.72 >	18.94
9847	SF	AB3	79	10/03/91	0.521	0.00	15.70	0.00	9.17
9847	VE	64K	79	06/07/91	1.244	0.00	22.50	0.00 >	0.10
9847	VE	A77	79	10/04/91	1.019	0.00	23.80	0.00	0.00
9847	VV	1UW	79	09/26/91	1.506	179.00	4.90	0.03 >	0.06
9847	YF	63Q	79	06/05/91	1.130	0.00	7.09	0.00 >	0.49
9847	YF	AA7	79	10/03/91	1.020	0.00	8.19	0.00	0.95

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9848	JE	66B	79	06/06/91	1.296	0.00	3.08	0.00	0.00
9848	PT	66Q	79	06/06/91	1.261	0.00	6.03	0.00	0.00
9848	SF	675	79	06/06/91	0.610	0.00	1.85	0.00	0.00
9848	VE	65H	79	06/07/91	1.423	0.00	15.40	0.00	0.00
9848	VV	1T1	79	09/04/91	1.458	0.00	6.42	0.00	0.00
9848	YF	65W	79	06/06/91	0.937	0.00	11.70	0.00 >	1.92
9849	JE	66C	79	06/06/91	1.282	0.00	29.10	0.00 >	0.75
9849	JE	A9S	79	10/03/91	0.899	0.00	17.90	0.00	0.00
9849	PT	66R	79	06/06/91	1.266	0.00	21.00	0.00 >	0.07
9849	PT	AAO	79	10/03/91	0.387	0.00	15.60	0.00 >	0.69
9849	SF	676	79	06/06/91	0.858	2.01	19.30	9.61 >	16.06
9849	SF	AB4	79	10/03/91	0.586	2.17	10.00	4.61 >	17.44
9849	VE	651	79	06/07/91	1.288	9.50	27.20	2.86 >	16.38
9849	VE	A78	79	10/04/91	1.024	0.00	8.35	0.00	2.93
9849	VV	1WX	79	10/10/91	1.378	10.00	7.33	0.73	7.38
9849	YF	65X	79	06/06/91	1.030	8.81	19.90	2.26 >	16.60
9849	YF	AA8	79	10/03/91	1.102	0.00	13.00	0.00 >	8.02
9850	JE	66C	79	06/06/91	1.282	0.00	3.20	0.00	0.00
9850	PT	66R	79	06/06/91	1.266	0.00	4.57	0.00 >	0.06
9850	SF	676	79	06/06/91	0.858	0.00	4.52	0.00 >	1.49
9850	VE	651	79	06/07/91	1.288	0.00	4.40	0.00	0.00
9850	VV	1UW	79	09/26/91	1.506	0.00 >	3.20	0.00	0.00
9850	YF	65X	79	06/06/91	1.030	0.00	3.86	0.00 >	0.08
9851	JE	660	79	06/06/91	1.118	0.00	47.40	0.00 >	0.14
9851	PT	66S	79	06/06/91	1.259	0.00	46.90	0.00 >	0.05
9851	SF	677	79	06/06/91	0.638	0.00	49.00	0.00	3.70
9851	VE	65J	79	06/07/91	1.395	0.00	45.70	0.00	0.00
9851	VV	1T2	79	09/04/91	1.272	0.00	6.14	0.00	0.00
9851	YF	65Y	79	06/06/91	0.944	0.00	35.40	0.00	0.00
9852	JE	660	79	06/06/91	1.118	0.00 >	320.00	0.00 >	0.25
9852	PT	66S	79	06/06/91	1.259	0.00 >	320.00	0.00	0.00
9852	SF	677	79	06/06/91	0.638	0.00	14.40	0.00	0.00
9852	VE	65J	79	06/07/91	1.395	0.00 >	320.00	0.00	0.00
9852	VV	1T3	79	09/04/91	1.340	0.00	17.30	0.00	0.00
9852	YF	65Y	79	06/06/91	0.944	0.00 >	320.00	0.00 >	3.40
9853	JE	66E	79	06/06/91	1.127	0.00	14.90	0.00 >	0.76
9853	PT	66T	79	06/06/91	1.259	0.00	16.00	0.00 >	0.60
9853	SF	678	79	06/06/91	0.615	0.00	15.50	0.00	2.71
9853	VE	65K	79	06/07/91	1.424	0.00	15.50	0.00 >	4.20
9853	VV	1T3	79	09/04/91	1.340	0.00	4.40	0.00	0.00
9853	YF	65Z	79	06/06/91	0.970	0.00	13.10	0.00 >	1.52
9854	JE	66E	79	06/06/91	1.127	0.00	4.80	0.00 >	1.76
9854	PT	66T	79	06/06/91	1.259	0.00	14.60	0.00 >	0.51
9854	SF	678	79	06/06/91	0.615	0.00	4.90	0.00 >	7.33
9854	VE	65K	79	06/07/91	1.424	0.00	4.92	0.00	3.02
9854	VV	1UX	79	09/26/91	1.414	0.00	1.56	0.00	0.63
9854	YF	65Z	79	06/06/91	0.970	0.00	3.46	0.00 >	0.02
9855	JE	66F	79	06/06/91	1.106	0.00	49.00	0.00	4.06
9855	PT	66U	79	06/06/91	1.267	0.00	49.00	0.00 >	1.50
9855	SF	679	79	06/06/91	0.645	0.00	49.00	0.00 >	11.25
9855	VE	65L	79	06/07/91	1.329	0.00	16.30	0.00	0.00
9855	VV	1UY	79	09/26/91	1.490	0.00 >	10.00	0.00	0.00
9855	YF	660	79	06/06/91	0.993	0.00	45.70	0.00 >	0.79
9856	JE	66F	79	06/06/91	1.106	0.00	4.90	0.00 >	3.17
9856	JE	A9S	79	10/03/91	0.899	0.00	4.52	0.00	2.29
9856	PT	66U	79	06/06/91	1.267	0.00	4.90	0.00 >	0.20
9856	PT	AAO	79	10/03/91	0.387 <	0.10	4.90 >	49.00 >	6.86
9856	SF	679	79	06/06/91	0.645 <	1.00	4.90 >	4.90 >	22.88
9856	SF	AB4	79	10/03/91	0.586	0.56	4.90	8.74	33.81
9856	VE	65L	79	06/07/91	1.329	0.00	4.92	0.00 >	1.44
9856	VE	A78	79	10/04/91	1.024	0.00	4.90	0.00	0.00
9856	VV	1T5	79	09/04/91	1.475	0.00	7.23	0.00	0.00
9856	YF	660	79	06/06/91	0.993	0.00	4.00	0.00 >	2.02
9856	YF	AA8	79	10/03/91	1.102	0.00	4.20	0.00	0.00
9857	JE	66G	79	06/06/91	1.145	0.00	4.74	0.00 >	2.69
9857	JE	A9T	79	10/03/91	0.928	0.00	13.50	0.00 >	2.96
9857	PT	66V	79	06/06/91	1.385	0.00	4.90	0.00	0.00
9857	PT	AAP	79	10/03/91	0.437	0.00	15.30	0.00 >	0.27
9857	SF	67A	79	06/06/91	0.711 <	1.00	4.90 >	4.90 >	25.10
9857	SF	AB5	79	10/03/91	0.531	0.43	4.90	11.37 >	42.88
9857	VE	65M	79	06/07/91	1.410	0.00	5.09	0.00	0.53
9857	VE	A79	79	10/04/91	1.268	0.00	4.55	0.00	0.00
9857	VV	1T5	79	09/04/91	1.475	0.00	4.00	0.00	0.00
9857	YF	661	79	06/06/91	0.817	0.00	4.90	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9857	YF	AA9	79	10/03/91	1.080	0.00	9.20	0.00	0.25
9858	JE	66G	79	06/06/91	1.145	0.00	4.90	0.00 >	5.12
9858	JE	ACI	79	10/08/91	0.920	0.00	8.51	0.00	5.47
9858	PT	66V	79	06/06/91	1.385	0.00	4.90	0.00	0.00
9858	PT	ADE	79	10/08/91	0.745	0.00	14.40	0.00 >	0.55
9858	SF	67A	79	06/06/91	0.711 <	1.00	4.90 >	4.90 >	25.10
9858	SF	ADU	79	10/08/91	0.709	3.99	15.50	3.89 >	33.20
9858	VE	65M	79	06/07/91	1.410	0.00	1.65	0.00 >	0.01
9858	VE	ACY	79	10/08/91	1.098	0.00	14.80	0.00	0.00
9858	VV	1T6	79	09/04/91	1.394	0.00	3.03	0.00 >	0.01
9858	YF	661	79	06/06/91	0.817	0.00	4.90	0.00 >	5.56
9858	YF	AC2	79	10/08/91	1.045	0.00	15.60	0.00 >	1.60
9859	JE	66H	79	06/06/91	1.048	0.00	4.90	0.00 >	3.09
9859	JE	ACJ	79	10/08/91	0.847	0.00 >	32.00	0.00	1.77
9859	PT	66W	79	06/06/91	1.271	0.00 <	1.00	0.00	0.00
9859	PT	ADF	79	10/08/91	0.656	0.00 >	32.00	0.00 >	0.76
9859	SF	67B	79	06/06/91	0.567 <	1.00	4.90 >	4.90 >	25.10
9859	SF	ADV	79	10/08/91	0.691	1.41 >	32.00 >	22.77 >	52.51
9859	VE	65N	79	06/07/91	1.309	0.00	4.90	0.00 >	5.41
9859	VE	ACZ	79	10/08/91	1.034	0.00 >	32.00	0.00 >	0.34
9859	VV	1T6	79	09/04/91	1.394	0.00	4.27	0.00	0.00
9859	YF	662	79	06/06/91	0.854	0.00	4.57	0.00	0.00
9859	YF	AC3	79	10/08/91	0.973	0.00 >	32.00	0.00 >	1.81
9860	JE	66N	79	06/06/91	1.048	0.00	15.50	0.00 >	4.00
9860	JE	ACJ	79	10/08/91	0.847	0.00 >	32.00	0.00 >	0.89
9860	PT	66W	79	06/06/91	1.271	0.00	4.90	0.00	0.00
9860	PT	ADF	79	10/08/91	0.656	0.00 >	32.00	0.00 >	0.40
9860	SF	67B	79	06/06/91	0.567 <	1.00	15.50 >	15.50 >	40.56
9860	SF	ADV	79	10/08/91	0.691	4.47 >	32.00 >	7.15 >	42.63
9860	VE	65N	79	06/07/91	1.309	0.00	15.50	0.00	2.77
9860	VE	ACZ	79	10/08/91	1.034	0.00 >	32.00	0.00	0.20
9860	VV	1T7	79	09/04/91	1.498	0.00	3.54	0.00	0.00
9860	YF	662	79	06/06/91	0.854	0.00	13.90	0.00	0.00
9860	YF	AC3	79	10/08/91	0.973	0.00 >	32.00	0.00 >	0.60
9861	JE	661	79	06/06/91	1.230	0.00	130.00	0.00 >	0.64
9861	PT	66X	79	06/06/91	1.322	0.00	116.00	0.00	1.29
9861	SF	67C	79	06/06/91	0.690	0.00	114.00	0.00	5.11
9861	VE	650	79	06/07/91	1.293	0.00	108.00	0.00	0.31
9861	VV	1S1	79	08/22/91	1.153	0.00	1.55	0.00 >	0.11
9861	VV	1S1	79	08/22/91	1.153	0.00 >	0.32	0.00 >	0.10
9861	VV	1S1	79	08/22/91	1.153	0.00	1.55	0.00	-0.47
9861	VV	1T7	79	09/04/91	1.498	0.00	12.40	0.00	0.00
9861	YF	663	79	06/06/91	0.956	0.00	48.80	0.00 >	1.84
9862	JE	661	79	06/06/91	1.230	0.00	42.40	0.00	1.03
9862	JE	ACK	79	10/08/91	0.910	0.00 >	1000.00	0.00 >	2.86
9862	PT	66X	79	06/06/91	1.322	0.00	155.00	0.00	0.00
9862	PT	ADG	79	10/08/91	0.730	0.00 >	1000.00	0.00	0.00
9862	SF	67C	79	06/06/91	0.690	28.10	155.00	5.51 >	23.51
9862	SF	ADW	79	10/08/91	0.699	0.00 >	1000.00	0.00 >	10.30
9862	VE	650	79	06/07/91	1.293	0.00	152.00	0.00	0.00
9862	VE	ADO	79	10/08/91	1.010	0.00	903.00	0.00	0.00
9862	VV	1T8	79	09/04/91	1.326	0.00	128.00	0.00	0.00
9862	YF	663	79	06/06/91	0.956	0.00	148.00	0.00 >	0.68
9862	YF	AC4	79	10/08/91	0.950	0.00 >	1000.00	0.00 >	2.32
9863	JE	66J	79	06/06/91	1.173	0.00	14.30	0.00 >	3.68
9863	JE	ACK	79	10/08/91	0.910	0.00 >	32.00	0.00 >	0.13
9863	PT	66Y	79	06/06/91	1.362	0.00	4.90	0.00	0.00
9863	PT	ADG	79	10/08/91	0.730	0.00 >	32.00	0.00 >	0.13
9863	SF	67D	79	06/06/91	0.701 <	1.00	4.90 >	4.90 >	22.38
9863	SF	ADW	79	10/08/91	0.699	4.71 >	32.00 >	6.79 >	42.03
9863	VE	65P	79	06/07/91	1.376	0.00	15.30	0.00	3.80
9863	VE	ADO	79	10/08/91	1.010	0.00 >	32.00	0.00	0.00
9863	VV	1UY	79	09/26/91	1.490	0.00	4.40	0.00	0.00
9863	YF	664	79	06/06/91	0.977	0.00	3.56	0.00 >	0.21
9863	YF	AC4	79	10/08/91	0.950	0.00 >	32.00	0.00 >	1.01
9864	JE	66J	79	06/06/91	1.173	0.00	2.76	0.00	0.00
9864	JE	ACL	79	10/08/91	0.915	0.00	3.93	0.00	0.00
9864	PT	66Y	79	06/06/91	1.362	0.00	1.55	0.00	0.00
9864	PT	ADH	79	10/08/91	0.674	0.00	4.00	0.00	0.00
9864	SF	67D	79	06/06/91	0.701	0.00	2.90	0.00 >	2.01
9864	SF	ADX	79	10/08/91	0.791	0.00	2.45	0.00 >	11.35
9864	VE	65P	79	06/07/91	1.376	0.00	1.08	0.00	0.00
9864	VE	AD1	79	10/08/91	0.986	0.00	3.29	0.00	0.00
9864	VV	1T9	79	09/04/91	1.543	0.00	1.41	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9864	YF	664	79	06/06/91	0.977	0.00		1.64	0.00	>	0.45
9864	YF	AC5	79	10/08/91	1.006	0.00		4.90	0.00		0.06
9865	JE	66K	79	06/06/91	1.018	0.00		23.90	0.00		0.00
9865	PT	66Z	79	06/06/91	1.357	0.00		3.11	0.00		0.00
9865	SF	67E	79	06/06/91	0.706	0.00		2.18	0.00		0.00
9865	VE	65Q	79	06/07/91	1.339	0.00		29.60	0.00		0.88
9865	VV	1UZ	79	09/26/91	1.544	0.00		5.35	0.00		6.15
9865	YF	665	79	06/06/91	0.933	0.00		2.96	0.00	>	0.34
9866	JE	66K	79	06/06/91	1.018	0.00		15.50	0.00		0.00
9866	PT	66Z	79	06/06/91	1.357	0.00		12.60	0.00		0.00
9866	SF	67E	79	06/06/91	0.706	0.00		13.90	0.00	>	5.84
9866	VE	65Q	79	06/07/91	1.339	0.00		4.90	0.00		0.00
9866	VV	1TA	79	09/04/91	1.363	0.00		5.02	0.00	>	0.82
9866	YF	665	79	06/06/91	0.933	0.00		4.41	0.00	>	6.54
9867	JE	66L	79	06/06/91	1.141	0.00		8.21	0.00		0.00
9867	PT	670	79	06/06/91	1.396	0.00		4.85	0.00		0.00
9867	SF	67F	79	06/06/91	0.605	0.00		2.01	0.00		0.00
9867	VE	65R	79	06/07/91	1.377	0.00		10.00	0.00		0.00
9867	VV	1TA	79	09/04/91	1.363	0.00		17.20	0.00	>	4.70
9867	YF	666	79	06/06/91	0.897	0.00		5.80	0.00	>	1.76
9868	JE	66L	79	06/06/91	1.141	0.00		13.40	0.00		0.66
9868	PT	670	79	06/06/91	1.396	0.00		11.40	0.00		0.47
9868	SF	67F	79	06/06/91	0.605	0.00		9.50	0.00		0.00
9868	VE	65R	79	06/07/91	1.377	0.00		13.50	0.00		0.00
9868	VV	1TD	79	09/12/91	1.325	0.00		4.56	0.00	>	0.00
9868	YF	666	79	06/06/91	0.897	0.00		6.75	0.00	>	0.91
9869	JE	66M	79	06/06/91	1.061	0.00		15.80	0.00		0.00
9869	PT	671	79	06/06/91	1.267	0.00		20.20	0.00		0.00
9869	SF	67G	79	06/06/91	0.697	0.00		15.50	0.00		0.00
9869	VE	65S	79	06/07/91	1.322	0.00		15.60	0.00		0.00
9869	VV	1TE	79	09/12/91	1.336	0.00		9.38	0.00		0.00
9869	YF	667	79	06/06/91	0.835	0.00		13.70	0.00	>	5.46
9870	JE	66M	79	06/06/91	1.061	0.00		8.87	0.00		0.00
9870	PT	671	79	06/06/91	1.267	0.00		8.95	0.00		0.00
9870	SF	67G	79	06/06/91	0.697	0.00		8.64	0.00	>	0.03
9870	VE	65S	79	06/07/91	1.322	0.00		4.92	0.00		0.00
9870	VV	1TE	79	09/12/91	1.336	0.00		4.50	0.00		0.00
9870	YF	667	79	06/06/91	0.835	0.00		4.92	0.00	>	5.99
9871	JE	66M	79	06/06/91	1.007	0.00		72.40	0.00	>	1.20
9871	JE	ACL	79	10/08/91	0.915	0.00		35.50	0.00		0.00
9871	PT	672	79	06/06/91	1.273	0.00		61.30	0.00	>	1.10
9871	PT	ADH	79	10/08/91	0.674	0.00		19.60	0.00		0.00
9871	SF	67H	79	06/06/91	0.659	0.00		41.10	0.00		0.00
9871	SF	ADX	79	10/08/91	0.791	0.00		23.80	0.00	>	0.42
9871	VE	65T	79	06/07/91	1.349	170.00		128.00	1.28		4.01
9871	VE	AD1	79	10/08/91	0.986	0.00		61.10	0.00		0.12
9871	VV	1TF	79	09/12/91	1.380	0.00		36.90	0.00	>	0.01
9871	YF	668	79	06/06/91	0.897	0.00		57.10	0.00	>	3.14
9871	YF	AC5	79	10/08/91	1.006	0.00		33.80	0.00	>	0.57
9872	JE	66M	79	06/06/91	1.007	0.00		6.74	0.00		0.00
9872	PT	672	79	06/06/91	1.273	0.00	<	1.00	0.00		0.00
9872	SF	67H	79	06/06/91	0.659	0.00		2.89	0.00		0.00
9872	VE	65T	79	06/07/91	1.349	0.00		66.00	0.00		0.00
9872	VV	1UQ	79	09/26/91	1.420	0.00		0.63	0.00		0.00
9872	YF	668	79	06/06/91	0.897	0.00		2.55	0.00		0.00
9873	JE	6AI	79	06/11/91	1.112	0.00		15.50	0.00		0.00
9873	PT	68C	79	06/11/91	0.852	0.00		15.60	0.00		0.52
9873	SF	68R	79	06/11/91	0.834	0.00		1.16	0.00		0.00
9873	VE	6AX	79	06/14/91	1.296	0.00		20.20	0.00	>	0.71
9873	VV	1TG	79	09/12/91	1.269	0.00		6.60	0.00		0.00
9873	YF	6A3	79	06/11/91	1.062	0.00		15.20	0.00	>	8.13
9874	JE	6AJ	79	06/11/91	1.197	0.00		41.50	0.00		0.00
9874	JE	ACH	79	10/08/91	0.595	0.00		15.60	0.00		0.00
9874	PT	680	79	06/11/91	0.944	8.73		22.00	2.51	>	14.08
9874	PT	AD1	79	10/08/91	0.612	0.00		12.10	0.00		0.00
9874	SF	68S	79	06/11/91	0.703	0.00		10.70	0.00		0.22
9874	SF	ADY	79	10/08/91	0.759	0.00		9.24	0.00	>	2.23
9874	VE	6AY	79	06/14/91	1.324	0.00		19.00	0.00	>	1.16
9874	VE	AD2	79	10/08/91	1.010	0.00		48.70	0.00		1.04
9874	VV	1TG	79	09/12/91	1.269	0.00		12.00	0.00		0.00
9874	YF	6A4	79	06/11/91	1.056	6.84		48.10	7.04		15.45
9874	YF	AC6	79	10/08/91	0.892	0.00		46.30	0.00	>	7.09
9875	JE	6AJ	79	06/11/91	1.197	0.00		12.00	0.00		0.00
9875	PT	680	79	06/11/91	0.944	0.00		19.20	0.00		1.10

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
9875	SF	6BS	79	06/11/91	0.703	0.00	<	1.00		0.00		0.00
9875	VE	6AY	79	06/14/91	1.324	0.00		5.47		0.00	>	0.04
9875	VV	1TH	79	09/12/91	1.316	0.00		2.83		0.00	>	0.91
9875	YF	6A4	79	06/11/91	1.056	0.00		7.28		0.00	>	0.01
9876	JE	6AK	79	06/11/91	1.294	0.00		103.00		0.00		0.00
9876	PT	6BE	79	06/11/91	0.927	0.00		148.00		0.00		0.12
9876	SF	6BT	79	06/11/91	0.716	0.00		1.31		0.00		0.00
9876	VE	6AZ	79	06/14/91	1.318	0.00		60.30		0.00	>	0.02
9876	VV	1TH	79	09/12/91	1.316	0.00		57.30		0.00		0.00
9876	YF	6A5	79	06/11/91	1.125	0.00		86.40		0.00		0.00
9877	JE	6AK	79	06/11/91	1.294	0.00		2.50		0.00		0.00
9877	PT	6BE	79	06/11/91	0.927	0.00		1.77		0.00		0.00
9877	SF	6BT	79	06/11/91	0.716	0.00	<	1.00		0.00		0.00
9877	VE	6AZ	79	06/14/91	1.318	0.00		1.90		0.00		0.00
9877	VV	1VL	79	10/03/91	0.757	0.00		1.00		0.00		0.00
9877	YF	6A5	79	06/11/91	1.125	0.00		1.77		0.00	>	0.20
9878	JE	6AL	79	06/11/91	1.246	0.00		43.30		0.00		0.00
9878	PT	6BF	79	06/11/91	0.971	0.00		124.00		0.00		0.00
9878	SF	6BU	79	06/11/91	0.680	0.00		10.00		0.00		0.00
9878	VE	6B0	79	06/14/91	1.431	0.00		35.40		0.00		0.00
9878	VV	1TI	79	09/12/91	1.432	0.00		7.28		0.00		0.00
9878	YF	6A6	79	06/11/91	1.088	0.00		42.70		0.00		0.00
9879	JE	6AL	79	06/11/91	1.246	0.00		21.00		0.00		0.00
9879	PT	6BF	79	06/11/91	0.971	0.00		32.00		0.00		0.00
9879	SF	6BU	79	06/11/91	0.680	0.00		6.03		0.00		0.00
9879	VE	6B0	79	06/14/91	1.431	0.00		13.70		0.00		0.00
9879	VV	1TJ	79	09/12/91	1.349	0.00		13.60		0.00		0.00
9879	YF	6A6	79	06/11/91	1.088	0.00		75.30		0.00		0.00
9880	JE	6AM	79	06/11/91	1.287	0.00		106.00		0.00		0.00
9880	PT	6BG	79	06/11/91	0.949	0.00		155.00		0.00		0.00
9880	SF	6BV	79	06/11/91	0.662	0.00		54.70		-0.00		7.67
9880	VE	6B1	79	06/14/91	1.306	0.00		79.20		0.00	>	0.50
9880	VV	1TJ	79	09/12/91	1.349	0.00		15.80		0.00		0.00
9880	YF	6A7	79	06/11/91	1.032	0.00		128.00		0.00		0.00
9881	JE	6AM	79	06/11/91	1.287	0.00		46.30		0.00		0.57
9881	PT	6BG	79	06/11/91	0.949	0.00		15.50		0.00		0.00
9881	SF	6BV	79	06/11/91	0.662	0.00		4.52		0.00	>	3.75
9881	VE	6B1	79	06/14/91	1.306	0.00		38.10		0.00		1.28
9881	VV	1TK	79	09/12/91	1.403	10.00		7.06		0.71		3.37
9881	YF	6A7	79	06/11/91	1.032	0.00		20.60		0.00	>	0.60
9882	JE	6AM	79	06/11/91	1.241	0.00		48.00		0.00		0.62
9882	PT	6BH	79	06/11/91	0.905	0.00		49.00		0.00		0.00
9882	SF	6BW	79	06/11/91	0.660	0.00		0.83		0.00		0.00
9882	VE	6B2	79	06/14/91	1.413	0.00		49.00		0.00	>	3.13
9882	VV	1TK	79	09/12/91	1.403	0.00		18.50		0.00		3.38
9882	YF	6A8	79	06/11/91	1.085	0.00		47.40		0.00		0.00
9883	JE	6AM	79	06/11/91	1.241	0.00		3.74		0.00		0.00
9883	JE	ACM	79	10/08/91	0.595	0.00		10.00		0.00		0.15
9883	PT	6BH	79	06/11/91	0.905	1.72		4.59		2.67	>	12.45
9883	PT	ADI	79	10/08/91	0.612	0.00		5.47		0.00		0.00
9883	SF	6BW	79	06/11/91	0.660	0.00	<	1.00		0.00		0.00
9883	SF	ADY	79	10/08/91	0.759	0.00		4.56		0.00		1.33
9883	VE	6B2	79	06/14/91	1.413	0.00		3.94		0.00		0.00
9883	VE	AD2	79	10/08/91	1.010	0.00		12.40		0.00		0.15
9883	VV	1TL	79	09/12/91	1.424	0.00		4.00		0.00		0.00
9883	YF	6A8	79	06/11/91	1.085	0.00		3.38		0.00	>	6.93
9883	YF	AC6	79	10/08/91	0.892	0.00		8.12		0.00		6.35
9884	JE	6A0	79	06/11/91	1.089	0.00	>	320.00		0.00		0.80
9884	PT	6B1	79	06/11/91	0.916	0.00	>	320.00		0.00	>	1.91
9884	SF	6BX	79	06/11/91	0.735	0.00		0.93		0.00		0.00
9884	VE	6B3	79	06/14/91	1.368	0.00		257.00		0.00	>	0.06
9884	VV	1TL	79	09/12/91	1.424	0.00		58.40		0.00		0.00
9884	YF	6A9	79	06/11/91	0.933	0.00	>	320.00		0.00	>	0.54
9885	JE	6A0	79	06/11/91	1.089	0.00		16.80		0.00		0.00
9885	PT	6B1	79	06/11/91	0.916	0.00		17.10		0.00		7.12
9885	SF	6BX	79	06/11/91	0.735	0.00		1.96		0.00		0.00
9885	VE	6B3	79	06/14/91	1.368	0.00		141.00		0.00	>	1.87
9885	VV	1TM	79	09/12/91	1.504	0.00		17.90		0.00		1.14
9885	YF	6A9	79	06/11/91	0.933	0.00		9.70		0.00		0.11
9886	JE	6AP	79	06/11/91	1.213	0.00		6.60		0.00		0.00
9886	JE	ACN	79	10/08/91	0.806	0.00		9.70		0.00		0.49
9886	PT	6BJ	79	06/11/91	0.946	0.00		5.57		0.00		0.00
9886	PT	ADJ	79	10/08/91	0.709	0.00		5.83		0.00		0.00
9886	SF	6BY	79	06/11/91	0.708	0.00	<	1.00		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
9886	SF	ADZ	79	10/08/91	0.674	0.00		6.98	0.00	>	1.60
9886	VE	684	79	06/14/91	1.387	7.38		8.00	1.08	>	5.01
9886	VE	AD3	79	10/08/91	1.007	0.00		12.90	0.00	>	1.37
9886	VV	1UN	80	09/26/91	1.528	0.00		2.41	0.00		4.74
9886	YF	6AA	79	06/11/91	1.036	8.08		6.98	0.86	>	6.49
9886	YF	AC7	79	10/08/91	0.895	0.00		10.60	0.00	>	5.24
9887	JE	6AP	79	06/11/91	1.213	0.00		4.65	0.00		0.64
9887	JE	ACN	79	10/08/91	0.806	0.00		3.03	0.00		0.84
9887	PT	68J	79	06/11/91	0.946	2.77		4.52	1.63	>	7.34
9887	PT	ADJ	79	10/08/91	0.709	0.00		1.52	0.00		0.00
9887	SF	68Y	79	06/11/91	0.708	0.00	<	1.00	0.00		0.00
9887	SF	ADZ	79	10/08/91	0.674	0.00		1.55	0.00	>	4.10
9887	VE	684	79	06/14/91	1.387	0.00		4.76	0.00		0.53
9887	VE	AD3	79	10/08/91	1.007	0.00		3.55	0.00		0.00
9887	VV	1TN	79	09/12/91	1.317	0.00		2.65	0.00	>	0.04
9887	YF	6AA	79	06/11/91	1.036	0.00		4.59	0.00		0.20
9887	YF	AC7	79	10/08/91	0.895	0.00		1.56	0.00		0.20
9888	JE	6AQ	79	06/11/91	0.903	0.00		7.15	0.00		0.00
9888	PT	68K	79	06/11/91	1.000	0.00		6.28	0.00		0.58
9888	SF	68Z	79	06/11/91	0.703	0.00	<	1.00	0.00		0.00
9888	VE	685	79	06/14/91	1.386	0.00		5.79	0.00		0.00
9888	VV	1UP	79	09/26/91	1.594	0.00		2.14	0.00		0.11
9888	YF	6AB	79	06/11/91	1.108	0.00		5 30	0.00	>	6.65
9889	JE	6AQ	79	06/11/91	0.903	0.00		2.41	0.00	>	1.38
9889	JE	ACO	79	10/08/91	0.785	0.00		2.53	0.00		0.00
9889	PT	68K	79	06/11/91	1.000	0.00		1.79	0.00		0.00
9889	PT	ADK	79	10/08/91	0.555	0.00		2.57	0.00		0.00
9889	SF	68Z	79	06/11/91	0.703	0.00	<	1.00	0.00		0.00
9889	SF	AE0	79	10/08/91	0.610	0.00		2.22	0.00		0.00
9889	VE	685	79	06/14/91	1.386	2.66		1.89	0.71		1.10
9889	VE	AD4	79	10/08/91	1.024	0.00		2.25	0.00		0.33
9889	VV	1VL	79	10/03/91	0.757	0.00		1.21	0.00		2.89
9889	YF	6AB	79	06/11/91	1.108	0.00		1.76	0.00	>	0.21
9889	YF	AC8	79	10/08/91	0.869	0.00		2.63	0.00		0.00
9890	JE	6AR	79	06/11/91	1.152	0.00		15.90	0.00		0.00
9890	PT	68L	79	06/11/91	1.029	0.00		12.70	0.00		0.00
9890	SF	6C0	79	06/11/91	0.657	0.00	<	1.00	0.00		0.00
9890	VE	686	79	06/14/91	1.337	0.00		3.20	0.00		0.00
9890	VV	1UP	79	09/26/91	1.594	0.00		0.77	0.00		0.00
9890	YF	6AC	79	06/11/91	1.055	0.00		14.90	0.00		0.00
9891	JE	6AR	79	06/11/91	1.152	0.00		293.00	0.00		0.00
9891	PT	68L	79	06/11/91	1.029	0.00	>	320.00	0.00		0.00
9891	SF	6C0	79	06/11/91	0.657	0.00	<	1.00	0.00		0.00
9891	VE	686	79	06/14/91	1.337	0.00		188.00	0.00		0.00
9891	VV	1TP	79	09/12/91	1.419	0.00		56.70	0.00	>	0.13
9891	YF	6AC	79	06/11/91	1.055	0.00		32.00	0.00	>	0.26
9892	JE	6AS	79	06/11/91	1.143	0.00		6.27	0.00		0.55
9892	PT	68M	79	06/11/91	0.874	0.00		6.98	0.00		0.00
9892	SF	6C1	79	06/11/91	0.756	0.00	<	1.00	0.00		0.00
9892	VE	687	79	06/14/91	1.126	0.00		10.80	0.00		0.11
9892	VV	1TP	79	09/12/91	1.419	0.00		1.75	0.00		0.00
9892	YF	6AD	79	06/11/91	1.083	0.00		4.20	0.00		0.00
9893	JE	6AS	79	06/11/91	1.143	0.00		5.69	0.00		0.00
9893	PT	68M	79	06/11/91	0.874	0.00		5.61	0.00		0.10
9893	SF	6C1	79	06/11/91	0.756	0.00	<	1.00	0.00		0.00
9893	VE	687	79	06/14/91	1.126	0.00		4.17	0.00		0.00
9893	VV	1TQ	79	09/12/91	1.463	0.00		1.59	0.00		0.00
9893	YF	6AD	79	06/11/91	1.083	0.00		2.35	0.00	>	0.18
9894	JE	6AT	79	06/11/91	1.201	0.00		41.70	0.00		0.00
9894	PT	68N	79	06/11/91	1.039	0.00		43.50	0.00		1.72
9894	SF	6C2	79	06/11/91	0.749	0.00	<	1.00	0.00		0.00
9894	VE	688	79	06/14/91	1.155	0.00		55.60	0.00	>	0.60
9894	VV	1TQ	79	09/12/91	1.463	0.00		5.47	0.00		1.08
9894	YF	6AE	79	06/11/91	1.009	0.00		27.70	0.00		0.84
9895	JE	6AT	79	06/11/91	1.201	0.00		33.60	0.00		0.00
9895	PT	68N	79	06/11/91	1.039	0.00		29.80	0.00		0.00
9895	SF	6C2	79	06/11/91	0.749	0.00	<	1.00	0.00		0.00
9895	VE	688	79	06/14/91	1.155	0.00		42.30	0.00		0.00
9895	VV	1TR	79	09/12/91	1.474	0.00		6.19	0.00		0.00
9895	YF	6AE	79	06/11/91	1.009	0.00		32.00	0.00	>	0.15
9896	JE	6AU	79	06/11/91	1.098	0.00		18.40	0.00		0.00
9896	JE	ACO	79	10/08/91	0.785	0.00		24.50	0.00		0.20
9896	PT	680	79	06/11/91	0.851	0.00		22.00	0.00		0.03
9896	PT	ADK	79	10/08/91	0.555	0.00		10.70	0.00		0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9896	SF	6C3	79	06/11/91	0.683	0.00	8.73	0.00	0.00
9896	SF	AE0	79	10/08/91	0.610	0.00	12.80	0.00	0.00
9896	VE	6B9	79	06/14/91	0.999	1.52	8.87	5.84 >	27.91
9896	VE	AD4	79	10/08/91	1.024	0.00	15.90	0.00	0.31
9896	VV	1TS	79	09/12/91	1.336	0.00	1.73	0.00	0.00
9896	YF	6AF	79	06/11/91	1.023	0.00	19.50	0.00	0.00
9896	YF	AC8	79	10/08/91	0.869	0.00	25.30	0.00	0.20
9897	JE	6AU	79	06/11/91	1.098	0.00	14.10	0.00	0.00
9897	PT	6B0	79	06/11/91	0.851	0.00	15.50	0.00 >	1.23
9897	SF	6C3	79	06/11/91	0.683	0.00	0.83	0.00	0.00
9897	VE	6B9	79	06/14/91	0.999	0.00	15.50	0.00	0.30
9897	VV	1TS	79	09/12/91	1.336	0.00	11.70	0.00	0.00
9897	YF	6AF	79	06/11/91	1.023	0.00	12.40	0.00 >	7.41
9898	JE	6CL	79	06/12/91	1.222	0.00	13.70	0.00	0.00
9898	PT	6F7	79	06/12/91	1.090	0.00	15.60	0.00 >	2.89
9898	SF	6FH	79	06/12/91	0.826	0.00	10.00	0.00	0.00
9898	VE	6D0	79	06/14/91	1.207	0.00	14.90	0.00 >	0.03
9898	VV	1TT	79	09/12/91	1.459	0.00	4.90	0.00	0.00
9898	YF	6C6	79	06/12/91	1.521	0.00	7.17	0.00 >	0.43
9899	JE	6CH	79	06/12/91	1.351	0.00	29.90	0.00	0.00
9899	JE	ACP	79	10/08/91	0.913	0.00	28.90	0.00	0.00
9899	PT	6F8	79	06/12/91	1.217	8.02	41.40	5.17	17.33
9899	PT	ADL	79	10/08/91	0.558	0.00	29.10	0.00	4.16
9899	SF	6FN	79	06/12/91	0.855	0.00	7.09	0.00	1.56
9899	SF	AE1	79	10/08/91	0.806	2.71	21.80	8.06	22.31
9899	VE	6D1	79	06/14/91	1.180	0.00	61.80	0.00 >	0.91
9899	VE	AD5	79	10/08/91	1.036	0.00	21.70	0.00	0.00
9899	VV	1TT	79	09/12/91	1.459	0.00	13.70	0.00	1.12
9899	YF	6C7	79	06/12/91	1.396	0.00	12.20	0.00	0.00
9899	YF	AC9	79	10/08/91	0.859	0.00	40.70	0.00	1.09
9900	JE	6CH	79	06/12/91	1.351	0.00	1.21	0.00	0.00
9900	JE	ACP	79	10/08/91	0.913	0.00	0.45	0.00	0.00
9900	PT	6F8	79	06/12/91	1.217 <	1.00	1.24 >	1.24 >	2.39
9900	PT	ADL	79	10/08/91	0.558	0.00	0.26	0.00	0.00
9900	SF	6FN	79	06/12/91	0.855	0.00 <	1.00	0.00	0.00
9900	SF	AE1	79	10/08/91	0.806	0.00	0.35	0.00	0.00
9900	VE	6D1	79	06/14/91	1.180	0.00 <	1.00	0.00	0.00
9900	VE	AD5	79	10/08/91	1.036	0.00	0.43	0.00	0.00
9900	VV	1YO	79	10/24/91	0.759	0.00	0.51	0.00	0.00
9900	YF	6C7	79	06/12/91	1.396	0.00	1.11	0.00	0.00
9900	YF	AC9	79	10/08/91	0.859	0.00	0.49	0.00	0.45
9901	JE	6CH	79	06/12/91	1.241	0.00	5.94	0.00 >	0.20
9901	PT	6F9	79	06/12/91	1.416	0.00	11.10	0.00	0.00
9901	SF	6FO	79	06/12/91	0.898	0.00	5.03	0.00	0.39
9901	VE	6D2	79	06/14/91	1.141	0.00	4.92	0.00 >	0.23
9901	VV	1TZ	79	09/19/91	0.987	0.00	1.92	0.00	0.00
9901	YF	6C8	79	06/12/91	1.465	0.00	6.42	0.00	0.12
9902	JE	6CH	79	06/12/91	1.241	0.00 <	1.00	0.00	0.00
9902	JE	AC8	79	10/08/91	0.647	0.00	0.16	0.00 >	2.10
9902	PT	6F9	79	06/12/91	1.416	0.00 <	1.00	0.00	0.00
9902	PT	ADH	79	10/08/91	0.430	0.00	0.16	0.00	0.00
9902	SF	6FO	79	06/12/91	0.898	0.00 <	1.00	0.00	0.00
9902	SF	AE2	79	10/08/91	0.731	0.00	0.16	0.00 >	3.20
9902	VE	6D2	79	06/14/91	1.141	0.00 <	1.00	0.00	0.00
9902	VE	AD6	79	10/08/91	1.041	0.00	0.16	0.00	0.00
9902	VV	1VH	79	10/03/91	0.709	0.00	0.19	0.00	0.00
9902	YF	6C8	79	06/12/91	1.465	0.00 <	1.00	0.00	0.00
9902	YF	ACA	79	10/08/91	1.121	0.00	0.13	0.00	0.00
9903	JE	6CO	79	06/12/91	1.102	0.00	5.89	0.00 >	2.28
9903	PT	6FA	79	06/12/91	1.155	0.00	2.52	0.00	0.00
9903	SF	6FP	79	06/12/91	0.713	0.00	2.23	0.00	0.00
9903	VE	6D3	79	06/14/91	1.006	0.00	2.04	0.00	0.00
9903	VV	1U0	79	09/19/91	1.063	0.00	4.33	0.00	0.00
9903	YF	6C9	79	06/12/91	1.256	0.00	2.34	0.00 >	0.25
9904	JE	6CO	79	06/12/91	1.102	0.00	15.90	0.00 >	2.51
9904	PT	6FA	79	06/12/91	1.155	0.00	16.90	0.00 >	0.13
9904	SF	6FP	79	06/12/91	0.713	0.00	12.20	0.00	0.00
9904	VE	6D3	79	06/14/91	1.006	0.00	17.10	0.00	0.00
9904	VV	1U0	79	09/19/91	1.063	0.00	19.10	0.00	0.00
9904	YF	6C9	79	06/12/91	1.256	0.00	6.37	0.00	0.00
9905	JE	6CP	79	06/12/91	1.246	0.00	47.40	0.00	0.15
9905	PT	6FB	79	06/12/91	1.284	0.00	48.00	0.00	3.30
9905	SF	6FQ	79	06/12/91	0.833	0.00	5.56	0.00 >	8.34
9905	VE	6D4	79	06/14/91	1.234	0.00	19.20	0.00 >	3.72

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9905	VV	1U1	79	09/19/91	1.078	0.00	8.87	0.00	0.13
9905	YF	6CA	79	06/12/91	1.436	0.00	37.90	0.00	0.00
9906	JE	6CP	79	06/12/91	1.246	0.00	29.00	0.00 >	1.44
9906	PT	6FB	79	06/12/91	1.284	0.00	27.70	0.00 >	1.63
9906	SF	6FQ	79	06/12/91	0.833	0.00	8.00	0.00	0.00
9906	VE	6D4	79	06/14/91	1.234	0.00	24.30	0.00	0.13
9906	VV	1VM	79	10/03/91	0.716	94.00	70.10	0.75 >	2.10
9906	YF	6CA	79	06/12/91	1.436	0.00	14.90	0.00	0.00
9907	JE	6CQ	79	06/12/91	1.309	0.00	20.20	0.00	0.00
9907	PT	6FC	79	06/12/91	1.341	0.00	13.00	0.00	0.00
9907	SF	6FR	79	06/12/91	0.666	0.00	12.10	0.00	0.00
9907	VE	6D5	79	06/14/91	1.325	0.00	15.80	0.00	0.41
9907	VV	1U2	79	09/19/91	1.076	0.00	4.39	0.00	0.00
9907	YF	6CB	79	06/12/91	1.408	0.00	13.80	0.00	0.00
9908	JE	94V	82	09/04/91	0.986	0.00	277.00	0.00 >	14.13
9908	JE	CK2	82	12/05/91	0.952	0.00	433.00	0.00	4.74
9908	PT	95P	82	09/04/91	0.521	86.70 >	320.00 >	3.69 >	24.61
9908	PT	CKQ	82	12/05/91	0.451	57.20	238.00	4.16	17.18
9908	SF	964	82	09/04/91	0.682	60.70	225.00	3.70	17.63
9908	SF	CL2	82	12/05/91	0.852	41.60	177.00	4.26	23.71
9908	VE	95A	82	09/06/91	1.153	0.00 >	320.00	0.00 >	5.23
9908	VE	CHS	82	12/06/91	1.319	0.00	210.00	0.00	3.31
9908	VV	1W8	82	10/09/91	1.518	0.00	90.70	0.00	0.00
9908	YF	94G	82	09/04/91	1.135	0.00	283.00	0.00	6.34
9908	YF	CKE	82	12/05/91	0.843	0.00	217.00	0.00	1.35
9909	JE	72G	81	07/10/91	0.704	60.40	296.00	4.90 >	22.13
9909	PT	831	81	08/06/91	0.701	54.10	297.00	5.48 >	21.15
9909	SF	74J	81	07/10/91	0.995	246.00	277.00	1.13 >	6.82
9909	VE	717	80	07/12/91	1.048	0.00	262.00	0.00	0.00
9909	VE	CHS	81	12/06/91	1.319	0.00 >	1000.00	0.00	0.00
9909	YF	73P	81	07/10/91	0.831	62.60	249.00	3.97 >	20.58
9910	JE	72H	81	07/10/91	1.000	0.00 >	320.00	0.00	0.76
9910	JE	CK3	81	12/05/91	0.949	0.00	493.00	0.00	3.59
9910	PT	832	81	08/06/91	0.544	0.00 >	320.00	0.00 >	9.61
9910	PT	CKR	81	12/05/91	0.428	155.00	490.00	3.17	20.66
9910	SF	74K	81	07/10/91	0.971	0.00	228.00	0.00 >	8.19
9910	SF	CL3	81	12/05/91	0.743	51.20	400.00	7.82	29.71
9910	VE	718	80	07/12/91	1.005	0.00 >	320.00	0.00 >	7.51
9910	YF	73Q	81	07/10/91	0.772	0.00 >	320.00	0.00 >	2.20
9910	YF	CKF	81	12/05/91	0.853	0.00	490.00	0.00	2.22
9911	JE	6CQ	79	06/12/91	1.309	0.00	1000.00	0.00	0.29
9911	PT	6FC	79	06/12/91	1.341	0.00	734.00	0.00 >	1.93
9911	SF	6FR	79	06/12/91	0.666	0.00	1560.00	0.00 >	0.16
9911	VE	6D5	79	06/14/91	1.325	0.00	1940.00	0.00 >	0.90
9911	YF	6CB	79	06/12/91	1.408	0.00	444.00	0.00 >	0.13
9912	JE	6CR	79	06/12/91	1.209	0.00	490.00	0.00	0.28
9912	PT	6FD	79	06/12/91	1.304	0.00	234.00	0.00	0.00
9912	SF	6FS	79	06/12/91	0.739	0.00	240.00	0.00	0.00
9912	VE	6D6	79	06/14/91	1.307	0.00	589.00	0.00	0.11
9912	YF	6CC	79	06/12/91	1.375	0.00	100.00	0.00 >	0.62
9913	JE	6CR	79	06/12/91	1.209	0.00	1470.00	0.00 >	0.40
9913	PT	6FD	79	06/12/91	1.304	0.00	1140.00	0.00 >	0.70
9913	SF	6FS	79	06/12/91	0.739	0.00	1260.00	0.00	0.00
9913	VE	6D6	79	06/14/91	1.307	0.00	2150.00	0.00 >	0.10
9913	YF	6CC	79	06/12/91	1.375	0.00	728.00	0.00	0.00
9914	JE	6CS	79	06/12/91	1.275	0.00 >	3200.00	0.00	0.40
9914	PT	6FE	79	06/12/91	1.298	0.00 >	3200.00	0.00	0.00
9914	SF	6FT	79	06/12/91	0.732	0.00	1540.00	0.00 >	0.03
9914	VE	6D7	79	06/14/91	1.224	0.00 >	3200.00	0.00 >	1.30
9914	YF	6CD	79	06/12/91	1.350	0.00	2420.00	0.00 >	5.84
9915	JE	6CS	79	06/12/91	1.275	0.00	262.00	0.00	0.51
9915	PT	6FE	79	06/12/91	1.298	0.00	253.00	0.00 >	0.10
9915	SF	6FT	79	06/12/91	0.732	0.00	215.00	0.00	0.00
9915	VE	6D7	79	06/14/91	1.224	0.00 >	320.00	0.00 >	0.30
9915	YF	6CD	79	06/12/91	1.350	0.00	140.00	0.00 >	0.40
9916	JE	6CT	79	06/12/91	1.135	387.00	2250.00	5.82	29.14
9916	JE	8CF	79/C2	08/14/91	0.746	0.00	1730.00	0.00 >	3.76
9916	PT	6FF	79	06/12/91	1.381	511.00	1900.00	3.71	18.49
9916	PT	8D9	79/C2	08/15/91	0.669	691.00	2340.00	3.39 >	15.78
9916	SF	6FU	79	06/12/91	0.712	241.00	1140.00	4.74	24.74
9916	SF	8D0	79/C2	08/13/91	0.936	920.00	728.00	0.79	2.55
9916	VE	6D8	79	06/14/91	1.091	0.00	2000.00	0.00 >	10.98
9916	VE	8CU	79/C2	08/16/91	0.985	0.00	700.00	0.00	1.27
9916	YF	6CE	79	06/12/91	1.444	167.00	1730.00	10.40 >	36.08

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9916	YF	8C0	79/C2	08/14/91	0.749	630.00	1670.00	2.65	13.33
9917	JE	6CT	79	06/12/91	1.135	0.00	538.00	0.00 >	6.52
9917	JE	8C8	79/C2	08/14/91	0.873	0.00	456.00	0.00 >	0.10
9917	PT	6FF	79	06/12/91	1.381	0.00	389.00	0.00	1.12
9917	PT	8DA	79/C2	08/15/91	0.529	0.00	1370.00	0.00	0.00
9917	SF	6FU	79	06/12/91	0.712	0.00	497.00	0.00 >	1.34
9917	SF	8DP	79/C2	08/13/91	1.015	0.00	469.00	0.00	0.00
9917	VE	6D8	79	06/14/91	1.091	607.00 >	1000.00 >	1.65 >	10.23
9917	VE	8CV	79/C2	08/16/91	1.050	0.00	906.00	0.00 >	1.85
9917	YF	6CE	79	06/12/91	1.444	0.00	386.00	0.00	0.00
9917	YF	8C1	79/C2	08/14/91	0.750	0.00	501.00	0.00	1.22
9918	JE	6CU	79	06/12/91	1.280	0.00	671.00	0.00	0.00
9918	PT	6FG	79	06/12/91	1.215	0.00	735.00	0.00 >	8.81
9918	SF	6FV	79	06/12/91	0.674	0.00	146.00	0.00	0.00
9918	VE	6D9	79	06/14/91	1.267	0.00	660.00	0.00 >	0.41
9918	YF	6CF	79	06/12/91	1.419	0.00	367.00	0.00	0.05
9919	JE	6CU	79	06/12/91	1.280	0.00	1760.00	0.00	0.08
9919	PT	6FG	79	06/12/91	1.215	0.00	2590.00	0.00 >	0.10
9919	SF	6FV	79	06/12/91	0.674	0.00	2770.00	0.00	0.00
9919	VE	6D9	79	06/14/91	1.267	0.00 >	3200.00	0.00	0.40
9919	YF	6CF	79	06/12/91	1.419	0.00	1110.00	0.00	0.00
9920	JE	6CV	79	06/12/91	1.222	0.00 >	1000.00	0.00	4.85
9920	PT	6FH	79	06/12/91	1.171	0.00	551.00	0.00	0.53
9920	SF	6FW	79	06/12/91	0.663	0.00	507.00	0.00 >	4.10
9920	VE	6DA	79	06/14/91	1.290	0.00 >	1000.00	0.00 >	1.93
9920	YF	6CG	79	06/12/91	1.298	0.00	629.00	0.00	0.00
9921	JE	6CV	79	06/12/91	1.222	0.00	163.00	0.00	3.59
9921	PT	6FH	79	06/12/91	1.171	0.00	183.00	0.00 >	3.60
9921	SF	6FW	79	06/12/91	0.663	0.00	160.00	0.00 >	2.39
9921	VE	6DA	79	06/14/91	1.290	0.00	164.00	0.00 >	2.57
9921	YF	6CG	79	06/12/91	1.298	0.00	176.00	0.00 >	4.03
9922	JE	6CW	79	06/12/91	1.072	0.00	495.00	0.00	6.25
9922	PT	6FI	79	06/12/91	1.260	0.00	481.00	0.00 >	1.87
9922	SF	6FX	79	06/12/91	0.773	0.00	485.00	0.00	0.00
9922	VE	6DB	79	06/14/91	1.289	0.00	511.00	0.00 >	3.22
9922	YF	6CH	79	06/12/91	1.366	0.00	392.00	0.00	0.69
9923	JE	6CW	79	06/12/91	1.072	0.00	3040.00	0.00	0.00
9923	PT	6FI	79	06/12/91	1.260	0.00	955.00	0.00	0.00
9923	SF	6FX	79	06/12/91	0.773	0.00	1310.00	0.00	0.00
9923	VE	6DB	79	06/14/91	1.289	0.00 >	3200.00	0.00	0.20
9923	YF	6CH	79	06/12/91	1.366	0.00	210.00	0.00	0.00
9924	JE	6CX	79	06/12/91	1.260	0.00	7120.00	0.00 >	0.70
9924	PT	6FJ	79	06/12/91	1.271	0.00	6110.00	0.00 >	0.32
9924	SF	6FY	79	06/12/91	0.699	0.00	5820.00	0.00	0.00
9924	VE	6DC	79	06/14/91	1.236	0.00	7150.00	0.00 >	2.38
9924	YF	6CI	79	06/12/91	1.365	0.00	2910.00	0.00	0.26
9925	JE	6CX	79	06/12/91	1.260	0.00	4350.00	0.00	0.23
9925	PT	6FJ	79	06/12/91	1.271	0.00	3470.00	0.00 >	2.30
9925	SF	6FY	79	06/12/91	0.699	0.00	4900.00	0.00	0.00
9925	VE	6DC	79	06/14/91	1.236	0.00	6180.00	0.00 >	0.63
9925	YF	6CI	79	06/12/91	1.365	0.00	2890.00	0.00 >	0.41
9926	JE	6GU	79	06/13/91	1.008	0.00 >	1000.00	0.00 >	0.01
9926	PT	6IF	79	06/13/91	1.198	0.00 >	1000.00	0.00 >	1.30
9926	SF	6IU	79	06/13/91	0.622	0.00 >	1000.00	0.00	0.00
9926	VE	6E0	79	06/14/91	0.776	0.00 >	1000.00	0.00 >	1.80
9926	YF	6GF	79	06/13/91	1.233	0.00	694.00	0.00 >	4.02
9927	JE	6GV	79	06/13/91	0.903	0.00	2900.00	0.00 >	1.63
9927	PT	6IG	79	06/13/91	1.278	0.00	1680.00	0.00	0.00
9927	SF	6IV	79	06/13/91	0.676	0.00	1620.00	0.00	0.00
9927	VE	6E1	79	06/14/91	1.023	0.00	3200.00	0.00 >	1.36
9927	YF	6GG	79	06/13/91	1.197	0.00	2020.00	0.00	0.00
9928	JE	6GV	79	06/13/91	0.903	0.00	2340.00	0.00 >	4.53
9928	PT	6IG	79	06/13/91	1.278	0.00	1730.00	0.00	0.24
9928	SF	6IV	79	06/13/91	0.676	0.00	1600.00	0.00	0.00
9928	VE	6E1	79	06/14/91	1.023	0.00 >	3200.00	0.00	0.25
9928	YF	6GG	79	06/13/91	1.197	0.00	1380.00	0.00 >	0.90
9929	JE	6GW	79	06/13/91	1.051	0.00	5800.00	0.00	0.00
9929	PT	6IH	79	06/13/91	1.275	0.00	3770.00	0.00	0.00
9929	SF	6IW	79	06/13/91	0.604	0.00	3380.00	0.00	0.00
9929	VE	6E2	79	06/14/91	0.991	0.00	7670.00	0.00	0.00
9929	YF	6GH	79	06/13/91	1.278	0.00	2570.00	0.00	0.00
9930	JE	6GW	79	06/13/91	1.051	0.00	1550.00	0.00	0.00
9930	JE	8CG	79/C2	08/14/91	0.873	0.00	1340.00	0.00	0.73
9930	PT	6IH	79	06/13/91	1.275	0.00	1550.00	0.00 >	4.96

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9930	PT	8DA	79/C2	08/15/91	0.529	0.00 >	3200.00	0.00	3.13
9930	SF	61W	79	06/13/91	0.604	756.00	1160.00	1.54	4.85
9930	SF	8DP	79/C2	08/13/91	1.015	0.00	1500.00	0.00	1.08
9930	VE	6E2	79	06/14/91	0.991	0.00	1550.00	0.00	0.00
9930	VE	8CV	79/C2	08/16/91	1.050	0.00	1920.00	0.00	2.91
9930	YF	6GN	79	06/13/91	1.278	0.00	1240.00	0.00 >	1.06
9930	YF	8C1	79/C2	08/14/91	0.750	0.00	1560.00	0.00	0.00
9931	JE	6GX	79	06/13/91	0.985	0.00	436.00	0.00 >	0.40
9931	JE	8CN	79/C2	08/14/91	0.926	0.00	398.00	0.00	0.00
9931	PT	611	79	06/13/91	1.257	307.00	362.00	1.18	6.61
9931	PT	8D8	79/C2	08/15/91	0.738	0.00	559.00	0.00	0.74
9931	SF	61X	79	06/13/91	0.589	0.00	293.00	0.00	0.00
9931	SF	8DQ	79/C2	08/13/91	1.033	0.00	391.00	0.00 >	1.30
9931	VE	6E3	79	06/14/91	1.042	0.00	868.00	0.00	1.96
9931	VE	8CW	79/C2	08/16/91	1.155	0.00	611.00	0.00 >	1.13
9931	YF	6GI	79	06/13/91	1.270	74.50	100.00	1.34	7.25
9931	YF	8C2	79/C2	08/14/91	0.746	0.00	586.00	0.00 >	0.20
9932	JE	6GX	79	06/13/91	0.985	0.00	535.00	0.00 >	1.78
9932	PT	611	79	06/13/91	1.257	0.00	456.00	0.00 >	4.15
9932	SF	61X	79	06/13/91	0.589	0.00	401.00	0.00	0.00
9932	VE	6E3	79	06/14/91	1.042	0.00	698.00	0.00	1.17
9932	YF	6GI	79	06/13/91	1.270	0.00	192.00	0.00	0.00
9933	JE	6GY	79	06/13/91	1.029	0.00	1640.00	0.00 >	0.07
9933	PT	61J	79	06/13/91	1.308	0.00	1160.00	0.00	0.00
9933	SF	61Y	79	06/13/91	0.628	0.00	271.00	0.00	0.00
9933	VE	6E4	79	06/14/91	0.980	0.00	6100.00	0.00	0.00
9933	YF	6GJ	79	06/13/91	1.222	0.00	1100.00	0.00 >	0.01
9934	JE	6GY	79	06/13/91	1.029	0.00	2000.00	0.00 >	3.68
9934	PT	61J	79	06/13/91	1.308	0.00	1870.00	0.00	2.22
9934	SF	61Y	79	06/13/91	0.628	0.00	2080.00	0.00	5.07
9934	VE	6E4	79	06/14/91	0.980	0.00	7060.00	0.00	0.91
9934	YF	6GJ	79	06/13/91	1.222	0.00	1750.00	0.00	3.67
9935	JE	6GZ	79	06/13/91	1.077	0.00	2020.00	0.00 >	1.93
9935	PT	61K	79	06/13/91	1.112	781.00	2050.00	2.63 >	16.11
9935	SF	61Z	79	06/13/91	0.487	924.00	2120.00	2.30 >	10.95
9935	VE	6E5	79	06/14/91	1.007	0.00	5630.00	0.00	2.98
9935	YF	6GK	79	06/13/91	1.279	0.00	1080.00	0.00 >	1.84
9936	JE	6GZ	79	06/13/91	1.077	0.00	1230.00	0.00 >	1.90
9936	PT	61K	79	06/13/91	1.112	0.00	1550.00	0.00 >	7.33
9936	SF	61Z	79	06/13/91	0.487	0.00	1330.00	0.00 >	1.90
9936	VE	6E5	79	06/14/91	1.007	0.00	3120.00	0.00	3.06
9936	YF	6GK	79	06/13/91	1.279	0.00	400.00	0.00 >	1.19
9937	JE	6H0	79	06/13/91	1.049	0.00	1500.00	0.00 >	13.59
9937	JE	8CN	79/C2	08/14/91	0.926	0.00	810.00	0.00	0.06
9937	PT	61L	79	06/13/91	1.250	498.00	1340.00	2.70	15.45
9937	PT	8D8	79/C2	08/15/91	0.738	0.00	1290.00	0.00	0.00
9937	SF	6J0	79	06/13/91	0.558	827.00	1480.00	1.79	7.56
9937	SF	8DQ	79/C2	08/13/91	1.033	0.00	745.00	0.00	0.74
9937	VE	6E6	79	06/14/91	0.986	0.00	1670.00	0.00	0.75
9937	VE	8CW	79/C2	08/16/91	1.155	0.00	720.00	0.00 >	0.65
9937	YF	6GL	79	06/13/91	1.188	274.00	1130.00	4.13 >	22.63
9937	YF	8C2	79/C2	08/14/91	0.746	0.00	550.00	0.00	0.00
9938	JE	6H0	79	06/13/91	1.049	0.00	1340.00	0.00 >	0.16
9938	PT	61L	79	06/13/91	1.250	0.00	1210.00	0.00	7.48
9938	SF	6J0	79	06/13/91	0.558	0.00	974.00	0.00 >	1.26
9938	VE	6E6	79	06/14/91	0.986	0.00	4670.00	0.00	2.22
9938	YF	6GL	79	06/13/91	1.188	0.00	1090.00	0.00 >	1.40
9939	JE	6H1	79	06/13/91	1.021	0.00	1430.00	0.00 >	1.52
9939	PT	61M	79	06/13/91	1.052	0.00	1420.00	0.00 >	6.52
9939	SF	6J1	79	06/13/91	0.556	0.00	1130.00	0.00	0.00
9939	VE	6E7	79	06/14/91	1.055	0.00	2500.00	0.00	0.37
9939	YF	6GM	79	06/13/91	1.205	0.00	1200.00	0.00	0.81
9940	JE	6H1	79	06/13/91	1.021	0.00	1180.00	0.00	3.28
9940	PT	61M	79	06/13/91	1.052	0.00	1830.00	0.00 >	8.54
9940	SF	6J1	79	06/13/91	0.556	0.00	815.00	0.00	0.00
9940	VE	6E7	79	06/14/91	1.055	0.00	1990.00	0.00	0.00
9940	YF	6GM	79	06/13/91	1.205	0.00	924.00	0.00	3.15
9941	JE	6H2	79	06/13/91	0.810	0.00	513.00	0.00 >	3.92
9941	PT	61M	79	06/13/91	1.116	0.00	509.00	0.00 >	4.08
9941	SF	6J2	79	06/13/91	0.507	0.00	448.00	0.00	0.80
9941	VE	6E8	79	06/14/91	0.761	0.00 >	1000.00	0.00 >	2.73
9941	YF	6GM	79	06/13/91	1.231	0.00	364.00	0.00	0.18
9942	JE	6H2	79	06/13/91	0.810	0.00	2900.00	0.00 >	2.41
9942	PT	61M	79	06/13/91	1.116	0.00	2280.00	0.00 >	5.66

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP C	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9942	SF	6J2	79	06/13/91	0.507	0.00	2100.00	0.00 >	0.40
9942	VE	6E8	79	06/14/91	0.761	0.00	9740.00	0.00 >	0.90
9942	YF	6GN	79	06/13/91	1.231	0.00	1520.00	0.00	0.00
9943	JE	6H3	79	06/13/91	0.958	0.00	1910.00	0.00	1.22
9943	PT	6I0	79	06/13/91	1.194	0.00	1800.00	0.00	7.08
9943	SF	6J3	79	06/13/91	0.536	0.00	1980.00	0.00	2.32
9943	VE	6E9	79	06/14/91	0.955	0.00	3450.00	0.00 >	2.3[illegible]
9943	YF	6GO	79	06/13/91	1.207	0.00	1250.0[illegible]	0.00 >	4.45
9944	JE	6H3	79	06/13/91	0.958	0.00	915.0[illegible]	0.00	0.00
9944	JE	8C1	79/[illegible]	08/14/91	0.857	0.00	511.00	0.00	0.00
9944	PT	6I0	79	06/13/91	1.194	0.00	[illegible]05.00	0.00 >	3.60
9944	PT	8DC	79/C2	08/15/91	0.720	0.00	1000.00	0.00 >	5.37
9944	SF	6J3	79	06/13/91	0.536	0.00	110.00	[illegible] 00	0.00
9944	SF	8DR	79/C2	08/13/91	1.016	0.00	504.00	0.[illegible]	0.00
9944	VE	6E9	79	06/14/91	0.955	0.00	611.00	[illegible].00 >	0.10
9944	VE	8CX	79/C2	08/16/91	1.097	0.00	471.00	[illegible].00 >	0.70
9944	YF	6GO	79	06/13/91	1.207	0.00	320.00	0.00 >	3.47
9944	YF	8C3	79/C2	08/14/91	0.737	0.00	667.00	0.00	0.00
9945	JE	6H4	79	06/13/91	0.965	0.00	274.00	0.00	2.46
9945	PT	6IP	79	06/13/91	1.164	0.00	334.00	0.00	0.42
9945	SF	6J4	79	06/13/91	0.438	0.00	550.00	0.00	0.00
9945	VE	6EA	79	06/14/91	1.026	0.00	950.00	0.00	1.00
9945	YF	6GP	79	06/13/91	1.263	0.00	268.00	0.00	1.73
9946	JE	6H4	79	06/13/91	0.965	0.00	189.00	0.00	3.72
9946	JE	8C1	79/C2	08/14/91	0.857	0.00	170.00	0.00	0.00
9946	PT	6IP	79	06/13/91	1.164	0.00	231.00	0.00 >	6.21
9946	PT	8DC	79/C2	08/15/91	0.720	0.00	302.00	0.00	0.43
9946	SF	6J4	79	06/13/91	0.438	0.00	180.00	0.00	0.53
9946	SF	8DR	79/C2	08/13/91	1.016	0.00	158.00	0.00	0.00
9946	VE	6EA	79	06/14/91	1.026	0.00	541.00	0.00	1.35
9946	VE	8CX	79/C2	08/16/91	1.097	0.00	433.00	0.00 >	3.70
9946	YF	6GP	79	06/13/91	1.263	0.00	200.00	0.00 >	8.66
9946	YF	8C3	79/C2	08/14/91	0.737	0.00	190.00	0.00	0.00
9947	JE	6H5	79	06/13/91	1.009	0.00	4040.00	0.00	0.32
9947	PT	6I0	79	06/13/91	1.222	0.00	1790.00	0.00 >	0.85
9947	SF	6J5	79	06/13/91	0.478	0.00	2450.00	0.00	0.32
9947	VE	6EB	79	06/14/91	0.940	0.00	5900.00	0.00	0.56
9947	YF	6GQ	79	06/13/91	1.195	0.00	1600.00	0.00 >	6.30
9948	JE	6H5	79	06/13/91	1.009	0.00	151.00	0.00 >	0.71
9948	PT	6I0	79	06/13/91	1.222	0.00	152.00	0.00	4.55
9948	SF	6J5	79	06/13/91	0.478	0.00	160.00	0.00	0.00
9948	VE	6EB	79	06/14/91	0.940	0.00	214.00	0.00	1.60
9948	YF	6GQ	79	06/13/91	1.195	0.00	146.00	0.00 >	1.00
9949	JE	6H6	79	06/13/91	0.999	0.00	139.00	0.00 >	3.40
9949	PT	6IR	79	06/13/91	1.219	0.00	83.50	0.00 >	0.84
9949	SF	6J6	79	06/13/91	0.574	0.00	135.00	0.00 >	0.50
9949	VE	6EC	79	06/14/91	0.858	0.00	192.00	0.00 >	1.95
9949	YF	6GR	79	06/13/91	1.253	0.00	51.40	0.00	1.21
9950	JE	6H6	79	06/13/91	0.999	0.00	121.00	0.00	3.51
9950	PT	6IR	79	06/13/91	1.219	0.00	90.60	0.00 >	0.48
9950	SF	6J6	79	06/13/91	0.574	0.00	144.00	0.00 >	6.21
9950	VE	6EC	79	06/14/91	0.858	0.00	238.00	0.00	1.95
9950	YF	6GR	79	06/13/91	1.253	0.00	69.80	0.00	0.78
9951	JE	6J0	79	06/18/91	1.114	0.00	388.00	0.00	0.00
9951	PT	6KI	79	06/18/91	0.971	0.00	42.70	0.00	0.00
9951	SF	6KX	79	06/18/91	0.549	0.00	694.00	0.00	0.00
9951	VE	6K3	79	06/28/91	1.267	0.00	1390.00	0.00	0.00
9951	YF	6J9	79	06/18/91	0.665	0.00	1730.00	0.00 >	7.15
9952	JE	6JP	79	06/18/91	1.212	0.00	58.20	0.00 >	0.50
9952	PT	6KJ	79	06/18/91	0.898	0.00 <	3.20	0.00	0.00
9952	SF	6KY	79	06/18/91	0.553	0.00	145.00	0.00 >	3.89
9952	VE	6K4	79	06/28/91	1.233	0.00	219.00	0.00	0.00
9952	YF	6JA	79	06/18/91	0.730	0.00	170.00	0.00	0.00
9953	JE	6JP	79	06/18/91	1.212	0.00	120.00	0.00	0.00
9953	PT	6KJ	79	06/18/91	0.898	0.00	11.10	0.00	0.00
9953	SF	6KY	79	06/18/91	0.553	0.00	320.00	0.00	0.00
9953	VE	6K4	79	06/28/91	1.233	0.00 >	3200.00	0.00	0.00
9953	YF	6JA	79	06/18/91	0.730	0.00	2930.00	0.00	0.00
9954	JE	6J0	79	06/18/91	1.138	0.00	274.00	0.00	3.41
9954	JE	8CJ	79/C2	08/14/91	0.903	0.00	429.00	0.00 >	1.00
9954	PT	6I4	79	07/02/91	0.988	0.00	547.00	0.00 >	4.40
9954	PT	8D0	79/C2	08/15/91	0.750	0.00	641.00	0.00 >	0.01
9954	SF	6K2	79	06/18/91	0.602	135.00	438.00	3.26	19.43
9954	SF	8DS	79/C2	08/13/91	0.913	0.00	245.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9954	VE	6K5	79	06/28/91	1.262	0.00	481.00	0.00	0.15
9954	VE	8CY	79/C2	08/16/91	1.166	0.00	190.00	0.00 >	0.41
9954	YF	6JB	79	06/18/91	0.745	0.00	556.00	0.00 >	20.89
9954	YF	8C4	79/C2	08/14/91	0.774	0.00	493.00	0.00	2.49
9955	JE	6JQ	79	06/18/91	1.138	0.00	120.00	0.00	0.51
9955	PT	6T4	79	07/02/91	0.988	0.00	440.00	0.00 >	0.10
9955	SF	6KZ	79	06/18/91	0.602	0.00	143.00	0.00	0.00
9955	VE	6K5	79	06/28/91	1.262	0.00	145.00	0.00	0.00
9955	YF	6JB	79	06/18/91	0.745	0.00	163.00	0.00 >	4.10
9956	JE	6JR	79	06/18/91	1.155	0.00	427.00	0.00 >	1.05
9956	PT	6KL	79	06/18/91	0.886	0.00	859.00	0.00	1.90
9956	SF	6L0	79	06/18/91	0.596	0.00	1030.00	0.00	0.00
9956	VE	6K6	79	06/28/91	1.169	0.00	1460.00	0.00 >	0.56
9956	YF	6JC	79	06/18/91	0.769	0.00	594.00	0.00	0.00
9957	JE	6JR	79	06/18/91	1.155	0.00	350.00	0.00 >	0.08
9957	PT	6KL	79	06/18/91	0.886	0.00	473.00	0.00	1.04
9957	SF	6L0	79	06/18/91	0.596	0.00	634.00	0.00 >	3.31
9957	VE	6K6	79	06/28/91	1.169	0.00	1000.00	0.00	0.00
9957	YF	6JC	79	06/18/91	0.769	0.00	547.00	0.00	0.00
9958	JE	6JS	79	06/18/91	1.144	0.00	403.00	0.00 >	0.36
9958	PT	6KM	79	06/18/91	0.937	0.00	473.00	0.00	5.80
9958	SF	6L1	79	06/18/91	0.718	0.00	367.00	0.00	0.00
9958	VE	6K7	79	06/28/91	1.232	0.00	468.00	0.00	0.00
9958	YF	6JD	79	06/18/91	0.752	0.00	618.00	0.00	0.00
9959	JE	6JS	79	06/18/91	1.144	0.00	165.00	0.00 >	1.72
9959	PT	6KM	79	06/18/91	0.937	0.00	129.00	0.00	0.00
9959	SF	6L1	79	06/18/91	0.718	0.00	188.00	0.00	0.00
9959	VE	6K7	79	06/28/91	1.232	0.00	387.00	0.00	0.00
9959	YF	6JD	79	06/18/91	0.752	0.00	277.00	0.00 >	0.10
9960	JE	6JT	79	06/18/91	1.208	0.00	247.00	0.00	0.00
9960	PT	6KN	79	06/18/91	1.031	0.00	433.00	0.00	0.00
9960	SF	6L2	79	06/18/91	0.588	0.00	1000.00	0.00	0.00
9960	VE	6K8	79	06/28/91	1.162	0.00	1000.00	0.00	0.00
9960	YF	6JE	79	06/18/91	0.692	0.00	1550.00	0.00 >	0.10
9961	JE	6JT	79	06/18/91	1.208	0.00	87.60	0.00	0.31
9961	PT	6KN	79	06/18/91	1.031	0.00	93.80	0.00	0.01
9961	SF	6L2	79	06/18/91	0.588	0.00	151.00	0.00	0.00
9961	VE	6K8	79	06/28/91	1.162	0.00	149.00	0.00	0.14
9961	YF	6JE	79	06/18/91	0.692	0.00	160.00	0.00 >	5.20
9962	JE	6JU	79	06/18/91	1.135	0.00	728.00	0.00	0.00
9962	JE	8CJ	79/C2	08/14/91	0.903	0.00	1080.00	0.00 >	0.04
9962	PT	6K0	79	06/18/91	0.913	320.00	1300.00	4.07	16.68
9962	PT	8D0	79/C2	08/15/91	0.750	779.00	969.00	1.24	4.45
9962	SF	6L3	79	06/18/91	0.604	293.00	1140.00	3.88	17.93
9962	SF	8DS	79/C2	08/13/91	0.913	0.00	407.00	0.00	0.00
9962	VE	6K9	79	06/28/91	1.272	0.00	1460.00	0.00	0.00
9962	VE	8CY	79/C2	08/16/91	1.166	0.00	636.00	0.00	0.04
9962	YF	6JF	79	06/18/91	0.722	320.00	1520.00	4.74	21.72
9962	YF	8C4	79/C2	08/14/91	0.774	902.00	1560.00	1.73	7.41
9963	JE	6JU	79	06/18/91	1.135	0.00	206.00	0.00	0.11
9963	PT	6K0	79	06/18/91	0.913	0.00	240.00	0.00	2.46
9963	SF	6L3	79	06/18/91	0.604	0.00	267.00	0.00 >	3.71
9963	VE	6K9	79	06/28/91	1.272	0.00	386.00	0.00	0.00
9963	YF	6JF	79	06/18/91	0.722	0.00	450.00	0.00 >	0.72
9964	JE	6JV	79	06/18/91	1.233	0.00	194.00	0.00 >	0.20
9964	PT	6KP	79	06/18/91	0.810	0.00	210.00	0.00	2.63
9964	SF	6L4	79	06/18/91	0.529	0.00	220.00	0.00	2.05
9964	VE	6KA	79	06/28/91	1.305	0.00	414.00	0.00	0.35
9964	YF	6JG	79	06/18/91	0.588	0.00	253.00	0.00	0.00
9965	JE	6JV	79	06/18/91	1.233	0.00	232.00	0.00	0.00
9965	PT	6KP	79	06/18/91	0.810	0.00	490.00	0.00	0.00
9965	SF	6L4	79	06/18/91	0.529	0.00	972.00	0.00	0.00
9965	VE	6KA	79	06/28/91	1.305	0.00	703.00	0.00	0.00
9965	YF	6JG	79	06/18/91	0.588	0.00	1970.00	0.00 >	0.30
9966	JE	6JW	79	06/18/91	1.091	0.00	41.50	0.00	0.80
9966	PT	6KQ	79	06/18/91	0.893	0.00	42.30	0.00	0.00
9966	SF	6L5	79	06/18/91	0.621	0.00	43.30	0.00	0.00
9966	VE	6KB	79	06/28/91	1.202	0.00	42.80	0.00	0.00
9966	YF	6JH	79	06/18/91	0.761	0.00	47.60	0.00 >	3.75
9967	JE	6JW	79	06/18/91	1.091	0.00	588.00	0.00	0.18
9967	JE	8CK	79/C2	08/14/91	0.869	0.00	1130.00	0.00 >	0.35
9967	PT	6KQ	79	06/18/91	0.893	0.00	500.00	0.00	7.92
9967	PT	8DE	79/C2	08/15/91	0.732	0.00	2320.00	0.00 >	3.31
9967	SF	6L5	79	06/18/91	0.621	0.00	680.00	0.00 >	5.68

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9967	SF	8DT	79/C2	08/13/91	0.944	0.00	1000.00	0.00	2.71
9967	VE	6KB	79	06/28/91	1.202	0.00	2010.00	0.00	0.00
9967	VE	8CZ	79/C2	08/16/91	1.113	0.00	1520.00	0.00 >	2.72
9967	YF	6JH	79	06/18/91	0.761	0.00	644.00	0.00 >	1.88
9967	YF	8C5	79/C2	08/14/91	0.802	0.00	1260.00	0.00	0.20
9968	JE	6JX	79	06/18/91	1.139	0.00	629.00	0.00	0.32
9968	JE	8CX	79/C2	08/14/91	0.869	0.00	471.00	0.00	0.42
9968	PT	6KR	79	06/18/91	0.945	0.00	646.00	0.00	0.73
9968	PT	8DE	79/C2	08/15/91	0.732	0.00	1160.00	0.00	3.23
9968	SF	6L6	79	06/18/91	0.540	0.00	1110.00	0.00	1.20
9968	SF	8DT	79/C2	08/13/91	0.944	0.00	8.33	0.00	0.32
9968	VE	6KC	79	06/28/91	1.250	0.00	1140.00	0.00	0.00
9968	VE	8CZ	79/C2	08/16/91	1.113	0.00	781.00	0.00	0.00
9968	YF	6JI	79	06/18/91	0.769	0.00	792.00	0.00 >	1.00
9968	YF	8C5	79/C2	08/14/91	0.802	0.00	495.00	0.00	0.00
9969	JE	6JX	79	06/18/91	1.139	0.00	234.00	0.00	0.00
9969	JE	8CL	79/C2	08/14/91	0.900	0.00	282.00	0.00	0.00
9969	PT	6KR	79	06/18/91	0.945	217.00	303.00	1.40	9.48
9969	PT	8DF	79/C2	08/15/91	0.683	0.00	456.00	0.00	0.71
9969	SF	6L6	79	06/18/91	0.540	247.00	536.00	2.17 >	11.87
9969	SF	8DU	79/C2	08/13/91	1.002	1790.0	166.00	0.09 >	5.04
9969	VE	6KC	79	06/28/91	1.250	0.00	436.00	0.00	0.00
9969	VE	8D0	79/C2	08/16/91	1.067	1790.0	177.00	0.10 >	5.14
9969	YF	6JI	79	06/18/91	0.769	0.00	293.00	0.00 >	2.57
9969	YF	8C6	79/C2	08/14/91	0.773	0.00	544.00	0.00	0.00
9970	JE	6JY	79	06/18/91	1.024	402.00	974.00	2.42 >	15.88
9970	JE	8CL	79/C2	08/14/91	0.900	768.00	1110.00	1.45	5.40
9970	PT	6KS	79	06/18/91	0.738	64.70	538.00	8.32	35.57
9970	PT	8DF	79/C2	08/15/91	0.683	566.00	835.00	1.48	9.33
9970	SF	6L7	79	06/18/91	0.621	107.00	513.00	4.80	25.21
9970	SF	8DU	79/C2	08/13/91	1.002	179.00	490.00	2.74	15.02
9970	VE	6KD	79	06/28/91	1.172	865.00	1210.00	1.40	5.34
9970	VE	8D0	79/C2	08/16/91	1.067	0.00	647.00	0.00	0.80
9970	YF	6JJ	79	06/18/91	0.680	123.00	624.00	5.06 >	29.27
9970	YF	8C6	79/C2	08/14/91	0.773	0.00	509.00	0.00	5.40
9971	JE	6JY	79	06/18/91	1.024	0.00	463.00	0.00 >	0.98
9971	JE	8CM	79/C2	08/14/91	0.917	0.00	408.00	0.00	0.47
9971	PT	6KS	79	06/18/91	0.738	195.00	525.00	2.69	14.29
9971	PT	8DG	79/C2	08/15/91	0.815	0.00	477.00	0.00 >	0.10
9971	SF	6L7	79	06/18/91	0.621	261.00	457.00	1.75 >	10.29
9971	SF	8DV	79/C2	08/13/91	1.008	0.00	463.00	0.00	2.36
9971	VE	6KD	79	06/28/91	1.172	0.00	441.00	0.00 >	0.02
9971	VE	8D1	79/C2	08/16/91	1.081	0.00	466.00	0.00 >	1.30
9971	YF	6JJ	79	06/18/91	0.680	0.00	518.00	0.00 >	14.94
9971	YF	8C7	79/C2	08/14/91	0.992	0.00	463.00	0.00	0.00
9972	JE	6JZ	79	06/18/91	1.065	0.00	60.80	0.00 >	1.40
9972	PT	6KT	79	06/18/91	0.736	0.00	180.00	0.00	0.94
9972	SF	6L8	79	06/18/91	0.624	0.00	147.00	0.00	0.34
9972	VE	6KE	79	06/28/91	1.142	0.00	163.00	0.00	0.73
9972	YF	6JK	79	06/18/91	0.696	0.00	190.00	0.00	0.00
9973	JE	6JZ	79	06/18/91	1.065	0.00	68.90	0.00	0.63
9973	PT	6KT	79	06/18/91	0.736	0.00	96.20	0.00	0.11
9973	SF	6L8	79	06/18/91	0.624	0.00	180.00	0.00 >	3.92
9973	VE	6KE	79	06/28/91	1.142	0.00	164.00	0.00 >	0.81
9973	YF	6JK	79	06/18/91	0.696	0.00	155.00	0.00	0.00
9974	JE	6K0	79	06/18/91	1.019	0.00	133.00	0.00 >	5.59
9974	JE	8CM	79/C2	08/14/91	0.917	0.00	117.00	0.00 >	0.30
9974	PT	6KU	79	06/18/91	0.823	68.40	141.00	2.06	9.11
9974	PT	8DG	79/C2	08/15/91	0.815	0.00	210.00	0.00	0.00
9974	SF	6L9	79	06/18/91	0.589	0.00	90.30	0.00	0.00
9974	SF	8DV	79/C2	08/13/91	1.008	0.00	86.80	0.00	0.21
9974	VE	6KF	79	06/28/91	1.241	0.00	125.00	0.00	0.00
9974	VE	8D1	79/C2	08/16/91	1.081	0.00	125.00	0.00	0.37
9974	YF	6JL	79	06/18/91	0.726	0.00	140.00	0.00 >	3.19
9974	YF	8C7	79/C2	08/14/91	0.992	0.00	139.00	0.00	0.00
9975	JE	6K0	79	06/18/91	1.019	0.00	619.00	0.00 >	2.43
9975	PT	6KU	79	06/18/91	0.823	0.00	240.00	0.00	0.16
9975	SF	6L9	79	06/18/91	0.589	0.00	405.00	0.00	0.00
9975	VE	6KF	79	06/28/91	1.241	0.00	849.00	0.00	0.00
9975	YF	6JL	79	06/18/91	0.726	0.00	736.00	0.00 >	0.20
9976	JE	6M5	79	06/19/91	0.803	0.00	158.00	0.00	2.59
9976	PT	6MY	79	06/19/91	1.195	0.00	121.00	0.00 >	0.85
9976	SF	6MD	79	06/19/91	0.927	0.00	124.00	0.00 >	3.31
9976	VE	6MS	79	06/28/91	1.061	0.00	180.00	0.00	1.85

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10018	PT	6SY	79	07/02/91	1.061	0.00	228.00	0.00	0.00
10018	SF	6TE	79	07/02/91	0.888	0.00	155.00	0.00 >	5.05
10018	VE	6SJ	79	07/02/91	1.078	0.00	172.00	0.00 >	1.73
10018	YF	6RP	79	07/02/91	1.115	0.00	110.00	0.00	0.00
10019	JE	6S5	79	07/02/91	0.832	0.00	490.00	0.00	0.00
10019	PT	6SZ	79	07/02/91	1.076	0.00	508.00	0.00	0.51
10019	SF	6TF	79	07/02/91	1.003	0.00	463.00	0.00 >	0.03
10019	VE	6SK	79	07/02/91	0.865	0.00	541.00	0.00	0.00
10019	YF	6RQ	79	07/02/91	1.056	0.00	490.00	0.00	0.00
10020	JE	6S5	79	07/02/91	0.832	0.00	1140.00	0.00	1.83
10020	PT	6SZ	79	07/02/91	1.076	0.00	287.00	0.00	0.19
10020	SF	6TF	79	07/02/91	1.003	0.00	745.00	0.00	0.11
10020	VE	6SK	79	07/02/91	0.865	0.00	2000.00	0.00 >	3.97
10020	YF	6RQ	79	07/02/91	1.056	0.00	960.00	0.00	0.00
10021	JE	6S6	79	07/02/91	1.095	0.00	429.00	0.00 >	2.45
10021	PT	6T0	79	07/02/91	0.958	0.00	616.00	0.00	0.00
10021	SF	6TG	79	07/02/91	0.825	0.00	374.00	0.00	0.00
10021	VE	6SL	79	07/02/91	1.020	0.00	1500.00	0.00 >	0.90
10021	YF	6RR	79	07/02/91	1.025	0.00	501.00	0.00	0.00
10022	JE	6S6	79	07/02/91	1.095	0.00	244.00	0.00 >	0.17
10022	JE	8C0	79/C2	08/14/91	0.924	0.00	417.00	0.00	0.20
10022	PT	6T0	79	07/02/91	0.958	0.00	265.00	0.00	0.00
10022	PT	8DK	79/C2	08/15/91	0.683	0.00	300.00	0.00	0.00
10022	SF	6TG	79	07/02/91	0.825	0.00	227.00	0.00	0.21
10022	SF	8DZ	79/C2	08/13/91	0.818	0.00	155.00	0.00	0.00
10022	VE	6SL	79	07/02/91	1.020	0.00	1470.00	0.00 >	1.77
10022	VE	8D5	79/C2	08/16/91	1.090	0.00	1250.00	0.00	0.00
10022	YF	6RR	79	07/02/91	1.025	0.00	529.00	0.00	7.55
10022	YF	8C8	79/C2	08/14/91	0.872	0.00	311.00	0.00	0.00
10023	JE	6S7	79	07/02/91	0.964	0.00	235.00	0.00 >	0.80
10023	PT	6T1	79	07/02/91	1.047	0.00	183.00	0.00	0.00
10023	SF	6TH	79	07/02/91	1.066	0.00	204.00	0.00	0.00
10023	VE	6SM	79	07/02/91	0.903	0.00	618.00	0.00 >	3.34
10023	YF	6RS	79	07/02/91	1.035	0.00	230.00	0.00	0.00
10024	JE	6S7	79	07/02/91	0.964	0.00	1440.00	0.00	0.13
10024	PT	6T1	79	07/02/91	1.047	0.00	270.00	0.00 >	0.36
10024	SF	6TH	79	07/02/91	1.066	0.00	641.00	0.00 >	6.12
10024	VE	6SM	79	07/02/91	0.903	0.00	1570.00	0.00 >	2.31
10024	YF	6RS	79	07/02/91	1.035	0.00	2410.00	0.00	0.53
10025	JE	6S8	79	07/02/91	1.007	0.00	1530.00	0.00	0.45
10025	PT	6T2	79	07/02/91	1.024	0.00	1520.00	0.00	0.81
10025	SF	6TI	79	07/02/91	0.991	0.00	1560.00	0.00	0.20
10025	VE	6SN	79	07/02/91	0.933	0.00	1930.00	0.00 >	3.54
10025	YF	6RT	79	07/02/91	0.937	0.00	1760.00	0.00	0.00
10026	JE	6S8	79	07/02/91	1.007	0.00	2180.00	0.00	0.00
10026	PT	6T2	79	07/02/91	1.024	0.00	2220.00	0.00	0.00
10026	SF	6TI	79	07/02/91	0.991	0.00	1790.00	0.00	0.00
10026	VE	6SN	79	07/02/91	0.933	0.00 >	3200.00	0.00 >	2.98
10026	YF	6RT	79	07/02/91	0.937	0.00	2100.00	0.00	0.00
10027	JE	6S9	79	07/02/91	1.069	0.00	677.00	0.00	0.21
10027	PT	6T3	79	07/02/91	1.013	0.00	100.00	0.00	0.00
10027	SF	6TJ	79	07/02/91	0.956	0.00	1440.00	0.00	0.00
10027	VE	6SO	79	07/02/91	0.898	0.00	2210.00	0.00 >	3.26
10027	YF	6RU	79	07/02/91	0.950	0.00	854.00	0.00	0.70
10028	JE	6S9	79	07/02/91	1.069	0.00	1000.00	0.00	0.60
10028	PT	6T3	79	07/02/91	1.013	0.00	1280.00	0.00 >	0.20
10028	JE	6TJ	79	07/02/91	0.956	0.00	1330.00	0.00	0.12
10028	VE	6SO	79	07/02/91	0.898	0.00	1560.00	0.00 >	3.51
10028	YF	6RU	79	07/02/91	0.950	0.00	1260.00	0.00	0.00
10029	JE	6U0	79	07/03/91	0.873	0.00	784.00	0.00	1.45
10029	PT	6UV	79	07/03/91	1.200	0.00	932.00	0.00 >	0.22
10029	SF	6VA	79	07/03/91	0.925	0.00	616.00	0.00	0.00
10029	VE	6TN	79	07/03/91	1.011	0.00	903.00	0.00	0.40
10029	YF	6U1	79	07/03/91	0.670	0.00 >	1000.00	0.00 >	0.60
10030	JE	6UH	79	07/03/91	1.022	59.00	194.00	3.28	15.52
10030	JE	8C0	79/C2	08/14/91	0.924	76.50	177.00	2.32 >	14.16
10030	PT	6UW	79	07/03/91	1.155	121.00	490.00	4.04	22.66
10030	PT	8DK	79/C2	08/15/91	0.683	0.00	217.00	0.00	0.00
10030	SF	6V8	79	07/03/91	1.033	45.30	245.00	5.40 >	29.12
10030	SF	8DZ	79/C2	08/13/91	0.818	97.30	100.00	1.03	4.97
10030	VE	6TN	79	07/03/91	1.036	0.00	228.00	0.00 >	2.29
10030	VE	8D5	79/C2	08/16/91	1.090	0.00	85.10	0.00	0.21
10030	YF	6U2	79	07/03/91	0.849	45.30	290.00	6.39 >	31.75
10030	YF	8C8	79/C2	08/14/91	0.872	66.40	169.00	2.54	11.63

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10031	JE	6UH	79	07/03/91	1.022	277.00	1160.00	4.19	20.27
10031	JE	8CR	79/C2	08/14/91	0.876	0.00	478.00	0.00	0.12
10031	PT	6UW	79	07/03/91	1.155	405.00	1550.00	3.83	21.18
10031	PT	8DL	79/C2	08/15/91	0.671	0.00	619.00	0.00	0.00
10031	SF	6VB	79	07/03/91	1.033	179.00	1530.00	8.57 >	33.14
10031	SF	8E0	79/C2	08/13/91	0.942	0.00	459.00	0.00	4.52
10031	VE	6TN	79	07/03/91	1.036	0.00	1360.00	0.00 >	2.21
10031	VE	8D6	79/C2	08/16/91	1.063	2270.0	338.00	0.15 >	1.20
10031	YF	6U2	79	07/03/91	0.849	176.00	1580.00	8.99 >	37.91
10031	YF	8CC	79/C2	08/14/91	0.759	0.00	490.00	0.00	1.22
10032	JE	6UI	79	07/03/91	0.970	0.00	1450.00	0.00	0.00
10032	PT	6UX	79	07/03/91	1.130	0.00	1600.00	0.00	0.33
10032	SF	6VC	79	07/03/91	1.080	0.00	1530.00	0.00 >	0.08
10032	VE	6TO	79	07/03/91	1.008	0.00	895.00	0.00	0.00
10032	YF	6U3	79	07/03/91	0.869	0.00	1470.00	0.00 >	1.34
10033	JE	6UI	79	07/03/91	0.970	0.00	547.00	0.00	0.00
10033	PT	6UX	79	07/03/91	1.130	0.00	1310.00	0.00	0.00
10033	SF	6VC	79	07/03/91	1.080	0.00	514.00	0.00	0.00
10033	VE	6TO	79	07/03/91	1.008	0.00	135.00	0.00	0.00
10033	YF	6U3	79	07/03/91	0.869	0.00 >	3200.00	0.00 >	0.09
10034	JE	6UJ	79	07/03/91	0.979	0.00	1780.00	0.00	0.00
10034	PT	6UY	79	07/03/91	1.176	0.00	283.00	0.00	0.00
10034	SF	6VD	79	07/03/91	1.090	0.00	89.50	0.00	0.00
10034	VE	6TP	79	07/03/91	1.037	0.00	274.00	0.00	0.00
10034	YF	6U4	79	07/03/91	0.8[illegible]	0.00 >	3200.00	0.00	0.00
10035	JE	6UJ	79	07/03/91	0.979	0.00 >	3200.00	0.00	0.00
10035	PT	6UY	79	07/03/91	1.176	0.00 >	3200.00	0.00	0.00
10035	SF	6VD	79	07/03/91	1.090	0.00 >	3200.00	0.00	0.00
10035	VE	6TP	79	07/03/91	1.037	0.00	1990.00	0.00	0. 0
10035	YF	6U4	79	07/03/91	0.855	0.00 >	3200.00	0.00 >	0.10
10036	JE	6UK	79	07/03/91	1.016	0.00	463.00	0.00	0.00
10036	PT	6UZ	79	07/03/91	1.281	0.00	498.00	0.00	0.00
10036	SF	6VE	79	07/03/91	0.990	0.00	440.00	0.00 >	0.94
10036	VE	6TQ	79	07/03/91	1.164	0.00	320.00	0.00	0.00
10036	YF	6U5	79	07/03/91	0.801	0.00	517.00	0.00 >	7.17
10037	JE	6UK	79	07/03/91	1.016	0.00 <	10.00	0.00	0.00
10037	PT	6UZ	79	07/03/91	1.281	0.00 <	10.00	0.00	0.00
10037	SF	6VE	79	07/03/91	0.990	0.00 <	10.00	0.00	0.00
10037	VE	6TQ	79	07/03/91	1.164	0.00	3.85	0.00	0.00
10037	YF	6U5	79	07/03/91	0.801	0.00 <	10.00	0.00	0.00
10038	JE	6UL	79	07/03/91	1.018	0.00	592.00	0.00	0.27
10038	PT	6V0	79	07/03/91	1.189	0.00	709.00	0.00	0.00
10038	SF	6VF	79	07/03/91	0.937	0.00	452.00	0.00	0.00
10038	VE	6TR	79	07/03/91	1.158	0.00	358.00	0.00	0.00
10038	YF	6U6	79	07/03/91	0.810	0.00	462.00	0.00	0.00
10039	JE	6UL	79	07/03/91	1.018	0.00	505.00	0.00	0.12
10039	PT	6V0	79	07/03/91	1.189	0.00	571.00	0.00	0.49
10039	SF	6VF	79	07/03/91	0.937	0.00	521.00	0.00 >	0.20
10039	VE	6TR	79	07/03/91	1.158	0.00	227.00	0.00	0.00
10039	YF	6U6	79	07/03/91	0.810	0.00	29.30	0.00	0.00
10040	JE	6UM	79	07/03/91	0.936	0.00	446.00	0.00 >	2.50
10040	PT	6V1	79	07/03/91	1.171	0.00	354.00	0.00	0.00
10040	SF	6VG	79	07/03/91	1.023	0.00	235.00	0.00	0.00
10040	VE	6TS	79	07/03/91	1.190	0.00	192.00	0.00	0.00
10040	YF	6U7	79	07/03/91	0.765	0.00	397.00	0.00 >	4.08
10041	JE	6UM	79	07/03/91	0.936	0.00	156.00	0.00 >	2.31
10041	PT	6V1	79	07/03/91	1.171	0.00	182.00	0.00	0.00
10041	SF	6VG	79	07/03/91	1.023	0.00	225.00	0.00 >	0.20
10041	VE	6TS	79	07/03/91	1.190	0.00	161.00	0.00	0.28
10041	YF	6U7	79	07/03/91	0.765	0.00	7.73	0.00	0.00
10042	JE	6UM	79	07/03/91	1.071	0.00	261.00	0.00	0.11
10042	PT	6V2	79	07/03/91	1.203	0.00	346.00	0.00	0.00
10042	SF	6VH	79	07/03/91	1.097	0.00	257.00	0.00	3.[illegible]5
10042	VE	6TT	79	07/03/91	1.239	0.00	277.00	0.00	0.[illegible]3
10042	YF	6U8	79	07/03/91	0.488	0.00	414.00	0.00 >	6.30
10043	JE	6UM	79	07/03/91	1.071	0.00	363.00	0.00	0.00
10043	PT	6V2	79	07/03/91	1.203	0.00	427.00	0.00	0.00
10043	SF	6VH	79	07/03/91	1.097	0.00	420.00	0.00	0.00
10043	VE	6TT	79	07/03/91	1.239	0.00	354.00	0.00	0.00
10043	YF	6U8	79	07/03/91	0.488	0.00	338.00	0.00 >	0.88
10044	JE	6UO	79	07/03/91	0.738	0.00	253.00	0.00 >	2.90
10044	PT	6V3	79	07/03/91	1.174	0.00	303.00	0.00	0.00
10044	SF	6V1	79	07/03/91	1.090	0.00	205.00	0.00	0.03
10044	VE	7PN	79	08/02/91	1.192	0.00	407.00	0.00	1.04

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	IC 25	SI	TAI
9976	YF	6LQ	79	06/19/91	1.061	0.00	175.00	0.00 >	2.01
9977	JE	6M6	79	06/19/91	0.911	0.00	459.00	0.00 >	1.10
9977	PT	6MZ	79	06/19/91	1.218	0.00	470.00	0.00	1.74
9977	SF	6NE	79	06/19/91	1.027	0.00	554.00	0.00	0.00
9977	VE	6NT	79	06/28/91	1.201	0.00	1350.00	0.00	0.00
9977	YF	6LR	79	06/19/91	0.985	0.00	974.00	0.00 >	0.40
9978	JE	6M6	79	06/19/91	0.911	0.00	539.00	0.00	1.10
9978	PT	6MZ	79	06/19/91	1.218	0.00	337.00	0.00	0.50
9978	SF	6NE	79	06/19/91	1.027	0.00	274.00	0.00	0.00
9978	VE	6NT	79	06/28/91	1.201	0.00	547.00	0.00	0.00
9978	YF	6LR	79	06/19/91	0.985	0.00	690.00	0.00 >	8.64
9979	JE	6M7	79	06/19/91	0.923	0.00	578.00	0.00 >	0.50
9979	PT	6N0	79	06/19/91	1.209	0.00	547.00	0.00	3.00
9979	SF	6NF	79	06/19/91	1.105	0.00	482.00	0.00	0.00
9979	VE	6NU	79	06/28/91	1.189	0.00	638.00	0.00 >	0.10
9979	YF	6LS	79	06/19/91	1.081	0.00	622.00	0.00 >	4.39
9980	JE	6M7	79	06/19/91	0.923	0.00 >	3200.00	0.00	0.64
9980	PT	6N0	79	06/19/91	1.209	0.00 >	3200.00	0.00 >	1.50
9980	SF	6NF	79	06/19/91	1.105	0.00 >	3200.00	0.00	0.00
9980	VE	6NU	79	06/28/91	1.189	0.00 >	3200.00	0.00	0.05
9980	YF	6LS	79	06/19/91	1.081	0.00 >	3200.00	0.00 >	3.30
9981	JE	6M8	79	06/19/91	1.036	0.00 >	10000.0	0.00	0.00
9981	PT	6N1	79	06/19/91	1.213	2940.0 >	10000.0 >	3.41 >	14.99
9981	SF	6NG	79	06/19/91	1.069	0.00	4480.00	0.00 >	0.08
9981	VE	6NV	79	06/28/91	1.234	0.00 >	10000.0	0.00	0.00
9981	YF	6LT	79	06/19/91	1.144	7760.0 >	10000.0 >	1.29 >	10.59
9982	JE	6M8	79	06/19/91	1.036	0.00	1260.00	0.00	0.00
9982	PT	6N1	79	06/19/91	1.213	0.00	678.00	0.00	0.00
9982	SF	6NG	79	06/19/91	1.069	0.00	924.00	0.00	0.00
9982	VE	6NV	79	06/28/91	1.234	0.00	1280.00	0.00	0.00
9982	YF	6LT	79	06/19/91	1.144	0.00	924.00	0.00	0.00
9983	JE	6M9	79	06/19/91	0.958	0.00	2380.00	0.00 >	0.40
9983	PT	6N2	79	06/19/91	1.162	0.00	1300.00	0.00 >	4.40
9983	SF	6NH	79	06/19/91	1.134	0.00	1430.00	0.00	0.28
9983	VE	6NW	79	06/28/91	1.255	0.00	3380.00	0.00	0.00
9983	YF	6LU	79	06/19/91	0.969	0.00	2510.00	0.00 >	8.01
9984	JE	6M9	79	06/19/91	0.958	0.00	155.00	0.00	0.00
9984	PT	6N2	79	06/19/91	1.162	0.00	70.90	0.00	0.47
9984	SF	6NH	79	06/19/91	1.134	0.00	47.30	0.00	0.92
9984	VE	6NW	79	06/28/91	1.255	0.00	142.00	0.00	0.00
9984	YF	6LU	79	06/19/91	0.969	0.00	157.00	0.00 >	5.61
9985	JE	6MA	79	06/19/91	0.932	0.00	276.00	0.00 >	2.13
9985	PT	6N3	79	06/19/91	1.211	0.00	247.00	0.00 >	0.83
9985	SF	6NI	79	06/19/91	1.058	0.00	304.00	0.00	4.67
9985	VE	6NX	79	06/28/91	1.196	0.00	474.00	0.00 >	0.02
9985	YF	6LV	79	06/19/91	1.114	0.00	422.00	0.00 >	1.39
9986	JE	6MA	79	06/19/91	0.932	0.00 <	3.20	0.00	0.00
9986	PT	6N3	79	06/19/91	1.211	0.00 <	3.20	0.00	0.00
9986	SF	6NI	79	06/19/91	1.058	0.00 <	3.20	0.00	0.00
9986	VE	6NX	79	06/28/91	1.196	0.00	4.49	0.00	0.00
9986	YF	6LV	79	06/19/91	1.114	0.00	5.24	0.00	0.00
9987	JE	6MB	79	06/19/91	1.014	0.00	1550.00	0.00 >	0.69
9987	PT	6N4	79	06/19/91	1.155	0.00	1550.00	0.00 >	2.14
9987	SF	6NJ	79	06/19/91	0.914	0.00	1550.00	0.00	3.41
9987	VE	6NY	79	06/28/91	1.235	0.00	1460.00	0.00	0.00
9987	YF	6LW	79	06/19/91	1.210	0.00	1430.00	0.00 >	1.10
9990	JE	6MB	79	06/19/91	1.014	169.00	530.00	3.14 >	15.64
9990	JE	8CN	79/C2	08/14/91	0.657	0.00	474.00	0.00	0.00
9990	PT	6N4	79	06/19/91	1.155	61.40	500.00	8.14	26.79
9990	PT	8DH	79/C2	08/15/91	0.463	313.00	653.00	2.09	8.09
9990	SF	6NJ	79	06/19/91	0.914	0.00	458.00	0.00	12.99
9990	SF	8DW	79/C2	08/13/91	1.104	0.00	189.00	0.00	0.00
9990	VE	6NY	79	06/28/91	1.235	0.00	386.00	0.00	0.00
9990	VE	8D2	79/C2	08/16/91	0.932	0.00	205.00	0.00	0.73
9990	YF	6LW	79	06/19/91	1.210	37.30	361.00	9.69 >	33.07
9990	YF	8C8	79/C2	08/14/91	0.878	0.00	192.00	0.00	0.31
9991	JE	6MC	79	06/19/91	0.862	0.00	352.00	0.00	0.00
9991	PT	6N5	79	06/19/91	1.244	0.00	218.00	0.00 >	1.03
9991	SF	6NK	79	06/19/91	1.184	0.00	188.00	0.00 >	0.35
9991	VE	6NZ	79	06/28/91	1.246	0.00	488.00	0.00	0.00
9991	YF	6LX	79	06/19/91	1.037	0.00	340.00	0.00 >	2.82
9992	JE	6MC	79	06/19/91	0.862	0.00	1170.00	0.00	0.03
9992	JE	8CN	79/C2	08/14/91	0.657	0.00	1380.00	0.00	0.80
9992	PT	6N5	79	06/19/91	1.244	603.00	815.00	1.35	8.40

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
9992	PT	8DN	79/C2	08/15/91	0.463	0.00	1650.00	0.00	6.12
9992	SF	6NK	79	06/19/91	1.184	0.00	843.00	0.00 >	1.91
9992	SF	8DW	79/C2	08/13/91	1.104	0.00	1210.00	0.00	0.00
9992	VE	6NZ	79	06/28/91	1.246	0.00	1410.00	0.00	0.00
9992	VE	8D2	79/C2	08/16/91	0.932	0.00	2960.00	0.00	0.60
9992	YF	6LX	79	06/19/91	1.037	0.00	1230.00	0.00	1.35
9992	YF	8C8	79/C2	08/14/91	0.878	0.00	1690.00	0.00	0.00
9994	JE	6MD	79	06/19/91	0.888	0.00	745.00	0.00	0.00
9994	PT	6M6	79	06/19/91	1.166	0.00	955.00	0.00	0.00
9994	SF	6ML	79	06/19/91	1.046	0.00	823.00	0.00 >	0.83
9994	VE	600	79	06/28/91	0.977	0.00	2280.00	0.00	0.20
9994	YF	6LY	79	06/19/91	1.070	0.00	1810.00	0.00 >	0.60
9995	JE	6MD	79	06/19/91	0.888	0.00	440.00	0.00	1.88
9995	PT	6M6	79	06/19/91	1.166	0.00	247.00	0.00	0.00
9995	SF	6ML	79	06/19/91	1.046	0.00	378.00	0.00 >	1.01
9995	VE	600	79	06/28/91	0.977	0.00	538.00	0.00 >	0.81
9995	YF	6LY	79	06/19/91	1.070	0.00	407.00	0.00	1.56
9996	JE	6ME	79	06/19/91	0.966	0.00	357.00	0.00	0.00
9996	PT	6N7	79	06/19/91	1.325	0.00	221.00	0.00 >	0.92
9996	SF	6NM	79	06/19/91	1.094	0.00	240.00	0.00 >	0.20
9996	VE	601	79	06/28/91	1.192	0.00	554.00	0.00	0.00
9996	YF	6LZ	79	06/19/91	1.051	0.00	420.00	0.00	0.53
9997	JE	6ME	79	06/19/91	0.966	0.00	55.30	0.00	0.00
9997	PT	6N7	79	06/19/91	1.325	0.00	67.40	0.00	0.00
9997	SF	6NM	79	06/19/91	1.094	0.00	58.20	0.00	0.00
9997	VE	601	79	06/28/91	1.192	0.00	140.00	0.00	0.00
9997	YF	6LZ	79	06/19/91	1.051	0.00	95.00	0.00 >	0.20
9998	JE	6NF	79	06/19/91	0.915	0.00	114.00	0.00 >	11.02
9998	JE	8C0	79/C2	08/14/91	0.798	0.00	141.00	0.00	10.70
9998	PT	6N8	79	06/19/91	1.149	0.00	106.00	0.00	0.20
9998	PT	8DI	79/C2	08/15/91	0.553	0.00	152.00	0.00	0.00
9998	SF	6NN	79	06/19/91	0.982	0.00	148.00	0.00	7.24
9998	SF	8DX	79/C2	08/13/91	0.999	0.00	135.00	0.00	0.00
9998	VE	602	79	06/28/91	1.165	0.00	111.00	0.00	0.00
9998	VE	8D3	79/C2	08/16/91	1.075	0.00	126.00	0.00	0.00
9998	YF	6N0	79	06/19/91	1.169	0.00	128.00	0.00 >	4.36
9998	YF	8C9	79/C2	08/14/91	0.880	69.40	106.00	1.52	8.70
9999	JE	6MF	79	06/19/91	0.915	0.00 >	320.00	0.00	0.00
9999	PT	6M8	79	06/19/91	1.149	0.00	167.00	0.00 >	0.21
9999	SF	6NN	79	06/19/91	0.982	0.00	232.00	0.00	1.76
9999	VE	602	79	06/28/91	1.165	0.00 >	320.00	0.00	0.00
9999	YF	6N0	79	06/19/91	1.169	0.00	320.00	0.00	0.90
10000	JE	6MG	79	06/19/91	0.953	0.00	138.00	0.00	0.00
10000	PT	6N9	79	06/19/91	1.134	0.00	148.00	0.00 >	3.74
10000	SF	6NO	79	06/19/91	0.942	0.00	157.00	0.00 >	7.23
10000	VE	603	79	06/28/91	1.221	0.00	157.00	0.00	0.15
10000	YF	6N1	79	06/19/91	1.104	0.00	144.00	0.00 >	7.83
10001	JE	6MG	79	06/19/91	0.953	0.00	364.00	0.00	0.00
10001	JE	8C0	79/C2	08/14/91	0.798	0.00	1300.00	0.00	0.00
10001	PT	6N9	79	06/19/91	1.134	320.00	303.00	0.95	7.04
10001	PT	8DI	79/C2	08/15/91	0.553	0.00	1660.00	0.00	0.00
10001	SF	6NO	79	06/19/91	0.942	0.00	294.00	0.00	3.15
10001	SF	8DX	79/C2	08/13/91	0.999	0.00	611.00	0.00	0.00
10001	VE	603	79	06/28/91	1.221	0.00	1060.00	0.00	0.00
10001	VE	8D3	79/C2	08/16/91	1.075	0.00	927.00	0.00	1.52
10001	YF	6N1	79	06/19/91	1.104	0.00	462.00	0.00 >	4.56
10001	YF	8C9	79/C2	08/14/91	0.880	0.00	835.00	0.00	0.00
10002	JE	6MH	79	06/19/91	0.876	0.00	225.00	0.00	0.00
10002	JE	8CP	79/C2	08/14/91	0.875	0.00	412.00	0.00	0.00
10002	PT	6NA	79	06/19/91	1.139	0.00	177.00	0.00 >	10.99
10002	PT	8DJ	79/C2	08/15/91	0.512	0.00	603.00	0.00	0.00
10002	SF	6NP	79	06/19/91	0.986	0.00	250.00	0.00 >	14.81
10002	SF	8DY	79/C2	08/13/91	0.918	0.00	289.00	0.00	0.00
10002	VE	604	79	06/28/91	1.170	0.00	499.00	0.00	0.22
10002	VE	8D4	79/C2	08/16/91	1.021	0.00	820.00	0.00	0.20
10002	YF	6M2	79	06/19/91	1.047	71.30	296.00	4.16 >	15.64
10002	YF	8CA	79/C2	08/14/91	0.808	0.00	570.00	0.00	0.00
10003	JE	6MH	79	06/19/91	0.876	0.00	152.00	0.00	0.00
10003	PT	6NA	79	06/19/91	1.139	0.00	168.00	0.00 >	1.33
10003	SF	6NP	79	06/19/91	0.986	0.00	64.10	0.00	0.38
10003	VE	604	79	06/28/91	1.170	0.00	137.00	0.00	0.00
10003	YF	6M2	79	06/19/91	1.047	0.00	160.00	0.00 >	0.40
10004	JE	6RX	79	07/02/91	1.006	0.00	265.00	0.00	0.08
10004	PT	6SR	79	07/02/91	1.179	0.00	401.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	TC 50	TC 25	SI	TAI
10004	SF	6T7	79	07/02/91	1.045	0.00	190.00	0.00	0.00
10004	VE	6SC	79	07/02/91	1.109	0.00	728.00	0.00 >	1.50
10004	YF	6RI	79	07/02/91	1.151	0.00	265.00	0.00	0.00
10005	JE	6RY	79	07/02/91	0.952	0.00	501.00	0.00	0.00
10005	PT	6SS	79	07/02/91	1.091	0.00	213.00	0.00	0.00
10005	SF	6T8	79	07/02/91	1.014	0.00	303.00	0.00	0.00
10005	VE	6SD	79	07/02/91	1.048	0.00	1060.00	0.00	0.30
10005	YF	6RJ	79	07/02/91	1.101	0.00	374.00	0.00	0.00
10006	JE	6RY	79	07/02/91	0.952	0.00	2100.00	0.00	0.00
10006	PT	6SS	79	07/02/91	1.091	0.00	2050.00	0.00	0.14
10006	SF	6T8	79	07/02/91	1.014	0.00	1640.00	0.00 >	0.07
10006	VE	6SD	79	07/02/91	1.048	0.00	3040.00	0.00	2.47
10006	YF	6RJ	79	07/02/91	1.101	0.00 >	3200.00	0.00	0.00
10007	JE	6RZ	79	07/02/91	1.114	0.00	172.00	0.00	0.29
10007	PT	6ST	79	07/02/91	1.097	0.00	219.00	0.00	0.07
10007	SF	6T9	79	07/02/91	1.048	0.00	151.00	0.00	0.00
10007	VE	6SE	79	07/02/91	0.985	0.00	582.00	0.00 >	4.40
10007	YF	6RK	79	07/02/91	1.080	0.00	281.00	0.00	0.00
10008	JE	6RZ	79	07/02/91	1.114	0.00	390.00	0.00	0.00
10008	PT	6ST	79	07/02/91	1.097	0.00	470.00	0.00	0.00
10008	SF	6T9	79	07/02/91	1.048	0.00	330.00	0.00 >	0.01
10008	VE	6SE	79	07/02/91	0.985	0.00	887.00	0.00 >	2.23
10008	YF	6RK	79	07/02/91	1.080	0.00	402.00	0.00	0.00
10009	JE	6S0	79	07/02/91	1.032	0.00	500.00	0.00	0.00
10009	PT	6SU	79	07/02/91	1.050	0.00	511.00	0.00	0.00
10009	SF	6TA	79	07/02/91	1.067	0.00	400.00	0.00	0.00
10009	VE	6SF	79	07/02/91	1.001	0.00	927.00	0.00 >	1.90
10009	YF	6RL	79	07/02/91	1.075	0.00	482.00	0.00	0.00
10010	JE	6S0	79	07/02/91	1.032	0.00	100.00	0.00	0.00
10010	PT	6SU	79	07/02/91	1.050	0.00	64.40	0.00	0.00
10010	SF	6TA	79	07/02/91	1.067	0.00	76.60	0.00	0.70
10010	VE	6SF	79	07/02/91	1.001	0.00	202.00	0.00 >	1.63
10010	YF	6RL	79	07/02/91	1.075	0.00	93.80	0.00	0.00
10011	JE	6S1	79	07/02/91	1.039	0.00	1570.00	0.00	0.00
10011	JE	8CP	79/C2	08/14/91	0.875	0.00	1920.00	0.00	0.13
10011	PT	6SV	79	07/02/91	1.043	0.00	1580.00	0.00	2.30
10011	PT	8DJ	79/C2	08/15/91	0.512	0.00	1540.00	0.00	0.00
10011	SF	6TB	79	07/02/91	1.054	779.00	1590.00	2.04 >	14.62
10011	SF	8DY	79/C2	08/13/91	0.918	566.00	1370.00	2.42 >	14.20
10011	VE	6SG	79	07/02/91	1.066	0.00	2150.00	0.00 >	4.53
10011	VE	8D4	79/C2	08/16/91	1.021	0.00	1650.00	0.00	0.00
10011	YF	6RM	79	07/02/91	1.048	0.00	2310.00	0.00 >	0.71
10011	YF	8CA	79/C2	08/14/91	0.808	0.00	1590.00	0.00	0.00
10012	JE	6S1	79	07/02/91	1.039	0.00	456.00	0.00	0.40
10012	PT	6SV	79	07/02/91	1.043	0.00	269.00	0.00	0.40
10012	SF	6TB	79	07/02/91	1.054	0.00	420.00	0.00 >	0.81
10012	VE	6SG	79	07/02/91	1.066	0.00	950.00	0.00	1.71
10012	YF	6RM	79	07/02/91	1.048	0.00	481.00	0.00 >	0.06
10013	JE	6S2	79	07/02/91	1.093	0.00	369.00	0.00	0.00
10013	PT	6SW	79	07/02/91	1.011	0.00	1260.00	0.00 >	0.20
10013	SF	6TC	79	07/02/91	1.053	0.00	524.00	0.00	0.27
10013	VE	6SH	79	07/02/91	1.010	0.00	1800.00	0.00 >	1.90
10013	YF	6RN	79	07/02/91	1.134	0.00	1080.00	0.00	0.00
10014	JE	6S2	79	07/02/91	1.093	0.00	566.00	0.00	0.00
10014	PT	6SW	79	07/02/91	1.011	0.00	228.00	0.00 >	0.05
10014	SF	6TC	79	07/02/91	1.053	0.00	602.00	0.00 >	0.84
10014	VE	6SH	79	07/02/91	1.010	0.00 >	1000.00	0.00	3.15
10014	YF	6RN	79	07/02/91	1.134	0.00	629.00	0.00	0.00
10015	JE	6S3	79	07/02/91	1.145	0.00	2650.00	0.00	0.00
10015	PT	6SX	79	07/02/91	1.045	0.00 >	3200.00	0.00 >	3.21
10015	SF	6TD	79	07/02/91	1.041	3050.0 >	3200.00 >	1.05 >	5.12
10015	VE	6SI	79	07/02/91	1.001	0.00 >	3200.00	0.00 >	4.10
10015	YF	6RO	79	07/02/91	1.104	0.00 >	3200.00	0.00	0.00
10016	JE	6S3	79	07/02/91	1.145	0.00	289.00	0.00	0.00
10016	PT	6SX	79	07/02/91	1.045	0.00	338.00	0.00	0.00
10016	SF	6TD	79	07/02/91	1.041	0.00	149.00	0.00	0.00
10016	VE	6SI	79	07/02/91	1.001	0.00	493.00	0.00 >	4.25
10016	YF	6RO	79	07/02/91	1.104	0.00	363.00	0.00	0.99
10017	JE	6S4	79	07/02/91	1.117	0.00	1210.00	0.00	0.00
10017	PT	6SY	79	07/02/91	1.061	0.00	1430.00	0.00	0.00
10017	SF	6TE	79	07/02/91	0.888	0.00	1340.00	0.00	0.71
10017	VE	6SJ	79	07/02/91	1.078	0.00	1830.00	0.00 >	1.41
10017	YF	6RP	79	07/02/91	1.115	0.00	1290.00	0.00	0.00
10018	JE	6S4	79	07/02/91	1.117	0.00	138.00	0.00	0.08

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10044	YF	6U9	79	07/03/91	0.772	0.00	338.00	0.00 >	3.41
10045	JE	6UO	79	07/03/91	0.738	0.00	490.00	0.00 >	9.58
10045	PT	6V3	79	07/03/91	1.174	0.00	407.00	0.00	0.11
10045	SF	6VI	79	07/03/91	1.090	0.00	159.00	0.00	0.00
10045	VE	7PN	79	08/02/91	1.192	0.00	427.00	0.00	0.00
10045	YF	6U9	79	07/03/91	0.772	0.00	493.00	0.00	8.80
10046	JE	6UP	79	07/03/91	1.010	0.00	382.00	0.00	0.03
10046	PT	6V4	79	07/03/91	1.361	0.00	402.00	0.00	0.00
10046	SF	6VJ	79	07/03/91	1.036	0.00	364.00	0.00 >	0.30
10046	VE	7PO	79	08/02/91	1.107	0.00	941.00	0.00	0.40
10046	YF	6UA	79	07/03/91	0.795	0.00	578.00	0.00	2.01
10047	JE	6UP	79	07/03/91	1.010	0.00	128.00	0.00	0.16
10047	JE	8CR	79/C2	08/14/91	0.876	0.00	141.00	0.00 >	0.03
10047	PT	6V4	79	07/03/91	1.361	203.00	427.00	2.10	8.56
10047	PT	8DL	79/C2	08/15/91	0.671	0.00	151.00	0.00	0.00
10047	SF	6VJ	79	07/03/91	1.036	43.40	103.00	2.37 >	14.84
10047	SF	8E0	79/C2	08/13/91	0.942	78.10	124.00	1.58	6.78
10047	VE	7PO	79	08/02/91	1.107	0.00	158.00	0.00 >	0.76
10047	VE	8D6	79/C2	08/16/91	1.063	0.00	127.00	0.00	0.00
10047	YF	6UA	79	07/03/91	0.795	33.90	157.00	4.62 >	25.11
10047	YF	8CC	79/C2	08/14/91	0.759	0.00	157.00	0.00	0.00
10048	JE	6U0	79	07/03/91	1.001	0.00	782.00	0.00	0.00
10048	PT	6V5	79	07/03/91	0.942	0.00	1630.00	0.00	0.40
10048	SF	6VK	79	07/03/91	0.894	0.00	247.00	0.00	0.00
10048	VE	6TW	79	07/03/91	0.646	0.00	703.00	0.00	0.11
10048	YF	6U8	79	07/03/91	0.762	0.00	1560.00	0.00	0.78
10049	JE	6U0	79	07/03/91	1.001	0.00	320.00	0.00	2.15
10049	PT	6V5	79	07/03/91	0.942	0.00	868.00	0.00 >	1.35
10049	SF	6VK	79	07/03/91	0.894	0.00	186.00	0.00 >	6.36
10049	VE	6TW	79	07/03/91	0.646	0.00	513.00	0.00	4.95
10049	YF	6U8	79	07/03/91	0.762	0.00	505.00	0.00 >	8.47
10050	JE	94V	82	09/04/91	0.986	0.00	35.90	0.00 >	1.33
10050	PT	95P	82	09/04/91	0.521	0.00	48.50	0.00 >	9.45
10050	SF	964	82	09/04/91	0.682	0.00	32.00	0.00	0.00
10050	VE	95A	82	09/06/91	1.153	0.00	26.20	0.00	0.00
10050	VV	1VC	82	10/03/91	0.677	0.00	20.60	0.00 >	0.58
10050	YF	94G	82	09/04/91	1.135	0.00	26.70	0.00 >	0.40
10051	JE	94W	82	09/04/91	0.911	0.00	39.80	0.00	0.00
10051	PT	950	82	09/04/91	0.496	0.00	50.50	0.00 >	4.30
10051	SF	965	82	09/04/91	0.797	0.00	52.30	0.00	0.00
10051	VE	958	82	09/06/91	1.197	0.00	133.00	0.00	0.00
10051	VV	1VC	82	10/03/91	0.677	0.00	24.20	0.00	1.53
10051	YF	94H	82	09/04/91	1.084	0.00	36.90	0.00 >	1.25
10052	JE	94W	82	09/04/91	0.911	0.00	122.00	0.00	0.00
10052	PT	950	82	09/04/91	0.496	0.00	172.00	0.00 >	5.41
10052	SF	965	82	09/04/91	0.797	0.00	92.00	0.00	0.00
10052	VE	958	82	09/06/91	1.197	0.00	95.10	0.00	0.00
10052	VV	1VD	82	10/03/91	0.688	0.00	185.00	0.00	0.00
10052	YF	94H	82	09/04/91	1.084	0.00	156.00	0.00	0.00
10053	JE	94X	82	09/04/91	0.810	0.00 >	320.00	0.00	0.26
10053	PT	95R	82	09/04/91	0.558	0.00	254.00	0.00	0.00
10053	SF	966	82	09/04/91	0.842	0.00	220.00	0.00	0.00
10053	VE	95C	82	09/06/91	1.120	0.00 >	320.00	0.00	0.00
10053	VV	1VD	82	10/03/91	0.688	0.00	210.00	0.00 >	0.20
10053	YF	941	82	09/04/91	1.094	0.00	253.00	0.00	0.22
10054	JE	94X	82	09/04/91	0.810	0.00 >	320.00	0.00	0.00
10054	PT	95R	82	09/04/91	0.558	0.00	271.00	0.00 >	0.76
10054	SF	966	82	09/04/91	0.842	0.00	197.00	0.00	0.00
10054	VE	95C	82	09/06/91	1.120	0.00	147.00	0.00	0.00
10054	VV	1VE	82	10/03/91	0.635	0.00	200.00	0.00	2.10
10054	YF	941	82	09/04/91	1.094	0.00	287.00	0.00	0.34
10055	JE	94Y	82	09/04/91	0.826	0.00 >	320.00	0.00	0.00
10055	PT	95S	82	09/04/91	0.559	0.00 >	320.00	0.00 >	1.27
10055	SF	967	82	09/04/91	0.745	0.00	296.00	0.00 >	5.77
10055	VE	950	82	09/06/91	1.125	0.00 >	320.00	0.00	0.00
10055	VV	1VE	82	10/03/91	0.635	0.00	220.00	0.00	0.00
10055	YF	94J	82	09/04/91	1.169	0.00	306.00	0.00	0.00
10056	JE	94Y	82	09/04/91	0.826	0.00	320.00	0.00	0.57
10056	PT	95S	82	09/04/91	0.559	0.00 >	320.00	0.00 >	1.24
10056	SF	967	82	09/04/91	0.745	0.00	238.00	0.00 >	1.00
10056	VE	950	82	09/06/91	1.125	0.00	271.00	0.00	0.00
10056	VV	1VF	82	10/03/91	0.686	0.00	186.00	0.00	0.00
10056	YF	94J	82	09/04/91	1.169	0.00	227.00	0.00	0.15
10057	JE	942	82	09/04/91	0.898	0.00	247.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10057	PT	95T	82	09/04/91	0.389	0.00	263.00	0.00 >	1.19
10057	SF	968	82	09/04/91	0.714	0.00	227.00	0.00	0.00
10057	VE	95E	82	09/06/91	1.134	0.00	194.00	0.00	0.00
10057	VV	1VF	82	10/03/91	0.686	0.00	196.00	0.00	0.00
10057	YF	94K	82	09/04/91	0.996	0.00	291.00	0.00	0.33
10058	JE	94Z	82	09/04/91	0.898	0.00	5.05	0.00	0.00
10058	PT	95T	82	09/04/91	0.389	0.00	18.40	0.00 >	0.88
10058	SF	968	82	09/04/91	0.714	0.00	21.00	0.00	0.00
10058	VE	95E	82	09/06/91	1.134	0.00	8.11	0.00	0.00
10058	VV	1VG	82	10/03/91	0.747	0.00	10.50	0.00 >	1.04
10058	YF	94K	82	09/04/91	0.996	0.00	9.74	0.00	0.00
10059	JE	950	82	09/04/91	0.898	0.00	155.00	0.00	0.00
10059	PT	95U	82	09/04/91	0.501	0.00	168.00	0.00 >	0.08
10059	SF	969	82	09/04/91	0.781	0.00	183.00	0.00	0.27
10059	VE	95F	82	09/06/91	1.115	0.00	202.00	0.00	0.00
10059	VV	1VG	82	10/03/91	0.747	0.00	179.00	0.00	3.25
10059	YF	94L	82	09/04/91	1.057	0.00	183.00	0.00	0.19
10060	JE	950	82	09/04/91	0.898	0.00 >	320.00	0.00	0.00
10060	PT	95U	82	09/04/91	0.501	0.00 >	320.00	0.00 >	2.65
10060	SF	969	82	09/04/91	0.781	0.00	320.00	0.00	0.00
10060	VE	95F	82	09/06/91	1.115	0.00 >	320.00	0.00	0.00
10060	VV	1VO	82	10/09/91	1.391	0.00	69.10	0.00	0.00
10060	YF	94L	82	09/04/91	1.057	0.00 >	320.00	0.00 >	2.60
10061	JE	951	82	09/04/91	0.896	0.00	57.90	0.00	0.00
10061	PT	95V	82	09/04/91	0.694	0.00	45.60	0.00 >	0.50
10061	SF	96A	82	09/04/91	0.919	0.00	31.30	0.00	0.00
10061	VE	95G	82	09/06/91	1.199	0.00	106.00	0.00	0.00
10061	VV	1VP	82	10/09/91	1.370	0.00	8.06	0.00	0.00
10061	YF	94M	82	09/04/91	1.116	0.00	20.30	0.00	0.00
10062	JE	951	82	09/04/91	0.896	0.00	35.40	0.00	0.00
10062	PT	95V	82	09/04/91	0.694	< 1.00	37.00 >	37.04 >	11.66
10062	SF	96A	82	09/04/91	0.919	0.00	32.90	0.00	0.00
10062	VE	95G	82	09/06/91	1.199	238.00	42.70	0.18 >	0.74
10062	VV	1VP	82	10/09/91	1.370	0.00	12.60	0.00 >	0.13
10062	YF	94M	82	09/04/91	1.116	0.00	36.30	0.00	0.00
10063	JE	952	82	09/04/91	1.025	0.00	52.30	0.00	1.81
10063	PT	95W	82	09/04/91	0.664	0.00	50.40	0.00 >	5.56
10063	SF	968	82	09/04/91	0.897	0.00	51.40	0.00	4.61
10063	VE	95N	82	09/06/91	1.132	0.00	71.40	0.00	0.03
10063	VV	1VQ	82	10/09/91	1.358	0.00	13.50	0.00	0.10
10063	YF	94N	82	09/04/91	1.107	0.00	58.40	0.00	1.27
10064	JE	952	82	09/04/91	1.025	0.00	14.60	0.00 >	0.63
10064	PT	95W	82	09/04/91	0.664	< 1.00	13.70 >	13.67 >	10.32
10064	SF	968	82	09/04/91	0.897	0.00	12.00	0.00	0.00
10064	VE	95N	82	09/06/91	1.132	0.00	20.60	0.00	0.00
10064	VV	1VQ	82	10/09/91	1.358	0.00	2.41	0.00	0.00
10064	YF	94N	82	09/04/91	1.107	0.00	9.48	0.00	0.00
10065	JE	953	82	09/04/91	0.833	0.00	100.00	0.00	0.00
10065	PT	95X	82	09/04/91	0.682	0.00	84.90	0.00 >	0.11
10065	SF	96C	82	09/04/91	0.892	0.00	66.00	0.00	0.00
10065	VE	951	82	09/06/91	1.141	0.00	55.50	0.00	0.00
10065	VV	1VR	82	10/09/91	1.463	0.00	48.10	0.00 >	1.12
10065	YF	940	82	09/04/91	1.143	0.00	135.00	0.00	0.00
10066	JE	953	82	09/04/91	0.833	0.00 >	320.00	0.00	0.00
10066	PT	95X	82	09/04/91	0.682	< 1.00	250.00 >	250.00 >	12.77
10066	SF	96C	82	09/04/91	0.892	0.00	185.00	0.00	0.00
10066	VE	951	82	09/06/91	1.141	0.00	289.00	0.00	0.00
10066	VV	1VR	82	10/09/91	1.463	0.00	58.30	0.00 >	0.10
10066	YF	940	82	09/04/91	1.143	0.00	242.00	0.00	0.36
10067	JE	954	82	09/04/91	0.973	0.00	37.10	0.00	0.00
10067	PT	95Y	82	09/04/91	0.471	0.00	50.50	0.00	0.00
10067	SF	960	82	09/04/91	0.730	0.00	48.40	0.00	0.00
10067	VE	95J	82	09/06/91	1.155	0.00	45.00	0.00	0.00
10067	VV	1VS	82	10/09/91	1.485	0.00	19.90	0.00	0.00
10067	YF	94P	82	09/04/91	1.129	0.00	45.10	0.00 >	0.20
10068	JE	954	82	09/04/91	0.973	0.00	19.20	0.00	0.00
10068	PT	95Y	82	09/04/91	0.471	0.00	43.30	0.00	0.00
10068	SF	960	82	09/04/91	0.730	0.00	40.70	0.00	2.26
10068	VE	95J	82	09/06/91	1.155	0.00	20.50	0.00	0.00
10068	VV	1VS	82	10/09/91	1.485	0.00	4.31	0.00	0.00
10068	YF	94P	82	09/04/91	1.129	0.00	24.70	0.00 >	0.01
10069	JE	955	82	09/04/91	0.884	0.00	42.50	0.00	0.00
10069	PT	95Z	82	09/04/91	0.551	0.00	124.00	0.00 >	6.72
10069	SF	96E	82	09/04/91	0.833	0.00	50.50	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10069	VE	95K	82	09/06/91	1.147	0.00	29.80	0.00	0.00
10069	VV	1VT	82	10/09/91	1.354	0.00	20.50	0.00	0.00
10069	YF	94Q	82	09/04/91	1.075	0.00	77.30	0.00	0.33
10070	JE	955	82	09/04/91	0.884	0.00	190.00	0.00	0.00
10070	PT	95Z	82	09/04/91	0.551	0.00	193.00	0.00	0.00
10070	SF	96E	82	09/04/91	0.833	0.00	166.00	0.00	0.00
10070	VE	95K	82	09/06/91	1.147	0.00	80.60	0.00	0.00
10070	VV	1VT	82	10/09/91	1.354	0.00	7.60	0.00	0.00
10070	YF	94Q	82	09/04/91	1.075	0.00	241.00	0.00	0.06
10071	JE	956	82	09/04/91	0.840	0.00	82.00	0.00	0.00
10071	PT	960	82	09/04/91	0.613	0.00	58.20	0.00 >	0.05
10071	SF	96F	82	09/04/91	0.855	0.00	50.70	0.00	0.00
10071	VE	95L	82	09/06/91	1.135	0.00	19.90	0.00	0.00
10071	VV	1VU	82	10/09/91	1.475	0.00	28.50	0.00	0.00
10071	YF	94R	82	09/04/91	1.050	0.00	72.80	0.00	0.65
10072	JE	956	82	09/04/91	0.840	0.00 >	320.00	0.00	0.03
10072	PT	960	82	09/04/91	0.613	0.00 >	320.00	0.00 >	4.09
10072	SF	96F	82	09/04/91	0.855	0.00	227.00	0.00	0.00
10072	VE	95L	82	09/06/91	1.135	0.00	257.00	0.00	0.00
10072	VV	1VU	82	10/09/91	1.475	0.00	60.60	0.00	0.00
10072	YF	94R	82	09/04/91	1.050	0.00	320.00	0.00	2.97
10073	JE	981	82	09/05/91	0.818	0.00	32.00	0.00 >	0.51
10073	JE	9WV	82	09/17/91	0.881	0.00 >	320.00	0.00	0.00
10073	PT	98X	82	09/05/91	0.583	0.00 >	320.00	0.00	0.33
10073	SF	99C	82	09/05/91	0.701	290.00 >	320.00 >	1.10 >	8.63
10073	VE	961	82	09/06/91	0.840	0.00 >	320.00	0.00 >	1.00
10073	VV	1VV	82	10/09/91	1.476	0.00	66.90	0.00	0.00
10073	YF	983	82	09/05/91	1.154	0.00	250.00	0.00	0.00
10074	JE	98J	82	09/05/91	0.782	0.00	180.00	0.00 >	2.00
10074	PT	98Y	82	09/05/91	0.623	0.00	177.00	0.00	0.00
10074	SF	990	82	09/05/91	0.776	0.00	126.00	0.00	0.00
10074	VE	96J	82	09/06/91	1.057	0.00	150.00	0.00	0.00
10074	VV	1VV	82	10/09/91	1.476	0.00	24.90	0.00	0.00
10074	YF	984	82	09/05/91	1.117	0.00	123.00	0.00 >	0.05
10075	JE	98J	82	09/05/91	0.782	0.00	67.70	0.00 >	0.07
10075	PT	98Y	82	09/05/91	0.623	0.00	77.90	0.00 >	1.31
10075	SF	990	82	09/05/91	0.776	0.00	23.10	0.00	0.00
10075	VE	96J	82	09/06/91	1.057	0.00	170.00	0.00	0.00
10075	VV	1VW	82	10/09/91	1.412	0.00	32.00	0.00 >	0.03
10075	YF	984	82	09/05/91	1.117	0.00	123.00	0.00 >	0.05
10076	JE	98K	82	09/05/91	0.825	0.00	186.00	0.00	0.00
10076	PT	98Z	82	09/05/91	0.618	0.00	158.00	0.00	0.00
10076	SF	99E	82	09/05/91	0.860	0.00	85.40	0.00	0.00
10076	VE	96K	82	09/06/91	1.107	0.00	29.30	0.00	0.00
10076	VV	1VW	82	10/09/91	1.412	0.00	4.90	0.00	0.00
10076	YF	985	82	09/05/91	1.065	0.00	179.00	0.00	0.00
10077	JE	98K	82	09/05/91	0.825	0.00 >	320.00	0.00 >	0.15
10077	PT	98Z	82	09/05/91	0.618	0.00 >	320.00	0.00	2.20
10077	SF	99E	82	09/05/91	0.860	0.00	193.00	0.00	0.00
10077	VE	96K	82	09/06/91	1.107	0.00	297.00	0.00	0.00
10077	VV	1VX	82	10/09/91	1.448	0.00	118.00	0.00	0.00
10077	YF	985	82	09/05/91	1.065	0.00	301.00	0.00	1.52
10078	JE	98L	82	09/05/91	0.844	0.00	232.00	0.00	0.00
10078	PT	990	82	09/05/91	0.563	0.00	228.00	0.00	2.17
10078	SF	99F	82	09/05/91	0.835	0.00	244.00	0.00	0.00
10078	VE	96L	82	09/06/91	1.014	0.00 >	320.00	0.00	0.30
10078	VV	1VX	82	10/09/91	1.448	0.00	70.40	0.00	0.13
10078	YF	986	82	09/05/91	1.076	0.00	159.00	0.00	0.46
10079	JE	98L	82	09/05/91	0.844	0.00	69.40	0.00	0.00
10079	PT	990	82	09/05/91	0.563	0.00	51.40	0.00	0.00
10079	SF	99F	82	09/05/91	0.835	0.00	25.20	0.00	0.00
10079	VE	96L	82	09/06/91	1.014	0.00	66.00	0.00 >	0.10
10079	VV	1VY	82	10/09/91	1.449	0.00	25.00	0.00 >	0.12
10079	YF	986	82	09/05/91	1.076	0.00	55.80	0.00	0.00
10080	JE	98M	82	09/05/91	0.947	0.00	12.20	0.00 >	1.52
10080	PT	991	82	09/05/91	0.718	0.00	3.38	0.00	0.00
10080	SF	99G	82	09/05/91	0.804	0.00	1.55	0.00	0.00
10080	VE	96M	82	09/06/91	1.037	0.00	5.74	0.00 >	0.10
10080	VV	1ZY	82	11/07/91	1.392	0.00	2.83	0.00 >	5.61
10080	YF	987	82	09/05/91	1.148	0.00	3.01	0.00 >	0.05
10081	JE	98M	82	09/05/91	0.947	0.00	47.60	0.00 >	0.59
10081	PT	991	82	09/05/91	0.718	0.00	35.80	0.00 >	0.92
10081	SF	99G	82	09/05/91	0.804	0.00	19.80	0.00	0.47
10081	VE	96M	82	09/06/91	1.037	0.00	70.00	0.00	0.05

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10081	VV	1YJ	82	10/24/91	0.716	0.00	28.30	0.00	0.02
10081	YF	987	82	09/05/91	1.148	0.00	41.40	0.00	0.00
10082	JE	98N	82	09/05/91	1.046	0.00	60.80	0.00 >	3.53
10082	PT	992	82	09/05/91	0.910	0.00	36.50	0.00 >	3.35
10082	SF	99N	82	09/05/91	0.682	0.00	32.00	0.00	0.00
10082	VE	96N	82	09/06/91	1.040	0.00	146.00	0.00	0.00
10082	VV	1YK	82	10/24/91	0.665	0.00	2.10	0.00	0.00
10082	YF	988	82	09/05/91	1.117	0.00	51.70	0.00	0.00
10083	JE	98N	82	09/05/91	1.046	0.00	28.90	0.00 >	0.87
10083	PT	992	82	09/05/91	0.910	0.00	10.00	0.00	0.00
10083	SF	99N	82	09/05/91	0.682	0.00	9.24	0.00	0.00
10083	VE	96N	82	09/06/91	1.040	0.00	77.30	0.00	0.00
10083	VV	1ZP	82	11/07/91	1.605	0.00	8.76	0.00	0.00
10083	YF	988	82	09/05/91	1.117	0.00	51.80	0.00	0.00
10084	JE	980	82	09/05/91	0.792	0.00	30.20	0.00	0.00
10084	PT	993	82	09/05/91	0.662	0.00	13.70	0.00	0.00
10084	SF	991	82	09/05/91	0.752	0.00	16.60	0.00	0.00
10084	VE	960	82	09/06/91	1.005	0.00	13.30	0.00	0.00
10084	VV	1ZQ	82	11/07/91	1.538	0.00	5.09	0.00	0.00
10084	YF	989	82	09/05/91	1.046	0.00	2.25	0.00	0.00
10085	JE	980	82	09/05/91	0.792	0.00	28.20	0.00	0.11
10085	PT	993	82	09/05/91	0.662	0.00	17.10	0.00 >	0.03
10085	SF	991	82	09/05/91	0.752	0.00	12.10	0.00	0.00
10085	VE	960	82	09/06/91	1.005	0.00	18.00	0.00	0.00
10085	VV	1W1	82	10/09/91	1.450	0.00	10.90	0.00	0.00
10085	YF	989	82	09/05/91	1.046	0.00	21.30	0.00 >	0.97
10086	JE	98P	82	09/05/91	0.883	0.00	27.70	0.00 >	0.23
10086	PT	994	82	09/05/91	0.630	0.00	15.80	0.00	0.00
10086	SF	99J	82	09/05/91	0.764	0.00	14.50	0.00	0.00
10086	VE	96P	82	09/06/91	1.100	0.00	21.00	0.00	0.00
10086	VV	1W1	82	10/09/91	1.450	0.00	15.80	0.00	0.00
10086	YF	98A	82	09/05/91	1.199	0.00	17.00	0.00	0.00
10087	JE	98P	82	09/05/91	0.883	0.00	18.00	0.00 >	0.13
10087	PT	994	82	09/05/91	0.630	0.00	13.10	0.00	0.00
10087	SF	99J	82	09/05/91	0.764	0.00	7.81	0.00	0.00
10087	VE	96P	82	09/06/91	1.100	0.00	15.90	0.00	0.00
10087	VV	1W2	82	10/09/91	1.455	0.00	6.60	0.00	0.00
10087	YF	98A	82	09/05/91	1.199	0.00	14.60	0.00	0.00
10088	JE	980	82	09/05/91	0.762	0.00	23.50	0.00 >	2.00
10088	PT	995	82	09/05/91	0.639	0.00	15.10	0.00	0.00
10088	SF	99K	82	09/05/91	0.766	0.00	17.30	0.00	0.00
10088	VE	960	82	09/06/91	0.841	0.00	29.60	0.00	0.00
10088	VV	1W2	82	10/09/91	1.455	0.00	6.95	0.00	0.00
10088	YF	988	82	09/05/91	1.007	0.00	21.70	0.00 >	0.80
10089	JE	980	82	09/05/91	0.762	0.00	267.00	0.00 >	3.49
10089	PT	995	82	09/05/91	0.639	0.00	204.00	0.00	0.00
10089	SF	99K	82	09/05/91	0.766	0.00	186.00	0.00	0.00
10089	VE	960	82	09/06/91	0.841	0.00 >	320.00	0.00	0.00
10089	VV	1W3	82	10/09/91	1.444	0.00	55.80	0.00	0.00
10089	YF	988	82	09/05/91	1.007	0.00	180.00	0.00	0.00
10090	JE	98R	82	09/05/91	0.752	0.00	283.00	0.00 >	1.16
10090	PT	996	82	09/05/91	0.590	0.00	210.00	0.00	0.00
10090	SF	99L	82	09/05/91	0.819	0.00	208.00	0.00	0.00
10090	VE	96R	82	09/06/91	1.065	0.00	272.00	0.00	0.00
10090	VV	1W3	82	10/09/91	1.444	0.00	46.90	0.00	0.00
10090	YF	98C	82	09/05/91	1.101	0.00	172.00	0.00 >	0.02
10091	JE	98R	82	09/05/91	0.752	0.00 >	320.00	0.00 >	1.40
10091	PT	996	82	09/05/91	0.590	0.00 >	320.00	0.00 >	0.04
10091	SF	99L	82	09/05/91	0.819	0.00	218.00	0.00	0.00
10091	VE	96R	82	09/06/91	1.065	0.00 >	320.00	0.00	0.00
10091	VV	1W4	82	10/09/91	1.538	0.00	59.20	0.00 >	0.03
10091	YF	98C	82	09/05/91	1.101	0.00	262.00	0.00	0.00
10092	JE	98S	82	09/05/91	0.781	0.00	152.00	0.00	0.23
10092	PT	997	82	09/05/91	0.501	0.00	153.00	0.00	0.00
10092	SF	99M	82	09/05/91	0.748	0.00	106.00	0.00	0.00
10092	VE	96S	82	09/06/91	1.055	0.00	201.00	0.00	0.00
10092	VV	1W4	82	10/09/91	1.538	0.00	26.80	0.00	0.00
10092	YF	98D	82	09/05/91	0.993	0.00	133.00	0.00	0.14
10093	JE	98S	82	09/05/91	0.781	0.00	182.00	0.00 >	0.47
10093	PT	997	82	09/05/91	0.501	0.00	88.70	0.00	0.00
10093	SF	99M	82	09/05/91	0.748	0.00	22.60	0.00	0.00
10093	VE	96S	82	09/06/91	1.055	0.00	72.80	0.00	0.00
10093	VV	1ZR	82	11/07/91	1.514	0.00	6.84	0.00	0.00
10093	YF	98D	82	09/05/91	0.993	0.00	122.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10094	JE	98T	82	09/05/91	0.802	0.00	161.00	0.00	0.00
10094	PT	998	82	09/05/91	0.700	0.00	119.00	0.00	0.00
10094	SF	99N	82	09/05/91	0.784	0.00	66.00	0.00	0.00
10094	VE	96T	82	09/06/91	1.055	0.00	141.00	0.00	0.00
10094	VV	1W5	82	10/09/91	1.469	0.00	40.70	0.00	0.00
10094	YF	98E	82	09/05/91	1.071	0.00	125.00	0.00	1.02
10095	JE	98T	82	09/05/91	0.802	0.00	155.00	0.00 >	0.02
10095	PT	998	82	09/05/91	0.700	0.00	140.00	0.00	0.00
10095	SF	99N	82	09/05/91	0.784	0.00	143.00	0.00	0.23
10095	VE	96T	82	09/06/91	1.055	0.00	171.00	0.00	0.00
10095	VV	1W6	82	10/09/91	1.453	0.00	47.50	0.00	0.41
10095	YF	98E	82	09/05/91	1.071	0.00	155.00	0.00	0.63
10096	JE	98U	82	09/05/91	0.792	0.00	120.00	0.00 >	0.10
10096	PT	999	82	09/05/91	0.614	0.00	93.80	0.00 >	0.23
10096	SF	990	82	09/05/91	0.820	0.00	49.50	0.00	0.00
10096	VE	96U	82	09/06/91	0.998	0.00	141.00	0.00	0.00
10096	VV	1W6	82	10/09/91	1.453	0.00	19.70	0.00	0.00
10096	YF	98F	82	09/05/91	0.991	0.00	88.70	0.00 >	0.80
10097	JE	98U	82	09/05/91	0.792	0.00	64.10	0.00 >	0.08
10097	PT	999	82	09/05/91	0.614	0.00	48.40	0.00	2.79
10097	SF	990	82	09/05/91	0.820	0.00	37.80	0.00	0.00
10097	VE	96U	82	09/06/91	0.998	0.00	63.40	0.00	0.11
10097	VV	1W7	82	10/09/91	1.428	0.00	21.80	0.00	0.21
10097	YF	98F	82	09/05/91	0.991	0.00	55.10	0.00 >	0.48
10098	JE	98J	82	09/10/91	0.830	0.00	114.00	0.00	0.00
10098	PT	9CF	82	09/10/91	0.548	0.00	165.00	0.00	0.00
10098	SF	A22	82	09/27/91	0.563	0.00	14.90	0.00	0.00
10098	VE	98Z	82	09/13/91	1.158	0.00	1.00	0.00	0.00
10098	VV	1W7	82	10/09/91	1.428	0.00	7.45	0.00	0.00
10098	YF	983	82	09/10/91	0.946	0.00	183.00	0.00	0.00
10099	JE	98J	82	09/10/91	0.830	0.00	151.00	0.00	0.00
10099	PT	9CF	82	09/10/91	0.548	0.00	96.60	0.00 >	0.39
10099	SF	A22	82	09/27/91	0.563	0.00	9.68	0.00	0.00
10099	VE	98Z	82	09/13/91	1.158	0.00	15.50	0.00	0.00
10099	VV	1W8	82	10/09/91	1.418	0.00	9.18	0.00	0.00
10099	YF	983	82	09/10/91	0.946	0.00	219.00	0.00	0.00
10100	JE	98K	82	09/10/91	0.765	0.00	247.00	0.00	0.00
10100	PT	9CG	82	09/10/91	0.587	0.00	189.00	0.00	0.00
10100	SF	A23	82	09/27/91	0.592	0.00	21.00	0.00	0.00
10100	VE	9C0	82	09/13/91	1.165	0.00	0.96	0.00	0.00
10100	VV	1W8	82	10/09/91	1.418	0.00	10.00	0.00	0.00
10100	YF	984	82	09/10/91	0.995	0.00	181.00	0.00	0.00
10101	JE	98K	82	09/10/91	0.765	0.00 >	320.00	0.00	0.00
10101	PT	9CG	82	09/10/91	0.587	0.00	204.00	0.00	0.00
10101	SF	A23	82	09/27/91	0.592	0.00	184.00	0.00	0.00
10101	VE	9C0	82	09/13/91	1.165	0.00	92.00	0.00	0.00
10101	VV	1W9	82	10/09/91	1.471	0.00	15.50	0.00	0.00
10101	YF	984	82	09/10/91	0.995	0.00	265.00	0.00	0.00
10102	JE	98L	82	09/10/91	0.795	0.00	112.00	0.00	0.00
10102	PT	9CN	82	09/10/91	0.532	0.00	139.00	0.00	3.39
10102	SF	A24	82	09/27/91	0.585	0.00	77.30	0.00	0.00
10102	VE	9C1	82	09/13/91	1.146	0.00 >	320.00	0.00 >	0.16
10102	VV	1WC	82	10/10/91	1.362	0.00	62.20	0.00	0.72
10102	YF	985	82	09/10/91	0.918	0.00	94.30	0.00	0.00
10103	JE	98L	82	09/10/91	0.795	0.00 >	320.00	0.00	0.00
10103	PT	9CN	82	09/10/91	0.532	0.00 >	320.00	0.00 >	5.39
10103	SF	A24	82	09/27/91	0.585	0.00	304.00	0.00	0.00
10103	VE	9C1	82	09/13/91	1.146	0.00 >	320.00	0.00	0.00
10103	VV	1WD	82	10/10/91	1.567	0.00	61.10	0.00	0.00
10103	YF	985	82	09/10/91	0.918	0.00 >	320.00	0.00 >	0.01
10104	JE	98N	82	09/10/91	0.838	0.00	51.70	0.00	0.00
10104	PT	9CI	82	09/10/91	0.381	0.00	55.60	0.00	2.20
10104	SF	A25	82	09/27/91	0.568	0.00	41.40	0.00	0.00
10104	VE	9C2	82	09/13/91	1.147	0.00	43.50	0.00	0.00
10104	VV	1WD	82	10/10/91	1.567	0.00	8.69	0.00 >	0.06
10104	YF	986	82	09/10/91	1.041	0.00	25.20	0.00	0.00
10105	JE	98N	82	09/10/91	0.838	0.00 >	320.00	0.00	0.00
10105	PT	9CI	82	09/10/91	0.381	0.00	301.00	0.00	0.00
10105	SF	A25	82	09/27/91	0.568	0.00	196.00	0.00	0.00
10105	VE	9C2	82	09/13/91	1.147	0.00	181.00	0.00	0.00
10105	VV	1WE	82	10/10/91	1.560	0.00	29.60	0.00	0.00
10105	YF	986	82	09/10/91	1.041	0.00 >	320.00	0.00	0.00
10106	JE	98N	82	09/10/91	0.844	0.00 >	320.00	0.00	0.00
10106	PT	9CJ	82	09/10/91	0.427	0.00 >	320.00	0.00	2.99

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10106	SF	A26	82	09/27/91	0.476	0.00 >	320.00	0.00	0.00
10106	VE	9C3	82	09/13/91	1.177	0.00 >	320.00	0.00	0.00
10106	VV	1WE	82	10/10/91	1.560	0.00	50.10	0.00	0.00
10106	YF	987	82	09/10/91	1.100	0.00 >	320.00	0.00 >	0.01
10107	JE	98N	82	09/10/91	0.844	0.00 >	320.00	0.00	0.00
10107	PT	9CJ	82	09/10/91	0.427	0.00 >	320.00	0.00	0.00
10107	SF	A26	82	09/27/91	0.476	0.00	244.00	0.00 >	0.41
10107	VE	9C3	82	09/13/91	1.177	0.00 >	320.00	0.00	0.00
10107	VV	1WF	82	10/10/91	1.389	0.00	70.30	0.00	0.00
10107	YF	987	82	09/10/91	1.100	0.00 >	320.00	0.00	0.00
10108	JE	980	82	09/10/91	0.639	0.00 >	320.00	0.00	0.00
10108	PT	9CK	82	09/10/91	0.556	0.00	183.00	0.00	0.00
10108	SF	A27	82	09/27/91	0.472	0.00	9.50	0.00	0.00
10108	VE	9C4	82	09/13/91	0.944	0.00	69.80	0.00	0.00
10108	VV	1WF	82	10/10/91	1.389	0.00	22.00	0.00	0.00
10108	YF	988	82	09/10/91	0.791	0.00	310.00	0.00	0.00
10109	JE	980	82	09/10/91	0.639	0.00 >	320.00	0.00 >	0.30
10109	PT	9CK	82	09/10/91	0.556	0.00 >	320.00	0.00	2.20
10109	SF	A27	82	09/27/91	0.472	0.00	307.00	0.00	0.00
10109	VE	9C4	82	09/13/91	0.944	0.00 >	320.00	0.00	0.00
10109	VV	1WG	82	10/10/91	1.457	0.00	68.40	0.00	0.00
10109	YF	988	82	09/10/91	0.791	0.00 >	320.00	0.00	0.00
10110	JE	98P	82	09/10/91	0.766	0.00 >	320.00	0.00 >	0.24
10110	PT	9CL	82	09/10/91	0.537	0.00 >	320.00	0.00	0.00
10110	SF	A28	82	09/27/91	0.515	0.00 >	320.00	0.00	0.00
10110	VE	9C5	82	09/13/91	1.142	0.00 >	320.00	0.00	0.08
10110	VV	1WG	82	10/10/91	1.457	0.00	159.00	0.00	0.00
10110	YF	989	82	09/10/91	0.870	0.00 >	320.00	0.00 >	4.84
10111	JE	98P	82	09/10/91	0.766	0.00 >	320.00	0.00 >	0.28
10111	PT	9CL	82	09/10/91	0.537	0.00	217.00	0.00	0.26
10111	SF	A28	82	09/27/91	0.515	0.00	276.00	0.00	0.00
10111	VE	9C5	82	09/13/91	1.142	0.00	262.00	0.00	0.00
10111	VV	1WH	82	10/10/91	1.531	0.00	50.30	0.00	0.00
10111	YF	989	82	09/10/91	0.870	0.00	283.00	0.00 >	0.30
10112	JE	980	82	09/10/91	0.634	0.00 >	320.00	0.00 >	0.39
10112	PT	9CH	82	09/10/91	0.514	0.00	238.00	0.00	0.00
10112	SF	A29	82	09/27/91	0.542	0.00	185.00	0.00	0.00
10112	VE	9C6	82	09/13/91	1.106	0.00	117.00	0.00	0.00
10112	VV	1WH	82	10/10/91	1.531	0.00	59.50	0.00 >	0.10
10112	YF	98A	82	09/10/91	0.888	0.00	296.00	0.00	0.95
10113	JE	980	82	09/10/91	0.634	0.00	283.00	0.00 >	3.80
10113	PT	9CH	82	09/10/91	0.514	0.00	225.00	0.00	0.74
10113	SF	A29	82	09/27/91	0.542	0.00	100.00	0.00	0.00
10113	VE	9C6	82	09/13/91	1.106	0.00	88.70	0.00 >	0.60
10113	VV	1WI	82	10/10/91	1.439	0.00	5.47	0.00	0.00
10113	YF	98A	82	09/10/91	0.888	0.00	245.00	0.00	0.15
10114	JE	98R	82	09/10/91	0.608	0.00 >	320.00	0.00	0.00
10114	PT	9CN	82	09/10/91	0.460	0.00	272.00	0.00	5.39
10114	SF	A2A	82	09/27/91	0.579	0.00	190.00	0.00	0.00
10114	VE	9C7	82	09/13/91	1.084	0.00	128.00	0.00	0.00
10114	VV	1WI	82	10/10/91	1.439	0.00	5.60	0.00	0.00
10114	YF	988	82	09/10/91	0.988	0.00	247.00	0.00 >	0.10
10115	JE	98R	82	09/10/91	0.608	0.00	139.00	0.00 >	0.20
10115	PT	9CN	82	09/10/91	0.460	0.00	85.10	0.00	0.80
10115	SF	A2A	82	09/27/91	0.579	0.00	40.00	0.00	0.00
10115	VE	9C7	82	09/13/91	1.084	0.00	61.90	0.00	0.00
10115	VV	1WJ	82	10/10/91	1.617	0.00	3.67	0.00	0.00
10115	YF	988	82	09/10/91	0.988	0.00	153.00	0.00 >	0.20
10116	JE	98S	82	09/10/91	0.711	0.00	66.00	0.00 >	0.30
10116	PT	9C0	82	09/10/91	0.570	0.00	73.50	0.00	0.00
10116	SF	A2B	82	09/27/91	0.615	0.00	44.20	0.00	0.00
10116	VE	9C8	82	09/13/91	1.236	0.00	50.70	0.00	0.00
10116	VV	1WJ	82	10/10/91	1.617	0.00	3.20	0.00	0.00
10116	YF	98C	82	09/10/91	0.971	0.00	71.50	0.00	0.00
10117	JE	98S	82	09/10/91	0.711	0.00	95.00	0.00 >	0.30
10117	PT	9C0	82	09/10/91	0.570	0.00	163.00	0.00	0.00
10117	SF	A2B	82	09/27/91	0.615	0.00	111.00	0.00	0.00
10117	VE	9C8	82	09/13/91	1.236	0.00	78.20	0.00	0.00
10117	VV	1WK	82	10/10/91	1.668	0.00	3.20	0.00	0.00
10117	YF	98C	82	09/10/91	0.971	0.00	169.00	0.00	0.00
10118	JE	98T	82	09/10/91	0.733	0.00	162.00	0.00	0.00
10118	PT	9CP	82	09/10/91	0.512	0.00	172.00	0.00	0.00
10118	SF	A2C	82	09/27/91	0.582	0.00	91.50	0.00	0.00
10118	VE	9C9	82	09/13/91	1.157	0.00	93.80	0.00 >	0.03

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10118	VV	1WK	82	10/10/91	1.668	0.00	3.44	0.00	0.00
10118	YF	98D	82	09/10/91	1.041	0.00	191.00	0.00	0.00
10119	JE	98T	82	09/10/91	0.733	0.00	88.20	0.00	0.00
10119	PT	9CP	82	09/10/91	0.512	0.00	61.10	0.00	0.00
10119	SF	A2C	82	09/27/91	0.582	0.00	0.93	0.00	0.00
10119	VE	9C9	82	09/13/91	1.157	0.00	36.30	0.00	0.00
10119	VV	1WL	82	10/10/91	1.528	0.00	3.08	0.00	0.00
10119	YF	98D	82	09/10/91	1.041	0.00	46.90	0.00	0.00
10120	JE	98U	82	09/10/91	0.784	0.00	49.00	0.00 >	0.09
10120	PT	9CQ	82	09/10/91	0.338	0.00	23.00	0.00	0.00
10120	SF	A2D	82	09/27/91	0 570	0.00	33.90	0.00	0.00
10120	VE	9CA	82	09/13/91	1.178	0.00	20.00	0.00	0.00
10120	VV	1WL	82	10/10/91	1.528	0.00	3.72	0.00	0.00
10120	YF	98E	82	09/10/91	1.024	0.00	26.50	0.00 >	0.04
10121	JE	98U	82	09/10/91	0.784	0.00	43.80	0.00 >	0.30
10121	PT	9CQ	82	09/10/91	0.338	0.00	55.00	0.00	0.00
10121	SF	A2D	82	09/27/91	0.570	0.00	23.40	0.00	0.00
10121	VE	9CA	82	09/13/91	1.178	0.00	32.00	0.00	0.05
10121	VV	1WN	82	10/10/91	1.472	0.00	4.26	0.00	0.00
10121	YF	98E	82	09/10/91	1.024	0.00	19.40	0.00	0.00
10122	JE	98V	82	09/10/91	0.770	0.00 >	320.00	0.00	0.00
10122	PT	9CR	82	09/10/91	0.490	0.00 >	320.00	0.00	2.20
10122	SF	A2E	82	09/27/91	0.480	0.00 >	320.00	0.00	0.00
10122	VE	9CB	82	09/13/91	' 215	0.00 >	320.00	0.00	0.00
10122	VV	1WN	82	10/10/91	1.472	0.00	5.92	0.00	0.00
10122	YF	98F	20	09/10/91	0.968	0.00 >	320.00	0.00 >	0.18
10123	JE	900	82	09/11/91	0.652	0.00 >	320.00	0.00 >	0.20
10123	PT	9EK	82	09/12/91	0.660	0.00	214.00	0.00	0.00
10123	SF	9F0	82	09/12/91	0.570	0.00	158.00	0.00	0.00
10123	VE	9E4	82	09/13/91	1.068	0.00 >	320.00	0.00	0.00
10123	VV	1WN	82	10/10/91	1.503	0.00	4.90	0.00	0.00
10123	YF	908	82	09/10/91	1.074	0.00 >	320.00	0.00	0.00
10124	JE	90P	82	09/11/91	0.740	0.00 >	320.00	0.00 >	0.43
10124	PT	9EL	82	09/12/91	0.613	0.00 >	320.00	0.00	0.00
10124	SF	9F1	82	09/12/91	0.590	0.00	277.00	0.00	0.80
10124	VE	9E5	82	09/13/91	1.128	0.00	280.00	0.00	0.00
10124	VV	1WN	82	10/10/91	1.503	0.00	67.30	0.00	0.00
10124	YF	909	82	09/10/91	1.142	0.00 >	320.00	0.00	0.00
10125	JE	90P	82	09/11/91	0.740	0.00	4.53	0.00	0.00
10125	PT	9EL	82	09/12/9'	0.613	0.00	2.65	0.00	0.00
10125	SF	9F1	82	09/12/91	0.590	0.00	1.81	0.00	0.00
10125	VE	9E5	82	09/1 /91	1.128	0.00	2.71	0.00	0.00
10125	VV	1WO	82	10/ 0/91	1.513	0.00	1.65	0.00	0.00
10125	YF	909	82	0 10/91	1.142	0.00	1.91	0.00	0.00
10126	JE	90Q	82	09/11/91	0.758	0.00	228.00	0.00	0.03
10126	PT	9EM	82	09/12/91	0.623	0.00	188.00	0.00	0.00
10126	SF	9F2	82	09/12/91	0.629	0.00	182.00	0.00	0.00
10126	VE	9E6	82	09/13/91	1.207	0.00	207.00	0.00	0.00
10126	VV	1WO	82	10/10/91	1.513	0.00	49.40	0.00	0.00
10126	YF	90A	82	09/10/91	1.114	0.00	225.00	0.00	0.00
10127	JE	90Q	82	09/11/91	0.758	0.00	241.00	0.00	1.34
10127	PT	9EM	82	09/12/91	0.623	0.00	247.00	0.00	0.00
10127	SF	9F2	82	09/12/91	0.629	0.00	161.00	0.00	0.00
10127	VE	9E6	82	09/13/91	1.207	0.00	146.00	0.00	0.00
10127	VV	1WP	82	10/10/91	1.517	0.00	9.70	0.00	0.00
10127	YF	90A	82	09/10/91	1.114	0.00	262.00	0.00	0.00
10128	JE	90R	82	09/11/91	0.820	0.00	3.20	0.00	0.00
10128	PT	9EN	82	09/12/91	0.621	0.00	6.47	0.00	0.00
10128	SF	9F3	82	09/12/91	0.809	0.00	3.02	0.00 >	6.27
10128	VE	9E7	82	09/13/91	1.106	0.00	149.00	0.00	0.00
10128	VV	1ZV	82	11/07/91	1.518	0.00	13.90	0.00	3.45
10128	YF	90B	82	09/10/91	1.072	0.00	7.01	0.00 >	0.62
10129	JE	90R	82	09/11/91	0.820	0.00	13.50	0.00	0.00
10129	PT	9EN	82	09/12/91	0.621	0.00	10.00	0.00	0.00
10129	SF	9F3	82	09/12/91	0.809	0.00	9.48	0.00 >	1.14
10129	VE	9E7	82	09/13/91	1.106	0.00	26.00	0.00	0.00
10129	VV	1ZS	82	11/07/91	1.466	0.00	1.84	0.00	2.96
10129	YF	90B	82	09/10/91	1.072	0.00	14.10	0.00	0.00
10130	JE	90S	82	09/11/91	0.896	0.00	7.09	0.00	0.00
10130	PT	9EO	82	09/12/91	0.595	0.00	11.30	0.00	0.00
10130	SF	9F4	82	09/12/91	0.594	0.00	7.57	0.00 >	2.02
10130	VE	9E8	82	09/13/91	1.081	0.00	166.00	0.00	0.00
10130	VV	1WQ	82	10/10/91	1.562	28.10	19.90	0.71	7.18
10130	VV	1ZW	82	11/07/91	1.485	23.90	23.40	0.98 >	9.29

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10130	YF	9DC	82	09/10/91	1.137	0.00	5.92	0.00	0.00
10131	JE	9DS	82	09/11/91	0.896	0.00	176.00	0.00	0.00
10131	PT	9E0	82	09/12/91	0.595	0.00	212.00	0.00	0.00
10131	SF	9F4	82	09/12/91	0.594	0.00	169.00	0.00	0.00
10131	VE	9E8	82	09/13/91	1.081	0.00	231.00	0.00	0.00
10131	VV	1WR	82	10/10/91	1.626	0.00	68.80	0.00	1.20
10131	YF	9DC	82	09/10/91	1.137	0.00	231.00	0.00	0.00
10132	JE	9DT	82	09/11/91	0.765	0.00	138.00	0.00	0.00
10132	PT	9EP	82	09/12/91	0.648	0.00	133.00	0.00	0.00
10132	SF	9F5	82	09/12/91	0.658	0.00	117.00	0.00	0.00
10132	VE	9E9	82	09/13/91	1.142	0.00	194.00	0.00	0.00
10132	VV	1WR	82	10/10/91	1.626	0.00	68.40	0.00	1.84
10132	YF	9D0	82	09/10/91	1.132	0.00	172.00	0.00	0.00
10133	JE	9DT	82	09/11/91	0.765	0.00	167.00	0.00 >	1.02
10133	PT	9EP	82	09/12/91	0.648	0.00	134.00	0.00	0.00
10133	SF	9F5	82	09/12/91	0.658	0.00	86.40	0.00	0.00
10133	VE	9E9	82	09/13/91	1.142	0.00	128.00	0.00	0.00
10133	VV	1WS	82	10/10/91	1.599	0.00	24.70	0.00	0.00
10133	YF	9D0	82	09/10/91	1.132	0.00	86.40	0.00	0.11
10134	JE	9DU	82	09/11/91	0.820	0.00	3.11	0.00	0.00
10134	PT	9E0	82	09/12/91	0.616	0.00	10.80	0.00	0.00
10134	SF	9F6	82	09/12/91	0.526	0.00	6.03	0.00	0.47
10134	VE	9EA	82	09/13/91	1.161	0.00	143.00	0.00	0.00
10134	VV	1WS	82	10/10/91	1.599	26.20	29.30	1.12	6.95
10134	VV	1ZW	82	11/07/91	1.485	0.00	14.40	0.00	7.26
10134	YF	9DE	82	09/10/91	1.101	0.00	3.02	0.00	0.00
10135	JE	9DU	82	09/11/91	0.820	0.00	6.81	0.00	0.00
10135	PT	9E0	82	09/12/91	0.616	0.00	8.52	0.00	0.00
10135	SF	9F6	82	09/12/91	0.526	0.00	7.73	0.00	0.00
10135	VE	9EA	82	09/13/91	1.161	0.00	220.00	0.00	0.00
10135	VV	1WT	82	10/10/91	1.582	0.00	10.00	0.00	1.80
10135	YF	9DE	82	09/10/91	1.101	0.00	5.14	0.00 >	0.01
10136	JE	9DV	82	09/11/91	0.823	0.00	25.40	0.00	0.00
10136	PT	9ER	82	09/12/91	0.546	0.00	180.00	0.00	0.00
10136	SF	9F7	82	09/12/91	0.345	0.00	210.00	0.00	0.00
10136	VE	9EB	82	09/13/91	1.224	0.00	148.00	0.00	0.43
10136	VV	1WT	82	10/10/91	1.582	7.40	14.00	1.89	14.67
10136	VV	1ZX	82	11/07/91	1.335	11.20	20.60	1.83	14.28
10136	YF	9DF	82	09/10/91	1.166	0.00	144.00	0.00	0.00
10137	JE	9DV	82	09/11/91	0.823	0.00	8.30	0.00 >	0.02
10137	PT	9ER	82	09/12/91	0.546	0.00	6.29	0.00	0.00
10137	SF	9F7	82	09/12/91	0.345	0.00	8.25	0.00	0.00
10137	VE	9EB	82	09/13/91	1.224	0.00	21.60	0.00	0.04
10137	VV	1ZS	82	11/07/91	1.466	0.00	4.14	0.00	7.01
10137	YF	9DF	82	09/10/91	1.166	0.00	7.03	0.00	0.00
10138	JE	9DW	82	09/11/91	0.650	0.00	46.30	0.00	0.00
10138	PT	9ES	82	09/12/91	0.482	0.00	41.20	0.00	0.00
10138	SF	9F8	82	09/12/91	0.478	0.00	35.50	0.00	0.00
10138	VE	9EC	82	09/13/91	0.892	0.00	82.00	0.00	0.00
10138	VV	1WY	82	10/16/91	1.277	6.57	21.60	3.29	17.31
10138	VV	1ZX	82	11/07/91	1.335	8.41	25.80	3.07	17.59
10138	YF	9DG	82	09/10/91	0.931	0.00	48.30	0.00	0.00
10139	JE	9DW	82	09/11/91	0.650	0.00 >	320.00	0.00	0.11
10139	PT	9ES	82	09/12/91	0.482	0.00 >	320.00	0.00	0.00
10139	SF	9F8	82	09/12/91	0.478	0.00 >	320.00	0.00	0.00
10139	VE	9EC	82	09/13/91	0.892	0.00 >	320.00	0.00	0.23
10139	VV	1WZ	82	10/16/91	1.369	0.00	56.40	0.00	0.00
10139	YF	9DG	82	09/10/91	0.931	0.00 >	320.00	0.00 >	3.01
10140	JE	9DX	82	09/11/91	0.777	0.00 >	320.00	0.00	0.00
10140	PT	9ET	82	09/12/91	0.522	0.00 >	320.00	0.00	0.00
10140	SF	9F9	82	09/12/91	0.529	0.00 >	320.00	0.00	0.00
10140	VE	9ED	82	09/13/91	1.044	0.00 >	320.00	0.00 >	0.40
10140	VV	1WZ	82	10/16/91	1.369	0.00	196.00	0.00	0.00
10140	YF	9DH	82	09/10/91	1.011	0.00 >	320.00	0.00 >	3.23
10141	JE	9DX	82	09/11/91	0.777	0.00	156.00	0.00	0.00
10141	PT	9EU	82	09/12/91	0.506	0.00	189.00	0.00	0.00
10141	SF	9F9	82	09/12/91	0.529	0.00	124.00	0.00 >	3.37
10141	VE	9ED	82	09/13/91	1.044	0.00	121.00	0.00	0.43
10141	VV	1X0	82	10/16/91	1.355	0.00	32.00	0.00 >	0.21
10141	YF	9DH	82	09/10/91	1.011	0.00	170.00	0.00	0.00
10142	JE	9DY	82	09/11/91	0.793	0.00	200.00	0.00	0.00
10142	PT	9EU	82	09/12/91	0.506	0.00	277.00	0.00	0.00
10142	SF	9FA	82	09/12/91	0.540	0.00	156.00	0.00	0.00
10142	VE	9EE	82	09/13/91	1.078	0.00	228.00	0.00 >	0.48

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	TC 50	TC 25	SI	TAI
10142	VV	1X0	82	10/16/91	1.3[illegible]	0.00	64.10	0.00	0.00
10142	YF	9DI	82	09/10/91	1.054	0.00 >	320.00	0.00	0.12
10143	JE	9DY	82	09/11/91	0.793	0.00	54.70	0.00	0.00
10143	PT	9EV	82	09/12/91	0.460	0.00	31.20	0.00	0.00
10143	SF	9FA	82	09/12/91	0.540	0.00	58.60	0.00	0.00
10143	VE	9EE	82	09/13/91	1.078	0.00	77.30	0.00	0.52
10143	VV	1X1	82	10/16/91	1.323	0.00	9.15	0.00	0.00
10143	YF	9DI	82	09/10/91	1.054	0.00	64.00	0.00	0.00
10144	JE	9DZ	82	09/11/91	1.050	0.00	6.94	0.00	0.00
10144	PT	9EV	82	09/12/91	0.460	0.00	12.80	0.00	0.00
10144	SF	9FB	82	09/12/91	0.891	0.00	8.99	0.00 >	4.23
10144	VE	9EF	82	09/13/91	1.038	0.00	12.20	0.00 >	0.10
10144	VV	1X1	82	10/16/91	1.323	0.00	5.82	0.00 >	0.18
10144	YF	9DJ	82	09/10/91	1.183	0.00	7.88	0.00 >	0.41
10145	JE	9DZ	82	09/11/91	1.050	0.00	15.80	0.00 >	0.11
10145	PT	9EW	82	09/12/91	0.596	0.00	68.20	0.00	0.00
10145	SF	9FB	82	09/12/91	0.891	0.00	32.00	0.00 >	17.11
10145	VE	9EF	82	09/13/91	1.038	0 00	122.00	0.00 >	0.45
10145	VV	1X2	82	10/16/91	1.332	0.00	16.80	0.00	0.00
10145	YF	9DJ	82	09/10/91	1.183	0.00	26.30	0.00	1.84
10146	JE	9E0	82	09/11/91	0.870	0.00 >	320.00	0.00 >	0.90
10146	PT	9EW	82	09/12/91	0.596	0.00 >	320.00	0.00	1.50
10146	SF	9FC	82	09/12/91	0.603	0.00 >	320.00	0.00 >	2.42
10146	VE	9EG	82	09/13/91	1.104	0.00 >	320.00	0.00 >	5.85
10146	VV	1X2	82	10/16/91	1.332	0.00	262.00	0.00	0.00
10146	YF	9DK	82	09/10/91	1.018	0.00 >	320.00	0.00 >	0.60
10147	JE	9E0	82	09/11/91	0.870	0.00	63.70	0.00	0.17
10147	PT	9EX	82	09/12/91	0.598	0.00	66.00	0.00	0.00
10147	SF	9FC	82	09/12/91	0.603	0.00	56.30	0.00	4.24
10147	VE	9EG	82	09/13/91	1.104	0.00	71.50	0.00 >	0.81
10147	VV	1X3	82	10/16/91	1.335	0.00	21.20	0.00	2.56
10147	YF	9DK	82	09/10/91	1.018	0.00	62.00	0.00	0.00
10148	JE	9E1	82	09/11/91	0.832	0.00	10.00	0.00	0.00
10148	PT	9EX	82	09/12/91	0.598	0.00	15.00	0.00	0.00
10148	SF	9FD	82	09/12/91	0.578	5.17	15.50	3.00 >	18.85
10148	VE	9EH	82	09/13/91	1.160	0.00	15.50	0.00	0.10
10148	VV	1X3	82	10/16/91	1.335	0.00	4.14	0.00 >	1.66
10148	YF	9DL	82	09/10/91	1.073	0.00	15.60	0.00	0.00
10149	JE	9E1	82	09/11/91	0.832	0.00 >	320.00	0.00	0.00
10149	PT	9EY	82	09/12/91	0.479	0.00 >	320.00	0.00	0.00
10149	SF	9FD	82	09/12/91	0.578	0.00 >	320.00	0.00 >	0.10
10149	VE	9EH	82	09/13/91	1.160	0.00 >	320.00	0.00	0.11
10149	VV	1X4	82	10/16/91	1.292	0.00	68.30	0.00	0.00
10149	YF	9DL	82	09/10/91	1.073	0.00 >	320.00	0.00	0.00
10150	JE	9E2	82	09/11/91	0.863	0.00	14.80	0.00	0.00
10150	PT	9EY	82	09/12/91	0.479	0.00	49.00	0.00	0.00
10150	SF	9FE	82	09/12/91	0.550	11.80	49.00	4.14	25.63
10150	VE	9EI	82	09/13/91	1.148	0.00	25.80	0.00	0.00
10150	VV	1X4	82	10/16/91	1.292	0.00	4.14	0.00	0.00
10150	YF	9DM	82	09/10/91	1.004	0.00	48.10	0.00	0.98
10151	JE	9E2	82	09/11/91	0.863	0.00	15.00	0.00	0.00
10151	PT	9EZ	82	09/12/91	0.483	0.00	22.60	0.00	0.00
10151	SF	9FE	82	09/12/91	0.550	0.00	18.70	0.00	0.00
10151	VE	9EI	82	09/13/91	1.148	0.00	9.58	0.00	0.00
10151	VV	1X5	82	10/16/91	1.440	0.00	4.75	0.00	0.00
10151	YF	9DM	82	09/10/91	1.004	0.00	19.20	0.00	0.02
10152	JE	9E3	82	09/11/91	0.873	0.00	166.00	0.00 >	0.50
10152	PT	9EZ	82	09/12/91	0.483	0.00	137.00	0.00	0.00
10152	SF	9FF	82	09/12/91	0.559	0.00	145.00	0.00 >	1.80
10152	VE	9EJ	82	09/13/91	1.213	0.00	161.00	0.00	0.03
10152	VV	1X5	82	10/16/91	1.440	0.00	56.50	0.00	0.00
10152	YF	9DN	82	09/10/91	1.096	0.00	121.00	0.00	0.00
10153	JE	9GS	82	09/11/91	0.834	0.00	16.10	0.00	0.00
10153	PT	9H8	82	09/11/91	0.586	0.00	15.80	0.00	0.00
10153	SF	9HO	82	09/11/91	0.846	0.00	17.00	0.00	0.00
10153	VE	9FG	82	09/13/91	1.231	0.00	13.70	0.00	0.00
10153	VV	1X6	82	10/16/91	1.394	0.00	8.19	0.00	0.00
10153	YF	9GC	82	09/11/91	0.990	0.00	20.50	0.00	1.07
10154	JE	9GT	82	09/11/91	0.854	0.00	61.50	0.00 >	3.21
10154	PT	9H9	82	09/11/91	0.407	0.00	72.40	0.00	0.00
10154	SF	9HP	82	09/11/91	0.643	0.00	57.10	0.00	0.00
10154	VE	9FH	82	09/13/91	1.244	0.00	176.00	0.00	0.00
10154	VV	1X6	82	10/16/91	1.394	0.00	21.70	0.00 >	0.13
10154	YF	9GD	82	09/11/91	0.921	0.00	54.70	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10155	JE	9GT	82	09/11/91	0.854	0.00	273.00	0.00 >	4.41
10155	PT	9H9	82	09/11/91	0.407	0.00	7.28	0.00	0.00
10155	SF	9HP	82	09/11/91	0.643	0.00	229.00	0.00	0.00
10155	VE	9FN	82	09/13/91	1.244	0.00	212.00	0.00	0.20
10155	VV	1X7	82	10/16/91	1.380	0.00	32.00	0.00	0.00
10155	YF	9G[illegible]	82	09/11/91	0.921	0.00	148.00	0.00	0.00
10156	JE	9GU	82	09/11/91	0.901	0.00	45.60	0.00 >	1.01
10156	PT	9HA	82	09/11/91	0.592	0.00	76.60	0.00	0.00
10156	SF	9HQ	82	09/11/91	0.660	0.00	80.20	0.00	0.00
10156	VE	9FI	82	09/13/91	1.166	0.00	196.00	0.00 >	1.20
10156	VV	1X7	82	10/16/91	1.380	0.00	16.50	0.00	0.00
10156	YF	9GE	82	09/11/91	1.040	0.00	29.60	0.00	0.00
10157	JE	9GU	82	09/11/91	0.901	0.00	13.90	0.00 >	0.72
10157	PT	9HA	82	09/11/91	0.592	0.00	15.00	0.00	0.00
10157	SF	9HQ	82	09/11/91	0.660	0.00	4.90	0.00	0.00
10157	VE	9FI	82	09/13/91	1.166	0.00	5.53	0.00 >	0.20
10157	VV	1X8	82	10/16/91	1.178	0.00	4.63	0.00	0.00
10157	YF	9GE	82	09/11/91	1.040	0.00	13.50	0.00	0.00
10158	JE	9GV	82	09/11/91	0.805	0.00	15.20	0.00 >	0.30
10158	PT	9HB	82	09/11/91	0.720	0.00	14.60	0.00	0.00
10158	SF	9HR	82	09/11/91	0.914	0.00	12.60	0.00	0.00
10158	VE	9FJ	82	09/13/91	1.243	0.00	11.40	0.00 >	0.03
10158	VV	1ZZ	82	11/07/91	1.451	0.00	2.82	0.00	0.00
10158	YF	9GF	82	09/11/91	1.146	0.00	14.60	0.00	0.00
10159	JE	9GV	82	09/11/91	0.805	0.00	45.20	0.00 >	1.55
10159	PT	9HB	82	09/11/91	0.720	0.00	42.00	0.00	0.00
10159	SF	9HR	82	09/11/91	0.914	0.00	15.60	0.00	0.00
10159	VE	9FJ	82	09/13/91	1.243	0.00	15.50	0.00 >	0.62
10159	VV	1X9	82	10/16/91	1.433	0.00	14.50	0.00	0.00
10159	YF	9GF	82	09/11/91	1.146	0.00	36.30	0.00	0.00
10160	JE	9GW	82	09/11/91	0.838	0.00	161.00	0.00 >	0.32
10160	PT	9HC	82	09/11/91	0.612	0.00	232.00	0.00	0.00
10160	SF	9HS	82	09/11/91	0.788	0.00	88.00	0.00	0.00
10160	VE	9FK	82	09/13/91	1.214	0.00	138.00	0.00	0.00
10160	VV	1X9	82	10/16/91	1.433	0.00	26.50	0.00	0.00
10160	YF	9GG	82	09/11/91	1.098	0.00	178.00	0.00	0.00
10161	JE	9GW	82	09/11/91	0.838	0.00	129.00	0.00 >	0.60
10161	PT	9HC	82	09/11/91	0.612	0.00	138.00	0.00	0.00
10161	SF	9HS	82	09/11/91	0.788	0.00	111.00	0.00	0.00
10161	VE	9FK	82	09/13/91	1.214	0.00	92.70	0.00	0.00
10161	VV	1XA	82	10/16/91	1.430	0.00	47.30	0.00	0.00
10161	YF	9GG	82	09/11/91	1.098	0.00	154.00	0.00	0.01
10162	JE	9GX	82	09/11/91	0.875	0.00	179.00	0.00	0.00
10162	PT	9HD	82	09/11/91	0.650	0.00 >	320.00	0.00	0.00
10162	SF	9HT	82	09/11/91	0.792	0.00	154.00	0.00	0.00
10162	VE	9FL	82	09/13/91	1.163	0.00	212.00	0.00	0.40
10162	VV	1XA	82	10/16/91	1.430	0.00	44.70	0.00	0.00
10162	YF	9GH	82	09/11/91	1.105	0.00	183.00	0.00	0.00
10163	JE	9GX	82	09/11/91	0.875	0.00	5.67	0.00 >	0.06
10163	PT	9HD	82	09/11/91	0.650	0.00	4.94	0.00	0.00
10163	SF	9HT	82	09/11/91	0.792	0.00	3.93	0.00	0.00
10163	VE	9FL	82	09/13/91	1.163	0.00	41.70	0.00 >	0.20
10163	VV	1XB	82	10/16/91	1.417	0.00	2.22	0.00	0.00
10163	YF	9GH	82	09/11/91	1.105	0.00	7.14	0.00	0.00
10164	JE	9GY	82	09/11/91	0.814	0.00 >	320.00	0.00 >	0.20
10164	PT	9HE	82	09/11/91	0.651	0.00 >	320.00	0.00	0.00
10164	SF	9HU	82	09/11/91	0.758	216.00 >	320.00 >	1.48 >	15.00
10164	VE	9FM	82	09/13/91	1.171	0.00 >	320.00	0.00	0.00
10164	VV	1XB	82	10/16/91	1.417	58.90	72.40	1.23	9.94
10164	VV	1ZO	82	11/07/91	1.522	0.00	134.00	0.00	4.95
10164	YF	9GI	82	09/11/91	1.092	0.00 >	320.00	0.00	0.00
10165	JE	9GY	82	09/11/91	0.814	0.00	60.90	0.00	0.11
10165	PT	9HE	82	09/11/91	0.651	0.00	73.50	0.00	0.00
10165	SF	9HU	82	09/11/91	0.758	0.00	37.90	0.00	0.00
10165	VE	9FM	82	09/13/91	1.171	0.00	62.40	0.00	0.00
10165	VV	1XC	82	10/16/91	1.485	0.00	14.90	0.00 >	1.13
10165	YF	9GI	82	09/11/91	1.092	0.00	44.10	0.00	0.00
10166	JE	9GZ	82	09/11/91	0.913	0.00	43.60	0.00	0.00
10166	PT	9HF	82	09/11/91	0.749	0.00	65.30	0.00	0.00
10166	SF	9HV	82	09/11/91	0.744	0.00	23.40	0.00	0.00
10166	VE	9FN	82	09/13/91	1.227	0.00	74.50	0.00	0.33
10166	VV	1XC	82	10/16/91	1.485	0.00	28.70	0.00 >	0.15
10166	YF	9GJ	82	09/11/91	1.114	0.00	40.10	0.00	0.00
10167	JE	9GZ	82	09/11/91	0.913	0.00	39.60	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10167	PT	9HF	82	09/11/91	0.749	0.00	32.00	0.00	0.00
10167	SF	9HV	82	09/11/91	0.744	0.00	23.00	0.00	0.00
10167	VE	9FN	82	09/13/91	1.227	0.00	30.90	0.00	0.00
10167	VV	1XD	82	10/16/91	1.347	0.00	23.40	0.00	0.00
10167	YF	9GJ	82	09/11/91	1.114	0.00	36.10	0.00	0.00
10168	JE	9H0	82	09/11/91	0.771	0.00	28.00	0.00	0.00
10168	PT	9HG	82	09/11/91	0.760	0.00	45.60	0.00	0.00
10168	SF	9HW	82	09/11/91	0.814	0.00	9.38	0.00	0.00
10168	VE	9FO	82	09/13/91	1.104	0.00	23.50	0.00	0.00
10168	VV	1XD	82	10/16/91	1.347	311.00	8.68	0.03 >	0.20
10168	YF	9GK	82	09/11/91	1.052	0.00	66.00	0.00	0.00
10169	JE	9H0	82	09/11/91	0.771	0.00	93.20	0.00	0.00
10169	PT	9HG	82	09/11/91	0.760	0.00	30.80	0.00	0.00
10169	SF	9HW	82	09/11/91	0.814	0.00	46.30	0.00	0.00
10169	VE	9FO	82	09/13/91	1.104	0.00	31.20	0.00	0.00
10169	VV	1XE	82	10/16/91	1.419	0.00	9.68	0.00	0.00
10169	YF	9GK	82	09/11/91	1.052	0.00	129.00	0.00	0.00
10170	JE	9H1	82	09/11/91	0.824	0.00	105.00	0.00	0.00
10170	PT	9HH	82	09/11/91	0.659	0.00	105.00	0.00	0.00
10170	SF	9HX	82	09/11/91	0.742	0.00	29.80	0.00	0.00
10170	VE	9FP	82	09/13/91	1.209	0.00	73.60	0.00	0.00
10170	VV	1XE	82	10/16/91	1.419	0.00	32.00	0.00	0.00
10170	YF	9GL	82	09/11/91	1.112	0.00	83.00	0.00	0.00
10171	JE	9H1	82	09/11/91	0.824	0.00	90.30	0.00 >	0.20
10171	PT	9HH	82	09/11/91	0.659	0.00	29.40	0.00	0.00
10171	SF	9HX	82	09/11/91	0.742	0.00	26.90	0.00	0.00
10171	VE	9FP	82	09/13/91	1.209	0.00	22.20	0.00	0.00
10171	VV	1XF	82	10/16/91	1.450	0.00	21.50	0.00	0.00
10171	YF	9GL	82	09/11/91	1.112	0.00	27.60	0.00	0.00
10172	JE	9H2	82	09/11/91	0.895	0.00 >	320.00	0.00 >	0.71
10172	PT	9HI	82	09/11/91	0.682	0.00 >	320.00	0.00	0.00
10172	SF	9HY	82	09/11/91	0.687	0.00	108.00	0.00	0.06
10172	VE	9FQ	82	09/13/91	1.175	0.00 >	320.00	0.00	0.00
10172	VV	1XF	82	10/16/91	1.450	0.00	76.10	0.00	0.00
10172	YF	9GM	82	09/11/91	1.031	0.00 >	320.00	0.00	0.00
10173	JE	9H2	82	09/11/91	0.895	0.00	206.00	0.00	1.06
10173	PT	9HI	82	09/11/91	0.682	0.00	188.00	0.00	0.00
10173	SF	9HY	82	09/11/91	0.687	0.00	103.00	0.00	0.00
10173	VE	9FQ	82	09/13/91	1.175	0.00	249.00	0.00	0.52
10173	VV	1XG	82	10/16/91	1.484	0.00	29.50	0.00 >	0.03
10173	YF	9GM	82	09/11/91	1.031	0.00	133.00	0.00	0.00
10174	JE	9H3	82	09/11/91	0.822	0.00	147.00	0.00	0.00
10174	PT	9HJ	82	09/11/91	0.684	0.00	130.00	0.00	0.00
10174	SF	9HZ	82	09/11/91	0.748	0.00	49.70	0.00	0.00
10174	VE	9FR	82	09/13/91	1.114	0.00	54.70	0.00	0.00
10174	VV	1XJ	82	10/16/91	1.418	0.00	24.70	0.00	0.00
10174	YF	9GN	82	09/11/91	1.076	0.00	90.30	0.00	0.00
10175	JE	9H3	82	09/11/91	0.822	0.00	59.50	0.00	0.00
10175	PT	9HJ	82	09/11/91	0.684	0.00	68.20	0.00	0.00
10175	SF	9HZ	82	09/11/91	0.748	0.00	34.90	0.00	0.00
10175	VE	9FR	82	09/13/91	1.114	0.00	63.40	0.00	0.10
10175	VV	1XJ	82	10/17/91	1.507	0.00	20.20	0.00	0.00
10175	YF	9GN	82	09/11/91	1.076	0.00	57.50	0.00	0.00
10176	JE	9H4	82	09/11/91	0.877	0.00	104.00	0.00 >	1.36
10176	PT	9HK	82	09/11/91	0.713	0.00	107.00	0.00	0.00
10176	SF	910	82	09/11/91	0.742	0.00	64.20	0.00	0.20
10176	VE	9FS	82	09/13/91	1.199	0.00	60.30	0.00	0.00
10176	VV	1XN	82	10/17/91	1.512	0.00	13.00	0.00	0.00
10176	YF	9GO	82	09/11/91	1.050	0.00	107.00	0.00	0.00
10177	JE	9H4	82	09/11/91	0.877	0.00	11.70	0.00 >	0.31
10177	PT	9HK	82	09/11/91	0.713	0.00	10.00	0.00	0.00
10177	SF	910	82	09/11/91	0.742	0.00	14.50	0.00	0.00
10177	VE	9FS	82	09/13/91	1.199	0.00	18.60	0.00	0.00
10177	VV	1XN	82	10/17/91	1.512	0.00	10.40	0.00	0.01
10177	YF	9GO	82	09/11/91	1.050	0.00	13.70	0.00 >	1.60
10178	JE	9H5	82	09/11/91	0.867	0.00	15.50	0.00	0.00
10178	PT	9HL	82	09/11/91	0.645	0.00	32.00	0.00	0.00
10178	SF	911	82	09/11/91	0.805	0.00	7.85	0.00	0.00
10178	VE	9FT	82	09/13/91	1.154	0.00	42.20	0.00	0.00
10178	VV	1XO	82	10/17/91	1.572	0.00	14.20	0.00	0.00
10178	YF	9GP	82	09/11/91	1.017	0.00	9.09	0.00	0.00
10179	JE	9H5	82	09/11/91	0.867	0.00	126.00	0.00	0.00
10179	PT	9HL	82	09/11/91	0.645	0.00	119.00	0.00	0.00
10179	SF	911	82	09/11/91	0.805	0.00	79.60	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
10179	VE	9FT	82	09/13/91	1.154	0.00		85.10	0.00		0.00
10179	VV	1XO	82	10/17/91	1.572	0.00		17.30	0.00	>	0.04
10179	YF	9GP	82	09/11/91	1.017	0.00		107.00	0.00		0.00
10180	JE	9H6	82	09/11/91	0.796	0.00		200.00	0.00	>	0.13
10180	PT	9HM	82	09/11/91	0.760	0.00		172.00	0.00		0.00
10180	SF	912	82	09/11/91	0.726	0.00		165.00	0.00		0.00
10180	VE	9FU	82	09/13/91	1.149	0.00		200.00	0.00		0.00
10180	VV	1XP	82	10/17/91	1.524	0.00		47.90	0.00		0.00
10180	YF	9GQ	82	09/11/91	1.018	0.00		180.00	0.00		0.00
10181	JE	9H6	82	09/11/91	0.796	0.00		212.00	0.00		0.06
10181	PT	9HM	82	09/11/91	0.760	0.00		168.00	0.00		0.00
10181	SF	912	82	09/11/91	0.726	0.00		166.00	0.00		0.00
10181	VE	9FU	82	09/13/91	1.149	0.00		225.00	0.00		0.00
10181	VV	1XP	82	10/17/91	1.524	0.00		42.10	0.00		0.00
10181	YF	9GQ	82	09/11/91	1.018	0.00		195.00	0.00		0.00
10182	JE	9H7	82	09/11/91	0.830	0.00		176.00	0.00	>	0.30
10182	PT	9HN	82	09/11/91	0.777	0.00		179.00	0.00		0.00
10182	SF	913	82	09/11/91	0.744	0.00		161.00	0.00		0.13
10182	VE	9FV	82	09/13/91	1.260	0.00		202.00	0.00		0.00
10182	VV	1XQ	82	10/17/91	1.505	0.00		49.00	0.00		0.00
10182	YF	9GR	82	09/11/91	1.098	0.00		169.00	0.00		0.00
10183	JE	91K	82	09/12/91	1.004	0.00		165.00	0.00	>	1.07
10183	PT	9J0	82	09/12/91	0.675	0.00		181.00	0.00	>	0.60
10183	SF	9JG	82	09/12/91	0.686	0.00		111.00	0.00		0.00
10183	VE	9FW	82	09/13/91	1.217	0.00		222.00	0.00		0.00
10183	VV	1XQ	82	10/17/91	1.505	0.00		56.90	0.00		0.00
10183	YF	914	82	09/12/91	0.989	0.00		202.00	0.00		0.00
10184	JE	91L	82	09/12/91	0.928	0.00		166.00	0.00	>	2.94
10184	PT	9J1	82	09/12/91	0.836	0.00		127.00	0.00		0.00
10184	SF	9JH	82	09/12/91	0.725	0.00		147.00	0.00	>	0.31
10184	VE	9FX	82	09/13/91	1.230	0.00		207.00	0.00		0.00
10184	VV	1XR	82	10/17/91	1.564	0.00		60.80	0.00		0.00
10184	YF	915	82	09/12/91	1.005	0.00		178.00	0.00		0.00
10185	JE	91L	82	09/12/91	0.928	0.00		261.00	0.00	>	2.44
10185	PT	9J1	82	09/12/91	0.836	0.00		135.00	0.00		0.00
10185	SF	9JH	82	09/12/91	0.725	0.00		157.00	0.00	>	3.28
10185	VE	9FX	82	09/13/91	1.230	0.00	>	320.00	0.00		0.00
10185	VV	1XR	82	10/17/91	1.564	0.00		61.50	0.00		0.00
10185	YF	915	82	09/12/91	1.005	0.00		278.00	0.00		0.00
10186	JE	91M	82	09/12/91	0.974	0.00		10.70	0.00	>	0.64
10186	PT	9J2	82	09/12/91	0.879	0.00		10.00	0.00		0.00
10186	SF	9JI	82	09/12/91	0.587	0.00		6.18	0.00		0.00
10186	VE	9FY	82	09/13/91	1.242	0.00		6.53	0.00	>	0.20
10186	VV	1ZY	82	11/07/91	1.392	18.60		33.00	1.77		9.28
10186	YF	916	82	09/12/91	0.976	0.00		16.80	0.00		0.00
10187	JE	91M	82	09/12/91	0.974	0.00		112.00	0.00		0.00
10187	PT	9J2	82	09/12/91	0.879	0.00		91.50	0.00		0.00
10187	SF	9JI	82	09/12/91	0.587	0.00		110.00	0.00		0.00
10187	VE	9FY	82	09/13/91	1.242	0.00	>	320.00	0.00		0.13
10187	VV	1ZT	82	11/07/91	1.409	0.00		0.96	0.00		0.00
10187	YF	916	82	09/12/91	0.976	0.00		92.40	0.00		0.00
10188	JE	91N	82	09/12/91	1.062	0.00		62.20	0.00	>	1.21
10188	PT	9J3	82	09/12/91	0.898	0.00		66.00	0.00	>	0.91
10188	SF	9JJ	82	09/12/91	0.479	0.00		50.90	0.00		0.00
10188	VE	9FZ	82	09/13/91	1.258	0.00		179.00	0.00	>	0.10
10188	VV	1ZT	82	11/07/91	1.409	0.00		10.00	0.00	>	1.33
10188	YF	917	82	09/12/91	0.928	0.00		71.40	0.00		0.00
10189	JE	91N	82	09/12/91	1.062	0.00		10.00	0.00	>	0.04
10189	PT	9J3	82	09/12/91	0.898	0.00		24.70	0.00	>	0.23
10189	SF	9JJ	82	09/12/91	0.479	0.00		18.80	0.00		0.00
10189	VE	9FZ	82	09/13/91	1.258	0.00		89.10	0.00		0.00
10189	VV	1ZU	82	11/07/91	1.407	0.00		3.09	0.00	>	0.21
10189	YF	917	82	09/12/91	0.928	0.00		23.20	0.00		0.00
10190	JE	910	82	09/12/91	0.852	0.00		21.00	0.00		0.00
10190	PT	9J4	82	09/12/91	0.833	0.00		23.80	0.00	>	2.66
10190	SF	9JK	82	09/12/91	0.643	0.00		22.40	0.00		8.17
10190	VE	9G0	82	09/13/91	1.238	0.00		24.50	0.00		0.10
10190	VV	1XU	82	10/17/91	1.591	0.00		7.49	0.00		0.00
10190	YF	918	82	09/12/91	1.086	0.00		13.30	0.00	>	0.09
10191	JE	910	82	09/12/91	0.852	0.00		34.70	0.00		0.00
10191	PT	9J4	82	09/12/91	0.833	0.00		6.60	0.00		0.00
10191	SF	9JK	82	09/12/91	0.643	0.00		12.20	0.00		0.00
10191	VE	9G0	82	09/13/91	1.238	0.00	>	320.00	0.00	>	0.01
10191	VV	1ZU	82	11/07/91	1.407	0.00		2.01	0.00		0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10191	YF	9I8	82	09/12/91	1.086	0.00	21.00	0.00	0.00
10192	JE	9IP	82	09/12/91	0.936	0.00	43.00	0.00	0.00
10192	PT	9J5	82	09/12/91	0.894	0.00	21.00	0.00	0.02
10192	SF	9JL	82	09/12/91	0.626	0.00	18.00	0.00	0.00
10192	VE	9G1	82	09/13/91	1.214	0.00	73.80	0.00	0.22
10192	VV	1XV	82	10/17/91	1.539	0.00	10.00	0.00	0.40
10192	YF	9I9	82	09/12/91	1.008	0.00	32.00	0.00 >	1.72
10193	JE	9IP	82	09/12/91	0.936	0.00	8.30	0.00	0.00
10193	PT	9J5	82	09/12/91	0.894	0.00	7.57	0.00	0.00
10193	SF	9JL	82	09/12/91	0.624	0.00	10.00	0.00	0.00
10193	VE	9G1	82	09/13/91	1.214	0.00	12.20	0.00	0.00
10193	VV	1ZV	82	11/07/91	1.518	0.00 >	32.00	0.00	0.00
10193	YF	9I9	82	09/12/91	1.008	0.00	12.30	0.00	0.00
10194	JE	9IQ	82	09/12/91	0.933	0.00	74.90	0.00	0.00
10194	PT	9J6	82	09/12/91	0.876	0.00	57.50	0.00	0.00
10194	SF	9JM	82	09/12/91	0.623	0.00	44.40	0.00	0.00
10194	VE	9G2	82	09/13/91	1.260	0.00	69.10	0.00	0.00
10194	YF	9IA	82	09/12/91	1.019	0.00	68.30	0.00	0.00
10195	JE	9IQ	82	09/12/91	0.933	0.00	95.80	0.00	0.00
10195	PT	9J6	82	09/12/91	0.876	0.00	88.00	0.00 >	0.04
10195	SF	9JM	82	09/12/91	0.623	0.00	45.90	0.00	0.00
10195	VE	9G2	82	09/13/91	1.260	0.00	100.00	0.00	0.00
10195	VV	1XW	82	10/17/91	1.638	0.00	30.00	0.00	0.00
10195	YF	9IA	82	09/12/91	1.019	0.00	56.70	0.00	0.00
10196	JE	9IR	82	09/12/91	0.932	0.00	6.08	0.00	0.00
10196	PT	9J7	82	09/12/91	0.801	0.00	4.11	0.00	0.00
10196	SF	9JN	82	09/12/91	0.662	0.00	2.24	0.00	0.00
10196	VE	9G3	82	09/13/91	1.223	0.00	4.21	0.00	0.00
10196	VV	200	82	11/07/91	1.467	0.00	1.88	0.00	0.00
10196	YF	9IB	82	09/12/91	1.038	0.00	6.01	0.00	0.00
10197	JE	9IR	82	09/12/91	0.932	0.00	86.40	0.00 >	0.05
10197	PT	9J7	82	09/12/91	0.801	0.00	108.00	0.00 >	0.62
10197	SF	9JN	82	09/12/91	0.662	0.00	22.60	0.00	0.00
10197	VE	9G3	82	09/13/91	1.223	0.00	110.00	0.00	0.11
10197	VV	1XX	82	10/17/91	1.566	0.00	3.20	0.00	0.00
10197	YF	9IB	82	09/12/91	1.038	0.00	56.30	0.00	0.00
10198	JE	9IS	82	09/12/91	1.016	0.00	124.00	0.00	0.00
10198	PT	9J8	82	09/12/91	0.690	0.00	134.00	0.00	0.00
10198	SF	9JO	82	09/12/91	0.603	0.00	68.80	0.00	0.00
10198	VE	9G4	82	09/13/91	1.222	0.00	153.00	0.00 >	0.23
10198	VV	1XY	82	10/17/91	1.601	0.00	25.90	0.00	0.00
10198	YF	9IC	82	09/12/91	0.950	0.00	104.00	0.00	0.00
10199	JE	9IS	82	09/12/91	1.016	0.00	3.51	0.00	0.00
10199	PT	9J8	82	09/12/91	0.690	0.00	5.29	0.00	0.00
10199	SF	9JO	82	09/12/91	0.603	0.00	3.20	0.00	0.00
10199	VE	9G4	82	09/13/91	1.222	0.00	7.00	0.00	0.14
10199	VV	200	82	11/07/91	1.467	0.00	2.19	0.00 >	2.74
10199	YF	9IC	82	09/12/91	0.950	0.00	5.52	0.00 >	0.10
10200	JE	9IT	82	09/12/91	0.904	0.00	122.00	0.00 >	0.10
10200	PT	9J9	82	09/12/91	0.713	0.00	103.00	0.00	0.00
10200	SF	9JP	82	09/12/91	0.627	0.00	114.00	0.00	0.00
10200	VE	9G5	82	09/13/91	1.169	0.00	152.00	0.00	0.00
10200	VV	1XZ	82	10/17/91	1.621	0.00	33.40	0.00	0.00
10200	YF	9ID	82	09/12/91	0.952	0.00	83.00	0.00	0.00
10201	JE	9IT	82	09/12/91	0.904	0.00	116.00	0.00	0.00
10201	PT	9J9	82	09/12/91	0.713	0.00	127.00	0.00	0.00
10201	SF	9JP	82	09/12/91	0.627	0.00	80.60	0.00	0.00
10201	VE	9G5	82	09/13/91	1.169	0.00	45.60	0.00	0.00
10201	VV	1XZ	82	10/17/91	1.621	0.00	40.90	0.00	0.00
10201	YF	9ID	82	09/12/91	0.952	0.00	151.00	0.00	0.14
10202	JE	9IU	82	09/12/91	0.870	0.00	283.00	0.00	0.00
10202	PT	9JA	82	09/12/91	0.709	0.00	223.00	0.00	0.00
10202	SF	9JQ	82	09/12/91	0.636	0.00	186.00	0.00	0.00
10202	VE	9G6	82	09/13/91	1.322	0.00	177.00	0.00	0.00
10202	VV	1Y0	82	10/17/91	1.665	0.00	44.80	0.00	0.00
10202	YF	9IE	82	09/12/91	0.999	0.00	244.00	0.00	0.00
10203	JE	9IU	82	09/12/91	0.870	0.00	88.00	0.00	0.00
10203	PT	9JA	82	09/12/91	0.709	0.00	63.40	0.00	0.00
10203	SF	9JQ	82	09/12/91	0.636	0.00	26.50	0.00	0.00
10203	VE	9G6	82	09/13/91	1.322	0.00	17.30	0.00	0.00
10203	VV	1Y0	82	10/17/91	1.665	0.00	19.20	0.00	0.00
10203	YF	9IE	82	09/12/91	0.999	0.00	81.50	0.00	0.00
10204	JE	9IV	82	09/12/91	0.885	0.00	320.00	0.00	0.80
10204	PT	9J8	82	09/12/91	0.675	0.00	215.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10204	SF	9JR	82	09/12/91	0.616	0.00	197.00	0.00	0.00
10204	VE	9G7	82	09/13/91	1.273	0.00	215.00	0.00	0.00
10204	VV	1Y1	82	10/17/91	1.486	0.00	45.20	0.00	0.00
10204	YF	91F	82	09/12/91	0.963	0.00	202.00	0.00	0.00
10205	JE	91V	82	09/12/91	0.885	0.00	106.00	0.00	0.00
10205	PT	9JB	82	09/12/91	0.675	0.00	92.20	0.00	0.00
10205	SF	9JR	82	09/12/91	0.616	0.00	130.00	0.00	0.00
10205	VE	9G7	82	09/13/91	1.273	0.00	162.00	0.00	0.00
10205	VV	1Y2	82	10/17/91	1.560	0.00	53.10	0.00	0.00
10205	YF	91F	82	09/12/91	0.963	0.00	96.20	0.00	0.00
10206	JE	91W	82	09/12/91	0.943	0.00 >	320.00	0.00	0.00
10206	PT	9JC	82	09/12/91	0.747	0.00 >	320.00	0.00	0.60
10206	SF	9JS	82	09/12/91	0.585	0.00 >	320.00	0.00	0.60
10206	VE	9G8	82	09/13/91	1.304	0.00 >	320.00	0.00	0.00
10206	VV	1Y3	82	10/17/91	1.590	0.00	48.00	0.00	0.00
10206	YF	91G	82	09/12/91	0.978	0.00 >	320.00	0.00	0.00
10207	JE	91W	82	09/12/91	0.943	0.00	188.00	0.00	0.00
10207	PT	9JC	82	09/12/91	0.747	0.00	180.00	0.00	0.00
10207	SF	9JS	82	09/12/91	0.585	0.00	192.00	0.00	0.75
10207	VE	9G8	82	09/13/91	1.304	0.00	177.00	0.00	0.00
10207	VV	1YP	82	10/31/91	1.016	0.00	90.60	0.00	0.00
10207	YF	91G	82	09/12/91	0.978	0.00	157.00	0.00	0.00
10208	JE	91X	82	09/12/91	0.926	0.00	185.00	0.00	1.33
10208	PT	9JD	82	09/12/91	0.680	0.00	187.00	0.00	0.20
10208	SF	9JT	82	09/12/91	0.621	0.00	165.00	0.00	0.00
10208	VE	9G9	82	09/13/91	1.267	0.00	218.00	0.00	0.00
10208	VV	1YQ	82	10/31/91	1.030	0.00	142.00	0.00	0.00
10208	YF	91H	82	09/12/91	0.930	0.00	163.00	0.00	0.00
10209	JE	91X	82	09/12/91	0.926	0.00	175.00	0.00	1.05
10209	PT	9JD	82	09/12/91	0.680	0.00	172.00	0.00	0.53
10209	SF	9JT	82	09/12/91	0.621	0.00	147.00	0.00	2.61
10209	VE	9G9	82	09/13/91	1.267	0.00	212.00	0.00	0.00
10209	VV	1YQ	82	10/31/91	1.030	0.00	129.00	0.00	0.00
10209	YF	91H	82	09/12/91	0.930	0.00	153.00	0.00	0.00
10210	JE	91Y	82	09/12/91	0.899	0.00	123.00	0.00 >	0.79
10210	PT	9JE	82	09/12/91	0.601	0.00	165.00	0.00	2.79
10210	SF	9JU	82	09/12/91	0.575	0.00	130.00	0.00	2.88
10210	VE	9GA	82	09/13/91	1.328	0.00	158.00	0.00	0.00
10210	VV	1YR	82	10/31/91	1.061	0.00	33.30	0.00 >	0.03
10210	YF	91I	82	09/12/91	0.958	0.00	133.00	0.00	0.00
10211	JE	91Y	82	09/12/91	0.899	0.00	100.00	0.00	0.00
10211	PT	9JE	82	09/12/91	0.601	0.00	199.00	0.00	0.00
10211	SF	9JU	82	09/12/91	0.575	0.00	56.50	0.00	0.00
10211	VE	9GA	82	09/13/91	1.328	0.00	81.50	0.00	0.00
10211	VV	1YR	82	10/31/91	1.061	0.00	106.00	0.00	0.00
10211	YF	91I	82	09/12/91	0.958	0.00	183.00	0.00	0.00
10212	JE	91Z	82	09/12/91	0.944	0.00	77.30	0.00	0.35
10212	PT	9JF	82	09/12/91	0.727	0.00	94.30	0.00	0.00
10212	SF	9JV	82	09/12/91	0.544	0.00	78.20	0.00	0.00
10212	VE	9GB	82	09/13/91	1.329	0.00	156.00	0.00	0.00
10212	VV	1YS	82	10/31/91	1.011	0.00	57.70	0.00	0.00
10212	YF	91J	82	09/12/91	1.000	0.00	79.20	0.00	0.00
10213	JE	9MG	82	09/17/91	0.939	0.00	91.50	0.00	0.00
10213	PT	9MC	82	09/17/91	0.583	0.00	100.00	0.00 >	0.87
10213	SF	9MS	82	09/17/91	0.705	0.00	74.50	0.00	0.00
10213	VE	9MJ	82	09/20/91	1.183	0.00	156.00	0.00	0.00
10213	VV	1YS	82	10/31/91	1.011	0.00	90.60	0.00	0.00
10213	YF	9MD	82	09/17/91	1.069	0.00	92.40	0.00	0.00
10214	JE	9MH	82	09/17/91	0.972	0.00	95.50	0.00	0.00
10214	PT	9MD	82	09/17/91	0.542	0.00	120.00	0.00	0.00
10214	SF	9MT	82	09/17/91	0.602	0.00	88.70	0.00	0.00
10214	VE	9MX	82	09/20/91	1.284	0.00	161.00	0.00	0.00
10214	VV	1YT	82	10/31/91	1.093	0.00	118.00	0.00 >	0.24
10214	YF	9M1	82	09/17/91	1.011	0.00	128.00	0.00	0.00
10215	JE	9MH	82	09/17/91	0.972	0.00	77.30	0.00	0.00
10215	PT	9MD	82	09/17/91	0.542	0.00	143.00	0.00	0.00
10215	SF	9MT	82	09/17/91	0.602	0.00	181.00	0.00	0.00
10215	VE	9MX	82	09/20/91	1.284	0.00	177.00	0.00	0.00
10215	VV	1YT	82	10/31/91	1.093	0.00	83.50	0.00	0.00
10215	YF	9M1	82	09/17/91	1.011	0.00	146.00	0.00	0.00
10216	JE	9MI	82	09/17/91	0.944	0.00	79.60	0.00	0.00
10216	PT	9ME	82	09/17/91	0.503	0.00	58.30	0.00	0.00
10216	SF	9MU	82	09/17/91	0.627	0.00	81.90	0.00	0.00
10216	VE	9MY	82	09/20/91	1.243	0.00	145.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25		SI	TAI
10216	VV	1YU	82	10/31/91	1.145	0.00	82.10		0.00	0.00
10216	YF	9N2	82	09/17/91	1.066	0.00	74.50		0.00	0.00
10217	JE	9NI	82	09/17/91	0.94[illegible]	0.00	60.30		0.00	0.00
10217	PT	9NE	82	09/17/91	0.503	0.00	136.00		0.00	0.00
10217	SF	9NU	82	09/17/91	0.627	0.00	112.00		0.00	0.00
10217	VE	9NY	82	09/20/91	1.243	0.00	147.00		0.00	0.00
10217	VV	1YU	82	10/31/91	1.145	0.00	92.80		0.00	0.00
10217	YF	9N2	82	09/17/91	1.066	0.00	45.60		0.00	0.00
10218	JE	9NJ	82	09/17/91	0.903	0.00	133.00		0.00	0.00
10218	PT	9NF	82	09/17/91	0.564	0.00	130.00		0.00	0.00
10218	SF	9NV	82	09/17/91	0.532	0.00	179.00		0.00	0.00
10218	VE	9N2	82	09/20/91	1.337	0.00	182.00		0.00	0.00
10218	VV	1YV	82	10/31/91	1.137	0.00	97.40		0.00	0.52
10218	YF	9N3	82	09/17/91	1.096	0.00	147.00		0.00	0.00
10219	JE	9NJ	82	09/17/91	0.903	0.00	192.00		0.00	0.00
10219	PT	9NF	82	09/17/91	0.564	0.00	196.00		0.00	0.00
10219	SF	9NV	82	09/17/91	0.532	0.00	320 00		0.00	0.00
10219	VE	9N2	82	09/20/91	1.337	0.00	155.00		0.00	0.00
10219	VV	1YV	82	10/31/91	1.137	0.00	100.00		0.00	0.40
10219	YF	9N3	82	09/17/91	1.096	0.00	123.00		0.00	0.00
10220	JE	9NK	82	09/17/91	0.963	0.00	58.30		0.00	0.00
10220	PT	9NG	82	09/17/91	0.555	0.00	62.20		0.00	0.00
10220	SF	9NW	82	09/17/91	0.515	0.00	124.00		0.00	0.00
10220	VE	9N0	82	09/20/91	1.176	0.00	182.00		0.00	0.13
10220	VV	1YW	82	10/31/91	1.100	0.00	62.80		0.00	0.00
10220	YF	9N4	82	09/17/91	1.089	0.00	63.70		0.00	0.00
10221	JE	9NK	82	09/17/91	0.963	0.00	186.00		0.00	0.00
10221	PT	9NG	82	09/17/91	0.555	0.00	227.00		0.00	0.00
10221	SF	9NW	82	09/17/91	0.515	0.00	296.00		0.00	0.00
10221	VE	9N0	82	09/20/91	1.176	0.00	304.00		0.00	0.20
10221	VV	1YW	82	10/31/91	1.100	0.00	105.00		0.00	0.00
10221	YF	9N4	82	09/17/91	1.089	0.00	192.00		0.00	0.00
10222	JE	9NL	82	09/17/91	0.922	0.00	3.66		0.00	0.00
10222	PT	9NH	82	09/17/91	0.604	0.00	2.52		0.00	0.00
10222	SF	9NX	82	09/17/91	0.578	0.00	1.00		0.00	0.00
10222	VE	9N1	82	09/20/91	1.261	0.00	7.91		0.00	0.00
10222	VV	21L	82	11/21/91	0.985	0.00	3.80		0.00	3.31
10222	YF	9N5	82	09/17/91	0.972	0.00	3.89		0.00 >	4.74
10223	JE	9NL	82	09/17/91	0.922	0.00	1.69		0.00	0.00
10223	PT	9NH	82	09/17/91	0.604	0.00	1.71		0.00	0.00
10223	SF	9NX	82	09/17/91	0.578	0.00	1.39		0.00	0.00
10223	VE	9N1	82	09/20/91	1.261	0.00	2.55		0.00	0.00
10223	VV	21K	82	11/21/91	1.092	0 00	0.27		0.00	0.00
10223	YF	9N5	82	09/17/91	0.972	0.00	1.80		0.00 >	0.05
10224	JE	9NM	82	09/17/91	0.907	0.00	109.00		0.00	0.00
10224	PT	9NI	82	09/17/91	0.577	0.00	120.00		0.00	0.00
10224	SF	9NY	82	09/17/91	0.529	0.00	155.00		0.00	0.00
10224	VE	9N2	82	09/20/91	1.254	0.00	179.00		0.00	0.00
10224	VV	1YY	82	10/31/91	1.093	0.00	75.60		0.00	0.00
10224	YF	9N6	82	09/17/91	1.039	0.00	135.00		0.00	0.00
10225	JE	9NM	82	09/17/91	0.907	0.00	64.20		0.00	0.00
10225	PT	9NI	82	09/17/91	0.577	0.00	96.20		0.00	0.00
10225	SF	9NY	82	09/17/91	0.529	0.00	94.60		0.00 >	0.82
10225	VE	9N2	82	09/20/91	1.254	0.00	180.00		0.00	0.00
10225	VV	1YY	82	10/31/91	1.093	0.00	67.10		0.00	0.00
10225	YF	9N6	82	09/17/91	1.039	0.00	70.90		0.00	0.00
10226	JE	9NM	82	09/17/91	0.862	0.00	32.00		0.00	0.00
10226	PT	9NJ	82	09/17/91	0.549	0.00	40.70		0.00	0.00
10226	SF	9NZ	82	09/17/91	0.394	0.00	37.80		0.00	0.00
10226	VE	9N3	82	09/20/91	1.299	0.00	40.50		0.00	0.00
10226	VV	1YZ	82	10/31/91	1.215	0.00	15.10		0.00	0.00
10226	YF	9N7	82	09/17/91	0.988	0.00	47.00		0.00	0.00
10227	JE	9NM	82	09/17/91	0.862	0.00	131.00		0.00	0.00
10227	PT	9NJ	82	09/17/91	0.549	0.00	135.00		0.00	0.00
10227	SF	9NZ	82	09/17/91	0.394	0.00	172.00		0.00	0.00
10227	VE	9N3	82	09/20/91	1.299	0.00	151.00		0.00	0.00
10227	VV	1YZ	82	10/31/91	1.215	0.00	92.70		0.00	0.00
10227	YF	9N7	82	09/17/91	0.988	0.00	43.80		0.00 >	1.01
10228	JE	9N0	82	09/17/91	0.888	0.00	3.01		0.00	0.00
10228	PT	9NK	82	09/17/91	0.421	0.00	4.31		0.00	0.00
10228	SF	900	82	09/17/91	0.603	0.00	2.52		0.00 >	0.07
10228	VE	9N4	82	09/20/91	1.010	0.00	8.68		0.00	0.00
10228	VV	1Z0	82	10/31/91	1.108	0.00	1.64		0.00	0.00
10228	YF	9N8	82	09/17/91	1.007	0.00	5.09		0.00 >	1.30

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10229	JE	9N0	82	09/17/91	0.888	0.00	235.00	0.00	0.00
10229	PT	9NK	82	09/17/91	0.421	0.00	244.00	0.00	0.00
10229	SF	900	82	09/17/91	0.603	0.00	177.00	0.00	0.00
10229	VE	9N4	82	09/20/91	1.010	0.00 >	320.00	0.00	0.00
10229	VV	1Z0	82	10/31/91	1.108	0.00	100.00	0.00	0.00
10229	YF	9N8	82	09/17/91	1.007	0.00	166.00	0.00	0.00
10230	JE	9NP	82	09/17/91	0.805	0.00 >	320.00	0.00	0.13
10230	PT	9NL	82	09/17/91	0.569	0.00	227.00	0.00	0.00
10230	SF	901	82	09/17/91	0.670	0.00	239.00	0.00	0.00
10230	VE	9N5	82	09/20/91	1.295	0.00	247.00	0.00	0.00
10230	VV	1Z1	82	10/31/91	1.199	0.00	88.30	0.00 >	0.20
10230	YF	9N9	82	09/17/91	0.995	0.00	181.00	0.00	0.00
10231	JE	9NP	82	09/17/91	0.805	0.00 >	320.00	0.00	0.00
10231	PT	9NL	82	09/17/91	0.569	0.00	218.00	0.00	0.00
10231	SF	901	82	09/17/91	0.670	0.00	222.00	0.00	0.00
10231	VE	9N5	82	09/20/91	1.295	0.00	231.00	0.00	0.00
10231	VV	1Z1	82	10/31/91	1.199	0.00	52.10	0.00	0.00
10231	YF	9N9	82	09/17/91	0.995	0.00	210.00	0.00	0.00
10232	JE	9N0	82	09/17/91	0.739	0.00	238.00	0.00	0.00
10232	PT	9NM	82	09/17/91	0.557	0.00	181.00	0.00	0.00
10232	SF	902	82	09/17/91	0.630	0.00	193.00	0.00	0.00
10232	VE	9N6	82	09/20/91	1.268	0.00	207.00	0.00	0.00
10232	VV	1Z2	82	10/31/91	1.117	0.00	86.80	0.00	0.00
10232	YF	9NA	82	09/17/91	0.980	0.00	160.00	0.00	0.00
10233	JE	9N0	82	09/17/91	0.739	0.00	111.00	0.00	0.00
10233	PT	9NM	82	09/17/91	0.557	0.00	162.00	0.00	0.00
10233	SF	902	82	09/17/91	0.630	0.00	225.00	0.00 >	0.64
10233	VE	9N6	82	09/20/91	1.268	0.00	151.00	0.00	0.00
10233	VV	1Z2	82	10/31/91	1.117	0.00	146.00	0.00	0.00
10233	YF	9NA	82	09/17/91	0.980	0.00	127.00	0.00	0.00
10234	JE	9NR	82	09/17/91	0.632	0.00 >	320.00	0.00 >	2.61
10234	PT	9NN	82	09/17/91	0.501	0.00 >	320.00	0.00	0.00
10234	SF	903	82	09/17/91	0.645	0.00 >	320.00	0.00	1.80
10234	VE	9N7	82	09/20/91	1.245	0.00 >	320.00	0.00 >	0.60
10234	VV	1Z3	82	10/31/91	1.210	0.00 >	320.00	0.00 >	3.74
10234	YF	9NB	82	09/17/91	1.045	0.00	320.00	0.00	0.00
10235	JE	9NR	82	09/17/91	0.632	0.00	64.70	0.00 >	5.10
10235	PT	9NN	82	09/17/91	0.501	0.00	45.20	0.00	0.00
10235	SF	903	82	09/17/91	0.645	0.00	57.30	0.00	0.96
10235	VE	9N7	82	09/20/91	1.245	0.00	42.20	0.00	0.00
10235	VV	1Z4	82	10/31/91	1.164	0.00	45.10	0.00	0.23
10235	YF	9NB	82	09/17/91	1.045	0.00	41.70	0.00	0.00
10236	JE	9NS	82	09/17/91	0.798	0.00	69.10	0.00	0.00
10236	PT	9N0	82	09/17/91	0.416	0.00	71.90	0.00	0.00
10236	SF	904	82	09/17/91	0.538	0.00	73.70	0.00	0.00
10236	VE	9N8	82	09/20/91	1.233	0.00	53.50	0.00	0.00
10236	VV	1Z4	82	10/31/91	1.164	0.00	70.60	0.00	0.40
10236	YF	9NC	82	09/17/91	1.056	0.00	90.90	0.00	0.00
10237	JE	9NS	82	09/17/91	0.798	0.00	70.60	0.00	0.20
10237	PT	9N0	82	09/17/91	0.416	0.00	64.70	0.00	0.00
10237	SF	904	82	09/17/91	0.538	0.00	58.20	0.00	0.00
10237	VE	9N8	82	09/20/91	1.233	0.00	59.20	0.00	0.00
10237	VV	1Z5	82	10/31/91	1.197	0.00	13.90	0.00	0.10
10237	YF	9NC	82	09/17/91	1.056	0.00	20.00	0.00	0.00
10238	JE	9NT	82	09/17/91	0.805	0.00	45.60	0.00	0.00
10238	PT	9NP	82	09/17/91	0.487	0.00	44.50	0.00	0.00
10238	SF	905	82	09/17/91	0.594	0.00	50.50	0.00	3.10
10238	VE	9N9	82	09/20/91	1.242	0.00	42.60	0.00	0.00
10238	VV	1Z5	82	10/31/91	1.197	0.00	47.80	0.00	0.00
10238	YF	9ND	82	09/17/91	1.039	0.00	38.60	0.00	0.00
10239	JE	9NT	82	09/17/91	0.805	0.00	32.00	0.00	0.00
10239	PT	9NP	82	09/17/91	0.487	0.00	15.00	0.00	0.00
10239	SF	905	82	09/17/91	0.594	0.00	44.00	0.00	0.00
10239	VE	9N9	82	09/20/91	1.242	0.00	59.20	0.00	0.00
10239	VV	1Z6	82	10/31/91	1.195	0.00	100.00	0.00	0.00
10239	YF	9ND	82	09/17/91	1.039	0.00	32.00	0.00	0.00
10240	JE	9NU	82	09/17/91	0.748	0.00	159.00	0.00	0.00
10240	PT	9NQ	82	09/17/91	0.444	0.00	81.70	0.00	0.00
10240	SF	906	82	09/17/91	0.516	0.00	80.20	0.00	0.00
10240	VE	9NA	82	09/20/91	1.209	0.00	84.30	0.00	0.00
10240	VV	1Z6	82	10/31/91	1.195	0.00	36.30	0.00 >	0.15
10240	YF	9NE	82	09/17/91	1.028	0.00	76.20	0.00	0.00
10241	JE	9NU	82	09/17/91	0.748	0.00	140.00	0.00	0.00
10241	PT	9NQ	82	09/17/91	0.444	0.00	183.00	0.00 >	1.90

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10241	SF	9U6	82	09/17/91	0.516	0.00	180.00	0.00 >	5.29
10241	VE	9NA	82	09/20/91	1.209	0.00	167.00	0.00	0.00
10241	VV	1Z7	82	10/31/91	1.200	0.00	74.90	0.00	0.00
10241	YF	9NE	82	09/17/91	1.028	0.00	180.00	0.00	0.60
10242	JE	9NV	82	09/17/91	0.881	0.00 >	320.00	0.00	0.00
10242	PT	9NR	82	09/17/91	0.506	0.00 >	320.00	0.00 >	12.00
10242	SF	907	82	09/17/91	0.521	0.00 >	320.00	0.00	0.66
10242	VE	9N8	82	09/20/91	1.274	0.00	320.00	0.00	0.00
10242	VV	1Z7	82	10/31/91	1.200	0.00	88.70	0.00	0.00
10242	YF	9NF	82	09/17/91	1.128	0.00 >	320.00	0.00	0.00
10243	JE	900	82	09/18/91	0.755	0.00 >	320.00	0.00 >	0.80
10243	PT	9PK	82	09/19/91	0.612	0.00	249.00	0.00 >	10.77
10243	SF	900	82	09/19/91	0.665	0.00	160.00	0.00	0.00
10243	VE	9P4	82	09/20/91	0.927	0.00 >	320.00	0.00 >	0.10
10243	VV	1Z8	82	10/31/91	1.100	0.00	231.00	0.00 >	0.50
10243	YF	908	82	09/17/91	1.049	0.00	180.00	0.00	0.04
10244	JE	90P	82	09/18/91	0.826	0.00	18.50	0.00	0.00
10244	PT	9PL	82	09/19/91	0.850	0.00	11.30	0.00	0.00
10244	SF	901	82	09/19/91	0.543	0.00	12.20	0.00	0.00
10244	VE	9P5	82	09/20/91	0.989	0.00	41.60	0.00	0.00
10244	VV	21N	82	11/21/91	1.057	0.00	1.88	0.00 >	0.49
10244	YF	909	82	09/17/91	1.066	0.00	14.80	0.00	0.00
10245	JE	90P	82	09/18/91	0.826	0.00	87.00	0.00 >	0.12
10245	PT	9PL	82	09/19/91	0.850	0.00 >	320.00	0.00	0.45
10245	SF	901	82	09/19/91	0.543	0.00	210.00	0.00	0.00
10245	VE	9P5	82	09/20/91	0.989	0.00 >	320.00	0.00	0.20
10245	VV	1Z9	82	10/31/91	1.225	0.00	158.00	0.00	0.00
10245	YF	909	82	09/17/91	1.066	0.00 >	320.00	0.00 >	0.32
10246	JE	90Q	82	09/18/91	0.879	0.00	181.00	0.00 >	0.36
10246	PT	9PN	82	09/19/91	0.572	0.00 >	320.00	0.00 >	0.20
10246	SF	902	82	09/19/91	0.482	0.00	189.00	0.00	0.00
10246	VE	9P6	32	09/20/91	1.032	0.00	296.00	0.00	0.00
10246	VV	1Z9	82	10/31/91	1.225	0.00	131.00	0.00	0.00
10246	YF	90A	82	09/17/91	1.090	0.00	142.00	0.00	0.00
10247	JE	90Q	82	09/18/91	0.879	0.00 >	320.00	0.00	0.00
10247	PT	9PN	82	09/19/91	0.572	0.00 >	320.00	0.00 >	6.43
10247	SF	902	82	09/19/91	0.482	0.00 >	320.00	0.00 >	1.12
10247	VE	9P6	82	09/20/91	1.032	0.00 >	320.00	0.00	0.00
10247	VV	1ZA	82	10/31/91	1.064	0.00	166.00	0.00	0.00
10247	YF	90A	82	09/17/91	1.090	0.00 >	320.00	0.00	0.00
10248	JE	90R	82	09/18/91	0.778	0.00 >	320.00	0.00 >	0.45
10248	PT	9PN	82	09/19/91	0.793	0.00 >	320.00	0.00	0.00
10248	SF	903	82	09/19/91	0.599	0.00	115.00	0.00	0.00
10248	VE	9P7	82	09/20/91	1.063	0.00 >	320.00	0.00	0.00
10248	VV	1ZA	82	10/31/91	1.064	0.00	186.00	0.00	0.00
10248	YF	908	82	09/17/91	1.011	0.00 >	320.00	0.00	0.69
10249	JE	90R	82	09/18/91	0.778	0.00 >	320.00	0.00 >	0.19
10249	PT	9PN	82	09/19/91	0.793	0.00	142.00	0.00	0.11
10249	SF	903	82	09/19/91	0.599	0.00	74.50	0.00	0.00
10249	VE	9P7	82	09/20/91	1.063	0.00 >	320.00	0.00	0.00
10249	VV	1ZB	82	10/31/91	1.127	0.00	83.00	0.00	0.00
10249	YF	908	82	09/17/91	1.011	0.00	234.00	0.00 >	0.10
10250	JE	90S	82	09/18/91	0.769	0.00	265.00	0.00	0.00
10250	PT	9P0	82	09/19/91	0.832	0.00	247.00	0.00	0.00
10250	SF	904	82	09/19/91	0.545	0.00	173.00	0.00	0.00
10250	VE	9P8	82	09/20/91	1.031	0.00 >	320.00	0.00	0.00
10250	VV	1ZC	82	10/31/91	1.170	0.00	195.00	0.00 >	0.40
10250	YF	90C	82	09/17/91	1.048	0.00 >	320.00	0.00	0.00
10251	JE	908	82	09/18/91	0.769	0.00 >	320.00	0.00 >	0.03
10251	PT	9P0	82	09/19/91	0.832	0.00 >	320.00	0.00	0.02
10251	SF	904	82	09/19/91	0.545	0.00	83.00	0.00	0.00
10251	VE	9P8	82	09/20/91	1.031	0.00 >	320.00	0.00	0.00
10251	VV	1Y7	82	10/24/91	0.708	264.00	257.00	0.98 >	6.02
10251	YF	90C	82	09/17/91	1.048	0.00 >	320.00	0.00	0.00
10252	JE	90T	82	09/18/91	0.876	0.00 >	320.00	0.00 >	0.18
10252	PT	9PP	82	09/19/91	0.826	0.00	77.90	0.00 >	0.35
10252	SF	905	82	09/19/91	0.575	0.00	210.00	0.00 >	0.28
10252	VE	9P9	82	09/20/91	1.066	0.00 >	320.00	0.00	0.00
10252	VV	1Y8	82	10/24/91	0.646	294.00 >	320.00 >	1.09 >	3.73
10252	YF	900	82	09/17/91	0.973	0.00 >	320.00	0.00	0.00
10253	JE	90T	82	09/18/91	0.876	0.00	265.00	0.00	0.00
10253	PT	9PP	82	09/19/91	0.826	0.00	188.00	0.00	2.89
10253	SF	905	82	09/19/91	0.575	0.00	197.00	0.00	0.00
10253	VE	9P9	82	09/20/91	1.066	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10253	VV	1Y8	82	10/24/91	0.646	238.00 >	320.00 >	1.34 >	3.65
10253	YF	90D	82	09/17/91	0.973	0.00	320.00	0.00	0.00
10254	JE	90U	82	09/18/91	0.836	0.00	210.00	0.00 >	0.74
10254	PT	9PQ	82	09/19/91	0.832	0.00 >	320.00	0.00 >	1.73
10254	SF	906	82	09/19/91	0.578	320.00 >	320.00 >	1.00 >	1.70
10254	VE	9PA	82	09/20/91	1.158	0.00 >	320.00	0.00	0.00
10254	VV	1Y9	82	10/24/91	0.708	0.00	262.00	0.00 >	0.81
10254	YF	90E	82	09/17/91	1.079	0.00 >	320.00	0.00	0.00
10255	JE	90U	82	09/18/91	0.836	0.00	277.00	0.00 >	2.01
10255	PT	9PQ	82	09/19/91	0.832	0.00 >	320.00	0.00 >	6.81
10255	SF	906	82	09/19/91	0.578	0.00	188.00	0.00	0.00
10255	VE	9PA	82	09/20/91	1.158	0.00 >	320.00	0.00	0.00
10255	VV	1Y9	82	10/24/91	0.708	0.00	267.00	0.00 >	3.06
10255	YF	90E	82	09/17/91	1.079	0.00 >	320.00	0.00 >	4.11
10256	JE	90V	82	09/18/91	0.903	0.00	232.00	0.00 >	0.17
10256	PT	9PR	82	09/19/91	0.561	0.00 >	320.00	0.00 >	3.13
10256	SF	907	82	09/19/91	0.423	0.00	201.00	0.00	0.00
10256	VE	9PB	82	09/20/91	1.109	0.00 >	320.00	0.00	0.00
10256	VV	20M	82	11/14/91	1.435	0.00	90.30	0.00	0.00
10256	YF	90F	82	09/17/91	1.049	0.00	255.00	0.00	0.00
10257	JE	90V	82	09/18/91	0.903	0.00 >	320.00	0.00 >	0.10
10257	PT	9PR	82	09/19/91	0.561	0.00 >	320.00	0.00 >	14.01
10257	SF	907	82	09/19/91	0.423	0.00	291.00	0.00 >	0.08
10257	VE	9PB	82	09/20/91	1.109	0.00 >	320.00	0.00	0.00
10257	VV	1YA	82	10/24/91	0.620	0.00	220.00	0.00	0.00
10257	YF	90F	82	09/17/91	1.049	0.00 >	320.00	0.00	0.00
10258	JE	90W	82	09/18/91	0.807	0.00 >	320.00	0.00	0.00
10258	PT	9PS	82	09/19/91	0.857	0.00	320.00	0.00 >	1.16
10258	SF	908	82	09/19/91	0.637	0.00 >	320.00	0.00 >	10.31
10258	VE	9PC	82	09/20/91	0.978	0.00 >	320.00	0.00	0.15
10258	VV	1YB	82	10/24/91	0.668	283.00 >	320.00 >	1.13 >	3.73
10258	YF	90G	82	09/17/91	0.919	0.00 >	320.00	0.00	0.00
10259	JE	90W	82	09/18/91	0.807	0.00	320.00	0.00	0.00
10259	PT	9PS	82	09/19/91	0.857	0.00 >	320.00	0.00	0.35
10259	SF	908	82	09/19/91	0.637	0.00	287.00	0.00 >	7.68
10259	VE	9PC	82	09/20/91	0.978	0.00 >	320.00	0.00	0.00
10259	VV	1YB	82	10/24/91	0.668	0.00	157.00	0.00	0.00
10259	YF	90G	82	09/17/91	0.919	0.00 >	320.00	0.00	0.00
10260	JE	90X	82	09/18/91	0.798	0.00 >	320.00	0.00	0.00
10260	PT	9PT	82	09/19/91	0.775	277.00 >	320.00 >	1.16 >	4.57
10260	SF	909	82	09/19/91	0.543 <	1.00 >	320.00 >	320.00 >	52.95
10260	VE	9PD	82	09/20/91	1.159	0.00 >	320.00	0.00 >	0.10
10260	VV	1YC	82	10/24/91	0.728	0.00	253.00	0.00	0.00
10260	YF	90H	82	09/17/91	0.881	0.00 >	320.00	0.00	1.20
10261	JE	90X	82	09/18/91	0.798	0.00	147.00	0.00 >	0.05
10261	PT	9PT	82	09/19/91	0.775	0.00	178.00	0.00	0.00
10261	SF	909	82	09/19/91	0.543	0.00	192.00	0.00 >	17.31
10261	VE	9PD	82	09/20/91	1.159	0.00	182.00	0.00	0.00
10261	VV	1YC	82	10/24/91	0.728	0.00	193.00	0.00	0.00
10261	YF	90H	82	09/17/91	0.881	0.00	187.00	0.00 >	2.01
10262	JE	90Y	82	09/18/91	0.811	0.00	100.00	0.00	0.00
10262	PT	9PU	82	09/19/91	0.747	0.00	205.00	0.00	0.00
10262	SF	90A	82	09/19/91	0.656	0.00	73.80	0.00 >	10.63
10262	VE	9PE	82	09/20/91	1.139	0.00	204.00	0.00	0.00
10262	VV	1YD	82	10/24/91	0.661	0.00	267.00	0.00 >	0.10
10262	YF	90I	82	09/17/91	0.895	0.00	193.00	0.00	0.00
10263	JE	90Y	82	09/18/91	0.811	0.00	66.00	0.00	0.00
10263	PT	9PU	82	09/19/91	0.747	0.00	113.00	0.00	0.00
10263	SF	90A	82	09/19/91	0.656	0.00	100.00	0.00 >	17.96
10263	VE	9PE	82	09/20/91	1.139	0.00	128.00	0.00	0.00
10263	VV	1YD	82	10/24/91	0.661	0.00	206.00	0.00	0.00
10263	YF	90I	82	09/17/91	0.895	0.00	112.00	0.00	0.00
10264	JE	90Z	82	09/18/91	0.840	0.00 >	320.00	0.00	0.00
10264	PT	9PV	82	09/19/91	0.764	0.00 >	320.00	0.00 >	1.85
10264	SF	90B	82	09/19/91	0.570 <	1.00 >	320.00 >	320.00 >	34.42
10264	VE	9PF	82	09/20/91	1.103	0.00 >	320.00	0.00 >	0.70
10264	VV	1YE	82	10/24/91	0.677	0.00	241.00	0.00 >	0.91
10264	YF	90J	82	09/17/91	0.933	0.00 >	320.00	0.00	0.00
10265	JE	90Z	82	09/18/91	0.840	0.00 >	320.00	0.00	0.00
10265	PT	9PV	82	09/19/91	0.764	0.00 >	320.00	0.00 >	2.36
10265	SF	90B	82	09/19/91	0.570	0.00 >	320.00	0.00 >	26.89
10265	VE	9PF	82	09/20/91	1.103	0.00 >	320.00	0.00	0.00
10265	VV	1YE	82	10/24/91	0.677	0.00	257.00	0.00 >	0.71
10265	YF	90J	82	09/17/91	0.933	0.00 >	320.00	0.00 >	3.01
10266	JE	9P0	82	09/18/91	0.888	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10266	PT	9PW	82	09/19/91	0.818	0.00 >	320.00	0.00	1.06
10266	SF	9QC	82	09/19/91	0.574	0.00 >	320.00	0.00 >	0.05
10266	VE	9PG	82	09/20/91	1.141	0.00 >	320.00	0.00	0.00
10266	VV	1YF	82	10/24/91	0.733	0.00	217.00	0.00	0.00
10266	YF	90K	82	09/17/91	0.962	0.00 >	320.00	0.00 >	0.66
10267	JE	9PO	82	09/18/91	0.888	0.00	124.00	0.00	0.00
10267	PT	9PW	82	09/19/91	0.818	0.00	143.00	0.00	0.00
10267	SF	9QC	82	09/19/91	0.574	0.00	122.00	0.00 >	0.05
10267	VE	9PG	82	09/20/91	1.141	0.00	38.20	0.00	0.00
10267	VV	1YF	82	10/24/91	0.733	0.00	167.00	0.00	10.77
10267	YF	90K	82	09/17/91	0.962	0.00	162.00	0.00	0.00
10268	JE	9P1	82	09/18/91	0.907	0.00	58.50	0.00	0.00
10268	PT	9PX	82	09/19/91	0.756	0.00	100.00	0.00 >	0.10
10268	SF	9QD	82	09/19/91	0.587	0.00	62.60	0.00 >	0.23
10268	VE	9PH	82	09/20/91	1.074	0.00	63.60	0.00	0.00
10268	VV	1YG	82	10/24/91	0.705	0.00	118.00	0.00	0.00
10268	YF	90L	82	09/17/91	0.975	0.00	57.00	0.00	0.00
10269	JE	9P1	82	09/18/91	0.907	0.00	150.00	0.00	0.00
10269	PT	9PX	82	09/19/91	0.756	0.00	200.00	0.00	1.00
10269	SF	9QD	82	09/19/91	0.587	0.00	193.00	0.00 >	0.87
10269	VE	9PH	82	09/20/91	1.074	0.00	149.00	0.00	0.00
10269	VV	1YG	82	10/24/91	0.705	0.00	147.00	0.00	0.00
10269	YF	90L	82	09/17/91	0.975	0.00	195.00	0.00	1.09
10270	JE	9P2	82	09/18/91	0.902	0.00	48.10	0.00	0.00
10270	PT	9PY	82	09/19/91	0.714	0.00	106.00	0.00	0.00
10270	SF	9QE	82	09/19/91	0.649	0.00	59.80	0.00 >	0.10
10270	VE	9PI	82	09/20/91	1.074	0.00	60.80	0.00	0.00
10270	VV	20L	82	11/14/91	1.504	0.00	17.00	0.00	0.00
10270	YF	90M	82	09/17/91	0.890	0.00	85.10	0.00	0.00
10271	JE	9P2	82	09/18/91	0.902	0.00	226.00	0.00	0.00
10271	PT	9PY	82	09/19/91	0.714	0.00	260.00	0.00	4.17
10271	SF	9QE	82	09/19/91	0.649	0.00	240.00	0.00 >	11.07
10271	VE	9PI	82	09/20/91	1.074	0.00	191.00	0.00	0.00
10271	VV	1YH	82	10/24/91	0.619	0.00	154.00	0.00 >	0.50
10271	YF	90M	82	09/17/91	0.890	0.00	320.00	0.00	2.97
10272	JE	9P3	82	09/18/91	0.977	0.00	127.00	0.00 >	0.01
10272	PT	9PZ	82	09/19/91	0.754	0.00	160.00	0.00 >	3.50
10272	SF	9QF	82	09/19/91	0.485	0.00	133.00	0.00	0.33
10272	VE	9PJ	82	09/20/91	1.153	0.00	122.00	0.00	0.00
10272	VV	1YI	82	10/24/91	0.712	0.00	217.00	0.00	0.00
10272	YF	90N	82	09/17/91	0.875	0.00	141.00	0.00	0.52
10273	JE	9LK	82	09/18/91	0.755	0.00	24.20	0.00	0.00
10273	PT	9T5	82	09/18/91	0.474	0.00	19.30	0.00	0.00
10273	SF	9SP	82	09/18/91	0.682	0.00	11.40	0.00	0.00
10273	VE	9KO	82	09/20/91	1.028	0.00	40.70	0.00	0.00
10273	VV	1YL	82	10/24/91	0.792	0.00	22.40	0.00 >	8.26
10274	JE	9LL	82	09/18/91	0.846	0.00	14.40	0.00 >	0.03
10274	PT	9T6	82	09/18/91	0.626	0.00	31.00	0.00	0.00
10274	SF	9SQ	82	09/18/91	0.686	0.00	8.30	0.00	0.00
10274	VE	9KP	82	09/20/91	1.101	0.00	59.20	0.00	0.00
10275	JE	9LL	82	09/18/91	0.846	0.00	2.98	0.00	0.00
10275	PT	9T6	82	09/18/91	0.626	0.00	28.30	0.00	0.00
10275	SF	9SQ	82	09/18/91	0.686	0.00	3.96	0.00	0.00
10275	VE	9KP	82	09/20/91	1.101	0.00	56.30	0.00	0.00
10276	JE	9LM	82	09/18/91	0.810	0.00	222.00	0.00 >	2.20
10276	PT	9T7	82	09/18/91	0.641	0.00	208.00	0.00	1.69
10276	SF	9SR	82	09/18/91	0.688	0.00	169.00	0.00	1.51
10276	VE	9KQ	82	09/20/91	1.187	0.00	189.00	0.00	0.65
10276	VV	1ZE	82	11/07/91	1.467	0.00	40.90	0.00	0.00
10277	JE	9LM	82	09/18/91	0.810	0.00	64.60	0.00	0.00
10277	PT	9T7	82	09/18/91	0.641	0.00	79.30	0.00	0.00
10277	SF	9SR	82	09/18/91	0.688	0.00	6.98	0.00	0.00
10277	VE	9KQ	82	09/20/91	1.187	0.00	18.00	0.00	0.00
10278	JE	9LN	82	09/18/91	0.895	0.00	153.00	0.00	0.00
10278	PT	9T8	82	09/18/91	0.601	0.00	172.00	0.00	0.00
10278	SF	9SS	82	09/18/91	0.784	0.00	100.00	0.00	0.00
10278	VE	9KR	82	09/20/91	1.313	0.00	81.90	0.00	0.00
10278	VV	1ZF	82	11/07/91	1.437	0.00	15.70	0.00	0.00
10279	JE	9LN	82	09/18/91	0.895	0.00	173.00	0.00 >	0.11
10279	PT	9T8	82	09/18/91	0.601	0.00	228.00	0.00	0.00
10279	SF	9SS	82	09/18/91	0.784	0.00	126.00	0.00	0.00
10279	VE	9KR	82	09/20/91	1.313	0.00	163.00	0.00	0.13
10280	JE	9LO	82	09/18/91	0.796	0.00	4.73	0.00	0.00
10280	PT	9T9	82	09/18/91	0.641	0.00	4.79	0.00	0.00
10280	SF	9ST	82	09/18/91	0.795	0.00	2.06	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10280	VE	9KS	82	09/20/91	1.279	0.00	2.60	0.00	0.00
10281	JE	9LO	82	09/18/91	0.796	0.00	44.70	0.00	0.00
10281	PT	9T9	82	09/18/91	0.641	0.00	56.30	0.00	0.00
10281	SF	9ST	82	09/18/91	0.795	0.00	41.00	0.00	0.00
10281	VE	9KS	82	09/20/91	1.279	0.00	53.60	0.00	0.00
10281	VV	1ZH	82	11/07/91	1.502	0.00	6.00	0.00	0.00
10282	JE	9LP	82	09/18/91	0.824	0.00	169.00	0.00 >	0.30
10282	PT	9TA	82	09/18/91	0.592	0.00	171.00	0.00	0.00
10282	SF	9SU	82	09/18/91	0.758	0.00	126.00	0.00	0.00
10282	VE	9KT	82	09/20/91	1.268	0.00	156.00	0.00	0.00
10282	VV	1ZH	82	11/07/91	1.502	0.00	18.30	0.00	0.00
10283	JE	9LP	82	09/18/91	0.824	0.00	64.10	0.00 >	0.05
10283	PT	9TA	82	09/18/91	0.592	0.00	76.70	0.00	0.11
10283	SF	9SU	82	09/18/91	0.758	0.00	48.50	0.00	0.00
10283	VE	9KT	82	09/20/91	1.268	0.00	58.20	0.00	0.00
10283	VV	1ZI	82	11/07/91	1.424	0.00	16.50	0.00	0.00
10284	JE	9LQ	82	09/18/91	0.850	0.00	41.00	0.00	0.00
10284	PT	9TB	82	09/18/91	0.654	0.00	52.00	0.00	0.00
10284	SF	9SV	82	09/18/91	0.786	0.00	45.60	0.00	0.00
10284	VE	9KU	82	09/20/91	1.323	0.00	51.40	0.00	0.00
10284	VV	1ZI	82	11/07/91	1.424	0.00	7.61	0.00	0.00
10285	JE	9LQ	82	09/18/91	0.850	0.00	125.00	0.00	0.00
10285	PT	9TB	82	09/18/91	0.654	0.00	178.00	0.00	0.00
10285	SF	9SV	82	09/18/91	0.786	0.00	125.00	0.00	0.00
10285	VE	9KU	82	09/20/91	1.323	0.00	212.00	0.00	0.04
10285	VV	1ZJ	82	11/07/91	1.487	76.90	67.80	0.88	6.54
10286	JE	9LR	82	09/18/91	0.853	0.00	174.00	0.00 >	0.06
10286	PT	9TC	82	09/18/91	0.688	0.00	167.00	0.00	0.00
10286	SF	9SW	82	09/18/91	0.860	0.00	83.00	0.00	0.00
10286	VE	9KV	82	09/20/91	1.180	0.00	181.00	0.00	0.00
10286	VV	1ZJ	82	11/07/91	1.487	0.00	47.30	0.00	0.00
10287	JE	9LR	82	09/18/91	0.853	0.00	55.40	0.00	0.00
10287	PT	9TC	82	09/18/91	0.688	0.00	53.30	0.00	0.00
10287	SF	9SW	82	09/18/91	0.860	0.00	42.40	0.00	0.00
10287	VE	9KV	82	09/20/91	1.180	0.00	89.90	0.00	0.00
10287	VV	1ZK	82	11/07/91	1.382	0.00	9.07	0.00	0.00
10288	JE	9LS	82	09/18/91	0.796	0.00	166.00	0.00	0.06
10288	PT	9TD	82	09/18/91	0.503	0.00	146.00	0.00	0.00
10288	SF	9SX	82	09/18/91	0.611	0.00	140.00	0.00	0.04
10288	VE	9KW	82	09/20/91	1.190	0.00	55.80	0.00	0.00
10288	VV	1ZK	82	11/07/91	1.382	0.00	19.50	0.00	0.00
10289	JE	9LS	82	09/18/91	0.796	0.00	54.70	0.00	0.00
10289	PT	9TD	82	09/18/91	0.503	0.00	56.30	0.00	0.00
10289	SF	9SX	82	09/18/91	0.611	0.00	69.10	0.00	0.93
10289	VE	9KW	82	09/20/91	1.190	0.00	52.10	0.00	0.00
10289	VV	1ZL	82	11/07/91	1.533	0.00	32.00	0.00	0.00
10290	JE	9LT	82	09/18/91	0.839	0.00	147.00	0.00	0.00
10290	PT	9TE	82	09/18/91	0.611	0.00	143.00	0.00	0.00
10290	SF	9SY	82	09/18/91	0.666	0.00	123.00	0.00	0.61
10290	VE	9KX	82	09/20/91	1.214	0.00	163.00	0.00	0.31
10290	VV	1ZL	82	11/07/91	1.533	0.00	50.30	0.00	0.00
10291	JE	9LT	82	09/18/91	0.839	0.00	183.00	0.00	0.00
10291	PT	9TE	82	09/18/91	0.611	0.00	187.00	0.00	0.42
10291	SF	9SY	82	09/18/91	0.666	0.00	177.00	0.00	0.87
10291	VE	9KX	82	09/20/91	1.214	0.00	185.00	0.00	0.00
10291	VV	1ZH	82	11/07/91	1.319	0.00	44.80	0.00	0.00
10292	JE	9LU	82	09/18/91	0.942	0.00	39.60	0.00 >	0.74
10292	PT	9TF	82	09/18/91	0.745	0.00	44.60	0.00 >	3.10
10292	SF	9SZ	82	09/18/91	0.756	0.00	37.30	0.00	0.97
10292	VE	9KY	82	09/20/91	1.258	0.00	65.90	0.00 >	0.30
10292	VV	1ZH	82	11/07/91	1.319	0.00	15.00	0.00	0.00
10293	JE	9LU	82	09/18/91	0.942	0.00	126.00	0.00	2.32
10293	PT	9TF	82	09/18/91	0.745	0.00	222.00	0.00 >	9.60
10293	SF	9SZ	82	09/18/91	0.756	0.00	116.00	0.00	0.32
10293	VE	9KY	82	09/20/91	1.258	0.00	96.90	0.00	0.40
10293	VV	1ZH	82	11/07/91	1.483	0.00	51.40	0.00	0.00
10294	JE	9LV	82	09/18/91	0.821	0.00	213.00	0.00	0.00
10294	PT	9TG	82	09/18/91	0.560	0.00	225.00	0.00	1.91
10294	SF	9TO	82	09/18/91	0.616	0.00	202.00	0.00	1.41
10294	VE	9KZ	82	09/20/91	1.257	0.00 >	320.00	0.00	0.00
10294	VV	1ZH	82	11/07/91	1.483	0.00	59.50	0.00	0.00
10295	JE	9LV	82	09/18/91	0.821	0.00	52.60	0.00	0.00
10295	PT	9TG	82	09/18/91	0.560	0.00	0.66	0.00	0.00
10295	SF	9TO	82	09/18/91	0.616	0.00	48.50	0.00	0.00
10295	VE	9KZ	82	09/20/91	1.257	0.00	51.90	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10295	VV	1ZO	82	11/07/91	1.522	0.00	54.30	0.00	0.00
10296	JE	9LW	82	09/18/91	0.863	0.00 >	320.00	0.00	0.00
10296	PT	9TN	82	09/18/91	0.581	0.00	155.00	0.00	0.85
10296	SF	9T1	82	09/18/91	0.618	0.00	277.00	0.00	4.46
10296	VE	9L0	82	09/20/91	1.181	0.00 >	320.00	0.00	0.00
10296	VV	201	82	11/14/91	1.246	0.00	76.70	0.00	0.00
10297	JE	9LW	82	09/18/91	0.863	0.00	124.00	0.00	0.00
10297	PT	9TN	82	09/18/91	0.581	0.00	198.00	0.00	0.00
10297	SF	9T1	82	09/18/91	0.618	0.00	126.00	0.00	0.00
10297	VE	9L0	82	09/20/91	1.181	0.00	172.00	0.00	0.00
10297	VV	202	82	11/14/91	1.438	0.00	57.80	0.00	0.00
10298	JE	9LX	82	09/18/91	0.867	0.00 >	320.00	0.00	0.00
10298	PT	9TI	82	09/18/91	0.601	0.00 >	320.00	0.00	2.48
10298	SF	9T2	82	09/18/91	0.578	0.00 >	320.00	0.00	0.00
10298	VE	9L1	82	09/20/91	1.094	0.00 >	320.00	0.00	0.00
10298	VV	202	82	11/14/91	1.438	0.00	72.10	0.00	0.00
10299	JE	9LX	82	09/18/91	0.867	0.00	155.00	0.00	0.00
10299	PT	9TI	82	09/18/91	0.601	0.00	198.00	0.00	2.57
10299	SF	9T2	82	09/18/91	0.578	0.00	193.00	0.00	1.95
10299	VE	9L1	82	09/20/91	1.094	0.00	312.00	0.00	0.00
10299	VV	203	82	11/14/91	1.240	0.00	66.00	0.00	0.00
10300	JE	9LY	82	09/18/91	0.881	0.00	183.00	0.00	0.00
10300	PT	9TJ	82	09/18/91	0.629	0.00	253.00	0.00	0.00
10300	SF	9T3	82	09/18/91	0.682	0.00	195.00	0.00	0.00
10300	VE	9L2	82	09/20/91	1.120	0.00 >	320.00	0.00	0.40
10300	VV	203	82	11/14/91	1.240	0.00	69.80	0.00	0.00
10301	JE	9LY	82	09/18/91	0.881	0.00	152.00	0.00	0.00
10301	PT	9TJ	82	09/18/91	0.629	0.00	189.00	0.00	0.76
10301	SF	9T3	82	09/18/91	0.682	0.00	187.00	0.00	1.52
10301	VE	9L2	82	09/20/91	1.120	0.00	238.00	0.00	0.40
10301	VV	204	82	11/14/91	1.421	0.00	62.20	0.00	0.00
10302	JE	9LZ	82	09/18/91	0.932	0.00	61.10	0.00	0.00
10302	PT	9TK	82	09/18/91	0.756	0.00	95.00	0.00	0.00
10302	SF	9T4	82	09/18/91	0.688	0.00	56.10	0.00	0.00
10302	VE	9L3	82	09/20/91	1.318	0.00	134.00	0.00	0.00
10302	VV	204	82	11/14/91	1.421	0.00	49.70	0.00	0.00
10303	JE	9RD	82	09/19/91	0.884	0.00	263.00	0.00	0.00
10303	PT	9RT	82	09/19/91	0.879	0.00	212.00	0.00	0.00
10303	SF	9S9	82	09/19/91	0.663	0.00	205.00	0.00 >	3.56
10303	VE	9QG	82	09/20/91	1.395	0.00	105.00	0.00	0.00
10303	VV	205	82	11/14/91	1.387	0.00	53.00	0.00	0.00
10303	YF	9QX	82	09/19/91	0.990	0.00	218.00	0.00 >	0.64
10304	JE	9RE	82	09/19/91	0.809	0.00	198.00	0.00	0.00
10304	PT	9RU	82	09/19/91	0.773	0.00	212.00	0.00	0.00
10304	SF	9SA	82	09/19/91	0.566	0.00	188.00	0.00	0.00
10304	VE	9QH	82	09/20/91	1.350	0.00	179.00	0.00	0.00
10304	VV	205	82	11/14/91	1.387	0.00	46.80	0.00	0.00
10304	YF	9QY	82	09/19/91	0.968	0.00	196.00	0.00	0.00
10305	JE	9RE	82	09/19/91	0.809	0.00 >	320.00	0.00	0.00
10305	PT	9RU	82	09/19/91	0.773	0.00	304.00	0.00	0.00
10305	SF	9SA	82	09/19/91	0.566	0.00	155.00	0.00	0.00
10305	VE	9QH	82	09/20/91	1.350	0.00	283.00	0.00	0.00
10305	VV	206	82	11/14/91	1.442	0.00	68.00	0.00	0.00
10305	YF	9QY	82	09/19/91	0.968	0.00	260.00	0.00	0.00
10306	JE	9RF	82	09/19/91	0.824	0.00	150.00	0.00	0.00
10306	PT	9RV	82	09/19/91	0.856	0.00	92.70	0.00	0.00
10306	SF	9S8	82	09/19/91	0.535	0.00	92.80	0.00	0.00
10306	VE	9QI	82	09/20/91	1.282	0.00	158.00	0.00	0.00
10306	VV	206	82	11/14/91	1.442	0.00	48.70	0.00	0.00
10306	YF	9QZ	82	09/19/91	0.920	0.00	183.00	0.00 >	1.14
10307	JE	9RF	82	09/19/91	0.824	0.00	161.00	0.00	0.00
10307	PT	9RV	82	09/19/91	0.856	0.00 >	320.00	0.00	0.00
10307	SF	9S8	82	09/19/91	0.535	0.00	112.00	0.00	0.00
10307	VE	9QI	82	09/20/91	1.282	0.00	144.00	0.00	0.00
10307	VV	207	82	11/14/91	1.501	0.00	50.20	0.00	0.00
10307	YF	9QZ	82	09/19/91	0.920	0.00	177.00	0.00 >	0.15
10308	JE	9RG	82	09/19/91	0.817	0.00	148.00	0.00	0.00
10308	PT	9RW	82	09/19/91	0.837	0.00	218.00	0.00	0.00
10308	SF	9SC	82	09/19/91	0.556	0.00	181.00	0.00	0.00
10308	VE	9QJ	82	09/20/91	1.351	0.00	167.00	0.00	0.00
10308	VV	207	82	11/14/91	1.501	0.00	60.50	0.00	0.00
10308	YF	9R0	82	09/19/91	0.943	0.00	189.00	0.00 >	0.50
10309	JE	9RG	82	09/19/91	0.817	0.00	124.00	0.00	0.00
10309	PT	9RW	82	09/19/91	0.837	0.00	160.00	0.00	0.00
10309	SF	9SC	82	09/19/91	0.556	0.00	118.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10309	VE	9QJ	82	09/20/91	1.351	0.00	116.00	0.00	0.00
10309	VV	208	82	11/14/91	1.371	0.00	56.00	0.00 >	0.60
10309	YF	9R0	82	09/19/91	0.943	0.00	132.00	0.00	0.00
10310	JE	9RH	82	09/19/91	0.745	0.00	276.00	0.00	0.00
10310	PT	9RX	82	09/19/91	0.814	0.00	249.00	0.00	0.00
10310	SF	9SD	82	09/19/91	0.521	0.00	199.00	0.00	0.00
10310	VE	9QK	82	09/20/91	1.358	0.00	121.00	0.00	0.00
10310	VV	208	82	11/14/91	1.371	0.00	82.00	0.00	0.30
10310	YF	9R1	82	09/19/91	1.033	0.00	196.00	0.00	0.00
10311	JE	9RH	82	09/19/91	0.745	0.00	239.00	0.00	0.00
10311	PT	9RX	82	09/19/91	0.814	0.00	204.00	0.00	0.00
10311	SF	9SD	82	09/19/91	0.521	0.00	144.00	0.00 >	0.06
10311	VE	9QK	82	09/20/91	1.358	0.00	106.00	0.00	0.00
10311	VV	209	82	11/14/91	1.455	0.00	58.90	0.00	0.00
10311	YF	9R1	82	09/19/91	1.033	0.00	167.00	0.00	0.00
10312	JE	9RI	82	09/19/91	0.738	0.00	207.00	0.00	0.00
10312	PT	9RY	82	09/19/91	0.852	0.00	196.00	0.00	0.00
10312	SF	9SE	82	09/19/91	0.522	0.00	176.00	0.00	0.00
10312	VE	9QL	82	09/20/91	1.340	0.00	143.00	0.00	0.00
10312	VV	209	82	11/14/91	1.455	0.00	55.70	0.00	0.00
10312	YF	9R2	82	09/19/91	1.011	0.00	173.00	0.00 >	0.09
10313	JE	9RI	82	09/19/91	0.738	0.00	181.00	0.00	0.00
10313	PT	9RY	82	09/19/91	0.852	0.00	190.00	0.00 >	0.10
10313	SF	9SE	82	09/19/91	0.522	0.00	160.00	0.00	2.29
10313	VE	9QL	82	09/20/91	1.340	0.00	131.00	0.00	0.00
10313	VV	20A	82	11/14/91	1.475	0.00	47.80	0.00	0.00
10313	YF	9R2	82	09/19/91	1.011	0.00	162.00	0.00	0.00
10314	JE	9RJ	82	09/19/91	0.770	0.00 >	320.00	0.00	0.00
10314	PT	9RZ	82	09/19/91	0.750	0.00	245.00	0.00	0.00
10314	SF	9SF	82	09/19/91	0.616	0.00	171.00	0.00	0.00
10314	VE	9QM	82	09/20/91	1.378	0.00	168.00	0.00	0.00
10314	VV	20A	82	11/14/91	1.475	0.00	66.90	0.00	0.00
10314	YF	9R3	82	09/19/91	1.012	0.00	245.00	0.00 >	0.20
10315	JE	9RJ	82	09/19/91	0.770	0.00 >	320.00	0.00	0.00
10315	PT	9RZ	82	09/19/91	0.750	0.00	231.00	0.00	0.00
10315	SF	9SF	82	09/19/91	0.616	0.00	109.00	0.00	0.00
10315	VE	9QM	82	09/20/91	1.378	0.00	154.00	0.00	0.00
10315	VV	208	82	11/14/91	1.419	0.00	62.80	0.00	0.12
10315	YF	9R3	82	09/19/91	1.012	0.00	175.00	0.00	0.02
10316	JE	9RK	82	09/19/91	0.780	0.00	251.00	0.00	0.08
10316	PT	9S0	82	09/19/91	0.825	0.00	194.00	0.00	0.00
10316	SF	9SG	82	09/19/91	0.512	0.00	154.00	0.00	1.33
10316	VE	9QN	82	09/20/91	1.433	0.00	132.00	0.00	0.00
10316	VV	208	82	11/14/91	1.419	0.00	65.30	0.00	0.00
10316	YF	9R4	82	09/19/91	0.912	0.00	200.00	0.00 >	0.13
10317	JE	9RK	82	09/19/91	0.780	0.00	126.00	0.00	0.00
10317	PT	9S0	82	09/19/91	0.825	0.00	163.00	0.00	0.00
10317	SF	9SG	82	09/19/91	0.512	0.00	32.00	0.00	0.00
10317	VE	9QN	82	09/20/91	1.433	0.00	6.86	0.00	0.00
10317	VV	20C	82	11/14/91	1.475	0.00	6.22	0.00	0.00
10317	YF	9R4	82	09/19/91	0.912	0.00	157.00	0.00	0.00
10318	JE	9RL	82	09/19/91	0.844	0.00	271.00	0.00	1.71
10318	PT	9S1	82	09/19/91	0.793	0.00	0.83	0.00	0.00
10318	SF	9SH	82	09/19/91	0.566	0.00	210.00	0.00 >	28.01
10318	VE	9QO	82	09/20/91	1.266	0.00	192.00	0.00	0.00
10318	VV	20C	82	11/14/91	1.475	0.00	63.80	0.00	0.00
10318	YF	9R5	82	09/19/91	0.924	0.00	152.00	0.00	0.00
10319	JE	9RL	82	09/19/91	0.844	0.00	3.56	0.00	0.00
10319	PT	9S1	82	09/19/91	0.793	0.00	4.75	0.00	0.00
10319	SF	9SH	82	09/19/91	0.566	0.00	2.41	0.00	0.00
10319	VE	9QO	82	09/20/91	1.266	0.00	3.71	0.00	0.00
10319	YF	9R5	82	09/19/91	0.924	0.00	1.64	0.00 >	0.49
10320	JE	9RM	82	09/19/91	0.783	0.00	226.00	0.00 >	0.32
10320	PT	9S2	82	09/19/91	0.785	0.00	178.00	0.00	2.10
10320	SF	9SI	82	09/19/91	0.417	0.00	75.50	0.00 >	0.10
10320	VE	9QP	82	09/20/91	1.351	0.00	52.00	0.00	0.00
10320	VV	20D	82	11/14/91	1.480	0.00	52.10	0.00	0.00
10320	YF	9R6	82	09/19/91	0.862	0.00	168.00	0.00	0.00
10321	JE	9RM	82	09/19/91	0.783	0.00 >	320.00	0.00 >	0.05
10321	PT	9S2	82	09/19/91	0.785	0.00	249.00	0.00	0.00
10321	SF	9SI	82	09/19/91	0.417	0.00	241.00	0.00	0.00
10321	VE	9QP	82	09/20/91	1.351	0.00	210.00	0.00	0.00
10321	VV	20E	82	11/14/91	1.290	0.00	85.10	0.00	0.00
10321	YF	9R6	82	09/19/91	0.862	0.00	253.00	0.00	3.66
10322	JE	9RN	82	09/19/91	0.817	0.00 >	320.00	0.00 >	0.01

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10322	PT	983	82	09/19/91	0.803	0.00	272.00	0.00	0.33
10322	SF	98J	82	09/19/91	0.486	0.00	207.00	0.00 >	0.02
10322	VE	900	82	09/20/91	1.371	0.00	202.00	0.00	0.00
10322	VV	20E	82	11/14/91	1.290	0.00	57.50	0.00	0.00
10322	YF	9R7	82	09/19/91	0.947	0.00	222.00	0.00 >	0.05
10323	JE	9RN	82	09/19/91	0.817	0.00	66.00	0.00	0.00
10323	PT	983	82	09/19/91	0.803	0.00	87.00	0.00	0.00
10323	SF	9SJ	82	09/19/91	0.486	0.00	91.10	0.00	0.36
10323	VE	900	82	09/20/91	1.371	0.00	9.60	0.00	0.00
10323	VV	20F	82	11/14/91	1.468	0.00	26.50	0.00	0.00
10323	YF	9R7	82	09/19/91	0.947	0.00	114.00	0.00	1.02
10324	JE	9RO	82	09/19/91	0.813	0.00	22.90	0.00	0.00
10324	PT	984	82	09/19/91	0.949	0.00	20.30	0.00 >	0.62
10324	SF	98K	82	09/19/91	0.652	0.00	17.00	0.00	0.00
10324	VE	90R	82	09/20/91	1.308	0.00	16.10	0.00	0.00
10324	VV	20F	82	11/14/91	1.468	0.00	70.50	0.00	0.00
10324	YF	9R8	82	09/19/91	0.978	0.00	24.50	0.00	0.00
10325	JE	9RO	82	09/19/91	0.813	0.00	173.00	0.00	0.00
10325	PT	984	82	09/19/91	0.949	0.00 >	320.00	0.00 >	2.50
10325	SF	98K	82	09/19/91	0.652	0.00	113.00	0.00 >	2.81
10325	VE	90R	82	09/20/91	1.308	0.00	80.00	0.00	0.00
10325	VV	20G	82	11/14/91	1.295	0.00	14.10	0.00	0.00
10325	YF	9R8	82	09/19/91	0.978	0.00 >	320.00	0.00 >	6.01
10326	JE	9RP	82	09/19/91	0.841	0.00	44.80	0.00 >	0.04
10326	PT	9S5	82	09/19/91	0.823	0.00	61.10	0.00	0.00
10326	SF	9SL	82	09/19/91	0.605	0.00	32.00	0.00 >	2.36
10326	VE	90S	82	09/20/91	1.368	0.00	138.00	0.00	0.00
10326	VV	20G	82	11/14/91	1.295	0.00	15.40	0.00	0.00
10326	YF	9R9	82	09/19/91	0.900	0.00	39.30	0.00 >	3.39
10327	JE	9RP	82	09/19/91	0.841	0.00	21.50	0.00	0.00
10327	PT	9S5	82	09/19/91	0.823	0.00	24.50	0.00	0.00
10327	SF	9SL	82	09/19/91	0.605	0.00	11.40	0.00	0.00
10327	VE	90S	82	09/20/91	1.368	0.00	18.50	0.00	0.00
10327	VV	20H	82	11/14/91	1.503	0.00	40.20	0.00	0.00
10327	YF	9R9	82	09/19/91	0.900	0.00	27.70	0.00 >	0.31
10328	JE	9RQ	82	09/19/91	0.849	0.00	30.80	0.00	0.00
10328	PT	986	82	09/19/91	0.856	0.00	42.00	0.00	0.00
10328	SF	9SM	82	09/19/91	0.643	0.00	29.10	0.00 >	17.05
10328	VE	90T	82	09/20/91	1.332	0.00	52.70	0.00	0.00
10328	VV	20H	82	11/14/91	1.503	0.00	25.10	0.00 >	0.60
10328	YF	9RA	82	09/19/91	0.887	0.00	52.40	0.00 >	0.18
10329	JE	9RQ	82	09/19/91	0.849	0.00	167.00	0.00	0.00
10329	PT	986	82	09/19/91	0.856	0.00	186.00	0.00	0.00
10329	SF	9SM	82	09/19/91	0.643	0.00	150.00	0.00 >	9.04
10329	VE	90T	82	09/20/91	1.332	0.00	142.00	0.00	0.00
10329	VV	201	82	11/14/91	1.483	0.00	21.60	0.00	0.00
10329	YF	9RA	82	09/19/91	0.887	0.00	182.00	0.00 >	0.57
10330	JE	9RR	82	09/19/91	0.845	0.00	108.00	0.00 >	0.32
10330	PT	9S7	82	09/19/91	0.841	0.00	100.00	0.00	0.00
10330	SF	9SN	82	09/19/91	0.567	0.00	89.80	0.00 >	17.89
10330	VE	90U	82	09/20/91	1.227	0.00	157.00	0.00	0.00
10330	VV	201	82	11/14/91	1.483	0.00	55.70	0.00	0.00
10330	YF	9RB	82	09/19/91	0.795	0.00	107.00	0.00	2.21
10331	JE	9RR	82	09/19/91	0.845	0.00	270.00	0.00	0.00
10331	PT	9S7	82	09/19/91	0.841	0.00	312.00	0.00	0.00
10331	SF	9SN	82	09/19/91	0.567	0.00	204.00	0.00 >	5.15
10331	VE	90U	82	09/20/91	1.227	0.00	269.00	0.00	0.13
10331	VV	20J	82	11/14/91	1.391	0.00	69.20	0.00	0.00
10331	YF	9RB	82	09/19/91	0.795	0.00 >	320.00	0.00	0.80
10332	JE	9RS	82	09/19/91	0.814	0.00	22.40	0.00	0.00
10332	PT	9S8	82	09/19/91	0.890	0.00	9.51	0.00	0.00
10332	SF	980	82	09/19/91	0.668	0.00	6.60	0.00 >	0.08
10332	VE	90V	82	09/20/91	1.329	0.00	2.40	0.00	0.00
10332	VV	20J	82	11/14/91	1.391	0.00	6.34	0.00	0.00
10332	YF	9RC	82	09/19/91	0.982	0.00	17.30	0.00	0.00
10333	JE	9XL	82	09/25/91	0.880	0.00	25.50	0.00	0.00
10333	PT	A2U	82	09/26/91	0.594	0.00	18.30	0.00	0.00
10333	SF	A3A	82	09/26/91	0.614	0.00	21.80	0.00	0.00
10333	VE	9WP	82	09/27/91	1.151	0.00	22.00	0.00	0.00
10333	VV	202	82	11/21/91	1.001	0.00	4.51	0.00	0.00
10333	YF	9W9	82	09/24/91	1.110	0.00	21.00	0.00	0.00
10334	JE	9YG	82	09/25/91	0.863	0.00	48.40	0.00	0.00
10334	PT	9YV	82	09/25/91	0.666	0.00	2.20	0.00 >	0.44
10334	SF	9ZD	82	09/25/91	0.763	6.64	1.00	0.15	6.39
10334	VE	9XN	82	09/27/91	1.087	0.00	150.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10334	VV	210	82	11/21/91	1.040	0.00	12.20	0.00 >	2.61
10334	YF	9Y1	82	09/25/91	1.032	32.00	2.35	0.07	1.42
10335	JE	9YH	82	09/25/91	0.925	0.00 >	320.00	0.00 >	5.02
10335	PT	9YW	82	09/25/91	0 641	0.00 >	320.00	0.00	0.00
10335	SF	9ZE	82	09/25/91	0.594	0.00 >	320.00	0.00	0.00
10335	VE	9XN	82	09/27/91	1.171	0.00 >	320.00	0.00	0.00
10335	VV	210	82	11/21/91	1.040	0.00	90.60	0.00	0.00
10335	YF	9Y2	82	09/25/91	1.167	0.00 >	320.00	0.00 >	8.13
10336	JE	9YH	82	09/25/91	0.925	0.00	27.30	0.00	0.00
10336	PT	9YW	82	09/25/91	0.641	0.00	8.93	0.00	0.00
10336	SF	9ZE	82	09/25/91	0.594	48.60	9.32	0.19 >	12.54
10336	VE	9XN	82	09/27/91	1.171	0.00	74.70	0.00	0.00
10336	VV	211	82	11/21/91	1.017	0.00	66.00	0.00	9.65
10336	YF	9Y2	82	09/25/91	1.167	0.00	100.00	0.00	0.00
10337	JE	9YI	82	09/25/91	0.867	0.00 >	320.00	0.00	0.00
10337	PT	9YX	82	09/25/91	0.671	0.00	238.00	0.00	0.00
10337	SF	9ZF	82	09/25/91	0.659	0.00	247.00	0.00	8.02
10337	VE	9XO	82	09/27/91	1.178	0.00	304.00	0.00	0.00
10337	VV	211	82	11/21/91	1.017	91.60	119.00	1.30	7.83
10337	YF	9Y3	82	09/25/91	1.110	0.00	235.00	0.00	0.10
10338	JE	9YI	82	09/25/91	0.867	0.00	128.00	0.00	0.00
10338	PT	9YX	82	09/25/91	0.671	0.00	173.00	0.00	0.00
10338	SF	9ZF	82	09/25/91	0.659	0.00	137.00	0.00	0.00
10338	VE	9XO	82	09/27/91	1.178	0.00 >	320.00	0.00 >	1.88
10338	VV	212	82	11/21/91	1.069	0.00	76.70	0.00 >	5.25
10338	YF	9Y3	82	09/25/91	1.110	0.00	149.00	0.00	0.00
10339	JE	9YJ	82	09/25/91	1.007	0.00	35.10	0.00 >	1.08
10339	PT	9YY	82	09/25/91	0.937	0.00	33.30	0.00 >	0.76
10339	SF	9ZG	82	09/25/91	0.710	0.00	47.90	0.00 >	0.60
10339	VE	9XP	82	09/27/91	1.135	0.00	56.30	0.00	0.00
10339	VV	212	82	11/21/91	1.069	0.00	34.60	0.00 >	0.87
10339	YF	9Y4	82	09/25/91	1.121	0.00	47.30	0.00 >	0.23
10340	JE	9YJ	82	09/25/91	1.007	0.00	9.28	0.00 >	0.56
10340	PT	9YY	82	09/25/91	0.937	0.00	3.04	0.00 >	0.56
10340	SF	9ZG	82	09/25/91	0.710	0.00	18.00	0.00 >	7.80
10340	VE	9XP	82	09/27/91	1.135	0.00	25.50	0.00	0.00
10340	VV	213	82	11/21/91	1.031	0.00	5.54	0.00 >	1.35
10340	YF	9Y4	82	09/25/91	1.121	0.00	5.09	0.00	0.00
10341	JE	9YK	82	09/25/91	0.832	0.00	52.40	0.00	0.00
10341	PT	9YZ	82	09/25/91	0.686	0.00	27.10	0.00	0.00
10341	SF	9ZH	82	09/25/91	0.579	0.00	29.30	0.00	0.00
10341	VE	9XQ	82	09/27/91	1.186	0.00	126.00	0.00	0.04
10341	VV	213	82	11/21/91	1.031	0.00	12.40	0.00	0.00
10341	YF	9Y5	82	09/25/91	1.131	0.00	15.30	0.00	0.00
10342	JE	9YK	82	09/25/91	0.832	0.00 >	320.00	0.00	0.04
10342	PT	9YZ	82	09/25/91	0.686	0.00 >	320.00	0.00	0.00
10342	SF	9ZH	82	09/25/91	0.579	264.00 >	320.00 >	1.21 >	4.73
10342	VE	9XQ	82	09/27/91	1.186	0.00 >	320.00	0.00	0.00
10342	VV	214	82	11/21/91	1.047	0.00	141.00	0.00	0.48
10342	YF	9Y5	82	09/25/91	1.131	0.00 >	320.00	0.00	0.00
10343	JE	9YL	82	09/25/91	0.848	0.00	181.00	0.00 >	0.06
10343	PT	9Z0	82	09/25/91	0.647	0.00	188.00	0.00	0.00
10343	SF	9Z1	82	09/25/91	0.681	0.00	165.00	0.00	0.00
10343	VE	9XR	82	09/27/91	1.165	0.00	218.00	0.00	0.00
10343	VV	214	82	11/21/91	1.047	0.00	41.30	0.00	0.00
10343	YF	9Y6	82	09/25/91	1.132	0.00	155.00	0.00	0.00
10344	JE	9YL	82	09/25/91	0.848	0.00	23.40	0.00	0.00
10344	PT	9Z0	82	09/25/91	0.647	0.00	9.64	0.00	0.00
10344	SF	9Z1	82	09/25/91	0.681	0.00	14.70	0.00 >	1.42
10344	VE	9XR	82	09/27/91	1.165	0.00 >	320.00	0.00	0.04
10344	VV	215	82	11/21/91	0.971	0.00	50.50	0.00	0.00
10344	YF	9Y6	82	09/25/91	1.132	0.00	6.37	0.00	0.00
10345	JE	9YM	82	09/25/91	0.853	0.00	66.00	0.00	0.00
10345	PT	9Z1	82	09/25/91	0.625	0.00	100.00	0.00	0.00
10345	SF	9ZJ	82	09/25/91	0.647	0.00	96.80	0.00	0.00
10345	VE	9XS	82	09/27/91	1.218	0.00	137.00	0.00	0.00
10345	VV	215	82	11/21/91	0.971	0.00	18.30	0.00	0.00
10345	YF	9Y7	82	09/25/91	1.130	0.00	127.00	0.00 >	0.31
10346	JE	9YM	82	09/25/91	0.853	0.00	20.20	0.00	0.00
10346	PT	9Z1	82	09/25/91	0.625	0.00	12.10	0.00	0.00
10346	SF	9ZJ	82	09/25/91	0.647	0.00	6.11	0.00	0.00
10346	VE	9XS	82	09/27/91	1.218	0.00	35.90	0.00	0.00
10346	VV	216	82	11/21/91	0.956	0.00	37.70	0.00	0.00
10346	YF	9Y7	82	09/25/91	1.130	0.00	5.14	0.00	0.00
10347	JE	9YN	82	09/25/91	0.930	0.00	12.20	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10347	PT	9Z2	82	09/25/91	0.900	0.00	16.90	0.00 >	0.95
10347	SF	9ZK	82	09/25/91	0.634	0.00	13.90	0.00	0.00
10347	VE	9XT	82	09/27/91	1.199	0.00	14.00	0.00	0.00
10347	VV	216	82	11/21/91	0.956	0.00	4.33	0.00	0.00
10347	YF	9Y8	82	09/25/91	1.218	0.00	13.00	0.00	0.00
10348	JE	9YN	82	09/25/91	0.930	0.00	7.09	0.00	0.00
10348	PT	9Z2	82	09/25/91	0.900	0.00	3.20	0.00	0.00
10348	SF	9ZK	82	09/25/91	0.634	0.00	9.09	0.00	0.00
10348	VE	9XT	82	09/27/91	1.199	164.00	48.30	0.29 >	7.70
10348	VV	217	82	11/21/91	0.993	0.00	30.20	0.00	0.00
10348	YF	9Y8	82	09/25/91	1.218	0.00	3.96	0.00	0.00
10349	JE	9YO	82	09/25/91	0.863	0.00	6.60	0.00	0.00
10349	PT	9Z3	82	09/25/91	0.697	0.00	16.[illegible]	0.00	0.00
10349	SF	9ZL	82	09/25/91	0.767	0.00	[illegible].00	0.00	0.00
10349	VE	9XU	82	09/27/91	1.160	0.00	33.80	0.00	0.00
10349	VV	217	82	11/21/91	0.993	0.00	15.00	0.00 >	0.20
10349	YF	9Y9	82	09/25/91	0.942	0.00	17.70	0.00	0.00
10350	JE	9YO	82	09/25/91	0.863	0.00	10.70	0.00	0.00
10350	JE	ACS	83	10/08/91	0.864	0.00	12.30	0.00	0.00
10350	PT	9Z3	82	09/25/91	0.697	0.00	12.80	0.00	0.00
10350	PT	ADO	83	10/08/91	0.682	0.00	7.09	0.00	0.00
10350	SF	9ZL	82	09/25/91	0.767	0.00	12.90	0.00	0.00
10350	SF	AE4	83	10/08/91	0.717	0.00	12.80	0.00	0.00
10350	VE	9XU	82	09/27/91	1.160	0.00	32.00	0.00	0.00
10350	VE	AD8	83	10/08/91	0.994	0.00	8.15	0.00	0.00
10350	VV	218	82	11/21/91	1.005	0.00	7.09	0.00	0.00
10350	YF	9Y9	82	09/25/91	0.942	0.00	14.10	0.00	0.00
10350	YF	ACC	83	10/08/91	1.006	0.00	13.70	0.00	0.00
10351	JE	ACU	83	10/08/91	0.939	0.00	10.00	0.00	0.00
10351	PT	ADQ	83	10/08/91	0.603	0.00	9.55	0.00	0.00
10351	SF	AE6	83	10/08/91	0.668	0.00	33.80	0.00	0.00
10351	VE	ADA	83	10/08/91	0.999	0.00	4.71	0.00	0.00
10351	YF	ACE	83	10/08/91	0.895	0.00	42.70	0.00	0.00
10352	JE	ACU	83	10/08/91	0.939	0.00	17.30	0.00	0.00
10352	PT	ADQ	83	10/08/91	0.603	0.00	15.90	0.00	0.00
10352	SF	AE6	83	10/08/91	0.668	0.00	20.20	0.00 >	0.01
10352	VE	ADA	83	10/08/91	0.999	0.00	18.80	0.00	0.00
10352	YF	ACE	83	10/08/91	0.895	0.00	38.60	0.00	0.00
10353	JE	ACV	83	10/08/91	0.867	0.00	10.90	0.00	0.00
10353	PT	ADR	83	10/08/91	0.628	0.00	8.06	0.00	0.00
10353	SF	AE7	83	10/08/91	0.757	0.00	0.93	0.00	0.00
10353	VE	AD8	83	10/08/91	0.990	0.00 <	1.00	0.00	0.00
10353	YF	ACF	83	10/08/91	0.957	0.00	11.90	0.00	0.00
10354	JE	ACW	83	10/08/91	0.752	0.00	13.50	0.00 >	0.60
10354	PT	ADS	83	10/08/91	0.653	0.00	5.14	0.00	0.00
10354	SF	AE8	83	10/08/91	0.732	0.00	6.25	0.00	0.00
10354	VE	ADC	83	10/08/91	0.990	0.00	2.51	0.00	0.00
10354	YF	ACG	83	10/08/91	0.931	0.00	9.41	0.00 >	0.02
10355	JE	AET	83	10/09/91	0.854	0.00	12.90	0.00	0.00
10355	PT	AFP	83	10/10/91	0.549	0.00	10.40	0.00	0.00
10355	SF	AG5	83	10/10/91	0.606	0.00	12.60	0.00 >	0.50
10355	VE	AF9	83	10/11/91	1.111	0.00	13.00	0.00	0.00
10355	YF	AED	83	10/08/91	0.973	0.00	14.90	0.00	0.00
10356	JE	AEU	83	10/09/91	0.692	0.00	15.50	0.00	0.00
10356	PT	AFQ	83	10/10/91	0.499	0.00	11.70	0.00	0.00
10356	SF	AG6	83	10/10/91	0.459	0.00	14.00	0.00	0.00
10356	VE	AFA	83	10/11/91	1.059	0.00	15.80	0.00	0.00
10356	YF	AEE	83	10/08/91	0.845	0.00	18.60	0.00	0.00
10357	JE	AEU	83	10/09/91	0.692	0.00	30.40	0.00	0.00
10357	PT	AFQ	83	10/10/91	0.499	0.00	18.30	0.00	0.00
10357	SF	AG6	83	10/10/91	0.459	0.00	12.40	0.00	0.00
10357	VE	AFA	83	10/11/91	1.059	0.00	14.50	0.00 >	0.01
10357	YF	AEE	83	10/08/91	0.845	0.00	43.50	0.00	0.00
10358	JE	AO1	83	10/16/91	0.869	0.00	47.70	0.00 >	0.15
10358	PT	APO	83	10/17/91	0.766	0.00	53.50	0.00	0.00
10358	SF	APT	83	10/17/91	0.671	0.00	42.70	0.00	0.00
10358	VE	ANL	83	10/18/91	1.006	0.00	38.90	0.00	0.00
10358	YF	AN5	83	10/15/91	0.976	0.00	51 70	0.00	0.00
10359	JE	AO1	83	10/16/91	0.869	0.00	10.40	0.00	0.00
10359	PT	APO	83	10/17/91	0.766	0.00	13.30	0.00	0.00
10359	SF	APT	83	10/17/91	0.671	0.00	4.33	0.00	0.00
10359	VE	ANL	83	10/18/91	1.006	0.00	6.42	0.00	0.00
10359	YF	AN5	83	10/15/91	0.976	0.00	11.70	0.00	0.00
10360	JE	AO2	83	10/16/91	0.821	0.00	11.60	0.00	0.00
10360	PT	APE	83	10/17/91	0.649	0.00	21.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10360	SF	APU	83	10/17/91	0.750	0.00	5.98	0.00	0.00
10360	VE	ANM	83	10/18/91	0.964	0.00	7.96	0.00	0.00
10360	YF	AN6	83	10/15/91	0.950	0.00	16.20	0.00	0.00
10361	JE	AO2	83	10/16/91	0.821	0.00	17.30	0.00 >	0.03
10361	PT	APE	83	10/17/91	0.649	0.00	28.90	0.00	0.00
10361	SF	APU	83	10/17/91	0.750	0.00	10.70	0.00	0.00
10361	VE	ANM	83	10/18/91	0.964	0.00	13.40	0.00	0.00
10361	YF	AN6	83	10/15/91	0.950	0.00	18.80	0.00	0.00
10362	JE	AO3	83	10/16/91	0.794	0.00	13.60	0.00	0.00
10362	PT	APF	83	10/17/91	0.657	0.00	15.10	0.00	0.00
10362	SF	APV	83	10/17/91	0.649	0.00	10.30	0.00	0.00
10362	VE	ANN	83	10/18/91	0.926	0.00	13.20	0.00	0.00
10362	YF	AN7	83	10/15/91	0.976	0.00	15.30	0.00	0.00
10363	JE	AO3	83	10/16/91	0.794	0.00	5.40	0.00	0.02
10363	PT	APF	83	10/17/91	0.657	0.00	19.80	0.00	0.00
10363	SF	APV	83	10/17/91	0.649	0.00	13.90	0.00	0.00
10363	VE	ANN	83	10/18/91	0.926	0.00	27.70	0.00 >	0.07
10363	YF	AN7	83	10/15/91	0.976	0.00	34.60	0.00	0.00
10364	JE	AO4	83	10/16/91	0.795	0.00 <	1.00	0.00	0.00
10364	PT	APG	83	10/17/91	0.637	0.00 <	1.00	0.00	0.00
10364	SF	APW	83	10/17/91	0.680	0.00 <	1.00	0.00	0.00
10364	VE	ANO	83	10/18/91	0.941	0.00 <	1.00	0.00	0.00
10364	YF	AN8	83	10/15/91	0.976	0.00 <	1.00	0.00	0.00
10365	JE	AO4	83	10/16/91	0.795	0.00 <	1.00	0.00	0.00
10365	PT	APG	83	10/17/91	0.637	0.00 <	1.00	0.00	0.00
10365	SF	APW	83	10/17/91	0.680	0.00 <	1.00	0.00	0.00
10365	VE	ANO	83	10/18/91	0.941	0.00 <	1.00	0.00	0.00
10365	YF	AN8	83	10/15/91	0.976	0.00 <	1.00	0.00	0.00
10366	JE	AO5	83	10/16/91	0.863	0.00	6.60	0.00 >	0.23
10366	PT	APH	83	10/17/91	0.727	0.00	5.63	0.00 >	0.20
10366	SF	APX	83	10/17/91	0.723	0.00	4.35	0.00	0.00
10366	VE	ANP	83	10/18/91	0.986	0.00	5.23	0.00	0.00
10366	YF	AN9	83	10/15/91	0.973	0.00	1.79	0.00	0.00
10367	JE	AO5	83	10/16/91	0.863	0.00 <	1.00	0.00	0.00
10367	PT	APH	83	10/17/91	0.727	0.00 <	1.00	0.00	0.00
10367	SF	APX	83	10/17/91	0.723	0.00 <	1.00	0.00	0.00
10367	VE	ANP	83	10/18/91	0.986	0.00 <	1.00	0.00	0.00
10367	YF	AN9	83	10/15/91	0.973	0.00 <	1.00	0.00	0.00
10368	JE	AO6	83	10/16/91	0.846	0.00	2.08	0.00	0.00
10368	PT	API	83	10/17/91	0.707	0.00 <	1.00	0.00	0.00
10368	SF	APY	83	10/17/91	0.639	0.00 <	1.00	0.00	0.00
10368	VE	ANQ	83	10/18/91	0.902	0.00	1.09	0.00	0.00
10368	YF	ANA	83	10/15/91	1.004	0.00	1.78	0.00 >	0.00
10369	JE	AO6	83	10/16/91	0.846	0.00	1.67	0.00	0.00
10369	PT	API	83	10/17/91	0.707	0.00 <	1.00	0.00	0.00
10369	SF	APY	83	10/17/91	0.639	0.00 <	1.00	0.00	0.00
10369	VE	ANQ	83	10/18/91	0.902	0.00 <	1.00	0.00	0.00
10369	YF	ANA	83	10/15/91	1.004	0.00	1.61	0.00	0.00
10370	JE	AO7	83	10/16/91	0.808	0.00 <	1.00	0.00	0.00
10370	PT	APJ	83	10/17/91	0.735	0.00 <	1.00	0.00	0.00
10370	SF	APZ	83	10/17/91	0.638	0.00 <	1.00	0.00	0.00
10370	VE	ANR	83	10/18/91	1.054	0.00 <	1.00	0.00	0.00
10370	YF	AN8	83	10/15/91	1.006	0.00 <	1.00	0.00	0.00
10371	JE	AO7	83	10/16/91	0.808	0.00 >	320.00	0.00	0.00
10371	PT	APJ	83	10/17/91	0.735	0.00	173.00	0.00	0.00
10371	SF	APZ	83	10/17/91	0.638	0.00	289.00	0.00	0.74
10371	VE	ANR	83	10/18/91	1.054	0.00 >	320.00	0.00	0.00
10371	YF	AN8	83	10/15/91	1.006	0.00 >	320.00	0.00 >	0.92
10372	JE	AO8	83	10/16/91	0.884	0.00	258.00	0.00	0.00
10372	PT	APK	83	10/17/91	0.708	0.00	179.00	0.00	0.00
10372	SF	AQ0	83	10/17/91	0.572	0.00	290.00	0.00	8.21
10372	VE	ANS	83	10/18/91	0.796	0.00 >	320.00	0.00	0.00
10372	YF	ANC	83	10/15/91	0.699	0.00 >	320.00	0.00 >	2.00
10373	JE	AO8	83	10/16/91	0.884	0.00	7.96	0.00	0.00
10373	PT	APK	83	10/17/91	0.708	0.00 >	320.00	0.00 >	1.76
10373	SF	AQ0	83	10/17/91	0.572	0.00	17.50	0.00	0.00
10373	VE	ANS	83	10/18/91	0.796	0.00	21.00	0.00	0.00
10373	YF	ANC	83	10/15/91	0.699	0.00	33.80	0.00	0.00
10374	JE	AO9	83	10/16/91	0.855	0.00	152.00	0.00	0.00
10374	PT	APL	83	10/17/91	0.595	0.00	312.00	0.00	1.72
10374	SF	AQ1	83	10/17/91	0.693	0.00	54.70	0.00	0.00
10374	VE	ANT	83	10/18/91	0.930	0.00	138.00	0.00	0.00
10374	YF	AND	83	10/15/91	0.821	0.00	263.00	0.00	0.00
10375	JE	AO9	83	10/16/91	0.855	0.00	36.40	0.00	0.00
10375	PT	APL	83	10/17/91	0.595	0.00 >	320.00	0.00 >	2.02

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10375	SF	AQ1	83	10/17/91	0.693	0.00	16.30	0.00	0.00
10375	VE	ANT	83	10/18/91	0.930	0.00	84.50	0.00	0.00
10375	YF	AMD	83	10/15/91	0.821	0.00	48.00	0.00	0.00
10376	JE	AOA	83	10/16/91	0.895	0.00	13.60	0.00	0.00
10376	PT	APN	83	10/17/91	0.600	0.00 >	320.00	0.00 >	2.41
10376	SF	AQ2	83	10/17/91	0.562	0.00	18.60	0.00	0.00
10376	VE	ANU	83	10/18/91	0.979	0.00	27.40	0.00	0.00
10376	YF	AME	83	10/15/91	0.886	0.00	19.00	0.00	0.00
10377	JE	AOA	83	10/16/91	0.895	0.00	14.50	0.00	0.75
10377	PT	APN	83	10/17/91	0.600	0.00	273.00	0.00	0.00
10377	SF	AQ2	83	10/17/91	0.562	0.00	14.80	0.00	0.00
10377	VE	ANU	83	10/18/91	0.979	0.00	12.40	0.00 >	0.03
10377	YF	AME	83	10/15/91	0.886	0.00	14.70	0.00 >	0.66
10378	JE	AOB	83	10/16/91	0.826	0.00	30.00	0.00	0.00
10378	PT	APN	83	10/17/91	0.753	0.00	54.70	0.00 >	3.00
10378	SF	AQ3	83	10/17/91	0.568	0.00	14.20	0.00	0.00
10378	VE	ANV	83	10/18/91	0.936	0.00	55.90	0.00	0.00
10378	YF	ANF	83	10/15/91	0.811	0.00	45.10	0.00	0.00
10379	JE	AOB	83	10/16/91	0.826	0.00 >	320.00	0.00	0.00
10379	PT	APN	83	10/17/91	0.753	0.00	3.40	0.00 >	0.02
10379	SF	AQ3	83	10/17/91	0.568	0.00	144.00	0.00	0.00
10379	VE	ANV	83	10/18/91	0.936	0.00 >	320.00	0.00	0.00
10379	YF	ANF	83	10/15/91	0.811	0.00 >	320.00	0.00	0.00
10380	JE	AOC	83	10/16/91	0.844	0.00	3.02	0.00	0.00
10380	PT	APO	83	10/17/91	0.639	0.00	277.00	0.00	0.76
10380	SF	AQ4	83	10/17/91	0.637	0.00 <	1.00	0.00	0.00
10380	VE	ANW	83	10/18/91	0.941	0.00	9.55	0.00	0.00
10380	YF	ANG	83	10/15/91	0.959	0.00	4.52	0.00	0.00
10381	JE	AOC	83	10/16/91	0.844	0.00 >	320.00	0.00	0.00
10381	PT	APO	83	10/17/91	0.639	0.00	255.00	0.00	0.00
10381	SF	AQ4	83	10/17/91	0.637	0.00	320.00	0.00	0.91
10381	VE	ANW	83	10/18/91	0.941	0.00 >	320.00	0.00	0.00
10381	YF	ANG	83	10/15/91	0.959	0.00	2.51	0.00 >	1.04
10382	JE	AOD	83	10/16/91	0.849	0.00	162.00	0.00	0.14
10382	PT	APP	83	10/17/91	0.610	0.00	253.00	0.00	1.03
10382	SF	AQ5	83	10/17/91	0.595	0.00	172.00	0.00	0.10
10382	VE	ANX	83	10/18/91	0.991	0.00	64.30	0.00	0.00
10382	YF	ANH	83	10/15/91	0.951	0.00	177.00	0.00	0.90
10383	JE	AOD	83	10/16/91	0.849	0.00 >	320.00	0.00	0.00
10383	PT	APP	83	10/17/91	0.610	0.00	164.00	0.00	0.00
10383	SF	AQ5	83	10/17/91	0.595	0.00 >	320.00	0.00	0.00
10383	VE	ANX	83	10/18/91	0.991	0.00 >	320.00	0.00	0.00
10383	YF	ANH	83	10/15/91	0.951	0.00 >	320.00	0.00	0.00
10384	JE	AOE	83	10/16/91	0.837	0.00	121.00	0.00	0.00
10384	PT	APQ	83	10/17/91	0.638	0.00	78.40	0.00	0.00
10384	SF	AQ6	83	10/17/91	0.640	0.00	112.00	0.00	0.00
10384	VE	ANY	83	10/18/91	1.011	0.00	55.90	0.00	0.00
10384	YF	ANI	83	10/15/91	0.973	0.00	133.00	0.00	0.00
10385	JE	AOE	83	10/16/91	0.837	0.00 >	320.00	0.00	0.00
10385	PT	APQ	83	10/17/91	0.638	0.00	179.00	0.00	0.00
10385	SF	AQ6	83	10/17/91	0.640	0.00	290.00	0.00	0.36
10385	VE	ANY	83	10/18/91	1.011	0.00	304.00	0.00	0.00
10385	YF	ANI	83	10/15/91	0.973	0.00 >	320.00	0.00 >	0.97
10386	JE	AOF	83	10/16/91	0.866	0.00	1.65	0.00	0.00
10386	PT	APR	83	10/17/91	0.840	0.00	24.70	0.00	0.00
10386	SF	AQ7	83	10/17/91	0.594	0.00 <	1.00	0.00	0.00
10386	VE	ANZ	83	10/18/91	1.058	0.00	46.30	0.00	0.00
10386	YF	ANJ	83	10/15/91	1.005	0.00	1.55	0.00	0.00
10387	JE	AQQ	83	10/16/91	0.940	0.00	118.00	0.00	0.00
10387	PT	AR4	83	10/16/91	0.461	0.00	100.00	0.00	0.00
10387	SF	ARK	83	10/16/91	0.556	0.00	62.20	0.00 >	0.40
10387	VE	AOG	83	10/18/91	1.395	0.00	32.00	0.00	0.00
10387	YF	AQ8	83	10/16/91	1.054	0.00	88.70	0.00	0.00
10388	JE	AQP	83	10/16/91	0.889	0.00	123.00	0.00	0.00
10388	PT	AR5	83	10/16/91	0.464	0.00	58.40	0.00	0.00
10388	SF	ARL	83	10/16/91	0.545	0.00	43.80	0.00 >	0.40
10388	VE	AOH	83	10/18/91	1.275	0.00	10.00	0.00	0.00
10388	YF	AQ9	83	10/16/91	0.955	0.00	152.00	0.00	0.00
10389	JE	AQP	83	10/16/91	0.889	0.00	55.40	0.00	0.00
10389	PT	AR5	83	10/16/91	0.464	0.00	75.70	0.00	0.00
10389	SF	ARL	83	10/16/91	0.545	0.00	26.90	0.00	0.00
10389	VE	AOH	83	10/18/91	1.275	0.00	6.60	0.00	0.00
10389	YF	AQ9	83	10/16/91	0.955	0.00	46.80	0.00	0.00
10390	JE	AQQ	83	10/16/91	0.895	0.00	9.07	0.00	0.00
10390	PT	AR6	83	10/16/91	0.383	0.00	78.80	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10390	SF	ARM	83	10/16/91	0.639	0.00	6.60	0.00 >	0.87
10390	VE	AOI	83	10/18/91	1.239	0.00	90.60	0.00	0.02
10390	YF	AQA	83	10/16/91	0.984	0.00	17.30	0.00	0.00
10391	JE	AQQ	83	10/16/91	0.895	0.00	4.71	0.00	0.00
10391	PT	AR6	83	10/16/91	0.383	0.00	0.89	0.00	0.00
10391	SF	ARM	83	10/16/91	0.639	0.00	7.38	0.00 >	0.15
10391	VE	AOI	83	10/18/91	1.239	0.00	13.70	0.00	0.00
10391	YF	AQA	83	10/16/91	0.984	0.00	13.20	0.00	0.00
10392	JE	AQR	83	10/16/91	0.949	0.00	1.53	0.00	0.00
10392	PT	AR7	83	10/16/91	0.395	0.00	2.17	0.00 >	0.07
10392	SF	ARN	83	10/16/91	0.622	0.00	1.96	0.00 >	0.08
10392	VE	AOJ	83	10/18/91	1.265	0.00	2.77	0.00 >	0.00
10392	YF	AQB	83	10/16/91	1.015	0.00	1.80	0.00	0.00
10393	JE	AQR	83	10/16/91	0.949	0.00	153.00	0.00	0.00
10393	PT	AR7	83	10/16/91	0.395	0.00	175.00	0.00	0.00
10393	SF	ARN	83	10/16/91	0.622	0.00	68.30	0.00	0.00
10393	VE	AOJ	83	10/18/91	1.265	0.00	67.40	0.00 >	0.20
10393	YF	AQB	83	10/16/91	1.015	0.00	172.00	0.00	0.08
10394	JE	AQS	83	10/16/91	0.885	0.00	91.50	0.00	0.00
10394	PT	AR8	83	10/16/91	0.559	95.90	139.00	1.45 >	16.40
10394	SF	ARO	83	10/16/91	0.590	0.00	131.00	0.00 >	3.12
10394	VE	AOK	83	10/18/91	1.277	0.00	168.00	0.00	0.34
10394	YF	AQC	83	10/16/91	0.945	0.00	154.00	0.00 >	0.10
10395	JE	AQS	83	10/16/91	0.885	0.00	22.80	0.00	0.00
10395	PT	AR8	83	10/16/91	0.559	0.00	35.60	0.00 >	7.42
10395	SF	ARO	83	10/16/91	0.590	0.00	24.10	0.00 >	3.17
10395	VE	AOK	83	10/18/91	1.277	0.00	57.10	0.00	0.00
10395	YF	AQC	83	10/16/91	0.945	0.00	30.40	0.00	0.00
10396	JE	AQT	83	10/16/91	0.862	0.00	11.50	0.00	0.00
10396	PT	AR9	83	10/16/91	0.465	0.00	12.10	0.00 >	4.70
10396	SF	ARP	83	10/16/91	0.561	0.00	9.62	0.00 >	0.08
10396	VE	AOL	83	10/18/91	1.143	0.00	43.50	0.00 >	0.32
10396	YF	AQD	83	10/16/91	0.942	0.00	22.80	0.00 >	0.03
10397	JE	AQT	83	10/16/91	0.862	0.00	159.00	0.00	0.00
10397	PT	AR9	83	10/16/91	0.465	0.00	148.00	0.00	0.22
10397	SF	ARP	83	10/16/91	0.561	0.00	76.30	0.00	0.00
10397	VE	AOL	83	10/18/91	1.143	0.00	80.60	0.00 >	1.67
10397	YF	AQD	83	10/16/91	0.942	0.00	190.00	0.00	0.00
10398	JE	AQU	83	10/16/91	0.926	0.00	131.00	0.00	0.00
10398	PT	ARA	83	10/16/91	0.392	0.00	187.00	0.00	0.00
10398	SF	ARQ	83	10/16/91	0.703	0.00	88.70	0.00	0.00
10398	VE	AOM	83	10/18/91	1.168	0.00	196.00	0.00 >	0.05
10398	YF	AQE	83	10/16/91	0.959	0.00	182.00	0.00	0.00
10399	JE	AQU	83	10/16/91	0.926	0.00	42.10	0.00	0.00
10399	PT	ARA	83	10/16/91	0.392	0.00	54.70	0.00	0.00
10399	SF	ARQ	83	10/16/91	0.703	0.00	16.60	0.00	0.00
10399	VE	AOM	83	10/18/91	1.168	0.00	49.70	0.00 >	0.54
10399	YF	AQE	83	10/16/91	0.959	0.00	57.40	0.00	0.00
10400	JE	AQV	83	10/16/91	0.921	0.00	18.00	0.00	0.00
10400	PT	ARB	83	10/16/91	0.610	0.00	17.70	0.00 >	1.83
10400	SF	ARR	83	10/16/91	0.674	0.00	9.09	0.00	0.00
10400	VE	AON	83	10/18/91	1.138	0.00	12.60	0.00	0.00
10400	YF	AQF	83	10/16/91	0.965	0.00	29.50	0.00	0.00
10401	JE	AQV	83	10/16/91	0.921	0.00	216.00	0.00	0.00
10401	PT	ARB	83	10/16/91	0.610	0.00	170.00	0.00	0.00
10401	SF	ARR	83	10/16/91	0.674	0.00	114.00	0.00	0.00
10401	VE	AON	83	10/18/91	1.138	0.00	227.00	0.00	0.00
10401	YF	AQF	83	10/16/91	0.965	0.00	204.00	0.00	0.00
10402	JE	AQW	83	10/16/91	0.871	0.00	146.00	0.00	0.00
10402	PT	ARC	83	10/16/91	0.433	0.00	75.40	0.00 >	1.41
10402	SF	ARS	83	10/16/91	0.626	0.00	54.70	0.00	0.00
10402	VE	AOO	83	10/18/91	1.365	0.00	40.50	0.00	0.00
10402	YF	AQG	83	10/16/91	0.908	0.00	145.00	0.00	0.00
10403	JE	AQW	83	10/16/91	0.871	0.00	15.40	0.00	0.00
10403	PT	ARC	83	10/16/91	0.433	0.00	17.90	0.00 >	4.72
10403	SF	ARS	83	10/16/91	0.626	0.00	9.24	0.00	0.00
10403	VE	AOO	83	10/18/91	1.365	0.00	14.20	0.00	0.00
10403	YF	AQG	83	10/16/91	0.908	0.00	15.50	0.00	0.00
10404	JE	AQX	83	10/16/91	0.950	0.00	39.20	0.00 >	0.32
10404	PT	ARD	83	10/16/91	0.491	0.00	42.30	0.00 >	4.21
10404	SF	ART	83	10/16/91	0.564	0.00	22.90	0.00	0.00
10404	VE	AOP	83	10/18/91	1.318	0.00	25.20	0.00	0.00
10404	YF	AQH	83	10/16/91	0.855	0.00	61.90	0.00	0.00
10405	JE	AQX	83	10/16/91	0.950	0.00	9.32	0.00	0.00
10405	PT	ARD	83	10/16/91	0.491	0.00	48.20	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10405	SF	ART	83	10/16/91	0.564	0.00	10.00	0.00	0.00
10405	VE	AOP	83	10/18/91	1.318	0.00	10.00	0.00 >	0.02
10405	YF	AQM	83	10/16/91	0.855	0.00	40.10	0.00	0.00
10406	JE	AQY	83	10/16/91	0.823	0.00	24.00	0.00	0.00
10406	PT	ARE	83	10/16/91	0.627	0.00	24.70	0.00	0.00
10406	SF	ARU	83	10/16/91	0.473	0.00	26.50	0.00	0.00
10406	VE	AOQ	83	10/18/91	1.259	0.00	8.19	0.00	0.00
10406	YF	AQI	83	10/16/91	0.863	0.00	52.80	0.00	0.00
10407	JE	AQY	83	10/16/91	0.823	0.00 >	320.00	0.00	0.00
10407	PT	ARE	83	10/16/91	0.627	0.00 >	320.00	0.00 >	4.52
10407	SF	ARU	83	10/16/91	0.473	0.00 >	320.00	0.00	2.20
10407	VE	AOQ	83	10/18/91	1.259	0.00	280.00	0.00	0.00
10407	YF	AQI	83	10/16/91	0.863	0.00 >	320.00	0.00	0.25
10408	JE	AQZ	83	10/16/91	0.875	0.00 >	320.00	0.00	0.00
10408	PT	ARF	83	10/16/91	0.547	0.00 >	320.00	0.00 >	11.49
10408	SF	ARV	83	10/16/91	0.601	0.00	296.00	0.00 >	5.68
10408	VE	AOR	83	10/18/91	1.222	0.00	261.00	0.00	0.00
10408	YF	AQJ	83	10/16/91	0.888	0.00 >	320.00	0.00	0.38
10409	JE	AQZ	83	10/16/91	0.875	0.00	19.00	0.00	0.00
10409	PT	ARF	83	10/16/91	0.547	0.00	21.80	0.00	1.16
10409	SF	ARV	83	10/16/91	0.601	0.00	8.30	0.00	0.00
10409	VE	AOR	83	10/18/91	1.222	0.00	32.00	0.00	0.00
10409	YF	AQJ	83	10/16/91	0.888	0.00	25.10	0.00	0.00
10410	JE	ARO	83	10/16/91	0.856	0.00	1.83	0.00	0.00
10410	PT	ARG	83	10/16/91	0.529	0.00	1.12	0.00	0.00
10410	SF	ARW	83	10/16/91	0.547	0.00 <	1.00	0.00	0.00
10410	VE	AOS	83	10/18/91	1.229	0.00	2.10	0.00	0.00
10410	YF	AQK	83	10/16/91	0.917	0.00	4.71	0.00	0.00
10411	JE	ARO	83	10/16/91	0.856	0.00	100.00	0.00	0.00
10411	PT	ARG	83	10/16/91	0.529	0.00	23.20	0.00	0.00
10411	SF	ARW	83	10/16/91	0.547	0.00	8.30	0.00	0.00
10411	VE	AOS	83	10/18/91	1.229	0.00	74.10	0.00	0.00
10411	YF	AQK	83	10/16/91	0.917	0.00 >	320.00	0 00	0.00
10412	JE	AR1	83	10/16/91	0.799	0.00	66.00	0.00	0.00
10412	PT	ARH	83	10/16/91	0.559	0.00	37.40	0.00	0.00
10412	SF	ARX	83	10/16/91	0.529	0.00	22.60	0.00	0.00
10412	VE	AOT	83	10/18/91	1.188	0.00	77.30	0.00	0.00
10412	YF	AQL	83	10/16/91	0.895	0.00	163.00	0.00	0.00
10413	JE	AR1	83	10/16/91	0.799	0.00	206.00	0.00	0.00
10413	PT	ARH	83	10/16/91	0.559	0.00	143.00	0.00	0.00
10413	SF	ARX	83	10/16/91	0.529	0.00	100.00	0.00	0.00
10413	VE	AOT	83	10/18/91	1.188	0.00	239.00	0.00	0.00
10413	YF	AQL	83	10/16/91	0.895	0.00	294.00	0.00	0.00
10414	JE	AR2	83	10/16/91	0.858	0.00	3.38	0.00	0.00
10414	PT	AR1	83	10/16/91	0.463	0.00	4.90	0.00	0.00
10414	SF	ARY	83	10/16/91	0.539	0.00	4.82	0.00	0.00
10414	VE	AOU	83	10/18/91	1.204	0.00	1.58	0.00 >	0.00
10414	YF	AQN	83	10/16/91	0.904	0.00	5.11	0.00	0.00
10415	JE	AR2	83	10/16/91	0.858	0.00	18.60	0.00	0.00
10415	PT	AR1	83	10/16/91	0.463	0.00	19.70	0.00	0.00
10415	SF	ARY	83	10/16/91	0.539	0.00	7.62	0.00	0.00
10415	VE	AOU	83	10/18/91	1.204	0.00	20.40	0.00 >	0.30
10415	YF	AQN	83	10/16/91	0.904	0.00	33.30	0.00	0.00
10416	JE	AR3	83	10/16/91	0.885	0.00	20.60	0.00	0.00
10416	PT	ARJ	83	10/16/91	0.517	0.00	19.70	0.00	0.00
10416	SF	ARZ	83	10/16/91	0.611	0.00	9.15	0.00	0.00
10416	VE	AOV	83	10/18/91	1.227	0.00	0.93	0.00	0.00
10416	YF	AQN	83	10/16/91	0.982	0.00	45.60	0.00	0.00
10417	JE	ASN	83	10/17/91	0.943	0.00	25.40	0.00	0.00
10417	PT	AT3	83	10/17/91	0.797	0.00	14.80	0.00	0.00
10417	SF	ATJ	83	10/17/91	0.699	0.00	9.38	0.00	0.00
10417	VE	AOW	83	10/18/91	1.362	0.00	21.30	0.00	0.00
10417	YF	AS7	83	10/17/91	0.897	0.00	16.60	0.00	0.00
10418	JE	ASO	83	10/17/91	0.969	0.00	15.10	0.08 >	0.08
10418	PT	AT4	83	10/17/91	0.790	0.00	20.50	0.00	0.00
10418	SF	ATK	83	10/17/91	0.622	0.00	14.30	0.00	0.00
10418	VE	AOX	83	10/18/91	1.267	0.00	2.76	0.00	0.00
10418	YF	AS8	83	10/17/91	0.930	0.00	9.38	0.00	0.00
10419	JE	ASO	83	10/17/91	0.969	0.00 >	320.00	0.20	0.10
10419	PT	AT4	83	10/17/91	0.790	0.00	320.00	0.00	0.00
10419	SF	ATK	83	10/17/91	0.622	0.00	202.00	0.00	0.00
10419	VE	AOX	83	10/18/91	1.267	0.00	165.00	0.00	0.00
10419	YF	AS8	83	10/17/91	0.930	0.00 >	320.00	0.00	0.00
10420	JE	ASP	83	10/17/91	0.978	0.00	51.10	0.00 >	0.46
10420	PT	AT5	83	10/17/91	0.687	0.00	59.90	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10420	SF	ATL	83	10/17/91	0.721	0.00	33.50	0.00	0.00
10420	VE	AOY	83	10/18/91	1.180	0.00	76.70	0.00	0.00
10420	YF	AS9	83	10/17/91	0.918	0.00	53.40	0.00 >	0.06
10421	JE	ASP	83	10/17/91	0.978	0.00	108.00	0.00	0.09
10421	PT	AT5	83	10/17/91	0.687	0.00	69.00	0.00	0.00
10421	SF	ATL	83	10/17/91	0.721	0.00	69.80	0.00	4.68
10421	VE	AOY	83	10/18/91	1.180	0.00	74.50	0.00	0.00
10421	YF	AS9	83	10/17/91	0.918	0.00	80.60	0.00	0.00
10422	JE	ASQ	83	10/17/91	0.927	0.00	61.10	0.00 >	0.13
10422	PT	AT6	83	10/17/91	0.734	0.00	57.40	0.00	0.00
10422	SF	ATN	83	10/17/91	0.688	0.00	58.00	0.00	0.00
10422	VE	AOZ	83	10/18/91	1.217	0.00	66.90	0.00	0.00
10422	YF	ASA	83	10/17/91	0.864	0.00	55.90	0.00	0.00
10423	JE	ASQ	83	10/17/91	0.927	0.00	4.03	0.00 >	0.27
10423	PT	AT6	83	10/17/91	0.734	0.00	5.22	0.00 >	0.15
10423	SF	ATN	83	10/17/91	0.688	0.00	4.37	0.00	0.00
10423	VE	AOZ	83	10/18/91	1.217	0.00	6.74	0.00	0.00
10423	YF	ASA	83	10/17/91	0.864	0.00	5.47	0.00	0.00
10424	JE	ASR	83	10/17/91	0.912	0.00	3.39	0.00	0.00
10424	PT	AT7	83	10/17/91	0.688	0.00	3.20	0.00	0.00
10424	SF	ATN	83	10/17/91	0.699	0.00 <	1.00	0.00	0.00
10424	VE	APO	83	10/18/91	1.205	0.00	8.46	0.00	0.00
10424	YF	AS8	83	10/17/91	0.859	0.00	4.07	0.00 >	0.52
10425	JE	ASR	83	10/17/91	0.912	0.00	48.40	0.00 >	0.77
10425	PT	AT7	83	10/17/91	0.688	0.00	38.10	0.00	0.00
10425	SF	ATN	83	10/17/91	0.699	0.00	18.50	0.00	0.00
10425	VE	APO	83	10/18/91	1.205	0.00	41.30	0.00	0.00
10425	YF	AS8	83	10/17/91	0.859	0.00	51.20	0.00	0.00
10426	JE	ASS	83	10/17/91	0.986	0.00	4.04	0.00 >	0.06
10426	PT	AT8	83	10/17/91	0.705	0.00	3.43	0.00	0.00
10426	SF	ATO	83	10/17/91	0.710	0.00 <	1.00	0.00 >	1.23
10426	VE	AP1	83	10/18/91	1.185	0.00	4.90	0.00	0.00
10426	YF	ASC	83	10/17/91	0.888	0.00	4.21	0.00	0.00
10427	JE	ASS	83	10/17/91	0.986	0.00	1.28	0.00	0.00
10427	PT	AT8	83	10/17/91	0.705	0.00	1.41	0.00	0.00
10427	SF	ATO	83	10/17/91	0.710	0.00	1.43	0.00	0.00
10427	VE	AP1	83	10/18/91	1.185	0.00	1.61	0.00	0.00
10427	YF	ASC	83	10/17/91	0.888	0.00 <	1.00	0.00	0.00
10428	JE	AST	83	10/17/91	0.904	0.00	138.00	0.00 >	0.23
10428	PT	AT9	83	10/17/91	0.727	0.00	170.00	0.00	1.72
10428	SF	ATP	83	10/17/91	0.725	0.00	111.00	0.00	0.00
10428	VE	AP2	83	10/18/91	1.121	0.00	187.00	0.00	0.33
10428	YF	ASD	83	10/17/91	0.971	0.00	139.00	0.00 >	0.13
10429	JE	AST	83	10/17/91	0.904	179.00	87.30	0.49 >	8.20
10429	PT	AT9	83	10/17/91	0.727	0.00	160.00	0.00	0.00
10429	SF	ATP	83	10/17/91	0.725	179.00	41.70	0.23 >	5.83
10429	VE	AP2	83	10/18/91	1.121	0.00	75.50	0.00	0.00
10429	YF	ASD	83	10/17/91	0.971	0.00	119.00	0.00	0.00
10430	JE	ASU	83	10/17/91	0.963	0.00	8.87	0.00 >	0.16
10430	PT	ATA	83	10/17/91	0.746	0.00 >	320.00	0.00 >	4.00
10430	SF	ATQ	83	10/17/91	0.795	0.00	10.00	0.00	0.00
10430	VE	AP3	83	10/18/91	1.135	0.00 >	320.00	0.00	0.00
10430	YF	ASE	83	10/17/91	1.062	0.00 >	320.00	0.00	0.00
10431	JE	ASU	83	10/17/91	0.963	0.00	17.80	0.00 >	0.15
10431	PT	ATA	83	10/17/91	0.746	0.00	14.70	0.00	0.00
10431	SF	ATQ	83	10/17/91	0.795	0.00	6.11	0.00	0.00
10431	VE	AP3	83	10/18/91	1.135	0.00	67.40	0.00	0.00
10431	YF	ASE	83	10/17/91	1.062	0.00	10.50	0.00	0.00
10432	JE	ASV	83	10/17/91	0.851	0.00	190.00	0.00	0.23
10432	PT	ATB	83	10/17/91	0.781	0.00	244.00	0.00	0.00
10432	SF	ATR	83	10/17/91	0.595	76.80	154.00	2.01	7.24
10432	VE	AP4	83	10/18/91	1.382	0.00	36.30	0.00	0.00
10432	YF	ASF	83	10/17/91	0.823	0.00	164.00	0.00	0.00
10433	JE	ASV	83	10/17/91	0.851	0.00 >	320.00	0.00 >	2.24
10433	PT	ATB	83	10/17/91	0.781	0.00	16.50	0.00	0.00
10433	SF	ATR	83	10/17/91	0.595	0.00	293.00	0.00	0.00
10433	VE	AP4	83	10/18/91	1.382	0.00	267.00	0.00	0.00
10433	YF	ASF	83	10/17/91	0.823	0.00 >	320.00	0.00	0.17
10434	JE	ASW	83	10/17/91	0.922	0.00 >	320.00	0.00	0.09
10434	PT	ATC	83	10/17/91	0.667	0.00	220.00	0.00	0.00
10434	SF	ATS	83	10/17/91	0.626	0.00	225.00	0.00	0.00
10434	VE	AP5	83	10/18/91	1.180	0.00	200.00	0.00	0.00
10434	YF	ASG	83	10/17/91	0.897	0.00	296.00	0.00	0.00
10435	JE	ASW	83	10/17/91	0.922	0.00 >	320.00	0.00	0.38
10435	PT	ATC	83	10/17/91	0.667	0.00	42.30	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10435	SF	ATS	83	10/17/91	0.626	0.00 >	320.00	0.00	0.00
10435	VE	AP5	83	10/18/91	1.180	0.00 >	320.00	0.00	0.00
10435	YF	ASG	83	10/17/91	0.897	0.00 >	320.00	0.00	0.00
10436	JE	ASX	83	10/17/91	0.877	0.00 >	320.00	0.00	0.00
10436	PT	ATD	83	10/17/91	0.658	0.00	13.80	0.00	0.00
10436	SF	ATT	83	10/17/91	0.657	0.00	261.00	0.00	0.00
10436	VE	AP6	83	10/18/91	1.195	0.00	281.00	0.00	1.10
10436	YF	ASN	83	10/17/91	0.891	0.00 >	320.00	0.00	0.00
10437	JE	ASX	83	10/17/91	0.877	0.00 >	320.00	0.00 >	0.93
10437	PT	ATD	83	10/17/91	0.658	0.00	14.70	0.00	0.00
10437	SF	ATT	83	10/17/91	0.657	0.00	152.00	0.00	0.00
10437	VE	AP6	83	10/18/91	1.195	0.00	136.00	0.00 >	0.47
10437	YF	ASN	83	10/17/91	0.891	0.00	128.00	0.00	0.00
10438	JE	ASY	83	10/17/91	0.911	0.00	31.00	0.00 >	1.61
10438	PT	ATE	83	10/17/91	0.639	0.00	38.80	0.00	0.00
10438	SF	ATU	83	10/17/91	0.763	0.00	15.30	0.00	0.00
10438	VE	AP7	83	10/18/91	1.122	0.00 >	320.00	0.00	0.00
10438	YF	ASI	83	10/17/91	1.007	0.00	40.00	0.00 >	4.93
10439	JE	ASY	83	10/17/91	0.911	0.00	4.60	0.00 >	0.74
10439	PT	ATE	83	10/17/91	0.639	0.00 >	320.00	0.00	0.00
10439	SF	ATU	83	10/17/91	0.763	0.00	1.55	0.00	0.00
10439	VE	AP7	83	10/18/91	1.122	0.00	24.70	0.00 >	0.04
10439	YF	ASI	83	10/17/91	1.007	0.00	4.45	0.00	0.00
10440	JE	ASZ	83	10/17/91	0.922	0.00 >	320.00	0.00	0.00
10440	PT	ATF	83	10/17/91	0.708	0.00	4.81	0.00	0.00
10440	SF	ATV	83	10/17/91	0.660	0.00	183.00	0.00	0.00
10440	VE	AP8	83	10/18/91	1.148	0.00	205.00	0.00 >	0.50
10440	YF	ASJ	83	10/17/91	0.899	0.00	310.00	0.00 >	0.03
10441	JE	ASZ	83	10/17/91	0.922	0.00 >	320.00	0.00 >	0.06
10441	PT	ATF	83	10/17/91	0.708	0.00 >	320.00	0.00	0.00
10441	SF	ATV	83	10/17/91	0.660	0.00	213.00	0.00	0.00
10441	VE	AP8	83	10/18/91	1.148	0.00	195.00	0.00	0.10
10441	YF	ASJ	83	10/17/91	0.899	0.00	205.00	0.00	0.00
10442	JE	ATO	83	10/17/91	0.946	0.00	32.00	0.00	0.00
10442	PT	ATG	83	10/17/91	0.708	0.00	167.00	0.00	0.00
10442	SF	ATW	83	10/17/91	0.686	0.00	212.00	0.00	0.00
10442	VE	AP9	83	10/18/91	1.175	0.00	199.00	0.00	0.00
10442	YF	ASK	83	10/17/91	0.850	0.00	100.00	0.00	0.00
10443	JE	ATO	83	10/17/91	0.946	0.00	141.00	0.00	0.00
10443	PT	ATG	83	10/17/91	0.708	0.00 >	320.00	0.00	0.00
10443	SF	ATW	83	10/17/91	0.686	0.00	149.00	0.00	0.00
10443	VE	AP9	83	10/18/91	1.175	0.00	148.00	0.00	0.00
10443	YF	ASK	83	10/17/91	0.850	0.00	152.00	0.00	0.00
10444	JE	AT1	83	10/17/91	0.966	0.00	131.00	0.00	0.00
10444	PT	ATH	83	10/17/91	0.651	0.00	154.00	0.00	0.00
10444	SF	ATX	83	10/17/91	0.608	0.00	80.20	0.00	0.00
10444	VE	APA	83	10/18/91	1.130	0.00	154.00	0.00	0.05
10444	YF	ASL	83	10/17/91	0.898	0.00	132.00	0.00	0.00
10445	JE	AT1	83	10/17/91	0.966	0.00	189.00	0.00	0.00
10445	PT	ATH	83	10/17/91	0.651	0.00 >	320.00	0.00	0.34
10445	SF	ATX	83	10/17/91	0.608	0.00	171.00	0.00	0.00
10445	VE	APA	83	10/18/91	1.130	0.00	114.00	0.00	0.00
10445	YF	ASL	83	10/17/91	0.898	0.00	171.00	0.00	0.00
10446	JE	AT2	83	10/17/91	0.940	0.00	138.00	0.00	0.00
10446	PT	ATI	83	10/17/91	0.666	0.00	1.73	0.00	0.00
10446	SF	ATY	83	10/17/91	0.697	0.00	77.30	0.00	0.05
10446	VE	AP8	83	10/18/91	1.218	0.00	4.82	0.00	0.00
10446	YF	ASA	83	10/17/91	0.928	0.00	131.00	0.00	0.00
10447	JE	AUV	83	10/22/91	1.047	0.00	6.79	0.00 >	2.25
10447	PT	AVR	83	10/22/91	0.587	0.00	7.06	0.00 >	1.92
10447	SF	AW7	83	10/22/91	0.844	0.00	5.61	0.00 >	0.40
10447	VE	AV8	83	10/25/91	0.807	0.00	15.30	0.00 >	0.21
10447	YF	AUF	83	10/22/91	0.988	0.00	6.53	0.00 >	0.62
10448	JE	AUW	83	10/22/91	0.893	0.00	241.00	0.00 >	3.07
10448	PT	AVS	83	10/22/91	0.520	0.00	189.00	0.00	0.00
10448	SF	AW8	83	10/22/91	0.697	0.00	196.00	0.00 >	0.10
10448	VE	AVC	83	10/25/91	0.972	0.00	86.40	0.00	0.00
10448	YF	AUG	83	10/22/91	0.930	0.00	201.00	0.00	0.00
10449	JE	AUW	83	10/22/91	0.893	0.00	267.00	0.00	1.77
10449	PT	AVS	83	10/22/91	0.520	0.00	215.00	0.00	0.00
10449	SF	AW8	83	10/22/91	0.697	0.00	204.00	0.00 >	0.60
10449	VE	AVC	83	10/25/91	0.972	0.00	111.00	0.00	0.00
10449	YF	AUG	83	10/22/91	0.930	0.00	215.00	0.00	0.09
10450	JE	AUX	83	10/22/91	0.906	0.00	192.00	0.00 >	0.80
10450	PT	AVT	83	10/22/91	0.462	0.00	149.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10450	SF	AW9	83	10/22/91	0.792	0.00	154.00	0.00	0.18
10450	VE	AVD	83	10/25/91	0.961	0.00	111.00	0.00	0.00
10450	YF	AUH	83	10/22/91	0.980	0.00	135.00	0.00	0.00
10451	JE	AUX	83	10/22/91	0.906	0.00	142.00	0.00	0.00
10451	PT	AVT	83	10/22/91	0.462	0.00	133.00	0.00	0.00
10451	SF	AW9	83	10/22/91	0.792	0.00	66.00	0.00	0.00
10451	VE	AVD	83	10/25/91	0.961	0.00	181.00	0.00	0.00
10451	YF	AUH	83	10/22/91	0.980	0.00	174.00	0.00	0.15
10452	JE	AUY	83	10/22/91	0.869	0.00	40.70	0.00 >	3.30
10452	PT	AVU	83	10/22/91	0.447	0.00	19.20	0.00	0.00
10452	SF	AWA	83	10/22/91	0.742	0.00	16.90	0.00	0.00
10452	VE	AVE	83	10/25/91	0.971	0.00	8.11	0.00	0.00
10452	YF	AUI	83	10/22/91	0.991	0.00	29.10	0.00	0.00
10453	JE	AUY	83	10/22/91	0.869	0.00	171.00	0.00 >	1.36
10453	PT	AVU	83	10/22/91	0.447	0.00	162.00	0.00	0.00
10453	SF	AWA	83	10/22/91	0.742	0.00	172.00	0.00	0.00
10453	VE	AVE	83	10/25/91	0.971	0.00	61.10	0.00	0.00
10453	YF	AUI	83	10/22/91	0.991	0.00	171.00	0.00	0.00
10454	JE	AUZ	83	10/22/91	0.683	0.00	173.00	0.00 >	3.85
10454	PT	AVV	83	10/22/91	0.515	0.00	155.00	0.00	0.00
10454	SF	AWB	83	10/22/91	0.717	76.00	159.00	2.09 >	13.22
10454	VE	AVF	83	10/25/91	0.970	0.00	23.60	0.00	0.00
10454	YF	AUJ	83	10/22/91	0.917	0.00	147.00	0.00	0.00
10455	JE	AUZ	83	10/22/91	0.683	0.00 >	320.00	0.00	0.00
10455	PT	AVV	83	10/22/91	0.515	0.00	138.00	0.00	0.00
10455	SF	AWB	83	10/22/91	0.717	0.00	127.00	0.00	0.00
10455	VE	AVF	83	10/25/91	0.970	0.00 >	320.00	0.00	0.00
10455	YF	AUJ	83	10/22/91	0.917	0.00 >	320.00	0.00	0.00
10456	JE	AV0	83	10/22/91	0.910	0.00 >	320.00	0.00	0.00
10456	PT	AVW	83	10/22/91	0.480	0.00	290.00	0.00	1.80
10456	SF	AWC	83	10/22/91	0.771	0.00	221.00	0.00	1.07
10456	VE	AVG	83	10/25/91	0.978	0.00	93.20	0.00	0.00
10456	YF	AUK	83	10/22/91	1.004	0.00 >	320.00	0.00	0.03
10457	JE	AV0	83	10/22/91	0.910	0.00	126.00	0.00	0.00
10457	PT	AVW	83	10/22/91	0.480	0.00	106.00	0.00	0.00
10457	SF	AWC	83	10/22/91	0.771	0.00	88.70	0.00	0.00
10457	VE	AVG	83	10/25/91	0.978	0.00	30.70	0.00	0.00
10457	YF	AUK	83	10/22/91	1.004	0.00	160.00	0.00	0.00
10458	JE	AV1	83	10/22/91	0.921	0.00 >	320.00	0.00	0.00
10458	PT	AVX	83	10/22/91	0.544	0.00	247.00	0.00 >	0.01
10458	SF	AWD	83	10/22/91	0.714	0.00	218.00	0.00	0.00
10458	VE	AVH	83	10/25/91	0.986	0.00	236.00	0.00	0.00
10458	YF	AUL	83	10/22/91	0.967	0.00	307.00	0.00	0.00
10459	JE	AV1	83	10/22/91	0.921	0.00 >	320.00	0.00	0.00
10459	PT	AVX	83	10/22/91	0.544	0.00	244.00	0.00	0.00
10459	SF	AWD	83	10/22/91	0.714	0.00	273.00	0.00	0.00
10459	VE	AVH	83	10/25/91	0.986	0.00	236.00	0.00	0.00
10459	YF	AUL	83	10/22/91	0.967	0.00	274.00	0.00	0.32
10460	JE	AV2	83	10/22/91	0.933	0.00	103.00	0.00 >	0.21
10460	PT	AVY	83	10/22/91	0.513	0.00	19.80	0.00	0.00
10460	SF	AWE	83	10/22/91	0.696	0.00	20.00	0.00	0.00
10460	VE	AVI	83	10/25/91	1.036	0.00	14.10	0.00	0.00
10460	YF	AUN	83	10/22/91	1.039	0.00	63.50	0.00	0.00
10461	JE	AV2	83	10/22/91	0.933	0.00	15.70	0.00	0.00
10461	PT	AVY	83	10/22/91	0.513	0.00	21.20	0.00 >	0.40
10461	SF	AWE	83	10/22/91	0.696	0.00	20.40	0.00 >	3.29
10461	VE	AVI	83	10/25/91	1.036	0.00	14.70	0.00	0.00
10461	YF	AUN	83	10/22/91	1.039	0.00	22.50	0.00	0.00
10462	JE	AV3	83	10/22/91	0.850	0.00	22.00	0.00	0.00
10462	PT	AVZ	83	10/22/91	0.504	0.00	7.17	0.00	0.00
10462	SF	AWF	83	10/22/91	0.621	0.00	15.80	0.00	0.00
10462	VE	AVJ	83	10/25/91	0.809	0.00	71.80	0.00	0.00
10462	YF	AUN	83	10/22/91	0.907	0.00	8.40	0.00 >	0.18
10463	JE	AV3	83	10/22/91	0.850	0.00 >	320.00	0.00 >	3.29
10463	PT	AVZ	83	10/22/91	0.504	0.00 >	320.00	0.00	0.00
10463	SF	AWF	83	10/22/91	0.621	0.00	249.00	0.00 >	0.02
10463	VE	AVJ	83	10/25/91	0.809	0.00 >	320.00	0.00	0.00
10463	YF	AUN	83	10/22/91	0.907	0.00 >	320.00	0.00	0.00
10464	JE	AV4	83	10/22/91	0.917	0.00	173.00	0.00	0.00
10464	PT	AW0	83	10/22/91	0.421	0.00	87.30	0.00	0.00
10464	SF	AWG	83	10/22/91	0.618	0.00	100.00	0.00 >	0.20
10464	VE	AVK	83	10/25/91	1.069	0.00	138.00	0.00	0.00
10464	YF	AU0	83	10/22/91	0.878	0.00	162.00	0.00	0.00
10465	JE	AV4	83	10/22/91	0.917	0.00	114.00	0.00 >	0.45
10465	PT	AW0	83	10/22/91	0.421	0.00	57.50	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10465	SF	AWG	83	10/22/91	0.618	0.00	124.00	0.00	0.59
10465	VE	AVK	83	10/25/91	1.069	0.00	50.80	0.00	0.00
10465	YF	AUO	83	10/22/91	0.878	0.00	154.00	0.00	0.00
10466	JE	AV5	83	10/22/91	0.840	0.00	21.90	0.00 >	0.36
10466	PT	AW1	83	10/22/91	0.533	0.00	13.10	0.00	0.00
10466	SF	AWN	83	10/22/91	0.783	0.00	18.60	0.00 >	0.08
10466	VE	AVL	83	10/25/91	0.953	0.00	17.70	0.00 >	0.10
10466	YF	AUP	83	10/22/91	0.951	0.00	15.10	0.00	0.00
10467	JE	AV5	83	10/22/91	0.840	0.00 >	320.00	0.00 >	1.32
10467	PT	AW1	83	10/22/91	0.533	0.00	232.00	0.00	0.00
10467	SF	AWN	83	10/22/91	0.783	0.00	181.00	0.00 >	0.10
10467	VE	AVL	83	10/25/91	0.953	0.00	227.00	0.00	0.04
10467	YF	AUP	83	10/22/91	0.951	0.00	202.00	0.00	0.00
10468	JE	AV6	83	10/22/91	0.916	0.00	54.70	0.00	0.00
10468	PT	AW2	83	10/22/91	0.478	0.00	49.00	0.00	0.00
10468	SF	AWI	83	10/22/91	0.712	0.00	49.00	0.00 >	4.90
10468	VE	AVN	83	10/25/91	0.965	0.00	61.80	0.00	0.00
10468	YF	AUQ	83	10/22/91	0.920	0.00	67.40	0.00	0.00
10469	JE	AV6	83	10/22/91	0.916	0.00	128.00	0.00 >	0.19
10469	PT	AW2	83	10/22/91	0.478	0.00	63.70	0.00	0.00
10469	SF	AWI	83	10/22/91	0.712	0.00	56.70	0.00 >	0.09
10469	VE	AVN	83	10/25/91	0.965	0.00	173.00	0.00 >	0.24
10469	YF	AUQ	83	10/22/91	0.920	0.00	121.00	0.00	0.00
10470	JE	AV7	83	10/22/91	0.856	0.00 >	320.00	0.00 >	0.25
10470	PT	AW3	83	10/22/91	0.495	0.00	308.00	0.00	0.00
10470	SF	AWJ	83	10/22/91	0.754	0.00	95.50	0.00 >	1.38
10470	VE	AVN	83	10/25/91	0.947	0.00	233.00	0.00 >	0.05
10470	YF	AUR	83	10/22/91	0.943	0.00	281.00	0.00	0.00
10471	JE	AV7	83	10/22/91	0.856	0.00	68.30	0.00 >	1.92
10471	PT	AW3	83	10/22/91	0.495	0.00	66.80	0.00	0.00
10471	SF	AWJ	83	10/22/91	0.754	0.00	54.10	0.00 >	0.06
10471	VE	AVN	83	10/25/91	0.947	0.00	49.50	0.00	0.00
10471	YF	AUR	83	10/22/91	0.943	0.00	63.30	0.00	0.00
10472	JE	AV8	83	10/22/91	0.913	0.00 >	320.00	0.00 >	0.63
10472	PT	AW4	83	10/22/91	0.402	0.00 >	320.00	0.00	0.00
10472	SF	AWK	83	10/22/91	0.688	0.00	200.00	0.00 >	0.01
10472	VE	AVO	83	10/25/91	0.908	0.00 >	320.00	0.00 >	0.10
10472	YF	AUS	83	10/22/91	0.849	0.00 >	320.00	0.00	0.00
10473	JE	AV8	83	10/22/91	0.913	0.00	32.00	0.00	0.00
10473	PT	AW4	83	10/22/91	0.402	0.00	118.00	0.00	0.00
10473	SF	AWK	83	10/22/91	0.688	0.00	54.70	0.00	0.23
10473	VE	AVO	83	10/25/91	0.908	0.00	130.00	0.00	0.00
10473	YF	AUS	83	10/22/91	0.849	0.00	112.00	0.00	0.00
10474	JE	AV9	83	10/22/91	0.925	0.00	119.00	0.00	0.00
10474	PT	AW5	83	10/22/91	0.505	0.00	145.00	0.00	0.00
10474	SF	AWL	83	10/22/91	0.722	0.00	139.00	0.00	0.00
10474	VE	AVP	83	10/25/91	0.726	0.00	308.00	0.00 >	0.34
10474	YF	AUT	83	10/22/91	0.945	0.00	79.20	0.00	0.56
10475	JE	AV9	83	10/22/91	0.925	0.00	20.20	0.00 >	0.11
10475	PT	AW5	83	10/22/91	0.505	0.00	24.10	0.00	0.00
10475	SF	AWL	83	10/22/91	0.722	0.00	25.30	0.00	0.00
10475	VE	AVP	83	10/25/91	0.726	0.00	21.00	0.00	0.10
10475	YF	AUT	83	10/22/91	0.945	0.00	37.80	0.00	0.00
10476	JE	AVA	83	10/22/91	0.970	0.00	150.00	0.00	0.00
10476	PT	AW6	83	10/22/91	0.516	0.00	143.00	0.00	0.00
10476	SF	AWM	83	10/22/91	0.745	0.00	95.00	0.00	2.83
10476	VE	AVQ	83	10/25/91	1.036	0.00	110.00	0.00	0.00
10476	YF	AUU	83	10/22/91	1.081	0.00	146.00	0.00	0.00
10477	JE	AXJ	83	10/23/91	0.826	0.00	139.00	0.00	0.43
10477	PT	AXZ	83	10/24/91	0.804	0.00	151.00	0.00	0.00
10477	SF	AYF	83	10/24/91	0.910	0.00	100.00	0.00	0.00
10477	VE	AX3	83	10/25/91	0.729	0.00	204.00	0.00	0.60
10477	YF	AUN	83	10/22/91	0.872	0.00	174.00	0.00	0.00
10478	JE	AXK	83	10/23/91	0.907	227.00	28.30	0.12 >	4.55
10478	PT	AY0	83	10/24/91	0.711	0.00	25.00	0.00	0.00
10478	SF	AYG	83	10/24/91	0.915	0.00	18.90	0.00	0.00
10478	VE	AX4	83	10/25/91	0.908	0.00	32.00	0.00	0.00
10478	YF	AUO	83	10/22/91	0.882	0.00	43.50	0.00	0.00
10479	JE	AXK	83	10/23/91	0.907	0.00 >	320.00	0.00	0.06
10479	PT	AY0	83	10/24/91	0.711	0.00	117.00	0.00	0.00
10479	SF	AYG	83	10/24/91	0.915	0.00	79.10	0.00	0.00
10479	VE	AX4	83	10/25/91	0.908	0.00	245.00	0.00	0.00
10479	YF	AUO	83	10/22/91	0.882	0.00	203.00	0.00	0.00
10480	JE	AXL	83	10/23/91	0.847	0.00 >	320.00	0.00 >	1.71
10480	PT	AY1	83	10/24/91	0.683	0.00	200.00	0.00	0.06

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10480	SF	AYH	83	10/24/91	0.867	0.00	152.00	0.00	0.40
10480	VE	AX5	83	10/25/91	0.941	0.00	290.00	0.00	0.00
10480	YF	AWP	83	10/22/91	0.908	0.00	240.00	0.00	0.00
10481	JE	AXL	83	10/23/91	0.847	0.00 >	320.00	0.00 >	3.12
10481	PT	AY1	83	10/24/91	0.683	0.00	236.00	0.00	0.00
10481	SF	AYH	83	10/24/91	0.867	0.00	155.00	0.00	0.00
10481	VE	AX5	83	10/25/91	0.941	0.00 >	320.00	0.00	0.00
10481	YF	AWP	83	10/22/91	0.908	0.00 >	320.00	0.00	0.00
10482	JE	AXM	83	10/23/91	0.821	0.00	49.50	0.00	0.00
10482	PT	AY2	83	10/24/91	0.740	0.00	63.40	0.00 >	0.52
10482	SF	AYI	83	10/24/91	0.937	0.00	60.60	0.00 >	0.44
10482	VE	AX6	83	10/25/91	0.998	0.00	105.00	0.00	0.00
10482	YF	AWQ	83	10/22/91	0.977	0.00	66.00	0.00	0.00
10483	JE	AXM	83	10/23/91	0.821	0.00 >	320.00	0.00	0.71
10483	PT	AY2	83	10/24/91	0.740	0.00	286.00	0.00	0.00
10483	SF	AYI	83	10/24/91	0.937	0.00	139.00	0.00	0.00
10483	VE	AX6	83	10/25/91	0.998	0.00 >	320.00	0.00	0.00
10483	YF	AWQ	83	10/22/91	0.977	0.00 >	320.00	0.00	0.00
10484	JE	AXN	83	10/23/91	0.849	0.00	45.20	0.00 >	0.42
10484	PT	AY3	83	10/24/91	0.712	0.00	47.20	0.00	0.00
10484	SF	AYJ	83	10/24/91	0.889	0.00	42.70	0.00 >	0.11
10484	VE	AX7	83	10/25/91	0.949	0.00	53.60	0.00	0.00
10484	YF	AWR	83	10/22/91	0.938	0.00	52.70	0.00	0.00
10485	JE	AXN	83	10/23/91	0.849	0.00	29.70	0.00 >	0.03
10485	PT	AY3	83	10/24/91	0.712	0.00	28.30	0.00	0.00
10485	SF	AYJ	83	10/24/91	0.889	0.00	19.30	0.00	0.00
10485	VE	AX7	83	10/25/91	0.949	0.00	29.00	0.00	0.00
10485	YF	AWR	83	10/22/91	0.938	0.00	44.70	0.00	0.00
10486	JE	AXO	83	10/23/91	0.826	0.00	57.20	0.00	0.00
10486	PT	AY4	83	10/24/91	0.777	0.00	64.30	0.00	0.41
10486	SF	AYK	83	10/24/91	1.022	0.00	49.80	0.00	0.00
10486	VE	AX8	83	10/25/91	1.004	0.00	139.00	0.00	0.00
10486	YF	AWS	83	10/22/91	0.986	0.00	63.40	0.00	0.00
10487	JE	AXO	83	10/23/91	0.826	0.00	58.80	0.00	0.00
10487	PT	AY4	83	10/24/91	0.777	0.00	50.40	0.00	0.00
10487	SF	AYK	83	10/24/91	1.022	0.00	35.40	0.00	0.00
10487	VE	AX8	83	10/25/91	1.004	0.00	128.00	0.00	0.00
10487	YF	AWS	83	10/22/91	0.986	0.00	61.10	0.00	0.00
10488	JE	AXP	83	10/23/91	0.885	0.00	56.70	0.00 >	1.71
10488	PT	AY5	83	10/24/91	0.783	0.00	89.50	0.00 >	3.52
10488	SF	AYL	83	10/24/91	0.974	0.00	54.70	0.00	0.00
10488	VE	AX9	83	10/25/91	1.033	0.00	70.90	0.00	0.00
10488	YF	AWT	83	10/22/91	0.932	0.00	194.00	0.00	0.00
10489	JE	AXP	83	10/23/91	0.885	0.00	162.00	0.00 >	0.19
10489	PT	AY5	83	10/24/91	0.783	0 00	163.00	0.00	0.33
10489	SF	AYL	83	10/24/91	0.974	0.00	104.00	0.00 >	0.03
10489	VE	AX9	83	10/25/91	1.033	0.00	177.00	0.00	0.91
10489	YF	AWT	83	10/22/91	0.932	0.00	165.00	0.00	0.30
10490	JE	AXQ	83	10/23/91	0.818	0.00	210.00	0.00 >	1.32
10490	PT	AY6	83	10/24/91	0.777	0.00	120.00	0.00	0.76
10490	SF	AYM	83	10/24/91	1.044	0.00	70.90	0.00	0.00
10490	VE	AXA	83	10/25/91	1.031	0.00 >	320.00	0.00	0.00
10490	YF	AWU	83	10/22/91	1.052	0.00	124.00	0.00	0.00
10491	JE	AXQ	83	10/23/91	0.818	0.00	120.00	0.00 >	1.02
10491	PT	AY6	83	10/24/91	0.777	0.00	69.10	0.00	0.34
10491	SF	AYM	83	10/24/91	1.044	0.00	50.80	0.00	0.00
10491	VE	AXA	83	10/25/91	1.031	0.00	172.00	0.00	0.00
10491	YF	AWU	83	10/22/91	1.052	0.00	71.70	0.00	0.00
10492	JE	AXR	83	10/23/91	0.713	0.00	135.00	0.00 >	4.20
10492	PT	AY7	83	10/24/91	0.804	0.00	62.90	0.00	0.00
10492	SF	AYN	83	10/24/91	0.795	0.00	88.70	0.00	2.57
10492	VE	AXB	83	10/25/91	0.860	0.00	274.00	0.00	0.04
10492	YF	AWV	83	10/22/91	0.846	0.00	52.90	0.00	0.00
10493	JE	AXR	83	10/23/91	0.713	0.00	283.00	0.00 >	2.60
10493	PT	AY7	83	10/24/91	0.804	0.00	149.00	0.00	0.00
10493	SF	AYN	83	10/24/91	0.795	0.00	162.00	0.00 >	3.05
10493	VE	AXB	83	10/25/91	0.860	0.00	234.00	0.00 >	1.50
10493	YF	AWV	83	10/22/91	0.846	0.00	228.00	0.00	0.41
10494	JE	AXS	83	10/23/91	0.820	0.00 >	320.00	0.00 >	0.93
10494	PT	AY8	83	10/24/91	0.742	0.00 >	320.00	0.00	0.73
10494	SF	AYO	83	10/24/91	0.892	0.00	241.00	0.00	2.08
10494	VE	AXC	83	10/25/91	0.946	0.00 >	320.00	0.00	1.71
10494	YF	AWW	83	10/22/91	0.839	0.00 >	320.00	0.00	0.00
10495	JE	AXS	83	10/23/91	0.820	0.00	49.40	0.00	0.12
10495	PT	AY8	83	10/24/91	0.742	0.00	43.30	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10495	SF	AYO	83	10/24/91	0.892	0.00	43.00	0.00	0.00
10495	VE	AXC	83	10/25/91	0.946	0.00	87.40	0.00	0.00
10495	YF	AWW	83	10/22/91	0.839	0.00	162.00	0.00	0.00
10496	JE	AXT	83	10/23/91	0.881	0.00	135.00	0.00	0.02
10496	PT	AY9	83	10/24/91	0.720	0.00	148.00	0.00	0.00
10496	SF	AYP	83	10/24/91	0.933	0.00	85.70	0.00	0.00
10496	VE	AXD	83	10/25/91	1.003	0.00	57.90	0.00	0.00
10496	YF	AWX	83	10/22/91	0.952	0.00	158.00	0.00	0.00
10497	JE	AXT	83	10/23/91	0.881	0.00	164.00	0.00	0.43
10497	PT	AY9	83	10/24/91	0.720	0.00	185.00	0.00	0.00
10497	SF	AYP	83	10/24/91	0.933	0.00	129.00	0.00	0.00
10497	VE	AXD	83	10/25/91	1.003	0.00	237.00	0.00	0.00
10497	YF	AWX	83	10/22/91	0.952	0.00	240.00	0.00	0.00
10498	JE	AXU	83	10/23/91	0.910	0.00	116.00	0.00	0.02
10498	PT	AYA	83	10/24/91	0.706	0.00	162.00	0.00	0.10
10498	SF	AYQ	83	10/24/91	0.907	0.00 >	320.00	0.00	0.00
10498	VE	AXE	83	10/25/91	0.933	0.00	223.00	0.00	0.00
10498	YF	AWY	83	10/22/91	0.868	0.00	255.00	0.00	0.00
10499	JE	AXU	83	10/23/91	0.910	0.00	181.00	0.00	0.00
10499	PT	AYA	83	10/24/91	0.706	0.00	262.00	0.00	0.00
10499	SF	AYQ	83	10/24/91	0.907	0.00	155.00	0.00	0.00
10499	VE	AXE	83	10/25/91	0.933	0.00	249.00	0.00	0.72
10499	YF	AWY	83	10/22/91	0.868	0.00 >	320.00	0.00	1.02
10500	JE	AXV	83	10/23/91	0.837	0.00	22.60	0.00	0.00
10500	PT	AYB	83	10/24/91	0.747	0.00	21.80	0.00	0.00
10500	SF	AYR	83	10/24/91	0.941	0.00	17.10	0.00	0.00
10500	VE	AXF	83	10/25/91	0.930	0.00	27.20	0.00 >	0.20
10500	YF	AWZ	83	10/22/91	0.953	0.00	28.00	0.00	0.14
10501	JE	AXV	83	10/23/91	0.837	0.00	283.00	0.00	0.00
10501	PT	AYB	83	10/24/91	0.747	0.00	198.00	0.00	0.00
10501	SF	AYR	83	10/24/91	0.941	0.00	86.40	0.00	0.00
10501	VE	AXF	83	10/25/91	0.930	0.00 >	320.00	0.00	0.12
10501	YF	AWZ	83	10/22/91	0.953	0.00 >	320.00	0.00	0.04
10502	JE	AXW	83	10/23/91	0.821	0.00	96.40	0.00	0.66
10502	PT	AYC	83	10/24/91	0.735	0.00	59.20	0.00	0.00
10502	SF	AYS	83	10/24/91	0.893	0.00	43.30	0.00	0.00
10502	VE	AXG	83	10/25/91	0.943	0.00	64.60	0.00	0.00
10502	YF	AXO	83	10/22/91	0.878	0.00	161.00	0.00	0.00
10503	JE	AXW	83	10/23/91	0.821	0.00	122.00	0.00	0.00
10503	PT	AYC	83	10/24/91	0.735	0.00	56.30	0.00	0.00
10503	SF	AYS	83	10/24/91	0.893	0.00	28.60	0.00	0.00
10503	VE	AXG	83	10/25/91	0.943	0.00	76.00	0.00	0.00
10503	YF	AXO	83	10/22/91	0.878	0.00	160.00	0.00	0.00
10504	JE	AXX	83	10/23/91	0.805	0.00 >	320.00	0.00	0.29
10504	PT	AYD	83	10/24/91	0.762	0.00	226.00	0.00	0.00
10504	SF	AYT	83	10/24/91	0.920	0.00	142.00	0.00	0.00
10504	VE	AXH	83	10/25/91	0.999	0.00	269.00	0.00	0.00
10504	YF	AX1	83	10/22/91	0.953	0.00	232.00	0.00	0.00
10505	JE	AXX	83	10/23/91	0.805	0.00 >	320.00	0.00	0.00
10505	PT	AYD	83	10/24/91	0.762	0.00	133.00	0.00	0.00
10505	SF	AYT	83	10/24/91	0.920	0.00	30.00	0.00	0.00
10505	VE	AXH	83	10/25/91	0.999	0.00	202.00	0.00	0.00
10505	YF	AX1	83	10/22/91	0.953	0.00 >	320.00	0.00	0.00
10506	JE	AXY	83	10/23/91	0.826	0.00	51.40	0.00	0.00
10506	PT	AYE	83	10/24/91	0.757	0.00	90.90	0.00	0.00
10506	SF	AYU	83	10/24/91	0.909	0.00	27.10	0.00	0.00
10506	VE	AX1	83	10/25/91	1.035	0.00	161.00	0.00	0.00
10506	YF	AX2	83	10/22/91	1.007	0.00	151.00	0.00	0.04
10507	JE	AYV	83	10/23/91	0.734	0.00	165.00	0.00	0.00
10507	PT	B0N	83	10/23/91	0.730	0.00	124.00	0.00	0.00
10507	SF	B13	83	10/23/91	0.920	0.00	54.70	0.00	0.00
10507	VE	AZB	83	10/25/91	1.134	0.00	95.80	0.00 >	0.21
10507	YF	B07	83	10/23/91	0.955	0.00	164.00	0.00	0.00
10508	JE	AYW	83	10/23/91	0.812	0.00 >	320.00	0.00	0.00
10508	PT	B0O	83	10/23/91	0.645	0.00	253.00	0.00	2.13
10508	SF	B14	83	10/23/91	0.856	0.00	204.00	0.00	0.00
10508	VE	AZC	83	10/25/91	1.109	0.00	245.00	0.00	0.00
10508	YF	B08	83	10/23/91	0.931	0.00	296.00	0.00	0.00
10509	JE	AYW	83	10/23/91	0.812	0.00	278.00	0.00	0.00
10509	PT	B0O	83	10/23/91	0.645	0.00	231.00	0.00	0.00
10509	SF	B14	83	10/23/91	0.856	0.00	95.10	0.00	0.00
10509	VE	AZC	83	10/25/91	1.109	0.00	166.00	0.00	0.00
10509	YF	B08	83	10/23/91	0.931	0.00	301.00	0.00	0.00
10510	JE	AYX	83	10/23/91	0.849	0.00	180.00	0.00	0.00
10510	PT	B0P	83	10/23/91	0.635	0.00	192.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10510	SF	B15	83	10/23/91	0.850	0.00	111.00	0.00	0.00
10510	VE	AZD	83	10/25/91	1.140	0.00	137.00	0.00	0.00
10510	YF	B09	83	10/23/91	0.923	0.00	204.00	0.00	0.00
10511	JE	AYX	83	10/23/91	0.849	0.00	41.70	0.00	0.00
10511	PT	B0P	83	10/23/91	0.635	0.00	60.30	0.00	0.00
10511	SF	B15	83	10/23/91	0.850	0.00	18.50	0.00	0.00
10511	VE	AZD	83	10/25/91	1.140	0.00	43.60	0.00	0.00
10511	YF	B09	83	10/23/91	0.923	0.00	62.40	0.00	0.00
10512	JE	AYY	83	10/23/91	0.843	0.00	106.00	0.00	0.00
10512	PT	B0Q	83	10/23/91	0.589	0.00	153.00	0.00	0.00
10512	SF	B16	83	10/23/91	0.842	0.00	66.00	0.00	0.54
10512	VE	AZE	83	10/25/91	1.156	0.00	126.00	0.00	0.00
10512	YF	B0A	83	10/23/91	0.932	0.00	126.00	0.00	0.00
10513	JE	AYY	83	10/23/91	0.843	0.00	143.00	0.00 >	0.83
10513	PT	B0Q	83	10/23/91	0.589	0.00	83.50	0.00	0.33
10513	SF	B16	83	10/23/91	0.842	0.00	93.20	0.00	1.62
10513	VE	AZE	83	10/25/91	1.156	0.00	156.00	0.00	0.11
10513	YF	B0A	83	10/23/91	0.932	0.00	129.00	0.00	0.00
10514	JE	AYZ	83	10/23/91	0.849	0.00	271.00	0.00	0.00
10514	PT	B0R	83	10/23/91	0.621	0.00	202.00	0.00	0.00
10514	SF	B17	83	10/23/91	0.873	0.00	38.10	0.00	0.00
10514	VE	AZF	83	10/25/91	1.156	0.00	142.00	0.00	0.00
10514	YF	B0B	83	10/23/91	0.874	0.00	213.00	0.00	0.00
10515	JE	AYZ	83	10/23/91	0.849	0.00	51.60	0.00 >	1.00
10515	PT	B0R	83	10/23/91	0.621	0.00	18.00	0.00	1.48
10515	SF	B17	83	10/23/91	0.873	0.00	47.00	0.00	2.03
10515	VE	AZF	83	10/25/91	1.156	0.00	58.90	0.00	0.00
10515	YF	B0B	83	10/23/91	0.874	0.00	27.20	0.00	0.00
10516	JE	AZ0	83	10/23/91	0.835	0.00	173.00	0.00	0.00
10516	PT	B0S	83	10/23/91	0.571	0.00	189.00	0.00	2.60
10516	SF	B18	83	10/23/91	0.849	0.00	77.30	0.00	0.00
10516	VE	AZG	83	10/25/91	1.081	0.00 >	320.00	0.00	0.00
10516	YF	B0C	83	10/23/91	0.949	0.00	151.00	0.00	0.06
10517	JE	AZ0	83	10/23/91	0.835	0.00	96.20	0.00 >	0.08
10517	PT	B0S	83	10/23/91	0.571	0.00	44.70	0.00	0.00
10517	SF	B18	83	10/23/91	0.849	0.00	50.00	0.00	4.78
10517	VE	AZG	83	10/25/91	1.081	0.00	267.00	0.00	0.00
10517	YF	B0C	83	10/23/91	0.949	0.00	49.00	0.00	0.07
10518	JE	AZ1	83	10/23/91	0.953	0.00	12.20	0.00	0.00
10518	PT	B0T	83	10/23/91	0.579	0.00	6.91	0.00	0.00
10518	SF	B19	83	10/23/91	0.707	0.00	3.77	0.00	0.00
10518	VE	AZH	83	10/25/91	1.164	0.00	148.00	0.00	0.00
10518	YF	B0D	83	10/23/91	0.709	0.00	6.83	0.00	0.00
10519	JE	AZ1	83	10/23/91	0.953	0.00	103.00	0.00 >	0.32
10519	PT	B0T	83	10/23/91	0.579	0.00	41.40	0.00	0.00
10519	SF	B19	83	10/23/91	0.707	0.00	10.00	0.00	2.03
10519	VE	AZH	83	10/25/91	1.164	0.00	69.80	0.00	0.41
10519	YF	B0D	83	10/23/91	0.709	0.00	71.70	0.00	0.00
10520	JE	AZ2	83	10/23/91	0.815	0.00	144.00	0.00	0.25
10520	PT	B0U	83	10/23/91	0.674	0.00	81.30	0.00	0.00
10520	SF	B1A	83	10/23/91	0.758	0.00	141.00	0.00	0.00
10520	VE	AZI	83	10/25/91	1.223	0.00	154.00	0.00	0.00
10520	YF	B0E	83	10/23/91	0.998	0.00	142.00	0.00	0.00
10521	JE	AZ2	83	10/23/91	0.815	0.00	60.30	0.00	0.00
10521	PT	B0U	83	10/23/91	0.674	0.00	12.80	0.00	0.00
10521	SF	B1A	83	10/23/91	0.758	0.00	24.00	0.00	0.00
10521	VE	AZI	83	10/25/91	1.223	0.00	69.40	0.00	0.10
10521	YF	B0E	83	10/23/91	0.998	0.00	58.20	0.00	0.00
10522	JE	AZ3	83	10/23/91	0.840	0.00	216.00	0.00	0.00
10522	PT	B0V	83	10/23/91	0.666	0.00	215.00	0.00	0.00
10522	SF	B1B	83	10/23/91	0.685	0.00	180.00	0.00	0.21
10522	VE	AZJ	83	10/25/91	1.047	0.00	202.00	0.00 >	1.00
10522	YF	B0F	83	10/23/91	0.879	0.00	242.00	0.00	0.00
10523	JE	AZ3	83	10/23/91	0.840	0.00 >	320.00	0.00	0.00
10523	PT	B0V	83	10/23/91	0.666	0.00	320.00	0.00	2.72
10523	SF	B1B	83	10/23/91	0.685	0.00	173.00	0.00	2.04
10523	VE	AZJ	83	10/25/91	1.047	0.00	280.00	0.00 >	0.10
10523	YF	B0F	83	10/23/91	0.879	0.00 >	320.00	0.00	0.00
10524	JE	AZ4	83	10/23/91	0.814	0.00	105.00	0.00	0.00
10524	PT	B0W	83	10/23/91	0.741	0.00	21.00	0.00	0.00
10524	SF	B1C	83	10/23/91	0.804	0.00	52.40	0.00	0.00
10524	VE	AZK	83	10/25/91	1.079	0.00	146.00	0.00 >	0.30
10524	YF	B0G	83	10/23/91	0.873	0.00	94.30	0.00	0.00
10525	JE	AZ4	83	10/23/91	0.814	0.00	38.30	0.00	0.00
10525	PT	B0W	83	10/23/91	0.741	0.00	42.90	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
10525	SF	B1C	83	10/23/91	0.804	18.00		50.10		2.77	>	12.54
10525	VE	AZK	83	10/25/91	1.079	0.00		49.70		0.00		0.80
10525	YF	BOG	83	10/23/91	0.873	0.00		50.70		0.00		0.00
10526	JE	AZ5	83	10/23/91	0.889	0.00		117.00		0.00	>	0.02
10526	PT	BOX	83	10/23/91	0.669	0.00		111.00		0.00		0.00
10526	SF	B1D	83	10/23/91	0.800	0.00		37.40		0.00		0.00
10526	VE	AZL	83	10/25/91	1.105	0.00		126.00		0.00		0.11
10526	YF	BOH	83	10/23/91	0.972	0.00		116.00		0.00		0.00
10527	JE	AZ5	83	10/23/91	0.889	0.00		136.00		0.00		0.00
10527	PT	BOX	83	10/23/91	0.669	0.00		179.00		0.00		0.00
10527	SF	B1D	83	10/23/91	0.800	0.00		130.00		0.00		0.00
10527	VE	AZL	83	10/25/91	1.105	0.00		208.00		0.00		0.00
10527	YF	BOH	83	10/23/91	0.972	0.00		178.00		0.00		0.00
10528	JE	AZ6	83	10/23/91	0.788	0.00		46.90		0.00	>	0.10
10528	PT	BOY	83	10/23/91	0.585	0.00		48.70		0.00		0.00
10528	SF	B1E	83	10/23/91	0.822	0.00		32.00		0.00		0.00
10528	VE	AZM	83	10/25/91	1.137	0.00		50.70		0.00		0.00
10528	YF	BOI	83	10/23/91	0.900	0.00		49.90		0.00		0.00
10529	JE	AZ6	83	10/23/91	0.788	0.00		141.00		0.00	>	0.56
10529	PT	BOY	83	10/23/91	0.585	0.00		141.00		0.00		0.00
10529	SF	B1E	83	10/23/91	0.822	0.00		21.00		0.00		2.24
10529	VE	AZM	83	10/25/91	1.137	0.00		139.00		0.00		0.00
10529	YF	BOI	83	10/23/91	0.900	0.00		114.00		0.00		0.26
10530	JE	AZ7	83	10/23/91	0.787	0.00	>	320.00		0.00	>	0.04
10530	PT	BOZ	83	10/23/91	0.596	0.00	>	320.00		0.00		0.00
10530	SF	B1F	83	10/23/91	0.778	0.00	>	320.00		0.00	>	7.30
10530	VE	AZN	83	10/25/91	1.158	0.00	>	320.00		0.00		0.31
10530	YF	BOJ	83	10/23/91	0.937	0.00	>	320.00		0.00		0.00
10531	JE	AZ7	83	10/23/91	0.787	0.00		72.80		0.00		0.00
10531	PT	BOZ	83	10/23/91	0.596	0.00		172.00		0.00		0.00
10531	SF	B1F	83	10/23/91	0.778	0.00		32.00		0.00		0.00
10531	VE	AZN	83	10/25/91	1.158	0.00		177.00		0.00		0.00
10531	YF	BOJ	83	10/23/91	0.937	0.00		113.00		0.00		0.00
10532	JE	AZ8	83	10/23/91	0.681	0.00		162.00		0.00		0.00
10532	PT	B10	83	10/23/91	0.746	0.00		169.00		0.00		0.00
10532	SF	B1G	83	10/23/91	0.810	0.00		100.00		0.00		1.01
10532	VE	AZO	83	10/25/91	1.121	0.00		161.00		0.00		0.00
10532	YF	BOK	83	10/23/91	0.939	0.00		168.00		0.00		0.31
10533	JE	AZ8	83	10/23/91	0.681	0.00		49.80		0.00		0.00
10533	PT	B10	83	10/23/91	0.746	0.00		59.90		0.00		0.00
10533	SF	B1G	83	10/23/91	0.810	0.00		27.80		0.00		0.00
10533	VE	AZO	83	10/25/91	1.121	0.00		70.60		0.00		0.00
10533	YF	BOK	83	10/23/91	0.939	0.00		62.70		0.00		0.00
10534	JE	AZ9	83	10/23/91	0.771	0.00		144.00		0.00		0.00
10534	PT	B11	83	10/23/91	0.638	0.00		133.00		0.00		0.00
10534	SF	B1H	83	10/23/91	0.785	0.00		161.00		0.00		0.30
10534	VE	AZP	83	10/25/91	1.192	0.00		160.00		0.00		0.00
10534	YF	BOL	83	10/23/91	0.916	0.00		232.00		0.00		0.23
10535	JE	AZ9	83	10/23/91	0.771	0.00		81.90		0.00		0.00
10535	PT	B11	83	10/23/91	0.638	0.00		168.00		0.00		0.00
10535	SF	B1H	83	10/23/91	0.785	0.00		84.90		0.00	>	4.30
10535	VE	AZP	83	10/25/91	1.192	0.00		152.00		0.00		0.00
10535	YF	BOL	83	10/23/91	0.916	0.00		138.00		0.00		0.00
10536	JE	AZA	83	10/23/91	0.786	0.00		54.30		0.00		0.00
10536	PT	B12	83	10/23/91	0.615	0.00		52.20		0.00		0.00
10536	SF	B1I	83	10/23/91	0.813	0.00		41.10		0.00	>	0.48
10536	VE	AZQ	83	10/25/91	1.160	0.00		55.90		0.00		0.00
10536	YF	BOM	83	10/23/91	0.916	0.00		44.60		0.00	>	1.21
10537	JE	B1Z	83	10/24/91	0.882	0.00		66.00		0.00		0.00
10537	PT	B2F	83	10/24/91	0.494	0.00		53.60		0.00		0.00
10537	SF	B2V	83	10/24/91	0.832	0.00		52.30		0.00	>	1.19
10537	VE	AZR	83	10/25/91	1.131	0.00		66.70		0.00		0.40
10537	YF	B1J	83	10/24/91	0.833	0.00		69.80		0.00	>	1.72
10538	JE	B20	83	10/24/91	0.824	0.00		153.00		0.00		0.00
10538	PT	B2G	83	10/24/91	0.452	0.00		96.60		0.00		0.00
10538	SF	B2W	83	10/24/91	0.860	0.00		89.10		0.00		0.46
10538	VE	AZS	83	10/25/91	1.067	0.00		185.00		0.00	>	0.41
10538	YF	B1K	83	10/24/91	0.898	0.00		118.00		0.00		0.00
10539	JE	B20	83	10/24/91	0.824	0.00		18.30		0.00		0.00
10539	PT	B2G	83	10/24/91	0.452	0.00		17.70		0.00		0.00
10539	SF	B2W	83	10/24/91	0.860	0.00		9.24		0.00		0.00
10539	VE	AZS	83	10/25/91	1.067	0.00		19.40		0.00		0.00
10539	YF	B1K	83	10/24/91	0.898	0.00		19.90		0.00		0.00
10540	JE	B21	83	10/24/91	0.899	0.00		19.90		0.00		0.11
10540	PT	B2H	83	10/24/91	0.486	0.00		26.70		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10540	SF	B2X	83	10/24/91	0.715	0.00	21.80	0.00	0.00
10540	VE	AZT	83	10/25/91	1.125	0.00	53.50	0.00	0.00
10540	YF	B1L	83	10/24/91	0.777	0.00	24.90	0.00	0.00
10541	JE	B21	83	10/24/91	0.899	0.00	44.70	0.00	0.00
10541	PT	B2H	83	10/24/91	0.486	0.00	47.10	0.00	0.00
10541	SF	B2X	83	10/24/91	0.715	0.00	39.20	0.00	0.00
10541	VE	AZT	83	10/25/91	1.125	0.00	61.80	0.00	0.00
10541	YF	B1L	83	10/24/91	0.777	0.00	57.00	0.00 >	3.87
10542	JE	B22	83	10/24/91	0.757	0.00	188.00	0.00	0.00
10542	PT	B2I	83	10/24/91	0.492	0.00	173.00	0.00	0.00
10542	SF	B2Y	83	10/24/91	0.863	0.00	95.50	0.00	0.00
10542	VE	AZU	83	10/25/91	1.088	0.00	226.00	0.00	0.00
10542	YF	B1N	83	10/24/91	0.883	0.00	224.00	0.00	0.00
10543	JE	B22	83	10/24/91	0.757	0.00	241.00	0.00 >	8.41
10543	PT	B2I	83	10/24/91	0.492	25.60	253.00	9.88	27.59
10543	SF	B2Y	83	10/24/91	0.863	6.99	195.00	27.89	51.84
10543	VE	AZU	83	10/25/91	1.088	0.00	222.00	0.00	1.91
10543	YF	B1N	83	10/24/91	0.883	273.00	312.00	1.14 >	11.51
10544	JE	B23	83	10/24/91	0.860	0.00	144.00	0.00	0.00
10544	PT	B2J	83	10/24/91	0.479	0.00	164.00	0.00	0.00
10544	SF	B2Z	83	10/24/91	0.838	0.00	100.00	0.00	0.00
10544	VE	AZV	83	10/25/91	1.108	0.00	179.00	0.00	0.00
10544	YF	B1N	83	10/24/91	0.871	0.00	169.00	0.00	0.00
10545	JE	B23	83	10/24/91	0.860	0.00	84.90	0.00	0.00
10545	PT	B2J	83	10/24/91	0.479	0.00	69.80	0.00	0.00
10545	SF	B2Z	83	10/24/91	0.838	0.00	29.30	0.00	0.00
10545	VE	AZV	83	10/25/91	1.108	0.00	29.00	0.00	0.00
10545	YF	B1N	83	10/24/91	0.871	0.00	173.00	0.00	0.00
10546	JE	B24	83	10/24/91	0.895	0.00 >	320.00	0.00	0.00
10546	PT	B2K	83	10/24/91	0.612	0.00	178.00	0.00 >	0.98
10546	SF	B30	83	10/24/91	0.916	0.00	146.00	0.00 >	0.30
10546	VE	AZW	83	10/25/91	1.071	0.00	279.00	0.00	0.00
10546	YF	B10	83	10/24/91	0.822	0.00	20.10	0.00	0.00
10547	JE	B24	83	10/24/91	0.895	0.00	18.00	0.00	0.05
10547	PT	B2K	83	10/24/91	0.612	0.00	11.90	0.00	0.00
10547	SF	B30	83	10/24/91	0.916	0.00	7.28	0.00	0.00
10547	VE	AZW	83	10/25/91	1.071	0.00	21.50	0.00	0.00
10547	YF	B10	83	10/24/91	0.822	0.00	9.69	0.00	0.03
10548	JE	B25	83	10/24/91	0.784	0.00 >	320.00	0.00	0.00
10548	PT	B2L	83	10/24/91	0.468	0.00	265.00	0.00	0.00
10548	SF	B31	83	10/24/91	0.857	0.00	219.00	0.00 >	2.70
10548	VE	AZX	83	10/25/91	1.158	0.00	320.00	0.00	0.10
10548	YF	B1P	83	10/24/91	0.935	0.00 >	320.00	0.00	0.00
10549	JE	B25	83	10/24/91	0.784	0.00	59.20	0.00	0.00
10549	PT	B2L	83	10/24/91	0.468	0.00	86.40	0.00	0.00
10549	SF	B31	83	10/24/91	0.857	0.00	28.00	0.00	0.00
10549	VE	AZX	83	10/25/91	1.158	0.00	54.30	0.00	0.00
10549	YF	B1P	83	10/24/91	0.935	0.00	88.70	0.00	0.00
10550	JE	B26	83	10/24/91	0.769	0.00	169.00	0.00	0.00
10550	PT	B2N	83	10/24/91	0.451	0.00	156.00	0.00	0.00
10550	SF	B32	83	10/24/91	0.924	0.00	76.20	0.00	0.00
10550	VE	AZY	83	10/25/91	1.245	0.00	126.00	0.00	0.00
10550	YF	B1Q	83	10/24/91	0.967	0.00	147.00	0.00	0.00
10551	JE	B26	83	10/24/91	0.769	0.00 >	320.00	0.00	0.00
10551	PT	B2N	83	10/24/91	0.451	0.00	249.00	0.00	0.00
10551	SF	B32	83	10/24/91	0.924	0.00	210.00	0.00	0.00
10551	VE	AZY	83	10/25/91	1.245	0.00	221.00	0.00	0.00
10551	YF	B1Q	83	10/24/91	0.967	0.00	252.00	0.00	0.00
10552	JE	B27	83	10/24/91	0.743	0.00	50.80	0.00	0.00
10552	PT	B2N	83	10/24/91	0.483	0.00	46.50	0.00	0.00
10552	SF	B33	83	10/24/91	0.837	0.00	49.00	0.00	0.00
10552	VE	AZZ	83	10/25/91	1.122	0.00	56.70	0.00	0.00
10552	YF	B1R	83	10/24/91	0.823	0.00	51.60	0.00	0.28
10553	JE	B27	83	10/24/91	0.743	0.00 >	320.00	0.00	0.00
10553	PT	B2N	83	10/24/91	0.483	0.00	216.00	0.00	0.00
10553	SF	B33	83	10/24/91	0.837	0.00	97.00	0.00	0.00
10553	VE	AZZ	83	10/25/91	1.122	0.00	277.00	0.00 >	0.10
10553	YF	B1R	83	10/24/91	0.823	0.00	276.00	0.00	0.00
10554	JE	B28	83	10/24/91	0.824	0.00	124.00	0.00	0.00
10554	PT	B20	83	10/24/91	0.447	0.00	148.00	0.00	0.00
10554	SF	B34	83	10/24/91	0.870	0.00	48.60	0.00	0.00
10554	VE	B00	83	10/25/91	1.140	0.00	60.40	0.00 >	0.30
10554	YF	B1S	83	10/24/91	0.876	0.00	133.00	0.00	0.00
10555	JE	B28	83	10/24/91	0.824	0.00	234.00	0.00	0.00
10555	PT	B20	83	10/24/91	0.447	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10555	SF	B34	83	10/24/91	0.870	0.00	161.00	0.00	0.00
10555	VE	B00	83	10/25/91	1.140	0.00	283.0	0.00	0.15
10555	YF	B1S	83	10/24/91	0.876	0.00	253.0	0.00	0.00
10556	JE	B29	83	10/24/91	0.842	0.00 >	320.00	0.00	0.00
10556	PT	B2P	83	10/24/91	0.465	0.00 >	320.0	0.00	0.00
10556	SF	B35	83	10/24/91	0.845	207.00 >	320.00 >	1.55 >	6.12
10556	VE	B01	83	10/25/91	1.141	0.00 >	320.00	0.00 >	0.50
10556	YF	B1T	83	10/24/91	0.896	0.00 >	320.00	0.00	0.00
10557	JE	B29	83	10/24/91	0.842	0.00	32.90	0.00	0.00
10557	PT	B2P	83	10/24/91	0.465	0.00	25.60	0.00	0.00
10557	SF	B35	83	10/24/91	0.845	0.00	47.30	0.00	0.00
10557	VE	B01	83	10/25/91	1.141	0.00	50.70	0.00	0.41
10557	YF	B1T	83	10/24/91	0.896	0.00	45.20	0.00	0.00
10558	JE	B2A	83	10/24/91	0.803	0.00	106.00	0.00	0.00
10558	PT	B20	83	10/24/91	0.393	0.00	65.20	0.00	0.00
10558	SF	B36	83	10/24/91	0.835	0.00	55.40	0.00	0.00
10558	VE	B02	83	10/25/91	1.180	0.00	57.80	0.00 >	0.35
10558	YF	B1U	83	10/24/91	0.868	0.00	49.40	0.00	0.00
10559	JE	B2A	83	10/24/91	0.803	0.00	103.00	0.00	0.00
10559	PT	B20	83	10/24/91	0.393	0.00	139.00	0.00	0.00
10559	SF	B36	83	10/24/91	0.835	0.00	78.90	0.00	0.00
10559	VE	B02	83	10/25/91	1.180	0.00	128.00	0.00 >	0.24
10559	YF	B1U	83	10/24/91	0.868	0.00	111.00	0.00	0.00
10560	JE	B2B	83	10/24/91	0.765	0.00	154.00	0.00	0.00
10560	PT	B2R	83	10/24/91	0.425	0.00	155.00	0.00	0.00
10560	SF	B37	83	10/24/91	0.841	0.00	68.20	0.00	0.00
10560	VE	B03	83	10/25/91	1.126	0.00	68.20	0.00 >	0.30
10560	YF	B1V	83	10/24/91	0.905	0.00	151.00	0.00	0.14
10561	JE	B2B	83	10/24/91	0.765	0.00	215.00	0.00	1.75
10561	PT	B2R	83	10/24/91	0.425	0.00	86.40	0.00	0.60
10561	SF	B37	83	10/24/91	0.841	0.00	28.30	0.00	0.00
10561	VE	B03	83	10/25/91	1.126	0.00	77.90	0.00	0.00
10561	YF	B1V	83	10/24/91	0.905	0.00	28.90	0.00	0.00
10562	JE	B2C	83	10/24/91	0.801	0.00 >	320.00	0.00	0.00
10562	PT	B2S	83	10/24/91	0.456	0.00	241.00	0.00	0.00
10562	SF	B38	83	10/24/91	0.847	0.00	143.00	0.00	0.00
10562	VE	B04	83	10/25/91	1.155	0.00 >	320.00	0.00 >	0.70
10562	YF	B1W	83	10/24/91	0.905	0.00	236.00	0.00	0.00
10563	JE	B2C	83	10/24/91	0.801	0.00	33.80	0.00	0.00
10563	PT	B2S	83	10/24/91	0.456	0.00	28.10	0.00	0.00
10563	SF	B38	83	10/24/91	0.847	0.00	15.00	0.00	0.00
10563	VE	B04	83	10/25/91	1.155	0.00	38.60	0.00	0.06
10563	YF	B1W	83	10/24/91	0.905	0.00	26.00	0.00	0.00
10564	JE	B2D	83	10/24/91	0.741	0.00	18.70	0.00	0.00
10564	PT	B2T	83	10/24/91	0.442	0.00	11.10	0.00	0.00
10564	SF	B39	83	10/24/91	0.923	0.00	6.98	0.00	0.00
10564	VE	B05	83	10/25/91	1.150	0.00	21.90	0.00 >	0.22
10564	YF	B1X	83	10/24/91	0.903	0.00	11.80	0.00	0.00
10565	JE	B2D	83	10/24/91	0.741	0.00	73.60	0.00	0.00
10565	PT	B2T	83	10/24/91	0.442	0.00	60.00	0.00	0.00
10565	SF	B39	83	10/24/91	0.923	0.00	22.60	0.00	0.00
10565	VE	B05	83	10/25/91	1.150	0.00	68.60	0.00	0.00
10565	YF	B1X	83	10/24/91	0.903	0.00	50.80	0.00	0.00
10566	JE	B2E	83	10/24/91	0.888	0.00	200.00	0.00	0.00
10566	PT	B2U	83	10/24/91	0.458	0.00	234.00	0.00	0.00
10566	SF	B3A	83	10/24/91	0.871	0.00	179.00	0.00	0.00
10566	VE	B06	83	10/25/91	1.256	0.00	228.00	0.00	0.15
10566	YF	B1Y	83	10/24/91	0.978	0.00	201.00	0.00	0.00
10567	JE	B3R	83	10/29/91	0.642	0.00	25.60	0.00	0.00
10567	PT	B4N	83	10/29/91	0.472	0.00	52.70	0.00	0.00
10567	SF	B53	83	10/29/91	0.695	0.00	41.80	0.00	0.00
10567	VE	B47	83	11/01/91	0.973	0.00	57.00	0.00	0.00
10567	YF	B3B	83	10/29/91	0.984	0.00	54.70	0.00	0.57
10568	JE	B3S	83	10/29/91	0.661	0.00	30.00	0.00 >	0.42
10568	PT	B40	83	10/29/91	0.500	0.00	2.31	0.00 >	0.02
10568	SF	B54	83	10/29/91	0.732	0.00	0.93	0.00	0.00
10568	VE	B48	83	11/01/91	1.113	259.00	81.50	0.31 >	1.01
10568	YF	B3C	83	10/29/91	0.813	0.00	140.00	0.00	0.00
10569	JE	B3S	83	10/29/91	0.661	0.00	45.70	0.00	0.00
10569	PT	B40	83	10/29/91	0.500	0.00	18.70	0.00	0.00
10569	SF	B54	83	10/29/91	0.732	0.00	8.43	0.00	0.00
10569	VE	B48	83	11/01/91	1.113	0.00	13.90	0.00	0.00
10569	YF	B3C	83	10/29/91	0.813	0.00	28.90	0.00	0.00
10570	JE	B3T	83	10/29/91	0.588	0.00	121.00	0.00	0.20
10570	PT	B4P	83	10/29/91	0.514	0.00	90.60	0.00 >	0.71

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10570	SF	B55	83	10/29/91	0.749	0.00	35.50	0.00	0.00
10570	VE	B49	83	11/01/91	1.106	0.00	128.00	0.00	0.00
10570	YF	B30	83	10/29/91	0.842	0.00	83.00	0.00	0.00
10571	JE	B3T	83	10/29/91	0.588	0.00	52.10	0.00 >	0.10
10571	PT	B4P	83	10/29/91	0.514	0.00	26.50	0.00	0.00
10571	SF	B55	83	10/29/91	0.749	0.00	13.40	0.00	0.00
10571	VE	B49	83	11/01/91	1.106	0.00	22.20	0.00	0.00
10571	YF	B30	83	10/29/91	0.842	0.00	61.10	0.00	0.00
10572	JE	B3U	83	10/29/91	0.661	0.00	157.00	0.00 >	0.80
10572	PT	B40	83	10/29/91	0.475	0.00	155.00	0.00 >	1.90
10572	SF	B56	83	10/29/91	0.736	0.00	116.00	0.00	0.00
10572	VE	B4A	83	11/01/91	1.046	0.00	110.00	0.00 >	0.01
10572	YF	B3E	83	10/29/91	0.877	0.00	155.00	0.00	0.00
10573	JE	B3U	83	10/29/91	0.661	0.00	193.00	0.00 >	3.49
10573	PT	B40	83	10/29/91	0.475	0.00	176.00	0.00 >	5.86
10573	SF	B56	83	10/29/91	0.736	0.00	89.50	0.00	0.00
10573	VE	B4A	83	11/01/91	1.046	0.00	164.00	0.00	0.00
10573	YF	B3E	83	10/29/91	0.877	0.00	169.00	0.00	0.00
10574	JE	B3V	83	10/29/91	0.655	0.00	51.30	0.00 >	1.80
10574	PT	B4R	83	10/29/91	0.490	0.00	49.30	0.00	0.80
10574	SF	B57	83	10/29/91	0.727	0.00	43.30	0.00	0.00
10574	VE	B48	83	11/01/91	1.070	0.00	52.40	0.00	0.00
10574	YF	B3F	83	10/29/91	0.863	0.00	49.20	0.00	3.55
10575	JE	B3V	83	10/29/91	0.655	0.00	116.00	0.00	0.00
10575	PT	B4R	83	10/29/91	0.490	0.00	24.00	0.00	0.00
10575	SF	B57	83	10/29/91	0.727	0.00	9.03	0.00	0.00
10575	VE	B48	83	11/01/91	1.070	0.00	164.00	0.00	0.00
10575	YF	B3F	83	10/29/91	0.863	0.00	178.00	0.00 >	0.66
10576	JE	B3W	83	10/29/91	0.688	0.00	253.00	0.00	1.50
10576	PT	B4S	83	10/29/91	0.503	0.00	232.00	0.00 >	0.40
10576	SF	B58	83	10/29/91	0.805	0.00	44.80	0.00	0.00
10576	VE	B4C	83	11/01/91	1.088	0.00	240.00	0.00	0.00
10576	YF	B3G	83	10/29/91	0.850	0.00	252.00	0.00	0.00
10577	JE	B3W	83	10/29/91	0.688	0.00	155.00	0.00 >	2.30
10577	PT	B4S	83	10/29/91	0.503	0.00	157.00	0.00	0.00
10577	SF	B58	83	10/29/91	0.805	0.00	128.00	0.00	0.00
10577	VE	B4C	83	11/01/91	1.088	0.00	169.00	0.00	0.09
10577	YF	B3G	83	10/29/91	0.850	0.00	156.00	0.00	0.63
10578	JE	B3X	83	10/29/91	0.707	0.00	82.50	0.00	0.33
10578	PT	B4T	83	10/29/91	0.474	0.00	68.40	0.00	0.00
10578	SF	B59	83	10/29/91	0.740	0.00	29.80	0.00	0.00
10578	VE	B4D	83	11/01/91	1.049	0.00	268.00	0.00	0.04
10578	YF	B3H	83	10/29/91	0.830	0.00	107.00	0.00	0.00
10579	JE	B3X	83	10/29/91	0.707	0.00	97.20	0.00 >	0.43
10579	PT	B4T	83	10/29/91	0.474	0.00	84.60	0.00	0.00
10579	SF	B59	83	10/29/91	0.740	0.00	43.30	0.00	0.00
10579	VE	B4D	83	11/01/91	1.049	0.00	109.00	0.00	0.28
10579	YF	B3H	83	10/29/91	0.830	0.00	114.00	0.00	0.00
10580	JE	B3Y	83	10/29/91	0.869	0.00	46.20	0.00	0.00
10580	PT	B4U	83	10/29/91	0.610	0.00	50.00	0.00	0.00
10580	SF	B5A	83	10/29/91	0.762	0.00	36.90	0.00	0.00
10580	VE	B4E	83	11/01/91	1.124	0.00	50.10	0.00	0.13
10580	YF	B3I	83	10/29/91	0.884	0.00	40.10	0.00	0.00
10581	JE	B3Y	83	10/29/91	0.869	0.00	100.00	0.00	0.00
10581	PT	B4U	83	10/29/91	0.610	0.00 >	320.00	0.00 >	0.96
10581	SF	B5A	83	10/29/91	0.762	186.00	16.30	0.09 >	7.13
10581	VE	B4E	83	11/01/91	1.124	0.00 >	320.00	0.00 >	0.98
10581	YF	B3I	83	10/29/91	0.884	0.00 >	320.00	0.00	0.00
10582	JE	B3Z	83	10/29/91	0.637	0.00	283.00	0.00 >	0.32
10582	PT	B4V	83	10/29/91	0.458	0.00	244.00	0.00	0.00
10582	SF	B5B	83	10/29/91	0.733	0.00	30.00	0.00	0.00
10582	VE	B4F	83	11/01/91	0.897	0.00	283.00	0.00	0.00
10582	YF	B3J	83	10/29/91	0.967	0.00	180.00	0.00	0.00
10583	JE	B3Z	83	10/29/91	0.637	0.00 >	320.00	0.00 >	3.70
10583	PT	B4V	83	10/29/91	0.458	214.00 >	320.00 >	1.49 >	12.60
10583	SF	B5B	83	10/29/91	0.733	132.00 >	320.00 >	2.42 >	18.17
10583	VE	B4F	83	11/01/91	0.897	0.00 >	320.00	0.00	0.00
10583	YF	B3J	83	10/29/91	0.967	0.00 >	320.00	0.00	0.00
10584	JE	B40	83	10/29/91	0.663	0.00	13.10	0.00	0.00
10584	PT	B4W	83	10/29/91	0.429	0.00	13.90	0.00	0.00
10584	SF	B5C	83	10/29/91	0.743	0.00	8.87	0.00	0.00
10584	VE	B4G	83	11/01/91	1.056	0.00	17.00	0.00	0.06
10584	YF	B3K	83	10/29/91	0.887	0.00	11.80	0.00	0.00
10585	JE	B40	83	10/29/91	0.663	0.00	33.00	0.00 >	0.18
10585	PT	B4W	83	10/29/91	0.429	0.00	2.93	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10585	SF	B5C	83	10/29/91	0.743	0.00	6.40	0.00	0.00
10585	VE	B4G	83	11/01/91	1.056	0.00	50.40	0.00	0.00
10585	YF	B3K	83	10/29/91	0.887	0.00	8.87	0.00	0.00
10586	JE	B41	83	10/29/91	0.729	0.00	156.00	0.00 >	1.20
10586	PT	B4X	83	10/29/91	0.474	76.90	155.00	2.02 >	9.20
10586	SF	B5D	83	10/29/91	0.756	0.00	133.00	0.00	2.38
10586	VE	B4H	83	11/01/91	1.036	0.00	171.00	0.00	0.11
10586	YF	B3L	83	10/29/91	0.829	0.00	156.00	0.00	0.00
10587	JE	B41	83	10/29/91	0.729	0.00	46.30	0.00	0.00
10587	PT	B4X	83	10/29/91	0.474	0.00	45.20	0.00	0.00
10587	SF	B5D	83	10/29/91	0.756	0.00	42.20	0.00	0.49
10587	VE	B4H	83	11/01/91	1.036	0.00	47.30	0.00	1.35
10587	YF	B3L	83	10/29/91	0.829	0.00	49.50	0.00	5.57
10588	JE	B42	83	10/29/91	0.778	0.00	10.30	0.00	0.00
10588	PT	B4Y	83	10/29/91	0.476	0.00	12.80	0.00	0.00
10588	SF	B5E	83	10/29/91	0.721	0.00	10.60	0.00	0.00
10588	VE	B4I	83	11/01/91	1.151	0.00	15.90	0.00	0.07
10588	YF	B3M	83	10/29/91	0.842	0.00	11.10	0.00	0.00
10589	JE	B42	83	10/29/91	0.778	0.00	124.00	0.00	0.00
10589	PT	B4Y	83	10/29/91	0.476	0.00	137.00	0.00	0.00
10589	SF	B5E	83	10/29/91	0.721	0.00	106.00	0.00	0.00
10589	VE	B4I	83	11/01/91	1.151	0.00	117.00	0.00	0.00
10589	YF	B3M	83	10/29/91	0.842	0.00	141.00	0.00 >	0.64
10590	JE	B43	83	10/29/91	0.797	0.00	108.00	0.00 >	2.40
10590	PT	B4Z	83	10/29/91	0.416	0.00	150.00	0.00 >	4.52
10590	SF	B5F	83	10/29/91	0.647	0.00	127.00	0.00	0.00
10590	VE	B4J	83	11/01/91	1.057	0.00	164.00	0.00	0.51
10590	YF	B3N	83	10/29/91	0.759	0.00	82.40	0.00	0.57
10591	JE	B43	83	10/29/91	0.797	0.00	207.00	0.00 >	3.50
10591	PT	B4Z	83	10/29/91	0.416	0.00	195.00	0.00	0.00
10591	SF	B5F	83	10/29/91	0.647	0.00	152.00	0.00	0.00
10591	VE	B4J	83	11/01/91	1.057	0.00	138.00	0.00	0.00
10591	YF	B3N	83	10/29/91	0.759	0.00	231.00	0.00	0.00
10592	JE	B44	83	10/29/91	0.690	0.00 >	320.00	0.00	0.00
10592	PT	B50	83	10/29/91	0.501	0.00 >	320.00	0.00	0.00
10592	SF	B5G	83	10/29/91	0.743	0.00	0.73	0.00	0.00
10592	VE	B4K	83	11/01/91	1.066	0.00 >	320.00	0.00	0.00
10592	YF	B30	83	10/29/91	0.866	0.00	73.80	0.00 >	0.13
10593	JE	B44	83	10/29/91	0.690	0.00	35.20	0.00 >	0.40
10593	PT	B50	83	10/29/91	0.501	0.00	37.80	0.00	0.00
10593	SF	B5G	83	10/29/91	0.743	0.00	25.40	0.00	0.00
10593	VE	B4K	83	11/01/91	1.066	0.00	22.40	0.00	0.30
10593	YF	B30	83	10/29/91	0.866	0.00	47.10	0.00	0.00
10594	JE	B45	83	10/29/91	0.685	0.00	47.10	0.00	0.00
10594	PT	B51	83	10/29/91	0.528	0.00	109.00	0.00 >	1.10
10594	SF	B5H	83	10/29/91	0.717	0.00	20.40	0.00	0.00
10594	VE	B4L	83	11/01/91	1.008	0.00	173.00	0.00	0.00
10594	YF	B3P	83	10/29/91	0.879	0.00	81.10	0.00	0.00
10595	JE	B45	83	10/29/91	0.685	0.00	117.00	0.00 >	0.30
10595	PT	B51	83	10/29/91	0.528	0.00	168.00	0.00 >	0.20
10595	SF	B5H	83	10/29/91	0.717	0.00	64.60	0.00	0.00
10595	VE	B4L	83	11/01/91	1.008	0.00	96.90	0.00	0.00
10595	YF	B3P	83	10/29/91	0.879	0.00	134.00	0.00 >	0.23
10596	JE	B46	83	10/29/91	0.883	0.00	234.00	0.00	0.00
10596	PT	B52	83	10/29/91	0.522	0.00 >	320.00	0.00	0.00
10596	SF	B5I	83	10/29/91	0.740	0.00	57.50	0.00	0.00
10596	VE	B4M	83	11/01/91	1.140	0.00	296.00	0.00	0.00
10596	YF	B3Q	83	10/29/91	0.902	0.00	173.00	0.00	0.00
10597	JE	B5Z	83	10/29/91	0.784	0.00 >	320.00	0.00	0.00
10597	PT	B7R	83	10/31/91	0.538	0.00 >	320.00	0.00	0.00
10597	VE	B6F	83	11/01/91	0.910	0.00 >	320.00	0.00	0.00
10597	YF	B5J	83	10/29/91	1.045	0.00 >	320.00	0.00	0.00
10598	JE	B60	83	10/29/91	0.785	0.00 >	320.00	0.00 >	2.82
10598	PT	B7S	83	10/31/91	0.482	0.00 >	320.00	0.00	0.00
10598	VE	B6G	83	11/01/91	1.021	0.00 >	320.00	0.00	0.00
10598	YF	B5K	83	10/29/91	0.967	0.00 >	320.00	0.00 >	1.26
10599	JE	B60	83	10/29/91	0.785	0.00	196.00	0.00	0.81
10599	PT	B7S	83	10/31/91	0.482	0.00	194.00	0.00	0.00
10599	VE	B6G	83	11/01/91	1.021	0.00	189.00	0.00	0.00
10599	YF	B5K	83	10/29/91	0.967	0.00	155.00	0.00	0.00
10600	JE	B61	83	10/29/91	0.743	0.00	304.00	0.00 >	1.90
10600	PT	B7T	83	10/31/91	0.546	0.00	320.00	0.00	0.00
10600	VE	B6H	83	11/01/91	1.122	0.00	308.00	0.00	0.00
10600	YF	B5L	83	10/29/91	0.924	0.00	247.00	0.00	0.00
10601	JE	B61	83	10/29/91	0.743	0.00 >	320.00	0.00	0.80

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10601	PT	B7T	83	10/31/91	0.546	0.00	238.00	0.00	0.00
10601	VE	B6H	83	11/01/91	1.122	0.00	282.00	0.00	0.00
10601	YF	B5L	83	10/29/91	0.924	0.00	206.00	0.00	0.00
10602	JE	B62	83	10/29/91	0.834	0.00	20.30	0.00 >	0.20
10602	PT	B7U	83	10/31/91	0.516	0.00	20.60	0.00 >	0.20
10602	VE	B6I	83	11/01/91	1.032	0.00	25.50	0.00	0.00
10602	YF	B5N	83	10/29/91	0.904	0.00	29.60	0.00	0.00
10603	JE	B62	83	10/29/91	0.834	0.00 >	320.00	0.00	0.45
10603	PT	B7U	83	10/31/91	0.516	0.00 >	320.00	0.00	0.63
10603	VE	B6I	83	11/01/91	1.032	0.00 >	320.00	0.00	0.00
10603	YF	B5N	83	10/29/91	0.904	0.00	281.00	0.00	0.00
10604	JE	B63	83	10/29/91	0.766	0.00 >	320.00	0.00 >	1.2[illegible]
10604	PT	B7V	83	10/31/91	0.526	0.00 >	320.00	0.00	0.00
10604	VE	B6J	83	11/01/91	1.101	0.00 >	320.00	0.00	0.00
10604	YF	B5N	83	10/29/91	0.895	0.00 >	320.00	0.00 >	0.66
10605	JE	B63	83	10/29/91	0.766	0.00 >	320.00	0.00	1.18
10605	PT	B7V	83	10/31/91	0.526	0.00 >	320.00	0.00	0.00
10605	VE	B6J	83	11/01/91	1.101	0.00 >	320.00	0.00	0.00
10605	YF	B5N	83	10/29/91	0.895	0.00	222.00	0.00	0.00
10606	JE	B64	83	10/29/91	0.730	0.00 >	320.00	0.00 >	1.50
10606	PT	B7W	83	10/31/91	0.541	0.00	320.00	0.00	0.00
10606	VE	B6K	83	11/01/91	1.130	0.00	320.00	0.00	0.00
10606	YF	B5O	83	10/29/91	0.867	0.00 >	320.00	0.00	0.00
10607	JE	B64	83	10/29/91	0.730	0.00	241.00	0.00	0.00
10607	PT	B7W	83	10/31/91	0.541	0.00	257.00	0.00	0.00
10607	VE	B6K	83	11/01/91	1.130	0.00 >	320.00	0.00	0.00
10607	YF	B5O	83	10/29/91	0.867	0.00	305.00	0.00	0.00
10608	JE	B65	83	10/29/91	0.856	0.00 >	320.00	0.00	2.09
10608	PT	B7X	83	10/31/91	0.486	0.00 >	320.00	0.00 >	1.13
10608	VE	B6L	83	11/01/91	1.056	0.00 >	320.00	0.00	0.00
10608	YF	B5P	83	10/29/91	0.844	0.00 >	320.00	0.00	0.00
10609	JE	B65	83	10/29/91	0.856	0.00	124.00	0.00 >	1.55
10609	PT	B7X	83	10/31/91	0.486	0.00	133.00	0.00	2.16
10609	VE	B6L	83	11/01/91	1.056	0.00 >	320.00	0.00 >	0.23
10609	YF	B5P	83	10/29/91	0.844	0.00	124.00	0.00	0.00
10610	JE	B66	83	10/29/91	0.826	0.00	47.40	0.00 >	0.04
10610	PT	B7Y	83	10/31/91	0.516	0.00	44.60	0.00	0.00
10610	VE	B6M	83	11/01/91	1.166	0.00	41.80	0.00	0.00
10610	YF	B5Q	83	10/29/91	0.946	0.00	43.30	0.00	1.11
10611	JE	B66	83	10/29/91	0.826	0.00	48.30	0.00	0.00
10611	PT	B7Y	83	10/31/91	0.516	0.00	50.10	0.00	0.00
10611	VE	B6M	83	11/01/91	1.166	0.00	32.00	0.00	0.00
10611	YF	B5Q	83	10/29/91	0.946	0.00	55.70	0.00	0.00
10612	JE	B67	83	10/29/91	0.639	0.00	90.60	0.00 >	4.11
10612	PT	B7Z	83	10/31/91	0.537	0.00	50.60	0.00	0.00
10612	VE	B6N	83	11/01/91	0.955	0.00	64.00	0.00	0.20
10612	YF	B5R	83	10/29/91	0.998	0.00	46.00	0.00	0.00
10613	JE	B67	83	10/29/91	0.639	0.00	170.00	0.00 >	0.20
10613	PT	B7Z	83	10/31/91	0.537	0.00	27.00	0.00	0.00
10613	VE	B6N	83	11/01/91	0.955	0.00	188.00	0.00	0.11
10613	YF	B5R	83	10/29/91	0.998	0.00	10.00	0.00	0.00
10614	JE	B68	83	10/29/91	0.716	0.00	18.70	0.00	0.00
10614	PT	B80	83	10/31/91	0.561	0.00	17.70	0.00	0.00
10614	VE	B60	83	11/01/91	1.006	0.00	19.10	0.00	0.00
10614	YF	B5S	83	10/29/91	0.956	0.00	16.30	0.00 >	0.05
10615	JE	B68	83	10/29/91	0.716	0.00	276.00	0.00	0.00
10615	PT	B80	83	10/31/91	0.561	0.00	77.30	0.00	0.00
10615	VE	B60	83	11/01/91	1.006	0.00	203.00	0.00	0.00
10615	YF	B5S	83	10/29/91	0.956	0.00	27.60	0.00	0.00
10616	JE	B69	83	10/29/91	0.788	0.00	75.30	0.00	0.00
10616	PT	B81	83	10/31/91	0.517	0.00	271.00	0.00	0.00
10616	VE	B6P	83	11/01/91	1.091	0.00	91.50	0.00	0.00
10616	YF	B5T	83	10/29/91	0.908	0.00	66.00	0.00	0.00
10617	JE	B69	83	10/29/91	0.788	0.00	144.00	0.00	0.00
10617	PT	B81	83	10/31/91	0.517	0.00	179.00	0.00	0.00
10617	VE	B6P	83	11/01/91	1.091	0.00	146.00	0.00	0.00
10617	YF	B5T	83	10/29/91	0.908	0.00	47.10	0.00	0.00
10618	JE	B6A	83	10/29/91	0.775	0.00	84.30	0.00	0.00
10618	PT	B82	83	10/31/91	0.546	0.00	146.00	0.00	0.00
10618	VE	B6Q	83	11/01/91	1.034	0.00	106.00	0.00	0.00
10618	YF	B5U	83	10/29/91	0.896	0.00	32.00	0.00	0.00
10619	JE	B6A	83	10/29/91	0.775	0.00	38.60	0.00	0.00
10619	PT	B82	83	10/31/91	0.546	0.00	45.00	0.00	0.00
10619	VE	B6Q	83	11/01/91	1.034	0.00	45.90	0.00	0.00
10619	YF	B5U	83	10/29/91	0.896	0.00	34.60	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
10620	JE	B6B	83	10/29/91	0.673	0.00		150.00	0.00		0.00
10620	PT	B83	83	10/31/91	0.616	0.00		83.00	0.00		0.00
10620	VE	B6R	83	11/01/91	1.041	0.00		188.00	0.00		0.00
10620	YF	B5V	83	10/29/91	0.905	0.00		75.30	0.00		0.00
10621	JE	B6B	83	10/29/91	0.673	0.00		188.00	0.00		0.72
10621	PT	B83	83	10/31/91	0.616	0.00		116.00	0.00		0.00
10621	VE	B6R	83	11/01/91	1.041	0.00		137.00	0.00		0.00
10621	YF	B5V	83	10/29/91	0.905	0.00		43.30	0.00		0.00
10622	JE	B6C	83	10/29/91	0.733	0.00		108.00	0.00	>	0.82
10622	PT	B84	83	10/31/91	0.571	0.00		135.00	0.00		0.02
10622	VE	B6S	83	11/01/91	1.001	0.00		140.00	0.00		0.00
10622	YF	B5W	83	10/29/91	0.894	0.00		45.60	0.00		0.00
10623	JE	B6C	83	10/29/91	0.733	0.00		[illegible].00	0.00	>	0.72
10623	PT	B84	83	10/31/91	0.571	0.00		[illegible].30	0.00		0.00
10623	VE	B6S	83	11/01/91	1.001	0.00		95.80	0.00		0.00
10623	YF	B5W	83	10/29/91	0.894	0.00		75.30	0.00		0.00
10624	JE	B6D	83	10/29/91	0.716	0.00		2.65	0.00		0.00
10624	PT	B85	83	10/31/91	0.575	0.00		2.[illegible]	0.00		0.00
10624	VE	B6T	83	11/01/91	1.093	0.00		1.[illegible]	0.00		0.00
10624	YF	B5X	83	10/29/91	0.929	0.00		[illegible].45	0.00		0.00
10625	JE	B6D	83	10/29/91	0.716	0.00		[illegible].80	0.00		0.00
10625	PT	B85	83	10/31/91	0.575	0.00		5.47	0.00		0.00
10625	VE	B6T	83	11/01/91	1.093	0.00		2.78	0.00		0.00
10625	YF	B5X	83	10/29/91	0.929	0.00		5.37	0.00		0.00
10626	JE	B6E	83	10/29/91	0.821	0.00		3.34	0.00		0.00
10626	PT	B86	83	10/31/91	0.575	0.00		3.93	0.00		0.00
10626	VE	B6U	83	11/01/91	1.149	0.00		1.79	0.00		0.00
10626	YF	B5Y	83	10/29/91	0.985	0.00		4.41	0.00		0.00
10627	JE	B8N	83	10/30/91	0.791	0.00		4.66	0.00		0.00
10627	PT	B9J	83	10/30/91	0.793	0.00		3.08	0.00		0.00
10627	SF	B9Z	83	10/30/91	0.595	0.00		1.17	0.00		0.00
10627	VE	B6V	83	11/01/91	1.323	0.00	<	1.00	0.00		0.00
10627	YF	B93	83	10/30/91	0.923	0.00		5.24	0.00		0.00
10628	JE	B8O	83	10/30/91	0.854	0.00		4.15	0.00		0.00
10628	PT	B9K	83	10/30/91	0.766	0.00		2.49	0.00		0.00
10628	SF	BA0	83	10/30/91	0.735	0.00	<	1.00	0.00		0.00
10628	VE	B6W	83	11/01/91	1.215	0.00	<	1.00	0.00		0.00
10628	YF	B94	83	10/30/91	0.919	0.00		3.20	0.00		0.00
10629	JE	B8O	83	10/30/91	0.854	0.00		2.81	0.00		0.00
10629	PT	B9K	83	10/30/91	0.766	0.00		2.58	0.00		0.00
10629	SF	BA0	83	10/30/91	0.735	0.00	<	1.00	0.00		0.00
10629	VE	B6W	83	11/01/91	1.215	0.00	<	1.00	0.00		0.00
10629	YF	B94	83	10/30/91	0.919	0.00		3.58	0.00		0.00
10630	JE	B8P	83	10/30/91	0.874	0.00		3.58	0.00		0.00
10630	PT	B9L	83	10/30/91	0.815	0.00		2.71	0.00		0.00
10630	SF	BA1	83	10/30/91	0.695	0.00	<	1.00	0.00		0.00
10630	VE	B6X	83	11/01/91	1.208	0.00	<	1.00	0.00		0.00
10630	YF	B95	83	10/30/91	0.884	0.00		4.29	0.00		0.00
10631	JE	B8P	83	10/30/91	0.874	0.00		3.10	0.00		0.00
10631	PT	B9L	83	10/30/91	0.815	0.00		1.96	0.00		0.00
10631	SF	BA1	83	10/30/91	0.695	0.00	<	1.00	0.00		0.00
10631	VE	B6X	83	11/01/91	1.208	0.00	<	1.00	0.00		0.00
10631	YF	B95	83	10/30/91	0.884	0.00		4.15	0.00		0.00
10632	JE	B8Q	83	10/30/91	0.860	0.00		3.90	0.00		0.00
10632	PT	B9M	83	10/30/91	0.814	0.00		2.17	0.00		0.00
10632	SF	BA2	83	10/30/91	0.751	0.00	<	1.00	0.00		0.00
10632	VE	B6Y	83	11/01/91	1.206	0.00	<	1.00	0.00		0.00
10632	YF	B96	83	10/30/91	0.964	0.00		3.33	0.00		0.00
10633	JE	B8Q	83	10/30/91	0.860	0.00		4.14	0.00		0.00
10633	PT	B9M	83	10/30/91	0.814	0.00		3.29	0.00		0.00
10633	SF	BA2	83	10/30/91	0.751	0.00		1.03	0.00		0.00
10633	VE	B6Y	83	11/01/91	1.206	0.00	<	1.00	0.00		0.00
10633	YF	B96	83	10/30/91	0.964	0.00		4.20	0.00		0.00
10634	JE	B8R	83	10/30/91	0.917	0.00		2.85	0.00		0.00
10634	PT	B9N	83	10/30/91	0.844	0.00		1.65	0.00		0.00
10634	SF	BA3	83	10/30/91	0.763	0.00		1.11	0.00		0.00
10634	VE	B6Z	83	11/01/91	1.172	0.00		1.87	0.00	>	0.37
10634	YF	B97	83	10/30/91	0.918	0.00		3.29	0.00		0.00
10635	JE	B8R	83	10/30/91	0.917	0.00		2.93	0.00		0.00
10635	PT	B9N	83	10/30/91	0.844	0.00		1.89	0.00		0.00
10635	SF	BA3	83	10/30/91	0.763	0.00		1.06	0.00		0.00
10635	VE	B6Z	83	11/01/91	1.172	0.00		1.85	0.00	>	0.16
10635	YF	B97	83	10/30/91	0.918	0.00		3.29	0.00		0.00
10636	JE	B8S	83	10/30/91	0.831	0.00		4.22	0.00		0.00
10636	PT	B9O	83	10/30/91	0.845	0.00		2.79	0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10636	SF	BA4	83	10/30/91	0.629	0.00 <	1.00	0.00	0.00
10636	VE	B70	83	11/01/91	1.125	0.00	2.25	0.00 >	0.45
10636	YF	B98	83	10/30/91	0.968	0.00	4.14	0.00	0.00
10637	JE	B8S	83	10/30/91	0.831	0.00	179.00	0.00	0.00
10637	PT	B90	83	10/30/91	0.845	0.00	143.00	0.00	0.00
10637	SF	BA4	83	10/30/91	0.629	0.00	53.30	0.00	0.00
10637	VE	B70	83	11/01/91	1.125	227.00	320.00	1.41 >	2.25
10637	YF	B98	83	10/30/91	0.968	0.00	188.00	0.00	0.00
10638	JE	B8T	83	10/30/91	0.864	0.00	68.60	0.00	0.00
10638	PT	B9P	83	10/30/91	0.853	0.00	93.80	0.00	0.00
10638	SF	BA5	83	10/30/91	0.829	0.00	0.93	0.00	0.00
10638	VE	B71	83	11/01/91	1.030	0.00	103.00	0.00	2.60
10638	YF	B99	83	10/30/91	0.903	0.00	51.40	0.00	0.00
10639	JE	B8T	83	10/30/91	0.864	0.00	90.30	0.00	0.00
10639	PT	B9P	83	10/30/91	0.853	0.00 >	320.00	0.00 >	1.26
10639	SF	BA5	83	10/30/91	0.829	0.00	10.00	0.00	0.00
10639	VE	B71	83	11/01/91	1.030	0.00 >	320.00	0.00 >	0.23
10639	YF	B99	83	10/30/91	0.903	0.00 >	320.00	0.00	0.06
10640	JE	B8U	83	10/30/91	0.905	0.00	100.00	0.00 >	0.01
10640	PT	B9Q	83	10/30/91	0.869	271.00	93.20	0.34 >	3.43
10640	SF	BA6	83	10/30/91	0.585	119.00 >	320.00 >	2.68 >	15.98
10640	VE	B72	83	11/01/91	0.823	0.00 >	320.00	0.00 >	0.70
10640	YF	B9A	83	10/30/91	1.027	0.00 >	320.00	0.00	0.00
10641	JE	B8U	83	10/30/91	0.905	0.00	186.00	0.00	0.00
10641	PT	B9Q	83	10/30/91	0.869	0.00	138.00	0.00	0.00
10641	SF	BA6	83	10/30/91	0.585	0.00	229.00	0.00	5.83
10641	VE	B72	83	11/01/91	0.823	0.00 >	320.00	0.00 >	2.21
10641	YF	B9A	83	10/30/91	1.027	0.00	133.00	0.00	0.00
10642	JE	B8V	83	10/30/91	0.878	0.00	80.60	0.00	0.02
10642	PT	B9R	83	10/30/91	0.658	0.00	320.00	0.00	0.00
10642	SF	BA7	83	10/30/91	0.575	0.00	320.00	0.00 >	0.48
10642	VE	B73	83	11/01/91	1.245	0.00	247.00	0.00	0.00
10642	YF	B98	83	10/30/91	0.891	0.00	21.00	0.00 >	0.19
10643	JE	B8V	83	10/30/91	0.878	0.00 >	320.00	0.00	0.12
10643	PT	B9R	83	10/30/91	0.658	0.00 >	320.00	0.00 >	5.56
10643	SF	BA7	83	10/30/91	0.575	0.00 >	320.00	0.00 >	6.22
10643	VE	B73	83	11/01/91	1.245	0.00 >	320.00	0.00	0.00
10643	YF	B98	83	10/30/91	0.891	0.00	269.00	0.00	0.00
10644	JE	B8W	83	10/30/91	0.843	0.00	56.30	0.00	0.00
10644	PT	B9S	83	10/30/91	0.686	0.00	46.60	0.00	0.00
10644	SF	BA8	83	10/30/91	0.514	0.00	39.70	0.00	0.00
10644	VE	B74	83	11/01/91	1.246	0.00	108.00	0.00	0.00
10644	YF	B9C	83	10/30/91	0.897	0.00	49.90	0.00	0.00
10645	JE	B8W	83	10/30/91	0.843	0.00	40.10	0.00	0.02
10645	PT	B9S	83	10/30/91	0.686	0.00	13.90	0.00	0.00
10645	SF	BA8	83	10/30/91	0.514	0.00	16.50	0.00	0.15
10645	VE	B74	83	11/01/91	1.246	0.00	1.60	0.00	0.00
10645	YF	B9C	83	10/30/91	0.897	0.00	15.40	0.00	1.05
10646	JE	B8X	83	10/30/91	0.835	0.00	204.00	0.00	0.00
10646	PT	B9T	83	10/30/91	0.670	0.00	197.00	0.00	0.56
10646	SF	BA9	83	10/30/91	0.537	0.00	168.00	0.00	0.55
10646	VE	B75	83	11/01/91	1.218	0.00	204.00	0.00	0.00
10646	YF	B9D	83	10/30/91	0.854	0.00	198.00	0 00	0.00
10647	JE	B8X	83	10/30/91	0.835	0.00	194.00	0.00	0.00
10647	PT	B9T	83	10/30/91	0.670	0.00	203.00	0.00	0.06
10647	SF	BA9	83	10/30/91	0.537	92.20	227.00	2.46	8.41
10647	VE	B75	83	11/01/91	1.218	0.00	223.00	0.00	0.00
10647	YF	B9D	83	10/30/91	0.854	0.00	173.00	0.00	0.00
10648	JE	B8Y	83	10/30/91	0.854	0.00	7.84	0.00	0.00
10648	PT	B9U	83	10/30/91	0.635	0.00	32.00	0.00	0.00
10648	SF	BAA	83	10/30/91	0.721	0.00 <	1.00	0.00	0.00
10648	VE	B76	83	11/01/91	1.134	0.00 >	320.00	0.00 >	0.02
10648	YF	B9E	83	10/30/91	0.925	0.00	9.07	0.00	0.00
10649	JE	B8Y	83	10/30/91	0.854	0.00	8.11	0.00	0.00
10649	PT	B9U	83	10/30/91	0.635	0.00	10.00	0.00	0.00
10649	SF	BAA	83	10/30/91	0.721	0.00 <	1.00	0.00	0.00
10649	VE	B76	83	11/01/91	1.134	0.00	36.50	0.00	0.00
10649	YF	B9E	83	10/30/91	0.925	0.00	7.96	0.00	0.00
10650	JE	B8Z	83	10/30/91	0.864	0.00	10.90	0.00	0.00
10650	PT	B9V	83	10/30/91	0.797	0.00	10.00	0.00	0.00
10650	SF	BAB	83	10/30/91	0.649	0.00	4.09	0.00	0.00
10650	VE	B77	83	11/01/91	1.142	0.00	12.70	0.00	0.00
10650	YF	B9F	83	10/30/91	0.907	0.00	12.80	0.00	0.00
10651	JE	B8Z	83	10/30/91	0.864	0.00	6.11	0.00 >	0.00
10651	PT	B9V	83	10/30/91	0.797	0.00	6.06	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI	TAI
10651	SF	BAB	83	10/30/91	0.649	0.00	<	1.00		0.00	0.00
10651	VE	B77	83	11/01/91	1.142	0.00	>	320.00		0.00	0.00
10651	YF	B9F	83	10/30/91	0.907	0.00		16.00		0.00	0.00
10652	JE	B90	83	10/30/91	0.958	0.00		8.64		0.00	0.00
10652	PT	B9W	83	10/30/91	0.811	0.00		6.94		0.00	0.00
10652	SF	BAC	83	10/30/91	0.546	29.00		9.43		0.32	> 3.58
10652	VE	B78	83	11/01/91	1.041	0.00		77.30		0.00	0.23
10652	YF	B9G	83	10/30/91	0.963	0.00		17.30		0.00	> 0.01
10653	JE	B90	83	10/30/91	0.958	0.00		6.08		0.00	0.00
10653	PT	B9W	83	10/30/91	0.811	0.00		5.67		0.00	0.00
10653	SF	BAC	83	10/30/91	0.546	0.00		6.03		0.00	> 0.60
10653	VE	B78	83	11/01/91	1.041	0.00		11.00		0.00	> 1.11
10653	YF	B9G	83	10/30/91	0.963	0.00		5.95		0.00	0.00
10654	JE	B91	83	10/30/91	0.860	0.00		166.00		0.00	0.00
10654	PT	B9X	83	10/30/91	0.726	0.00	>	320.00		0.00	0.00
10654	SF	BAD	83	10/30/91	0.553	0.00	>	320.00		0.00	0.00
10654	VE	B79	83	11/01/91	1.036	0.00	>	320.00		0.00	0.06
10654	YF	B9H	83	10/30/91	0.968	0.00	>	320.00		0.00	0.00
10655	JE	B91	83	10/30/91	0.860	0.00		6.94		0.00	0.00
10655	PT	B9X	83	10/30/91	0.726	0.00		8.19		0.00	0.00
10655	SF	BAD	83	10/30/91	0.553	0.00		32.00		0.00	0.00
10655	VE	C6D	83	11/26/91	1.307	0.00		210.00		0.00	0.00
10655	YF	B9H	83	10/30/91	0.968	0.00		13.40		0.00	0.00
10656	JE	B92	83	10/30/91	0.895	0.00		15.50		0.00	0.00
10656	PT	B9Y	83	10/30/91	0.795	0.00		15.50		0.00	0.00
10656	SF	BAE	83	10/30/91	0.654	0.00		5.01		0.00	0.00
10656	VE	B7A	83	11/01/91	1.104	0.00		18.80		0.00	0.00
10656	YF	B9I	83	10/30/91	0.980	0.00		8.80		0.00	0.00
10657	JE	BAV	83	10/31/91	0.923	0.00		40.00		0.00	0.00
10657	PT	B8B	83	10/31/91	0.507	0.00		49.00		0.00	0.00
10657	SF	B8R	83	10/31/91	0.412	0.00		76.60		0.00	1.15
10657	SF	BUG	83	11/19/91	0.699	0.00		77.90		0.00	> 4.21
10657	VE	B7B	83	11/01/91	1.162	0.00		55.90		0.00	> 3.61
10657	YF	BAF	83	10/31/91	0.763	0.00		49.90		0.00	> 0.86
10658	JE	BAW	83	10/31/91	0.903	0.00		42.00		0.00	> 0.02
10658	PT	B8C	83	10/31/91	0.652	0.00		16.70		0.00	0.00
10658	SF	B8S	83	10/31/91	0.409	0.00		14.00		0.00	0.00
10658	SF	BUH	83	11/19/91	0.690	0.00		49.00		0.00	0.62
10658	VE	B7C	83	11/01/91	1.148	0.00		30.20		0.00	0.06
10658	YF	BAG	83	10/31/91	0.799	0.00		37.00		0.00	0.00
10659	JE	BAX	83	10/31/91	0.903	0.00	>	320.00		0.00	> 0.32
10659	PT	B8C	83	10/31/91	0.652	0.00		146.00		0.00	0.00
10659	SF	B8S	83	10/31/91	0.409	0.00		206.00		0.00	0.00
10659	SF	BUH	83	11/19/91	0.690	0.00		100.00		0.00	0.00
10659	VE	B7C	83	11/01/91	1.148	0.00		186.00		0.00	0.00
10659	YF	BAG	83	10/31/91	0.799	0.00		320.00		0.00	> 0.43
10660	JE	BAX	83	10/31/91	0.900	0.00		253.00		0.00	0.64
10660	PT	B8D	83	10/31/91	0.756	0.00		176.00		0.00	> 1.16
10660	SF	B8T	83	10/31/91	0.545	0.00		157.00		0.00	0.00
10660	SF	BUI	83	11/19/91	0.782	0.00		215.00		0.00	0.00
10660	VE	B7D	83	11/01/91	1.108	0.00		180.00		0.00	0.00
10660	YF	BAH	83	10/31/91	0.861	0.00		231.00		0.00	> 0.32
10661	JE	BAX	83	10/31/91	0.900	0.00	>	320.00		0.00	0.00
10661	PT	B8D	83	10/31/91	0.756	0.00		173.00		0.00	0.00
10661	SF	B8T	83	10/31/91	0.545	0.00		138.00		0.00	0.00
10661	SF	BUI	83	11/19/91	0.782	0.00		290.00		0.00	1.32
10661	VE	B7D	83	11/01/91	1.108	0.00		186.00		0.00	> 0.02
10661	YF	BAH	83	10/31/91	0.861	0.00		153.00		0.00	1.91
10662	JE	BAY	83	10/31/91	0.916	0.00		30.40		0.00	> 1.20
10662	PT	B8E	83	10/31/91	0.606	0.00		0.96		0.00	0.00
10662	SF	B8U	83	10/31/91	0.491	0.00		19.40		0.00	0.00
10662	SF	BUJ	83	11/19/91	0.654	0.00		21.30		0.00	0.00
10662	VE	B7E	83	11/01/91	1.117	0.00		55.20		0.00	0.00
10662	YF	BAI	83	10/31/91	0.864	0.00		17.00		0.00	0.00
10663	JE	BAY	83	10/31/91	0.916	0.00		16.40		0.00	> 0.08
10663	PT	B8E	83	10/31/91	0.606	0.00		17.90		0.00	0.00
10663	SF	B8U	83	10/31/91	0.491	0.00		10.00		0.00	0.00
10663	SF	BUJ	83	11/19/91	0.654	0.00		6.90		0.00	> 0.10
10663	VE	B7E	83	11/01/91	1.117	290.00		202.00		0.69	> 3.56
10663	YF	BAI	83	10/31/91	0.864	0.00		22.70		0.00	> 1.90
10664	JE	BAZ	83	10/31/91	0.984	0.00		10.00		0.00	0.00
10664	PT	B8F	83	10/31/91	0.684	0.00		3.96		0.00	0.00
10664	SF	B8V	83	10/31/91	0.502	0.00		4.62		0.00	0.00
10664	SF	BUK	83	11/19/91	0.723	0.00		5.20		0.00	0.00
10664	VE	B7F	83	11/01/91	1.166	0.00		13.70		0.00	> 0.21

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
10664	YF	BAJ	83	10/31/91	0.906	0.00		11.40	0.00		0.00
10665	JE	BAZ	83	10/31/91	0.984	0.00		11.90	0.00		0.00
10665	PT	B8F	83	10/31/91	0.684	0.00		19.40	0.00		0.00
10665	SF	B8V	83	10/31/91	0.502	0.00		7.53	0.00		0.00
10665	SF	BUK	83	11/19/91	0.723	0.00		22.60	0.00	>	2.23
10665	VE	B7F	83	11/01/91	1.166	0.00		51.20	0.00		0.00
10665	YF	BAJ	83	10/31/91	0.906	0.00		35.00	0.00		0.39
10666	JE	B80	83	10/31/91	0.972	0.00		162.00	0.00	>	0.40
10666	PT	B8G	83	10/31/91	0.567	0.00		138.00	0.00		0.00
10666	SF	B8W	83	10/31/91	0.477	0.00		40.00	0.00		0.00
10666	SF	BUL	83	11/19/91	0.701	0.00		75.90	0.00		0.00
10666	VE	B7G	83	11/01/91	1.174	0.00		166.00	0.00	>	0.02
10666	YF	BAK	83	10/31/91	0.863	0.00		0.89	0.00		0.00
10667	JE	B80	83	10/31/91	0.972	0.00		7.82	0.00		0.00
10667	PT	B8G	83	10/31/91	0.567	0.00		250.00	0.00		0.00
10667	SF	B8W	83	10/31/91	0.477	0.00		216.00	0.00		0.00
10667	SF	BUL	83	11/19/91	0.701	0.00		231.00	0.00		0.10
10667	VE	B7G	83	11/01/91	1.174	0.00		238.00	0.00	>	0.20
10667	YF	BAK	83	10/31/91	0.863	0.00		320.00	0.00		0.00
10668	JE	B81	83	10/31/91	0.985	0.00	<	1.00	0.00		0.00
10668	PT	B8H	83	10/31/91	0.670	0.00	<	1.00	0.00		0.00
10668	SF	B8X	83	10/31/91	0.449	0.00	<	1.00	0.00		0.00
10668	SF	BUM	83	11/19/91	0.726	0.00		1.29	0.00	>	2.47
10668	VE	B7H	83	11/01/91	1.061	0.00		100.00	0.00	>	0.64
10668	YF	BAL	83	10/31/91	0.961	0.00	<	1.00	0.00		0.00
10669	JE	B81	83	10/31/91	0.985	0.00		2.47	0.00		0.00
10669	PT	B8H	83	10/31/91	0.670	0.00		2.86	0.00		0.00
10669	SF	B8X	83	10/31/91	0.449	0.00	<	1.00	0.00		0.00
10669	SF	BUM	83	11/19/91	0.726	23.00		2.52	0.11	>	5.32
10669	VE	B7H	83	11/01/91	1.061	0.00		144.00	0.00	>	0.68
10669	YF	BAL	83	10/31/91	0.961	0.00		2.10	0.00		0.00
10670	JE	B82	83	10/31/91	1.003	0.00		320.00	0.00		0.00
10670	PT	B8I	83	10/31/91	0.605	0.00		256.00	0.00		0.16
10670	SF	B8Y	83	10/31/91	0.446	0.00		249.00	0.00		0.00
10670	SF	BUN	83	11/19/91	0.792	0.00		217.00	0.00		0.00
10670	VE	B7I	83	11/01/91	1.067	0.00		320.00	0.00		0.00
10670	YF	BAN	83	10/31/91	0.904	0.00		230.00	0.00		0.00
10671	JE	B82	83	10/31/91	1.003	0.00		3.20	0.00		0.00
10671	PT	B8I	83	10/31/91	0.605	0.00		3.20	0.00		0.00
10671	SF	B8Y	83	10/31/91	0.446	0.00	<	1.00	0.00		0.00
10671	SF	BUN	83	11/19/91	0.792	0.00		4.00	0.00		5.57
10671	VE	B7I	83	11/01/91	1.067	0.00		88.70	0.00		0.31
10671	YF	BAN	83	10/31/91	0.904	32.00		2.74	0.09	>	1.17
10672	JE	B83	83	10/31/91	0.846	0.00		2.32	0.00		0.00
10672	PT	B8J	83	10/31/91	0.536	0.00		2.10	0.00		0.00
10672	SF	B8Z	83	10/31/91	0.372	0.00		1.15	0.00		0.00
10672	SF	BUO	83	11/19/91	0.725	6.84		2.41	0.35	>	14.70
10672	VE	B7J	83	11/01/91	1.263	0.00		47.10	0.00		0.05
10672	YF	BAN	83	10/31/91	0.818	24.20		2.10	0.09		3.15
10673	JE	B83	83	10/31/91	0.846	0.00		5.54	0.00		0.00
10673	PT	B8J	83	10/31/91	0.536	0.00		4.56	0.00		0.00
10673	SF	B8Z	83	10/31/91	0.372	0.00		4.82	0.00		0.00
10673	SF	BUO	83	11/19/91	0.725	19.90		2.74	0.14	>	6.02
10673	VE	B7J	83	11/01/91	1.263	0.00		134.00	0.00		0.00
10673	YF	BAN	83	10/31/91	0.818	0.00		5.47	0.00		0.00
10674	JE	B84	83	10/31/91	0.919	0.00	<	1.00	0.00		0.00
10674	PT	B8K	83	10/31/91	0.509	0.00		2.05	0.00		0.00
10674	SF	BC0	83	10/31/91	0.370	0.00	<	1.00	0.00		0.00
10674	SF	BUP	83	11/19/91	0.645	7.33		2.43	0.33	>	19.13
10674	VE	B7K	83	11/01/91	1.101	0.00		31.00	0.00		0.37
10674	YF	BAO	83	10/31/91	0.885	0.00	<	1.00	0.00		0.54
10675	JE	B84	83	10/31/91	0.919	0.00		2.32	0.00		0.00
10675	PT	B8K	83	10/31/91	0.509	0.00	<	1.00	0.00		0.00
10675	SF	BC0	83	10/31/91	0.370	0.00		1.88	0.00		0.00
10675	SF	BUP	83	11/19/91	0.645	15.10		1.99	0.13	>	9.91
10675	VE	B7K	83	11/01/91	1.101	0.00		134.00	0.00		0.00
10675	YF	BAO	83	10/31/91	0.885	0.00		1.37	0.00		0.76
10676	JE	B85	83	10/31/91	0.956	0.00	>	320.00	0.00		0.00
10676	PT	B8L	83	10/31/91	0.565	0.00		281.00	0.00		0.00
10676	SF	BC1	83	10/31/91	0.405	0.00		225.00	0.00		0.00
10676	SF	BUQ	83	11/19/91	0.705	0.00		253.00	0.00		0.33
10676	VE	B7L	83	11/01/91	1.105	0.00		304.00	0.00		0.00
10676	YF	BAP	83	10/31/91	0.798	0.00	>	320.00	0.00		0.17
10677	JE	B85	83	10/31/91	0.956	0.00		3.07	0.00		0.00
10677	PT	B8L	83	10/31/91	0.565	0.00		2.83	0.00		0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
10677	SF	BC1	83	10/31/91	0.405	0.00		2.38		0.00		0.00
10677	SF	BUQ	83	11/19/91	0.705	14.70		2.17		0.15		6.25
10677	VE	B7L	83	11/01/91	1.105	0.00		131.00		0.00		0.31
10677	YF	BAP	83	10/31/91	0.798	0.00		6.91		0.00		0.12
10678	JE	B86	83	10/31/91	0.998	0.00		4.82		0.00		0.00
10678	PT	BBN	83	10/31/91	0.554	0.00		7.28		0.00	>	0.33
10678	SF	BC2	83	10/31/91	0.460	0.00		1.44		0.00		0.00
10678	SF	BUR	83	11/19/91	0.677	17.30		3.77		0.22	>	12.58
10678	VE	B7N	83	11/01/91	1.062	0.00		166.00		0.00		0.46
10678	YF	BAQ	83	10/31/91	0.878	0.00		4.05		0.00		0.00
10679	JE	B86	83	10/31/91	0.998	0.00		4.96		0.00		0.00
10679	PT	BBN	83	10/31/91	0.554	28.80		7.81		0.27		0.77
10679	SF	BC2	83	10/31/91	0.460	0.00	<	1.00		0.00		0.00
10679	SF	BUR	83	11/19/91	0.677	23.00		3.88		0.17	>	9.34
10679	VE	B7N	83	11/01/91	1.062	0.00		133.00		0.00		1.20
10679	YF	BAQ	83	10/31/91	0.878	0.00		6.16		0.00		0.00
10680	JE	B87	83	10/31/91	0.981	0.00		6.06		0.00	>	0.01
10680	PT	BBN	83	10/31/91	0.533	0.00		6.60		0.00		0.00
10680	SF	BC3	83	10/31/91	0.372	0.00		6.73		0.00		0.00
10680	SF	BUS	83	11/19/91	0.723	0.00		2.83		0.00	>	0.37
10680	VE	B7N	83	11/01/91	1.067	0.00		9.50		0.00		0.00
10680	YF	BAR	83	10/31/91	0.882	0.00		5.82		0.00		0.00
10681	JE	B87	83	10/31/91	0.981	0.00		6.11		0.00		0.00
10681	PT	BBN	83	10/31/91	0.533	0.00		5.70		0.00		0.00
10681	SF	BC3	83	10/31/91	0.372	0.00		15.50		0.00		0.00
10681	SF	BUS	83	11/19/91	0.723	0.00		11.70		0.00	>	2.94
10681	VE	B7N	83	11/01/91	1.067	0.00		23.10		0.00		0.00
10681	YF	BAR	83	10/31/91	0.882	0.00		12.40		0.00		0.00
10682	JE	B88	83	10/31/91	0.989	0.00		3.96		0.00		0.00
10682	PT	BBO	83	10/31/91	0.561	0.00		5.47		0.00		0.00
10682	SF	BC4	83	10/31/91	0.446	0.00		2.18		0.00		0.00
10682	SF	BUT	83	11/19/91	0.699	6.66		5.63		0.85	>	13.64
10682	VE	B70	83	11/01/91	1.069	0.00		69.80		0.00		0.10
10682	YF	BAS	83	10/31/91	0.900	0.00		3.52		0.00		0.00
10683	JE	B88	83	10/31/91	0.989	0.00	<	1.00		0.00		0.00
10683	PT	BBO	83	10/31/91	0.561	0.00		1.29		0.00		0.00
10683	SF	BC4	83	10/31/91	0.446	0.00	<	1.00		0.00		0.00
10683	SF	BUT	83	11/19/91	0.699	13.10		2.28		0.17	>	8.03
10683	VE	B70	83	11/01/91	1.069	0.00		80.00		0.00		0.11
10683	YF	BAS	83	10/31/91	0.900	0.00		2.10		0.00		0.52
10684	JE	B89	83	10/31/91	1.000	0.00		1.96		0.00		0.00
10684	PT	BBP	83	10/31/91	0.563	0.00		1.95		0.00		0.00
10684	SF	BC5	83	10/31/91	0.375	0.00		1.73		0.00		0.00
10684	SF	BUU	83	11/19/91	0.726	12.60		1.61		0.13	>	9.54
10684	VE	B7P	83	11/01/91	1.090	0.00		81.90		0.00		0.11
10684	YF	BAT	83	10/31/91	0.904	28.10		3.47		0.09	>	1.52
10685	JE	B89	83	10/31/91	1.000	0.00		1.00		0.00		0.00
10685	PT	BBP	83	10/31/91	0.563	0.00		2.71		0.00		0.00
10685	SF	BC5	83	10/31/91	0.375	0.00	<	1.00		0.00		0.00
10685	SF	BUU	83	11/19/91	0.726	17.90	<	1.00	<	0.06		7.27
10685	VE	B7P	83	11/01/91	1.090	0.00		88.70		0.00		0.10
10685	YF	BAT	83	10/31/91	0.904	0.00		2.43		0.00	>	0.32
10686	JE	B8A	83	10/31/91	1.014	0.00		137.00		0.00	>	0.53
10686	PT	BBQ	83	10/31/91	0.739	0.00		24.70		0.00		0.36
10686	SF	BC6	83	10/31/91	0.443	0.00		60.00		0.00		0.00
10686	SF	BUV	83	11/19/91	0.771	0.00		182.00		0.00	>	11.44
10686	VE	B7Q	83	11/01/91	1.169	0.00		155.00		0.00		0.00
10686	YF	BAU	83	10/31/91	0.932	0.00		154.00		0.00		0.00
10687	JE	BCN	83	11/05/91	0.925	0.00		2.00		0.00		0.00
10687	PT	BDJ	83	11/05/91	0.624	0.00	<	1.00		0.00		0.00
10687	SF	BDZ	83	11/05/91	0.784	0.00		3.20		0.00		0.00
10687	VE	BD3	83	11/08/91	0.924	0.00		178.00		0.00		0.76
10687	YF	BC7	83	11/05/91	0.868	0.00	<	1.00		0.00		0.00
10688	JE	BCD	83	11/05/91	0.964	0.00		2.79		0.00		0.00
10688	PT	BDK	83	11/05/91	0.623	0.00	<	1.00		0.00		0.00
10688	SF	BE0	83	11/05/91	0.828	0.00		4.09		0.00		0.00
10688	VE	BD4	83	11/08/91	1.175	0.00		19.90		0.00		0.00
10688	YF	BCR	83	11/05/91	0.886	0.00		2.26		0.00		0.00
10689	JE	BCD	83	11/05/91	0.964	0.00		3.20		0.00		0.00
10689	PT	BDK	83	11/05/91	0.623	0.00		1.98		0.00		0.00
10689	SF	BE0	83	11/05/91	0.828	0.00		3.04		0.00		0.00
10689	VE	BD4	83	11/08/91	1.175	0.00		79.30		0.00		0.00
10689	YF	BCE	83	11/05/91	0.886	0.00		1.94		0.00		0.00
10690	JE	BCP	83	11/05/91	0.966	0.00		2.76		0.00		0.00
10690	PT	BDL	83	11/05/91	0.586	0.00		1.57		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10690	SF	BE1	83	11/05/91	0.840	0.00	1.62	0.00	0.00
10690	VE	BD5	83	11/08/91	1.169	0.00	127.00	0.00	0.00
10690	YF	BC9	83	11/05/91	0.822	0.00	1.50	0.00	0.00
10691	JE	BCP	83	11/05/91	0.966	0.00	2.06	0.00	0.00
10691	PT	BDL	83	11/05/91	0.586	0.00 <	1.00	0.00	0.00
10691	SF	BE1	83	11/05/91	0.840	0.00	1.40	0.00	0.00
10691	VE	BD5	83	11/08/91	1.169	0.00	61.10	0.00	0.00
10691	YF	BC9	83	11/05/91	0.822	0.00 <	1.00	0.00	0.00
10692	JE	BCQ	83	11/05/91	0.954	0.00	2.69	0.00	0.00
10692	PT	BDH	83	11/05/91	0.596	0.00	1.33	0.00	0.00
10692	SF	BE2	83	11/05/91	0.843	0.00	1.73	0.00	0.00
10692	VE	BD6	83	11/08/91	1.161	0.00	66.00	0.00	0.00
10692	YF	BCA	83	11/05/91	0.817	0.00	1.78	0.00	0.00
10693	JE	BCQ	83	11/05/91	0.954	0.00	1.91	0.00	0.00
10693	PT	BDH	83	11/05/91	0.596	0.00 <	1.00	0.00	0.00
10693	SF	BE2	83	11/05/91	0.843	0.00	2.05	0.00	0.00
10693	VE	BD6	83	11/08/91	1.161	0.00	32.00	0.00	0.00
10693	YF	BCA	83	11/05/91	0.817	0.00	1.88	0.00	0.00
10694	JE	BCR	83	11/05/91	0.953	0.00	3.72	0.00	0.00
10694	PT	BDN	83	11/05/91	0.602	0.00	1.55	0.00	0.00
10694	SF	BE3	83	11/05/91	0.896	0.00	1.61	0.00	0.00
10694	VE	BD7	83	11/08/91	1.171	0.00	100.00	0.00	0.00
10694	YF	BCB	83	11/05/91	0.835	0.00	2.40	0.00	0.00
10695	JE	BCR	83	11/05/91	0.953	0.00	1.81	0.00	0.00
10695	PT	BDN	83	11/05/91	0.602	0.00 <	1.00	0.00	0.00
10695	SF	BE3	83	11/05/91	0.896	0.00 <	1.00	0.00	0.00
10695	VE	BD7	83	11/08/91	1.171	0.00	62.20	0.00	0.00
10695	YF	BCB	83	11/05/91	0.835	0.00	1.31	0.00	0.00
10696	JE	BCS	83	11/05/91	0.940	0.00	2.57	0.00	0.00
10696	PT	BDO	83	11/05/91	0.629	0.00	1.46	0.00	0.00
10696	SF	BE4	83	11/05/91	0.914	0.00	1.37	0.00	0.00
10696	VE	BD8	83	11/08/91	1.076	0.00	107.00	0.00	0.00
10696	YF	BCC	83	11/05/91	0.832	0.00	2.57	0.00	0.00
10697	JE	BCS	83	11/05/91	0.940	0.00 >	320.00	0.00	0.00
10697	PT	BDO	83	11/05/91	0.629	0.00	267.00	0.00	0.00
10697	SF	BE4	83	11/05/91	0.914	0.00	36.90	0.00	0.00
10697	VE	BD8	83	11/08/91	1.076	0.00	236.00	0.00	0.00
10697	YF	BCC	83	11/05/91	0.832	0.00 >	320.00	0.00	0.00
10698	JE	BCT	83	11/05/91	0.964	0.00	3.70	0.00	0.00
10698	PT	BDP	83	11/05/91	0.619	0.00	1.00	0.00	0.00
10698	SF	BE5	83	11/05/91	0.867	0.00 <	1.00	0.00	0.00
10698	VE	BD9	83	11/08/91	1.159	0.00	68.00	0.00	0.00
10698	YF	BCD	83	11/05/91	0.835	0.00	2.32	0.00	0.00
10699	JE	BCT	83	11/05/91	0.964	0.00	235.00	0.00	0.00
10699	PT	BDP	83	11/05/91	0.619	0.00	194.00	0.00	0.00
10699	SF	BE5	83	11/05/91	0.867	0.00	159.00	0.00	0.00
10699	VE	BD9	83	11/08/91	1.159	0.00	124.00	0.00	0.00
10699	YF	BCD	83	11/05/91	0.835	0.00	215.00	0.00	0.00
10700	JE	BCU	84	11/05/91	1.033	0.00	1.69	0.00	0.00
10700	PT	BDQ	84	11/05/91	0.493	0.00 <	1.00	0.00	0.00
10700	SF	BE6	84	11/05/91	0.864	0.00 <	1.00	0.00	0.00
10700	VE	BDA	84	11/08/91	1.162	0.00	32.00	0.00	0.00
10700	YF	BCE	84	11/05/91	0.833	0.00 <	1.00	0.00	0.00
10701	JE	BCV	84	11/05/91	0.838	0.00	1.99	0.00	0.00
10701	PT	BDR	84	11/05/91	0.628	0.00 <	1.00	0.00	0.00
10701	SF	BE7	84	11/05/91	0.794	0.00	1.58	0.00	0.00
10701	VE	BDB	84	11/08/91	1.101	0.00	54.10	0.00 >	0.10
10701	YF	BCF	84	11/05/91	0.840	0.00	1.20	0.00	0.00
10702	JE	BCV	84	11/05/91	0.838	0.00 >	320.00	0.00	0.41
10702	PT	BDR	84	11/05/91	0.628	0.00	28.30	0.00	0.00
10702	SF	BE7	84	11/05/91	0.794	0.00	204.00	0.00	0.00
10702	VE	BDB	84	11/08/91	1.101	0.00	238.00	0.00	0.00
10702	YF	BCF	84	11/05/91	0.840	0.00 >	320.00	0.00	0.00
10703	JE	BCW	84	11/05/91	0.929	0.00	2.10	0.00	0.00
10703	PT	BDS	84	11/05/91	0.573	0.00	2.27	0.00	0.00
10703	SF	BE8	84	11/05/91	0.816	0.00	1.55	0.00	0.00
10703	VE	BDC	84	11/08/91	1.075	0.00	133.00	0.00	0.00
10703	YF	BCG	84	11/05/91	0.864	0.00	1.33	0.00	0.00
10704	JE	BCW	84	11/05/91	0.929	0.00	96.20	0.00	0.00
10704	PT	BDS	84	11/05/91	0.573	0.00	77.30	0.00	0.00
10704	SF	BE8	84	11/05/91	0.816	0.00	49.00	0.00	0.00
10704	VE	BDC	84	11/08/91	1.075	0.00	53.60	0.00	0.00
10704	YF	BCG	84	11/05/91	0.864	0.00	69.50	0.00	0.00
10705	JE	BCX	84	11/05/91	0.939	0.00 <	1.00	0.00	0.00
10705	PT	BDT	84	11/05/91	0.599	0.00 <	1.00	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10705	SF	BE9	84	11/05/91	0.830	26.60 <	1.00 <	0.04 >	1.19
10705	VE	BDD	84	11/08/91	1.103	0.00	105.00	0.00	0.00
10705	YF	BCN	84	11/05/91	0.826	0.00 <	1.00	0.00	0.00
10706	JE	BCX	84	11/05/91	0.939	0.00	1.17	0.00	0.00
10706	PT	BDT	84	11/05/91	0.599	0.00 <	1.00	0.00	0.00
10706	SF	BE9	84	11/05/91	0.830	0.00 <	1.00	0.00	0.00
10706	VE	BDD	84	11/08/91	1.103	0.00	77.30	0.00	0.00
10706	YF	BCH	84	11/05/91	0.826	0.00	1.23	0.00	0.00
10707	JE	BCY	84	11/05/91	0.864	0.00	159.00	0.00	0.00
10707	PT	BDU	84	11/05/91	0.636	0.00	143.00	0.00	0.00
10707	SF	BEA	84	11/05/91	0.836	0.00	122.00	0.00	0.00
10707	VE	BDE	84	11/08/91	1.184	0.00	53.00	0.00	0.00
10707	YF	BCI	84	11/05/91	0.823	0.00	44.50	0.00	0.00
10708	JE	BCY	84	11/05/91	0.864	0.00	3.20	0.00	0.00
10708	PT	BDU	84	11/05/91	0.636	0.00 <	1.00	0.00	0.00
10708	SF	BEA	84	11/05/91	0.836	0.00	1.49	0.00	0.00
10708	VE	BDE	84	11/08/91	1.184	0.00	100.00	0.00	0.00
10708	YF	BCI	84	11/05/91	0.823	0.00	1.91	0.00	0.00
10709	JE	BCZ	84	11/05/91	0.874	0.00	247.00	0.00	0.00
10709	PT	BDV	84	11/05/91	0.673	0.00	0.96	0.00	0.00
10709	SF	BEB	84	11/05/91	0.797	0.00	175.00	0.00	0.00
10709	VE	BDF	84	11/08/91	1.149	0.00	133.00	0.00	0.00
10709	YF	BCJ	84	11/05/91	0.839	0.00	219.00	0.00	0.00
10710	JE	BCZ	84	11/05/91	0.874	0.00	1.44	0.00	0.00
10710	PT	BDV	84	11/05/91	0.673	0.00 <	1.00	0.00	0.00
10710	SF	BEB	84	11/05/91	0.797	0.00 <	1.00	0.00	0.00
10710	VE	BDF	84	11/08/91	1.149	0.00	108.00	0.00	0.00
10710	YF	BCJ	84	11/05/91	0.839	0.00	1.53	0.00	0.00
10711	JE	BDO	84	11/05/91	0.863	0.00	159.00	0.00	0.00
10711	PT	BDW	84	11/05/91	0.596	0.00	0.96	0.00	0.00
10711	SF	BEC	84	11/05/91	0.843	0.00	140.00	0.00	0.07
10711	VE	BDG	84	11/08/91	1.095	0.00	123.00	0.00	0.00
10711	YF	BCK	84	11/05/91	0.814	0.00	143.00	0.00	0.00
10712	JE	BDO	84	11/05/91	0.863	0.00 <	1.00	0.00	0.00
10712	PT	BDW	84	11/05/91	0.596	0.00 <	1.00	0.00	0.00
10712	SF	BEC	84	11/05/91	0.843	0.00 <	1.00	0.00	0.00
10712	VE	BDG	84	11/08/91	1.095	0.00	100.00	0.00	0.00
10712	YF	BCK	84	11/05/91	0.814	0.00	1.46	0.00	0.00
10713	JE	BD1	84	11/05/91	0.932	0.00	2.18	0.00	0.00
10713	PT	BDX	84	11/05/91	0.601	0.00 <	1.00	0.00	0.00
10713	SF	BED	84	11/05/91	0.889	0.00	1.17	0.00	0.00
10713	VE	BDH	84	11/08/91	1.139	0.00	100.00	0.00	0.00
10713	YF	BCL	84	11/05/91	0.812	0.00	1.14	0.00	0.00
10714	JE	BD1	84	11/05/91	0.932	0.00	263.00	0.00	0.00
10714	PT	BDX	84	11/05/91	0.601	0.00	176.00	0.00	0.00
10714	SF	BED	84	11/05/91	0.889	0.00	134.00	0.00	0.00
10714	VE	BDH	84	11/08/91	1.139	0.00	179.00	0.00	0.00
10714	YF	BCL	84	11/05/91	0.812	0.00	247.00	0.00	0.00
10715	JE	BD2	84	11/05/91	0.984	0.00	1.63	0.00	0.00
10715	PT	BDY	84	11/05/91	0.685	0.00 <	1.00	0.00	0.00
10715	SF	BEE	84	11/05/91	0.946	0.00 <	1.00	0.00	0.00
10715	VE	BD1	84	11/08/91	1.222	0.00	83.00	0.00	0.00
10715	YF	BCN	84	11/05/91	0.811	0.00 <	1.00	0.00	0.00
10716	JE	BEV	84	11/06/91	0.867	0.00	1.12	0.00	0.00
10716	PT	BFR	84	11/07/91	0.543	0.00 <	1.00	0.00	0.00
10716	SF	BG7	84	11/07/91	0.710	0.00 <	1.00	0.00 >	0.19
10716	VE	BFB	84	11/08/91	0.884	0.00	186.00	0.00 >	1.50
10716	YF	BEF	84	11/05/91	0.937	0.00 <	1.00	0.00	0.00
10717	JE	BEW	84	11/06/91	0.887	0.00 >	320.00	0.00	0.00
10717	PT	BFS	84	11/07/91	0.560	0.00 >	320.00	0.00 >	0.40
10717	SF	BG8	84	11/07/91	0.751	0.00 >	320.00	0.00 >	6.39
10717	VE	BFC	84	11/08/91	1.113	0.00	265.00	0.00	0.00
10717	YF	BEG	84	11/05/91	0.898	0.00 >	320.00	0.00	0.00
10718	JE	BEW	84	11/06/91	0.887	0.00	2.65	0.00	0.00
10718	PT	BFS	84	11/07/91	0.560	0.00	1.82	0.00 >	0.01
10718	SF	BG8	84	11/07/91	0.751	0.00	1.15	0.00	0.03
10718	VE	BFC	84	11/08/91	1.113	0.00	100.00	0.00	0.00
10718	YF	BEG	84	11/05/91	0.898	0.00 <	1.00	0.00	0.00
10719	JE	BEX	84	11/06/91	0.892	0.00	1.71	0.00	0.00
10719	PT	BFT	84	11/07/91	0.576	0.00 <	1.00	0.00	0.00
10719	SF	BG9	84	11/07/91	0.816	4.61 <	1.00 <	0.22 >	13.09
10719	VE	BFD	84	11/08/91	1.077	0.00	166.00	0.00	0.00
10719	YF	BEH	84	11/05/91	0.907	0.00 <	1.00	0.00	0.00
10720	JE	BEX	84	11/06/91	0.892	0.00	293.00	0.00	0.07
10720	PT	BFT	84	11/07/91	0.576	0.00	238.00	0.00	0.75

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10720	SF	BG9	84	11/07/91	0.816	0.00	109.00	0.00	0.00
10720	VE	BFD	84	11/08/91	1.077	0.00	296.00	0.00	0.00
10720	YF	BEH	84	11/05/91	0.907	0.00	210.00	0.00	0.00
10721	JE	BEY	84	11/06/91	0.922	0.00	1.84	0.00	0.00
10721	PT	BFU	84	11/07/91	0.555	0.00	1.00	0.00	0.00
10721	SF	BGA	84	11/07/91	0.712	4.43	1.99	0.45 >	13.43
10721	VE	BFE	84	11/08/91	1.193	0.00	32.00	0.00	0.00
10721	YF	BEI	84	11/05/91	0.887	0.00 <	1.00	0.00	0.00
10722	JE	BEY	84	11/06/91	0.922	0.00	2.40	0.00	0.00
10722	PT	BFU	84	11/07/91	0.555	0.00	1.50	0.00	0.00
10722	SF	[illegible]	84	11/07/91	0.712	0.00	1.58	0.00 >	0.38
10722	VE	BFE	84	11/08/91	1.193	0.00	100.00	0.00	0.00
10722	YF	BEI	84	11/05/91	0.887	0.00 <	1.00	0.00	0.00
10723	JE	BEZ	84	11/06/91	0.807	0.00 >	320.00	0.00 >	0.60
10723	PT	BFV	84	11/07/91	0.620	0.00 >	320.00	0.00	0.15
10723	SF	BGB	84	11/07/91	0.700	0.00	283.00	0.00	0.00
10723	VE	BFF	84	11/08/91	1.138	0.00 >	320.00	0.00	0.00
10723	YF	BEJ	84	11/05/91	0.880	0.00 >	320.00	0.00	0.03
10724	JE	BEZ	84	11/06/91	0.807	0.00	4.63	0.00	0.00
10724	PT	BFV	84	11/07/91	0.620	0.00	1.63	0.00	0.00
10724	SF	BGB	84	11/07/91	0.700	0.00	1.00	0.00	1.05
10724	VE	BFF	84	11/08/91	1.138	0.00	117.00	0.00	0.00
10724	YF	BEJ	84	11/05/91	0.880	0.00 <	1.00	0.00	0.00
10725	JE	BF0	84	11/06/91	0.797	0.00	198.00	0.00	0.72
10725	PT	BFW	84	11/07/91	0.570	0.00	166.00	0.00	0.00
10725	SF	[illegible]	84	11/07/91	0.729	0.00	105.00	0.00	0.00
10725	VE	[illegible]G	84	11/08/91	1.144	0.00	219.00	0.00	0.00
10725	YF	BEK	84	11/05/91	0.878	0.00	179.00	0.00	0.00
10725	JE	BF0	84	11/06/91	0.797	0.00	8.09	0.00	0.00
10726	PT	BFW	84	11/07/91	0.570	0.00	2.51	0.00	0.00
10726	SF	BGC	84	11/07/91	0.729	0.00	2.03	0.00	0.59
10726	VE	BFG	84	11/08/91	1.144	0.00	92.80	0.00	0.00
10726	YF	BEK	84	11/05/91	0.878	0.00 <	1.00	0.00	0.00
10727	JE	BF1	84	11/06/91	0.883	0.00 >	320.00	0.00	0.08
10727	PT	BFX	84	11/07/91	0.584	0.00 >	320.00	0.00	0.33
10727	SF	BGD	84	11/07/91	0.784	0.00 >	320.00	0.00	0.00
10727	VE	BFH	84	11/08/91	1.142	0.00 >	320.00	0.00	0.00
10727	YF	BEL	84	11/05/91	0.884	0.00 >	320.00	0.00 >	0.50
10728	JE	BF1	84	11/06/91	0.883	0.00	144.00	0.00	0.15
10728	PT	BFX	84	11/07/91	0.584	0.00	84.00	0.00	0.00
10728	SF	BGD	84	11/07/91	0.784	0.00	77.30	0.00	0.00
10728	VE	BFH	84	11/08/91	1.142	0.00	135.00	0.00	0.00
10728	YF	BEL	84	11/05/91	0.884	0.00	128.00	0.00	0.00
10729	JE	BF2	84	11/06/91	0.902	0.00	2.20	0.00	0.00
10729	PT	BFY	84	11/07/91	0.618	0.00 <	1.00	0.00	0.00
10729	SF	BGE	84	11/07/91	0.689	0.00 <	1.00	0.00	3.54
10729	VE	BFI	84	11/08/91	1.212	0.00	114.00	0.00	0.00
10729	YF	BEM	84	11/05/91	0.921	0.00	1.00	0.00	0.00
10730	JE	BF2	84	11/06/91	0.902	0.00 >	320.00	0.00 >	0.03
10730	PT	BFY	84	11/07/91	0.618	0.00	294.00	0.00	0.00
10730	SF	BGE	84	11/07/91	0.689	0.00	79.60	0.00	0.00
10730	VE	BFI	84	11/08/91	1.212	0.00 >	320.00	0.00	0.00
10730	YF	BEM	84	11/05/91	0.921	0.00 >	320.00	0.00	0.00
10731	JE	BF3	84	11/06/91	0.878	0.00	6.60	0.00	0.00
10731	PT	BFZ	84	11/07/91	0.646	0.00	2.96	0.00	0.00
10731	SF	BGF	84	11/07/91	0.691	0.00	4.63	0.00	0.00
10731	VE	BFJ	84	11/08/91	1.149	0.00	128.00	0.00	0.00
10731	YF	BEN	84	11/05/91	0.906	0.00	4.68	0.00	0.00
10732	JE	BF3	84	11/06/91	0.878	0.00 >	320.00	0.00 >	0.01
10732	PT	BFZ	84	11/07/91	0.646	0.00 >	320.00	0.00	0.36
10732	SF	BGF	84	11/07/91	0.691	0.00	265.00	0.00	0.00
10732	VE	BFJ	84	11/08/91	1.149	0.00 >	320.00	0.00	0.00
10732	YF	BEN	84	11/05/91	0.906	0.00 >	320.00	0.00 >	2.42
10733	JE	BF4	84	11/06/91	0.873	0.00 <	1.00	0.00	0.00
10733	PT	BG0	84	11/07/91	0.550	2.68 <	1.00 <	0.37	0.49
10733	SF	BGG	84	11/07/91	0.719	0.00 <	1.00	0.00	0.00
10733	VE	BFK	84	11/08/91	1.069	0.00	126.00	0.00	0.00
10733	YF	BEO	84	11/05/91	0.898	0.00 <	1.00	0.00	0.00
10734	JE	BF4	84	11/06/91	0.873	0.00 >	320.00	0.00	0.00
10734	PT	BG0	84	11/07/91	0.550	0.00 >	320.00	0.00 >	1.41
10734	SF	BGG	84	11/07/91	0.719	0.00	278.00	0.00 >	0.93
10734	VE	BFK	84	11/08/91	1.069	0.00 >	320.00	0.00	0.12
10734	YF	BEO	84	11/05/91	0.898	0.00 >	320.00	0.00	0.00
10735	JE	BF5	84	11/06/91	0.867	0.00	2.19	0.00	0.00
10735	PT	BG1	84	11/07/91	0.536	0.00 <	1.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10735	SF	BGN	84	11/07/91	0.676	0.00 <	1.00	0.00	0.78
10735	VE	BFL	84	11/08/91	1.094	0.00	105.00	0.00	0.00
10735	YF	BEP	84	11/05/91	0.902	0.00 <	1.00	0.00	0.00
10736	JE	BF5	84	11/06/91	0.867	0.00	147.00	0.00	0.28
10736	PT	BG1	84	11/07/91	0.536	0.00	125.00	0.00	0.00
10736	SF	BGH	84	11/07/91	0.676	0.00	145.00	0.00	0.79
10736	VE	BFL	84	11/08/91	1.094	0.00	171.00	0.00	0.00
10736	YF	BEP	84	11/05/91	0.902	0.00	73.60	0.00	0.00
10737	JE	BF6	84	11/06/91	0.848	0.00	6.71	0.00	0.00
10737	PT	BG2	84	11/07/91	0.547	0.00	1.93	0.00	0.00
10737	SF	BGI	84	11/07/91	0.613	0.00	1.63	0.00	0.08
10737	VE	BFN	84	11/08/91	1.168	0.00	61.10	0.00	0.00
10737	YF	BEQ	84	11/05/91	0.899	0.00	1.21	0.00	0.00
10738	JE	BF6	84	11/06/91	0.848	0.00	7.45	0.00	0.00
10738	PT	BG2	84	11/07/91	0.547	0.00	2.80	0.00	0.00
10738	SF	BGI	84	11/07/91	0.613	0.00 <	1.00	0.00	0.22
10738	VE	BFN	84	11/08/91	1.168	0.00	124.00	0.00	0.00
10738	YF	BEQ	84	11/05/91	0.899	0.00 <	1.00	0.00	0.00
10739	JE	BF7	84	11/06/91	0.860	0.00	57.00	0.00 >	1.50
10739	PT	BG3	84	11/07/91	0.531	0.00	55.00	0.00	0.00
10739	SF	BGJ	84	11/07/91	0.810	0.00	43.50	0.00	0.00
10739	VE	BFN	84	11/08/91	1.135	0.00	55.30	0.00	0.00
10739	YF	BER	84	11/05/91	0.874	0.00	58.20	0.00	0.00
10740	JE	BF7	84	11/06/91	0.860	0.00	59.40	0.00	2.20
10740	PT	BG3	84	11/07/91	0.531	0.00	56.40	0.00	0.00
10740	SF	BGJ	84	11/07/91	0.810	0.00	48.80	0.00	0.00
10740	VE	BFN	84	11/08/91	1.135	0.00	54.70	0.00	0.02
10740	YF	BER	84	11/05/91	0.874	0.00	54.40	0.00	0.00
10741	JE	BF8	84	11/06/91	0.909	0.00	80.60	0.00	1.01
10741	PT	BG4	84	11/07/91	0.577	0.00	61.30	0.00	0.00
10741	SF	BGK	84	11/07/91	0.818	0.00	50.80	0.00	0.00
10741	VE	BFO	84	11/08/91	1.165	0.00	56.20	0.00	0.00
10741	YF	BES	84	11/05/91	0.886	0.00	64.40	0.00	0.00
10742	JE	BF8	84	11/06/91	0.909	0.00	163.00	0.00	1.23
10742	PT	BG4	84	11/07/91	0.577	0.00	156.00	0.00	0.00
10742	SF	BGK	84	11/07/91	0.818	0.00	2.65	0.00	0.00
10742	VE	BFO	84	11/08/91	1.165	0.00	156.00	0.00	0.00
10742	YF	BES	84	11/05/91	0.886	0.00	148.00	0.00	0.00
10743	JE	BF9	84	11/06/91	0.865	0.00	74.50	0.00	0.83
10743	PT	BG5	84	11/07/91	0.536	0.00	61.30	0.00	0.00
10743	SF	BGL	84	11/07/91	0.793	0.00	54.20	0.00	0.00
10743	VE	BFP	84	11/08/91	1.156	0.00	53.90	0.00	0.00
10743	YF	BET	84	11/05/91	0.834	0.00	69.80	0.00	0.00
10744	JE	BF9	84	11/06/91	0.865	0.00	154.00	0.00	0.65
10744	PT	BG5	84	11/07/91	0.536	0.00	150.00	0.00	0.00
10744	SF	BGL	84	11/07/91	0.793	0.00	114.00	0.00	1.73
10744	VE	BFP	84	11/08/91	1.156	0.00	68.40	0.00	0.00
10744	YF	BET	84	11/05/91	0.834	0.00	155.00	0.00	0.00
10745	JE	BFA	84	11/06/91	0.955	0.00	54.30	0.00	0.08
10745	PT	BG6	84	11/07/91	0.511	0.00	53.80	0.00	0.00
10745	SF	BGM	84	11/07/91	0.713	0.00	47.50	0.00	0.00
10745	VE	BFQ	84	11/08/91	1.242	0.00	47.20	0.00	0.00
10745	YF	BEU	84	11/05/91	0.972	0.00	50.30	0.00	0.00
10746	JE	BH3	84	11/06/91	0.954	0.00	66.00	0.00 >	1.55
10746	PT	BHZ	84	11/06/91	0.955	0.00	57.30	0.00	0.00
10746	SF	BIF	84	11/06/91	0.824	0.00	58.40	0.00	0.00
10746	VE	BHJ	84	11/08/91	1.225	0.00	51.90	0.00	0.00
10746	YF	BGM	84	11/06/91	0.900	0.00	74.50	0.00	0.00
10747	JE	BH4	84	11/06/91	0.927	0.00	61.30	0.00	0.10
10747	PT	BIO	84	11/06/91	0.968	0.00	56.10	0.00	0.00
10747	SF	BIG	84	11/06/91	0.974	0.00	47.70	0.00	0.00
10747	VE	BHK	84	11/08/91	1.067	0.00	57.00	0.00	0.00
10747	YF	BGO	83	11/06/91	0.845	0.00	69.00	0.00	0.00
10748	JE	BH4	84	11/06/91	0.927	0.00	64.60	0.00 >	2.02
10748	PT	BIO	84	11/06/91	0.968	0.00	55.10	0.00	0.00
10748	SF	BIG	84	11/06/91	0.974	0.00	0.96	0.00	0.00
10748	VE	BHK	84	11/08/91	1.067	0.00	52.50	0.00	0.00
10748	YF	BGO	84	11/06/91	0.845	0.00	68.20	0.00	0.00
10749	JE	BH5	84	11/06/91	0.945	0.00	155.00	0.00 >	0.15
10749	PT	BI1	84	11/06/91	0.934	0.00	144.00	0.00	0.00
10749	SF	BIH	84	11/06/91	0.914	0.00	146.00	0.00	0.00
10749	VE	BHL	84	11/08/91	1.036	0.00	181.00	0.00	0.00
10749	YF	BGP	83	11/06/91	0.843	0.00	155.00	0.00	0.00
10750	JE	BH5	84	11/06/91	0.945	0.00	169.00	0.00	0.00
10750	PT	BI1	84	11/06/91	0.934	0.00	120.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
10750	SF	BIN	84	11/06/91	0.914	0.00		0.86	0.00		0.00
10750	VE	BHL	84	11/08/91	1.036	0.00		86.80	0.00		0.00
10750	YF	BGP	84	11/06/91	0.843	0.00		178.00	0.00		0.00
10751	JE	BH6	84	11/06/91	0.933	0.00		50.50	0.00	>	0.02
10751	PT	BI2	84	11/06/91	0.984	0.00		47.40	0.00		0.00
10751	SF	BII	84	11/06/91	0.878	0.00		51.10	0.00		0.00
10751	VE	BHN	84	11/08/91	1.028	0.00		38.80	0.00		0.00
10751	YF	BGQ	83	11/06/91	0.860	0.00		54.70	0.00		0.00
10752	JE	BH6	84	11/06/91	0.933	0.00		55.00	0.00	>	1.16
10752	PT	BI2	84	11/06/91	0.984	0.00		44.10	0.00		0.00
10752	SF	BII	84	11/06/91	0.878	0.00		45.20	0.00		0.00
10752	VE	BHN	84	11/08/91	1.028	0.00		46.40	0.00		0.00
10752	YF	BGQ	84	11/06/91	0.860	0.00		59.00	0.00		0.00
10753	JE	BH7	84	11/06/91	0.925	0.00		57.00	0.00	>	0.47
10753	PT	BI3	84	11/06/91	1.003	0.00		47.90	0.00		0.00
10753	SF	BIJ	84	11/06/91	0.897	0.00		50.20	0.00		0.00
10753	VE	BHN	84	11/08/91	0.995	0.00		55.90	0.00	>	0.30
10753	YF	BGR	83	11/06/91	0.809	0.00		59.90	0.00		0.00
10754	JE	BH7	84	11/06/91	0.925	0.00		139.00	0.00		0.09
10754	PT	BI3	84	11/06/91	1.003	0.00		79.60	0.00		0.00
10754	SF	BIJ	84	11/06/91	0.897	0.00		94.80	0.00		0.00
10754	VE	BHN	84	11/08/91	0.995	0.00		80.60	0.00		0.50
10754	YF	BGR	84	11/06/91	0.809	0.00		155.00	0.00		0.00
10755	JE	BH8	84	11/06/91	0.955	0.00		126.00	0.00		0.00
10755	PT	BI4	84	11/06/91	1.021	0.00		78.80	0.00		0.00
10755	SF	BIK	84	11/06/91	0.820	0.00		90.60	0.00		0.00
10755	VE	BHO	84	11/08/91	1.011	0.00		62.40	0.00		0.00
10755	YF	BGS	83	11/06/91	0.830	0.00		165.00	0.00		0.00
10756	JE	BH8	84	11/06/91	0.955	0.00		54.00	0.00		0.00
10756	PT	BI4	84	11/06/91	1.021	0.00		10.00	0.00		0.00
10756	SF	BIK	84	11/06/91	0.820	0.00		49.20	0.00		0.00
10756	VE	BHO	84	11/08/91	1.011	0.00		55.00	0.00		0.00
10756	YF	BGS	84	11/06/91	0.830	0.00		60.80	0.00		0.40
10757	JE	BH9	84	11/06/91	0.926	0.00		53.10	0.00	>	0.07
10757	PT	BI5	84	11/06/91	0.972	0.00		41.60	0.00		0.00
10757	SF	BIL	84	11/06/91	0.967	0.00		45.40	0.00		0.00
10757	VE	BHP	84	11/08/91	1.049	0.00		53.50	0.00		0.00
10757	YF	BGT	83	11/06/91	0.778	0.00		55.30	0.00		0.00
10758	JE	BH9	84	11/06/91	0.926	0.00		210.00	0.00	>	0.60
10758	PT	BI5	84	11/06/91	0.972	0.00		154.00	0.00		0.00
10758	SF	BIL	84	11/06/91	0.967	0.00		0.86	0.00		0.00
10758	VE	BHP	84	11/08/91	1.049	0.00		136.00	0.00		0.00
10758	YF	BGT	84	11/06/91	0.778	0.00	>	320.00	0.00		0.00
10759	JE	BHA	84	11/06/91	0.967	0.00		14.30	0.00	>	0.20
10759	PT	BI6	84	11/06/91	1.031	0.00		11.70	0.00		0.00
10759	SF	BIM	84	11/06/91	0.818	0.00		12.40	0.00		0.00
10759	VE	BHQ	84	11/08/91	1.139	0.00		8.12	0.00		0.00
10759	YF	BGU	83	11/06/91	0.773	0.00		17.10	0.00		0.00
10760	JE	BHA	84	11/06/91	0.967	0.00		91.10	0.00	>	0.03
10760	PT	BI6	84	11/06/91	1.031	0.00		60.50	0.00		0.00
10760	SF	BIM	84	11/06/91	0.818	0.00		106.00	0.00		0.00
10760	VE	BHQ	84	11/08/91	1.139	0.00		49.50	0.00		0.00
10760	YF	BGU	84	11/06/91	0.773	0.00		155.00	0.00		0.00
10761	JE	BHB	84	11/06/91	0.859	0.00		88.70	0.00		0.20
10761	PT	BI7	84	11/06/91	0.658	0.00		155.00	0.00		0.00
10761	SF	BIN	84	11/06/91	0.718	0.00		92.70	0.00	>	0.60
10761	VE	BHR	84	11/08/91	1.028	0.00		63.50	0.00		0.00
10761	YF	BGV	83	11/06/91	0.873	0.00		133.00	0.00		0.00
10762	JE	BHB	84	11/06/91	0.859	0.00		100.00	0.00	>	1.50
10762	PT	BI7	84	11/06/91	0.658	0.00		71.50	0.00		0.00
10762	SF	BIN	84	11/06/91	0.718	0.00		59.00	0.00	>	0.55
10762	VE	BHR	84	11/08/91	1.028	0.00		83.50	0.00		0.33
10762	YF	BGV	84	11/06/91	0.873	0.00	>	320.00	0.00		0.00
10763	JE	BHC	84	11/06/91	0.908	0.00		140.00	0.00		0.43
10763	PT	BI8	84	11/06/91	0.856	0.00		126.00	0.00		0.00
10763	SF	BIO	84	11/06/91	0.865	0.00		93.80	0.00		0.12
10763	VE	BHS	84	11/08/91	1.040	0.00		59.40	0.00	>	0.20
10763	YF	BGM	83	11/06/91	0.942	0.00		145.00	0.00		0.00
10764	JE	BHC	84	11/06/91	0.908	0.00	>	320.00	0.00	>	0.53
10764	PT	BI8	84	11/06/91	0.856	0.00	>	320.00	0.00		0.00
10764	SF	BIO	84	11/06/91	0.865	0.00		286.00	0.00		0.00
10764	VE	BHS	84	11/08/91	1.040	0.00	>	320.00	0.00		0.56
10764	YF	BGM	84	11/06/91	0.942	0.00	>	320.00	0.00		0.00
10765	JE	BHD	84	11/06/91	0.871	0.00		155.00	0.00	>	0.13
10765	PT	BI9	84	11/06/91	0.829	0.00		116.00	0.00		0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SE	TAI
10765	SF	BIP	84	11/06/91	0.974	0.00	72.40	[redacted]	0.00
10765	VE	BHT	84	11/08/91	1.078	0.00	67.40	[redacted]	0.00
10765	YF	BGX	83	11/06/91	0.995	0.00	129.00	[redacted]	0.00
10766	JE	BHD	84	11/06/91	0.871	0.00	53.50	[redacted] >	2.83
10766	PT	BI9	84	11/06/91	0.829	0.00	50.10	[redacted]	0.00
10766	SF	BIP	84	11/06/91	0.974	0.00	50.20	[redacted]	0.00
10766	VE	BHT	84	11/08/91	1.078	0.00	39.70	[redacted]	0.00
10766	YF	BGX	84	11/06/91	0.995	0.00	53.80	[redacted]	0.00
10767	JE	BHE	84	11/06/91	0.893	0.00 >	320.00	[redacted]	0.00
10767	PT	BIA	84	11/06/91	0.871	0.00 >	320.00	[redacted]	0.00
10767	SF	BIQ	84	11/06/91	0.883	0.00 >	320.00	[redacted]	0.78
10767	VE	BHJ	84	11/08/91	1.063	0.00 >	320.00	[redacted] >	0.10
10767	YF	BGY	83	11/06/91	0.914	0.00 >	320.00	[redacted] -	0.00
10768	JE	BHE	84	11/06/91	0.893	0.00	51.80	[redacted] >	0.80
10768	PT	BIA	84	11/06/91	0.871	0.00	45.80	[redacted]	0.00
10768	SF	BIQ	84	11/06/91	0.883	0.00	51.10	[redacted]	0.00
10768	VE	BHJ	84	11/08/91	1.063	0.00	46.90	[redacted]	0.00
10768	YF	BGY	84	11/06/91	0.914	0.00	53.30	[redacted]	0.00
10769	JE	BHF	84	11/06/91	0.871	0.00	77.30	[redacted]	0.00
10769	PT	BIB	84	11/06/91	1.057	0.00	51.00	[redacted]	0.00
10769	SF	BIR	84	11/06/91	0.796	0.00	60.30	[redacted]	0.00
10769	VE	BHV	84	11/08/91	1.042	0.00	59.00	[redacted] >	0.30
10769	YF	BGZ	83	11/06/91	0.964	0.00	71.50	[redacted]	0.00
10770	JE	BHF	84	11/06/91	0.871	0.00	86.90	[redacted] >	1.53
10770	PT	BIB	84	11/06/91	1.057	0.00	59.20	[redacted]	0.00
10770	SF	BIR	84	11/06/91	0.796	0.00	75.40	[redacted]	0.00
10770	VE	BHV	84	11/08/91	1.042	0.00	62.90	[redacted]	0.00
10770	YF	BGZ	84	11/06/91	0.964	0.00	100.00	[redacted]	0.00
10771	JE	BHG	84	11/06/91	0.840	0.00	53.50	[redacted] >	0.50
10771	PT	BIC	84	11/06/91	0.820	0.00	55.90	[redacted]	0.00
10771	SF	BIS	84	11/06/91	0.789	0.00	51.30	[redacted]	0.00
10771	VE	BHW	84	11/08/91	1.052	0.00	51.50	[redacted] >	0.10
10771	YF	BHO	83	11/06/91	0.906	0.00	0.78	[redacted]	0.00
10772	JE	BHG	84	11/06/91	0.840	0.00	141.00	[redacted] >	1.54
10772	PT	BIC	84	11/06/91	0.820	0.00	32.00	[redacted]	0.00
10772	SF	BIS	84	11/06/91	0.789	0.00	128.00	[redacted]	0.00
10772	VE	BHW	84	11/08/91	1.052	0.00	54.30	[redacted]	0.03
10772	YF	BHO	84	11/06/91	0.906	0.00	148.00	[redacted]	0.00
10773	JE	BHH	84	11/06/91	0.884	0.00 >	320.00	[redacted]	0.63
10773	PT	BID	84	11/06/91	0.891	0.00 >	320.00	[redacted]	0.11
10773	SF	BIT	84	11/06/91	0.733	0.00 >	320.00	[redacted]	0.00
10773	VE	BHX	84	11/08/91	1.015	0.00 >	320.00	[redacted]	0.40
10773	YF	BH1	83	11/06/91	0.955	0.00 >	320.00	[redacted]	0.00
10774	JE	BHH	84	11/06/91	0.884	0.00	52.50	[redacted]	0.42
10774	PT	BID	84	11/06/91	0.891	0.00	0.93	[redacted]	0.00
10774	SF	BIT	84	11/06/91	0.733	0.00	51.80	[redacted]	0.00
10774	VE	BHX	84	11/08/91	1.015	0.00	45.60	[redacted]	0.00
10774	YF	BH1	84	11/06/91	0.955	0.00	55.60	[redacted]	0.32
10775	JE	BHI	84	11/06/91	0.968	0.00 >	320.00	[redacted]	0.00
10775	PT	BIE	84	11/06/91	0.883	0.00 >	320.00	[redacted]	0.00
10775	SF	BIU	84	11/06/91	0.723	0.00 >	320.00	[redacted]	0.60
10775	VE	BHY	84	11/08/91	1.006	0.00 >	320.00	[redacted]	0.00
10775	YF	BH2	83	11/06/91	0.980	0.00	295.00	[redacted]	0.00
10776	JE	BJB	84	11/07/91	1.073	0.00	141.00	[redacted]	0.43
10776	PT	BK7	84	11/07/91	0.658	0.00	78.80	[redacted]	0.00
10776	SF	BKN	84	11/07/91	0.615	0.00	132.00	[redacted]	0.00
10776	VE	BJR	84	11/08/91	1.073	0.00	41.30	[redacted]	0.00
10776	YF	BIV	84	11/07/91	0.984	0.00	108.00	[redacted]	0.00
10777	JE	BJC	84	11/07/91	0.925	0.00	162.00	[redacted] >	2.78
10777	PT	BK8	84	11/07/91	0.734	0.00	169.00	[redacted] >	0.20
10777	SF	BKO	84	11/07/91	0.627	0.00	108.00	[redacted]	0.00
10777	VE	BJS	84	11/08/91	1.100	0.00	166.00	[redacted]	0.00
10777	YF	BIW	84	11/07/91	0.968	0.00	143.00	[redacted]	0.00
10778	JE	BJC	84	11/07/91	0.925	0.00	162.00	[redacted] >	5.26
10778	PT	BK8	84	11/07/91	0.734	0.00	165.00	[redacted] >	0.10
10778	SF	BKO	84	11/07/91	0.627	0.00	84.90	[redacted]	0.00
10778	VE	BJS	84	11/08/91	1.100	0.00	168.00	[redacted]	0.00
10778	YF	BIW	84	11/07/91	0.968	0.00	160.00	[redacted]	0.00
10779	JE	BJD	84	11/07/91	0.997	0.00	123.00	[redacted]	0.86
10779	PT	BK9	84	11/07/91	0.690	0.00	115.00	[redacted]	0.00
10779	SF	BKP	84	11/07/91	0.631	0.00	63.20	[redacted]	0.00
10779	VE	BJT	84	11/08/91	1.107	0.00	69.80	[redacted]	0.00
10779	YF	BIX	84	11/07/91	0.998	0.00	66.00	[redacted]	0.00
10780	JE	BJD	84	11/07/91	0.997	0.00	185.00	[redacted] >	2.15
10780	PT	BK9	84	11/07/91	0.690	0.00	179.00	[redacted]	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10780	SF	BKP	84	11/07/91	0.631	0.00	157.00	0.00	0.00
10780	VE	BJT	84	11/08/91	1.107	0.00	180.00	0.00	0.00
10780	YF	BIX	84	11/07/91	0.998	0.00	124.00	0.00	0.00
10781	JE	BJE	84	11/07/91	1.043	0.00	70.90	0.00	0.31
10781	PT	BKA	84	11/07/91	0.657	0.00	114.00	0.00 >	0.20
10781	SF	BKQ	84	11/07/91	0.691	0.00	61.90	0.00	0.00
10781	VE	BJU	84	11/08/91	0.972	0.00	177.00	0.00	0.00
10781	YF	BIY	84	11/07/91	0.921	0.00	100.00	0.00	0.00
10782	JE	BJE	84	11/07/91	1.043	0.00	117.00	0.00	0.00
10782	PT	BKA	84	11/07/91	0.657	0.00	164.00	0.00 >	0.20
10782	SF	BKQ	84	11/07/91	0.691	0.00	83.00	0.00	0.00
10782	VE	BJU	84	11/08/91	0.972	0.00	137.00	0.00	0.00
10782	YF	BIY	84	11/07/91	0.921	0.00	159.00	0.00	0.00
10783	JE	BJF	84	11/07/91	0.982	0.00	136.00	0.00	0.00
10783	PT	BKB	84	11/07/91	0.659	0.00	189.00	0.00	0.00
10783	SF	BKR	84	11/07/91	0.[illegible]5	0.00	120.00	0.00	0.00
10783	VE	BJV	84	11/08/91	1.095	0.00	195.00	0.00	0.00
10783	YF	BIZ	84	11/07/91	1.029	0.00	160.00	0.00	0.00
10784	JE	BJF	84	11/07/91	0.982	0.00	92.80	0.00 >	0.43
10784	PT	BKB	84	11/07/91	0.659	0.00	121.00	0.00	0.00
10784	SF	BKR	84	11/07/91	0.665	0.00	86.40	0.00	0.00
10784	VE	BJV	84	11/08/91	1.095	0.00	155.00	0.00 >	0.03
10784	YF	BIZ	84	11/07/91	1.029	0.00	110.00	0.00	0.00
10785	JE	BJG	84	11/07/91	0.968	0.00	124.00	0.00 >	1.90
10785	PT	BKC	84	11/07/91	0.735	0.00	154.00	0.00	0.00
10785	SF	BKS	84	11/07/91	0.702	0.00	85.40	0.00	0.00
10785	VE	BJW	84	11/08/91	1.041	0.00	196.00	0.00 >	0.80
10785	YF	BJ0	84	11/07/91	1.035	0.00	110.00	0.00	0.00
10786	JE	BJG	84	11/07/91	0.968	0.00	16.70	0.00 >	0.04
10786	PT	BKC	84	11/07/91	0.735	0.00	13.00	0.00	0.00
10786	SF	BKS	84	11/07/91	0.702	0.00	13.50	0.00	0.00
10786	VE	BJW	84	11/08/91	1.041	0.00	14.90	0.00	0.00
10786	YF	BJ0	84	11/07/91	1.035	0.00	11.60	0.00	0.00
10787	JE	BJK	84	11/07/91	0.933	0.00	106.00	0.00	0.17
10787	PT	BKD	84	11/07/91	0.652	0.00	95.00	0.00	0.00
10787	SF	BKT	84	11/07/91	0.700	0.00	60.60	0.00	0.00
10787	VE	BJX	84	11/08/91	1.107	0.00	103.00	0.00	0.00
10787	YF	BJ1	84	11/07/91	0.970	0.00	92.70	0.00	0.00
10788	JE	BJN	84	11/07/91	0.933	0.00	136.00	0.00 >	2.46
10788	PT	BKD	84	11/07/91	0.652	0.00	134.00	0.00	0.00
10788	SF	BKT	84	11/07/91	0.700	0.00	100.00	0.00	0.00
10788	VE	BJX	84	11/08/91	1.107	0.00	69.80	0.00	0.00
10788	YF	BJ1	84	11/07/91	0.970	0.00	110.00	0.00	0.00
10789	JE	BJI	84	11/07/91	0.953	0.00	103.00	0.00	1.13
10789	PT	BKE	84	11/07/91	0.619	0.00	111.00	0.00	0.00
10789	SF	BKU	84	11/07/91	0.669	0.00	62.20	0.00	0.00
10789	VE	BJY	84	11/08/91	1.054	0.00	110.00	0.00	0.00
10789	YF	BJ2	84	11/07/91	1.036	0.00	94.60	0.00	0.00
10790	JE	BJI	84	11/07/91	0.953	0.00	153.00	0.00 >	1.73
10790	PT	BKE	84	11/07/91	0.619	0.00	155.00	0.00	0.00
10790	SF	BKU	84	11/07/91	0.669	0.00	124.00	0.00	0.00
10790	VE	BJY	84	11/08/91	1.054	0.00	179.00	0.00	0.00
10790	YF	BJ2	84	11/07/91	1.036	0.00	137.00	0.00	0.00
10791	JE	BJJ	84	11/07/91	0.944	0.00	50.30	0.00	0.80
10791	PT	BKF	84	11/07/91	0.616	0.00	50.90	0.00	0.00
10791	SF	BKV	84	11/07/91	0.650	0.00	44.10	0.00	0.00
10791	VE	BJZ	84	11/08/91	1.094	0.00	49.80	0.00	0.20
10791	YF	BJ3	84	11/07/91	0.921	0.00	50.00	0.00	0.00
10792	JE	BJJ	84	11/07/91	0.944	0.00	69.80	0.00	0.00
10792	PT	BKF	84	11/07/91	0.616	0.00	77.90	0.00	0.00
10792	SF	BKV	84	11/07/91	0.650	0.00	32.00	0.00	0.00
10792	VE	BJZ	84	11/08/91	1.094	0.00	62.20	0.00	0.32
10792	YF	BJ3	84	11/07/91	0.921	0.00	69.80	0.00	0.00
10793	JE	BJK	84	11/07/91	0.947	0.00 >	320.00	0.00	0.02
10793	PT	BKG	84	11/07/91	0.611	0.00 >	320.00	0.00	0.00
10793	SF	BKW	84	11/07/91	0.694	0.00 >	320.00	0.00	0.00
10793	VE	BK0	84	11/08/91	1.120	0.00 >	320.00	0.00	0.00
10793	YF	BJ4	84	11/07/91	0.939	0.00 >	320.00	0.00	0.00
10794	JE	BJK	84	11/07/91	0.947	0.00	53.50	0.00 >	2.20
10794	PT	BKG	84	11/07/91	0.611	0.00	55.60	0.00	0.00
10794	SF	BKW	84	11/07/91	0.694	0.00	36.00	0.00	0.00
10794	VE	BK0	84	11/08/91	1.120	0.00	53.80	0.00	0.31
10794	YF	BJ4	84	11/07/91	0.939	0.00	54.40	0.00	0.00
10795	JE	BJL	84	11/07/91	0.931	0.00	50.50	0.00 >	0.02
10795	PT	BKH	84	11/07/91	0.658	0.00	50.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10795	SF	BKX	84	11/07/91	0.742	0.00	45.60	0.00	0.00
10795	VE	BK1	84	11/08/91	1.117	0.00	51.80	0.00	0.10
10795	YF	BJ5	84	11/07/91	0.977	0.00	43.80	0.00	0.00
10796	JE	BJL	84	11/07/91	0.931	0.00	53.00	0.00 >	0.10
10796	PT	BKN	84	11/07/91	0.658	0.00	59.00	0.00	0.00
10796	SF	BKX	84	11/07/91	0.742	0.00	45.40	0.00	0.00
10796	VE	BK1	84	11/08/91	1.117	0.00	56.30	0.00	0.10
10796	YF	BJ5	84	11/07/91	0.977	0.00	56.60	0.00	0.00
10797	JE	BJN	84	11/07/91	0.895	0.00	95.00	0.00	0.71
10797	PT	BKI	84	11/07/91	0.627	0.00	109.00	0.00	0.00
10797	SF	BKY	84	11/07/91	0.664	0.00	72.50	0.00	0.00
10797	VE	BK2	84	11/08/91	1.101	0.00	68.20	0.00	0.00
10797	YF	BJ6	84	11/07/91	0.989	0.00	95.50	0.00	0.00
10798	JE	BJN	84	11/07/91	0.895	0.00	50.70	0.00 >	1.40
10798	PT	BKI	84	11/07/91	0.627	0.00	50.50	0.00	0.00
10798	SF	BKY	84	11/07/91	0.664	0.00	45.80	0.00	0.00
10798	VE	BK2	84	11/08/91	1.101	0.00	42.00	0.00	0.00
10798	YF	BJ6	84	11/07/91	0.989	0.00	48.20	0.00	0.00
10799	JE	BJN	84	11/07/91	0.905	0.00	4.07	0.00	0.00
10799	PT	BKJ	84	11/07/91	0.599	0.00	3.78	0.00	0.00
10799	SF	BKZ	84	11/07/91	0.632	2.08	4.52	2.17 >	9.28
10799	VE	BK3	84	11/08/91	1.162	0.00	4.10	0.00	0.00
10799	YF	BJ7	84	11/07/91	0.962	0.00	3.20	0.00	0.48
10800	JE	BJN	84	11/07/91	0.905	0.00	50.10	0.00	0.03
10800	PT	BKJ	84	11/07/91	0.599	0.00	52.50	0.00	0.00
10800	SF	BKZ	84	11/07/91	0.632	0.00	51.50	0.00	0.00
10800	VE	BK3	84	11/08/91	1.162	0.00	51.50	0.00 >	1.31
10800	YF	BJ7	84	11/07/91	0.962	0.00	49.00	0.00	0.00
10801	JE	BJO	84	11/07/91	0.937	0.00	49.40	0.00	0.00
10801	PT	BKK	84	11/07/91	0.643	0.00	50.80	0.00	0.00
10801	SF	BL0	84	11/07/91	0.777	0.00	48.80	0.00	0.00
10801	VE	BK4	84	11/08/91	1.050	0.00	52.70	0.00 >	1.43
10801	YF	BJ8	84	11/07/91	0.917	0.00	51.20	0.00	0.00
10802	JE	BJO	84	11/07/91	0.937	0.00	50.10	0.00 >	0.36
10802	PT	BKK	84	11/07/91	0.643	0.00	47.70	0.00	0.00
10802	SF	BL0	84	11/07/91	0.777	0.00	43.00	0.00	0.00
10802	VE	BK4	84	11/08/91	1.050	0.00	53.00	0.00 >	0.92
10802	YF	BJ8	84	11/07/91	0.917	0.00	50.60	0.00	0.00
10803	JE	BJP	84	11/07/91	0.959	0.00	11.50	0.00	0.00
10803	PT	BKL	84	11/07/91	0.606	0.00	15.50	0.00	0.00
10803	SF	BL1	84	11/07/91	0.718	0.00	0.93	0.00	2.33
10803	VE	BK5	84	11/08/91	1.131	0.00	16.60	0.00	0.00
10803	YF	BJ9	84	11/07/91	0.949	0.00	12.80	0.00	0.00
10804	JE	BJP	84	11/07/91	0.959	0.00	69.50	0.00	0.00
10804	PT	BKL	84	11/07/91	0.606	0.00	106.00	0.00	0.00
10804	SF	BL1	84	11/07/91	0.718	0.00	6.98	0.00	0.00
10804	VE	BK5	84	11/08/91	1.131	0.00	64.10	0.00	0.10
10804	YF	BJ9	84	11/07/91	0.949	0.00	74.00	0.00	0.00
10805	JE	BJQ	84	11/07/91	1.001	0.00 >	320.00	0.00	0.00
10805	PT	BKM	84	11/07/91	0.686	0.00 >	320.00	0.00	0.00
10805	SF	BL2	84	11/07/91	0.678	0.00 >	320.00	0.00	0.74
10805	VE	BK6	84	11/08/91	1.191	0.00 >	320.00	0.00	0.00
10805	YF	BJA	84	11/07/91	1.009	0.00 >	320.00	0.00	0.00
10806	JE	BLK	84	11/12/91	0.969	0.00	155.00	0.00 >	2.00
10806	PT	BMG	84	11/12/91	0.538	0.00	155.00	0.00	0.00
10806	SF	BMM	84	11/12/91	0.793	0.00	64.10	0.00	0.20
10806	VE	BM0	84	11/15/91	1.075	0.00	163.00	0.00	0.00
10806	YF	BL4	84	11/12/91	0.979	0.00	10.00	0.00	0.00
10807	JE	BLK	84	11/12/91	0.969	0.00	60.30	0.00	[illegible]
10807	PT	BMG	84	11/12/91	0.538	0.00	39.80	0.00	[illegible]
10807	SF	BMM	84	11/12/91	0.793	0.00	49.20	0.00	0.40
10807	VE	BM0	84	11/15/91	1.075	0.00	54.70	0.00	0.00
10807	YF	BL4	84	11/12/91	0.979	0.00	58.30	0.00	0.00
10808	JE	BLL	84	11/12/91	1.000	0.00	80.60	0.00 >	1.11
10808	PT	BMH	84	11/12/91	0.608	0.00	100.00	0.00	0.00
10808	SF	BMX	84	11/12/91	0.829	0.00	141.00	0.00	0.00
10808	VE	BN1	84	11/15/91	1.139	0.00	67.30	0.00	0.00
10808	YF	BL5	84	11/12/91	1.020	0.00	59.80	0.00	0.00
10809	JE	BLL	84	11/12/91	1.000	0.00	57.40	0.00	0.00
10809	PT	BMH	84	11/12/91	0.608	0.00	61.10	0.00	0.00
10809	SF	BMX	84	11/12/91	0.829	0.00	56.70	0.00	0.00
10809	VE	BN1	84	11/15/91	1.139	0.00	48.40	0.00	0.00
10809	YF	BL5	84	11/12/91	1.020	0.00	40.30	0.00	0.00
10810	JE	BLN	84	11/12/91	0.995	0.00	59.40	0.00 >	2.04
10810	PT	BMI	84	11/12/91	0.483	0.00	56.40	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
10810	SF	BMY	84	11/12/91	0.814	0.00	48.50	0.00		0.00
10810	VE	BM2	84	11/15/91	1.117	0.00	49.30	0.00		0.00
10810	YF	BL6	84	11/12/91	1.017	0.00	45.60	0.00		0.00
10811	JE	BLN	84	11/12/91	0.995	0.00	66.00	0.00		0.41
10811	PT	BMI	84	11/12/91	0.483	0.00	89.90	0.00		0.00
10811	SF	BMY	84	11/12/91	0.814	0.00	66.00	0.00		0.00
10811	VE	BM2	84	11/15/91	1.117	0.00	55.10	0.00		0.00
10811	YF	BL6	84	11/12/91	1.017	0.00	52.60	0.00		0.00
10812	JE	BLN	84	11/12/91	0.991	0.00	70.60	0.00		0.03
10812	PT	BMJ	84	11/12/91	0.541	0.00	71.50	0.00		0.00
10812	SF	BMZ	84	11/12/91	0.810	0.00	60.60	0.00		0.00
10812	VE	BM3	84	11/15/91	1.093	0.00	55.50	0.00		0.00
10812	YF	BL7	84	11/12/91	0.958	0.00	63.70	0.00		0.00
10813	JE	BLN	84	11/12/91	0.991	0.00	61.30	0.00		0.09
10813	PT	BMJ	84	11/12/91	0.541	0.00	59.90	0.00		0.00
10813	SF	BMZ	84	11/12/91	0.810	0.00	51.90	0.00		0.00
10813	VE	BM3	84	11/15/91	1.093	0.00	55.10	0.00		0.00
10813	YF	BL7	84	11/12/91	0.958	0.00	48.60	0.00		0.00
10814	JE	BLO	84	11/12/91	0.994	0.00	92.70	0.00	>	1.71
10814	PT	BMK	84	11/12/91	0.517	0.00	84.60	0.00		0.00
10814	SF	BN0	84	11/12/91	0.837	0.00	57.30	0.00		0.00
10814	VE	BM4	84	11/15/91	1.027	0.00	72.80	0.00		0.00
10814	YF	BL8	84	11/12/91	0.958	0.00	65.10	0.00		0.00
10815	JE	BLO	84	11/12/91	0.994	0.00	55.00	0.00		0.04
10815	PT	BMK	84	11/12/91	0.517	0.00	59.70	0.00		0.00
10815	SF	BN0	84	11/12/91	0.837	0.00	51.90	0.00		0.00
10815	VE	BM4	84	11/15/91	1.027	0.00	57.00	0.00		0.00
10815	YF	BL8	84	11/12/91	0.958	0.00	50.30	0.00		0.00
10816	JE	BLP	84	11/12/91	1.040	0.00	66.00	0.00		0.00
10816	PT	BML	84	11/12/91	0.486	0.00	67.40	0.00		0.00
10816	SF	BN1	84	11/12/91	0.776	0.00	58.20	0.00		0.00
10816	VE	BM5	84	11/15/91	1.081	0.00	55.90	0.00		0.00
10816	YF	BL9	84	11/12/91	0.951	0.00	52.60	0.00		0.00
10817	JE	BLP	84	11/12/91	1.040	0.00	70.00	0.00		0.09
10817	PT	BML	84	11/12/91	0.486	0.00	108.00	0.00		0.00
10817	SF	BN1	84	11/12/91	0.776	0.00	66.00	0.00	>	0.01
10817	VE	BM5	84	11/15/91	1.081	0.00	3.12	0.00		0.00
10817	YF	BL9	84	11/12/91	0.951	0.00	64.90	0.00		0.00
10818	JE	BLQ	84	11/12/91	1.065	0.00	4.93	0.00	>	0.06
10818	PT	BMN	84	11/12/91	0.477	0.00	5.66	0.00	>	0.40
10818	SF	BN2	84	11/12/91	0.828	0.00	3.74	0.00		0.00
10818	VE	BM6	84	11/15/91	1.114	0.00	5.34	0.00		0.00
10818	YF	BLA	84	11/12/91	1.027	0.00	5.50	0.00		0.06
10819	JE	BLQ	84	11/12/91	1.065	0.00	51.40	0.00	>	0.92
10819	PT	BMN	84	11/12/91	0.477	0.00	22.30	0.00		0.00
10819	SF	BN2	84	11/12/91	0.828	0.00	53.00	0.00		0.00
10819	VE	BM6	84	11/15/91	1.114	0.00	53.40	0.00		0.00
10819	YF	BLA	84	11/12/91	1.027	0.00	1.00	0.00		0.00
10820	JE	BLR	84	11/12/91	0.980	0.00	74.50	0.00		0.02
10820	PT	BMN	84	11/12/91	0.564	0.00	75.90	0.00		0.00
10820	SF	BN3	84	11/12/91	0.836	0.00	58.60	0.00		0.00
10820	VE	BM7	84	11/15/91	1.029	0.00	97.30	0.00		0.00
10820	YF	BLB	84	11/12/91	0.935	0.00	67.10	0.00		0.00
10821	JE	BLR	84	11/12/91	0.980	0.00	67.00	0.00	>	0.05
10821	PT	BMN	84	11/12/91	0.564	0.00	71.40	0.00		0.00
10821	SF	BN3	84	11/12/91	0.836	0.00	61.80	0.00	>	0.30
10821	VE	BM7	84	11/15/91	1.029	0.00	60.20	0.00		0.00
10821	YF	BLB	84	11/12/91	0.935	0.00	64.90	0.00		0.00
10822	JE	BLS	84	11/12/91	1.024	0.00	81.50	0.00		0.46
10822	PT	BMO	84	11/12/91	0.541	0.00	103.00	0.00		0.00
10822	SF	BN4	84	11/12/91	0.817	0.00	61.60	0.00		0.00
10822	VE	BM8	84	11/15/91	1.055	0.00	114.00	0.00		0.00
10822	YF	BLC	84	11/12/91	0.884	0.00	80.60	0.00		0.00
10823	JE	BLS	84	11/12/91	1.024	0.00	146.00	0.00		0.00
10823	PT	BMO	84	11/12/91	0.541	0.00	155.00	0.00		0.00
10823	SF	BN4	84	11/12/91	0.817	0.00	151.00	0.00		0.17
10823	VE	BM8	84	11/15/91	1.055	0.00	174.00	0.00		0.00
10823	YF	BLC	84	11/12/91	0.884	0.00	155.00	0.00		0.00
10824	JE	BLT	84	11/12/91	1.014	0.00	74.50	0.00		0.02
10824	PT	BMP	84	11/12/91	0.571	0.00	9.15	0.00		0.00
10824	SF	BN5	84	11/12/91	0.827	0.00	59.80	0.00		0.00
10824	VE	BM9	84	11/15/91	1.124	0.00	59.90	0.00		0.00
10824	YF	BLD	84	11/12/91	0.907	0.00	68.60	0.00		0.00
10825	JE	BLT	84	11/12/91	1.014	0.00	83.50	0.00		0.04
10825	PT	BMP	84	11/12/91	0.571	0.00	74.80	0.00		0.00

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10825	SF	BN5	84	11/12/91	0.827	0.00	66.70	0.00	0.00
10825	VE	BN9	84	11/15/91	1.124	0.00	51.60	0.00	0.00
10825	YF	BLD	84	11/12/91	0.907	0.00	83.00	0.00	0.00
10826	JE	BLU	84	11/12/91	1.051	0.00	135.00	0.00	0.01
10826	PT	BNQ	84	11/12/91	0.575	0.00	141.00	0.00	0.00
10826	SF	BN6	84	11/12/91	0.805	0.00	111.00	0.00	0.00
10826	VE	BNA	84	11/15/91	1.139	0.00	131.00	0.00	0.00
10826	YF	BLE	84	11/12/91	0.897	0.00	152.00	0.00	0.00
10827	JE	BLU	84	11/12/91	1.051	0.00	61.70	0.00	0.05
10827	PT	BNQ	84	11/12/91	0.575	0.00	62.40	0.00	0.00
10827	SF	BN6	84	11/12/91	0.805	0.00	55.00	0.00	0.00
10827	VE	BNA	84	11/15/91	1.139	0.00	52.40	0.00	0.00
10827-	YF	BLE	84	11/12/91	0.897	0.00	72.00	0.00	0.00
10828	JE	BLV	84	11/12/91	1.017	0.00	159.00	0.00	0.05
10828	PT	BNR	84	11/12/91	0.502	0.00	196.00	0.00 >	0.03
10828	SF	BN7	84	11/12/91	0.813	0.00	62.90	0.00	0.00
10828	VE	BNB	84	11/15/91	1.050	0.00	80.60	0.00	0.00
10828	YF	BLF	84	11/12/91	0.895	0.00	183.00	0.00	0.00
10829	JE	BLV	84	11/12/91	1.017	0.00	52.30	0.00	0.00
10829	PT	BNR	84	11/12/91	0.502	0.00	63.50	0.00	0.00
10829	SF	BN7	84	11/12/91	0.813	0.00	55.30	0.00	0.00
10829	VE	BNB	84	11/15/91	1.050	0.00	58.20	0.00	0.00
10829	YF	BLF	84	11/12/91	0.895	0.00	58.70	0.00	0.00
10830	JE	BLW	84	11/12/91	1.037	0.00	55.50	0.00	0.00
10830	PT	BNS	84	11/12/91	0.513	0.00	58.00	0.00	0.00
10830	SF	BN8	84	11/12/91	0.782	0.00	57.40	0.00	0.00
10830	VE	BNC	84	11/15/91	1.112	0.00	52.50	0.00	0.02
10830	YF	BLG	84	11/12/91	0.868	0.00	64.10	0.00	0.00
10831	JE	BLW	84	11/12/91	1.037	0.00	15.80	0.00	0.36
10831	PT	BNS	84	11/12/91	0.513	0.00	16.70	0.00	0.00
10831	SF	BN8	84	11/12/91	0.782	0.00	17.70	0.00	0.11
10831	VE	BNC	84	11/15/91	1.112	0.00	12.50	0.00 >	0.21
10831	YF	BLG	84	11/12/91	0.868	0.00	15.60	0.00	0.63
10832	JE	BLX	84	11/12/91	0.942	0.00	18.00	0.00	0.49
10832	PT	BNT	84	11/12/91	0.460	0.00	18.30	0.00	0.00
10832	SF	BN9	84	11/12/91	0.760	0.00	16.30	0.00	0.00
10832	VE	BND	84	11/15/91	1.078	0.00	6.98	0.00	0.00
10832	YF	BLH	84	11/12/91	0.936	0.00	21.20	0.00	0.00
10833	JE	BLX	84	11/12/91	0.942	0.00	58.00	0.00	0.00
10833	PT	BNT	84	11/12/91	0.460	0.00	58.20	0.00	0.00
10833	SF	BN9	84	11/12/91	0.760	0.00	59.00	0.00	0.00
10833	VE	BND	84	11/15/91	1.078	0.00	49.30	0.00 >	0.10
10833	YF	BLH	84	11/12/91	0.936	0.00	61.10	0.00	0.00
10834	JE	BLY	84	11/12/91	0.709	0.00	179.00	0.00	0.90
10834	PT	BNU	84	11/12/91	0.539	0.00	161.00	0.00	0.00
10834	SF	BNA	84	11/12/91	0.753	0.00	153.00	0.00	0.00
10834	VE	BNE	84	11/15/91	1.178	0.00	165.00	0.00	0.00
10834	YF	BLI	84	11/12/91	0.893	0.00	163.00	0.00	0.00
10835	JE	BNR	84	11/13/91	0.815	0.00	153.00	0.00 >	3.18
10835	PT	BON	84	11/14/91	0.486	0.00	154.00	0.00	0.00
10835	SF	BP3	84	11/14/91	0.725	0.00	90.60	0.00	0.00
10835	VE	BO7	84	11/15/91	0.922	0.00	129.00	0.00	0.00
10835	YF	BNB	84	11/12/91	1.099	0.00	64.00	0.00	0.00
10836	JE	BNS	84	11/13/91	0.863	0.00	75.60	0.00	0.51
10836	PT	BOO	84	11/14/91	0.512	0.00	62.40	0.00	0.00
10836	SF	BP4	84	11/14/91	0.786	0.00	50.90	0.00	0.00
10836	VE	BO8	84	11/15/91	1.080	0.00	57.80	0.00	0.00
10836	YF	BNC	84	11/12/91	0.965	0.00	61.70	0.00	0.00
10837	JE	BNS	84	11/13/91	0.863	0.00	54.70	0.00 >	1.51
10837	PT	BOO	84	11/14/91	0.512	0.00	58.60	0.00	0.00
10837	SF	BP4	84	11/14/91	0.786	0.00	39.60	0.00	0.00
10837	VE	BO8	84	11/15/91	1.080	0.00	55.40	0.00	0.13
10837	YF	BNC	84	11/12/91	0.965	0.00	57.50	0.00	0.00
10838	JE	BNT	84	11/13/91	0.918	0.00	60.40	0.00	0.04
10838	PT	BOP	84	11/14/91	0.567	0.00	59.40	0.00	0.00
10838	SF	BP5	84	11/14/91	0.789	0.00	48.70	0.00	0.00
10838	VE	BO9	84	11/15/91	1.043	0.00	58.20	0.00 >	0.40
10838	YF	BND	84	11/12/91	0.937	0.00	55.00	0.00	0.00
10839	JE	BNT	84	11/13/91	0.918	0.00	82.00	0.00 >	0.49
10839	PT	BOP	84	11/14/91	0.567	0.00	63.00	0.00	0.00
10839	SF	BP5	84	11/14/91	0.789	0.00	56.80	0.00	0.00
10839	VE	BO9	84	11/15/91	1.043	0.00	59.40	0.00	0.41
10839	YF	BND	84	11/12/91	0.937	0.00	75.60	0.00	0.00
10840	JE	BNU	84	11/13/91	0.941	0.00	54.30	0.00	0.00
10840	PT	BOQ	84	11/14/91	0.515	0.00	60.80	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10840	SF	BP6	84	11/14/91	0.754	0.00	48.50	0.00	0.00
10840	VE	BOA	84	11/15/91	1.041	0.00	58.60	0.00	0.50
10840	YF	BNE	84	11/12/91	0.946	0.00	60.80	0.00	0.00
10841	JE	BNU	84	11/13/91	0.941	0.00	1.55	0.00	0.00
10841	PT	BOQ	84	11/14/91	0.515	0.00 <	1.00	0.00	0.00
10841	SF	BP6	84	11/14/91	0.754	0.00 <	1.00	0.00	0.00
10841	VE	BOA	84	11/15/91	1.041	0.00	166.00	0.00	0.00
10841	YF	BNE	84	11/12/91	0.946	0.00	1.84	0.00 >	0.13
10842	JE	BNV	84	11/13/91	0.799	0.00	1.73	0.00	0.00
10842	PT	BOR	84	11/14/91	0.530	0.00 <	1.00	0.00	0.00
10842	SF	BP7	84	11/14/91	0.685	0.00 <	1.00	0.00	0.00
10842	VE	BOB	84	11/15/91	1.065	0.00	59.90	0.00	0.00
10842	YF	BNF	84	11/12/91	0.955	0.00	1.71	0.00	0.00
10843	JE	BNV	84	11/13/91	0.799	0.00	69.80	0.00 >	3.90
10843	PT	BOR	84	11/14/91	0.530	0.00	58.80	0.00	0.00
10843	SF	BP7	84	11/14/91	0.685	0.00	57.50	0.00	0.00
10843	VE	BOB	84	11/15/91	1.065	0.00	58.20	0.00	0.00
10843	YF	BNF	84	11/12/91	0.955	0.00	57.50	0.00	0.00
10844	JE	BNW	84	11/13/91	0.826	0.00	150.00	0.00 >	1.60
10844	PT	BOS	84	11/14/91	0.552	0.00	93.80	0.00	0.00
10844	SF	BP8	84	11/14/91	0.765	0.00	67.50	0.00	0.00
10844	VE	BOC	84	11/15/91	1.099	0.00	149.00	0.00	0.05
10844	YF	BNG	84	11/12/91	0.867	0.00	88.70	0.00	0.00
10845	JE	BNW	84	11/13/91	0.826	0.00	242.00	0.00	1.42
10845	PT	BOS	84	11/14/91	0.552	0.00 >	320.00	0.00	0.04
10845	SF	BP8	84	11/14/91	0.765	0.00	240.00	0.00	0.00
10845	VE	BOC	84	11/15/91	1.099	0.00	94.10	0.00	0.00
10845	YF	BNG	84	11/12/91	0.867	0.00 >	320.00	0.00	0.00
10846	JE	BNX	84	11/13/91	0.965	0.00	49.00	0.00	0.00
10846	PT	BOT	84	11/14/91	0.540	0.00	61.70	0.00	0.00
10846	SF	BP9	84	11/14/91	0.762	0.00	56.40	0.00	0.00
10846	VE	BOD	84	11/15/91	1.098	0.00	57.90	0.00	0.00
10846	YF	BNH	84	11/12/91	0.916	0.00	61.80	0.00	0.00
10847	JE	BNX	84	11/13/91	0.965	0.00	58.40	0.00	0.00
10847	PT	BOT	84	11/14/91	0.540	0.00	64.10	0.00	0.00
10847	SF	BP9	84	11/14/91	0.762	0.00	53.00	0.00	0.00
10847	VE	BOD	84	11/15/91	1.098	0.00	20.00	0.00	0.00
10847	YF	BNH	84	11/12/91	0.916	0.00	66.00	0.00	0.00
10848	JE	BNY	84	11/13/91	0.939	0.00	93.20	0.00 >	0.75
10848	PT	BOU	84	11/14/91	0.639	0.00	59.20	0.00	0.00
10848	SF	BPA	84	11/14/91	0.699	0.00	71.50	0.00	0.00
10848	VE	BOE	84	11/15/91	1.134	0.00	51.40	0.00	0.00
10848	YF	BNI	84	11/12/91	0.830	0.00	74.50	0.00	0.00
10849	JE	BNY	84	11/13/91	0.939	0.00	207.00	0.00	0.00
10849	PT	BOU	84	11/14/91	0.639	0.00	215.00	0.00	0.61
10849	SF	BPA	84	11/14/91	0.699	0.00	252.00	0.00	0.00
10849	VE	BOE	84	11/15/91	1.134	0.00	196.00	0.00	0.00
10849	YF	BNI	84	11/12/91	0.830	0.00	238.00	0.00	0.00
10850	JE	BNZ	84	11/13/91	0.925	0.00 <	1.00	0.00	0.00
10850	PT	BOV	84	11/14/91	0.348	0.00	1.42	0.00	0.00
10850	SF	BP8	84	11/14/91	0.717	0.00 <	1.00	0.00	0.00
10850	VE	BOF	84	11/15/91	0.947	0.00	192.00	0.00	0.00
10850	YF	BNJ	84	11/12/91	0.944	25.90	1.58	0.06 >	1.92
10851	JE	BNZ	84	11/13/91	0.925	0.00	142.00	0.00	1.01
10851	PT	BOV	84	11/14/91	0.348	0.00	195.00	0.00	0.00
10851	SF	BP8	84	11/14/91	0.717	0.00	153.00	0.00	0.00
10851	VE	BOF	84	11/15/91	0.947	0.00	75.60	0.00	0.00
10851	YF	BNJ	84	11/12/91	0.944	0.00	171.00	0.00	0.00
10852	JE	BOO	84	11/13/91	0.905	0.00	1.59	0.00	0.00
10852	PT	BOM	84	11/14/91	0.434	0.00 <	1.00	0.00	0.00
10852	SF	BPC	84	11/14/91	0.751	0.00 <	1.00	0.00	0.00
10852	VE	BOG	84	11/15/91	1.060	0.00	157.00	0.00	0.00
10852	YF	BNK	84	11/12/91	0.991	0.00	1.70	0.00	0.00
10853	JE	BOO	84	11/13/91	0.905	0.00	267.00	0.00	1.59
10853	PT	BOM	84	11/14/91	0.434	0.00	215.00	0.00	2.13
10853	SF	BPC	84	11/14/91	0.751	0.00	166.00	0.00	0.00
10853	VE	BOG	84	11/15/91	1.060	0.00	193.00	0.00	0.00
10853	YF	BNK	84	11/12/91	0.991	0.00	194.00	0.00	0.00
10854	JE	BO1	84	11/13/91	0.915	0.00	117.00	0.00	0.00
10854	PT	BOX	84	11/14/91	0.473	0.00	79.30	0.00	0.00
10854	SF	BP0	84	11/14/91	0.738	0.00	45.60	0.00	0.00
10854	VE	BON	84	11/15/91	1.010	0.00	166.00	0.00	0.00
10854	YF	BNL	84	11/12/91	0.939	0.00	97.40	0.00	0.00
10855	JE	BO1	84	11/13/91	0.915	0.00	2.61	0.00	0.00
10855	PT	BOX	84	11/14/91	0.473	0.00 <	1.00	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
10855	SF	BPO	84	11/14/91	0.738	0.00	<	1.00		0.00		0.00
10855	VE	BON	84	11/15/91	1.010	0.00		192.00		0.00		0.00
10855	YF	BNL	84	11/12/91	0.939	0.00		2.65		0.00		0.00
10856	JE	BO2	84	11/13/91	1.035	0.00	>	320.00		0.00		0.00
10856	PT	BOY	84	11/14/91	0.459	248.00	>	320.00	>	1.29	>	6.83
10856	SF	BPE	84	11/14/91	0.768	0.00		29.30		0.00	>	0.04
10856	VE	BOI	84	11/15/91	1.070	0.00	>	320.00		0.00		0.00
10856	YF	BNN	84	11/12/91	0.934	0.00	>	320.00		0.00		3.82
10857	JE	BO2	84	11/13/91	1.035	0.00		127.00		0.00		0.00
10857	PT	BOY	84	11/14/91	0.459	0.00		122.00		0.00		0.00
10857	SF	BPE	84	11/14/91	0.768	0.00		80.60		0.00		0.00
10857	VE	BOI	84	11/15/91	1.070	0.00		131.00		0.00		0.13
10857	YF	BNN	84	11/12/91	0.934	0.00		70.10		0.00		0.00
10858	JE	BO3	84	11/13/91	0.886	0.00		181.00		0.00		0.82
10858	PT	BOZ	84	11/14/91	0.460	0.00		182.00		0.00		0.00
10858	SF	BPF	84	11/14/91	0.753	0.00		171.00		0.00		0.00
10858	VE	BOJ	84	11/15/91	1.088	0.00		149.00		0.00		0.00
10858	YF	BNN	84	11/12/91	0.905	0.00		187.00		0.00		0.00
10859	JE	BO3	84	11/13/91	0.886	0.00		59.90		0.00		0.00
10859	PT	BOZ	84	11/14/91	0.460	0.00		59.00		0.00		0.00
10859	SF	BPF	84	11/14/91	0.753	0.00		46.60		0.00		0.00
10859	VE	BOJ	84	11/15/91	1.088	0.00		56.10		0.00		0.00
10859	YF	BNN	84	11/12/91	0.905	0.00		56.40		0.00		0.00
10860	JE	BO4	84	11/13/91	0.855	0.00		155.00		0.00		0.30
10860	PT	BPO	84	11/14/91	0.496	0.00		155.00		0.00		0.00
10860	SF	BPG	84	11/14/91	0.761	0.00		128.00		0.00		0.00
10860	VE	BOK	84	11/15/91	1.142	0.00		167.00		0.00		0.00
10860	YF	BNO	84	11/12/91	0.908	0.00		155.00		0.00		0.00
10861	JE	BO4	84	11/13/91	0.855	0.00		64.70		0.00		0.52
10861	PT	BPO	84	11/14/91	0.496	0.00		59.90		0.00		0.00
10861	SF	BPG	84	11/14/91	0.761	0.00		57.40		0.00		0.00
10861	VE	BOK	84	11/15/91	1.142	0.00		52.10		0.00		0.00
10861	YF	BNO	84	11/12/91	0.908	0.00		60.30		0.00		0.00
10862	JE	BO5	84	11/13/91	0.970	0.00		61.50		0.00		0.14
10862	PT	BP1	84	11/14/91	0.497	0.00		42.00		0.00		0.00
10862	SF	BPH	84	11/14/91	0.764	0.00		47.70		0.00		0.00
10862	VE	BOL	84	11/15/91	1.086	0.00		58.70		0.00	>	0.22
10862	YF	BNP	84	11/12/91	0.959	0.00		61.30		0.00		0.00
10863	JE	BO5	84	11/13/91	0.970	0.00		100.00		0.00		0.00
10863	PT	BP1	84	11/14/91	0.497	0.00		73.50		0.00		0.00
10863	SF	BPH	84	11/14/91	0.764	0.00		47.50		0.00		0.00
10863	VE	BOL	84	11/15/91	1.086	0.00		59.90		0.00		0.00
10863	YF	BNP	84	11/12/91	0.959	0.00		74.20		0.00		0.00
10864	JE	BO6	84	11/13/91	0.988	0.00		110.00		0.00		0.00
10864	PT	BP2	84	11/14/91	0.600	0.00		84.60		0.00		0.00
10864	SF	BPI	84	11/14/91	0.713	0.00		59.20		0.00		0.00
10864	VE	BOM	84	11/15/91	1.186	0.00		85.40		0.00		0.00
10864	YF	BNQ	84	11/12/91	0.861	0.00		97.40		0.00		0.00
10865	JE	BO6	84	11/13/91	1.019	0.00		118.00		0.00	>	2.71
10865	PT	BR2	84	11/13/91	0.671	0.00		89.50		0.00		0.00
10865	SF	BRI	84	11/13/91	0.754	0.00		47.40		0.00	>	0.02
10865	VE	BOM	84	11/15/91	1.257	0.00		52.10		0.00		0.00
10865	YF	BPQ	84	11/13/91	1.023	0.00		63.60		0.00		0.00
10866	JE	BO7	84	11/13/91	0.922	0.00		160.00		0.00	>	2.15
10866	PT	BR3	84	11/13/91	0.652	0.00		168.00		0.00		0.00
10866	SF	BRJ	84	11/13/91	0.814	0.00		42.00		0.00		0.00
10866	VE	BON	84	11/15/91	1.245	0.00		54.70		0.00		0.00
10866	YF	BPR	84	11/13/91	0.976	0.00		187.00		0.00		0.00
10867	JE	BO7	84	11/13/91	0.922	0.00		66.70		0.00	>	2.52
10867	PT	BR3	84	11/13/91	0.652	0.00		59.90		0.00	>	0.10
10867	SF	BRJ	84	11/13/91	0.814	0.00		47.70		0.00		0.00
10867	VE	BON	84	11/15/91	1.245	0.00		48.00		0.00		0.00
10867	YF	BPR	84	11/13/91	0.976	0.00		60.10		0.00		0.00
10868	JE	BO8	84	11/13/91	1.034	0.00		154.00		0.00		2.48
10868	PT	BR4	84	11/13/91	0.695	0.00		59.40		0.00		0.00
10868	SF	BRK	84	11/13/91	0.690	0.00		53.50		0.00		0.00
10868	VE	BOO	84	11/15/91	0.958	0.00		59.40		0.00		0.30
10868	YF	BPS	84	11/13/91	1.026	0.00		66.90		0.00		0.00
10869	JE	BO8	84	11/13/91	1.034	0.00		61.80		0.00	>	1.16
10869	PT	BR4	84	11/13/91	0.695	0.00		58.60		0.00		0.00
10869	SF	BRK	84	11/13/91	0.690	0.00		50.30		0.00		0.00
10869	VE	BOO	84	11/15/91	0.958	0.00		55.00		0.00		0.00
10869	YF	BPS	84	11/13/91	1.026	0.00		57.30		0.00		0.00
10870	JE	BO9	84	11/13/91	0.974	0.00		89.50		0.00		0.74
10870	PT	BR5	84	11/13/91	0.690	0.00		61.30		0.00		0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10870	SF	BRL	84	11/13/91	0.707	0.00	49.00	0.00	0.00
10870	VE	BQP	84	11/15/91	1.165	0.00	56.40	0.00	0.00
10870	YF	BPT	84	11/13/91	1.041	0.00	0.81	0.00	0.00
10870	JE	BQ9	84	11/13/91	0.974	0.00	90.60	0.00	2.18
10871	PT	BR5	84	11/13/91	0.690	0.00	84.10	0.00	0.00
10871	SF	BRL	84	11/13/91	0.707	0.00	54.40	0.00	0.00
10871	VE	BQP	84	11/15/91	1.165	0.00	52.20	0.00	0.00
10871	YF	BPT	84	11/13/91	1.041	0.00	74.50	0.00	0.00
10872	JE	BQA	84	11/13/91	0.941	0.00	137.00	0.00	0.00
10872	PT	BR6	84	11/13/91	0.675	0.00	153.00	0.00	0.00
10872	SF	BRN	84	11/13/91	0.716	0.00	59.00	0.00	0.00
10872	VE	BQQ	84	11/15/91	1.184	0.00	65.30	0.00	0.00
10872	YF	BPU	84	11/13/91	1.054	0.00	134.00	0.00	0.00
10873	JE	BQA	84	11/13/91	0.941	0.00	14.60	0.00 >	0.20
10873	PT	BR6	84	11/13/91	0.675	0.00	16.80	0.00	0.00
10873	SF	BRN	84	11/13/91	0.716	0.00	5.35	0.00	0.00
10873	VE	BQQ	84	11/15/91	1.184	0.00	8.51	0.00	0.00
10873	YF	BPU	84	11/13/91	1.054	0.00	12.60	0.00	0.00
10874	JE	BQB	84	11/13/91	0.925	0.00	153.00	0.00	0.06
10874	PT	BR7	84	11/13/91	0.749	0.00	115.00	0.00 >	3.50
10874	SF	BRN	84	11/13/91	0.771	0.00	110.00	0.00	1.40
10874	VE	BQR	84	11/15/91	1.168	0.00	68.50	0.00	0.00
10874	YF	BPV	84	11/13/91	1.047	0.00	117.00	0.00	0.00
10875	JE	BQB	84	11/13/91	0.925	0.00	4.92	0.00 >	0.20
10875	PT	BR7	84	11/13/91	0.749	0.00	4.93	0.00	0.00
10875	SF	BRN	84	11/13/91	0.771	0.00	4.95	0.00 >	3.64
10875	VE	BQR	84	11/15/91	1.168	0.00	2.49	0.00	0.00
10875	YF	BPV	84	11/13/91	1.047	0.00	4.55	0.00	0.00
10876	JE	BQC	84	11/13/91	0.937	0.00	29.10	0.00 >	0.25
10876	PT	BR8	84	11/13/91	0.717	0.00	44.80	0.00	0.00
10876	SF	BRO	84	11/13/91	0.693	0.00	29.30	0.00	0.62
10876	VE	BQC	84	11/15/91	1.091	0.00	18.70	0.00	0.00
10876	YF	BPW	84	11/13/91	1.012	0.00	38.20	0.00	0.00
10877	JE	BQC	84	11/13/91	0.937	0.00	21.40	0.00	0.00
10877	PT	BR8	84	11/13/91	0.717	0.00	19.90	0.00	0.00
10877	SF	BRO	84	11/13/91	0.693	0.00	14.50	0.00	0.00
10877	VE	BQS	84	11/15/91	1.091	0.00	16.90	0.00	0.00
10877	YF	BPW	84	11/13/91	1.012	0.00	15.80	0.00	0.00
10878	JE	BQD	84	11/13/91	1.028	0.00	38.60	0.00	0.00
10878	PT	BR9	84	11/13/91	0.790	0.00	14.30	0.00 >	0.13
10878	SF	BRP	84	11/13/91	0.743	0.00	16.10	0.00	0.08
10878	VE	BQT	84	11/15/91	1.257	0.00	18.50	0.00	0.24
10878	YF	BPX	84	11/13/91	1.008	0.00	20.60	0.00	0.00
10879	JE	BQD	84	11/13/91	1.028	0.00	6.44	0.00	0.00
10879	PT	BR9	84	11/13/91	0.790	0.00	15.50	0.00	0.00
10879	SF	BRP	84	11/13/91	0.743	0.00	42.50	0.00 >	1.98
10879	VE	BQT	84	11/15/91	1.257	0.00	5.96	0.00	0.00
10879	YF	BPX	84	11/13/91	1.008	0.00	9.20	0.00	0.00
10880	JE	BQE	84	11/13/91	0.916	85.50	143.00	1.67	5.21
10880	PT	BRA	84	11/13/91	0.612	0.00	8.98	0.00	0.00
10880	SF	BRQ	84	11/13/91	0.755	0.00	9.03	0.00 >	1.21
10880	VE	BQU	84	11/15/91	1.243	0.00	88.70	0.00	0.00
10880	YF	BPY	84	11/13/91	0.905	0.00	24.70	0.00	0.00
10881	JE	BQE	84	11/13/91	0.916	0.00	32.00	0.00	0.00
10881	PT	BRA	84	11/13/91	0.612	0.00	9.58	0.00 >	2.24
10881	SF	BRQ	84	11/13/91	0.755	121.00	9.43	0.08 >	16.20
10881	VE	BQU	84	11/15/91	1.243	0.00 >	320.00	0.00	1.07
10881	YF	BPY	84	11/13/91	0.905	0.00	320.00	0.00 >	0.85
10882	JE	BQF	84	11/13/91	1.108	0.00	24.70	0.00	0.00
10882	PT	BRB	84	11/13/91	0.617	0.00	64.60	0.00	0.86
10882	SF	BRR	84	11/13/91	0.775	0.00	20.50	0.00	2.30
10882	VE	BQV	84	11/15/91	1.206	0.00	60.10	0.00	0.00
10882	YF	BPZ	84	11/13/91	0.947	0.00	39.20	0.00	0.00
10883	JE	BQF	84	11/13/91	1.108	0.00 <	1.00	0.00	0.00
10883	PT	BRB	84	11/13/91	0.617	0.00	2.51	0.00	0.00
10883	SF	BRR	84	11/13/91	0.775	8.20	1.86	0.23 >	5.32
10883	VE	BQV	84	11/15/91	1.206	0.00	136.00	0.00	0.00
10883	YF	BPZ	84	11/13/91	0.947	0.00 <	1.00	0.00	0.00
10884	JE	BQG	84	11/13/91	1.006	0.00	74.90	0.00	0.37
10884	PT	BRC	84	11/13/91	0.585	0.00	163.00	0.00	0.00
10884	SF	BRS	84	11/13/91	0.716	0.00	80.60	0.00 >	7.44
10884	VE	BQM	84	11/15/91	1.227	0.00	161.00	0.00	0.00
10884	YF	BQO	84	11/13/91	0.939	0.00	71.90	0.00	1.15
10885	JE	BQG	84	11/13/91	1.006	0.00	11.40	0.00	0.00
10885	PT	BRC	84	11/13/91	0.585	0.00	6.96	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10885	SF	BRS	84	11/13/91	0.716	0.00	4.40	0.00 >	0.15
10885	VE	BQW	84	11/15/91	1.227	0.00	6.70	0.00	0.00
10885	YF	BQO	84	11/13/91	0.939	0.00	8.00	0.00	0.00
10886	JE	BQH	84	11/13/91	0.978	0.00	100.00	0.00 >	0.10
10886	PT	BRD	84	11/13/91	0.619	0.00	265.00	0.00	0.00
10886	SF	BRT	84	11/13/91	0.308	0.00	183.00	0.00	0.00
10886	VE	BQX	84	11/15/91	1.228	0.00	91.50	0.00	0.00
10886	YF	BQ1	84	11/13/91	0.986	0.00	21.40	0.00	0.00
10887	JE	BQH	84	11/13/91	0.978	0.00	156.00	0.00	3.25
10887	PT	BRD	84	11/13/91	0.619	0.00	117.00	0.00	0.00
10887	SF	BRT	84	11/13/91	0.808	0.00	76.70	0.00	0.00
10887	VE	BQX	84	11/15/91	1.228	0.00	50.30	0.00	0.00
10887	YF	BQ1	84	11/13/91	0.986	0.00	140.00	0.00	4.54
10888	JE	BQI	84	11/13/91	1.001	0.00	17.90	0.00	0.00
10888	PT	BRE	84	11/13/91	0.669	0.00	45.60	0.00	1.46
10888	SF	BRU	84	11/13/91	0.802	0.00	150.00	0.00 >	8.54
10888	VE	BQY	84	11/15/91	1.163	0.00	183.00	0.00	0.00
10888	YF	BQ2	84	11/13/91	0.957	0.00	24.70	0.00	0.00
10889	JE	BQI	84	11/13/91	1.001	0.00	42.40	0.00	0.00
10889	PT	BRE	84	11/13/91	0.669	0.00	29.40	0.00	0.00
10889	SF	BRU	84	11/13/91	0.802	0.00	17.30	0.00	0.00
10889	VE	BQY	84	11/15/91	1.163	0.00	29.40	0.00	0.00
10889	YF	BQ2	84	11/13/91	0.957	0.00	39.40	0.00	0.00
10890	JE	BQJ	84	11/13/91	0.952	0.00	300.00	0.00 >	0.08
10890	PT	BRF	84	11/13/91	0.703	0.00 >	320.00	0.00	0.00
10890	SF	BRV	84	11/13/91	0.714	0.00	217.00	0.00	0.00
10890	VE	BQZ	84	11/15/91	1.210	0.00	217.00	0.00	0.00
10890	YF	BQ3	84	11/13/91	0.991	0.00 >	320.00	0.00 >	0.20
10891	JE	BQJ	84	11/13/91	0.952	0.00	13.50	0.00 >	0.10
10891	PT	BRF	84	11/13/91	0.703	0.00	4.64	0.00	0.00
10891	SF	BRV	84	11/13/91	0.714	0.00	8.45	0.00 >	4.45
10891	VE	BQZ	84	11/15/91	1.210	0.00	17.10	0.00	0.10
10891	YF	BQ3	84	11/13/91	0.991	0.00	13.70	0.00	0.00
10892	JE	BQK	84	11/13/91	0.946	0.00 >	320.00	0.00	0.00
10892	PT	BRG	84	11/13/91	0.595	288.00 >	320.00 >	1.11 >	5.55
10892	SF	BRW	84	11/13/91	0.740	143.00 >	320.00 >	2.24 >	14.76
10892	VE	BRO	84	11/15/91	1.147	0.00	27.00	0.00	0.00
10892	YF	BQ4	84	11/13/91	0.980	0.00 >	320.00	0.00	0.00
10893	JE	BQK	84	11/13/91	0.946	0.00	13.70	0.00 >	0.36
10893	PT	BRG	84	11/13/91	0.595	0.00	6.13	0.00	0.00
10893	SF	BRW	84	11/13/91	0.740	0.00	13.70	0.00 >	5.31
10893	VE	BRO	84	11/15/91	1.147	0.00	8.20	0.00	0.10
10893	YF	BQ4	84	11/13/91	0.980	0.00	9.74	0.00	0.19
10894	JE	BQL	84	11/13/91	0.980	0.00	4.52	0.00	0.00
10894	PT	BRH	84	11/13/91	0.656	0.00	2.53	0.00	0.00
10894	SF	BRX	84	11/13/91	0.706	0.00	1.77	0.00	0.00
10894	VE	BR1	84	11/15/91	1.119	0.00	1.92	0.00	0.00
10894	YF	BQ5	84	11/13/91	1.018	0.00	4.46	0.00	0.00
10895	JE	BSL	84	11/14/91	1.098	0.00	20.60	0.00 >	0.41
10895	PT	BT1	84	11/14/91	0.508	0.00	24.70	0.00 >	3.37
10895	SF	BTH	84	11/14/91	0.556	0.00	24.70	0.00	0.00
10895	VE	BS5	84	11/15/91	1.230	0.00	59.50	0.00	0.00
10895	YF	BTX	84	11/14/91	0.875	0.00	14.30	0.00	0.00
10896	JE	BSN	84	11/14/91	0.996	0.00	109.00	0.00 >	0.56
10896	PT	BT2	84	11/14/91	0.606	0.00	109.00	0.00	0.00
10896	SF	BTI	84	11/14/91	0.594	0.00	26.20	0.00	0.00
10896	VE	BS6	84	11/15/91	1.178	0.00	160.00	0.00	0.00
10896	YF	BTY	84	11/14/91	0.903	0.00	41.70	0.00	0.00
10897	JE	BSN	84	11/14/91	0.996	0.00	8.49	0.00 >	0.07
10897	PT	BT2	84	11/14/91	0.606	0.00	1.94	0.00	0.04
10897	SF	BTI	84	11/14/91	0.594	0.00	1.66	0.00	0.48
10897	VE	BS6	84	11/15/91	1.178	0.00	17.40	0.00	0.00
10897	YF	BTY	84	11/14/91	0.903	0.00	2.41	0.00	0.00
10898	JE	BSN	84	11/14/91	1.023	0.00	7.45	0.00	0.00
10898	PT	BT3	84	11/14/91	0.638	0.00	5.60	0.00	0.00
10898	SF	BTJ	84	11/14/91	0.702	0.00	7.96	0.00 >	4.38
10898	VE	BS7	84	11/15/91	1.235	0.00	13.30	0.00	0.00
10898	YF	BU2	84	11/14/91	0.891	0.00	7.17	0.00	1.13
10899	JE	BSN	84	11/14/91	1.023	0.00	30.30	0.00	0.04
10899	PT	BT3	84	11/14/91	0.638	0.00	27.30	0.00	1.12
10899	SF	BTJ	84	11/14/91	0.702	0.00	9.43	0.00	0.00
10899	VE	BS7	84	11/15/91	1.235	0.00	149.00	0.00	2.06
10899	YF	BZB	84	11/19/91	0.773	0.00	155.00	0.00	0.00
10900	JE	BSO	84	11/14/91	1.008	0.00	33.30	0.00 >	0.02
10900	PT	BT4	84	11/14/91	0.609	0.00	20.50	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10900	SF	BTK	84	11/14/91	0.698	0.00	17.90	0.00	0.00
10900	VE	BS8	84	11/15/91	1.082	0.00	33.20	0.00	0.00
10900	YF	BTZ	84	11/14/91	0.881	0.00	26.90	0.00	0.00
10901	JE	BSO	84	11/14/91	1.008	0.00	21.00	0.00	0.00
10901	PT	BT4	84	11/14/91	0.609	0.00	26.20	0.00	0.00
10901	SF	BTK	84	11/14/91	0.698	0.00	19.70	0.00	0.00
10901	VE	BS8	84	11/15/91	1.082	0.00	56.30	0.00	0.00
10901	YF	BU0	84	11/14/91	0.903	0.00	30.20	0.00	0.00
10902	JE	BSP	84	11/14/91	1.035	0.00	152.00	0.00	0.00
10902	PT	BT5	84	11/14/91	0.579	0.00	205.00	0.00	0.02
10902	SF	BTL	84	11/14/91	0.654	0.00	175.00	0.00	0.00
10902	VE	BS9	84	11/15/91	1.185	0.00	171.00	0.00	0.00
10902	YF	BU0	84	11/14/91	0.903	0.00	179.00	0.00	0.00
10903	JE	BSP	84	11/14/91	1.035	0.00	20.00	0.00	0.00
10903	PT	BT5	84	11/14/91	0.579	0.00	32.00	0.00	0.00
10903	SF	BTL	84	11/14/91	0.654	0.00	17.30	0.00	0.00
10903	VE	BS9	84	11/15/91	1.185	0.00	14.10	0.00	0.00
10903	YF	BU1	84	11/14/91	0.877	0.00	30.80	0.00	0.00
10904	JE	BSQ	84	11/14/91	1.045	0.00	32.00	0.00	0.00
10904	PT	BT6	84	11/14/91	0.620	0.00	23.20	0.00	0.00
10904	SF	BTN	84	11/14/91	0.787	0.00	11.40	0.00	0.00
10904	VE	BSA	84	11/15/91	1.164	0.00 >	320.00	0.00	0.00
10904	YF	BU1	84	11/14/91	0.877	0.00	249.00	0.00	0.00
10905	JE	BSQ	84	11/14/91	1.045	0.00 >	320.00	0.00	0.00
10905	PT	BT6	84	11/14/91	0.620	0.00 >	320.00	0.00	0.00
10905	SF	BTN	84	11/14/91	0.787	0.00	1.00	0.00 >	0.08
10905	VE	BSA	84	11/15/91	1.164	0.00 >	320.00	0.00	0.00
10905	YF	BU2	84	11/14/91	0.891	0.00 >	320.00	0.00	0.00
10906	JE	BSR	84	11/14/91	0.977	0.00	43.30	0.00 >	0.01
10906	PT	BT7	84	11/14/91	0.632	0.00	20.30	0.00	0.00
10906	SF	BTN	84	11/14/91	0.795	0.00	1.00	0.00	0.00
10906	VE	BSB	84	11/15/91	1.184	0.00	19.40	0.00	0.00
10906	YF	BU3	84	11/14/91	0.911	0.00	22.20	0.00	0.00
10907	JE	BSR	84	11/14/91	0.977	0.00	54.70	0.00 >	0.03
10907	PT	BT7	84	11/14/91	0.632	0.00	67.40	0.00	0.00
10907	SF	BTN	84	11/14/91	0.795	0.00	44.40	0.00	0.00
10907	VE	BSB	84	11/15/91	1.184	0.00	72.80	0.00	0.00
10907	YF	BU3	84	11/14/91	0.911	0.00	26.90	0.00	0.00
10908	JE	BSS	84	11/14/91	0.968	0.00	15.30	0.00	0.00
10908	PT	BT8	84	11/14/91	0.556	0.00	19.10	0.00	0.00
10908	SF	BTO	84	11/14/91	0.689	0.00	4.77	0.00	0.00
10908	VE	BSC	84	11/15/91	1.281	0.00	3.04	0.00	0.00
10908	YF	BU4	84	11/14/91	0.679	0.00	22.40	0.00	0.00
10909	JE	BSS	84	11/14/91	0.968	0.00	6.60	0.00	0.00
10909	PT	BT8	84	11/14/91	0.556	0.00	4.17	0.00	0.00
10909	SF	BTO	84	11/14/91	0.689	0.00	6.16	0.00	0.00
10909	VE	BSC	84	11/15/91	1.281	0.00	43.90	0.00	0.00
10909	YF	BU4	84	11/14/91	0.679	0.00	10.00	0.00	0.61
10910	JE	BST	84	11/14/91	0.997	0.00	11.90	0.00	0.00
10910	PT	BT9	84	11/14/91	0.505	0.00	16.70	0.00	0.00
10910	SF	BTP	84	11/14/91	0.632	0.00	12.80	0.00	0.00
10910	VE	BSD	84	11/15/91	1.275	0.00	7.00	0.00	0.00
10910	YF	BU5	84	11/14/91	0.943	0.00	20.20	0.00 >	9.61
10911	JE	BST	84	11/14/91	0.997	0.00	29.60	0.00	0.00
10911	PT	BT9	84	11/14/91	0.505	0.00	45.90	0.00	0.00
10911	SF	BTP	84	11/14/91	0.632	0.00	17.30	0.00	0.00
10911	VE	BSD	84	11/15/91	1.275	0.00	7.55	0.00	0.00
10911	YF	BU5	84	11/14/91	0.943	0.00	58.20	0.00 >	14.93
10912	JE	BSU	84	11/14/91	0.929	0.00	139.00	0.00 >	0.04
10912	PT	BTA	84	11/14/91	0.586	0.00	204.00	0.00 >	0.15
10912	SF	BTQ	84	11/14/91	0.746	0.00	32.00	0.00	0.00
10912	VE	BSE	84	11/15/91	1.230	0.00	88.30	0.00	0.00
10912	YF	BU6	84	11/14/91	0.871	0.00	183.00	0.00	0.00
10913	JE	BSU	84	11/14/91	0.929	0.00 >	320.00	0.00 >	0.01
10913	PT	BTA	84	11/14/91	0.586	0.00 >	320.00	0.00 >	2.64
10913	SF	BTQ	84	11/14/91	0.746	0.00	239.00	0.00	0.07
10913	VE	BSE	84	11/15/91	1.230	0.00	296.00	0.00	0.00
10913	YF	BU6	84	11/14/91	0.871	0.00 >	320.00	0.00	0.00
10914	JE	BSV	84	11/14/91	1.049	0.00	53.80	0.00	0.00
10914	PT	BTB	84	11/14/91	0.612	0.00	67.80	0.00	0.00
10914	SF	BTR	84	11/14/91	0.738	0.00	44.60	0.00	0.00
10914	VE	BSF	84	11/15/91	1.237	0.00	30.60	0.00	0.00
10914	YF	BU7	84	11/14/91	0.923	0.00	60.30	0.00	0.00
10915	JE	BSV	84	11/14/91	1.049	0.00	7.73	0.00	0.00
10915	PT	BTB	84	11/14/91	0.612	0.00	10.30	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10915	SF	BTR	84	11/14/91	0.738	0.00	9.51	0.00	0.54
10915	VE	BSF	84	11/15/91	1.237	0.00	10.00	0.00	0.00
10915	YF	BU7	84	11/14/91	0.923	0.00	13.50	0.00	0.00
10916	JE	BSW	84	11/14/91	1.000	0.00	27.90	0.00	0.00
10916	PT	BTC	84	11/14/91	0.587	0.00	18.80	0.00 >	0.33
10916	SF	BTS	84	11/14/91	0.775	0.00	11.60	0.00	0.00
10916	VE	BSG	84	11/15/91	1.214	0.00	26.70	0.00	0.00
10916	YF	BU8	84	11/14/91	0.860	0.00	22.00	0.00	0.00
10917	JE	BSW	84	11/14/91	1.000	0.00 >	320.00	0.00	0.00
10917	PT	BTC	84	11/14/91	0.587	0.00 >	320.00	0.00 >	1.55
10917	SF	BTS	84	11/14/91	0.775	0.00 >	320.00	0.00	0.00
10917	VE	BSG	84	11/15/91	1.214	0.00	290.00	0.00	0.00
10917	YF	BU8	84	11/14/91	0.860	0.00 >	320.00	0.00	0.00
10918	JE	BSX	84	11/14/91	0.939	0.00	5.36	0.00	0.00
10918	PT	BTD	84	11/14/91	0.503	0.00	8.38	0.00 >	0.01
10918	SF	BTT	84	11/14/91	0.753	0.00 <	1.00	0.00	0.00
10918	VE	BSN	84	11/15/91	1.261	0.00	3.60	0.00	0.00
10918	YF	BU9	84	11/14/91	0.877	0.00	4.17	0.00	0.00
10919	JE	BSX	84	11/14/91	0.939	0.00	43.50	0.00 >	0.03
10919	PT	BTD	84	11/14/91	0.503	0.00	133.00	0.00 >	0.23
10919	SF	BTT	84	11/14/91	0.753	0.00	43.50	0.00	0.50
10919	VE	BSN	84	11/15/91	1.261	0.00	55.70	0.00 >	0.10
10919	YF	BU9	84	11/14/91	0.877	0.00	54.70	0.00	0.00
10920	JE	BSY	84	11/14/91	1.021	0.00	11.70	0.00	0.00
10920	PT	BTE	84	11/14/91	0.675	0.00	12.40	0.00	0.52
10920	SF	BTU	84	11/14/91	0.732	0.00	8.95	0.00	0.00
10920	VE	BSI	84	11/15/91	1.179	0.00	19.10	0.00	0.00
10920	YF	BUA	84	11/14/91	0.960	0.00	12.20	0.00	0.00
10921	JE	BSY	84	11/14/91	1.021	0.00	9.48	0.00	0.00
10921	PT	BTE	84	11/14/91	0.675	0.00	6.16	0.00	0.00
10921	SF	BTU	84	11/14/91	0.732	0.00	4.80	0.00	0.00
10921	VE	BSI	84	11/15/91	1.179	0.00	4.86	0.00	0.00
10921	YF	BUA	84	11/14/91	0.960	0.00	10.00	0.00	0.00
10922	JE	BSZ	84	11/14/91	0.980	0.00	15.70	0.00	0.00
10922	PT	BTF	84	11/14/91	0.671	0.00	20.50	0.00	0.00
10922	SF	BTV	84	11/14/91	0.691	0.00	9.50	0.00	0.00
10922	VE	BSJ	84	11/15/91	1.211	0.00	16.80	0.00 >	0.03
10922	YF	BUB	84	11/14/91	0.902	0.00	13.90	0.00	0.00
10923	JE	BSZ	84	11/14/91	0.980	0.00	6.60	0.00	0.00
10923	PT	BTF	84	11/14/91	0.671	0.00	11.80	0.00	3.74
10923	SF	BTV	84	11/14/91	0.691	0.00	5.33	0.00	0.00
10923	VE	BSJ	84	11/15/91	1.211	0.00	10.00	0.00 >	0.01
10923	YF	BUB	84	11/14/91	0.902	0.00	10.00	0.00	0.00
10924	JE	BTO	84	11/14/91	0.943	0.00	12.80	0.00	0.00
10924	PT	BTG	84	11/14/91	0.718	0.00	15.40	0.00 >	1.20
10924	SF	BTW	84	11/14/91	0.711	0.00	11.90	0.00 >	10.68
10924	VE	BSK	84	11/15/91	1.132	0.00	25.30	0.00	0.30
10924	YF	BUC	84	11/14/91	0.856	0.00	16.80	0.00	0.00
10925	JE	BVC	84	11/19/91	0.792	0.00	31.00	0.00 >	0.05
10925	PT	BMB	84	11/19/91	0.447	0.00	100.00	0.00 >	1.11
10925	SF	BMO	84	11/19/91	0.678	30.90	55.50	1.80	9.56
10925	VE	BVS	84	11/22/91	0.866	0.00	100.00	0.00	0.00
10925	YF	BUW	84	11/19/91	0.980	0.00	32.00	0.00	0.00
10926	JE	BVD	84	11/19/91	0.629	0.00	17.90	0.00 >	0.10
10926	PT	BM9	84	11/19/91	0.506	0.00	17.30	0.00	0.00
10926	SF	BMP	84	11/19/91	0.608	0.00	17.50	0.00	0.00
10926	VE	BVT	84	11/22/91	1.065	0.00	25.40	0.00	0.00
10926	YF	BUX	84	11/19/91	0.884	0.00	8.06	0.00	0.00
10927	JE	BVD	84	11/19/91	0.629	0.00	16.70	0.00 >	0.30
10927	PT	BM9	84	11/19/91	0.506	0.00	17.10	0.00	0.00
10927	SF	BMP	84	11/19/91	0.608	0.00	16.90	0.00	0.00
10927	VE	BVT	84	11/22/91	1.065	0.00	17.10	0.00	0.00
10927	YF	BUX	84	11/19/91	0.884	0.00	15.70	0.00	0.00
10928	JE	BVE	84	11/19/91	0.750	0.00	55.90	0.00 >	1.30
10928	PT	BMA	84	11/19/91	0.578	0.00	40.10	0.00	0.00
10928	SF	BMQ	84	11/19/91	0.625	0.00	57.80	0.00	0.16
10928	VE	BVU	84	11/22/91	1.045	0.00	55.90	0.00	0.00
10928	YF	BUY	84	11/19/91	0.867	0.00	43.70	0.00	0.00
10929	JE	BVE	84	11/19/91	0.750	0.00	112.00	0.00	1.37
10929	PT	BMA	84	11/19/91	0.578	0.00	150.00	0.00	0.00
10929	SF	BMQ	84	11/19/91	0.625	0.00	86.80	0.00	0.50
10929	VE	BVU	84	11/22/91	1.045	0.00	157.00	0.00	0.00
10929	YF	BUY	84	11/19/91	0.867	0.00	64.30	0.00	0.00
10930	JE	BVF	84	11/19/91	0.805	0.00	181.00	0.00	1.41
10930	PT	BMB	84	11/19/91	0.535	0.00	182.00	0.00	0.05

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10930	SF	BMR	84	11/19/91	0.614	0.00	178.00	0.00	5.41
10930	VE	BVV	84	11/22/91	1.029	0.00	190.00	0.00	0.00
10930	YF	BUZ	84	11/19/91	0.889	0.00	163.00	0.00	0.00
10931	JE	BVF	84	11/19/91	0.805	0.00	167.00	0.00	1.55
10931	PT	BMB	84	11/19/91	0.535	0.00	187.00	0.00	1.40
10931	SF	BMR	84	11/19/91	0.614	0.00	145.00	0.00	3.30
10931	VE	BVV	84	11/22/91	1.029	0.00	192.00	0.00	0.20
10931	YF	BUZ	84	11/19/91	0.889	0.00	114.00	0.00	0.00
10932	JE	BVG	84	11/19/91	0.706	0.00	18.70	0.00 >	0.70
10932	PT	BMC	84	11/19/91	0.596	0.00	15.90	0.00	0.00
10932	SF	BMS	84	11/19/91	0.717	0.00	16.50	0.00	0.00
10932	VE	BVW	84	11/22/91	0.961	0.00	18.10	0.00	0.20
10932	YF	BV0	84	11/19/91	0.828	0.00	15.10	0.00	0.00
10933	JE	BVG	84	11/19/91	0.706	0.00	181.00	0.00 >	2.30
10933	PT	BMC	84	11/19/91	0.596	0.00	171.00	0.00	0.00
10933	SF	BMS	84	11/19/91	0.717	0.00	135.00	0.00	0.31
10933	VE	BVW	84	11/22/91	0.961	0.00	187.00	0.00	0.20
10933	YF	BV0	84	11/19/91	0.828	0.00	152.00	0.00	0.00
10934	JE	BVH	84	11/19/91	0.773	0.00	85.70	0.00	0.06
10934	PT	BMD	84	11/19/91	0.588	0.00	54.70	0.00	0.00
10934	SF	BMT	84	11/19/91	0.764	0.00	121.00	0.00	5.24
10934	VE	BVX	84	11/22/91	1.052	0.00	171.00	0.00	1.44
10934	YF	BV1	84	11/19/91	0.886	0.00	35.80	0.00	0.00
10935	JE	BVH	84	11/19/91	0.773	0.00	1.14	0.00	0.00
10935	PT	BMD	84	11/19/91	0.588	0.00	1.19	0.00	0.00
10935	SF	BMT	84	11/19/91	0.764	0.00 <	1.00	0.00	0.00
10935	VE	BVX	84	11/22/91	1.052	0.00	1.00	0.00	0.00
10935	YF	BV1	84	11/19/91	0.886	0.00 <	1.00	0.00	0.00
10936	JE	BVI	84	11/19/91	0.768	0.00	277.00	0.00	0.00
10936	PT	BME	84	11/19/91	0.573	0.00 >	320.00	0.00 >	0.67
10936	SF	BMU	84	11/19/91	0.703	0.00 >	320.00	0.00 >	3.10
10936	VE	BVY	84	11/22/91	1.133	0.00 >	320.00	0.00	0.00
10936	YF	BV2	84	11/19/91	0.908	0.00	289.00	0.00	0.00
10937	JE	BVI	84	11/19/91	0.768	0.00	135.00	0.00	0.12
10937	PT	BME	84	11/19/91	0.573	0.00	178.00	0.00	0.00
10937	SF	BMU	84	11/19/91	0.703	0.00	175.00	0.00	0.00
10937	VE	BVY	84	11/22/91	1.133	0.00	215.00	0.00	0.00
10937	YF	BV2	84	11/19/91	0.908	0.00	86.40	0.00	0.00
10938	JE	BVJ	84	11/19/91	0.822	0.00	74.70	0.00 >	0.10
10938	PT	BMF	84	11/19/91	0.618	0.00	70.90	0.00	0.00
10938	SF	BMV	84	11/19/91	0.873	0.00	47.90	0.00	0.00
10938	VE	BVZ	84	11/22/91	0.969	277.00	90.60	0.33 >	1.20
10938	YF	BV3	84	11/19/91	0.924	0.00	57.10	0.00	0.00
10939	JE	BVJ	84	11/19/91	0.822	0.00	55.10	0.00	0.00
10939	PT	BMF	84	11/19/91	0.618	0.00	67.50	0.00 >	0.20
10939	SF	BMV	84	11/19/91	0.873	0.00	54.20	0.00	0.00
10939	VE	BVZ	84	11/22/91	0.969	0.00	55.40	0.00	0.00
10939	YF	BV3	84	11/19/91	0.924	0.00	68.00	0.00	0.00
10940	JE	BVK	84	11/19/91	0.772	0.00	139.00	0.00	0.00
10940	PT	BMG	84	11/19/91	0.512	0.00	152.00	0.00	0.00
10940	SF	BMW	84	11/19/91	0.684	0.00	166.00	0.00 >	6.92
10940	VE	BW0	84	11/22/91	0.969	0.00	172.00	0.00	0.00
10940	YF	BV4	84	11/19/91	0.945	0.00	126.00	0.00	0.80
10941	JE	BVK	84	11/19/91	0.772	0.00	156.00	0.00 >	2.22
10941	PT	BMG	84	11/19/91	0.512	0.00	147.00	0.00	1.40
10941	SF	BMW	84	11/19/91	0.684	0.00	113.00	0.00	0.00
10941	VE	BW0	84	11/22/91	0.969	0.00	72.50	0.00	0.10
10941	YF	BV4	84	11/19/91	0.945	0.00	73.50	0.00	0.08
10942	JE	BVL	84	11/19/91	0.768	0.00	44.40	0.00 >	0.80
10942	PT	BMN	84	11/19/91	0.528	0.00	55.90	0.00	1.18
10942	SF	BMX	84	11/19/91	0.639	0.00	44.90	0.00 >	3.83
10942	VE	BW1	84	11/22/91	0.904	0.00	83.50	0.00	0.11
10942	YF	BV5	84	11/19/91	0.893	0.00	43.50	0.00	0.00
10943	JE	BVL	84	11/19/91	0.768	0.00 >	320.00	0.00 >	6.48
10943	PT	BMN	84	11/19/91	0.528	0.00 >	320.00	0.00 >	10.49
10943	SF	BMX	84	11/19/91	0.639	0.00	283.00	0.00 >	1.72
10943	VE	BW1	84	11/22/91	0.904	0.00 >	320.00	0.00 >	1.90
10943	YF	BV5	84	11/19/91	0.893	0.00 >	320.00	0.00	0.30
10944	JE	BVH	84	11/19/91	0.705	0.00	257.00	0.00	2.29
10944	PT	BMI	84	11/19/91	0.510	0.00	312.00	0.00	1.45
10944	SF	BMY	84	11/19/91	0.677	0.00	228.00	0.00	0.00
10944	VE	BW2	84	11/22/91	0.930	0.00	210.00	0.00	1.26
10944	YF	BV6	84	11/19/91	0.862	0.00	210.00	0.00	0.43
10945	JE	BVH	84	11/19/91	0.705	0.00	304.00	0.00 >	3.24
10945	PT	BMI	84	11/19/91	0.510	0.00	253.00	0.00	1.27

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10945	SF	BWY	84	11/19/91	0.677	0.00	225.00	0.00	0.00
10945	VE	BW2	84	11/22/91	0.930	0.00	208.00	0.00 >	0.71
10945	YF	BV6	84	11/19/91	0.862	0.00	201.00	0.00	0.00
10946	JE	BVN	84	11/19/91	0.719	0.00	77.90	0.00 >	4.40
10946	PT	BWJ	84	11/19/91	0.537	0.00	92.40	0.00	0.00
10946	SF	BWZ	84	11/19/91	0.609	0.00	172.00	0.00	0.00
10946	VE	BW3	84	11/22/91	1.001	0.00	56.60	0.00	0.30
10946	YF	BV7	84	11/19/91	0.871	0.00	55.70	0.00	0.00
10947	JE	BVN	84	11/19/91	0.719	0.00	1.37	0.00	0.00
10947	PT	BWJ	84	11/19/91	0.537	0.00	10.00	0.00	0.00
10947	SF	BWZ	84	11/19/91	0.609	0.00	4.30	0.00	0.00
10947	VE	BW3	84	11/22/91	1.001	0.00	16.70	0.00	0.00
10947	YF	BV7	84	11/19/91	0.871	0.00 <	1.00	0.00	0.00
10948	JE	BVO	84	11/19/91	0.708	0.00	10.60	0.00	0.00
10948	PT	BWK	84	11/19/91	0.503	0.00	12.80	0.00	0.00
10948	SF	BX0	84	11/19/91	0.632	0.00	12.70	0.00	1.04
10948	VE	BW4	84	11/22/91	0.957	0.00	18.20	0.00	0.10
10948	YF	BV8	84	11/19/91	0.835	0.00	3.20	0.00	0.00
10949	JE	BVO	84	11/19/91	0.708	0.00	45.60	0.00	0.00
10949	PT	BWK	84	11/19/91	0.503	0.00	110.00	0.00	0.00
10949	SF	BX0	84	11/19/91	0.632	0.00	81.50	0.00	6.24
10949	VE	BW4	84	11/22/91	0.957	0.00	77.90	0.00	0.00
10949	YF	BV8	84	11/19/91	0.835	0.00	12.80	0.00	0.00
10950	JE	BVP	84	11/19/91	0.706	0.00	71.70	0.00	0.12
10950	PT	BWL	84	11/19/91	0.511	0.00	82.10	0.00	0.00
10950	SF	BX1	84	11/19/91	0.649	0.00	67.40	0.00 >	1.11
10950	VE	BW5	84	11/22/91	0.910	0.00	133.00	0.00	0.00
10950	YF	BV9	84	11/19/91	0.784	0.00	41.10	0.00	0.00
10951	JE	BVP	84	11/19/91	0.706	0.00	177.00	0.00	1.70
10951	PT	BWL	84	11/19/91	0.511	0.00	176.00	0.00	0.00
10951	SF	BX1	84	11/19/91	0.649	0.00	155.00	0.00	0.60
10951	VE	BW5	84	11/22/91	0.910	0.00	181.00	0.00	0.40
10951	YF	BV9	84	11/19/91	0.784	0.00	159.00	0.00	0.33
10952	JE	BVQ	84	11/19/91	0.745	0.00	167.00	0.00	0.00
10952	PT	BWN	84	11/19/91	0.569	0.00	187.00	0.00	0.00
10952	SF	BX2	84	11/19/91	0.719	0.00	157.00	0.00	0.63
10952	VE	BW6	84	11/22/91	0.850	0.00	185.00	0.00	0.00
10952	YF	BVA	84	11/19/91	0.766	0.00	174.00	0.00 >	1.20
10953	JE	BVQ	84	11/19/91	0.745	0.00	186.00	0.00 >	1.12
10953	PT	BWN	84	11/19/91	0.569	0.00	170.00	0.00	0.00
10953	SF	BX2	84	11/19/91	0.719	0.00	171.00	0.00	3.19
10953	VE	BW6	84	11/22/91	0.850	0.00	182.00	0.00	0.10
10953	YF	BVA	84	11/19/91	0.766	0.00	164.00	0.00	0.56
10954	JE	BVR	84	11/19/91	0.874	0.00	174.00	0.00	0.00
10954	PT	BWN	84	11/19/91	0.627	0.00	166.00	0.00	0.00
10954	SF	BX3	84	11/19/91	0.781	0.00	158.00	0.00	0.00
10954	VE	BW7	84	11/22/91	1.087	0.00	180.00	0.00	0.20
10954	YF	BVB	84	11/19/91	0.823	0.00	173.00	0.00 >	1.48
10955	JE	BX4	84	11/20/91	0.934	0.00	61.80	0.00	0.60
10955	PT	BY0	84	11/20/91	0.687	0.00	130.00	0.00	0.00
10955	SF	BYG	84	11/20/91	0.958	0.00	52.60	0.00	1.18
10955	VE	BXK	84	11/22/91	1.089	0.00	181.00	0.00	0.43
10955	YF	BYW	84	11/19/91	0.964	0.00	141.00	0.00	0.00
10956	JE	BX5	84	11/20/91	0.768	0.00	152.00	0.00	0.20
10956	PT	BY1	84	11/20/91	0.599	0.00	130.00	0.00	0.00
10956	SF	BYH	84	11/20/91	1.003	0.00	55.50	0.00 >	4.82
10956	VE	BXL	84	11/22/91	1.076	0.00	152.00	0.00 >	1.13
10956	YF	BYX	84	11/19/91	0.878	0.00	100.00	0.00	0.00
10957	JE	BX5	84	11/20/91	0.768	0.00	65.30	0.00	0.40
10957	PT	BY1	84	11/20/91	0.599	0.00	22.80	0.00	0.00
10957	SF	BYH	84	11/20/91	1.003	0.00	22.10	0.00	0.00
10957	VE	BXL	84	11/22/91	1.076	0.00	50.50	0.00 >	0.30
10957	YF	BYX	84	11/19/91	0.878	0.00	49.30	0.00	0.00
10958	JE	BX6	84	11/20/91	1.150	0.00	14.70	0.00	0.00
10958	PT	BY2	84	11/20/91	0.647	0.00	16.00	0.00	0.00
10958	SF	BYI	84	11/20/91	0.925	0.00	5.56	0.00 >	1.51
10958	VE	BXN	84	11/22/91	1.268	0.00	15.30	0.00	0.00
10958	YF	BYY	84	11/19/91	0.871	0.00	14.40	0.00	0.00
10959	JE	BX6	84	11/20/91	1.150	0.00	15.00	0.00	0.00
10959	PT	BY2	84	11/20/91	0.647	0.00	10.60	0.00	0.00
10959	SF	BYI	84	11/20/91	0.925	0.00	10.70	0.00 >	1.21
10959	VE	BXN	84	11/22/91	1.268	0.00	12.80	0.00	0.00
10959	YF	BYY	84	11/19/91	0.871	0.00	9.15	0.00	0.00
10960	JE	BX7	84	11/20/91	1.013	0.00	48.60	0.00 >	0.81
10960	PT	BY3	84	11/20/91	0.655	0.00	48.20	0.00 >	1.11

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10960	SF	BYJ	84	11/20/91	0.933	0.00	46.90	0.00 >	3.20
10960	VE	BXN	84	11/22/91	1.358	0.00	19.40	0.00	0.00
10960	YF	BYZ	84	11/19/91	0.880	0.00	46.20	0.00 >	0.03
10961	JE	BX7	84	11/20/91	1.013	0.00	50.40	0.00 >	1.48
10961	PT	BY3	84	11/20/91	0.655	0.00	39.80	0.00 >	1.21
10961	SF	BYJ	84	11/20/91	0.933	0.00	38.60	0.00 >	1.33
10961	VE	BXN	84	11/22/91	1.358	0.00	20.20	0.00	0.00
10961	YF	BYZ	84	11/19/91	0.880	0.00	39.20	0.00	0.00
10962	JE	BX8	84	11/20/91	0.968	0.00	10.80	0.00 >	0.51
10962	PT	BY4	84	11/20/91	0.664	0.00	11.70	0.00	0.00
10962	SF	BYK	84	11/20/91	0.912	0.00	2.02	0.00	0.00
10962	VE	BXO	84	11/22/91	1.215	0.00	19.00	0.00	0.00
10962	YF	BZ0	84	11/19/91	0.834	0.00	9.43	0.00	0.00
10963	JE	BX8	84	11/20/91	0.968	0.00	49.20	0.00	0.00
10963	PT	BY4	84	11/20/91	0.664	0.00	42.50	0.00	0.00
10963	SF	BYK	84	11/20/91	0.912	0.00	43.30	0.00	1.11
10963	VE	BXO	84	11/22/91	1.215	0.00	29.10	0.00	0.00
10963	YF	BZ0	84	11/19/91	0.834	0.00	37.50	0.00	0.00
10964	JE	BX9	84	11/20/91	0.965	0.00	42.70	0.00 >	0.71
10964	PT	BY5	84	11/20/91	0.673	0.00	20.70	0.00 >	1.31
10964	SF	BYL	84	11/20/91	0.887	0.00	21.70	0.00 >	0.28
10964	VE	BXP	84	11/22/91	1.245	0.00	21.60	0.00	0.00
10964	YF	BZ1	84	11/19/91	0.927	0.00	10.00	0.00	0.00
10965	JE	BX9	84	11/20/91	0.965	0.00	217.00	0.00	5.66
10965	PT	BY5	84	11/20/91	0.673	0.00	196.00	0.00	0.00
10965	SF	BYL	84	11/20/91	0.887	0.00	200.00	0.00	7.64
10965	VE	BXP	84	11/22/91	1.245	0.00	136.00	0.00	0.00
10965	YF	BZ1	84	11/19/91	0.927	0.00	66.00	0.00	0.00
10966	JE	BXA	84	11/20/91	1.097	0.00	51.00	0.00	0.00
10966	PT	BY6	84	11/20/91	0.617	0.00	45.90	0.00	0.00
10966	SF	BYM	84	11/20/91	0.916	0.00	48.80	0.00 >	1.31
10966	VE	BXQ	84	11/22/91	1.140	0.00	60.80	0.00	0.00
10966	YF	BZ2	84	11/19/91	0.861	0.00	43.80	0.00	0.00
10967	JE	BXA	84	11/20/91	1.097	0.00	32.00	0.00	0.00
10967	PT	BY6	84	11/20/91	0.617	0.00	32.00	0.00	0.00
10967	SF	BYM	84	11/20/91	0.916	0.00	32.00	0.00 >	0.07
10967	VE	BXQ	84	11/22/91	1.140	0.00	47.70	0.00	0.00
10967	YF	BZ2	84	11/19/91	0.861	0.00	40.20	0.00	0.00
10968	JE	BXB	84	11/20/91	0.982	0.00	161.00	0.00	0.29
10968	PT	BY7	84	11/20/91	0.656	0.00	162.00	0.00	0.00
10968	SF	BYN	84	11/20/91	0.976	0.00	171.00	0.00 >	4.51
10968	VE	BXR	84	11/22/91	1.264	0.00	180.00	0.00	0.00
10968	YF	BZ3	84	11/19/91	0.711	0.00	158.00	0.00	1.00
10969	JE	BXB	84	11/20/91	0.982	0.00	61.80	0.00 >	0.45
10969	PT	BY7	84	11/20/91	0.656	0.00	54.70	0.00	0.00
10969	SF	BYN	84	11/20/91	0.976	0.00	50.50	0.00 >	0.45
10969	VE	BXR	84	11/22/91	1.264	0.00	128.00	0.00	0.00
10969	YF	BZ3	84	11/19/91	0.711	0.00	73.50	0.00	0.00
10970	JE	BXC	84	11/20/91	0.796	0.00	17.90	0.00	0.00
10970	PT	BY8	84	11/20/91	0.513	0.00	11.60	0.00	0.00
10970	SF	BYO	84	11/20/91	0.933	0.00	12.30	0.00	0.00
10970	VE	BXS	84	11/22/91	0.884	0.00	48.60	0.00	0.50
10970	YF	BZ4	84	11/19/91	0.891	0.00	8.06	0.00	0.00
10971	JE	BXC	84	11/20/91	0.796	0.00	15.60	0.00	0.10
10971	PT	BY8	84	11/20/91	0.513	0.00	13.10	0.00	0.00
10971	SF	BYO	84	11/20/91	0.933	0.00	13.00	0.00 >	0.20
10971	VE	BXS	84	11/22/91	0.884	0.00	46.90	0.00	0.71
10[illegible]		BZ4	84	11/19/91	0.891	0.00	13.00	0.00	0.57
1[illegible]		[illegible]D	84	11/20/91	0.903	0.00	320.00	0.00	0.43
1[illegible]		[illegible]	84	11/20/91	0.534	0.00	217.00	0.00	2.43
10[illegible]		[illegible]	84	11/20/91	0.884	0.00	155.00	0.00	0.40
10[illegible]		[illegible]T	84	11/22/91	1.224	0.00 >	320.00	0.00	0.33
10972	YF	BZ5	84	11/19/91	0.865	0.00 >	320.00	0.00	0.00
10973	JE	BXD	84	11/20/91	0.903	0.00	220.00	0.00	0.43
10973	PT	BY9	84	11/20/91	0.534	0.00	186.00	0.00	0.00
10973	SF	BYP	84	11/20/91	0.884	0.00	139.00	0.00	0.00
10973	VE	BXT	84	11/22/91	1.224	0.00 >	320.00	0.00	0.00
10973	YF	BZ5	84	11/19/91	0.865	0.00	200.00	0.00	0.00
10974	JE	BXE	84	11/20/91	0.872	0.00 >	320.00	0.00 >	3.01
10974	PT	BYA	84	11/20/91	0.599	0.00	320.00	0.00 >	8.51
10974	SF	BYQ	84	11/20/91	0.881	0.00	155.00	0.00	0.00
10974	VE	BXU	84	11/22/91	1.165	0.00 >	320.00	0.00	0.00
10974	YF	BZ6	84	11/19/91	0.846	0.00	3.12	0.00	0.00
10975	JE	BXE	84	11/20/91	0.872	0.00 >	320.00	0.00	0.78
10975	PT	BYA	84	11/20/91	0.599	0.00 >	320.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10975	SF	BYQ	84	11/20/91	0.881	0.00	255.00	0.00	1.84
10975	VE	BXU	84	11/22/91	1.165	0.00	25.10	0.00	0.25
10975	YF	BZ6	84	11/19/91	0.846	0.00 >	320.00	0.00	0.00
10976	JE	BXF	84	11/20/91	0.982	0.00 >	320.00	0.00	0.57
10976	PT	BYB	84	11/20/91	0.636	0.00 >	320.00	0.00	0.00
10976	SF	BYR	84	11/20/91	0.926	0.00 >	320.00	0.00 >	2.10
10976	VE	BXV	84	11/22/91	1.007	0.00	124.00	0.00	0.00
10976	YF	BZ7	84	11/19/91	0.901	0.00 >	320.00	0.00	0.00
10977	JE	BXF	84	11/20/91	0.982	0.00	27.00	0.00	0.00
10977	PT	BYB	84	11/20/91	0.636	0.00	11.60	0.00	0.00
10977	SF	BYR	84	11/20/91	0.926	0.00	3.93	0.00	0.00
10977	VE	BXV	84	11/22/91	1.007	0.00	159.00	0.00	0.00
10977	YF	BZ7	84	11/19/91	0.901	0.00	22.40	0.00	0.00
10978	JE	BXG	84	11/20/91	1.003	0.00	166.00	0.00	2.86
10978	PT	BYC	84	11/20/91	0.638	0.00	131.00	0.00	0.00
10978	SF	BYS	84	11/20/91	0.883	0.00	132.00	0.00 >	6.11
10978	VE	BXW	84	11/22/91	1.013	0.00	85.70	0.00	0.00
10978	YF	BZ8	84	11/19/91	0.814	0.00	171.00	0.00	0.00
10979	JE	BXG	84	11/20/91	1.003	0.00	188.00	0.00	1.81
10979	PT	BYC	84	11/20/91	0.638	0.00	202.00	0.00	0.00
10979	SF	BYS	84	11/20/91	0.883	0.00	108.00	0.00	0.00
10979	VE	BXW	84	11/22/91	1.013	0.00	24.90	0.00	0.12
10979	YF	BZ8	84	11/19/91	0.814	0.00	210.00	0.00	0.00
10980	JE	BXH	84	11/20/91	1.081	0.00	53.30	0.00 >	0.02
10980	PT	BYD	84	11/20/91	0.611	0.00	100.00	0.00	0.00
10980	SF	BYT	84	11/20/91	0.815	0.00	27.20	0.00	0.00
10980	VE	BXX	84	11/22/91	1.083	0.00	151.00	0.00	0.20
10980	YF	BZ9	84	11/19/91	0.824	0.00	129.00	0.00	0.00
10981	JE	BXH	84	11/20/91	1.081	0.00	17.60	0.00	0.00
10981	PT	BYD	84	11/20/91	0.611	0.00	14.40	0.00	0.00
10981	SF	BYT	84	11/20/91	0.815	0.00	14.00	0.00	0.00
10981	VE	BXX	84	11/22/91	1.083	0.00	49.90	0.00	0.05
10981	YF	BZ9	84	11/19/91	0.824	0.00	21.00	0.00	0.00
10982	JE	BXI	84	11/20/91	0.969	0.00	2.47	0.00	0.00
10982	PT	BYE	84	11/20/91	0.622	0.00 <	1.00	0.00	0.00
10982	SF	BYU	84	11/20/91	0.883	0.00 <	1.00	0.00	0.00
10982	VE	BXY	84	11/22/91	1.234	0.00	124.00	0.00	0.00
10982	YF	BZA	84	11/19/91	0.825	0.00	1.14	0.00	0.09
10983	JE	BXI	84	11/20/91	0.969	0.00	45.70	0.00 >	0.04
10983	PT	BYE	84	11/20/91	0.622	0.00	40.00	0.00	0.00
10983	SF	BYU	84	11/20/91	0.883	0.00	29.60	0.00	0.00
10983	VE	BXY	84	11/22/91	1.234	28.10	15.80	0.56	3.23
10983	YF	BZA	84	11/19/91	0.825	0.00	45.20	0.00	0.78
10984	JE	BXJ	84	11/20/91	0.967	0.00	150.00	0.00 >	0.61
10984	PT	BYF	84	11/20/91	0.659	0.00	149.00	0.00	0.00
10984	SF	BYV	84	11/20/91	0.981	0.00	130.00	0.00	0.00
10984	VE	BXZ	84	11/22/91	1.135	0.00	95.00	0.00 >	0.22
10984	YF	BZB	84	11/19/91	0.773	0.00	189.00	0.00	0.00
10985	JE	C12	84	11/21/91	0.988	0.00	156.00	0.00	0.06
10985	PT	C1Y	84	11/21/91	0.685	0.00	165.00	0.00	0.00
10985	SF	C2E	84	11/21/91	0.902	0.00	100.00	0.00 >	0.45
10985	VE	C1I	84	11/22/91	1.182	0.00	204.00	0.00	0.02
10985	YF	CON	84	11/21/91	0.806	0.00	147.00	0.00	0.60
10986	JE	C13	84	11/21/91	1.058	0.00 >	320.00	0.00	0.70
10986	PT	C1Z	84	11/21/91	0.620	287.00 >	320.00 >	1.12 >	4.30
10986	SF	C2F	84	11/21/91	0.996	168.00 >	320.00 >	1.90 >	9.66
10986	VE	C1J	84	11/22/91	1.126	0.00 >	320.00	0.00 >	1.30
10986	YF	CON	84	11/21/91	0.831	0.00	27.80	0.00 >	0.11
10987	JE	C13	84	11/21/91	1.058	0.00	226.00	0.00	0.33
10987	PT	C1Z	84	11/21/91	0.620	0.00	282.00	0.00	0.00
10987	SF	C2F	84	11/21/91	0.996	0.00	108.00	0.00	0.00
10987	VE	C1J	84	11/22/91	1.126	0.00 >	320.00	0.00 >	1.70
10987	YF	CON	84	11/21/91	0.831	0.00	272.00	0.00	0.12
10988	JE	C14	84	11/21/91	1.119	0.00	29.80	0.00	0.00
10988	PT	C20	84	11/21/91	0.617	0.00	13.40	0.00	0.00
10988	SF	C2G	84	11/21/91	1.000	56.60	7.73	0.14 >	9.71
10988	VE	C1K	84	11/22/91	1.128	0.00 >	320.00	0.00	0.31
10988	YF	COO	84	11/21/91	0.682	0.00	21.00	0.00	0.12
10989	JE	C14	84	11/21/91	1.119	0.00	283.00	0.00	0.00
10989	PT	C20	84	11/21/91	0.617	0.00 >	320.00	0.00	0.00
10989	SF	C2G	84	11/21/91	1.000	0.00	276.00	0.00	0.00
10989	VE	C1K	84	11/22/91	1.128	0.00 >	320.00	0.00	0.35
10989	YF	COO	84	11/21/91	0.682	0.00 >	320.00	0.00	0.00
10990	JE	C15	84	11/21/91	1.143	0.00	267.00	0.00	0.27
10990	PT	C21	84	11/21/91	0.577	0.00	296.00	0.00 >	7.30

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
10990	SF	C2N	84	11/21/91	0.939	0.00	189.00	0.00	0.00
10990	VE	C1L	84	11/22/91	1.145	0.00	222.00	0.00 >	0.35
10990	YF	COP	84	11/21/91	0.948	0.00	254.00	0.00	0.00
10991	JE	C15	84	11/21/91	1.143	0.00 >	320.00	0.00	0.00
10991	PT	C21	84	11/21/91	0.577	0.00 >	320.00	0.00 >	7.50
10991	SF	C2N	84	11/21/91	0.939	0.00 >	320.00	0.00	0.00
10991	VE	C1L	84	11/22/91	1.145	0.00 >	320.00	0.00	0.20
10991	YF	COP	84	11/21/91	0.948	0.00 >	320.00	0.00	0.00
10992	JE	C16	84	11/21/91	1.132	0.00	9.69	0.00	0.00
10992	PT	C22	84	11/21/91	0.565	0.00	7.73	0.00	0.00
10992	SF	C2I	84	11/21/91	1.005	0.00	5.01	0.00	0.00
10992	VE	C1M	84	11/22/91	1.136	0.00	5.77	0.00 >	0.03
10992	YF	COQ	84	11/21/91	0.965	0.00	6.91	0.00	0.00
10993	JE	C16	84	11/21/91	1.132	0.00	37.70	0.00	0.02
10993	PT	C22	84	11/21/91	0.565	0.00	127.00	0.00	0.00
10993	SF	C2I	84	11/21/91	1.005	0.00	48.30	0.00 >	0.36
10993	VE	C1M	84	11/22/91	1.136	0.00	92.00	0.00	0.03
10993	YF	COQ	84	11/21/91	0.965	0.00	43.00	0.00	0.00
10994	JE	C17	84	11/21/91	1.112	0.00	121.00	0.00	0.00
10994	PT	C23	84	11/21/91	0.574	0.00	159.00	0.00	0.00
10994	SF	C2J	84	11/21/91	0.835	0.00	72.80	0.00	0.45
10994	VE	C1N	84	11/22/91	1.056	0.00	210.00	0.00	0.74
10994	YF	COR	84	11/21/91	0.957	0.00	110.00	0.00	0.00
10995	JE	C17	84	11/21/91	1.112	0.00 >	320.00	0.00	0.00
10995	PT	C23	84	11/21/91	0.574	0.00 >	320.00	0.00	0.00
10995	SF	C2J	84	11/21/91	0.835	0.00	222.00	0.00	0.00
10995	VE	C1N	84	11/22/91	1.056	0.00 >	320.00	0.00	0.00
10995	YF	COR	84	11/21/91	0.957	0.00 >	320.00	0.00	0.00
10996	JE	C18	84	11/21/91	1.065	0.00 >	320.00	0.00	0.20
10996	PT	C24	84	11/21/91	0.490	0.00 >	320.00	0.00	0.00
10996	SF	C2K	84	11/21/91	0.852	0.00 >	320.00	0.00	0.12
10996	VE	C1O	84	11/22/91	1.133	0.00 >	320.00	0.00 >	1.90
10996	YF	COS	84	11/21/91	0.814	0.00	86.80	0.00	0.00
10997	JE	C18	84	11/21/91	1.065	0.00 >	320.00	0.00	0.00
10997	PT	C24	84	11/21/91	0.490	0.00 >	320.00	0.00	1.00
10997	SF	C2K	84	11/21/91	0.852	0.00 >	320.00	0.00 >	4.64
10997	VE	C1O	84	11/22/91	1.133	0.00 >	320.00	0.00 >	2.28
10997	YF	COS	84	11/21/91	0.814	0.00 >	320.00	0.00	0.00
10998	JE	C19	84	11/21/91	1.103	0.00 >	320.00	0.00	0.00
10998	PT	C25	84	11/21/91	0.553	0.00 >	320.00	0.00 >	0.10
10998	SF	C2L	84	11/21/91	1.004	0.00 >	320.00	0.00 >	3.29
10998	VE	C1P	84	11/22/91	1.168	0.00 >	320.00	0.00 >	0.10
10998	YF	COT	84	11/21/91	1.049	0.00 >	320.00	0.00	0.00
10999	JE	C19	84	11/21/91	1.103	0.00	39.10	0.00	0.00
10999	PT	C25	84	11/21/91	0.553	0.00	44.80	0.00	0.00
10999	SF	C2L	84	11/21/91	1.004	0.00	33.70	0.00 >	0.27
10999	VE	C1P	84	11/22/91	1.168	0.00	38.00	0.00 >	0.02
10999	YF	COT	84	11/21/91	1.049	0.00	43.30	0.00	0.00
11000	JE	C1A	84	11/21/91	0.940	0.00	276.00	0.00	0.00
11000	PT	C26	84	11/21/91	0.657	0.00 >	320.00	0.00	0.00
11000	SF	C2M	84	11/21/91	0.886	0.00 >	320.00	0.00	4.39
11000	VE	C1Q	84	11/22/91	1.193	0.00 >	320.00	0.00	0.00
11000	YF	COU	84	11/21/91	0.815	0.00 >	320.00	0.00	0.70
11001	JE	C1A	84	11/21/91	0.940	0.00 >	320.00	0.00	0.49
11001	PT	C26	84	11/21/91	0.657	0.00 >	320.00	0.00	0.00
11001	SF	C2M	84	11/21/91	0.886	0.00 >	320.00	0.00 >	6.22
11001	VE	C1Q	84	11/22/91	1.193	0.00 >	320.00	0.00	0.00
11001	YF	COU	84	11/21/91	0.815	0.00 >	320.00	0.00	0.12
11002	JE	C1B	84	11/21/91	0.997	0.00 >	320.00	0.00	0.31
11002	PT	C27	84	11/21/91	0.618	0.00 >	320.00	0.00	0.00
11002	SF	C2N	84	11/21/91	0.916	0.00 >	320.00	0.00	0.00
11002	VE	C1R	84	11/22/91	1.128	0.00 >	320.00	0.00	0.00
11002	YF	COV	84	11/21/91	0.894	0.00 >	320.00	0.00	0.00
11003	JE	C1B	84	11/21/91	0.997	0.00 >	320.00	0.00	0.00
11003	PT	C27	84	11/21/91	0.618	0.00 >	320.00	0.00 >	0.08
11003	SF	C2N	84	11/21/91	0.916	34.10 >	320.00 >	9.37	37.61
11003	VE	C1R	84	11/22/91	1.128	0.00 >	320.00	0.00	0.00
11003	YF	COV	84	11/21/91	0.894	0.00 >	320.00	0.00 >	0.56
11004	JE	C1C	84	11/21/91	1.010	0.00 >	320.00	0.00	0.66
11004	PT	C28	84	11/21/91	0.567	0.00 >	320.00	0.00	0.00
11004	SF	C20	84	11/21/91	0.999	0.00 >	320.00	0.00	0.00
11004	VE	C1S	84	11/22/91	1.031	0.00 >	320.00	0.00	0.20
11004	YF	COW	84	11/21/91	0.918	0.00	2.98	0.00	0.00
11005	JE	C1C	84	11/21/91	1.010	0.00 >	320.00	0.00	0.54
11005	PT	C28	84	11/21/91	0.567	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11005	SF	C20	84	11/21/91	0.999	0.00 >	320.00	0.00	2.07
11005	VE	C1S	84	11/22/91	1.031	0.00 >	320.00	0.00	0.00
11005	YF	C0W	84	11/21/91	0.918	0.00 >	320.00	0.00	0.00
11006	JE	C1D	84	11/21/91	1.022	0.00	100.00	0.00	0.11
11006	PT	C29	84	11/21/91	0.586	0.00	104.00	0.00	0.00
11006	SF	C2P	84	11/21/91	0.900	0.00	115.00	0.00 >	7.26
11006	VE	C1T	84	11/22/91	1.070	0.00	139.00	0.00	0.00
11006	YF	C0X	84	11/21/91	0.924	0.00	95.10	0.00	0.00
11007	JE	C1D	84	11/21/91	1.022	0.00	205.00	0.00	0.60
11007	PT	C29	84	11/21/91	0.586	0.00	179.00	0.00	0.00
11007	SF	C2P	84	11/21/91	0.900	0.00	190.00	0.00	6.30
11007	VE	C1T	84	11/22/91	1.070	0.00	222.00	0.00	0.10
11007	YF	C0X	84	11/21/91	0.924	0.00	210.00	0.00	0.00
11008	JE	C1E	84	11/21/91	1.099	0.00	234.00	0.00	0.00
11008	PT	C2A	84	11/21/91	0.569	0.00	223.00	0.00	0.00
11008	SF	C2Q	84	11/21/91	0.911	0.00	188.00	0.00	0.00
11008	VE	C1U	84	11/22/91	1.119	0.00	296.00	0.00	0.00
11008	YF	C0Y	84	11/21/91	0.938	0.00 >	320.00	0.00	0.00
11009	JE	C1E	84	11/21/91	1.099	0.00	232.00	0.00	0.63
11009	PT	C2A	84	11/21/91	0.569	0.00	231.00	0.00	0.00
11009	SF	C2Q	84	11/21/91	0.911	0.00	105.00	0.00	0.67
11009	VE	C1U	84	11/22/91	1.119	0.00	226.00	0.00	0.00
11009	YF	C0Y	84	11/21/91	0.938	0.00 >	320.00	0.00	0.00
11010	JE	C1F	84	11/21/91	1.064	0.00	61.60	0.00	0.00
11010	PT	C2B	84	11/21/91	0.613	0.00	72.80	0.00	0.00
11010	SF	C2R	84	11/21/91	0.942	0.00	56.00	0.00 >	9.42
11010	VE	C1V	84	11/22/91	1.119	0.00	75.60	0.00 >	0.10
11010	YF	C0Z	84	11/21/91	0.933	0.00	57.80	0.00	0.00
11011	JE	C1F	84	11/21/91	1.064	0.00	51.40	0.00	0.00
11011	PT	C2B	84	11/21/91	0.613	0.00	100.00	0.00	0.00
11011	SF	C2R	84	11/21/91	0.942	0.00	72.00	0.00 >	0.60
11011	VE	C1V	84	11/22/91	1.119	0.00	105.00	0.00	0.00
11011	YF	C0Z	84	11/21/91	0.933	0.00	127.00	0.00	0.00
11012	JE	C1G	84	11/21/91	1.045	0.00	109.00	0.00	0.00
11012	PT	C2C	84	11/21/91	0.561	0.00	128.00	0.00	0.00
11012	SF	C2S	84	11/21/91	0.933	0.00	77.30	0.00	0.43
11012	VE	C1W	84	11/22/91	1.082	0.00	89.80	0.00	0.00
11012	YF	C10	84	11/21/91	0.921	0.00	121.00	0.00	0.00
11013	JE	C1G	84	11/21/91	1.045	0.00 >	320.00	0.00	0.11
11013	PT	C2C	84	11/21/91	0.561	0.00 >	320.00	0.00	0.00
11013	SF	C2S	84	11/21/91	0.933	0.00	290.00	0.00	3.40
11013	VE	C1W	84	11/22/91	1.082	0.00 >	320.00	0.00	0.20
11013	YF	C10	84	11/21/91	0.921	0.00 >	320.00	0.00	0.00
11014	JE	C1H	84	11/21/91	1.097	0.00 >	320.00	0.00	0.00
11014	PT	C2D	84	11/21/91	0.642	0.00 >	320.00	0.00	0.00
11014	SF	C2T	84	11/21/91	0.924	0.00 >	320.00	0.00	0.00
11014	VE	C1X	84	11/22/91	1.094	0.00 >	320.00	0.00 >	2.20
11014	YF	C11	84	11/21/91	0.994	0.00 >	320.00	0.00 >	0.20
11015	JE	C4M	84	11/21/91	1.011	0.00 >	320.00	0.00	0.20
11015	PT	C52	84	11/21/91	0.592	0.00	320.00	0.00	0.00
11015	SF	C5I	84	11/21/91	0.895	0.00	198.00	0.00 >	1.03
11015	VE	C2U	84	11/22/91	1.253	0.00	310.00	0.00	0.00
11015	YF	C46	84	11/22/91	0.866	0.00 >	320.00	0.00	0.00
11016	JE	C4N	84	11/21/91	0.871	0.00	16.50	0.00	0.33
11016	PT	C53	84	11/21/91	0.454	0.00	8.51	0.00	0.00
11016	SF	C5J	84	11/21/91	0.889	0.00	5.41	0.00	0.00
11016	VE	C2V	84	11/22/91	1.154	0.00	9.06	0.00	0.00
11016	YF	C47	84	11/22/91	0.347	0.00	13.00	0.00	0.00
11017	JE	C4N	84	11/21/91	0.871	0.00 >	320.00	0.00 >	1.00
11017	PT	C53	84	11/21/91	0.454	0.00	262.00	0.00	0.00
11017	SF	C5J	84	11/21/91	0.889	0.00	213.00	0.00	0.00
11017	VE	C2V	84	11/22/91	1.154	0.00	251.00	0.00	0.00
11017	YF	C47	84	11/22/91	0.847	0.00 >	320.00	0.00	0.00
11018	JE	C40	84	11/21/91	0.993	0.00	72.50	0.00 >	0.80
11018	PT	C54	84	11/21/91	0.546	0.00	50.70	0.00 >	0.91
11018	SF	C5K	84	11/21/91	0.932	0.00	59.70	0.00 >	2.60
11018	VE	C2W	84	11/22/91	1.155	0.00	54.00	0.00 >	0.05
11018	YF	C48	84	11/22/91	0.858	0.00	43.60	0.00	0.00
11019	JE	C40	84	11/21/91	0.993	0.00	56.60	0.00	0.48
11019	PT	C54	84	11/21/91	0.546	0.00	52.20	0.00 >	2.41
11019	SF	C5K	84	11/21/91	0.932	0.00	29.90	0.00	0.00
11019	VE	C2W	84	11/22/91	1.155	0.00	57.00	0.00	0.05
11019	YF	C48	84	11/22/91	0.858	0.00 >	320.00	0.00 >	0.73
11020	JE	C4P	84	11/21/91	1.005	0.00	272.00	0.00	0.32
11020	PT	C55	84	11/21/91	0.574	0.00	272.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11020	SF	C5L	84	11/21/91	0.931	0.00	217.00	0.00	0.11
11020	VE	C2X	84	11/22/91	1.163	0.00 >	320.00	0.00 >	0.20
11020	YF	C49	84	11/22/91	0.879	0.00 >	320.00	0.00	0.00
11021	JE	C4P	84	11/21/91	1.005	0.00	135.00	0.00	0.43
11021	PT	C55	84	11/21/91	C 574	0.00	106.00	0.00	0.00
11021	SF	C5L	84	11/21/91	0.931	0.00	79.60	0.00	0.00
11021	VE	C2X	84	11/22/91	1.163	0.00	79.10	0.00	0.06
11021	YF	C49	84	11/22/91	0.879	0.00	121.00	0.00	0.00
11022	JE	C4Q	84	11/21/91	1.028	0.00	158.00	0.00	1.16
11022	PT	C56	84	11/21/91	0.646	0.00	79.60	0.00 >	1.64
11022	SF	C5N	84	11/21/91	0.655	0.00	90.30	0.00	0.00
11022	VE	C2Y	84	11/22/91	1.139	0.00	191.00	0.00 >	0.10
11022	YF	C4A	84	11/22/91	0.822	0.00	29.30	0.00	0.00
11023	JE	C4Q	84	11/21/91	1.028	0.00	55.10	0.00	0.00
11023	PT	C56	84	11/21/91	0.646	0.00	28.00	0.00 >	0.08
11023	SF	C5N	84	11/21/91	0.655	0.00	42.00	0.00	7.34
11023	VE	C2Y	84	11/22/91	1.139	0.00	97.40	0.00	0.50
11023	YF	C4A	84	11/22/91	0.822	0.00	4.77	0.00	0.00
11024	JE	C4R	84	11/21/91	0.914	320.00 >	320.00 >	1.00 >	5.04
11024	PT	C57	84	11/21/91	0.597	0.00	128.00	0.00	0.00
11024	SF	C5N	84	11/21/91	0.855	207.00 >	320.00 >	1.55 >	13.07
11024	VE	C2Z	84	11/22/91	1.183	0.00 >	320.00	0.00 >	0.65
11024	YF	C4B	84	11/22/91	0.855	0.00	24.70	0.00	0.00
11025	JE	C4R	84	11/21/91	0.914	0.00	175.00	0.00	0.80
11025	PT	C57	84	11/21/91	0.597	0.00	169.00	0.00	0.00
11025	SF	C5N	84	11/21/91	0.855	0.00	169.00	0.00	0.00
11025	VE	C2Z	84	11/22/91	1.183	0.00	155.00	0.00	0.00
11025	YF	C4B	84	11/22/91	0.855	0.00	177.00	0.00	0.00
11026	JE	C4S	84	11/21/91	1.026	0.00	64.50	0.00 >	0.50
11026	PT	C58	84	11/21/91	0.582	0.00	26.80	0.00	0.00
11026	SF	C5O	84	11/21/91	0.855	0.00	41.10	0.00 >	0.30
11026	VE	C30	84	11/22/91	1.184	0.00	49.00	0.00 >	0.03
11026	YF	C4C	84	11/22/91	0.844	0.00	43.30	0.00	0.00
11027	JE	C4S	84	11/21/91	1.026	0.00	225.00	0.00	3.22
11027	PT	C58	84	11/21/91	0.582	0.00	147.00	0.00	0.00
11027	SF	C5O	84	11/21/91	0.855	0.00	168.00	0.00	5.06
11027	VE	C30	84	11/22/91	1.184	0.00	158.00	0.00	0.00
11027	YF	C4C	84	11/22/91	0.844	0.00	161.00	0.00	0.00
11028	JE	C4T	84	11/21/91	.014	0.00	29.50	0.00	0.00
11028	PT	C59	84	11/21/91	0.632	0.00	9.70	0.00	0.00
11028	SF	C5P	84	11/21/91	0.890	8.77	21.00	2.40	13.86
11028	VE	C31	84	11/22/91	1.127	0.00	57.00	0.00	0.00
11028	YF	C4D	84	11/22/91	0.916	0.00	5.05	0.00	0.00
11029	JE	4C2	78	04/03/91	0.813	0.00	2100.00	0.00	0.00
11029	PT	4DT	78	04/02/91	1.174	0.00	2320.00	0.00	0.20
11029	SF	4E8	78	04/02/91	1.097	0.00	1920.00	0.00	0.00
11029	VE	4DE	78	04/05/91	0.991	0.00	2490.00	0.00	0.43
11029	YF	4CK	78	04/03/91	1.064	0.00	2890.00	0.00	0.00
11030	JE	4D0	78	04/03/91	0.740	0.00	1760.00	0.00	0.00
11030	PT	4DU	78	04/02/91	1.320	3130.0	2180.00	0.70 >	0.74
11030	SF	4E9	78	04/02/91	1.208	3050.0	1900.00	0.62 >	3.31
11030	VE	4DF	78	04/05/91	1.104	0.00	2740.00	0.00	0.00
11030	YF	4CL	78	04/03/91	1.157	0.00	2710.00	0.00 >	2.21
11031	JE	4D0	78	04/03/91	0.740	0.00	510.00	0.00	0.00
11031	PT	4DU	78	04/02/91	1.320	0.00	414.00	0.00	0.00
11031	SF	4E9	78	04/02/91	1.208	0.00	273.00	0.00	0.00
11031	VE	4DF	78	04/05/91	1.104	0.00	467.00	0.00	0.00
11031	YF	4CL	78	04/03/91	1.157	0.00	377.00	0.00	0.36
11032	JE	4D1	78	04/03/91	0.593	0.00	7.28	0.00	0.00
11032	PT	4DV	78	04/02/91	1.169	0.00	10.70	0.00	0.00
11032	SF	4EA	78	04/02/91	1.176	0.00	7.73	0.00	0.00
11032	VE	4DG	78	04/05/91	0.872	0.00	8.35	0.00	0.00
11032	YF	4CM	78	04/03/91	1.086	0.00	5.89	0.00	0.64
11033	JE	4D2	78	04/03/91	0.828	0.00 <	10.00	0.00	0.00
11033	JE	4D1	78	04/03/91	0.593	0.00	14.00	0.00	0.00
11033	PT	4DW	78	04/02/91	1.159	0.00	14.80	0.00 >	0.00
11033	PT	4DV	78	04/02/91	1.169	0.00	14.00	0.00	0.00
11033	SF	4EB	78	04/02/91	.097	0.00 <	10.00	0.00	0.00
11033	SF	4EA	78	04/02/91	1.176	0.00	12.90	0.00	0.00
11033	VE	4DH	78	04/05/91	0.949	0.00	14.80	0.00	0.00
11033	VE	4DG	78	04/05/91	0.872	0.00	16.40	0.00	0.00
11033	YF	4CN	78	04/03/91	1.043	0.00	11.90	0.00	0.00
11033	YF	4CM	78	04/03/91	1.086	0.00	12.10	0.00	0.11
11034	JE	4D3	78	04/03/91	0.754	0.00 <	10.00	0.00	0.00
11034	JE	4D2	78	04/03/91	0.828	0.00	11.10	0.00	0.00

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25	SI		TAI
11034	PT	4DX	78	04/02/91	1.186	0.00	<	10.00	0.00		0.00
11034	PT	4DW	78	04/02/91	1.159	0.00		8.06	0.00		0.51
11034	SF	4EC	78	04/02/91	1.110	0.00	<	10.00	0.00		0.00
11034	SF	4EB	78	04/02/91	1.097	0.00		5.54	0.00		0.00
11034	VE	4DI	78	04/05/91	1.109	0.00	<	10.00	0.00		0.00
11034	VE	4DH	78	04/05/91	0.949	0.00		5.47	0.00		0.00
11034	YF	4CO	78	04/03/91	1.056	0.00	<	10.00	0.00		0.00
11034	YF	4CN	78	04/03/91	1.043	0.00		4.90	0.00	>	0.31
11035	JE	4D3	78	04/03/91	0.754	0.00		20.60	0.00		0.47
11035	PT	4DX	78	04/02/91	1.186	0.00		18.50	0.00	>	1.35
11035	SF	4EC	78	04/02/91	1.110	0.00		14.90	0.00		0.02
11035	VE	4DI	78	04/05/91	1.109	0.00		5.53	0.00		0.00
11035	YF	4CO	78	04/03/91	1.056	0.00		9.03	0.00		0.11
11036	JE	4D4	78	04/03/91	0.781	0.00	>	32.00	0.00		0.00
11036	JE	4D4	78	04/03/91	0.781	0.00		92.00	0.00		0.00
11036	PT	4DY	78	04/02/91	1.140	0.00	>	32.00	0.00	>	1.70
11036	PT	4DY	78	04/02/91	1.140	0.00		157.00	0.00	>	1.18
11036	SF	4ED	78	04/02/91	1.120	0.00	>	32.00	0.00		0.00
11036	SF	4ED	78	04/02/91	1.120	0.00		59.20	0.00		0.00
11036	VE	4DJ	78	04/05/91	1.111	0.00		20.00	0.00		0.00
11036	VE	4DJ	78	04/05/91	1.111	0.00		35.60	0.00		0.00
11036	YF	4CP	78	04/03/91	1.097	0.00	>	32.00	0.00	>	1.32
11036	YF	4CP	78	04/03/91	1.097	0.00		61.90	0.00		0.00
11037	JE	4D5	78	04/03/91	0.763	0.00	>	32.00	0.00	>	0.40
11037	JE	4D5	78	04/03/91	0.763	0.00		44.40	0.00		3.23
11037	PT	4DZ	78	04/02/91	1.204	0.00	>	32.00	0.00	>	1.10
11037	PT	4DZ	78	04/02/91	1.204	0.00		60.30	0.00	>	1.02
11037	SF	4EE	78	04/02/91	1.124	0.00	>	32.00	0.00		0.00
11037	SF	4EE	78	04/02/91	1.124	0.00		45.60	0.00		0.00
11037	VE	4DK	78	04/05/91	1.118	0.00		21.00	0.00		0.00
11037	VE	4DK	78	04/05/91	1.118	0.00		34.70	0.00		0.00
11037	YF	4CQ	78	04/03/91	1.052	0.00	>	32.00	0.00	>	0.78
11037	YF	4CQ	78	04/03/91	1.052	0.00		43.50	0.00		0.35
11038	JE	4D6	78	04/03/91	0.619	0.00	>	320.00	0.00		0.00
11038	PT	4E0	78	04/02/91	1.214	0.00	>	320.00	0.00		0.12
11038	SF	4EF	78	04/02/91	1.129	0.00	>	320.00	0.00	>	2.66
11038	VE	4DL	78	04/05/91	0.900	0.00	>	320.00	0.00	>	1.02
11038	YF	4CR	78	04/03/91	..131	0.00		263.00	0.00		0.00
11039	JE	4D6	78	04/03/91	0.619	0.00		563.00	0.00		0.00
11039	PT	4E0	78	04/02/91	1.214	0.00		676.00	0.00	>	4.38
11039	SF	4EF	78	04/02/91	1.129	0.00		638.00	0.00		2.13
11039	VE	4DL	78	04/05/91	0.900	0.00		874.00	0.00	>	1.94
11039	YF	4CR	78	04/03/91	1.131	0.00		445.00	0.00		1.49
11040	JE	4D7	78	04/03/91	0.784	0.00		371.00	0.00		0.00
11040	PT	4E1	78	04/02/91	1.171	0.00		479.00	0.00		0.00
11040	SF	4EG	78	04/02/91	1.134	0.00		468.00	0.00		0.03
11040	VE	4DM	78	04/05/91	0.914	0.00		402.00	0.00		0.00
11040	YF	4CS	78	04/03/91	1.086	0.00		355.00	0.00		0.00
11041	JE	4D7	78	04/03/91	0.784	0.00		5170.00	0.00		0.00
11041	PT	4E1	78	04/02/91	1.171	0.00		8060.00	0.00		0.00
11041	SF	4EG	78	04/02/91	1.134	0.00		7320.00	0.00		0.00
11041	VE	4DM	78	04/05/91	0.914	0.00		3540.00	0.00		0.00
11041	YF	4CS	78	04/03/91	1.086	0.00		5470.00	0.00		0.00
11042	JE	4D8	78	04/03/91	0.779	0.00		40.00	0.00		0.00
11042	PT	4E2	78	04/02/91	1.152	0.00		25.90	0.00		0.00
11042	SF	4EH	78	04/02/91	1.112	0.00		11.80	0.00		0.00
11042	VE	4DN	78	04/05/91	0.928	0.00		63.40	0.00		0.00
11042	YF	4CT	78	04/03/91	1.072	0.00		30.00	0.00		0.00
11043	JE	4D8	78	04/03/91	0.779	1830.0		4420.00	2.42		12.42
11043	JE	AJK	78	10/10/91	0.932	0.00		3630.00	0.00		3.14
11043	PT	4E2	78	04/02/91	1.152	0.00		4900.00	0.00	>	1.50
11043	PT	AKG	78	10/10/91	0.725	0.00		2150.00	0.00		0.32
11043	SF	4EH	78	04/02/91	1.112	0.00		4700.00	0.00		2.31
11043	SF	AKW	78	10/10/91	0.592	787.00		1280.00	1.63	>	19.75
11043	VE	4DN	78	04/05/91	0.928	6800.0		8020.00	1.18	>	6.97
11043	VE	AHL	78	10/11/91	1.104	0.00		5050.00	0.00		0.40
11043	YF	4CT	78	04/03/91	1.072	0.00		4070.00	0.00		5.52
11043	YF	AKO	78	10/10/91	1.077	0.00		2580.00	0.00	>	4.49
11044	JE	4E2	78	04/04/91	1.004	24.10		30.20	1.25		6.79
11044	JE	AJK	78	10/10/91	0.932	19.10		62.70	3.29		16.51
11044	PT	4GR	78	04/04/91	0.701	0.00		41.50	0.00	>	0.20
11044	PT	AKG	78	10/10/91	0.725	0.00		63.90	0.00		2.91
11044	SF	4H6	78	04/04/91	0.785	0.00		2.27	0.00		0.00
11044	SF	AKW	78	10/10/91	0.592	0.00		46.20	0.00	>	12.19
11044	VE	4EK	78	04/05/91	0.872	0.00		36.50	0.00	>	0.10

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11044	VE	AHL	78	10/11/91	1.104	0.00	31.00	0.00	0.00
11044	YF	419	78	04/04/91	1.146	21.70	37.90	1.75	8.77
11044	YF	AK0	78	10/10/91	1.077	10.90	70.90	6.49 >	30.04
11045	JE	4F0	78	04/04/91	0.943	171.00	306.00	1.79 >	13.06
11045	JE	AJL	78	10/10/91	0.950	190.00	408.00	2.14 >	10.52
11045	PT	4GS	78	04/04/91	0.718	0.00	375.00	0.00	3.14
11045	PT	AKH	78	10/10/91	0.512	0.00	429.00	0.00	1.93
11045	SF	4H7	78	04/04/91	0.683	0.00	456.00	0.00	0.00
11045	SF	AKX	78	10/10/91	0.568	0.00	505.00	0.00 >	6.31
11045	VE	4EL	78	04/05/91	0.886	0.00	341.00	0.00	0.00
11045	VE	AHN	78	10/11/91	1.158	0.00	449.00	0.00	0.10
11045	YF	41A	78	04/04/91	1.110	197.00	320.00	1.62	7.58
11045	YF	AK1	78	10/10/91	1.042	100.00	425.00	4.25	21.32
11046	JE	4F0	78	04/04/91	0.963	0.00	5600.00	0.00	0.00
11046	PT	4GS	78	04/04/91	0.718	0.00 >	10000.0	0.00 >	0.07
11046	SF	4H7	78	04/04/91	0.683	0.00 >	10000.0	0.00	0.00
11046	VE	4EL	78	04/05/91	0.886	0.00 >	10000.0	0.00	0.00
11046	YF	41A	78	04/04/91	1.110	0.00	5470.00	0.00	0.00
11047	JE	4F1	78	04/04/91	0.997	0.00	1240.00	0.00	0.00
11047	JE	AJL	78	10/10/91	0.850	0.00	5090.00	0.00 >	0.45
11047	PT	4GT	78	04/04/91	0.738	561.00	1950.00	3.48	16.97
11047	PT	AKH	78	10/10/91	0.512	2000.0	4850.00	2.43	12.88
11047	SF	4H8	78	04/04/91	0.634	0.00	2720.00	0.00	0.78
11047	SF	AKX	78	10/10/91	0.568	2840.0	4900.00	1.73 >	16.83
11047	VE	4EN	78	04/05/91	0.967	0.00	870.00	0.00 >	5.89
11047	VE	AHN	78	10/11/91	1.158	0.00	3860.00	0.00 >	2.24
11047	YF	41B	78	04/04/91	1.103	0.00	1390.00	0.00	0.00
11047	YF	AK1	78	10/10/91	1.042	0.00	4330.00	0.00	9.19
11048	JE	4F1	78	04/04/91	0.997	0.00	347.00	0.00	0.00
11048	JE	AJM	78	10/10/91	0.969	0.00	456.00	0.00	0.00
11048	PT	4GT	78	04/04/91	0.738	0.00	428.00	0.00 >	0.01
11048	PT	AKI	78	10/10/91	0.381	0.00	735.00	0.00 >	0.50
11048	SF	4H8	78	04/04/91	0.634	814.00	1240.00	1.52	5.71
11048	SF	AKY	78	10/10/91	0.572	0.00	405.00	0.00	0.00
11048	VE	4EN	78	04/05/91	0.967	606.00	688.00	1.14	7.31
11048	VE	AHN	78	10/11/91	1.018	505.00	918.00	1.82	12.34
11048	YF	41B	78	04/04/91	1.103	0.00	433.00	0.00	0.00
11048	YF	AK2	78	10/10/91	0.891	0.00	14.90	0.00	0.00
11049	JE	4F2	78	04/04/91	1.037	0.00	355.00	0.00 >	0.32
11049	PT	4GU	78	04/04/91	0.709	0.00	490.00	0.00	3.75
11049	SF	4H9	78	04/04/91	0.670	0.00	674.00	0.00	6.06
11049	VE	4EN	78	04/05/91	1.041	0.00	558.00	0.00	0.00
11049	YF	41C	78	04/04/91	1.098	0.00	389.00	0.00	0.06
11050	JE	4F2	78	04/04/91	1.037	0.00	265.00	0.00	0.00
11050	PT	4GU	78	04/04/91	0.709	0.00	436.00	0.00	0.00
11050	SF	4H9	78	04/04/91	0.670	0.00	189.00	0.00	0.00
11050	VE	4EN	78	04/05/91	1.041	0.00	356.00	0.00	0.00
11050	YF	41C	78	04/04/91	1.098	0.00	346.00	0.00	0.00
11051	JE	4F3	78	04/04/91	1.002	0.00	575.00	0.00	0.00
11051	PT	4GV	78	04/04/91	0.715	0.00	835.00	0.00 >	2.60
11051	SF	4HA	78	04/04/91	0.722	0.00	1000.00	0.00	0.00
11051	VE	4EO	78	04/05/91	1.102	0.00	703.00	0.00 >	6.06
11051	YF	41D	78	04/04/91	1.105	0.00	592.00	0.00	0.00
11052	JE	4F3	78	04/04/91	1.002	0.00	193.00	0.00	0.00
11052	PT	4GV	78	04/04/91	0.715	0.00	403.00	0.00	0.00
11052	SF	4HA	78	04/04/91	0.722	0.00	320.00	0.00	0.00
11052	VE	4EO	78	04/05/91	1.102	0.00	283.00	0.00	0.00
11052	YF	41D	78	04/04/91	1.105	0.00	176.00	0.00	0.00
11053	JE	4F4	78	04/04/91	1.016	0.00	229.00	0.00 >	1.84
11053	PT	4GW	78	04/04/91	0.627	0.00	338.00	0.00 >	1.10
11053	SF	4HB	78	04/04/91	0.693	0.00	320.00	0.00	0.51
11053	VE	4EP	78	04/05/91	0.867	0.00	422.00	0.00	3.11
11053	YF	41E	78	04/04/91	1.088	0.00	338.00	0.00	0.00
11054	JE	4F4	78	04/04/91	1.016	0.00	110.00	0.00	0.00
11054	PT	4GW	78	04/04/91	0.627	0.00	144.00	0.00 >	0.41
11054	SF	4HB	78	04/04/91	0.693	0.00	149.00	0.00	1.03
11054	VE	4EP	78	04/05/91	0.867	0.00	223.00	0.00	0.61
11054	YF	41E	78	04/04/91	1.088	0.00	124.00	0.00	0.00
11055	JE	4F5	78	04/04/91	0.983	0.00	1140.00	0.00	0.00
11055	PT	4GX	78	04/04/91	0.663	0.00	1880.00	0.00	0.00
11055	SF	4HC	78	04/04/91	0.621	0.00	1540.00	0.00	0.00
11055	VE	4EQ	78	04/05/91	0.830	0.00	1430.00	0.00	5.28
11055	YF	41F	78	04/04/91	1.126	0.00	1000.00	0.00	0.00
11056	JE	4F5	78	04/04/91	0.983	0.00	417.00	0.00	0.00
11056	PT	4GX	78	04/04/91	0.663	0.00	1080.00	0.00	0.68

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11056	SF	4HC	78	04/04/91	0.621	0.00	2060.00	0.00		0.00
11056	VE	4EQ	78	04/05/91	0.830	0.00	1940.00	0.00	>	7.11
11056	YF	4IF	78	04/04/91	1.126	0.00	1190.00	0.00		0.00
11057	JE	4F6	78	04/04/91	1.011	0.00	830.00	0.00	>	0.93
11057	PT	4GY	78	04/04/91	0.662	0.00	1750.00	0.00		0.00
11057	SF	4HD	78	04/04/91	0.655	0.00	1880.00	0.00		0.54
11057	VE	4ER	78	04/05/91	1.021	0.00	974.00	0.00		3.21
11057	YF	4IG	78	04/04/91	1.184	0.00	1160.00	0.00	>	0.10
11058	JE	4F6	78	04/04/91	1.011	0.00	250.00	0.00		0.33
1058	PT	4GY	78	04/04/91	0.662	0.00	450.00	0.00		0.00
11058	SF	4HD	78	04/04/91	0.655	0.00	400.00	0.00		0.00
11058	VE	4ER	78	04/05/91	1.021	0.00	365.00	0.00	>	0.30
11058	YF	4IG	78	04/04/91	1.184	0.00	407.00	0.00		0.00
11059	JE	4F7	78	04/04/91	0.860	0.00	161.00	0.00		0.17
11059	PT	4GZ	78	04/04/91	0.662	0.00	197.00	0.00	>	1.83
11059	SF	4HE	78	04/04/91	0.641	0.00	249.00	0.00		3.01
11059	VE	4ES	78	04/05/91	1.068	0.00	148.00	0.00	>	0.01
11059	YF	4IH	78	04/04/91	1.155	0.00	151.00	0.00		0.00
11060	JE	4F7	78	04/04/91	0.860	0.00	566.00	0.00		0.00
11060	JE	AJN	78	10/10/91	0.969	0.00	703.00	0.00		0.00
11060	PT	4GZ	78	04/04/91	0.662	0.00	756.00	0.00		2.63
11060	PT	AKI	78	10/10/91	0.381	0.00	690.00	0.00		0.69
11060	SF	4HE	78	04/04/91	0.641	473.00	1410.00	2.98		16.67
11060	SF	AKY	78	10/10/91	0.572	0.00	217.00	0.00	>	8.61
11060	VE	4ES	78	04/05/91	1.068	977.00	3960.00	4.05		17.84
11060	VE	AHN	78	10/11/91	1.018	0.00	1210.00	0.00		5.08
11060	YF	4IH	78	04/04/91	1.155	0.00	830.00	0.00	>	0.44
11060	YF	AK2	78	10/10/91	0.891	0.00	1000.00	0.00	>	9.03
11061	JE	4F8	78	04/04/91	0.928	0.00	592.00	0.00		0.00
11061	PT	4HO	78	04/04/91	0.750	0.00	1120.00	0.00		0.00
11061	SF	4HF	78	04/04/91	0.649	0.00	1920.00	0.00		0.00
11061	VE	4ET	78	04/05/91	1.084	0.00	1130.00	0.00		0.00
11061	YF	4II	78	04/04/91	1.152	0.00	674.00	0.00		0.00
11062	JE	4F8	78	04/04/91	0.928	0.00	1190.00	0.00		0.00
11062	JE	AJN	78	10/10/91	0.963	0.00	1410.00	0.00		0.00
11062	PT	4HO	78	04/04/91	0.750	0.00	1440.00	0.00	>	2.90
11062	PT	AKJ	78	10/10/91	0.569	0.00	660.00	0.00		0.00
11062	SF	4HF	78	04/04/91	0.649	581.00	1110.00	1.91		15.80
11062	SF	AKZ	78	10/10/91	0.617	0.00	547.00	0.00		0.25
11062	VE	4ET	78	04/05/91	1.084	0.00	1560.00	0.00		1.26
11062	VE	AHO	78	10/11/91	1.038	0.00	1300.00	0.00	>	0.30
11062	YF	4II	78	04/04/91	1.152	0.00	1300.00	0.00		1.59
11062	YF	AK3	78	10/10/91	0.841	0.00	1550.00	0.00		10.05
11063	JE	4F9	78	04/04/91	0.856	0.00	1000.00	0.00	>	0.09
11063	PT	4H1	78	04/04/91	0.560	0.00	1550.00	0.00		0.00
11063	SF	4HG	78	04/04/91	0.696	0.00	1380.00	0.00		0.00
11063	VE	4EU	78	04/05/91	0.914	0.00	854.00	0.00	>	0.18
11063	YF	4IJ	78	04/04/91	1.095	0.00	854.00	0.00	>	0.01
11064	JE	4F9	78	04/04/91	0.856	0.00	1420.00	0.00	>	3.52
11064	JE	AJN	78	10/10/91	0.963	0.00	1970.00	0.00		2.49
11064	PT	4H1	78	04/04/91	0.560	0.00	1760.00	0.00		0.00
11064	PT	AKJ	78	10/10/91	0.569	0.00	2380.00	0.00		0.00
11064	SF	4HG	78	04/04/91	0.696	0.00	1760.00	0.00		3.05
11064	SF	AKZ	78	10/10/91	0.617	0.00	1590.00	0.00		0.20
11064	VE	4EU	78	04/05/91	0.914	1770.0	3300.00	1.86	>	11.81
11064	VE	AHO	78	10/11/91	1.038	2310.0	3630.00	1.57	>	6.55
11064	YF	4IJ	78	04/04/91	1.095	0.00	887.00	0.00		0.00
11064	YF	AK3	78	10/10/91	0.841	3200.0	2070.00	0.65	>	11.47
11065	JE	4FA	78	04/04/91	0.954	0.00	306.00	0.00		0.00
11065	PT	4H2	78	04/04/91	0.635	0.00	756.00	0.00		0.40
11065	SF	4HH	78	04/04/91	0.698	0.00	600.00	0.00		3.04
11065	VE	4EV	78	04/05/91	0.823	0.00	927.00	0.00		2.16
11065	YF	4IK	78	04/04/91	1.124	0.00	522.00	0.00		0.00
11066	JE	4FA	78	04/04/91	0.954	0.00	104.00	0.00		0.00
11066	PT	4H2	78	04/04/91	0.635	0.00	135.00	0.00		0.00
11066	SF	4HH	78	04/04/91	0.698	0.00	111.00	0.00		0.00
11066	VE	4EV	78	04/05/91	0.823	0.00	125.00	0.00	>	0.10
11066	YF	4IK	78	04/04/91	1.124	0.00	132.00	0.00		0.00
11067	JE	4F8	78	04/04/91	0.958	0.00	453.00	0.00		0.00
11067	PT	4H3	78	04/04/91	0.588	0.00	553.00	0.00		0.00
11067	SF	4HI	78	04/04/91	0.666	0.00	556.00	0.00		0.00
11067	VE	4EW	78	04/05/91	1.009	0.00	547.00	0.00		0.23
11067	YF	4IL	78	04/04/91	1.125	0.00	566.00	0.00		0.00
11068	JE	4F8	78	04/04/91	0.958	0.00	382.00	0.00		0.00
11068	PT	4H3	78	04/04/91	0.588	0.00	446.00	0.00		0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11068	SF	4HI	78	04/04/91	0.666	0.00	444.00	0.00	0.00
11068	VE	4EW	78	04/05/91	1.009	0.00	485.00	0.00	0.00
11068	YF	4IL	78	04/04/91	1.125	0.00	506.00	0.00 >	0.53
11069	JE	4J3	78	04/10/91	0.722	0.00	413.00	0.00	0.00
11069	JE	AJO	78	10/10/91	0.955	0.00	143.00	0.00 >	0.03
11069	PT	4L9	78	04/09/91	1.502	0.00	194.00	0.00	0.00
11069	PT	AKK	78	10/10/91	0.568	0.00	58.70	0.00	0.00
11069	SF	4Z8	78	04/24/91	1.252	0.00	279.00	0.00	0.00
11069	SF	AL0	78	10/10/91	0.608	0.00	44.40	0.00	0.00
11069	VE	4KU	78	04/12/91	0.807	0.00	320.00	0.00	0.00
11069	VE	AMP	78	10/11/91	1.034	0.00	66.70	0.00 >	0.10
11069	YF	4IO	78	04/10/91	1.106	0.00	490.00	0.00	0.00
11069	YF	AK4	78	10/10/91	0.827	0.00	95.00	0.00	0.00
11070	JE	4J4	78	04/10/91	0.782	0.00	172.00	0.00	0.00
11070	PT	4LA	78	04/09/91	1.405	0.00	154.00	0.00	0.00
11070	SF	4Z9	78	04/24/91	1.152	0.00	168.00	0.00 >	0.08
11070	VE	4KV	78	04/12/91	0.819	0.00	199.00	0.00	0.44
11070	YF	4IP	78	04/10/91	1.043	0.00	171.00	0.00	0.00
11071	JE	4J4	78	04/10/91	0.782	0.00	340.00	0.00	0.00
11071	PT	4LA	78	04/09/91	1.405	0.00	238.00	0.00	0.00
11071	SF	4Z9	78	04/24/91	1.152	0.00	279.00	0.00	0.00
11071	VE	4KV	78	04/12/91	0.819	0.00	553.00	0.00	5.61
11071	YF	4IP	78	04/10/91	1.043	0.00	307.00	0.00	0.00
11072	JE	4J5	78	04/10/91	0.763	0.00	243.00	0.00	0.00
11072	PT	4LB	78	04/09/91	1.414	0.00	134.00	0.00	0.00
11072	SF	4ZA	78	04/24/91	1.100	0.00	169.00	0.00	0.00
11072	VE	4KW	78	04/12/91	0.837	0.00	193.00	0.00	1.93
11072	YF	4IQ	78	04/10/91	1.078	0.00	229.00	0.00	0.00
11073	JE	4J5	78	04/10/91	0.763	0.00	387.00	0.00	0.01
11073	PT	4LB	78	04/09/91	1.414	0.00	142.00	0.00	0.00
11073	SF	4ZA	78	04/24/91	1.100	0.00	244.00	0.00	0.00
11073	VE	4KW	78	04/12/91	0.837	0.00	374.00	0.00	5.16
11073	YF	4IQ	78	04/10/91	1.078	0.00	422.00	0.00	2.29
11074	JE	4J6	78	04/10/91	0.780	0.00	1280.00	0.00	0.00
11074	JE	AJO	78	10/10/91	0.955	0.00	1350.00	0.00	0.00
11074	PT	4LC	78	04/09/91	1.496	809.00	320.00	0.40	1.31
11074	PT	AKK	78	10/10/91	0.568	0.00	453.00	0.00	0.00
11074	SF	4ZB	78	04/24/91	1.083	0.00	1080.00	0.00	0.00
11074	SF	AL0	78	10/10/91	0.608	0.00	1390.00	0.00 >	0.08
11074	VE	4KX	78	04/12/91	0.850	0.00	676.00	0.00 >	0.13
11074	VE	AMP	78	10/11/91	1.034	0.00	754.00	0.00	0.12
11074	YF	4IR	78	04/10/91	1.074	0.00	1300.00	0.00	0.06
11074	YF	AK4	78	10/10/91	0.827	0.00	1550.00	0.00 >	8.03
11075	JE	4J6	78	04/10/91	0.780	0.00	2180.00	0.00	0.00
11075	JE	AJP	78	10/10/91	0.838	0.00	2650.00	0.00 >	0.10
11075	PT	4LC	78	04/09/91	1.496	0.00	1000.00	0.00	0.00
11075	PT	AKL	78	10/10/91	0.578	0.00	4470.00	0.00	0.00
11075	SF	4ZB	78	04/24/91	1.083	0.00	1280.00	0.00	0.00
11075	SF	AL1	78	10/10/91	0.609	0.00	1680.00	0.00 >	8.13
11075	VE	4KX	78	04/12/91	0.850	0.00	2450.00	0.00 >	6.20
11075	VE	AMQ	78	10/11/91	1.040	2780.0	1980.00	0.71	1.20
11075	YF	4IR	78	04/10/91	1.074	0.00	1980.00	0.00 >	5.40
11075	YF	AK5	78	10/10/91	0.893	0.00	1950.00	0.00 >	6.28
11076	JE	4J7	78	04/10/91	0.785	0.00 >	3200.00	0.00	0.35
11076	JE	AJP	78	10/10/91	0.838	2640.0	4140.00	1.57	6.45
11076	PT	4LD	78	04/09/91	1.570	2760.0	505.00	0.18 >	0.44
11076	PT	AKL	78	10/10/91	0.578	0.00	4570.00	0.00	3.80
11076	SF	4ZC	78	04/24/91	1.006	0.00 >	3200.00	0.00 >	1.17
11076	SF	AL1	78	10/10/91	0.609	912.00	4900.00	5.37 >	25.89
11076	VE	4KY	78	04/12/91	0.845	0.00 >	3200.00	0.00 >	1.72
11076	VE	AMQ	78	10/11/91	1.040	0.00	2180.00	0.00	0.00
11076	YF	4IS	78	04/10/91	1.148	0.00 >	3200.00	0.00 >	0.71
11076	YF	AK5	78	10/10/91	0.893	0.00	4900.00	0.00 >	4.92
11077	JE	4J7	78	04/10/91	0.785	0.00 >	3200.00	0.00	0.00
11077	PT	4LD	78	04/09/91	1.570	0.00 >	3200.00	0.00	0.00
11077	SF	4ZC	78	04/24/91	1.006	0.00 >	3200.00	0.00	0.00
11077	VE	4KY	78	04/12/91	0.845	0.00 >	3200.00	0.00 >	1.93
11077	YF	4IS	78	04/10/91	1.148	0.00 >	3200.00	0.00 >	0.06
11078	JE	4J8	78	04/10/91	0.780	0.00	1520.00	0.00	0.00
11078	JE	AF3	78	10/09/91	0.685	0.00	139.00	0.00	0.00
11078	PT	4LE	78	04/09/91	1.528	0.00	660.00	0.00	0.00
11078	PT	AFZ	78	10/10/91	0.517	0.00	903.00	0.00	0.00
11078	SF	4ZD	78	04/24/91	1.188	0.00	785.00	0.00	0.00
11078	SF	AGF	78	10/10/91	0.487	0.00	815.00	0.00	0.00
11078	VE	4KZ	78	04/12/91	0.835	971.00	2630.00	2.70 >	15.48

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11078	VE	AFJ	78	10/11/91	0.974	827.00	4000.00	4.84	22.94
11078	YF	4IT	78	04/10/91	1.126	0.00	1230.00	0.00	0.00
11078	YF	AEN	78	10/08/91	0.917	0.00	1460.00	0.00	1.12
11079	JE	4J8	78	04/10/91	0.780	0.00	468.00	0.00	0.00
11079	PT	4LE	78	04/09/91	1.528	0.00	330.00	0.00	0.00
11079	SF	4ZD	78	04/24/91	1.188	0.00	413.00	0.00	0.00
11079	VE	4KZ	78	04/12/91	0.835	0.00	482.00	0.00	0.00
11079	YF	4IT	78	04/10/91	1.126	0.00	471.00	0.00 >	0.05
11080	JE	4J9	78	04/10/91	0.789	0.00	456.00	0.00	0.00
11080	PT	4LF	78	04/09/91	1.457	0.00	247.00	0.00	0.00
11080	SF	4ZE	78	04/24/91	1.084	0.00	414.00	0.00	0.00
11080	VE	4L0	78	04/12/91	0.841	0.00	469.00	0.00 >	0.71
11080	YF	4IU	78	04/10/91	1.107	0.00	452.00	0.00	0.00
11081	JE	4J9	78	04/10/91	0.789	0.00	1220.00	0.00	0.00
11081	PT	4LF	78	04/09/91	1.457	0.00	501.00	0.00	0.00
11081	SF	4ZE	78	04/24/91	1.084	0.00	1140.00	0.00 >	0.10
11081	VE	4L0	78	04/12/91	0.841	0.00	1620.00	0.00 >	16.10
11081	YF	4IU	78	04/10/91	1.107	0.00	1260.00	0.00	2.22
11082	JE	4JA	78	04/10/91	0.811	0.00	1080.00	0.00	0.00
11082	PT	4LG	78	04/09/91	1.438	0.00	320.00	0.00	0.00
11082	SF	4ZF	78	04/24/91	1.240	0.00	510.00	0.00	0.00
11082	VE	4L1	78	04/12/91	0.834	0.00	1190.00	0.00 >	3.02
11082	YF	4IV	78	04/10/91	1.084	0.00	852.00	0.00	0.00
11083	JE	4JA	78	04/10/91	0.811	0.00	1440.00	0.00	0.00
11083	PT	4LG	78	04/09/91	1.438	0.00	815.00	0.00	0.00
11083	SF	4ZF	78	04/24/91	1.240	0.00	928.00	0.00	0.00
11083	VE	4L1	78	04/12/91	0.834	0.00	4220.00	0.00 >	10.25
11083	YF	4IV	78	04/10/91	1.084	0.00	1750.00	0.00	0.00
11084	JE	4J8	78	04/10/91	0.684	0.00	915.00	0.00	0.00
11084	PT	4LH	78	04/09/91	1.426	0.00	534.00	0.00	0.00
11084	SF	4ZG	78	04/24/91	1.009	0.00	1080.00	0.00 >	0.30
11084	VE	4L2	78	04/12/91	0.788	0.00	767.00	0.00	0.00
11084	YF	4IW	78	04/10/91	1.121	0.00	964.00	0.00	0.00
11085	JE	4J8	78	04/10/91	0.684	0.00	1280.00	0.00	0.00
11085	PT	4LH	78	04/09/91	1.426	0.00	298.00	0.00	0.00
11085	SF	4ZG	78	04/24/91	1.009	0.00	1160.00	0.00	0.00
11085	VE	4L2	78	04/12/91	0.788	0.00	1070.00	0.00	0.00
11085	YF	4IW	78	04/10/91	1.121	0.00	1140.00	0.00	0.00
11086	JE	4JC	78	04/10/91	0.725	0.00	927.00	0.00	0.00
11086	JE	AF3	78	10/09/91	0.685	0.00	1420.00	0.00	0.00
11086	PT	4LI	78	04/09/91	1.526	957.00	640.00	0.67	1.19
11086	PT	AFZ	78	10/10/91	0.517	0.00	717.00	0.00	0.00
11086	SF	4ZH	78	04/24/91	1.112	0.00	1180.00	0.00	1.8[illegible]
11086	SF	AGF	78	10/10/91	0.487	0.00	704.00	0.00	0.00
11086	VE	4L3	78	04/12/91	0.826	556.00	1640.00	2.95	16.37
11086	VE	AFJ	78	10/11/91	0.974	666.00	1300.00	1.96	9.80
11086	YF	4IX	78	04/10/91	1.213	0.00	649.00	0.00	0.00
11086	YF	AEN	78	10/08/91	0.917	2820.0	2520.00	0.89	2.56
11087	JE	4JC	78	04/10/91	0.725	0.00	2670.00	0.00	0.00
11087	PT	4LI	78	04/09/91	1.526	0.00	265.00	0.00	0.00
11087	SF	4ZH	78	04/24/91	1.112	0.00	1060.00	0.00	0.00
11087	VE	4L3	78	04/12/91	0.826	0.00 >	3200.00	0.00 >	4.84
11087	YF	4IX	78	04/10/91	1.213	0.00	1730.00	0.00	0.00
11088	JE	4JD	78	04/10/91	0.796	0.00	1790.00	0.00	0.00
11088	PT	4LJ	78	04/09/91	1.475	0.00	629.00	0.00	2.12
11088	SF	4ZI	78	04/24/91	1.122	0.00	843.00	0.00	0.00
11088	VE	4L4	78	04/12/91	0.846	0.00 >	3200.00	0.00 >	7.63
11088	YF	4IY	78	04/10/91	1.079	0.00	2220.00	0.00	0.00
11089	JE	4JD	78	04/10/91	0.796	0.00	960.00	0.00	0.42
11089	PT	4LJ	78	04/09/91	1.475	0.00	24.70	0.00	0.00
11089	SF	4ZI	78	04/24/91	1.122	0.00	649.00	0.00	0.00
11089	VE	4L4	78	04/12/91	0.846	0.00	1390.00	0.00	5.15
11089	YF	4IY	78	04/10/91	1.079	0.00	1170.00	0.00	0.82
11090	JE	4JE	78	04/10/91	0.697	0.00	4510.00	0.00	0.99
11090	PT	4LK	78	04/09/91	1.430	0.00	1600.00	0.00	0.04
11090	SF	4ZJ	78	04/24/91	1.063	0.00	2400.00	0.00	0.00
11090	VE	4L5	78	04/12/91	0.788	0.00	4110.00	0.00	4.97
11090	YF	4IZ	78	04/10/91	1.116	0.00	3290.00	0.00	3.11
11091	JE	4JE	78	04/10/91	0.697	0.00 >	3200.00	0.00	0.00
11091	PT	4LK	78	04/09/91	1.430	0.00	592.00	0.00	0.00
11091	SF	4ZJ	78	04/24/91	1.063	0.00	1640.00	0.00	0.00
11091	VE	4L5	78	04/12/91	0.788	0.00 >	3200.00	0.00 >	0.60
11091	YF	4IZ	78	04/10/91	1.116	0.00 >	3200.00	0.00	0.00
11092	JE	4JF	78	04/10/91	0.737	0.00	182.00	0.00	0.00
11092	PT	4LL	78	04/09/91	1.467	0.00	61.80	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11092	SF	4ZK	78	04/24/91	1.031	0.00	118.00	0.00	0.00
11092	VE	4L6	78	04/12/91	0.821	0.00	164.00	0.00	0.00
11092	YF	4J0	78	04/10/91	1.063	0.00	169.00	0.00	0.00
11093	JE	4JF	78	04/10/91	0.737	0.00	1270.00	0.00	0.00
11093	JE	AF4	78	10/09/91	0.609	0.00	1440.00	0.00	0.00
11093	PT	4LL	78	04/09/91	1.467	0.00	1060.00	0.00	0.00
11093	PT	AG0	78	10/10/91	0.522	0.00	1300.00	0.00	0.00
11093	SF	4ZK	78	04/24/91	1.031	0.00	1400.00	0.00 >	0.60
11093	SF	AGG	78	10/10/91	0.524	0.00	1430.00	0.00	0.00
11093	VE	4L6	78	04/12/91	0.821	1990.0	2620.00	1.31 >	6.85
11093	VE	AFK	78	10/11/91	0.965	2060.0	2960.00	1.44	8.75
11093	YF	4J0	78	04/10/91	1.063	0.00	1590.00	0.00	0.48
11093	YF	AEO	78	10/08/91	0.941	0.00	1580.00	0.00	0.02
11094	JE	4K3	78	04/11/91	0.696	0.00	1350.00	0.00	0.23
11094	PT	4NL	78	04/11/91	1.055	0.00	1560.00	0.00	4.28
11094	SF	400	78	04/24/91	1.232	0.00	1340.00	0.00	0.00
11094	VE	4LO	78	04/12/91	0.669	0.00	906.00	0.00 >	7.12
11094	YF	4N6	78	04/11/91	1.032	0.00	1610.00	0.00	1.13
11095	JE	4N4	78	04/11/91	0.668	0.00	5660.00	0.00	0.02
11095	JE	AF4	78	10/09/91	0.609	0.00 >	10000.0	0.00	0.00
11095	PT	4NM	78	04/11/91	0.990	0.00	6080.00	0.00	14.23
11095	PT	AG0	78	10/10/91	0.522	0.00	6180.00	0.00	0.00
11095	SF	401	78	04/24/91	1.053	0.00	5750.00	0.00 >	3.24
11095	SF	AGG	78	10/10/91	0.524	3200.0	7450.00	2.33 >	26.97
11095	VE	4LP	78	04/12/91	0.758	5370.0 >	10000.0 >	1.86 >	20.07
11095	VE	AFK	78	10/11/91	0.965	864.00 >	10000.0 >	11.57 >	40.98
11095	YF	4N7	78	04/11/91	0.986	0.00	5610.00	0.00 >	11.45
11095	YF	AEO	78	10/08/91	0.941	6550.0 >	10000.0 >	1.53 >	20.10
11096	JE	4N4	78	04/11/91	0.668	0.00	4760.00	0.00	2.81
11096	PT	4NM	78	04/11/91	0.990	0.00	5170.00	0.00	8.34
11096	SF	401	78	04/24/91	1.053	0.00	4360.00	0.00	0.00
11096	VE	4LP	78	04/12/91	0.758	0.00	5270.00	0.00 >	8.02
11096	YF	4N7	78	04/11/91	0.986	0.00	4920.00	0.00	5.94
11097	JE	4N5	78	04/11/91	0.721	0.00	510.00	0.00	2.20
11097	JE	AF5	78	10/09/91	0.676	0.00	503.00	0.00	2.59
11097	PT	4NN	78	04/11/91	0.980	0.00	512.00	0.00	0.65
11097	PT	AG1	78	10/10/91	0.586	0.00	536.00	0.00	0.00
11097	SF	402	78	04/24/91	1.088	0.00	454.00	0.00	0.00
11097	SF	AGH	78	10/10/91	0.491	0.00	462.00	0.00	10.13
11097	VE	4LQ	78	04/12/91	0.800	660.00	1520.00	2.30	11.25
11097	VE	AFL	78	10/11/91	1.069	0.00	1190.00	0.00 >	4.40
11097	YF	4N8	78	04/11/91	0.987	0.00	471.00	0.00	0.50
11097	YF	AEP	78	10/08/91	0.867	0.00	647.00	0.00	0.89
11098	JE	4N5	78	04/11/91	0.721	0.00	2670.00	0.00	1.23
11098	PT	4NN	78	04/11/91	0.980	0.00	2570.00	0.00 >	4.05
11098	SF	402	78	04/24/91	1.088	0.00	2490.00	0.00	0.00
11098	VE	4LQ	78	04/12/91	0.800	0.00	3790.00	0.00 >	0.03
11098	YF	4N8	78	04/11/91	0.987	0.00	2490.00	0.00	1.13
11099	JE	4N6	78	04/11/91	0.687	0.00	451.00	0.00	0.00
11099	PT	4NO	78	04/11/91	1.061	0.00	338.00	0.00	0.59
11099	SF	403	78	04/24/91	1.083	0.00	420.00	0.00	4.02
11099	VE	4LR	78	04/12/91	0.806	0.00 >	10000.0	0.00	0.20
11099	YF	4N9	78	04/11/91	0.983	0.00	338.00	0.00	0.09
11100	JE	4N6	78	04/11/91	0.687	0.00	370.00	0.00	0.00
11100	JE	AL5	78	10/15/91	0.770	0.00	378.00	0.00 >	1.87
11100	PT	4NO	78	04/11/91	1.061	0.00	386.00	0.00	0.00
11100	PT	AM8	78	10/15/91	0.569	0.00	225.00	0.00 >	4.03
11100	SF	403	78	04/24/91	1.083	0.00	283.00	0.00	0.00
11100	SF	AMR	78	10/15/91	0.595	0.00	155.00	0.00	0.00
11100	VE	4LR	78	04/12/91	0.806	173.00	480.00	2.76	15.48
11100	VE	ALY	78	10/18/91	1.003	0.00	320.00	0.00	0.66
11100	YF	4N9	78	04/11/91	0.983	0.00	346.00	0.00	0.00
11100	YF	ALI	78	10/15/91	0.868	0.00	228.00	0.00 >	0.41
11101	JE	4N7	78	04/11/91	0.614	232.00	442.00	1.91	10.33
11101	JE	AL6	78	10/15/91	0.862	0.00	9.26	0.00	0.00
11101	PT	4NP	78	04/11/91	1.097	0.00	520.00	0.00	3.20
11101	PT	AMC	78	10/15/91	0.537	0.00	485.00	0.00	0.00
11101	SF	404	78	04/24/91	1.099	0.00	430.00	0.00	0.00
11101	SF	AM8	78	10/15/91	0.571	0.00	407.00	0.00	0.00
11101	VE	4LS	78	04/12/91	0.803	930.00	660.00	0.71	0.96
11101	VE	ALZ	78	10/18/91	1.011	0.00	618.00	0.00	0.06
11101	YF	4NA	78	04/11/91	0.949	0.00	508.00	0.00	1.09
11101	YF	ALJ	78	10/15/91	0.958	0.00	465.00	0.00	0.00
11102	JE	4N7	78	04/11/91	0.614	0.00	4780.00	0.00	0.00
11102	JE	AL6	78	10/15/91	0.862	0.00	4270.00	0.00	0.00

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11102	PT	4MP	78	04/11/91	1.097	0.00	5180.00	0.00 >	5.59
11102	PT	AMC	78	10/15/91	0.537	0.00	4930.00	0.00	0.00
11102	SF	404	78	04/24/91	1.099	0.00	5970.00	0.00	0.00
11102	SF	AMB	78	10/15/91	0.571	0.00	4400.00	0.00	0.00
11102	VE	4LS	78	04/12/91	0.803	6260.0 >	10000.0 >	1.60 >	10.57
11102	VE	ALZ	78	10/18/91	1.011	0.00	5260.00	0.00	0.01
11102	YF	4MA	78	04/11/91	0.949	0.00	4570.00	0.00 >	0.63
11102	YF	ALJ	78	10/15/91	0.958	0.00	4570.00	0.00	3.12
11103	JE	4MB	78	04/11/91	0.687	0.00	1240.00	0.00	0.75
11103	JE	AL7	78	10/15/91	0.696	0.00	1410.00	0.00	0.00
11103	PT	4MQ	78	04/11/91	1.061	0.00	1350.00	0.00 >	1.17
11103	PT	AMD	78	10/15/91	0.651	0.00	969.00	0.00	0.00
11103	SF	405	78	04/24/91	1.232	0.00	646.00	0.00	0.00
11103	SF	AMT	78	10/15/91	0.475	0.00	715.00	0.00	0.00
11103	VE	4LT	78	04/12/91	0.810	1000.0	1550.00	1.55	8.32
11103	VE	AMO	78	10/18/91	0.989	0.00	1120.00	0.00 >	1.62
11103	YF	4MB	78	04/11/91	0.936	0.00	1550.00	0.00	0.97
11103	YF	ALK	78	10/15/91	0.953	0.00	1110.00	0.00 >	0.79
11104	JE	4MB	78	04/11/91	0.687	0.00	806.00	0.00	0.00
11104	PT	4MQ	78	04/11/91	1.061	0.00	887.00	0.00	4.03
11104	SF	405	78	04/24/91	1.232	0.00	100.00	0.00	0.00
11104	VE	4LT	78	04/12/91	0.810	0.00	887.00	0.00 >	5.72
11104	YF	4MB	78	04/11/91	0.936	0.00	859.00	0.00	0.00
11105	JE	4M9	78	04/11/91	0.688	0.00	660.00	0.00	0.00
11105	PT	4MR	78	04/11/91	1.020	0.00	616.00	0.00	0.00
11105	SF	406	78	04/24/91	1.034	0.00	547.00	0.00	0.00
11105	VE	4LU	78	04/12/91	0.807	0.00	745.00	0.00	0.44
11105	YF	4MC	78	04/11/91	0.972	0.00	649.00	0.00	0.00
11106	JE	4M9	78	04/11/91	0.688	0.00	1720.00	0.00	0.00
11106	PT	4MR	78	04/11/91	1.020	0.00	1970.00	0.00	0.40
11106	SF	406	78	04/24/91	1.034	0.00	932.00	0.00	0.00
11106	VE	4LU	78	04/12/91	0.807	0.00	2450.00	0.00 >	8.13
11106	YF	4MC	78	04/11/91	0.972	0.00	2070.00	0.00	0.20
11107	JE	4MA	78	04/11/91	0.696	0.00	4540.00	0.00	0.00
11107	JE	AL7	78	10/15/91	0.696	0.00	2100.00	0.00	0.07
11107	PT	4MS	78	04/11/91	1.019	1760.0	3200.00	1.82 >	15.40
11107	PT	AMD	78	10/15/91	0.651	0.00	1940.00	0.00	0.00
11107	SF	407	78	04/24/91	1.116	0.00	2810.00	0.00 >	0.05
11107	SF	AMT	78	10/15/91	0.475	0.00	2030.00	0.00	0.00
11107	VE	4LV	78	04/12/91	0.861	0.00	4070.00	0.00 >	9.46
11107	VE	AMO	78	10/18/91	0.989	0.00	2360.00	0.00 >	4.06
11107	YF	4MD	78	04/11/91	0.975	0.00	4870.00	0.00 >	2.22
11107	YF	ALK	78	10/15/91	0.953	0.00	2230.00	0.00 >	0.33
11108	JE	4MA	78	04/11/91	0.696	0.00	1460.00	0.00	0.00
11108	JE	AL8	78	10/15/91	0.729	0.00	1060.00	0.00	0.00
11108	PT	4MS	78	04/11/91	1.019	757.00	948.00	1.25 >	8.55
11108	PT	AME	78	10/15/91	0.619	0.00	1370.00	0.00 >	0.45
11108	SF	407	78	04/24/91	1.116	0.00	501.00	0.00	0.00
11108	SF	AMU	78	10/15/91	0.483	0.00	1410.00	0.00	0.00
11108	VE	4LV	78	04/12/91	0.861	0.00	2320.00	0.00 >	2.91
11108	VE	AM1	78	10/18/91	1.002	11300	6600.00	0.58 >	13.10
11108	YF	4MD	78	04/11/91	0.975	0.00	1570.00	0.00	1.58
11108	YF	ALL	78	10/15/91	1.004	0.00	928.00	0.00	0.05
11109	JE	4MB	78	04/11/91	0.741	0.00	444.00	0.00 >	1.44
11109	JE	AL8	78	10/15/91	0.729	0.00	592.00	0.00 >	1.52
11109	PT	4MT	78	04/11/91	1.020	0.00	445.00	0.00	0.61
11109	PT	AME	78	10/15/91	0.619	0.00	431.00	0.00	0.00
11109	SF	408	78	04/24/91	1.010	0.00	473.00	0.00 >	4.35
11109	SF	AMU	78	10/15/91	0.483	0.00	483.00	0.00	1.62
11109	VE	4LW	78	04/12/91	0.682	1000.0	974.00	0.97 >	10.73
11109	VE	AM1	78	10/18/91	1.002	0.00	619.00	0.00	1.30
11109	YF	4ME	78	04/11/91	1.031	0.00	472.00	0.00	0.72
11109	YF	ALL	78	10/15/91	1.004	0.00	471.00	0.00	0.04
11110	JE	4MB	78	04/11/91	0.741	0.00	2540.00	0.00	1.58
11110	JE	AL9	78	10/15/91	0.704	0.00	5140.00	0.00	0.00
11110	PT	4MT	78	04/11/91	1.020	1230.0 >	3200.00 >	2.61 >	21.19
11110	PT	AMF	78	10/15/91	0.600	0.00	3570.00	0.00	0.64
11110	SF	408	78	04/24/91	1.010	0.00 >	3200.00	0.00	0.00
11110	SF	AMV	78	10/15/91	0.486	0.00	4050.00	0.00	1.00
11110	VE	4LW	78	04/12/91	0.682	0.00 >	3200.00	0.00 >	13.40
11110	VE	AM2	78	10/18/91	0.884	0.00	7150.00	0.00	8.19
11110	YF	4ME	78	04/11/91	1.031	0.00 >	3200.00	0.00 >	4.44
11110	YF	ALM	78	10/15/91	0.988	0.00	2690.00	0.00	0.00
11111	JE	4MC	78	04/11/91	0.672	0.00	1110.00	0.00 >	2.02
11111	JE	AL9	78	10/15/91	0.704	0.00	1370.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11111	PT	4NU	78	04/11/91	1.093	0.00	320.00	0.00	0.00
11111	PT	ANF	78	10/15/91	0.600	0.00	1140.00	0.00	0.00
11111	SF	409	78	04/24/91	0.936	0.00	1060.00	0.00	0.00
11111	SF	ANV	78	10/15/91	0.486	0.00	1300.00	0.00	0.00
11111	VE	4LX	78	04/12/91	0.755	556.00	1110.00	2.00 >	17.68
11111	VE	AM2	78	10/18/91	0.884	0.00	526.00	0.00	4.43
11111	YF	4NF	78	04/11/91	1.013	0.00	1280.00	0.00	3.21
11111	YF	ALM	78	10/15/91	0.988	0.00	1110.00	0.00	5.48
11113	JE	4MC	78	04/11/91	0.672	0.00	1140.00	0.00	1.01
11113	PT	4NU	78	04/11/91	1.093	0.00	1300.00	0.00	0.00
11113	SF	409	78	04/24/91	0.936	0.00	935.00	0.00	0.00
11113	VE	4LX	78	04/12/91	0.755	0.00	1360.00	0.00 >	9.90
11113	YF	4NF	78	04/11/91	1.013	0.00	1310.00	0.00	3.10
11114	JE	C05	84	11/20/91	0.971	0.00 >	320.00	0.00	0.00
11114	PT	C30	84	11/20/91	0.650	0.00 >	320.00	0.00	0.00
11114	SF	C44	84	11/20/91	0.856	0.00 >	320.00	0.00	0.00
11114	VE	C0K	84	11/22/91	1.055	0.00 >	320.00	0.00 >	0.50
11114	YF	BZQ	84	11/20/91	0.892	0.00	277.00	0.00	0.00
11115	JE	4MD	78	04/11/91	0.669	0.00	575.00	0.00	0.00
11115	JE	ALA	78	10/15/91	0.770	0.00	970.00	0.00	0.34
11115	PT	4NV	78	04/11/91	1.057	768.00	854.00	1.11 >	21.78
11115	PT	AMG	78	10/15/91	0.576	0.00	417.00	0.00	0.71
11115	SF	40A	78	04/24/91	1.206	0.00	1920.00	0.00	0.00
11115	SF	AMW	78	10/15/91	0.489	0.00	718.00	0.00 >	1.29
11115	VE	4LY	78	04/12/91	0.806	0.00 >	3200.00	0.00 >	13.99
11115	VE	AM3	78	10/18/91	0.991	0.00	6600.00	0.00	14.05
11115	YF	4NG	78	04/11/91	0.945	0.00	806.00	0.00	4.57
11115	YF	ALN	78	10/15/91	0.993	0.00	634.00	0.00	0.00
11117	JE	4MD	78	04/11/91	0.669	0.00	1280.00	0.00 >	0.18
11117	JE	ALA	78	10/15/91	0.770	0.00	1950.00	0.00	0.11
11117	PT	4NV	78	04/11/91	1.057	0.00	1450.00	0.00	0.78
11117	PT	AMG	78	10/15/91	0.576	0.00	1400.00	0.00	0.00
11117	SF	40A	78	04/24/91	1.206	0.00	1200.00	0.00	0.00
11117	SF	AMW	78	10/15/91	0.489	0.00	1430.00	0.00	0.00
11117	VE	4LY	78	04/12/91	0.806	2520.0	3100.00	1.23 >	9.27
11117	VE	AM3	78	10/18/91	0.991	0.00	2050.00	0.00	4.63
11117	YF	4NG	78	04/11/91	0.945	0.00	1690.00	0.00 >	2.31
11117	YF	ALN	78	10/15/91	0.993	0.00	1000.00	0.00	0.00
11118	JE	4ME	78	04/11/91	0.652	0.00 >	10000.0	0.00	0.00
11118	JE	ALB	78	10/15/91	0.945	0.00	6600.00	0.00 >	1.33
11118	PT	4NW	78	04/11/91	1.013	1710.0 >	10000.0 >	5.85 >	28.50
11118	PT	AMH	78	10/15/91	0.577	0.00	7730.00	0.00 >	1.25
11118	SF	40B	78	04/24/91	1.230	0.00	3630.00	0.00	0.00
11118	SF	AMX	78	10/15/91	0.695	0.00	2100.00	0.00	0.00
11118	VE	4LZ	78	04/12/91	0.792	0.00 >	10000.0	0.00 >	17.02
11118	VE	AM4	78	10/18/91	1.040	0.00 >	10000.0	0.00 >	22.22
11118	YF	4NH	78	04/11/91	0.915	0.00 >	10000.0	0.00 >	11.61
11118	YF	ALO	78	10/15/91	1.037	8370.0	3470.00	0.41 >	0.51
11119	JE	4ME	78	04/11/91	0.652	0.00	728.00	0.00	0.00
11119	JE	ALB	78	10/15/91	0.945	0.00	320.00	0.00	0.00
11119	PT	4NW	78	04/11/91	1.013	0.00	870.00	0.00	0.00
11119	PT	AMH	78	10/15/91	0.577	0.00	359.00	0.00	0.00
11119	SF	40B	78	04/24/91	1.230	0.00	293.00	0.00	0.00
11119	SF	AMX	78	10/15/91	0.695	0.00	333.00	0.00	0.00
11119	VE	4LZ	78	04/12/91	0.792	2900.0	1930.00	0.66 >	7.19
11119	VE	AM4	78	10/18/91	1.040	0.00	573.00	0.00	0.00
11119	YF	4NH	78	04/11/91	0.915	0.00	906.00	0.00	3.71
11119	YF	ALO	78	10/15/91	1.037	0.00	265.00	0.00	0.00
11120	JE	4MF	78	04/11/91	0.679	0.00	1030.00	0.00	0.05
11120	PT	4NX	78	04/11/91	1.015	0.00	703.00	0.00	0.00
11120	SF	40C	78	04/24/91	1.096	0.00	592.00	0.00	0.00
11120	VE	4M0	78	04/12/91	0.714	0.00	1770.00	0.00 >	3.35
11120	YF	4NI	78	04/11/91	1.013	0.00	1260.00	0.00	0.00
11121	JE	4MF	78	04/11/91	0.679	0.00	7730.00	0.00	0.00
11121	JE	ALC	78	10/15/91	0.782	0.00	5600.00	0.00 >	0.20
11121	PT	4NX	78	04/11/91	1.015	1210.0 >	10000.0 >	8.24 >	38.02
11121	PT	AMI	78	10/15/91	0.531	0.00	4560.00	0.00	0.00
11121	SF	40C	78	04/24/91	1.096	0.00	2890.00	0.00	0.00
11121	SF	AMY	78	10/15/91	0.572	0.00	1850.00	0.00	0.00
11121	VE	4M0	78	04/12/91	0.714	1930.0 >	10000.0 >	5.18 >	33.38
11121	VE	AM5	78	10/18/91	0.974	7260.0 >	10000.0 >	1.38 >	13.16
11121	YF	4NI	78	04/11/91	1.013	0.00	9500.00	0.00	5.05
11121	YF	ALP	78	10/15/91	1.064	0.00	2600.00	0.00	0.00
11122	JE	40U	78	04/17/91	0.465	902.00	1430.00	1.59	10.84
11122	JE	ALC	78	10/15/91	0.782	0.00	1500.00	0.00 >	7.50

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11122	PT	4PO	78	04/16/91	0.989	888.00	1550.00	1.75	8.83
11122	PT	AMI	78	10/15/91	0.531	0.00	1370.00	0.00	0.00
11122	SF	4Q3	78	04/16/91	1.222	646.00	1550.00	2.40 >	15.97
11122	SF	AMY	78	10/15/91	0.572	622.00	1350.00	2.49	14.69
11122	VE	4P9	78	04/19/91	0.936	0.00	1440.00	0.00	0.00
11122	VE	AM5	78	10/18/91	0.974	0.00	1240.00	0.00	0.00
11122	YF	4OF	78	04/17/91	1.068	0.00	1700.00	0.00	12.36
11122	YF	ALP	78	10/15/91	1.064	0.00	1370.00	0.00	4.49
11123	JE	4OV	78	04/17/91	0.557	0.00	2770.00	0.00	2.05
11123	JE	ALD	78	10/15/91	0.761	0.00 >	10000.0	0.00 >	10.70
11123	PT	4PP	78	04/16/91	1.100	405.00	6780.00	16.75 >	48.26
11123	PT	AMJ	78	10/15/91	0.515	1910.0	6580.00	3.49	15.90
11123	SF	4Q4	78	04/16/91	1.282	2390.0	2990.00	1.25 >	9.47
11123	SF	AMZ	78	10/15/91	0.531	1000.0	5640.00	5.64	22.47
11123	VE	4PA	78	04/19/91	1.102	0.00	7530.00	0.00 >	4.75
11123	VE	AM6	78	10/18/91	1.021	0.00	7670.00	0.00	9.62
11123	YF	4OG	78	04/17/91	0.988	1920.0	7030.00	3.65 >	22.93
11123	YF	ALQ	78	10/15/91	0.917	1630.0 >	10000.0 >	6.14 >	27.68
11124	JE	4OV	78	04/17/91	0.557	0.00 >	1000.00	0.00	0.00
11124	PT	4PP	78	04/16/91	1.100	0.00 >	1000.00	0.00 >	1.09
11124	PT	AMJ	78	10/15/91	0.515	0.00	5260.00	0.00	0.00
11124	SF	4Q4	78	04/16/91	1.282	0.00	575.00	0.00 >	0.26
11124	VE	4PA	78	04/19/91	1.102	0.00 >	1000.00	0.00 >	0.45
11124	YF	4OG	78	04/17/91	0.988	0.00 >	1000.00	0.00	1.03
11124	YF	ALQ	78	10/15/91	0.917	0.00	4950.00	0.00 >	0.32
11125	JE	4OW	78	04/17/91	0.792	0.00 >	100.00	0.00	0.00
11125	PT	4PQ	78	04/16/91	1.212	0.00 >	100.00	0.00	0.00
11125	PT	AMK	78	10/15/91	0.550	0.00	4130.00	0.00	0.00
11125	SF	4Q5	78	04/16/91	1.262	0.00 >	100.00	0.00	1.59
11125	VE	4PB	78	04/19/91	1.130	0.00 >	100.00	0.00	0.57
11125	VE	AM6	78	10/18/91	1.021	5440.0	[illegible]00	1.72 >	8.97
11125	YF	4OH	78	04/17/91	0.920	0	> [illegible]	0.00	0.00
11125	YF	ALR	78	10/15/91	0.892	[illegible]		0.00	0.00
11126	JE	4OW	78	04/17/91	0.792	[illegible]		0.00	0.00
11126	PT	4PQ	78	04/16/91	1.212	[illegible]		0.00	0.00
11126	PT	AMK	78	10/15/91	0.550	[illegible]		0.00 >	0.60
11126	SF	4Q5	78	04/16/91	1.262	[illegible]		0.00	0.00
11126	VE	4PB	78	04/19/91	1.130	0.00 >	1000.00	0.00	0.12
11126	YF	4OH	78	04/17/91	0.920	0.00 >	1000.00	0.00	0.00
11126	YF	ALR	78	10/15/91	0.892	0.00 >	10000.0	0.00 >	0.50
11127	JE	4OX	78	04/17/91	0.834	0.00 >	1000.00	0.00	0.00
11127	PT	4PR	78	04/16/91	1.142	0.00 >	1000.00	0.00	0.00
11127	PT	AML	78	10/15/91	0.516	0.00	6180.00	0.00	1.56
11127	SF	4Q6	78	04/16/91	1.222	0.00 >	1000.00	0.00	0.04
11127	VE	4PC	78	04/19/91	1.017	0.00 >	1000.00	0.00	0.60
11127	YF	4OI	78	04/17/91	1.133	0.00 >	1000.00	0.00	0.00
11127	YF	ALS	78	10/15/91	0.866	0.00	6410.00	0.00 >	0.70
11128	JE	4OX	78	04/17/91	0.834	0.00 >	1000.00	0.00	0.00
11128	PT	4PR	78	04/16/91	1.142	0.00 >	1000.00	0.00	0.00
11128	PT	AML	78	10/15/91	0.516	0.00	5330.00	0.00 >	1.50
11128	SF	4Q6	78	04/16/91	1.222	0.00 >	1000.00	0.00 >	0.19
11128	VE	4PC	78	04/19/91	1.017	0.00 >	1000.00	0.00	0.41
11128	YF	4OI	78	04/17/91	1.133	0.00 >	1000.00	0.00 >	0.35
11128	YF	ALS	78	10/15/91	0.866	0.00	5940.00	0.00 >	0.90
11129	JE	4OY	78	04/17/91	0.631	0.00 >	1000.00	0.00	0.00
11129	PT	4PS	78	04/16/91	1.216	0.00 >	1000.00	0.00	0.00
11129	PT	AMN	78	10/15/91	0.532	1230.0	6900.00	5.59 >	27.13
11129	SF	4Q7	78	04/16/91	1.235	0.00 >	1000.00	0.00 >	0.0
11129	VE	4PD	78	04/19/91	1.157	0.00 >	1000.00	0.00 >	0.0
11129	YF	4OJ	78	04/17/91	1.050	0.00 >	1000.00	0.00 >	2.11
11129	YF	ALT	78	10/15/91	0.956	0.00 >	10000.0	0.00 >	4.12
11130	JE	4OY	78	04/17/91	0.631	0.00 >	1000.00	0.00	0.00
11130	PT	4PS	78	04/16/91	1.216	0.00 >	1000.00	0.00	0.00
11130	PT	AMN	78	10/15/91	0.532	0.00 >	10000.0	0.00 >	0.80
11130	SF	4Q7	78	04/16/91	1.235	0.00 >	1000.00	0.00 >	0.38
11130	VE	4PD	78	04/19/91	1.157	0.00 >	1000.00	0.00	0.00
11130	YF	4OJ	78	04/17/91	1.050	0.00 >	1000.00	0.00 >	1.80
11130	YF	ALT	78	10/15/91	0.956	0.00 >	10000.0	0.00 >	1.00
11131	JE	4OZ	78	04/17/91	0.801	0.00	2100.00	0.00	0.20
11131	JE	ALE	78	10/15/91	0.718	0.00	4000.00	0.00	0.00
11131	PT	4PT	78	04/16/91	1.092	2480.0	2570.00	1.04 >	5.34
11131	PT	AMN	78	10/15/91	0.544	0.00	1650.00	0.00 >	2.94
11131	SF	4Q8	78	04/16/91	1.210	1790.0	1300.00	0.73	4.73
11131	SF	AMO	78	10/15/91	0.575	266.00	1820.00	6.85 >	30.35
11131	VE	4PE	78	04/19/91	1.123	1930.0	2830.00	1.47 >	9.05

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
11131	VE	AM7	78	10/18/91	0.988	7820.0	>	10000.0	>	1.28	>	7.11
11131	YF	40K	78	04/17/91	1.033	2090.0		2310.00		1.11	>	8.47
11131	YF	ALU	78	10/15/91	0.957	0.00		5590.00		0.00		0.00
11132	JE	402	78	04/17/91	0.801	0.00		791.00		0.00		0.00
11132	PT	4PT	78	04/16/91	1.092	0.00		948.00		0.00	>	1.78
11132	SF	408	78	04/16/91	1.210	0.00		268.00		0.00		0.00
11132	VE	4PE	78	04/19/91	1.123	0.00		1410.00		0.00		0.13
11132	YF	40K	78	04/17/91	1.033	0.00		1210.00		0.00		0.00
11133	JE	4P0	78	04/17/91	0.772	0.00		1720.00		0.00		3.32
11133	JE	ALE	78	10/15/91	0.718	0.00		1810.00		0.00		0.00
11133	PT	4PU	78	04/16/91	1.091	55e.00		1980.00		3.57		19.88
11133	PT	AMN	78	10/15/91	0.544	0.00		1650.00		0.00	>	0.60
11133	SF	409	78	04/16/91	1.196	815.00		1920.00		2.36	>	11.91
11133	SF	AN0	78	10/15/91	0.575	0.00		1730.00		0.00		0.10
11133	VE	4PF	78	04/19/91	1.056	0.00		2340.00		0.00	>	3.41
11133	VE	AM7	78	10/18/91	0.988	0.00		4460.00		0.00		0.51
11133	YF	40L	78	04/17/91	0.904	629.00		3460.00		5.30	>	26.52
11133	YF	ALU	78	10/15/91	0.957	2870.0		2800.00		0.98	>	8.67
11134	JE	4P0	78	04/17/91	0.772	0.00		1480.00		0.00	>	5.01
11134	JE	ALF	78	10/15/91	0.723	0.00		1570.00		0.00	>	1.98
11134	PT	4PU	78	04/16/91	1.091	0.00		674.00		0.00	>	3.47
11134	PT	AN0	78	10/15/91	0.569	433.00		1560.00		3.60	>	21.91
11134	SF	409	78	04/16/91	1.196	486.00		909.00		1.87		11.52
11134	SF	AN1	78	10/15/91	0.566	438.00		1550.00		3.54	>	24.10
11134	VE	4PF	78	04/19/91	1.056	0.00		1480.00		0.00	>	6.10
11134	VE	AM8	78	10/18/91	0.955	0.00		1650.00		0.00	>	3.05
11134	YF	40L	78	04/17/91	0.904	0.00		1560.00		0.00		2.71
11134	YF	ALV	78	10/15/91	0.982	0.00		1810.00		0.00		0.00
11135	JE	4P1	78	04/17/91	0.637	0.00		1590.00		0.00		0.00
11135	PT	4PV	78	04/16/91	1.130	938.00		1130.00		1.21		5.09
11135	SF	40A	78	04/16/91	1.255	0.00		6.2.00		0.00	>	1.43
11135	VE	4PG	78	04/19/91	1.206	0.00		1400.00		0.00		0.00
11135	YF	40M	78	04/17/91	0.935	0.00		2240.00		0.00		3.35
11136	JE	4P1	78	04/17/91	0.637	0.00		938.00		0.00		0.00
11136	PT	4PV	78	04/16/91	1.130	0.00		1300.00		0.00	>	0.60
11136	SF	40A	78	04/16/91	1.255	0.00		346.00		0.00		0.00
11136	VE	4PG	78	04/19/91	1.206	0.00		1220.00		0.00		0.00
11136	YF	40M	78	04/17/91	0.935	0.00		1240.00		0.00	>	0.10
11137	JE	4P2	78	04/17/91	0.679	0.00		1190.00		0.00		0.22
11137	PT	4PW	78	04/16/91	1.218	0.00		1300.00		0.00		0.24
11137	SF	40B	78	04/16/91	1.253	0.00		760.00		0.00	>	0.25
11137	VE	4PH	78	04/19/91	0.932	0.00		1560.00		0.00		1.12
11137	YF	40N	78	04/17/91	1.098	0.00		2250.00		0.00		1.31
11138	JE	4P2	78	04/17/91	0.679	0.00		2170.00		0.00		0.00
11138	PT	4PW	78	04/16/91	1.218	0.00		2760.00		0.00		1.10
11138	SF	40B	78	04/16/91	1.253	0.00		1000.00		0.00	>	0.58
11138	VE	4PH	78	04/19/91	0.932	0.00		4400.00		0.00		0.00
11138	YF	40N	78	04/17/91	1.098	0.00		3120.00		0.00		4.32
11139	JE	4P3	78	04/17/91	0.675	0.00		4710.00		0.00		0.39
11139	JE	ALF	78	10/15/91	0.723	0.00		2470.00		0.00	>	0.40
11139	PT	4PX	78	04/16/91	1.287	2670.0		3290.00		1.24		4.75
11139	PT	AN0	78	10/15/91	0.569	0.00		2020.00		0.00		0.00
11139	SF	40C	78	04/16/91	1.269	0.00		2540.00		0.00	>	1.30
11139	SF	AN1	78	10/15/91	0.566	0.00		1800.00		0.00		0.00
11139	VE	4PI	78	04/19/91	1.182	0.00		274.00		0.00		1.19
11139	VE	AM8	78	10/18/91	0.955	0.00		2280.00		0.00		0.56
11139	YF	400	78	04/17/91	1.023	0.00		5350.00		0.00		7.90
11139	YF	ALV	78	10/15/91	0.982	0.00		2100.00		0.00		0.00
11140	JE	4P3	78	04/17/91	0.675	0.00		310.00		0.00		0.00
11140	JE	ALG	78	10/15/91	0.840	0.00		155.00		0.00		0.00
11140	PT	4PX	78	04/16/91	1.287	260.00		247.00		0.95		3.30
11140	PT	AMP	78	10/15/91	0.629	0.00		80.60		0.00	>	1.30
11140	SF	40C	78	04/16/91	1.269	0.00		139.00		0.00		0.01
11140	SF	AN2	78	10/15/91	0.610	0.00		377.00		0.00		1.56
11140	VE	4PI	78	04/19/91	1.182	0.00		547.00		0.00		0.00
11140	VE	AM9	78	10/18/91	0.980	0.00		547.00		0.00		0.54
11140	YF	40C	78	04/17/91	1.023	0.00		304.00		0.00	>	0.10
11140	YF	ALW	78	10/15/91	0.959	0.00		121.00		0.00		0.00
11141	JE	4P4	78	04/17/91	0.662	0.00		1300.00		0.00		0.00
11141	PT	4PY	78	04/16/91	1.205	0.00		1080.00		0.00	>	1.31
11141	SF	40D	78	04/16/91	1.099	0.00		539.00		0.00		0.00
11141	VE	4PJ	78	04/19/91	1.015	0.00		1530.00		0.00		1.68
11141	YF	40P	78	04/17/91	1.014	0.00		1550.00		0.00	>	0.30
11142	JE	4P4	78	04/17/91	0.662	0.00		386.00		0.00		0.79
11142	PT	4PY	78	04/16/91	1.205	0.00		67.40		0.00	>	2.68

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
11142	SF	4QD	78	04/16/91	1.099	0.00		141.00		0.00		0.00
11142	VE	4PJ	78	04/19/91	1.015	0.00		493.00		0.00		1.76
11142	YF	4QP	78	04/17/91	1.014	0.00		234.00		0.00	>	1.90
11143	JE	4P5	78	04/17/91	0.676	0.00		228.00		0.00		0.00
11143	PT	4PZ	78	04/16/91	1.114	0.00		173.00		0.00	>	0.61
11143	SF	4QE	78	04/16/91	1.245	0.00		61.10		0.00		0.00
11143	VE	4PK	78	04/19/91	1.067	0.00		586.00		0.00	>	0.01
11143	YF	4QQ	78	04/17/91	1.063	0.00		206.00		0.00		7.97
11144	JE	4P5	78	04/17/91	0.676	0.00		2720.00		0.00		0.08
11144	JE	AQQ	78	10/16/91	0.790	0.00		1090.00		0.00		0.00
11144	PT	4PZ	78	04/16/91	1.114	2970.0		2380.00		0.00	>	3.47
11144	PT	APC	78	10/17/91	0.775	0.00		477.00		0.00		0.00
11144	SF	4QE	78	04/16/91	1.245	0.00		1440.00		0.00	>	0.20
11144	SF	APS	78	10/17/91	0.655	0.00		1310.00		0.00		0.00
11144	VE	4PK	78	04/19/91	1.067	2350.0		4690.00		2.00		9.83
11144	VE	ANK	78	10/18/91	0.760	2340.0		3790.00		1.62	>	9.57
11144	YF	4QQ	78	04/17/91	1.063	0.00		4330.00		0.00		7.70
11144	YF	AM4	78	10/15/91	0.927	0.00		2150.00		0.00		0.00
11145	JE	4P6	78	04/17/91	0.550	0.00		21.20		0.00		0.00
11145	PT	4QQ	78	04/16/91	1.198	0.00		19.20		0.00	>	0.03
11145	SF	4QF	78	04/16/91	1.154	0.00	<	10.00		0.00		0.00
11145	VE	4PL	78	04/19/91	1.019	0.00		90.60		0.00		0.10
11145	YF	4QR	78	04/17/91	1.076	0.00		61.30		0.00	>	0.42
11146	JE	4P6	78	04/17/91	0.550	0.00		698.00		0.00		0.00
11146	PT	4QQ	78	04/16/91	1.198	0.00		763.00		0.00		0.00
11146	SF	4QF	78	04/16/91	1.154	0.00		466.00		0.00		0.00
11146	VE	4PL	78	04/19/91	1.019	0.00		1890.00		0.00		2.50
11146	YF	4QR	78	04/17/91	1.076	0.00		1200.00		0.00	>	0.10
11147	JE	4RE	78	04/18/91	0.665	0.00		1170.00		0.00		0.00
11147	PT	4RU	78	04/18/91	1.134	0.00		1280.00		0.00		0.90
11147	SF	4SA	78	04/18/91	0.851	0.00		402.00		0.00	>	0.30
11147	VE	4QI	78	04/19/91	0.991	0.00		1590.00		0.00	>	5.43
11147	YF	4QY	78	04/18/91	0.807	0.00		1560.00		0.00		3.53
11149	JE	4RF	78	04/18/91	0.763	0.00		815.00		0.00		0.00
11149	PT	4RV	78	04/18/91	1.015	0.00		974.00		0.00		2.77
11149	SF	4SB	78	04/18/91	0.840	0.00		26.50		0.00		0.00
11149	VE	4QJ	78	04/19/91	1.051	0.00		1660.00		0.00		0.28
1114?	YF	4QZ	78	04/18/91	0.869	0.00		1850.00		0.00		0.00
1115.	JE	4RF	78	04/18/91	0.763	0.00		419.00		0.00		0.02
11150	JE	AJQ	78	10/10/91	0.913	0.00		835.00		0.00		0.00
11150	PT	4RV	78	04/18/91	1.015	827.00		624.00		0.75		0.41
11150	PT	AKM	78	10/10/91	0.548	0.00		461.00		0.00		0.00
11150	SF	4SB	78	04/18/91	0.840	0.00		402.00		0.00		0.19
11150	SF	AL2	78	10/10/91	0.608	0.00		918.00		0.00		0.89
11150	VE	4QJ	78	04/19/91	1.051	701.00		745.00		1.06		5.52
11150	VE	AHR	78	10/11/91	1.078	0.00		1220.00		0.00	>	2.53
11150	YF	4QZ	78	04/18/91	0.869	0.00		613.00		0.00		1.48
11150	YF	AK6	78	10/10/91	0.850	0.00		1190.00		0.00		0.00
11151	JE	4RG	78	04/18/91	0.826	0.00		86.40		0.00	>	1.62
11151	PT	4RW	78	04/18/91	1.041	0.00		88.70		0.00		0.00
11151	SF	4SC	78	04/18/91	0.794	0.00		22.00		0.00		0.00
11151	VE	4QK	78	04/19/91	1.104	0.00		237.00		0.00	>	0.70
11151	YF	4RO	78	04/18/91	0.813	0.00		123.00		0.00		0.74
11152	JE	4RG	78	04/18/91	0.826	0.00		887.00		0.00	>	0.01
11152	PT	4RW	78	04/18/91	1.041	0.00		1420.00		0.00		0.00
11152	SF	4SC	78	04/18/91	0.794	0.00		124.00		0.00		0.00
11152	VE	4QK	78	04/19/91	1.104	0.00	>	3200.00		0.00		0.00
11152	YF	4RO	78	04/18/91	0.813	0.00		2120.00		0.00		0.00
11153	JE	4RH	78	04/18/91	0.740	0.00		1510.00		0.00		2.33
11153	PT	4RX	78	04/18/91	1.086	0.00		1630.00		0.00	>	2.57
11153	SF	4SD	78	04/18/91	0.767	0.00		263.00		0.00		0.00
11153	VE	4QL	78	04/19/91	1.138	0.00		1550.00		0.00	>	1.71
11153	YF	4R1	78	04/18/91	0.969	0.00		1930.00		0.00		2.45
11154	JE	4RH	78	04/18/91	0.740	0.00		334.00		0.00		0.00
11154	PT	4RX	78	04/18/91	1.086	0.00		498.00		0.00	>	2.04
11154	SF	4SD	78	04/18/91	0.767	0.00		374.00		0.00	>	0.18
11154	VE	4QL	78	04/19/91	1.138	0.00		745.00		0.00	>	1.85
11154	YF	4R1	78	04/18/91	0.969	0.00		550.00		0.00		0.00
11155	JE	4RI	78	04/18/91	0.753	0.00		48.30		0.00		4.04
11155	JE	AJQ	78	10/10/91	0.913	134.00	>	320.00	>	2.38	>	22.52
11155	PT	4RY	78	04/18/91	1.216	75.90		97.40		1.28		5.10
11155	PT	AKM	78	10/10/91	0.548	248.00	>	320.00	>	1.29	>	4.23
11155	SF	4SE	78	04/18/91	0.737	0.00		8.73		0.00		0.00
11155	SF	AL2	78	10/10/91	0.608	0.00		180.00		0.00		0.00
11155	VE	4QM	78	04/19/91	1.160	81.00		75.40		0.93		3.17

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11155	VE	AHR	78	10/11/91	1.078	0.00	215.00	0.00	1.05
11155	YF	4R2	78	04/18/91	0.865	0.00	103.00	0.00	2.12
11155	YF	AK6	78	10/10/91	0.850	238.00 >	320.00 >	1.34 >	5.64
11156	JE	4RI	78	04/18/91	0.753	0.00	560.00	0.00	0.00
11156	PT	4RY	78	04/18/91	1.216	0.00	922.00	0.00	0.42
11156	SF	4SE	78	04/18/91	0.737	0.00	151.00	0.00	0.23
11156	VE	4QN	78	04/19/91	1.160	0.00	2470.00	0.00 >	1.77
11156	YF	4R2	78	04/18/91	0.865	0.00	1470.00	0.00	0.22
11157	JE	4RJ	78	04/18/91	0.727	0.00	257.00	0.00	0.00
11157	PT	4RZ	78	04/18/91	1.148	0.00	241.00	0.00	0.04
11157	SF	4SF	78	04/18/91	0.748	0.00	409.00	0.00	1.22
11157	VE	4QN	78	04/19/91	1.092	0.00	599.00	0.00 >	1.02
11157	YF	4R3	78	04/18/91	0.919	0.00	528.00	0.00	0.82
11158	JE	4RJ	78	04/18/91	0.727	0.00	394.00	0.00	0.00
11158	PT	4RZ	78	04/18/91	1.148	0.00	601.00	0.00	0.63
11158	SF	4SF	78	04/18/91	0.748	0.00	76.00	0.00	0.00
11158	VE	4QN	78	04/19/91	1.092	0.00	1550.00	0.00 >	6.95
11158	YF	4R3	78	04/18/91	0.919	0.00	1280.00	0.00	0.40
11159	JE	4RK	78	04/18/91	0.784	0.00 >	320.00	0.00	0.00
11159	JE	AJR	78	10/10/91	0.959	0.00	297.00	0.00	0.00
11159	PT	4S0	78	04/18/91	1.037	0.00 >	320.00	0.00	0.12
11159	PT	AKN	78	10/10/91	0.528	0.00	296.00	0.00	0.00
11159	SF	4SG	78	04/18/91	0.690	0.00	214.00	0.00	0.00
11159	SF	AL3	78	10/10/91	0.564	0.00	125.00	0.00 >	0.11
11159	VE	4QO	78	04/19/91	1.144	0.00 >	320.00	0.00	0.00
11159	VE	AHS	78	10/11/91	1.056	0.00	493.00	0.00 >	1.42
11159	YF	4R4	78	04/18/91	0.823	0.00 >	320.00	0.00	0.00
11159	YF	AK7	78	10/10/91	0.834	0.00	371.00	0.00	0.00
11160	JE	4RK	78	04/18/91	0.784	0.00	1540.00	0.00	0.00
11160	PT	4S0	78	04/18/91	1.037	0.00	1480.00	0.00	0.00
11160	SF	4SG	78	04/18/91	0.690	0.00	78.80	0.00	0.00
11160	VE	4QO	78	04/19/91	1.144	0.00	4860.00	0.00	4.33
11160	YF	4R4	78	04/18/91	0.823	0.00	2960.00	0.00	0.00
11161	JE	4RL	78	04/18/91	0.731	0.00	117.00	0.00	0.00
11161	PT	4S1	78	04/18/91	1.080	0.00	147.00	0.00	0.13
11161	SF	4SH	78	04/18/91	0.708	0.00	22.20	0.00	0.00
11161	VE	4QP	78	04/19/91	1.170	0.00	95.00	0.00 >	0.40
11161	YF	4R5	78	04/18/91	1.056	0.00	149.00	0.00	0.00
11162	JE	4RL	78	04/18/91	0.731	0.00	117.00	0.00	0.00
11162	PT	4S1	78	04/18/91	1.080	0.00	100.00	0.00	0.34
11162	SF	4SH	78	04/18/91	0.708	0.00	32.00	0.00	0.00
11162	VE	4QP	78	04/19/91	1.170	0.00	88.20	0.00	0.00
11162	YF	4R5	78	04/18/91	1.056	0.00	172.00	0.00	0.00
11163	JE	4RM	78	04/18/91	0.704	0.00	181.00	0.00 >	0.49
11163	PT	4S2	78	04/18/91	1.135	0.00	200.00	0.00	0.95
11163	SF	4SI	78	04/18/91	0.615	0.00	76.30	0.00	0.00
11163	VE	4QQ	78	04/19/91	0.990	0.00	213.00	0.00	0.00
11163	YF	4R6	78	04/18/91	0.987	0.00	184.00	0.00	0.00
11164	JE	4RM	78	04/18/91	0.704	0.00	110.00	0.00 >	0.96
11164	PT	4S2	78	04/18/91	1.135	0.00	74.50	0.00	0.58
11164	SF	4SI	78	04/18/91	0.615	0.00	78.80	0.00	0.00
11164	VE	4QQ	78	04/19/91	0.990	0.00	90.30	0.00	0.00
11164	YF	4R6	78	04/18/91	0.987	0.00	84.50	0.00	0.00
11165	JE	4RM	78	04/18/91	0.793	0.00	527.00	0.00	0.00
11165	PT	4S3	78	04/18/91	1.276	0.00	732.00	0.00	0.00
11165	SF	4SJ	78	04/18/91	0.703	0.00	1900.00	0.00	0.10
11165	VE	4QR	78	04/19/91	0.980	0.00	874.00	0.00	0.00
11165	YF	4R7	78	04/18/91	0.979	0.00	974.00	0.00	1.76
11166	JE	4RM	78	04/18/91	0.793	0.00	773.00	0.00	0.00
11166	JE	AJR	78	10/10/91	0.959	0.00	1000.00	0.00	0.00
11166	PT	4S3	78	04/18/91	1.276	938.00	1500.00	1.59	6.08
11166	PT	AKN	78	10/10/91	0.528	0.00	2830.00	0.00	0.21
11166	SF	4SJ	78	04/18/91	0.703	0.00	14600.0	0.00	4.65
11166	SF	AL3	78	10/10/91	0.564	0.00	709.00	0.00 >	0.15
11166	VE	4QR	78	04/19/91	0.980	0.00	2140.00	0.00	0.00
11166	VE	AHS	78	10/11/91	1.056	0.00	1920.00	0.00	0.00
11166	YF	4R7	78	04/18/91	0.979	0.00	1860.00	0.00	4.34
11166	YF	AK7	78	10/10/91	0.834	0.00	1920.00	0.00	3.37
11167	JE	4RO	78	04/18/91	0.717	0.00	629.00	0.00	0.00
11167	PT	4S4	78	04/18/91	1.124	0.00	756.00	0.00 >	0.50
11167	SF	4SK	78	04/18/91	0.674	0.00	1100.00	0.00	0.00
11167	VE	4QS	78	04/19/91	0.998	0.00	1280.00	0.00 >	0.61
11167	YF	4R8	78	04/18/91	1.028	0.00	820.00	0.00 >	0.69
11168	JE	4RO	78	04/18/91	0.717	0.00	374.00	0.00	0.00
11168	JE	AJS	78	10/10/91	0.989	0.00	2910.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11168	PT	4B4	78	04/18/91	1.124	0.00	541.00	0.00	0.48
11168	PT	AKD	78	10/10/91	0.729	0.00	2620.00	0.00 >	3.07
11168	SF	4SK	78	04/18/91	0.674	0.00	414.00	0.00 >	7.85
11168	SF	AL4	78	10/10/91	0.570	0.00	1650.00	0.00	8.85
11168	VE	4QS	78	04/19/91	0.998	1000.0	674.00	0.67 >	1.20
11168	VE	AMT	78	10/11/91	1.064	0.00 >	3200.00	0.00 >	0.81
11168	YF	4R8	78	04/18/91	1.028	0.00	653.00	0.00 >	4.94
11168	YF	AKB	78	10/10/91	1.038	0.00 >	3200.00	0.00 >	6.06
11169	JE	4RP	78	04/18/91	0.703	0.00	223.00	0.00 >	1.74
11169	PT	4S5	78	04/18/91	1.134	0.00	194.00	0.00	2.34
11169	SF	4SL	78	04/18/91	0.644	0.00	72.80	0.00	0.00
11169	VE	4QT	78	04/19/91	1.037	0.00	263.00	0.00	0.00
11169	YF	4R9	78	04/18/91	1.044	0.00	26.70	0.00	0.05
11170	JE	4RP	78	04/18/91	0.703	0.00	579.00	0.00 >	0.72
11170	PT	4S5	78	04/18/91	1.134	0.00	523.00	0.00	0.94
11170	SF	4SL	78	04/18/91	0.644	0.00	272.00	0.00 >	5.27
11170	VE	4QT	78	04/19/91	1.037	0.00	1580.00	0.00	3.95
11170	YF	4R9	78	04/18/91	1.044	0.00	725.00	0.00 >	4.22
11171	JE	4RQ	78	04/18/91	0.742	0.00	171.00	0.00	0.00
11171	PT	4S6	78	04/18/91	1.100	0.00	340.00	0.00	1.19
11171	SF	4SM	78	04/18/91	0.671	0.00	52.90	0.00	0.00
11171	VE	4QU	78	04/19/91	1.079	0.00	514.00	0.00	0.37
11171	YF	4RA	78	04/18/91	0.998	0.00	459.00	0.00 >	0.25
11172	JE	4RQ	78	04/18/91	0.742	0.00	393.00	0.00	0.00
11172	PT	4S6	78	04/18/91	1.100	0.00	617.00	0.00	0.63
11172	SF	4SM	78	04/18/91	0.671	0.00	493.00	0.00 >	3.56
11172	VE	4QU	78	04/19/91	1.079	0.00	845.00	0.00 >	0.67
11172	YF	4RA	78	04/18/91	0.998	0.00	9.27	0.00 >	1.28
11173	JE	72B	80	07/10/91	0.889	0.00	133.00	0.00 >	0.01
11173	PT	82W	80	08/06/91	0.765	0.00 >	320.00	0.00	0.00
11173	SF	74E	80	07/10/91	1.065	80.20	146.00	1.82	6.67
11173	VE	712	80	07/12/91	1.198	0.00	234.00	0.00	0.49
11173	YF	73K	80	07/10/91	0.839	0.00	155.00	0.00 >	17.63
11174	JE	72B	80	07/10/91	0.889	0.00 >	320.00	0.00	0.00
11174	PT	82X	80	08/06/91	0.781	0.00 >	320.00	0.00	0.00
11174	SF	74E	80	07/10/91	1.065	0.00 >	320.00	0.00 >	0.11
11174	VE	712	80	07/12/91	1.198	0.00 >	320.00	0.00 >	0.20
11174	YF	73K	80	07/10/91	0.839	0.00 >	320.00	0.00 >	3.00
11175	JE	72C	80	07/10/91	0.954	0.00	131.00	0.00 >	0.70
11175	PT	82X	80	08/06/91	0.781	0.00 >	320.00	0.00	0.00
11175	SF	74F	80	07/10/91	0.978	0.00	157.00	0.00	3.68
11175	VE	713	80	07/12/91	1.120	0.00 >	320.00	0.00 >	3.43
11175	YF	73L	80	07/10/91	0.823	119.00 >	320.00 >	2.69 >	27.70
11176	JE	72C	80	07/10/91	0.954	0.00 >	320.00	0.00 >	0.40
11176	PT	82Y	80	08/06/91	0.772	0.00 >	320.00	0.00	0.00
11176	SF	74F	80	07/10/91	0.978	0.00 >	320.00	0.00	0.00
11176	VE	713	80	07/12/91	1.120	0.00 >	320.00	0.00	0.00
11176	YF	73L	80	07/10/91	0.823	0.00	100.00	0.00	0.00
11177	JE	72D	80	07/10/91	0.885	0.00 >	320.00	0.00	1.19
11177	PT	82Y	80	08/06/91	0.772	0.00 >	320.00	0.00	0.00
11177	SF	74G	80	07/10/91	0.968	0.00 >	320.00	0.00 >	1.21
11177	VE	714	80	07/12/91	1.213	0.00 >	320.00	0.00 >	1.70
11177	YF	73M	80	07/10/91	1.002	0.00 >	320.00	0.00 >	2.60
11178	JE	72D	80	07/10/91	0.885	0.00	118.00	0.00	0.00
11178	PT	82Z	80	08/06/91	0.794	0.00	320.00	0.00	0.00
11178	SF	74G	80	07/10/91	0.968	0.00	151.00	0.00	0.00
11178	VE	714	80	07/12/91	1.213	0.00	156.00	0.00	0.00
11178	YF	73M	80	07/10/91	1.002	0.00	2.76	0.00	0.00
11179	JE	6UR	80	07/03/91	1.005	0.00 <	1.00	0.00	0.00
11179	PT	6V6	80	07/03/91	1.057	0.00	69.00	0.00	0.21
11179	SF	6VL	80	07/03/91	0.921	0.00 <	1.00	0.00	0.00
11179	VE	6TX	80	07/03/91	0.832	0.00 <	1.00	0.00	0.00
11179	VV	1VB	80	10/03/91	0.702	0.00 >	1.00	0.00 >	0.23
11179	YF	6UC	80	07/03/91	0.822	0.00 <	1.00	0.00	0.00
11180	JE	6UR	80	07/03/91	1.005	0.00	1.51	0.00	0.00
11180	PT	6V6	80	07/03/91	1.057	0.00	6.08	0.00	0.00
11180	SF	6VL	80	07/03/91	0.921	0.00 <	1.00	0.00	0.00
11180	VE	6TX	80	07/03/91	0.832	0.00 <	1.00	0.00	0.00
11180	VV	1VB	80	10/03/91	0.702	0.00	0.85	0.00	0.15
11180	YF	6UC	80	07/03/91	0.822	0.00	1.50	0.00	0.00
11181	JE	6US	80	07/03/91	1.001	0.00	312.00	0.00 >	0.23
11181	PT	6V7	80	07/03/91	1.084	0.00 >	320.00	0.00 >	5.37
11181	SF	6VM	80	07/03/91	1.019	0.00 >	320.00	0.00 >	5.55
11181	VE	6TY	80	07/03/91	0.959	0.00 >	320.00	0.00 >	3.80
11181	YF	6UD	80	07/03/91	0.814	0.00 >	320.00	0.00 >	3.57

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11182	JE	6YG	80	07/09/91	1.050	0.00 >	320.00	0.00	0.00
11182	PT	6ZA	80	07/09/91	1.059	0.00 >	320.00	0.00 >	4.08
11182	SF	6ZP	80	07/09/91	0.941	0.00	81.70	0.00	0.00
11182	VE	6YV	80	07/12/91	1.130	0.00	244.00	0.00 >	0.73
11182	YF	6Y1	80	07/09/91	1.063	0.00 >	320.00	0.00 >	1.59
11183	JE	6YN	80	07/09/91	1.072	0.00 >	320.00	0.00 >	0.03
11183	PT	6ZB	80	07/09/91	1.221	0.00 >	320.00	0.00 >	0.07
11183	SF	6ZQ	80	07/09/91	1.172	0.00 >	320.00	0.00	0.00
11183	VE	6YW	80	07/12/91	1.242	0.00 >	320.00	0.00 >	0.70
11183	YF	6Y2	80	07/09/91	1.063	0.00 >	320.00	0.00 >	0.21
11184	JE	6YN	80	07/09/91	1.072	0.00 >	1000.00	0.00 >	1.10
11184	PT	6ZB	80	07/09/91	1.221	0.00 >	1000.00	0.00 >	2.53
11184	SF	6ZQ	80	07/09/91	1.172	176.00 >	1000.00 >	5.68 >	26.36
11184	VE	6YW	80	07/12/91	1.242	0.00 >	1000.00	0.00 >	1.13
11184	YF	6Y2	80	07/09/91	1.063	0.00 >	1000.00	0.00 >	3.30
11185	JE	6YI	80	07/09/91	1.011	0.00	490.00	0.00 >	3.90
11185	JE	AEV	80	10/09/91	0.911	0.00	3.08	0.00	0.00
11185	PT	6ZC	80	07/09/91	1.243	0.00	432.00	0.00	0.23
11185	PT	AFR	80	10/10/91	0.570	0.00	544.00	0.00	0.00
11185	SF	6ZR	80	07/09/91	1.165	205.00	458.00	2.23	9.96
11185	SF	AG7	80	10/10/91	0.556	211.00	767.00	3.65	14.82
11185	VE	6YX	80	07/12/91	1.235	948.00	550.00	0.58 >	2.77
11185	VE	AFB	80	10/11/91	1.128	0.00	674.00	0.00	1.56
11185	YF	6Y3	80	07/09/91	1.018	0.00	492.00	0.00 >	5.90
11185	YF	AEF	80	10/08/91	0.888	512.00 >	1000.00 >	1.95 >	17.23
11186	JE	6YI	80	07/09/91	1.011	0.00	182.00	0.00 >	3.00
11186	JE	AEV	80	10/09/91	0.911	0.00	490.00	0.00	0.00
11186	PT	6ZC	80	07/09/91	1.243	0.00	153.00	0.00	0.46
11186	PT	AFR	80	10/10/91	0.570	0.00	420.00	0.00	4.44
11186	SF	6ZR	80	07/09/91	1.165	0.00	146.00	0.00	0.39
11186	SF	AG7	80	10/10/91	0.556	194.00	414.00	2.13	8.47
11186	VE	6YX	80	07/12/91	1.235	181.00	490.00	2.70	15.77
11186	VE	AFB	80	10/11/91	1.128	0.00	492.00	0.00 >	3.06
11186	YF	6Y3	80	07/09/91	1.018	0.00	177.00	0.00 >	1.51
11186	YF	AEF	80	10/08/91	0.888	0.00	490.00	0.00	0.21
11187	JE	6YJ	80	07/09/91	1.089	0.00	112.00	0.00 >	0.34
11187	PT	6ZD	80	07/09/91	1.274	0.00	109.00	0.00	1.72
11187	SF	6ZS	80	07/09/91	1.164	0.00	114.00	0.00	1.21
11187	VE	6YY	80	07/12/91	1.238	0.00	160.00	0.00 >	1.69
11187	YF	6Y4	80	07/09/91	1.056	0.00	103.00	0.00 >	0.63
11188	JE	6YJ	80	07/09/91	1.089	0.00	70.10	0.00	0.00
11188	JE	AEW	80	10/09/91	0.767	0.00	100.00	0.00	0.00
11188	PT	6ZD	80	07/09/91	1.274	0.00	43.30	0.00	0.00
11188	PT	AFS	80	10/10/91	0.499	0.00	131.00	0.00	0.00
11188	SF	6ZS	80	07/09/91	1.164	80.20	111.00	1.39	5.10
11188	SF	AG8	80	10/10/91	0.573	54.10	165.00	3.04 >	16.72
11188	VE	6YY	80	07/12/91	1.238	0.00	190.00	0.00	8.42
11188	VE	AFC	80	10/11/91	1.124	161.00	452.00	2.81	16.19
11188	YF	6Y4	80	07/09/91	1.056	0.00	71.80	0.00 >	0.92
11188	YF	AEG	80	10/08/91	0.909	0.00	163.00	0.00 >	0.20
11189	JE	6YK	80	07/09/91	1.127	0.00	320.00	0.00 >	0.01
11189	PT	6ZE	80	07/09/91	1.234	0.00 >	320.00	0.00 >	0.20
11189	SF	6ZT	80	07/09/91	1.242	0.00 >	320.00	0.00	0.00
11189	VE	6YZ	80	07/12/91	1.256	0.00 >	320.00	0.00 >	1.37
11189	YF	6Y5	80	07/09/91	1.097	0.00 >	320.00	0.00	0.00
11190	JE	6YK	80	07/09/91	1.127	0.00	1290.00	0.00	0.00
11190	JE	AEW	80	10/09/91	0.767	0.00 >	1000.00	0.00	0.00
11190	PT	6ZE	80	07/09/91	1.234	512.00	1200.00	2.35 >	15.01
11190	PT	AFS	80	10/10/91	0.499	919.00 >	1000.00 >	1.09 >	3.33
11190	SF	6ZT	80	07/09/91	1.242	2670.0	2100.00	0.79 >	2.21
11190	SF	AG8	80	10/10/91	0.573	590.00 >	1000.00 >	1.72 >	15.60
11190	VE	6YZ	80	07/12/91	1.256	0.00	1460.00	0.00 >	1.11
11190	VE	AFC	80	10/11/91	1.124	0.00 >	1000.00	0.00 >	4.31
11190	YF	6Y5	80	07/09/91	1.097	0.00	1550.00	0.00	0.00
11190	YF	AEG	80	10/08/91	0.909	0.00 >	1000.00	0.00	0.00
11191	JE	6YL	80	07/09/91	1.073	0.00	1500.00	0.00 >	0.1[illegible]
11191	JE	AEX	80	10/09/91	0.860	0.00 >	1000.00	0.00	0.00
11191	PT	6ZF	80	07/09/91	1.181	73.70	1480.00	20.10	43.03
11191	PT	AFT	80	10/10/91	0.662	197.00 >	1000.00 >	5.09 >	16.22
11191	SF	6ZU	80	07/09/91	1.200	0.00	1690.00	0.00 >	3.69
11191	SF	AG9	80	10/10/91	0.485	0.00	932.00	0.00 >	13.82
11191	VE	6Z0	80	07/12/91	1.304	0.00	1400.00	0.00 >	12.72
11191	VE	AFD	80	10/11/91	1.164	800.00 >	1000.00 >	1.25 >	23.09
11191	YF	6Y6	80	07/09/91	1.078	1440.0	1290.00	0.90 >	10.59
11191	YF	AEH	80	10/08/91	0.862	850.00 >	1000.00 >	1.18 >	11.57

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11195	JE	9U2	80	09/24/91	0.763	0.00	150.00	0.00	0.00
11195	PT	9UY	80	09/24/91	0.661	0.00	119.00	0.00	0.00
11195	SF	9VF	80	09/24/91	0.680	0.00	155.00	0.00	8.75
11195	VE	9UI	80	09/27/91	0.992	0.00	155.00	0.00	0.00
11195	VV	1UO	80	09/26/91	1.641	0.00	41.10	0.00	0.00
11195	YF	9TN	80	09/24/91	1.151	0.00	92.80	0.00	0.33
11196	JE	9U2	80	09/24/91	0.763	0.00	59.40	0.00 >	0.03
11196	PT	9UY	80	09/24/91	0.661	0.00	57.20	0.00	0.00
11196	SF	9VF	80	09/24/91	0.680	0.00	58.60	0.00	3.29
11196	VE	9UI	80	09/27/91	0.992	0.00	143.00	0.00	2.40
11196	VV	1UO	80	09/26/91	1.641	0.00	33.80	0.00	0.00
11196	YF	9TN	80	09/24/91	1.151	0.00	42.70	0.00	0.00
11197	JE	9U3	80	09/24/91	0.852	0.00	16.40	0.00	0.00
11197	PT	9UZ	80	09/24/91	0.602	0.00	15.30	0.00	0.00
11197	SF	9VG	80	09/24/91	0.615	0.00	17.90	0.00 >	2.14
11197	VE	9UJ	80	09/27/91	1.139	0.00	22.60	0.00	0.00
11197	YF	9TN	80	09/24/91	1.126	0.00	16.20	0.00	0.00
11198	JE	9U3	80	09/24/91	0.852	0.00	46.30	0.00	0.00
11198	PT	9UZ	80	09/24/91	0.602	0.00	32.90	0.00	0.00
11198	SF	9VG	80	09/24/91	0.615	0.00	46.30	0.00 >	5.97
11198	VE	9UJ	80	09/27/91	1.139	0.00	64.60	0.00	0.12
11198	YF	9TN	80	09/24/91	1.126	0.00	32.90	0.00	0.00
11199	JE	9U4	80	09/24/91	0.805	0.00	15.70	0.00	0.00
11199	PT	9V0	80	09/24/91	0.598	0.00	13.10	0.00	0.00
11199	SF	9VH	80	09/24/91	0.692	0.00	10.90	0.00 >	0.30
11199	VE	9UK	80	09/27/91	1.173	0.00	16.50	0.00	0.00
11199	VV	1V0	80	09/26/91	1.553	0.00	4.94	0.00	0.00
11199	YF	9TO	80	09/24/91	1.138	0.00	12.80	0.00	0.00
11200	JE	9U4	80	09/24/91	0.805	0.00	45.70	0.00 >	0.32
11200	PT	9V0	80	09/24/91	0.598	0.00	40.80	0.00	0.00
11200	SF	9VH	80	09/24/91	0.692	0.00	49.30	0.00 >	5.88
11200	VE	9UK	80	09/27/91	1.173	0.00	70.10	0.00	0.74
11200	VV	1UQ	80	09/26/91	1.420	0.00	16.30	0.00	0.34
11200	YF	9TO	80	09/24/91	1.138	0.00	24.10	0.00	0.00
11201	JE	9U5	80	09/24/91	0.783	0.00	143.00	0.00	0.00
11201	PT	9V1	80	09/24/91	0.657	0.00	53.80	0.00	0.00
11201	SF	9VI	80	09/24/91	0.674	0.00	148.00	0.00	2.71
11201	VE	9UL	80	09/27/91	1.074	241.00 >	320.00 >	1.33 >	10.63
11201	VV	1UR	80	09/26/91	1.523	0.00	30.20	0.00	0.00
11201	YF	9TP	80	09/24/91	1.148	0.00	119.00	0.00	0.00
11202	JE	9U5	80	09/24/91	0.783	0.00	150.00	0.00	0.00
11202	PT	9V1	80	09/24/91	0.657	0.00	116.00	0.00	0.00
11202	SF	9VI	80	09/24/91	0.674	0.00	145.00	0.00 >	0.40
11202	VE	9UL	80	09/27/91	1.074	93.00	156.00	1.67	7.30
11202	VV	1UR	80	09/26/91	1.523	0.00	45.70	0.00	0.44
11202	YF	9TP	80	09/24/91	1.148	0.00	121.00	0.00	0.00
11203	JE	9U6	80	09/24/91	0.821	0.00	137.00	0.00	0.03
11203	PT	9V2	80	09/24/91	0.639	0.00	141.00	0.00	0.00
11203	SF	9VJ	80	09/24/91	0.725	0.00	133.00	0.00 >	1.30
11203	VE	9UM	80	09/27/91	1.147	0.00	235.00	0.00 >	2.10
11203	VV	1US	80	09/26/91	1.586	0.00 >	320.00	0.00	0.11
11203	YF	9TQ	80	09/24/91	1.082	0.00	135.00	0.00 >	2.11
11204	JE	9U6	80	09/24/91	0.821	0.00	130.00	0.00	0.91
11204	PT	9V2	80	09/24/91	0.639	0.00	74.80	0.00	0.00
11204	SF	9VJ	80	09/24/91	0.725	0.00	82.00	0.00 >	1.20
11204	VE	9UM	80	09/27/91	1.147	0.00	146.00	0.00	3.84
11204	VV	1US	80	09/26/91	1.586	0.00	48.50	0.00 >	2.72
11204	YF	9TQ	80	09/24/91	1.082	0.00	69.50	0.00	0.00
11205	JE	9U7	80	09/24/91	0.771	0.00 >	320.00	0.00 >	0.01
11205	PT	9V3	80	09/24/91	0.636	0.00 >	320.00	0.00 >	0.55
11205	SF	9VK	80	09/24/91	0.633	0.00 >	320.00	0.00 >	4.21
11205	VE	9UN	80	09/27/91	1.118	0.00 >	320.00	0.00	0.00
11205	VV	1UT	80	09/26/91	1.574	0.00 >	320.00	0.00	0.00
11205	YF	9TR	80	09/24/91	1.120	0.00 >	320.00	0.00 >	0.20
11206	JE	9U7	80	09/24/91	0.771	70.80	144.00	2.04 >	10.34
11206	PT	9V3	80	09/24/91	0.636	0.00	76.20	0.00	0.00
11206	SF	9VK	80	09/24/91	0.633	0.00	90.60	0.00 >	0.80
11206	VE	9UN	80	09/27/91	1.118	97.70	156.00	1.59	6.60
11206	VV	1UT	80	09/26/91	1.574	0.00	54.10	0.00	0.83
11206	YF	9TR	80	09/24/91	1.120	0.00	87.30	0.00	0.00
11207	JE	9U8	80	09/24/91	0.884	97.60	103.00	1.05	3.50
11207	PT	9V4	80	09/24/91	0.525	0.00	111.00	0.00	0.00
11207	SF	9VL	80	09/24/91	0.668	0.00	55.40	0.00 >	0.30
11207	VE	9UO	80	09/27/91	1.223	0.00	148.00	0.00	5.30
11207	YF	9TS	80	09/24/91	1.091	0.00	100.00	0.00 >	1.40

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11208	JE	9U8	80	09/24/91	0.884	0.00 >	320.00	0.00 >	0.54
11208	PT	9V4	80	09/24/91	0.525	0.00 >	320.00	0.00 >	0.81
11208	SF	9VL	80	09/24/91	0.668	0.00 >	320.00	0.00 >	4.96
11208	VE	9U0	80	09/27/91	1.223	0.00 >	320.00	0.00	0.00
11208	YF	9TS	80	09/24/91	1.091	0.00 >	320.00	0.00	0.30
11209	JE	9U9	80	09/24/91	0.612	0.00	49.00	0.00	0.00
11209	PT	9V5	80	09/24/91	0.518	0.00	45.70	0.00	0.00
11209	SF	9VN	80	09/24/91	0.642	0.00	35.40	0.00	0.00
11209	VE	9UP	80	09/27/91	1.000	0.00	51.60	0.00	4.16
11209	YF	9TT	80	09/24/91	1.023	0.00	29.40	0.00 >	0.71
11210	JE	9U9	80	09/24/91	0.612	0.00 >	320.00	0.00 >	0.10
11210	PT	9V5	80	09/24/91	0.518	0.00 >	320.00	0.00 >	2.71
11210	SF	9VN	80	09/24/91	0.642	0.00 >	320.00	0.00 >	0.54
11210	VE	9UP	80	09/27/91	1.000	0.00 >	320.00	0.00	0.05
11210	YF	9TT	80	09/24/91	1.023	0.00 >	320.00	0.00 >	1.51
11211	JE	9UA	80	09/24/91	0.759	0.00	46.90	0.00	0.00
11211	PT	9V6	80	09/24/91	0.684	0.00	47.40	0.00 >	0.22
11211	SF	9VN	80	09/24/91	0.690	0.00	45.70	0.00 >	0.10
11211	VE	9UQ	80	09/27/91	0.978	90.70	146.00	1.61	8.51
11211	YF	9TU	80	09/24/91	1.011	0.00	47.40	0.00	0.00
11212	JE	9UA	80	09/24/91	0.759	0.00 >	320.00	0.00 >	0.32
11212	PT	9V6	80	09/24/91	0.684	0.00 >	320.00	0.00 >	1.01
11212	SF	9VN	80	09/24/91	0.690	0.00 >	320.00	0.00 >	2.40
11212	VE	9UQ	80	09/27/91	0.978	0.00 >	320.00	0.00 >	0.50
11212	YF	9TU	80	09/24/91	1.011	0.00 >	320.00	0.00 >	1.70
11213	JE	9U8	80	09/24/91	0.746	0.00 >	320.00	0.00	0.28
11213	PT	9V7	80	09/24/91	0.594	0.00 >	320.00	0.00 >	1.51
11213	SF	9VO	80	09/24/91	0.620	0.00 >	320.00	0.00 >	5.01
11213	VE	9UR	80	09/27/91	1.144	0.00 >	320.00	0.00	0.00
11213	YF	9TV	80	09/24/91	1.015	0.00 >	320.00	0.00 >	0.05
11214	JE	9U8	80	09/24/91	0.746	0.00	18.00	0.00 >	1.30
11214	PT	9V7	80	09/24/91	0.594	0.00	16.10	0.00	0.00
11214	SF	9VO	80	09/24/91	0.620	0.00	17.00	0.00	0.00
11214	VE	9UR	80	09/27/91	1.144	0.00	19.00	0.00 >	0.00
11214	YF	9TV	80	09/24/91	1.015	0.00	18.20	0.00 >	1.20
11215	JE	9UC	80	09/24/91	0.759	0.00 >	320.00	0.00 >	1.30
11215	PT	9V8	80	09/24/91	0.550	0.00 >	320.00	0.00 >	2.11
11215	SF	9VP	80	09/24/91	0.641	0.00 >	320.00	0.00	2.40
11215	VE	9US	80	09/27/91	1.041	0.00 >	320.00	0.00	0.00
11215	YF	9TW	80	09/24/91	1.054	0.00 >	320.00	0.00 >	0.73
11216	JE	9UC	80	09/24/91	0.759	0.00	54.70	0.00 >	1.10
11216	PT	9V8	80	09/24/91	0.550	0.00	51.30	0.00 >	0.81
11216	SF	9VP	80	09/24/91	0.641	0.00	52.00	0.00 >	6.23
11216	VE	9US	80	09/27/91	1.041	82.70	72.40	0.88	3.53
11216	YF	9TW	80	09/24/91	1.054	0.00	52.20	0.00 >	5.29
11217	JE	9UD	80	09/24/91	0.739	0.00	114.00	0.00 >	0.91
11217	PT	9V9	80	09/24/91	0.616	0.00	82.00	0.00	0.00
11217	SF	9VQ	80	09/24/91	0.660	0.00	58.60	0.00 >	3.60
11217	VE	9UT	80	09/27/91	1.115	0.00	76.70	0.00	0.00
11217	YF	9TX	80	09/24/91	1.045	0.00	44.80	0.00	0.03
11218	JE	9UD	80	09/24/91	0.739	0.00	30.10	0.00 >	0.30
11218	PT	9V9	80	09/24/91	0.616	0.00	21.80	0.00 >	0.31
11218	SF	9VQ	80	09/24/91	0.660	0.00	21.00	0.00 >	4.40
11218	VE	9UT	80	09/27/91	1.115	0.00 >	320.00	0.00	0.00
11218	YF	9TX	80	09/24/91	1.045	9.09	26.80	2.95 >	25.89
11219	JE	9UE	80	09/24/91	0.778	0.00 >	320.00	0.00 >	0.01
11219	PT	9VA	80	09/24/91	0.573	0.00 >	320.00	0.00	3.19
11219	SF	9VR	80	09/24/91	0.642	0.00 >	320.00	0.00 >	0.91
11219	VE	9UU	80	09/27/91	1.156	0.00 >	320.00	0.00	0.00
11219	YF	9TY	80	09/24/91	0.931	0.00 >	320.00	0.00	0.00
11220	JE	9UE	80	09/24/91	0.778	0.00 >	320.00	0.00 >	1.00
11220	PT	9VA	80	09/24/91	0.573	0.00 >	320.00	0.00 >	0.72
11220	SF	9VR	80	09/24/91	0.642	0.00 >	320.00	0.00	0.00
11220	VE	9UU	80	09/27/91	1.156	0.00 >	320.00	0.00	0.00
11220	YF	9TY	80	09/24/91	0.931	0.00 >	320.00	0.00 >	0.60
11221	JE	9UF	80	09/24/91	0.807	0.00	41.40	0.00 >	0.30
11221	PT	9VB	80	09/24/91	0.577	0.00	9.32	0.00	0.00
11221	SF	9VS	80	09/24/91	0.612	0.00	22.00	0.00	0.00
11221	VE	9UV	80	09/27/91	1.135	0.00	45.80	0.00	0.00
11221	YF	9TZ	80	09/24/91	.983	0.00	32.90	0.00 >	0.20
11222	JE	9UF	80	09/24/91	0.807	0.00	54.20	0.00	0.63
11222	PT	9VB	80	09/24/91	0.577	0.00	54.70	0.00	0.00
11222	SF	9VS	80	09/24/91	0.612	0.00	47.80	0.00 >	2.90
11222	VE	9UV	80	09/27/91	1.135	0.00	66.00	0.00	0.04
11222	YF	9TZ	80	09/24/91	0.983	0.00	53.90	0.00 >	0.71

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11223	JE	71X	80	07/10/91	0.847	18.30	62.10	3.38 >	18.03
11223	JE	AEX	80	10/09/91	0.860	56.60	169.00	2.99	14.76
11223	PT	736	80	07/11/91	0.681	0.00	58.70	0.00	1.58
11223	PT	AFT	80	10/10/91	0.662	0.00	187.00	0.00	4.66
11223	SF	709	80	07/09/91	1.118	0.00	70.60	0.00	3.93
11223	SF	AG9	80	10/10/91	0.485	0.00	153.00	0.00	4.52
11223	VE	700	80	07/12/91	1.197	0.00	69.00	0.00 >	0.81
11223	VE	AFD	80	10/11/91	1.164	0.00	69.30	0.00	0.00
11223	YF	72R	80	07/10/91	0.908	13.80	60.40	4.39	24.35
11223	YF	AEN	80	10/08/91	0.862	22.30	187.00	8.38	32.54
11224	JE	71Y	80	07/10/91	0.808	5.12	19.80	3.87 >	20.48
11224	JE	AEY	80	10/09/91	0.785	15.50	55.40	3.58 >	24.89
11224	PT	737	80	07/11/91	0.695	0.00	17.60	0.00	2.27
11224	PT	AFU	80	10/10/91	0.492	25.90	55.10	2.12	7.65
11224	SF	70A	80	07/09/91	1.040	0.00	19.70	0.00	5.40
11224	SF	AGA	80	10/10/91	0.384	0.00	28.10	0.00	3.39
11224	VE	70P	80	07/12/91	1.209	0.00	21.20	0.00 >	0.62
11224	VE	AFE	80	10/11/91	0.931	320.00	29.00	0.09 >	0.13
11224	YF	72S	80	07/10/91	0.934	4.33	19.60	4.54 >	24.56
11224	YF	AEI	80	10/08/91	1.076	8.09	47.00	5.80	23.68
11225	JE	71Y	80	07/10/91	0.808	0.00	112.00	0.00	0.00
11225	PT	737	80	07/11/91	0.695	0.00	75.50	0.00 >	0.55
11225	SF	70A	80	07/09/91	1.040	0.00	137.00	0.00	3.33
11225	VE	70P	80	07/12/91	1.209	0.00	175.00	0.00 >	2.51
11225	YF	72S	80	07/10/91	0.934	0.00	117.00	0.00 >	4.29
11226	JE	C06	84	11/20/91	0.966	0.00 >	320.00	0.00	1.65
11226	PT	C3P	84	11/20/91	0.641	0.00 >	320.00	0.00 >	0.03
11226	SF	C45	84	11/20/91	1.006	0.00	0.93	0.00	0.84
11226	VE	COL	84	11/22/91	1.065	0.00	304.00	0.00	0.00
11226	YF	BZR	84	11/20/91	0.974	0.00 >	320.00	0.00	0.00
11227	JE	9X6	80	09/25/91	0.858	0.00	14.20	0.00	1.48
11227	PT	A2F	80	09/26/91	0.638	0.00	14.40	0.00	0.00
11227	SF	A2V	80	09/26/91	0.535	0.00	13.70	0.00	0.00
11227	VE	9WA	80	09/27/91	1.024	0.00	14.40	0.00	0.00
11227	YF	9VU	80	09/24/91	1.068	0.00	15.20	0.00 >	0.50
11228	JE	9X7	80	09/25/91	0.888	0.00	12.60	0.00 >	0.01
11228	PT	A2G	80	09/26/91	0.665	0.00	14.40	0.00	0.00
11228	SF	A2W	80	09/26/91	0.584	0.00	14.10	0.00	0.00
11228	VE	9WB	80	09/27/91	1.000	0.00	15.50	0.00	0.00
11228	YF	9VV	80	09/24/91	0.963	0.00	15.50	0.00 >	2.35
11229	JE	9X7	80	09/25/91	0.888	0.00 >	320.00	0.00 >	0.27
11229	PT	A2G	80	09/26/91	0.665	0.00 >	320.00	0.00	0.00
11229	SF	A2W	80	09/26/91	0.584	0.00 >	320.00	0.00 >	0.81
11229	VE	9WB	80	09/27/91	1.000	0.00 >	320.00	0.00	0.20
11229	YF	9VV	80	09/24/91	0.963	0.00 >	320.00	0.00	0.19
11230	JE	9X8	80	09/25/91	0.841	0.00 >	320.00	0.00 >	0.80
11230	PT	A2H	80	09/26/91	0.679	0.00 >	320.00	0.00	0.00
11230	SF	A2X	80	09/26/91	0.577	0.00 >	320.00	0.00 >	7.21
11230	VE	9WC	80	09/27/91	1.051	0.00 >	320.00	0.00	0.00
11230	YF	9VW	80	09/24/91	0.919	0.00 >	320.00	0.00 >	1.10
11231	JE	9X8	80	09/25/91	0.841	0.00 >	320.00	0.00	0.52
11231	PT	A2H	80	09/26/91	0.679	0.00 >	320.00	0.00 >	3.39
11231	SF	A2X	80	09/26/91	0.577	0.00 >	320.00	0.00 >	2.40
11231	VE	9WC	80	09/27/91	1.051	0.00	228.00	0.00	0.00
11231	YF	9VW	80	09/24/91	0.919	0.00 >	320.00	0.00 >	1.50
11232	JE	9X9	80	09/25/91	0.845	0.00	6.79	0.00	0.00
11232	PT	A2I	80	09/26/91	0.623	0.00	6.18	0.00	0.00
11232	SF	A2Y	80	09/26/91	0.574	0.00	2.78	0.00	0.00
11232	VE	9WD	80	09/27/91	1.178	0.00	5.59	0.00	0.00
11232	YF	9VX	80	09/24/91	0.927	0.00	2.41	0.00 >	0.02
11233	JE	9X9	80	09/25/91	0.845	0.00	29.80	0.00	0.00
11233	PT	A2I	80	09/26/91	0.623	0.00	32.90	0.00	0.00
11233	SF	A2Y	80	09/26/91	0.574	0.00	32.00	0.00	2.48
11233	VE	9WD	80	09/27/91	1.178	30.60	16.80	0.55	0.26
11233	YF	9VX	80	09/24/91	0.927	0.00	19.30	0.00	0.00
11235	JE	9XA	80	09/25/91	0.901	0.00	15.10	0.00	0.00
11235	PT	A2J	80	09/26/91	0.700	0.00	15.70	0.00	0.00
11235	SF	A2Z	80	09/26/91	0.592	0.00	15.60	0.00	0.00
11235	VE	9WE	80	09/27/91	1.027	0.00	17.90	0.00	0.00
11235	YF	9VY	80	09/24/91	0.990	0.00	15.70	0.00	0.40
11236	JE	9XB	80	09/25/91	0.879	0.00	40.00	0.00	0.00
11236	PT	A2K	80	09/26/91	0.662	0.00	35.40	0.00	0.00
11236	SF	A30	80	09/26/91	0.648	0.00	15.00	0.00	0.00
11236	VE	9WF	80	09/27/91	0.996	0.00	46.90	0.00	0.10
11236	YF	9VZ	80	09/24/91	0.961	0.00	17.90	0.00	0.13

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11237	JE	9XB	80	09/25/91	0.879	0.00	13.90	0.00	0.00
11237	PT	A2K	80	09/26/91	0.662	0.00	2.55	0.00	0.00
11237	SF	A30	80	09/26/91	0.648	0.00	15.40	0.00	0.00
11237	VE	9WF	60	09/27/91	0.996	0.00	1.00	0.00	0.00
11237	YF	9VZ	80	09/24/91	0.961	0.00	15.20	0.00	0.20
11238	JE	9XC	80	09/25/91	0.856	179.00 >	320.00 >	1.79 >	8.60
11238	PT	A2L	80	09/26/91	0.690	0.00 >	320.00	0.00	2.54
11238	SF	A31	80	09/26/91	0.628	0.00 >	320.00	0.00	0.00
11238	VE	9WG	80	09/27/91	1.131	0.00 >	320.00	0.00	0.00
11238	YF	9W0	80	09/24/91	0.968	179.00 >	320.00 >	1.79 >	10.18
11239	JE	9XC	80	09/25/91	0.856	0.00 >	320.00	0.00	0.00
11239	PT	A2L	80	09/26/91	0.690	0.00 >	320.00	0.00 >	0.83
11239	SF	A31	80	09/26/91	0.628	0.00 >	320.00	0.00	5.79
11239	VE	9WG	80	09/27/91	1.131	0.00 >	320.00	0.00	0.00
11239	YF	9W0	80	09/24/91	0.968	0.00 >	320.00	0.00	0.71
11240	JE	9XD	80	09/25/91	0.848	0.00	49.00	0.00 >	1.21
11240	PT	A2M	80	09/26/91	0.742	0.00	35.40	0.00	0.00
11240	SF	A32	80	09/26/91	0.796	0.00	49.00	0.00	0.00
11240	VE	9WH	80	09/27/91	1.170	0.00	40.00	0.00	0.00
11240	YF	9W1	80	09/24/91	0.998	0.00	44.00	0.00 >	0.05
11241	JE	9XD	80	09/25/91	0.848	0.00 >	320.00	0.00 >	3.60
11241	PT	A2M	80	09/26/91	0.742	0.00 >	320.00	0.00 >	0.59
11241	SF	A32	80	09/26/91	0.796	0.00 >	320.00	0.00 >	8.29
11241	VE	9WH	80	09/27/91	1.170	0.00 >	320.00	0.00	0.00
11241	YF	9W1	80	09/24/91	0.998	0.00 >	320.00	0.00 >	0.08
11242	JE	9XE	80	09/25/91	0.696	0.00 >	320.00	0.00 >	2.52
11242	PT	A2N	80	09/26/91	0.568	0.00 >	320.00	0.00	0.00
11242	SF	A33	80	09/26/91	0.603	164.00 >	320.00 >	1.95 >	19.75
11242	VE	9WI	80	09/27/91	1.014	0.00 >	320.00	0.00	0.40
11242	YF	9W2	80	09/24/91	1.041	0.00 >	320.00	0.00 >	1.82
11243	JE	9XE	80	09/25/91	0.696	0.00 >	320.00	0.00 >	0.66
11243	PT	A2N	80	09/26/91	0.568	0.00 >	320.00	0.00	0.00
11243	SF	A33	80	09/26/91	0.603	0.00 >	320.00	0.00 >	7.74
11243	VE	9WI	80	09/27/91	1.014	0.00 >	320.00	0.00	0.00
11243	YF	9W2	80	09/24/91	1.041	0.00 >	320.00	0.00 >	0.27
11244	JE	9XF	80	09/25/91	0.895	0.00	5.26	0.00 >	0.03
11244	PT	A20	80	09/26/91	0.633	0.00	10.90	0.00	0.00
11244	SF	A34	80	09/26/91	0.620	0.00	6.35	0.00 >	0.52
11244	VE	9WJ	80	09/27/91	0.969	0.00	6.29	0.00 >	0.01
11244	YF	9W3	80	09/24/91	0.976	0.00	6.74	0.00 >	0.10
11245	JE	9XF	80	09/25/91	0.895	0.00	139.00	0.00 >	0.52
11245	PT	A20	80	09/26/91	0.633	0.00	118.00	0.00	0.00
11245	SF	A34	80	09/26/91	0.620	0.00	232.00	0.00	0.00
11245	VE	9WJ	80	09/27/91	0.969	0.00	175.00	0.00 >	0.19
11245	YF	9W3	80	09/24/91	0.976	0.00	175.00	0.00 >	0.30
11246	JE	9XG	80	09/25/91	0.895	0.00 >	100.00	0.00 >	0.10
11246	PT	A2P	80	09/26/91	0.653	0.00 >	100.00	0.00	0.00
11246	SF	A35	80	09/26/91	0.601	0.00 >	100.00	0.00	0.00
11246	VE	9WK	80	09/27/91	1.059	0.00 >	100.00	0.00 >	0.50
11246	YF	9W4	80	09/24/91	0.926	0.00 >	100.00	0.00	0.00
11247	JE	9XG	80	09/25/91	0.895	0.00 >	320.00	0.00 >	1.56
11247	PT	A2P	80	09/26/91	0.653	0.00 >	320.00	0.00	0.00
11247	SF	A35	80	09/26/91	0.601	75.90 >	320.00 >	4.22 >	25.42
11247	VE	9WK	80	09/27/91	1.059	0.00 >	320.00	0.00 >	0.80
11247	YF	9W4	80	09/24/91	0.926	0.00 >	320.00	0.00 >	7.62
11248	JE	9XH	80	09/25/91	0.864	0.00 >	320.00	0.00	0.00
11248	PT	A2Q	80	09/26/91	0.641	0.00 >	320.00	0.00	0.00
11248	SF	A36	80	09/26/91	0.612	0.00 >	320.00	0.00 >	0.81
11248	VE	9WL	80	09/27/91	1.088	0.00 >	320.00	0.00	0.20
11248	YF	9W5	80	09/24/91	1.042	0.00 >	320.00	0.00	0.35
11249	JE	9XH	80	09/25/91	0.864	0.00 >	320.00	0.00 >	0.23
11249	PT	A2Q	80	09/26/91	0.641	0.00 >	320.00	0.00 >	0.20
11249	SF	A36	80	09/26/91	0.612	0.00 >	320.00	0.00 >	1.90
11249	VE	9WL	80	09/27/91	1.088	0.00 >	320.00	0.00	0.20
11249	YF	9W5	80	09/24/91	1.042	0.00 >	320.00	0.00 >	0.90
11250	JE	9XI	80	09/25/91	0.901	0.00 >	320.00	0.00	0.00
11250	PT	A2R	80	09/26/91	0.658	0.00	26.90	0.00 >	2.22
11250	SF	A37	80	09/26/91	0.661	0.00 >	320.00	0.00 >	2.70
11250	VE	9WM	80	09/27/91	1.012	0.00 >	320.00	0.00	0.00
11250	YF	9W6	80	09/24/91	0.958	0.00 >	320.00	0.00	0.00
11251	JE	9XI	80	09/25/91	0.901	0.00 >	320.00	0.00 >	0.14
11251	PT	A2R	80	09/26/91	0.658	0.00 >	320.00	0.00	0.00
11251	SF	A37	80	09/26/91	0.661	0.00 >	320.00	0.00 >	5.50
11251	VE	9WM	80	09/27/91	1.012	0.00 >	320.00	0.00	0.60
11251	YF	9W6	80	09/24/91	0.958	0.00 >	320.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11252	JE	9XJ	80	09/25/91	0.904	0.00	1.43	0.00 >	0.02
11252	PT	A2S	80	09/26/91	0.663	0.00	1.43	0.00	0.00
11252	SF	A3S	80	09/26/91	0.732	0.00	1.30	0.00	0.00
11252	VE	9WN	20	09/27/91	1.140	0.00	1.55	0.00	0.00
11252	YF	9W7	80	09/24/91	1.046	0.00 <	1.00	0.00	0.00
11253	JE	9XJ	80	09/25/91	0.904	0.00	5.32	0.00	0.00
11253	PT	A2S	80	09/26/91	0.663	0.00	13.70	0.00	0.00
11253	SF	A3S	80	09/26/91	0.732	0.00	13.70	0.00	0.00
11253	VE	9WN	80	09/27/91	1.140	0.00	14.40	0.00	0.00
11253	YF	9W7	80	09/24/91	1.046	0.00 >	[illegible]	0.00 >	0.10
11254	JE	9XK	82	09/25/91	0.830	0.00 >	320.00	0.00 >	0.21
11254	PT	A2T	80	09/26/91	0.708	0.00 >	320.00	0.00	0.00
11254	SF	A39	80	09/26/91	0.649	0.00 >	320.00	[illegible]	5.40
11254	VE	9W0	80	09/27/91	1.112	0.00 >	320.00	[illegible]	0.00
11254	YF	9W8	80	09/24/91	1.033	0.00	15.20	[illegible]	0.03
11255	JE	9XK	80	09/25/91	0.830	0.00 >	320.00	0.00	0.00
11255	PT	A2T	80	09/26/91	0.708	0.00	100.00	0.00	0.00
11255	SF	A39	80	09/26/91	0.649	0.00 >	320.00	0.00 >	7.30
11255	VE	9W0	80	09/27/91	1.112	0.00 >	320.00	0.00	0.00
11255	YF	9W8	80	09/24/91	1.033	0.00	223.00	0.00	0.00
11268	JE	754	81	07/11/91	1.019	0.00	394.00	0.00	0.00
11268	PT	9A6	81	09/06/91	0.739	0.00	1000.00	0.00	0.00
11268	SF	75Y	81	07/11/91	0.812	0.00	330.00	0.00	0.00
11268	VE	71D	81	07/12/91	1.174	0.00	650.00	0.00	0.00
11268	YF	74P	81	07/11/91	1.038	0.00	210.00	0.00	0.00
11269	JE	755	81	07/11/91	1.124	0.00	162.00	0.00 >	0.71
11269	PT	9A7	81	09/06/91	0.732	0.00	135.00	0.00	0.00
11269	SF	75Z	81	07/11/91	0.674	0.00	312.00	0.00 >	1.30
11269	VE	71E	81	07/12/91	1.192	0.00	267.00	0.00	0.24
11269	YF	74Q	81	07/11/91	0.934	0.00	128.00	0.00	0.00
11270	JE	755	81	07/11/91	1.124	0.00	1290.00	0.00	0.00
11270	PT	9A7	81	09/06/91	0.732	0.00	1680.00	0.00	0.00
11270	SF	75Z	81	07/11/91	0.674	0.00	1750.00	0.00	0.00
11270	VE	71E	81	07/12/91	1.192	0.00	4000.00	0.00	0.29
11270	YF	74Q	81	07/11/91	0.934	0.00	1290.00	0.00	0.00
11271	JE	756	81	07/11/91	1.080	0.00	402.00	0.00	0.00
11271	PT	9A8	81	09/06/91	0.740	0.00	259.00	0.00	0.00
11271	SF	760	81	07/11/91	0.719	0.00	438.00	0.00	0.00
11271	VE	71F	81	07/12/91	1.151	0.00	570.00	0.00	0.00
11271	YF	74R	81	07/11/91	0.981	0.00	342.00	0.00 >	0.16
11272	JE	756	81	07/11/91	1.080	0.00	164.00	0.00	0.00
11272	PT	9A8	81	09/06/91	0.740	0.00	2250.00	0.00	0.00
11272	SF	760	81	07/11/91	0.719	0.00	130.00	0.00 >	0.32
11272	VE	71F	81	07/12/91	1.151	0.00	817.00	0.00	0.12
11272	YF	74R	81	07/11/91	0.981	0.00	159.00	0.00	0.00
11273	JE	757	81	07/11/91	1.003	0.00	709.00	0.00 >	0.40
11273	PT	9A9	81	09/06/91	0.717	0.00	1160.00	0.00	0.00
11273	SF	761	81	07/11/91	0.702	0.00	709.00	0.00 >	2.10
11273	VE	71G	81	07/12/91	1.126	0.00	1500.00	0.00	0.00
11273	YF	74S	81	07/11/91	1.014	0.00	510.00	0.00	0.00
11274	JE	757	81	07/11/91	1.003	0.00	388.00	0.00	0.00
11274	PT	9A9	81	09/06/91	0.717	0.00	1230.00	0.00	0.00
11274	SF	761	81	07/11/91	0.702	0.00	272.00	0.00	0.00
11274	VE	71G	81	07/12/91	1.126	0.00	773.00	0.00	0.85
11274	YF	74S	81	07/11/91	1.014	0.00	160.00	0.00	0.00
11275	JE	758	81	07/11/91	1.129	0.00	467.00	0.00 >	0.20
11275	PT	9AA	81	09/06/91	0.750	0.00	463.00	0.00	0.00
11275	SF	762	81	07/11/91	0.660	0.00	501.00	0.00	0.00
11275	VE	71H	81	07/12/91	1.135	0.00	868.00	0.00	1.03
11275	YF	74T	81	07/11/91	0.979	0.00	464.00	0.00	0.00
11276	JE	758	81	07/11/91	1.129	0.00	440.00	0.00	0.00
11276	PT	9AA	81	09/06/91	0.750	0.00	238.00	0.00	0.00
11276	SF	762	81	07/11/91	0.660	0.00	625.00	0.00	0.00
11276	VE	71H	81	07/12/91	1.135	0.00	636.00	0.00	0.00
11276	YF	74T	81	07/11/91	0.979	0.00	173.00	0.00	0.00
11277	JE	759	81	07/11/91	1.084	0.00	45.60	0.00	0.00
11277	PT	9AB	81	09/06/91	0.749	0.00	96.60	0.00	0.00
11277	SF	763	81	07/11/91	0.726	0.00	45.30	0.00	0.00
11277	VE	71I	81	07/12/91	1.179	0.00	53.90	0.00	0.00
11277	YF	74U	81	07/11/91	1.020	0.00	45.20	0.00	0.00
11278	JE	759	81	07/11/91	1.084	0.00	96.40	0.00	0.00
11278	PT	9AB	81	09/06/91	0.749	0.00	339.00	0.00	0.00
11278	SF	763	81	07/11/91	0.726	0.00	173.00	0.00	0.00
11278	VE	71I	81	07/12/91	1.179	744.00	372.00	0.50	2.33
11278	YF	74U	81	07/11/91	1.020	0.00	100.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11279	JF	75A	81	07/11/91	1.072	0.00	192.00	0.00	0.04
11279	PY	9AC	81	09/06/91	0.768	0.00	145.00	0.00	0.00
11279	SF	764	81	07/11/91	0.698	0.00	272.00	0.00 >	4.78
11279	VE	71J	81	07/12/91	1.134	201.00	1340.00	6.69	27.45
11279	YF	74V	81	07/11/91	0.987	0.00	152.00	0.00 >	3.92
11280	JE	75A	81	07/11/91	1.072	0.00	230.00	0.00	0.00
11280	PT	9AC	81	09/06/91	0.768	0.00	960.00	0.00	0.00
11280	SF	764	81	07/11/91	0.698	0.00	371.00	0.00	0.21
11280	VE	71J	81	07/12/91	1.134	0.00	465.00	0.00 >	2.72
11280	YF	74V	81	07/11/91	0.987	0.00	166.00	0.00	0.00
11281	JE	75B	81	07/11/91	1.091	0.00	274.00	0.00 >	0.20
11281	PT	9AD	81	09/06/91	0.841	0.00	247.00	0.00	0.00
11281	SF	765	81	07/11/91	0.709	0.00	160.00	0.00	0.00
11281	VE	71K	81	07/12/91	1.211	0.00	646.00	0.00 >	0.41
11281	YF	74W	81	07/11/91	0.499	0.00	553.00	0.00	0.00
11282	JE	75B	81	07/11/91	1.091	0.00	1040.00	0.00	0.00
11282	PT	9AD	81	09/06/91	0.841	0.00	1760.00	0.00	0.00
11282	SF	765	81	07/11/91	0.709	0.00	1520.00	0.00	0.00
11282	VE	71K	81	07/12/91	1.211	0.00	2280.00	0.00	2.37
11282	YF	74W	81	07/11/91	0.499	0.00	2080.00	0.00	0.00
11283	JE	75C	81	07/11/91	0.875	0.00	1160.00	0.00	0.00
11283	PT	9AE	81	09/06/91	0.572	0.00	208.00	0.00	0.00
11283	SF	766	81	07/11/91	0.530	0.00	1550.00	0.00	3.11
11283	VE	71L	81	07/12/91	1.212	0.00	1520.00	0.00	0.00
11283	YF	74X	81	07/11/91	0.937	0.00	265.00	0.00	0.00
11284	JE	75C	81	07/11/91	0.875	0.00	283.00	0.00	0.00
11284	PT	9AE	81	09/06/91	0.572	0.00	297.00	0.00	0.00
11284	SF	766	81	07/11/91	0.530	0.00	560.00	0.00	0.93
11284	VE	71L	81	07/12/91	1.212	0.00	582.00	0.00	0.00
11284	YF	74X	81	07/11/91	0.937	0.00	66.00	0.00	0.00
11285	JE	75D	81	07/11/91	0.947	0.00	229.00	0.00	0.00
11285	PT	9AF	81	09/06/91	0.680	0.00	173.00	0.00	0.00
11285	SF	767	81	07/11/91	0.558	0.00	267.00	0.00	0.00
11285	VE	71M	81	07/12/91	1.134	0.00	485.00	0.00	0.00
11285	YF	74Y	81	07/11/91	0.930	0.00	32.00	0.00	0.00
11286	JE	75D	81	07/11/91	0.947	0.00	287.00	0.00	0.00
11286	PT	9AF	81	09/06/91	0.680	0.00	570.00	0.00	0.00
11286	SF	767	81	07/11/91	0.558	0.00	507.00	0.00	4.79
11286	VE	71M	81	07/12/91	1.134	550.00	1530.00	2.78	15.61
11286	YF	74Y	81	07/11/91	0.930	0.00	265.00	0.00	0.00
11287	JE	75E	81	07/11/91	0.935	0.00	414.00	0.00	0.00
11287	PT	9AG	81	09/06/91	0.701	0.00	524.00	0.00	0.00
11287	SF	768	81	07/11/91	0.721	0.00	393.00	0.00	1.50
11287	VE	71N	81	07/12/91	1.161	649.00	1210.00	1.87	9.67
11287	YF	74Z	81	07/11/91	0.939	0.00	155.00	0.00	0.00
11288	JE	75E	81	07/11/91	0.935	0.00	1420.00	0.00	0.00
11288	PT	9AG	81	09/06/91	0.701	0.00	1130.00	0.00	0.00
11288	SF	768	81	07/11/91	0.721	0.00	1520.00	0.00 >	0.13
11288	VE	71N	81	07/12/91	1.161	0.00	2190.00	0.00	0.13
11288	YF	74Z	81	07/11/91	0.939	0.00	320.00	0.00	0.00
11289	JE	75F	81	07/11/91	0.948	0.00	1530.00	0.00	0.00
11289	PT	9AH	81	09/06/91	0.726	0.00	1000.00	0.00	0.00
11289	SF	769	81	07/11/91	0.734	0.00	2100.00	0.00 >	15.48
11289	VE	710	81	07/12/91	1.168	0.00	2930.00	0.00	0.80
11289	YF	750	81	07/11/91	0.875	0.00	592.00	0.00	0.00
11290	JE	75F	81	07/11/91	0.948	0.00	454.00	0.00 >	0.10
11290	PT	9AH	81	09/06/91	0.726	0.00	918.00	0.00	0.00
11290	SF	769	81	07/11/91	0.734	0.00	624.00	0.00	3.48
11290	VE	710	81	07/12/91	1.168	733.00	1830.00	2.50 >	12.39
11290	YF	750	81	07/11/91	0.875	0.00	352.00	0.00	0.00
11291	JE	75G	81	07/11/91	0.908	0.00	5520.00	0.00	0.00
11291	PT	9AI	81	09/06/91	0.633	0.00	4850.00	0.00	0.00
11291	SF	76A	81	07/11/91	0.695	0.00	4700.00	0.00	0.10
11291	VE	71P	81	07/12/91	1.168	0.00	6390.00	0.00	3.68
11291	YF	751	81	07/11/91	0.851	0.00	1730.00	0.00	0.00
11292	JE	75G	81	07/11/91	0.908	0.00	629.00	0.00	0.00
11292	PT	9AI	81	09/06/91	0.633	0.00	1870.00	0.00	0.00
11292	SF	76A	81	07/11/91	0.695	0.00	1220.00	0.00	0.43
11292	VE	71P	81	07/12/91	1.168	0.00	817.00	0.00	0.32
11292	YF	751	81	07/11/91	0.851	0.00	686.00	0.00	0.00
11293	JE	774	81	07/16/91	1.081	0.00	1490.00	0.00	0.00
11293	PT	77Y	81	07/16/91	0.754	0.00	1340.00	0.00	0.00
11293	SF	780	81	07/16/91	1.071	0.00	1150.00	0.00	0.00
11293	VE	77J	81	07/19/91	1.227	0.00	709.00	0.00 >	0.02
11293	YF	76P	81	07/16/91	1.123	0.00	77.30	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11294	JE	774	81	07/16/91	1.081	0.00	563.00	0.00	0.00
11294	PT	77Y	81	07/16/91	0.754	0.00	1100.00	0.00	0.00
11294	SF	780	81	07/16/91	1.071	0.00	680.00	0.00	0.00
11294	VE	77J	81	07/19/91	1.227	0.00	1060.00	0.00	0.00
11294	YF	76P	81	07/16/91	1.123	0.00	520.00	0.00	0.00
11295	JE	775	81	07/16/91	1.145	0.00	348.00	0.00	0.00
11295	PT	77Z	81	07/16/91	0.643	0.00	678.00	0.00 >	1.11
11295	SF	78E	81	07/16/91	1.035	0.00	588.00	0.00	0.00
11295	VE	77K	81	07/19/91	1.283	0.00	849.00	0.00	0.00
11295	YF	760	81	07/16/91	1.227	0.00	188.00	0.00	0.00
11296	JE	775	81	07/16/91	1.145	0.00	1090.00	0.00	0.00
11296	PT	77Z	81	07/16/91	0.643	0.00	1720.00	0.00	0.00
11296	SF	78E	81	07/16/91	1.035	0.00	1500.00	0.00	1.76
11296	VE	77K	81	07/19/91	1.283	2660.0	1930.00	0.73 >	1.17
11296	YF	760	81	07/16/91	1.227	0.00	51.40	0.00	0.00
11297	JE	776	81	07/16/91	1.063	0.00	64.00	0.00	0.00
11297	PT	780	81	07/16/91	0.770	0.00	64.60	0.00 >	0.32
11297	SF	78F	81	07/16/91	1.053	0.00	49.70	0.00	0.00
11297	VE	77L	81	07/19/91	1.125	0.00	155.00	0.00	0.00
11297	YF	76R	81	07/16/91	1.010	0.00	58.90	0.00	0.00
11298	JE	776	81	07/16/91	1.063	0.00	1080.00	0.00	0.00
11298	PT	780	81	07/16/91	0.770	0.00	1410.00	0.00 >	0.60
11298	SF	78F	81	07/16/91	1.053	0.00	1060.00	0.00	0.00
11298	VE	77L	81	07/19/91	1.125	0.00	1460.00	0.00 >	0.30
11298	YF	76R	81	07/16/91	1.010	0.00	1140.00	0.00	0.00
11299	JE	777	81	07/16/91	0.765	0.00	1240.00	0.00	0.00
11299	PT	781	81	07/16/91	0.486	0.00	906.00	0.00	0.00
11299	SF	78G	81	07/16/91	1.087	0.00	743.00	0.00	0.00
11299	VE	77M	81	07/19/91	1.082	0.00	579.00	0.00 >	0.05
11299	YF	76S	81	07/16/91	1.214	0.00	83.00	0.00	0.00
11300	JE	777	81	07/16/91	0.765	0.00	405.00	0.00 >	7.72
11300	PT	781	81	07/16/91	0. 86	0.00	304.00	0.00	1.32
11300	SF	78G	81	07/16/91	1 87	0.00	186.00	0.00	0.00
11300	VE	77M	81	07/19/91	.82	0.00	304.00	0.00 >	0.30
11300	YF	76S	81	07/16/91	1.214	0.00	139.00	0.00	0.00
11301	JE	778	81	07/16/91	1.030	0.00	579.00	0.00	0.00
11301	PT	782	81	07/16/91	0.598	0.00	791.00	0.00	0.00
11301	SF	78H	81	07/16/91	1.111	0.00	887.00	0.00	0.69
11301	VE	77N	81	07/19/91	1.199	0.00	864.00	0.00 >	0.85
11301	YF	76T	81	07/16/91	1.114	0.00	456.00	0.00	0.00
11302	JE	778	81	07/16/91	1.030	0.00	483.00	0.00	0.00
11302	PT	782	81	07/16/91	0.598	0.00	698.00	0.00	0.00
11302	SF	78H	81	07/16/91	1.111	593.00	864.00	1.46	9.87
11302	VE	77N	81	07/19/91	1.199	808.00	753.00	0.93 >	7.17
11302	YF	76T	81	07/16/91	1.114	0.00	188.00	0.00	0.00
11303	JE	779	81	07/16/91	0.905	0.00	1650.00	0.00 >	0.37
11303	PT	783	81	07/16/91	0.558	0.00	2490.00	0.00	0.00
11303	SF	781	81	07/16/91	1.000	684.00	1530.00	2.23	12.65
11303	VE	770	81	07/19/91	1.113	0.00	1390.00	0.00 >	7.08
11303	YF	76U	81	07/16/91	1.036	0.00	1060.00	0.00	0.69
11304	JE	779	81	07/16/91	0.905	0.00 >	3200.00	0.00 >	0.20
11304	PT	783	81	07/16/91	0.558	0.00 >	3200.00	0.00	0.00
11304	SF	781	81	07/16/91	1.000	0.00 >	3200.00	0.00	0.00
11304	VE	770	81	07/19/91	1.113	0.00	1930.00	0.00 >	0.33
11304	YF	76U	81	07/16/91	1.036	0.00	1000.00	0.00	0.00
11305	JE	77A	81	07/16/91	0.999	0.00	71.40	0.00 >	0.01
11305	PT	784	81	07/16/91	0.658	0.00	70.90	0.00	0.00
11305	SF	78J	81	07/16/91	1.064	0.00	124.00	0.00	0.00
11305	VE	77P	81	07/19/91	1.064	0.00	127.00	0.00 >	0.51
11305	YF	76V	81	07/16/91	1.006	0.00	78.80	0.00	0.00
11306	JE	77A	81	07/16/91	0.999	0.00	806.00	0.00	2.47
11306	PT	784	81	07/16/91	0.658	0.00	259.00	0.00	0.00
11306	SF	78J	81	07/16/91	1.064	814.00	851.00	1.05 >	3.67
11306	VE	77P	81	07/19/91	1.064	689.00	1550.00	2.25 >	13.42
11306	YF	76V	81	07/16/91	1.006	0.00	160.00	0.00	0.00
11307	JE	77B	81	07/16/91	1.016	0.00	442.00	0.00	0.00
11307	PT	785	81	07/16/91	0.719	0.00	599.00	0.00	0.00
11307	SF	78K	81	07/16/91	1.095	0.00	413.00	0.00	0.00
11307	VE	77Q	81	07/19/91	1.213	0.00	378.00	0.00	0.00
11307	YF	76W	81	07/16/91	1.013	0.00	478.00	0.00	0.00
11308	JE	77B	81	07/16/91	1.016	0.00	1730.00	0.00	0.00
11308	PT	785	81	07/16/91	0.719	0.00	1950.00	0.00	0.00
11308	SF	78K	81	07/16/91	1.095	0.00	1620.00	0.00	0.92
11308	VE	77Q	81	07/19/91	1.213	2740.0	1890.00	0.69	1.30
11308	YF	76W	81	07/16/91	1.013	0.00	283.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11309	JE	78X	81	07/17/91	0.863	0.00	1180.00	0.00		0.12
11309	PT	8MP	81	08/23/91	0.376	0.00	1890.00	0.00		1.90
11309	SF	78N	81	07/16/91	1.027	0.00	1160.00	0.00	>	0.90
11309	VE	792	81	07/19/91	1.086	0.00	1620.00	0.00	>	1.83
11309	YF	78I	81	07/17/91	0.993	0.00	974.00	0.00		1.07
11310	JE	78Y	81	07/17/91	0.975	0.00	249.00	0.00		0.95
11310	PT	8MQ	81	08/23/91	0.427	0.00	507.00	0.00		0.00
11310	SF	780	81	07/16/91	0.830	0.00	200.00	0.00	>	4.73
11310	VE	793	81	07/19/91	0.953	0.00	245.00	0.00	>	12.63
11310	YF	78J	81	07/17/91	0.919	0.00	162.00	0.00		0.00
11311	JE	78Y	81	07/17/91	0.975	0.00	1440.00	0.00		0.07
11311	PT	8MQ	81	08/23/91	0.427	0.00	1910.00	0.00		0.00
11311	SF	780	81	07/16/91	0.830	0.00	2250.00	0.00		0.21
11311	VE	793	81	07/19/91	0.953	0.00	2490.00	0.00	>	1.30
11311	YF	78J	81	07/17/91	0.919	0.00	1790.00	0.00		0.00
11312	JE	78Z	81	07/17/91	1.000	0.00	222.00	0.00	>	6.19
11312	PT	8MR	81	08/23/91	0.458	0.00	171.00	0.00		0.00
11312	SF	78P	81	07/16/91	0.914	0.00	77.90	0.00		0.00
11312	VE	794	81	07/19/91	1.120	0.00	372.00	0.00	>	0.52
11312	YF	78K	81	07/17/91	0.920	0.00	197.00	0.00	>	1.33
11313	JE	78Z	81	07/17/91	1.000	0.00	1130.00	0.00		0.00
11313	PT	8MR	81	08/23/91	0.458	0.00	3540.00	0.00		0.00
11313	SF	78P	81	07/16/91	0.914	0.00	792.00	0.00		2.34
11313	VE	794	81	07/19/91	1.120	1350.0	3630.00	2.69	>	20.24
11313	YF	78K	81	07/17/91	0.920	0.00	806.00	0.00		3.53
11314	JE	7C0	81	07/17/91	0.921	0.00	146.00	0.00	>	0.70
11314	PT	8MS	81	08/23/91	0.399	0.00	547.00	0.00		0.00
11314	SF	78Q	81	07/16/91	0.950	0.00	32.00	0.00		0.00
11314	VE	795	81	07/19/91	1.165	0.00	162.00	0.00	>	4.14
11314	YF	78L	81	07/17/91	0.974	0.00	65.30	0.00	>	1.21
11315	JE	7C0	81	07/17/91	0.921	0.00	208.00	0.00	>	5.88
11315	PT	8MS	81	08/23/91	0.399	0.00	138.00	0.00		0.00
11315	SF	78Q	81	07/16/91	0.950	0.00	145.00	0.00		0.00
11315	VE	795	81	07/19/91	1.165	0.00	238.00	0.00	>	0.20
11315	YF	78L	81	07/17/91	0.974	0.00	124.00	0.00	>	2.68
11316	JE	7C1	81	07/17/91	1.132	0.00	449.00	0.00		0.00
11316	PT	8MT	81	08/23/91	0.477	0.00	1220.00	0.00		0.00
11316	SF	78R	81	07/16/91	1.011	0.00	447.00	0.00		0.00
11316	VE	796	81	07/19/91	1.150	0.00	766.00	0.00	>	1.83
11316	YF	78M	81	07/17/91	0.958	0.00	335.00	0.00		0.00
11317	JE	7C1	81	07/17/91	1.132	0.00	575.00	0.00		0.00
11317	PT	8MT	81	08/23/91	0.477	0.00	1270.00	0.00	>	2.02
11317	SF	78R	81	07/16/91	1.011	0.00	547.00	0.00		0.00
11317	VE	796	81	07/19/91	1.150	0.00	756.00	0.00		3.05
11317	YF	78M	81	07/17/91	0.958	0.00	611.00	0.00		0.21
11318	JE	7C2	81	07/17/91	1.102	0.00	788.00	0.00		0.00
11318	PT	8MU	81	08/23/91	0.423	0.00	1500.00	0.00		0.00
11318	SF	78S	81	07/16/91	1.028	0.00	1830.00	0.00		6.54
11318	VE	797	81	07/19/91	1.237	0.00	1070.00	0.00	>	9.23
11318	YF	78N	81	07/17/91	1.045	0.00	738.00	0.00	>	5.26
11319	JE	7C2	81	07/17/91	1.102	0.00	887.00	0.00		0.00
11319	PT	8MU	81	08/23/91	0.423	0.00	1350.00	0.00	>	0.30
11319	SF	78S	81	07/16/91	1.028	0.00	1430.00	0.00		0.00
11319	VE	797	81	07/19/91	1.237	0.00	1420.00	0.00		3.00
11319	YF	78N	81	07/17/91	1.045	0.00	849.00	0.00		0.00
11320	JE	7C3	81	07/17/91	0.990	0.00	492.00	0.00	>	0.20
11320	PT	8MV	81	08/23/91	0.378	0.00	1300.00	0.00		0.00
11320	SF	78T	81	07/16/91	0.913	0.00	490.00	0.00		0.00
11320	VE	798	81	07/19/91	1.183	0.00	588.00	0.00		1.02
11320	YF	78O	81	07/17/91	0.957	0.00	484.00	0.00		0.10
11321	JE	7C3	81	07/17/91	0.990	0.00	1610.00	0.00		0.00
11321	PT	8MV	81	08/23/91	0.378	0.00	2150.00	0.00	>	0.60
11321	SF	78T	81	07/16/91	0.913	0.00	1330.00	0.00		0.00
11321	VE	798	81	07/19/91	1.183	0.00	1960.00	0.00		0.00
11321	YF	78O	81	07/17/91	0.957	0.00	1450.00	0.00		0.00
11322	JE	7C4	81	07/17/91	1.075	0.00	45.40	0.00		0.00
11322	PT	8MW	81	08/23/91	0.437	0.00	55.30	0.00	>	0.10
11322	SF	78U	81	07/16/91	0.950	0.00	19.50	0.00		0.00
11322	VE	799	81	07/19/91	1.138	0.00	22.40	0.00		0.00
11322	YF	78P	81	07/17/91	1.007	0.00	16.20	0.00		0.00
11323	JE	7C4	81	07/17/91	1.075	0.00	45.20	0.00		0.00
11323	PT	8MW	81	08/23/91	0.437	0.00	128.00	0.00	>	2.13
11323	SF	78U	81	07/16/91	0.950	0.00	45.20	0.00		0.00
11323	VE	799	81	07/19/91	1.138	0.00	56.30	0.00	>	0.10
11323	YF	78P	81	07/17/91	1.007	0.00	57.80	0.00	>	8.82

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11324	JE	7C5	81	07/17/91	0.878	0.00	1390.00	0.00 >	0.05
11324	PT	8WX	81	08/23/91	0.367	0.00	1530.00	0.00	0.00
11324	SF	78V	81	07/16/91	0.973	0.00	1480.00	0.00	0.00
11324	VE	79A	81	07/19/91	1.031	0.00	1000.00	0.00	3.72
11324	YF	7BQ	81	07/17/91	0.915	0.00	1160.00	0.00	5.81
11325	JE	7C5	81	07/17/91	0.878	0.00	569.00	0.00 >	1.97
11325	PT	8WX	81	08/23/91	0.367	0.00	1080.00	0.00	0.00
11325	SF	78V	81	07/16/91	0.973	0.00	592.00	0.00	0.00
11325	VE	79A	81	07/19/91	1.031	0.00	615.00	0.00	0.66
11325	YF	7BQ	81	07/17/91	0.915	0.00	487.00	0.00	4.79
11326	JE	7C6	81	07/17/91	0.858	0.00	1550.00	0.00	0.00
11326	PT	8WY	81	08/23/91	0.349	0.00	4070.00	0.00	0.00
11326	SF	78W	81	07/16/91	0.930	0.00	1550.00	0.00 >	5.09
11326	VE	79B	81	07/19/91	1.106	0.00	4920.00	0.00	4.36
11326	YF	7BR	81	07/17/91	0.957	0.00	1420.00	0.00	0.00
11327	JE	7C6	81	07/17/91	0.858	0.00	927.00	0.00	0.00
11327	PT	8WY	81	08/23/91	0.349	0.00	4070.00	0.00 >	3.52
11327	SF	78W	81	07/16/91	0.930	1000.0	1210.00	1.21	4.10
11327	VE	79B	81	07/19/91	1.106	0.00	1220.00	0.00	2.80
11327	YF	7BR	81	07/17/91	0.957	0.00	706.00	0.00	0.00
11328	JE	7C7	81	07/17/91	0.963	0.00	1060.00	0.00	0.00
11328	PT	8WZ	81	08/23/91	0.327	0.00	205.00	0.00	0.00
11328	SF	78X	81	07/16/91	1.035	0.00	785.00	0.00	0.00
11328	VE	79C	81	07/19/91	1.159	0.00	1990.00	0.00 >	0.70
11328	YF	7BS	81	07/17/91	0.991	0.00	705.00	0.00	0.00
11329	JE	7C7	81	07/17/91	0.963	0.00	1550.00	0.00	5.15
11329	PT	8WZ	81	08/23/91	0.327	0.00	1570.00	0.00 >	0.60
11329	SF	78X	81	07/16/91	1.035	0.00	1370.00	0.00	0.00
11329	VE	79C	81	07/19/91	1.159	1590.0 >	3200.00 >	2.01 >	12.63
11329	YF	7BS	81	07/17/91	0.991	0.00	1500.00	0.00	0.94
11330	JE	7C8	81	07/17/91	0.910	0.00	15.90	0.00	0.10
11330	PT	8X0	81	08/23/91	0.321	0.00 >	1000.00	0.00	0.00
11330	SF	78Y	81	07/16/91	1.012	0.00	13.30	0.00	0.00
11330	VE	790	81	07/19/91	1.114	0.00	14.80	0.00	0.03
11330	YF	7BT	81	07/17/91	0.954	0.00	15.50	0.00	0.00
11331	JE	7C8	81	07/17/91	0.910	0.00	1160.00	0.00 >	2.43
11331	PT	8X0	81	08/23/91	0.321	0.00	1520.00	0.00 >	5.45
11331	SF	78Y	81	07/16/91	1.012	0.00	557.00	0.00	0.00
11331	VE	790	81	07/19/91	1.114	2220.0 >	3200.00 >	1.44 >	6.74
11331	YF	7BT	81	07/17/91	0.954	0.00	635.00	0.00	0.20
11332	JE	7C9	81	07/17/91	0.987	0.00 >	3200.00	0.00	0.12
11332	PT	8X1	81	08/23/91	0.322	0.00	1330.00	0.00	0.00
11332	SF	78Z	81	07/16/91	0.912	2960.0 >	3200.00 >	1.08 >	6.84
11332	VE	79E	81	07/19/91	1.070	0.00 >	3200.00	0.00 >	0.10
11332	YF	7BU	81	07/17/91	0.954	0.00 >	3200.00	0.00	0.00
11333	JE	7C9	81	07/17/91	0.987	0.00	1970.00	0.00	0.00
11333	PT	8X1	81	08/23/91	0.322	0.00	1730.00	0.00	0.00
11333	SF	78Z	81	07/16/91	0.912	0.00	2080.00	0.00	0.00
11333	VE	79E	81	07/19/91	1.070	0.00	3040.00	0.00 >	3.21
11333	YF	7BU	81	07/17/91	0.954	0.00	1900.00	0.00	0.00
11334	JE	7D6	81	07/17/91	0.747	0.00	1190.00	0.00 >	2.76
11334	PT	894	81	08/08/91	1.117	0.00	29.60	0.00	0.00
11334	SF	7E0	81	07/17/91	1.176	0.00	241.00	0.00	0.00
11334	VE	79H	81	07/19/91	1.208	0.00	4200.00	0.00	0.00
11334	YF	7CR	1	07/17/91	1.041	0.00	1000.00	0.00	3.51
11335	JE	7D7	81	07/17/91	1.027	0.00	1310.00	0.00	0.00
11335	PT	895	81	08/08/91	0.908	0.00	1000.00	0.00 >	0.23
11335	SF	7E1	81	07/17/91	1.097	0.00	487.00	0.00	0.98
11335	VE	791	81	07/19/91	1.134	0.00	1790.00	0.00	0.00
11335	YF	7CS	81	07/17/91	1.016	0.00	420.00	0.00	0.00
11336	JE	7D7	81	07/17/91	1.027	0.00	786.00	0.00	0.00
11336	PT	895	81	08/08/91	0.908	0.00	3470.00	0.00 >	1.28
11336	SF	7E1	81	07/17/91	1.097	0.00	970.00	0.00	0.00
11336	VE	791	81	07/19/91	1.134	0.00	4140.00	0.00	0.00
11336	YF	7CS	81	07/17/91	1.016	0.00	718.00	0.00	0.00
11337	JE	7D8	81	07/17/91	0.974	0.00	1770.00	0.00	0.00
11337	PT	896	81	08/08/91	0.924	0.00	2190.00	0.00	0.00
11337	SF	7E2	81	07/17/91	1.114	0.00	1370.00	0.00	3.04
11337	VE	79J	81	07/19/91	1.114	0.00	4070.00	0.00	0.99
11337	YF	7CT	81	07/17/91	1.098	0.00	1620.00	0.00	0.37
11338	JE	7D8	81	07/17/91	0.974	0.00	1660.00	0.00	0.00
11338	PT	896	81	08/08/91	0.924	0.00	1630.00	0.00 >	0.34
11338	SF	7E2	81	07/17/91	1.114	0.00	1450.00	0.00 >	0.10
11338	VE	79J	81	07/19/91	1.114	0.00	2250.00	0.00	0.00
11338	YF	7CT	81	07/17/91	1.098	0.00	1560.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-PNTL.	IC 50	TC 25	SI	TAI
11339	JF	7D9	81	07/17/91	1.051	0.00	485.00	0.00	0.27
11339	PT	897	81	08/08/91	0.909	0.00	1160.00	0.00	0.00
11339	SF	7E3	81	07/17/91	1.183	0.00	670.00	0.00	0.00
11339	VE	79K	81	07/19/91	1.197	0.00	1160.00	0.00	0.00
11339	YF	7CU	81	07/17/91	1.140	0.00	507.00	0.00	0.00
11340	JE	7D9	81	07/17/91	1.051	0.00	864.00	0.00	0.00
11340	PT	897	81	08/08/91	0 909	0.00	1340.00	0.00 >	0.21
11340	SF	7E3	81	07/17/91	1.183	0.00	932.00	0.00 >	1.11
11340	VE	79K	81	07/19/91	1.197	0.00	1330.00	0.00	0.00
11340	YF	7CU	81	07/17/91	1.140	0.00	577.00	0.00	0.00
11341	JE	7DA	81	07/17/91	1.076	0.00	528.00	0.00 >	0.32
11341	PT	898	81	08/08/91	1.003	0.00	1000.00	0.00	0.00
11341	SF	7E4	81	07/17/91	1.224	0.00	6.76	0.00	0.00
11341	VE	79L	81	07/19/91	1.188	0.00	1410.00	0.00	0.00
11341	YF	7CV	81	07/17/91	1.096	0.00	534.00	0.00	0.00
11342	JE	7DA	81	07/17/91	1.076	0.00	66.70	0.00 >	0.13
11342	PT	898	81	08/08/91	1.003	0.00	23.80	0.00	0.00
11342	SF	7E4	81	07/17/91	1.224	0.00	51.10	0.00	1.68
11342	VE	79L	81	07/19/91	1.188	0.00	78.10	0.00	0.00
11342	YF	7CV	81	07/17/91	1.096	0.00	37.60	0.00	0.00
11343	JE	7DB	81	07/17/91	0.966	0.00	706.00	0.00	0.04
11343	PT	899	81	08/08/91	0.911	0.00	3000.00	0.00	0.00
11343	SF	7E5	81	07/17/91	1.057	0.00	1520.00	0.00	0.33
11343	VE	79M	81	07/19/91	1.241	0.00	1560.00	0.00	0.30
11343	YF	7CW	81	07/17/91	1.113	0.00	1330.00	0.00	0.13
11344	JE	7D8	81	07/17/91	0.966	0.00	1350.00	0.00 >	1.86
11344	PT	899	81	08/08/91	0.911	0.00	155.00	0.00	0.82
11344	SF	7E5	81	07/17/91	1.057	844.00	684.00	0.81 >	17.80
11344	VE	79M	81	07/19/91	1.241	0.00	603.00	0.00	0.00
11344	YF	7CW	81	07/17/91	1.113	2120.0	660.00	0.31 >	3.39
11345	JE	7DC	81	07/17/91	0.978	0.00	454.00	0.00 >	1.84
11345	PT	89A	81	08/08/91	0.904	0.00	960.00	0.00	0.00
11345	SF	7E6	81	07/17/91	1.073	0.00	308.00	0.00	0.00
11345	VE	79N	81	07/19/91	1.271	0.00	523.00	0.00	0.00
11345	YF	7CX	81	07/17/91	1.082	0.00	427.00	0.00	0.00
11346	JE	7DC	81	07/17/91	0.978	0.00	507.00	0.00	1.00
11346	PT	89A	81	08/08/91	0.904	0.00	705.00	0.00	0.00
11346	SF	7E6	81	07/17/91	1.073	0.00	283.00	0.00	0.00
11346	VE	79N	81	07/19/91	1.271	0.00	779.00	0.00	0.00
11346	YF	7CX	81	07/17/91	1.082	0.00	277.00	0.00 >	0.41
11347	JE	7D0	81	07/17/91	1.038	0.00	1000.00	0.00	0.00
11347	PT	898	81	08/08/91	0.737	0.00	745.00	0.00	0.00
11347	SF	7E7	81	07/17/91	1.051	0.00	745.00	0.00	0.22
11347	VE	790	81	07/19/91	1.166	0.00	1450.00	0.00	0.00
11347	YF	7CY	81	07/17/91	1.046	0.00	696.00	0.00	0.00
11348	JE	7D0	81	07/17/91	1.038	0.00	903.00	0.00	0.14
11348	PT	898	81	08/08/91	0.737	0.00	1270.00	0.00	0.00
11348	SF	7E7	81	07/17/91	1.051	0.00	806.00	0.00 >	1.62
11348	VE	790	81	07/19/91	1.166	0.00	1860.00	0.00	0.00
11348	YF	7CY	81	07/17/91	1.046	0.00	924.00	0.00	0.00
11349	JE	7DE	81	07/17/91	0.816	749.00	1060.00	1.41	5.70
11349	PT	89C	81	08/08/91	0.794	0.00	2380.00	0.00 >	0.08
11349	SF	7E8	81	07/17/91	1.079	0.00	1240.00	0.00 >	1.62
11349	VE	79P	81	07/19/91	1.140	0.00 >	3200.00	0.00	0.20
11349	YF	7CZ	81	07/17/91	1.063	0.00	812.00	0.00	0.00
11350	JE	7DE	81	07/17/91	0.816	0.00	1550.00	0.00	0.00
11350	PT	89C	81	08/08/91	0.794	0.00	1900.00	0.00	0.20
11350	SF	7E8	81	07/17/91	1.079	0.00	1040.00	0.00 >	3.48
11350	VE	79P	81	07/19/91	1.140	0.00	1440.00	0.00	0.00
11350	YF	7CZ	81	07/17/91	1.063	0.00	1100.00	0.00	0.40
11351	JE	7DF	81	07/17/91	0.954	0.00	1870.00	0.00	0.13
11351	PT	89D	81	08/08/91	0.798	0.00	2410.00	0.00	0.08
11351	SF	7E9	81	07/17/91	1.177	0.00	1050.00	0.00 >	0.40
11351	VE	790	81	07/19/91	1.174	0.00	2310.00	0.00	0.00
11351	YF	7D0	81	07/17/91	1.083	0.00	1190.00	0.00	0.00
11352	JE	7DF	81	07/17/91	0.954	0.00	1680.00	0.00	0.00
11352	PT	89D	81	08/08/91	0.798	0.00	3480.00	0.00	0.00
11352	SF	7E9	81	07/17/91	1.177	0.00	1400.00	0.00 >	0.50
11352	VE	790	81	07/19/91	1.174	0.00	4180.00	0.00	0.00
11352	YF	7D0	81	07/17/91	1.083	0.00	1750.00	0.00 >	0.10
11353	JE	7DG	81	07/17/91	0.907	0.00	7670.00	0.00	0.00
11353	PT	89E	81	08/08/91	0.813	0.00	7960.00	0.00	0.00
11353	SF	7EA	81	07/17/91	1.064	0.00	7150.00	0.00 >	3.80
11353	VE	79R	81	07/19/91	1.305	0.00	5860.00	0.00	0.10
11353	YF	7D1	81	07/17/91	1.045	0.00	6530.00	0.00 >	0.10

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11354	JE	7DG	81	07/17/91	0.907	0.00	1210.00	0.00	0.00
11354	PT	89E	81	08/08/91	0.813	0.00	1990.00	0.00	0.00
11354	SF	7EA	81	07/17/91	1.064	0.00	717.00	0.00	0.00
11354	VE	79R	81	07/19/91	1.305	0.00	4700.00	0.00	1.13
11354	YF	7D1	81	07/17/91	1.045	0.00	1240.00	0.00 >	1.76
11355	JE	7DH	81	07/17/91	0.941	0.00	1430.00	0.00	0.00
11355	PT	89F	81	08/08/91	0.721	0.00	2540.00	0.00	0.00
11355	SF	7EB	81	07/17/91	1.034	0.00	825.00	0.00	0.00
11355	VE	79S	81	07/19/91	1.198	0.00	4800.00	0.00	0.00
11355	YF	7D2	81	07/17/91	1.044	0.00	927.00	0.00	0.00
11356	JE	7DH	81	07/17/91	0.941	0.00	1740.00	0.00 >	0.30
11356	PT	89F	81	08/08/91	0.721	0.00 >	3200.00	0.00 >	2.94
11356	SF	7EB	81	07/17/91	1.034	0.00	1700.00	0.00 >	0.90
11356	VE	79S	81	07/19/91	1.198	0.00	1850.00	0.00	0.00
11356	YF	7D2	81	07/17/91	1.044	0.00	1420.00	0.00 >	0.21
11357	JE	7DI	81	07/17/91	0.889	0.00	779.00	0.00	0.00
11357	PT	89G	81	08/08/91	0.827	0.00	755.00	0.00 >	1.37
11357	SF	7EC	81	07/17/91	1.092	0.00	474.00	0.00	0.00
11357	VE	79T	81	07/19/91	1.189	0.00	1410.00	0.00	0.00
11357	YF	7D3	81	07/17/91	0.947	0.00	636.00	0.00	0.00
11358	JE	7DI	81	07/17/91	0.889	0.00	792.00	0.00	8.62
11358	PT	89G	81	08/08/91	0.827	0.00	4210.00	0.00	0.00
11358	SF	7EC	81	07/17/91	1.092	0.00	561.00	0.00	0.00
11358	VE	79T	81	07/19/91	1.189	0.00	4930.00	0.00	0.42
11358	YF	7D3	81	07/17/91	0.947	0.00	767.00	0.00	2.69
11359	JE	7F7	81	07/18/91	1.014	0.00	364.00	0.00	0.00
11359	PT	8UG	81	08/22/91	0.765	0.00	3720.00	0.00	0.00
11359	SF	7GG	81	07/18/91	1.058	0.00	331.00	0.00	0.00
11359	VE	79W	81	07/19/91	1.240	0.00	188.00	0.00	0.00
11359	YF	7FM	81	07/18/91	1.155	0.00	348.00	0.00	0.00
11360	JE	7F8	81	07/18/91	0.937	0.00 <	10.00	0.00	0.00
11360	PT	8UH	81	08/22/91	0.761	0.00 <	10.00	0.00	0.00
11360	SF	7GH	81	07/18/91	1.064	0.00 <	10.00	0.00	0.00
11360	VE	79X	81	07/19/91	1.285	661.00 <	10.00 <	0.02	1.44
11360	YF	7FN	81	07/18/91	1.022	0.00 <	10.00	0.00	0.00
11361	JE	7F8	81	07/18/91	0.937	0.00	667.00	0.00	0.00
11361	PT	8UH	81	08/22/91	0.761	0.00	606.00	0.00	0.00
11361	SF	7GH	81	07/18/91	1.064	0.00	608.00	0.00 >	0.10
11361	VE	79X	81	07/19/91	1.285	0.00	464.00	0.00	0.00
11361	YF	7FN	81	07/18/91	1.022	0.00	584.00	0.00	0.00
11362	JE	7F9	81	07/18/91	0.915	0.00	1560.00	0.00	0.00
11362	PT	8UI	81	08/22/91	0.742	0.00	2340.00	0.00	0.00
11362	SF	7GI	81	07/18/91	0.960	0.00	641.00	0.00	0.00
11362	VE	79Y	81	07/19/91	1.183	0.00	1410.00	0.00	0.00
11362	YF	7FO	81	07/18/91	1.171	0.00	852.00	0.00	0.00
11363	JE	7F9	81	07/18/91	0.915	0.00	241.00	0.00	0.00
11363	PT	8UI	81	08/22/91	0.742	0.00	225.00	0.00	0.00
11363	SF	7GI	81	07/18/91	0.960	0.00	231.00	0.00	0.00
11363	VE	79Y	81	07/19/91	1.183	0.00	320.00	0.00	0.43
11363	YF	7FO	81	07/18/91	1.171	0.00	167.00	0.00	0.00
11364	JE	7FA	81	07/18/91	1.053	0.00	376.00	0.00	0.00
11364	PT	8UJ	81	08/22/91	0.576	3040.0	1960.00	0.65	1.10
11364	SF	7GJ	81	07/18/91	0.986	0.00	370.00	0.00	0.00
11364	VE	79Z	81	[illegible]/19/91	1.220	0.00	806.00	0.00	0.40
11364	YF	7FP	81	07/18/91	1.215	0.00	320.00	0.00	0.00
11365	JE	7FA	81	07/18/91	1.053	0.00	200.00	0.00	0.00
11365	PT	8UJ	81	[illegible]/22/91	0.576	0.00	653.00	0.00	0.21
11365	SF	7GJ	81	[illegible]/18/91	0.986	0.00	195.00	0.00	0.00
11365	VE	79Z	81	07/19/91	1.220	0.00	272.00	0.00	0.62
11365	YF	[illegible]	81	07/18/91	1.215	0.00	145.00	0.00	0.00
11366	JE	[illegible]	81	07/18/91	1.095	0.00 <	10.00	0.00	0.00
11366	PT	8UK	81	08/22/91	0.673	0.00 <	10.00	0.00	0.00
11366	SF	7GK	81	07/18/91	1.007	0.00 <	10.00	0.00	0.00
11366	VE	7A0	81	07/19/91	1.181	2390.0 <	10.00 <	0.00 >	0.41
11366	YF	7FQ	81	07/18/91	1.186	0.00 <	10.00	0.00	0.00
11367	JE	7FB	81	07/18/91	1.095	0.00	819.00	0.00	0.00
11367	PT	8UK	81	08/22/91	0.673	0.00	1270.00	0.00	0.00
11367	SF	7GK	81	07/18/91	1.007	0.00	601.00	0.00	0.00
11367	VE	7A0	81	07/19/91	1.181	0.00	2900.00	0.00 >	2.54
11367	YF	7FQ	81	07/18/91	1.186	0.00	508.00	0.00	2.87
11368	JE	7FC	81	07/18/91	1.017	0.00	1500.00	0.00	0.00
11368	PT	8UL	81	08/22/91	0.692	0.00	3810.00	0.00	1.00
11368	SF	7GL	81	07/18/91	1.066	0.00	780.00	0.00	0.00
11368	VE	7A1	81	07/19/91	1.162	2190.0	835.00	0.38	3.61
11368	YF	7FR	81	07/18/91	1.058	0.00	1520.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11369	JE	7FC	81	07/18/91	1.017	0.00	1350.00	0.00	0.20
11369	PT	8UL	81	08/22/91	0.692	0.00	1930.00	0.00	0.00
11369	SF	7GL	81	07/18/91	1.066	0.00	820.00	0.00 >	0.77
11369	VE	7A1	81	07/19/91	1.162	0.00 >	3200.00	0.00 >	2.37
11369	YF	7FR	81	07/18/91	1.058	0.00	1090.00	0.00	0.42
11370	JE	7FD	81	07/18/91	1.114	0.00	151.00	0.00	0.00
11370	PT	8UN	81	08/22/91	0.719	0.00	487.00	0.00	0.00
11370	SF	7GN	81	07/18/91	1.061	0.00	173.00	0.00	0.00
11370	VE	7A2	81	07/19/91	1.275	0.00	205.00	0.00	0.00
11370	YF	7FS	81	07/18/91	1.216	0.00	137.00	0.00	0.00
11371	JE	7FD	81	07/18/91	1.114	0.00	779.00	0.00	0.40
11371	PT	8UN	81	08/22/91	0.719	978.00	779.00	0.80	3.55
11371	SF	7GN	81	07/18/91	1.061	0.00	535.00	0.00	0.50
11371	VE	7A2	81	07/19/91	1.275	0.00	1190.00	0.00	0.00
11371	YF	7FS	81	07/18/91	1.216	0.00	629.00	0.00	4.52
11372	JE	7FE	81	07/18/91	1.158	0.00	864.00	0.00	0.00
11372	PT	8UN	81	08/22/91	0.592	0.00	756.00	0.00	0.00
11372	SF	7GN	81	07/18/91	0.922	0.00	689.00	0.00	0.00
11372	VE	7A3	81	07/19/91	1.311	2480.0	1950.00	0.79 >	3.11
11372	YF	7FT	81	07/18/91	1.084	0.00	1240.00	0.00 >	4.85
11373	JE	7FE	81	07/18/91	1.158	0.00	411.00	0.00	0.00
11373	PT	8UN	81	08/22/91	0.592	0.00	779.00	0.00 >	0.80
11373	SF	7GN	81	07/18/91	0.922	0.00	283.00	0.00	0.00
11373	VE	7A3	81	07/19/91	1.311	0.00	291.00	0.00	0.00
11373	YF	7FT	81	07/18/91	1.084	0.00	402.00	0.00	0.20
11374	JE	7FF	81	07/18/91	1.082	0.00	179.00	0.00	0.10
11374	PT	8UO	81	08/22/91	0.687	0.00	177.00	0.00	0.00
11374	SF	7GO	81	07/18/91	0.998	0.00	162.00	0.00 >	0.63
11374	VE	7A4	81	07/19/91	1.185	0.00	409.00	0.00	0.20
11374	YF	7FU	81	07/18/91	1.146	0.00	120.00	0.00	0.00
11375	JE	7FF	81	07/18/91	1.082	0.00	1480.00	0.00	0.00
11375	PT	8UO	81	08/22/91	0.687	468.00	1680.00	3.59 >	21.76
11375	SF	7GO	81	07/18/91	0.998	0.00	806.00	0.00	2.76
11375	VE	7A4	81	07/19/91	1.185	0.00	1620.00	0.00	0.00
11375	YF	7FU	81	07/18/91	1.146	0.00	1240.00	0.00	0.43
11376	JE	7FG	81	07/18/91	1.075	566.00	262.00	0.46 >	13.97
11376	PT	8UP	81	08/22/91	0.788	566.00	2530.00	4.47 >	26.56
11376	SF	7GP	81	07/18/91	1.091	512.00	1570.00	3.07 >	24.66
11376	VE	7A5	81	07/19/91	1.251	0.00	1690.00	0.00	0.80
11376	YF	7FV	81	07/18/91	1.100	0.00	272.00	0.00	3.23
11377	JE	7FG	81	07/18/91	1.075	0.00	148.00	0.00	0.00
11377	PT	8UP	81	08/22/91	0.788	0.00	541.00	0.00	0.00
11377	SF	7GP	81	07/18/91	1.091	0.00	151.00	0.00 >	5.65
11377	VE	7A5	81	07/19/91	1.251	0.00	150.00	0.00	0.00
11377	YF	7FV	81	07/18/91	1.100	0.00	182.00	0.00	0.65
11378	JE	7FH	81	07/18/91	1.126	0.00	602.00	0.00	0.00
11378	PT	8UQ	81	08/22/91	0.578	0.00	1420.00	0.00 >	0.10
11378	SF	7GQ	81	07/18/91	0.920	0.00	407.00	0.00 >	0.10
11378	VE	7A6	81	07/19/91	1.210	0.00	1310.00	0.00	0.00
11378	YF	7FW	81	07/18/91	1.146	0.00	494.00	0.00 >	0.40
11379	JE	7FH	81	07/18/91	1.126	0.00	1200.00	0.00	0.38
11379	PT	8UQ	81	08/22/91	0.578	0.00	1530.00	0.00	0.00
11379	SF	7GQ	81	07/18/91	0.920	0.00	1210.00	0.00 >	0.10
11379	VE	7A6	81	07/19/91	1.210	0.00	2580.00	0.00	0.00
11379	YF	7FW	81	07/18/91	1.146	0.00	811.00	0.00	0.00
11380	JE	7FI	81	07/18/91	1.114	0.00	950.00	0.00 >	0.80
11380	PT	8UR	81	08/22/91	0.684	0.00	1500.00	0.00	0.11
11380	SF	7GR	81	07/18/91	0.975	0.00	711.00	0.00	0.00
11380	VE	7A7	81	07/19/91	1.226	0.00	974.00	0.00	0.93
11380	YF	7FX	81	07/18/91	1.015	0.00	1340.00	0.00 >	2.33
11381	JE	7FI	81	07/18/91	1.114	0.00	508.00	0.00 >	0.65
11381	PT	8UR	81	08/22/91	0.684	0.00	706.00	0.00	0.82
11381	SF	7GR	81	07/18/91	0.975	0.00	272.00	0.00	0.00
11381	VE	7A7	81	07/19/91	1.226	0.00	599.00	0.00	1.71
11381	YF	7FX	81	07/18/91	1.015	0.00	228.00	0.00 >	0.92
11382	JE	7FJ	81	07/18/91	1.118	0.00	1630.00	0.00	0.00
11382	PT	8US	81	08/22/91	0.654	0.00	2830.00	0.00 >	1.00
11382	SF	7GS	81	07/18/91	1.014	0.00	2040.00	0.00	0.00
11382	VE	7A8	81	07/19/91	1.191	0.00 >	3200.00	0.00 >	0.40
11382	YF	7FY	81	07/18/91	1.037	0.00	2540.00	0.00	0.00
11383	JE	7FJ	81	07/18/91	1.118	0.00	1140.00	0.00 >	0.57
11383	PT	8US	81	08/22/91	0.654	0.00	4900.00	0.00 >	5.20
11383	SF	7GS	81	07/18/91	1.014	591.00	830.00	1.40	7.43
11383	VE	7A8	81	07/19/91	1.191	3040.0	1550.00	0.51	1.11
11383	YF	7FY	81	07/18/91	1.037	0.00	1170.00	0.00 >	0.10

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11384	JE	71B	81	07/23/91	0.682	0.00	1670.00	0.00	2.59
11384	PT	7J5	81	07/23/91	0.755	0.00	694.00	0.00	0.00
11384	SF	7JK	81	07/23/91	1.163	0.00	756.00	0.00	0.09
11384	VE	71Q	81	07/26/91	0.938	0.00	690.00	0.00	0.06
11384	YF	7HW	81	07/23/91	1.069	0.00	781.00	0.00	0.00
11385	JE	71C	81	07/23/91	0.867	0.00	1460.00	0.00	0.00
11385	PT	7J6	81	07/23/91	0.737	0.00	824.00	0.00	0.00
11385	SF	7JL	81	07/23/91	1.137	0.00	766.00	0.00 >	0.10
11385	VE	71R	81	07/26/91	1.057	0.00	1310.00	0.00	2.85
11385	YF	7HX	81	07/23/91	1.019	0.00	773.00	0.00	0.00
11386	JE	71C	81	07/23/91	0.867	0.00	5470.00	0.00	0.00
11386	PT	7J6	81	07/23/91	0.737	0.00	4770.00	0.00	0.00
11386	SF	7JL	81	07/23/91	1.137	0.00	6530.00	0.00	4.16
11386	VE	71R	81	07/26/91	1.057	0.00	4850.00	0.00 >	0.30
11386	YF	7HX	81	07/23/91	1.019	0.00	5160.00	0.00	0.00
11387	JE	71D	81	07/23/91	0.894	0.00	835.00	0.00	1.78
11387	PT	7J7	81	07/23/91	0.733	0.00	698.00	0.00	0.00
11387	SF	7JM	81	07/23/91	1.199	0.00	363.00	0.00	0.69
11387	VE	71S	81	07/26/91	1.056	0.00	1480.00	0.00	0.51
11387	YF	7HY	81	07/23/91	1.132	0.00	452.00	0.00	0.00
11388	JE	71D	81	07/23/91	0.894	0.00	28.10	0.00	0.00
11388	PT	7J7	81	07/23/91	0.733	0.00	24.90	0.00	0.00
11388	SF	7JM	81	07/23/91	1.199	0.00	21.70	0.00	0.00
11388	VE	71S	81	07/26/91	1.056	0.00	22.50	0.00	0.00
11388	YF	7HY	81	07/23/91	1.132	0.00	16.60	0.00	0.00
11389	JE	71E	81	07/23/91	0.818	0.00	8060.00	0.00	0.00
11389	PT	7J8	81	07/23/91	0.761	0.00	8570.00	0.00	0.00
11389	SF	7JN	81	07/23/91	1.119	0.00	7350.00	0.00	1.43
11389	VE	71T	81	07/26/91	1.151	0.00	7820.00	0.00	0.00
11389	YF	7HZ	81	07/23/91	1.055	0.00	10000.0	0.00	0.00
11390	JE	71E	81	07/23/91	0.818	0.00	89.50	0.00	0.00
11390	PT	7J8	81	07/23/91	0.761	0.00	441.00	0.00	0.00
11390	SF	7JN	81	07/23/91	1.119	0.00	386.00	0.00	0.00
11390	VE	71T	81	07/26/91	1.151	0.00	1330.00	0.00	0.14
11390	YF	7HZ	81	07/23/91	1.055	0.00	278.00	0.00	0.00
11391	JE	71F	81	07/23/91	0.782	0.00	561.00	0.00	0.00
11391	PT	7J9	81	07/23/91	0.726	0.00	454.00	0.00	0.00
11391	SF	7JO	81	07/23/91	1.175	0.00	400.00	0.00	0.13
11391	VE	71U	81	07/26/91	1.175	0.00	568.00	0.00	0.15
11391	YF	710	81	07/23/91	1.097	0.00	402.00	0.00	0.00
11392	JE	71F	81	07/23/91	0.782	0.00	1900.00	0.00	0.00
11392	PT	7J9	81	07/23/91	0.726	0.00	1570.00	0.00	0.00
11392	SF	7JO	81	07/23/91	1.175	0.00	1700.00	0.00 >	0.10
11392	VE	71U	81	07/26/91	1.175	0.00	1350.00	0.00	0.00
11392	YF	710	81	07/23/91	1.097	0.00	1030.00	0.00	0.00
11393	JE	71G	81	07/23/91	0.814	0.00	722.00	0.00	0.00
11393	PT	7JA	81	07/23/91	0.731	0.00	457.00	0.00	0.00
11393	SF	7JP	81	07/23/91	0.974	0.00	535.00	0.00	0.00
11393	VE	71V	81	07/26/91	1.136	0.00	531.00	0.00	0.00
11393	YF	711	81	07/23/91	1.081	0.00	551.00	0.00	0.00
11394	JE	71G	81	07/23/91	0.814	0.00	1360.00	0.00	0.00
11394	PT	7JA	81	07/23/91	0.731	0.00	309.00	0.00	0.00
11394	SF	7JP	81	07/23/91	0.974	0.00	529.00	0.00	0.00
11394	VE	71V	81	07/26/91	1.136	0.00	1430.00	0.00	0.00
11394	YF	711	81	07/23/91	1.081	0.00	411.00	0.00	0.00
11395	JE	71N	81	07/23/91	0.726	0.00	6080.00	0.00	0.00
11395	PT	7J8	81	07/23/91	0.794	0.00	1850.00	0.00	0.00
11395	SF	7JQ	81	07/23/91	0.995	0.00	5700.00	0.00	0.00
11395	VE	71W	81	07/26/91	1.037	8160.0	3790.00	0.46 >	0.59
11395	YF	712	81	07/23/91	1.084	0.00	2240.00	0.00	0.00
11396	JE	71N	81	07/23/91	0.726	0.00 >	3200.00	0.00	0.00
11396	PT	7J8	81	07/23/91	0.794	0.00	18.00	0.00	0.00
11396	SF	7JQ	81	07/23/91	0.995	0.00 >	3200.00	0.00	0.00
11396	VE	71W	81	07/26/91	1.037	0.00	1860.00	0.00	0.00
11396	YF	712	81	07/23/91	1.084	0.00	66.00	0.00	0.00
11397	JE	711	81	07/23/91	0.834	0.00	393.00	0.00	0.00
11397	PT	7JC	81	07/23/91	0.745	0.00	419.00	0.00	0.00
11397	SF	7JR	81	07/23/91	1.093	0.00	207.00	0.00 >	0.04
11397	VE	71X	81	07/26/91	1.167	0.00	584.00	0.00	0.48
11397	YF	713	81	07/23/91	1.002	0.00	179.00	0.00 >	0.01
11398	JE	711	81	07/23/91	0.834	0.00	470.00	0.00	0.00
11398	PT	7JC	81	07/23/91	0.745	0.00	1070.00	0.00	0.00
11398	SF	7JR	81	07/23/91	1.093	0.00	346.00	0.00 >	0.41
11398	VE	71X	81	07/26/91	1.167	0.00	286.00	0.00	0.00
11398	YF	713	81	07/23/91	1.002	0.00	629.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11399	JE	71J	81	07/23/91	0.669	0.00	1930.00	0.00 >	3.90
11399	PT	7JD	81	07/23/91	0.681	0.00	2340.00	0.00 >	0.10
11399	SF	7JS	81	07/23/91	1.193	0.00	1110.00	0.00	0.08
11399	VE	71Y	81	07/26/91	0.924	0.00 >	3200.00	0.00	0.22
11399	YF	714	81	07/23/91	0.997	0.00	501.00	0.00	0.00
11400	JE	71J	81	07/23/91	0.669	0.00	511.00	0.00	2.81
11400	PT	7JD	81	07/23/91	0.681	0.00	370.00	0.00	0.00
11400	SF	7JS	81	07/23/91	1.193	0.00	146.00	0.00 >	0.11
11400	VE	71Y	81	07/26/91	0.924	452.00	835.00	1.85 >	14.84
11400	YF	714	81	07/23/91	0.997	0.00	155.00	0.00	0.00
11401	JE	71K	81	07/23/91	0.783	0.00	1490.00	0.00	0.00
11401	PT	7JE	81	07/23/91	0.652	0.00	1040.00	0.00	0.00
11401	SF	7JT	81	07/23/91	1.202	0.00	806.00	0.00 >	0.05
11401	VE	71Z	81	07/26/91	1.014	0.00	1700.00	0.00 >	2.40
11401	YF	715	81	07/23/91	0.961	0.00	1080.00	0.00	0.00
11402	JE	71K	81	07/23/91	0.783	0.00	154.00	0.00	2.26
11402	PT	7JE	81	07/23/91	0.652	0.00	155.00	0.00	0.00
11402	SF	7JT	81	07/23/91	1.202	0.00	120.00	0.00	0.00
11402	VE	71Z	81	07/26/91	1.014	0.00	157.00	0.00	1.43
11402	YF	715	81	07/23/91	0.961	0.00	134.00	0.00	0.00
11403	JE	71L	81	07/23/91	0.766	15.80	51.10	3.23 >	17.59
11403	PT	7JF	81	07/23/91	0.664	0.00	35.90	0.00	0.00
11403	SF	7JU	81	07/23/91	0.990	0.00	28.30	0.00 >	4.62
11403	VE	7J0	81	07/26/91	1.131	0.00	22.50	0.00	0.00
11403	YF	716	81	07/23/91	1.061	14.00	40.10	2.85	14.08
11404	JE	71L	81	07/23/91	0.766	0.00	195.00	0.00	0.06
11404	PT	7JF	81	07/23/91	0.664	0.00	184.00	0.00	0.00
11404	SF	7JU	81	07/23/91	0.990	0.00	172.00	0.00 >	0.70
11404	VE	7J0	81	07/26/91	1.131	0.00	215.00	0.00	0.95
11404	YF	716	81	07/23/91	1.061	0.00	171.00	0.00	0.00
11405	JE	71M	81	07/23/91	0.860	0.00	198.00	0.00	0.00
11405	PT	7JG	81	07/23/91	0.606	0.00	100.00	0.00	0.00
11405	SF	7JV	81	07/23/91	1.053	0.00	159.00	0.00	0.00
11405	VE	7J1	81	07/26/91	1.124	0.00	303.00	0.00	0.00
11405	YF	717	81	07/23/91	0.918	0.00	155.00	0.00 >	0.08
11406	JE	71M	81	07/23/91	0.860	0.00 <	10.00	0.00	0.00
11406	PT	7JG	81	07/23/91	0.606	0.00 <	10.00	0.00	0.00
11406	SF	7JV	81	07/23/91	1.053	0.00 <	10.00	0.00	0.00
11406	VE	7J1	81	07/26/91	1.124	0.00	14.10	0.00	0.00
11406	YF	717	81	07/23/91	0.918	0.00 <	10.00	0.00	0.00
11407	JE	71M	81	07/23/91	0.737	0.00	61.30	0.00	0.00
11407	PT	7JM	81	07/23/91	0.557	0.00	59.90	0.00	4.65
11407	SF	7JW	81	07/23/91	1.009	27.90	58.60	2.10 >	12.75
11407	VE	7J2	81	07/26/91	1.093	0.00	20.40	0.00	0.00
11407	YF	718	81	07/23/91	0.916	0.00	54.70	0.00	0.00
11408	JE	7KZ	81	07/25/91	0.818	0.00	36.30	0.00	0.00
11408	PT	7LT	81	07/25/91	0.628	0.00	43.30	0.00 >	2.39
11408	SF	7M8	81	07/25/91	1.242	0.00	46.60	0.00	1.47
11408	VE	7LE	81	07/26/91	0.959	0.00	20.20	0.00	0.00
11408	YF	7KK	81	07/25/91	1.197	0.00	16.40	0.00	0.00
11409	JE	7L0	81	07/25/91	0.922	0.00	1060.00	0.00	0.00
11409	PT	7LU	81	07/25/91	0.644	0.00	1000.00	0.00	0.00
11409	SF	7M9	81	07/25/91	1.271	0.00	1690.00	0.00	8.47
11409	VE	7LF	81	07/26/91	0.967	2600.0	2650.00	1.02	3.31
11409	YF	7KL	81	07/25/91	1.155	0.00	417.00	0.00	0.01
11410	JE	7L0	81	07/25/91	0.922	0.00	1380.00	0.00	0.00
11410	PT	7LU	81	07/25/91	0.644	0.00	320.00	0.00	0.00
11410	SF	7M9	81	07/25/91	1.271	0.00	1450.00	0.00	0.00
11410	VE	7LF	81	07/26/91	0.967	0.00	1780.00	0.00	0.00
11410	YF	7KL	81	07/25/91	1.155	0.00	303.00	0.00	0.00
11411	JE	7L1	81	07/25/91	1.036	0.00	296.00	0.00	0.00
11411	PT	7LV	81	07/25/91	0.675	0.00	409.00	0.00	0.00
11411	SF	7MA	81	07/25/91	1.311	0.00	369.00	0.00	1.89
11411	VE	7LG	81	07/26/91	1.121	668.00	1190.00	1.78	8.31
11411	YF	7KM	81	07/25/91	1.096	0.00	190.00	0.00	0.00
11412	JE	7L1	81	07/25/91	1.036	0.00	1260.00	0.00	0.00
11412	PT	7LV	81	07/25/91	0.675	0.00	819.00	0.00	0.00
11412	SF	7MA	81	07/25/91	1.311	0.00	1060.00	0.00	0.00
11412	VE	7LG	81	07/26/91	1.121	0.00	1640.00	0.00	0.26
11412	YF	7KM	81	07/25/91	1.096	0.00	626.00	0.00	0.00
11413	JE	7L2	81	07/25/91	0.974	0.00	157.00	0.00	0.00
11413	PT	7LW	81	07/25/91	0.654	0.00	160.00	0.00	0.00
11413	SF	7MB	81	07/25/91	1.299	228.00	265.00	1.16	6.25
11413	VE	7LH	81	07/26/91	1.065	0.00	177.00	0.00 >	3.86
11413	YF	7KN	81	07/25/91	1.170	0.00	57.20	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11414	JE	7L2	81	07/25/91	0.974	0.00	337.00	0.00	0.00
11414	PT	7LW	81	07/25/91	0.654	0.00	134.00	0.00	0.00
11414	SF	7MB	81	07/25/91	1.299	0.00	309.00	0.00	0.00
11414	VE	7LN	81	07/26/91	1.065	0.00	592.00	0.00	0.00
11414	YF	7KN	81	07/25/91	1.170	0.00	123.00	0.00	0.00
11415	JE	7L3	81	07/25/91	1.023	0.00	554.00	0.00	0.00
11415	PT	7LX	81	07/25/91	0.645	0.00	660.00	0.00	0.00
11415	SF	7MC	81	07/25/91	1.345	0.00	688.00	0.00	0.00
11415	VE	7LI	81	07/26/91	1.011	0.00	789.00	0.00	0.00
11415	YF	7KO	81	07/25/91	1.138	0.00	346.00	0.00	0.00
11416	JE	7L3	81	07/25/91	1.023	0.00	1300.00	0.00	0.00
11416	PT	7LX	81	07/25/91	0.645	0.00	1770.00	0.00	0.00
11416	SF	7MC	81	07/25/91	1.345	0.00	1400.00	0.00	0.00
11416	VE	7LI	81	07/26/91	1.011	0.00	1930.00	0.00	0.54
11416	YF	7KO	81	07/25/91	1.138	0.00	806.00	0.00	0.00
11417	JE	7L4	81	07/25/91	0.986	0.00	490.00	0.00 >	0.60
11417	PT	7LY	81	07/25/91	0.657	0.00	466.00	0.00	0.00
11417	SF	7MD	81	07/25/91	1.144	0.00	563.00	0.00 >	6.31
11417	VE	7LJ	81	07/26/91	1.065	0.00	341.00	0.00	0.00
11417	YF	7KP	81	07/25/91	1.083	0.00	320.00	0.00 >	4.34
11418	JE	7L4	81	07/25/91	0.986	0.00	1730.00	0.00	0.00
11418	PT	7LY	81	07/25/91	0.657	0.00	1730.00	0.00	0.00
11418	SF	7MD	81	07/25/91	1.144	0.00	1790.00	0.00 >	0.60
11418	VE	7LJ	81	07/26/91	1.065	2240.0	2200.00	0.98 >	3.42
11418	YF	7KP	81	07/25/91	1.083	0.00	1350.00	0.00	0.00
11419	JE	7L5	81	07/25/91	0.932	0.00	158.00	0.00	0.00
11419	PT	7LZ	81	07/25/91	0.633	0.00	81.50	0.00	0.00
11419	SF	7ME	81	07/25/91	1.151	0.00	164.00	0.00	3.53
11419	VE	7LK	81	07/26/91	1.011	0.00	173.00	0.00 >	3.87
11419	YF	7KQ	81	07/25/91	1.100	0.00	34.60	0.00	0.00
11420	JE	7L5	81	07/25/91	0.932	0.00	1650.00	0.00	0.00
11420	PT	7LZ	81	07/25/91	0.633	0.00	1000.00	0.00	0.00
11420	SF	7ME	81	07/25/91	1.151	819.00	2070.00	2.53	13.48
11420	VE	7LK	81	07/26/91	1.011	1900.0	2650.00	1.39 >	12.64
11420	YF	7KQ	81	07/25/91	1.100	0.00	482.00	0.00	0.00
11421	JE	7L6	81	07/25/91	0.982	0.00	1260.00	0.00	0.00
11421	PT	7M0	81	07/25/91	0.504	0.00	1550.00	0.00	0.00
11421	SF	7MF	81	07/25/91	1.252	0.00	1550.00	0.00	0.31
11421	VE	7LL	81	07/26/91	1.121	0.00	1190.00	0.00	0.17
11421	YF	7KR	81	07/25/91	1.120	0.00	238.00	0.00	0.00
11422	JE	7L6	81	07/25/91	0.982	0.00	75.30	0.00 >	0.09
11422	PT	7M0	81	07/25/91	0.504	0.00	76.70	0.00 >	6.69
11422	SF	7MF	81	07/25/91	1.252	0.00	57.30	0.00	0.72
11422	VE	7LL	81	07/26/91	1.121	0.00	59.50	0.00 >	0.22
11422	YF	7KR	81	07/25/91	1.120	0.00	53.30	0.00	0.00
11423	JE	7L7	81	07/25/91	0.876	0.00	121.00	0.00	4.81
11423	PT	7M1	81	07/25/91	0.581	0.00	55.90	0.00	0.00
11423	SF	7MG	81	07/25/91	1.172	0.00	80.60	0.00	0.00
11423	VE	7LM	81	07/26/91	0.861	768.00	222.00	0.29 >	3.33
11423	YF	7KS	81	07/25/91	0.789	0.00	59.40	0.00	0.40
11424	JE	7L7	81	07/25/91	0.876	0.00	63.30	0.00 >	4.25
11424	PT	7M1	81	07/25/91	0.581	0.00	125.00	0.00	0.00
11424	SF	7MG	81	07/25/91	1.172	0.00	146.00	0.00	0.00
11424	VE	7LM	81	07/26/91	0.861	885.00	157.00	0.18 >	1.94
11424	YF	7KS	81	07/25/91	0.789	0.00	144.00	0.00	0.00
11425	JE	7L8	81	07/25/91	0.925	0.00	513.00	0.00	0.41
11425	PT	7M2	81	07/25/91	0.605	0.00	498.00	0.00 >	1.19
11425	SF	7MH	81	07/25/91	1.289	0.00	968.00	0.00	0.00
11425	VE	7LN	81	07/26/91	1.027	0.00	1620.00	0.00	2.67
11425	YF	7KT	81	07/25/91	1.062	0.00	163.00	0.00	0.00
11426	JE	7L8	81	07/25/91	0.925	0.00	183.00	0.00 >	0.15
11426	PT	7M2	81	07/25/91	0.605	0.00	242.00	0.00	0.00
11426	SF	7MH	81	07/25/91	1.289	0.00	276.00	0.00	0.00
11426	VE	7LN	81	07/26/91	1.027	0.00	350.00	0.00	0.12
11426	YF	7KT	81	07/25/91	1.062	0.00	63.40	0.00	0.00
11427	JE	7L9	81	07/25/91	0.850	0.00	47.30	0.00 >	0.18
11427	PT	7M3	81	07/25/91	0.557	0.00	53.30	0.00	0.00
11427	SF	7MI	81	07/25/91	1.247	0.00	45.60	0.00	1.70
11427	VE	7LO	81	07/26/91	1.023	0.00	61.40	0.00	0.00
11427	YF	7KU	81	07/25/91	0.856	0.00	38.30	0.00	0.00
11428	JE	7L9	81	07/25/91	0.850	0.00	142.00	0.00 >	6.54
11428	PT	7M3	81	07/25/91	0.557	0.00	139.00	0.00	0.00
11428	SF	7MI	81	07/25/91	1.247	0.00	126.00	0.00	0.00
11428	VE	7LO	81	07/26/91	1.023	0.00	509.00	0.00	3.21
11428	YF	7KU	81	07/25/91	0.856	0.00	92.70	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11429	JE	7LA	81	07/25/91	0.903	0.00	490.00	0.00 >	8.81
11429	PT	7M4	81	07/25/91	0.659	0.00	463.00	0.00	8.22
11429	SF	7MJ	81	07/25/91	1.258	0.00	386.00	0.00 >	0.02
11429	VE	7LP	81	07/26/91	1.005	0.00	624.00	0.00 >	1.30
11429	YF	7KV	81	07/25/91	0.854	0.00	511.00	0.00	2.96
11430	JE	7LA	81	07/25/91	0.903	0.00	1830.00	0.00 >	1.51
11430	PT	7M4	81	07/25/91	0.659	0.00	1240.00	0.00	0.00
11430	SF	7MJ	81	07/25/91	1.258	0.00	1650.00	0.00 >	4.65
11430	VE	7LP	81	07/26/91	1.005	0.00	2620.00	0.00 >	6.23
11430	YF	7KV	81	07/25/91	0.854	0.00	1220.00	0.00	0.00
11431	JE	7LB	81	07/25/91	0.888	0.00	42.70	0.00 >	2.75
11431	PT	7M5	81	07/25/91	0.662	0.00	44.00	0.00	0.00
11431	SF	7MK	81	07/25/91	1.161	0.00	20.40	0.00 >	0.00
11431	VE	7LQ	81	07/26/91	1.045	0.00	16.90	0.00	0.00
11431	YF	7KW	81	07/25/91	0.790	0.00	14.40	0.00	0.00
11432	JE	7LB	81	07/25/91	0.888	0.00	217.00	0.00	0.27
11432	PT	7M5	81	07/25/91	0.662	0.00	143.00	0.00	0.00
11432	SF	7MK	81	07/25/91	1.161	0.00	166.00	0.00	0.00
11432	VE	7LQ	81	07/26/91	1.045	0.00	169.00	0.00	0.40
11432	YF	7KW	81	07/25/91	0.790	0.00	46.30	0.00	0.00
11433	JE	7LB	81	07/31/91	0.655	0.00	1280.00	0.00 >	0.19
11433	SF	7RT	81	07/30/91	0.994	0.00	728.00	0.00	0.00
11433	VE	7PR	81	08/02/91	0.954	0.00	1060.00	0.00 >	1.14
11433	YF	7TW	81	07/31/91	0.764	0.00	1280.00	0.00	0.00
11434	JE	7UC	81	07/31/91	0.763	0.00	114.00	0.00 >	3.95
11434	SF	7RU	81	07/30/91	0.980	0.00	19.20	0.00	0.00
11434	VE	7PS	81	08/02/91	1.027	0.00	97.40	0.00	0.00
11434	YF	7TX	81	07/31/91	0.787	0.00	71.20	0.00	0.00
11435	JE	7UC	81	07/31/91	0.763	0.00	1330.00	0.00 >	0.01
11435	SF	7RU	81	07/30/91	0.980	0.00	566.00	0.00 >	2.32
11435	VE	7PS	81	08/02/91	1.027	0.00	1630.00	0.00	2.97
11435	YF	7TX	81	07/31/91	0.787	0.00	1210.00	0.00	0.00
11436	JE	7UD	81	07/31/91	0.759	0.00	2100.00	0.00	1.12
11436	SF	7RV	81	07/30/91	0.981	0.00	1870.00	0.00 >	0.34
11436	VE	7PT	81	08/02/91	1.162	0.00	2280.00	0.00	2.84
11436	YF	7TY	81	07/31/91	0.925	0.00	1540.00	0.00	0.00
11437	JE	7UD	81	07/31/91	0.759	0.00	527.00	0.00	1.96
11437	SF	7RV	81	07/30/91	0.981	0.00	1000.00	0.00	0.00
11437	VE	7PT	81	08/02/91	1.162	0.00	1500.00	0.00	1.88
11437	YF	7TY	81	07/31/91	0 925	0.00	629.00	0.00	0.00
11438	JE	7UE	81	07/31/91	0.664	0.00	1560.00	0.00 >	0.50
11438	SF	7RW	81	07/30/91	0.969	0.00	1000.00	0.00 >	10.99
11438	VE	7PU	81	08/02/91	1.155	0.00	1490.00	0.00	0.76
11438	YF	7TZ	81	07/31/91	0.865	0.00	1350.00	0.00 >	5.86
11439	JE	7UE	81	07/31/91	0.664	0.00 >	1000.00	0.00 >	7.79
11439	SF	7RW	81	07/30/91	0.969	0.00 >	1000.00	0.00 >	4.97
11439	VE	7PU	81	08/02/91	1.155	0.00 >	1000.00	0.00 >	4.01
11439	YF	7TZ	81	07/31/91	0.865	0.00 >	1000.00	0.00	0.63
11440	JE	7UF	81	07/31/91	0.803	0.00 >	3200.00	0.00 >	1.10
11440	SF	7RX	81	07/30/91	0.974	0.00 >	3200.00	0.00 >	2.69
11440	VE	7PV	81	08/02/91	1.192	0.00 >	3200.00	0.00 >	0.31
11440	YF	7U0	81	07/31/91	0.931	0.00 >	3200.00	0.00	0.00
11441	JE	7UF	81	07/31/91	0.803	0.00	1650.00	0.00	4.59
11441	SF	7RX	81	07/30/91	0.974	0.00	1830.00	0.00 >	7.77
11441	VE	7PV	81	08/02/91	1.192	0.00	2490.00	0.00	2.38
11441	YF	7U0	81	07/31/91	0.931	0.00	1600.00	0.00	0.00
11442	JE	7UG	81	07/31/91	0.723	0.00	165.00	0.00 >	4.07
11442	SF	7RY	81	07/30/91	1.036	0.00	82.00	0.00	3.60
11442	VE	7PW	81	08/02/91	1.198	0.00	238.00	0.00 >	3.21
11442	YF	7U1	81	07/31/91	0.839	0.00	156.00	0.00	0.00
11443	JE	7UG	81	07/31/91	0.723	0.00	660.00	0.00	0.00
11443	SF	7RY	81	07/30/91	1.036	0.00	369.00	0.00	0.00
11443	VE	7PW	81	08/02/91	1.198	0.00	1000.00	0.00	0.00
11443	YF	7U1	81	07/31/91	0.839	0.00	433.00	0.00	0.00
11444	JE	7UH	81	07/31/91	0.960	0.00	1260.00	0.00	0.00
11444	SF	7RZ	81	07/30/91	1.008	0.00	1280.00	0.00 >	10.93
11444	VE	7PX	81	08/02/91	1.154	0.00	1520.00	0.00	1.10
11444	YF	7U2	81	07/31/91	0.874	0.00	1530.00	0.00	4.31
11445	JE	7UH	81	07/31/91	0.960	0.00	283.00	0.00	0.00
11445	SF	7RZ	81	07/30/91	1.008	0.00	210.00	0.00	0.00
11445	VE	7PX	81	08/02/91	1.154	0.00	1330.00	0.00 >	3.16
11445	YF	7U2	81	07/31/91	0.874	0.00	334.00	0.00	0.00
11446	JE	7UI	81	07/31/91	0.858	0.00	603.00	0.00	0.40
11446	SF	7S0	81	07/30/91	1.033	0.00	293.00	0.00	0.26
11446	VE	7PY	81	08/02/91	1.180	0.00	625.00	0.00	0.30

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11446	YF	7U3	81	07/31/91	0.860	0.00	584.00	0.00	0.00
11447	JE	7UI	81	07/31/91	0.858	0.00	387.00	0.00	0.91
11447	JE	8NO	82	08/14/91	0.935	0.00	251.00	0.00	0.00
11447	PT	9ZY	82	09/26/91	0.690	0.00	868.00	0.00	5.91
11447	SF	7S0	81	07/30/91	1.033	256.00	356.00	1.39	7.85
11447	SF	8GF	82	08/14/91	0.895	0.00	278.00	0.00 >	1.17
11447	VE	7PY	81	08/02/91	1.180	0.00	470.00	0.00	1.46
11447	VE	8QU	82	08/16/91	1.103	2020.0	205.00	0.10 >	4.90
11447	YF	7U3	81	07/31/91	0.860	0.00	389.00	0.00	2.61
11447	YF	8N9	82	08/14/91	0.796	212.00	541.00	2.55	12.84
11448	JE	7UJ	81	07/31/91	0.623	0.00	412.00	0.00	0.00
11448	SF	7S1	81	07/30/91	0.891	0.00	370.00	0.00	0.00
11448	VE	7PZ	81	08/02/91	1.093	0.00	485.00	0.00	0.00
11448	YF	7U4	81	07/31/91	0.777	0.00	283.00	0.00	0.00
11449	JE	7UJ	81	07/31/91	0.623	0.00	1210.00	0.00 >	0.53
11449	SF	7S1	81	07/30/91	0.891	0.00	550.00	0.00	1.58
11449	VE	7PZ	81	08/02/91	1.093	0.00	1370.00	0.00	2.86
11449	YF	7U4	81	07/31/91	0.777	0.00	887.00	0.00	0.00
11450	JE	7UK	81	07/31/91	0.661	0.00	64.10	0.00	0.00
11450	SF	7S2	81	07/30/91	0.907	0.00	44.50	0.00 >	0.20
11450	VE	7Q0	81	08/02/91	1.036	0.00	58.30	0.00	0.00
11450	YF	7U5	81	07/31/91	0.914	0.00	22.80	0.00	0.00
11451	JE	7UK	81	07/31/91	0.661	543.00	1600.00	2.94 >	16.79
11451	SF	7S2	81	07/30/91	0.907	538.00	1750.00	3.26	18.66
11451	VE	7Q0	81	08/02/91	1.036	0.00	1670.00	0.00	1.81
11451	YF	7U5	81	07/31/91	0.914	850.00	1380.00	1.63	7.56
11452	JE	7UL	81	07/31/91	0.806	0.00	767.00	0.00	0.00
11452	SF	7S3	81	07/30/91	1.053	0.00	588.00	0.00	0.55
11452	VE	7Q1	81	08/02/91	1.045	0.00	1540.00	0.00 >	2.20
11452	YF	7U6	81	07/31/91	0.822	0.00	700.00	0.00	0.00
11453	JE	7UL	81	07/31/91	0.806	0.00	1820.00	0.00 >	5.42
11453	SF	7S3	81	07/30/91	1.053	615.00	1200.00	1.94	10.64
11453	VE	7Q1	81	08/02/91	1.045	0.00	2200.00	0.00 >	2.42
11453	YF	7U6	81	07/31/91	0.822	615.00	2150.00	3.49	16.51
11454	JE	7UM	81	07/31/91	0.815	0.00	4400.00	0.00	5.72
11454	SF	7S4	81	07/30/91	0.998	2110.0	3290.00	1.56	6.89
11454	VE	7Q2	81	08/02/91	1.204	0.00	4900.00	0.00	1.31
11454	YF	7U7	81	07/31/91	0.867	1800.0	4520.00	2.50	14.12
11455	JE	7UM	81	07/31/91	0.815	0.00	974.00	0.00 >	2.40
11455	SF	7S4	81	07/30/91	0.998	0.00	351.00	0.00	2.45
11455	VE	7Q2	81	08/02/91	1.204	0.00	1220.00	0.00	0.00
11455	YF	7U7	81	07/31/91	0.867	0.00	538.00	0.00 >	1.00
11456	JE	7UN	81	07/31/91	0.807	0.00	30.40	0.00	0.00
11456	SF	7S5	81	07/30/91	0.990	0.00	12.40	0.00	0.00
11456	VE	7Q3	81	08/02/91	1.112	0.00	17.80	0.00	0.00
11456	YF	7U8	81	07/31/91	0.884	0.00	19.80	0.00	0.00
11457	JE	7UN	81	07/31/91	0.807	0.00	660.00	0.00	0.00
11457	SF	7S5	81	07/30/91	0.990	0.00	524.00	0.00	0.15
11457	VE	7Q3	81	08/02/91	1.112	0.00	579.00	0.00	0.00
11457	YF	7U8	81	07/31/91	0.884	0.00	586.00	0.00	1.93
11458	JE	7UV	81	07/30/91	0.766	0.00	496.00	0.00	0.30
11458	PT	7Q7	81	07/30/91	0.874	0.00	446.00	0.00	0.00
11458	SF	7RE	81	07/30/91	1.031	0.00	463.00	0.00	0.00
11458	VE	7PA	81	08/02/91	1.099	0.00	358.00	0.00	0.00
11458	YF	7UG	81	07/30/91	1.047	0.00	426.00	0.00	0.00
11459	JE	7UW	81	07/30/91	0.858	0.00	223.00	0.00 >	1.46
11459	PT	7R0	81	07/30/91	0.848	0.00	104.00	0.00	0.00
11459	SF	7RF	81	07/30/91	1.045	249.00	490.00	1.97 >	11.71
11459	VE	7PB	81	08/02/91	1.076	0.00	469.00	0.00 >	2.90
11459	YF	7UH	81	07/30/91	0.985	238.00	303.00	1.27 >	7.27
11460	JE	7UW	81	07/30/91	0.858	0.00	244.00	0.00	0.00
11460	PT	7R0	81	07/30/91	0.848	0.00	96.90	0.00	0.00
11460	SF	7RF	81	07/30/91	1.045	0.00	165.00	0.00	0.00
11460	VE	7PB	81	08/02/91	1.076	0.00	222.00	0.00	1.77
11460	YF	7UH	81	07/30/91	0.985	0.00	160.00	0.00	0.11
11461	JE	7UX	81	07/30/91	0.856	0.00	396.00	0.00	0.00
11461	PT	7R1	81	07/30/91	0.822	0.00	131.00	0.00	0.00
11461	SF	7RG	81	07/30/91	1.041	0.00	173.00	0.00	0.00
11461	VE	7PC	81	08/02/91	1.148	0.00	86.40	0.00	0.00
11461	YF	7UI	81	07/30/91	0.994	0.00	119.00	0.00	0.00
11462	JE	7UX	81	07/30/91	0.856	0.00	1410.00	0.00	0.00
11462	PT	7R1	81	07/30/91	0.822	0.00	1250.00	0.00	0.00
11462	SF	7RG	81	07/30/91	1.041	0.00	928.00	0.00	0.00
11462	VE	7PC	81	08/02/91	1.148	0.00	1600.00	0.00	2.48
11462	YF	7UI	81	07/30/91	0.994	0.00	1330.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11463	JE	70Y	81	07/30/91	0.851	217.00	715.00	3.29	14.78
11463	PT	7R2	81	07/30/91	0.826	0.00	590.00	0.00	0.00
11463	SF	7RN	81	07/30/91	1.033	164.00	586.00	3.57 >	21.64
11463	VE	7P0	81	08/02/91	1.077	0.00	690.00	0.00 >	1.44
11463	YF	70J	81	07/30/91	0.967	155.00	574.00	3.71	21.66
11464	JE	70Y	81	07/30/91	0.851	0.00	1140.00	0.00	0.00
11464	PT	7R2	81	07/30/91	0.826	0.00	1510.00	0.00	0.00
11464	SF	7RN	81	07/30/91	1.033	0.00	1190.00	0.00	1.43
11464	VE	7P0	81	08/02/91	1.077	0.00	1550.00	0.00	2.30
11464	YF	70J	81	07/30/91	0.967	0.00	1370.00	0.00	0.00
11465	JE	70Z	81	07/30/91	0.832	0.00	605.00	0.00	0.00
11465	PT	7R3	81	07/30/91	0.811	0.00	1030.00	0.00	0.00
11465	SF	7RI	81	07/30/91	1.095	0.00	629.00	0.00	0.00
11465	VE	7PE	81	08/02/91	1.097	0.00	1090.00	0.00	0.26
11465	YF	70K	81	07/30/91	0.938	0.00	10.00	0.00	0.00
11466	JE	70Z	81	07/30/91	0.832	0.00	116.00	0.00	0.90
11466	PT	7R3	81	07/30/91	0.811	0.00	48.40	0.00	0.00
11466	SF	7RI	81	07/30/91	1.095	0.00	90.30	0.00	0.00
11466	VE	7PE	81	08/02/91	1.097	0.00	220.00	0.00 >	2.19
11466	YF	70K	81	07/30/91	0.938	0.00	47.80	0.00	0.00
11467	JE	7P0	81	07/30/91	0.853	510.00	1440.00	2.83	16.48
11467	PT	7R4	81	07/30/91	0.742	814.00	1240.00	1.52	5.85
11467	SF	7RJ	81	07/30/91	0.940	498.00	1140.00	2.28	13.37
11467	VE	7PF	81	08/02/91	1.099	0.00	1080.00	0.00	0.75
11467	YF	70L	81	07/30/91	0.885	288.00	1350.00	4.68	19.89
11468	JE	7P0	81	07/30/91	0.853	0.00	728.00	0.00	0.00
11468	PT	7R4	81	07/30/91	0.742	0.00	265.00	0.00	0.00
11468	SF	7RJ	81	07/30/91	0.940	0.00	619.00	0.00	2.91
11468	VE	7PF	81	08/02/91	1.099	0.00	196.00	0.00 >	0.01
11468	YF	70L	81	07/30/91	0.885	0.00	178.00	0.00	0.00
11469	JE	7P1	81	07/30/91	0.809	0.00	675.00	0.00	0.00
11469	PT	7R5	81	07/30/91	0.766	0.00	493.00	0.00	0.00
11469	SF	7RK	81	07/30/91	1.049	0.00	447.00	0.00	0.00
11469	VE	7PG	81	08/02/91	1.158	0.00	494.00	0.00	0.00
11469	YF	70M	81	07/30/91	0.934	0.00	443.00	0.00	0.00
11470	JE	7P1	81	07/30/91	0.809	0.00	1090.00	0.00	0.00
11470	PT	7R5	81	07/30/91	0.766	0.00	680.00	0.00	0.00
11470	SF	7RK	81	07/30/91	1.049	0.00	751.00	0.00	0.00
11470	VE	7PG	81	08/02/91	1.158	0.00	461.00	0.00	0.00
11470	YF	70M	81	07/30/91	0.934	0.00	903.00	0.00	0.01
11471	JE	7P2	81	07/30/91	0.904	0.00	417.00	0.00	0.00
11471	PT	7R6	81	07/30/91	0.772	0.00	283.00	0.00	0.00
11471	SF	7RL	81	07/30/91	1.048	0.00	382.00	0.00	0.00
11471	VE	7PH	81	08/02/91	1.113	0.00	149.00	0.00	0.00
11471	YF	70N	81	07/30/91	1.087	0.00	451.00	0.00	0.00
11472	JE	7P2	81	07/30/91	0.904	0.00	1790.00	0.00	0.00
11472	PT	7R6	81	07/30/91	0.772	0.00	1700.00	0.00	0.21
11472	SF	7RL	81	07/30/91	1.048	790.00	1390.00	1.76	11.27
11472	VE	7PH	81	08/02/91	1.113	0.00	1670.00	0.00	1.08
11472	YF	70N	81	07/30/91	1.087	873.00	1460.00	1.67	5.68
11473	JE	7P3	81	07/30/91	0.773	0.00	653.00	0.00	1.47
11473	PT	7R7	81	07/30/91	0.644	0.00	618.00	0.00	0.00
11473	SF	7RM	81	07/30/91	1.113	0.00	355.00	0.00	0.00
11473	VE	7PI	81	08/02/91	1.188	0.00	760.00	0.00	0.00
11473	YF	700	81	07/30/91	1.003	0.00	640.00	0.00	0.00
11474	JE	7P3	81	07/30/91	0.773	0.00	927.00	0.00	0.03
11474	PT	7R7	81	07/30/91	0.644	0.00	700.00	0.00	0.00
11474	SF	7RM	81	07/30/91	1.113	0.00	676.00	0.00	0.00
11474	VE	7PI	81	08/02/91	1.188	0.00	1000.00	0.00	0.00
11474	YF	700	81	07/30/91	1.003	0.00	1040.00	0.00	0.00
11475	JE	7P4	81	07/30/91	0.739	0.00	1030.00	0.00	2.87
11475	PT	7R8	81	07/30/91	0.643	0.00	603.00	0.00	0.00
11475	SF	7RN	81	07/30/91	1.079	0.00	579.00	0.00	0.14
11475	VE	7PJ	81	08/02/91	1.098	0.00	1330.00	0.00	4.80
11475	YF	70P	81	07/30/91	0.998	0.00	603.00	0.00	1.96
11476	JE	7P4	81	07/30/91	0.739	0.00	1350.00	0.00	1.39
11476	PT	7R8	81	07/30/91	0.643	0.00	806.00	0.00	0.00
11476	SF	7RN	81	07/30/91	1.079	0.00	705.00	0.00	0.00
11476	VE	7PJ	81	08/02/91	1.098	0.00	1550.00	0.00	2.95
11476	YF	70P	81	07/30/91	0.998	0.00	830.00	0.00	0.61
11477	JE	7P5	81	07/30/91	0.833	0.00	563.00	0.00 >	0.20
11477	PT	7R9	81	07/30/91	0.679	0.00	609.00	0.00	0.00
11477	SF	7RO	81	07/30/91	0.915	0.00	512.00	0.00	1.00
11477	VE	7PK	81	08/02/91	1.169	0.00	456.00	0.00	0.00
11477	YF	70Q	81	07/30/91	0.914	0.00	503.00	0.00	2.13

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11478	JE	7P5	81	07/30/91	0.833	0.00	870.00	0.00	0.00
11478	PT	7R9	81	07/30/91	0.679	0.00	590.00	0.00	0.00
11478	SF	7RO	81	07/30/91	0.915	0.00	609.00	0.00	0.00
11478	VE	7PK	81	08/02/91	1.169	0.00	210.00	0.00	0.10
11478	YF	7QQ	81	07/30/91	0.914	0.00	265.00	0.00	0.00
11479	JE	7P6	81	07/30/91	0.869	0.00	190.00	0.00	0.18
11479	PT	7RA	81	07/30/91	0.695	0.00	140.00	0.00	0.00
11479	SF	7RP	81	07/30/91	1.036	0.00	146.00	0.00	0.00
11479	VE	7PL	81	08/02/91	1.100	0.00	179.00	0.00 >	1.20
11479	YF	7QR	81	07/30/91	1.019	0.00	83.70	0.00	0.00
11480	JE	7P6	81	07/30/91	0.869	0.00	199.00	0.00	0.48
11480	PT	7RA	81	07/30/91	0.695	0.00	172.00	0.00	0.00
11480	SF	7RP	81	07/30/91	1.036	0.00	126.00	0.00	0.00
11480	VE	7PL	81	08/02/91	1.100	0.00	187.00	0.00 >	0.91
11480	YF	7QR	81	07/30/91	1.019	0.00	156.00	0.00	0.02
11481	JE	7P7	81	07/30/91	0.896	0.00	1080.00	0.00	0.00
11481	PT	7RB	81	07/30/91	0.671	0.00	851.00	0.00	0.00
11481	SF	7RQ	81	07/30/91	1.016	0.00	747.00	0.00	0.00
11481	VE	7PM	81	08/02/91	1.163	0.00	1440.00	0.00	0.84
11481	YF	7QS	81	07/30/91	1.011	0.00	8.33	0.00	0.00
11482	JE	7P7	81	07/30/91	0.896	0.00	1310.00	0.00	0.15
11482	PT	7RB	81	07/30/91	0.671	0.00	1560.00	0.00	0.00
11482	SF	7RQ	81	07/30/91	1.016	0.00	1330.00	0.00	0.00
11482	VE	7PM	81	08/02/91	1.163	0.00	1300.00	0.00	0.00
11482	YF	7QS	81	07/30/91	1.011	0.00	1180.00	0.00	0.00
11483	JE	7UQ	81	07/31/91	0.623	0.00	485.00	0.00	0.00
11483	PT	7TN	81	08/01/91	0.581	0.00	547.00	0.00	0.00
11483	SF	7VK	81	07/31/91	1.159	0.00	179.00	0.00	0.00
11483	VE	7Q6	81	08/09/91	0.975	0.00	634.00	0.00	0.00
11483	YF	7V5	81	07/31/91	0.845	0.00	435.00	0.00	0.00
11484	JE	7UR	81	07/31/91	0.581	0.00 >	3200.00	0.00	0.00
11484	PT	7TI	81	08/01/91	0.591	0.00 >	3200.00	0.00 >	7.92
11484	SF	7VL	81	07/31/91	1.090	0.00	1730.00	0.00 >	1.73
11484	VE	7Q7	81	08/09/91	0.948	0.00 >	3200.00	0.00	1.96
11484	YF	7V6	81	07/31/91	0.957	0.00 >	3200.00	0.00	0.73
11485	JE	7UR	81	07/31/91	0.581	0.00	490.00	0.00	0.00
11485	PT	7TI	81	08/01/91	0.591	0.00	493.00	0.00	4.88
11485	SF	7VL	81	07/31/91	1.090	0.00	500.00	0.00 >	3.97
11485	VE	7Q7	81	08/09/91	0.948	0.00	570.00	0.00	3.64
11485	YF	7V6	81	07/31/91	0.957	0.00	432.00	0.00	4.80
11486	JE	7US	81	07/31/91	0.726	0.00	493.00	0.00	3.71
11486	PT	7TJ	81	08/01/91	0.654	210.00	490.00	2.33	11.98
11486	SF	7VM	81	07/31/91	1.127	298.00	490.00	1.64	10.05
11486	VE	7Q8	81	08/09/91	1.064	0.00	544.00	0.00	0.10
11486	YF	7V7	81	07/31/91	0.922	0.00	490.00	0.00	5.79
11487	JE	7US	81	07/31/91	0.726	0.00	257.00	0.00 >	2.70
11487	PT	7TJ	81	08/01/91	0.654	158.00	85.10	0.54	9.43
11487	SF	7VM	81	07/31/91	1.127	0.00	145.00	0.00 >	0.26
11487	VE	7Q8	81	08/09/91	1.064	0.00	499.00	0.00	4.23
11487	YF	7V7	81	07/31/91	0.922	0.00	271.00	0.00	1.56
11488	JE	7UT	81	07/31/91	0.791	0.00	574.00	0.00	0.00
11488	PT	7TK	81	08/01/91	0.640	0.00	706.00	0.00	3.34
11488	SF	7VN	81	07/31/91	1.078	0.00	414.00	0.00	0.40
11488	VE	7Q9	81	08/09/91	0.998	0.00	927.00	0.00	3.05
11488	YF	7V8	81	07/31/91	0.940	0.00	550.00	0.00	0.42
11489	JE	7UT	81	07/31/91	0.791	21.40	34.60	1.62	6.26
11489	PT	7TK	81	08/01/91	0.640	0.00	18.50	0.00	0.00
11489	SF	7VN	81	07/31/91	1.078	31.30	23.40	0.75	1.10
11489	VE	7Q9	81	08/09/91	0.998	23.90	40.70	1.70 >	7.49
11489	YF	7V9	81	07/31/91	0.878	0.00	24.90	0.00 >	0.97
11490	JE	7UU	81	07/31/91	0.727	0.00	1280.00	0.00 >	6.92
11490	PT	7TL	81	08/01/91	0.628	230.00	1190.00	5.16	24.59
11490	SF	7VO	81	07/31/91	1.180	0.00	592.00	0.00	0.53
11490	VE	7QA	81	08/09/91	1.049	2590.0	2040.00	0.79	3.19
11490	YF	7V8	81	07/31/91	0.940	0.00	1030.00	0.00	0.00
11491	JE	7UU	81	07/31/91	0.727	0.00	568.00	0.00 >	2.27
11491	PT	7TL	81	08/01/91	0.628	0.00	851.00	0.00	3.20
11491	SF	7VO	81	07/31/91	1.180	0.00	221.00	0.00	0.00
11491	VE	7QA	81	08/09/91	1.049	0.00	312.00	0.00	0.22
11491	YF	7V9	81	07/31/91	0.878	0.00	490.00	0.00 >	0.20
11492	JE	7UV	81	07/31/91	0.617	0.00	457.00	0.00	4.96
11492	PT	7TM	81	08/01/91	0.680	0.00	492.00	0.00 >	7.47
11492	SF	7VP	81	07/31/91	1.152	0.00	175.00	0.00 >	8.39
11492	VE	7Q8	81	08/09/91	1.032	0.00	594.00	0.00	0.00
11492	YF	7VA	81	07/31/91	0.916	0.00	283.00	0.00	0.10

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11493	JE	7UV	81	07/31/91	0.617	0.00	180.00	[illegible]		0.00
11493	PT	7TN	81	08/01/91	0.680	0.00	37.80	[illegible]		0.00
11493	SF	7VP	81	07/31/91	1.152	0.00	158.00	[illegible]	>	1.04
11493	VE	708	81	08/09/91	1.032	0.00	130.00	[illegible]		0.00
11493	YF	7VA	81	07/31/91	0.916	0.00	57.50	[illegible]		0.00
11494	JE	7UW	81	07/31/91	0.779	0.00	155.00	[illegible]		4.59
11494	PT	7TN	81	08/01/91	0.787	0.00	114.00	[illegible]		0.00
11494	SF	7VQ	81	07/31/91	0.991	0.00	92.70	[illegible]	>	0.20
11494	VE	70C	81	08/09/91	1.127	0.00	83.60	[illegible]		0.02
11494	YF	7VB	81	07/31/91	1.056	0.00	119.00	[illegible]		0.00
11495	JE	7UW	81	07/31/91	0.779	50.50	202.00	4.00		19.14
11495	PT	7TN	81	08/01/91	0.787	294.00	234.00	[illegible]		1.53
11495	SF	7VQ	81	07/31/91	0.991	97.80	163.00	1.67	>	9.13
11495	VE	70C	81	08/09/91	1.127	0.00	222.00	[illegible]		4.79
11495	YF	7VB	81	07/31/91	1.056	0.00	164.00	[illegible]		11.24
11496	JE	7UX	81	07/31/91	0.803	0.00	490.00	[illegible]		0.20
11496	PT	7TO	81	08/01/91	0.696	277.00	481.00	1.73		7.42
11496	SF	7VR	81	07/31/91	1.139	137.00	93.50	[illegible]		11.27
11496	VE	70D	81	08/09/91	1.159	0.00	413.00	[illegible]	>	1.88
11496	YF	7VC	81	07/31/91	0.826	0.00	480.00	[illegible]		6.47
11497	JE	7UX	81	07/31/91	0.803	0.00	4800.00	[illegible]		0.00
11497	PT	7TO	81	08/01/91	0.696	0.00	4460.00	[illegible]		8.04
11497	SF	7VR	81	07/31/91	1.139	0.00	2200.00	[illegible]	>	0.10
11497	VE	70D	81	08/09/91	1.159	0.00	6600.00	[illegible]		0.00
11497	YF	7VC	81	07/31/91	0.826	0.00	4900.00	[illegible]		0.00
11498	JE	7UY	81	07/31/91	0.669	0.00	1490.00	[illegible]	>	13.34
11498	PT	7TP	81	08/01/91	0.579	129.00	1990.00	15.45	>	46.24
11498	SF	7VS	81	07/31/91	1.114	547.00	854.00	1.56		12.22
11498	VE	70E	81	08/09/91	0.951	0.00	1830.00	[illegible]	>	10.72
11498	YF	7VD	81	07/31/91	0.865	676.00	1430.00	2.11		11.04
11499	JE	7UY	81	07/31/91	0.669	0.00	614.00	0.00		0.00
11499	PT	7TP	81	08/01/91	0.579	0.00	835.00	[illegible]		0.00
11499	SF	7VS	81	07/31/91	1.114	0.00	252.00	[illegible]		0.00
11499	VE	70E	81	08/09/91	0.951	0.00	670.00	[illegible]	>	0.10
11499	YF	7VD	81	07/31/91	0.865	0.00	704.00	[illegible]		0.00
11500	JE	7UZ	81	07/31/91	0.688	684.00	1310.00	1.91		7.75
11500	PT	7TQ	81	08/01/91	0.595	0.00	566.00	[illegible]		1.10
11500	SF	7VT	81	07/31/91	1.185	313.00	222.00	[illegible]		1.57
11500	VE	70F	81	08/09/91	0.954	0.00	1560.00	[illegible]		4.39
11500	YF	7VE	81	07/31/91	0.910	1000.0	296.00	[illegible]		2.00
11501	JE	7UZ	81	07/31/91	0.688	0.00	1670.00	[illegible]	>	5.13
11501	PT	7TQ	81	08/01/91	0.595	191.00	3040.00	15.92	>	43.26
11501	SF	7VT	81	07/31/91	1.185	0.00	2760.00	[illegible]	>	3.72
11501	VE	70F	81	08/09/91	0.954	0.00	1620.00	[illegible]	>	3.02
11501	YF	7VE	81	07/31/91	0.910	0.00	2020.00	[illegible]		2.79
11502	JE	7V0	81	07/31/91	0.590	0.00	1550.00	[illegible]	>	2.70
11502	PT	7TR	81	08/01/91	0.616	0.00	1000.00	[illegible]		0.00
11502	SF	7VU	81	07/31/91	1.087	0.00	883.00	[illegible]	>	1.73
11502	VE	70G	81	08/09/91	1.035	0.00	796.00	[illegible]	>	0.04
11502	YF	7VF	81	07/31/91	0.944	0.00	1110.00	[illegible]		0.48
11503	JE	7V0	81	07/31/91	0.590	0.00	490.00	[illegible]	>	4.92
11503	PT	7TR	81	08/01/91	0.616	0.00	490.00	[illegible]		0.64
11503	SF	7VU	81	07/31/91	1.087	0.00	490.00	[illegible]		0.00
11503	VE	70G	81	08/09/91	1.035	0.00	550.00	[illegible]		1.43
11503	YF	7VF	81	07/31/91	0.944	0.00	155.00	[illegible]	>	0.10
11504	JE	7V1	81	07/31/91	0.692	0.00	2240.00	[illegible]	>	0.20
11504	PT	7TS	81	08/01/91	0.597	0.00	2720.00	[illegible]	>	10.68
11504	SF	7VV	81	07/31/91	1.070	0.00	927.00	[illegible]	>	5.00
11504	VE	70H	81	08/09/91	0.971	0.00	1400.00	[illegible]	>	2.55
11504	YF	7VG	81	07/31/91	0.958	0.00	1490.00	[illegible]		0.96
11505	JE	7V1	81	07/31/91	0.692	0.00	485.00	[illegible]	>	0.30
11505	PT	7TS	81	08/01/91	0.597	0.00	601.00	[illegible]		0.55
11505	SF	7VV	81	07/31/91	1.070	0.00	178.00	[illegible]	>	0.10
11505	VE	70H	81	08/09/91	0.971	0.00	320.00	[illegible]		0.37
11505	YF	7VG	81	07/31/91	0.958	0.00	517.00	[illegible]		0.00
11506	JE	7V2	81	07/31/91	0.720	393.00	4850.00	12.34	>	42.38
11506	PT	7TT	81	08/01/91	0.595	174.00	4900.00	28.11	>	55.96
11506	SF	7VW	81	07/31/91	1.097	250.00	2900.00	11.58		37.79
11506	VE	70I	81	08/09/91	1.089	1720.0	4650.00	2.70	>	15.76
11506	YF	7VH	81	07/31/91	0.875	248.00	3630.00	14.60		43.82
11507	JE	7V2	81	07/31/91	0.720	0.00	490.00	0.00	>	2.80
11507	PT	7TT	81	08/01/91	0.595	0.00	396.00	0.00		0.21
11507	SF	7VW	81	07/31/91	1.097	0.00	216.00	0.00		0.62
11507	VE	70I	81	08/09/91	1.089	616.00	1140.00	1.86		11.05
11507	YF	7VH	81	07/31/91	0.875	0.00	440.00	0.00		5.02

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11508	JE	7ME	81	08/01/91	0.608	0.00	1110.00	0.00	>	0.50
11508	SF	7X8	81	08/01/91	1.118	0.00	583.00	0.00		0.57
11508	VE	7SO	81	08/02/91	1.164	0.00	1210.00	0.00		1.00
11508	YF	7VZ	81	08/01/91	1.077	0.00	490.00	0.00		0.05
11509	JE	7MF	81	08/01/91	0.714	0.00	1350.00	0.00	>	5.36
11509	SF	7X9	81	08/01/91	1.118	806.00	723.00	0.90		4.40
11509	VE	7SP	81	08/02/91	1.031	0.00	1240.00	0.00		1.17
11509	YF	7W0	81	08/01/91	1.033	0.00	1080.00	0.00		4.43
11510	JE	7MF	81	08/01/91	0.714	0.00	304.00	0.00	>	1.20
11510	SF	7X9	81	08/01/91	1.118	0.00	155.00	0.00		0.00
11510	VE	7SP	81	08/02/91	1.031	0.00	194.00	0.00		0.00
11510	YF	7W0	81	08/01/91	1.033	0.00	155.00	0.00		0.00
11511	JE	7MG	81	08/01/91	0.817	0.00	358.00	0.00	>	4.32
11511	SF	7XA	81	08/01/91	1.115	0.00	146.00	0.00		0.00
11511	VE	7SQ	81	08/02/91	1.141	0.00	242.00	0.00	>	0.63
11511	YF	7W1	81	08/01/91	1.046	0.00	160.00	0.00		0.00
11512	JE	7MG	81	08/01/91	0.817	0.00	1410.00	0.00	>	4.11
11512	SF	7XA	81	08/01/91	1.115	710.00	932.00	1.31		9.71
11512	VE	7SQ	81	08/02/91	1.141	0.00	1810.00	0.00		0.00
11512	YF	7W1	81	08/01/91	1.046	0.00	791.00	0.00		0.00
11513	JE	7MN	81	08/01/91	0.739	0.00	485.00	0.00		3.87
11513	SF	7XB	81	08/01/91	1.096	0.00	127.00	0.00		1.20
11513	VE	7SR	81	08/02/91	1.140	0.00	7.57	0.00		1.02
11513	YF	7W2	81	08/01/91	1.033	0.00	122.00	0.00		0.01
11514	JE	7MN	81	08/01/91	0.739	0.00	1870.00	0.00	>	3.25
11514	SF	7XB	81	08/01/91	1.096	0.00	802.00	0.00		0.00
11514	VE	7SR	81	08/02/91	1.140	0.00	2280.00	0.00		2.76
11514	YF	7W2	81	08/01/91	1.033	0.00	1060.00	0.00		0.00
11515	JE	7MI	81	08/01/91	0.882	0.00	927.00	0.00		0.52
11515	SF	7XC	81	08/01/91	1.118	0.00	433.00	0.00		1.76
11515	VE	7SS	81	08/02/91	1.124	0.00	835.00	0.00		0.10
11515	YF	7W3	81	08/01/91	1.035	0.00	691.00	0.00		0.00
11516	JE	7MI	81	08/01/91	0.882	0.00	745.00	0.00		0.00
11516	SF	7XC	81	08/01/91	1.118	0.00	359.00	0.00		0.00
11516	VE	7SS	81	08/02/91	1.124	0.00	974.00	0.00		0.11
11516	YF	7W3	81	08/01/91	1.035	0.00	510.00	0.00		0.00
11517	JE	7MJ	81	08/01/91	0.838	0.00	1480.00	0.00	>	8.14
11517	SF	7XD	81	08/01/91	1.007	0.00	864.00	0.00		4.63
11517	VE	7ST	81	08/02/91	1.037	0.00	1680.00	0.00		1.57
11517	YF	7W4	81	08/01/91	1.022	0.00	1260.00	0.00		6.34
11518	JE	7MJ	81	08/01/91	0.838	0.00	641.00	0.00	>	4.77
11518	SF	7XD	81	08/01/91	1.007	0.00	686.00	0.00		6.12
11518	VE	7ST	81	08/02/91	1.037	0.00	950.00	0.00		0.11
11518	YF	7W4	81	08/01/91	1.022	0.00	511.00	0.00		0.00
11519	JE	7MK	81	08/01/91	0.849	0.00	2280.00	0.00	>	0.30
11519	SF	7XE	81	08/01/91	1.041	0.00	1300.00	0.00		0.00
11519	VE	7SU	81	08/02/91	1.157	0.00	2270.00	0.00		0.00
11519	YF	7W5	81	08/01/91	1.042	0.00	1040.00	0.00		0.00
11520	JE	7MK	81	08/01/91	0.849	0.00	172.00	0.00	>	3.05
11520	SF	7XE	81	08/01/91	1.041	0.00	61.70	0.00		0.00
11520	VE	7SU	81	08/02/91	1.157	0.00	80.60	0.00	>	0.30
11520	YF	7W5	81	08/01/91	1.042	0.00	50.00	0.00		0.00
11521	JE	7ML	81	08/01/91	0.905	0.00	906.00	0.00	>	0.63
11521	SF	7XF	81	08/01/91	1.056	0.00	407.00	0.00		0.00
11521	VE	7SV	81	08/02/91	1.201	0.00	779.00	0.00		0.27
11521	YF	7W6	81	08/01/91	0.715	0.00	906.00	0.00	>	1.89
11522	JE	7ML	81	08/01/91	0.905	0.00	887.00	0.00		0.00
11522	SF	7XF	81	08/01/91	1.056	0.00	496.00	0.00		0.00
11522	VE	7SV	81	08/02/91	1.201	0.00	1000.00	0.00		0.00
11522	YF	7W6	81	08/01/91	0.715	0.00	756.00	0.00	>	3.38
11523	JE	7MN	81	08/01/91	0.572	0.00	157.00	0.00	>	4.30
11523	SF	7XG	81	08/01/91	1.051	0.00	59.20	0.00		0.00
11523	VE	7SW	81	08/02/91	1.155	0.00	161.00	0.00		0.10
11523	YF	7W7	81	08/01/91	1.048	0.00	100.00	0.00		0.00
11524	JE	7MN	81	08/01/91	0.572	0.00	725.00	0.00		0.00
11524	SF	7XG	81	08/01/91	1.051	0.00	320.00	0.00		0.00
11524	VE	7SW	81	08/02/91	1.155	0.00	767.00	0.00		2.72
11524	YF	7W7	81	08/01/91	1.048	0.00	504.00	0.00		0.00
11525	JE	7MM	81	08/01/91	0.891	0.00	775.00	0.00		0.02
11525	SF	7XH	81	08/01/91	1.149	0.00	217.00	0.00		0.00
11525	VE	7SX	81	08/02/91	1.127	0.00	1190.00	0.00		0.45
11525	YF	7W8	81	08/01/91	1.023	0.00	398.00	0.00		0.00
11526	JE	7MM	81	08/01/91	0.891	0.00	781.00	0.00		3.29
11526	SF	7XH	81	08/01/91	1.149	0.00	273.00	0.00		0.00
11526	VE	7SX	81	08/02/91	1.127	0.00	1120.00	0.00		1.44

Cumulative Summary (Cont'd)

AVS No.	VIR	PLY #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11526	YF	7W8	81	08/01/91	1.023	0.00	413.00	0.00	0.00
11527	JE	7W0	81	08/01/91	0.952	814.00	799.00	0.98	2.89
11527	SF	7XI	81	08/01/91	0.991	0.00	736.00	0.00	2.28
11527	VE	7SY	81	08/02/91	0.927	0.00	1560.00	0.00	4.68
11527	YF	7W9	81	08/01/91	1.015	0.00	482.00	0.00	3.00
11528	JE	7W0	81	08/01/91	0.952	0.00	630.00	0.00	1.88
11528	SF	7XI	81	08/01/91	0.991	919.00	843.00	0.92	8.30
11528	VE	7SY	81	08/02/91	0.927	0.00	682.00	0.00	1.67
11528	YF	7W9	81	08/01/91	1.015	0.00	637.00	0.00	4.01
11529	JE	7WP	81	08/01/91	0.883	0.00	712.00	0.00	0.00
11529	SF	7XJ	81	08/01/91	1.097	0.00	305.00	0.00	0.00
11529	VE	7SZ	81	08/02/91	1.100	0.00	> 3200.00	0.00 >	2.95
11529	YF	7WA	81	08/01/91	0.978	0.00	645.00	0.00	0.00
11530	JE	7WP	81	08/01/91	0.883	0.00	1330.00	0.00	1.58
11530	SF	7XJ	81	08/01/91	1.097	0.00	649.00	0.00	0.00
11530	VE	7SZ	81	08/02/91	1.100	0.00	1410.00	0.00	4.45
11530	YF	7WA	81	08/01/91	0.978	0.00	757.00	0.00	0.00
11531	JE	7WQ	81	08/01/91	0.867	0.00	490.00	0.00 >	1.60
11531	SF	7XK	81	08/01/91	1.059	0.00	329.00	0.00 >	0.50
11531	VE	7T0	81	08/02/91	1.084	0.00	497.00	0.00	1.20
11531	YF	7W8	81	08/01/91	0.984	0.00	407.00	0.00	0.00
11532	JE	7WQ	81	08/01/91	0.867	0.00	674.00	0.00 >	0.10
11532	SF	7XK	81	08/01/91	1.059	0.00	531.00	0.00	1.76
11532	VE	7T0	81	08/02/91	1.084	0.00	735.00	0.00	2.55
11532	YF	7W8	81	08/01/91	0.984	0.00	381.00	0.00	0.18
11533	JE	7Z2	81	08/06/91	0.690	0.00	> 3200.00	0.00 >	0.03
11533	PT	8Z7	81	08/28/91	0.490	0.00	2830.00	0.00	0.00
11533	SF	7ZW	81	08/06/91	0.956	0.00	> 3200.00	0.00 >	0.81
11533	VE	7ZH	81	08/09/91	1.013	0.00	> 3200.00	0.00 >	1.81
11533	YF	7YN	81	08/06/91	1.151	0.00	> 3200.00	0.00	0.00
11534	JE	7Z3	81	08/06/91	0.781	0.00	401.00	0.00 >	2.38
11534	PT	8Z8	81	08/28/91	0.622	0.00	216.00	0.00	0.00
11534	SF	7ZX	81	08/06/91	0.949	0.00	173.00	0.00	0.00
11534	VE	7ZI	81	08/09/91	1.028	0.00	653.00	0.00	1.29
11534	YF	7YO	81	08/06/91	1.068	0.00	379.00	0.00 >	0.51
11535	JE	7Z3	81	08/06/91	0.781	855.00	261.00	0.31 >	3.04
11535	PT	8Z8	81	08/28/91	0.622	0.00	297.00	0.00	0.00
11535	SF	7ZX	81	08/06/91	0.949	938.00	210.00	0.22 >	0.88
11535	VE	7ZI	81	08/09/91	1.028	0.00	582.00	0.00	1.64
11535	YF	7YO	81	08/06/91	1.068	0.00	320.00	0.00	0.00
11536	JE	7Z4	81	08/06/91	0.862	277.00	123.00	0.44	0.91
11536	PT	8Z9	81	08/28/91	0.694	0.00	257.00	0.00	0.00
11536	SF	7ZY	81	08/06/91	1.055	0.00	92.70	0.00	2.93
11536	VE	7ZJ	81	08/09/91	1.050	268.00	208.00	0.78	0.87
11536	YF	7YP	81	08/06/91	1.027	0.00	243.00	0.00 >	1.46
11537	JE	7Z4	81	08/06/91	0.862	0.00	216.00	0.00 >	0.80
11537	PT	8Z9	81	08/28/91	0.694	0.00	446.00	0.00	0.00
11537	SF	7ZY	81	08/06/91	1.055	0.00	147.00	0.00	0.00
11537	VE	7ZJ	81	08/09/91	1.050	0.00	493.00	0.00	2.08
11537	YF	7YP	81	08/06/91	1.027	0.00	253.00	0.00 >	0.57
11538	JE	7Z5	81	08/06/91	0.812	0.00	349.00	0.00 >	0.28
11538	PT	8ZA	81	08/28/91	0.659	0.00	263.00	0.00	0.00
11538	SF	7ZZ	81	08/06/91	1.025	0.00	460.00	0.00	0.15
11538	VE	7ZK	81	08/09/91	1.028	0.00	249.00	0.00 >	0.30
11538	YF	7YQ	81	08/06/91	1.059	0.00	444.00	0.00	0.00
11539	JE	7Z5	81	08/06/91	0.812	0.00	290.00	0.00	1.57
11539	PT	8ZA	81	08/28/91	0.659	0.00	475.00	0.00	0.85
11539	SF	7ZZ	81	08/06/91	1.025	0.00	220.00	0.00	0.00
11539	VE	7ZK	81	08/09/91	1.028	0.00	433.00	0.00	1.24
11539	YF	7YQ	81	08/06/91	1.059	0.00	273.00	0.00	0.85
11540	JE	7Z6	81	08/06/91	0.824	0.00	531.00	0.00 >	1.51
11540	PT	8ZB	81	08/28/91	0.685	0.00	458.00	0.00	0.00
11540	SF	800	81	08/06/91	1.185	0.00	297.00	0.00	0.00
11540	VE	7ZL	81	08/09/91	1.007	0.00	698.00	0.00	0.28
11540	YF	7YR	81	08/06/91	1.015	0.00	427.00	0.00	0.00
11541	JE	7Z6	81	08/06/91	0.824	0.00	1060.00	0.00 >	2.32
11541	PT	8ZB	81	08/28/91	0.685	0.00	1090.00	0.00	0.00
11541	SF	80J	81	08/06/91	1.185	0.00	1090.00	0.00	0.00
11541	VE	7ZL	81	08/09/91	1.007	0.00	1580.00	0.00 >	3.26
11541	YF	7YR	81	08/06/91	1.015	0.00	823.00	0.00	0.00
11542	JE	7Z7	81	08/06/91	0.753	0.00	> 3200.00	0.00	0.00
11542	PT	8ZC	81	08/28/91	0.729	0.00	> 3200.00	0.00 >	0.65
11542	SF	801	81	08/06/91	0.975	2520.0	> 3200.00 >	1.27 >	5.88
11542	VE	7ZM	81	08/09/91	1.101	0.00	> 3200.00	0.00 >	0.70
11542	YF	7YS	81	08/06/91	1.062	0.00	> 3200.00	0.00 >	4.92

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11543	JE	727	81	08/06/91	0.753	0.00	215.00	0.00 >	0.20
11543	PT	82C	81	08/28/91	0.729	0.00	194.00	0.00	0.00
11543	SF	801	81	08/06/91	0.975	0.00	180.00	0.00 >	0.10
11543	VE	72N	81	08/09/91	1.101	0.00	347.00	0.00	0.12
11543	YF	7YS	81	08/06/91	1.062	0.00	116.00	0.00	0.00
11544	JE	728	81	08/06/91	0.837	0.00 >	1000.00	0.00	0.15
11544	PT	82D	81	08/28/91	0.692	0.00	611.00	0.00 >	0.35
11544	SF	802	81	08/06/91	1.061	0.00	858.00	0.00 >	0.54
11544	VE	72N	81	08/09/91	1.024	0.00	851.00	0.00	0.73
11544	YF	7YT	81	08/06/91	1.156	0.00	924.00	0.00 >	0.44
11545	JE	728	81	08/06/91	0.837	0.00	394.00	0.00	0.00
11545	PT	82D	81	08/28/91	0.692	0.00	255.00	0.00	0.00
11545	SF	802	81	08/06/91	1.061	0.00	488.00	0.00	3.24
11545	VE	72N	81	08/09/91	1.024	0.00	2060.00	0.00	1.23
11545	YF	7YT	81	08/06/91	1.156	0.00	363.00	0.00	0.00
11546	JE	729	81	08/06/91	0.948	0.00	938.00	0.00	0.00
11546	PT	82E	81	08/28/91	0.687	0.00	425.00	0.00	0.00
11546	SF	803	81	08/06/91	1.067	0.00	433.00	0.00	0.00
11546	VE	720	81	08/09/91	1.167	0.00	1110.00	0.00	0.00
11546	YF	7YU	81	08/06/91	0.960	0.00	1250.00	0.00	0.00
11547	JE	729	81	08/06/91	0.948	0.00	139.00	0.00	0.00
11547	PT	82E	81	08/28/91	0.687	0.00	150.00	0.00	0.00
11547	SF	803	81	08/06/91	1.067	0.00	143.00	0.00	0.00
11547	VE	720	81	08/09/91	1.167	0.00	192.00	0.00	1.49
11547	YF	7YU	81	08/06/91	0.960	0.00	168.00	0.00	0.00
11548	JE	72A	81	08/06/91	0.768	0.00	370.00	0.00 >	0.03
11548	PT	82F	81	08/28/91	0.651	0.00	342.00	0.00	0.00
11548	SF	804	81	08/06/91	0.953	0.00	475.00	0.00	0.00
11548	VE	72P	81	08/09/91	0.954	0.00	452.00	0.00	0.00
11548	YF	7YV	81	08/06/91	1.135	0.00	226.00	0.00	0.00
11549	JE	72A	81	08/06/91	0.768	0.00	25.70	0.00 >	6.70
11549	PT	82F	81	08/28/91	0.651	0.00	68.20	0.00	0.00
11549	SF	804	81	08/06/91	0.953	0.00	19.00	0.00	2.89
11549	VE	72P	81	08/09/91	0.954	0.00	66.00	0.00	7.56
11549	YF	7YV	81	08/06/91	1.135	0.00	18.40	0.00	0.36
11550	JE	72B	81	08/06/91	0.708	0.00	80.60	0.00	5.63
11550	PT	82G	81	08/28/91	0.640	0.00	234.00	0.00	0.00
11550	SF	805	81	08/06/91	0.849	0.00	70.60	0.00	0.00
11550	VE	72Q	81	08/09/91	1.065	320.00	165.00	0.51 >	7.97
11550	YF	7YW	81	08/06/91	1.072	0.00	68.80	0.00	0.00
11551	JE	72B	81	08/06/91	0.708	0.00	1420.00	0.00 >	0.30
11551	PT	82G	81	08/28/91	0.640	0.00	779.00	0.00 >	6.29
11551	SF	805	81	08/06/91	0.849	641.00	1240.00	1.93	9.20
11551	VE	72Q	81	08/09/91	1.065	0.00	1560.00	0.00 >	1.10
11551	YF	7YW	81	08/06/91	1.072	0.00	1220.00	0.00	0.72
11552	JE	72C	81	08/06/91	0.694	0.00	1160.00	0.00 >	2.00
11552	PT	82H	81	08/28/91	0.799	0.00	543.00	0.00 >	0.91
11552	SF	806	81	08/06/91	0.888	0.00	767.00	0.00 >	2.08
11552	VE	72R	81	08/09/91	1.069	0.00	1650.00	0.00 >	1.21
11552	YF	7YX	81	08/06/91	1.068	0.00	194.00	0.00	0.00
11553	JE	72C	81	08/06/91	0.694	0.00	559.00	0.00	0.00
11553	PT	82H	81	08/28/91	0.799	0.00	423.00	0.00 >	0.71
11553	SF	806	81	08/06/91	0.888	0.00	340.00	0.00 >	1.59
11553	VE	72R	81	08/09/91	1.069	0.00	558.00	0.00	1.66
11553	YF	7YX	81	08/06/91	1.068	0.00	337.00	0.00	0.00
11554	JE	72D	81	08/06/91	0.928	0.00	145.00	0.00	0.00
11554	PT	82I	81	08/28/91	0.656	0.00	120.00	0.00	0.00
11554	SF	807	81	08/06/91	0.922	0.00	194.00	0.00	0.00
11554	VE	72S	81	08/09/91	1.151	0.00	193.00	0.00 >	0.12
11554	YF	7YY	81	08/06/91	1.092	0.00	84.30	0.00	0.00
11555	JE	72D	81	08/06/91	0.928	0.00	1260.00	0.00	3.45
11555	PT	82I	81	08/28/91	0.656	0.00	544.00	0.00	3.90
11555	SF	807	81	08/06/91	0.922	0.00	667.00	0.00 >	4.55
11555	VE	72S	81	08/09/91	1.151	0.00	515.00	0.00	1.14
11555	YF	7YY	81	08/06/91	1.092	801.00	756.00	0.94	5.48
11556	JE	72E	81	08/06/91	0.816	0.00	1690.00	0.00	0.00
11556	PT	82J	81	08/28/91	0.637	0.00	458.00	0.00	0.00
11556	SF	808	81	08/06/91	0.875	0.00	180.00	0.00 >	0.30
11556	VE	72T	81	08/09/91	1.004	0.00	3040.00	0.00	0.00
11556	YF	7YZ	81	08/06/91	0.851	0.00	773.00	0.00	0.00
11557	JE	72E	81	08/06/91	0.816	0.00	398.00	0.00	0.00
11557	PT	82J	81	08/28/91	0.637	0.00	333.00	0.00	0.00
11557	SF	808	81	08/06/91	0.875	0.00	267.00	0.00	0.00
11557	VE	72T	81	08/09/91	1.004	0.00	715.00	0.00	0.11
11557	YF	7YZ	81	08/06/91	0.851	0.00	438.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11558	JE	815	81	08/07/91	0.612	0.00	177.00	0.00		0.00
11558	PT	812	81	08/08/91	0.704	0.00	155.00	0.00		0.00
11558	SF	82E	81	08/06/91	0.972	0.00	66.00	0.00		0.00
11558	VE	81K	81	08/09/91	0.996	0.00	203.00	0.00		0.56
11558	YF	80Q	81	08/07/91	1.089	0.00	97.40	0.00		0.02
11559	JE	816	81	08/07/91	0.764	0.00	575.00	0.00		0.00
11559	PT	820	81	08/08/91	0.643	0.00	320.00	0.00		0.00
11559	SF	82F	81	08/06/91	0.931	0.00	438.00	0.00		0.00
11559	VE	81L	81	08/09/91	0.995	0.00	1430.00	0.00	>	2.25
11559	YF	80R	81	08/07/91	1.024	0.00	514.00	0.00		0.00
11560	JE	816	81	08/07/91	0.764	0.00	193.00	0.00	>	0.06
11560	PT	820	81	08/08/91	0.643	0.00	109.00	0.00		0.00
11560	SF	82F	81	08/06/91	0.931	0.00	185.00	0.00	>	6.61
11560	VE	81L	81	08/09/91	0.995	793.00	642.00	0.81	>	3.38
11560	YF	80R	81	08/07/91	1.024	0.00	184.00	0.00		0.00
11561	JE	817	81	08/07/91	0.824	0.00	301.00	0.00		0.00
11561	PT	821	81	08/08/91	0.611	0.00	228.00	0.00		0.00
11561	SF	82G	81	08/06/91	0.921	0.00	249.00	0.00		0.00
11561	VE	81M	81	08/09/91	1.111	0.00	673.00	0.00		0.00
11561	YF	80S	81	08/07/91	0.983	0.00	271.00	0.00		0.00
11562	JE	817	81	08/07/91	0.824	0.00	380.00	0.00	>	0.06
11562	PT	821	81	08/08/91	0.611	0.00	363.00	0.00		0.00
11562	SF	82G	81	08/06/91	0.921	0.00	456.00	0.00		0.30
11562	VE	81M	81	08/09/91	1.111	0.00	608.00	0.00		0.04
11562	YF	80S	81	08/07/91	0.983	0.00	514.00	0.00		0.00
11563	JE	818	81	08/07/91	0.669	0.00	1280.00	0.00	>	0.10
11563	PT	822	81	08/08/91	0.601	0.00	660.00	0.00		0.00
11563	SF	82H	81	08/06/91	0.893	0.00	556.00	0.00		5.23
11563	VE	81N	81	08/09/91	1.152	0.00	740.00	0.00		0.00
11563	YF	80T	81	08/07/91	0.926	0.00	1060.00	0.00		0.00
11564	JE	818	81	08/07/91	0.669	0.00	1190.00	0.00	>	0.20
11564	PT	822	81	08/08/91	0.601	0.00	466.00	0.00		0.00
11564	SF	82H	81	08/06/91	0.893	0.00	835.00	0.00	>	0.50
11564	VE	81N	81	08/09/91	1.152	0.00	1660.00	0.00		0.00
11564	YF	80T	81	08/07/91	0.926	0.00	773.00	0.00		0.00
11565	JE	819	81	08/07/91	0.807	0.00	573.00	0.00	>	0.05
11565	PT	823	81	08/08/91	0.401	0.00	674.00	0.00		0.00
11565	SF	82I	81	08/06/91	1.025	302.00	412.00	1.37		11.12
11565	VE	810	81	08/09/91	1.033	0.00	1030.00	0.00	>	0.10
11565	YF	80U	81	08/07/91	1.022	0.00	567.00	0.00		0.00
11566	JE	819	81	08/07/91	0.807	0.00	265.00	0.00	>	0.62
11566	PT	823	81	08/08/91	0.401	0.00	136.00	0.00	>	0.10
11566	SF	82I	81	08/06/91	1.025	0.00	129.00	0.00	>	2.91
11566	VE	810	81	08/09/91	1.033	684.00	825.00	1.21	>	8.49
11566	YF	80U	81	08/07/91	1.022	0.00	267.00	0.00		0.15
11567	JE	81A	81	08/07/91	0.803	0.00	143.00	0.00		0.00
11567	PT	824	81	08/08/91	0.675	0.00	145.00	0.00		0.00
11567	SF	82J	81	08/06/91	1.075	0.00	74.50	0.00		0.00
11567	VE	81P	81	08/09/91	1.025	0.00	202.00	0.00	>	0.31
11567	YF	80V	81	08/07/91	0.953	0.00	144.00	0.00		0.00
11568	JE	81A	81	08/07/91	0.803	0.00	691.00	0.00	>	0.20
11568	PT	824	81	08/08/91	0.675	0.00	320.00	0.00		0.00
11568	SF	82J	81	08/06/91	1.075	0.00	279.00	0.00	>	0.62
11568	VE	81P	81	08/09/91	1.025	915.00	1110.00	1.22		4.88
11568	YF	80V	81	08/07/91	0.953	0.00	635.00	0.00	>	0.10
11569	JE	81B	81	08/07/91	0.887	0.00	167.00	0.00	>	4.74
11569	PT	825	81	08/08/91	0.682	0.00	117.00	0.00	>	1.48
11569	SF	82K	81	08/06/91	1.044	0.00	121.00	0.00	>	0.32
11569	VE	81Q	81	08/09/91	1.097	0.00	225.00	0.00	>	2.75
11569	YF	80W	81	08/07/91	0.962	0.00	163.00	0.00	>	2.53
11570	JE	81B	81	08/07/91	0.887	0.00	161.00	0.00	>	1.10
11570	PT	825	81	08/08/91	0.682	0.00	145.00	0.00		0.00
11570	SF	82K	81	08/06/91	1.044	0.00	72.00	0.00		0.00
11570	VE	81Q	81	08/09/91	1.097	839.00	490.00	0.58		3.11
11570	YF	80W	81	08/07/91	0.962	0.00	192.00	0.00	>	0.10
11571	JE	81C	81	08/07/91	0.836	0.00	228.00	0.00	>	0.50
11571	PT	826	81	08/08/91	0.708	0.00	79.60	0.00		0.00
11571	SF	82L	81	08/06/91	0.956	0.00	153.00	0.00	>	1.85
11571	VE	81R	81	08/09/91	1.173	0.00	607.00	0.00		2.15
11571	YF	80X	81	08/07/91	1.101	0.00	92.40	0.00		0.00
11572	JE	81C	81	08/07/91	0.836	0.00	151.00	0.00	>	1.83
11572	PT	826	81	08/08/91	0.708	0.00	73.60	0.00		0.00
11572	SF	82L	81	08/06/91	0.956	0.00	122.00	0.00	>	0.30
11572	VE	81R	81	08/09/91	1.173	0.00	206.00	0.00		1.03
11572	YF	80X	81	08/07/91	1.101	0.00	82.00	0.00		0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11573	JE	81D	81	08/07/91	0.617	0.00	490.00	0.00 >	1.63
11573	PT	827	81	08/08/91	0.704	0.00	279.00	0.00	0.00
11573	SF	82N	81	08/06/91	1.052	0.00	493.00	0.00	4.99
11573	VE	81S	81	08/09/91	0.913	0.00	574.00	0.00 >	1.85
11573	YF	80Y	81	08/07/91	0.985	0.00	493.00	0.00 >	1.60
11574	JE	81D	81	08/07/91	0.617	0.00	196.00	0.00	0.00
11574	PT	827	81	08/08/91	0.704	0.00	108.00	0.00	0.00
11574	SF	82N	81	08/06/91	1.052	0.00	125.00	0.00	0.38
11574	VE	81S	81	08/09/91	0.913	667.00	691.00	1.04 >	6.90
11574	YF	80Y	81	08/07/91	0.985	0.00	126.00	0.00	0.00
11575	JE	81E	81	08/07/91	0.910	790.00	1140.00	1.44 >	4.97
11575	PT	828	81	08/08/91	0.677	0.00	598.00	0.00	0.00
11575	SF	82N	81	08/06/91	1.044	527.00	887.00	1.68 >	10.93
11575	VE	81T	81	08/09/91	0.899	0.00	1190.00	0.00	1.91
11575	YF	80Z	81	08/07/91	0.791	545.00	1430.00	2.62	14.79
11576	JE	81E	81	08/07/91	0.910	0.00	815.00	0.00	0.00
11576	PT	828	81	08/08/91	0.677	0.00	358.00	0.00	0.00
11576	SF	82N	81	08/06/91	1.044	0.00	592.00	0.00 >	0.11
11576	VE	81T	81	08/09/91	0.899	0.00	1710.00	0.00	2.44
11576	YF	80Z	81	08/07/91	0.791	0.00	1230.00	0.00	0.00
11577	JE	81F	81	08/07/91	0.774	33.60	120.00	3.57	17.15
11577	PT	829	81	08/08/91	0.635	0.00	94.30	0.00	0.00
11577	SF	820	81	08/06/91	0.969	0.00	66.70	0.00 >	9.77
11577	VE	81U	81	08/09/91	0.975	0.00	66.00	0.00 >	0.86
11577	YF	810	81	08/07/91	0.854	16.10	118.00	7.31 >	28.36
11578	JE	81F	81	08/07/91	0.774	0.00	192.00	0.00	0.00
11578	PT	829	81	08/08/91	0.635	0.00	160.00	0.00 >	0.10
11578	SF	820	81	08/06/91	0.969	0.00	181.00	0.00 >	2.20
11578	VE	81U	81	08/09/91	0.975	0.00	392.00	0.00 >	2.04
11578	YF	810	81	08/07/91	0.854	0.00	180.00	0.00 >	1.01
11579	JE	81G	81	08/07/91	0.831	0.00	791.00	0.00	1.32
11579	PT	82A	81	08/08/91	0.639	0.00	451.00	0.00	0.00
11579	SF	82P	81	08/06/91	1.032	0.00	440.00	0.00	0.00
11579	VE	81V	81	08/09/91	1.019	0.00	1300.00	0.00	6.57
11579	YF	811	81	08/07/91	0.886	0.00	780.00	0.00	0.99
11580	JE	81G	81	08/07/91	0.831	20.90	52.60	2.51	10.47
11580	PT	82A	81	08/08/91	0.639	0.00	58.30	0.00	0.00
11580	SF	82P	81	08/06/91	1.032	0.00	50.80	0.00	2.06
11580	VE	81V	81	08/09/91	1.019	0.00	64.60	0.00 >	0.20
11580	YF	811	81	08/07/91	0.886	15.20	62.40	4.11 >	22.50
11581	JE	81M	81	08/07/91	0.777	0.00	424.00	0.00	0.00
11581	PT	828	81	08/08/91	0.674	0.00	198.00	0.00 >	0.10
11581	SF	820	81	08/06/91	0.953	0.00	1550.00	0.00	3.76
11581	VE	81W	81	08/09/91	0.969	0.00	510.00	0.00	0.24
11581	YF	812	81	08/07/91	0.803	0.00	175.00	0.00 >	0.20
11582	JE	81M	81	08/07/91	0.777	0.00	660.00	0.00	0.20
11582	PT	828	81	08/08/91	0.674	0.00	339.00	0.00 >	0.20
11582	SF	820	81	08/06/91	0.953	1000.0	579.00	0.58	0.88
11582	VE	81W	81	08/09/91	0.969	787.00	1030.00	1.31 >	6.11
11582	YF	812	81	08/07/91	0.803	0.00	647.00	0.00	0.00
11583	JE	85M	81	08/07/91	0.725	684.00	1060.00	1.55 >	18.74
11583	PT	99R	81	09/06/91	0.562	0.00	503.00	0.00	0.00
11583	SF	86G	81	08/07/91	1.368	0.00	363.00	0.00	0.00
11583	VE	837	81	08/09/91	1.475	0.00	1000.00	0.00	0.00
11583	YF	857	81	08/07/91	1.245	0.00	539.00	0.00	0.00
11584	JE	85N	81	08/07/91	0.698	9.74	27.00	2.78 >	11.59
11584	PT	99S	81	09/06/91	0.742	0.00	18.80	0.00 >	0.71
11584	SF	86H	81	08/07/91	1.307	0.00	24.20	0.00	2.58
11584	VE	838	81	08/09/91	1.389	0.00	19.30	0.00	0.00
11584	YF	858	81	08/07/91	1.238	0.00	14.20	0.00	4.11
11585	JE	85N	81	08/07/91	0.898	0.00	503.00	0.00 >	1.40
11585	PT	99S	81	09/06/91	0.742	0.00	508.00	0.00	0.00
11585	SF	86H	81	08/07/91	1.307	0.00	210.00	0.00 >	0.01
11585	VE	838	81	08/09/91	1.389	0.00	354.00	0.00	0.00
11585	YF	858	81	08/07/91	1.238	0.00	366.00	0.00	0.00
11586	JE	850	81	08/07/91	0.920	0.00	220.00	0.00	0.08
11586	PT	99T	81	09/06/91	0.740	0.00	149.00	0.00	0.00
11586	SF	861	81	08/07/91	1.279	0.00	74.50	0.00	0.00
11586	VE	839	81	08/09/91	1.312	0.00 >	1000.00	0.00	0.40
11586	YF	859	81	08/07/91	1.152	0.00	133.00	0.00	0.00
11587	JE	850	81	08/07/91	0.920	0.00	584.00	0.00	2.26
11587	PT	99T	81	09/06/91	0.740	0.00	186.00	0.00	0.00
11587	SF	861	81	08/07/91	1.279	0.00	202.00	0.00	0.03
11587	VE	839	81	08/09/91	1.312	0.00	1090.00	0.00	0.00
11587	YF	859	81	08/07/91	1.152	0.00	490.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11588	JE	85P	81	08/07/91	0.901	0.00	582.00	0.00	0.00
11588	PT	99U	81	09/06/91	0.690	0.00	90.30	0.00	0.00
11588	SF	86J	81	08/07/91	1.031	0.00	456.00	0.00	0.00
11588	VE	83A	81	08/09/91	1.235	0.00	1000.00	0.00	0.00
11588	YF	85A	81	08/07/91	1.216	0.00	338.00	0.00	0.00
11589	JE	85P	81	08/07/91	0.901	0.00	714.00	0.00	0.00
11589	PT	99U	81	09/06/91	0.690	0.00	605.00	0.00	0.00
11589	SF	86J	81	08/07/91	1.031	0.00	773.00	0.00 >	1.62
11589	VE	83A	81	08/09/91	1.235	0.00	626.00	0.00	0.00
11589	YF	85A	81	08/07/91	1.216	0.00	160.00	0.00	0.00
11590	JE	85Q	81	08/07/91	1.035	0.00	365.00	0.00	0.00
11590	PT	99V	81	09/06/91	0.710	0.00	289.00	0.00	0.00
11590	SF	86K	81	08/07/91	1.193	0.00	257.00	0.00	0.00
11590	VE	83B	81	08/09/91	1.337	0.00	703.00	0.00	0.00
11590	YF	85B	81	08/07/91	1.165	0.00	66.00	0.00	0.00
11591	JE	85Q	81	08/07/91	1.035	0.00	13.00	0.00	0.00
11591	PT	99V	81	09/06/91	0.710	0.00	46.90	0.00	0.00
11591	SF	86K	81	08/07/91	1.193	0.00	12.80	0.00 >	0.29
11591	VE	83B	81	08/09/91	1.337	0.00	15.20	0.00	0.00
11591	YF	85B	81	08/07/91	1.165	0.00	5.40	0.00	0.00
11592	JE	85R	81	08/07/91	0.833	0.00	1370.00	0.00 >	20.41
11592	PT	99W	81	09/06/91	0.649	0.00	521.00	0.00 >	2.73
11592	SF	86L	81	08/07/91	1.348	0.00	370.00	0.00	0.00
11592	VE	83C	81	08/09/91	1.324	0.00	469.00	0.00	0.00
11592	YF	85C	81	08/07/91	1.145	0.00	320.00	0.00 >	8.32
11593	JE	85R	81	08/07/91	0.833	0.00	1000.00	0.00 >	3.05
11593	PT	99W	81	09/06/91	0.649	0.00	1140.00	0.00	0.00
11593	SF	86L	81	08/07/91	1.348	0.00	610.00	0.00	0.22
11593	VE	83C	81	08/09/91	1.324	0.00	265.00	0.00	0.00
11593	YF	85C	81	08/07/91	1.145	0.00	194.00	0.00 >	10.21
11594	JE	85S	81	08/07/91	0.920	0.00	3630.00	0.00	0.00
11594	PT	99X	81	09/06/91	0.626	0.00	955.00	0.00	0.00
11594	SF	86M	81	08/07/91	1.090	0.00	1880.00	0.00	0.37
11594	VE	83D	81	08/09/91	1.319	0.00	4570.00	0.00	0.07
11594	YF	85D	81	08/07/91	1.254	0.00	1460.00	0.00	0.00
11595	JE	85S	81	08/07/91	0.920	0.00	350.00	0.00	0.00
11595	PT	99X	81	09/06/91	0.626	0.00	414.00	0.00	0.00
11595	SF	86M	81	08/07/91	1.090	0.00	554.00	0.00 >	0.64
11595	VE	83D	81	08/09/91	1.319	0.00	526.00	0.00	0.12
11595	YF	85D	81	08/07/91	1.254	0.00	320.00	0.00	0.00
11596	JE	85T	81	08/07/91	0.864	0.00	385.00	0.00 >	0.36
11596	PT	99Y	81	09/06/91	0.684	0.00	42.50	0.00	0.00
11596	SF	86N	81	08/07/91	1.235	0.00	100.00	0.00 >	4.35
11596	VE	83E	81	08/09/91	1.346	0.00	393.00	0.00	0.00
11596	YF	85E	81	08/07/91	0.831	0.00	280.00	0.00	0.23
11597	JE	85T	81	08/07/91	0.864	534.00	1460.00	2.74 >	17.89
11597	PT	99Y	81	09/06/91	0.684	0.00	280.00	0.00	0.00
11597	SF	86N	81	08/07/91	1.235	738.00	300.00	0.41	1.65
11597	VE	83E	81	08/09/91	1.346	0.00	1310.00	0.00	0.00
11597	YF	85E	81	08/07/91	0.831	757.00 <	10.00 <	0.01	0.78
11598	JE	85U	81	08/07/91	0.632	0.00	1240.00	0.00 >	1.60
11598	PT	99Z	81	09/06/91	0.462	0.00	538.00	0.00	0.00
11598	SF	86O	81	08/07/91	1.278	0.00	695.00	0.00	0.00
11598	VE	83F	81	08/09/91	1.185	0.00	1290.00	0.00	0.00
11598	YF	85F	81	08/07/91	0.911	0.00	619.00	0.00	0.00
11599	JE	85U	81	08/07/91	0.632	0.00	1550.00	0.00 >	0.30
11599	PT	99Z	81	09/06/91	0.462	0.00	820.00	0.00	0.00
11599	SF	86O	81	08/07/91	1.278	0.00 >	3200.00	0.00 >	0.05
11599	VE	83F	81	08/09/91	1.185	0.00	1340.00	0.00	0.03
11599	YF	85F	81	08/07/91	0.911	0.00	8.06	0.00	0.00
11600	JE	85V	81	08/07/91	0.928	0.00	293.00	0.00	0.00
11600	PT	9A0	81	09/06/91	0.718	0.00	137.00	0.00	0.00
11600	SF	86P	81	08/07/91	1.246	0.00	194.00	0.00	0.56
11600	VE	83G	81	08/09/91	1.340	0.00	445.00	0.00	0.00
11600	YF	85G	81	08/07/91	0.918	0.00	444.00	0.00	0.54
11601	JE	85V	81	08/07/91	0.928	0.00	508.00	0.00	0.00
11601	PT	9A0	81	09/06/91	0.718	0.00	144.00	0.00	0.00
11601	SF	86P	81	08/07/91	1.246	0.00	412.00	0.00	0.00
11601	VE	83G	81	08/09/91	1.340	0.00	501.00	0.00	0.00
11601	YF	85G	81	08/07/91	0.918	0.00	210.00	0.00	0.00
11602	JE	85W	81	08/07/91	0.908	0.00	338.00	0.00	0.00
11602	PT	9A1	81	09/06/91	0.660	0.00	199.00	0.00	0.00
11602	SF	86Q	81	08/07/91	1.209	0.00	263.00	0.00	0.85
11602	VE	83H	81	08/09/91	1.371	0.00	354.00	0.00	0.00
11602	YF	85H	81	08/07/91	1.000	0.00	194.00	0.00	0.00

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11603	JE	85W	81	08/07/91	0.908	0.00	13.10	0.00	0.00
11603	PT	9A1	81	09/06/91	0.660	0.00	13.70	0.00	0.00
11603	SF	86Q	81	08/07/91	1.209	0.00	22.20	0.00	0.00
11603	VE	83H	81	08/09/91	1.371	0.00	32.00	0.00	0.34
11603	YF	85H	81	08/07/91	1.000	0.00	13.70	0.00	1.93
11604	JE	85X	81	08/07/91	0.952	647.00	1080.00	1.68	6.43
11604	PT	9A2	81	09/06/91	0.654	0.00	< 32.00	0.00	0.00
11604	SF	86R	81	08/07/91	1.204	0.00	186.00	0.00	0.00
11604	VE	83I	81	08/09/91	1.312	0.00	573.00	0.00	0.00
11604	YF	85I	81	08/07/91	1.058	0.00	547.00	0.00	0.99
11605	JE	85X	81	08/07/91	0.952	0.00	196.00	0.00 >	0.01
11605	PT	9A2	81	09/06/91	0.654	0.00	274.00	0.00	0.00
11605	SF	86R	81	08/07/91	1.204	0.00	7.48	0.00	0.00
11605	VE	83I	81	08/09/91	1.312	0.00	334.00	0.00	0.00
11605	YF	85I	81	08/07/91	1.058	0.00	66.00	0.00	0.00
11606	JE	85Y	81	08/07/91	0.884	0.00	42.10	0.00	0.00
11606	PT	9A3	81	09/06/91	0.652	0.00	86.90	0.00	0.00
11606	SF	86S	81	08/07/91	1.102	0.00	16.50	0.00	0.00
11606	VE	83J	81	08/09/91	1.325	0.00	52.70	0.00	0.00
11606	YF	85J	81	08/07/91	0.941	0.00	21.00	0.00	0.00
11607	JE	85Y	81	08/07/91	0.884	0.00	1350.00	0.00	0.00
11607	PT	9A3	81	09/06/91	0.652	0.00	629.00	0.00	0.00
11607	SF	86S	81	08/07/91	1.102	0.00	232.00	0.00	0.00
11607	VE	83J	81	08/09/91	1.325	0.00	1030.00	0.00	0.00
11607	YF	85J	81	08/07/91	0.941	0.00	830.00	0.00	0.01
11608	JE	87V	81	08/08/91	0.846	0.00	179.00	0.00	0.94
11608	PT	9AL	81	09/06/91	0.423	0.00	163.00	0.00	0.00
11608	SF	88P	81	08/08/91	0.884	0.00	157.00	0.00	0.00
11608	VE	83M	81	08/09/91	1.196	0.00	158.00	0.00	0.00
11608	YF	87G	81	08/08/91	0.984	0.00	160.00	0.00 >	0.30
11609	JE	87W	81	08/08/91	0.797	0.00	23.10	0.00 >	1.05
11609	PT	9AM	81	09/06/91	0.456	0.00	114.00	0.00	0.00
11609	SF	88Q	81	08/08/91	0.993	0.00	19.50	0.00	0.00
11609	VE	83N	81	08/09/91	1.162	0.00	34.10	0.00	0.00
11609	YF	87H	81	08/08/91	0.869	0.00	32.00	0.00	0.00
11610	JE	87W	81	08/08/91	0.797	0.00	1140.00	0.00	0.27
11610	PT	9AM	81	09/06/91	0.456	0.00	577.00	0.00	0.00
11610	SF	88Q	81	08/08/91	0.993	0.00	555.00	0.00	0.00
11610	VE	83N	81	08/09/91	1.162	590.00	1210.00	2.06	9.44
11610	YF	87H	81	08/08/91	0.869	0.00	554.00	0.00	0.10
11611	JE	87X	81	08/08/91	0.924	0.00	624.00	0.00	0.11
11611	PT	9AN	81	09/06/91	0.556	0.00	551.00	0.00	0.00
11611	SF	88R	81	08/08/91	0.946	0.00	285.00	0.00	0.00
11611	VE	83O	81	08/09/91	1.171	589.00	1330.00	2.26	10.66
11611	YF	87I	81	08/08/91	1.027	0.00	536.00	0.00	0.00
11612	JE	87X	81	08/08/91	0.924	0.00	490.00	0.00	0.48
11612	PT	9AN	81	09/06/91	0.556	0.00	436.00	0.00	0.00
11612	SF	88R	81	08/08/91	0.946	0.00	393.00	0.00	0.00
11612	VE	83O	81	08/09/91	1.171	523.00	400.00	0.76	6.17
11612	YF	87I	81	08/08/91	1.027	0.00	408.00	0.00	0.00
11613	JE	87Y	81	08/08/91	0.941	0.00	329.00	0.00	0.44
11613	PT	9AO	81	09/06/91	0.519	0.00	276.00	0.00	0.00
11613	SF	88S	81	08/08/91	0.964	0.00	197.00	0.00	0.00
11613	VE	83P	81	08/09/91	1.163	202.00	435.00	2.15	10.45
11613	YF	87J	81	08/08/91	1.034	0.00	215.00	0.00	0.00
11614	JE	87Y	81	08/08/91	0.941	0.00	146.00	0.00	0.34
11614	PT	9AO	81	09/06/91	0.519	0.00	155.00	0.00 >	4.12
11614	SF	88S	81	08/08/91	0.964	0.00	490.00	0.00 >	19.21
11614	VE	83P	81	08/09/91	1.163	0.00	189.00	0.00	0.62
11614	YF	87J	81	08/08/91	1.034	0.00	57.70	0.00 >	0.65
11615	JE	87Z	81	08/08/91	0.863	0.00	1250.00	0.00 >	0.40
11615	PT	9AP	81	09/06/91	0.453	0.00	970.00	0.00	0.00
11615	SF	88T	81	08/08/91	0.999	0.00	547.00	0.00	0.00
11615	VE	83Q	81	08/09/91	1.165	3120.0	2070.00	0.66 >	0.52
11615	YF	87K	81	08/08/91	1.026	0.00	738.00	0.00	0.00
11616	JE	87Z	81	08/08/91	0.863	0.00	1690.00	0.00 >	0.56
11616	PT	9AP	81	09/06/91	0.453	0.00	1550.00	0.00	0.00
11616	SF	88T	81	08/08/91	0.999	0.00	1790.00	0.00	0.00
11616	VE	83Q	81	08/09/91	1.165	0.00	1880.00	0.00	0.00
11616	YF	87K	81	08/08/91	1.026	614.00	1110.00	1.81	16.09
11617	JE	880	81	08/08/91	0.882	0.00	17.80	0.00	1.05
11617	PT	9AQ	81	09/06/91	0.582	0.00	69.10	0.00	0.00
11617	SF	88U	81	08/08/91	1.021	0.00	9.06	0.00	0.16
11617	VE	83R	81	08/09/91	1.209	0.00	21.40	0.00	0.00
11617	YF	87L	81	08/08/91	1.056	0.00	14.70	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11618	JE	880	81	08/08/91	0.882	0.00	738.00	0.00 >	0.25
11618	PT	9AQ	81	09/06/91	0.582	0.00	571.00	0.00	0.00
11618	SF	88U	81	08/08/91	1.021	0.00	820.00	0.00 >	0.25
11618	VE	83R	81	08/09/91	1.209	1000.0	377.00	0.38	0.68
11618	YF	87L	81	08/08/91	1.056	0.00	533.00	0.00	0.00
11619	JE	881	81	08/08/91	0.874	0.00	12.60	0.00	0.24
11619	PT	9AR	81	09/06/91	0.592	0.00	58.20	0.00	0.00
11619	SF	88V	81	08/08/91	1.047	0.00	9.27	0.00	0.22
11619	VE	83S	81	08/09/91	1.193	0.00	16.90	0.00	0.00
11619	YF	87N	81	08/08/91	1.059	0.00	12.90	0.00	0.00
11620	JE	881	81	08/08/91	0.874	0.00	205.00	0.00	6.69
11620	PT	9AR	81	09/06/91	0.592	0.00	169.00	0.00	0.00
11620	SF	88V	81	08/08/91	1.047	0.00	137.00	0.00 >	7.86
11620	VE	83S	81	08/09/91	1.193	0.00	229.00	0.00 >	0.58
11620	YF	87N	81	08/08/91	1.059	0.00	155.00	0.00	2.14
11621	JE	882	81	08/08/91	0.886	230.00	514.00	2.24	7.65
11621	PT	9AS	81	09/06/91	0.575	0.00	372.00	0.00	0.00
11621	SF	88W	81	08/08/91	1.109	0.00	100.00	0.00	0.00
11621	VE	83T	81	08/09/91	1.204	0.00	524.00	0.00	0.00
11621	YF	87N	81	08/08/91	0.954	217.00	94.80	0.44	4.07
11622	JE	882	81	08/08/91	0.886	4.91	12.00	2.45 >	15.15
11622	PT	9AS	81	09/06/91	0.575	0.00	10.00	0.00 >	1.09
11622	SF	88W	81	08/08/91	1.109	0.00	6.06	0.00 >	3.61
11622	VE	83T	81	08/09/91	1.204	0.00	16.50	0.00	0.00
11622	YF	87N	81	08/08/91	0.954	2.12	12.50	5.89 >	23.22
11623	JE	883	81	08/08/91	0.647	0.00	782.00	0.00	0.00
11623	PT	9AT	81	09/06/91	0.507	0.00	619.00	0.00	0.00
11623	SF	88X	81	08/08/91	1.086	0.00	234.00	0.00	0.00
11623	VE	83U	81	08/09/91	1.086	2330.0	1470.00	0.63 >	2.79
11623	YF	870	81	08/08/91	1.038	0.00	374.00	0.00	0.00
11624	JE	883	81	08/08/91	0.647	0.00	1190.00	0.00	0.00
11624	PT	9AT	81	09/06/91	0.507	0.00	846.00	0.00	0.00
11624	SF	88X	81	08/08/91	1.086	0.00	411.00	0.00	0.00
11624	VE	83U	81	08/09/91	1.086	0.00	1060.00	0.00	0.57
11624	YF	870	81	08/08/91	1.038	0.00	587.00	0.00	0.00
11625	JE	884	81	08/08/91	0.824	0.00	480.00	0.00	2.09
11625	PT	9AU	81	09/06/91	0.550	0.00	228.00	0.00	4.18
11625	SF	88Y	81	08/08/91	1.105	71.40	155.00	2.17 >	16.60
11625	VE	83V	81	08/09/91	1.243	0.00	608.00	0.00	0.79
11625	YF	87P	81	08/08/91	1.066	0.00	427.00	0.00	1.46
11626	JE	884	81	08/08/91	0.824	0.00	386.00	0.00	0.00
11626	PT	9AU	81	09/06/91	0.550	0.00	215.00	0.00	0.00
11626	SF	88Y	81	08/08/91	1.105	0.00	386.00	0.00 >	1.17
11626	VE	83V	81	08/09/91	1.243	0.00	229.00	0.00	0.00
11626	YF	87P	81	08/08/91	1.066	0.00	428.00	0.00	0.00
11627	JE	885	81	08/08/91	0.868	0.00	121.00	0.00	0.00
11627	PT	9AV	81	09/06/91	0.544	0.00	45.00	0.00	0.00
11627	SF	88Z	81	08/08/91	0.865	0.00	156.00	0.00 >	0.45
11627	VE	83W	81	08/09/91	1.247	0.00	63.40	0.00	0.00
11627	YF	870	81	08/08/91	1.028	0.00	58.80	0.00	0.00
11628	JE	885	81	08/08/91	0.868	0.00	125.00	0.00	0.00
11628	PT	9AV	81	09/06/91	0.544	0.00	147.00	0.00	0.00
11628	SF	88Z	81	08/08/91	0.865	0.00	77.30	0.00 >	1.03
11628	VE	83W	81	08/09/91	1.247	0.00	100.00	0.00	0.00
11628	YF	870	81	08/08/91	1.028	0.00	113.00	0.00 >	1.10
11629	JE	886	81	08/08/91	0.916	0.00	28.30	0.00	0.00
11629	PT	9AW	81	09/06/91	0.422	0.00	32.00	0.00	0.00
11629	SF	890	81	08/08/91	0.863	0.00	8.30	0.00 >	1.68
11629	VE	83X	81	08/09/91	1.229	0.00	12.60	0.00	0.00
11629	YF	87R	81	08/08/91	1.043	0.00	18.60	0.00	0.01
11630	JE	886	81	08/08/91	0.916	0.00	660.00	0.00	0.00
11630	PT	9AW	81	09/06/91	0.422	0.00	1140.00	0.00	0.00
11630	SF	890	81	08/08/91	0.863	0.00	660.00	0.00	0.00
11630	VE	83X	81	08/09/91	1.229	3130.0	547.00	0.17	0.13
11630	YF	87R	81	08/08/91	1.043	0.00	830.00	0.00	0.00
11631	JE	887	81	08/08/91	0.810	0.00	480.00	0.00 >	0.80
11631	PT	9AX	81	09/06/91	0.511	0.00	463.00	0.00	0.00
11631	SF	891	81	08/08/91	0.833	0.00	490.00	0.00 >	6.37
11631	VE	83Y	81	08/09/91	1.243	0.00	478.00	0.00	0.00
11631	YF	87S	81	08/08/91	1.023	0.00	393.00	0.00	0.00
11632	JE	887	81	08/08/91	0.810	0.00	1210.00	0.00	0.00
11632	PT	9AX	81	09/06/91	0.511	0.00	678.00	0.00	0.00
11632	SF	891	81	08/08/91	0.833	0.00	857.00	0.00	0.00
11632	VE	83Y	81	08/09/91	1.243	0.00	433.00	0.00	0.00
11632	YF	87S	81	08/08/91	1.023	0.00	698.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11633	JE	8AC	81	08/13/91	0.853	0.00	582.00	0.00 >	0.03
11633	PT	886	81	08/13/91	0.459	0.00	627.00	0.00	0.00
11633	SF	88L	81	08/13/91	0.936	0.00	589.00	0.00	0.00
11633	VE	8AR	81	08/16/91	1.005	0.00	1440.00	0.00	0.00
11633	YF	89X	81	08/13/91	1.162	0.00	372.00	0.00	0.00
11634	JE	8AD	81	08/13/91	0.942	0.00	1160.00	0.00	0.00
11634	PT	887	81	08/13/91	0.459	0.00	1350.00	0.00	0.00
11634	SF	88N	81	08/13/91	0.998	0.00	887.00	0.00	0.00
11634	VE	8AS	31	08/16/91	1.127	0.00	1090.00	0.00 >	0.75
11634	YF	89Y	81	08/13/91	1.175	0.00	1000.00	0.00	0.00
11635	JE	8AD	81	08/13/91	0.942	0.00	100.00	0.00	0.00
11635	PT	887	81	08/13/91	0.459	0.00	579.00	0.00	0.00
11635	SF	88N	81	08/13/91	0.998	213.00	464.00	2.18 >	17.33
11635	VE	8AS	81	08/16/91	1.127	693.00	819.00	1.18 >	5.24
11635	YF	89Y	81	08/13/91	1.175	0.00	377.00	0.00	0.00
11636	JE	8AE	81	08/13/91	1.008	0.00	265.00	0.00	0.00
11636	PT	888	81	08/13/91	0.556	0.00	346.00	0.00 >	0.23
11636	SF	88N	81	08/13/91	1.071	0.00	296.00	0.00	0.00
11636	VE	8AT	81	08/16/91	1.239	0.00	411.00	0.00	0.00
11636	YF	89Z	81	08/13/91	1.115	0.00	373.00	0.00	0.00
11637	JE	8AE	81	08/13/91	1.008	0.00	27.10	0.00	0.03
11637	PT	888	81	08/13/91	0.556	0.00	32.00	0.00	0.00
11637	SF	88N	81	08/13/91	1.071	21.50	28.60	1.33 >	10.85
11637	VE	8AT	81	08/16/91	1.239	0.00	34.90	0.00	0.00
11637	YF	89Z	81	08/13/91	1.115	0.00	20.30	0.00	0.34
11638	JE	8AF	81	08/13/91	0.965	0.00	6270.00	0.00	0.00
11638	PT	889	81	08/13/91	0.488	0.00	5140.00	0.00	1.58
11638	SF	880	81	08/13/91	0.989	846.00	5220.00	6.17 >	29.44
11638	VE	8AU	81	08/16/91	1.216	0.00	4690.00	0.00 >	0.18
11638	YF	8A0	81	08/13/91	1.176	0.00	4510.00	0.00	0.00
11639	JE	8AF	81	08/13/91	0.965	2.60	10.00	3.84	12.69
11639	PT	889	81	08/13/91	0.488	0.00	4.14	0.00	0.00
11639	SF	880	81	08/13/91	0.989	0.00	1.67	0.00 >	4.57
11639	VE	8AU	81	08/16/91	1.216	0.00	17.80	0.00	0.31
11639	YF	8A0	81	08/13/91	1.176	0.00	4.33	0.00 >	8.25
11640	JE	8AG	81	08/13/91	0.958	0.00	709.00	0.00	0.00
11640	PT	88A	81	08/13/91	0.486	0.00	1000.00	0.00	0.00
11640	SF	88P	81	08/13/91	0.827	0.00	1040.00	0.00	0.00
11640	VE	8AV	81	08/16/91	1.090	0.00	788.00	0.00 >	0.22
11640	YF	8A1	81	08/13/91	1.273	0.00	24.70	0.00	0.00
11641	JE	8AG	81	08/13/91	0.958	0.00	257.00	0.00	0.00
11641	PT	88A	81	08/13/91	0.486	0.00 >	3200.00	0.00	0.00
11641	SF	88P	81	08/13/91	0.827	0.00	478.00	0.00	0.00
11641	VE	8AV	81	08/16/91	1.090	0.00	652.00	0.00	0.00
11641	YF	8A1	81	08/13/91	1.273	0.00	51.80	0.00	0.00
11642	JE	8AH	81	08/13/91	0.957	0.00	519.00	0.00	0.00
11642	PT	888	81	08/13/91	0.431	0.00	583.00	0.00	0.00
11642	SF	88Q	81	08/13/91	1.058	0.00	421.00	0.00	0.00
11642	VE	8AW	81	08/16/91	1.258	0.00	553.00	0.00	0.00
11642	YF	8A2	81	08/13/91	1.129	0.00	425.00	0.00	0.00
11643	JE	8AH	81	08/13/91	0.957	0.00	28.90	0.00	0.00
11643	PT	888	81	08/13/91	0.431	0.00	46.60	0.00	0.00
11643	SF	88Q	81	08/13/91	1.058	0.00	27.70	0.00	0.00
11643	VE	8AW	81	08/16/91	1.258	0.00	66.00	0.00	0.00
11643	YF	8A2	81	08/13/91	1.129	0.00	22.40	0.00	0.00
11644	JE	8AI	81	08/13/91	0.835	0.00	499.00	0.00	0.00
11644	PT	88C	81	08/13/91	0.486	0.00	365.00	0.00	0.00
11644	SF	88R	81	08/13/91	0.886	0.00	236.00	0.00	0.00
11644	VE	8AX	31	08/16/91	1.034	0.00	547.00	0.00 >	0.10
11644	YF	8A3	81	08/13/91	1.070	0.00	173.00	0.00	0.00
11645	JE	8AI	81	08/13/91	0.835	0.00	660.00	0.00	0.00
11645	PT	88C	81	08/13/91	0.486	0.00	277.00	0.00 >	0.30
11645	SF	88R	81	08/13/91	0.886	0.00	490.00	0.00	3.71
11645	VE	8AX	81	08/16/91	1.034	0.00	735.00	0.00	0.33
11645	YF	8A3	81	08/13/91	1.070	0.00	417.00	0.00	0.00
11646	JE	8AJ	81	08/13/91	1.022	0.00	320.00	0.00	0.00
11646	PT	88D	81	08/13/91	0.344	0.00	385.00	0.00	0.00
11646	SF	88S	81	08/13/91	1.049	0.00	177.00	0.00	0.00
11646	VE	8AY	81	08/16/91	1.204	0.00	1040.00	0.00	0.13
11646	YF	8A4	81	08/13/91	1.185	0.00	405.00	0.00	0.00
11647	JE	8AJ	81	08/13/91	1.022	0.00	728.00	0.00	0.00
11647	PT	88D	81	08/13/91	0.344	0.00	794.00	0.00	0.00
11647	SF	88S	81	08/13/91	1.049	0.00	463.00	0.00	0.00
11647	VE	8AY	81	08/16/91	1.204	0.00	1210.00	0.00	0.00
11647	YF	8A4	81	08/13/91	1.185	0.00	273.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11648	JE	8AK	81	08/13/91	0.713	0.00	922.00	0.00	0.00
11648	PT	8BE	81	08/13/91	0.350	0.00	652.00	0.00	0.00
11648	SF	8BT	81	08/13/91	1.045	0.00	253.00	0.00	0.00
11648	VE	8AZ	81	08/16/91	1.084	0.00	835.00	0.00	0.00
11648	YF	8A5	81	08/13/91	1.159	0.00	479.00	0.00	0.46
11649	JE	8AK	81	08/13/91	0.713	0.00	599.00	0.00	0.00
11649	PT	8BE	81	08/13/91	0.350	0.00	578.00	0.00	0.00
11649	SF	8BT	81	08/13/91	1.045	0.00	412.00	0.00	0.00
11649	VE	8AZ	81	08/16/91	1.084	0.00	464.00	0.00	0.00
11649	YF	8A5	81	08/13/91	1.159	0.00	346.00	0.00	0.00
11650	JE	8AL	81	08/13/91	0.858	0.00	1300.00	0.00 >	0.02
11650	PT	8BF	81	08/13/91	0.423	0.00	1330.00	0.00	0.00
11650	SF	8BU	81	08/13/91	0.993	300.00	362.00	1.21	4.54
11650	VE	8B0	81	08/16/91	1.112	894.00	1240.00	1.38	5.75
11650	YF	8A6	81	08/13/91	1.141	0.00	480.00	0.00	0.00
11651	JE	8AL	81	08/13/91	0.858	0.00	1370.00	0.00	0.00
11651	PT	8BF	81	08/13/91	0.423	0.00	1190.00	0.00	0.00
11651	SF	8BU	81	08/13/91	0.993	0.00	547.00	0.00	0.00
11651	VE	8B0	81	08/16/91	1.112	0.00	1190.00	0.00	0.00
11451	YF	8A6	81	08/13/91	1.141	0.00	1040.00	0.00	0.00
11652	JE	8AM	81	08/13/91	0.917	0.00	412.00	0.00	0.00
11652	PT	8BG	81	08/13/91	0.467	0.00	329.00	0.00	0.00
11652	SF	8BV	81	08/13/91	1.002	0.00	291.00	0.00	0.00
11652	VE	8B1	81	08/16/91	1.139	0.00	358.00	0.00	0.00
11652	YF	8A7	81	08/13/91	1.122	0.00	223.00	0.00	0.00
11653	JE	8AM	81	08/13/91	0.917	0.00	8.62	0.00	0.00
11653	PT	8BG	81	08/13/91	0.467	0.00	898.00	0.00	0.00
11653	SF	8BV	81	08/13/91	1.002	0.00	809.00	0.00	0.00
11653	VE	8B1	81	08/16/91	1.139	0.00	629.00	0.00	0.00
11653	YF	8A7	81	08/13/91	1.122	0.00	265.00	0.00	0.00
11654	JE	8AM	81	08/13/91	0.759	0.00	187.00	0.00	0.00
11654	PT	8BH	81	08/13/91	0.459	0.00	139.00	0.00	0.00
11654	SF	8BW	81	08/13/91	0.941	0.00	145.00	0.00	0.13
11654	VE	8B2	81	08/16/91	1.160	0.00	135.00	0.00	0.00
11654	YF	8A8	81	08/13/91	1.096	0.00	119.00	0.00	0.00
11655	JE	8AM	81	08/13/91	0.759	0.00	647.00	0.00	0.00
11655	PT	8BH	81	08/13/91	0.459	0.00	142.00	0.00	0.00
11655	SF	8BW	81	08/13/91	0.941	0.00	212.00	0.00	0.21
11655	VE	8B2	81	08/16/91	1.160	0.00	446.00	0.00	0.00
11655	YF	8A8	81	08/13/91	1.096	0.00	438.00	0.00	0.00
11656	JE	8AO	81	08/13/91	0.721	0.00	1000.00	0.00	0.00
11656	PT	8BI	81	08/13/91	0.455	0.00	229.00	0.00	0.00
11656	SF	8BX	81	08/13/91	0.915	0.00	272.00	0.00	0.25
11656	VE	8B3	81	08/16/91	1.119	969.00	626.00	0.65	1.92
11656	YF	8A9	81	08/13/91	1.099	0.00	177.00	0.00	0.00
11657	JE	8AO	81	08/13/91	0.721	0.00	1000.00	0.00	0.00
11657	PT	8BI	81	08/13/91	0.455	0.00	719.00	0.00	0.00
1657	SF	8BX	81	08/13/91	0.915	0.00	433.00	0.00	0.00
11657	VE	8B3	81	08/16/91	1.119	0.00	629.00	0.00	0.00
1657	YF	8A9	81	08/13/91	1.099	0.00	303.00	0.00	0.00
11658	JE	8NI	81	08/14/91	0.793	0.00	670.00	0.00 >	0.41
11658	PT	9ZS	81	09/26/91	0.599	0.00	1000.00	0.00 >	0.71
11658	SF	8G9	81	08/14/91	0.932	0.00	187.00	0.00	0.00
11658	VE	8GO	81	08/16/91	1.215	739.00	788.00	1.07	5.06
11658	YF	8H3	81	08/14/91	0.989	0.00	601.00	0.00	0.00
11659	JE	8HJ	81	08/14/91	0.850	0.00	535.00	0.00 >	0.06
11659	PT	9ZT	81	09/26/91	0.670	0.00	1150.00	0.00	0.00
11659	SF	8GA	81	08/14/91	0.897	0.00	382.00	0.00	0.00
11659	VE	8GP	81	08/16/91	1.128	0.00	667.00	0.00	1.91
11659	YF	8H4	81	08/14/91	0.923	0.00	582.00	0.00	0.11
11660	JE	8HJ	81	08/14/91	0.850	0.00	136.00	0.00	0.00
11660	PT	9ZT	31	09/26/91	0.670	0.00	226.00	0.00	0.00
11660	SF	8GA	81	08/14/91	0.897	0.00	45.60	0.00	0.00
11660	VE	8GP	81	08/16/91	1.128	0.00	204.00	0.00	0.54
11660	YF	8H4	81	08/14/91	0.923	0.00	147.00	0.00	0.00
11661	JE	8HK	81	08/14/91	0.907	0.00	487.00	0.00	0.00
11661	PT	9ZU	81	09/26/91	0.553	0.00	1030.00	0.00	0.00
11661	SF	8GB	81	08/14/91	0.875	0.00	100.00	0.00	0.00
11661	VE	8GQ	81	08/16/91	1.198	0.00	526.00	0.00	0.00
11661	YF	8H5	81	08/14/91	0.930	0.00	474.00	0.00	0.00
11662	JE	8HK	81	08/14/91	0.907	0.00	460.00	0.00	0.00
11662	PT	9ZU	81	09/26/91	0.553	0.00	1600.00	0.00	0.00
11662	SF	8GB	81	08/14/91	0.875	0.00	163.00	0.00	0.00
11662	VE	8GQ	81	08/16/91	1.198	0.00	320.00	0.00	0.00
11662	YF	8H5	81	08/14/91	0.930	0.00	417.00	0.00	0.00

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11663	JE	8HL	81	08/14/91	0.949	0.00	159.00	0.00	0.00
11663	PT	9ZV	81	09/26/91	0.657	0.00	205.00	0.00	0.00
11663	SF	8GC	81	08/14/91	0.876	0.00	39.30	0.00	0.00
11663	VE	8GR	81	08/16/91	0.974	0.00	198.00	0.00	0.00
11663	YF	8H6	81	08/14/91	0.930	0.00	160.00	0.00	0.00
11664	JE	8HL	81	08/14/91	0.949	0.00	1060.00	0.00 >	0.01
11664	PT	9ZV	81	09/26/91	0.657	0.00	1440.00	0.00	0.00
11664	SF	8GC	81	08/14/91	0.876	0.00	210.00	0.00	0.00
11664	VE	8GR	81	08/16/91	0.974	0.00	887.00	0.00	0.37
11664	YF	8H6	81	08/14/91	0.930	0.00	943.00	0.00	0.00
11665	JE	8HM	81	08/14/91	0.896	0.00	363.00	0.00	0.00
11665	PT	9ZW	81	09/26/91	0.677	0.00	463.00	0.00	0.00
11665	SF	8GD	81	08/14/91	0.873	0.00	222.00	0.00	0.00
11665	VE	8GS	81	08/16/91	1.164	0.00	469.00	0.00	1.14
11665	YF	8H7	81	08/14/91	0.878	203.00	446.00	2.19	9.88
11666	JE	8HM	81	08/14/91	0.896	0.00	372.00	0.00	0.00
11666	PT	9ZW	81	09/26/91	0.677	0.00	462.00	0.00	0.00
11666	SF	8GD	81	08/14/91	0.873	0.00	164.00	0.00	0.00
11666	VE	8GS	81	08/16/91	1.164	0.00	232.00	0.00	0.45
11666	YF	8H7	81	08/14/91	0.878	0.00	379.00	0.00	0.00
11667	JE	8HN	81	08/14/91	0.940	0.00	400.00	0.00	0.00
11667	PT	9ZX	81	09/26/91	0.574	0.00	490.00	0.00	0.00
11667	SF	8GE	81	08/14/91	0.820	0.00	90.60	0.00	0.00
11667	VE	8GT	81	08/16/91	1.095	0.00	492.00	0.00	0.00
11667	YF	8H8	81	08/14/91	0.869	0.00	363.00	0.00	0.00
11668	JE	8HN	81	08/14/91	0.940	0.00	378.00	0.00	0.00
11668	PT	9ZX	81	09/26/91	0.574	0.00	574.00	0.00	0.00
11668	SF	8GE	81	08/14/91	0.820	0.00	138.00	0.00	0.00
11668	VE	8GT	81	08/16/91	1.095	0.00	320.00	0.00	0.00
11668	YF	8H8	81	08/14/91	0.869	0.00	435.00	0.00	0.00
11669	JE	7IN	RS-2	07/23/91	0.737	0.00 >	1.00	0.00	0.73
11669	JE	AEQ	RS-1	10/09/91	0.632	0.00 <	32.00	0.00	0.00
11669	PT	7JH	RS-2	07/23/91	0.557	0.00 >	1.00	0.00	0.00
11669	PT	AFN	RS-1	10/10/91	0.579	0.00 <	32.00	0.00	0.00
11669	SF	7JW	RS-2	07/23/91	1.009	0.00 >	1.00	0.00 >	0.10
11669	SF	AG2	RS-1	10/10/91	0.599	0.00 <	32.00	0.00	0.00
11669	VE	7J2	RS-2	07/26/91	1.093	0.00 >	1.00	0.00	0.00
11669	VE	AF6	RS-1	10/11/91	0.910	0.00 <	32.00	0.00	0.11
11669	YF	718	RS-2	07/23/91	0.916	0.00 >	1.00	0.00 >	0.22
11669	YF	AEA	RS-1	10/08/91	0.924	0.00 <	32.00	0.00 >	0.24
11670	JE	76Z	81	07/16/91	0.915	0.00	41.70	0.00 >	2.08
11670	PT	77T	81	07/16/91	0.534	0.00	40.00	0.00	0.00
11670	SF	788	81	07/16/91	1.116	0.00	22.30	0.00 >	0.01
11670	VE	77E	81	07/19/91	1.108	0.00	38.50	0.00	0.06
11670	YF	76K	81	07/16/91	1.218	0.00	22.40	0.00	0.00
11671	JE	770	81	07/16/91	0.826	0.00	15.80	0.00	0.54
11671	PT	77U	81	07/16/91	0.731	0.00	16.10	0.00 >	1.43
11671	SF	789	81	07/16/91	1.163	0.00	11.20	0.00	0.00
11671	VE	77F	81	07/19/91	1.144	0.00	17.20	0.00	0.00
11671	YF	76L	81	07/16/91	1.280	0.00	12.70	0.00 >	0.25
11672	JE	770	81	07/16/91	0.826	0.00	12.40	0.00 >	2.14
11672	PT	77U	81	07/16/91	0.731	0.00	14.80	0.00	0.30
11672	SF	789	81	07/16/91	1.163	0.00	12.40	0.00 >	0.01
11672	VE	77F	81	07/19/91	1.144	0.00	13.80	0.00	0.00
11672	YF	76L	81	07/16/91	1.280	0.00	12.00	0.00 >	0.49
11673	JE	771	81	07/16/91	0.981	0.00	15.50	0.00 >	5.61
11673	PT	77V	81	07/16/91	0.698	0.00	14.30	0.00	0.00
11673	SF	78A	81	07/16/91	1.146	0.00	11.90	0.00	0.00
11673	VE	77G	81	07/19/91	1.223	0.00	14.10	0.00	0.00
11673	YF	76M	81	07/16/91	1.214	0.00	12.10	0.00	0.00
11674	JE	771	81	07/16/91	0.981	0.00	182.00	0.00 >	0.62
11674	JE	AEY	81	10/09/91	0.785	0.00	16.40	0.00	0.00
11674	PT	77V	81	07/16/91	0.698	0.00	179.00	0.00	0.00
11674	PT	AFU	81	10/10/91	0.492	0.00	10.00	0.00	0.00
11674	PT	C3C	82	11/20/91	0.609	0.00	20.30	0.00	0.00
11674	SF	78A	81	07/16/91	1.146	0.00	77.30	0.00	0.00
11674	SF	AGA	81	10/10/91	0.384	0.00	6.98	0.00	0.00
11674	SF	C3S	81	11/20/91	0.812	0.00 >	1000.00	0.00	0.00
11674	VE	77G	81	07/19/91	1.223	0.00	100.00	0.00	0.00
11674	VE	AFE	81	10/11/91	0.931	0.00	15.50	0.00	0.00
11674	VE	C09	81	11/22/91	0.979	0.00	23.30	0.00	0.00
11674	YF	76M	81	07/16/91	1.214	0.00	59.20	0.00	0.00
11674	YF	AEI	81	10/08/91	1.076	0.00	25.50	0.00	0.00
11674	YF	BZE	81	11/20/91	0.911	0.00	29.40	0.00	0.00
11675	JE	772	81	07/16/91	1.051	0.00	37.80	0.00 >	0.20

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11675	PT	77W	81	07/16/91	0.694	0.00	30.40	0.00 >	2.31
11675	SF	788	81	07/16/91	1.204	0.00	14.40	0.00	0.00
11675	VE	77N	81	07/19/91	1.261	0.00	37.00	0.00	0.00
11675	YF	76N	81	07/16/91	1.319	0.00	17.80	0.00	0.00
11676	JE	772	81	07/16/91	1.051	0.00	3.93	0.00	0.00
11676	JE	AEZ	81	10/09/91	0.620	0.00	4.90	0.00	0.00
11676	JE	BZV	81	11/20/91	1.147	0.00	0.50	0.00	0.00
11676	PT	77W	81	07/16/91	0.694	0.00	2.42	0.00 >	0.04
11676	PT	AFV	81	10/10/91	0.562	0.00	4.46	0.00	0.00
11676	PT	C3D	81	11/20/91	0.699	0.00	0.40	0.00	0.00
11676	SF	788	81	07/16/91	1.204	0.00	1.90	0.00	0.00
11676	SF	AGB	81	10/10/91	0.506	0.00	3.63	0.00	0.00
11676	SF	C3T	81	11/20/91	0.870	0.00	0.41	0.00	0.00
11676	VE	77N	81	07/19/91	1.261	0.00	3.63	0.00	0.00
11676	VE	AFF	81	10/11/91	0.989	0.00	4.46	0.00	0.00
11676	VE	C0A	81	11/22/91	1.002	0.00	0.51	0.00	0.00
11676	YF	76N	81	07/16/91	1.319	0.00	2.59	0.00	0.00
11676	YF	AEJ	81	10/08/91	1.028	0.00	3.38	0.00 >	0.02
11676	YF	BZF	81	11/20/91	0.860	0.00	0.75	0.00	0.00
11677	JE	773	81	07/16/91	0.960	0.00 >	320.00	0.00 >	8.11
11677	JE	AEZ	81	10/09/91	0.620	0.00 >	1000.00	0.00	1.40
11677	PT	77X	81	07/16/91	0.683	0.00 >	320.00	0.00	0.20
11677	PT	AFV	81	10/10/91	0.562	0.00	841.00	0.00	0.00
11677	SF	78C	81	07/16/91	1.103	0.00 >	320.00	0.00	0.00
11677	SF	AGB	81	10/10/91	0.506	0.00 >	1000.00	0.00 >	5.00
11677	VE	771	81	07/19/91	1.211	0.00 >	320.00	0.00	0.00
11677	VE	AFF	81	10/11/91	0.989	0.00 >	1000.00	0.00 >	4.79
11677	YF	760	81	07/16/91	1.089	0.00 >	320.00	0.00	0.00
11677	YF	AEJ	81	10/08/91	1.028	0.00	1000.00	0.00 >	7.62
11678	JE	773	81	07/16/91	0.960	0.00 >	320.00	0.00 >	5.50
11678	JE	AFO	81	10/09/91	0.691	0.00	594.00	0.00	0.00
11678	JE	BZW	81	11/20/91	1.167	0.00	26.80	0.00	0.00
11678	PT	77X	81	07/16/91	0.683	0.00 >	320.00	0.00	0.00
11678	PT	AFW	81	10/10/91	0.553	0.00	606.00	0.00	0.00
11678	PT	C3E	81	11/20/91	0.690	0.00	513.00	0.00	0.00
11678	SF	78C	81	07/16/91	1.103	0.00 >	320.00	0.00 >	2.22
11678	SF	AGC	81	10/10/91	0.460	320.00	628.00	1.96	18.36
11678	SF	C3U	81	11/20/91	0.808	254.00	578.00	2.28	15.57
11678	VE	771	81	07/19/91	1.211	0.00 >	320.00	0.00 >	12.40
11678	VE	AFG	81	10/11/91	1.064	0.00 >	1000.00	0.00 >	13.80
11678	VE	C0B	81	11/22/91	0.997	0.00	641.00	0.00	4.97
11678	YF	760	81	07/16/91	1.089	0.00 >	320.00	0.00 >	1.08
11678	YF	AEK	81	10/08/91	0.914	205.00	635.00	3.09	13.43
11678	YF	BZG	85	11/20/91	0.869	0.00	518.00	0.00	1.28
11679	JE	72H	81	07/10/91	1.000	1.81	0.78	0.43	17.47
11679	JE	AFO	81	10/09/91	0.691	0.40	15.50	38.91 >	56.90
11679	JE	BZW	81	11/20/91	1.167	3.77	5.60	1.49	8.24
11679	PT	832	81	08/06/91	0.544	0.00	5.60	0.00	0.00
11679	PT	AFW	81	10/10/91	0.553	0.00	14.50	0.00	0.00
11679	PT	C3E	81	11/20/91	0.690	0.00	2.47	0.00	0.00
11679	SF	74K	81	07/10/91	0.971	1.07	10.00	9.32 >	22.83
11679	SF	AGC	81	10/10/91	0.460 <	0.10	12.60 >	125.88 >	45.59
11679	SF	C3U	81	11/20/91	0.808 <	0.32	4.95 >	15.48 >	39.08
11679	VE	718	80	07/12/91	1.005	0.00	6.08	0.00 >	0.31
11679	VE	AFG	81	10/11/91	1.064	0.00	12.20	0.00	0.00
11679	VE	C0B	81	11/22/91	0.997	0.00	5.07	0.00	0.00
11679	YF	73Q	81	07/10/91	0.772	6.31	12.60	2.00 >	14.84
11679	YF	AEK	81	10/08/91	0.914	0.00	11.10	0.00	4.14
11679	YF	BZG	85	11/20/91	0.869	0.00	14.10	0.00	6.00
11680	JE	721	81	07/10/91	0.895	0.00 >	320.00	0.00 >	4.13
11680	JE	AF1	81	10/09/91	0.819	0.00	1480.00	0.00	0.00
11680	JE	BZX	81	11/20/91	1.054	0.00	563.00	0.00	0.00
11680	PT	833	81	08/06/91	0.657	0.00 >	320.00	0.00	0.00
11680	PT	AFX	81	10/10/91	0.495	0.00	1390.00	0.00	0.00
11680	PT	C3F	81	11/20/91	0.631	0.00	1160.00	0.00	0.00
11680	SF	74L	81	07/10/91	0.981	173.00 >	320.00 >	1.85 >	12.36
11680	SF	AGD	81	10/10/91	0.572	0.00	1470.00	0.00	2.00
11680	SF	C3V	81	11/20/91	0.742	1000.0	864.00	0.86	8.34
11680	VE	719	80	07/12/91	0.952	0.00 >	320.00	0.00 >	0.60
11680	VE	AFH	81	10/11/91	1.108	0.00	1940.00	0.00	0.00
11680	VE	C0C	81	11/22/91	1.026	0.00	674.00	0.00	0.00
11680	YF	73R	81	07/10/91	0.951	0.00 >	320.00	0.00 >	2.90
11680	YF	AEL	81	10/08/91	0.801	0.00	1790.00	0.00	0.00
11680	YF	BZH	81	11/20/91	0.910	0.00	1370.00	0.00	0.00
11681	JE	721	81	07/10/91	0.895	0.00 >	320.00	0.00 >	0.53

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50		TC 25		SI		TAI
11681	JE	AF1	81	10/09/91	0.819	0.00		2520.00		0.00		1.10
11681	PT	833	81	08/06/91	0.657	0.00	>	320.00		0.00		0.00
11681	PT	AFX	81	10/10/91	0.495	0.00		1880.00		0.00		0.00
11681	SF	74L	81	07/10/91	0.981	0.00	>	320.00		0.00	>	0.30
11681	SF	AGD	81	10/10/91	0.572	172.00		2060.00		11.98	>	36.17
11681	VE	719	80	07/12/91	0.952	0.00	>	320.00		0.00	>	1.60
11681	VE	AFN	81	10/11/91	1.108	0.00		3940.00		0.00		4.62
11681	YF	73R	81	07/10/91	0.951	0.00	>	320.00		0.00		0.40
11681	YF	AEL	81	10/08/91	0.801	0.00		4670.00		0.00		3.79
11682	JE	72J	81	07/10/91	0.879	0.00	>	320.00		0.00		0.45
11682	JE	AF2	81	10/09/91	0.837	0.00		2490.00		0.00		0.00
11682	JE	BZY	81	11/20/91	1.026	0.00		964.00		0.00		0.00
11682	PT	834	81	08/06/91	0.674	0.00	>	320.00		0.00		0.00
11682	PT	AFY	81	10/10/91	0.481	0.00		4290.00		0.00		0.00
11682	PT	C3G	81	11/20/91	0.581	0.00		586.00		0.00		0.00
11682	SF	74M	81	07/10/91	0.943	0.00	>	320.00		0.00		0.00
11682	SF	AGE	81	10/10/91	0.552	0.00		3290.00		0.00		10.56
11682	SF	C3W	84	11/20/91	0.753	0.00		1080.00		0.00		1.80
11682	VE	71A	80	07/12/91	1.017	0.00	>	320.00		0.00		0.00
11682	VE	AFI	81	10/11/91	0.978	0.00		4690.00		0.00		2.84
11682	VE	C0D	85	11/22/91	1.049	0.00		1180.00		0.00		0.11
11682	YF	73S	81	07/10/91	0.879	0.00	>	320.00		0.00	>	2.31
11682	YF	AEN	81	10/08/91	0.866	0.00		4740.00		0.00		2.91
11682	YF	BZI	81	11/20/91	0.923	0.00		1260.00		0.00		0.00
11683	JE	9YP	82	09/25/91	0.817	0.00		310.00		0.00	>	1.00
11683	PT	9Z4	82	09/25/91	0.615	0.00		205.00		0.00		0.00
11683	SF	9ZN	82	09/25/91	0.664	0.00		272.00		0.00	>	0.30
11683	VE	9XV	82	09/27/91	0.895	0.00	>	320.00		0.00		0.00
11683	YF	9YA	82	09/25/91	1.080	0.00		320.00		0.00		0.00
11684	JE	9YP	82	09/25/91	0.817	0.00		286.00		0.00	>	0.05
11684	PT	9Z4	82	09/25/91	0.615	0.00	>	320.00		0.00		0.43
11684	SF	9ZN	82	09/25/91	0.664	0.00	>	320.00		0.00	>	2.94
11684	VE	9XV	82	09/27/91	0.895	0.00	>	320.00		0.00	>	0.70
11684	YF	9YA	82	09/25/91	1.080	0.00		273.00		0.00		0.00
11685	JE	9YQ	82	09/25/91	0.920	0.00		92.80		0.00	>	0.05
11685	PT	9Z5	82	09/25/91	0.645	0.00		74.00		0.00		0.00
11685	SF	9ZN	82	09/25/91	0.687	0.00		81.50		0.00		1.35
11685	VE	9XW	82	09/27/91	1.113	0.00		148.00		0.00		0.00
11685	YF	9YB	82	09/25/91	1.050	0.00		84.50		0.00		0.00
11686	JE	9YQ	82	09/25/91	0.920	0.00	>	320.00		0.00		0.29
11686	PT	9Z5	82	09/25/91	0.645	0.00	>	320.00		0.00	>	7.00
11686	SF	9ZN	82	09/25/91	0.687	0.00	>	320.00		0.00	>	2.71
11686	VE	9XW	82	09/27/91	1.113	0.00	>	320.00		0.00	>	0.10
11686	YF	9YB	82	09/25/91	1.050	0.00	>	320.00		0.00		0.00
11687	JE	9YR	82	09/25/91	0.899	0.00	>	320.00		0.00		0.00
11687	PT	9Z6	82	09/25/91	0.604	0.00		186.00		0.00		1.14
11687	SF	9ZO	82	09/25/91	0.738	62.30		183.00		2.93		14.22
11687	VE	9XX	82	09/27/91	1.181	0.00	>	320.00		0.00		0.00
11687	YF	9YC	82	09/25/91	0.955	249.00		232.00		0.93	>	2.37
11688	JE	9YR	82	09/25/91	0.899	0.00		41.90		0.00	>	0.04
11688	PT	9Z6	82	09/25/91	0.604	0.00		45.10		0.00		1.46
11688	SF	9ZO	82	09/25/91	0.738	0.00		39.70		0.00		1.97
11688	VE	9XX	82	09/27/91	1.181	84.50		115.00		1.37		4.38
11688	YF	9YC	82	09/25/91	0.955	0.00		41.60		0.00		0.00
11689	JE	9YS	82	09/25/91	0.897	0.00		26.50		0.00		0.00
11689	PT	9Z7	82	09/25/91	0.638	0.00		35.40		0.00		0.00
11689	SF	9ZP	82	09/25/91	0.729	0.00		17.70		0.00		0.00
11689	VE	9XY	82	09/27/91	0.978	0.00		48.40		0.00		5.79
11689	YF	9YD	82	09/25/91	0.929	0.00		22.80		0.00		0.00
11690	JE	9YS	82	09/25/91	0.897	0.00	>	320.00		0.00		0.00
11690	PT	9Z7	82	09/25/91	0.638	0.00	>	320.00		0.00	>	0.40
11690	SF	9ZP	82	09/25/91	0.729	0.00	>	320.00		0.00		0.00
11690	VE	9XY	82	09/27/91	0.978	0.00	>	320.00		0.00	>	4.33
11690	VV	218	82	11/21/91	1.005	0.00		261.00		0.00	>	1.59
11690	YF	9YD	82	09/25/91	0.929	0.00	>	320.00		0.00	>	2.06
11691	JE	9YT	82	09/25/91	0.853	0.00		12.80		0.00		0.00
11691	PT	9Z8	82	09/25/91	0.631	0.00		10.60		0.00	>	3.15
11691	SF	9ZQ	82	09/25/91	0.681	0.00		10.40		0.00		0.00
11691	VE	9XZ	82	09/27/91	1.081	0.00		22.00		0.00		0.00
11691	VV	219	82	11/21/91	1.026	0.00		15.40		0.00		0.00
11691	YF	9YE	82	09/25/91	0.992	0.00		10.90		0.00	>	0.40
11692	JE	9YT	82	09/25/91	0.853	0.00		17.00		0.00		0.00
11692	PT	9Z8	82	09/25/91	0.631	0.00		18.90		0.00	>	0.40
11692	SF	9ZQ	82	09/25/91	0.681	0.00		14.70		0.00	>	0.20
11692	VE	9XZ	82	09/27/91	1.081	0.00		20.00		0.00		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11692	VV	219	82	11/21/91	1.026	0.00	12.70	0.00	0.00
11692	YF	9YE	82	09/25/91	0.992	0.00	16.60	0.00	0.13
11693	JE	9YU	82	09/25/91	0.885	0.00	23.80	0.00	0.00
11693	PT	9Z9	82	09/25/91	0.619	0.00	50.30	0.00 >	8.50
11693	SF	9ZR	82	09/25/91	0.623	0.00	12.30	0.00	0.00
11693	VE	9Y0	82	09/27/91	1.028	0.00	62.90	0.00	0.00
11693	VV	21A	82	11/21/91	1.177	0.00	23.70	0.00	0.48
11693	YF	9YF	82	09/25/91	1.138	0.00	45.20	0.00	0.00
11694	JE	A0N	82	09/26/91	0.867	0.00	55.00	0.00 >	2.10
11694	PT	A13	82	09/26/91	0.576	0.00	43.90	0.00	0.00
11694	SF	A1J	82	09/26/91	0.679	0.00	43.00	0.00 >	4.28
11694	VE	9WQ	82	09/27/91	1.008	0.00	62.70	0.00	0.15
11694	VV	21A	82	11/21/91	1.177	0.00	27.20	0.00 >	0.88
11694	YF	A07	82	09/26/91	0.860	0.00	52.10	0.00 >	3.89
11695	JE	A00	82	09/26/91	0.963	0.00	63.50	0.00 >	0.93
11695	PT	A14	82	09/26/91	0.613	0.00	20.20	0.00	0.00
11695	SF	A1K	82	09/26/91	0.642	0.00	28.90	0.00 >	3.52
11695	VE	9WR	82	09/27/91	1.055	0.00	222.00	0.00	1.17
11695	VV	21B	82	11/21/91	1.054	0.00	38.20	0.00	0.00
11695	YF	A08	82	09/26/91	0.864	0.00	77.90	0.00 >	3.24
11696	JE	A00	82	09/26/91	0.963	0.00	245.00	0.00 >	1.40
11696	PT	A14	82	09/26/91	0.613	0.00	173.00	0.00	0.00
11696	SF	A1K	82	09/26/91	0.642	0.00	166.00	0.00	0.00
11696	VE	9WR	82	09/27/91	1.055	0.00	296.00	0.00	0.00
11696	VV	21B	82	11/21/91	1.054	0.00	195.00	0.00	0.00
11696	YF	A08	82	09/26/91	0.864	0.00	283.00	0.00 >	3.60
11697	JE	A0P	82	09/26/91	1.001	0.00	43.20	0.00 >	3.30
11697	PT	A15	82	09/26/91	0.599	0.00	35.60	0.00	0.87
11697	SF	A1L	82	09/26/91	0.694	0.00	15.40	0.00 >	7.51
11697	VE	9WS	82	09/27/91	1.109	0.00	22.20	0.00	0.76
11697	VV	21C	82	11/21/91	0.948	0.00	10.50	0.00	0.00
11697	YF	A09	82	09/26/91	0.919	0.00	45.80	0.00 >	4.40
11698	JE	A0P	82	09/26/91	1.001	0.00	45.60	0.00 >	0.23
11698	PT	A15	82	09/26/91	0.599	0.00	41.40	0.00	0.00
11698	SF	A1L	82	09/26/91	0.694	0.00	26.00	0.00	0.00
11698	VE	9WS	82	09/27/91	1.109	0.00	70.60	0.00	0.00
11698	VV	21C	82	11/21/91	0.948	0.00	19.80	0.00	0.00
11698	YF	A09	82	09/26/91	0.919	0.00	64.10	0.00 >	1.35
11699	JE	A0Q	82	09/26/91	1.058	0.00	54.00	0.00 >	2.13
11699	PT	A16	82	09/26/91	0.565	0.00	49.60	0.00	0.00
11699	SF	A1M	82	09/26/91	0.714	32.00	51.50	1.61 >	12.54
11699	VE	9WT	82	09/27/91	1.004	0.00	111.00	0.00	0.00
11699	VV	21D	82	11/21/91	1.129	0.00	29.60	0.00	1.28
11699	YF	A0A	82	09/26/91	0.935	0.00	62.90	0.00	4.43
11700	JE	A0Q	82	09/26/91	1.058	0.00	4.52	0.00 >	3.05
11700	PT	A16	82	09/26/91	0.565	0.00	4.57	0.00	0.00
11700	SF	A1M	82	09/26/91	0.714 <	1.00	2.78 >	2.78 >	13.88
11700	VE	9WT	82	09/27/91	1.004	0.00	4.92	0.00 >	0.31
11700	VV	21D	82	11/21/91	1.129	0.00	1.55	0.00	0.00
11700	YF	A0A	82	09/26/91	0.935	0.00	4.69	0.00 >	3.42
11701	JE	A0R	82	09/26/91	1.113	0.00	4.33	0.00 >	3.14
11701	PT	A17	82	09/26/91	0.631	0.00	14.30	0.00	0.00
11701	SF	A1N	82	09/26/91	0.886 <	1.00	4.27 >	4.27 >	17.37
11701	VE	9WU	82	09/27/91	1.185	0.00	12.80	0.00	0.00
11701	VV	21E	82	11/21/91	1.173	0.00	2.91	0.00	0.00
11701	YF	A0B	82	09/26/91	0.886	0.00	15.50	0.00 >	5.98
11702	JE	A0R	82	09/26/91	1.113	0.00	4.33	0.00 >	1.24
11702	PT	A17	82	09/26/91	0.631	0.00	6.31	0.00	0.00
11702	SF	A1N	82	09/26/91	0.886	0.00	4.46	0.00 >	7.66
11702	VE	9WU	82	09/27/91	1.185	0.00	7.66	0.00	0.00
11702	VV	21E	82	11/21/91	1.173	0.00	4.63	0.00	0.71
11702	YF	A0B	82	09/26/91	0.886	0.00	15.50	0.00 >	5.81
11703	JE	A0S	82	09/26/91	1.194	0.00	12.60	0.00 >	0.81
11703	PT	A18	82	09/26/91	0.585	0.00	9.35	0.00	0.00
11703	SF	A10	82	09/26/91	0.661	0.00	12.40	0.00	0.00
11703	VE	9WV	82	09/27/91	1.146	0.00	14.70	0.00	0.00
11703	VV	21F	82	11/21/91	0.973	0.00	3.20	0.00	0.00
11703	YF	A0C	82	09/26/91	1.026	0.00	14.80	0.00 >	1.12
11704	JE	A0S	82	09/26/91	1.194	0.00	16.50	0.00 >	1.02
11704	PT	A18	82	09/26/91	0.585	0.00	22.10	0.00	0.00
11704	SF	A10	82	09/26/91	0.661	0.00	15.60	0.00	0.29
11704	VE	9WV	82	09/27/91	1.146	0.00	21.70	0.00	0.00
11704	VV	21F	82	11/21/91	0.973	0.00	3.29	0.00	0.00
11704	YF	A0C	82	09/26/91	1.026	0.00	37.80	0.00 >	4.82
11705	JE	A0T	82	09/26/91	1.048	0.00	146.00	0.00	0.04

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11705	PT	A19	82	09/26/91	0.606	0.00	135.00	0.00	0.00
11705	SF	A1P	82	09/26/91	0.595	0.00	95.00	0.00	0.00
11705	VE	9WW	82	09/27/91	1.021	0.00	204.00	0.00	0.00
11705	VV	21G	82	11/21/91	1.024	0.00	3.70	0.00	0.00
11705	YF	A0D	82	09/26/91	1.023	0.00	133.00	0.00 >	4.54
11706	JE	A0T	82	09/26/91	1.048	0.00	20.70	0.00 >	3.23
11706	PT	A19	82	09/26/91	0.606	0.00	22.30	0.00	0.00
11706	SF	A1P	82	09/26/91	0.595	0.00	15.30	0.00	0.00
11706	VE	9WW	82	09/27/91	1.021	0.00	32.90	0.00	0.00
11706	VV	21G	82	11/21/91	1.024	0.00	4.51	0.00	0.00
11706	YF	A0D	82	09/26/91	1.023	0.00	21.30	0.00 >	3.15
11707	JE	A0U	82	09/26/91	0.984	0.00	241.00	0.00	4.11
11707	PT	A1A	82	09/26/91	0.545	0.00 >	320.00	0.00	0.00
11707	SF	A1Q	82	09/26/91	0.752	0.00	57.70	0.00	0.00
11707	VE	9WX	82	09/27/91	1.220	0.00	201.00	0.00	0.00
11707	VV	21N	82	11/21/91	1.300	0.00	29.40	0.00	0.35
11707	YF	A0E	82	09/26/91	0.852	0.00	310.00	0.00 >	0.13
11708	JE	A0U	82	09/26/91	0.984	0.00 >	320.00	0.00 >	0.20
11708	PT	A1A	82	09/26/91	0.545	0.00 >	320.00	0.00	0.00
11708	SF	A1Q	82	09/26/91	0.752	0.00	144.00	0.00	0.00
11708	VE	9WX	82	09/27/91	1.220	0.00	169.00	0.00	0.00
11708	YF	A0E	82	09/26/91	0.852	0.00 >	320.00	0.00	0.00
11709	JE	A0V	82	09/26/91	0.972	0.00	40.50	0.00 >	0.10
11709	PT	A1B	82	09/26/91	0.463	0.00	23.40	0.00	0.00
11709	SF	A1R	82	09/26/91	0.542	0.00	45.60	0.00 >	0.60
11709	VE	9WY	82	09/27/91	1.012	0.00	152.00	0.00	0.00
11709	YF	A0F	82	09/26/91	0.779	0.00	68.90	0.00	0.44
11710	JE	A0V	82	09/26/91	0.972	0.00	15.50	0.00 >	3.10
11710	PT	A1B	82	09/26/91	0.463	0.00	14.30	0.00	0.00
11710	SF	A1R	82	09/26/91	0.542	0.00	15.50	0.00 >	14.52
11710	VE	9WY	82	09/27/91	1.012	0.00	15.00	0.00	0.00
11710	YF	A0F	82	09/26/91	0.779	0.00	15.50	0.00	0.66
11711	JE	A0W	82	09/26/91	0.954	0.00 >	100.00	0.00	0.00
11711	PT	A1C	82	09/26/91	0.529	0.00 >	100.00	0.00	0.00
11711	SF	A1S	82	09/26/91	0.556	0.00 >	100.00	0.00	0.00
11711	VE	9WZ	82	09/27/91	0.995	0.00 >	100.00	0.00	0.00
11711	YF	A0G	82	09/26/91	0.833	0.00 >	100.00	0.00	0.00
11712	JE	72J	81	07/10/91	0.879	0.00	240.00	0.00 >	1.26
11712	JE	AF2	81	10/09/91	0.837	0.00	215.00	0.00 >	1.40
11712	PT	834	81	08/06/91	0.674	0.00 >	320.00	0.00	0.00
11712	PT	AFY	81	10/10/91	0.481	0.00	193.00	0.00	0.00
11712	PT	C3G	81	11/20/91	0.581	0.00	164.00	0.00	0.00
11712	SF	74H	81	07/10/91	0.943	0.00	253.00	0.00 >	0.80
11712	SF	AGE	81	10/10/91	0.552	0.00	172.00	0.00 >	13.59
11712	SF	C3W	81	11/20/91	0.733	0.00	66.00	0.00	0.00
11712	VE	71A	80	07/12/91	1.017	0.00 >	320.00	0.00 >	2.42
11712	VE	AFI	81	10/11/91	0.978	0.00	416.00	0.00	4.23
11712	VE	C0D	81	11/22/91	1.049	0.00	197.00	0.00 >	0.51
11712	YF	73S	81	07/10/91	0.879	0.00	272.00	0.00	1.49
11712	YF	AEH	81	10/08/91	0.866	0.00	304.00	0.00	1.38
11712	YF	BZI	81	11/20/91	0.923	0.00	205.00	0.00	0.97
11713	JE	9BI	82	09/10/91	0.742	0.00	164.00	0.00	0.00
11713	PT	9CE	82	09/10/91	0.626	0.00	120.00	0.00 >	6.57
11713	SF	A21	82	09/27/91	0.633	0.00	144.00	0.00	0.00
11713	VE	9BY	82	09/13/91	1.165	0.00	90.30	0.00	0.00
11713	VV	21J	82	11/21/91	1.078	0.00	15.80	0.00	0.31
11713	YF	982	82	09/10/91	0.997	0.00	131.00	0.00	0.00
11714	JE	A0W	82	09/26/91	0.954	0.00	304.00	0.00 >	1.40
11714	JE	CK3	82	12/05/91	0.949	0.00	525.00	0.00	0.40
11714	PT	A1C	82	09/26/91	0.529	0.00	265.00	0.00	0.00
11714	PT	CKR	82	12/05/91	0.628	0.00	527.00	0.00	0.00
11714	SF	A1S	82	09/26/91	0.556	0.00	222.00	0.00	0.00
11714	SF	CL3	82	12/05/91	0.743	0.00	446.00	0.00	0.00
11714	VE	9WZ	82	09/27/91	0.995	0.00 >	320.00	0.00	0.00
11714	VV	21H	82	11/21/91	1.300	0.00	86.80	0.00	0.00
11714	YF	A0G	82	09/26/91	0.833	0.00 >	320.00	0.00	0.63
11714	YF	CKF	82	12/05/91	0.853	0.00	522.00	0.00 >	0.11
11716	JE	A0X	82	09/26/91	0.946	0.00	15.50	0.00	0.00
11716	PT	A1D	82	09/26/91	0.525	0.00	11.10	0.00	0.00
11716	SF	A1T	82	09/26/91	0.602	0.00	15.30	0.00 >	3.51
11716	VE	9X0	82	09/27/91	1.125	0.00	13.30	0.00	0.23
11716	YF	A0N	82	09/26/91	0.825	0.00	15.10	0.00	0.00
11717	JE	A0X	82	09/26/91	0.946	26.00	95.00	3.65 >	21.60
11717	JE	CK4	82	12/05/91	1.008	17.90	77.30	4.32	19.89
11717	PT	A1D	82	09/26/91	0.525	0.00	64.00	0.00	6.22

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11717	PT	CKS	82	12/05/91	0.512	6.50	75.60	11.63	33.75
11717	SF	A1T	82	09/26/91	0.602	0.00	74.50	0.00 >	10.68
11717	SF	CL4	82	12/05/91	0.800	20.90	55.30	2.64	10.48
11717	VE	9X0	82	09/27/91	1.125	6.42	180.00	28.04 >	47.43
11717	VE	CNU	82	12/06/91	1.2[illegible]	0.00	21.00	0.00	0.00
11717	YF	AON	82	09/26/91	0.825	13.90	112.00	8.05 >	32.87
11717	YF	CKG	82	12/05/91	0.927	11.30	63.60	5.62	26.04
11718	JE	8NO	82	08/14/91	0.935	0.00	133.00	0.00	0.00
11718	PT	9ZY	82	09/26/91	0.690	0.00	114.00	0.00	0.22
11718	SF	8GF	82	08/14/91	0.895	0.00	144.00	0.00 >	5.37
11718	VE	8GU	82	08/16/91	1.103	0.00	38.50	0.00	0.00
11718	YF	8H9	82	08/14/91	0.796	0.00	153.00	0.00	1.31
11719	JE	8NP	82	08/14/91	0.870	0.00	920.00	0.00	0.00
11719	PT	9ZZ	82	09/26/91	0.661	0.00	970.00	0.00	0.00
11719	SF	8GG	82	08/14/91	0.852	1000.0	806.00	0.81	1.55
11719	VE	8GV	82	08/16/91	1.028	872.00	1610.00	1.85	8.62
11719	YF	8NA	82	08/14/91	0.992	977.00	669.00	0.68	0.55
11720	JE	8NP	82	08/14/91	0.870	0.00	420.00	0.00	0.00
11720	PT	9ZZ	82	09/26/91	0.661	0.00	503.00	0.00	0.00
11720	SF	8GG	82	08/14/91	0.852	0.00	190.00	0.00	0.00
11720	VE	8GV	82	08/16/91	1.028	963.00	602.00	0.63	2.66
11720	YF	8NA	82	08/14/91	0.992	0.00	247.00	0.00	0.00
11721	JE	8NQ	82	08/14/91	0.847	0.00	475.00	0.00	0.00
11721	PT	A00	82	09/26/91	0.514	0.00	414.00	0.00	0.00
11721	SF	8GH	82	08/14/91	0.848	0.00	253.00	0.00 >	2.00
11721	VE	8GW	82	08/16/91	1.085	0.00	490.00	0.00	0.00
11721	YF	8NB	82	08/14/91	0.865	0.00	490.00	0.00	0.00
11722	JE	8NQ	82	08/14/91	0.847	238.00	386.00	1.62	5.99
11722	PT	A01	82	09/26/91	0.601	0.00	490.00	0.00	0.00
11722	SF	8GN	82	08/14/91	0.848	0.00	162.00	0.00	0.00
11722	VE	8GW	82	08/16/91	1.085	0.00	433.00	0.00	0.00
11722	YF	8NB	82	08/14/91	0.865	162.00	400.00	2.46	13.18
11723	JE	8NR	82	08/14/91	0.864	0.00	135.00	0.00	0.00
11723	PT	A01	82	09/26/91	0.601	0.00	400.00	0.00	0.00
11723	SF	8GI	82	08/14/91	0.959	0.00	100.00	0.00	0.00
11723	VE	8GX	82	08/16/91	1.077	0.00	100.00	0.00	0.00
11723	YF	8NC	82	08/14/91	0.867	0.00	111.00	0.00	0.00
11724	JE	8NR	82	08/14/91	0.864	0.00	163.00	0.00	0.00
11724	PT	A02	82	09/26/91	0.552	0.00	190.00	0.00	0.00
11724	SF	8GI	82	08/14/91	0.959	0.00	80.60	0.00 >	0.20
11724	VE	8GX	82	08/16/91	1.077	0.00	331.00	0.00	0.01
11724	YF	8NC	82	08/14/91	0.867	0.00	185.00	0.00	0.00
11725	JE	8NS	82	08/14/91	0.908	0.00	177.00	0.00	0.00
11725	PT	A02	82	09/26/91	0.552	0.00	517.00	0.00	0.00
11725	SF	8GJ	82	08/14/91	0.773	0.00	131.00	0.00 >	2.50
11725	VE	8GY	82	08/16/91	1.064	0.00	183.00	0.00	0.14
11725	YF	8ND	82	08/14/91	0.861	0.00	204.00	0.00	0.00
11726	JE	8NS	82	08/14/91	0.908	0.00	564.00	0.00	0.00
11726	PT	A03	82	09/26/91	0.601	0.00	633.00	0.00	0.00
11726	SF	8GJ	82	08/14/91	0.773	0.00	607.00	0.00 >	9.25
11726	VE	8GY	82	08/16/91	1.064	0.00	723.00	0.00	0.23
11726	YF	8ND	82	08/14/91	0.861	0.00	682.00	0.00	0.00
11727	JE	8NT	82	08/14/91	0.877	0.00	191.00	0.00	0.00
11727	PT	A03	82	09/26/91	0.601	0.00	219.00	0.00	0.00
11727	SF	8GK	82	08/14/91	0.951	0.00	104.00	0.00	0.00
11727	VE	8GZ	82	08/16/91	1.136	236.00	368.00	1.56	5.47
11727	YF	8NE	82	08/14/91	0.915	0.00	193.00	0.00	0.00
11728	JE	8NT	82	08/14/91	0.877	0.00	130.00	0.00	0.00
11728	PT	A04	82	09/26/91	0.615	0.00	88.70	0.00	0.00
11728	SF	8GK	82	08/14/91	0.951	0.00	64.50	0.00 >	1.06
11728	VE	8GZ	82	08/16/91	1.136	0.00	114.00	0.00	0.00
11728	YF	8NE	82	08/14/91	0.915	0.00	86.80	0.00	0.00
11729	JE	8NU	82	08/14/91	0.823	0.00	473.00	0.00	0.00
11729	PT	A04	82	09/26/91	0.615	0.00	320.00	0.00	0.00
11729	SF	8GL	82	08/14/91	0.754	0.00	406.00	0.00 >	2.82
11729	VE	8H0	82	08/16/91	1.080	0.00	792.00	0.00 >	2.56
11729	YF	8NF	82	08/14/91	0.869	0.00	541.00	0.00	0.00
11730	JE	8NU	82	08/14/91	0.823	0.00 >	320.00	0.00	0.00
11730	PT	A00	82	09/26/91	0.514	0.00 >	320.00	0.00	0.00
11730	SF	8GL	82	08/14/91	0.754	0.00	195.00	0.00 >	1.94
11730	VE	8H0	82	08/16/91	1.080	0.00 >	320.00	0.00	0.00
11730	YF	8NF	82	08/14/91	0.869	0.00 >	320.00	0.00 >	0.20
11731	JE	8JJ	82	08/15/91	0.778	0.00	594.00	0.00	0.00
11731	PT	8JY	82	08/15/91	0.489	0.00	686.00	0.00	0.00
11731	SF	8KD	82	08/15/91	0.977	0.00	456.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SE	TAI
11731	VE	8NX	82	08/16/91	1.217	955.00	345.00	0.36	0.01
11731	YF	8J4	82	08/15/91	1.132	0.00	440.00	0.00	0.00
11732	JE	8JK	82	08/15/91	0.907	0.00	632.00	0.00	0.00
11732	PT	8J7	82	08/15/91	0.565	0.00	792.00	0.00	0.00
11732	SF	8KE	82	08/15/91	0.936	0.00	531.00	0.00	0.00
11732	VE	8HY	82	08/16/91	1.107	0.00	497.00	0.00	0.00
11732	YF	8J5	82	08/15/91	1.053	0.00	1030.00	0.00	0.31
11733	JE	8JK	82	08/15/91	0.907	0.00	1160.00	0.00	0.00
11733	PT	8J7	82	08/15/91	0.565	0.00	1520.00	0.00 >	3.10
11733	SF	8KE	82	08/15/91	0.936	0.00	1380.00	0.00	0.05
11733	VE	8HY	82	08/16/91	1.107	0.00	1060.00	0.00	0.00
11733	YF	8J5	82	08/15/91	1.053	0.00	1550.00	0.00	0.76
11734	JE	8JL	82	08/15/91	0.970	0.00	46[illegible]	0.00	0.00
11734	PT	8K0	82	08/15/91	0.629	0.00	460.00	0.00 >	0.99
11734	SF	8KF	82	08/15/91	1.000	0.00	30.80	0.00	0.39
11734	VE	8HZ	82	08/16/91	1.095	819.00	559.00	0.68 >	0.47
11734	YF	8J6	82	08/15/91	1.143	0.00	592.00	0.00	0.00
11735	JE	8JL	82	08/15/91	0.970	0.00	1450.00	0.00	0.00
11735	PT	8K0	82	08/15/91	0.629	0.00	1550.00	0.00 >	4.04
11735	SF	8KF	82	08/15/91	1.000	957.00	1280.00	1.34	3.87
11735	VE	8HZ	82	08/16/91	1.095	0.00	3630.00	0.00	4.33
11735	YF	8J6	82	08/15/91	[illegible]63	641.00	2130.00	3.32	12.57
11736	JE	8JM	82	08/15/91	0.941	0.00 >	1000.00	0.00	0.00
11736	PT	8K1	82	08/15/91	0.566	0.00 >	1000.00	0.00	0.00
11736	SF	8KG	82	08/15/91	0.990	0.00 >	1000.00	0.00	0.00
11736	VE	810	82	08/16/91	1.[illegible]9	0.00 >	1000.00	0.00 >	4.25
11736	YF	8J7	82	08/15/91	1.[illegible]63	0.00 >	1000.00	0.00 >	0.53
11737	JE	8JM	82	08/15/91	0.941	0.00	1550.00	0.00	1.59
11737	PT	8K1	82	08/15/91	0.566	0.00	1550.00	0.00 >	10.00
11737	SF	8KG	82	08/15/91	0.[illegible]90	0.00	1500.00	0.00 >	4.95
11737	VE	810	82	08/16/91	1.129	479.00	675.00	1.41	11.42
11737	YF	8J7	82	08/15/91	1.063	0.00	1550.00	0.00	0.72
11738	JE	8JM	82	08/15/91	0.924	0.00	1580.00	0.00	0.00
11738	PT	8K2	82	08/15/91	0.682	703.00	1890.00	2.69	11.26
11738	SF	8KH	82	08/15/91	1.091	869.00	1240.00	1.43	4.18
11738	VE	811	82	08/16/91	1.101	2860.0	2040.00	0.71	1.89
11738	YF	8J8	82	08/15/91	1.135	0.00	1940.00	0.00	2.40
11739	JE	8JM	82	08/15/91	0.924	0.00	139.00	0.00	0.72
11739	PT	8K2	82	08/15/91	0.682	0.00	155.00	0.00 >	1.01
11739	SF	8KH	82	08/15/91	1.091	93.80	137.00	1.46	4.69
11739	VE	81[illegible]	82	08/16/91	1.101	0.00	119.00	0.00	0.00
11739	YF	8J8	82	08/15/91	1.135	0.00	156.00	0.00	0.24
11740	JE	8JO	82	08/15/91	0.919	0.00	22.00	0.00	2.31
11740	PT	8K3	82	08/15/91	0.514	0.00	17.90	0.00	0.00
11740	SF	8KI	82	08/15/91	0.754	8.72	20.40	2.33 >	11.40
11740	VE	812	82	08/16/91	1.106	0.00	24.70	0.00	0.00
11740	YF	8J9	82	08/15/91	1.142	19.00	20.30	1.87 >	7.53
11741	JE	8JO	82	08/15/91	0.919	0.00	121.00	0.00	0.00
11741	PT	8K3	82	08/15/91	0.514	0.00	97.40	0.00	0.00
11741	SF	8KI	82	08/15/91	0.754	0.00	75.60	0.00 >	1.61
11741	VE	812	82	08/16/91	1.106	0.00	89.30	0.00	0.00
11741	YF	8J9	82	08/15/91	1.142	0.00	59.20	0.00	0.00
11742	JE	8JP	82	08/15/91	0.893	0.00	138.00	0.00 >	0.04
11742	PT	8K4	82	08/15/91	0.518	0.00	156.00	0.00 >	0.50
11742	SF	8KJ	82	08/15/91	1.055	0.00	131.00	0.00	0.15
11742	VE	813	82	08/16/91	0.964	0.00	281.00	0.00	0.34
11742	YF	8JA	82	08/15/91	1.092	0.00	213.00	0.00	0.00
11743	JE	8JP	82	08/15/91	0.893	0.00	438.00	0.00	2.73
11743	PT	8K4	82	08/15/91	0.518	0.00	608.00	0.00	0.00
11743	SF	8KJ	82	08/15/91	1.055	0.00	464.00	0.00	0.00
11743	VE	813	82	08/16/91	0.964	0.00	706.00	0.00	3.75
11743	YF	8JA	82	08/15/91	1.092	15.10	514.00	33.95 >	29.71
11744	JE	8JQ	82	08/15/91	0.887	0.00	354.00	0.00	0.00
11744	PT	8K5	82	08/15/91	0.599	0.00	620.00	0.00 >	0.10
11744	SF	8KK	82	08/15/91	0.969	0.00	417.00	0.00	0.00
11744	VE	814	82	08/16/91	0.989	0.00	509.00	0.00	1.76
11744	YF	8J8	82	08/15/91	1.074	0.00	400.00	0.00	0.00
11745	JE	8JQ	82	08/15/91	0.887	0.00	1030.00	0.00	0.00
11745	PT	8K5	82	08/15/91	0.599	0.00	1170.00	0.00 >	0.81
11745	SF	8KK	82	08/15/91	0.969	927.00	895.00	0.97 >	12.57
11745	VE	814	82	08/16/91	0.989	0.00	1500.00	0.00	0.20
11745	YF	8J8	82	08/15/91	1.074	937.00	1370.00	1.46	6.64
11746	JE	8JR	82	08/15/91	0.597	0.00	1240.00	0.00	0.00
11746	PT	8K6	82	08/15/91	0.546	0.00	851.00	0.00	0.00
11746	SF	8KL	82	08/15/91	0.969	0.00	684.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11746	VE	815	82	08/16/91	1.093	0.00	806.00	0.00 >	2.63
11746	YF	8JC	82	08/15/91	1.039	0.00	1210.00	0.00	0.57
11747	JE	8JR	82	08/15/91	0.597	0.00	490.00	0.00	0.00
11747	PT	8K6	82	08/15/91	0.546	0.00	443.00	0.00	0.00
11747	SF	8KL	82	08/15/91	0.969	0.00	364.00	0.00	0.98
11747	VE	815	82	08/16/91	1.093	0.00	356.00	0.00	0.02
11747	YF	8JC	82	08/15/91	1.039	0.00	450.00	0.00	0.00
11748	JE	8JS	82	08/15/91	0.866	0.00	1550.00	0.00 >	1.00
11748	PT	8K7	82	08/15/91	0.566	0.00	1550.00	0.00	6.34
11748	SF	8KM	82	08/15/91	1.056	0.00	1350.00	0.00	0.75
11748	VE	816	82	08/16/91	1.012	0.00	1410.00	0.00	2.32
11748	YF	8JD	82	08/15/91	1.051	694.00	1390.00	2.00	8.56
11749	JE	8JS	82	08/15/91	0.866	0.00	1520.00	0.00	0.05
11749	PT	8K7	82	08/15/91	0.566	0.00	1590.00	0.00	0.00
11749	SF	8KM	82	08/15/91	1.056	0.00	1140.00	0.00	0.00
11749	VE	816	82	08/16/91	1.012	0.00	927.00	0.00	0.22
11749	YF	8JD	82	08/15/91	1.051	0.00	1280.00	0.00	0.00
11750	JE	8JT	82	08/15/91	0.728	0.00	62.90	0.00 >	0.30
11750	PT	8K8	82	08/15/91	0.473	0.00	111.00	0.00	0.00
11750	SF	8KN	82	08/15/91	0.741	0.00	63.50	0.00	0.79
11750	VE	817	82	08/16/91	0.979	0.00	18.80	0.00	0.00
11750	YF	8JE	82	08/15/91	1.127	0.00	53.50	0.00	0.00
11751	JE	8JT	82	08/15/91	0.728	0.00	749.00	0.00	0.00
11751	PT	8K8	82	08/15/91	0.473	0.00	680.00	0.00	0.00
11751	SF	8KN	82	08/15/91	0.741	0.00	789.00	0.00	0.00
11751	VE	817	82	08/16/91	0.979	0.00	840.00	0.00	0.39
11751	YF	8JE	82	08/15/91	1.127	0.00	320.00	0.00	0.00
11752	JE	8JU	82	08/15/91	0.861	0.00	650.00	0.00 >	0.30
11752	PT	8K9	82	08/15/91	0.572	0.00	571.00	0.00	0.00
11752	SF	8KO	82	08/15/91	0.919	0.00	463.00	0.00	0.00
11752	VE	818	82	08/16/91	1.082	0.00	800.00	0.00	0.00
11752	YF	8JF	82	08/15/91	1.098	0.00	482.00	0.00	0.51
11753	JE	8JU	82	08/15/91	0.861	0.00	428.00	0.00 >	0.51
11753	PT	8K9	82	08/15/91	0.572	0.00	425.00	0.00	0.00
11753	SF	8KO	82	08/15/91	0.919	0.00	168.00	0.00	0.00
11753	VE	818	82	08/16/91	1.082	0.00	626.00	0.00	0.11
11753	YF	8JF	82	08/15/91	1.098	224.00	481.00	2.15	9.16
11754	JE	8JV	82	08/15/91	0.830	0.00	1350.00	0.00 >	0.21
11754	PT	8KA	82	08/15/91	0.555	0.00	1350.00	0.00	0.00
11754	SF	8KP	82	08/15/91	0.950	0.00	859.00	0.00	0.00
11754	VE	819	82	08/16/91	0.882	0.00	1720.00	0.00	2.55
11754	YF	8JG	82	08/15/91	0.981	0.00	1520.00	0.00	4.87
11755	JE	8JV	82	08/15/91	0.830	0.00	23.80	0.00	2.31
11755	PT	8KA	82	08/15/91	0.555	0.00	18.60	0.00	0.00
11755	SF	8KP	82	08/15/91	0.950	0.00	18.50	0.00	2.14
11755	VE	819	82	08/16/91	0.882	0.00	55.00	0.00	0.21
11755	YF	8JG	82	08/15/91	0.981	0.00	62.70	0.00 >	14.35
11756	JE	8MS	82	08/20/91	0.700	0.00	611.00	0.00	0.00
11756	PT	8NM	82	08/20/91	0.666	0.00	431.00	0.00	0.00
11756	SF	801	82	08/20/91	0.874	0.00	80.60	0.00	0.00
11756	VE	8N7	82	08/23/91	0.804	0.00	444.00	0.00 >	0.65
11756	YF	8MD	82	08/20/91	0.925	259.00	394.00	1.52 >	10.29
11757	JE	8MT	82	08/20/91	0.834	0.00	2540.00	0.00	0.00
11757	PT	8NN	82	08/20/91	0.612	0.00	2530.00	0.00	0.56
11757	SF	802	82	08/20/91	0.863	0.00	1950.00	0.00	4.17
11757	VE	8N8	82	08/23/91	0.905	0.00	1920.00	0.00	0.00
11757	YF	8ME	82	08/20/91	0.991	0.00	2720.00	0.00 >	3.90
11758	JE	8MT	82	08/20/91	0.834	0.00	10.00	0.00	0.00
11758	PT	8NN	82	08/20/91	0.612	0.00 >	320.00	0.00	0.00
11758	SF	802	82	08/20/91	0.863	0.00 >	320.00	0.00	0.00
11758	VE	8N8	82	08/23/91	0.905	0.00 >	320.00	0.00	0.00
11758	YF	8ME	82	08/20/91	0.991	0.00 >	320.00	0.00 >	0.20
11759	JE	8MU	82	08/20/91	0.801	0.00	149.00	0.00	0.00
11759	PT	8NO	82	08/20/91	0.712	0.00	155.00	0.00	0.00
11759	SF	803	82	08/20/91	0.859	0.00	170.00	0.00	0.00
11759	VE	8N9	82	08/23/91	0.945	0.00	233.00	0.00	0.00
11759	YF	8MF	82	08/20/91	1.050	0.00	176.00	0.00 >	0.53
11760	JE	8MU	82	08/20/91	0.801	0.00	12.60	0.00	0.00
11760	PT	8NO	82	08/20/91	0.712	0.00	5.26	0.00	0.00
11760	SF	803	82	08/20/91	0.859	0.00 <	3.20	0.00	0.00
11760	VE	8N9	82	08/23/91	0.945	0.00	5.38	0.00	0.00
11760	YF	8MF	82	08/20/91	1.050	0.00	9.50	0.00 >	0.38
11761	JE	8MV	82	08/20/91	0.839	0.00	1370.00	0.00	0.00
11761	PT	8NP	82	08/20/91	0.687	0.00	1210.00	0.00	0.00
11761	SF	804	82	08/20/91	0.864	0.00	1170.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11761	VE	8NA	82	08/23/91	0.923	0.00	1530.00	0.00	0.00
11761	YF	8NG	82	08/20/91	1.030	0.00	1510.00	0.00 >	6.15
11762	JE	8NV	82	08/20/91	0.839	0.00	289.00	0.00	0.00
11762	PT	8NP	82	08/20/91	0.687	0.00	389.00	0.00	0.00
11762	SF	804	82	08/20/91	0.864	0.00	53.50	0.00	0.00
11762	VE	8NA	82	08/23/91	0.923	0.00	62.90	0.00	0.00
11762	YF	8NG	82	08/20/91	1.030	0.00	140.00	0.00 >	2.62
11763	JE	8NW	82	08/20/91	0.874	0.00	717.00	0.00	0.00
11763	PT	8NQ	82	08/20/91	0.676	0.00	685.00	0.00	0.00
11763	SF	805	82	08/20/91	0.957	0.00	417.00	0.00	0.00
11763	VE	8NB	82	08/23/91	0.946	0.00	792.00	0.00	0.22
11763	YF	8NH	82	08/20/91	1.032	0.00	773.00	0.00 >	9.28
11764	JE	8NW	82	08/20/91	0.874	0.00	152.00	0.00	0.00
11764	PT	8NQ	82	08/20/91	0.676	0.00	155.00	0.00	0.00
11764	SF	805	82	08/20/91	0.957	0.00	106.00	0.00	0.00
11764	VE	8NB	82	08/23/91	0.946	0.00	67.50	0.00	0.00
11764	YF	8NH	82	08/20/91	1.032	0.00	156.00	0.00	0.00
11765	JE	8NX	82	08/20/91	0.772	0.00	69.80	0.00	0.30
11765	PT	8NR	82	08/20/91	0.639	0.00	59.40	0.00	0.00
11765	SF	806	82	08/20/91	0.750	0.00	51.20	0.00	0.00
11765	VE	8NC	82	08/23/91	0.953	0.00	53.90	0.00	0.00
11765	YF	8NI	82	08/20/91	1.036	0.00	42.60	0.00 >	0.02
11766	JE	8NX	82	08/20/91	0.772	0.00	400.00	0.00	0.00
11766	PT	8NR	82	08/20/91	0.639	0.00	535.00	0.00	0.00
11766	SF	806	82	08/20/91	0.750	0.00	386.00	0.00	0.42
11766	VE	8NC	82	08/23/91	0.953	0.00	645.00	0.00	0.42
11766	YF	8NI	82	08/20/91	1.036	0.00	484.00	0.00	2.11
11767	JE	8NY	82	08/20/91	0.771	0.00	452.00	0.00	0.00
11767	PT	8NS	82	08/20/91	0.583	0.00	433.00	0.00	0.00
11767	SF	807	82	08/20/91	0.823	0.00	255.00	0.00	0.00
11767	VE	8ND	82	08/23/91	0.977	0.00	155.00	0.00	0.00
11767	YF	8NJ	82	08/20/91	0.950	0.00	312.00	0.00	0.00
11768	JE	8NY	82	08/20/91	0.771	0.00	1550.00	0.00	6.84
11768	PT	8NS	82	08/20/91	0.583	0.00	767.00	0.00 >	10.82
11768	SF	807	82	08/20/91	0.823	704.00	1550.00	2.20	13.16
11768	VE	8ND	82	08/23/91	0.977	3200.0	1600.00	0.50	0.91
11768	YF	8NJ	82	08/20/91	0.950	0.00	1550.00	0.00	3.34
11769	JE	8NZ	82	08/20/91	0.769	0.00	231.00	0.00	0.00
11769	PT	8NT	82	08/20/91	0.706	0.00	160.00	0.00	0.00
11769	SF	808	82	08/20/91	0.779	0.00	179.00	0.00	0.00
11769	VE	8NE	82	08/23/91	0.991	684.00	120.00	0.18	0.00
11769	YF	8NK	82	08/20/91	0.984	0.00	183.00	0.00	0.54
11770	JE	8NZ	82	08/20/91	0.769	0.00	440.00	0.00	0.00
11770	PT	8NT	82	08/20/91	0.706	0.00	338.00	0.00	0.00
11770	SF	808	82	08/20/91	0.779	0.00	262.00	0.00	0.00
11770	VE	8NE	82	08/23/91	0.991	0.00	490.00	0.00	0.00
11770	YF	8NK	82	08/20/91	0.984	0.00	490.00	0.00	4.57
11771	JE	8N0	82	08/20/91	0.619	0.00	433.00	0.00	0.00
11771	PT	8NU	82	08/20/91	0.667	0.00	210.00	0.00	0.00
11771	SF	809	82	08/20/91	0.910	0.00	48.30	0.00	0.00
11771	VE	8NF	82	08/23/91	0.646	0.00	927.00	0.00	1.00
11771	YF	8NL	82	08/20/91	1.007	0.00	210.00	0.00 >	0.13
11772	JE	8N0	82	08/20/91	0.619	0.00	1050.00	0.00 >	15.21
11772	PT	8NU	82	08/20/91	0.667	0.00	691.00	0.00 >	0.91
11772	SF	809	82	08/20/91	0.910	0.00	205.00	0.00	0.00
11772	VE	8NF	82	08/23/91	0.646	0.00	75.60	0.00	0.00
11772	YF	8NL	82	08/20/91	1.007	< 10.00	1290.00	> 128.85 >	38.50
11773	JE	8N1	82	08/20/91	0.726	0.00	312.00	0.00	1.03
11773	PT	8NV	82	08/20/91	0.604	0.00	202.00	0.00	0.00
11773	SF	80A	82	08/20/91	1.061	0.00	57.50	0.00	0.00
11773	VE	8NG	82	08/23/91	0.807	0.00	1360.00	0.00	2.08
11773	YF	8NM	82	08/20/91	0.995	0.00	380.00	0.00 >	6.71
11774	JE	8N1	82	08/20/91	0.726	0.00	153.00	0.00	2.31
11774	PT	8NV	82	08/20/91	0.604	0.00	56.10	0.00	0.00
11774	SF	80A	82	08/20/91	1.061	0.00 <	10.00	0.00	0.00
11774	VE	8NG	82	08/23/91	0.807	0.00	220.00	0.00 >	1.83
11774	YF	8NM	82	08/20/91	0.995	0.00	146.00	0.00 >	5.88
11775	JE	8N2	82	08/20/91	0.688	0.00	1820.00	0.00	0.69
11775	PT	8NW	82	08/20/91	0.703	0.00	1570.00	0.00	0.00
11775	SF	80B	82	08/20/91	0.856	0.00	722.00	0.00	0.00
11775	VE	8NH	82	08/23/91	0.787	0.00 >	3200.00	0.00 >	1.30
11775	YF	8NN	82	08/20/91	1.039	239.00	1640.00	6.87 >	25.19
11776	JE	8N2	82	08/20/91	0.688	0.00	1280.00	0.00	0.00
11776	PT	8NW	82	08/20/91	0.703	0.00	972.00	0.00 >	0.20
11776	SF	80B	82	08/20/91	0.856	0.00	94.30	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
11776	VE	8NH	82	08/23/91	0.787	0.00	495.00	[illegible]	>	5.57
11776	YF	8NN	82	08/20/91	1.039	0.00	766.00	[illegible]		0.21
11777	JE	8N3	82	08/20/91	0.648	0.00	635.00	[illegible]		0.00
11777	PT	8NX	82	08/20/91	0.722	0.00	806.00	[illegible]		0.00
11777	SF	8OC	82	08/20/91	0.691	0.00	267.00	[illegible]		0.00
11777	VE	8NI	82	08/23/91	0.860	0.00	1310.00	[illegible]	>	0.89
11777	YF	8NO	82	08/20/91	1.065	0.00	536.00	[illegible]	>	1.34
11778	JE	8N3	82	08/20/91	0.648	0.00	411.00	[illegible]		0.00
11778	PT	8NX	82	08/20/91	0.722	0.00	622.00	[illegible]	>	0.29
11778	SF	8OC	32	08/20/91	0.691	0.00	188.00	[illegible]		2.96
11778	VE	8NI	82	08/23/91	0.860	0.00	1550.00	[illegible]		0.94
11778	YF	8NO	82	08/20/91	1.065	0.00	390.00	[illegible]	>	0.01
11779	JE	8N4	82	08/20/91	0.633	0.00	405.00	[illegible]		0.00
11779	PT	8NY	82	08/20/91	0.742	0.00	403.00	[illegible]		0.00
11779	SF	8OD	82	08/20/91	0.832	0.00	232.00	[illegible]		0.00
11779	VE	8NJ	82	08/23/91	0.793	0.00	558.00	[illegible]	>	1.41
11779	YF	8NP	82	08/20/91	0.986	0.00	438.00	[illegible]		0.00
11780	JE	8N4	82	08/20/91	0.633	0.00	647.00	[illegible]		0.00
11780	PT	8NY	82	08/20/91	0.742	0.00	533.00	[illegible]	>	0.21
11780	SF	8OD	82	08/20/91	0.832	0.00	468.00	[illegible]		0.00
11780	VE	8NJ	82	08/23/91	0.793	951.00	927.00	[illegible]	>	6.24
11780	YF	8NP	82	08/20/91	0.986	0.00	647.00	[illegible]		1.20
11781	JE	8N4	82	08/21/91	0.717	0.00	20.20	[illegible]		0.00
11781	PT	8PA	82	08/22/91	0.806	0.00	18.60	[illegible]		0.00
11781	SF	8OV	82	08/20/91	0.856	0.00	16.00	[illegible]		0.00
11781	VE	8OG	82	08/23/91	0.756	264.00	62.90	[illegible]		1.00
11781	YF	8PP	82	08/21/91	1.003	0.00	21.20	[illegible]		0.00
11782	JE	8N5	82	08/21/91	0.819	0.00	1160.00	[illegible]	>	0.10
11782	PT	8PB	82	08/22/91	0.826	0.00	1080.00	[illegible]		1.25
11782	SF	8OW	82	08/20/91	0.678	843.00	1030.00	[illegible]		7.14
11782	VE	8OH	82	08/23/91	0.815	0.00	1550.00	[illegible]	>	3.54
11782	YF	8PQ	82	08/21/91	0.957	833.00	680.00	[illegible]		2.13
11783	JE	8N5	82	08/21/91	0.819	0.00	493.00	[illegible]		0.00
11783	PT	8PB	82	08/22/91	0.826	0.00	524.00	[illegible]		0.00
11783	SF	8OW	82	08/20/91	0.678	0.00	566.00	[illegible]		0.00
11783	VE	8OH	82	08/23/91	0.815	0.00	645.00	[illegible]	>	1.05
11783	YF	8PQ	82	08/21/91	0.957	0.00	414.00	[illegible]		0.00
11784	JE	8N6	82	08/21/91	0.918	0.00	1590.00	[illegible]		0.00
11784	PT	8PC	82	08/22/91	0.831	0.00	1610.00	[illegible]		0.00
11784	SF	8OX	82	08/20/91	0.929	0.00	1460.00	[illegible]		0.00
11784	VE	8OI	82	08/23/91	0.917	0.00	2080.00	[illegible]		0.28
11784	YF	8PR	82	08/21/91	1.042	0.00	1480.00	[illegible]		0.00
11785	JE	8N6	82	08/21/91	0.918	0.00	191.00	[illegible]	>	0.68
11785	PT	8PC	82	08/22/91	0.831	0.00	300.00	[illegible]		0.00
11785	SF	8OX	82	08/20/91	0.929	0.00	10.00	[illegible]		0.00
11785	VE	8OI	82	08/23/91	0.917	0.00	45.60	[illegible]		0.00
11785	YF	8PR	82	08/21/91	1.042	0.00	224.00	[illegible]	>	0.54
11786	JE	8N7	82	08/21/91	0.801	0.00	1190.00	[illegible]	>	0.40
11786	PT	8PD	82	08/22/91	1.097	0.00	1550.00	[illegible]		0.00
11786	SF	8OY	82	08/20/91	0.768	0.00	806.00	[illegible]		0.00
11786	VE	8OJ	82	08/23/91	0.913	0.00	1350.00	[illegible]		0.00
11786	YF	8PS	82	08/21/91	1.044	0.00	792.00	[illegible]	>	0.06
11787	JE	8N7	82	08/21/91	0.801	0.00	507.00	[illegible]		0.00
11787	PT	8PD	82	08/22/91	1.097	0.00	1210.00	[illegible]		0.74
11787	SF	8OY	82	08/20/91	0.768	0.00	481.00	[illegible]		0.00
11787	VE	8OJ	82	08/23/91	0.913	0.00	490.00	[illegible]		0.00
11787	YF	8PS	82	08/21/91	1.044	0.00	349.00	[illegible]		0.52
11788	JE	8N8	82	08/21/91	0.865	0.00	272.00	[illegible]		0.00
11788	PT	8PE	82	08/22/91	0.816	0.00	164.00	[illegible]		0.00
11788	SF	8OZ	82	08/20/91	0.931	0.00	54.70	[illegible]		0.00
11788	VE	8OK	82	08/23/91	0.847	0.00	203.00	[illegible]		0.00
11788	YF	8PT	82	08/21/91	1.015	0.00	163.00	[illegible]		0.00
11789	JE	8N8	82	08/21/91	0.865	0.00	490.00	[illegible]		0.00
11789	PT	8PE	82	08/22/91	0.816	0.00	490.00	[illegible]		0.00
11789	SF	8OZ	82	08/20/91	0.931	0.00	420.00	[illegible]		0.00
11789	VE	8OK	82	08/23/91	0.847	0.00	496.00	[illegible]		0.21
11789	YF	8PT	82	08/21/91	1.015	0.00	480.00	[illegible]		0.00
11790	JE	8N9	82	08/21/91	0.800	0.00	1210.00	[illegible]		0.00
11790	PT	8PF	82	08/22/91	0.759	0.00	1500.00	[illegible]		0.00
11790	SF	8P0	82	08/20/91	0.910	0.00	1390.00	[illegible]		0.00
11790	VE	8OL	82	08/23/91	0.917	0.00	1470.00	[illegible]		0.17
11790	YF	8PU	82	08/21/91	1.007	0.00	899.00	[illegible]		0.34
11791	JE	8N9	82	08/21/91	0.800	0.00	547.00	[illegible]	>	11.16
11791	PT	8PF	82	08/22/91	0.759	0.00	792.00	[illegible]		0.10
11791	SF	8P0	82	08/20/91	0.910	0.00	358.00	[illegible]		0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11791	VE	80L	82	08/23/91	0.917	0.00	554.00	0.00	0.00
11791	YF	8PU	82	08/21/91	1.007	0.00	543.00	0.00 >	24.95
11792	JE	80A	82	08/21/91	0.799	0.00	372.00	0.00	0.00
11792	PT	8PG	82	08/22/91	0.929	0.00	332.00	0.00	0.00
11792	SF	8P1	82	08/20/91	0.897	0.00	241.00	0.00	0.00
11792	VE	80M	82	08/23/91	0.831	0.00	806.00	0.00	0.55
11792	YF	8PV	82	08/21/91	1.074	0.00	280.00	0.00 >	0.68
11793	JE	80A	82	08/21/91	0.799	0.00	276.00	0.00	0.40
11793	PT	8PG	82	08/22/91	0.929	0.00	69.10	0.00	0.00
11793	SF	8P1	82	08/20/91	0.897	0.00	100.00	0.00	0.04
11793	VE	80M	82	08/23/91	0.831	0.00	129.00	0.00	0.20
11793	YF	8PV	82	08/21/91	1.074	0.00	80.90	0.00 >	0.31
11794	JE	808	82	08/21/91	0.982	0.00	379.00	0.00	0.00
11794	PT	8PH	82	08/22/91	0.608	0.00	485.00	0.00	0.00
11794	SF	8P2	82	08/20/91	0.888	0.00	247.00	0.00	0.00
11794	VE	80N	82	08/23/91	0.863	0.00	525.00	0.00 >	0.87
11794	YF	8PW	82	08/21/91	1.027	0.00	371.00	0.00	0.00
11795	JE	808	82	08/21/91	0.982	0.00	1500.00	0.00	0.00
11795	PT	8PH	82	08/22/91	0.608	590.00	1560.00	2.64	13.81
11795	SF	8P2	82	08/20/91	0.888	598.00	1550.00	2.59	13.41
11795	VE	80N	82	08/23/91	0.863	865.00	1570.00	1.82 >	10.77
11795	YF	8PW	82	08/21/91	1.027	0.00	1620.00	0.00 >	4.65
11796	JE	80C	82	08/21/91	0.573	56.60	386.00	6.82 >	28.24
11796	PT	8PI	82	08/22/91	0.752	0.00	304.00	0.00	3.28
11796	SF	8P3	82	08/20/91	0.957	0.00	190.00	0.00	0.10
11796	VE	800	82	08/23/91	0.788	0.00	234.00	0.00	0.00
11796	YF	8PX	82	08/21/91	0.981	53.70	231.00	4.30 >	23.06
11797	JE	80C	82	08/21/91	0.573	0.00	129.00	0.00 >	2.98
11797	PT	8PI	82	08/22/91	0.752	0.00	49.00	0.00	0.00
11797	SF	8P3	82	08/20/91	0.957	0.00	29.00	0.00	0.00
11797	VE	800	82	08/23/91	0.788	0.00	1550.00	0.00	2.39
11797	YF	8PX	82	08/21/91	0.981	0.00	58.90	0.00	0.00
11798	JE	80D	82	08/21/91	0.700	0.00	1000.00	0.00	0.00
11798	PT	8PJ	82	08/22/91	0.794	0.00	895.00	0.00	0.00
11798	SF	8P4	82	08/20/91	0.956	0.00	843.00	0.00	0.00
11798	VE	80P	82	08/23/91	0.878	0.00	312.00	0.00	0.00
11798	YF	8PY	82	08/21/91	1.012	0.00	636.00	0.00 >	0.01
11799	JE	80D	82	08/21/91	0.700	0.00	84.80	0.00 >	1.37
11799	PT	8PJ	82	08/22/91	0.794	0.00	69.00	0.00	0.00
11799	SF	8P4	82	08/20/91	0.956	0.00	57.00	0.00	0.00
11799	VE	80P	82	08/23/91	0.878	0.00	17.90	0.00	0.00
11799	YF	8PY	82	08/21/91	1.012	0.00	55.60	0.00 >	1.83
11800	JE	80E	82	08/21/91	0.844	0.00	396.00	0.00 >	0.40
11800	PT	8PK	82	08/22/91	0.763	0.00	589.00	0.00	0.00
11800	SF	8P5	82	08/20/91	0.873	0.00	192.00	0.00	0.00
11800	VE	809	82	08/23/91	0.892	0.00	374.00	0.00	0.00
11800	YF	8PZ	82	08/21/91	1.023	0.00	290.00	0.00	0.00
11801	JE	80E	82	08/21/91	0.844	0.00	403.00	0.00 >	0.30
11801	PT	8PK	82	08/22/91	0.763	0.00	461.00	0.00	0.00
11801	SF	8P5	82	08/20/91	0.873	0.00	178.00	0.00	0.00
11801	VE	809	82	08/23/91	0.892	0.00	660.00	0.00	0.00
11801	YF	8PZ	82	08/21/91	1.023	0.00	329.00	0.00	0.00
11802	JE	80F	82	08/21/91	0.817	0.00	503.00	0.00 >	0.10
11802	PT	8PL	82	08/22/91	0.787	0.00	233.00	0.00	0.00
11802	SF	8P6	82	08/20/91	0.896	0.00	188.00	0.00	0.00
11802	VE	80R	82	08/23/91	0.879	0.00	494.00	0.00	0.00
11802	YF	800	82	08/21/91	1.054	0.00	283.00	0.00	0.00
11803	JE	80F	82	08/21/91	0.817	0.00	490.00	0.00 >	4.71
11803	PT	8PL	82	08/22/91	0.787	0.00	690.00	0.00	0.00
11803	SF	8P6	82	08/20/91	0.896	0.00	105.00	0.00	0.00
11803	VE	80R	82	08/23/91	0.879	0.00	48.20	0.00	0.09
11803	YF	800	82	08/21/91	1.054	0.00	446.00	0.00	0.31
11804	JE	80G	82	08/21/91	0.901	0.00	416.00	0.00	0.00
11804	PT	8PN	82	08/22/91	0.792	0.00	458.00	0.00	0.00
11804	SF	8P7	82	08/20/91	0.872	0.00	329.00	0.00	0.00
11804	VE	80S	82	08/23/91	0.851	626.00	1480.00	2.37	31.22
11804	YF	801	82	08/21/91	0.980	0.00	414.00	0.00	0.61
11805	JE	80G	82	08/21/91	0.901	300.00	433.00	1.03 >	3.62
11805	PT	8PN	82	08/22/91	0.792	0.00	525.00	0.00	0.40
11805	SF	8P7	82	08/20/91	0.872	0.00	80.00	0.00	0.00
11805	VE	80S	82	08/23/91	0.851	0.00	542.00	0.00	0.00
11805	YF	801	82	08/21/91	0.980	171.00	427.00	2.50	13.98
11806	JE	8SS	82	08/21/91	0.950	0.00	386.00	0.00	0.00
11806	PT	8T7	82	08/21/91	0.446	0.00	346.00	0.00	0.00
11806	SF	8TN	82	08/27/91	0.942	0.00	415.00	0.00 >	6.81

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11806	VE	8QJ	82	08/23/91	1.022	688.00	1210.00	1.76	6.34
11806	YF	8SD	82	08/21/91	0.890	0.00	407.00	0.00 >	0.96
11807	JE	8ST	82	08/21/91	0.988	0.00	71.70	0.00	0.00
11807	PT	8T8	82	08/21/91	0.465	0.00	64.60	0.00	0.00
11807	SF	8TN	82	08/27/91	0.883	2520.0	267.00	0.11 >	1.25
11807	VE	8QK	82	08/23/91	1.137	0.00	77.90	0.00	0.00
11807	YF	8SE	82	08/21/91	0.958	0.00	82.00	0.00	0.00
11808	JE	8ST	82	08/21/91	0.988	0.00	1000.00	0.00	0.00
11808	PT	8T8	82	08/21/91	0.465	0.00	155.00	0.00	0.00
11808	SF	8TN	82	08/27/91	0.883	0.00	1370.00	0.00	0.47
11808	VE	8QK	82	08/23/91	1.137	0.00	483.00	0.00	0.00
11808	YF	8SE	82	08/21/91	0.958	671.00	490.00	0.73	0.00
11809	JE	8SU	82	08/21/91	1.053	0.00	563.00	0.00	0.00
11809	PT	8T9	82	08/21/91	0.554	0.00	527.00	0.00	0.00
11809	SF	8TO	82	08/27/91	0.880	0.00	1690.00	0.00	16.85
11809	VE	8QL	82	08/23/91	1.164	0.00	521.00	0.00 >	3.50
11809	YF	8SF	82	08/21/91	1.031	0.00	660.00	0.00	1.43
11810	JE	8SU	82	08/21/91	1.053	0.00	371.00	0.00	0.00
11810	PT	8T9	82	08/21/91	0.554	0.00	51.40	0.00	0.00
11810	SF	8TO	82	08/27/91	0.880	0.00	400.00	0.00	0.00
11810	VE	8QL	82	08/23/91	1.164	0.00	116.00	0.00	0.00
11810	YF	8SF	82	08/21/91	1.031	0.00	346.00	0.00	0.00
11811	JE	8SV	82	08/21/91	1.040	0.00	1200.00	0.00	0.00
11811	PT	8TA	82	08/21/91	0.626	0.00	1350.00	0.00 >	0.18
11811	SF	8TP	82	08/27/91	0.850	0.00	1860.00	0.00 >	2.00
11811	VE	8QM	82	08/23/91	1.157	0.00	688.00	0.00	0.00
11811	YF	8SG	82	08/21/91	0.955	0.00	1600.00	0.00	0.00
11812	JE	8SV	82	08/21/91	1.040	0.00	1.71	0.00	0.00
11812	PT	8TA	82	08/21/91	0.626	0.00	4.13	0.00	0.00
11812	SF	8TP	82	08/27/91	0.850	7.15	14.00	1.96 >	13.02
11812	VE	8QM	82	08/23/91	1.157	0.00	1.84	0.00	0.00
11812	YF	8SG	82	08/21/91	0.955	0.00	5.82	0.00 >	2.85
11813	JE	8SW	82	08/21/91	1.046	0.00	224.00	0.00	0.00
11813	PT	8T8	82	08/21/91	0.437	0.00	535.00	0.00	2.99
11813	SF	8TQ	82	08/27/91	0.642	0.00	641.00	0.00 >	4.09
11813	VE	8QN	82	08/23/91	1.178	0.00	217.00	0.00	0.60
11813	YF	8SH	82	08/21/91	0.966	0.00	370.00	0.00	0.00
11814	JE	8SW	82	08/21/91	1.046	0.00	388.00	0.00	0.00
11814	PT	8T8	82	08/21/91	0.437	0.00	1190.00	0.00	0.00
11814	SF	8TQ	82	08/27/91	0.642	827.00	1530.00	1.85 >	10.45
11814	VE	8QN	82	08/23/91	1.178	0.00	483.00	0.00	0.00
11814	YF	8SH	82	08/21/91	0.966	0.00	676.00	0.00	0.00
11815	JE	8SX	82	08/21/91	1.020	0.00	717.00	0.00	0.00
11815	PT	8TC	82	08/21/91	0.489	0.00	9.26	0.00	0.00
11815	SF	8TR	82	08/27/91	0.767	0.00	1500.00	0.00 >	3.19
11815	VE	8QO	82	08/23/91	1.167	0.00	631.00	0.00	0.00
11815	YF	8SI	82	08/21/91	0.942	0.00	806.00	0.00	4.10
11816	JE	8SX	82	08/21/91	1.020	0.00	1310.00	0.00	0.00
11816	PT	8TC	82	08/21/91	0.489	885.00	1550.00	1.75	7.22
11816	SF	8TR	82	08/27/91	0.767	514.00	1550.00	3.01 >	20.79
11816	VE	8QO	82	08/23/91	1.167	0.00	1550.00	0.00	4.85
11816	YF	8SI	82	08/21/91	0.942	642.00	1550.00	2.41	12.40
11817	JE	8SY	82	08/21/91	0.961	0.00	453.00	0.00	0.00
11817	PT	8TD	82	08/21/91	0.644	0.00	348.00	0.00	0.00
11817	SF	8TS	82	08/27/91	0.678	0.00	674.00	0.00 >	3.08
11817	VE	8QP	82	08/23/91	1.226	0.00	577.00	0.00	0.00
11817	YF	8SJ	82	08/21/91	1.073	0.00	492.00	0.00	0.00
11818	JE	8SY	82	08/21/91	0.961	0.00	199.00	0.00	0.00
11818	PT	8TD	82	08/21/91	0.644	0.00	456.00	0.00	0.00
11818	SF	8TS	82	08/27/91	0.678	0.00	1550.00	0.00 >	14.97
11818	VE	8QP	82	08/23/91	1.226	0.00	794.00	0.00	0.62
11818	YF	8SJ	82	08/21/91	1.073	0.00	609.00	0.00 >	0.70
11819	JE	8SZ	82	08/21/91	1.182	0.00	849.00	0.00	0.00
11819	PT	8TE	82	08/21/91	0.569	0.00	660.00	0.00	0.00
11819	SF	8TT	82	08/27/91	0.776	0.00	1440.00	0.00 >	1.19
11819	VE	8QQ	82	08/23/91	1.173	0.00	1260.00	0.00 >	0.02
11819	YF	8SK	82	08/21/91	0.850	0.00	1300.00	0.00 >	4.03
11820	JE	8SZ	82	08/21/91	1.182	0.00	350.00	0.00	0.08
11820	PT	8TE	82	08/21/91	0.569	0.00	252.00	0.00	0.00
11820	SF	8TT	82	08/27/91	0.776	0.00	715.00	0.00 >	5.59
11820	VE	8QQ	82	08/23/91	1.173	0.00	355.00	0.00	0.00
11820	YF	8SK	82	08/21/91	0.850	25.90	550.00	21.22 >	39.53
11821	JE	8TO	82	08/21/91	0.743	0.00	587.00	0.00 >	12.84
11821	PT	8TF	82	08/21/91	0.656	0.00	155.00	0.00	0.00
11821	SF	8TU	82	08/27/91	0.676	0.00	706.00	0.00 >	7.05

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11821	VE	8QR	82	08/23/91	1.101	0.00	309.00	0.00	0.30
11821	YF	8SL	82	08/21/91	0.917	6.84	451.00	65.97 >	38.34
11822	JE	8T0	82	08/21/91	0.743	0.00	64.10	0.00	0.00
11822	PT	8TF	82	08/21/91	0.656	0.00	48.70	0.00	0.00
11822	SF	8TU	82	08/27/91	0.676	78.90	85.10	1.08 >	11.04
11822	VE	8QR	82	08/23/91	1.101	0.00	50.50	0.00	1.92
11822	YF	8SL	82	08/21/91	0.917	0.00	59.40	0.00	0.21
11823	JE	8T1	82	08/21/91	0.769	0.00	64.10	0.00	0.00
11823	PT	8TG	82	08/21/91	0.488	0.00	47.00	0.00 >	0.32
11823	SF	8TV	82	08/27/91	0.609	0.00	126.00	0.00 >	12.35
11823	VE	8QS	82	08/23/91	1.163	0.00	38.80	0.00 >	0.74
11823	YF	8SM	82	08/21/91	0.960	0.00	55.50	0.00	0.00
11824	JE	8T1	82	08/21/91	0.769	0.00	7.17	0.00 >	2.64
11824	PT	8TG	82	08/21/91	0.488	0.00	9.55	0.00 >	0.03
11824	SF	8TV	82	08/27/91	0.609	8.35	55.40	6.63 >	27.35
11824	VE	8QS	82	08/23/91	1.163	0.00	2.05	0.00	0.00
11824	YF	8SM	82	08/21/91	0.960	0.00	9.41	0.00 >	8.13
11825	JE	8T2	82	08/21/91	0.846	0.00	879.00	0.00	0.00
11825	PT	8TN	82	08/21/91	0.726	0.00	851.00	0.00 >	11.24
11825	SF	8TW	82	08/27/91	0.718	649.00	1300.00	2.01 >	12.06
11825	VE	8QT	82	08/23/91	1.218	0.00	694.00	0.00	0.00
11825	YF	8SN	82	08/21/91	0.929	0.00	927.00	0.00	5.69
11826	JE	8T2	82	08/21/91	0.846	0.00	631.00	0.00 >	0.10
11826	PT	8TN	82	08/21/91	0.726	0.00	8.93	0.00	0.00
11826	SF	8TW	82	08/27/91	0.718	0.00	788.00	0.00 >	2.91
11826	VE	8QT	82	08/23/91	1.218	0.00	522.00	0.00	0.00
11826	YF	8SN	82	08/21/91	0.929	0.00	667.00	0.00	4.78
11827	JE	8T3	82	08/21/91	0.919	63.10	158.00	2.51	11.45
11827	PT	8TI	82	08/21/91	0.553	0.00	52.80	0.00	0.00
11827	SF	8TX	82	08/27/91	0.764	19.10	132.00	6.94 >	33.84
11827	VE	8QU	82	08/23/91	1.113	63.80	342.00	5.36	20.67
11827	YF	8SO	82	08/21/91	0.954	0.00	69.00	0.00	1.01
11828	JE	8T3	82	08/21/91	0.919	0.00	405.00	0.00	0.12
11828	PT	8TI	82	08/21/91	0.553	0.00	372.00	0.00	0.00
11828	SF	8TX	82	08/27/91	0.764	250.00	531.00	2.12 >	19.89
11828	VE	8QU	82	08/23/91	1.113	855.00	762.00	0.89	2.30
11828	YF	8SO	82	08/21/91	0.954	0.00	686.00	0.00 >	1.56
11829	JE	8T4	82	08/21/91	0.879	0.00	668.00	0.00	5.81
11829	PT	8TJ	82	08/21/91	0.554	0.00	810.00	0.00	1.13
11829	SF	8TY	82	08/27/91	0.729	166.00	1740.00	10.48 >	43.67
11829	VE	8QV	82	08/23/91	1.118	0.00	725.00	0.00	0.30
11829	YF	8SP	82	08/21/91	0.945	0.00	735.00	0.00 >	2.93
11830	JE	8T4	82	08/21/91	0.879	706.00	1460.00	2.07 >	13.61
11830	PT	8TJ	82	08/21/91	0.554	0.00	1140.00	0.00	7.17
11830	SF	8TY	82	08/27/91	0.729	53.30	1410.00	26.52 >	59.31
11830	VE	8QV	82	08/23/91	1.118	0.00	1760.00	0.00	0.12
11830	YF	8SP	82	08/21/91	0.945	835.00	1830.00	2.19 >	16.49
11831	JE	8VV	82	08/22/91	0.901	0.00	600.00	0.00	0.00
11831	PT	8U1	82	08/22/91	0.570	0.00	915.00	0.00	0.00
11831	SF	8WA	82	08/22/91	0.819	0.00	650.00	0.00 >	0.32
11831	VE	8QY	82	08/23/91	1.105	0.00	1280.00	0.00	4.03
11831	YF	8VG	82	08/22/91	0.877	0.00	753.00	0.00	0.00
11832	JE	8VW	82	08/22/91	0.923	731.00	1490.00	2.04	9.44
11832	PT	8U2	82	08/22/91	0.574	1000.0	1360.00	1.36 >	24.46
11832	SF	8WB	82	08/22/91	0.828	155.00	835.00	5.38 >	30.64
11832	VE	8QZ	82	08/23/91	1.031	0.00	1450.00	0.00	0.00
11832	YF	8VH	82	08/22/91	1.003	601.00	1260.00	2.09	12.15
11833	JE	8VW	82	08/22/91	0.923	0.00	887.00	0.00	5.16
11833	PT	8U2	82	08/22/91	0.574	0.00 >	1000.00	0.00 >	10.47
11833	SF	8WB	82	08/22/91	0.828	0.00	788.00	0.00 >	1.03
11833	VE	8QZ	82	08/23/91	1.031	0.00 >	1000.00	0.00	0.00
11833	YF	8VH	82	08/22/91	1.003	6.52	864.00	132.46 >	36.04
11834	JE	8VX	82	08/22/91	0.940	0.00	477.00	0.00	0.01
11834	PT	8U3	82	08/22/91	0.558	0.00	475.00	0.00	0.00
11834	SF	8WC	82	08/22/91	0.861	0.00	69.10	0.00	0.00
11834	VE	8R0	82	08/23/91	1.177	0.00	614.00	0.00	0.00
11834	YF	8VI	82	08/22/91	0.975	212.00	330.00	1.56	6.15
11835	JE	8VX	82	08/22/91	0.940	0.00	65.00	0.00	0.00
11835	PT	8U3	82	08/22/91	0.558	0.00	82.00	0.00	0.00
11835	SF	8WC	82	08/22/91	0.861	0.00	72.50	0.00	0.00
11835	VE	8R0	82	08/23/91	1.177	0.00	57.50	0.00	0.00
11835	YF	8VI	82	08/22/91	0.975	0.00	51.00	0.00	0.00
11836	JE	8VY	82	08/22/91	0.913	0.00	512.00	0.00	0.00
11836	PT	8U4	82	08/22/91	0.568	0.00	320.00	0.00	0.00
11836	SF	8WD	82	08/22/91	0.917	0.00	358.00	0.00 >	0.83

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11836	VE	8R1	82	08/23/91	1.244	0.00	421.00	0.00	0.00
11836	YF	8VJ	82	08/22/91	1.019	0.00	388.00	0.00	0.00
11837	JE	8VY	82	08/22/91	0.913	0.00	304.00	0.00	0.00
11837	PT	8U4	82	08/22/91	0.568	0.00	849.00	0.00	0.00
11837	SF	8WD	82	08/22/91	0.917	0.00	372.00	0.00 >	1.21
11837	VE	8R1	82	08/23/91	1.244	0.00	1470.00	0.00	0.00
11837	YF	8VJ	82	08/22/91	1.019	0.00	32.00	0.00	0.00
11838	JE	8VZ	82	08/22/91	0.894	0.00	320.00	0.00	0.00
11838	PT	8U5	82	08/22/91	0.446	0.00	433.00	0.00 >	0.01
11838	SF	8WE	82	08/22/91	0.890	0.00	283.00	0.00 >	2.20
11838	VE	8R2	82	08/23/91	1.135	431.00	3100.00	7.20 >	28.63
11838	YF	8VK	82	08/22/91	0.974	0.00	637.00	0.00	2.86
11839	JE	8VZ	82	08/22/91	0.894	0.00	415.00	0.00	0.00
11839	PT	8U5	82	08/22/91	0.446	0.00	505.00	0.00 >	2.25
11839	SF	8WE	82	08/22/91	0.890	0.00	469.00	0.00 >	1.40
11839	VE	8R2	82	08/23/91	1.135	1080.0 >	3200.00 >	2.97 >	16.74
11839	YF	8VK	82	08/22/91	0.974	0.00	421.00	0.00	0.00
11840	JE	8W0	82	08/22/91	0.878	0.00	475.00	0.00	0.00
11840	PT	8U6	82	08/22/91	0.589	0.00	511.00	0.00	0.00
11840	SF	8WF	82	08/22/91	0.959	0.00	283.00	0.00 >	1.09
11840	VE	8R3	82	08/23/91	1.177	0.00	700.00	0.00	0.00
11840	YF	8VL	82	08/22/91	0.987	0.00	464.00	0.00	0.00
11841	JE	8W0	82	08/22/91	0.878	0.00	440.00	0.00	0.14
11841	PT	8U6	82	08/22/91	0.589	0.00	363.00	0.00 >	17.36
11841	SF	8WF	82	08/22/91	0.959	0.00	427.00	0.00 >	7.91
11841	VE	8R3	82	08/23/91	1.177	0.00	306.00	0.00	0.00
11841	YF	8VL	82	08/22/91	0.987	0.00	329.00	0.00	0.16
11842	JE	8W1	82	08/22/91	0.909	0.00	477.00	0.00 >	0.11
11842	PT	8U7	82	08/22/91	0.516	0.00	577.00	0.00	3.79
11842	SF	8WG	82	08/22/91	0.860	0.00	430.00	0.00 >	5.60
11842	VE	8R4	82	08/23/91	1.126	776.00	1350.00	1.74	6.65
11842	YF	8VM	82	08/22/91	0.964	0.00	468.00	0.00	0.00
11843	JE	8W1	82	08/22/91	0.909	0.00	220.00	0.00	0.00
11843	PT	8U7	82	08/22/91	0.516	0.00	456.00	0.00 >	3.24
11843	SF	8WC	82	08/22/91	0.860	0.00	438.00	0.00 >	8.62
11843	VE	8R4	82	08/23/91	1.126	918.00	367.00	0.40	0.00
11843	YF	8VM	82	08/22/91	0.964	0.00	346.00	0.00 >	1.94
11844	JE	8W2	82	08/22/91	0.952	17.60	45.20	2.57	13.93
11844	PT	8U8	82	08/22/91	0.536	0.00	43.10	0.00	3.76
11844	SF	8WH	82	08/22/91	0.891	0.00	28.20	0.00 >	7.07
11844	VE	8R5	82	08/23/91	1.155	0.00	62.40	0.00	0.00
11844	YF	8VN	82	08/22/91	0.871	4.59	48.30	10.53	37.09
11845	JE	8W2	82	08/22/91	0.952	0.00	74.50	0.00	0.00
11845	PT	8U8	82	08/22/91	0.536	0.00	134.00	0.00	2.48
11845	SF	8WH	82	08/22/91	0.891	0.00	113.00	0.00 >	4.52
11845	VE	8R5	82	08/23/91	1.155	0.00	154.00	0.00	0.00
11845	YF	8VN	82	08/22/91	0.871	0.00	133.00	0.00	0.92
11846	JE	8W3	82	08/22/91	0.955	0.00	336.00	0.00	0.00
11846	PT	8U9	82	08/22/91	0.556	0.00	603.00	0.00 >	12.82
11846	SF	8WI	82	08/22/91	0.947	0.00	147.00	0.00 >	1.51
11846	VE	8R6	82	08/23/91	1.061	0.00	660.00	0.00	0.00
11846	YF	8VO	82	08/22/91	0.963	0.00	484.00	0.00 >	1.52
11847	JE	8W3	82	08/22/91	0.955	94.60	236.00	2.50	11.83
11847	PT	8U9	82	08/22/91	0.556	0.00	181.00	0.00 >	0.94
11847	SF	8WI	82	08/22/91	0.947	0.00	115.00	0.00 >	2.28
11847	VE	8R6	82	08/23/91	1.061	0.00	773.00	0.00	0.00
11847	YF	8VO	82	08/22/91	0.963	20.70	287.00	13.87 >	41.61
11848	JE	8W4	82	08/22/91	0.916	0.00	660.00	0.00	0.00
11848	PT	8UA	82	08/22/91	0.501	0.00	291.00	0.00	0.00
11848	SF	8WJ	82	08/22/91	0.842	243.00	394.00	1.62 >	9.08
11848	VE	8R7	82	08/23/91	1.042	609.00	1460.00	2.40	13.24
11848	YF	8VP	82	08/22/91	0.877	902.00	1030.00	1.14	5.68
11849	JE	8W4	82	08/22/91	0.916	0.00	1800.00	0.00 >	6.72
11849	PT	8UA	82	08/22/91	0.501	0.00	1000.00	0.00 >	0.39
11849	SF	8WJ	82	08/22/91	0.842	0.00	437.00	0.00	0.52
11849	VE	8R7	82	08/23/91	1.042	0.00	651.00	0.00	7.48
11849	YF	8VP	82	08/22/91	0.877	< 32.00	876.00 >	27.39 >	32.57
11850	JE	8W5	82	08/22/91	0.884	0.00	226.00	0.00	0.00
11850	PT	8U8	82	08/22/91	0.480	0.00	230.00	0.00	0.00
11850	SF	8WK	82	08/22/91	0.926	0.00	175.00	0.00	0.24
11850	VE	8R8	82	08/23/91	1.122	0.00	265.00	0.00	0.49
11850	YF	8VQ	82	08/22/91	0.969	0.00	240.00	0.00 >	7.53
11851	JE	8W5	82	08/22/91	0.884	0.00	646.00	0.00	0.00
11851	PT	8U8	82	08/22/91	0.480	0.00	728.00	0.00	0.00
11851	SF	8WK	82	08/22/91	0.926	0.00	495.00	0.00 >	0.38

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TA
11851	VE	8R8	82	08/23/91	1.122	0.00	508.00	0.00	0.00
11851	YF	8V0	82	08/22/91	0.969	0.00	521.00	0.00	0.00
11852	JE	8W6	82	08/22/91	0.846	0.00	723.00	0.00	0.00
11852	PT	8UC	82	08/22/91	0.591	0.00	32.00	0.00	0.00
11852	SF	8WL	82	08/22/91	0.883	0.00	500.00	0.00 >	1.47
11852	VE	8R9	82	08/23/91	1.090	0.00	887.00	0.00	0.40
11852	YF	8VR	82	08/22/91	0.798	0.00	728.00	0.00	0.36
11853	JE	8W6	82	08/22/91	0.846	0.00	551.00	0.00	0.00
11853	PT	8UC	82	08/22/91	0.591	0.00	298.00	0.00	0.00
11853	SF	8WL	82	08/22/91	0.883	0.00	382.00	0.00 >	3.88
11853	VE	8R9	82	08/23/91	1.090	0.00	617.00	0.00 >	0.45
11853	YF	8VR	82	08/22/91	0.798	0.00	582.00	0.00	1.30
11854	JE	8W7	82	08/22/91	0.931	0.00	140.00	0.00	0.00
11854	PT	8UD	82	08/22/91	0.607	0.00	924.00	0.00	0.00
11854	SF	8WM	82	08/22/91	0.881	0.00	90.70	0.00 >	0.40
11854	VE	8RA	82	08/23/91	1.155	229.00	427.00	1.87	10.15
11854	YF	8VS	82	08/22/91	1.045	0.00	128.00	0.00	1.85
11855	JE	8W7	82	08/22/91	0.931	0.00	188.00	0.00	0.00
11855	PT	8UD	82	08/22/91	0.607	0.00	194.00	0.00	0.00
11855	SF	8WM	82	08/22/91	0.881	0.00	149.00	0.00 >	0.09
11855	VE	8RA	82	08/23/91	1.155	0.00	320.00	0.00	0.00
11855	YF	8VS	82	08/22/91	1.045	0.00	141.00	0.00	0.00
11856	JE	8XJ	82	08/28/91	0.836	0.00	55.50	0.00	0.00
11856	PT	8YD	82	08/27/91	0.352	0.00	46.60	0.00	0.00
11856	SF	8YS	82	08/27/91	0.865	872.00	97.30	0.11	3.39
11856	VE	8XY	82	08/30/91	1.077	0.00	58.20	0.00	0.00
11856	YF	8X4	82	08/28/91	1.045	0.00	25.10	0.00	0.00
11857	JE	8XK	82	08/28/91	0.901	0.00	21.90	0.00	1.09
11857	PT	8YE	82	08/27/91	0.439	0.00	15.50	0.00	0.00
11857	SF	8YT	82	08/27/91	0.853	30.60	17.30	0.57	0.30
11857	VE	8XZ	82	08/30/91	0.991	0.00	8.35	0.00	0.00
11857	YF	8X5	82	08/28/91	0.911	0.00	65.30	0.00 >	7.96
11858	JE	8XK	82	08/28/91	0.901	0.00	433.00	0.00	0.00
11858	PT	8YE	82	08/27/91	0.439	0.00	32.00	0.00	0.00
11858	SF	8YT	82	08/27/91	0.853	0.00	599.00	0.00 >	15.93
11858	VE	8XZ	82	08/30/91	0.991	0.00	1060.00	0.00 >	0.30
11858	YF	8X5	82	08/28/91	0.911	0.00	429.00	0.00	5.16
11859	JE	8XL	82	08/28/91	0.842	0.00	439.00	0.00	0.00
11859	PT	8YF	82	08/27/91	0.494	0.00	265.00	0.00	0.00
11859	SF	8YU	82	08/27/91	0.833	0.00	703.00	0.00	1.13
11859	VE	8Y0	82	08/30/91	0.935	0.00	725.00	0.00	0.37
11859	YF	8X6	82	08/28/91	0.921	0.00	578.00	0.00 >	3.38
11860	JE	8XL	82	08/28/91	0.842	0.00	14.10	0.00	0.00
11860	PT	8YF	82	08/27/91	0.494	0.00	0.83	0.00	0.00
11860	SF	8YU	82	08/27/91	0.833	27.40	29.60	1.08 >	11.89
11860	VE	8Y0	82	08/30/91	0.935	0.00	19.00	0.00 >	0.30
11860	YF	8X6	82	08/28/91	0.921	0.00	35.40	0.00	4.28
11861	JE	8XM	82	08/28/91	0.867	0.00	17.20	0.00	0.61
11861	PT	8YG	82	08/27/91	0.521	0.00	19.30	0.00	3.53
11861	SF	8YV	82	08/27/91	0.817	0.00	42.30	0.00 >	13.07
11861	VE	8Y1	82	08/30/91	1.019	0.00	19.00	0.00	0.00
11861	YF	8X7	82	08/28/91	0.985	0.00	38.60	0.00	2.43
11862	JE	8XM	82	08/28/91	0.867	0.00	398.00	0.00	0.00
11862	PT	8YG	82	08/27/91	0.521	0.00	79.60	0.00	0.00
11862	SF	8YV	82	08/27/91	0.817	0.00	785.00	0.00	0.00
11862	VE	8Y1	82	08/30/91	1.019	0.00	495.00	0.00 >	0.01
11862	YF	8X7	82	08/28/91	0.985	0.00	608.00	0.00	0.00
11863	JE	8XN	82	08/28/91	0.873	0.00	1030.00	0.00	0.00
11863	PT	8YN	82	08/27/91	0.528	0.00	30.20	0.00	0.00
11863	SF	8YW	82	08/27/91	0.815	0.00	1470.00	0.00	0.00
11863	VE	8Y2	82	08/30/91	1.024	0.00	1440.00	0.00	0.00
11863	YF	8X8	82	08/28/91	0.938	0.00	1290.00	0.00	0.70
11864	JE	8XN	82	08/28/91	0.873	0.00	370.00	0.00	0.00
11864	PT	8YN	82	08/27/91	0.528	0.00	330.00	0.00	0.00
11864	SF	8YW	82	08/27/91	0.815	0.00	624.00	0.00	6.90
11864	VE	8Y2	82	08/30/91	1.024	1000.0	684.00	0.68	1.01
11864	YF	8X8	82	08/28/91	0.938	0.00	505.00	0.00	1.18
11865	JE	8XO	82	08/28/91	0.909	0.00	73.60	0.00	0.00
11865	PT	8YI	82	08/27/91	0.453	0.00	19.20	0.00	0.00
11865	SF	8YX	82	08/27/91	0.943	23.20	38.20	1.65 >	13.50
11865	VE	8Y3	82	08/30/91	1.087	0.00	68.60	0.00	0.00
11865	YF	8X9	82	08/28/91	1.000	0.00	63.70	0.00 >	3.11
11866	JE	8XO	82	08/28/91	0.909	0.00	45.60	0.00	0.00
11866	PT	8YI	82	08/27/91	0.453	0.00	25.20	0.00	0.00
11866	SF	8YX	82	08/27/91	0.943	61.40	164.00	2.67 >	14.45

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11866	VE	8Y3	82	08/30/91	1.087	1890.0	68.40	0.04 >	1.90
11866	YF	8X9	82	08/28/91	1.000	0.00	166.00	0.00 >	1.42
11867	JE	8XP	82	08/28/91	0.875	0.00	156.00	0.00 >	1.30
11867	PT	8YJ	82	08/27/91	0.527	0.00	32.00	0.00	0.00
11867	SF	8YY	82	08/27/91	0.915	0.00	142.00	0.00	1.35
11867	VE	8Y4	82	08/30/91	0.907	0.00	189.00	0.00	0.40
11867	YF	8XA	82	08/28/91	0.862	0.00	161.00	0.00 >	10.02
11868	JE	8XP	82	08/28/91	0.875	0.00	396.00	0.00	0.00
11868	PT	8YJ	82	08/27/91	0.527	0.00	188.00	0.00	0.00
11868	SF	8YY	82	08/27/91	0.915	0.00	462.00	0.00 >	2.14
11868	VE	8Y4	82	08/30/91	0.907	0.00	605.00	0.00	1.31
11868	YF	8XA	82	08/28/91	0.862	0.00	715.00	0.00 >	1.46
11869	JE	8XQ	82	08/28/91	0.928	0.00	1560.00	0.00	0.00
11869	PT	8YK	82	08/27/91	0.511	0.00	660.00	0.00	0.00
11869	SF	8YZ	82	08/27/91	0.984	0.00	456.00	0.00	0.00
11869	VE	8Y5	82	08/30/91	0.858	0.00	2070.00	0.00 >	3.58
11869	YF	8XB	82	08/28/91	1.062	0.00	1980.00	0.00	0.14
11870	JE	8XQ	82	08/28/91	0.928	0.00	1060.00	0.00	0.00
11870	PT	8YK	82	08/27/91	0.511	0.00	490.00	0.00	0.00
11870	SF	8YZ	82	08/27/91	0.984	0.00	1120.00	0.00	0.00
11870	VE	8Y5	82	08/30/91	0.858	0.00	1960.00	0.00 >	7.68
11870	YF	8XB	82	08/28/91	1.062	0.00	1370.00	0.00	1.91
11871	JE	8XR	82	08/28/91	0.786	0.00	229.00	0.00	0.00
11871	PT	8YL	82	08/27/91	0.182	0.00	496.00	0.00	3.19
11871	SF	8Z0	82	08/27/91	0.937	0.00	357.00	0.00 >	2.15
11871	VE	8Y6	82	08/30/91	1.086	0.00	140.00	0.00	0.00
11871	YF	8XC	82	08/28/91	1.002	0.00	226.00	0.00 >	0.23
11872	JE	8XR	82	08/28/91	0.786	0.00	274.00	0.00	0.00
11872	PT	8YL	82	08/27/91	0.182	0.00	469.00	0.00	0.00
11872	SF	8Z0	82	08/27/91	0.937	0.00	170.00	0.00	0.00
11872	VE	8Y6	82	08/30/91	1.086	0.00	77.30	0.00	0.00
11872	YF	8XC	82	08/28/91	1.002	0.00	330.00	0.00	0.00
11873	JE	8XS	82	08/28/91	0.761	0.00	1580.00	0.00	0.00
11873	PT	8YM	82	08/27/91	0.448	0.00	1240.00	0.00	1.43
11873	SF	8Z1	82	08/27/91	0.815	0.00	1790.00	0.00	2.10
11873	VE	8Y7	82	08/30/91	1.000	2630.0	2130.00	0.81 >	3.51
11873	YF	8XD	82	08/28/91	0.983	0.00	1520.00	0.00	0.40
11874	JE	8XS	82	08/28/91	0.761	0.00	602.00	0.00 >	0.10
11874	PT	8YM	82	08/27/91	0.448	0.00	815.00	0.00	0.00
11874	SF	8Z1	82	08/27/91	0.815	731.00	1100.00	1.50 >	13.68
11874	VE	8Y7	82	08/30/91	1.000	0.00	806.00	0.00 >	6.17
11874	YF	8XD	82	08/28/91	0.983	0.00	743.00	0.00	0.25
11875	JE	8XT	82	08/28/91	0.861	0.00	155.00	0.00 >	0.03
11875	PT	8YN	82	08/27/91	0.408	0.00	54.00	0.00	1.61
11875	SF	8Z2	82	08/27/91	0.914	0.00	200.00	0.00 >	6.12
11875	VE	8Y8	82	08/30/91	1.044	0.00	156.00	0.00	0.50
11875	YF	8XE	82	08/28/91	0.975	0.00	234.00	0.00 >	0.72
11876	JE	8XT	82	08/28/91	0.861	0.00	4460.00	0.00	0.00
11876	PT	8YN	82	08/27/91	0.408	0.00	4070.00	0.00	0.00
11876	SF	8Z2	82	08/27/91	0.914	1190.0	4900.00	4.13 >	26.77
11876	VE	8Y8	82	08/30/91	1.044	0.00	6030.00	0.00	4.74
11876	YF	8XE	82	08/28/91	0.975	0.00	3780.00	0.00 >	4.73
11877	JE	8XU	82	08/28/91	0.781	0.00	691.00	0.00 >	0.40
11877	PT	8Y0	82	08/27/91	0.408	0.00	1030.00	0.00	0.00
11877	SF	8Z3	82	08/27/91	0.992	0.00	584.00	0.00 >	1.03
11877	VE	8Y9	82	08/30/91	1.025	0.00	757.00	0.00	0.00
11877	YF	8XF	82	08/28/91	0.986	0.00	536.00	0.00 >	1.11
11878	JE	8XU	82	08/28/91	0.781	0.00	573.00	0.00 >	2.05
11878	PT	8Y0	82	08/27/91	0.408	0.00	466.00	0.00	0.00
11878	SF	8Z3	82	08/27/91	0.992	693.00	704.00	1.02 >	10.74
11878	VE	8Y9	82	08/30/91	1.025	0.00	950.00	0.00	2.95
11878	YF	8XF	82	08/28/91	0.986	0.00	480.00	0.00 >	2.21
11879	JE	8XV	82	08/28/91	0.820	0.00	1370.00	0.00 >	0.31
11879	PT	8YP	82	08/27/91	0.419	0.00	1650.00	0.00	0.00
11879	SF	8Z4	82	08/27/91	0.979	0.00	915.00	0.00	0.01
11879	VE	8YA	82	08/30/91	0.852	0.00	2040.00	0.00 >	3.48
11879	YF	8XG	82	08/28/91	1.001	0.00	1240.00	0.00 >	4.83
11880	JE	8XV	82	08/28/91	0.820	0.00	742.00	0.00	0.00
11880	PT	8YP	82	08/27/91	0.419	0.00	482.00	0.00	0.00
11880	SF	8Z4	82	08/27/91	0.979	0.00	555.00	0.00	0.30
11880	VE	8YA	82	08/30/91	0.852	0.00	1160.00	0.00 >	5.80
11880	YF	8XG	82	08/28/91	1.001	0.00	679.00	0.00 >	3.55
11881	JE	91T	82	08/29/91	0.866	0.00	517.00	0.00 >	0.05
11881	SF	92N	82	08/29/91	0.618	0.00	599.00	0.00 >	4.25
11881	VE	8ZM	82	08/30/91	0.562	1000.0	1370.00	1.37	7.12

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11881	YF	91E	82	08/29/91	0.863	0.00	640.00	0.00	4.04
11882	JE	91U	82	08/29/91	0.872	0.00	230.00	0.00	0.00
11882	PT	929	82	08/29/91	0.457	0.00	222.00	0.00	0.00
11882	SF	920	82	08/29/91	0.821	0.00	231.00	0.00	0.60
11882	VE	8ZN	82	08/30/91	0.878	0.00	492.00	0.00	0.08
11882	YF	91F	82	08/29/91	0.968	0.00	260.00	0.00 >	3.08
11883	JE	91U	82	08/29/91	0.872	0.00	793.00	0.00	0.00
11883	PT	929	82	08/29/91	0.457	0.00	1210.00	0.00	0.00
11883	SF	920	82	08/29/91	0.821	0.00	1030.00	0.00	0.86
11883	VE	8ZN	82	08/30/91	0.878	0.00	572.00	0.00	0.08
11883	YF	91F	82	08/29/91	0.968	0.00	938.00	0.00 >	1.35
11884	JE	91V	82	08/29/91	0.969	0.00	660.00	0.00	0.00
11884	PT	92A	82	08/29/91	0.482	0.00	1160.00	0.00	0.00
11884	PT	9UX	82	09/24/91	0.592	0.00	586.00	0.00	0.00
11884	SF	92P	82	08/29/91	0.702	549.00	1190.00	2.16	10.99
11884	VE	8ZO	82	08/30/91	0.906	0.00	1410.00	0.00	1.10
11884	YF	91G	82	08/29/91	0.897	704.00	1000.00	1.42	11.31
11885	JE	91V	82	08/29/91	0.969	0.00	1030.00	0.00	0.09
11885	PT	92A	82	08/29/91	0.482	0.00	1440.00	0.00	2.55
11885	SF	92P	82	08/29/91	0.702	551.00	1280.00	2.33	16.09
11885	VE	8ZO	82	08/30/91	0.906	0.00	1250.00	0.00	3.14
11885	YF	91G	82	08/29/91	0.897	0.00	1350.00	0.00 >	8.39
11886	JE	91W	82	08/29/91	0.878	0.00	363.00	0.00	0.00
11886	PT	928	82	08/29/91	0.451	0.00	641.00	0.00	0.00
11886	SF	92Q	82	08/29/91	0.853	0.00	518.00	0.00	0.19
11886	VE	8ZP	82	08/30/91	0.874	0.00	566.00	0.00 >	1.20
11886	YF	91H	82	08/29/91	0.964	0.00	603.00	0.00 >	1.54
11887	JE	91W	82	08/29/91	0.878	0.00	637.00	0.00	0.00
11887	PT	928	82	08/29/91	0.451	0.00	1060.00	0.00	0.00
11887	SF	92Q	82	08/29/91	0.853	0.00	660.00	0.00	0.00
11887	VE	8ZP	82	08/30/91	0.874	0.00	1390.00	0.00	1.23
11887	YF	91H	82	08/29/91	0.964	0.00	1030.00	0.00 >	0.10
11888	JE	91X	82	08/29/91	0.871	0.00	398.00	0.00 >	0.08
11888	PT	92C	82	08/29/91	0.609	0.00	426.00	0.00 >	1.33
11888	SF	92R	82	08/29/91	0.759	0.00	253.00	0.00	0.06
11888	VE	8ZQ	82	08/30/91	0.941	0.00	312.00	0.00	0.22
11888	YF	911	82	08/29/91	0.873	0.00	412.00	0.00	0.00
11889	JE	91X	82	08/29/91	0.871	0.00	96.40	0.00	0.39
11889	PT	92C	82	08/29/91	0.609	0.00	481.00	0.00 >	0.53
11889	SF	92R	82	08/29/91	0.759	0.00	271.60	0.00	0.00
11889	VE	8ZQ	82	08/30/91	0.941	0.00	603.00	0.00 >	1.90
11889	YF	911	82	08/29/91	0.873	201.00	407.00	2.03	10.43
11890	JE	91Y	82	08/29/91	0.836	0.00 >	1000.00	0.00 >	1.95
11890	PT	9VD	82	09/24/91	0.686	0.00 >	1000.00	0.00 >	5.13
11890	SF	92S	82	08/29/91	0.553	354.00 >	1000.00 >	2.82 >	18.85
11890	VE	8ZR	82	08/30/91	0.851	0.00 >	1000.00	0.00	0.39
11890	YF	91J	82	08/29/91	0.947	0.00	974.00	0.00 >	1.50
11891	JE	91Y	82	08/29/91	0.836	0.00	7.81	0.00	0.10
11891	PT	9VD	82	09/24/91	0.686	0.00 >	100.00	0.00	0.00
11891	SF	92S	82	08/29/91	0.553	0.00	4.44	0.00 >	1.82
11891	VE	8ZR	82	08/30/91	0.851	0.00	8.20	0.00	0.00
11891	YF	91J	82	08/29/91	0.947	0.00	2.62	0.00 >	0.44
11892	JE	91Z	82	08/29/91	0.863	0.00	370.00	0.00	0.00
11892	PT	A2J	82	09/26/91	0.700	0.00	329.00	0.00	0.00
11892	SF	92T	82	08/29/91	0.609	0.00	470.00	0.00	0.00
11892	VE	8ZS	82	08/30/91	0.803	0.00	80.60	0.00	0.15
11892	YF	91K	82	08/29/91	0.871	0.00	456.00	0.00 >	2.78
11893	JE	91Z	82	08/29/91	0.863	0.00	780.00	0.00	0.24
11893	PT	929	82	09/25/91	0.619	0.00	1550.00	0.00 >	3.50
11893	SF	92T	82	08/29/91	0.609	0.00	533.00	0.00 >	1.00
11893	VE	8ZS	82	08/30/91	0.803	0.00	1570.00	0.00 >	4.29
11893	YF	91K	82	08/29/91	0.871	0.00	1410.00	0.00	1.26
11894	JE	920	82	08/29/91	0.902	0.00	592.00	0.00	0.00
11894	PT	92F	82	08/29/91	0.518	0.00	1030.00	0.00	1.91
11894	SF	92U	82	08/29/91	0.532	0.00	1080.00	0.00	0.00
11894	VE	8ZT	82	08/30/91	0.844	0.00	1090.00	0.00	0.00
11894	YF	91L	82	08/29/91	1.006	0.00	924.00	0.00	0.50
11895	JE	920	82	08/29/91	0.902	47.70	73.30	1.54	12.39
11895	PT	92F	82	08/29/91	0.518	0.00	68.20	0.00 >	1.69
11895	SF	92U	82	08/29/91	0.532	90.20	88.70	0.98 >	5.57
11895	VE	8ZT	82	08/30/91	0.844	0.00	75.60	0.00	0.00
11895	YF	91L	82	08/29/91	1.006	96.70	145.00	1.50	9.50
11896	JE	921	82	08/29/91	0.697	0.00	195.00	0.00	0.59
11896	PT	92G	82	08/29/91	0.442	0.00	171.00	0.00 >	8.11
11896	SF	92V	82	08/29/91	0.696	0.00	176.00	0.00 >	3.05

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11896	VE	8ZU	82	08/30/91	1.120	0.00	495.00	0.00	0.48
11896	YF	91M	82	08/29/91	0.952	0.00	255.00	0.00	0.92
11897	JE	921	82	08/29/91	0.697	10.40	39.40	3.80	20.10
11897	PT	92G	82	08/29/91	0.442	0.00	26.90	0.00	0.00
11897	SF	92V	82	08/29/91	0.696	8.85	37.00	4.18 >	20.40
11897	VE	8ZU	82	08/30/91	1.120	0.00	48.70	0.00	0.27
11897	YF	91N	82	08/29/91	0.952	26.20	33.80	1.29	8.37
11898	JE	922	82	08/29/91	0.788	0.00	161.00	0.00	0.00
11898	PT	92H	82	08/29/91	0.523	0.00	183.00	0.00	0.00
11898	SF	92W	82	08/29/91	0.821	0.00	179.00	0.00	0.11
11898	VE	8ZV	82	08/30/91	1.183	0.00	168.00	0.00	0.00
11898	YF	91N	82	08/29/91	0.906	0.00	210.00	0.00 >	1.40
11899	JE	922	82	08/29/91	0.788	0.00	490.00	0.00	0.00
11899	PT	92H	82	08/29/91	0.523	0.00	388.00	0.00	0.00
11899	SF	92W	82	08/29/91	0.821	0.00	391.00	0.00	0.00
11899	VE	8ZV	82	08/30/91	1.183	0.00	622.00	0.00	0.55
11899	YF	91N	82	08/29/91	0.906	0.00	497.00	0.00 >	2.10
11900	JE	923	82	08/29/91	0.820	0.00	166.00	0.00	0.00
11900	PT	92A	82	09/25/91	0.615	0.00	189.00	0.00 >	0.50
11900	SF	92X	82	08/29/91	0.708	0.00	176.00	0.00 >	1.51
11900	VE	8ZW	82	08/30/91	1.046	0.00	193.00	0.00 >	1.74
11900	YF	910	82	08/29/91	0.912	0.00	169.00	0.00	0.13
11901	JE	923	82	08/29/91	0.820	0.00	625.00	0.00	0.00
11901	PT	92A	82	09/25/91	0.615	0.00	660.00	0.00	0.00
11901	SF	92X	82	08/29/91	0.708	0.00	660.00	0.00 >	1.81
11901	VE	8ZW	82	08/30/91	1.046	0.00	1210.00	0.00 >	1.86
11901	YF	910	82	08/29/91	0.912	0.00	747.00	0.00	0.00
11902	JE	924	82	08/29/91	0.833	0.00	22.10	0.00	0.00
11902	PT	92B	82	09/25/91	0.609	0.00	252.00	0.00 >	0.10
11902	SF	92Y	82	08/29/91	0.754	0.00	51.00	0.00 >	0.08
11902	VE	8ZX	82	08/30/91	1.044	0.00	97.40	0.00 >	1.54
11902	YF	91P	82	08/29/91	0.967	0.00	29.60	0.00	0.00
11903	JE	924	82	08/29/91	0.833	0.00	287.00	0.00	0.00
11903	PT	92B	82	09/25/91	0.609	0.00	238.00	0.00 >	0.30
11903	SF	92Y	82	08/29/91	0.754	0.00	222.00	0.00 >	1.80
11903	VE	8ZX	82	08/30/91	1.044	0.00	73.50	0.00 >	1.84
11903	YF	91P	82	08/29/91	0.967	0.00	215.00	0.00	0.00
11904	JE	925	82	08/29/91	0.877	0.00	195.00	0.00	0.00
11904	PT	92K	82	08/29/91	0.433	0.00	262.00	0.00	0.00
11904	SF	92Z	82	08/29/91	0.773	0.00	241.00	0.00 >	0.60
11904	VE	8ZY	82	08/30/91	0.912	951.00	927.00	0.98 >	6.14
11904	YF	91Q	82	08/29/91	0.970	0.00	249.00	0.00 >	0.20
11905	JE	981	82	09/10/91	0.742	0.00	64.70	0.00	0.00
11905	PT	9CE	82	09/10/91	0.626	0.00	6.74	0.00	2.45
11905	SF	A21	82	09/27/91	0.633	0.00	312.00	0.00	0.91
11905	VE	98Y	82	09/13/91	1.165	0.00	311.00	0.00	0.00
11905	YF	982	82	09/10/91	0.997	0.00	143.00	0.00	0.00
11906	JE	A0Y	82	09/26/91	1.040	0.00 >	320.00	0.00 >	0.05
11906	PT	A1E	82	09/26/91	0.544	0.00 >	320.00	0.00	0.00
11906	SF	A1U	82	09/26/91	0.607	0.00 >	320.00	0.00 >	5.70
11906	VE	9X1	82	09/27/91	1.022	0.00 >	320.00	0.00	0.00
11906	YF	A0I	82	09/26/91	0.841	0.00 >	320.00	0.00	2.20
11907	JE	A0Y	82	09/26/91	1.040	14.70	31.00	2.10 >	24.07
11907	JE	CK4	82	12/05/91	1.008	6.18	49.00	7.94	27.91
11907	PT	A1E	82	09/26/91	0.544	9.16	17.90	1.95	9.45
11907	PT	CKS	82	12/05/91	0.512	1.75	42.70	24.48 >	44.22
11907	SF	A1U	82	09/26/91	0.607	8.61	24.90	2.89 >	15.55
11907	SF	CL4	82	12/05/91	0.800	4.35	18.60	4.29 >	18.40
11907	VE	9X1	82	09/27/91	1.022	1.73	247.00	142.18 >	69.91
11907	VE	CMU	82	12/06/91	1.291	0.00	2.87	0.00	0.00
11907	YF	A0I	82	09/26/91	0.841	4.82	94.30	19.57 >	46.33
11907	YF	CKG	82	12/05/91	0.927	3.27	24.40	7.45 >	35.38
11908	JE	A0Z	82	09/26/91	1.046	0.00 >	320.00	0.00	0.00
11908	JE	CK5	82	12/05/91	0.985	0.00 >	3200.00	0.00 >	0.08
11908	PT	A1F	82	09/26/91	0.521	0.00 >	320.00	0.00	0.00
11908	PT	CKT	82	12/05/91	0.509	0.00 >	3200.00	0.00	2.06
11908	SF	A1V	82	09/26/91	0.668	0.00 >	320.00	0.00 >	1.30
11908	VE	9X2	82	09/27/91	0.945	0.00 >	320.00	0.00	0.00
11908	VE	CMV	82	12/06/91	1.246	0.00	3040.00	0.00	0.80
11908	YF	A0J	82	09/26/91	0.826	0.00 >	320.00	0.00	1.52
11908	YF	CKN	82	12/05/91	0.986	0.00 >	3200.00	0.00 >	1.96
11909	JE	A0Z	82	09/26/91	1.046	0.00 >	320.00	0.00 >	0.09
11909	JE	CK5	82	12/05/91	0.985	0.00	1460.00	0.00	0.30
11909	PT	A1F	82	09/26/91	0.521	0.00 >	320.00	0.00	0.00
11909	PT	CKT	82	12/05/91	0.509	0.00	1960.00	0.00	0.40

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11909	SF	A[illegible]V	82	09/26/91	0.668	0.00 >	320.00	0.00	0.00
11909	VE	9X2	82	09/27/91	0.945	0.00 >	320.00	0.00	0.00
11909	VE	CHV	82	12/06/91	1.246	0.00 >	3200.00	0.00	0.00
11909	YF	AOJ	82	09/26/91	0.826	0.00 >	320.00	0.00	1.23
11909	YF	CKH	82	12/05/91	0.986	0.00	1730.00	0.00 >	0.11
11910	JE	A10	82	09/26/91	1.076	205.00 >	320.00 >	1.56 >	9.90
11910	JE	CK6	82	12/05/91	0.935	724.00	2450.00	3.38 >	15.88
11910	PT	A1G	82	09/26/91	0.589	0.00 >	320.00	0.00 >	1.17
11910	PT	CKU	81	12/05/91	0.527	0.00	2130.00	0.00	0.10
11910	SF	A1W	82	09/26/91	0.665	0.00 >	320.00	0.00 >	9.72
11910	SF	CL5	82	12/05/91	0.752	924.00	2100.00	2.27	7.44
11910	VE	9X3	82	09/27/91	0.974	0.00 >	320.00	0.00 >	2.52
11910	VE	CHW	82	12/06/91	1.259	0.00	815.00	0.00	0.00
11910	YF	AOK	82	09/26/91	1.022	0.00 >	320.00	0.00 >	1.59
11910	YF	CKI	82	12/05/91	0.960	209.00	282.00	1.35	10.10
11911	JE	A10	82	09/26/91	1.076	294.00 >	320.00 >	1.09 >	4.86
11911	JE	CK6	82	12/05/91	0.935	85.30	378.00	4.43	15.86
11911	PT	A1G	82	09/26/91	0.589	0.00 >	320.00	0.00 >	0.27
11911	PT	CKU	82	12/05/91	0.527	51.60	346.00	6.71	25.13
11911	SF	A1W	82	09/26/91	0.665	0.00 >	320.00	0.00 >	6.31
11911	SF	CL5	82	12/05/91	0.752	0.00	320.00	0.00	10.25
11911	VE	9X3	82	09/27/91	0.974	214.00 >	320.00 >	1.50 >	12.53
11911	VE	CHW	82	12/06/91	1.259	0.00	86.40	0.00	0.00
11911	YF	AOK	82	09/26/91	1.022	202.00 >	320.00 >	1.58 >	7.72
11911	YF	CKI	82	12/05/91	0.960	89.20	451.00	5.05	24.67
11912	JE	BLJ	82	11/12/91	1.112	0.00 >	32.00	0.00	0.17
11912	PT	BMF	82	11/12/91	0.601	0.00 >	32.00	0.00	0.00
11912	SF	BMV	82	11/12/91	0.880	0.00 >	32.00	0.00 >	0.28
11912	VE	BLZ	82	11/15/91	0.961	0.00 >	32.00	0.00	1.52
11912	YF	BL3	82	11/12/91	1.020	0.00 >	32.00	0.00	0.00
11913	JE	A11	82	09/26/91	1.066	0.00	109.00	0.00	4.33
11913	PT	A1H	82	09/26/91	0.642	0.00	103.00	0.00	0.00
11913	SF	A1X	82	09/26/91	0.724	0.00	85.90	0.00	0.00
11913	VE	9X4	82	09/27/91	1.035	0.00	165.00	0.00	0.00
11913	YF	AOL	82	09/26/91	0.859	0.00	69.80	0.00	0.01
11914	JE	98G	82	09/10/91	0.736	0.00	1.00	0.00 >	3.10
11914	JE	CK7	82	12/05/91	0.918	0.00	376.00	0.00	0.00
11914	PT	9CC	82	09/10/91	0.679	0.00	304.00	0.00 >	3.50
11914	SF	A1Z	82	09/27/91	0.593	0.00 >	320.00	0.00 >	3.06
11914	SF	CL6	82	12/05/91	0.841	0.00	361.00	0.00	0.00
11914	VE	98W	82	09/13/91	1.031	0.00 >	320.00	0.00 >	3.31
11914	VE	CHX	82	12/06/91	1.277	0.00	267.00	0.00	0.00
11914	VV	1U9	82	09/19/91	1.039	155.00 >	320.00 >	2.07 >	12.45
11914	VV	1VK	82	10/03/91	0.721	97.10	131.00	1.35 >	4.89
11914	YF	980	82	09/10/91	0.944	0.00	300.00	0.00 >	7.00
11914	YF	CKJ	82	12/05/91	0.871	261.00	635.00	2.43	11.59
11915	JE	98H	82	09/10/91	0.781	0.00	234.00	0.00	0.56
11915	JE	CK7	82	12/05/91	0.918	0.00	485.00	0.00 >	2.34
11915	PT	9CD	82	09/10/91	0.557	0.00 >	320.00	0.00 >	3.71
11915	SF	A20	82	09/27/91	0.517	0.00	219.00	0.00	0.00
11915	SF	CL6	82	12/05/91	0.841	0.00	463.00	0.00	0.00
11915	VE	98X	82	09/13/91	1.151	0.00 >	320.00	0.00	0.00
11915	VE	CHX	82	12/06/91	1.277	0.00	495.00	0.00	0.00
11915	VV	1L9	82	09/19/91	1.039	0.00 >	320.00	0.00 >	2.21
11915	YF	981	82	09/10/91	0.975	0.00 >	320.00	0.00	0.00
11915	YF	CKJ	82	12/05/91	0.871	0.00	420.00	0.00	0.00
11916	JE	98H	82	09/10/91	0.781	0.00 >	320.00	0.00 >	0.71
11916	JE	BZU	82	11/20/91	0.985	0.00	1000.00	0.00 >	0.04
11916	PT	9CD	82	09/10/91	0.557	0.00 >	320.00	0.00 >	5.19
11916	PT	C3C	82	11/20/91	0.609	0.00 >	1000.00	0.00	0.00
11916	PT	CIV	82	12/04/91	0.760	0.00	597.00	0.00	0.00
11916	SF	A20	82	09/27/91	0.517	0.00 >	320.00	0.00	0.00
11916	SF	C3S	82	11/20/91	0.812	0.00	715.00	0.00	0.00
11916	VE	98X	82	09/13/91	1.151	0.00 >	320.00	0.00	0.00
11916	VE	C09	82	11/22/91	0.979	0.00 >	1000.00	0.00 >	0.82
11916	VE	CGN	82	12/06/91	1.205	0.00	557.00	0.00	0.00
11916	VV	1UA	82	09/19/91	1.002	0.00 >	320.00	0.00	0.15
11916	YF	981	82	09/10/91	0.975	0.00 >	320.00	0.00	0.00
11916	YF	BZE	82	11/20/91	0.911	0.00 >	1000.00	0.00	0.31
11916	YF	CJX	82	12/04/91	1.293	0.00	719.00	0.00	0.00
11917	JE	A12	82	09/26/91	1.032	0.00 >	320.00	0.00 >	0.04
11917	JE	CK8	82	12/05/91	1.002	0.00	1510.00	0.00	0.04
11917	PT	A11	82	09/26/91	0.564	0.00 >	320.00	0.00	0.00
11917	PT	CKW	82	12/05/91	0.425	0.00	1630.00	0.00	0.60
11917	SF	A1Y	82	09/26/91	0.687	0.00	226.00	0.00 >	2.10

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11917	SF	CL2	82	12/05/91	0.852	0.00	4.95	0.00	0.53
11917	VE	9X5	82	09/27/91	1.165	0.00 >	320.00	0.00	0.00
11917	VE	CHY	82	12/06/91	1.327	0.00	1100.00	0.00	0.00
11917	YF	AON	82	09/26/91	0.934	0.00 >	320.00	0.00	0.00
11917	YF	CKK	82	12/05/91	0.840	0.00	1590.00	0.00	0.00
11918	JE	A3S	82	10/01/91	0.844	0.00	27.40	0.00 >	0.30
11918	PT	A4O	82	10/01/91	0.734	0.00	35.10	0.00	0.00
11918	SF	AU0	82	10/18/91	0.831	0.00	11.90	0.00	0.00
11918	VE	A48	82	10/04/91	1.112	0.00	88.70	0.00	0.00
11918	YF	A3C	82	10/01/91	0.927	0.00	32.00	0.00	0.00
11919	JE	A3S	82	10/01/91	0.844	0.00	14.10	0.00 >	0.04
11919	PT	A4O	82	10/01/91	0.734	0.00	9.48	0.00 >	0.05
11919	SF	AU0	82	10/18/91	0.831	0.00	6.50	0.00	0.10
11919	VE	A48	82	10/04/91	1.112	0.00	24.90	0.00	0.11
11919	YF	A3C	82	10/01/91	0.927	0.00	9.15	0.00	0.00
11920	JE	A3T	82	10/01/91	0.855	0.00	23.90	0.00	0.00
11920	PT	A4P	82	10/01/91	0.740	0.00	14.70	0.00	0.00
11920	SF	AU1	82	10/18/91	0.872	0.00	5.75	0.00	0.00
11920	VE	A49	82	10/04/91	1.213	0.00	19.30	0.00	0.00
11920	YF	A3D	82	10/01/91	1.015	0.00	7.73	0.00	0.00
11921	JE	A3T	82	10/01/91	0.855	0.00	223.00	0.00 >	2.45
11921	PT	A4P	82	10/01/91	0.740	0.00	245.00	0.00 >	9.19
11921	SF	AU1	82	10/18/91	0.872	8.90	78.10	8.78	30.49
11921	VE	A49	82	10/04/91	1.213	0.00	182.00	0.00 >	2.56
11921	YF	A3D	82	10/01/91	1.015	0.00	219.00	0.00	11.31
11922	JE	A3U	82	10/01/91	0.869	0.00	245.00	0.00 >	0.89
11922	PT	A4Q	82	10/01/91	0.685	0.00	257.00	0.00 >	4.29
11922	SF	AU2	82	10/18/91	0.864	5.73	75.70	13.22 >	37.94
11922	VE	A4A	82	10/04/91	1.176	0.00	233.00	0.00 >	3.93
11922	YF	A3E	82	10/01/91	0.966	0.00	247.00	0.00 >	16.57
11923	JE	A3U	82	10/01/91	0.869	0.00 >	320.00	0.00	0.00
11923	PT	A4Q	82	10/01/91	0.685	0.00 >	320.00	0.00 >	0.37
11923	SF	AU2	82	10/18/91	0.864	95.20	320.00	3.36 >	8.89
11923	VE	A4A	82	10/04/91	1.176	0.00 >	320.00	0.00 >	5.83
11923	YF	A3E	82	10/01/91	0.966	0.00	257.00	0.00 >	16.68
11924	JE	A3V	82	10/01/91	0.852	0.00 >	320.00	0.00 >	7.89
11924	PT	A4R	82	10/01/91	0.690	85.00 >	320.00 >	3.77 >	24.78
11924	SF	AU3	82	10/18/91	0.884	6.34 >	320.00 >	50.48 >	56.66
11924	VE	A4B	82	10/04/91	1.198	217.00 >	320.00 >	1.47 >	27.49
11924	YF	A3F	82	10/01/91	0.913	7.52 >	320.00 >	42.55 >	51.75
11925	JE	A3V	82	10/01/91	0.852	0.00	250.00	0.00 >	2.23
11925	PT	A4R	82	10/01/91	0.690	0.00 >	320.00	0.00 >	4.08
11925	SF	AU3	82	10/18/91	0.884	0.00 >	320.00	0.00 >	4.52
11925	VE	A4B	82	10/04/91	1.198	0.00 >	320.00	0.00 >	11.19
11925	YF	A3F	82	10/01/91	0.913	0.00 >	320.00	0.00 >	13.94
11926	JE	A3W	82	10/01/91	0.878	0.00 >	320.00	0.00 >	2.61
11926	PT	A4S	82	10/01/91	0.745	0.00 >	320.00	0.00 >	19.00
11926	SF	AU4	82	10/18/91	0.845	243.00 >	320.00 >	1.32 >	20.02
11926	VE	A4C	82	10/04/91	1.220	0.00 >	320.00	0.00 >	11.90
11926	YF	A3G	82	10/01/91	0.955	0.00 >	320.00	0.00 >	11.84
11927	JE	A3W	82	10/01/91	0.878	0.00 >	320.00	0.00	1.27
11927	PT	A4S	82	10/01/91	0.745	0.00 >	320.00	0.00 >	15.12
11927	SF	AU4	82	10/18/91	0.845	179.00 >	320.00 >	1.79 >	18.69
11927	VE	A4C	82	10/04/91	1.220	0.00 >	320.00	0.00 >	15.88
11927	YF	A3G	82	10/01/91	0.955	0.00	281.00	0.00 >	20.39
11928	JE	A3X	82	10/01/91	0.908	0.00 >	320.00	0.00 >	3.82
11928	PT	A4T	82	10/01/91	0.692	0.00 >	320.00	0.00 >	21.13
11928	SF	AU5	82	10/18/91	0.797	134.00 >	320.00 >	2.39 >	25.90
11928	VE	A4D	82	10/04/91	1.201	0.00 >	320.00	0.00 >	15.58
11928	YF	A3H	82	10/01/91	0.967	0.00 >	320.00	0.00 >	10.63
11929	JE	A3X	82	10/01/91	0.908	0.00 >	320.00	0.00 >	1.25
11929	PT	A4T	82	10/01/91	0.692	0.00 >	320.00	0.00 >	19.30
11929	SF	AU5	82	10/18/91	0.797	0.00 >	320.00	0.00 >	14.71
11929	VE	A4D	82	10/04/91	1.201	0.00 >	320.00	0.00 >	19.19
11929	YF	A3H	82	10/01/91	0.967	0.00 >	320.00	0.00 >	18.69
11930	JE	A3Y	82	10/01/91	0.858	0.00 >	320.00	0.00 >	1.50
11930	PT	A4U	82	10/01/91	0.828	0.00 >	320.00	0.00 >	14.12
11930	SF	AU6	82	10/18/91	0.863	254.00 >	320.00 >	1.26 >	19.22
11930	VE	A4E	82	10/04/91	1.177	0.00 >	320.00	0.00 >	16.29
11930	YF	A3I	82	10/01/91	0.926	0.00 >	320.00	0.00 >	9.32
11931	JE	A3Y	82	10/01/91	0.858	0.00 >	320.00	0.00 >	5.21
11931	PT	A4U	82	10/01/91	0.828	55.20 >	320.00 >	5.80 >	27.88
11931	SF	AU6	82	10/18/91	0.863	12.70 >	320.00 >	25.11 >	51.07
11931	VE	A4E	82	10/04/91	1.177	0.00 >	320.00	0.00 >	24.48
11931	YF	A3I	82	10/01/91	0.926	50.00 >	320.00 >	6.40 >	29.62

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11932	JE	A3Z	82	10/01/91	0.843	0.00	60.10	0.00 >	1.58
11932	PT	A4V	82	10/01/91	0.774	0.00	9.03	0.00 >	0.16
11932	SF	AU7	82	10/18/91	0.923	320.00	75.30	0.24 >	1.88
11932	VE	A4F	82	10/04/91	1.110	0.00	63.60	0.00	0.23
11932	YF	A3J	82	10/01/91	0.901	0.00	48.20	0.00 >	10.87
11933	JE	A3Z	82	10/01/91	0.843	0.00 >	320.00	0.00 >	0.80
11933	PT	A4V	82	10/01/91	0.774	0.00 >	320.00	0.00	1.27
11933	SF	AU7	82	10/18/91	0.923	0.00	29.30	0.00	0.00
11933	VE	A4F	82	10/04/91	1.110	0.00	269.00	0.00 >	1.04
11933	YF	A3J	82	10/01/91	0.901	0.00 >	320.00	0.00	1.16
11934	JE	A40	82	10/01/91	0.891	0.00 >	320.00	0.00 >	0.04
11934	PT	A4W	82	10/01/91	0.747	0.00 >	320.00	0.00	0.00
11934	SF	AU8	82	10/18/91	0.882	0.00	247.00	0.00	0.18
11934	VE	A4G	82	10/04/91	1.151	0.00	278.00	0.00	0.00
11934	YF	A3K	82	10/01/91	0.922	0.00 >	320.00	0.00 >	0.99
11935	JE	A40	82	10/01/91	0.891	0.00	2.74	0.00 >	0.18
11935	JE	CK8	82	12/05/91	1.002	0.00	3.12	0.00 >	1.16
11935	PT	A4W	82	10/01/91	0.747	0.00	2.62	0.00 >	0.04
11935	PT	CKW	82	12/05/91	0.425	0.00	3.20	0.00	6.01
11935	SF	AU8	82	10/18/91	0.882	0.00	11.80	0.00	1.61
11935	VE	A4G	82	10/04/91	1.151	0.[illegible]	2.67	0.00	0.00
11935	VE	CHY	82	12/06/91	1.327	0.[illegible]	0.40	0.00	0.00
11935	YF	A3K	82	10/01/91	0.922	0.00	2.35	0.00 >	0.03
11935	YF	CKK	82	12/05/91	0.840	0.00	2.34	0.00	0.00
11936	JE	A41	82	10/01/91	0.827	0.00	185.00	0.00	0.00
11936	PT	A4X	82	10/01/91	0.523	0.00	195.00	0.00	0.00
11936	SF	AU9	82	10/18/91	0.888	0.00	84.30	0.00	0.13
11936	VE	A4H	82	10/04/91	1.239	0.00	135.00	0.00	0.00
11936	YF	A3L	82	10/01/91	0.912	0.00	195.00	0.00	0.58
11937	JE	A41	82	10/01/91	0.827	0.00	262.00	0.00	0.59
11937	PT	A4X	82	10/01/91	0.523	0.00	220.00	0.00	0.00
11937	SF	AU9	82	10/18/91	0.888	0.00	135.00	0.00	0.09
11937	VE	A4H	82	10/04/91	1.239	0.00	184.00	0.00	0.00
11937	YF	A3L	82	10/01/91	0.912	0.00	269.00	0.00	4.17
11938	JE	A42	82	10/01/91	0.864	0.00	183.00	0.00	0.00
11938	PT	A4Y	82	10/01/91	0.588	0.00	185.00	0.00	0.00
11938	SF	AUA	82	10/18/91	0.841	0.00	138.00	0.00 >	1.02
11938	VE	A4I	82	10/04/91	1.131	0.00	210.00	0.00	0.00
11938	YF	A3M	82	10/01/91	0.956	0.00	176.00	0.00	0.00
11939	JE	A42	82	10/01/91	0.864	0.00	17.70	0.00	0.00
11939	PT	A4Y	82	10/01/91	0.588	0.00	49.00	0.00	0.00
11939	SF	AUA	82	10/18/91	0.841	0.00	47.70	0.00 >	5.72
11939	VE	A4I	82	10/04/91	1.131	0.00	193.00	0.00	0.99
11939	YF	A3M	82	10/01/91	0.956	0.00	46.00	0.00	1.82
11940	JE	BCU	83	11/05/91	1.033	0.00	173.00	0.00	0.54
11940	PT	BDQ	83	11/05/91	0.493	0.00	190.00	0.00	0.00
11940	SF	BE6	83	11/05/91	0.864	0.00	9.58	0.00	0.00
11940	VE	BDA	83	11/08/91	1.162	0.00	142.00	0.00	0.13
11940	YF	BCE	83	11/05/91	0.833	0.00	241.00	0.00	0.00
11941	JE	9UG	82	09/24/91	0.891	264.00 >	320.00 >	1.21 >	7.55
11941	JE	CK9	82	12/05/91	0.982	189.00	734.00	3.89	19.22
11941	PT	9VC	82	09/24/91	0.633	260.00 >	320.00 >	1.23 >	7.52
11941	PT	CKX	82	12/05/91	0.433	0.00	938.00	0.00	3.04
11941	SF	9VT	82	09/24/91	0.601	235.00 >	320.00 >	1.36 >	10.97
11941	SF	CL7	82	12/05/91	0.887	248.00	531.00	2.14	7.79
11941	VE	9UM	82	09/27/91	1.206	0.00 >	320.00	0.00 >	0.30
11941	VE	CHZ	82	12/06/91	1.446	0.00	210.00	0.00	0.00
11941	VV	1UA	82	09/19/91	1.002	0.00 >	320.00	0.00 >	0.76
11941	YF	9U0	82	09/24/91	0.904	181.00 >	320.00 >	1.77 >	12.35
11941	YF	CKL	82	12/05/91	0.994	140.00	781.00	5.56 >	28.94
11942	JE	C4T	84	11/21/91	1.014	0.00 >	320.00	0.00	1.71
11942	PT	C59	84	11/21/91	0.632	0.00 >	320.00	0.00	0.00
11942	SF	C5P	84	11/21/91	0.890	287.00 >	320.00 >	1.11 >	9.92
11942	VE	C31	84	11/22/91	1.127	0.00 >	320.00	0.00	0.00
11942	YF	C4D	84	11/22/91	0.916	0.00 >	320.00	0.00	0.00
11943	JE	C4U	84	11/21/91	0.931	0.00	2.05	0.00	0.00
11943	PT	C5A	84	11/21/91	0.599	0.00 <	1.00	0.00	0.00
11943	SF	C5Q	84	11/21/91	0.990	0.00 <	1.00	0.00	0.00
11943	VE	C32	84	11/22/91	1.342	0.00 <	1.00	0.00	0.00
11943	YF	C4E	84	11/22/91	0.765	0.00 <	1.00	0.00	0.00
11944	JE	C4U	84	11/21/91	0.931	0.00	176.00	0.00 >	3.22
11944	PT	C5A	84	11/21/91	0.599	0.00	47.50	0.00	0.00
11944	SF	C5Q	84	11/21/91	0.990	0.00	84.90	0.00 >	0.23
11944	VE	C32	84	11/22/91	1.342	0.00	162.00	0.00	0.02
11944	YF	C4E	84	11/22/91	0.765	0.00	130.00	0.00	6.24

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11945	JE	C4V	84	11/21/91	0.888	0.00	220.00	0.00 >	2.17
11945	PT	C5B	84	11/21/91	0.625	0.00	49.00	0.00	0.00
11945	SF	C5R	84	11/21/91	0.918	0.00	208.00	0.00	4.01
11945	VE	C33	84	11/22/91	1.182	0.00	207.00	0.00 >	0.30
11945	YF	C4F	84	11/22/91	0.836	0.00	253.00	0.00	2.23
11946	JE	C4V	84	11/21/91	0.888	0.00	192.00	0.00	0.20
11946	PT	C5B	84	11/21/91	0.625	0.00	26.20	0.00	0.00
11946	SF	C5R	84	11/21/91	0.918	0.00	35.60	0.00	0.00
11946	VE	C33	84	11/22/91	1.182	0.00	70.90	0.00	0.00
11946	YF	C4F	84	11/22/91	0.836	0.00	35.40	0.00	0.00
11947	JE	C4W	84	11/21/91	0.871	0.00	78.80	0.00	0.00
11947	PT	C5C	84	11/21/91	0.600	0.00	16.10	0.00	0.00
11947	SF	C5S	84	11/21/91	0.913	0.00	18.80	0.00	0.23
11947	VE	C34	84	11/22/91	1.147	0.00	16.30	0.00	0.00
11947	YF	C4G	84	11/22/91	0.828	0.00	18.30	0.00	0.00
11948	JE	C4W	84	11/21/91	0.871	0.00 >	320.00	0.00	0.60
11948	PT	C5C	84	11/21/91	0.600	0.00	77.30	0.00	0.00
11948	SF	C5S	84	11/21/91	0.913	0.00	66.00	0.00	0.00
11948	VE	C34	84	11/22/91	1.147	0.00	179.00	0.00	0.00
11948	YF	C4G	84	11/22/91	0.828	0.00	84.90	0.00	0.00
11949	JE	C4X	84	11/21/91	0.993	0.00	220.00	0.00	0.40
11949	PT	C5D	84	11/21/91	0.604	0.00	151.00	0.00	0.00
11949	SF	C5T	84	11/21/91	0.842	0.00	222.00	0.00 >	5.81
11949	VE	C35	84	11/22/91	1.136	0.00	238.00	0.00 >	0.10
11949	YF	C4H	84	11/22/91	0.806	0.00	23.40	0.00	0.00
11950	JE	C4X	84	11/21/91	0.993	0.00	84.90	0.00	0.50
11950	PT	C5D	84	11/21/91	0.604	0.00	128.00	0.00	0.00
11950	SF	C5T	84	11/21/91	0.842	0.00	92.40	0.00	0.00
11950	VE	C35	84	11/22/91	1.136	0.00	96.00	0.00	0.00
11950	YF	C4H	84	11/22/91	0.806	0.00 >	320.00	0.00	0.00
11951	JE	C4Y	84	11/21/91	0.983	0.00 >	320.00	0.00	0.51
11951	PT	C5E	84	11/21/91	0.584	0.00	320.00	0.00	0.00
11951	SF	C5U	84	11/21/91	0.873	0.00 >	320.00	0.00	0.20
11951	VE	C36	84	11/22/91	1.178	0.00	254.00	0.00	0.00
11951	YF	C4I	84	11/22/91	0.795	0.00 >	320.00	0.00	0.00
11952	JE	C4Y	84	11/21/91	0.983	0.00 >	320.00	0.00	1.00
11952	PT	C5E	84	11/21/91	0.584	0.00	262.00	0.00	0.00
11952	SF	C5U	84	11/21/91	0.873	0.00	276.00	0.00	0.00
11952	VE	C36	84	11/22/91	1.178	0.00 >	320.00	0.00	0.00
11952	YF	C4I	84	11/22/91	0.795	0.00	210.00	0.00	0.00
11953	JE	C4Z	84	11/21/91	0.936	0.00 >	320.00	0.00 >	1.00
11953	PT	C5F	84	11/21/91	0.617	0.00	320.00	0.00	0.00
11953	SF	C5V	84	11/21/91	0.938	0.00 >	320.00	0.00 >	1.96
11953	VE	C37	84	11/22/91	1.169	0.00 >	320.00	0.00 >	0.10
11953	YF	C4J	84	11/22/91	0.772	0.00 >	320.00	0.00	0.00
11954	JE	C4Z	84	11/21/91	0.936	0.00	20.40	0.00	1.48
11954	PT	C5F	84	11/21/91	0.617	0.00	15.00	0.00	0.00
11954	SF	C5V	84	11/21/91	0.938	0.00	21.50	0.00	0.20
11954	VE	C37	84	11/22/91	1.169	0.00	12.90	0.00 >	0.02
11954	YF	C4J	84	11/22/91	0.772	0.00	8.99	0.00	0.00
11955	JE	C50	84	11/21/91	0.899	0.00	90.60	0.00	0.00
11955	PT	C5G	84	11/21/91	0.639	0.00	44.00	0.00	0.00
11955	SF	C5W	84	11/21/91	0.898	0.00	16.60	0.00 >	1.32
11955	VE	C38	84	11/22/91	1.165	0.00	32.00	0.00	0.11
11955	YF	C4K	84	11/22/91	0.764	0.00	64.40	0.00	0.00
11956	JE	C50	84	11/21/91	0.899	0.00 >	320.00	0.00	0.00
11956	PT	C5G	84	11/21/91	0.639	0.00	49.90	0.00	0.00
11956	SF	C5W	84	11/21/91	0.898	0.00	78.10	0.00	0.00
11956	VE	C38	84	11/22/91	1.165	0.00	147.00	0.00	0.00
11956	YF	C4K	84	11/22/91	0.764	0.00	271.00	0.00	0.00
11957	JE	C51	84	11/21/91	1.055	0.00	300.00	0.00 >	0.73
11957	PT	C5H	84	11/21/91	0.602	0.00	77.30	0.00	0.00
11957	SF	C5X	84	11/21/91	0.871	0.00	115.00	0.00	0.00
11957	VE	C39	84	11/22/91	1.184	0.00	180.00	0.00	0.00
11957	YF	C4L	84	11/22/91	0.865	0.00 >	320.00	0.00	0.00
11958	JE	C7R	84	11/26/91	1.220	0.00 >	100.00	0.00	0.00
11958	PT	C87	84	11/26/91	0.561	0.00 >	100.00	0.00	9.29
11958	SF	C8M	84	11/27/91	0.644	0.00 >	100.00	0.00 >	1.52
11958	VE	C5Y	84	11/26/91	1.391	0.00 >	100.00	0.00 >	0.22
11958	YF	C7B	84	11/26/91	0.933	0.00 >	100.00	0.00	0.00
11959	JE	C7S	84	11/26/91	1.201	0.00	43.70	0.00	0.00
11959	PT	C8B	84	11/26/91	0.555	0.00	187.00	0.00	0.00
11959	SF	C8O	84	11/27/91	0.654	0.00	69.80	0.00	0.00
11959	VE	C5Z	84	11/26/91	1.349	0.00	196.00	0.00	0.00
11959	YF	C7C	84	11/26/91	0.932	0.00 >	320.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11960	JE	C7S	84	11/26/91	1.201	0.00 <	1.00	0.00	0.00
11960	PT	C8B	84	11/26/91	0.555	0.00 <	1.00	0.00	0.00
11960	SF	C8O	84	11/27/91	0.654	0.00 <	1.00	0.00	0.00
11960	VE	C5Z	84	11/26/91	1.349	0.00	0.40	0.00	0.00
11960	YF	C7C	84	11/26/91	0.932	0.00 <	1.00	0.00	0.00
11961	JE	C7T	84	11/26/91	1.204	0.00 <	1.00	0.00	0.00
11961	PT	C8Y	84	11/26/91	0.528	0.00 <	1.00	0.00	0.00
11961	SF	C8P	84	11/27/91	0.667	0.00 <	1.00	0.00	0.00
11961	VE	C60	84	11/26/91	1.369	0.00 <	1.00	0.00	0.00
11961	YF	C7D	84	11/26/91	0.959	0.00 <	1.00	0.00	0.00
11962	JE	C7T	84	11/26/91	1.204	0.00	49.60	0.00	0.00
11962	PT	C8Y	84	11/26/91	0.528	0.00 >	100.00	0.00	1.03
11962	SF	C8P	84	11/27/91	0.667	0.00	70.60	0.00 >	0.40
11962	VE	C60	84	11/26/91	1.369	0.00	49.00	0.00	0.00
11962	YF	C7D	84	11/26/91	0.959	0.00	100.00	0.00	0.00
11963	JE	C7U	84	11/26/91	1.141	0.00	52.90	0.00	0.00
11963	PT	C8A	84	11/26/91	0.516	0.00	73.50	0.00	0.00
11963	SF	C8Q	84	11/27/91	0.706	0.00	59.70	0.00	0.00
11963	VE	C61	84	11/26/91	1.386	0.00	40.70	0.00	0.00
11963	YF	C7E	84	11/26/91	0.935	0.00	100.00	0.00	0.00
11964	JE	C7U	84	11/26/91	1.141	0.00	80.00	0.00	0.00
11964	PT	C8A	84	11/26/91	0.516	0.00 >	100.00	0.00	2.08
11964	SF	C8Q	84	11/27/91	0.706	0.00 >	100.00	0.00	0.00
11964	VE	C61	84	11/26/91	1.386	0.00 >	100.00	0.00	0.00
11964	YF	C7E	84	11/26/91	0.935	0.00 >	100.00	0.00	0.00
11965	JE	C7V	84	11/26/91	1.230	0.00	32.00	0.00	0.00
11965	PT	C8R	84	11/26/91	0.536	0.00	29.10	0.00	0.00
11965	SF	C8R	84	11/27/91	0.730	0.00	32.00	0.00	0.00
11965	VE	C62	84	11/26/91	1.341	0.00	36.50	0.00	0.00
11965	YF	C7F	84	11/26/91	0.976	0.00	24.19	0.00	0.00
11966	JE	C7V	84	11/26/91	1.230	0.00 <	0.32	0.00	0.00
11966	PT	C8R	84	11/26/91	0.536	0.00 <	0.32	0.00	0.00
11966	SF	C8R	84	11/27/91	0.730	0.00 <	0.32	0.00	0.00
11966	VE	C62	84	11/26/91	1.341	0.00 <	0.32	0.00	0.00
11966	YF	C7F	84	11/26/91	0.976	0.00 <	0.32	0.00	0.00
11967	JE	C7W	84	11/26/91	1.193	0.00	1.22	0.00	0.00
11967	PT	C8C	84	11/26/91	0.448	0.00	6.48	0.00	0.00
11967	SF	C8S	84	11/27/91	0.703	0.00	2.47	0.00	0.00
11967	VE	C63	84	11/26/91	1.327	0.00	1.48	0.00	0.00
11967	YF	C7G	84	11/26/91	1.012	0.00	5.92	0.00	0.00
11968	JE	C7W	84	11/26/91	1.193	0.00 >	100.00	0.00	0.00
11968	PT	C8C	84	11/26/91	0.448	0.00 >	100.00	0.00	0.00
11968	SF	C8S	84	11/27/91	0.703	0.00 >	100.00	0.00	0.00
11968	VE	C63	84	11/26/91	1.327	0.00	81.10	0.00	0.00
11968	YF	C7G	84	11/26/91	1.012	0.00 >	100.00	0.00	0.00
11969	JE	C7X	84	11/26/91	1.186	0.00	3.03	0.00	0.00
11969	PT	C8D	84	11/26/91	0.480	0.00	7.91	0.00	0.00
11969	SF	C8T	84	11/27/91	0.749	0.00	3.96	0.00	0.00
11969	VE	C64	84	11/26/91	1.336	0.00	7.73	0.00	0.00
11969	YF	C7H	84	11/26/91	0.983	0.00	22.20	0.00	0.00
11970	JE	C7X	84	11/26/91	1.186	0.00	18.30	0.00	0.00
11970	PT	C8D	84	11/26/91	0.480	0.00	19.20	0.00	0.00
11970	SF	C8T	84	11/27/91	0.749	0.00	16.60	0.00	0.00
11970	VE	C64	84	11/26/91	1.336	0.00	15.90	0.00	0.00
11970	YF	C7H	84	11/26/91	0.983	0.00 >	100.00	0.00	0.00
11971	JE	C7Y	84	11/26/91	1.261	0.00	2.57	0.00	0.00
11971	PT	C8E	84	11/26/91	0.570	0.00	4.33	0.00	0.00
11971	SF	C8U	84	11/27/91	0.768	0.00	4.33	0.00	0.00
11971	VE	C65	84	11/26/91	1.363	0.00	3.20	0.00	0.00
11971	YF	C71	84	11/26/91	1.061	0.00	9.03	0.00	0.00
11972	JE	C7Y	84	11/26/91	1.261	0.00	3.20	0.00	0.00
11972	PT	C8E	84	11/26/91	0.570	0.00	6.98	0.00	0.00
11972	SF	C8U	84	11/27/91	0.768	0.00	2.41	0.00	0.00
11972	VE	C65	84	11/26/91	1.363	0.00	10.80	0.00	0.00
11972	YF	C71	84	11/26/91	1.061	0.00	7.73	0.00	0.00
11973	JE	C7Z	84	11/26/91	1.116	0.00	6.75	0.00	0.00
11973	PT	C8F	84	11/26/91	0.540	0.00	12.90	0.00	0.00
11973	SF	C8V	84	11/27/91	0.604	0.00	6.00	0.00 >	0.10
11973	VE	C66	84	11/26/91	1.352	0.00	15.40	0.00	0.00
11973	YF	C7J	84	11/26/91	0.931	0.00	8.57	0.00	0.00
11974	JE	C7Z	84	11/26/91	1.116	0.00	13.80	0.00	0.00
11974	PT	C8F	84	11/26/91	0.540	0.00	27.40	0.00	0.58
11974	SF	C8V	84	11/27/91	0.604	0.00	23.20	0.00 >	0.89
11974	VE	C66	84	11/26/91	1.352	0.00	16.00	0.00	0.00
11974	YF	C7J	84	11/26/91	0.931	0.00	46.20	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11975	JE	C80	84	11/26/91	1.176	0.00	10.30	0.00	0.00
11975	PT	C8G	84	11/26/91	0.493	0.00	2.57	0.00	0.00
11975	SF	C8M	84	11/27/91	0.610	0.00	10.00	0.00	0.15
11975	VE	C67	84	11/26/91	1.294	0.00	16.20	0.00	0.00
11975	YF	C7K	84	11/26/91	0.988	0.00	12.80	0.00	0.00
11976	JE	C80	84	11/26/91	1.176	0.00	2.98	0.00	0.00
11976	PT	C8G	84	11/26/91	0.493	0.00	3.86	0.00	0.00
11976	SF	C8M	84	11/27/91	0.610	0.00	1.98	0.00	0.00
11976	VE	C67	84	11/26/91	1.294	0.00	11.30	0.00	0.00
11976	YF	C7K	84	11/26/91	0.988	0.00	4.02	0.00	0.00
11977	JE	C81	84	11/26/91	1.137	0.00	2.52	0.00	0.00
11977	PT	C8N	84	11/26/91	0.412	0.00	43.30	0.00	0.00
11977	SF	C8X	84	11/27/91	0.566	0.00	10.00	0.00	0.00
11977	VE	C68	84	11/26/91	1.275	0.00	16.40	0.00	0.00
11977	YF	C7L	84	11/26/91	0.923	0.00	46.60	0.00	0.00
11978	JE	C81	84	11/26/91	1.137	0.00	2.26	0.00	0.00
11978	PT	C8N	84	11/26/91	0.412	0.00	6.60	0.00	0.00
11978	SF	C8X	84	11/27/91	0.566	6.52	2.68	0.41	10.29
11978	VE	C68	84	11/26/91	1.275	0.00 >	100.00	0.00 >	1.29
11978	YF	C7L	84	11/26/91	0.923	0.00 >	100.00	0.00	0.00
11979	JE	C82	84	11/26/91	1.211	0.00	4.02	0.00	0.00
11979	PT	C8I	84	11/26/91	0.405	0.00	45.60	0.00	0.00
11979	SF	C8Y	84	11/27/91	0.621	0.00	12.90	0.00	0.00
11979	VE	C69	84	11/26/91	1.328	0.00	50.20	0.00	0.00
11979	YF	C7N	84	11/26/91	0.910	0.00	57.50	0.00	0.00
11980	JE	C82	85	11/26/91	1.211	0.00	2.10	0.00	0.00
11980	PT	C8I	85	11/26/91	0.405	0.00	4.90	0.00	0.00
11980	SF	C8Y	84	11/27/91	0.621	0.00	10.00	0.00 >	0.56
11980	VE	C69	85	11/26/91	1.328	0.00	42.80	0.00	0.00
11980	YF	C7N	85	11/26/91	0.910	0.00	9.51	0.00	0.00
11981	JE	C83	85	11/26/91	1.112	0.00	65.00	0.00	0.00
11981	PT	C8J	85	11/26/91	0.463	0.00	71.50	0.00	0.20
11981	SF	C8Z	85	11/27/91	0.657	0.00	65.30	0.00 >	0.42
11981	VE	C6A	85	11/26/91	1.229	0.00	60.80	0.00	0.00
11981	YF	C7N	85	11/26/91	0.959	0.00	69.80	0.00	0.00
11982	JE	C83	85	11/26/91	1.112	0.00	2800.00	0.00	0.00
11982	PT	C8J	85	11/26/91	0.463	0.00	2930.00	0.00	0.00
11982	SF	C8Z	85	11/27/91	0.657	0.00	4410.00	0.00 >	3.17
11982	VE	C6A	85	11/26/91	1.229	0.00	6240.00	0.00	0.00
11982	YF	C7N	85	11/26/91	0.959	0.00	2760.00	0.00 >	0.33
11983	JE	C84	85	11/26/91	1.113	0.00	173.00	0.00	0.00
11983	PT	C8K	85	11/26/91	0.411	0.00	1500.00	0.00	0.00
11983	SF	C90	85	11/27/91	0.706	0.00	466.00	0.00	0.00
11983	VE	C6B	85	11/26/91	1.300	0.00	1260.00	0.00	0.00
11983	YF	C70	85	11/26/91	0.960	0.00	600.00	0.00	0.00
11984	JE	C84	85	11/26/91	1.113	0.00	386.00	0.00	0.00
11984	PT	C8K	85	11/26/91	0.411	0.00	415.00	0.00	0.00
11984	SF	C90	85	11/27/91	0.706	0.00	252.00	0.00	0.00
11984	VE	C6B	85	11/26/91	1.300	0.00	474.00	0.00 >	1.41
11984	YF	C70	85	11/26/91	0.960	0.00	450.00	0.00	0.13
11985	JE	C85	85	11/26/91	1.008	0.00	2960.00	0.00 >	1.60
11985	PT	C8L	85	11/26/91	0.534	0.00	924.00	0.00	0.00
11985	SF	C91	85	11/27/91	0.702	0.00	2150.00	0.00	1.06
11985	VE	C6C	85	11/26/91	1.327	0.00	4900.00	0.00 >	3.31
11985	YF	C7P	85	11/26/91	0.951	0.00	5200.00	0.00	1.89
11986	JE	C85	85	11/26/91	1.008	714.00	183.00	0.26	0.06
11986	PT	C8L	85	11/26/91	0.534	0.00	100.00	0.00	0.00
11986	SF	C91	85	11/27/91	0.702	0.00	130.00	0.00	0.00
11986	VE	C6C	85	11/26/91	1.327	0.00	320.00	0.00	0.73
11986	YF	C7P	85	11/26/91	0.951	14.70	1280.00	87.44 >	61.41
11987	JE	C86	85	11/26/91	1.190	0.00	92.40	0.00	0.00
11987	PT	C8N	85	11/26/91	0.453	0.00	97.30	0.00	0.00
11987	SF	C92	85	11/27/91	0.764	0.00	29.90	0.00	0.00
11987	VE	C6D	85	11/26/91	1.307	0.00	320.00	0.00	0.50
11987	YF	C7R	85	11/26/91	1.046	0.00	181.00	0.00	0.00
11988	JE	BZV	85	11/20/91	1.147	0.00	19.20	0.00	0.00
11988	PT	C3D	20	11/20/91	0.699	0.00	24.10	0.00	0.00
1988	SF	C3T	84	11/20/91	0.870	0.00	9.28	0.00	0.00
11988	VE	C0A	85	11/22/91	1.002	0.00	92.40	0.00	0.00
11988	YF	BZF	85	11/20/91	0.860	0.00	388.00	0.00	0.00
11989	JE	BZX	85	11/20/91	1.054	0.00	163.00	0.00	0.00
11989	PT	C3F	84	11/20/91	0.631	0.00	64.50	0.00	0.00
11989	SF	C3V	84	11/20/91	0.742	0.00	69.80	0.00	0.00
11989	VE	C0C	85	11/22/91	1.026	1000.0	703.00	0.70	1.82
11989	YF	BZH	81	11/20/91	0.910	0.00	212.00	0.00 >	0.20

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
11990	JE	C01	85	11/20/91	1.007	0.00	221.00	0.00	0.00
11990	PT	C3J	84	11/20/91	0.585	0.00	198.00	0.00	0.00
11990	SF	C3Z	84	11/20/91	0.716	0.00	58.60	0.00	0.00
11990	VE	C0G	84	11/22/91	1.115	838.00	1140.00	1.36	5.86
11990	YF	BZL	85	11/20/91	0.850	0.00	296.00	0.00	0.00
11991	JE	C01	85	11/20/91	1.007	0.00	561.00	0.00	0.00
11991	PT	C3J	84	11/20/91	0.585	0.00	177.00	0.00	0.00
11991	SF	C3Z	84	11/20/91	0.716	0.00	222.00	0.00	0.00
11991	VE	C0G	84	11/22/91	1.115	0.00	767.00	0.00	4.46
11991	YF	BZL	85	11/20/91	0.850	0.00	585.00	0.00	0.00
11992	JE	C03	85	11/20/91	0.979	0.00	1030.00	0.00	0.00
11992	PT	C3H	76	11/20/91	0.573	0.00	1180.00	0.00	0.00
11992	SF	C42	84	11/20/91	0.664	0.00	1040.00	0.00	0.00
11992	VE	C0I	85	11/22/91	1.009	0.00	2620.00	0.00	0.83
11992	YF	BZO	85	11/20/91	0.885	0.00	[illegible]	0.00	0.85
11993	JE	C04	85	11/20/91	1.008	0.00	[illegible]	0.00	0.17
11993	PT	C3H	84	11/20/91	0.608	0.00	[illegible]	0.00	1.09
11993	SF	CA3	84	11/20/91	0.814	0.00	238.00	0.00	0.00
11993	VE	C0J	85	11/22/91	0.997	0.00	1550.00	0.00	1.23
11993	YF	B2P	85	11/20/91	0.867	0.00	1550.00	0.00	0.00
11994	JE	C9J	85	11/27/91	1.077	978.00	[illegible]	1.60	6.35
11994	PT	C9Z	85	11/26/91	0.561	0.00	[illegible]	0.00 >	3.21
11994	SF	CAF	85	11/27/91	0.540	0.00	[illegible]	0.00	0.00
11994	VE	C6F	85	11/26/91	1.257	0.00	1540.00	0.00 >	5.06
11994	YF	C93	85	11/27/91	0.858	0.00	1570.00	0.00	0.40
11995	JE	C9K	85	11/27/91	1.075	0.00	232.00	0.00	0.00
11995	PT	CA0	85	11/26/91	0.493	0.00	495.00	0.00 >	1.00
11995	SF	CAG	85	11/27/91	0.558	0.00 >	10000.0	0.00	0.13
11995	VE	C6G	85	11/26/91	1.246	0.00	310.00	0.00 >	0.03
11995	YF	C94	85	11/27/91	0.988	0.00	453.00	0.00	0.00
11996	JE	C9K	85	11/27/91	1.075	0.00	92.00	0.00	0.00
11996	PT	CA0	85	11/26/91	0.493	0.00	177.00	0.00 >	1.12
11996	SF	CAG	85	11/27/91	0.558	0.00	86.40	0.00	0.00
11996	VE	C6G	85	11/26/91	1.246	0.00	87.00	0.00	0.01
11996	YF	C94	85	11/27/91	0.988	0.00	141.00	0.00	0.00
11997	JE	C9L	85	11/27/91	1.085	0.00	216.00	0.00	0.00
11997	PT	CA1	85	11/26/91	0.442	0.00	233.00	0.00	3.31
11997	SF	CAN	85	11/27/91	0.611	0.00	182.00	0.00	0.00
11997	VE	C6H	85	11/26/91	1.238	0.00	1140.00	0.00	0.00
11997	YF	C95	85	11/27/91	1.040	0.00	565.00	0.00	0.00
11998	JE	C9L	85	11/27/91	1.085	0.00	66.00	0.00	0.00
11998	PT	CA1	85	11/26/91	0.442	0.00	74.50	0.00	0.00
11998	SF	CAN	85	11/27/91	0.611	0.00	146.00	0.00	0.00
11998	VE	C6H	85	11/26/91	1.238	0.00	189.00	0.00	0.08
11998	YF	C95	85	11/27/91	1.040	0.00	348.00	0.00	1.33
11999	JE	C9N	85	11/27/91	1.040	0.00	405.00	0.00	0.00
11999	PT	CA2	85	11/26/91	0.488	0.00	472.00	0.00	0.00
11999	SF	CAI	85	11/27/91	0.633	0.00	204.00	0.00	1.03
11999	VE	C6I	85	11/26/91	1.240	0.00	1160.00	0.00	1.50
11999	YF	C96	85	11/27/91	0.947	0.00	563.00	0.00	0.12
12000	JE	C9N	85	11/27/91	1.040	0.00	210.00	0.00	0.00
12000	PT	CA2	85	11/26/91	0.488	0.00	170.00	0.00	0.00
12000	SF	CAI	85	11/27/91	0.633	0.00	169.00	0.00	0.58
12000	VE	C6I	85	11/26/91	1.240	0.00	320.00	0.00	0.34
12000	YF	C96	85	11/27/91	0.947	0.00	604.00	0.00	0.26
12001	JE	C9N	85	11/27/91	1.092	0.00	205.00	0.00	0.00
12001	PT	CA3	85	11/26/91	0.532	0.00	159.00	0.00	0.00
12001	SF	CAJ	85	11/27/91	0.601	0.00	142.00	0.00	0.00
12001	VE	C6J	85	11/26/91	1.220	0.00	206.00	0.00	0.00
12001	YF	C97	85	11/27/91	1.003	0.00	338.00	0.00	0.00
12002	JE	C9N	85	11/27/91	1.092	0.00	763.00	0.00	0.00
12002	PT	CA3	85	11/26/91	0.532	0.00	487.00	0.00	0.00
12002	SF	CAJ	85	11/27/91	0.601	0.00	417.00	0.00 >	8.48
12002	VE	C6J	85	11/26/91	1.220	0.00	899.00	0.00 >	3.45
12002	YF	C97	85	11/27/91	1.003	0.00	976.00	0.00	2.91
12003	JE	C90	85	11/27/91	1.091	0.00	796.00	0.00	0.00
12003	PT	CA4	85	11/26/91	0.510	0.00	168.00	0.00	0.00
12003	SF	CAK	85	11/27/91	0.658	0.00	141.00	0.00	1.38
12003	VE	C6K	85	11/26/91	1.266	0.00	480.00	0.00 >	4.17
12003	YF	C98	85	11/27/91	0.968	0.00	1240.00	0.00	0.00
12004	JE	C90	85	11/27/91	1.091	0.00	281.00	0.00	0.00
12004	PT	CA4	85	11/26/91	0.510	0.00	290.00	0.00 >	0.46
12004	SF	CAK	85	11/27/91	0.658	0.00	94.30	0.00	3.23
12004	VE	C6K	85	11/26/91	1.266	0.00	463.00	0.00 >	0.49
12004	YF	C98	85	11/27/91	0.968	212.00	416.00	1.96	9.86

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12005	JE	C9P	85	11/27/91	1.052	0.00	464.00	0.00	0.00
12005	PT	CA5	85	11/26/91	0.510	0.00	76.00	0.00	0.00
12005	SF	CAL	85	11/27/91	0.664	0.00	339.00	0.00	0.00
12005	VE	C6L	85	11/26/91	1.249	0.00	597.00	0.00 >	0.84
12005	YF	C99	85	11/27/91	1.067	0.00	791.00	0.00	0.15
12006	JE	C9P	85	11/27/91	1.052	0.00	402.00	0.00	0.00
12006	PT	CA5	85	11/26/91	0.510	0.00	469.00	0.00	0.39
12006	SF	CAL	85	11/27/91	0.664	0.00	394.00	0.00	0.00
12006	VE	C6L	85	11/26/91	1.249	0.00	271.00	0.00 >	0.05
12006	YF	C99	85	11/27/91	1.067	0.00	592.00	0.00	0.00
12007	JE	C9Q	85	11/27/91	1.230	0.00	149.00	0.00	0.00
12007	PT	CA6	85	11/26/91	0.603	0.00	346.00	0.00	0.00
12007	SF	CAM	85	11/27/91	0.652	0.00	126.00	0.00	0.00
12007	VE	C6M	85	11/26/91	1.259	0.00	186.00	0.00	0.00
12007	YF	C9A	85	11/27/91	1.093	0.00	373.00	0.00	0.00
12008	JE	C9Q	85	11/27/91	1.230	0.00	165.00	0.00	0.00
12008	PT	CA6	85	11/26/91	0.603	0.00	84.90	0.00	0.00
12008	SF	CAM	85	11/27/91	0.652	0.00	110.00	0.00	0.00
12008	VE	C6M	85	11/26/91	1.259	0.00	169.00	0.00	0.00
12008	YF	C9A	85	11/27/91	1.093	0.00	712.00	0.00	0.00
12009	JE	C9R	85	11/27/91	1.082	0.00	369.00	0.00	0.00
12009	PT	CA7	85	11/26/91	0.509	0.00	452.00	0.00	1.11
12009	SF	CAN	85	11/27/91	0.601	0.00	380.00	0.00	0.00
12009	VE	C6N	85	11/26/91	1.360	0.00	285.00	0.00	0.00
12009	YF	C9B	85	11/27/91	1.074	0.00	428.00	0.00	0.00
12010	JE	C9R	85	11/27/91	1.082	0.00	453.00	0.00	0.00
12010	PT	CA7	85	11/26/91	0.509	0.00	485.00	0.00	0.00
12010	SF	CAN	85	11/27/91	0.601	0.00	551.00	0.00	0.00
12010	VE	C6N	85	11/26/91	1.360	0.00	575.00	0.00	0.00
12010	YF	C9B	85	11/27/91	1.074	0.00	1030.00	0.00	0.00
12011	JE	C9S	85	11/27/91	1.093	0.00	141.00	0.00	0.00
12011	PT	CA8	85	11/26/91	0.567	0.00	104.00	0.00	0.00
12011	SF	CAO	85	11/27/91	0.648	0.00	189.00	0.00 >	4.99
12011	VE	C6O	85	11/26/91	1.218	0.00	400.00	0.00 >	0.83
12011	YF	C9C	85	11/27/91	0.962	0.00	440.00	0.00 >	3.24
12012	JE	C9S	85	11/27/91	1.093	0.00	125.00	0.00	0.00
12012	PT	CA8	85	11/26/91	0.567	0.00	124.00	0.00	0.11
12012	SF	CAO	85	11/27/91	0.648	0.00	45.10	0.00 >	0.26
12012	VE	C6O	85	11/26/91	1.218	0.00	72.50	0.00	1.46
12012	YF	C9C	85	11/27/91	0.962	0.00	76.70	0.00	0.00
12013	JE	C9T	85	11/27/91	1.094	0.00	104.00	0.00	0.00
12013	PT	CA9	85	11/26/91	0.440	0.00	157.00	0.00	0.00
12013	SF	CAP	85	11/27/91	0.673	0.00	58.20	0.00 >	0.23
12013	VE	C6P	85	11/26/91	1.284	0.00	170.00	0.00	0.00
12013	YF	C9D	85	11/27/91	0.982	0.00	160.00	0.00	0.00
12014	JE	C9T	85	11/27/91	1.094	0.00	236.00	0.00	0.00
12014	PT	CA9	85	11/26/91	0.440	0.00	163.00	0.00 >	1.30
12014	SF	CAP	85	11/27/91	0.673	0.00	77.90	0.00	0.00
12014	VE	C6P	85	11/26/91	1.284	0.00	186.00	0.00	0.00
12014	YF	C9D	85	11/27/91	0.982	0.00	388.00	0.00	0.00
12015	JE	C9U	85	11/27/91	1.100	0.00	163.00	0.00	0.00
12015	PT	CAA	85	11/26/91	0.457	0.00	81.50	0.00	0.00
12015	SF	CAQ	85	11/27/91	0.683	0.00	345.00	0.00	0.00
12015	VE	C6Q	85	11/26/91	1.213	0.00	444.00	0.00	0.00
12015	YF	C9E	85	11/27/91	0.962	0.00	951.00	0.00	0.77
12016	JE	C9U	85	11/27/91	1.100	0.00	250.00	0.00	0.06
12016	PT	CAA	85	11/26/91	0.457	0.00	446.00	0.00	1.11
12016	SF	CAQ	85	11/27/91	0.683	0.00	232.00	0.00 >	0.60
12016	VE	C6Q	85	11/26/91	1.213	0.00	717.00	0.00 >	2.00
12016	YF	C9E	85	11/27/91	0.962	0.00	407.00	0.00	1.86
12017	JE	C9V	85	11/27/91	1.065	0.00	385.00	0.00	0.00
12017	PT	CAB	85	11/26/91	0.429	0.00	503.00	0.00 >	2.91
12017	SF	CAR	85	11/27/91	0.721	0.00	178.00	0.00	0.00
12017	VE	C6R	85	11/26/91	1.254	0.00	423.00	0.00 >	0.41
12017	YF	C9F	85	11/27/91	0.949	0.00	635.00	0.00	2.26
12018	JE	C9V	85	11/27/91	1.065	0.00	561.00	0.00	0.00
12018	PT	CAB	85	11/26/91	0.429	0.00	721.00	0.00	3.22
12018	SF	CAR	85	11/27/91	0.721	0.00	547.00	0.00 >	4.03
12018	VE	C6R	85	11/26/91	1.254	0.00	767.00	0.00	0.61
12018	YF	C9F	85	11/27/91	0.949	0.00	1550.00	0.00 >	5.79
12019	JE	C9W	85	11/27/91	1.119	0.00	242.00	0.00	0.00
12019	PT	CAC	85	11/26/91	0.426	0.00	253.00	0.00 >	0.06
12019	SF	CAS	85	11/27/91	0.664	0.00	97.40	0.00	3.45
12019	VE	C6S	85	11/26/91	1.234	0.00	410.00	0.00	0.50
12019	YF	C9G	85	11/27/91	0.963	271.00	343.00	1.26	6.50

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12020	JE	C9W	85	11/27/91	1.119	0.00	579.00	[illegible]	0.00
12020	PT	CAC	85	11/26/91	0.426	0.00	448.00	[illegible]	0.00
12020	SF	CAS	85	11/27/91	0.664	0.00	373.00	[illegible]	3.97
12020	VE	C6S	85	11/26/91	1.234	0.00	1530.00	[illegible] >	0.80
12020	YF	C9G	85	11/27/91	0.963	0.00	586.00	[illegible]	2.06
12021	JE	C9X	85	11/27/91	1.057	0.00	162.00	[illegible]	0.00
12021	PT	CAD	85	11/26/91	0.403	0.00	139.00	[illegible]	0.60
12021	SF	CAT	85	11/27/91	0.634	0.00	58.90	[illegible]	0.00
12021	VE	C6T	85	11/26/91	1.171	0.00	1460.00	[illegible] >	0.61
12021	YF	C9N	85	11/27/91	0.861	0.00	725.00	[illegible]	0.00
12022	JE	C9X	85	11/27/91	1.057	0.00	1450.00	[illegible]	0.00
12022	PT	CAD	85	11/26/91	0.403	0.00	1480.00	[illegible]	0.00
12022	SF	CAT	85	11/27/91	0.634	166.00	1080.00	6.53 >	28.22
12022	VE	C6T	85	11/26/91	1.171	0.00	1550.00	[illegible] >	2.22
12022	YF	C9N	85	11/27/91	0.861	623.00	1580.00	2.53	15.47
12023	JE	C9Y	85	11/27/91	1.149	0.00	1370.00	[illegible]	0.00
12023	PT	CAE	85	11/26/91	0.372	0.00	1190.00	[illegible]	1.93
12023	SF	CAU	85	11/27/91	0.732	0.00	392.00	[illegible]	5.84
12023	VE	C6U	85	11/26/91	1.273	0.00	1530.00	[illegible]	0.11
12023	YF	C9I	85	11/27/91	0.883	1440.0	1980.00	1.38 >	9.76
12024	JE	CBR	85	11/27/91	1.079	320.00	219.00	[illegible] >	1.82
12024	PT	CC7	85	11/27/91	0.543	0.00	378.00	[illegible]	3.01
12024	SF	CAV	85	11/27/91	0.657	54.30	230.00	4.25 >	20.72
12024	VE	C6V	85	11/26/91	1.222	217.00	1240.00	5.73	19.75
12024	YF	CBB	85	11/27/91	0.830	168.00	386.00	2.29	13.91
12025	JE	CBS	85	11/27/91	1.119	552.00	1190.00	2.15	8.11
12025	PT	CC8	85	11/27/91	0.567	0.00	1260.00	[illegible]	0.00
12025	SF	CAW	85	11/27/91	0.687	0.00	149.00	[illegible] >	3.68
12025	VE	C6W	85	11/26/91	1.350	1700.0	1710.00	[illegible] >	8.40
12025	YF	CBC	85	11/27/91	1.003	402.00	1370.00	3.40 >	21.82
12026	JE	CBS	85	11/27/91	1.119	0.00	329.00	[illegible]	0.00
12026	PT	CC8	85	11/27/91	0.567	0.00	188.00	[illegible]	0.00
12026	SF	CAW	85	11/27/91	0.687	0.00	204.00	[illegible] >	1.06
12026	VE	C6W	85	11/26/91	1.350	902.00	222.00	[illegible]	1.82
12026	YF	CBC	85	11/27/91	1.003	0.00	582.00	[illegible] >	7.88
12027	JE	CBT	85	11/27/91	1.103	0.00	1000.00	[illegible]	0.00
12027	PT	CC9	85	11/27/91	0.576	0.00	773.00	[illegible]	0.00
12027	SF	CAX	85	11/27/91	0.568	0.00	431.00	[illegible]	0.00
12027	VE	C6X	85	11/26/91	1.325	0.00	1790.00	[illegible] >	0.67
12027	YF	CBD	85	11/27/91	0.959	0.00	895.00	[illegible]	3.16
12028	JE	CBT	85	11/27/91	1.103	0.00	269.00	[illegible]	0.00
12028	PT	CC9	85	11/27/91	0.576	0.00	520.00	[illegible]	0.00
12028	SF	CAX	85	11/27/91	0.568	0.00	495.00	[illegible]	0.00
12028	VE	C6X	85	11/26/91	1.325	0.00	417.00	[illegible] >	0.05
12028	YF	CBD	85	11/27/91	0.959	247.00	618.00	2.50 >	20.23
12029	JE	CBU	85	11/27/91	1.095	247.00	220.00	[illegible]	3.14
12029	PT	CCA	85	11/27/91	0.612	0.00	320.00	[illegible]	0.00
12029	SF	CAY	85	11/27/91	0.628	0.00	35.60	[illegible]	0.00
12029	VE	C6Y	85	11/26/91	1.360	0.00	289.00	[illegible]	0.00
12029	YF	CBE	85	11/27/91	0.942	219.00	247.00	1.13	4.79
12030	JE	CBU	85	11/27/91	1.095	0.82	1.21	1.48 >	9.20
12030	PT	CCA	85	11/27/91	0.612	24.50	0.95	0.04 >	3.92
12030	SF	CAY	85	11/27/91	0.628	29.80	0.63	0.02 >	5.95
12030	VE	C6Y	85	11/26/91	1.360	1.04	21.80	28.28 >	31.43
12030	YF	CBE	85	11/27/91	0.942	0.72	1.31	1.82 >	9.56
12031	JE	CBV	85	11/27/91	1.149	0.00	168.00	[illegible]	0.00
12031	PT	CCB	85	11/27/91	0.533	0.00	374.00	[illegible]	0.00
12031	SF	CAZ	85	11/27/91	0.546	0.00	378.00	[illegible]	3.19
12031	VE	C6Z	85	11/26/91	1.356	865.00	1240.00	1.43	5.37
12031	YF	CBF	85	11/27/91	1.020	0.00	471.00	[illegible]	3.53
12032	JE	CBV	85	11/27/91	1.149	0.00	378.00	[illegible]	0.00
12032	PT	CCB	85	11/27/91	0.533	0.00	420.00	[illegible]	0.00
12032	SF	CAZ	85	11/27/91	0.546	0.00	378.00	[illegible]	0.00
12032	VE	C6Z	85	11/26/91	1.356	0.00	459.00	[illegible]	0.00
12032	YF	CBF	85	11/27/91	1.020	0.00	426.00	[illegible]	3.70
12033	JE	CBW	85	11/27/91	1.134	0.00	365.00	[illegible]	0.00
12033	PT	CCC	85	11/27/91	0.583	0.00	407.00	[illegible]	0.00
12033	SF	CBO	85	11/27/91	0.583	0.00	553.00	[illegible]	5.82
12033	VE	C70	85	11/26/91	1.416	913.00	477.00	0.52	0.41
12033	YF	CBG	85	11/27/91	1.022	700.00	343.00	0.49	1.28
12034	JE	CBW	85	11/27/91	1.134	0.00	372.00	[illegible]	0.00
12034	PT	CCC	85	11/27/91	0.583	0.00	547.00	[illegible]	0.00
12034	SF	CBO	85	11/27/91	0.583	0.00	386.00	[illegible]	0.00
12034	VE	C70	85	11/26/91	1.416	0.00	1068.00	[illegible]	0.38
12034	YF	CBG	85	11/27/91	1.022	505.00	938.00	1.86	11.73

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12035	JE	CBX	85	11/27/91	1.065	0.00	1550.00	0.00 >	6.13
12035	PT	CCD	85	11/27/91	0.533	277.00	1530.00	5.54 >	30.08
12035	SF	CB1	85	11/27/91	0.603	877.00	1330.00	1.51	10.50
12035	VE	C71	85	11/26/91	1.377	861.00	1840.00	2.14	12.12
12035	YF	CBH	85	11/27/91	0.982	184.00	1550.00	8.42 >	33.81
12036	JE	CBX	85	11/27/91	1.065	0.00	483.00	0.00	3.67
12036	PT	CCD	85	11/27/91	0.533	0.00	493.00	0.00	0.00
12036	SF	CB1	85	11/27/91	0.603	0.00	433.00	0.00	0.00
12036	VE	C71	85	11/26/91	1.377	0.00	556.00	0.00 >	1.70
12036	YF	CBH	85	11/27/91	0.982	245.00	513.00	2.10	9.18
12037	JE	CBY	85	11/27/91	1.166	0.00	210.00	0.00	0.57
12037	PT	CCE	85	11/27/91	0.519	0.00 >	320.00	0.00	0.00
12037	SF	CB2	85	11/27/91	0.643	0.00	320.00	0.00	0.00
12037	VE	C72	85	11/26/91	1.403	0.00 >	320.00	0.00	0.00
12037	YF	CBI	85	11/27/91	1.069	0.00 >	320.00	0.00 >	10.60
12038	JE	CBY	85	11/27/91	1.166	0.00	624.00	0.00	0.00
12038	PT	CCE	85	11/27/91	0.519	0.00	499.00	0.00	6.47
12038	SF	CB2	85	11/27/91	0.643	0.00	691.00	0.00	9.13
12038	VE	C72	85	11/26/91	1.403	0.00	1210.00	0.00	0.14
12038	YF	CBI	85	11/27/91	1.069	0.00	1270.00	0.00	8.81
12039	JE	CBZ	85	11/27/91	1.016	0.00	1550.00	0.00 >	3.60
12039	PT	CCF	85	11/27/91	0.454	412.00	1550.00	3.76	20.08
12039	SF	CB3	85	11/27/91	0.547	0.00	592.00	0.00	1.64
12039	VE	C73	85	11/26/91	1.125	0.00	2150.00	0.00	19.81
12039	YF	CBJ	85	11/27/91	0.866	149.00	1550.00	10.43 >	39.02
12040	JE	CBZ	85	11/27/91	1.016	0.00	240.00	0.00 >	15.82
12040	PT	CCF	85	11/27/91	0.454	0.00	236.00	0.00	0.00
12040	SF	CB3	85	11/27/91	0.547	0.00 >	320.00	0.00 >	0.21
12040	VE	C73	85	11/26/91	1.125	0.00 >	320.00	0.00 >	0.40
12040	YF	CBJ	85	11/27/91	0.866	3.20 >	320.00 >	100.00 >	56.45
12041	JE	CCO	85	11/27/91	1.128	0.00	9.55	0.00	0.00
12041	PT	CCG	85	11/27/91	0.477	0.00	38.70	0.00	0.08
12041	SF	CB4	85	11/27/91	0.648	0.00	10.00	0.00 >	0.81
12041	VE	C74	85	11/26/91	1.323	0.00	28.30	0.00	0.00
12041	YF	CBK	85	11/27/91	0.947	0.00	46.40	0.00	2.05
12042	JE	CCO	85	11/27/91	1.128	0.00 >	320.00	0.00	0.00
12042	PT	CCG	85	11/27/91	0.477	0.00 >	320.00	0.00	0.00
12042	SF	CB4	85	11/27/91	0.648	0.00 >	320.00	0.00 >	2.08
12042	VE	C74	85	11/26/91	1.323	0.00 >	320.00	0.00	0.10
12042	YF	CBK	85	11/27/91	0.947	0.00 >	320.00	0.00 >	0.82
12043	JE	CC1	85	11/27/91	1.062	0.00	518.00	0.00	0.06
12043	PT	CCN	85	11/27/91	0.503	0.00	507.00	0.00	0.00
12043	SF	CB5	85	11/27/91	0.533	0.00	474.00	0.00	3.57
12043	VE	C75	85	11/26/91	1.336	702.00	706.00	1.00 >	4.92
12043	YF	CBL	85	11/27/91	0.957	0.00	530.00	0.00	2.50
12044	JE	CC1	85	11/27/91	1.062	684.00	895.00	1.31	9.90
12044	PT	CCN	85	11/27/91	0.503	0.00	1000.00	0.00	0.31
12044	SF	CB5	85	11/27/91	0.533	108.00	735.00	6.81 >	31.25
12044	VE	C75	85	11/26/91	1.336	616.00	1110.00	1.80	8.32
12044	YF	CBL	85	11/27/91	0.957	502.00	1060.00	2.11 >	17.05
12045	JE	CC2	85	11/27/91	1.034	0.00	490.00	0.00	0.00
12045	PT	CC1	85	11/27/91	0.476	0.00	550.00	0.00	0.00
12045	SF	CB6	85	11/27/91	0.552	0.00	308.00	0.00	0.00
12045	VE	C76	85	11/26/91	1.365	0.00	711.00	0.00	2.25
12045	YF	CBN	85	11/27/91	0.935	0.00	682.00	0.00 >	6.66
12046	JE	CC2	85	11/27/91	1.034	566.00	1550.00	2.74	13.26
12046	PT	CC1	85	11/27/91	0.476	0.00	385.00	0.00	0.00
12046	SF	CB6	85	11/27/91	0.552	0.00	75.50	0.00	0.00
12046	VE	C76	85	11/26/91	1.365	764.00	1060.00	1.38 >	8.43
12046	YF	CBN	85	11/27/91	0.935	416.00	1550.00	3.72	19.00
12047	JE	CC3	85	11/27/91	1.044	0.00	184.00	0.00	0.11
12047	PT	CCJ	85	11/27/91	0.499	0.00	210.00	0.00	0.00
12047	SF	CB7	85	11/27/91	0.608	0.00	166.00	0.00	0.00
12047	VE	C77	85	11/26/91	1.306	622.00	873.00	1.40	8.25
12047	YF	CBH	85	11/27/91	0.920	0.00	311.00	0.00	0.00
12048	JE	CC3	85	11/27/91	1.044	0.00	0.05	0.00	0.26
12048	PT	CCJ	85	11/27/91	0.499	0.00	0.05	0.00	0.00
12048	SF	CB7	85	11/27/91	0.608	0.00	0.05	0.00	0.00
12048	VE	C77	85	11/26/91	1.306	0.00	0.07	0.00 >	0.21
12048	YF	CBH	85	11/27/91	0.920	0.00	0.05	0.00	0.00
12049	JE	CC4	85	11/27/91	1.081	0.00	433.00	0.00	9.51
12049	PT	CCK	85	11/27/91	0.514	0.00	611.00	0.00	0.00
12049	SF	CB8	85	11/27/91	0.563	0.00	535.00	0.00	4.61
12049	VE	C78	85	11/26/91	1.347	0.00	437.00	0.00	0.93
12049	YF	CBO	85	11/27/91	0.907	74.10	611.00	8.25 >	31.21

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12050	JE	CC4	85	11/27/91	1.081	0.00	377.00	0.00	0.00
12050	PT	CCK	85	11/27/91	0.514	0.00	510.00	0.00	0.00
12050	SF	C88	85	11/27/91	0.563	0.00	312.00	0.00	0.00
12050	VE	C78	85	11/26/91	1.347	0.00	304.00	0.00	0.00
12050	YF	CBO	85	11/27/91	0.907	0.00	485.00	0.00	0.39
12051	JE	CC5	85	11/27/91	1.021	0.00	116.00	0.00	0.30
12051	PT	CCL	85	11/27/91	0.547	0.00	58.00	0.00	0.90
12051	SF	CB9	85	11/27/91	0.629	0.00	54.70	0.00	0.00
12051	VE	C79	85	11/26/91	1.357	0.00	64.70	0.00	0.00
12051	YF	CBP	85	11/27/91	0.951	0.00	49.00	0.00 >	5.62
12052	JE	CC5	85	11/27/91	1.021	0.00	490.00	0.00	8.33
12052	PT	CCL	85	11/27/91	0.547	0.00	562.00	0.00	0.00
12052	SF	CB9	85	11/27/91	0.629	0.00	527.00	0.00	6.30
12052	VE	C79	85	11/26/91	1.357	831.00	625.00	0.75 >	2.02
12052	YF	CBP	85	11/27/91	0.951	191.00	575.00	3.00	17.98
12053	JE	CC6	85	11/27/91	1.124	0.00	228.00	0.00 >	0.41
12053	PT	CCN	85	11/27/91	0.399	0.00	1120.00	0.00	0.00
12053	SF	CBA	85	11/27/91	0.692	0.00	501.00	0.00	0.00
12053	VE	C7A	85	11/26/91	1.311	2580.0	1860.00	0.72 >	2.30
12053	YF	CBQ	85	11/27/91	1.045	684.00	1230.00	1.80 >	12.11
12054	JE	CD3	85	12/03/91	1.003	0.00	561.00	0.00 >	7.58
12054	PT	CD2	85	12/03/91	0.786	0.00	490.00	0.00	0.00
12054	SF	CEF	85	12/03/91	0.858	0.00	198.00	0.00	0.00
12054	VE	CDJ	85	12/06/91	0.959	0.00	277.00	0.00	0.10
12054	YF	CCN	85	12/03/91	1.054	0.00	257.00	0.00 >	11.27
12055	JE	CD4	85	12/03/91	1.013	0.00	608.00	0.00 >	1.18
12055	PT	CE0	85	12/03/91	0.666	0.00	1550.00	0.00	0.00
12055	SF	CEG	85	12/03/91	0.761	0.00	492.00	0.00	0.00
12055	VE	CDK	85	12/06/91	1.180	0.00	1260.00	0.00	3.81
12055	YF	CCO	85	12/03/91	1.004	680.00	1550.00	2.28	12.03
12056	JE	CD4	85	12/03/91	1.013	0.00	698.00	0.00	0.87
12056	PT	CE0	85	12/03/91	0.666	0.00	1210.00	0.00	0.00
12056	SF	CEG	85	12/03/91	0.761	0.00	414.00	0.00	0.00
12056	VE	CDK	85	12/06/91	1.180	0.00	494.00	0.00	0.00
12056	YF	CCO	85	12/03/91	1.004	927.00	580.00	0.63	2.03
12057	JE	CD5	85	12/03/91	0.986	0.00	238.00	0.00	8.93
12057	PT	CE1	85	12/03/91	0.633	0.00 >	320.00	0.00	0.00
12057	SF	CEH	85	12/03/91	0.805	0.00	146.00	0.00	0.00
12057	VE	CDL	85	12/06/91	1.126	0.00	84.00	0.00	0.00
12057	YF	CCP	85	12/03/91	1.025	0.00	227.00	0.00 >	22.65
12058	JE	CD5	85	12/03/91	0.986	0.00	114.00	0.00	3.19
12058	PT	CE1	85	12/03/91	0.633	0.00	156.00	0.00	1.20
12058	SF	CEH	85	12/03/91	0.805	0.00	49.00	0.00 >	0.10
12058	VE	CDL	85	12/06/91	1.126	0.00	49.20	0.00	0.10
12058	YF	CCP	85	12/03/91	1.025	0.00	147.00	0.00	0.00
12059	JE	CD6	85	12/03/91	0.941	0.00	304.00	0.00	1.71
12059	PT	CE2	85	12/03/91	0.707	0.00	320.00	0.00	0.00
12059	SF	CEI	85	12/03/91	0.836	0.00	185.00	0.00	0.00
12059	VE	CDM	85	12/06/91	1.119	0.00	406.00	0.00	0.00
12059	YF	CCQ	85	12/03/91	0.978	300.00	370.00	1.24	3.77
12060	JE	CD6	85	12/03/91	0.941	0.00	429.00	0.00 >	13.23
12060	PT	CE2	85	12/03/91	0.707	0.00	600.00	0.00	0.00
12060	SF	CEI	85	12/03/91	0.836	0.00	210.00	0.00	0.00
12060	VE	CDM	85	12/06/91	1.119	0.00	97.40	0.00	0.00
12060	YF	CCQ	85	12/03/91	0.978	0.00	320.00	0.00 >	15.83
12061	JE	CD7	85	12/03/91	0.923	0.00	137.00	0.00	0.85
12061	PT	CE3	85	12/03/91	0.634	0.00	155.00	0.00	0.00
12061	SF	CEJ	85	12/03/91	0.862	0.00	155.00	0.00	0.63
12061	VE	CDN	85	12/06/91	1.090	0.00	144.00	0.00 >	0.05
12061	YF	CCR	85	12/03/91	0.977	0.00	3.04	0.00	2.68
12062	JE	CD7	85	12/03/91	0.923	0.00	1.79	0.00 >	0.70
12062	PT	CE3	85	12/03/91	0.634	0.00	1.62	0.00	0.00
12062	SF	CEJ	85	12/03/91	0.862	0.00	1.80	0.00	0.00
12062	VE	CDN	85	12/06/91	1.090	0.00	1.06	0.00	0.00
12062	YF	CCR	85	12/03/91	0.977	0.00	1.57	0.00	0.00
12063	JE	CD8	85	12/03/91	0.988	734.00	970.00	1.32 >	7.90
12063	PT	CE4	85	12/03/91	0.636	0.00	1390.00	0.00	0.00
12063	SF	CEK	85	12/03/91	0.842	0.00	440.00	0.00	0.00
12063	VE	CDO	85	12/06/91	1.117	0.00	737.00	0.00 >	0.03
12063	YF	CCS	85	12/03/91	0.994	1000.0	688.00	0.69	5.48
12064	JE	CD8	85	12/03/91	0.988	0.00	151.00	0.00 >	6.04
12064	PT	CE4	85	12/03/91	0.636	0.00	166.00	0.00	0.00
12064	SF	CEK	85	12/03/91	0.842	0.00	44.50	0.00	0.00
12064	VE	CDO	85	12/06/91	1.117	0.00	124.00	0.00	0.03
12064	YF	CCS	85	12/03/91	0.994	0.00	184.00	0.00	17.41

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI		TAI
12065	JE	CD9	85	12/03/91	1.068	0.00	1090.00	0.00	>	1.10
12065	PT	CE5	85	12/03/91	0.551	0.00	1080.00	0.00		1.96
12065	SF	CEL	85	12/03/91	0.763	0.00	396.00	0.00		4.16
12065	VE	CDP	85	12/06/91	1.186	0.00	1000.00	0.00	>	5.03
12065	YF	CCT	85	12/03/91	1.012	0.00	490.00	0.00		0.29
12066	JE	CD9	85	12/03/91	1.068	0.00	1400.00	0.00		0.00
12066	PT	CE5	85	12/03/91	0.551	0.00	1730.00	0.00		0.00
12066	SF	CEL	85	12/03/91	0.763	0.00	728.00	0.00		0.57
12066	VE	CDP	85	12/06/91	1.186	0.00	815.00	0.00		1.45
12066	YF	CCT	85	12/03/91	1.012	0.00	1660.00	0.00		0.42
12067	JE	CDA	85	12/03/91	1.109	671.00	1090.00	1.62		6.75
12067	PT	CE6	85	12/03/91	0.602	0.00	1110.00	0.00		0.00
12067	SF	CEN	85	12/03/91	0.910	0.00	480.00	0.00	>	3.78
12067	VE	CDQ	85	12/06/91	1.195	875.00	1220.00	1.39	>	6.09
12067	YF	CCU	85	12/03/91	1.025	0.00	1560.00	0.00		6.52
12068	JE	CDA	85	12/03/91	1.109	0.00	425.00	0.00		0.00
12068	PT	CE6	85	12/03/91	0.602	0.00	374.00	0.00		0.00
12068	SF	CEN	85	12/03/91	0.910	0.00	155.00	0.00		0.00
12068	VE	CDQ	85	12/06/91	1.195	0.00	210.00	0.00		0.76
12068	YF	CCU	85	12/03/91	1.025	0.00	377.00	0.00		0.00
12069	JE	CD8	85	12/03/91	0.892	684.00	1480.00	2.17		9.31
12069	PT	CE7	85	12/03/91	0.719	0.00	449.00	0.00		0.00
12069	SF	CEN	85	12/03/91	0.851	0.00	276.00	0.00		0.00
12069	VE	CDR	85	12/06/91	1.076	0.00	1450.00	0.00		2.35
12069	YF	CCV	85	12/03/91	1.122	0.00	1300.00	0.00		1.38
12070	JE	CD8	85	12/03/91	0.892	0.00	123.00	0.00		0.00
12070	PT	CE7	85	12/03/91	0.719	0.00	65.20	0.00		0.00
12070	SF	CEN	85	12/03/91	0.851	0.00	57.80	0.00		0.00
12070	VE	CDR	85	12/06/91	1.076	0.00	55.30	0.00		0.00
12070	YF	CCV	85	12/03/91	1.122	0.00	62.40	0.00		0.10
12071	JE	CDC	85	12/03/91	1.012	0.00	226.00	0.00		0.00
12071	PT	CE8	85	12/03/91	0.727	0.00	70.90	0.00		0.00
12071	SF	CEO	85	12/03/91	0.778	0.00	50.70	0.00		0.00
12071	VE	CDS	85	12/06/91	1.073	0.00	303.00	0.00		0.31
12071	YF	CCW	85	12/03/91	1.010	0.00	375.00	0.00		0.00
12072	JE	CDC	85	12/03/91	1.012	60.30	160.00	2.65		13.92
12072	PT	CE8	85	12/03/91	0.727	0.00	139.00	0.00		0.06
12072	SF	CEO	85	12/03/91	0.778	0.00	85.10	0.00		0.00
12072	VE	CDS	85	12/06/91	1.073	0.00	54.70	0.00		0.00
12072	YF	CCW	85	12/03/91	1.010	32.00	139.00	4.33		20.99
12073	JE	CDD	85	12/03/91	0.947	59.00	149.00	2.52		12.77
12073	PT	CE9	85	12/03/91	0.630	0.00	123.00	0.00		0.00
12073	SF	CEP	85	12/03/91	0.813	0.00	112.00	0.00	>	0.20
12073	VE	CDT	85	12/06/91	1.041	0.00	62.90	0.00		0.00
12073	YF	CCX	85	12/03/91	0.949	30.30	126.00	4.16		20.42
12074	JE	CDD	85	12/03/91	0.947	0.00	1310.00	0.00		3.29
12074	PT	CE9	85	12/03/91	0.630	0.00	1520.00	0.00		0.00
12074	SF	CEP	85	12/03/91	0.813	0.00	590.00	0.00		0.00
12074	VE	CDT	85	12/06/91	1.041	0.00	820.00	0.00		2.99
12074	YF	CCX	85	12/03/91	0.949	0.00	1570.00	0.00		2.70
12075	JE	CDE	85	12/03/91	0.958	0.00	690.00	0.00		1.06
12075	PT	CEA	85	12/03/91	0.574	0.00	587.00	0.00		0.00
12075	SF	CEQ	85	12/03/91	0.773	0.00	586.00	0.00		2.14
12075	VE	CDU	85	12/06/91	1.114	0.00	1370.00	0.00		2.43
12075	YF	CCY	85	12/03/91	0.937	0.00	704.00	0.00		0.45
12076	JE	CDE	85	12/03/91	0.958	0.00	1530.00	0.00		0.00
12076	PT	CEA	85	12/03/91	0.574	0.00	1600.00	0.00		0.00
12076	SF	CEQ	85	12/03/91	0.773	0.00	767.00	0.00		0.00
12076	VE	CDU	85	12/06/91	1.114	0.00	1770.00	0.00		1.10
12076	YF	CCY	85	12/03/91	0.937	0.00	1680.00	0.00	>	0.05
12077	JE	CDF	85	12/03/91	0.926	0.00	220.00	0.00		8.02
12077	PT	CEB	85	12/03/91	0.670	0.00	202.00	0.00		0.66
12077	SF	CER	85	12/03/91	0.849	0.00	182.00	0.00	>	0.82
12077	VE	CDV	85	12/06/91	1.111	0.00	75.60	0.00		0.00
12077	YF	CCZ	85	12/03/91	1.013	62.30	188.00	3.02		15.21
12078	JE	CDF	85	12/03/91	0.926	0.00	484.00	0.00		0.00
12078	PT	CEB	85	12/03/91	0.670	0.00	147.00	0.00		0.00
12078	SF	CER	85	12/03/91	0.849	0.00	143.00	0.00	>	0.10
12078	VE	CDV	85	12/06/91	1.111	0.00	190.00	0.00		0.00
12078	YF	CCZ	85	12/03/91	1.013	0.00	210.00	0.00		0.00
12079	JE	CDG	85	12/03/91	0.938	0.00	1350.00	0.00		4.26
12079	PT	CEC	85	12/03/91	0.576	0.00	1490.00	0.00		0.00
12079	SF	CES	85	12/03/91	0.828	632.00	1440.00	2.28	>	12.52
12079	VE	CDW	85	12/06/91	1.084	0.00	1550.00	0.00		2.81
12079	YF	CDO	85	12/03/91	0.925	412.00	1560.00	3.79	>	27.15

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12080	JE	CDG	85	12/03/91	0.938	0.00	> 3200.00	0.00	0.71
12080	PT	CEC	85	12/03/91	0.576	0.00	> 3200.00	0.00	0.00
12080	SF	CES	85	12/03/91	0.828	0.00	1530.00	0.00	0.00
12080	VE	CDW	85	12/06/91	1.084	0.00	> 3200.00	0.00 >	4.30
12080	YF	CDO	85	12/03/91	0.925	0.00	> 3200.00	0.00 >	2.30
12081	JE	CDN	85	12/03/91	0.935	0.00	2490.00	0.00	1.01
12081	PT	CED	85	12/03/91	0.556	919.00	2380.00	2.58	8.50
12081	SF	CET	85	12/03/91	0.865	0.00	2100.00	0.00	6.04
12081	VE	CDX	85	12/06/91	1.179	0.00	3780.00	0.00 >	2.95
12081	YF	CD1	85	12/03/91	0.966	0.00	3380.00	0.00	3.43
12082	JE	CDN	85	12/03/91	0.935	0.00	1510.00	0.00	0.00
12082	PT	CED	85	12/03/91	0.556	0.00	1550.00	0.00	0.00
12082	SF	CET	85	12/03/91	0.865	0.00	876.00	0.00 >	0.54
12082	VE	CDX	85	12/06/91	1.179	0.00	1000.00	0.00	0.00
12082	YF	CD1	85	12/03/91	0.966	0.00	1350.00	0.00	3.79
12083	JE	CDI	85	12/03/91	1.071	0.00	594.00	0.00	0.00
12083	PT	CEE	85	12/03/91	0.477	0.00	277.00	0.00	0.00
12083	SF	CEU	85	12/03/91	0.924	0.00	177.00	0.00	0.00
12083	VE	CDY	85	12/06/91	1.180	0.00	202.00	0.00	0.00
12083	YF	CD2	85	12/03/91	1.115	0.00	26.30	0.00	0.00
12084	JE	CFB	85	12/04/91	1.027	0.00	1590.00	0.00 >	8.84
12084	PT	CGP	85	12/05/91	0.441	566.00	1750.00	3.10 >	17.65
12084	SF	CH5	85	12/05/91	0.670	279.00	1370.00	4.90	19.18
12084	VE	CFR	85	12/06/91	1.109	0.00	1550.00	0.00 >	3.59
12084	YF	CEV	85	12/03/91	1.099	238.00	2180.00	8.44 >	38.73
12085	JE	CFC	85	12/04/91	0.999	0.00	510.00	0.00	0.00
12085	PT	CGQ	85	12/05/91	0.390	0.00	320.00	0.00	0.00
12085	SF	CH6	85	12/05/91	0.647	0.00	471.00	0.00	8.52
12085	VE	CFS	85	12/06/91	1.184	0.00	320.00	0.00	0.50
12085	YF	CEW	85	12/03/91	1.035	0.00	554.00	0.00	0.00
12086	JE	CFC	85	12/04/91	0.999	0.00	241.00	0.00 >	0.03
12086	PT	CGQ	85	12/05/91	0.390	0.00	159.00	0.00	0.00
12086	SF	CH6	85	12/05/91	0.647	0.00	153.00	0.00	0.00
12086	VE	CFS	85	12/06/91	1.184	0.00	160.00	0.00	0.00
12086	YF	CEW	85	12/03/91	1.035	0.00	41.40	0.00	0.00
12087	JE	CFD	85	12/04/91	1.041	0.00	245.00	0.00	0.00
12087	PT	CGR	85	12/05/91	0.419	0.00	185.00	0.00	0.00
12087	SF	CH7	85	12/05/91	0.705	0.00	217.00	0.00 >	5.49
12087	VE	CFT	85	12/06/91	1.172	0.00	1660.00	0.00 >	0.13
12087	YF	CEX	85	12/03/91	1.008	0.00	151.00	0.00 >	0.43
12088	JE	CFD	85	12/04/91	1.041	0.00	4400.00	0.00 >	1.83
12088	PT	CGR	85	12/05/91	0.419	150.00	4630.00	30.80	4.97
12088	SF	CH7	85	12/05/91	0.705	94.20	835.00	8.87 >	49.99
12088	VE	CFT	85	12/06/91	1.172	0.00	3430.00	0.00 >	5.85
12088	YF	CEX	85	12/03/91	1.008	334.00	4600.00	13.77 >	36.77
12089	JE	CFE	85	12/04/91	1.069	0.00	137.00	0.00	0.00
12089	SF	CH8	85	12/05/91	0.687	0.00	173.00	0.00 >	1.10
12089	VE	CFU	85	12/06/91	1.165	0.00	137.00	0.00 >	0.01
12089	YF	CEY	85	12/03/91	0.988	0.00	94.80	0.00 >	0.21
12090	JE	CFE	85	12/04/91	1.069	0.00	535.00	0.00	1.51
12090	SF	CH8	85	12/05/91	0.687	0.00	592.00	0.00	11.23
12090	VE	CFU	85	12/06/91	1.165	0.00	525.00	0.00 >	1.22
12090	YF	CEY	85	12/03/91	0.988	214.00	371.00	1.73 >	14.18
12091	JE	CFF	85	12/04/91	1.043	0.00	567.00	0.00	0.00
12091	PT	CGT	85	12/05/91	0.421	0.00	1290.00	0.00 >	4.38
12091	SF	CH9	85	12/05/91	0.688	0.00	922.00	0.00	11.14
12091	VE	CFV	85	12/06/91	1.127	0.00	830.00	0.00 >	0.34
12091	YF	CEZ	85	12/03/91	0.977	549.00	734.00	1.34 >	15.34
12092	JE	CFF	85	12/04/91	1.043	0.00	1780.00	0.00	5.87
12092	PT	CGT	85	12/05/91	0.421	869.00	1650.00	1.89 >	8.62
12092	SF	CH9	85	12/05/91	0.688	0.00	1060.00	0.00	2.20
12092	VE	CFV	85	12/06/91	1.127	0.00	1710.00	0.00 >	2.40
12092	YF	CEZ	85	12/03/91	0.977	559.00	1550.00	2.77 >	21.05
12093	JE	CFG	85	12/04/91	0.979	0.00	556.00	0.00	8.39
12093	PT	CGU	85	12/05/91	0.385	197.00	490.00	2.49	12.65
12093	SF	CHA	85	12/05/91	0.747	39.10	490.00	12.54 >	34.81
12093	VE	CFW	85	12/06/91	1.203	0.00	272.00	0.00 >	0.79
12093	YF	CF0	85	12/03/91	0.987	66.30	520.00	7.85 >	26.34
12094	JE	CFG	85	12/04/91	0.979	0.00	2720.00	0.00	0.20
12094	PT	CGU	85	12/05/91	0.385	2160.0 >	3200.00 >	1.48 >	9.95
12094	SF	CHA	85	12/05/91	0.747	1020.0 >	3200.00 >	3.13 >	23.46
12094	VE	CFW	85	12/06/91	1.203	0.00 >	3200.00	0.00 >	2.86
12094	YF	CF0	85	12/03/91	0.987	0.00	1870.00	0.00	0.02
12095	JE	CFH	85	12/04/91	0.988	0.00	960.00	0.00	0.12
12095	PT	CGV	85	12/05/91	0.398	0.00	1090.00	0.00	0.00

AVS No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12095	SF	CNB	85	12/05/91	0.729	0.00	846.00	0.00	0.20
12095	VE	CFX	85	12/06/91	1.178	0.00	738.00	0.00 >	0.22
12095	YF	CF1	85	12/03/91	0.973	303.00	840.00	2.77 >	17.41
12096	JE	CFH	85	12/04/91	0.988	373.00	1190.00	3.20	18.30
12096	PT	CGV	85	12/05/91	0.398	566.00	1570.00	2.78 >	18.32
12096	SF	CNB	85	12/05/91	0.729	244.00	1560.00	6.37 >	26.23
12096	VE	CFX	85	12/06/91	1.178	0.00	627.00	0.00 >	0.37
12096	YF	CF1	85	12/03/91	0.973	261.00	1480.00	5.68	26.55
12097	JE	CFI	85	12/04/91	1.082	0.00	1630.00	0.00	0.05
12097	PT	CGW	85	12/05/91	0.491	0.00	1370.00	0.00	0.00
12097	SF	[illegible]	85	12/05/91	0.751	0.00	2390.00	0.00	6.42
12097	VE	CFY	85	12/06/91	1.248	0.00	1490.00	0.00	0.00
12097	YF	CF2	85	12/03/91	1.014	0.00	523.00	0.00 >	0.01
12098	JE	CFI	85	12/04/91	1.082	0.00	2490.00	0.00	2.78
12098	PT	CGW	85	12/05/91	0.491	456.00	4920.00	10.79	31.02
12098	SF	CNC	85	12/05/91	0.751	246.00	1790.00	7.25 >	32.79
12098	VE	CFY	85	12/06/91	1.248	0.00	1950.00	0.00 >	4.28
12098	YF	CF2	85	12/03/91	1.014	0.00	4900.00	0.00 >	2.32
12099	JE	CFJ	85	12/04/91	1.031	437.00	1580.00	3.64	20.90
12099	PT	CGX	85	12/05/91	0.506	523.00	1650.00	3.15 >	19.18
12099	SF	CND	85	12/05/91	0.616	1000.0	1440.00	1.44	17.95
12099	VE	CFZ	85	12/06/91	1.013	0.00	1550.00	0.00 >	2.04
12099	YF	CF3	85	12/03/91	1.098	234.00	1630.00	6.98 >	39.53
12100	JE	CFJ	85	12/04/91	1.031	0.00	609.00	0.00	0.32
12100	PT	CGX	85	12/05/91	0.506	0.00	745.00	0.00 >	1.49
12100	SF	CND	85	12/05/91	0.616	0.00	490.00	0.00	6.32
12100	VE	CFZ	85	12/06/91	1.013	0.00	1350.00	0.00 >	3.58
12100	YF	CF3	85	12/03/91	1.098	0.00	640.00	0.00	6.02
12101	JE	CFK	85	12/04/91	1.013	0.00	1060.00	0.00	0.05
12101	PT	CGY	85	12/05/91	0.353	0.00	594.00	0.00	0.00
12101	SF	CNE	85	12/05/91	0.615	0.00	405.00	0.00 >	10.32
12101	VE	CG0	85	12/06/91	1.094	0.00	1210.00	0.00 >	5.52
12101	YF	CF4	85	12/03/91	1.024	0.00	1370.00	0.00	0.00
12102	JE	CFK	85	12/04/91	1.013	509.00	906.00	1.78	14.96
12102	PT	CGY	85	12/05/91	0.353	0.00	806.00	0.00	0.00
12102	SF	CNE	85	12/05/91	0.615	168.00	518.00	3.09	17.06
12102	VE	CG0	85	12/06/91	1.094	0.00	495.00	0.00	1.95
12102	YF	CF4	85	12/03/91	1.024	115.00	1030.00	8.95 >	40.26
12103	JE	CFL	85	12/04/91	1.025	813.00	1210.00	1.49	6.24
12103	PT	CGZ	85	12/05/91	0.413	259.00	1130.00	4.34	22.25
12103	SF	CNF	85	12/05/91	0.645	169.00	1260.00	7.44 >	29.26
12103	VE	CG1	85	12/06/91	1.178	0.00	1220.00	0.00	0.21
12103	YF	CF5	85	12/03/91	1.029	179.00	320.00	1.79 >	19.57
12104	JE	CFL	85	12/04/91	1.025	0.00 >	1.00	0.00	0.00
12104	PT	CGZ	85	12/05/91	0.413	0.00 >	1.00	0.00	0.00
12104	SF	CNF	85	12/05/91	0.645	0.00 >	1.00	0.00	0.00
12104	VE	CG1	85	12/06/91	1.178	0.00 >	1.00	0.00	0.00
12104	YF	CF5	85	12/03/91	1.029	0.00	0.77	0.00 >	13.73
12105	JE	CFM	85	12/04/91	1.005	0.00	9.15	0.00	0.00
12105	PT	CNO	85	12/05/91	0.386	0.00	13.70	0.00	0.00
12105	SF	CNG	85	12/05/91	0.656	0.00	16.00	0.00	0.00
12105	VE	CG2	85	12/06/91	1.060	0.00	8.98	0.00	0.00
12105	YF	CF6	85	12/03/91	0.954	0.00	4.90	0.00	0.00
12106	JE	CFM	85	12/04/91	1.005	0.00	143.00	0.00 >	0.01
12106	PT	CNO	85	12/05/91	0.386	0.00	109.00	0.00	0.00
12106	SF	CNG	85	12/05/91	0.656	0.00	155.00	0.00	0.20
12106	VE	CG2	85	12/06/91	1.060	0.00	175.00	0.00	0.00
12106	YF	CF6	85	12/03/91	0.954	0.00	117.00	0.00 >	0.13
12107	JE	CFM	85	12/04/91	0.909	471.00	1650.00	3.51 >	19.86
12107	PT	CN1	85	12/05/91	0.357	546.00	1630.00	2.87	16.84
12107	SF	CNN	85	12/05/91	0.703	228.00	1400.00	6.15	26.29
12107	VE	CG3	85	12/06/91	1.155	0.00	1330.00	0.00 >	0.97
12107	YF	CF7	85	12/03/91	1.000	217.00	1640.00	7.55 >	30.85
12108	JE	CFN	85	12/04/91	0.909	0.00	225.00	0.00	0.00
12108	PT	CN1	85	12/05/91	0.357	0.00	245.00	0.00	0.00
12108	SF	CNN	85	12/05/91	0.703	0.00	190.00	0.00	3.65
12108	VE	CG3	85	12/06/91	1.155	0.00	216.00	0.00	0.00
12108	YF	CF7	85	12/03/91	1.000	0.00	320.00	0.00 >	6.71
12109	JE	CFO	85	12/04/91	1.028	0.00	429.00	0.00	0.00
12109	PT	CN2	85	12/05/91	0.428	0.00	492.00	0.00	0.00
12109	SF	CNI	85	12/05/91	0.622	0.00	425.00	0.00	3.53
12109	VE	CG4	85	12/06/91	1.134	0.00	547.00	0.00	0.00
12109	YF	CF8	85	12/03/91	1.000	0.00	320.00	0.00	0.00
12110	JE	CFO	85	12/04/91	1.028	0.00	190.00	0.00	0.00
12110	PT	CN2	85	12/05/91	0.428	0.00	185.00	0.00	0.00

Cumulative Summary (Cont'd)

AVS No.	VIR	PLT #	SNIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12110	SF	CNI	85	12/05/91	0.622	201.00	232.00	1.15 >	8.53
12110	VE	CG4	85	12/06/91	1.134	0.00	253.00	0.00	0.18
12110	YF	CF8	85	12/03/91	1.000	521.00	32.00	0.06	0.00
12111	JE	CFP	85	12/04/91	0.994	0.00 >	100.00	0.00	0.00
12111	PT	CN3	85	12/05/91	0.425	0.00 >	100.00	0.00	0.00
12111	SF	CNJ	85	12/05/91	0.771	0.00 >	100.00	0.00 >	0.01
12111	VE	CG5	85	12/06/91	1.141	0.00 >	100.00	0.00	0.00
12111	YF	CF9	85	12/03/91	0.970	0.00	91.50	0.00 >	0.10
12112	JE	CFP	85	12/04/91	0.994	0.00	388.00	0.00	0.00
12112	PT	CN3	85	12/05/91	0.425	0.00	402.00	0.00	0.00
12112	SF	CNJ	85	12/05/91	0.771	0.00	514.00	0.00	0.00
12112	VE	CG5	85	12/06/91	1.141	0.00	471.00	0.00	0.00
12112	YF	CF9	85	12/03/91	0.970	0.00	139.00	0.00 >	0.10
12113	JE	CFQ	85	12/04/91	1.048	0.00	124.00	0.00	0.00
12113	PT	CN4	85	12/05/91	0.409	0.00	171.00	0.00	4.18
12113	SF	CNK	85	12/05/91	0.700	0.00	53.50	0.00 >	0.30
12113	VE	CG6	85	12/06/91	1.167	0.00	40.50	0.00	0.00
12113	YF	CFA	85	12/03/91	1.048	0.00	75.10	0.00 >	1.81
12114	JE	CIO	85	12/04/91	0.974	0.00	108.00	0.00	0.15
12114	PT	CIG	85	12/04/91	0.976	0.00	75.50	0.00	0.00
12114	SF	CIW	85	12/04/91	0.890	0.00	60.80	0.00 >	0.10
12114	VE	CG7	85	12/06/91	1.205	0.00	56.50	0.00 >	0.10
12114	YF	CJI	85	12/04/91	1.112	0.00	132.00	0.00	0.00
12115	JE	CI1	85	12/04/91	1.017	0.00	51.80	0.00	0.00
12115	PT	CIH	85	12/04/91	0.926	0.00	44.30	0.00	0.00
12115	SF	CIX	85	12/04/91	0.863	0.00	58.60	0.00	0.94
12115	VE	CG8	85	12/06/91	1.190	0.00	22.70	0.00	0.00
12115	YF	CJJ	85	12/04/91	1.110	0.00	52.10	0.00	0.00
12116	JE	CI1	85	12/04/91	1.017	0.00	433.00	0.00	0.32
12116	PT	CIH	85	12/04/91	0.926	0.00	371.00	0.00	0.00
12116	SF	CIX	85	12/04/91	0.863	0.00	452.00	0.00	0.20
12116	VE	CG8	85	12/06/91	1.190	0.00	452.00	0.00	0.00
12116	YF	CJJ	85	12/04/91	1.110	0.00	456.00	0.00	0.00
12117	JE	CI2	85	12/04/91	1.037	0.00	490.00	0.00	0.00
12117	PT	CII	85	12/04/91	0.842	0.00	423.00	0.00	0.00
12117	SF	CIY	85	12/04/91	0.880	0.00	341.00	0.00	0.00
12117	VE	CG9	85	12/06/91	1.214	0.00	343.00	0.00	0.30
12117	YF	CJK	85	12/04/91	1.081	0.00	887.00	0.00	0.00
12118	JE	CI2	85	12/04/91	1.037	0.00	157.00	0.00	0.00
12118	PT	CII	85	12/04/91	0.842	0.00	147.00	0.00	0.00
12118	SF	CIY	85	12/04/91	0.880	0.00	130.00	0.00	0.00
12118	VE	CG9	85	12/06/91	1.214	0.00	186.00	0.00	0.05
12118	YF	CJK	85	12/04/91	1.081	0.00	164.00	0.00	0.00
12119	JE	CI3	85	12/04/91	0.992	592.00	1550.00	2.62	14.57
12119	PT	CIJ	85	12/04/91	0.716	399.00	1670.00	4.19 >	31.68
12119	SF	CIZ	85	12/04/91	0.856	387.00	1550.00	4.01 >	27.30
12119	VE	CGA	85	12/06/91	1.145	0.00	1550.00	0.00	1.20
12119	YF	CJL	85	12/04/91	1.086	433.00	1550.00	3.58 >	24.10
12120	JE	CI3	85	12/04/91	0.992	268.00	311.00	1.16	5.42
12120	PT	CIJ	85	12/04/91	0.716	275.00	335.00	1.22	5.48
12120	SF	CIZ	85	12/04/91	0.856	0.00	196.00	0.00	1.92
12120	VE	CGA	85	12/06/91	1.145	661.00	557.00	0.84 >	4.79
12120	YF	CJL	85	12/04/91	1.086	0.00	177.00	0.00	0.00
12121	JE	CI4	85	12/04/91	1.017	0.00	274.00	0.00	0.00
12121	PT	CIK	85	12/04/91	0.879	0.00	172.00	0.00	0.00
12121	SF	CJO	85	12/04/91	0.897	0.00	110.00	0.00	0.00
12121	VE	CGB	85	12/06/91	1.238	0.00	147.00	0.00	0.30
12121	YF	CJM	85	12/04/91	1.055	0.00	424.00	0.00	0.00
12122	JE	CI4	85	12/04/91	1.017	0.00	172.00	0.00	0.00
12122	PT	CIK	85	12/04/91	0.879	0.00	96.20	0.00	0.00
12122	SF	CJO	85	12/04/91	0.897	0.00	91.80	0.00	0.00
12122	VE	CGB	85	12/06/91	1.238	0.00	70.90	0.00	0.26
12122	YF	CJM	85	12/04/91	1.055	0.00	176.00	0.00	0.00
12123	JE	CI5	85	12/04/91	1.066	0.00	398.00	0.00	0.00
12123	PT	CIL	85	12/04/91	0.791	0.00	616.00	0.00	3.36
12123	SF	CJ1	85	12/04/91	0.892	0.00	558.00	0.00 >	1.02
12123	VE	CGC	85	12/06/91	1.222	0.00	582.00	0.00	0.83
12123	YF	CJN	85	12/04/91	1.085	0.00	624.00	0.00	0.00
12124	JE	CI5	85	12/04/91	1.066	143.00	525.00	3.68	22.24
12124	PT	CIL	85	12/04/91	0.791	227.00	501.00	2.21	10.18
12124	SF	CJ1	85	12/04/91	0.892	170.00	511.00	3.00	16.90
12124	VE	CGC	85	12/06/91	1.222	0.00	538.00	0.00 >	2.90
12124	YF	CJN	85	12/04/91	1.085	109.00	518.00	4.75 >	29.97
12125	JE	CI6	85	12/04/91	0.993	236.00	835.00	3.54	17.75
12125	PT	CIL	85	12/04/91	0.841	185.00	641.00	3.47 >	21.99

Cumulative Summary (Cont'd)

AVB No.	VIR	PLT #	SHIP #	TEST DATE	DIFF-RNTL.	IC 50	TC 25	SI	TAI
12125	SF	CJ2	85	12/04/91	0.932	172.00	559.00	3.26 >	20.42
12125	VE	CGD	85	12/06/91	1.146	0.00	490.00	0.00 >	2.98
12125	YF	CJO	85	12/04/91	1.102	139.00	538.00	3.86 >	25.34
12126	JE	C16	85	12/04/91	0.993	0.00	296.00	0.00	0.00
12126	PT	CIN	85	12/04/91	0.841	0.00	299.00	0.00	0.00
12126	SF	CJ2	85	12/04/91	0.932	0.00	297.00	0.00	0.00
12126	VE	CGD	85	12/06/91	1.146	0.00 >	320.00	0.00 >	0.80
12126	YF	CJO	85	12/04/91	1.102	0.00	276.00	0.00	0.10
12127	JE	C17	85	12/04/91	1.096	0.00	448.00	0.00	0.00
12127	PT	CIN	85	12/04/91	0.733	0.00	217.00	0.00	7.62
12127	SF	CJ3	85	12/04/91	0.889	0.00	112.00	0.00 >	0.75
12127	VE	CGE	85	12/06/91	1.296	0.00	257.00	0.00 >	0.54
12128	JE	C17	85	12/04/91	1.096	0.00	279.00	0.00	0.00
12128	PT	CIN	85	12/04/91	0.733	0.00	176.00	0.00	0.00
12128	SF	CJ3	85	12/04/91	0.889	0.00	117.00	0.00 >	0.15
12128	VE	CGE	85	12/06/91	1.296	0.00	89.50	0.00 >	0.03
12129	JE	C18	85	12/04/91	0.945	743.00	950.00	1.28	9.15
12129	PT	C10	85	12/04/91	0.835	0.00	481.00	0.00 >	2.57
12129	SF	CJ4	85	12/04/91	0.877	0.00	231.00	0.00 >	2.52
12129	VE	CGF	85	12/06/91	1.242	0.00	585.00	0.00 >	2.92
12129	YF	CJQ	85	12/04/91	1.048	165.00	1200.00	7.31 >	23.68
12130	JE	C18	85	12/04/91	0.945	190.00	613.00	3.25	16.98
12130	PT	C10	85	12/04/91	0.835	0.00	454.00	0.00 >	5.28
12130	SF	CJ4	85	12/04/91	0.877	0.00	518.00	0.00 >	5.77
12130	VE	CGF	85	12/06/91	1.242	0.00	445.00	0.00 >	2.00
12130	YF	CJQ	85	12/04/91	1.048	124.00	530.00	4.29 >	27.29
12131	JE	C19	85	12/04/91	1.020	246.00	792.00	3.21 >	18.21
12131	PT	CIP	85	12/04/91	0.865	187.00	616.00	3.31 >	21.19
12131	SF	CJ5	85	12/04/91	0.863	144.00	624.00	4.32 >	24.41
12131	VE	CGG	85	12/06/91	1.230	0.00	520.00	0.00 >	4.99
12131	YF	CJR	85	12/04/91	1.068	125.00	613.00	4.90 >	29.74
12132	JE	C19	85	12/04/91	1.020	0.00	351.00	0.00	0.00
12132	PT	CIP	85	12/04/91	0.865	0.00	382.00	0.00	0.00
12132	SF	CJ5	85	12/04/91	0.863	0.00	465.00	0.00	0.00
12132	VE	CGG	85	12/06/91	1.230	0.00	85.40	0.00	0.00
12132	YF	CJR	85	12/04/91	1.068	0.00	240.00	0.00	0.00
12133	JE	C1A	85	12/04/91	1.013	0.00 >	1000.00	0.00	1.48
12133	PT	C1Q	85	12/04/91	0.795	0.00	68[illegible].00	0.00	0.00
12133	SF	CJ6	85	12/04/91	0.856	0.00	60[illegible].00	0.00	0.93
12133	VE	CGH	85	12/06/91	1.243	0.00	507.00	0.00 >	2.26
12133	YF	CJS	85	12/04/91	1.082	0.00 >	1000.00	0.00	0.00
12134	JE	C1A	85	12/04/91	1.013	0.00	218.00	0.00	0.00
12134	PT	C1Q	85	12/04/91	0.795	0.00	228.00	0.00	0.67
12134	SF	CJ6	85	12/04/91	0.856	0.00	161.00	0.00	0.00
12134	VE	CGH	85	12/06/91	1.243	0.00	157.00	0.00 >	0.23
12134	YF	CJS	85	12/04/91	1.082	0.00	433.00	0.00	0.00

APPENDIX C

Cumulative Summary of HIV-1
Antiviral Primary Screening
(February 1, 1991 through December 31, 1991)

Cumulative Summary of HIV-1 Antiviral Primary Screening
(February 1, 1991 through December 31, 1991)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
0361	48	4NZ	CEM	05/03/91	1.149	0.00 <	0.32	0.00	0.00
0361	48	4ON	CEM	05/10/91	1.517	0.00 <	0.00	0.00	0.00
0361	48	4NR	MT2	05/03/91	1.340	0.00 <	0.32	0.00	0.00
0361	48	4OS	MT2	05/10/91	1.281	0.00	0.02	0.00 >	0.10
0697	68	4CN	CEM	02/20/91	0.787	0.00 >	100.00	0.00	0.43
0697	68	4CC	MT2	02/20/91	1.443	0.00 >	100.00	0.00	0.00
0702	68	4CN	CEM	02/20/91	0.787	20.10	0.32	0.02 >	26.25
0702	68	4CC	MT2	02/20/91	1.443	17.30 >	100.00 >	5.77 >	32.24
0709	68	4CO	CEM	02/20/91	0.715	22.60 >	100.00 >	4.43 >	27.98
0709	68	4CO	MT2	02/20/91	1.446	13.70 >	100.00 >	7.29 >	33.98
1315	67	4CO	CEM	02/20/91	0.715	0.00	96.40	0.00 >	7.06
1315	67	4CO	MT2	02/20/91	1.446	10.00 >	100.00 >	10.00 >	31.19
1603	AZT	49N	CEM	02/05/91	1.238	.0019 >	1.00 >	538.21 >	48.90
1603	AZT	4AI	CEM	02/08/91	0.988	.0003 >	1.00 >	3874.7 >	65.86
1603	AZT	4CN	CEM	02/20/91	0.758	.0007 >	1.00 >	1420.8 >	48.46
1603	AZT	4D7	CEM	02/21/91	0.892	.0014 >	1.00 >	730.89 >	42.60
1603	AZT	4DV	CEM	02/22/91	0.515	.00012 >	1.00 >	8347.7 >	62.53
1603	AZT	4NY	CEM	05/03/91	1.005	.00089 >	1.00 >	1118.9 >	42.80
1603	AZT	4ON	CEM	05/10/91	1.306	.00146 >	1.00 >	686.65 >	57.60
1603	AZT	4PK	CEM	05/14/91	0.986	.0053 >	1.00 >	188.51 >	42.91
1603	AZT	4RA	CEM	06/14/91	1.426	.00529 >	1.00 >	189.00 >	36.39
1603	AZT	4T3	CEM	07/30/91	1.066	.01510 >	1.00 >	66.02 >	39.71
1603	AZT	4TP	CEM	08/02/91	1.434	.0072 >	1.00 >	139.35 >	40.40
1603	AZT	4U9	CEM	08/06/91	0.594	.00022 >	1.00 >	4466.8 >	73.60
1603	AZT	4V1	CEM	08/07/91	1.907	.00049 >	1.00 >	2057.9 >	59.21
1603	AZT	4V9	CEM	08/09/91	0.930	.0012	0.56	455.41 >	47.70
1603	AZT	4WU	CEM	08/13/91	2.035	.0030 >	1.00 >	331.99 >	47.00
1603	AZT	4WY	CEM	08/16/91	1.010	.00032 >	1.00 >	3125.0 >	69.80
1603	AZT	4XJ	CEM	08/21/91	1.371	.00233 >	1.00 >	429.45 >	54.70
1603	AZT	4Y7	CEM	08/23/91	0.974	.00032	0.72	2292.7 >	60.30
1603	AZT	2T0	CEM	09/13/91	1.207	.00031	0.00	0.02 >	21.75
1603	AZT	2T9	CEM	09/19/91	1.202 <	.0032 >	1.00 >	312.50 >	100.00
1603	AZT	2TX	CEM	09/20/91	1.543 <	.0032 >	1.00 >	312.50 >	91.50
1603	AZT	2WU	CEM	09/27/91	0.491	.0125	0.82	65.36 >	71.79
1603	AZT	4V9	MT2	02/05/91	1.134 <	0.03	0.89 >	27.71 >	66.90
1603	AZT	4A5	MT2	02/08/91	1.384 <	0.03	2.05 >	64.13 >	64.05
1603	AZT	4CB	MT2	02/20/91	1.456 <	0.03	2.98 >	93.13 >	69.13
1603	AZT	4CX	MT2	02/21/91	1.359 <	0.03	7.41 >	231.55 >	86.25
1603	AZT	4DL	MT2	02/22/91	1.325 <	0.03	7.03 >	219.53 >	90.17
1603	AZT	4NQ	MT2	05/03/91	1.158 <	0.03	2.27 >	70.83 >	71.43
1603	AZT	4OR	MT2	05/10/91	1.271 <	0.05	4.17 >	130.36 >	80.46
1603	AZT	4P0	MT2	05/14/91	1.292 <	0.03	3.65 >	114.17 >	74.84
1603	AZT	4RN	MT2	06/14/91	1.392	0.05	2.03	41.40 >	56.87
2354	62	4CP	CEM	02/20/91	0.722	0.00	33.90	0.00	0.00
2354	62	4CE	MT2	02/20/91	1.473	0.00	2.68	0.00	0.00
2563	48	4NZ	CEM	05/03/91	1.149	0.00	0.97	0.00 >	1.00
2563	48	4NR	MT2	05/03/91	1.340	0.00 <	0.32	0.00	0.00
2639	ddC	49N	CEM	02/05/91	1.238	0.01	0.07	6.68	16.54
2639	ddC	4AI	CEM	02/08/91	0.988	0.0028	0.18	66.16	33.52
2639	ddC	4CN	CEM	02/20/91	0.758	0.0045	0.06	12.37	25.13
2639	ddC	4D7	CEM	02/21/91	0.892	0.008	0.03	3.71	11.57
2639	ddC	4DV	CEM	02/22/91	0.515	0.0068	0.05	7.28	11.35
2639	ddC	4NY	CEM	05/03/91	1.005	0.03	0.07	2.21	10.20
2639	ddC	4ON	CEM	05/10/91	1.306	0.01	0.10	6.74	27.34
2639	ddC	4PK	CEM	05/14/91	0.986	0.03	0.10	2.98	19.14
2639	ddC	4RA	CEM	06/14/91	1.426	0.06	0.06	0.93	8.60
2639	ddC	4T3	CEM	07/30/91	1.066	0.03	3.71	131.67	33.29
2639	ddC	4TP	CEM	08/02/91	1.434	0.04	3.77	84.74 >	23.57
2639	ddC	4U9	CEM	08/06/91	0.594	0.0041	6.49	1599.5 >	58.20
2639	ddC	4V1	CEM	08/07/91	1.907	0.005	4.88	897.56	48.48
2639	ddC	4V9	CEM	08/09/91	0.930	0.02	1.88	94.89	34.57
2639	ddC	4WU	CEM	08/13/91	2.035	0.02	0.10	4.11 >	20.24
2639	ddC	4WY	CEM	08/16/91	1.010	0.0078	4.21	539.35	43.20
2639	ddC	4XJ	CEM	08/21/91	1.371	0.02	1.41	86.78 >	29.23
2639	ddC	4Y7	CEM	08/23/91	0.974	0.0046	0.66	143.62	33.53
2639	ddC	2T0	CEM	09/13/91	1.207	0.29	0.07	0.25	6.67
2639	ddC	2T9	CEM	09/19/91	1.202	0.005 >	1.00 >	200.08 >	70.51
2639	ddC	2TX	CEM	09/20/91	1.5[illegible]	[illegible] >	1.00 >	50.74 >	42.27
2639	ddC	2WU	CEM	09/27/91	0.4[illegible]	[illegible]	0.59 >	18.30 >	48.02
2639	ddC	495	MT2	02/05/91	1.1[illegible]	[illegible]2	1.73	14.76	45.64
2639	ddC	4A5	MT2	02/08/91	1.38[illegible]	0.06	1.29	22.56	39.36
2639	ddC	4CB	MT2	02/20/91	1.456	0.07	1.24	18.40 >	44.33
2639	ddC	4CX	MT2	02/21/91	1.359	0.13	2.96	23.60 >	54.07

Total Experience (Cont'd)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
2639	ddC	4DL	MT2	02/22/91	1.325	0.15	9.74	63.71 >	69.09
2639	ddC	4MQ	MT2	05/03/91	1.156	0.09	1.93	20.37	46.29
2639	ddC	4OR	MT2	05/10/91	1.271	0.17	1.69	9.86	38.01
2639	ddC	4PO	MT2	05/14/91	1.292	0.27	1.61	6.00 >	26.80
2639	ddC	4RN	MT2	06/14/91	1.392	0.67	1.66	2.49	12.54
2811	RS1	400	CEM	05/03/91	1.140	0.00	0.12	0.00	0.00
2811	RS1	40N	CEM	05/10/91	1.517	0.00	0.49	0.00	0.00
2811	RS1	4MS	MT2	05/03/91	1.290	0.00 <	0.03	0.00	0.00
2811	RS1	4OS	MT2	05/10/91	1.281	0.00	0.07	0.00	0.08
2812	RS1	400	CEM	05/03/91	1.140	0.00 <	0.03	0.00	0.00
2812	RS1	400	CEM	05/10/91	1.350	0.00	0.05	0.00	0.00
2812	RS1	4MS	MT2	05/03/91	1.290	0.00 <	0.03	0.00	0.00
2812	RS1	4OT	MT2	05/10/91	1.363	0.00	0.06	0.00	0.00
2979	48	401	CEM	05/03/91	1.207	0.00	12.60	0.00	0.00
2979	48	4NT	MT2	05/03/91	1.357	0.00	17.40	0.00	0.00
2980	48	401	CEM	05/03/91	1.207	0.00 <	0.32	0.00	0.00
2980	48	400	CEM	05/10/91	1.350	0.00	0.50	0.00	0.00
2980	48	4NT	MT2	05/03/91	1.357	0.00 <	0.32	0.00	0.00
2980	48	4OT	MT2	05/10/91	1.363	0.00	0.12	0.00 >	0.35
3547	65	4CP	CEM	02/20/91	0.722	0.00	51.90	0.00	0.00
3547	65	4CE	MT2	02/20/91	1.473	0.00	20.80	0.00	0.00
4036	65	4CQ	CEM	02/20/91	0.779	16.00	58.30	3.64 >	18.43
4036	65	4CF	MT2	02/20/91	1.356	14.30	7.91	0.55	9.01
4075	65	4CQ	CEM	02/20/91	0.779	3.73 >	100.00 >	26.84 >	49.66
4075	65	4CF	MT2	02/20/91	1.356	1.45	36.40	25.13 >	46.22
4113	48	402	CEM	05/03/91	1.273	0.00	0.52	0.00 >	1.51
4113	48	4NU	MT2	05/03/91	1.095	0.00	0.17	0.00 >	0.60
4223	RS1	402	CEM	05/03/91	1.273	0.00 <	0.32	0.00	0.00
4223	RS1	40P	CEM	05/10/91	1.374	0.00	0.15	0.00	0.00
4223	RS1	4NU	MT2	05/03/91	1.095	0.00 <	0.32	0.00	0.00
4223	RS1	4CU	MT2	05/10/91	1.397	0.00	0.18	0.00	0.00
4397	65	4CR	CEM	02/20/91	0.724	0.00 >	100.00	0.00 >	1.82
4397	65	4CG	MT2	02/20/91	1.359	0.00 >	100.00	0.00 >	0.32
4527	47	403	CEM	05/03/91	1.016	0.00	66.00	0.00	0.00
4527	47	4NV	MT2	05/03/91	1.322	0.00 >	100.00	0.00	0.00
4590	RS1	403	CEM	05/03/91	1.016	0.00	2.81	0.00 >	1.31
4590	RS1	4NV	MT2	05/03/91	1.322	0.00	0.56	0.00 >	0.00
4591	RS1	404	CEM	05/03/91	1.280	0.00 <	0.03	0.00	0.00
4591	RS1	40P	CEM	05/10/91	1.374	0.00	0.01	0.00	0.00
4591	RS1	4NW	MT2	05/03/91	1.289	0.00 <	0.03	0.00	0.00
4591	RS1	4OU	MT2	05/10/91	1.397	0.00	0.01	0.00	0.00
4592	RS1	404	CEM	05/03/91	1.280	0.00	6.72	0.00 >	1.94
4592	RS1	4NW	MT2	05/03/91	1.289	0.00	5.44	0.00	0.63
4609	RS1	405	CEM	05/03/91	1.177	0.00 <	0.03	0.00	0.00
4609	RS1	40Q	CEM	05/10/91	1.491	0.00	0.00	0.00	0.00
4609	RS1	4NX	MT2	05/03/91	1.279	0.00	0.04	0.00	0.00
4609	RS1	4OV	MT2	05/10/91	1.431	0.00	0.01	0.00	0.00
4611	65	4CR	CEM	02/20/91	0.724	0.61 >	100.00 >	163.56 >	83.70
4611	65	4CG	MT2	02/20/91	1.359	0.37	29.00	78.79 >	65.94
5025	65	4CS	CEM	02/20/91	0.803	7.90	7.73	0.98 >	33.75
5025	65	4CN	MT2	02/20/91	1.452	2.21	79.90	36.21 >	57.36
5063	65	4CS	CEM	02/20/91	0.803	0.00	35.40	0.00	0.00
5063	65	4CN	MT2	02/20/91	1.452	0.00	63.50	0.00	0.09
5065	65	4CT	CEM	02/20/91	0.882	0.00 >	100.00	0.00 >	0.14
5065	65	4CI	MT2	02/20/91	1.432	0.00 >	100.00	0.00	0.00
5070	65	4CT	CEM	02/20/91	0.882	0.00	45.20	0.00	0.00
5070	65	4CI	MT2	02/20/91	1.432	0.00	48.10	0.00	0.00
5464	65	4CU	CEM	02/20/91	0.879	0.00	5.75	0.00	0.01
5464	65	4CJ	MT2	02/20/91	1.417	0.00	3.91	0.00	0.00
6174	68	4CU	CEM	02/20/91	0.879	0.00	9.03	0.00 >	1.20
6174	68	4CJ	MT2	02/20/91	1.417	0.00	79.40	0.00	[illegible]
6196	74	4CV	CEM	02/20/91	0.755	78.30	100.00	1.28 >	[illegible]
6196	74	4CX	MT2	02/20/91	1.429	52.70 >	100.00 >	1.90 >	12.16
6341	63	4CV	CEM	02/20/91	0.755	0.00	12.60	0.00	0.00
6341	63	4CX	MT2	02/20/91	1.429	0.00	14.50	0.00	0.00
7586	20A	4CY	MT2	02/21/91	1.454	0.00 >	100.00	0.00	0.00
7587	20A	4CY	MT2	02/21/91	1.454	0.00	443.00	0.00	0.00
7954	74	4CW	CEM	02/20/91	0.714	5.89	0.08	0.01 >	42.00
8334	76	406	CEM	02/21/91	[illegible]	[illegible]50	7.45	0.26 >	10.63
8334	76	402	MT2	02/21/91	[illegible]	[illegible]41 >	100.00 >	17.83 >	45.67
8335	76	406	CEM	02/21/91	[illegible]	[illegible]	99.80	1.31 >	3.55
8335	76	402	MT2	02/21/91	[illegible]	[illegible]	1.00	0.16 >	37.82
8336	76	40H	CEM	02/21/91	[illegible]	[illegible]00	33.90	0.00 >	9.79
8336	76	403	MT2	02/21/91	[illegible]	[illegible]	100.00 >	2.21 >	14.26

Total Experience (Cont'd)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
8337	76	40H	CEM	02/21/91	0.897	0.00	5.12	0.00	0.00
8337	76	403	MT2	02/21/91	1.330	0.00	1.24	0.00	0.00
8338	76	401	CEM	02/21/91	0.709	0.00	83.00	0.00	0.00
8338	76	404	MT2	02/21/91	1.193	0.00	57.40	0.00 >	2.61
8339	76	401	CEM	02/21/91	0.709	0.00 >	100.00	0.00 >	0.15
8339	76	404	MT2	02/21/91	1.193	46.80 >	100.00 >	2.14 >	19.13
8340	76	40J	CEM	02/21/91	0.896	0.00 >	100.00	0.00 >	3.58
8340	76	405	MT2	02/21/91	1.354	0.00 >	100.00	0.00 >	0.05
8341	76	40J	CEM	02/21/91	0.896	0.00	38.60	0.00	5.23
8341	76	405	MT2	02/21/91	1.354	0.00 >	100.00	0.00 >	0.51
8342	76	40K	CEM	02/21/91	0.769	0.00	30.40	0.00	0.23
8342	76	406	MT2	02/21/91	1.398	0.00 >	100.00	0.00 >	0.04
8372	76	498	CEM	02/05/91	1.326	61.40	78.60	1.28 >	6.49
8372	76	498	MT2	02/05/91	1.127	43.30 >	100.00 >	2.31 >	18.06
8373	76	498	CEM	02/05/91	1.326	0.00 >	100.00	0.00 >	0.14
8373	76	498	MT2	02/05/91	1.127	0.00 >	100.00	0.00 >	2.07
8374	76	49R	CEM	02/05/91	1.306	0.00	9.03	0.00	0.00
8374	76	499	MT2	02/05/91	1.080	0.00 >	100.00	0.00	1.08
8375	76	49R	CEM	02/05/91	1.306	11.10 >	100.00 >	9.02 >	35.27
8375	76	499	MT2	02/05/91	1.080	5.00	74.90	14.99 >	44.86
8376	76	49S	CEM	02/05/91	1.240	0.00	19.20	0.00 >	0.08
8376	76	49A	MT2	02/05/91	0.979	0.00	29.60	0.00 >	1.13
8377	76	49S	CEM	02/05/91	1.240	0.00	0.92	0.00	0.00
8377	76	49A	MT2	02/05/91	0.979	0.00	64.10	0.00 >	2.03
8378	76	49T	CEM	02/05/91	1.216	20.60	51.10	2.48	15.11
8379	76	49T	CEM	02/05/91	1.216	0.00	2.65	0.00	0.00
8379	76	498	MT2	02/05/91	1.107	0.00 >	100.00	0.00	0.73
8380	76	49U	CEM	02/05/91	1.287	21.60	21.00	0.97 >	10.26
8380	76	49C	MT2	02/05/91	1.105	11.10	57.20	5.16	.95
8381	76	49U	CEM	02/05/91	1.287	0.00 >	100.00	0.00	0.00
8381	76	49C	MT2	02/05/91	1.105	0.00 >	100.00	0.00	0.00
8382	76	49V	CEM	02/05/91	1.207	0.00 >	100.00	0.00 >	1.19
8382	76	490	MT2	02/05/91	1.157	31.00 >	100.00 >	3.23 >	17.39
8383	76	49V	CEM	02/05/91	1.207	0.00 >	100.00	0.00 >	2.50
8383	76	490	MT2	02/05/91	1.157	0.00 >	100.00	0.00 >	2.97
8384	76	49W	CEM	02/05/91	1.193	0.00	17.30	0.00	0.04
8384	76	49E	MT2	02/05/91	0.907	0.00	4.90	0.00 >	1.60
8386	76	49W	CEM	02/05/91	1.193	0.00 >	100.00	0.00	0.25
8386	76	49E	MT2	02/05/91	0.907	72.20 >	100.00 >	1.38 >	17.28
8387	76	49X	CEM	02/05/91	1.172	0.00 >	100.00	0.00 >	0.43
8387	76	49F	MT2	02/05/91	1.190	0.00 >	100.00	0.00	0.04
8388	76	49X	CEM	02/05/91	1.172	0.00 >	100.00	0.00	0.00
8388	76	49F	MT2	02/05/91	1.190	0.00 >	100.00	0.00	0.15
8389	76	49Y	CEM	02/05/91	0.816	0.00 >	100.00	0.00 >	11.81
8389	76	49G	MT2	02/05/91	1.144	0.00 >	100.00	0.00	0.00
8390	76	49Y	CEM	02/05/91	0.816	0.00 >	100.00	0.00 >	11.70
8390	76	49G	MT2	02/05/91	1.144	0.00 >	100.00	0.00	0.00
8391	76	49Z	CEM	02/05/91	1.152	0.00 >	100.00	0.00 >	0.04
8391	76	49N	MT2	02/05/91	1.096	0.00	79.20	0.00	4.56
8393	76	49Z	CEM	02/05/91	1.152	0.00 >	100.00	0.00	0.00
8393	76	49N	MT2	02/05/91	1.096	0.00	96.80	0.00	0.05
8394	76	4A0	CEM	02/05/91	0.907	0.00	49.90	0.00 >	1.10
8394	76	491	MT2	02/05/91	1.106	0.00	90.60	0.00	2.73
8395	76	4A0	CEM	02/05/91	0.907	0.00 >	100.00	0.00	0.00
8395	76	491	MT2	02/05/91	1.106	0.00	29.10	0.00	0.04
8396	76	4A1	CEM	02/05/91	0.900	0.00	95.00	0.00	5.79
8396	76	49J	MT2	02/05/91	1.048	0.00	69.80	0.00 >	2.73
8397	76	4A1	CEM	02/05/91	0.900	100.00 >	100.00 >	1.00 >	6.07
8397	76	49J	MT2	02/05/91	1.048	0.00	50.50	0.00	2.83
8398	76	4A2	CEM	02/05/91	0.940	0.00	88.70	0.00 >	0.83
8398	76	49K	MT2	02/05/91	1.053	0.00	44.10	0.00 >	0.90
8399	76	4A2	CEM	02/05/91	0.940	0.00 >	100.00	0.00 >	2.68
8399	76	49K	MT2	02/05/91	1.053	0.00 >	100.00	0.00	0.00
8400	76	4A3	CEM	02/05/91	1.222	0.00 >	100.00	0.00	0.00
8400	76	49L	MT2	02/05/91	1.093	0.00 >	100.00	0.00	0.64
8401	76	4A3	CEM	02/05/91	1.222	0.00 >	100.00	0.00	0.00
8401	76	49L	MT2	02/05/91	1.093	0.00 >	100.00	0.00	0.08
8402	76	4A4	CEM	02/05/91	1.087	0.00 >	100.00	0.00	0.00
8402	76	49M	MT2	02/05/91	1.216	0.00 >	100.00	0.00	0.05
8403	76	4A4	CEM	02/05/91	1.087	0.00 >	100.00	0.00 >	1.01
8403	76	49M	MT2	02/05/91	1.216	0.00 >	100.00	0.00	0.15
8404	76	4AJ	CEM	02/08/91	1.141	0.00 >	100.00	0.00 >	0.55
8404	76	4A6	MT2	02/08/91	1.358	0.00 >	100.00	0.00 >	0.07
8413	76	4AJ	CEM	02/08/91	1.141	0.00 >	100.00	0.00	1.20

Total Experience (Cont'd)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
8413	76	4A6	MT2	02/08/91	1.358	0.00 >	100.00	0.00	0.00
8414	76	4AK	CEM	02/08/91	1.262	0.00	30.60	0.00 >	1.70
8414	76	4A7	MT2	02/08/91	1.278	0.00	16.20	0.00 >	0.83
8500	76	4AK	CEM	02/08/91	1.262	0.00 >	100.00	0.00 >	5.62
8500	76	4A7	MT2	02/08/91	1.278	0.00 >	100.00	0.00 >	0.96
8501	76	4AL	CEM	02/08/91	1.074	0.00	15.50	0.00	0.70
8501	76	4A8	MT2	02/08/91	1.333	25.50	19.20	0.75 >	3.29
8502	76	4AL	CEM	02/08/91	1.074	0.00 >	100.00	0.00 >	1.83
8502	76	4A8	MT2	02/08/91	1.333	0.00	53.40	0.00	0.00
8503	76	4AN	CEM	02/08/91	1.173	0.00	27.10	0.00	0.00
8503	76	4A9	MT2	02/08/91	1.349	0.00 >	100.00	0.00	0.00
8504	76	4AN	CEM	02/08/91	1.173	0.00 >	100.00	0.00	0.12
8504	76	4A9	MT2	02/08/91	1.349	0.00 >	100.00	0.00	0.00
8505	76	4AN	CEM	02/08/91	1.267	0.00	34.30	0.00 >	4.19
8505	76	4AA	MT2	02/08/91	1.335	12.00 >	100.00 >	8.35 >	28.81
8506	76	4AN	CEM	02/08/91	1.267	0.00 >	100.00	0.00 >	2.00
8506	76	4AA	MT2	02/08/91	1.335	0.00 >	100.00	0.00 >	0.03
8507	76	4AO	CEM	02/08/91	0.966	0.00	58.20	0.00	1.15
8507	76	4AB	MT2	02/08/91	1.274	0.00	53.20	0.00 >	0.65
8508	76	4AO	CEM	02/08/91	0.966	0.00 >	100.00	0.00 >	2.21
8508	76	4AB	MT2	02/08/91	1.274	0.00 >	100.00	0.00 >	10.20
8509	76	4AP	CEM	02/08/91	1.328	0.00	0.30	0.00	0.38
8509	76	4AC	MT2	02/08/91	1.347	0.00	3.76	0.00	0.00
8510	76	4AP	CEM	02/08/91	1.328	0.00	44.50	0.00	0.00
8510	76	4AC	MT2	02/08/91	1.347	0.00	14.60	0.00	0.00
8511	76	4AQ	CEM	02/08/91	1.006	0.00 >	100.00	0.00 >	10.07
8511	76	4AD	MT2	02/08/91	1.358	0.00 >	100.00	0.00 >	0.40
8512	76	4AQ	CEM	02/08/91	1.006	0.00	32.00	0.00	1.06
8512	76	4AD	MT2	02/08/91	1.358	0.00 >	100.00	0.00 >	2.32
8513	76	4AR	CEM	02/08/91	1.016	0.00 >	100.00	0.00	2.92
8513	76	4AE	MT2	02/08/91	1.309	0.00	54.70	0.00	0.00
8514	76	4AR	CEM	02/08/91	1.016	15.00 >	100.00 >	6.69 >	31.18
8514	76	4AE	MT2	02/08/91	1.309	6.42	12.20	1.89	14.13
8515	76	4AS	CEM	02/08/91	1.075	0.00 >	100.00	0.00 >	4.38
8515	76	4AF	MT2	02/08/91	1.301	0.00	74.50	0.00	0.04
8516	76	4AS	CEM	02/08/91	1.075	0.00	45.60	0.00	0.00
8516	76	4AF	MT2	02/08/91	1.301	0.00	29.00	0.00	0.00
8517	76	4AT	CEM	02/08/91	0.827	0.00 >	100.00	0.00	0.00
8517	76	4AG	MT2	02/08/91	1.239	0.00	50.20	0.00	2.91
8518	76	4AT	CEM	02/08/91	0.827	0.00 >	100.00	0.00	0.00
8518	76	4AG	MT2	02/08/91	1.239	0.00 >	100.00	0.00	0.80
8519	76	4AU	CEM	02/08/91	0.887	39.90 >	100.00 >	2.51 >	19.94
8519	76	4AH	MT2	02/08/91	1.287	7.39 >	100.00 >	13.53 >	38.09
8711	27A	4DW	CEM	02/22/91	0.682	0.00	0.03	0.00 >	0.29
8711	27A	4DH	MT2	02/22/91	1.285	0.00	0.23	0.00	0.40
8713	27A	4C2	MT2	02/21/91	0.944	0.00	0.38	0.00	0.00
8719	27A	4D8	CEM	02/21/91	0.833	0.00	403.00	0.00	8.80
8720	27A	4D8	CEM	02/21/91	0.833	6.52	67.40	10.34	34.53
8722	27A	4D9	CEM	02/21/91	0.911	39.60 >	100.00 >	2.52 >	11.42
8765	27A	4D9	CEM	02/21/91	0.911	0.00	206.00	0.00	0.00
8765	27A	4C2	MT2	02/21/91	0.944	0.00 >	100.00	0.00 >	1.31
8768	27A	4DW	CEM	02/22/91	0.682	0.00	0.02	0.00	0.00
8768	27A	4DH	MT2	02/22/91	1.285	0.00	0.06	0.00	0.75
8772	27A	4DA	CEM	02/21/91	0.901	0.00	135.00	0.00	2.71
8772	27A	4D0	MT2	02/21/91	1.272	0.00 >	100.00	0.00	0.64
8813	27A	4DA	CEM	02/21/91	0.901	0.00	56.00	0.00	0.00
8814	27A	4D8	CEM	02/21/91	0.760	0.00	100.00	0.00 >	0.18
8815	27A	4D8	CEM	02/21/91	0.760	28.10	97.00	3.45 >	13.51
8815	27A	4D0	MT2	02/21/91	1.272	42.20 >	100.00 >	2.37 >	15.95
8815	27A	4DC	CEM	02/21/91	0.759	0.00	44.00	0.00 >	5.96
8849	27A	4DC	CEM	02/21/91	0.759	100.00	1.00	0.01 >	3.24
8849	27A	4D1	MT2	02/21/91	1.363	0.00	173.00	0.00	8.12
8850	27A	4D0	CEM	02/21/91	0.673	0.00	5.71	0.00	2.47
8851	27A	4D0	CEM	02/21/91	0.673	0.00	4.27	0.00	0.00
8852	27A	4DE	CEM	02/21/91	0.854	0.00	4.69	0.00	0.00
8887	27A	4D1	MT2	02/21/91	1.363	0.00	3.22	0.00	0.00
8958	27A	4DX	CEM	02/22/91	0.667	0.00	0.00	0.00	0.00
8958	27A	4DH	MT2	02/22/91	1.316	0.00	0.13	0.00	0.00
9016	27A	4DE	CEM	02/21/91	0.854	0.00	0.00	0.00	0.00
9024	27A	4DF	CEM	02/21/91	0.854	0.00	16.90	0.00 >	3.83
9035	27A	4DF	CEM	02/21/91	0.854	0.00	14.40	0.00 >	8.62
9053	27A	4DH	MT2	02/22/91	1.316	0.00	0.15	0.00	0.00
9086	27A	4D0	MT2	02/22/91	1.325	0.00	0.02	0.00	0.00
9089	27A	4DP	MT2	02/22/91	1.280	0.00	0.01	0.00 >	0.02

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9090	27A	4D2	CEN	02/22/91	0.600	0.00	0.28	0.00	0.00
9090	27A	4DP	NT2	02/22/91	1.280	0.00	0.28	0.00	0.10
9091	27A	4DQ	NT2	02/22/91	1.363	0.00	0.19	0.00	0.00
9092	27A	4DZ	CEN	02/22/91	0.600	0.00	0.03	0.00	1.53
9092	27A	4DQ	NT2	02/22/91	1.363	0.00	0.02	0.00 >	0.10
9093	27A	4DR	NT2	02/22/91	1.341	0.00	0.07	0.00	0.00
9094	27A	4E0	CEN	02/22/91	0.604	0.00	0.04	0.00	2.43
9094	27A	4DR	NT2	02/22/91	1.341	0.00	0.01	0.00	0.00
9095	27A	4E0	CEN	02/22/91	0.604	0.00	0.02	0.00	0.00
9095	27A	4DS	NT2	02/22/91	1.211	0.00	0.02	0.00	0.66
9097	27A	4E1	CEN	02/22/91	0.622	0.00	0.12	0.00 >	1.72
9097	27A	4DS	NT2	02/22/91	1.211	0.00	0.17	0.00	0.00
9098	27A	4E1	CEN	02/22/91	0.622	0.00	0.01	0.00	0.00
9098	27A	4DT	NT2	02/22/91	1.363	0.00	0.06	0.00	0.10
9099	27A	4E2	CEN	02/22/91	0.534	0.00	0.05	0.00	0.00
9099	27A	4DT	NT2	02/22/91	1.363	0.00	0.17	0.00 >	0.41
9100	27A	4E2	CEN	02/22/91	0.534	0.00	0.05	0.00	0.11
9100	27A	4DU	NT2	02/22/91	1.326	0.00	0.06	0.00	0.15
9101	27A	4E3	CEN	02/22/91	0.625	0.00	0.05	0.00	0.00
9101	27A	4DU	NT2	02/22/91	1.326	0.00	0.18	0.00	0.00
9102	27A	4DX	CEN	02/22/91	0.667	0.00	0.08	0.00	0.00
9102	27A	4DO	NT2	02/22/91	1.325	0.00	0.17	0.00	0.00
9414	81	4V2	CEN	08/07/91	1.683	0.00 >	100.00	0.00	0.00
9415	81	4V2	CEN	08/07/91	1.683	0.00 >	100.00	0.00 >	0.89
9417	81	4V3	CEN	08/07/91	1.817	0.00 <	0.32	0.00	0.00
9417	81	4YV	CEN	08/23/91	0.918	0.00 <	0.00	0.00	0.00
9417	82	2TC	CEN	09/19/91	1.337	0.00 <	0.00	0.00	0.00
9418	81	4V3	CEN	08/07/91	1.817	0.00	5.53	0.00	0.00
9524	79	4PL	CEN	05/14/91	0.912	0.00	1.00	0.00	0.00
9524	79	4RB	CEN	06/14/91	1.404	0.00	4.31	0.00	0.00
9524	79	4P1	NT2	05/14/91	1.319	0.00 <	0.32	0.00	0.00
9524	79	4RN	NT2	06/14/91	1.403	0.00	1.86	0.00	0.00
9525	79	4PL	CEN	05/14/91	0.912	0.00 >	100.00	0.00	0.23
9525	79	4P1	NT2	05/14/91	1.319	0.00	2.29	0.00 >	0.96
9526	79	4PN	CEN	05/14/91	0.951	0.00	4.28	0.00	0.00
9526	79	4P2	NT2	05/14/91	0.919	0.00	1.00	0.00 >	0.00
9527	79	4PN	CEN	05/14/91	0.95·	0.00	1.14	0.00	0.00
9527	79	4RB	CEN	06/14/91	1.404	0.00	1.58	0.00	0.00
9527	79	4P2	NT2	05/14/91	0.919	0.00	0.95	0.00	0.00
9527	79	4RN	NT2	06/14/91	1.403	0.00	0.50	0.00	0.00
9528	79	4PN	CEN	05/14/91	0.916	0.00	0.44	0.00	0.00
9528	79	4RC	CEN	06/14/91	1.531	0.00	0.49	0.00	0.00
9528	79	4P3	NT2	05/14/91	0.952	0.00 <	0.32	0.00	0.00
9528	79	4RO	NT2	06/14/91	1.409	0.00	0.05	0.00	0.00
9529	79	4PN	CEN	05/14/91	0.916	0.00	44.00	0.00	0.81
9529	79	4P3	NT2	05/14/91	0.952	0.00	69.00	0.00 >	2.70
9530	79	4PO	CEN	05/14/91	0.982	0.00	6.44	0.00 >	0.71
9530	79	4P4	NT2	05/14/91	1.306	0.00	5.00	0.00 >	0.50
9532	79	4PO	CEN	05/14/91	0.982	0.00	6.95	0.00	0.00
9532	79	4P4	NT2	05/14/91	1.306	0.00	3.53	0.00	0.00
9533	79	4PP	CEN	05/14/91	0.985	0.00 <	0.32	0.00	0.00
9533	79	4RC	CEN	06/14/91	1.531	0.00	0.53	0.00	0.00
9533	79	4P5	NT2	05/14/91	1.170	0.00	0.49	0.00 >	0.00
9533	79	4RO	NT2	06/14/91	1.409	0.00	0.48	0.00 >	0.96
9534	79	4PP	CEN	05/14/91	0.985	0.00	1.16	0.00 >	0.14
9534	79	4RD	CEN	06/14/91	1.617	0.00	8.76	0.00	0.03
9534	79	4P5	NT2	05/14/91	1.170	0.00	1.19	0.00 >	0.11
9534	79	4RP	NT2	06/14/91	1.338	0.00	0.12	0.00	0.04
9535	79	4PQ	CEN	05/14/91	0.990	0.00	1.65	0.00 >	1.11
9535	79	4RD	CEN	06/14/91	1.617	0.00	4.74	0.00 >	0.60
9535	79	4P6	NT2	05/14/91	1.035	0.00	1.41	0.00 >	0.40
9535	79	4RP	NT2	06/14/91	1.338	0.00 >	1.00	0.00	0.49
9536	79	4PQ	CEN	05/14/91	0.990	0.00	1.73	0.00 >	0.01
9536	79	4P6	NT2	05/14/91	1.035	0.00	5.63	0.00 >	3.54
9537	79	4PR	CEN	05/14/91	1.031	0.00	4.14	0.00	0.00
9537	79	4P7	NT2	05/14/91	1.150	0.00	4.92	0.00 >	2.00
9538	79	4PR	CEN	05/14/91	1.031	0.00	0.90	0.00	0.00
9538	79	4RE	CEN	06/14/91	1.347	0.00	1.57	0.00 >	0.40
9538	79	4P7	NT2	05/14/91	1.150	0.00	0.85	0.00 >	0.03
9538	79	4RQ	NT2	06/14/91	1.378	0.00	1.45	0.00	0.00
9539	79	4PS	CEN	05/14/91	0.953	0.00	38.10	0.00 >	1.74
9539	79	4PS	NT2	05/14/91	1.323	0.00	59.90	0.00	1.32
9540	79	4PS	CEN	05/14/91	0.953	0.00	2.80	0.00	0.00
9540	79	4PS	NT2	05/14/91	1.323	0.00	7.20	0.00	0.00

AVS No.	Shipment	Plt #	Cell Line	Test Date	Diffrntl.	IC 50	TC 25	SI	TAI
9541	79	4PT	CEM	05/14/91	1.006	0.00 <	0.32	0.00	0.00
9541	79	4RE	CEM	06/14/91	1.347	0.00	4.97	0.00	0.40
9541	79	4P9	MT2	05/14/91	1.385	0.00 <	0.32	0.00	0.00
9541	79	4R0	MT2	06/14/91	1.378	0.00	4.81	0.00	0.00
9542	79	4PT	CEM	05/14/91	1.006	0.00 <	0.32	0.00	0.00
9542	79	4RF	CEM	06/14/91	1.599	0.00 >	1.00	0.00	0.00
9542	79	4P9	MT2	05/14/91	1.385	0.00 <	0.32	0.00	0.00
9542	79	4RR	MT2	06/14/91	1.372	0.00 >	1.00	0.00 >	0.20
9543	79	4PU	CEM	05/14/91	0.975	0.00 <	0.32	0.00	0.00
9543	79	4RF	CEM	06/14/91	1.599	0.00	0.22	0.00	0.00
9543	79	4PA	MT2	05/14/91	1.263	0.00 <	0.32	0.00	0.00
9543	79	4RR	MT2	06/14/91	1.372	0.00	0.16	0.00	0.00
9544	79	4PU	CEM	05/14/91	0.975	0.00 <	0.32	0.00	0.00
9544	79	4RG	CEM	06/14/91	1.365	0.00	0.33	0.00	0.37
9544	79	4PA	MT2	05/14/91	1.263	0.00 <	0.32	0.00	0.00
9544	79	4RS	MT2	06/14/91	1.281	0.00	0.17	0.00	0.05
9545	79	4PV	CEM	05/14/91	1.028	0.00 <	0.32	0.00	0.00
9545	79	4RG	CEM	06/14/91	1.365	0.00	3.38	0.00	0.00
9545	79	4P8	MT2	05/14/91	1.348	0.00 <	0.32	0.00	0.00
9545	79	4RS	MT2	06/14/91	1.281	0.00 >	1.00	0.00	0.11
9546	79	4PV	CEM	05/14/91	1.028	0.00	4.90	0.00 >	0.02
9546	79	4P8	MT2	05/14/91	1.348	0.00	7.22	0.00 >	0.00
9547	79	4PW	CEM	05/14/91	0.906	0.00	1.60	0.00 >	0.79
9547	79	4RH	CEM	06/14/91	1.493	0.00	2.22	0.00 >	0.20
9547	79	4PC	MT2	05/14/91	0.934	0.00	1.44	0.00	0.00
9547	79	4RT	MT2	06/14/91	1.439	0.00	1.19	0.00	0.00
9548	79	4PW	CEM	05/14/91	0.906	0.00	1.54	0.00 >	0.60
9548	79	4RH	CEM	06/14/91	1.493	0.00	4.90	0.00	0.20
9548	79	4PC	MT2	05/14/91	0.934	0.00	2.57	0.00 >	1.75
9549	79	4PX	CEM	05/14/91	0.891	0.00	18.10	0.00	0.00
9549	79	4P0	MT2	05/14/91	0.922	0.00 >	100.00	0.00 >	9.41
9550	79	4PX	CEM	05/14/91	0.891	0.00 >	100.00	0.00	0.00
9550	79	4P0	MT2	05/14/91	0.922	0.00	49.90	0.00 >	4.80
9551	79	4PY	CEM	05/14/91	1.060	0.00	1.14	0.00	0.00
9551	79	4RI	CEM	06/14/91	1.472	0.00	1.95	0.00	0.00
9551	79	4PE	MT2	05/14/91	1.184	0.00	1.87	0.00 >	3.24
9551	79	4RT	MT2	06/14/91	1.439	0.00	3.59	0.00	0.00
9552	79	4PY	CEM	05/14/91	1.060	0.00	0.81	0.00	0.00
9552	79	4RI	CEM	06/14/91	1.472	0.00	4.90	0.00	0.00
9552	79	4PE	MT2	05/14/91	1.184	0.00	1.00	0.00 >	0.40
9552	79	4RU	MT2	06/14/91	1.446	0.00	1.35	0.00 >	1.24
9553	79	4PZ	CEM	05/14/91	0.897	0.00	7.28	0.00	0.48
9553	79	4PF	MT2	05/14/91	0.933	0.00	7.92	0.00 >	3.29
9554	79	4PZ	CEM	05/14/91	0.897	0.00	1.17	0.00	0.00
9554	79	4RJ	CEM	06/14/91	1.363	0.00	1.29	0.00	0.00
9554	79	4PF	MT2	05/14/91	0.933	0.00	0.40	0.00	0.00
9554	79	4RU	MT2	06/14/91	1.446	0.00	0.93	0.00 >	0.06
9555	79	4Q0	CEM	05/14/91	1.025	0.00	1.63	0.00 >	0.71
9555	79	4RJ	CEM	06/14/91	1.363	0.00	7.35	0.00 >	0.30
9555	79	4PG	MT2	05/14/91	1.199	0.00	2.10	0.00 >	3.65
9555	79	4RV	MT2	06/14/91	1.318	0.00	3.94	0.00	0.00
9556	79	4Q0	CEM	05/14/91	1.025	0.00	1.42	0.60	0.00
9556	79	4RK	CEM	06/14/91	1.533	0.00	4.58	0.00	0.00
9556	79	4PG	MT2	05/14/91	1.199	0.00	1.35	0.00 >	0.93
9556	79	4RV	MT2	06/14/91	1.318	0.00	1.56	0.00 >	0.06
9557	79	4Q1	CEM	05/14/91	1.055	0.00	1.42	0.00 >	0.40
9557	79	4RK	CEM	06/14/91	1.533	0.00	4.99	0.00 >	1.10
9557	79	4PN	MT2	05/14/91	1.078	0.00	1.33	0.00 >	0.60
9557	79	4RW	MT2	06/14/91	1.313	0.00	1.77	0.00	0.00
9558	79	4Q1	CEM	05/14/91	1.055	0.00	15.00	0.00	0.00
9558	79	4PN	MT2	05/14/91	1.078	0.00	19.30	0.00 >	8.66
9559	79	4Q2	CEM	05/14/91	1.010	0.00	29.60	0.00	0.05
9559	79	4PI	MT2	05/14/91	1.259	0.00	42.20	0.00	0.91
9560	79	4Q2	CEM	05/14/91	1.010	0.00	1.00	0.00	0.00
9560	79	4PI	MT2	05/14/91	1.259	0.00	39.30	0.00	0.00
9561	79	4Q3	CEM	05/14/91	0.917	0.00	0.71	0.00 >	0.02
9561	79	4RL	CEM	06/14/91	1.283	0.00	0.79	0.00	0.00
9561	79	4PJ	MT2	05/14/91	1.220	0.00	0.55	0.00	0.00
9561	79	4RN	MT2	06/14/91	1.313	0.00	1.44	0.00	0.00
9562	79	4Q3	CEM	05/14/91	0.917	0.00	27.80	0.00	0.00
9562	79	4PJ	MT2	05/14/91	1.220	0.00	28.20	0.00	0.00
9563	79	2TE	CEM	09/20/91	1.494	0.00	6.46	0.00	0.00
9564	79	2TE	CEM	09/20/91	1.494	0.00	11.70	0.00	0.00
9565	79	2TF	CEM	09/20/91	1.649	0.00	9.38	0.00	0.00

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9566	79	2TF	CEM	09/20/91	1.649	0.00	7.33	0.00	0.00
9567	79	2TG	CEM	09/20/91	1.895	0.00	6.29	0.00	0.00
9568	79	2TG	CEM	09/20/91	1.895	0.00	0.29	0.00	0.00
9569	79	2TH	CEM	09/20/91	1.645	0.00	2.98	0.00 >	0.75
9570	79	2TH	CEM	09/20/91	1.645	0.00	0.83	0.00	0.00
9571	79	2TI	CEM	09/20/91	1.602	0.00 >	100.00	0.00	0.00
9572	79	2TI	CEM	09/20/91	1.602	0.00	12.40	0.00	0.00
9573	79	2TJ	CEM	09/20/91	1.596	0.00	1.28	0.00	0.00
9574	79	2TJ	CEM	09/20/91	1.596	0.00	0.54	0.00	0.00
9575	79	2TK	CEM	09/20/91	1.641	0.00	2.12	0.00	0.00
9576	79	2TK	CEM	09/20/91	1.641	0.00	2.97	0.00	0.00
9577	79	2TL	CEM	09/20/91	1.532	0.00	5.08	0.00	0.00
9578	79	2TL	CEM	09/20/91	1.532	0.00 <	0.32	0.00	0.00
9579	79	2TM	CEM	09/20/91	1.612	0.00	4.90	0.00 >	0.99
9580	79	2TM	CEM	09/20/91	1.612	0.00	0.48	0.00	0.00
9581	79	2TN	CEM	09/20/91	1.486	0.00	0.52	0.00 >	0.15
9582	79	2TN	CEM	09/20/91	1.486	0.00	4.90	0.00	0.00
9583	79	2TO	CEM	09/20/91	1.280	0.00	9.28	0.00	0.00
9584	79	2TO	CEM	09/20/91	1.280	0.00 <	0.32	0.00	0.00
9585	79	2TP	CEM	09/20/91	1.452	0.00	1.30	0.00 >	0.19
9586	79	2TP	CEM	09/20/91	1.452	0.00	0.57	0.00 >	0.32
9587	79	2TQ	CEM	09/20/91	1.506	0.00	1.46	0.00	0.00
9588	79	2TQ	CEM	09/20/91	1.506	0.00	0.55	0.00	0.00
9589	79	2TR	CEM	09/20/91	1.597	0.00	9.70	0.00	0.00
9590	79	2TR	CEM	09/20/91	1.597	0.00	0.66	0.00	0.00
9591	79	2TS	CEM	09/20/91	1.435	0.00	0.32	0.00	0.00
9591	79	2VI	CEM	09/27/91	0.927	0.00 <	0.32	0.00	0.00
9592	79	2TS	CEM	09/20/91	1.435	0.00 <	0.32	0.00	0.00
9597	79	2TV	CEM	09/20/91	1.634	0.00	17.40	0.00	0.20
9598	79	2TV	CEM	09/20/91	1.634	0.00	3.46	0.00	0.00
9599	79	2TW	CEM	09/20/91	1.612	0.00	0.48	0.00	0.00
9600	79	2TW	CEM	09/20/91	1.612	0.00	19.40	0.00	0.00
9601	79	4T4	CEM	07/30/91	1.068	0.00 >	100.00	0.00	0.00
9602	79	4T4	CEM	07/30/91	1.068	0.00	15.50	0.00	0.10
9603	79	4T5	CEM	07/30/91	1.079	0.00	15.60	0.00 >	0.30
9604	79	4T5	CEM	07/30/91	1.079	0.00 >	100.00	0.00	0.90
9605	79	4T6	CEM	07/30/91	0.924	0.00	3.86	0.00	0.10
9606	79	4T6	CEM	07/30/91	0.924	0.00	5.59	0.00	0.00
9607	79	4T7	CEM	07/30/91	1.061	0.00	1.60	0.00	0.00
9608	79	4T7	CEM	07/30/91	1.061	0.00	0.51	0.00	0.00
9608	79	4V5	CEM	08/07/91	1.905	0.00 >	1.00	0.00 >	2.25
9609	79	4T8	CEM	07/30/91	1.160	0.00	4.92	0.00 >	0.02
9610	79	4T8	CEM	07/30/91	1.160	0.00	60.80	0.00	0.00
9611	79	4T9	CEM	07/30/91	1.179	0.00	1.55	0.00	0.00
9612	79	4T9	CEM	07/30/91	1.179	0.00	4.93	0.00	0.00
9613	79	4TA	CEM	07/30/91	1.194	0.00	1.57	0.00	0.00
9614	79	4TA	CEM	07/30/91	1.194	0.00	1.56	0.00	0.00
9615	79	4TB	CEM	07/30/91	1.144	0.00	1.55	0.00	0.00
9616	79	4TB	CEM	07/30/91	1.144	0.00	0.65	0.00	0.00
9616	79	4V5	CEM	08/07/91	1.905	0.00 >	1.00	0.00 >	7.90
9617	79	4TC	CEM	07/30/91	1.147	0.00	0.50	0.00	0.00
9617	79	4V6	CEM	08/07/91	1.870	0.00 >	1.00	0.00	2.43
9618	79	4TC	CEM	07/30/91	1.147	0.00	0.60	0.00	0.00
9618	79	4VL	CEM	08/23/91	0.951	0.00	0.45	0.00	0.00
9619	79	4TD	CEM	07/30/91	1.122	0.00	1.55	0.00	0.00
9620	79	4TD	CEM	07/30/91	1.122	0.00	15.50	0.00	0.00
9621	79	4TE	CEM	07/30/91	1.106	0.00	49.20	0.00	0.00
9622	79	4TE	CEM	07/30/91	1.106	0.00	13.90	0.00	0.00
9623	79	4TF	CEM	07/30/91	1.068	0.00	0.67	0.00	0.00
9623	79	4V7	CEM	08/07/91	1.854	0.00 >	1.00	0.00	0.45
9624	79	4TF	CEM	07/30/91	1.068	0.00	0.51	0.00	0.00
9624	79	4V7	CEM	08/07/91	1.854	0.00	0.65	0.00	0.07
9625	79	4TG	CEM	07/30/91	1.131	0.00	4.90	0.00	0.00
9626	79	4TG	CEM	07/30/91	1.131	0.00	4.90	0.00	0.00
9627	79	4TH	CEM	07/30/91	1.144	0.00	1.46	0.00	0.00
9628	79	4TH	CEM	07/30/91	1.144	0.00	44.20	0.00	0.00
9629	79	4TI	CEM	07/30/91	1.219	0.00	13.50	0.00	0.00
9630	79	4TI	CEM	07/30/91	1.219	0.00	0.53	0.00	0.00
9630	79	4V8	CEM	08/07/91	1.817	0.00 >	1.00	0.00 >	4.10
9631	79	4TJ	CEM	07/30/91	1.273	0.00	1.55	0.00 >	0.10
9632	79	4TJ	CEM	07/30/91	1.273	0.00	6.13	0.00 >	0.80
9633	79	4TK	CEM	07/30/91	1.185	0.00	1.55	0.00	0.00
9634	79	4TK	CEM	07/30/91	1.185	0.00	22.00	0.00	0.00
9635	79	4TL	CEM	07/30/91	1.196	0.00	1.11	0.00	0.00

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SS	TAI
9636	79	4TL	CEM	07/30/91	1.196	0.00	1.81	0.00	0.00
9637	79	4TM	CEM	07/30/91	1.032	0.00	4.56	0.00	0.00
9639	79	4TM	CEM	07/30/91	1.032	0.00	0.32	0.00	0.00
9640	79	4TQ	CEM	08/02/91	1.431	0.00	4.51	0.00	0.00
9641	79	4TQ	CEM	08/02/91	1.431	0.00	1.55	0.00	0.00
9642	79	4TR	CEM	08/02/91	1.388	0.00	0.72	0.00	0.00
9643	79	4TR	CEM	08/02/91	1.388	0.00	4.80	0.00 >	0.20
9644	79	4TS	CEM	08/02/91	1.403	0.00	4.99	0.00	0.00
9645	79	4TS	CEM	08/02/91	1.403	0.00	1.55	0.00 >	0.10
9646	79	4TT	CEM	08/02/91	1.385	0.00	15.90	0.00	0.41
9647	79	4TT	CEM	08/02/91	1.385	0.00 >	100.00	0.00	0.00
9648	79	4TU	CEM	08/02/91	1.461	0.00	2.19	0.00	0.00
9649	79	4TU	CEM	08/02/91	1.461	0.00	39.90	0.00 >	0.13
9650	79	4TV	CEM	08/02/91	1.475	0.00	6.90	0.00	0.00
9651	79	4TV	CEM	08/02/91	1.475	0.00	0.53	0.00	0.00
9652	79	4TW	CEM	08/02/91	1.436	0.00	47.70	0.00	0.00
9653	79	4TW	CEM	08/02/91	1.436	0.00 >	100.00	0.00	0.00
9654	79	4TX	CEM	08/02/91	1.498	0.00	33.80	0.00	0.00
9655	79	4TX	CEM	08/02/91	1.498	0.00	4.70	0.00	4.87
9656	79	4TY	CEM	08/02/91	1.355	0.00	5.44	0.00	0.00
9657	79	4TY	CEM	08/02/91	1.355	0.00	1.43	0.00	0.00
9658	79	4TZ	CEM	08/02/91	1.322	0.00	4.57	0.00	0.03
9659	79	4TZ	CEM	08/02/91	1.322	0.00	4.12	0.00	0.00
9660	79	4U0	CEM	08/02/91	1.228	0.00	0.70	0.00	0.00
9661	79	4U0	CEM	08/02/91	1.228	0.00	16.50	0.00	0.00
9662	79	4U1	CEM	08/02/91	1.416	0.00	23.20	0.00 >	0.51
9663	79	4U1	CEM	08/02/91	1.416	0.00	15.50	0.00	0.00
9664	79	4U2	CEM	08/02/91	1.328	0.00	4.80	0.00	0.00
9665	79	4U2	CEM	08/02/91	1.328	0.00	7.14	0.00 >	0.02
9666	79	4U3	CEM	08/02/91	1.249	0.00	2.52	0.00	0.00
9667	79	4U3	CEM	08/02/91	1.249	0.00	2.01	0.00 >	0.01
9668	79	4U4	CEM	08/02/91	1.403	0.00	36.60	0.00	0.00
9669	79	4U4	CEM	08/02/91	1.403	0.00	46.60	0.00 >	0.81
9670	79	4U5	CEM	08/02/91	1.410	0.00	3.80	0.00	0.00
9671	79	4U5	CEM	08/02/91	1.410	0.00 >	100.00	0.00 >	0.40
9672	79	4U6	CEM	08/02/91	1.347	0.00	15.50	0.00	0.11
9673	79	4U6	CEM	08/02/91	1.347	0.00	1.55	0.00	0.20
9674	79	4U7	CEM	08/02/91	1.405	0.00	4.90	0.00 >	0.41
9675	79	4U7	CEM	08/02/91	1.405	0.00	66.00	0.00	0.00
9676	79	4U8	CEM	08/02/91	1.360	0.00	0.50	0.00	0.00
9677	79	4U8	CEM	08/02/91	1.360	0.00	15.70	0.00	0.00
9678	79	4UA	CEM	08/06/91	0.582	0.00	4.97	0.00 >	3.79
9679	79	4UA	CEM	08/06/91	0.582	3.41	19.30	5.66	30.85
9660	79	4UB	CEM	08/06/91	0.592	0.00	4.90	0.00 >	0.30
9681	79	4UB	CEM	08/06/91	0.592	0.00	1.55	0.00 >	0.10
9682	79	4UC	CEM	08/06/91	0.562	0.00	51.10	0.00	0.00
9683	79	4UC	CEM	08/06/91	0.562	0.00 >	100.00	0.00	0.80
9684	79	4UD	CEM	08/06/91	0.559	0.00 >	100.00	0.00	0.00
9685	79	4UD	CEM	08/06/91	0.559	0.00	5.66	0.00	0.00
9686	79	4UE	CEM	08/06/91	0.556	0.00	5.70	0.00	0.00
9687	79	4UE	CEM	08/06/91	0.556	0.00	1.55	0.00	0.00
9688	79	4UF	CEM	08/06/91	0.636	0.00	74.50	0.00	0.00
9689	79	4UF	CEM	08/06/91	0.636	0.00 >	100.00	0.00 >	0.45
9690	79	4UG	CEM	08/06/91	0.564	0.00 >	100.00	0.00	0.00
9691	79	4UG	CEM	08/06/91	0.564	0.00 >	100.00	0.00 >	0.10
9692	79	4UH	CEM	08/06/91	0.589	0.00	4.90	0.00	3.83
9693	79	4UH	CEM	08/06/91	0.589	0.00 >	100.00	0.00	0.00
9694	79	4UI	CEM	08/06/91	0.602	0.00 >	100.00	0.00	0.67
9695	79	4UI	CEM	08/06/91	0.602	0.00	15.50	0.00	0.00
9696	79	4UJ	CEM	08/06/91	0.606	0.00	15.60	0.00	0.10
9697	79	4UJ	CEM	08/06/91	0.606	0.00	1.55	0.00	0.00
9698	79	4UK	CEM	08/06/91	0.565	8.21	69.00	5.97	20.43
9699	79	4UK	CEM	08/06/91	0.565	0.00	69.00	0.00	0.00
9700	79	4YL	CEM	08/23/91	0.951	0.00	9.03	0.00	0.00
9701	79	4UL	CEM	08/06/91	0.602	0.00	15.50	0.00	0.00
9702	79	4UM	CEM	08/06/91	0.618	0.00	15.50	0.00 >	12.14
9703	79	4UM	CEM	08/06/91	0.618	0.00 >	100.00	0.00	0.00
9704	79	4UN	CEM	08/06/91	0.622	0.00	8.87	0.00	0.80
9705	79	4UN	CEM	08/06/91	0.622	0.00 >	100.00	0.00	0.30
9706	79	4UO	CEM	08/06/91	0.657	0.00	5.33	0.00	0.00
9707	79	4UO	CEM	08/06/91	0.657	0.00 >	100.00	0.00 >	0.49
9708	79	4UP	CEM	08/06/91	0.668	0.00	7.96	0.00	0.00
9709	79	4UP	CEM	08/06/91	0.668	0.00	47.50	0.00	0.14
9710	79	4UQ	CEM	08/06/91	0.582	0.00	1.76	0.00	0.00

AVB No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9711	79	4UQ	CEM	08/06/91	0.582	0.00	1.55	0.00	0.00
9712	79	4YN	CEM	08/23/91	1.007	0.00 >	1.00	0.00 >	3.22
9713	79	4UR	CEM	08/06/91	0.670	0.00	4.90	0.00	0.00
9714	79	4US	CEM	08/06/91	0.591	0.00	1.56	0.00	0.00
9715	79	4US	CEM	08/06/91	0.591	0.00 >	100.00	0.00	0.00
9716	79	4VA	CEM	08/09/91	0.937	0.00	0.42	0.00	0.00
9716	79	4YN	CEM	08/23/91	1.007	0.00	0.46	0.00 >	2.83
9717	79	4VA	CEM	08/09/91	0.937	0.00	1.65	0.00	0.00
9718	79	4VB	CEM	08/09/91	0.766	0.00	59.90	0.00 >	0.65
9719	79	4VB	CEM	08/09/91	0.766	0.00	54.70	0.00 >	0.05
9721	79	4VC	CEM	08/09/91	0.933	0.00	1.39	0.00	0.00
9722	79	4VD	CEM	08/09/91	0.918	0.00	0.74	0.00 >	0.08
9722	79	4YN	CEM	08/23/91	1.005	0.00 >	1.00	0.00 >	0.90
9723	79	4VD	CEM	08/09/91	0.918	0.00	8.15	0.00	0.15
9724	79	4VE	CEM	08/09/91	0.984	0.00	7.42	0.00 >	0.13
9725	79	4VE	CEM	08/09/91	0.984	0.00	87.00	0.00 >	0.40
9726	79	4VF	CEM	08/09/91	0.841	0.00	15.50	0.00	1.08
9727	79	4VF	CEM	08/09/91	0.841	0.00	49.00	0.00	0.70
9728	79	4VG	CEM	08/09/91	0.892	0.00	7.60	0.00	0.00
9730	79	4VG	CEM	08/09/91	0.892	0.00 <	0.32	0.00	0.00
9730	79	4YN	CEM	08/23/91	1.005	0.00	0.21	0.00 >	1.02
9731	79	4VH	CEM	08/09/91	0.888	0.00	8.64	0.00	0.27
9732	79	4VH	CEM	08/09/91	0.888	0.00	2.58	0.00	0.00
9733	79	4VI	CEM	08/09/91	0.945	0.00 >	100.00	0.00	0.11
9734	79	4VI	CEM	08/09/91	0.945	0.00	0.61	0.00	0.00
9734	79	4YO	CEM	08/23/91	0.805	0.00 >	1.00	0.00	0.00
9735	79	4VJ	CEM	08/09/91	0.899	0.00	5.88	0.00	0.00
9736	79	4VJ	CEM	08/09/91	0.899	0.00	49.00	0.00	0.00
9737	79	4VK	CEM	08/09/91	0.857	0.00	0.93	0.00	0.00
9737	79	4YO	CEM	08/23/91	0.805	0.00	1.52	0.00	0.00
9738	79	4VK	CEM	08/09/91	0.857	0.00	0.47	0.00	0.00
9738	79	4YP	CEM	08/23/91	1.062	0.00	0.66	0.00	3.24
9739	79	4VL	CEM	08/09/91	0.761	0.00	0.84	0.00	0.00
9739	79	4YP	CEM	08/23/91	1.062	0.00	0.43	0.00 >	1.20
9740	79	4VL	CEM	08/09/91	0.761	0.00	4.33	0.00	0.00
9741	79	4VM	CEM	08/09/91	0.839	0.00	1.17	0.00	0.00
9741	79	4YQ	CEM	08/23/91	1.022	0.00 >	1.00	0.00 >	0.60
9742	79	4VM	CEM	08/09/91	0.839	0.00	3.38	0.00	0.00
9743	79	4VN	CEM	08/09/91	0.776	0.00	2.63	0.00	0.00
9744	79	4VN	CEM	08/09/91	0.776	0.00	1.45	0.00	0.00
9745	79	4VO	CEM	08/09/91	0.944	0.00	8.17	0.00 >	0.30
9746	79	4VO	CEM	08/09/91	0.944	0.00	5.70	0.00	0.00
9747	79	4VP	CEM	08/09/91	0.936	0.00	61.90	0.00	0.00
9748	79	4VP	CEM	08/09/91	0.936	0.00	33.80	0.00	0.00
9749	79	4VQ	CEM	08/09/91	0.953	0.00	15.50	0.00	0.00
9750	79	4VQ	CEM	08/09/91	0.953	0.00	17.80	0.00	0.00
9751	79	4VR	CEM	08/09/91	0.696	0.00	0.91	0.00	0.00
9751	79	4YQ	CEM	08/23/91	1.022	0.00 >	1.00	0.00	1.35
9752	79	4VR	CEM	08/09/91	0.696	0.00	0.82	0.00 >	0.04
9752	79	4YR	CEM	08/23/91	0.937	0.00 >	1.00	0.00	0.00
9753	79	4VS	CEM	08/09/91	0.828	0.00	0.55	0.00	0.00
9753	79	4YR	CEM	08/23/91	0.937	0.00	0.54	0.00	0.00
9754	79	4VS	CEM	08/09/91	0.828	0.00	29.00	0.00	0.00
9755	79	4VT	CEM	08/09/91	0.872	0.00	7.12	0.00	0.00
9756	79	4VT	CEM	08/09/91	0.872	0.00	14.20	0.00	0.00
9757	79	4VW	CEM	08/13/91	1.921	0.00	0.46	0.00	0.00
9757	79	4YS	CEM	08/23/91	0.963	0.00	0.30	0.00	0.00
9758	79	4VW	CEM	08/13/91	1.921	0.00	0.62	0.00	0.00
9758	79	4YS	CEM	08/23/91	0.963	0.00	0.32	0.00	0.00
9759	79	4VW	CEM	08/13/91	1.853	0.00	1.69	0.00	0.00
9760	79	4VW	CEM	08/13/91	1.853	0.00	2.87	0.00	0.00
9761	79	4VX	CEM	08/13/91	1.743	0.00	0.85	0.00	0.00
9761	79	4YT	CEM	08/23/91	1.022	0.00 >	1.00	0.00	1.23
9762	79	4VX	CEM	08/13/91	1.743	0.00	4.12	0.00 >	0.40
9763	79	4VY	CEM	08/13/91	1.789	0.00	10.90	0.00 >	0.79
9764	79	4VY	CEM	08/13/91	1.789	0.00	8.69	0.00 >	0.07
9765	79	4VZ	CEM	08/13/91	1.706	0.00	6.00	0.00 >	0.30
9766	79	4VZ	CEM	08/13/91	1.706	0.00 <	0.32	0.00	0.00
9766	79	4YT	CEM	08/23/91	1.022	0.00	0.25	0.00	0.86
9767	79	4W0	CEM	08/13/91	1.905	0.00 <	0.32	0.00	0.00
9767	79	4YU	CEM	08/23/91	1.036	0.00	0.15	0.00	3.15
9768	79	4W0	CEM	08/13/91	1.905	0.00 <	0.32	0.00	0.00
9768	79	4YU	CEM	08/23/91	1.036	0.00	0.01	0.00 >	0.13
9768	82	2TC	CEM	09/19/91	1.337	0.00	0.14	0.00	0.00

Total Experience (Cont'd)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9769	79	4W1	CEM	08/13/91	1.889	0.00	18.80	0.00	0.00
9770	79	4W1	CEM	08/13/91	1.889	0.00	4.13	0.00	0.68
9771	79	4W2	CEM	08/13/91	1.848	0.00	1.63	0.00 >	0.50
9772	79	4W2	CEM	08/13/91	1.848	0.00	5.47	0.00 >	0.20
9773	79	4W3	CEM	08/13/91	1.659	0.00	29.00	0.00 >	0.10
9774	79	4W3	CEM	08/13/91	1.659	0.00	1.61	0.00	0.00
9775	79	4W4	CEM	08/13/91	1.739	0.00	5.07	0.00 >	0.40
9776	79	4W4	CEM	08/13/91	1.739	0.00	12.70	0.00	0.00
9777	79	4W5	CEM	08/13/91	1.834	0.00	12.90	0.00	0.13
9778	79	4W5	CEM	08/13/91	1.834	0.00	50.50	0.00	0.00
9779	79	4W6	CEM	08/13/91	1.769	0.00	81.10	0.00	0.00
9780	79	4W6	CEM	08/13/91	1.769	0.00	1.91	0.00	0.00
9781	79	4W7	CEM	08/13/91	1.757	0.00	1.69	0.00	0.00
9782	79	4W7	CEM	08/13/91	1.757	0.00	43.80	0.00	0.36
9783	79	4W8	CEM	08/13/91	1.635	0.00	50.60	0.00 >	1.52
9784	79	4W8	CEM	08/13/91	1.635	0.00	15.90	0.00	0.03
9785	79	4W9	CEM	08/13/91	1.979	0.00	12.80	0.00	0.00
9786	79	4W9	CEM	08/13/91	1.979	0.00	4.17	0.00	0.00
9787	79	4WA	CEM	08/13/91	1.850	0.00	16.10	0.00 >	0.10
9788	79	4WA	CEM	08/13/91	1.850	0.00	17.10	0.00 >	0.73
9789	79	4WB	CEM	08/13/91	1.746	0.00	59.90	0.00	0.32
9790	79	4WB	CEM	08/13/91	1.746	0.00	72.50	0.00	2.53
9791	79	4WC	CEM	08/13/91	1.925	0.00	79.20	0.00	0.00
9792	79	4WC	CEM	08/13/91	1.925	0.00	6.90	0.00	0.00
9793	79	4WD	CEM	08/13/91	1.862	0.00	12.80	0.00	0.00
9794	79	4WD	CEM	08/13/91	1.862	0.00	1.42	0.00	0.00
9795	79	4WE	CEM	08/13/91	1.895	0.00	22.30	0.00	0.00
9796	79	4WE	CEM	08/13/91	1.895	0.00	17.20	0.00 >	0.50
9797	79	4WZ	CEM	08/16/91	1.005	0.00 >	100.00	0.00	1.00
9798	79	4WZ	CEM	08/16/91	1.005	0.00	20.20	0.00	0.21
9799	79	4X0	CEM	08/16/91	1.084	0.00 >	100.00	0.00	4.50
9800	79	4X0	CEM	08/16/91	1.084	0.00	61.80	0.00	0.00
9801	79	4X1	CEM	08/16/91	1.040	0.00	4.27	0.00 >	0.10
9802	79	4X1	CEM	08/16/91	1.040	0.00	15.50	0.00 >	1.50
9803	79	4X2	CEM	08/16/91	1.050	0.00	1.55	0.00 >	0.20
9804	79	4X2	CEM	08/16/91	1.050	0.00	18.20	0.00	0.20
9805	79	4X3	CEM	08/16/91	0.994	0.00	0.49	0.00	0.00
9805	79	4YW	CEM	08/23/91	0.941	0.00	0.39	0.00	0.42
9806	79	4X3	CEM	08/16/91	0.994	0.00	5.86	0.00	0.00
9807	79	4X4	CEM	08/16/91	1.077	0.00 >	100.00	0.00	0.20
9808	79	4X4	CEM	08/16/91	1.077	0.00 >	100.00	0.00 >	15.00
9809	79	4X5	CEM	08/16/91	1.069	0.00	33.80	0.00	0.00
9810	79	4X5	CEM	08/16/91	1.069	0.00	1.55	0.00 >	0.20
9811	79	4X6	CEM	08/16/91	1.019	0.00	39.70	0.00	0.00
9812	79	4X6	CEM	08/16/91	1.019	0.00	17.80	0.00	0.00
9813	79	4X7	CEM	08/16/91	1.012	0.00	29.80	0.00	0.20
9814	79	4X7	CEM	08/16/91	1.012	0.00	21.00	0.00	0.00
9815	79	4X8	CEM	08/16/91	0.946	0.00	11.80	0.00	0.00
9816	79	4X8	CEM	08/16/91	0.946	0.00	4.28	0.00	0.00
9817	79	4X9	CEM	08/16/91	1.023	0.00	15.50	0.00	0.53
9818	79	4X9	CEM	08/16/91	1.023	0.00 >	100.00	0.00 >	0.05
9819	79	4XA	CEM	08/16/91	0.946	0.00 >	100.00	0.00	0.00
9820	79	4XA	CEM	08/16/91	0.946	0.00 >	100.00	0.00	0.00
9821	79	4XB	CEM	08/16/91	0.817	0.00	4.85	0.00	0.00
9822	79	4XB	CEM	08/16/91	0.817	0.00	46.90	0.00	0.00
9823	79	4XC	CEM	08/16/91	0.999	0.00	15.60	0.00 >	0.40
9824	79	4XC	CEM	08/16/91	0.999	0.00	1.55	0.00	0.00
9825	79	4XD	CEM	08/16/91	1.056	0.00	45.20	0.00	0.00
9826	79	4XD	CEM	08/16/91	1.056	0.00	79.20	0.00 >	1.19
9827	79	4XE	CEM	08/16/91	1.044 <	0.32	4.80 >	14.99 >	41.28
9827	79	4YW	CEM	08/23/91	0.941	0.20	3.70	18.73	44.98
9828	79	4XE	CEM	08/16/91	1.044	0.00	1.62	0.00	0.86
9829	79	4XF	CEM	08/16/91	1.051	0.00	64.70	0.00	2.00
9830	79	4XF	CEM	08/16/91	1.051	0.00	15.50	0.00 >	0.10
9831	79	4XG	CEM	08/16/91	1.112	0.00	49.00	0.00	0.00
9832	79	4XG	CEM	08/16/91	1.112	0.00 >	100.00	0.00	0.80
9833	79	4XH	CEM	08/16/91	1.043	0.00	0.49	0.00	0.00
9833	79	4YX	CEM	08/23/91	0.865	0.00	0.23	0.00 >	2.19
9834	79	4XH	CEM	08/16/91	1.043	0.00	15.90	0.00	0.00
9835	79	4XI	CEM	08/16/91	0.961	0.00	18.60	0.00	0.04
9836	79	4XI	CEM	08/16/91	0.961	0.00	15.50	0.00	0.00
9837	79	4XK	CEM	08/21/91	1.325	0.00	17.70	0.00	0.00
9838	79	4XK	CEM	08/21/91	1.325	0.00	1.67	0.00 >	0.09
9838	82	2T1	CEM	09/19/91	1.195	0.00	1.35	0.00 >	0.10

AVB No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9839	79	4XL	CEM	08/21/91	1.248	0.00	12.10	0.00	0.00
9840	79	4XL	CEM	08/21/91	1.248	0.00	17.00	0.00	0.00
9841	79	4XM	CEM	08/21/91	1.430	0.00	18.10	0.00 >	2.49
9842	79	4XM	CEM	08/21/91	1.430	0.00	97.00	0.00 >	3.30
9843	79	4XN	CEM	08/21/91	1.335	0.00	21.00	0.00 >	1.40
9844	79	4XN	CEM	08/21/91	1.335	0.00	17.20	0.00	1.34
9845	79	4XO	CEM	08/21/91	1.293	0.00 >	100.00	0.00	0.71
9846	79	4XO	CEM	08/21/91	1.293	0.00	22.10	0.00	0.56
9847	79	4XP	CEM	08/21/91	1.458	0.00	5.57	0.00	0.11
9848	79	4XP	CEM	08/21/91	1.458	0.00	1.57	0.00	0.00
9849	79	4XQ	CEM	08/21/91	1.456	0.00	5.09	0.00	0.11
9850	79	4XQ	CEM	08/21/91	1.456	0.00	4.09	0.00 >	0.42
9851	79	4XR	CEM	08/21/91	1.394	0.00	43.50	0.00 >	0.40
9852	79	4XR	CEM	08/21/91	1.394	0.00 >	100.00	0.00	0.39
9853	79	4XS	CEM	08/21/91	1.463	0.00	4.27	0.00 >	0.50
9854	79	4XS	CEM	08/21/91	1.463	0.00	0.40	0.00 >	0.00
9854	82	2T1	CEM	09/19/91	1.195	0.00	0.00	0.00	0.01
9855	79	4XT	CEM	08/21/91	1.316	0.00	15.80	0.00 >	0.45
9856	79	4XT	CEM	08/21/91	1.316	0.00	8.87	0.00	0.00
9857	79	4XU	CEM	08/21/91	1.410	0.00	0.77	0.00	0.00
9857	82	2T2	CEM	09/19/91	1.238	0.00 >	1.00	0.00 >	0.11
9858	79	4XU	CEM	08/21/91	1.410	0.00	0.87	0.00	0.00
9858	82	2T2	CEM	09/19/91	1.288	0.00	0.39	0.00 >	2.23
9859	79	4XV	CEM	08/21/91	1.392	0.00	1.81	0.00	0.00
9859	82	2T3	CEM	09/19/91	1.304	0.00	0.55	0.00	0.00
9860	79	4XV	CEM	08/21/91	1.392	0.00	1.44	0.00	0.00
9860	82	2T3	CEM	09/19/91	1.304	0.00	0.07	0.00 >	0.30
9861	79	4XW	CEM	08/21/91	1.437	0.00	4.63	0.00 >	1.01
9862	79	4XW	CEM	08/21/91	1.437	0.00	48.00	0.00	0.62
9863	79	4XX	CEM	08/21/91	1.371	0.00	1.21	0.00	0.00
9863	82	2T4	CEM	09/19/91	1.256	0.00 >	1.00	0.00 >	0.99
9864	79	4XX	CEM	08/21/91	1.371	0.00	0.92	0.00	0.00
9864	82	2T4	CEM	09/19/91	1.256	0.00 >	1.00	0.00 >	0.01
9865	79	4XY	CEM	08/21/91	1.421	0.00	1.29	0.00 >	0.01
9865	82	2T5	CEM	09/19/91	1.354	0.00 >	1.00	0.00	0.00
9866	79	4XY	CEM	08/21/91	1.421	0.00	1.61	0.00	0.00
9867	79	4XZ	CEM	08/21/91	1.426	0.00	1.71	0.00 >	0.10
9868	79	4XZ	CEM	08/21/91	1.426	0.00	1.43	0.00	0.00
9868	82	2T5	CEM	09/19/91	1.354	0.00	0.31	0.00	0.00
9869	79	4Y0	CEM	08/21/91	1.419	0.00	1.73	0.00	0.08
9870	79	4Y0	CEM	08/21/91	1.419	0.00	0.61	0.00 >	0.01
9870	82	2T6	CEM	09/19/91	1.087	0.00 >	1.00	0.00 >	2.20
9871	79	4Y1	CEM	08/21/91	1.507	0.00	40.90	0.00 >	0.71
9872	79	4Y1	CEM	08/21/91	1.507	0.00 >	100.00	0.00 >	0.73
9873	79	4Y2	CEM	08/21/91	1.434	0.00	4.90	0.00	0.00
9874	79	4Y2	CEM	08/21/91	1.434	0.00	5.01	0.00	0.00
9875	79	4Y3	CEM	08/21/91	1.372	0.00	30.40	0.00 >	1.04
9876	79	4Y3	CEM	08/21/91	1.372	0.00	77.90	0.00 >	0.60
9877	79	4Y4	CEM	08/21/91	1.478	0.00	2.29	0.00	0.00
9877	82	2T6	CEM	09/19/91	1.087	0.00	0.72	0.00 >	0.78
9878	79	4Y4	CEM	08/21/91	1.478	0.00	30.30	0.00 >	0.80
9879	79	4Y5	CEM	08/21/91	1.530	0.00	27.00	0.00	1.50
9880	79	4Y5	CEM	08/21/91	1.530	0.00	9.73	0.00 >	0.91
9881	79	4Y6	CEM	08/21/91	1.446	0.00	9.48	0.00	0.26
9882	79	4Y8	CEM	08/23/91	0.988	0.00	60.80	0.00	1.71
9883	79	4Y8	CEM	08/23/91	0.988	0.00	0.28	0.00	0.00
9883	82	2T7	CEM	09/19/91	1.346	0.00	1.54	0.00 >	0.10
9884	79	4Y9	CEM	08/23/91	1.000	0.00 >	100.00	0.00 >	2.10
9885	79	4Y9	CEM	08/23/91	1.000	0.00	6.05	0.00 >	1.61
9886	79	4YA	CEM	08/23/91	0.997	0.00	8.51	0.00	0.40
9887	79	4YA	CEM	08/23/91	0.997	0.00	0.63	0.00	0.00
9887	82	2T7	CEM	09/19/91	1.346	0.00	1.28	0.00	0.00
9888	79	4YB	CEM	08/23/91	0.978	0.00	7.38	0.00	0.00
9889	79	4YB	CEM	08/23/91	0.978	0.00	2.37	0.00	0.00
9890	79	4YC	CEM	08/23/91	1.028	0.00	1.21	0.00	0.00
9890	82	2T8	CEM	09/19/91	1.005	0.00 >	10.00	0.00 >	3.39
9891	79	4YC	CEM	08/23/91	1.028	0.00 >	100.00	0.00 >	0.50
9892	79	4YD	CEM	08/23/91	0.993	0.00	5.04	0.00	0.00
9893	79	4YD	CEM	08/23/91	0.993	0.00	15.30	0.00 >	1.68
9894	79	4YE	CEM	08/23/91	0.978	0.00	10.40	0.00 >	3.57
9895	79	4YE	CEM	08/23/91	0.978	0.00	8.64	0.00	2.31
9896	79	4YF	CEM	08/23/91	0.846	0.00	12.10	0.00	0.15
9897	79	4YF	CEM	08/23/91	0.846	0.00	1.00	0.00	0.00
9897	82	2T8	CEM	09/19/91	1.005	0.00 >	10.00	0.00	0.00

Total Experience (Cont'd)

AVS No.	Shipment	Plt #	Cell Line	Test Date	Differntl.	IC 50	TC 25	SI	TAI
9898	79	4YG	CEM	08/23/91	0.903	0.00	6.29	[illegible]	0.00
9899	79	4YG	CEM	08/23/91	0.903	0.00	0.87	[illegible]	0.00
9899	82	2T9	CEM	09/19/91	1.375	0.00 >	1.00	[illegible]	0.13
9900	79	4YH	CEM	08/23/91	0.893	0.00 <	0.32	[illegible]	0.00
9900	82	2T9	CEM	09/19/91	1.375	0.00	0.14	[illegible]	0.00
9901	79	4YH	CEM	08/23/91	0.893	0.00	1.54	[illegible]	0.00
9901	82	2TA	CEM	09/19/91	1.280	0.00	1.55	[illegible]	0.00
9902	79	4YI	CEM	08/23/91	0.892	0.00 <	0.32	[illegible]	0.00
9902	82	2TA	CEM	09/19/91	1.280	0.00	0.03	[illegible]	0.00
9903	79	4YI	CEM	08/23/91	0.892	0.00	1.39	[illegible] >	0.57
9903	82	2TB	CEM	09/19/91	1.358	0.00 >	10.00	[illegible]	0.00
9904	79	4YJ	CEM	08/23/91	0.977	0.00 >	100.00	[illegible] >	2.20
9905	79	4YJ	CEM	08/23/91	0.977	0.00	14.90	[illegible]	0.00
9906	79	4YK	CEM	08/23/91	0.998	0.00 >	100.00	[illegible] >	1.90
9907	79	4YK	CEM	08/23/91	0.998	0.00	4.65	[illegible] >	0.76
9907	82	2TB	CEM	09/19/91	1.358	0.00	5.55	[illegible]	0.00
9909	81	4V4	CEM	08/07/91	1.907	0.00	2.24	[illegible]	0.00
9909	81	4YV	CEM	08/23/91	0.918	0.00	0.36	[illegible]	0.00
9910	81	4V4	CEM	08/07/91	1.907	0.00	44.20	[illegible]	5.77
11713	82	2VJ	CEM	09/27/91	0.973	0.00	36.40	[illegible] >	7.62
11905	82	2VJ	CEM	09/27/91	0.973	0.00	44.10	[illegible]	0.32
11912	82	2VK	CEM	09/27/91	0.884 <	0.32 >	100.00 >	312.50 >	58.00
11916	82	2SZ	CEM	09/13/91	1.238	7.61 >	100.00 >	13.15 >	34.39
11932	82	2VK	CEM	09/27/91	0.884	0.92	6.42	6.99	15.15
11933	82	2VL	CEM	09/27/91	0.845	1.95 >	100.00 >	51.33 >	69.02
11934	82	2VL	CEM	09/27/91	0.845	10.90	53.60	4.90	18.79

UNCLASSIFIED

UNCLASSIFIED