Serial Number 471,940

Filing Date 3 Mar 1983

Inventor MARCUS, Rudolph J.

١

C

### NOTICE

The Government-owned invention described herein is available for licensing. Inquires and requests for licensing information should be addressed to:

> DEPARTMENT OF THE NAVY Chief of Naval Research (Code 302) Arlington, Virginia 22217



3/18/75

Navy Case 66787

83 10 26 047

# METHOD OF REDUCING BIOLUMINESCENCE EFFECTS CREATED BY OBJECTS MOVING THROUGH SEAWATER

1 karaby carily that this correspondence is being deputited while the U.S. Fostal Service as first class mail in an anyologo addressed tas Commissioner of Farents and Tundensisky Washington, D. C. 20231

D

Delse R. Coster, Clerk for Applicant's Attorney

(Signetare) (Date of Signature)

.....

### Background of the Invention

The present invention relates to the method of reducing bioluminescence effects created by objects moving through seawater and more particularly to the method of reducing bioluminescence effects created by objects moving through seawater by reducing either the necessary friction or changing the liquid environment necessary for marine organisms to bioluminesce.

The ocean surface in many parts of the world and especially in the tropics is dense with single-celled luminous planktonic organisms, primarily dinoflagellates, that glow when stimulated mechanically, as by the churning of the waves, or, when washed ashore, by the pressure of a foot of a person walking on the beach. Objects moving through the ocean surface in areas where these organisms are present provide sufficient friction to cause the planktonic organisms to glow. This glow creates serious problems of detection of ships or divers moving through the water.

Also, the light-emitting part of the organisms is more acid (pH about 5.7) than is seawater (pH about 8).

The problem of the presence of the bioluminescence especially caused by the deployment of ships makes their presence more detectable especially by photodetecting means and by visual observation.

10

1

5

15

20

-2-

#### Summary of the Invention

The present invention provides for a method of reducing or eliminating the bioluminescence effects created by objects moving through seawater containing marine organisms that luminesce in the presence of friction thereby creating effective countermeasures against being detected. The method includes the steps of ascertaining the presence of the luminescent marine organisms, injecting a sufficient drag reducing agent in the area of friction caused by the object moving through the seawater or in the alternative injecting an alkaline solution to neutralize the acidic state of the surrounding fluid in order to protect the marine organisms from luminescing; and to continue the dispensing of either the drag reducing agents or the alkaline solution until the potential bioluminescence threat is terminated.

Accordingly, an objective of the invention is the provision of a method for the reduction of the bioluminescent effect created by marine organisms that are sufficiently agitated by objects moving through the water wherein they reside.

Another objective of the invention is the provision of a method of reducing the bioluminescence emitted by marine organisms by the injection of a friction reducing agent at the interface of the object moving through the water and the marine organsisms.

A further objective of the invention is the reduction of bioluminescence effect of ships passing through water containing bioluminescent marine organisms by the injecting of drag reducing agents into the bow wave of the ship.

-3-

10

15

1

5

20

Still another objective of the invention is the provision of injecting alkaline fluid into the bow wave of a ship to prevent marine organisms that would normally luminesce from luminescing as a result of the acidity of the surrounding liquid in which they reside.

These and other objectives of this invention will become apparent from the following detailed description.

#### Detailed Description

The method of the present invention comprises spraying or injecting into the water, through which the objects must move, drag reducing agents. The drag reducing agents may be added to the body of the water in the form of an aqueous solution or suspension. Some typical drag reducing agents and their application are disclosed in U. S. Patent number 3,230,919. According to the present invention, the drag reducing agents reduce friction between the moving object and the water in which it moves and thus reduces the intensity of friction-stimulated bioluminescence.

The method of the invention is applicable to all water aft as well as to divers or swimmers that may be in the water. As will be apparent to those skilled in the art, the benefits of the invention are particularly beneficial in the prevention of the detection of ships while operating in an area under which they may be under surveillance. By reducing or eliminating the bioluminescence effects, visual sighting of the bioluminescence effects or the detection by electro-optical means will be essentially eliminated.

-4-

C

10

15

1

5

Alternatively, instead of the introduction of drag reducing agents like those mentioned in the above referenced patent, the present invention also comprises the introduction of alkaline solutions into water ahead of the moving objects, or water in which a portion of the object must move. Alkaline solutions suitable for use are solutions of sodium hydroxide, potassium hydroxide, ammonium hydroxide and calcium hydroxide. The concentration of the alkaline solution to be injected must be such as to raise the pH of  $\alpha$  thin layer of water between the boat and the water from 5.7 to 8 or higher thus preventing bioluminescence from occurring.

-5-

10

1

# Abstract of the Disclosure

( )

 $\checkmark$  Once the presence of bioluminescence marine organisms are present in the water through which ships or divers will be operating, a drag reducing agent or an acid neutralizing agent is injected into the water. This substantially eliminates the bioluminescence effect.  $\checkmark$ 

5