

UNCLASSIFIED

Defense Technical Information Center
Compilation Part Notice

ADP012035

TITLE: n-sided Surfaces: a Survey

DISTRIBUTION: Approved for public release, distribution unlimited

This paper is part of the following report:

TITLE: International Conference on Curves and Surfaces [4th], Saint-Malo, France, 1-7 July 1999. Proceedings, Volume 1. Curve and Surface Design

To order the complete compilation report, use: ADA399461

The component part is provided here to allow users access to individually authored sections of proceedings, annals, symposia, etc. However, the component should be considered within the context of the overall compilation report and not as a stand-alone technical report.

The following component part numbers comprise the compilation report:

ADP012010 thru ADP012054

UNCLASSIFIED

n -sided Surfaces: a Survey

Pierre Malraison

Abstract. The paper surveys techniques for filling in n -sided regions, where $n > 4$. The two major classes of methods examined are: 1) to fill in the hole with 4 and/or 3 sided patches, 2) to create a single surface. The multi-patch approaches differ in terms of the degree of the patches and the cross-patch continuity. The single surface approaches are either rational surfaces (which can be expressed in terms of base points) or non-rational, both cases having a number of variants.

§1. Introduction

The problem being considered is:

Given n curves C_1, \dots, C_n whose endpoints match, i.e (if we say $C_0 = C_n$) the end of C_{i-1} is the start of C_i , fill in the hole bounded by the C_i , possibly satisfying some additional boundary conditions.

For example, in blending, the C_i are the edges of faces, and the filling surface or surfaces must be smooth across the edges.

I will be looking at the case $n > 4$. The problem with no boundary conditions arises in the *cover* command in the ACIS [1] software libraries. ACIS also supports vertex blends using Charrot [6].

This paper extends the survey Malraison [38]. Other surveys include: Nasri [40], Cavaretta [4], Sederberg [57] and Dyn [9] for general overviews of subdivision, Dyn [10] for a review of John Gregory's contributions to the field, Varady [65] is a review of n -sided patches, Gregory [13] and Gregory [16] are surveys on n -sided patches by Gregory and others, Varady [60] specific to vertex blends and Vida [66] discusses blends in general with a section on n -sided issues.

§2. Subdivision

Subdivision is a much broader topic than I can cover here. The basic process is to generate a surface by starting with a polygonal approximation P_0 and having a process which from P_i creates P_{i+1} . The n -sided problem arises

in this context when the individual polygons formed by the subdivision process are not 4-sided. Hermann [21] and Ball [2] use subdivision to explicitly fill in n -sided holes, while Wang [69,68] uses a single patch method of Varady [65,64] to fill in an n -sided hole arising in the course of subdivision. Levin [31,32] applies a *combined* subdivision scheme to solve the n -sided problem with cross-tangency constraints. Nasri [41-44] uses subdivision to provide both a source of and solution for n -sided problems.

§3. Multiple Patches

One solution to the problem is to take the n -sided region and subdivide it once into triangular or 4-sided regions, and then fill those with standard surface types. The main difficulty with this approach is ensuring the internal smoothness of the resulting network of patches. Peters [45] discusses the problems for doing a C^K join, Varady [62] looks at curvature matching, and Hall [20,19] looks at the situation when the pieces are Gregory patches. Some of the other approaches are summarized in Table 1.

Boundary	Degree	Continuity	Reference
Mesh points	Bicubic	C^1	[47]
Planes	Biquintic	C^1	[72]
Polygon	Cubic	C^1	[8,3]
Quartic	Bicubic	C^1	[48-50]
Cubic	Quartic	G^1	[52]
Cubic	Quartic triangular	C^1	[36,37]
Quintic	Quintic	GC^2	[74]
Quintic	$2k^2 + 3k + 1$	GC^k	[76]
Quintic	Biquintic	GC^2	[17]

Tab. 1. Multiple patches.

Bangert [3], and Peters [48,49,50] are triangle-based spline methods. Peters [51] adds a hierarchical structure which supports interactive modeling. Some other multi-patch approaches do not fit into the above table. Some [58,59] subdivides an n -sided hole into quadrilaterals and uses Gregory patches. Hsu [24] uses a blend between two edges to fill in a triangular subset of the n -sided hole, then continues to subdivide the remaining pieces so that the entire hole is filled in with multiple blend surfaces. This approach is different from the usual multiple patch approach as it may require multiple subdivisions to arrive at regions suitable for blending. Varady [65,64] uses multiple patches for setback blends.

§4. Single Patches

Filling in an n -sided hole with a single patch is an easier approach in a solid modeling environment since only one face need be constructed. The issue

here is unusual (*i.e.*, non-rectangular) parametric domains and internal shape control. Hall [20] discusses the control of Gregory patches [13].

For the case where the surface is rational (*i.e.*, $f(u, v) = \frac{p(u, v)}{q(u, v)}$), Warren [71] shows that several different methods are all variants of rational surfaces with base points ($p(u, v) = q(u, v) = 0$). Since base points are singularities, they may occur either on the boundary of the domain or outside. S-patches go from a polygon through an *n*-simplex : $P \xrightarrow{L} \Sigma \xrightarrow{B} R^3$. Those variants are summarized in Table 2.

Basepoints	Variant	Reference
Boundary	$2n$ up to 8 sides manifold charts 5,6 sides includes holes	[64] [70] [12] [54] [29,30]
External S-Patches:	domain is <i>n</i> -simplex original modifies B modifies L	[35,34] [33] [25,26]
Gregory-like:	Polygonal domain pentagon arbitrary <i>n</i>	[5] [6]

Tab. 2. Single patch.

Gregory [15] starts with a larger problem: interpolating an arbitrary mesh. The solution is to interpolate the "edges" by rational splines to create polygonal curved regions, then extend the splines into strips, and blend the strips into the interior using the same technique as Charrot [5].

The other principal method is to generate a rational surface using a Bezier-like approach by constructing non-rectangular control nets. The boundaries are considered as the edges of Bezier surface patches so higher cross boundary smoothness can be obtained by having the internal control net reflect the adjacent surface control net.

Sabin [53] uses quadratic functions to fill in three-sided and five-sided patches. In Sabin [56] the same technique is applied to a 2-sided patch. Hosaka [23] does the same thing using quadratics and cubics for three-sided, five-sided and six-sided patches. Their solution is described in the general *n*-sided setting. Zheng [73] extends those two approaches by using higher degrees for higher numbers of sides.

Karčiauskas [27,28] and Zube [77,78] provide a unifying approach similar to Warren [71] for these rational cases by looking at toric varieties.

§5. Other n -sided Things

Two papers address a problem which arises in a more global setting from a classical result in topology.

Theorem. [39]. *If M is a compact connected 2-manifold, M is a 2-sphere with h handles and m cross caps.*

This theorem implies M can be represented by a polygon with edges identified: e.g. a torus is $ABA^{-1}B^{-1}$. Ferguson [11] applies this result to model objects with a single surface. Wallner [67] applies the same idea to *orbifolds*: surfaces defined as images of group actions. These techniques fall into the scope of this paper insofar as the marked polygon defining the surface is an n -sided object in parameter space.

§6. Conclusions

For single surface patches, Warren [71], Karčiauskas [28], and Zube [78] show that the approaches used so far are variations on two main themes. For multi-patch and subdivision methods no such unifying concept has been presented, although the basic notion of subdivision is arguably the unifying theme of that approach.

Acknowledgments. I would like to thank Malcolm Sabin for inviting me to participate in the minisymposium, and Jorg Peters for suggesting the tabular approach which helped keep this paper within the page limits. The opinions expressed in this paper are the author's and do not represent the views of Spatial Technology, Inc. A web page for updating the bibliography is available at <http://www.geocities.com/Tokyo/7970/nside.htm>

References

I have marked references not in [38] with an asterisk.

1. ACIS^(r) Test Harness User's Guide.
- *2. Ball, A. A. and D. J. T. Storry, Design of an n -sided surface patch from Hermite boundary data, *Comput. Aided Geom. Design* **6** (1989), 111–120.
- *3. Bangert, C. and H. Prautzsch, Quadric splines, *Comput. Aided Geom. Design* **16** (1999), 497–515.
4. Cavaretta, A. S. and C. A. Michelli, The design of curves and surfaces by subdivision algorithms, in *Mathematical Methods in CAGD*, Academic Press, 1989, 115–193.
5. Charrot, P. and J. A. Gregory, A pentagonal surface patch for computer aided geometric design, *Comput. Aided Geom. Design* **1** (1984), 87–94.
6. Plowman, D. and P. Charrot, A practical implementation of vertex blend surfaces using an n -sided patch, in *Mathematics of Surfaces VI*, Clarendon, 1996, 67–78.

7. Daehlen, M. and V. Skytt, Modelling non-rectangular surfaces using box splines, in *Mathematics of Surfaces III*, Clarendon, 1989, 287–300.
8. Dahmen, W., Smooth piecewise quadric surfaces, in *Mathematical Methods in CAGD*, Academic Press, 1989, 181–194.
9. Dyn, N., J. A. Gregory and D. Levin, Piecewise uniform subdivision schemes, in *Mathematical Methods for Curves and Surfaces*, M. Dæhlen, T. Lyche, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 1995, 111–119.
10. Dyn, N., The work of John Gregory: rational spline interpolation, subdivision algorithms and C^2 polygonal patches, in *Mathematics of Surfaces VI*, Clarendon Press, 1996, 21–42.
11. Ferguson, H. and A. Rockwood, Multiperiperidic functions for surface design, *Comput. Aided Geom. Design* **10** (1993), 315–328.
- *12. Gérot, C., D. Attali and A. Montanvert, From local approximation to a G^1 global representation, in *Curve and Surface Design: Saint-Malo 1999*, Pierre-Jean Laurent, Paul Sablonnière, and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville, 2000, 109–118.
13. Gregory, J. A., n -sided surface patches, in *Mathematics of Surfaces*, Clarendon, 1986, 217–232.
14. Gregory, J. A. and J. M. Hahn, A C^2 polygonal surface patch, *Comput. Aided Geom. Design* **6** (1989), 69–75.
15. Gregory, J. A. and P. K. Yuen, An arbitrary mesh network scheme using rational splines, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 1992, 321–329.
16. Gregory, J. A., V. K. H. Lau and J. Zhou, Smooth parametric surfaces and n -sided patches, in *Computation of Curves and Surfaces*, Kluwer, 1990, 457–498.
- *17. Gregory, J. A., J. Zhou, Irregular C^2 surface construction using bi-polynomial rectangular patches, *Comput. Aided Geom. Design* **16** (1999), 423–435.
- *18. Hall, R. and G. Mullineux, The Zheng-Ball construction without twist constraints, *Comput. Aided Geom. Design* **16** (1999), 165–175.
- *19. Hall, R. and G. Mullineux, Continuity between Gregory-like patches, *Comput. Aided Geom. Design* **16** (1999), 197–216.
20. Hall, R. and G. Mullineux, Shape modification of Gregory patches, in *Mathematics of Surfaces VII*, Information Geometers, 1997, 383–408.
21. Hermann, T. and G. Renner, Subdivision of n -sided regions into four-sided patches, in *Mathematics of Surfaces III*, Clarendon Press, 1989, 347–357.
22. Hermann, T., G^2 interpolation of free-form curve networks by biquintic Gregory patches, *Comput. Aided Geom. Design* **13** (1995), 873–893.

23. Hosaka, M. and F. Kimura, Non-four-sided patch expressions with control points, *Comput. Aided Geom. Design* **1** (1984), 75–86.
24. Hsu, K. L. and D. M. Tsay, Corner blending of free form n -sided holes, *IEEE Computer Graphics and Applications*, **18** (1998), 72–78.
25. Karčiauskas, K., On n -sided rational surface patches, preprint.
- *26. Karčiauskas, K., Rational m -sided surface patches, in *Mathematics of Surfaces VIII*, Information Geometers, Winchester, 1998, 355–368.
- *27. Karčiauskas, K., Algebraic version of convex combination patches, in *Proceedings of a Conference of the Lithuanian Mathematical Society*, 1999.
- *28. Karčiauskas, K. and R. Krasauskas, Comparison of different multi-sided surface patches using algebraic geometry, in *Curve and Surface Design: Saint-Malo 1999*, Pierre-Jean Laurent, Paul Sablonnière, and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville, 2000, 163–172.
29. Kato, K., Generation of n -sided surface patches with holes, *Computer Aided Design* **23** (1991), 676–683.
- *30. Kato, K., n -sided surface generation from arbitrary boundary edges, in *Curve and Surface Design: Saint-Malo 1999*, Pierre-Jean Laurent, Paul Sablonnière, and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville, 2000, 173–182.
- *31. Levin, A., Combined subdivision schemes for the design of surfaces satisfying boundary conditions, *Comput. Aided Geom. Design* **16** (1999), 345–354.
- *32. Levin, A., Filling N -sided holes by combined subdivision schemes, in *Curve and Surface Design: Saint-Malo 1999*, Pierre-Jean Laurent, Paul Sablonnière, and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville, 2000, 221–228.
- *33. Lodha, S. K., Filling n -sided holes, in *Modeling in Computer Graphics: Methods and Applications*, Springer Verlag, 1993, 319–346.
34. Loop, C. and T. D. DeRose, Generalized B-spline surfaces of arbitrary topological type, *SIGGRAPH*, 1990, 346–356.
35. Loop, C., Generalized B-spline surfaces of arbitrary topological type, Ph.D. Thesis, University of Washington, 1992.
36. Loop, C., Smooth spline surfaces over irregular meshes, *SIGGRAPH Proceedings*, 1994, 303–310.
37. Loop, C., A G^1 triangular spline surface of arbitrary topological type, *Comput. Aided Geom. Design* **11** (1994), 303–330.
- *38. Malraison, P., A bibliography for n -sided surfaces, in *Mathematics of Surfaces VIII*, Information Geometers, Winchester, 1998, 419–430.
39. Moise, E. E., *Geometric Topology in Dimensions 2 and 3*, Springer Verlag, 1997, 161 Theorem 4.
40. Nasri, A., Polyhedral subdivision methods for free-form surfaces, *ACM Transactions on Graphics* **1** (1987), 29–73.

41. Nasri, A., Boundary corner control of recursive subdivision surfaces, *Computer Aided Design* **23** (1991), 405–411.
42. Nasri, A., Interpolation on irregular networks with normal conditions, *Comput. Aided Geom. Design* **8** (1991), 89–96.
43. Nasri, A., Curve interpolation in recursively generated B-spline surfaces over arbitrary topology, *Comput. Aided Geom. Design* **14** (1997), 13–30.
44. Nasri, A., Interpolation of open curves by recursive subdivision surfaces, in *The Mathematics of Surfaces VII*, Information Geometers 1997, 173–188.
45. Peters, J. A., Joining smooth patches at a vertex to form a C^k surface, *Comput. Aided Geom. Design* **9** (1992), 387–411.
46. Peters, J. A., Smooth free-form surfaces over irregular meshes generalizing quadratic splines, *Comput. Aided Geom. Design* **10** (1993), 347–361.
47. Peters, J. A., Constructing C^1 surfaces of arbitrary topology using bi-quadratic and bicubic splines, in *Designing Fair Curves and Surfaces*, SIAM, 1994, 277–294.
48. Peters, J. A., Biquartic C^1 spline surfaces over irregular meshes, *Computer Aided Design*, **27** (1995), 895–903.
49. Peters, J. A., Spline surfaces from irregular control meshes, *Zeitschrift für Angewandte Mathematik und Mechanik*, **11** (1996), 69–72.
50. Peters, J. A., Curvature continuous spline surfaces over irregular meshes, *Comput. Aided Geom. Design* **13** (1996), 101–131.
- *51. Peters, J. A., Mesh and surface hierarchies, manuscript.
52. Renner, G., Polynomial n -sided patches, in *Curves and Surfaces*, P.-J. Laurent, A. Le Méhauté, and L. L. Schumaker (eds.), Academic Press, New York, 1991, 407–410.
53. Sabin, M., Non-rectangular surface patches suitable for inclusion in a B-spline surface, in *Proceedings Eurographics83*, North Holland, 1983, 57–70.
54. Sabin, M., A symmetric domain for a 6-sided patch, in *Mathematics of Surfaces IV*, Clarendon, 1994, 185–194.
55. Sabin, M., Transfinite surface interpolation, in *Mathematics of Surfaces VI*, Clarendon, 1996, 517–534.
56. Sabin, M., Two-sided patches suitable for inclusion in a B-Spline surface, in *Mathematical Methods for Curves and Surfaces II*, M. Dæhlen, T. Lyche, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 1998, 409–416.
57. Sederberg, T. W., J. Zheng, D. Sewell and M. Sabin, Non-uniform recursive subdivision surfaces, *SIGGRAPH*, 1998, 387–394.
- *58. Sone, J., K. Konno, H. Chiyokura, Surface interpolation using NURBS boundary Gregory patch for non-four-sided area, (in Japanese), *The Journal of the Information Processing Society of Japan* **40** (1999), 710–718.

- *59. Sone, J., K. Konno, H. Chiyokura, Surface interpolation of non-four-sided and concave area by NURBS boundary Gregory patch, *Curve and Surface Design: Saint-Malo 1999*, Pierre-Jean Laurent, Paul Sablonnière, and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville, 2000, 389–398.
60. Varady, T., and C. M. Hoffmann, Vertex blending: problems and solutions, in *Mathematical Methods for Curves and Surfaces II*, M. Dæhlen, T. Lyche, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 1998, 501–527.
61. Varady, T., and A. P. Rockwood, Geometric construction for setback vertex blends, *Computer Aided Design* **29** (1997), 413–425.
62. Varady, T., and T. Hermann, Best fit surface curvature at vertices of topologically irregular curve networks, in *Mathematics of Surfaces VI*, Clarendon, 1996, 411–428.
63. Varady, T. and A. P. Rockwood, Vertex blending based on the setback split, in *Mathematical Methods for Curves and Surfaces*, M. Dæhlen, T. Lyche, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 1995, 527–542.
64. Varady, T., Overlap patches: a new scheme for interpolating curve networks with n -sided regions, *Comput. Aided Geom. Design*, **8** (1989), 7–27.
65. Varady, T., Survey and new results in n -sided patch generation, in *Mathematics of Surfaces II*, Oxford, 1987, 203–236.
- *66. Vida, J., R. R. Martin and T. Varady, A survey of blending methods that use parametric surfaces, *Computer Aided Design* **26** (1994), 341–365.
67. Wallner, J. and H. Pottmann, Spline Orbifolds, in *Curves and Surfaces with Applications in CAGD A*. Le Méhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 1997, 445–464.
68. Wang, X., F. Cheng and B. A. Barsky, Blending, smoothing, and interpolation of irregular mesh using n -sided Varady surfaces, preprint, 1997.
69. Wang, X. and F. Cheng, Smooth surface interpolation of irregular meshes, in *Proc. 1997 International Conference on Manufacturing Automation (ICMA '97)*, Hong Kong, 1997, 1213–1218.
70. Warren, J., Creating multi-sided rational Bézier surfaces using base points, *ACM Transactions on Graphics* **11** (1992), 127–139.
71. Warren, J., Multi-sided rational surface patches with independent boundary control, in *Design and Application of Curves and Surfaces: Mathematics of Surfaces V*, Oxford, 1994, 281–294.
72. Zhao, Y., and A. Rockwood, A convolution approach to n -sided patches and vertex blending, in *Designing Fair Curves and Surfaces*, SIAM, 1994, 295–314.
73. Zheng, J. J., and A. A. Ball, Control point surfaces over non-four-sided areas, *Comput. Aided Geom. Design* **14** (1997), 808–821.

74. Zhou, J. and J. A. Gregory, Filling polygonal holes with bicubic patches, *Comput. Aided Geom. Design* **11** (1994), 391–410.
75. Zhou, J. and V. K. H. Lau, An arbitrary rectangular patch network scheme for free-form surfaces, in *Mathematics of Surfaces VI*, Oxford, 1996, 397–410.
76. Zhou, J. and V. K. H. Lau, Constructing GC^k continuous surfaces using bi-polynomial patches for a polygonal hole problem, in *Mathematics of Surfaces VII*, Information Geometers, 1997, 69–83.
- *77. Zube, S., The n -sided toric patches and A-resultants, Preprint No. 11-99 Johannes Guteneberg Universitat Mainz.
78. Zube, S., n -sided toric patches and A-resultants, manuscript.

Pierre Malraison
Spatial Technology, Inc.
2425 55th Street, Suite 100
Boulder, CO 80301 USA
pierre_malraison@spatial.com