

UNCLASSIFIED

AD NUMBER
AD075869
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; Apr 1955. Other requests shall be referred to Wright Air Development Center, Wright-Patterson AFB, OH 45433.
AUTHORITY
Air Force Aerospace Medical Research Lab ltr dtd 25 Feb 1970

THIS PAGE IS UNCLASSIFIED

20050203216

Best Available Copy

**AID 75869**

**Armed Services Technical Information Agency**

Reproduced by  
**DOCUMENT SERVICE CENTER**  
**KNOTT BUILDING, DAYTON, 2, OHIO**

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be returned when no longer required, or upon recall by ASTIA to the following address:  
Armed Services Technical Information Agency, Document Service Center,  
Knott Building, Dayton 2, Ohio.

**NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.**

**UNCLASSIFIED**

Best Available Copy

## **REPRODUCTION QUALITY NOTICE**

**This document is the best quality available. The copy furnished to DTIC contained pages that may have the following quality problems:**

- **Pages smaller or larger than normal.**
- **Pages with background color or light colored printing.**
- **Pages with small type or poor printing; and or**
- **Pages with continuous tone material or color photographs.**

**Due to various output media available these conditions may or may not cause poor legibility in the microfiche or hardcopy output you receive.**

**If this block is checked, the copy furnished to DTIC contained pages with color printing, that when reproduced in Black and White, may change detail of the original copy.**

WADC TECHNICAL REPORT 55-16

# HANDBOOK OF TOXICOLOGY

Volume 1e I

EDITED BY  
WILLIAM S. SPECTOR

Prepared under the Direction of the Committee  
on the Handbook of Biological Data

Division of Biology and Agriculture  
The National Academy of Sciences  
The National Research Council

April 19, 1955

*Aero Medical Lab Laboratory*  
Contract No. AF 33(616)-2973  
Project No. 715 7159-71802

WRIGHT AIR DEVELOPMENT CENTER  
AIR RESEARCH AND DEVELOPMENT COMMAND  
UNITED STATES AIR FORCE  
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

Carpenter Litho & Prtg. Co., Springfield, O.  
1000 - 10 November 1955

## Foreword

These tables of data on Toxicology, prepared under Aero Medical Laboratory Contract No. AF 33(616)-2973 between the National Academy of Sciences and the Wright Air Development Center, comprise Volume I of the Handbook of Toxicology. Under the same contract, additional volumes are scheduled for publication in 1956. The contract is administered under direction of the Aero Medical Laboratory, Directorate of Research, Wright Air Development Center, Dr. George Kitzes acting as project director, Project No. 7159, "Health Hazards of Air Force Materials".

Data for tables in all volumes were contributed by experts in various areas of the fields represented. The tables were assembled by the Handbook Staff and reviewed by specialists in the subjects covered. The work was carried out under the direction of the Committee on the Handbook of Biological Data, operating under the Division of Biology and Agriculture of the National Academy of Sciences-National Research Council.

### THE COMMITTEE ON THE HANDBOOK OF BIOLOGICAL DATA

Theodore C. Byerly, *Chairman*  
William S. Spector, *Executive Secretary*

Detlev W. Bronk\*  
John C. Bugher  
Wallace O. Fenn  
A. P. Gagge  
David R. Goddard  
Charles M. Goss

William W. Greulich  
Frank G. Hall  
J. W. Heim  
John A. Hilcken  
Paul E. Howe  
E. Morton Jellinek

Milton O. Ler  
Orr E. Reynolds  
Royal Shank\*  
Oswald Tippe  
Paul A. Weiss  
Raymund L. Zwemer

\* ex officio

### EDITORIAL STAFF

William S. Spector, *Managing Editor*  
Norbert H. Fell, *Chief Research Analyst*, Rudolph M. Grube, *Assistant to the Editor*,  
Florence M. Lochrie, *Administrative Secretary*

#### Research Department

Philip D. Bogdonoff  
Bernard Bridgers  
James H. Defandorf  
William O. Negherbon  
Edgar C. Rich

#### Editorial Department

Nellie F. Brown  
Dorothy Dittmer  
Sherman H. Hall  
Marion V. Ham  
William C. Higgins

Dorsey Parker  
Judith A. Percival  
John F. Sobrofski  
Olga G. Stanczak  
Goddard W. Winterbottom

## Acknowledgments

Acknowledgment is made, on behalf of the Committee, to the Wright Air Development Center, United States Air Force, for the foresight and scientific judgment inherent in the commission to prepare this Handbook; to Dr. W. F. von Oettingen of the National Institutes of Health, who devoted immeasurable time and energy to the compilation of the data appearing in this volume and who served as a constant guide and advisor in its preparation; to the National Research Council Committee on Toxicology, under the chairmanship of Dr. Harold C. Hodge, for encouragement and advice in planning the contents of the Handbook; to Dr. William O. Negherbon of the Handbook Staff whose tireless and patient effort in organizing and tabulating the data was a principal factor in the fruition of the project; to Mrs. Dorothy Dittmer and Miss Dorsey Parker for their careful proof-reading; to Mrs. Nellie Brown and Mr. John Sobrofski for their excellent performance in drafting and typing the manuscript; to the biologists and toxicologists who gave generously of their time to serve as contributors and reviewers; and finally to all the Handbook staff members who were called upon to lend a hand in the multitude of tasks inherent in preparation of the book.

## Abstract

This report presents, in tabular form, data on acute toxicities of more than 2,000 substances for several species of commonly used laboratory animals. The values have been culled from the literature over a period of years, and wherever possible have recently been rechecked with original publications. To enhance reliability, and consequently usefulness, of the tables, the data have been exhaustively reviewed by twenty-eight experts in the field.

The tables in this unusually complete collection of toxicity values are unique in their treatment of the well-known phenomenon of toxicological variability. In addition to indicating a single value on the toxicity of each substance for a given animal, the table presents information concerning the lethal dosage range, vehicle, route of administration, and time of death, whenever such information was available in the references. The literature source cited for each line of data is presented on that line to facilitate rapid location of additional material for which space was not available in the book.

Supplementing the quantitative data are (1) an easily comprehensible and directly useable cross index of chemical compounds, including synonyms; (2) a complete list of abbreviations with full titles of references cited in the volume; and (3) a compilation of all symbols, with definitions therefor, used in the text.

A lucid introduction explains some of the problems encountered in compiling toxicity values and the reasons for such wide variations in these values even within a single species. The introduction emphasizes that this book is intended to be used as a "yardstick" rather than as a collection of explicit and definitive values.

## Publication Review

This report has been reviewed and is approved.

FOR THE COMMANDER:



JACK BOLLEKUD  
Colonel, USAF (MC)  
Chief, Aero Medical Laboratory  
Directorate of Research

## Contributors and Reviewers

Volume I

### PRINCIPAL CONTRIBUTOR

**WOLFGANG F. von OETTINGEN, M. D., Ph. D.**  
Chief Toxicologist  
The National Institutes of Health  
Bethesda, Maryland

With the technical assistance of  
**WILLIAM O. NEGERBON, Ph. D.**  
Research Analyst  
The Handbook of Biological Data

**RAIMON L. BEARD, Ph. D.**  
Connecticut Agricultural Experiment Station  
New Haven, Connecticut

**HARRY BECKMAN, M. D.**  
Director, Department of Pharmacology  
Marquette University School of Medicine  
Milwaukee, Wisconsin

**J. R. BLAIR, M. D.**  
Army Medical Research Laboratory  
Fort Knox, Kentucky

**KENNETH COCHRAN, Ph. D.**  
Department of Pharmacology  
University of Chicago  
Chicago, Illinois

**JULIUS M. COON, Ph. D., M. D.**  
Director, Toxicity Laboratory  
University of Chicago  
Chicago, Illinois

**T. C. DANIELS, Ph. D.**  
Dean, College of Pharmacy  
University of California Medical Center  
San Francisco, California

**FLOYD DE EDS, Ph. D.**  
Head, Pharmacology Division  
Western Regional Research Laboratory  
United States Department of Agriculture  
Albany, California

**V. G. DETMER, Ph. D.**  
Department of Biology  
The Johns Hopkins University  
Baltimore, Maryland

**DAVID B. DILL, Ph. D.**  
Scientific Director, Medical Division  
U. S. Army Chemical Center  
Maryland

**ROBERT H. DRESSBACH, Ph. D., M. D.**  
Department of Pharmacology and Therapeutics  
Stanford University School of Medicine  
San Francisco, California

**KENNETH P. DE BOIS, Ph. D.**  
Department of Pharmacology  
University of Chicago  
Chicago, Illinois

E. M. K. GEILING, Ph. D., M. D.  
Chairman, Department of Pharmacology  
University of Chicago  
Chicago, Illinois

ERNEST C. HAGAN, B. S.  
Acute Toxicity Section,  
Division of Pharmacology  
Food and Drug Administration  
Department of Health, Education, and Welfare  
Washington, D. C.

HAROLD C. HODGE, Ph. D., D. Sc.  
Chairman, Department of Pharmacology  
School of Medicine and Dentistry  
University of Rochester  
Rochester, New York

JAMES G. HORSFALL, Ph. D.  
Director, Connecticut Agricultural  
Experiment Station  
New Haven, Connecticut

DON D. IRISH, Ph. D.  
In Charge, Biochemical Research Department  
The Dow Chemical Company  
Midland, Michigan

PAUL JENNER  
Acute Toxicity Section  
Division of Pharmacology  
Food and Drug Administration  
Department of Health, Education, and Welfare  
Washington, D. C.

CLYDE W. KEARNS, Ph. D.  
Department of Entomology  
University of Illinois  
Urbana, Illinois

ARNOLD J. LEHMAN, Ph. D., M. D.  
Chief, Division of Pharmacology  
Food and Drug Administration  
Department of Health, Education, and Welfare  
Washington, D. C.

ROBERT L. METCALF, Ph. D.  
Chairman, Department of Entomology  
Citrus Experiment Station  
University of California  
Riverside California

GEORGE W. MOLNAR, Ph. D.  
Army Medical Research Laboratory  
Fort Knox, Kentucky

ROBERT L. PATTON, Ph. D.  
Department of Entomology  
Cornell University Agricultural  
Experimental Station  
Ithaca, New York

KENNETH D. ROEDER, M. A.  
Department of Biology  
Tufts College  
Medford, Massachusetts

HENRY F. SMYTH, Jr., Ph. D.  
Administrative Fellow  
Mellon Institute  
Pittsburgh, Pennsylvania

CLINTON H. THOMAS, Ph. D., M. D.  
Department of Pharmacology and Toxicology  
School of Medicine  
University of Southern California  
Los Angeles, California

JOHN F. TIGHE, B. S.  
Acute Toxicity Section,  
Division of Pharmacology  
Food and Drug Administration  
Department of Health, Education, and Welfare  
Washington, D. C.

D. WATERHOUSE, Ph. D.  
Principal Research Officer  
Division of Entomology  
Commonwealth Scientific and  
Industrial Research Organisation  
Canberra, Australia

E. LEONG WAY, Ph. D.  
College of Pharmacy  
University of California Medical Center  
San Francisco, California

# Contents

## Volume I

<u>Subject</u>	<u>Page</u>
Abstract . . . . .	iii
Contributors and Reviewers . . . . .	iv
Introduction . . . . .	1
Abbreviations . . . . .	3
Table I. Lethal Doses of Solid and Liquid Compounds: Laboratory Animals . . . . .	5
Table II. Lethal Concentrations of Gases, Vapors, and Fumes in Respired Air: Laboratory Animals . . . . .	321
Bibliography Abbreviations . . . . .	355
Index . . . . .	365

Future Volumes

(Tentative Publication Date, 1956)

It is expected that subsequent volumes will include, but not necessarily be limited to, the following tables:

- Table III. Maximum Allowable Concentration ("MAC") of Gases, Vapors, Fumes, and Dusts in Inspired Air: Man
- Table IV. Maximum Allowable Concentrations of Toxic Substances in Drinking Water: Man and Various Livestock and Wildlife
- Table V. Lethal Concentrations in Water of Salts and Industrial Wastes: Fish and Invertebrates
- Table VI. Permissible Levels of Toxic Substances in Foods
- Table VII. Minimum Lethal Concentrations of Pesticides: Various Representative Livestock, Wildlife, and Insects
- Table VIII. Chronic Toxicity of Various Substances: Man, Laboratory and Domestic Animals
- Table IX. Skin Toxicity of Various Substances: Man and Laboratory Animals
- Table X. Minimum Lethal Doses of Solid and Liquid Compounds: Man
- Table XI. Toxic Plants
- Table XII. Venomous and Poisonous Animals
- A. Marine Animals
  - B. Terrestrial and Fresh-Water Reptiles and Amphibia
  - C. Terrestrial and Fresh-Water Arthropods
- Table XIII. Radiation Toxicology
- Table XIV. Physical, Chemical, and Pharmacological Properties of Various Representative Antimalarial and Antiamoebic Drugs
- Table XV. Physical, Chemical, and Pharmacological Properties of Antibiotics
- Table XVI. Physical, Chemical, and Pharmacological Properties of Alkaloids
- Table XVII. Physical, Chemical, and Pharmacological Properties of Pesticides
- A. Rodenticides
  - B. Insecticides
  - C. Fungicides
  - D. Parasiticides
  - E. Herbicides
- Table XVIII. Carcinogenic Agents
- Table XIX. Antidotes
- Table XX. Histological and Physiological Effects of Toxic Substances on Cells, Tissues, and Organs
- Table XXI. Metabolites of Toxic Compounds

## Introduction

This volume presents tabular data on the acute toxicity of various substances for several species of commonly used laboratory animals, as determined by oral or parenteral administration, or inhalation, of fatal doses.\* The guiding principle in selection of material has been that it be of basic importance and from reliable literature sources. Some data of value have had to be omitted either because they were not on hand for publication or because time has not permitted the necessary preparatory steps for printing. The fact that certain data have been compiled and are already in print, or available in other form, has not been regarded as a reason for excluding them from the Handbook. Every page of this volume has been examined for accuracy by the contributors of the data and by a panel of review experts.

In tabulating this information the chief objective has been clarity of presentation. To maintain this clarity, only the most fundamental data appear in the body of the table. Footnotes have been used to supply additional facts in many instances so that simplification of the table structure could be achieved. Other material, pertinent to the values within the table but prohibited by the limitations of space, are to be found in the literature, and for this reason the reference for each line of data is presented on that line. Because of space limitations, only the principal author (initials omitted) is given for each reference. In several cases the values in the table have been calculated from the values in the references, e. g., from cc to mg/kg or from ions to salts. Chemical nomenclature, as it appears in the tables, has been kept exactly as contributed and is identical with that in the literature reference. Thus it may be that for some compounds proprietary names will be given and for others, official designations. However, a cross index at the back of the book contains a multitude of synonyms to facilitate location of any compound within the book.

It must be emphasized that the values presented in these tables are by no means absolute and should be interpreted only as a "yardstick" of toxicity for the compounds listed. Again, the literature reference, in most cases, will reveal the number of determinations, the number of animals in each determination, and conditions under which determinations were made. Some of the conditions which influence toxicity of any given compound are as follows:

- a. Dose: Generally, the larger the dose the more rapid the action.
- b. Rate of absorption: The faster this rate, the quicker the action of the drug. With oral administration the lethal dose may be considerably influenced by the condition of the gastrointestinal tract, especially by the amount of food and fecal material in the stomach and intestine.
- c. Route of administration: For the most part, toxicity is greatest by the route that carries the toxic substance to the bloodstream most rapidly. In descending order of speed of action, routes for most drugs are: intravenous, inhalation, intraperitoneal, intramuscular, subcutaneous, oral, and cutaneous. Food in the alimentary canal may delay or decrease toxic action; digestive enzymes may destroy or alter the compounds with resultant changes in the toxicity thereof. Certain compounds are harmless if taken orally and lethal when introduced parenterally; in many cases the converse is true. The toxicity of the drug may also vary considerably with the form in which it is administered, i. e., solid, in suspension, or in solution. In the last instance the toxicity again may be influenced by the solvent and the concentration.
- d. Site of injection: With subcutaneous injections, toxicity may be affected by the density of the subcutaneous tissue. With intravenous administration whether the injection is made into the femoral or jugular vein may be of importance, but in any case the rate of injection, or the amount of toxic material injected per minute, will considerably influence the value of the toxic dose.
- e. Other influences: Disease, environmental temperature, habit and tolerance, idiosyncrasy, diet, season of the year (especially with hibernating animals) may all affect the toxicity of a drug. The toxicity of chemicals will also vary with the species of animals used, and sometimes with different strains of the same species. Within the same strain the toxicity may differ with age, weight, sex, and the general conditions of the animals.

\* Volume II of the Handbook of Toxicology is scheduled to appear early in 1956.

With all of the above variables exerting their individual or collective influences, it is important that the toxicity be delineated with reference to the time of death or the period of time for which fatalities are counted.

Unfortunately, only in rare instances are all these factors considered and specified in the literature on toxicity determinations. This renders the duplication of such data by different investigators extremely difficult if not impossible. At the present time, attempts are being made to put toxicity data on a quantitative basis. The older literature often refers simply to "lethal doses" (LD) or "minimal lethal doses" (MLD), meaning doses which will be fatal or the smallest dose which will kill a limited number of animals. By using a larger number of animals of comparative weight and sex for each level tested, attempts are now being made to determine more precisely the dose which will kill 50 percent (LD<sub>50</sub>). These values can be further certified by the application of various statistical methods, by stating the degree of deviation of the single values from the mean or the slope of the toxicity curve.

In each instance where a numerical value is given in this volume, that value may be considered as the mean (or adjusted mean) of a group of measured values taken from one literature source and usually determined by one investigator. Wherever given in the reference, each such value is followed by an estimate of the lower and upper limits of the 95% range, a direct representation of the ordinary range of variation. Further calculations from values in these tables should not be undertaken without information on comparability and number of measurements. As mentioned previously in this introduction, space does not permit the inclusion of such collateral information, but the bibliographic references will lead to the original data where it should be found.

The 95% range may be estimated in several ways, the method depending upon the information available. The types of estimate most widely used are listed below. Range data as commonly encountered, including estimates of the 95% range, represent a mixture of the variability existing between individuals and the variability existing within individuals.

- a. By the method of greatest accuracy, the 95% range is obtained by fitting a recognized type of frequency curve to a group of measured values and excluding the extreme 2.5% of area under the curve at each end. Estimate is made by this procedure only when the group of values is relatively large.
- b. By a less accurate method, the 95% range is estimated by a simple statistical calculation, assuming a normal distribution and using the standard deviation. This estimate is used when the group of values is too small for curve fitting, as is usually the case.
- c. A third and still less accurate procedure for estimate of the 95% range is to take as range limits the highest value and lowest value of the reported sample group of measurements. It underestimates the 95% range for small samples (3 or 4 values) and overestimates for larger sample sizes, but may be used in preference to the preceding method when the sample shows convincing evidence that the variable is asymmetrical in distribution.
- d. The upper and lower limits of the ordinary range of variation, as estimated by an investigator experienced in measuring the quantity in question and based solely on general experience, constitute still another estimate of the 95% range. The trustworthiness of limits so placed should not be underestimated.

Ranges appearing in this volume may fall into any one of the four estimates listed. In many instances range data were not available.

The data in each table are, in the judgment of the contributors and reviewers, as authentic as can be procured under the conditions as they exist. It is recognized, however, that all data, and particularly data in the field of acute toxicity, are subject to continuing revision as investigators standardize techniques and make more measurements. The user of the volume is warned against attributing significance to small differences from species to species. He is invited to submit any values or ranges he feels should be given consideration, and is particularly invited to add to the coverage of the tables.

## Abbreviations

### - DOSE† -

LD	= Lethal Dose	The amount (dose) which kills an animal.
MLD	= Minimum lethal dose	The smallest of several doses which kills one of a group of test animals.
LD <sub>50</sub>		The amount (dose) which kills 50% of a group of test animals (usually 10 or more).
LD <sub>100</sub>		The amount (dose) which kills 100% of a group of test animals (usually 10 or more).

† - When, in the symbols listed, D is replaced by C, substitute the word "concentration" for "dose" (e. g., LD = Lethal Dose; LC = Lethal Concentration).

### - ROUTE OF ADMINISTRATION -

ct	= cutaneous	io	= intraocular
ic	= intracutaneous	ip	= intraperitoneal
ici	= intracisternal	iv	= intravenous
ice	= intracerebral	or	= oral
il	= intralumbar	rt	= rectal
im	= intramuscular	sc	= subcutaneous

### - VEHICLE -

alc	= alcohol	det	= detergent
cot oil	= cotton oil	N saline	= normal saline
Dil	= diluted	Na salt	= sodium salt
Eth gly	= ethylene glycol	Par oil	= paraffin oil
G acacia	= gum acacia	pet oil	= petroleum oil
G arabic	= gum arabic	Prop gly	= propylene glycol
G traga	= gum tragacanth	sal	= saline
cello	= cellosolve	Ses oil	= sesame oil

Veg oil = vegetable oil

### - MISCELLANEOUS -

*	= circa	mo	= month(s)
cont	= continuous	sec.	= secondary
da	= day(s)	Sev	= several
hr	= hours(s)	tert.	= tertiary
min	= minute(s)	wk	= week(s)

## TOXICITY CLASSES

The toxicological data presented in this handbook are the result of extensive tests on laboratory animals. Frequently, toxicologists, industrial hygienists, industrial physicians, etc., are asked to translate these data into terminology that will readily describe the hazards associated with their use. Consequently, classes have been established to define the toxicity of a chemical material, in common terms, with reference to data obtained by specified animal tests. The following tabulation of toxicity classes is useful only for those data which are applicable.

### COMBINED TABULATION OF TOXICITY CLASSES\*

Various Routes of Administration					
Toxicity Rating	Commonly Used Term	LD <sub>50</sub> Single Oral** Dose Rats	Inhalation 4 hr Vapor Exposure Mortality 2/6-4/6 Rats	LD <sub>50</sub> Skin Rabbits	Probable Lethal Dose for Man
1	Extremely toxic	1 mg or less/kg	10 ppm	5 mg or less/kg	A taste, 1 grain
2	Highly toxic	1-50 mg	10-100	5-43 mg	1 teaspoon 4 cc
3	Moderately toxic	50-500 mg	100-1000	44-340 mg	1 ounce 30 gm
4	Slightly toxic	0.5-5 g	1000-10,000	35-2.81 g/kg	1 pint 250 gm
5	Practically non-toxic	5-15 g	10,000-100,000	2.82-22.59 g/kg	1 quart
6	Relatively harmless	15 g and more	>100,000	22.6 or more g/kg	>1 quart

\* Hodge, H. C., and Sterner, J. H., American Industrial Hygiene Association Quarterly, 10:4, 93, Dec 1943.

\*\* Standards for intravenous LD<sub>50</sub> for rats and rabbits may be obtained approximately by dividing the oral toxicity standards for rats by 10.

**TABLE I**

**LETHAL DOSES OF SOLID AND LIQUID COMPOUNDS:  
LABORATORY ANIMALS**

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1 Abobioside	Cat	iv	LD <sub>50</sub>	0.6992
2 Abomonoside	Cat	iv	LD <sub>50</sub>	0.6790
3 Acetal	Rat	or	LD <sub>50</sub>	4570
	Rabbit	ct	LD <sub>50</sub>	8210
4 Acetaldehyde	Frog	sc	LD	800
	Mouse	sc	LD <sub>50</sub>	560
	Rat	or	LD <sub>50</sub>	1930
	Rat	sc	LD <sub>50</sub>	640
	Rat	ip	LD <sub>100</sub>	500
	Rabbit	sc	LD*	1200
	Rabbit	iv	LD*	300
5 Acetamide	Frog	sc	LD*	200
	Rat	or	LD <sub>50</sub>	30,400
	Dog	iv	LD	>5000
6 p-Acetaminobenzaldehydethio- semicarbazone	Mouse	or	LD	950
7 1-Acetaminocarbazole	Rat	or	LD <sub>50</sub>	>3000
8 2-Acetaminocarbazole	Rat	or	LD <sub>50</sub>	>5000
9 3-Acetaminocarbazole	Rat	or	LD <sub>50</sub>	>6000
10 2-Acetaminodibenzofuran	Rat	or	LD <sub>50</sub>	>5000
11 3-Acetaminodibenzothiophene	Rat	or	LD <sub>50</sub>	1195
12 3-Acetamino-9-methylcarbazole	Rat	or	LD <sub>50</sub>	3115
13 p-Acetaminophenol	Rabbit	iv	MLD	3700
14 1-Acetamino-5, 6, 7, 8-tetra- hydrocarbazole	Rat	or	LD <sub>50</sub>	3865
15 3-Acetamino-5, 6, 7, 8-tetra- hydrocarbazole	Rat	or	LD <sub>50</sub>	>6000
16 Acetanilide	Mouse	sc	LD	1300 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	800 <sup>2</sup>
	Guinea pig	or	MLD	200
	Rabbit	or	LD	1500-1600
	Rabbit	or	LD	900-1200
	Cat	or, iv	LD	250
	Cat	iv	LD	8.5-13.5
	Dog	or	LD	700
	Dog	iv	LD	175-300
	Dog	iv	LD*	300-1200
17 Acetarsons <sup>3</sup>	Rat	or	LD	>4500
	Rat	im	LD	>140
	Guinea pig	or	MLD	190
	Rabbit	or	MLD	100
(continued on next page)	Rabbit	or	LD <sub>50</sub>	150

/1/ As a 55% solution in alcohol. /2/ As a 2% suspension in H<sub>2</sub>O. /3/ Toxicity of different

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
0.3732-1.1500	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1
0.4832-0.8365	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	2
4240-4920			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	3
1620-2240		24 hr 14 hr 10 min 24 hr Instant	Supniewski, J. Pharm. Exp. Ther. <u>30:429</u> , 1927. Skog, Acta pharm. tox. <u>6:299</u> , 1950. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Skog, Acta pharm. tox. <u>6:299</u> , 1950. Stotz, J. Biol. Chem. <u>152:41</u> , 1944. Supniewski, J. Pharm. Exp. Ther. <u>30:429</u> , 1927. Ibid	4
28,300-32,600			Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892. Smyth, unpublished data, Mellon Inst. Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892.	5
		2-5 da	Savini, C. rend. Soc. biol. <u>144:1310</u> , 1950.	6
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	7
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	8
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	9
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	10
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	11
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	12
			Hinsberg, Arch. exp. Path. Pharm. <u>33:216</u> , 1894.	13
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	14
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	15
	Alcohol H <sub>2</sub> O H <sub>2</sub> O Alcohol		Hale, Hyg. Lab. Bull. <u>53</u> , 1909. Smith, J. Pharm. Exp. Ther. <u>54:159</u> , 1935. Lépine, Rev. de med. <u>306:1887</u> . Munch, J. Am. Pharm. Assoc. <u>30:91</u> , 1941. Ibid Ibid Ibid Karczmar, Fed. Proc. <u>6:341</u> , 1947. Munch, J. Am. Pharm. Assoc. <u>30:91</u> , 1941. Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892.	16
125-175		6-13da	Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1928. Ibid Leake, J. Am. Med Assoc. <u>98:195</u> , 1932. Ibid Anderson, Proc. Soc. Exp. Biol. Med. <u>27:267</u> , 1930.	17

brands may vary.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
17 Acetarsone <sup>1</sup> (concluded)	Rabbit	or	LD	1500
	Rabbit	iv	LD	120
	Cat	or	MLD	125-150
	Cat	or	LD <sub>50</sub>	150
18 Acetic acid	Mouse	or	LD <sub>50</sub>	4960
	Rat	or	LD <sub>50</sub>	3310
	Rat	or	LD <sub>50</sub>	3530
19 Acetic acid butyl ester	Rat	or	LD <sub>50</sub>	14, 120
	Rabbit	ct	LD <sub>50</sub>	>20 cc
20 Acetic acid isopropyl ester	Rat	or	LD <sub>50</sub>	6750
	Rabbit	ct	LD <sub>50</sub>	>20 cc
21 Acetic anhydride	Rat	or	LD <sub>50</sub>	1780
	Rabbit	ct	LD <sub>50</sub>	4000
22 Acetone	Rat	or	LD <sub>50</sub>	9750
	Rat	iv	LD	4750-6336
	Rabbit	or	LD	7920
	Rabbit	or	LD <sub>50</sub>	5340
	Rabbit	iv	LD <sup>2</sup>	1584
23 Acetone cyanohydrin	Rat	ct	LD <sub>50</sub> <sup>*</sup>	150
24 Acetonitrile <sup>2</sup>	Frog	sc	MLD	9100
	Mouse	sc	MLD	600
	Mouse	sc	MLD	700
	Rat	or	LD <sub>50</sub>	3800
	Rat	sc	LD	500-3900
	Guinea pig	sc	LD	180-450
	Rabbit	ct	LD <sub>50</sub>	5000
	Rabbit	sc	MLD	105
	Rabbit	sc	MLD	130
	Monkey	sc	LD	720-800
Pigeon	im	LD	4000	
25 Acetophenone	Rat	or	LD <sub>50</sub>	900
	Rat	or	LD <sub>50</sub>	3000
	Guinea pig	ct	LD <sub>50</sub>	>20,000
	Rabbit	ct	LD <sub>50</sub>	1760
26 Acetophenone-4-methoxy-3-methyl	Mouse	or	LD <sub>50</sub>	3.6 cc
	Rat	or	LD <sub>50</sub>	1.5 cc
27 o-Acetoxy-cinnamic acid	Rat	or	LD <sub>50</sub>	3150
28 3-Acetoxy-6-dimethylamino-4,4-diphenylheptane	Mouse	sc	LD <sub>50</sub>	70
29 3-Acetoxy-6-dimethylamino-4,4-diphenyl-5-methylhexane	Mouse	sc	LD <sub>50</sub>	250
30 1-Acetoxy-3-dimethylamino-1,1-diphenyl-2-methylpropane	Mouse	sc	LD <sub>50</sub>	350
31 2-(Acetoxy-3,5-dimethylphenyl)-trimethylammonium iodide	Mouse	or	LD <sub>50</sub>	>1500
	Mouse	iv	LD <sub>50</sub>	3.3±0.15

/1/ Toxicity of different brands may vary. /2/ Toxicity varies with diet of animal.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
125-175		3-20 da	Raiziss, Arch. f. Derm. Syph. 25:799, 1932. Ibid Leake, J. Am. Med. Assoc. 98:195, 1932. Anderson, Proc. Soc. Exp. Biol. Med. 27:267, 1930.	17
4430-5550 3000-3660 3200-3880		36 hr 36 hr	Woodard, J. Ind. Hyg. Tox. 23:78, 1941. Ibid Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	18
11,840-16,650			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	19
6160-7380			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	20
1480-2130 2700-5920			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Smyth, unpublished data, Mellon Inst.	21
9,070-10,480 4790-5950			Smyth, unpublished data, Mellon Inst. Walton, J. Pharm. Exp. Ther. 33:175, 1928. Ibid Smyth, unpublished data, Mellon Inst. Walton, J. Pharm. Exp. Ther. 33:175, 1928.	22
			Sunderman, Arch. Ind. Hyg. Occ. Med. 8:371, 1953.	23
			Rentz, Arch. int. pharmacod. 36:455, 1929. Wiesbader, Endocrinology, 20:100, 1936. Hunt, Arch. int. pharmacod. 12:447, 1904. Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Hunt, Heffter's Hdb. 1.1:812. Ibid Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Rentz, Arch. int. pharmacod. 36:455, 1929. Verbrugge, Arch. int. pharmacod. 5:161, 1899. Hunt, Heffter's Hdb. 1.1:812. Meurice, Arch. int. pharmacod. 7:11, 1900.	24
800-1000 1670-1850			Smyth, unpublished data, Mellon inst. Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid Smyth, unpublished data, Mellon Inst.	25
			Dratze, J. Pharm. Exp. Ther. 93:76, 1948. Ibid	26
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	27
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	28
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	29
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	30
			Randall, J. Pharm. Exp. Ther. 99:16, 1950. Ibid	31

Compound	Animal	Route	Dose	Doasge
				mg/kg
				Value
32 (3-Acetoxyphenyl)methyl-diethyl-ammonium iodide	Mouse	iv	LD <sub>50</sub>	8.8±0.9
33 (1-Acetoxyphenyl)trimethyl-ammonium bromide	Mouse	or	LD <sub>50</sub>	560.0±56
	Mouse	sc	LD <sub>50</sub>	137.0±41
	Mouse	iv	LD <sub>50</sub>	12.0±2.2
34 (3-Acetoxyphenyl)trimethyl-ammonium iodide	Mouse	or	LD <sub>50</sub>	800
	Mouse	sc	LD <sub>50</sub>	125±21
	Mouse	iv	LD <sub>50</sub>	3.7±0.4
35 Acetylcholine	Frog	sc	LD	200-230
	Mouse	sc	LD	90-100
	Rabbit	iv	LD	0.15
	Cat	sc	LD	>10
36 Acetylcholine chloride	Mouse	or	LD <sub>50</sub>	3000
	Mouse	sc	LD <sub>50</sub>	170
	Mouse	iv	LD <sub>50</sub>	20
	Rat	or	LD <sub>50</sub>	2500
	Rat	sc	LD <sub>50</sub>	250
	Rat	iv	LD <sub>50</sub>	22
37 α-Acetyldigtoxin	Cat	iv	LD <sub>50</sub>	0.5141
38 β-Acetyldigtoxin	Cat	iv	LD <sub>50</sub>	0.4763
39 α-Acetyldigoxin	Cat	iv	LD <sub>50</sub>	0.4662
40 β-Acetyldigoxin	Cat	iv	LD <sub>50</sub>	0.4299
41 Acetylmeadol <sup>1</sup>	Mouse	sc	LD <sub>50</sub> <sup>2</sup>	40
42 α-Acetyloxypropionyl-K-strophanthidin	Rabbit	iv	MLD	0.90
	Cat	iv	MLD	0.45
43 Acetylsalicilic acid	Frog	sc	LD	63(Na salt)
	Mouse	or	LD <sub>50</sub>	1100
	Rat	or	LD <sub>50</sub>	1500-2000 <sup>2</sup>
	Rat	or	LD <sub>50</sub>	1360 <sup>3</sup>
	Rat	ip	LD <sub>50</sub>	500 <sup>4</sup>
	Rabbit	or	LD <sub>50</sub>	1800 <sup>3</sup>
	Rabbit	sc	MLD	700
	Dog	or	LD	2000-4000
44 Acetyl-K-strophanthidin	Rabbit	iv	MLD	0.55
	Cat	iv	MLD	0.15
45 Acetylthanghinin	Cat	iv	LD <sub>50</sub>	0.9097
46 Aconin	Guinea pig	sc	LD	150
	Rabbit	sc	LD	150-160
47 Aconitifloroside E	Cat	iv	LD <sub>50</sub>	0.2592

<sup>1</sup>/1/All racemers: L, D, DL. /2/As a 20% suspension in H<sub>2</sub>O. /3/In 5% gum tragacanth solution.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950.	32
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950. Ibid Ibid	33
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950. Ibid Ibid	34
		Sev da 8-10 min	Fühner, Arch. exp. Path. Pharm. <u>166:455</u> , 1932. Ibid Hunt, Pub. Health Bull. 73, p18. Trendelenburg, Heffter's Hdb. 1.1:600.	35
		24 hr 24 hr 24 hr Few min 24 hr Few min	Molitor, J. Pharm. Exp. Ther. <u>58:337</u> , 1936. Ibid Ibid Ibid Ibid Ibid	36
0.4343-0.5758	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	37
0.3543-0.6298	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	38
0.3989-0.5521	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	39
0.2994-0.5313	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	40
			Keats, J. Pharm. Exp. Ther. <u>105:210</u> , 1952.	41
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937. Ibid	42
	H <sub>2</sub> O G traga H <sub>2</sub> O G traga H <sub>2</sub> O	1-7 da 24 hr 8-38 hr	Dresser, Arch. ges. Physiol. <u>76:396</u> , 1899. Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947. Ichniowski, J. Am. Pharm. Assoc. <u>35:225</u> , 1946. Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950. Ichniowski, J. Am. Pharm. Assoc. <u>35:225</u> , 1946. Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947. Eillager, Heffter's Hdb. 1:1005. Dav. s. Fed. Proc. 4:116, 1945.	43
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937. Ibid	44
0.6060-1.159	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	45
			Flury, Abderhalden's Hdb. <u>4.7b:1291</u> . Ibid	46
0.2114-0.2923	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	47

/4/ As 20% suspension in H<sub>2</sub>O.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
48 Aconitine (amorphous)	Frog	sc	MLD	0.44
	Rat	sc	MLD	0.175
	Rat	ip	MLD	0.1
49 Aconitine (crystalline)	Frog <sup>1</sup>	sc	LD	0.586
	Frog <sup>2</sup>	sc	LD	1.4
	Rat	ip	MLD	0.25
	Guinea pig	sc	LD	0.112-0.123
	Guinea pig	sc	MLD	0.05-0.07
	Rabbit	sc	LD	0.131
	Cat	sc	LD	0.4
	Dog	iv	LD	0.35
Pigeon	sc	MLD	0.0655	
50 Aconitine (Lapp)	Mouse	or	LD <sub>50</sub> <sup>a</sup>	20
	Mouse	ip	LD <sub>50</sub>	9.1±0.23
	Mouse	iv	LD <sub>50</sub>	6.9±0.22
51 Acridan	Mouse♂	sc	LD <sub>50</sub>	3.63±0.21
	Mouse♀	sc	LD <sub>50</sub>	4.17±0.24
52 Acridine	Rat	or	LD <sub>50</sub>	2140
53 Acriflavine	Frog	sc	LD	800-1000
	Mouse	sc	LD	250
	Mouse	ip	LD	250
	Guinea pig	sc	LD	250
	Guinea pig	ip	LD	250
	Guinea pig	iv	LD	40
	Rabbit	iv	LD	20
	Rabbit	iv	LD	30
	Cat	iv	LD	7.3
	Dog	iv	LD <sub>100</sub>	30
54 Acrolein	Mouse	sc	LD <sub>50</sub>	30
	Rat	or	LD <sub>50</sub>	46
	Rat	sc	LD <sub>50</sub>	50
	Guinea pig	sc	LD	4280
	Guinea pig	sc	LD	178
	Rabbit	or	LD <sub>50</sub>	7.1
	Rabbit	sc	LD	965
	Rabbit	sc	LD	581
Rabbit	sc	LD	305	
55 Acrylic acid	Rat	or	LD <sub>50</sub>	2520
	Rabbit	ct	LD <sub>50</sub>	950
56 Acrylonitrile	Mouse	or	LD	>20, <72
	Mouse	ip	LD <sub>50</sub>	15
	Rat	or	LD <sub>50</sub>	93
	Guinea pig	or	LD <sub>50</sub>	50
	Rabbit	ct	LD <sub>50</sub>	250
57 Actidione	Rat	or	LD <sub>50</sub>	1

<sup>1</sup>/1/spring frogs. <sup>2</sup>/2/summer frogs.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		108 hr	Benigni, Arch. int. pharmacod. 37:161, 1930. Munch, J. Am. Pharm. Assoc. 18:17, 1929. Ibid	48
	Dil acid	2 hr 24 hr	Flury, Abderhalden's Hdb. 4.7b:1291. Ibid Cunningham, Proc. Soc. Exp. Biol. Med. 26:221, 1928. Flury, Abderhalden's Hdb. 4.7b:1291. Swanson, J. Am. Pharm. Assoc. 12:957, 1923. Flury, Abderhalden's Hdb. 4.7b:1291. Ibid Ibid Ibid	49
			Dybing, Acta pharm. tox. 7:337, 1951. Ibid Ibid	50
		48 hr 48 hr	Beck, Proc. Soc. Exp. Biol. Med. 78:392, 1951. Ibid	51
1540-2990			Smyth, unpublished data, Mellon Inst.	52
		1½ hr	Lenz, Zschr. ges. exp. Med. 12:195, 1921. Flury, Abderhalden's Hdb. 4.7b:1292. Ibid Ibid Ibid Ibid Heathcote, J. Pharm. Exp. Ther. 38:145, 1930. Tubby, Lancet 196:838, 1919. Heathcote, J. Pharm. Exp. Ther. 38:145, 1930.	53
39-56  3.1-16.7		24 hr 24 hr 34 min 85 min 3 hr 30 min 6 hr	Skog, Acta pharm. tox. 6:299, 1950. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Skog, Acta pharm. tox. 6:299, 1950. Lewin, Arch. exp. Path. Pharm. 43:351, 1900. Ibid Smyth, unpublished data, Mellon Inst. Lewin, Arch. exp. Path. Pharm. 43:351, 1900. Ibid Ibid	54
2320-2740 670-1300			Smyth, unpublished data, Mellon Inst. Ibid	55
81-106			McOmie, J. Ind. Hyg. Tox. 31:113, 1949. Ibid Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid Smyth, unpublished data, Mellon Inst.	56
		25 hr	Traub, J. Am. Pharm. Assoc. 39:552, 1950.	57

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
58	Adalin	Frog	sc	LD	1665
		Rabbit	or	LD	500-700
		Cat	or	MLD	350
		Dog	or	LD	450
		Dog	sc	LD	300
59	Adenine	Mouse	ip	LD <sub>50</sub>	335
		Mouse	ip	LD <sub>50</sub>	340
		Rat	or	LD <sub>50</sub>	745
		Rat	ip	LD <sub>50</sub>	198
60	Adonidin	Frog	sc	LD	4
		Rabbit	iv	LD	5
		Cat	iv	LD	3-4
61	Agaricic acid	Rabbit	iv	LD	100
62	Agerite (white)	Rat?	ip	LD <sub>50</sub>	4500
63	Aldol	Rat	or	LD <sub>50</sub>	2180
		Rabbit	ct	LD <sub>50</sub>	140
64	Aldrin	Rat♂	or	LD <sub>50</sub>	54.2±6.19
		Rat♀	or	LD <sub>50</sub>	56.0±5.28
		Rabbit	ct	LD <sub>50</sub> <sup>a</sup>	<150
65	Aleurin	Mouse	ip	LD <sub>50</sub>	10
66	Alkylmercuric chloride	Rat	or	LD <sub>50</sub> <sup>a</sup>	30
67	Allethrin	Mouse	or	LD <sub>50</sub>	480
		Rat	or	LD <sub>50</sub>	920
		Rat	or	LD <sub>50</sub> <sup>a</sup>	680
		Rabbit	or	LD <sub>50</sub>	4290
		Rabbit	ct	LD <sub>50</sub>	11,200
68	Alloxan	Mouse	ip	LD <sub>50</sub>	300-400
		Mouse	iv	LD <sub>50</sub>	200
		Rat	iv	LD	300
		Rabbit	rt <sup>1</sup>	MLD	100-250 <sup>2</sup>
		Dog	iv	LD	100
		Dog	iv	LD	75-100
		Sheep	iv	LD	200
		Pigeon	iv	LD	150-200
		Duck	iv	MLD	250 <sup>3</sup>
69	Allyl acetate	Rat	or	LD <sub>50</sub>	130
		Rabbit	ct	LD <sub>50</sub>	1100
70	Allyl alcohol	Mouse	or	LD <sub>50</sub>	139
		Rat	or	LD <sub>50</sub>	64
		Rabbit	or	LD	53 <sup>4</sup>
		Rabbit	or	LD <sub>50</sub>	52
		Rabbit	ct	LD <sub>50</sub>	53
		Rabbit	ct	LD	118 <sup>4</sup>
		Dog	or	LD	43 <sup>5</sup>

<sup>1</sup>/Or by injection into jejunum. <sup>2</sup>/As alloxan monohydrate, 15% suspension in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Flury, Abderhalden's Hdb. 4.7b:1292. Ibid Ibid Ibid	58
280-400 300-390 640-860 160-240			Philips, J. Pharm. Exp. Ther. 104:20, 1952. Ibid Ibid Ibid	59
			Lendle, Heffter's Hdb. E.1:78. Ibid Ibid	60
			Flury, Abderhalden's Hdb. 4.7b:1297.	61
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	62
2000-2380 130-160			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	63
			Ball, Arch. Ind. Hyg. Occ. Med. 7:292, 1953. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. 16:3, 1952.	64
			Rpt. Chemother. Leukemia. So. Res. Inst.	65
			Corley, J. Am. Med. Assoc. 157:237, 1955.	66
			Carpenter, Arch. Ind. Hyg. Occ. Med. 2:420, 1950. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Carpenter, Arch. Ind. Hyg. Occ. Med. 2:420, 1950. Ibid	67
	H <sub>2</sub> O	48 hr 48 hr Rapid  Few hr 1 wk 24 hr 2-3 da 36-48 hr	Waisbren, Proc. Soc. Exp. Biol. Med. 67:154, 1948. Ibid Cabe, C. rend. Soc. Biol. 162:1335, 1948. Ruben, Am. J. Clin. Path. 16:257, 1946. Goldner, Endocrinology 33:297, 1943. Ibid Bell, J. Comp. Path. 58:152, 1946. Goldner, Proc. Soc. Exp. Biol. Med. 58:31, 1945. Mirsky, Proc. Soc. Exp. Biol. Med. 59:35, 1945.	68
	H <sub>2</sub> O		Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	69
119-158 56-74  47-58 45-63	H <sub>2</sub> O H <sub>2</sub> O  H <sub>2</sub> O H <sub>2</sub> O	9 hr  2½ hr 7 hr	Smyth, unpublished data, Mellon Inst. Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Missener, Berl. klin. Wochr. 28:819, 1891. Smyth, unpublished data, Mellon Inst. Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Missener, Berl. klin. Wochr. 28:819, 1891. Atkinson, J. Pharm. Exp. Ther. 25:144, 1925.	70

1/3/5% solution. 1/4/25% solution. 1/5/1% solution.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
71 Allylarsinic acid	Rat	iv	LD	350 <sup>1</sup>
72 Allyl-bis-(β-chloroethyl)-aminoethylsulfone	Mouse	sc	LD <sub>50</sub>	4-6
73 Allylcyclohexylpropionate	Rat	or	LD <sub>50</sub>	600
74 Allylglyceryl ether	Mouse	or	LD <sub>50</sub>	4200±84
75 3-Allyloxy-1, 2-propandiol	Mouse	or	LD <sub>50</sub>	4.2cc±0.08
76 Allyltheobromine	Mouse	sc	LD	125
	Mouse	iv	LD	40
	Rabbit	sc	LD	100
	Rabbit	iv	LD	50
77 Aluminum chloride	Rat	or	LD <sub>50</sub>	3730
	Rat	sc	LD	7000-8000 <sup>2</sup>
78 Aluminum nitrate	Rat	or	LD <sub>50</sub>	4280
79 Alypin	Frog	sc	MLD	200-390
	Mouse	sc	MLD	260
	Rat	sc	MLD	200-430
	Rat	iv	MLD	10-15
	Guinea pig	sc	MLD	72
	Guinea pig	ip	MLD	100
	Guinea pig	iv	MLD	15-20
	Rabbit	sc	MLD	96
	Rabbit	iv	MLD	10
	Cat	sc	MLD	60
Cat	iv	MLD	10	
Dog	sc	MLD	70	
80 Amboiside	Cat	iv	LD <sub>50</sub>	0.8268
81 Amidrine	Rat	or	LD <sub>50</sub>	538
	Rat	im	LD <sub>50</sub>	146
	Rat	ip	LD <sub>50</sub>	50
82 p-Aminoacetophenone	Mouse	ip	LD <sub>50</sub>	465±19
83 Aminocridine HCl	Mouse	or	LD <sub>50</sub>	78±17
	Mouse	sc	LD <sub>50</sub>	95
	Mouse	ip	LD <sub>50</sub>	70
84 9-Aminocridine penicillin	Mouse	or	LD <sub>50</sub>	227±15.2 <sup>3</sup>
	Mouse	or	LD <sub>50</sub>	100 <sup>4</sup>
	Mouse	sc	LD <sub>50</sub>	562±58.5 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	256 <sup>4</sup>
85 6-Amino-2-aminobenothiazole	Mouse	iv	LD <sub>50</sub> <sup>4</sup>	384
86 p-Aminobenzaldehyde	Mouse	ip	LD <sub>50</sub>	912±58
87 2-Aminobenzimidazole	Mouse	iv	LD <sub>50</sub> <sup>4</sup>	170

<sup>1</sup>/15% solution... <sup>2</sup>/As a 20% solution in H<sub>2</sub>O. <sup>3</sup>/As the base. <sup>4</sup>/As the hydrochloride.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Ickowitz. Ann. anat. path. <u>12:501</u> , 1935.	71
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	72
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:82</u> , 1951.	73
			Loeb, Fed. Proc. <u>8:316</u> , 1949.	74
		10 da	Hine, Arch. Ind. Hyg. Occ. Med. <u>2:579</u> , 1950.	75
			Ritz, Arch. int. pharmacod. <u>25:361</u> , 1921.	76
			Ibid	
			Ibid	
2430-5740	H <sub>2</sub> O	1-3 da	Smyth, unpublished data, Mellon Inst. Underhill, Am. J. Physiol. <u>90:76</u> , 1929.	77
3860-4760			Smyth, unpublished data, Mellon Inst.	78
			Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932.	79
			Ibid	
0.5294-1.821	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	80
			Semenza, Boll. soc. ital. biol. sper. <u>27:354</u> , 1951.	81
			Ibid	
			Ibid	
			Lanphier, Fed. Proc. <u>6:348</u> , 1947.	82
		72 hr	Brodie, J. Am. Pharm. Assoc. <u>38:498</u> , 1949	83
		72 hr	Ibid	
		72 hr	Ibid	
		72 hr	Brodie, J. Am. Pharm. Assoc. <u>38:498</u> , 1949.	84
		72 hr	Ibid	
		72 hr	Ibid	
		72 hr	Ibid	
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	85
			Lanphier, Fed. Proc. <u>6:348</u> , 1947.	86
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	87

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
88	p-Aminobenzoic acid	Mouse	or	LD <sub>50</sub>	2850±400
		Mouse	iv	LD <sub>50</sub>	4600±210 <sup>1</sup>
		Rat	or	LD <sub>50</sub>	6000
		Rat	or	LD <sub>50</sub> *	10,000
		Rat	iv	LD <sub>50</sub>	2760±240 <sup>1</sup>
		Rabbit	or	LD <sub>50</sub>	1830
		Dog	or	LD <sub>50</sub>	1000-3000
89	2-Aminobenzothiazole	Mouse	iv	LD <sub>50</sub>	126±4
90	2-Aminobenzoxazole	Mouse	iv	LD <sub>50</sub>	238±10
91	(3-p-Aminobenzoxyphenyl)tri- methylammonium bromide	Mouse	iv	LD <sub>50</sub>	3.0±0.2
92	3-Amino-9-n-butylcarbazole HCl	Rat	or	LD <sub>50</sub>	946
93	2-Aminocarbazole HCl	Rat	or	LD <sub>50</sub>	964
94	3-Aminocarbazole HCl	Rat	or	LD <sub>50</sub>	1517
95	2-Aminoethanol	Rat <sup>2</sup>	or	LD <sub>50</sub>	2140
		Rabbit	ct	LD <sub>50</sub>	1000
96	2-Aminoethoxyethanol	Rat	or	LD <sub>50</sub>	5660
		Rabbit	ct	LD <sub>50</sub>	1190
97	2-Amino-3-ethoxy-5, 6, 7, 8- tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	810
98	3-Amino-9-ethylcarbazole HCl	Rat	or	LD <sub>50</sub>	234
99	Aminoethylethandiamine	Rat	or	LD <sub>50</sub>	3000
		Guinea pig	ct	LD <sub>50</sub>	1800
100	N-Aminoethylmorpholine	Rat	or	LD <sub>50</sub>	3000
		Guinea pig	ct	LD <sub>50</sub>	300
101	1-Amino-9-ethyl-5, 6, 7, 8- tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	1092
102	3-Amino-9-ethyl-5, 6, 7, 8- tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	198
103	3-Amino-5, 6, 7, 8, 12, 13- hexahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	275
104	3-Amino-9-methylcarbazole HCl	Rat	or	LD <sub>50</sub>	347
105	2-Amino-6-methylheptane	Mouse	ip	LD <sub>50</sub>	59
		Rat	ip	LD <sub>50</sub>	41.5
		Guinea pig	ip	LD <sub>50</sub>	39
		Rabbit	ip	LD <sub>50</sub>	44
106	DL-2-Amino-1-(p-methylphenyl)propane	Rat	or	LD <sub>50</sub> *	150
		Guinea pig	ip	LD <sub>50</sub>	20-25
		Rabbit	ip	LD <sub>50</sub>	40

/1/As the sodium salt. /2/More toxic for immature than for adult rats.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
1730-1940		Sev hr	Scott, Proc. Soc. Exp. Biol. Med. <u>49:184</u> , 1942.	88
		5-10min	Ibid	
		5-10min	Robin, Fed. Proc. <u>6:366</u> , 1947.	
		1-2 da	Scott, Proc. Soc. Exp. Biol. Med. <u>49:184</u> , 1942. Cronheim, Fed. Proc. <u>10:289</u> , 1950. Scott, Proc. Soc. Exp. Biol. Med. <u>49:184</u> , 1942.	
		Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	89	
		Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	90	
		Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950.	91	
		Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	92	
		Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	93	
		Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	94	
1540-2990 620-1620			Smyth, unpublished data, Mellon Inst. Ibid	95
710-2000			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:19</u> , 1951. Ibid	96
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	97
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	98
			Smyth, J. Ind. Hyg. Tox. <u>26:269</u> , 1944. Ibid	99
			Smyth, J. Ind. Hyg. Tox. <u>26:269</u> , 1944. Ibid	100
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	101
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	102
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	103
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	104
			Fellows, J. Pharm. Exp. Ther. <u>90:351</u> , 1947 Ibid Ibid Ibid	105
			Fellows, J. Pharm. Exp. Ther. <u>100:72</u> , 1950. Ibid Ibid	106

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
107 2-Amino-9-methyl-5,6,7,8-tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	705
108 5-Amino-9-methyl-5,6,7,8-tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	229
109 o-Aminophenol	Cat	sc	LD	37
110 p-Aminophenol	Cat	sc	LD	37
111 α-(4-Aminophenyl)-β-methylamino-propane	Rat	or	LD <sub>50</sub>	300
	Rat	ip	LD <sub>50</sub>	85
112 Azainophylline	Mouse	or	LD <sub>50</sub>	540±12.9 <sup>1</sup>
	Rat	iv	MLD	190
	Rabbit	iv	LD <sub>50</sub>	150±7.65 <sup>2</sup>
113 1-Amino-2-propanol	Rat	or	LD <sub>50</sub>	4260
	Rabbit	ct	LD <sub>50</sub>	1640
114 p-Aminopropiophenone	Mouse	ip	LD <sub>50</sub>	223±17
	Dog	iv	LD <sub>50</sub>	7.15±0.89
115 3-Amino-9-propylcarbazole HCl	Rat	or	LD <sub>50</sub>	423
116 4-Aminopropylmorpholine	Rat	or	LD <sub>50</sub>	5660
	Rabbit	ct	LD <sub>50</sub>	1230
117 p-Aminopyridine	Frog	sc	LD	200
	Mouse	sc	LD	50-70
	Rabbit	sc	LD	100
	Rabbit	iv	LD	20
	Dog	sc	LD	100
118 Aminopyrine	Frog	sc	LD	825-1650
	Mouse	or	LD <sub>50</sub>	1850±0.03
	Mouse	sc	LD	350-360 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	350±0.008
	Mouse	iv	MLD	150
	Mouse	iv	LD <sub>50</sub>	184±0.004
	Mouse	iv	LD <sub>50</sub>	170
	Rat	or	LD <sub>50</sub>	1700
	Rat	iv	MLD	135
	Rat	ip	LD <sub>50</sub>	248
	Rabbit	sc	LD	417
	Dog	sc	LD <sup>a</sup>	300
119 2-Aminoquinclidinoldiphenyl-acetate HCl	Mouse	ip	LD <sub>50</sub>	178
120 p-Aminosalicylic acid	Mouse	or	LD <sub>50</sub> <sup>a</sup>	4000
	Mouse	sc	LD <sub>50</sub>	4000-5000
	Mouse	sc	LD <sub>50</sub> <sup>a</sup>	4000
	Mouse	ip	LD <sub>50</sub> <sup>a</sup>	4500
	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	2500
	Rat	sc	LD <sub>50</sub>	8000-10,000
Rabbit	or	LD <sub>50</sub>	3650	

<sup>1/1</sup> 5% solution. <sup>2/2</sup> 25% solution. <sup>3/3</sup> 1% solution.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	107
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	108
		105 min	Heubner, Arch. exp. Path. Pharm. 72:239, 1913.	109
		30 hr	Heubner, Arch. exp. Path. Pharm. 72:239, 1913.	110
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940. Ibid	111
	H <sub>2</sub> O	1 wk	Thompson, J. Lab. Clin. Med. 31:1337, 1946.	112
	H <sub>2</sub> O	1 wk	Chen, J. Pharm. Exp. Ther. 45:1, 1932. Thompson, J. Lab. Clin. Med. 31:1337, 1946.	
3880-4670 1380-1950			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Smyth, unpublished data, Mellon Inst.	113
	G traga		Langhler, Fed. Proc. 6:348, 1947. Rose, J. Pharm. Exp. Ther. 89:109, 1947.	114
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	115
440-1630			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	116
			Petini, Chem. Zbl. 893, 1914. Bierweg, Dissert., Kiel 1932. Ibid Ibid Ibid	117
	H <sub>2</sub> O	30 min  48 hr  24 hr	Filehne, Zentr. klin. Med. 32:569, 1897. Koch, Med. Klin. Berl. 45:661, 1950. Fühner, Arch. exp. Path. Pharm. 166:455, 1932. Koch, Med. Klin. Berl. 45:661, 1950. Rose, Proc. Soc. Exp. Biol. Med. 32:1242, 1935. Koch, Med. Klin. Berl. 45:661, 1950. Hasleton, J. Pharm. Exp. Ther. 109:387, 1953. Hart, J. Pharm. Exp. Ther. 89:205, 1947. Rose, Proc. Soc. Exp. Biol. Med. 32:1242, 1935. Hasleton, J. Pharm. Exp. Ther. 109:387, 1953. Filehne, Zentr. klin. Med. 32:569, 1897. Biberfeld, Zentr. exp. Path. 5:28, 1908.	118
			Randall, J. Pharm. Exp. Ther. 104:284, 1952.	119
3350-3980			Bavin, Brit. J. Pharm. 1:790, 1949. Goebel, Therap. Umschau 7:151, 1951. Bavin, Brit. J. Pharm. 1:790, 1949. Ibid Ibid Goebel, Therap. Umschau 7:151, 1951. Cronheim, Fed. Proc. 10:289, 1951.	120

Compound	Animal	Route	Dose	Dosage	
				mg/kg Value	
121	1-Amino-5,6,7,8-tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	1375
122	2-Amino-5,6,7,8-tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	290
123	3-Amino-5,6,7,8-tetrahydrocarbazole HCl	Rat	or	LD <sub>50</sub>	374
124	Aminothiazole	Rat	or	LD <sub>50</sub>	480 <sup>1</sup>
		Guinea pig	or	LD*	120 <sup>2</sup>
		Rabbit	or	LD <sub>50</sub>	375 <sup>3</sup>
		Rabbit	or	LD <sub>50</sub>	490 <sup>4</sup>
		Cat	or	MLD*	120 <sup>3</sup>
125	Ammonia	Frog	sc	LD	2500
		Mouse	sc	LD	160
		Mouse	sc	LD	500
		Rabbit	sc	LD	200
		Rabbit	iv	LD	3-50
		Rabbit	iv	LD	80-100
		Cat	or	LD	250
126	Ammonium acetate	Mouse	iv	LD <sub>50</sub>	97.5
127	Ammonium chloride	Mouse	sc	LD	500
		Rat	im	LD <sub>50</sub>	30
		Guinea pig	iv	LD	240-245 <sup>6</sup>
128	Ammonium dichromate	Guinea pig	sc	LD	25-35
129	Ammonium fluoride	Frog	sc	LD	250
		Guinea pig	or	LD	150
		Guinea pig	sc	LD	250
130	Ammonium heptachlorarsinate	Rabbit	sc	LD	200
		Rabbit	sc	LD	1000
		Rabbit	iv	LD	100
		Rabbit	iv	LD	200
131	Ammonium mandelate	Rat	or	MLD	5000
132	Ammonium molybdate	Rat	ip	MLD	203
		Guinea pig	or	LD	2200
		Guinea pig	sc	LD	1380
		Guinea pig	ip	LD <sub>100</sub>	800
		Rabbit	or	LD	1870
		Rabbit	sc	LD	1600
		Cat	or	LD	>1600-3200
133	Ammonium persulfate	Rat	or	LD <sub>50</sub>	820
134	Ammonium salicylate	Mouse	sc	LD <sub>50</sub>	550
		Rat	sc	LD <sub>50</sub>	600
135	Ammonium silicofluoride	Frog	sc	LD	200
		Guinea pig	or	LD	150
		Guinea pig	sc	LD	270
136	Ammonium sulfamate	Rat	or	LD	>1600
		Rat	or	LD <sub>50</sub> *	3900
		Rat	ip	MLD	800

/1/5% suspension in milk. /2/10% suspension in milk. /3/20% suspension in milk. /4/ 20% New York: S. Karger, 1948. /6/ 1-2% solution in H<sub>2</sub>O.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	121
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	122
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	123
	Milk	8-16 hr	Deichmann, J. Ind. Hyg. Tox. 30:71, 1948.	124
	Milk	26 hr	Ibid	
	Milk	10-12 hr	Ibid	
	Oil	10-72 hr	Ibid	
	Milk	12 hr	Ibid	
			Bovet & Bovet-Nitti <sup>5</sup> p 678. Trendelenburg, Heffter's Hdb. 1:470. Bovet & Bovet-Nitti <sup>5</sup> p 688 Trendelenburg, Heffter's Hdb. 1:470. Flury, Abderhalden's Hdb. 4.7b:1300. Bovet & Bovet-Nitti <sup>5</sup> p 688. Harnack, Arch. int. pharmacod. 12:185, 1904.	125
			Weich, J. Lab. Clin. Med. 29:809, 1944.	126
	H <sub>2</sub> O		Fromanek, Arch. i. Hyg. 38:1, 1900. Boyd, Exp. Med. Surg. 4:223, 1946. Amberg, J. Pharm. Exp. Ther. 6:595, 1915.	127
			Flury, Abderhalden's Hdb. 4.7b:1330.	128
			Simonin, C. rend. Soc. biol. 124:133, 1937. Ibid Ibid	129
		23 hr	Testoni, Clin. med. ital. 57:383, 428, 1926.	130
		2 hr	Ibid	
		48 hr	Ibid	
		2½ hr	Ibid	
			Meier, Arch. int. pharmacod. 64:79, 1940.	131
			Franko, J. Pharm. Exp. Ther. 58:454, 1936. Pulewka, Heffter's Hdb. 3.4:2231. Ibid Fairhall, Pub. Health Bull. 293, 1945. Pulewka, Heffter's Hdb. 3.4:2231. Ibid Ibid	132
530-1260			Smyth, unpublished data, Mellon Inst.	133
			Johnson, J. Pharm. Exp. Ther. 36:319, 1929. Ibid	134
			Simonin, C. rend. Soc. biol. 124:133, 1937. Ibid Ibid	135
		45 min	Ambrose, J. Ind. Hyg. Tox. 25:26, 1943. Lehman, Q. Bu. Assoc. F. & D. Off. 15:122, 1951. Ambrose, J. Ind. Hyg. Tox. 25:26, 1943.	136

solution in oil. /5/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif."

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
137	Amyl alcohol	Mouse	sc	LD	10,600
		Mouse	ip	LD <sup>1</sup>	610
		Rat	ip	LD	492
		Rabbit	or	LD	1600-1950
		Cat	iv	LD	123
138	Amyl alcohol (tert.)	Dog	or	LD	1390-1560
		Rat	or	LD <sub>50</sub>	1000
		Rat	sc	LD	1400
		Rat	sc	MLD	1650
		Rat	ip	MLD	1350
		Rat	rt	LD	1220
		Rat	rt	LD	1500
		Rabbit	sc	LD	1500
139	2-n-Amylbenzimidazole	Cat	sc	LD	1000
		Dog	sc	LD	1500
139	2-n-Amylbenzimidazole	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	20
140	N, N-Amylbicyclohexylamine	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	20
		Rat	or	LD <sub>50</sub> <sup>a</sup>	3000
		Rat	sc	LD <sub>50</sub> <sup>a</sup>	5000
		Rat	ct	LD <sub>50</sub> <sup>a</sup>	12,000
141	Amyl-2-furylcarbamate (tert.)	Rat	or	LD <sub>50</sub> <sup>a</sup>	3000
		Rabbit	or	MLD <sup>a</sup>	3000
142	Amyloxaspirane (iso-)	Rat	or	LD <sub>50</sub>	190
142	Amyloxaspirane (iso-)	Mouse	ip	LD <sub>50</sub>	688±51.6
143	2-Amylphenoxyethylbenzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
144	2-Amylphenoxyethylethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> <sup>a</sup>	100
145	n-Amyltrimethylammonium iodide	Mouse	sc	LD <sub>50</sub>	25.1±8.1
		Mouse	ip	LD <sub>50</sub>	18
146	Amytal	Frog	sc	MLD	110
		Frog	iv	MLD	200
		Mouse	sc	MLD	280
		Mouse	ip	LD	200-210
		Mouse	ip	LD	200±19
		Mouse	ip	MLD	280
		Mouse	iv	MLD	135
		Rat	or	MLD	400
		Rat	sc	LD	190
		Rat	sc	MLD	230
		Rat	ip	LD <sub>50</sub>	115
		Rat	ip	LD	180
		Rat	iv	MLD	90
		Guinea pig	sc	MLD	170
		Guinea pig	ip	MLD	120
		Guinea pig	iv	MLD	80
		(continued on next page)	Rabbit	or	LD <sub>50</sub>
sc	MLD			150	

<sup>1</sup>/LD varies for different isomers.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Starrek, Dissert., Wurzburg 1938 Haggard, J. Ind. Hyg. Tox. 27: 1, 1945. Lendle, Arch. exp. Path. Pharm. 132:214, 1928. Sollman & Hanzlik, "Exp. Pharmacol." 1928. Macht, J. Pharm. Exp. Ther. 16:1, 1921. Dujardin, C. rend. Acad. sc. 81:192, 1875.	137
		7-14 hr Sev hr Sev hr	Schaffarzick, Science 116:663, 1952. Barlow, Arch. Surg. 26:689, 1933. Lendle, Arch. exp. Path. Pharm. 160:74, 1931. Ibid Barlow, Arch. Surg. 26:689, 1933. Lendle, Arch. exp. Path. Pharm. 160:74, 1931. Kochmann, Heffter's Hdb. 1:428. Ibid Ibid	138
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	139
		20-24 hr 3-20 hr 20 hr 3 hr	Deichmann, J. Ind. Hyg. Tox. 22:484, 1940. Ibid Ibid Ibid	140
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	141
			Berger, Arch. int. pharmacod. 85:474, 1951.	142
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	143
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	144
		2 hr	Edwards, J. Pharm. Exp. Ther. 103:196, 1951. Alles, Univ. Cal. Publ. Pharmacol. 1:187, 1939.	145
			Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Ibid Ibid Holck, J. Lab. Clin. Med. 19:1191, 1934. Way, J. Pharm. Exp. Ther. 87:265, 1946. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Ibid Ibid Vogt, Arch. exp. Path. Pharm. 152:341, 1930. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Holck, J. Lab. Clin. Med. 19:1191, 1934. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Ibid Ibid Ibid Ibid Maloney, J. Pharm. Exp. Ther. 42:267, 1931. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937.	146

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
146 Amytal (concluded)	Rabbit	ip	MLD	90
	Rabbit	ip	MLD	120
	Rabbit	iv	LD <sub>50</sub>	75 (Na salt)
	Cat	or	LD <sub>50</sub>	110
	Cat	ip	MLD	120
	Cat	iv	LD	54
	Cat	iv	MLD	75
	Dog	or	LD	112
	Dog	or	LD	125
	Dog	iv	LD	54-68
	Dog	rt	LD	180
	Dog	rt	LD	200
147 Anabesine	Guinea pig	sc	LD <sub>100</sub>	22
	Rabbit	iv	MLD	3
148 Anemonin	Mouse	ip	LD <sub>50</sub>	150
149 α-Angelica lactone	Mouse	ip	LD <sub>50</sub>	>3000
150 β-Angelica lactone	Mouse	ip	LD <sub>50</sub>	750
151 16-Anhydrodigitalinum verum monoacetate	Cat	iv	LD <sub>50</sub>	5.936
152 5-Anhydroperiplogenone	Cat	iv	LD <sub>50</sub>	1.338
153 Aniline	Guinea pig	or	LD	2500
	Guinea pig	sc	LD	1000-1500
	Guinea pig	ct	LD <sub>50</sub>	1060 <sup>1</sup>
	Rabbit	sc	LD*	500
	Cat	or	LD	100-200
	Dog	or	LD	500
	Dog	sc	LD	100
	Dog	ct	LD	2.5 cc
154 Anilinoethanoi	Mouse	ip	LD <sub>50</sub> *	220
	Rabbit	iv <sup>2</sup>	MLD	44
	Dog	sc	MLD	2220
	Dog	iv	MLD	165
155 2-Anilinoethanol	Rat	or	LD <sub>50</sub>	2230
156 Anisole	Rat	sc	LD	3500-4000
	Rat	ip	LD	100-900
157 Anisylidene-strophanthidin	Cat	iv	LD <sub>50</sub>	1.927
158 Antabuse	Rat	or	LD <sub>50</sub>	8600±170
	Rabbit	or	LD <sub>50</sub>	1800±130
	Rabbit	or	LD <sub>50</sub>	2050
	Dog	or	LD*	3500
159 Antergan	Mouse	sc	LD <sub>50</sub>	175
	Mouse	iv	LD <sub>50</sub>	40
	Rat	or	LD <sub>50</sub>	300
	Rat	sc	LD <sub>50</sub>	175
	Rat	sc	LD <sub>50</sub>	150
	Guinea pig	sc	LD <sub>50</sub>	110

/1/As a 10% solution. /2/Slow injection.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Fitch, J. Pharm. Exp. Ther. 42:266, 1931. Swanson, J. Am. Pharm. Assoc. 26:248, 1937. Gruber, J. Pharm. Exp. Ther. 86:180, 1946. Holck, J. Lab. Clin. Med. 19:1191, 1934. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Holck, J. Lab. Clin. Med. 19:1191, 1934. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Holck, J. Lab. Clin. Med. 19:1191, 1934. Swanson, J. Am. Pharm. Assoc. 26:1248, 1937. Holck, J. Lab. Clin. Med. 19:1191, 1934. Ibid Swanson, J. Am. Pharm. Assoc. 26:1248, 1937.	146
			Haag, J. Pharm. Exp. Ther. 48:95, 1933. Ibid	147
			Brodersen, Acta pharm. tox. 2:109, 1946.	148
			Brodersen, Acta pharm. tox. 2:109, 1946.	149
			Brodersen, Acta pharm. tox. 2:109, 1946.	150
4.518-6.999	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	151
0.9757-1.6194	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	152
950-1310	Alcohol	24 hr	Falkenburg, Dissert., Marburg 1890. Ibid Smyth, J. Ind. Hyg. Tox. 27:93, 1945. Kunkel, Toxikologie 2:604, 1901. Von Engelhardt, Dissert., Dorpat 1888. Falkenburg, Dissert., Marburg 1890. Ibid Summ. Ept. Med. Div. Army Chem. Ctr. Md., June 1939.	153
	Dil alc	6 hr 3 da 12 hr	Bass, J. Am. Med. Assoc. 123:761, 1943. Ibid Ibid Ibid	154
2010-2470			Smyth, unpublished data, Mellon Inst.	155
			Binet, Rev. méd. Suisse rom. 15:561, 1895. Ibid	156
1.780-2.225	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	157
			Child, J. Pharm. Exp. Ther. 98:5, 1950. Ibid Brieger, Proc. 9th Int. Congr. Ind. Med., Lond. 1948. Child, J. Pharm. Exp. Ther. 98:5, 1950.	158
		48 hr	Loew, Physiol. Rev. 27:542, 1947. Ibid Ibid Ibid Halpern, C. rend. Soc. biol. 144:887, 1950. Loew, Physiol. Rev. 27:542, 1947.	159

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
160	Antiarin	Frog	sc	LD	0.16
		Rabbit	iv	LD	1
161	Antimony <sup>1</sup>	Rat	ip	LD <sub>50</sub>	100
		Guinea pig	ip	LD <sub>50</sub>	150
162	Antimony pentasulfide	Rat	ip	LD <sub>50</sub>	1500
163	Antimony peroxide	Rat	ip	LD <sub>50</sub>	4000
164	Antimony potassium tartrate	Frog	or	LD	110
		Mouse	or	LD	599-666
		Mouse	ip	LD	52
		Mouse	iv	LD	42
		Mouse	iv	LD	16
		Rat	im	LD	33
		Rat	ip	LD <sub>50</sub>	11
		Rat	iv	MLD	50
		Guinea pig	im	LD	55
		Guinea pig	ip	LD <sub>50</sub>	15
		Rabbit	or	LD	50-65
Rabbit	or	LD <sub>50</sub>	115-120		
Rabbit	iv	LD	10-20		
165	α-Antimony potassium tartrate	Mouse	ip	LD <sub>50</sub>	48.8
166	β-Antimony potassium tartrate	Mouse	ip	LD <sub>50</sub>	48.8
167	γ-Antimony potassium tartrate	Mouse	ip	LD <sub>50</sub>	51
168	meso-Antimony potassium tartrate	Mouse	ip	LD <sub>50</sub>	51
169	Antimony sodium tartrate	Mouse	iv	LD	25
170	Antimony trioxide	Rat	or	LD <sub>50</sub>	>20,000
		Rat	ip	LD <sub>50</sub>	3250
171	Antimony trisulfide	Rat	ip	LD	1000
172	Antimoesan	Mouse	or	LD	500
		Mouse	sc	LD <sub>100</sub>	500
		Mouse	ip	LD	400
		Mouse	ip	LD <sub>100</sub>	600
		Rat	sc	LD <sub>75</sub>	500
		Fat	ip	LD	1000
173	Antipyrine	Frog	sc	LD	2000-4000
		Mouse	sc	LD	1000
		Rat	or	LD <sub>50</sub>	1800
		Guinea pig	or	LD	1400
		Guinea pig	sc	LD	1000
		Rabbit	sc	LD	1000-1500
		Rabbit	iv	LD	600-800
		Cat	sc	LD	700
		Dog	or	LD	500-1000

<sup>1</sup>/As the element.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid	160
			Bradley, Indust. Med. <u>2:15, 1941.</u> Ibid	161
			Bradley, Indust. Med. <u>2:15, 1941.</u>	162
			Bradley, Indust. Med. <u>2:15, 1941.</u>	163
		8 da	Wieland, Heffter's Hdb. <u>E. 1:564.</u> Rosenthal, Arch. exp. Path. Pharm. <u>68:275, 1912.</u> Wieland, Heffter's Hdb. <u>E. 1:564.</u> Ibid Ibid Ibid Bradley, Indust. Med. <u>2:15, 1941.</u> Wieland, Heffter's Hdb. <u>E. 1:564.</u> Ibid Bradley, Indust. Med. <u>2:15, 1941.</u> Wieland, Heffter's Hdb. <u>E. 1:564.</u> Oelkers, Arch. exp. Path. Pharm. <u>187:56, 1937.</u> Michiels, Arch. int. pharmacod. <u>25:217, 1921.</u>	164
		24-36hr		
		24 hr	Haskins, Am. J. Trop. Med. <u>30:591, 1950.</u>	165
		24 hr	Haskins, Am. J. Trop. Med. <u>30:591, 1950.</u>	166
		24 hr	Haskins, Am. J. Trop. Med. <u>30:591, 1950.</u>	167
		24 hr	Haskins, Am. J. Trop. Med. <u>30:591, 1950.</u>	168
		8 da	Wieland, Heffter's Hdb. <u>3.1:564.</u>	169
			Smyth, J. Ind. Hyg. Tox. <u>30:63, 1948.</u> Bradley, Indust. Med. <u>2:15, 1941.</u>	170
			Bradley, Indust. Med. <u>2:15, 1941.</u>	171
			Schmidt, Arch. Schiffs Tropenhyg. <u>35:70, 1931.</u> Bock, Zschr. Hyg. <u>107:396, 1927.</u> Schmidt, Arch. Schiffs Tropenhyg. <u>35:70, 1931.</u> Bock, Zschr. Hyg. <u>107:396, 1927.</u> Ibid Ibid	172
			Flury, Abderhalden's Hdb. <u>4.7b:1304.</u> Ibid Hart, J. Pharm. Exp. Ther. <u>89:205, 1947.</u> Flury, Abderhalden's Hdb. <u>4.7b:1304.</u> Ibid Ibid Ibid Ibid	173

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
174 Antistatine	Rat	sc	LD <sub>100</sub>	500
	Dog	iv	LD <sub>50</sub>	30
175 ANTU	Mouse	or	MLD	120
	Mouse	ip	LD	50
	Rat <sup>1</sup>	or	LD <sub>100</sub>	100
	Rat <sup>1</sup>	ip	LD <sub>50</sub> *	6.5
	Rat <sup>1</sup>	ip	LD	2.5-5.9
	Rat <sup>3</sup>	or	LD <sub>50</sub>	6.7±0.3
	Rat	or	LD <sub>100</sub>	10
	Guinea pig	or	MLD	100
	Cat	or	MLD	150
	Dog	or	MLD	500
	Dog	ip	LD	15
Chicken	or	MLD	1000	
176 ApioI	Mouse	sc	LD	1000
	Guinea pig	ip	LD	500
	Dog	iv	LD*	500
177 Apotropine	Mouse	or	LD <sub>50</sub>	160
	Mouse	ip	LD <sub>50</sub>	14.1
178 Apotropine methylbromide	Mouse	ip	LD <sub>50</sub>	0.76
179 Apomorphine	Dog	iv	LD	60-100
180 Apoesine	Mouse	sc	MLD	700
	Mouse	ip	LD	700
	Rat	iv	MLD	20 <sup>4</sup>
	Guinea pig	sc	MLD	250
	Rabbit	iv	MLD	38-42
	Cat	sc	LD	>800
	Cat	iv	LD	20
181 Arabinose	Dog	iv	LD	5000
182 Aramine	Mouse	or	LD <sub>50</sub>	99
	Mouse	iv	LD <sub>50</sub>	39
	Rat	or	LD <sub>50</sub>	240
	Rat	ip	LD <sub>50</sub>	41
183 Aramite	Rat	or	LD <sub>50</sub> *	6300
184 Arasan	Rat	or	LD <sub>50</sub> *	865
	Rabbit	or	LD <sub>50</sub>	210
	Rabbit	or	LD <sub>50</sub>	350
185 Arecoline	Mouse	sc	LD	100
	Guinea pig	im	MLD	6
	Dog	sc?	LD	5
186 Arsacetin	Rabbit	iv	LD	550
187 Arsenic pentoxide	Rabbit	iv	LD	6 <sup>5</sup>
	Rabbit	iv	LD	10 <sup>5</sup>

/1/Albino rat. /2/Anhydrous. /3/Norway rat. /4/2% solution in H<sub>2</sub>O. /5/As sodium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		48 hr	Halpern, C. rend. Soc. biol. 144:887, 1950. Stroudemayer, Fed. Proc. 10:338, 1951.	174
	G acacia Prop gly <sup>2</sup> Prop gly	18-25 hr 16-30 hr 48 hr	Brion, Arch. int. pharmacod. 80:301, 1949. Latta, Bull. Johns Hopkins Hosp. 80:181, 1947. McClosky, Pub. Health Rpt. 60:1101, 1945. Byerrum, Proc. Soc. Exp. Biol. Med. 62:328, 1946. Meyer, J. Pharm. Exp. Ther. 92:15, 1948. Dieke, Pub. Health Rpt. 61:672, 1946. Brion, Arch. int. pharmacod. 80:301, 1949. Ibid Ibid Ibid Latta, Bull. Johns Hopkins Hosp. 80:181, 1947. Brion, Arch. int. pharmacod. 80:301, 1949.	175
			Marri, Boll. soc. ital. biol. sper. 14:291, 1939. Lutz, Bull. cc. pharm. 16:315, 1909. Ibid 17:7, 1910.	176
115.1-222.4 11.4-17.5			Krantz, Proc. Soc. Exp. Biol. Med. 96:511, 1954. Ibid	177
0.42-1.36			Krantz, Proc. Soc. Exp. Biol. Med. 86:511, 1954.	178
			Flury, Abderhalden's Hdb. 4.7b:1305.	179
	H <sub>2</sub> O		Hamilton, J. Lab. Clin. Med. 11:1082, 1926. Ibid Hooper, Am. J. Physiol. 68:120, 1924. Hamilton J. Lab. Clin. Med. 11:1082, 1926. Hirschfelder, Physiol. Rev. 12:262, 1932. Hamilton, J. Lab. Clin. Med. 11:1082, 1926. Hooper, Am. J. Physiol. 68:120, 1924.	180
		24 hr	Flury, Abderhalden's Hdb. 4.7b:1422.	181
			Peck, Proc. Pharm. Soc. Fall Meet. p63, 1951. Ibid Ibid Ibid	182
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	183
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Brieger, Proc. 9th Int. Congr. Ind. Med., Lond. 1948. Hanzlik, J. Pharm. Exp. Ther. 17:343, 1921.	184
			Flury, Abderhalden's Hdb. 4.7b:1306. Stephansson, Arch. exp. Path. Pharm. 185:249, 1937. Flury, Abderhalden's Hdb. 4.7b:1306.	185
		15 da	Gros, Biochem. Zschr. 184:360, 1927.	186
		3 da 5-8 h	Joachimoglu, Biochem. Zschr. 70:144, 1915. Ibid	187

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
188 Arsenic trioxide	Mouse	sc	LD	11-13
	Rat <sup>1</sup>	sc	LD	8
	Rat <sup>2</sup>	or	LD <sub>50</sub>	138±13
	Guinea pig	or	LD	20-39 <sup>3</sup>
	Guinea pig	sc	LD	13
	Guinea pig	ip	LD	16
	Rabbit	or	LD	14-30 <sup>3</sup>
	Rabbit	sc	LD	7-10
	Rabbit	iv	LD	6
	Cat	sc	LD	4.7
	Dog	or	LD	30-70
	Dog	sc	LD	6
	Dog	iv	LD	3-5
	Chicken	or	LD	60-150
	Chicken	sc	LD	15
189 Arsine	Mouse	ip	LD <sub>50</sub> *	3
	Rabbit	ip	LD <sub>50</sub> *	2.5
	Cat	ip	LD <sub>50</sub> *	2.0-2.5
	Sheep	ip	LD <sub>50</sub> *	3
190 Araphenamine	Mouse	iv	LD	91-100
	Rat	iv	LD <sub>100</sub>	60 <sup>4</sup>
	Rat	iv	LD <sub>100</sub>	140 <sup>5</sup>
	Rabbit	iv	LD	200-300
	Dog	iv	LD	50-100
191 ASP-47	Rat	or	LD <sub>50</sub> *	5
192 Atabrine	Rooster	or	LD	714
193 Atoxyl	Mouse	sc	LD	300-500
	Rat	sc	LD	75
	Rat	sc	LD	100
	Rabbit	sc	LD	200-400
	Rabbit	iv	LD	200
	Dog	sc	LD	5
	Dog	sc	LD	20
194 Atropine <sup>6</sup>	Frog	sc	LD	1000-2500
	Mouse	or	LD <sub>50</sub>	794.5±52.9
	Mouse	or	LD <sub>50</sub>	400
	Mouse	or	LD	1500-1800
	Mouse	sc	LD <sub>50</sub>	750
	Mouse	sc	LD <sub>50</sub>	900
	Mouse	sc	LD <sub>50</sub>	900
	Mouse	sc	LD <sub>50</sub>	400
	Mouse	iv	LD <sub>50</sub>	90.85±7.95
	Mouse	ip	LD <sub>50</sub>	250
	Rat	or	LD	1000
	Rat	or	LD <sub>50</sub>	750
	Rat	sc	LD <sub>50</sub>	2000
	Rat	sc	LD	750
	Rat	ip	LD <sub>50</sub>	280
	Rat	ip	LD	600

(continued on next page)

/1/Albino rat. /2/Norway rat. /3/As sodium salt. /4/Old. /5/Freshly prepared. /6/

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		6-72 hr	Heffter, Heffter's Hdb. 3.1:479. Hammet, J. Pharm. Exp. Ther. 19:337, 1922. Dieke, Pub. Health Rpt. 61:672, 1946. Bonsmann, Klin. Wschr. 304:1942. Cannava, Arch. sc. biol. Bologna 24:442, 1938. Heffter, Heffter's Hdb. 3.1:479. Ibid Ibid 7-20 hr Joachimoglu, Biochem. Zschr. 70:144, 1915. Heffter, Heffter's Hdb. 3.1:479. Ibid Ibid Ibid Ibid Ibid	188
			Levy, Brit. J. Pharm. 1:287, 1946. Ibid Ibid Ibid	189
		48 hr 48 hr	Flury, Abderhalden's Hdb. 4.7b:1308. Shamberg, Am. J. Syph. Neurol. 18:37, 1934. Ibid Heffter, Heffter's Hdb. 3.1:532. Ibid	190
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	191
		3 da	Kohlschütter, Arch. exp. Path. Pharm. 201:402, 1943.	192
	H <sub>2</sub> O H <sub>2</sub> O	36 hr 12 hr 6 da	Flury, Abderhalden's Hdb. 4.7b:1310. Gros, Biochem. Zschr. 184:360, 1927. Ibid Flury, Abderhalden's Hdb. 4.7b:1310. Ibid Ibid Ibid	193
330-480  700-1150  190-330 620-900 1800-2200 225-350		2 hr*  22 hr 10 min	Clark, J. Exp. Physiol. 5:385, 1912. Casort, J. Pharm. Exp. Ther. 100:325, 1950. Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Flury, Abderhalden's Hdb. 4.7b:1311. Ing, J. Pharm. Exp. Ther. 85:85, 1945. Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Mollitor, J. Pharm. Exp. Ther. 56:85, 1936. Willberg, Biochem. Zschr. 66:389, 1914. Casort, J. Pharm. Exp. Ther. 100:325, 1950. Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Flury, Abderhalden's Hdb. 4.7b:1311. Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Ibid Willberg, Biochem. Zschr. 66:389, 1914. Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Willberg, Biochem. Zschr. 66:389, 1914.	194

As atropine sulfate.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
194 Atropine <sup>1</sup> (concluded)	Guinea pig	or	LD <sub>50</sub>	1100
	Guinea pig	sc	LD	400-500
	Guinea pig	ip	LD	400
	Guinea pig	ip	LD <sub>50</sub>	400
	Rabbit	or	LD	1400-1500
	Rabbit	sc	LD	250-500
	Rabbit	sc	LD	650-700
	Rabbit	iv	LD	68-74
	Cat	sc	LD	130-150
	Cat	iv	MLD	30
	Dog	sc	LD	200-250
	Dog	iv	LD	100
	Dog	ip	LD	175
	Pigeon	sc	LD	210-230
195 Aureomycin <sup>2</sup>	Mouse	iv	LD <sub>50</sub>	134
	Rat	iv	LD <sub>50</sub>	118
196 Auric chloride	Frog	sc	LD	10
	Mouse	sc	LD	1000-2000
	Rabbit	sc	LD	90
	Rabbit	iv	LD	15
	Cat	iv	LD	15.4
197 Aurin tricarboxylic acid	Mouse	iv	LD <sub>50</sub>	8-10
198 Aurous chloride (sodium)	Rabbit	iv	LD	10
199 Avacan	Mouse	or	LD <sub>50</sub>	760
	Mouse	sc	LD <sub>50</sub>	360
	Mouse	iv	LD <sub>50</sub>	40.0
200 Avertin	Mouse	sc	LD	500
	Mouse	ip	LD	600
	Rat	or	LD	1000 <sup>3</sup>
	Rat	sc	LD	730 <sup>4</sup>
	Rat	sc	LD	530-600
	Rat	ip	LD	550
	Rat	rt	LD	660-730 <sup>5</sup>
	Rat	rt	LD	660
	Rabbit	or	LD	2000
	Rabbit	ip	LD	300-500
	Rabbit	iv	LD	120-150
	Rabbit	rt	LD	550
	Cat	or	LD	150
201 Avertin fluid <sup>6</sup>	Rabbit	or	LD	1100
	Rabbit	sc	LD	1400
	Rabbit	rt	LD	700
	Rabbit	rt	LD	1375
202 Azabicyclononanol diphenylacetate HCl	Mouse	ip	LD <sub>50</sub>	126
203 Azabicyclooctanol diphenylacetate HCl	Mouse	ip	LD <sub>50</sub>	105
	Mouse	iv	LD <sub>50</sub>	33
	Dog	iv	LD <sub>50</sub>	30

<sup>1</sup>/As atropine sulfate. <sup>2</sup>/Aureomycin A-377. <sup>3</sup>/As 3% solution. <sup>4</sup>/As 2.5-3% solution

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
1000-1200  360-440		        3½-12 hr 28 min	Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Willberg, Biochem. Zschr. 66:389, 1914. Ibid Cahen, J. Pharm. Exp. Ther. 105:166, 1952. Fickewirth, Biochem. Zschr. 40:36, 1912. Willberg, Biochem. Zschr. 66:389, 1914. Fickewirth, Biochem. Zschr. 40:36, 1912. Ibid Willberg, Biochem. Zschr. 66:389, 1914. Flury, Abderhalden's Hdb. 4.7b:1311. Willberg, Biochem. Zschr. 66:389, 1914. Ibid Ibid Ibid	194
			Harned, Ann. N. Y. Acad. Sci. 51:182, 1948. Ibid	195
		Few da  Few min 25 min	Schlossmann, Heffter's Hdb. 3.3:2134. Ibid Ibid Ibid Ibid	196
			White, J. Phar. Exp. Ther. 102:88, 1951.	197
			Schlossmann, Heffter's Hdb. 3.3:2134.	198
			Brock, Deut. med. Wschr. 76:479, 1951. Ibid Ibid	199
	H <sub>2</sub> O H <sub>2</sub> O  H <sub>2</sub> O	0.8-2 hr  0.8-1.5 hr	Kochmann, Heffter's Hdb. E.2:130. Ibid Burtner, J. Pharm. Exp. Ther. 63:183, 1938. Barlow, Arch. Surg. 26:689, 1933. Gros, Arch. exp. Path. Pharm. 182:348, 1936. Lendle, Arch. exp. Path. Pharm. 160:74, 1931. Barlow, Arch. Surg. 26:689, 1933. Lendle, Arch. exp. Path. Pharm. 160:74, 1931. Flury, Abderhalden's Hdb. 4.7b:1312. Kochmann, Heffter's Hdb. E.2:130. Ibid Ibid Ibid	200
		23-40 min 1.2-36 hr 5-7 min 1-2 hr	Lendle, Arch. exp. Path. Pharm. 132:214, 1928. Barlow, Arch. Surg. 26:689, 1933. Lendle, Arch. exp. Path. Pharm. 132:214, 1928. Barlow, Arch. Surg. 26:689, 1933.	201
			Randall, J. Pharm. Exp. Ther. 104:284, 1952.	202
			Randall, J. Pharm. Exp. Ther. 104:284, 1952. Ibid Ibid	203

of crystalline avertin. /5/Solution of crystalline avertin. /6/See The Merck Index.

Compound	Animal	Route	Dose	Doage
				mg/kg Value
204 Azabicyclooctanol-9-fluorene-carboxylate HCl	Mouse	ip	LD <sub>50</sub>	137
	Mouse	iv	LD <sub>50</sub>	23
205 Azabicyclooctanolmethylbromide-diphenyl acetate	Mouse	ip	LD <sub>50</sub>	46
	Mouse	iv	LD <sub>50</sub>	4
206 Azoxybenzene	Rat	or	LD <sub>50</sub>	620
	Rabbit	ct	LD <sub>50</sub>	1.09 cc
207 Bacitracin	Mouse	or	LD <sub>50</sub>	510,000 <sup>1</sup>
	Rabbit	or	LD <sub>50</sub>	>200,000 <sup>1</sup>
208 Bacitracin A	Mouse	ip	LD	263-342
209 Bacitracin B	Mouse	ip	LD	385-500
210 Bacitracin C	Mouse	ip	LD	75-150
211 BAL	Rat	sc	LD <sub>50</sub>	100
	Rat	sc	LD <sub>50</sub>	110
	Rat	im	LD <sub>50</sub>	105
	Rat	ip	LD <sub>50</sub> <sup>+</sup>	140
	Cat	iv	LD	0.03 cc
212 Banthine bromide	Mouse	or	LD <sub>50</sub>	460±69
	Mouse	ip	LD <sub>50</sub>	76±17
	Rat	or	LD <sub>50</sub>	1660±230
	Dog	iv	LD	9.5-38.0
213 Banthine chloride	Mouse	or	LD <sub>50</sub>	333±28
	Mouse	ip	LD <sub>50</sub>	46±6
	Rat	or	LD <sub>50</sub>	1360±130
214 Barbital	Frog	sc	LD	1000
	Frog	sc	LD	1500
	Mouse	or	LD	600
	Mouse	sc	LD	280-400
	Mouse	ip	LD	500-550
	Mouse	ip	LD	620±30
	Mouse	ip	LD <sub>50</sub>	763
	Mouse	iv	LD	440
	Rat	sc	LD	310-350
	Rat	sc	LD	450
	Rat	ip	LD	300
	Rabbit	or	LD	250
	Rabbit	or	LD	275
	Rabbit	sc	LD	300-400
	Rabbit	ip	LD	225
	Rabbit	ip	LD <sub>60</sub>	425
	Rabbit	iv	LD	350
Cat	or	LD	250-300	
Cat	sc	LD	300	
Dog	or	LD	200-500	

<sup>1</sup>/Units per kilogram ±94,000 units.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Randall, J. Pharm. Exp. Ther. <u>104:284</u> , 1952. Ibid	204
			Randall, J. Pharm. Exp. Ther. <u>104:284</u> , 1952. Ibid	205
470-810 0.59-2.01 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	206
			Payne, Antibiotics <u>1:387</u> , 1951. Ibid	207
			Newton, Brit. J. Pharm. <u>6:417</u> , 1951.	208
			Newton, Brit. J. Pharm. <u>6:417</u> , 1951.	209
			Newton, Brit. J. Pharm. <u>6:417</u> , 1951.	210
			Kensler, J. Pharm. Exp. Ther. <u>88:99</u> , 1946. Neuman, J. Pharm. Exp. Ther. <u>98:95</u> , 1949. Waters, Science <u>102:604</u> , 1945. McDonald, Brit. J. Pharm. <u>3:116</u> , 1948. Fos, Chicago Med. School. Quart. <u>8:15</u> , 1947.	211
			Hambourger, J. Pharm. Exp. Ther. <u>99:245</u> , 1950. Ibid Ibid Ibid	212
			Hambourger, J. Pharm. Exp. Ther. <u>99:245</u> , 1950. Ibid Ibid	213
			Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Ottmat, Dissert., Heidelberg 1936. Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Ibid Ibid Way, J. Pharm. Exp. Ther. <u>87:265</u> , 1946. Gruber, J. Pharm. Exp. Ther. <u>81:254</u> , 1944. Launoy, J. Physiol. path. gen. <u>30:564</u> , 1932. Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Gros, Arch. exp. Path. Pharm. <u>182:348</u> , 1936. Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Fitch, J. Pharm. Exp. Ther. <u>42:266</u> , 1931. Ibid <u>44:325</u> , 1932. Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Fitch, J. Pharm. Exp. Ther. <u>44:325</u> , 1932. Barlow, J. Lab. Clin. Med. <u>23:601</u> , 1938. Kochmann, Heffter's Hdb. <u>E. 2:147</u> . Ibid Ottmat, Dissert., Heidelberg 1936. Kochmann, Heffter's Hdb. <u>E. 2:147</u> .	214

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
215 Barium acetate	Rabbit	or	LD	236
	Rabbit	or	LD	815
	Rabbit	sc	LD	96
	Rabbit	iv	LD	8-15
216 Barium carbonate	Mouse	or	LD	200
	Rat <sup>1</sup>	or	LD <sub>50</sub>	1480±340
	Rat	or	LD	50-200
	Rabbit	or	LD	170-300
	Pig	?	LD	1000
217 Barium chloride	Frog	sc	LD	60 <sup>2</sup>
	Mouse	or	LD	7-14 <sup>2</sup>
	Rat	or	LD	355-533
	Rat	sc	LD	45-89
	Rat	iv	MLD	20
	Guinea pig	sc	LD	50-60
	Rabbit	or	LD	170
	Rabbit	sc	LD	40-75
	Rabbit	sc	LD	50
	Rabbit	sc	LD	113
	Rabbit	iv	LD	100-200
	Rabbit	iv	LD	4-30
	Cat	sc	LD	18-60
	Cat	iv	LD	40-60
	Dog	or	LD	90
	Dog	sc	LD	10-20
	Dog	sc	LD	15-25
	Dog	iv	LD	24
	Dog	iv	LD	300 <sup>2</sup>
	Pigeon	or	LD	500
	Pigeon	sc	LD	60-80
	Chicken	sc	LD	50-80
	Chicken	sc	LD	55
	Sheep	iv	LD	5
Horse	or	LD	800-1200 <sup>2</sup>	
Horse	iv	LD	700 <sup>2</sup>	
Hedgehog	or	LD	4800-9600	
Hedgehog	sc	LD	50	
218 Barium fluoride	Frog	sc	LD	1375
	Guinea pig	or	LD	350
	Guinea pig	sc	LD	550
219 Barium silicofluoride	Rat	or	LD <sub>50</sub> <sup>*</sup>	175
	Rabbit	or	MLD	175
220 Benadryl (continued on next page)	Mouse	or	LD <sub>50</sub>	164
	Mouse	sc	LD <sub>50</sub>	127
	Mouse	sc	LD <sub>50</sub>	144±8

<sup>1</sup>/Norway rat. <sup>2</sup>/Per animal.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		24 hr 1½ hr	Crawford, U. S. Bur. Plant Ind. Bull 129, 1908. Ibid Ibid Esser, Deut. Zschr. ger. Med. 25:239, 1935.	215
		1-8 da	Esser, Deut. Zschr. ger. Med. 25:239, 1935. Dieke, Pub. Health Rpt. 61:672, 1946. Esser, Deut. Zschr. ger. Med. 25:239, 1935. Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Esser, Deut. Zschr. ger. Med. 25:239, 1935.	216
			Esser, Deut. Zschr. ger. Med. 25:239, 1935. Ibid Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Ibid Loeser, J. Lab. Clin. Med. 15:35, 1929. Esser, Deut. Zschr. ger. Med. 25:239, 1935. Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Ibid Esser, Deut. Zschr. ger. Med. 25:239, 1935. Ibid Ibid Ibid Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Esser, Deut. Zschr. ger. Med. 25:239, 1935. Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Ibid Esser, Deut. Zschr. ger. Med. 25:239, 1935. Ibid Ibid Schwartz, U. S. Dept. Agr. Bull. 915, 1920. Ibid Ibid Esser, Deut. Zschr. ger. Med. 25:239, 1935. Ibid Ibid Ibid Ibid	217
			Simonin, C. rend. Soc. biol. 124:133, 1937. Ibid Ibid	218
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Muehlberger, J. Pharm. Exp. Ther. 39:247, 1930.	219
			Gruhitz, J. Pharm. Exp. Ther. 89:227, 1947. Ibid Hoppe, J. Pharm. Exp. Ther. 97:371, 1949.	220

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
220 Benadryl (concluded)	Mouse	ip	LD <sub>50</sub>	75±5.2
	Mouse	ip	LD <sub>50</sub>	80±8
	Mouse	ip	LD <sub>50</sub>	83-85
	Mouse	ip	LD <sub>50</sub>	74.6
	Mouse	iv	LD <sub>50</sub>	31±0.8
	Mouse	iv	LD <sub>50</sub>	35±1
	Rat	or	LD <sub>50</sub>	500
	Rat	or	LD <sub>50</sub>	545
	Rat	sc	LD <sub>50</sub>	474
	Rat	ip	LD <sub>50</sub>	82
	Rat	ip	LD <sub>50</sub>	61±9
	Rat	iv	LD <sub>50</sub>	42
	Rat	iv	LD <sub>50</sub>	46
	Guinea pig	ip	LD <sub>50</sub>	75
	Rabbit	iv	LD <sub>50</sub>	10
	Dog	iv	LD <sub>50</sub>	24
	Hamster	iv	LD <sub>50</sub>	18
221 Benemid <sup>1</sup>	Mouse	or	LD <sub>50</sub>	1666
	Mouse	sc	LD <sub>50</sub>	1156
	Mouse	iv	LD <sub>50</sub>	458
	Rat	or	LD <sub>50</sub>	1604
	Rat	sc	LD <sub>50</sub>	611
	Rat	ip	LD <sub>50</sub>	394
	Rabbit	iv	LD <sub>50</sub>	304
	Dog	iv	LD <sub>50</sub>	270
222 Bently HCl	Mouse	or	LC	625±21
	Rabbit	iv	LD	35±3.3
223 Benzaldehyde	Rat	sc	LD <sup>o</sup>	5000
224 Benzedrine <sup>2</sup>	Mouse	ip	LD <sub>50</sub>	101
	Mouse	iv	LD <sub>50</sub> <sup>o</sup>	25
	Rat	or	MLD	4-6
	Rat	ip	MLD	1.5-2.5
225 Benzedrine sulfate	Frog	sc	LD <sub>50</sub> <sup>o</sup>	280
	Mouse	or	LD <sub>50</sub> <sup>o</sup>	22
	Mouse	sc	LD	25
	Mouse	sc	LD <sub>50</sub>	270
	Mouse	sc	LD	155
	Mouse	sc	LD	140
	Mouse	ip	LD	92-104
	Mouse	ip	LD	120
	Mouse	ip	LD	50
	Mouse	iv	LD <sub>50</sub> <sup>o</sup>	15
	Rat	sc	LD <sub>50</sub>	30-200
	Rat	sc	MLD	30-200
	Rat	sc	LD	25
	Rat	ip	LD	23
	Rabbit	or	LD <sub>50</sub>	85 <sup>3</sup>
	Rabbit	iv	MLD <sup>o</sup>	22
	Rabbit	iv	LD	25
Dog	or	MLD	20	

<sup>1</sup>/Given as the sodium salt; calculated as free acid. <sup>2</sup>/As the base. <sup>3</sup>/As a 0.25% solution.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		7 da	Sherrod, J. Pharm. Exp. Ther. 89:247, 1947. Hoppe, J. Pharm. Exp. Ther. 97:371, 1949. Way, J. Pharm. Exp. Ther. 104:115, 1952. Reinhard, Proc. Soc. Exp. Biol. Med. 66:512, 1942. Lands, J. Pharm. Exp. Ther. 85:45, 1949. Hoppe, J. Pharm. Exp. Ther. 97:371, 1949. Gruhzt, J. Pharm. Exp. Ther. 89:227, 1947. Sachs, Ann. Int. Med. 29:135, 1948. Gruhzt, J. Pharm. Exp. Ther. 89:227, 1947. Loew, Physiol. Rev. 27:542, 1947. Winder, J. Pharm. Exp. Ther. 87:121, 1948. Gruhzt, J. Pharm. Exp. Ther. 89:227, 1947. Loew, Physiol. Rev. 27:542, 1947. Ibid Gruhzt, J. Pharm. Exp. Ther. 89:227, 1947. Ibid Hoppe, J. Pharm. Exp. Ther. 97:371, 1949.	220
			McKinney, J. Pharm. Exp. Ther. 102:208, 1951. Ibid Ibid Ibid Ibid Ibid Ibid	221
		1 hr 24 min	Brown, J. Am. Pharm. Assoc. 39:305, 1950. Ibid	222
			Macht, Arch. Int. Pharmacod. 27:163, 1922-23.	223
			Marah, J. Pharm. Exp. Ther. 100:298, 1950. Halpern, J. physiol. path. gén. 37:597, 1939. Hauschild, Arch. exp. Path. Pharm. 191:465, 1939. Ibid	224
	N saline  H <sub>2</sub> O		Günther, J. Pharm. Exp. Ther. 76:375, 1942. Halpern, J. physiol. path. gén. 37:597, 1939. Ibid Günther, J. Pharm. Exp. Ther. 76:375, 1942. Chakravarti, J. Pharm. Exp. Ther. 67:153, 1939. Heubner, Arch. exp. Path. Pharm. 202:594, 1943. Jacobsen, Skand. Arch. Physiol. 79:258, 1938. Gun, J. Physiol. 95:485, 1939. Heubner, Arch. exp. Path. Pharm. 202:594, 1943. Halpern, J. physiol. path. gén. 37:597, 1939. Ehrich, Am. J. Med. Sc. 198:785, 1939. Ehrich, Ann. Int. Med. 10:1874, 1937. Hartung, J. Am. Chem. Soc. 53:1875, 1931. Hauschild, Arch. exp. Path. Pharm. 195:647, 1940. Reifenstein, Proc. Pharm. Soc. p28, 1940. Halpern, J. physiol. path. gén. 37:597, 1939. Hartung, J. Am. Chem. Soc. 53:1875, 1931. Ehrich, Am. J. Med. Sc. 198:785, 1939.	225

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
226	Benzene	Rat	ip	LD	1.5-1.75cc
		Rat	or	LD <sub>50</sub>	5700
		Guinea pig	ip	LD	527
227	Benzene hexachloride (α)	Rat	or	LD	1700
		Rat	or	LD <sub>50</sub> <sup>a</sup>	500
228	Benzene hexachloride (β)	Rat	or	LD <sub>50</sub> <sup>a</sup>	6000
229	Benzene hexachloride (γ)	Mouse	or	LD <sub>50</sub>	86
		Rat	or	LD <sub>50</sub>	177
		Rat	or	LD <sub>50</sub>	200
		Rat	or	LD <sub>50</sub>	125
		Rat	sc	LD <sub>50</sub>	50
		Rat	ip	LD <sub>50</sub>	35-85 <sup>1</sup>
		Guinea pig	or	LD <sub>50</sub>	100
		Guinea pig	or	LD <sub>50</sub>	127
		Guinea pig	sc	LD <sub>50</sub>	100
		Rabbit	or	LD <sub>50</sub>	60
		Rabbit	or	LD <sub>50</sub>	200
		Rabbit	ct	LD <sub>50</sub>	>4000 <sup>2</sup>
		Rabbit	ct	LD <sub>50</sub>	>180 <sup>3</sup>
		Rabbit	sc	LD <sub>50</sub>	75
Rabbit	iv	LD	4.5-6.0		
230	Benzene hexachloride (δ)	Rat	or	LD <sub>50</sub>	900
231	Benzidine	Dog	or	LD	200 <sup>4</sup>
		Dog	sc	LD	400 <sup>5</sup>
232	Benzilyloxyethyldiethylmethylammonium chloride	Mouse	or	LD <sub>50</sub>	1000
		Mouse	sc	LD <sub>50</sub>	130
		Mouse	ip	LD <sub>50</sub>	62.5
233	Benzilyloxyethyldimethylethylammonium chloride	Mouse	or	LD <sub>50</sub>	1000
		Mouse	sc	LD <sub>50</sub>	160
		Mouse	ip	LD <sub>50</sub>	40
234	Benzilyloxyethyldimethylisopropylammonium chloride	Mouse	sc	LD <sub>50</sub>	75
		Mouse	ip	LD <sub>50</sub>	40
235	Benzilyloxyethyltriethylammonium bromide	Mouse	sc	LD <sub>50</sub>	150
236	Benzilyloxypropyldiethylmethylammonium chloride	Mouse	sc	LD <sub>50</sub>	550
		Mouse	ip	LD <sub>50</sub>	90
237	Benzilyloxypropyldimethylethylammonium chloride	Mouse	sc	LD <sub>50</sub>	650
238	4-Benzilyloxy-1,2,2,6-tetramethylpiperidine methochloride (a)	Mouse	sc	LD <sub>50</sub>	375
		Mouse	ip	LD <sub>50</sub>	80

<sup>1</sup>/Amount depending on fatty solvent. <sup>2</sup>/Dry. <sup>3</sup>/In solution. <sup>4</sup>/Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
5020-6490			Batchelor, Am. J. Hyg. 7:276, 1927. Smyth, unpublished data, Mellon Inst. Chassevant, C. rend. Soc. biol. 55:1255, 1898.	226
		7 da	Dallemagne, Arch. int. pharmacod. 76:274, 1948. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	227
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	228
			Div. Pharm. F. & D. Adm. Q. Rpt. 3, March, 1946. Ibid	229
	Peanut oil		Dallemagne, Arch. int. pharmacod. 76:274, 1948. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Dallemagne, Arch. int. pharmacod. 76:274, 1948. Coper, Arch. exp. Path. Pharm. 212:463, 1951. Dallemagne, Arch. int. pharmacod. 76:274, 1948. Woodard, Fed. Proc. 6:386, 1947.	
	Peanut oil		Dallemagne, Arch. int. pharmacod. 76:274, 1948. Woodard, Fed. Proc. 6:386, 1947.	
	Peanut oil		Dallemagne, Arch. int. pharmacod. 76:274, 1948. Lehman, Q. Bull. Assoc. F. & D. Off. 16:3, 1951.	
	Peanut oil		Ibid Dallemagne, Arch. int. pharmacod. 76:274, 1948. McNamara, J. Pharm. Exp. Ther. 92:140, 1948.	
			Taylor, Chem. Indust. 64:314, 1945.	230
		12-24 hr 12-24 hr	Adler, Arch. exp. Path. Pharm. 50:167, 1907. Ibid	231
			Ing. J. Pharm. Exp. Ther. 85:85, 1945. Ibid Ibid	232
			Ing. J. Pharm. Exp. Ther. 85:85, 1945. Ibid Ibid	233
			Ing. J. Pharm. Exp. Ther. 85:85, 1945. Ibid	234
			Ing. J. Pharm. Exp. Ther. 85:85, 1945.	235
			Ing. J. Pharm. Exp. Ther. 85:85, 1945. Ibid	236
			Ing. J. Pharm. Exp. Ther. 85:85, 1945.	237
			Ing. J. Pharm. Exp. Ther. 85:85, 1945. Ibid	238

/5/ Base.

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
239 4-Benzilyloxy-1, 2, 2, 6-tetra-methylpiperidine methochloride (β)	Mouse	or	LD <sub>50</sub>	1000
	Mouse	sc	LD <sub>50</sub>	325
	Mouse	ip	LD <sub>50</sub>	75
240 Benzimidazole	Mouse	iv	LD <sub>50</sub>	280±18
241 Benzoic acid (sodium salt)	Frog	sc	LD	100-200
	Rat	iv	LD <sub>50</sub>	1714±124
	Guinea pig	ip	LD	1400
	Rabbit	or	LD*	2000
	Rabbit	sc	LD*	2000
	Dog	or	LD	2000
242 Benzoic acid butyl ester	Rat	or	LD <sub>50</sub>	5140
243 Benzoic acid ethyl ester	Rat	or	LD <sub>50</sub>	6480
244 Benzoic acid methyl ester	Rat	or	LD <sub>50</sub>	3430
245 Benzoic acid vinyl ester	Rat	or	LD <sub>50</sub>	3250
246 Benzonitrile	Frog	sc	LD	1700
	Mouse	sc	LD	180
	Rabbit	sc	LD	200
	Pigeon	im	MLD	500
247 Benzothiazole	Mouse	iv	LD <sub>50</sub>	95±3
248 Benzotriazole	Mouse	iv	LD <sub>50</sub>	238±16
249 Benzotrifluoride	Rat	or	LD <sub>50</sub>	6000
250 Benzoxazole	Mouse	iv	LD <sub>50</sub>	179±20
251 3-Benzoyloxy-6-dimethylamino-4, 4-diphenylheptane	Mouse	sc	LD <sub>50</sub>	500
252 3-Benzoyloxy-6-dimethylamino-4, 4-diphenyl-5-methylhexane	Mouse	sc	LD <sub>50</sub>	500
253 (3-Benzoyloxyphenyl)methyldiethylammonium bromide	Mouse	iv	LD <sub>50</sub>	9.3±1.7
254 (2-Benzoyloxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	12±0.74
255 (4-Benzoyloxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	7.65±0.70
256 Benzyl alcohol	Mouse	sc	LD	1000
	Rat	or	LD <sub>50</sub>	3100
	Rat	sc	LD	1000-3000
	Guinea pig	sc	LD	1000-2500
	Rabbit	ct	LD <sub>50</sub>	1260
	Rabbit	sc	LD*	2000
257 Benzylbenzazepine	Mouse	ip	LD <sub>50</sub>	165±4
	Mouse	iv	LD <sub>50</sub>	21.6±4
258 Benzyl benzoate (continued on next page)	Mouse	or	LD <sub>50</sub>	1.4
	Rat	or	LD <sub>50</sub>	1.7

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Ing. J. Pharm. Exp. Ther. <u>85:85</u> , 1945. Ibid Ibid	239
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	240
			Flury, Abderhalden's Hdb. <u>4.7b:1313</u> . Hager, J. Am. Pharm. Assoc. <u>31:253</u> , 1942. Ibid Flury, Abderhalden's Hdb. <u>4.7b:1313</u> . Ibid Ibid	241
4700-5620			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	242
5660-7420			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	243
2830-4150			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	244
2480-4260			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	245
		50 hr	Verbrugge, Arch. int. pharmacod. <u>5:161</u> , 1899. Hunt, Arch. int. pharmacod. <u>12:447</u> , 1904. Verbrugge, Arch. int. pharmacod. <u>5:161</u> , 1899. Meurice, Arch. int. pharmacod. <u>7:11</u> , 1900.	246
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	247
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	248
			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:118</u> , 1951.	249
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	250
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	251
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	252
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950.	253
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950.	254
			Randall, J. Pharm. Exp. Ther. <u>99:16</u> , 1950.	255
2850-3370			Macht, J. Pharm. Exp. Ther. <u>11:263</u> , 1918. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Macht, J. Pharm. Exp. Ther. <u>11:263</u> , 1918. Ibid	256
850-1860			Smyth, unpublished data, Mellon Inst. Macht, J. Pharm. Exp. Ther. <u>11:263</u> , 1918.	
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951. Ibid	257
			Draize, J. Pharm. Exp. Ther. <u>93:25</u> , 1948. Ibid	258

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
258 Benzyl benzoate (concluded)	Guinea pig	or	LD <sub>50</sub>	1
	Rabbit	or	LD <sub>50</sub>	1.8
259 2-Benzyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	521.8±44.62
260 Benzonitrile	Frog	sc	LD	1500
	Mouse	sc	LD	32
	Rabbit	sc	LD	50
	Pigeon	im	MLD	120
261 Benzyltrimethylammonium hydroxide	Mouse	sc	LD	35
262 Beryllium carbonate	Guinea pig	ip	LD <sub>50</sub>	150
263 Beryllium chloride	Rat	ip	LD <sub>50</sub>	4.4
	Guinea pig	ip	LD <sub>50</sub>	56
	Guinea pig	ip	LD <sub>100</sub>	50
264 Beryllium nitrate	Guinea pig	ip	LD <sub>50</sub>	50
265 Beryllium oxyfluoride	Guinea pig	ip	LD <sub>100</sub>	20
266 Beryllium sulfate	Guinea pig	ip	LD <sub>100</sub>	100
	Mouse	iv	LD <sub>50</sub>	0.5
267 Biphenyl	Rat	or	LD <sub>50</sub>	2180
	Rat	or	LD <sub>50</sub>	3280 <sup>1</sup>
	Rabbit	or	LD <sub>50</sub>	2410 <sup>1</sup>
268 Bis-(3-carbomethoxy-4-hydroxyphenyl)-β-trichloroethane	Rat	or	LD <sub>50</sub>	>500
269 Bis-(β-chloroethyl)amine	Mouse	sc	LD <sub>50</sub>	20-33
270 Bis-(β-chloroethyl)chloroamine	Mouse	sc	LD <sub>50</sub>	360
	Mouse	iv	LD <sub>50</sub>	50
271 N, N'-Bis(2-chloroethyl)-N, N'-ethylaminoethyl-ethylenediamine 3HCl	Mouse	ip	LD <sub>50</sub>	5.6
	Rat	ip	LD <sub>50</sub>	1.9
272 N, N'-Bis(2-chloroethyl)-N, N'-diethylethylenediamine 2HCl	Mouse	ip	LD <sub>50</sub>	3.9
	Rat	ip	LD <sub>50</sub>	2.3
273 Bis-(β-chloroethyl)formamide	Mouse	iv	LD <sub>50</sub>	300-500
274 Bis-(2-chloroethyl)methylamine HCl	Mouse	ip	LD <sub>50</sub>	3.8
	Rat	ip	LD <sub>50</sub>	1.8
275 Bis(β-chloroethyl)morpholinium chloride	Mouse	sc	LD <sub>50</sub>	100
276 Bis(β-chloroethyl)nitrosamine	Mouse	sc	LD <sub>50</sub>	100-200
277 NN'-Bis(2-chloroethyl)-1,4-piperazine HCl	Mouse	ip	LD <sub>50</sub>	5.7
	Rat	ip	LD <sub>50</sub>	1.1
278 Bis-(p-chlorophenoxy)methane	Rat	or	LD <sub>50</sub>	5800
279 2,6-Bis(diethylaminoethoxy)-benzophenone diethiodide	Mouse	iv	LD <sub>50</sub>	1.47
280 2,5-Bis(3-diethylaminopropylamino)-benzoquinone-bis-benzylchloride	Mouse	or	LD <sub>50</sub>	140±10
	Mouse	sc	LD <sub>50</sub>	2.5±0.1
	Mouse	iv	LD <sub>50</sub>	0.6±0.04
	Rabbit	iv	LD <sub>50</sub>	0.042±0.0035

<sup>1</sup>/1/ 25% solution in olive oil.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	258
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	259
			Verbrugge, Arch. int. pharmacod. <u>5:161</u> , 1899. Hunt, Arch. int. pharmacod. <u>12:447</u> , 1904. Verbrugge, Arch. int. pharmacod. <u>5:161</u> , 1899. Meurice, Arch. int. pharmacod. <u>7:11</u> , 1900.	260
			Hunt, J. Pharm. Exp. Ther. <u>28:367</u> , 1926.	261
		4 wk	Hyslop, N. I. H. Bull. <u>181</u> , 1943.	262
3.3-5.9 48-65		30 da 30 da 4 da	Cochran, Fed. Proc. <u>9:264</u> , 1950. Ibid Hyslop, N. I. H. Bull. <u>181</u> , 1943.	263
			Hyslop, N. I. H. Bull. <u>181</u> , 1943.	264
		4 da	Hyslop, N. I. H. Bull. <u>181</u> , 1943.	265
		4 da 14 da	Hyslop, N. I. H. Bull. <u>181</u> , 1943. White, J. Pharm. Exp. Ther. <u>102:88</u> , 1951.	266
1390-3420	Olive oil Olive oil	1½-2 da ¼-6 da	Snyth, unpublished data, Mellon Inst. Deichmann, J. Ind. Hyg. Tox. <u>29:1</u> , 1947. Ibid	267
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	268
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	269
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid	270
4.1-7.7 1.1-3.3			Phillips, J. Pharm. Exp. Ther. <u>100:398</u> , 1950. Ibid	271
2.9-5.3 1.5-3.6			Phillips, J. Pharm. Exp. Ther. <u>100:398</u> , 1950. Ibid	272
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	273
2.8-5.2 1.1-2.9			Phillips, J. Pharm. Exp. Ther. <u>100:398</u> , 1950. Ibid	274
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	275
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	276
3.8-8.3 0.95-1.3			Phillips, J. Pharm. Exp. Ther. <u>100:398</u> , 1950. Ibid	277
5000-6000			Spencer, Arch. Ind. Hyg. Occ. Med. <u>1:341</u> , 1950.	278
			Pelikan, Proc. Pharm. Soc. Fall Meet. p 64, 1951.	279
			Hoppe, J. Pharm. Exp. Ther. <u>100:333</u> , 1950. Ibid Ibid Ibid	280

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
281 Bis(dimethylamido)fluorophosphate	Mouse	ip	LD <sub>50</sub>	5
	Mouse	ip	LD <sub>50</sub>	1.4
	Rat	or	LD <sub>50</sub>	7.5
	Rat	ip	LD <sub>50</sub>	5
	Guinea pig	ip	LD <sub>50</sub>	2.5
	Dog	iv	LD <sub>50</sub>	5-10
282 2,6-Bis(ethylamino)-4-amino-s-triapine	Mouse	ip	LD <sub>50</sub>	1.8
	Rat	ip	LD <sub>50</sub>	0.7
283 1,6-Bis(3,3-ethyleneimidoureido)-n-hexane	Mouse	ip	LD <sub>50</sub>	5.5
	Rat	ip	LD <sub>50</sub>	1.5
284 2,3-Bis(3,3-ethyleneiminoureido)toluene	Mouse	ip	LD <sub>50</sub>	21
	Rat	ip	LD <sub>50</sub>	11
285 1,10-Bis(9-fluorenyldiethylammonium)decane bromide	Mouse	iv	LD <sub>50</sub>	0.75
	Rabbit	iv	LD <sub>50</sub>	0.22
286 1,6-Bis(9-fluorenyldiethylammonium)hexane bromide	Mouse	sc	LD <sub>50</sub>	19.95
	Mouse	iv	LD <sub>50</sub>	1.16
	Mouse	iv	LD <sub>50</sub>	0.11
287 1,6-Bis(9-fluorenyldimethylammonium)hexane bromide	Mouse	or	LD <sub>50</sub>	280
	Mouse	sc	LD <sub>50</sub>	240
	Mouse	iv	LD <sub>50</sub>	1.76
	Rabbit	iv	LD <sub>50</sub>	0.11
288 2,3-Bis[3-(2-hydroxyethyl)ureido]toluene	Mouse	ip	LD <sub>50</sub>	>500
	Rat	ip	LD <sub>50</sub>	>500
289 2,3-Bis-(p-hydroxyphenyl)propionitrile	Rat	sc	LD <sub>50</sub> *	1500
290 2,3-Bis-(p-hydroxyphenyl)valeronitrile	Mouse	ip	LD <sub>50</sub>	93±10
	Mouse	or	LD <sub>50</sub>	2850±300
	Rat	ip	LD <sub>50</sub>	70±10
	Rat	or	LD <sub>50</sub>	>3500
291 Bismarsen	Rat	im	LD	500
292 2,7-Bis(trichloromethyl)-4-methyl-1,3,6-trioxepane	Rat	or	LD <sub>50</sub>	10,000
293 Boric acid	Mouse	or	LD <sub>50</sub>	3450±158
	Mouse	sc	LD <sub>50</sub>	1740±130
	Mouse	sc	LD <sub>50</sub>	2070±170
	Mouse	iv	LD <sub>50</sub>	1780±121
	Rat	or	LD <sub>50</sub>	5140
	Rat	or	LD <sub>50</sub>	2660±220
	Rat	iv	LD <sub>50</sub>	1330±112
	Guinea pig	sc	LD <sub>50</sub>	1200±80
	Dog	or	LD <sub>50</sub>	>1000
	294 Borneol	Rabbit	or	LD*

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952. Okinaka, J. Pharm. Exp. Ther. 112:231, 1954. Ibid Ibid Ibid	281
1.35-2.4			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	282
4.7-6.4 1.2-1.8			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	283
14-32			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	284
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid	285
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid Ibid	286
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid Ibid Ibid	287
			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	288
			Sturtevant, J. Pharm. Exp. Ther. 112:176, 1954.	289
			Sturtevant, J. Pharm. Exp. Ther. 112:176, 1954. Ibid Ibid Ibid	290
			Raisiss, Arch. f. Derm. Syph. 28:389, 1933.	291
			Finnegan, Fed. Proc. 10:294, 1951.	292
4740-5580			Pfeiffer, J. Am. Med. Assoc. 128:266, 1945. Ibid Ibid Ibid Smyth, unpublished data, Mellon Inst. Pfeiffer, J. Am. Med. Assoc. 128:266, 1945. Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1315.	293
		sev hr	Pellacani, Arch. exp. Path. Pharm. 17:368, 1883.	294

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952. Okinaka, J. Pharm. Exp. Ther. 112:231, 1954. Ibid Ibid Ibid	281
1.35-2.4			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	282
4.7-6.4 1.2-1.8			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	283
14-32			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	284
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid	285
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid Ibid	286
			Macri, Proc. Soc. Exp. Biol. Med. 85:603, 1954. Ibid Ibid Ibid	287
			Philips, J. Pharm. Exp. Ther. 100:398, 1950. Ibid	288
			Sturtevant, J. Pharm. Exp. Ther. 112:176, 1954.	289
			Sturtevant, J. Pharm. Exp. Ther. 112:176, 1954. Ibid Ibid Ibid	290
			Raisz, Arch. f. Derm. Syph. 28:389, 1933.	291
			Finnegan, Fed. Proc. 10:294, 1951.	292
4740-5580			Pfeiffer, J. Am. Med. Assoc. 128:266, 1945. Ibid Ibid Ibid Smyth, unpublished data, Mellon Inst. Pfeiffer, J. Am. Med. Assoc. 128:266, 1945. Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1315.	293
		Sev hr	Pellacard, Arch. exp. Path. Pharm. 17:368, 1883.	294

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
295 Bovogenin E	Cat	iv	LD <sub>50</sub>	0.1976
296 Bovoside D	Cat	iv	LD <sub>50</sub>	0.1118
297 Brilliant green <sup>1</sup>	Mouse	ip	LD <sub>50</sub>	5
	Mouse	iv	LD <sub>100</sub>	3
	Rat	ip	LD <sub>50</sub>	8
	Guinea pig	ip	LD <sub>50</sub>	3
298 Bromoform	Rabbit	sc	LD*	922
	Rabbit	sc	LD	1751
299 o-Bromophenol	Mouse	sc	LD	350
	Rat	sc	LD	1500-1800
	Guinea pig	sc	LD	1500-1800
300 p-Bromophenyl, phenyl-methylether of β-Dimethylamino ethanol	Mouse	ip	LD <sub>50</sub>	105±3
301 p-Bromophenyl, phenyl-methylether of Pyrrolidino ethanol	Mouse	ip	LD <sub>50</sub>	144±2
302 Bromotrichloroethyl malonate	Rat	or	LD <sub>50</sub>	3400
303 Bromural	Rabbit	or	MLD	1200
	Cat	or	MLD	450
304 Brucine	Dog	iv	LD	8
	Pigeon	sc	MLD	57.98 <sup>2</sup>
305 Bufagenine	Cat	iv	LD <sub>50</sub>	0.22
306 Bufotoxin <sup>3</sup>	Cat	iv	LD <sub>50</sub>	0.39
	Cat	iv	LD <sub>50</sub>	0.41
	Cat	iv	LD <sub>50</sub>	0.27
	Cat	iv	LD <sub>50</sub>	0.38
307 Bulan	Rat	or	LD <sub>50</sub> *	330
	Rat	ct	LD <sub>50</sub> *	>4000
308 Bulbocapnine	Mouse	sc	LD <sub>50</sub>	195
309 1, 3-Butanediamine	Rat	or	LD <sub>50</sub>	1350
	Rabbit	ct	LD <sub>50</sub>	480
310 Butanediol	Rat	or	LD <sub>50</sub>	22,800
311 1, 2, 4-Butanetriol	Mouse	or	LD	23.31 cc
	Mouse	sc	LD	12.64 cc
	Rat	or	LD	29.40 cc
	Rat	sc	LD	11.37 cc
312 2-Butoxyethanol	Rabbit	or	LD <sub>50</sub>	350
	Rabbit	ct	LD <sub>50</sub>	560
313 2(2-Butoxyethoxy)ethanol	Rat	or	LD <sub>50</sub>	6560
	Guinea pig	or	LD <sub>50</sub>	2000
	Rabbit	or	LD <sub>50</sub>	2200
	Rabbit	ct	LD <sub>50</sub>	4120

<sup>1/1</sup> Medical grade. <sup>2/2</sup> As the base. <sup>3/3</sup> From various toad species.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
0.1382-0.2434	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	295
0.0723-0.1559	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	296
			Anderson, Proc. Soc. Exp. Biol. Med. <u>31:825, 1934.</u> Ibid Ibid Ibid	297
		12 hr 24 hr	Binz, Arch. exp. Path. Pharm. <u>28:201, 1891.</u> Ibid	298
			Bechold, Zschr. physiol. Chem. <u>47:173, 1906.</u> Binet, Rev. méd. Suisse rom. <u>16:449, 1896.</u> Ibid	299
			Ensor, J. Pharm. Exp. Ther. <u>112:318, 1954.</u>	300
			Ensor, J. Pharm. Exp. Ther. <u>112:318, 1954.</u>	301
			Finnegan, Fed. Proc. <u>10:294, 1951.</u>	302
	H <sub>2</sub> O	2 da	Airila, Skand. Arch. Physiol. <u>28:193, 1913.</u> Sollmann, J. Am. Med. Assoc. <u>51:487, 1908.</u>	303
			Flury, Abderhalden's Hdb. <u>4.7b:1316.</u> Ibid	304
			Chen, Proc. Soc. Exp. Biol. Med. <u>29:905, 1932.</u>	305
			Chen, Proc. Soc. Exp. Biol. Med. <u>29:907, 1932.</u> Ibid Ibid Ibid	306
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u> Ibid. <u>16:3, 1952.</u>	307
			Molitor, J. Pharm. Exp. Ther. <u>56:85, 1936.</u>	308
310-600			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119, 1951.</u> Ibid	309
21,800-23,900			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119, 1951.</u>	310
			Bornmann, Arch. exp. Path. Pharm. <u>210:361, 1950.</u> Ibid Kcpf, Arch. exp. Path. Pharm. <u>212:405, 1951.</u> Bornmann, Arch. exp. Path. Pharm. <u>210:361, 1950.</u>	311
330-380 480-640			Smyth, unpublished data, Mellon Inst. Ibid	312
5470-7860 1720-2310 2420-3020 2530-6550			Smyth, J. Ind. Hyg. Tox. <u>23:259, 1941.</u> Ibid Ibid Smyth, unpublished data, Mellon Inst.	313

Compound	Animal	Route	Dose	Dosage mg/kg
				Value
314 2(2-Butoxyethoxy)ethanol acetate	Rat	or	LD <sub>50</sub>	11,920
	Guinea pig	or	LD <sub>50</sub>	2340
	Rabbit	or	LD <sub>50</sub>	2260
315 Butyl acetate	Mouse	or	LD <sub>50</sub>	7056
	Rat	or	LD <sub>50</sub>	14,130
316 Butyl acrylate	Rat	or	LD <sub>50</sub>	3730
	Rabbit	ct	LD <sub>50</sub>	3360
317 n-Butyl alcohol	Mouse	or	LD <sub>50</sub>	2835
	Mouse	sc	LD	5022
	Rat	or	LD <sub>50</sub>	4360
	Rat	ip	LD	972
	Rabbit	ct	LD <sub>50</sub>	4200
	Cat	iv	LD	243
	Dog	or	LD	1782
	Dog	sc	LD	1944-2268
318 Butyl alcohol (secondary)	Mouse	sc	LD	3232-4040
	Rat	or	LD <sub>50</sub>	6480
319 Butyl alcohol (tertiary)	Rat	or	LD <sub>50</sub>	3500
320 n-Butylamine	Rat	or	LD <sub>50</sub>	500
	Rabbit	ct	LD <sub>50</sub>	850
321 Butylaminoalcohol	Rat	or	LD <sub>50</sub>	1150
322 n-Butylaniline	Rat	or	LD <sub>50</sub>	1620
	Rabbit	ct	LD <sub>50</sub>	5.99 cc
323 Butylbenzazepine	Mouse	ip	118±6	
	Mouse	iv	15±3	
324 Butyl carbital	Mouse	ip	LD <sub>50</sub>	850
	Rat	or	LD <sub>50</sub>	6560
325 n-Butylcarbitol thiocyanate	Mouse	sc	MLD	200
	Rat	sc	MLD	500
	Cat	or	LD	100
326 2-Butyldioxaspirane	Mouse	ip	LD <sub>50</sub>	>1422
327 Butylene glycol	Rat	or	LD <sub>50</sub>	18,610
	Guinea pig	or	LD <sub>50</sub>	11,460
328 1,3-Butylene glycol	Mouse	or	LD	23.31 cc
	Mouse	sc	LD	16.5 cc
	Rat	or	LD	29.42 cc
	Rat	sc	LD	20.06 cc
329 1,4-Butylene glycol	Mouse	or	LD <sub>50</sub>	2.14 cc
330 2,3-Butylene glycol	Mouse	or	LD <sub>50</sub>	9.00 cc
331 n-Butylepinephrine	Mouse	sc	LD	200
332 Butyl ether	Rat	or	LD <sub>50</sub>	7400
	Rabbit	ct	LD <sub>50</sub>	10.8 cc

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
10,880-13,100 1900-2880 2010-2550			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Ibid Smyth, unpublished data, Mellon Inst.	314
11,840-16,850			McOrrie, Univ. Cal. Publ. Pharmacol. <u>2:231</u> , 1949. Smyth, unpublished data, Mellon Inst.	315
2680-5210 2400-4720			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	316
3980-4780 3600-6000			McOrrie, Univ. Cal. Publ. Pharmacol. <u>2:217</u> , 1949. Starrek, Dissert., Würzburg 1938. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Lendle, Arch. exp. Path. Pharm. <u>132:214</u> , 1928. Smyth, unpublished data, Mellon Inst. Macht, J. Pharm. Exp. Ther. <u>16:1</u> , 1927. Gajardin, C. rend. Acad. sc. <u>81:192</u> , 1875. Ibid	317
5730-7320			Starrek, Dissert., Würzburg 1938. Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	318
			Schaffarzick, Science <u>116:663</u> , 1952.	319
600-1190			Smyth, J. Ind. Hyg. Tox. <u>26:269</u> , 1944. Smyth, unpublished data, Mellon Inst.	320
1040-1270			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	321
1240-2130 3.57-10.07 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	322
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951. Ibid	323
5420-7860		72 hr	Karel, Fed. Proc. <u>6:342</u> , 1947. Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	324
		2-4 hr 3/4+ hr 28 hr	Von Oettingen, J. Ind. Hyg. Tox. <u>18:310</u> , 1936. Ibid Ibid	325
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	326
17,430-19,880 10,290-12,770			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Ibid	327
			Fischer, Zchr. ges. exp. Med. <u>115:22</u> , 1949. Ibid Ibid Ibid	328
			Fischer, Zchr. ges. exp. Med. <u>115:22</u> , 1949.	329
			Fischer, Zchr. ges. exp. Med. <u>115:22</u> , 1949.	330
			Konzett, Klin. Wochr. <u>19:1303</u> , 1940	331
6410-8530 4.41-23.04 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	332

	Compound	Animal	Route	Dose	Dosage mg/kg
					Value
333	n-Butyl-D,L-malate	Mouse	or	LD <sub>50</sub>	20 cc
334	n-Butylmethacrylate	Rat	or	LD <sub>100</sub>	17,900
		Rabbit	or	LD <sub>50</sub>	9000
335	N-sec.-Butylphthalimide	Mouse	or	LD <sub>50</sub>	1.6 cc
		Rat	or	LD <sub>50</sub>	1.1 cc
		Guinea pig	or	LD <sub>50</sub>	1.2 cc
		Rabbit	or	LD <sub>50</sub>	2.3 cc
336	Butyl stearate	Rat	or	LD	>32,000
337	Butyl-K-strophanthidin (Iso-)	Cat	iv	LD	0.43
338	n-Butyl-K-strophanthidin	Rabbit	iv	LD	0.50
		Cat	iv	LD	0.35
339	N-Butyl-1, 2, 3, 6-tetrahydro-naphthylamide	Mouse	or	LD <sub>50</sub>	3.3 cc
		Rat	or	LD <sub>50</sub>	2.5 cc
340	n-Butyl thiocyanate	Mouse	sc	MLD	124
		Rat	sc	MLD	67
		Cat	or	MLD	191
341	p-tert.-Butyltoluene	Mouse	or	LD <sub>50</sub>	0.9±0.06 cc
		Rat	or	LD <sub>50</sub>	1.8±0.14 cc
		Rabbit	or	LD <sub>50</sub>	2.0±0.14 cc
342	n-Butyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	19
343	Butyn sulfate	Frog	sc	MLD	70-150
		Mouse	sc	LD	100
		Rat	sc	MLD	197
		Rat	sc	LD	150
		Rat	iv	MLD	7.5-10.0
		Guinea pig	sc	MLD	>70
		Rabbit	sc	MLD	50-55
		Rabbit	iv	MLD	12
		Cat	sc	MLD	30-55
		Dog	iv	MLD	15
		sc	MLD	55	
344	Butyraldehyde	Mouse	sc	LD <sub>50</sub>	6170
		Rat	or	LD <sub>50</sub>	5890
		Rat	sc	LD <sub>50</sub>	10,000
		Rabbit	ct	LD <sub>50</sub>	3560
345	Butyric acid	Rat	or	LD <sub>50</sub>	2940
		Rat	or	LD <sub>50</sub>	8790
		Rabbit	ct	LD <sub>50</sub>	6.35 cc
346	Butyric anhydride	Rat	or	LD <sub>50</sub>	8790
		Rabbit	ct	LD <sub>50</sub>	6350
347	Butyronitrile	Frog	sc	MLD	3100
		Rabbit	sc	MLD	10
		Pigeon	im	MLD	1100

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948.	333
		10-36min 10-36min Ibid	Deichmann, J. Ind. Hyg. Tox. <u>23:343</u> , 1941. Ibid	334
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid Ibid Ibid	335
			Smith, Arch. Ind. Hyg. Occ. Med. <u>7:310</u> , 1953.	336
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937.	337
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937. Ibid	338
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	339
		1-4 hr 2½-7 hr 7 hr	Von Oettingen, J. Ind. Hyg. Tox. <u>18:31C</u> , 1936. Ibid Ibid	340
		24-48 hr 24-48 hr 24-48 hr	Hine, Arch. Ind. Hyg. Occ. Med. <u>9:227</u> , 1954. Ibid Ibid	341
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939.	342
			Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Schmitz, J. Pharm. Exp. Ther. <u>24:167</u> , 1925. Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Schmitz, J. Pharm. Exp. Ther. <u>24:167</u> , 1925. Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Ibid Ibid Ibid Ibid Ibid	343
5540-6250 2200-5'60		24 hr 24 hr	Skog, Acta pharm. tox. <u>6:299</u> , 1950. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Skog, Acta. pharm. tox. <u>6:299</u> , 1950. Smyth, unpublished data, Mellon Inst.	344
2010-429J 8060-9580 3, 99-10, 28 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	345
8060-9580 3, 940-10, 230			Smyth, unpublished data, Mellon Inst. Ibid	346
			Verbrugge, Arch. int. pharmacod. <u>3:161</u> , 1899. Ibid Meurice, Arch. int. pharmacod. <u>7:11</u> , 1900.	347

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
348 Cacodylic acid	Guinea pig	sc	LD	1000
	Rabbit	sc	LD	300
	Rabbit	iv	LD	250
	Dog	sc	LD	1000
349 Cadmium chloride	Frog	sc	LD	30
	Mouse	sc	LD	20
	Rat	or	LD <sub>50</sub> *	88
	Rabbit	or	LD	70-150
	Rabbit	sc	LD	25-50
	Rabbit	iv	LD	2
	Cat	sc	LD	25-40
	Dog	iv	LD	5
350 Cadmium sulfate	Dog	sc	LD	27
	Dog	sc	LD	105
351 Caffeine	Frog	sc	LD	120-130
	Mouse	sc	LD	180-190
	Mouse	ip	MLD	220
	Mouse	ip	LD	500
	Mouse	ip	LD	250
	Mouse	iv	LD <sub>50</sub>	100.9±6.67
	Rat	or	LD <sub>50</sub>	200
	Rat	or	LD <sub>50</sub>	233±14
	Rat	sc	LD	70-130
	Rat	sc	LD	250
	Rat	ip	MLD	110-280
	Rat	iv	LD <sub>50</sub>	164.8±1.87
	Guinea pig	sc	MLD	200-240
	Guinea pig	ip	MLD	220-250
	Rabbit	or	MLD	290-350
	Rabbit	or	LD	350-360
	Rabbit	sc	MLD	200-300
	Rabbit	sc	LD	270-280
	Rabbit	im	LD	200
	Rabbit	iv	LD	80-100
	Cat	or	MLD	100-150
	Cat	sc	MLD	150
	Cat	sc	LD	150-155
Cat	ip	MLD	180-200	
Cat	iv	MLD	80-100	
Dog	or	MLD	140-150	
Dog	sc	MLD	500	
Dog	sc	LD	110	
Dog	iv	LD <sub>50</sub> *	175	
Cat	iv	LD <sub>50</sub>	175	
352 Calcium acetate	Mouse	iv	LD <sub>50</sub>	226
	Mouse	iv	LD <sub>50</sub>	204
	Rat	or	LD <sub>50</sub>	428C
	Rat	iv	LD <sub>50</sub>	245

\*Reference indicates this as an average lethal dose.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Heffter, Heffter's Hdb. 3.1: 503. Ibid Ibid Ibid	348
			Flury, Abderhalden's Hdb. 4.7b:1317. Ibid Lehmar, Q. Bull. Assoc. F. & D. Off. 16:122, 1951. Flury, Abderhalden's Hdb. 4.7b:1317. Ibid Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1317.	349
			Flury, Abderhalden's Hdb. 4.7b:1317. Ibid	350
		4-5 da 2-3 da	Fühner, Arch. exp. Path. Pharm. 166:455, 1932. Ibid Flury, Abderhalden's Hdb. 4.7b:1336. Rpt. Chemother. Leukemia, So. Res. Inst. Aug. 1949. Ibid Scott, J. Pharm. Exp. Ther. 82:89, 1944. Smith, J. Pharm. Exp. Ther. 55:200, 1935. Scott, J. Pharm. Exp. Ther. 82:89, 1944. Flury, Abderhalden's Hdb. 4.7b:1336.	351
		2 hr	Kreitmaier, Arch. exp. Path. Pharm. 87:607, 1937. Flury, Abderhalden's Hdb. 4.7b:1335. Scott, J. Pharm. Exp. Ther. 82:89, 1944. Flury, Abderhalden's Hdb. 4.7b:1335. Ibid Ibid Salant, J. Pharm. Exp. Ther. 1:572, 1910. Flury, Abderhalden's Hdb. 4.7b:1335.	
		1-4 hr	Salant, J. Pharm. Exp. Ther. 1:572, 1910.	
		4 hr	Ibid Flury, Abderhalden's Hdb. 4.7b:1335. Ibid Ibid	
		1 hr	Salant, J. Pharm. Exp. Ther. 1:572, 1910. Flury, Abderhalden's Hdb. 4.7b:1335. Ibid Ibid Ibid	
		Few hr	Salant, J. Pharm. Exp. Ther. 1:572, 1910. Pilcher, J. Pharm. Exp. Ther. 3:19, 1911-12. Soilmann, J. Pharm. Exp. Ther. 3:19, 1911-12.	
3860-4760		<1-1 hr	Weich, J. Lab. Clin. Med. 29:811, 1944. Cole, J. Pharm. Exp. Ther. 71:1, 1941. Smyth, unpublished data, Mellon Inst. Cole, J. Pharm. Exp. Ther. 71:1, 1941.	352

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
353 Calcium arsenate	Rat	or	LD	20
	Rabbit	or	LD	40
354 Calcium chlorate	Rat	or	LD <sub>50</sub>	4500 <sup>1</sup>
	Rat	ip	LD <sub>50</sub>	625 <sup>1</sup>
355 Calcium chloride	Rat	or	LD <sub>50</sub>	4000 <sup>1</sup>
	Rat	ip	LD <sub>50</sub>	500 <sup>1</sup>
	Rat	iv	MLD	168.7
	Rabbit	or	LD	1384
	Rabbit	sc	LD	472
	Rabbit	iv	LD	274
	Cat	sc	LD	249
	Cat	iv	LD	249
	Dog	sc	LD	274
	Dog	iv	LD	274
356 Calcium fluoride	Frog	sc	LD	>25,000
	Guinea pig	or	LD	>5000
	Guinea pig	sc	LD	>5000
357 Calcium hydroxide	Rat	or	LD <sub>50</sub>	7340
358 Calcium silicofluoride	Frog	sc	LD	375
	Guinea pig	or	LD	250
	Guinea pig	sc	LD	450
359 Camphor	Frog	sc	LD	3000-3400
	Mouse	sc	LD	2200-2400
	Rat	sc	MLD	2200 <sup>2</sup>
	Rat	sc	MLD	1700 <sup>3</sup>
	Rat	ip	LD <sub>50</sub>	900 <sup>4</sup>
	Cat	ip	LD	400
360 Cantharidin	Rabbit	sc	LD	100
361 Capronitrile	Frog	sc	MLD	1600 <sup>5</sup>
	Rabbit	sc	LD	0.25 cc <sup>6</sup>
	Pigeon	im	MLD	290 <sup>5</sup>
362 Captan	Rat	or	LD <sub>50</sub>	15,000
	Rat	ip	LD <sub>50</sub>	50-100
363 Carbamylcholine chloride	Mouse	or	LD <sub>50</sub>	15
	Mouse	sc	LD <sub>50</sub>	3
	Mouse	iv	LD <sub>50</sub>	0.3
	Rat	or	LD <sub>50</sub>	40
	Rat	sc	LD <sub>50</sub>	4
	Rat	iv	LD <sub>50</sub>	0.1
364 Carbarzone	Guinea pig	sc	LD	0.075
	Rat	or	LD <sub>50</sub>	510±40 <sup>7</sup>
364 Carbarzone	Rat	or	MLD	6500
	Rat	or	MLD	>7000
	Rat	im	MLD	400
	Rat	iv	MLD	300
	Rat	iv	MLD	1500

/1/ Anhydrous salt. /2/ 20% solution of natural camphor in olive oil. /3/ 20% solution of synthetic n-capronitrile. /7/ Trivalent analogue of Carbarzone: p-Carbamidophenylarsenous acid.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Fers. Comm. Food and Drug Adm. Ibid	353
		1 hr 1 hr	Ulrich, J. Pharm. Exp. Ther. <u>35</u> :1, 1929. Ibid	354
		1 hr 1 hr	Ulrich, J. Pharm. Exp. Ther. <u>35</u> : 1, 1929. Ibid Cole, J. Pharm. Exp. Ther. <u>71</u> :1, 1941. Flury, Abderhalden's Hdb. <u>4.7b</u> :1316. Ibid Ibid Ibid Ibid Ibid	355
			Simonin, C. rend. Soc. biol. <u>124</u> :133, 1937. Ibid Ibid	356
4,830-11,140			Smyth, unpublished data, Mellon Inst.	357
			Simonin, C. rend. Soc. biol. <u>124</u> :133, 1937. Ibid Ibid	358
	Par oil Olive oil Olive oil Olive oil Oil	24-36 hr 6 hr 42 hr	Fühner, Arch. exp. Path. Pharm. <u>166</u> :445, 1932. Ibid Christensen, J. Am. Pharm. Assoc. <u>26</u> :786, 1937. Ibid Sampson, J. Pharm. Exp. Ther. <u>65</u> :275, 1939. Flury, Abderhalden's Hdb. <u>4.7b</u> :1318. Flury, Abderhalden's Hdb. <u>4.7b</u> :1318.	359
			Verbrugge, Arch. int. pharmacod. <u>5</u> :161, 1899. Lang, Arch. exp. Path. Pharm. <u>34</u> :252, 1894. Meurice, Arch. int. pharmacod. <u>7</u> :11, 1900.	360
			Smyth, unpublished data, Mellon Inst. Ibid	361
		24 hr 24 hr 24 hr 24 hr	Mollitor, J. Pharm. Exp. Ther. <u>58</u> :337, 1936. Ibid Ibid Ibid Ibid Ibid Kreitmaier, Arch. exp. Path. Pharm. <u>164</u> :346, 1932.	362
	H <sub>2</sub> O		Anderson, Fed. Proc. <u>5</u> :1, 1946. Gabaldon, Am. J. Hyg. <u>23</u> :122, 1936. Nelson, J. Pharm. Exp. Ther. <u>63</u> :122, 1938. Ibid Ibid Gabaldon, Am. J. Hyg. <u>23</u> :122, 1936.	363

camphor in olive oil. /4/20% solution in olive oil. /5/Isocaproitrile. /6/Per animal;

Compound	Animal	Route	Dose	Coasge
				mg/kg Value
365 Carbazole	Rat	or	LD <sub>50</sub>	>5000
366 Carbitol	Mouse	or	LD <sub>50</sub>	6600
	Mouse	or	LD <sub>50</sub>	6580
	Mouse	or	LD <sub>50</sub>	12, 375
	Mouse	sc	LD <sub>50</sub>	2500-6000
	Mouse	ip	LD <sub>50</sub>	>2000
	Mouse	iv	LD <sub>50</sub>	4257
	Rat	or	LD <sub>50</sub>	6500-9770
	Rat	or	LD <sub>50</sub>	5540
	Rat	sc	LD <sub>50</sub>	6000
	Guinea pig	or	LD <sub>50</sub>	3670-4970
	Guinea pig	or	LD <sub>50</sub>	6580
	Rabbit	iv	LD <sub>50</sub>	2500
	Cat	sc	LD <sub>50</sub> *	1500
Cat	iv	LD <sub>50</sub> *	4200	
Dog	iv	LD <sub>50</sub>	3000	
367 Carbitol acetate	Rat	or	LD <sub>50</sub>	11, 000
368 Carbitol solvent	Rat	or	LD <sub>50</sub>	9050
369 2-Carbomethoxy-5-acetaminofuran	Rat	or	LD <sub>50</sub>	1200
370 Carbon disulfide	Rabbit	sc	LD	300
371 Carbon tetrachloride	Mouse	or	LD <sub>50</sub>	12, 800 <sup>1</sup>
	Mouse	sc	LD	32, 000
	Rat	or	LD <sub>50</sub>	7460
	Rat	ct	LD <sub>50</sub>	6670
	Rabbit	or	LD	6380-9975
	Cat	sc	LD <sub>33</sub>	4785
	Dog	or	LD	4000
	Dog	or	LD	25, 000
	Dog	iv	MLD	125
372 2-Carboxymethylmercaptobenzene-stibonic acid	Mouse	or	LD <sub>50</sub>	5000
	Mouse	sc	LD <sub>50</sub>	2520 <sup>2</sup>
	Mouse	iv	LD <sub>50</sub>	965 <sup>2</sup>
	Guinea pig	ip	LD <sub>50</sub>	350 <sup>2</sup>
	Rabbit	iv	LD <sub>50</sub>	186 <sup>2</sup>
	Hamster	ip	LD <sub>50</sub>	550 <sup>2</sup>
373 Caronamide	Mouse	or	LD <sub>50</sub>	2450±219
	Mouse	sc	LD <sub>50</sub>	1650±103
	Mouse	iv	LD <sub>50</sub>	1405±40
	Rabbit	iv	LD	1320
	Dog	iv	LD	1575
374 Carvacrol	Frog	sc	LD	75
	Rabbit	or	LD	100
	Rabbit	sc	LD	1000
	Cat	or	LD	100

<sup>1</sup>/Pure. <sup>2</sup>/Calcium salt.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	365
5940-7630		3 hr	Hanzlik, J. Ind. Hyg. Tox. 29:190, 1947. Laug, J. Ind. Hyg. Tox. 21:173, 1939. Latven, J. Pharm. Exp. Ther. 65:89, 1939. Hanzlik, J. Ind. Hyg. Tox. 29:190, 1947. Ibid	366
5330-5730		3 hr	Latven, J. Pharm. Exp. Ther. 65:89, 1939. Hanzlik, J. Ind. Hyg. Tox. 29:190, 1947. Laug, J. Ind. Hyg. Tox. 21:173, 1939. Hanzlik, J. Ind. Hyg. Tox. 29:190, 1947. Ibid	
5940-7630			Laug, J. Ind. Hyg. Tox. 21:173, 1939. Hanzlik, J. Ind. Hyg. Tox. 29:190, 1947. Ibid Ibid Ibid	
10,400-11,590			Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	367
8430-9720			Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	368
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	369
			Lewin, Arch. path. anat. 78:113, 1879.	370
5730-9770 5070-8780		24 hr	Dybing, Acta. pharm. tox. 2:233, 1946. Fühner, Arch. exp. Path. Pharm. 97:86, 1923. Smyth, unpublished data, Mellon Inst. Ibid Lamson, J. Pharm. Exp. Ther. 22:215, 1923. Cantarow, J. Pharm. Exp. Ther. 63:153, 1938.	371
	Oil	24 hr 30 min	Barscum, Q. J. Pharm. Pharmacol, 7:205, 1934. Lamson, J. Pharm. Exp. Ther. 22:215, 1923. Barscum, Q. J. Pharm. Pharmacol. 7:205, 1934.	
	G arabic H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Schnitzer, Arch. int. pharmacod. 85:100, 1951. Ibid Ibid Ibid Ibid Ibid	372
			Beyer, J. Pharm. Exp. Ther. 91:263, 1947. Ibid Ibid Ibid Ibid	373
			Kochmann, Arch. exp. Path. Pharm. 161:196, 1931. Ibid Ibid Ibid	374

Compound	Animal	Route	Dose	Dosage	
				mg/kg	
				Value	
375	Castrix	Rat	or	LD <sub>50</sub> *	1.7
376	Catechol	Frog	sc	LD	160-180
		Mouse	sc	LD	140-160
		Mouse	ip	LD	31.3-2000
		Rat	or	LD <sub>50</sub>	3890
		Rat	sc	LD	200-250
		Guinea pig	sc	LD	200-250
		Guinea pig	ip	LD	150
		Rabbit	or	LD*	1000
		Dog	iv	LD	40-50
377	Caudoside	Cat	iv	LD <sub>50</sub>	0.9592
378	Ceepryn chloride	Mouse	ip	LD <sub>50</sub> *	5-10
		Mouse	ip	LD <sub>50</sub>	10
		Rat	or	LD <sub>50</sub>	200
		Rat	sc	LD <sub>50</sub>	250
		Rat	ip	LD <sub>50</sub>	6
		Rat	ip	LD <sub>50</sub> *	25
		Rat	iv	LD <sub>50</sub>	30
		Guinea pig	ip	LD <sub>50</sub>	15
		Guinea pig	ip	LD <sub>50</sub> *	10
		Rabbit	or	LD <sub>66</sub>	500
		Rabbit	or	LD <sub>50</sub>	400
		Rabbit	sc	LD <sub>50</sub>	300
		Rabbit	ip	LD <sub>50</sub> *	20-25
		Rabbit	ip	LD <sub>50</sub>	25
Rabbit	iv	LD <sub>50</sub>	35		
379	Celliamine	Rabbit	iv	LD	5-7
380	Cephaleine HCl	Rat	sc	LD	6.5
		Rat	ip	LD <sub>50</sub>	9.91
		Guinea pig	sc	LD	8
381	Cerium chloride	Frog	sc	LD	300-1000
		Mouse	sc	LD	1000-5000
		Rat	sc	LD	4000
		Rat	iv	MLD	87.5-105
		Guinea pig	sc	LD	1000-2000
382	Cesium bromide	Rat	ip	LD <sub>50</sub>	1400
383	Cesium chloride	Mouse	ip	LD <sub>50</sub>	1683
		Rat	ip	LD <sub>50</sub>	1500
384	Cesium hydroxide	Rat	ip	LD <sub>50</sub>	100
385	Cesium iodide	Rat	ip	LD <sub>50</sub>	1400
386	Cesium nitrate	Rat	ip	LD <sub>50</sub>	1200
387	Cevadine	Frog	sc	LD	15-30
		Frog	sc	LD	1.5
		Mouse	ip	LD <sub>50</sub>	3.5
		Rabbit	sc	LD	0.5-1.3

/1/ 5% solution.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	375
2080-7260		2-3 da Sev hr	Fühner, Arch. exp. Path. Pharm. 166:446, 1932. Ibid Rpt. Chemother. Leukemia, So. Res. Inst. Smyth, unpublished data, Mellon Inst. Binet, Rev. méd. Suisse rom. 15:561, 1885. Ibid Chassevant, Arch. int. pharmacod. 14:93, 1905. Boruttau, Dissert., Berlin, 1892. Gibbs, Dubois' Arch. f. Physiol. p344, 1890.	376
0.6310-1.923	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	377
			Warren, J. Pharm. Exp. Ther. 74:401, 1942. Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Ibid Ibid Ibid Warren, J. Pharm. Exp. Ther. 74:401, 1942. Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Ibid Warren, J. Pharm. Exp. Ther. 74:401, 1942. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Warren, J. Pharm. Exp. Ther. 74:401, 1942. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Warren, J. Pharm. Exp. Ther. 74:401, 1942.	378
		1-6 da 1-6 da 6-96 hr 3-35min	Fransen, Arch. exp. Path. Pharm. 159:183, 1931.	379
	H <sub>2</sub> O		Walters, J. Pharm. Exp. Ther. 10:73, 1917. Radomski, J. Pharm. Exp. Ther. 104:421, 1952. Walters, J. Pharm. Exp. Ther. 10:73, 1917.	380
			Flury, Abderhalden's Hdb. 4.7b:1320. Ibid Ibid Maxwell, J. Pharm. Exp. Ther. 43:61, 1931. Flury, Abderhalden's Hdb. 4.7b:1320.	381
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	382
			Alles, Univ. Cal. Publ. Pharmacol. 1:187, 1939. Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	383
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	384
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	385
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	386
2.7-4.4			Krayer, Physiol. Rev. 26:383, 1946. Ibid Swiss, Proc. Soc. Exp. Biol. Med. 76:847, 1951. Krayer, Physiol. Rev. 26:383, 1946.	387

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
388 Cevine	Mouse	iv	LD <sub>50</sub>	87
	Rat	ip	LD <sub>50</sub>	67
389 Chelidonium sulfate	Frog	sc	LD	300-400
	Mouse	sc	LD	300-400
	Rat	sc	LD	300-400
	Guinea pig	sc	LD	300-400
	Rabbit	sc	LD	300-400
390 Chiniofon	Frog	sc	LD	240
	Mouse	sc	LD	630
	Rat	or	MLD	3000
	Rat	sc	MLD	600
	Rat	im	MLD	1000
	Rat	iv	MLD	500
	Guinea pig	or	LD <sub>50</sub>	900
	Rabbit	sc	LD	600 <sup>1</sup>
	Cat	sc	LD	360
391 Chloral acetamide	Rat	or	LD <sub>50</sub>	3100
392 Chloral hydrate	Frog	sc	LD	900-950
	Mouse	sc	LD	800-850
	Mouse	ip	MLD	600-700
	Rat	or	LD	1100 <sup>2</sup>
	Rat	or	LD <sub>50</sub>	800
	Rat	or	LD	1500-2000
	Rat	or	LD <sub>50</sub>	500
	Rat	sc	LD	620
	Rabbit	or	LD	1400
	Rabbit	or	LD <sub>100</sub>	1300-1500
	Rabbit	sc	LD	1000
	Rabbit	rt	LD	1000
	Cat	or	LD <sub>25</sub>	500
Cat	or	MLD	440	
Dog	or	LD <sub>50</sub>	1100	
393 2-Chlorallylidene-3, 3-diacetate	Rat	or	LD <sub>50</sub>	320
	Rabbit	ct	LD <sub>50</sub>	980
394 Chloralose	Rat	or	LD <sub>100</sub> <sup>*</sup>	400
	Rat	sc	LD <sub>100</sub>	200
	Rabbit	sc	LD	80
	Cat	or	LD <sup>*</sup>	600
	Cat	ip	LD <sup>*</sup>	150
	Dog	or	LD <sup>*</sup>	600
	Dog	iv	LD	120
395 Chlorcyclozine HCl	Mouse	ip	LD <sub>50</sub>	137
396 Chlordan(e)	Mouse	or	LD <sub>50</sub>	430
	Rat	or	LD <sub>50</sub>	200-250
	Rat	or	LD <sub>50</sub>	470
	Rat	or	LD <sub>50</sub>	590

(continued on next page)

/1/ Wide variation in experimental data. /2/ 3% solution in H<sub>2</sub>O.

Dosage r.g./kg	Vehicle	Time of Death	Reference	
Range				
			Krayer, J. Pharm. Exp. Ther. <u>82:167</u> , 1944. Krayer, Physiol. Rev. <u>26:383</u> , 1946.	388
			Hanzlik, J. Am. Med. Assoc. <u>75:1324</u> , 1920. Ibid Ibid Ibid	389
			Schübel, Klin. Wochr. <u>318: 1924</u> . Ibid Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1938. Schübel, Klin. Wochr. <u>318: 1924</u> . Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1938. Ibid Anderson, Proc. Soc. Exp. Biol. <u>Med. 28:484</u> , 1931. Schübel, Klin. Wochr. <u>318: 1924</u> . Ibid	390
			Finnegan, Fed. Proc. <u>10:294</u> , 1951.	391
	H <sub>2</sub> O	Sev hr 1 hr	Fühner, Arch. exp. Path. Pharm. <u>166:441</u> , 1932. Ibid Franklin, J. Pharm. Exp. Ther. <u>42:1</u> , 1931. Burtner, J. Pharm. Exp. Ther. <u>63:183</u> , 1938. Adams, J. Pharm. Exp. Ther. <u>78:340</u> , 1943. Bräutigam, Arztl. Forsch. <u>7:115</u> , 1953. Finnegan, Fed. Proc. <u>10:294</u> , 1951.	392
		>10 hr 30 min	Gros, Arch. exp. Path. Pharm. <u>182:348</u> , 1936. Lendle, Arch. exp. Path. Pharm. <u>132:214</u> , 1928. Adams, J. Pharm. Exp. Ther. <u>78:340</u> , 1943. Lewin, Zschr. exp. Path. Ther. <u>18:61</u> , 1916. Lendle, Arch. exp. Path. Pharm. <u>132:214</u> , 1928. Adams, J. Pharm. Exp. Ther. <u>78:340</u> , 1943. Sollmann, J. Am. Med. Assoc. <u>51:437</u> , 1908. Adams, J. Pharm. Exp. Ther. <u>78:340</u> , 1943.	
210-500 680-1400			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	393
			Camus, C. rend. Soc. Biol. <u>54:268</u> , 1902. Ibid Heffter, Berl. klin. Wochr. <u>30:475</u> , 1893. Henriot, Arch. Int. Pharmacod. <u>3:191</u> , 1897. Ibid Ibid	394
			Castillo, J. Pharm. Exp. Ther. <u>96:388</u> , 1949.	395
	Olive oil Cot oil		Div. Pharm. F. & D. Adm. Q. Rpt. 3. March 1947. Stohman, Arch. Ind. Hyg. Occ. Med. <u>1:13</u> , 1950. Div. Pharm. F. & D. Adm. Q. Rpt. 3. March 1947. Ambrose, Fed. Proc. <u>12:298</u> , 1953.	396

Compound	Animal	Route	Dose	Dosage
				mg/ kg Value
396 Chiordan(e) (concluded)	Rat	ip	LD <sub>50</sub>	200
	Rabbit	or	LD <sub>50</sub>	300
	Rabbit	or	LD <sub>50</sub>	100
	Rabbit	ct	LD <sub>50</sub>	<780
	Rabbit	iv	LD <sub>74</sub>	20
397 Chlorethamine	Rat	im	LD <sub>50</sub>	150
398 Chloretone	Frog	sc	MLD	800
	Rabbit	or	MLD	213
	Dog	or	MLD	238
399 Chloroacetic acid	Mouse	or	LD <sub>50</sub>	255
	Rat	or	LD <sub>50</sub>	76
	Guinea pig	or	LD <sub>50</sub>	80
400 4-Chloro-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	2400±145
	Mouse	iv	LD <sub>50</sub>	71±2
401 5-Chloro-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub>	92±6
402 6-Chloro-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	398±113
	Mouse	iv	LD <sub>50</sub>	76±4
403 7-Chloro-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub>	77±5
404 Chloroarsen	Mouse	ip	LD <sub>50</sub>	41±1.8
405 N-(p-Chlorobenzhydryl)-N-methyl-piperazine HCl	Mouse	or	LD <sub>50</sub>	300
	Mouse	sc	LD <sub>50</sub>	200
	Mouse	ip	LD <sub>50</sub> *	100
	Mouse	iv	LD <sub>50</sub>	35
	Rat	ip	LD <sub>50</sub>	100
	Guinea pig	ip	LD <sub>50</sub>	100
	Cat	ip	LD <sub>50</sub>	75
	Dog	ip	LD <sub>50</sub>	125-150
406 (3-m-Chlorobenzoxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	11.0±2.2
407 (3-p-Chlorobenzoxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	13.75±2.0
408 1-Chlorobutane	Rat	or	LD <sub>50</sub>	2670
409 p-Chloro-m-cresol	Mouse	sc	LD <sub>50</sub>	360
	Mouse	iv	LD <sub>50</sub>	70
	Rat	sc	LD <sub>50</sub>	400
410 3-Chloro-6-dimethylamino-4,4-diphenylheptane	Mouse	sc	LD <sub>50</sub>	325
411 2-Chloroethylacrylate	Rat	or	LD	180
412 2-Chloroethyl vinyl ether	Rat	or	LD <sub>50</sub>	210
			LD <sub>50</sub>	2410

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	Olive oil Olive oil Tween 20		Stohlman, Arch. Ind. Hyg. Occ. Med. 1:13, 1950. Ibid Ibid Lehman, Q. Bull. Assoc. F. & D. Off. No. 3, 1952. Stohlman, Arch. Ind. Hyg. Occ. Med. 1:13, 1950.	396
	Tween 20		Boyd, Exp. Med. Surg. 4:223, 1951.	397
			Impens, Arch. int. pharmacod. 8:77, 1901. Ibid Ibid	398
196-334 70.7-82.2 71.8-88.6		36 hr 36 hr 36 hr	Woodard, J. Ind. Hyg. Tox. 23:78, 1941. Ibid Ibid	399
			Domino, J. Pharm. Exp. Ther. 105:486, 1952. Ibid	400
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	401
			Domino, J. Pharm. Exp. Ther. 105:486, 1952. Ibid	402
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	403
			Beck, Proc. Soc. Exp. Biol. Med. 78:392, 1951.	404
			Roth, Arch. int. pharmacod. 80:378, 1949. Ibid Ibid Ibid Ibid Ibid Ibid	405
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	406
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	407
2320-3060			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	408
		5-10 min	Wien, Q. J. Pharm. Pharmacol. 12:212, 1939. Ibid Ibid	409
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	410
			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	411
180-250 1970-2940			Smyth, unpublished data, Mellon Inst. Ibid	412

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
413 Chloroform	Mouse	sc	LD	909
	Rat	or	LD <sub>50</sub>	2180
	Rabbit	or	LD	9827
	Rabbit	sc	LD*	900-1000
	Dog	or	MLD	2250
	Dog	iv	MLD	90
414 p-Chloromercuribenzoate	Mouse	sc	LD <sub>50</sub>	75.9±2.7
415 Chloro-β-naphthol	Mouse	sc	LD	540
416 1-Chloro-1-nitroethane	Rabbit	or	MLD	100-150
417 1-Chloro-1-nitropropane	Rat	or	LD	50-100
418 2-Chloro-2-nitropropane	Rabbit	or	LD	500-750
419 m-Chlorophenol	Frog	sc	LD	250
	Rat	or	LD	570 <sup>1</sup>
	Rat	sc	LD	1390 <sup>1</sup>
	Rabbit	iv	LD	65
420 o-Chlorophenol	Frog	sc	LD	400
	Rat	or	LD	670 <sup>2</sup>
	Rat	sc	LD	950 <sup>2</sup>
	Rabbit	iv	LD	120
421 p-Chlorophenol	Frog	sc	LD	150
	Mouse	sc	MLD	60
	Rat	or	LD	67 <sup>3</sup>
	Rat	sc	LD	1030 <sup>2</sup>
	Rabbit	sc	LD	950
	Rabbit	iv	LD	65
422 3-(p-Chlorophenyl)-1,1-dimethylurea	Rat	or	LD <sub>50</sub> *	3500
423 Chlorophyllin	Mouse	ip	LD <sub>50</sub>	400
	Mouse	iv	LD <sub>50</sub>	285
424 Chloropicrin	Rabbit	ip	LD	500
	Rabbit	iv	MLD	10 <sup>4</sup>
	Cat	sc	LD*	10
425 1-Chloro-2-propanol	Rabbit	ct	LD <sub>50</sub>	480
426 1-Chloropropene	Rat	or	LD <sub>50</sub>	1950
427 2-Chloropropylidimethylamine	Mouse	sc	LD <sub>50</sub>	200
428 Chlorostyrene	Rat	or	LD <sub>50</sub>	5200
	Rabbit	ct	LD <sub>50</sub>	20,000
429 Chloroethion	Rat	or	LD <sub>50</sub> *	1500
	Rat	ip	LD <sub>50</sub> *	750
430 2-Chloro-1,1,3-triethoxypropane	Rat	or	LD <sub>50</sub>	1320
	Rabbit	ct	LD <sub>50</sub>	8000
431 2-Chloro-1,1,2-trifluoroethylmethyl ether	Rat	or	LD <sub>50</sub>	5130
	Rabbit	ct	LD <sub>50</sub>	200
432 Chlorprophenpyridamine	Mouse	ip	LD <sub>50</sub>	150

/1/ 20% solution in olive oil. /2/ 50% solution in olive oil. /3/ 25% solution in olive oil.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
1140-4220	Oil G acacia Olive oil	5 hr	Fühner, Arch. exp. Path. Pharm. 97:86, 1923. Smyth, unpublished data, Mellon Inst.	413
		2 da	Fühner, Arch. exp. Path. Pharm. 97:86, 1923.	
		24 hr	Althausen, Arch. Int. Med. 50:257, 1932.	
		24 hr	Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934.	
		30 min	Ibid	
		48 hr	Beck, Proc. Soc. Exp. Biol. Med. 78:392, 1951.	414
			Bechold, Zschr. Hyg. Infkr. 64:113, 1909.	415
			Machle, J. Ind. Hyg. Tox. 27:95, 1945.	416
			Machle, J. Ind. Hyg. Tox. 27:95, 1945.	417
			Machle, J. Ind. Hyg. Tox. 27:95, 1945.	418
	Olive oil Olive oil		Kuroda, Arch. exp. Path. Pharm. 112:60, 1926. Deichmann, Fed. Proc. 2:76, 1943. Ibid Kuroda, Arch. exp. Path. Pharm. 112:60, 1926.	419
	Olive oil Olive oil		Kuroda, Arch. exp. Path. Pharm. 112:60, 1926. Deichmann, Fed. Proc. 2:76, 1943. Ibid Kuroda, Arch. exp. Path. Pharm. 112:60, 1926.	420
	Olive oil Olive oil		Kuroda, Arch. exp. Path. Pharm. 112:60, 1926. Klarman, J. Lab. Clin. Med. 19:835, 1934. Deichmann, Fed. Proc. 2:76, 1943. Ibid Karpow, Arch. sc. Biol. St. Petersburg 2:303, 1893. Kuroda, Arch. exp. Path. Pharm. 112:60, 1926.	421
			Bucha, Science 114:493, 1951.	422
			Heinrichs, Arzneimittelforsch. 4:19, 1954. Ibid	423
	H <sub>2</sub> O Alcohol	1/3-2 hr 6 da	Mayer, C. rend. Acad. sc. 171:1396, 1920. Gildemeister, Zschr. ges. exp. Med. 13:291, 1921. Ibid	424
340-670			Smyth, unpublished data, Mellon Inst.	425
1400-2720			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	426
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	427
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	428
			DeBois, Arch. Ind. Hyg. Occ. Med. 8:350, 1953. Ibid	429
			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	430
3910-6740			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	431
143-157			Way, J. Pharm. Exp. Ther. 104:115, 1952.	432

/4/ Emulsion.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
433	Cholic acid	Frog	sc	LD*	1600
434	Choline	Frog	sc	LD	2500
		Mouse	sc	LD	700
		Rabbit	sc	LD	500
		Cat	sc	LD	400-500
		Cat	iv	LD	35
435	Choline chloride	Mouse	ip	LD	31.3
436	Chromic acetate	Frog	iv	MLD	6185
		Mouse	iv	M.LD	2290
		Rabbit	iv	MLD	1604
437	Chromic chloride	Frog	iv	MLD	187
		Mouse	iv	MLD	801
		Rabbit	iv	MLD	288
438	Chromium sulfate	Frog	iv	MLD	37
		Mouse	iv	MLD	246.8
		Rabbit	iv	MLD	215
439	Chromium trioxide	Dog	sc	LD	330
440	Cicutoxin	Cat	or	LD	7
		Cat	iv	LD	50
441	Cinchonidine	Rat	ip	LD <sub>50</sub>	206
442	Cinchonine	Frog	sc	MLD	200
		Mouse	sc	MLD	400
		Rat	ip	LD <sub>50</sub>	152
443	Cinchophen	Frog	sc	MLD	228
		Guinea pig	sc	MLD	900
		Rabbit	or	MLD	1000
		Rabbit	sc	MLD	950
		Dog	or	MLD	1250
		Dog	sc	MLD	620
444	Cinchophen sodium	Frog	sc	LD	>1333
		Mouse	sc	LD <sub>50</sub>	1000
		Guinea pig	sc	MLD	900
		Rabbit	or	LD	1000
		Rabbit	sc	MLD	950
		Cat	or	LD	977
		Cat	sc	LD	977
		Dog	or	LD	977
		Dog	sc	MLD	620
445	(3-Cinnamoxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	11.2±0.45
446	Cis-bicyclo(2,2,1-heptene-2,3-dicarboxylic acid)methyl ester	Mouse	or	LD <sub>50</sub>	1.4 cc
		Rat	or	LD <sub>50</sub>	1 cc
447	Citraconic anhydride	Rat	or	LD <sub>50</sub>	2600
		Guinea pig	ct	LD <sub>50</sub>	1000

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Flury, Abderhalden's Hdb. 4.7b:1350.	433
			Trendelenburg, Heffter's Hdb. 1.1:593. Flury, Abderhalden's Hdb. 4.7b:1329. Trendelenburg, Heffter's Hdb. 1.1:593. Ibid Ibid	434
			Rpt. Chemother. Leukemia, So. Res. inst.	435
		24 hr	Cavalli, Arch. int. pharmacod. 62:330, 1939. Ibid Ibid	436
		10 da	Cavalli, Arch. int. pharmacod. 62:330, 1939. Ibid Ibid	437
		24 hr 24 hr 1 hr	Cavalli, Arch. int. pharmacod. 62:330, 1939. Ibid Ibid	438
		4 hr	Eichler, Heffter's Hdb. 3.3:1521.	439
			Flury, Abderhalden's Hdb. 4.7b:1330. Ibid	440
			Johnson, Acta. pharm. tox. 4:265, 1949.	441
			Bonmann, Arch. exp. Path. Pharm. 205:129, 1948. Ibid Johnson, Acta. pharm. tox. 4:265, 1949.	442
		8 hr	Rotter, Zschr. exp. Path. 19:176, 1918. Risi, Arch. int. pharmacod. 42:117, 1932. Fuerth, J. Pharm. Exp. Ther. 38:71, 1930. Risi, Arch. int. pharmacod. 42:117, 1932. Barbour, J. Lab. Clin. Med. 8:217, 1923. Risi, Arch. int. pharmacod. 42:117, 1932.	443
			Flury, Abderhalden's Hdb. 4.7b:1310. Haeper, Arch. Path. 41:592, 1946. Risi, Arch. int. pharmacod. 42:117, 1932. Flury, Abderhalden's Hdb. 4.7b:1310. Risi, Arch. int. pharmacod. 42:117, 1932. Flury, Abderhalden's Hdb. 4.7b:1310. Ibid Ibid Risi, Arch. int. pharmacod. 42:117, 1932.	444
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	445
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	446
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid	447

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
448 Citric acid	Mouse	ip	LD <sub>50</sub>	1050
	Mouse	iv	LD <sub>50</sub>	46.2 <sup>1</sup>
	Rat	ip	LD <sub>50</sub>	975
	Rabbit	iv	LD <sub>50</sub>	360 <sup>2</sup>
449 Cobaltous chloride, CoCl <sub>2</sub> ·6H <sub>2</sub> O	Frog	sc	LD	150-200
	Mouse	sc	MLD	100-120
	Rabbit	sc	MLD	200
450 Cobaltous nitrate, Co(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O	Frog	sc	LD	150
	Frog	sc	LD	1000
	Rabbit	or	LD	250 <sup>3</sup>
	Rabbit	sc	LD	200-400
	Rabbit	sc	LD	75 <sup>3</sup>
	Pigeon	im	LD	50-100
451 Cobra venom <sup>4</sup>	Rat	im	LD	2
	Rabbit	sc	LD	0.25
	Rabbit	iv	MLD	0.15
	Cat	sc	LD	0.0035
	Cat	im	LD	1.5-2.0
	Cat	iv	LD	0.0015
	Cat	im	LD	0.5-1.0
	Pigeon	im	LD	0.5
452 Cocaine	Frog	sc	MLD	660
	Mouse	sc	MLD	189
	Mouse	sc	MLD	150
	Mouse	sc	LD	100
	Mouse	iv	MLD	30
	Rat	sc	LD <sub>50</sub>	250
	Rat	ip	LD <sub>50</sub>	70
	Rat	iv	LD <sub>50</sub>	17.5
	Rat	iv	LD	12.5
	Guinea pig	sc	MLD	50
	Guinea pig	ip	MLD	60
	Guinea pig	iv	MLD	20
	Rabbit	sc	MLD	126
	Rabbit	iv	LD <sub>50</sub>	17
	Cat	sc	MLD	31.9
	Cat	iv	MLD	14.6
Dog	sc	MLD	35	
453 Codeine HCl	Mouse	sc	LD <sub>50</sub>	300
	Guinea pig	or	MLD	120
	Rabbit	or	LD <sub>100</sub>	100
	Rabbit	sc	LD <sub>50</sub>	32
	Dog	sc	LD <sup>5</sup>	200
454 Codeine phosphate	Rabbit	or	MLD	100
	Rabbit	sc	LD	100
455 Colchicine	Mouse	ip	LD <sub>50</sub>	84

/1/ Rapid injection. /2/ Slow injection. /3/ Anhydrous. /4/ Toxicity of venom varies

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Gruber, J. Pharm. Exp. Ther. <u>94</u> :65, 1948. Ibid Ibid Ibid	448
		24 hr 3 hr	Hendrych, Heffter's Hdb. <u>3.2</u> :1444. Ibid Ibid	449
		48 hr 1 hr	Hendrych, Heffter's Hdb. <u>3.2</u> :1444 Ibid Flury, Abderhalden's Hdb. <u>4.7b</u> :1331. Ibid Ibid Ibid	450
		4-12 hr 24 hr 2-4 hr  4-12 hr 4-8 hr	Chopra, Ind. J. M. Res. <u>18</u> :1113, 1931. Cushny, Philos. Tr. Roy. Soc. Lond. <u>208B</u> :1, 1916. Ibid Epstein in Chopra, Ind. J. M. Res. <u>18</u> :1113, 1931. Chopra, Ind. J. M. Res. <u>18</u> :1113, 1931. Epstein in Chopra, Ind. J. M. Res. <u>18</u> :1113, 1931. Chopra, Ind. J. M. Res. <u>18</u> :1113, 1931. Ibid	451
			Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932. Ibid Rose, J. Lab. Clin. Med. <u>15</u> :731, 1930. Fromberg, Arch. exp. Path. Pharm. <u>158</u> :368, 1930. Bacharach, Q. J. Pharm. Pharmacol. <u>14</u> :356, 1941. Rose, J. Lab. Clin. Med. <u>15</u> :731, 1930. Ibid Ibid Hooper, Am. J. Physiol. <u>68</u> :120, 1924. Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932. Ibid Ibid Ibid Rose, J. Lab. Clin. Med. <u>15</u> :731, 1930. Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932. Ibid Ibid	452
			Eddy, J. Pharm. Exp. Ther. <u>67</u> :127, 1939. Flury, Abderhalden's Hdb. <u>4.7b</u> :1334. Ibid Eddy, J. Pharm. Exp. Ther. <u>67</u> :127, 1939. Flury, Abderhalden's Hdb. <u>4.7b</u> :1334.	453
			Flury, Abderhalden's Hdb. <u>4.7b</u> :1334. Ibid	454
	G acacia	10-13 ds	Goldberg, Cancer <u>3</u> :124, 1950.	455

for different samples and cobra species.

Compound	Animal	Route	Dose	Dosage mg/kg
				Value
456 Colchicine	Frog	sc	LD	1.2-2.0
	Frog	sc	LD	20
	Mouse	or	LD	66.5
	Mouse	sc	LD	3.0-3.5
	Mouse	sc	LD50	3.10±0.2 <sup>1</sup>
	Mouse	sc	LD50	2.32±0.2 <sup>2</sup>
	Mouse	sc	LD50	3.8
	Mouse	ip	MLD	1.3
	Mouse	ip	LD50	3.5
	Mouse	ip	LD50	3.5
	Rat	sc	LD50	4±1
	Rat	iv	LD50	1.7
	Rabbit	sc	MLD	5-10
	Rabbit	iv	MLD	5-6
	Cat	or	LD	0.125
	Cat	sc	LD	0.57-1.0
	Cat	iv	LD50	0.25
	Dog	or	LD	0.125
Dog	sc	LD	0.571	
Chicken	sc	MLD	0.0015	
457 Columbum chloride	Rat	ip	LD50	40 <sup>3</sup>
458 Congo red	Rat	iv	LD50	190
	Rabbit	iv	LD50	250
	Cat	iv	LD50*	125
	Pigeon	iv	LD50	150
459 Conhydrine	Guinea pig	sc	LD	>400
460 7-Coniceine	Guinea pig	sc	LD	150
461 Conine	Frog	sc	LD	15-20
	Mouse	sc	LD	75 <sup>4</sup>
	Guinea pig	or	LD	150
	Guinea pig	sc	LD	40
	Guinea pig	sc	LD	50
	Rabbit	or	LD	56
	Rabbit	sc	LD	25
	Rabbit	sc	LD	90
	Rabbit	iv	LD	15-20 <sup>5</sup>
	Dog	sc	LD	50 <sup>5</sup>
Pigeon	sc	LD	>40 <sup>4</sup>	
462 Convallamarin	Frog	or	MLD	200
	Frog	sc	MLD	15
	Mouse	sc	MLD	600
	Guinea pig	iv	LD	40
	Rabbit	or	LD	320-1500
	Rabbit	sc	LD	10-40
	Rabbit	iv	LD	6-40

(continued on next page)

/1/ At 25°-35° C. /2/ At 4° C. /3/ 50% solution in H<sub>2</sub>O. /4/ Hydrochloride. /5/ Hydro-

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	N saline	12-15 hr 3-13 da 1-2 da	Flury, Abderhalden's Hdb. 4. 7b:1337. Arvy, C. rend. Soc. biol. 134:452, 1940. Goldberg, Cancer 3:124, 1950. Fühner, Arch. exp. Path. Pharm. 166:437, 1932. Streicher, Proc. Soc. Exp. Biol. Med. 76:536, 1951. Ibid Sullivan, Proc. Soc. Exp. Biol. Med. 77:269, 1951. Rpt. Chemother. Leukemia, So. Res. Inst. Goldberg, Cancer 3:124, 1950. U. of Chicago Toxic. Lab. Rpt. 23. Santovy, Arch. int. pharmacod. 84:257, 1950. Ferguson, J. Pharm. Exp. Ther. 106:261, 1952. Maurel, C. rend. Soc. biol. 67:768, 1909. Ibid Flury, Abderhalden's Hdb. 4. 7b:1337. Ibid Ferguson, J. Pharm. Exp. Ther. 106:261, 1952. Flury, Abderhalden's Hdb. 4. 7b:1337. Ibid Arvy, C. rend. Soc. biol. 134:452, 1940.	456
	H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	457
			Richardson, Am. J. Med. Sc. 198:73, 1939 Ibid Ibid Ibid	458
			Albahary, C. rend. Acad. sc. 147:996, 1908.	459
		10 min	Albahary, C. rend. Acad. sc. 147:996, 1908.	460
		10-28 min 29 min 15-30 min	Gürber, Arch. Anat. Physiol. 401, 1890. Flury, Abderhalden's Hdb. 4. 7b:1337. Thaddeus, Arch. exp. Path. Pharm. 162:385, 1931. Ibid. Albahary, C. rend. Acad. sc. 147:996, 1908 Hadra, Dissert., Hamburg 1936. Ibid Granger, Ber. deut. chem. Ges. 30:1060, 1897. Flury, Abderhalden's Hdb. 4. 7b:1337. Ibid Ibid	461
			Flury, Abderhalden's Hdb. 4. 7b:1338. Ibid Lendle, Hefter's Hdb. E.1:78. Ibid Ibid Ibid Ibid	462

bromide.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
462 Convallamarin (concluded)	Cat	iv	LD	1.7
	Pigeon	or	MLD	100
	Pigeon	sc	MLD	3
463 Convallarin	Frog	sc	LD	0.7
	Mouse	sc	LD	70
	Guinea pig	iv	LD	5
	Rabbit	or	LD	2000
	Rabbit	sc	LD	4
	Rabbit	iv	LD	1.5
464 Convallatoxin	Frog	iv	MLD	0.3
	Cat	iv	MLD	0.077
465 Convallotoxol	Cat	iv	LD <sub>50</sub>	0.0869
466 Copellidine	Frog	sc	LD	375
467 Copper carbonate	Rat	or	LD <sub>50</sub> *	159
468 Copper chloride	Rat	or	LD <sub>50</sub> *	140
	Guinea pig	sc	LD	100
469 Copper nitrate	Rat	or	LD <sub>50</sub>	940
470 Copper sulfate	Frog	iv	LD	25-37
	Mouse	iv	LD	50
	Rat	cr	LD <sub>50</sub> *	300
	Guinea pig	iv	LD	2
	Rabbit	iv	LD	4-5
471 Coramine	Frog	sc	LD	1000
	Frog	sc	LD	2000
	Mouse	sc	LD	295
	Rat	sc	MLD	470
	Rat	sc	LD <sub>50</sub>	240
	Rat	ip	LD	450
	Rat	ip	LD <sub>50</sub>	300
	Guinea pig	sc	LD	300
	Guinea pig	ip	LD	250
	Rabbit	or	LD	650
	Rabbit	sc	LD	300-400
	Rabbit	sc	LD	400
	Rabbit	ip	LD <sub>50</sub>	225
	Rabbit	iv	MLD	150
	Rabbit	iv	LD	250
Dog	im	LD	150-200	
Dog	iv	LD	150-200	
472 Corchoroside A	Cat	iv	LD <sub>50</sub>	0.0768
473 Corchoroside B	Cat	iv	LD <sub>50</sub>	0.1415
474 Coryamyrin (continued on next page)	Frog	sc	MLD	10
	Mouse	iv	MLD	1.1
	Rat	sc	MLD	1

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Flury, Abderhalden's Hdb. 4. 7b:1338. Ibid	462
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid Ibid Ibid Ibid	463
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid	464
0.0597-0.1050	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	465
			Gürber, Arch. Anat. Physiol. 401, 1890.	466
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u>	467
		5-8 hr	Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u> Sellei, Biochem. Zachr. <u>49:466, 1913.</u>	468
610-1430			Smyth, unpublished data. Mellon Inst.	469
			Eichholtz, Heffter's Hdb. <u>3.3:1967.</u> Ibid Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u> Eichholtz, Heffter's Hdb. <u>3.3:1967.</u> Ibid	470
			Hildebrandt, Heffter's Hdb. <u>E. 5:1939.</u> Lagier, Thèse, Genève 1922. Behrens, Klin. Wochr. <u>12:1860, 1933.</u> Albus, Arch. exp. Path. Pharm. <u>182:471, 1936.</u> Brasda, Proc. Soc. Exp. Biol. Med. <u>62:19, 1946.</u> Kohn, Arch. exp. Path. Pharm. <u>179:448, 1935.</u> Hildebrandt, Heffter's Hdb. <u>E. 5:1939.</u> Ibid Ibid Ibid Ibid Lagier, Thèse, Genève 1922. Hildebrandt, Heffter's Hdb. <u>E. 5:1939.</u> Werner, J. Pharm. Exp. Ther. <u>66:260, 1939.</u> Lagier, Thèse, Genève 1922. Hildebrandt, Heffter's Hdb. <u>E. 5:1939.</u> Ibid	471
0.0522-0.1054	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	472
0.0752-0.1815	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	473
			Swanson, J. Pharm. Exp. Ther. <u>57:410, 1936.</u> Ibid Ibid	474

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
474 Coryamyrтин (concluded)	Rat	iv	MLD	0.7
	Rabbit	sc	MLD	1.2
	Rabbit	iv	MLD	0.4
475 Corynantheine	Mouse	iv	MLD	35.8 <sup>1</sup>
	Mouse	iv	MLD	75.3 <sup>2</sup>
	Guinea pig	ip	LD <sub>50</sub>	150
476 Corynantheine tartrate <sup>3</sup>	Guinea pig	ip	LD <sub>50</sub>	83
477 Corynanthine HCl	Mouse	iv	MLD	76.7
	Guinea pig	ip	LD <sub>50</sub>	158
478 Corynanthine tartrate	Guinea pig	ip	LD <sub>50</sub> <sup>4</sup>	75
479 Cotoin(e)	Frog	sc	LD	8
480 m-Cresol	Frog	sc	LD	250
	Mouse	sc	LD	450
	Mouse	ip	LD <sub>50</sub>	168
	Rat	or	LD <sub>50</sub>	2020
	Rat	sc	LD	900
	Guinea pig	sc	LD	300-400
	Guinea pig	ip	LD	100
	Rabbit	or	LD	1400 <sup>4</sup>
	Rabbit	sc	LD	500-600
	Rabbit	iv	LD	280 <sup>5</sup>
	Cat	sc	LD	180 <sup>6</sup>
	Dog	iv	LD	150
481 o-Cresol	Frog	sc	LD	200
	Mouse	sc	LD	350
	Rat	or	LD <sub>50</sub>	1350
	Rat	sc	LD	650
	Guinea pig	sc	LD	350-400
	Guinea pig	ip	LD	350
	Rabbit	or	LD	940 <sup>7</sup>
	Rabbit	iv	LD	180 <sup>5</sup>
	Rabbit	sc	LD	450-500
	Cat	sc	LD	55 <sup>6</sup>
Dog	iv	LD	80	
482 p-Cresol	Frog	sc	LD	150
	Mouse	sc	LD	150
	Mouse	ip	LD <sub>50</sub>	24.8
	Rat	or	LD <sub>50</sub>	1800
	Rat	sc	LD	500
	Guinea pig	sc	LD	200-300
	Guinea pig	ip	LD	100
	Rabbit	or	LD	620 <sup>7</sup>
	Rabbit	sc	LD	300-400
	Rabbit	iv	LD	180 <sup>5</sup>
Cat	sc	LD	80 <sup>6</sup>	

/1/ Base. /2/ Hydrochloride. /3/ Crystalline. /4/ 20% solution in H<sub>2</sub>O. /5/ 0.5% solu-

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Swanson, J. Pharm. Exp. Ther. <u>57:410</u> , 1936. Ibid Ibid	474
			Röthlin, Arch. exp. Path. Pharm. <u>178:305</u> , 1935. Ibid Hamet, C. rend. Soc. biol. <u>146:1042</u> , 1952.	475
			Hamet, C. rend. Soc. biol. <u>146:1042</u> , 1952.	476
			Röthlin, Arch. exp. Path. Pharm. <u>178:305</u> , 1935. Hamet, C. rend. Soc. biol. <u>146:1042</u> , 1952.	477
			Hamet, C. rend. Soc. biol. <u>146:1042</u> , 1952.	478
			Jodlbauer, Biochem. Zschr. <u>74:340</u> , 1916.	479
		12-24 hr	Tollens, Arch. exp. Path. Pharm. <u>52:220</u> , 1905. Ibid Harvey, Q. J. Pharm. Pharmacol. <u>5:497</u> , 1953. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944 Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944.	480
	H <sub>2</sub> O	6-8 hr	Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895.	
	H <sub>2</sub> O	4 hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944.	
	H <sub>2</sub> O	2-12 hr	Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895.	
	Olive oil	15 hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Ibid Gibbs, Dubois' Arch. f. Physiol. Suppl. p271, 1889.	
			Tollens, Arch. exp. Path. Pharm. <u>52:220</u> , 1905. Ibid Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Ibid Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Gibbs, Dubois' Arch. f. Physiol. Suppl. p271, 1889.	481
		70 min	Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905.	
	H <sub>2</sub> O	4 hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944.	
	H <sub>2</sub> O	8 hr	Ibid	
	Olive oil	<2-3 hr	Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895.	
		60 hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Gibbs, Dubois' Arch. f. Physiol. Suppl. p271, 1889.	
			Tollens, Arch. exp. Path. Pharm. <u>52:220</u> , 1905. Ibid Harvey, Q. J. Pharm. Pharmacol. <u>5:497</u> , 1953. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944 Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944. Ibid	482
		6-22 hr	Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905.	
	H <sub>2</sub> O	4 hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944.	
	H <sub>2</sub> O	12-36 hr	Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895.	
	H <sub>2</sub> O	1 <sup>h</sup> hr	Deichmann, J. Pharm. Exp. Ther. <u>80:233</u> , 1944.	
	Olive oil	123 hr	Ibid	

tion in H<sub>2</sub>O. /6/ 10% solution in olive oil. /7/ 20% emulsion in H<sub>2</sub>O.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
483 Crotonaldehyde	Mouse	sc	LD <sub>50</sub>	160
	Rat	or	LD <sub>50</sub>	300
	Rat	sc	LD <sub>50</sub>	140
	Rabbit	ct	LD <sub>50</sub>	380
484 Crotonamide	Rat	or	LD <sub>50</sub>	2830
485 Crotonic acid	Rat	or	LD <sub>50</sub>	1000
	Guinea pig	ct	LD <sub>50</sub>	600
486 Crotonic acid vinyl ester	Rat	or	LD <sub>50</sub>	6500
487 Cryolite	Rat	or	LD <sub>50</sub> *	200
488 Cryptenamine <sup>1</sup>	Mouse	iv	LD <sub>50</sub>	0.64 <sup>2</sup>
	Mouse	iv	LD <sub>50</sub>	0.6 <sup>3</sup>
489 Crystal violet	Mouse	ip	LD <sub>100</sub>	20
	Mouse	iv	LD <sub>75</sub> *	20
	Rat	ip	LD <sub>75</sub> *	15
	Guinea pig	ip	LD <sub>100</sub>	10
490 Cumene	Rat	or	LD <sub>50</sub>	2910
491 Cumertilin	Mouse	sc	LD <sub>50</sub>	83±3
	Mouse	iv	LD <sub>50</sub>	41±2
	Rat	or	LD <sub>50</sub>	238±11
	Rat	im	LD <sub>50</sub>	12.3±0.5
	Rat	iv	LD <sub>50</sub>	9.8±0.08
	Rabbit	im	LD <sub>50</sub>	13±1
	Rabbit	iv	LD <sub>50</sub>	7.4±1.4
492 Curare	Rat	sc	LD	20-25
	Rabbit	or	LD	266-333
	Rabbit	sc	LD	2.6-3.3
	Rabbit	iv	LD <sub>50</sub>	1.3
	Dog	iv	LD <sub>50</sub>	1.2
493 Curarine	Frog	sc	LD	8.4
	Mouse	sc	LD	0.38-0.41
	Mouse	sc	LD <sub>50</sub>	0.6±0.02
	Mouse	sc	LD <sub>50</sub>	0.7±0.1 <sup>4</sup>
	Mouse	sc	LD <sub>50</sub>	1.25
	Mouse	ip	LD <sub>50</sub>	0.5±0.034
	Mouse	iv	LD <sub>50</sub>	0.18±0.01
	Mouse	iv	LD	0.10-0.125
	Mouse	iv	LD <sub>50</sub>	0.2
	Mouse	iv	LD <sub>50</sub>	0.136
	Guinea pig	sc	MLD	0.09-0.11
	Rabbit	sc	MLD	0.34
	Rabbit	iv	MLD	0.08-0.12
	Rabbit	iv	LD <sub>50</sub>	0.187±0.012
	Rabbit	iv	LD <sub>50</sub>	0.16-0.25
Cat	sc	MLD	0.34	

(continued on next page)

/1/ An alkaloid of Veratrum. /2/ Second fraction. /3/ Third fraction. /4/ Curarine chloride. 1948.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
270-520		24 hr 24 hr	Skog, Acta pharm. tox. 6:299, 1950. Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Skog, Acta pharm. tox. 6:299, 1950. Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	483
2320-3440			Smyth, unpublished data, Mellon Inst.	484
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid	485
4950-8530			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	486
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	487
			O'Dell, Proc. Soc. Exp. Biol. Med. 85:400, 1954. Ibid	488
			Anderson, Proc. Soc. Exp. Biol. Med. 31:825, 1934. Ibid Ibid Ibid	489
2500-3320			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	490
			Blumberg, J. Pharm. Exp. Ther. 105:336, 1952. Ibid Ibid Ibid Ibid Ibid	491
			Boldyreff, J. Pharm. Exp. Ther. 46:407, 1932. Fühner, Arch. exp. Path. Pharm. 61:284, 1909. Ibid Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid	492
			Flury, Abderhalden's Hdb. 4.7b:1339. Ibid Hoppe, J. Pharm. Exp. Ther. 100:333, 1950. Ibid Bovet & Bovet-Nitti. <sup>5</sup> Berger, J. Pharm. Exp. Ther. 93:362, 1948. Hoppe, J. Pharm. Exp. Ther. 100:333, 1950. Everett, J. Pharm. Exp. Ther. 92:236, 1948. Bovet & Bovet-Nitti. <sup>5</sup> Pelikan, Proc. Pharm. Soc. Fall Meet. p64, 1951. Flury, Abderhalden's Hdb. 4.7b:1339. Ibid Ibid Hoppe, J. Pharm. Exp. Ther. 100:333, 1950. Bovet & Bovet-Nitti. <sup>5</sup> Flury, Abderhalden's Hdb. 4.7b:1339.	493

/5/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif." New York: S. Karger.

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
493 Curarine (concluded)	Dog	sc	LD <sub>50</sub>	0.5
	Dog	sc	MLD	0.34
	Pigeon	im	MLD	0.618
494 Cyanine <sup>2</sup>	Mouse	or	LD <sub>50</sub>	7.9 <sup>3</sup>
	Rat	or	LD <sub>50</sub>	161 <sup>3</sup>
495 Cyanogen chloride	Mouse	sc	LD	39.07
	Rabbit	sc	LD	20.036
	Pigeon	sc	LD	43.53
496 Cyanogen iodide	Frog	sc	LD	111-143
	Mouse	sc	LD	27-36
	Rat	sc	LD	44
	Rabbit	or	LD	23.5
	Rabbit	sc	LD	19-40
	Rabbit	iv	LD	15
	Cat	or	LD	18
	Cat	sc	LD	23
	Dog	sc	LD	19-30
497 Cyanomethyl acetate	Rat	or	LD <sub>50</sub>	32
	Rabbit	ct	LD <sub>50</sub>	43
498 Cyanomethyl butyrate	Rat	or	LD <sub>50</sub>	120
499 Cyclethrin	Rat ♂	or	LD <sub>50</sub>	1400-2800 <sup>4</sup>
	Rat ♂	or	LD <sub>50</sub>	3300-4900 <sup>5</sup>
	Rabbit	ct	LD <sub>50</sub>	10,000
500 Cyclohexane	Rabbit	or	MLD	5500-6000
	Rabbit	iv	LD	77
501 Cyclohexanecarboxylic acid-1-hydroxycyclophenyl ester	Mouse	or	LD <sub>50</sub>	3.2
	Rat	or	LD <sub>50</sub>	2.6
502 Cyclohexanol	Rat	or	LD <sub>50</sub>	2060
	Rabbit	or	MLD	2200-2600
	Rabbit	ct	MLD	12,400-22,700
	Rabbit	ip	LD	1420
503 Cyclohexanone	Mouse	ip	MLD	1300-1500
	Rat	or	LD <sub>50</sub>	3460
	Rabbit	or	MLD	1600-1900
	Rabbit	ct	MLD	10,200-23,000
504 β-6-1,2-Cyclohexenylisopropylamine	Mouse	ip	LD	90
505 Cyclohexylacetoacetate	Mouse	or	LD <sub>50</sub>	7.2 cc
506 Cyclohexylamine	Rat ?	ip	LD <sub>50</sub>	200
507 DL-1-Cyclohexyl-2-aminopropane HCl	Rat	ip	LD <sub>50</sub>	65
	Guinea pig	ip	LD <sub>50</sub>	50-70
	Rabbit	ip	LD <sub>50</sub>	100-115
508 Cyclohexylammonium formate	Rat ?	ip	LD <sub>50</sub>	580
509 Cyclohexylammonium stearate	Rat ?	ip	LD <sub>50</sub>	4000

/1/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif," New York: S. Karger.  
/5/ 20% solution in paraffin oil.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Bovet & Bovet-Nitti. <sup>1</sup> Flurv. Abderhalden's Hdb. 4, 7b:1339. Ibid	493
	G acacia G acacia		Weston, J. Pharm. Exp. Ther. 107:315, 1953. Ibid	494
			Hunt, Heffter's Hdb. 1.1:779. Ibid Ibid	495
		12 hr	Hunt, Heffter's Hdb. 1.1:779. Ibid Ibid Ibid Ibid Ibid Ibid Ibid	496
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	497
85-160			Smyth, unpublished data, Mellon Inst.	498
6,800-14,800	Par oil		Carpenter, Arch. Ind. Hyg. Occ. Med. 10:162, 1954. Ibid Ibid	499
			Treon, J. Ind. Hyg. Tox. 25:199, 1943. Sato, Jap. J. M. Sc. .IV Pharm. 3:(1), 1, 1928.	500
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	501
1950-2180			Smyth, unpublished data, Mellon Inst. Treon, J. Ind. Hyg. Tox. 25:199, 1943. Ibid Sato, Jap. J. M. Sc. .IV Pharm. 3:(1), 1, 1928.	502
2810-4260			Jacob, Arch. exp. Path. Pharm. 50:199, 1903. Smyth, unpublished data, Mellon Inst. Treon, J. Ind. Hyg. Tox. 25:199, 1943. Ibid	503
			Gunn, J. Physiol. 97:453, 1940.	504
			Draize, J. Pharm. Exp. Ther. 93:26, 1948.	505
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	506
			Fellows, J. Pharm. Exp. Ther. 100:267, 1950. Ibid Ibid	507
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	508
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	509

1948. /2/ Cyanine dye No. 715. /3/ 1% suspension in gum acacia solution. /4/ Undiluted.

Compound	Animal	Route	Dose	Dosage	
				mg/kg Value	
510	$\alpha$ -Cyclohexyl- $\alpha$ -ethylamine	Mouse	ip	LD	180
511	$\alpha$ -Cyclohexyl- $\beta$ -ethylamine	Mouse	ip	LD	120
512	$\alpha$ -Cyclohexylisopropylamine	Mouse	ip	LD <sub>50</sub>	160
513	Cyclohexylmethylamine	Mouse	ip	LD	360
514	DL-1-Cyclohexyl-2-methylamino-propane HCl	Rat	ip	LD <sub>50</sub>	65-75
		Guinea pig	ip	LD <sub>50</sub>	85
		Rabbit	ip	LD <sub>50</sub>	80-90
515	Cyclohexyl sulfamate sodium	Mouse	or	LD <sub>50</sub>	10,000-12,000
		Mouse	iv	LD <sub>50</sub>	4000
		Rat	or	LD <sub>50</sub>	12,000
		Rat	iv	LD <sub>50</sub> *	3500
516	Cyclotrimethylenetrinitramine	Rat	or	LD <sub>50</sub>	200 <sup>1</sup>
517	Cymarín	Frog	sc	LD	0.7-2.0
		Cat	sc	LD	0.5
		Cat	iv	LD	0.125
		Cat	iv	LD <sub>50</sub>	0.0954
		Dog	iv	LD	0.215
518	Cymene	Guinea pig	ip	LD*	2100
519	Cystamin(e)	Mouse	sc	LD	450
		Rat	sc	LD	200
		Guinea pig	sc	LD	300
		Cat	sc	LD	200
520	Cytisine nitrate	Frog	sc	LD	25
		Rat	sc	LD	70
		Guinea pig	sc	LD	7
		Cat	sc	LD	3
		Dog	sc	LD	4
		Chicken	sc	LD	10
		Pigeon	sc	LD	6.3-13.0
521	2,4-D	Mouse	or	LD <sub>50</sub>	375
		Mouse	sc	LD <sub>50</sub>	280
		Mouse	ip	LD <sub>50</sub>	375
		Rat	or	LD <sub>50</sub>	666
		Rat	ip	LD <sub>50</sub>	666
		Guinea pig	or	LD <sub>50</sub>	1000
		Guinea pig	ip	LD <sub>50</sub>	666
		Rabbit	or	LD <sub>50</sub>	800
		Rabbit	ct	LD <sub>50</sub>	1400 <sup>2</sup>
		Rabbit	ip	LD <sub>50</sub>	400
		Rabbit	iv	LD <sub>50</sub>	400
		Dog	or	LD <sub>50</sub>	100
522	DDD	Mouse	or	LD	2280
		Rat	or	LD	3360
		Rat	or	LD <sub>50</sub> *	3400

<sup>1</sup>/ 4% suspension in H<sub>2</sub>O. <sup>2</sup>/ Ammonium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Gunn, J. Physiol. <u>97:453</u> , 1940.	510
			Gunn, J. Physiol. <u>97:453</u> , 1940.	511
			Gunn, J. Physiol. <u>97:453</u> , 1940.	512
			Gunn, J. Physiol. <u>97:453</u> , 1940.	513
			Fellows, J. Pharm. Exp. Ther. <u>100:267</u> , 1951. Ibid Ibid	514
		24 hr Few min	Richards, J. Am. Pharm. Assoc. <u>40:1</u> , 1951. Ibid Ibid Ibid	515
	H <sub>2</sub> O	24 hr	Vor Oettingen, J. Ind. Hyg. Tox. <u>31:21</u> , 1949.	516
			Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Chen, Proc. Pharm. Soc. <u>3:13</u> , 1940. Lendle, Heffter's Hdb. <u>E. 1:78</u> .	517
			Chassevant, C. rend. Soc. Biol. <u>55:1255</u> , 1903.	518
			Robber, Arch. exp. Path. Pharm. <u>185:461</u> , 1937. Ibid Ibid Ibid	519
			Flury, Abderhalden's Hdb. <u>4.7b:1342</u> . Ibid Ibid Ibid Ibid Ibid	520
		3 da	Hill, J. Ind. Hyg. Tox. <u>29:85</u> , 1947. Bucher, Proc. Soc. Exp. Biol. Med. <u>63:204</u> , 1946. Hill, J. Ind. Hyg. Tox. <u>29:85</u> , 1947. Ibid Ibid Ibid Ibid Ibid Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952. Hill, J. Ind. Hyg. Tox. <u>29:85</u> , 1947. Ibid Drill, Arch. Ind. Hyg. Occ. Med. <u>7:61</u> , 1953.	521
			Div. Pharm. F. & D. Adm. Q. Rpt. <u>2</u> , Dec. 1946. Div. Pharm. F. & D. Adm. Q. Rpt. <u>3</u> , Mar. 1947. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	522

Compound	Animal	Route	Dose	Dosage mg/kg
				Value
523 DDT	Frog	sc	LD	50
	Mouse	or	LD <sub>50</sub> *	180
	Mouse	or	LD <sub>50</sub>	200 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	420 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	800
	Rat	or	LD <sub>50</sub> *	200
	Rat	ct	LD <sub>50</sub>	3000
	Rat	sc	LD <sub>50</sub>	1500
	Rat	ip	LD	100-200
	Rat	iv	LD <sub>50</sub>	40-50 <sup>2</sup>
	Guinea pig	or	LD <sub>50</sub>	400
	Guinea pig	or	LD <sub>40</sub>	282-355
	Guinea pig	ct	LD <sub>50</sub>	1000
	Guinea pig	sc	LD <sub>50</sub>	900
	Rabbit	or	LD <sub>50</sub>	300
	Rabbit	or	LD <sub>50</sub>	400
	Rabbit	or	LD <sub>50</sub>	250
	Rabbit	ct	LD <sub>50</sub>	300
	Rabbit	sc	LD <sub>50</sub>	>3200
	Rabbit	ip	LD <sub>50</sub>	2100
	Rabbit	iv	LD	40-45
	Cat	or	LD <sub>50</sub>	400-500 <sup>2</sup>
	Cat	iv	LD	40-75 <sup>2</sup>
	Dog	iv	LD	60-75 <sup>2</sup>
	Monkey	iv	LD <sub>50</sub>	50-60 <sup>2</sup>
	Monkey	iv	LD <sub>100</sub>	75
Chicken	or	LD <sub>50</sub>	>300	
524 Decaborane	Mouse	ip	LD <sub>50</sub>	33
	Rat	ip	LD <sub>50</sub>	23
	Rabbit	ip	LD <sub>50</sub>	28
	Rabbit	ct	LD <sub>50</sub>	113
	Rabbit	ct	LD <sub>50</sub>	71
	Dog	ip	LD	<16
525 Decahydronaphthalene	Rat	or	LD <sub>50</sub>	4170
	Rat	ct	LD <sub>50</sub>	5900
526 Decane-1,10-diamine 2HCl	Mouse	ip	LD <sub>50</sub>	122.5-171.6
	Rat	ip	LD <sub>50</sub>	98.1-122.5
	Guinea pig	ip	LD <sub>50</sub>	98.1-122.5
527 Decapryn succinate	Mouse	or	LD <sub>50</sub>	470±32
	Mouse	sc	LD <sub>50</sub>	460±52
	Mouse	iv	LD <sub>50</sub>	62±4
	Rat	sc	LD <sub>50</sub>	440±34
	Rabbit	or	LD <sub>50</sub>	250±42
	Rabbit	iv	LD <sub>50</sub>	49±1.4
528 Decylthiocyanate	Mouse	sc	LD	18,000
	Rat	sc	LD	20,700
	Cat	or	LD	4550

/1/ Toxicity varies with different solvents. /2/ Emulsion in H<sub>2</sub>O. /3/ Or kerosene.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	Par oil Par oil Ether Par oil  H <sub>2</sub> O  Ether <sup>3</sup> Par oil  Par oil Par oil Ether <sup>3</sup> Olive oil Olive oil Olive oil H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Hoffmann, Arch. exp. Path. Pharm. 205:223, 1948. Woodard, J. Pharm. Exp. Ther. 82:152, 1944. Von Oettingen, J. Pharm. Exp. Ther. 88:400, 1946. Woodard, J. Pharm. Exp. Ther. 82:152, 1944. Cameron, Brit. Med. J. 1:865, 1945. Philips, J. Pharm. Exp. Ther. 86:213, 1946. Cameron, Brit. Med. J. 1:865, 1945. Ibid Hoffmann, Arch. exp. Path. Pharm. 205:223, 1948. Deichmann & Heyroth, unpublished data, 1950. Cameron, Brit. Med. J. 1:365, 1945. Woodard, J. Pharm. Exp. Ther. 82:152, 1944. Cameron, Brit. Med. J. 1:865, 1945. Ibid Ibid Woodard, J. Pharm. Exp. Ther. 82:152, 1944. Cameron, Brit. Med. J. 1:865, 1945. Ibid Deichmann & Heyroth, unpublished data, 1950. Ibid Philips, J. Pharm. Exp. Ther. 86:213, 1946. Ibid Ibid Ibid Ibid Ibid	523
		24 hr 48 hr	Krackow, Arch. Ind. Hyg. Occ. Med. 8:335, 1953. Ibid Ibid Krackow, Chem. Corps Med. Lab. Rpt. 8, 1951. Ibid Wills, Chem. Corps Med. Lab. Rpt. 15, 1953.	524
3360-5160 3840-9060			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	525
			Alles, J. Pharm. Exp. Ther. 107:332, 1953. Ibid Ibid	526
		2-24 hr 2-24 hr 2-24 hr 2-24 hr 2-24 hr	Brown, J. Lab. Clin. Med. 33:325, 1948. Ibid Ibid Ibid Ibid Ibid	527
		2' -8 ds 4 1/2-72 hr	Von Oettingen, J. Ind. Hyg. Tox. 18: 310, 1936. Ibid Ibid	528

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
529 Dehydroacetic acid	Mouse	ip	LD <sub>50</sub>	2000
	Rat	or	LD <sub>50</sub>	1000
	Rat	or	LD <sub>50</sub>	570 <sup>2</sup>
	Dog	or	LD	400 <sup>2</sup>
	Dog	iv	LD	400 <sup>2</sup>
530 Delvinal	Rat	or	LD <sub>50</sub>	130
	Dog	or	LD <sub>50</sub>	60
531 Demerol HCl	Frog	sc	MLD	250-300
	Frog	sc	LD <sub>50</sub>	515
	Mouse	or	LD <sub>50</sub>	221
	Mouse	or	LD <sub>50</sub>	178
	Mouse	sc	MLD	160
	Mouse	sc	LD <sub>50</sub>	195
	Mouse	sc	LD <sub>50</sub>	165±6.9
	Mouse	sc	LD <sub>50</sub>	150
	Mouse	ip	MLD	125
	Mouse	ip	LD <sub>50</sub>	147
	Mouse	ip	LD <sub>50</sub>	145±7.4
	Mouse	ip	LD <sub>50</sub>	152
	Mouse	ip	LD <sub>50</sub>	141.04±8.71
	Mouse	iv	LD <sub>50</sub>	40.8±1.4
	Mouse	iv	LD <sub>50</sub>	49.67±1.35
	Mouse	iv	LD <sub>50</sub>	60
	Rat	or	LD <sub>50</sub>	170
	Rat	sc	LD <sub>50</sub>	200
	Rat	ip	LD <sub>50</sub>	93
	Rat	iv	LD <sub>50</sub>	34
Rabbit	or	LD <sub>50</sub>	500	
Rabbit <sup>3</sup>	iv	LD <sub>50</sub>	32	
Rabbit <sup>4</sup>	iv	LD <sub>50</sub>	20	
Rabbit	iv	LD <sub>50</sub>	30	
532 Derris root <sup>5</sup>	Mouse	or	LD <sub>50</sub>	350
	Rat	or	LD <sub>100</sub>	400
	Rat	or	LD <sub>50</sub> <sup>*</sup>	1500
	Guinea pig	or	LD <sub>100</sub>	100
	Rabbit	or	LD <sub>100</sub>	700
Dog	or	LD <sub>100</sub>	250	
533 Desacetyl-tanghinin	Cat	iv	LD <sub>50</sub>	0.2311
534 Desgluco-cheiroside A	Cat	iv	LD <sub>50</sub>	1.332
535 Desgluco-hellebrol	Cat	iv	LD <sub>50</sub>	0.0922
536 Desgluco-transvaalin	Cat	iv	LD <sub>50</sub>	0.1847
537 Desoxycorticosterone	Rat	ip	LD <sup>*</sup>	325.5
538 DFDT	Rat	or	LD <sub>50</sub> <sup>*</sup>	1120

/1/Olive oil emulsion in gum arabic. /2/Given as Na salt; calculated as acid equivalent.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
910-1100 510-610	Olive oil <sup>1</sup> H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Brodersen, Acta pharm. tox. 2:109, 1946. Spencer, J. Pharm. Exp. Ther. 99:57, 1950. Ibid Seevers, J. Pharm. Exp. Ther. 99:69, 1950. Ibid	529
		24 hr	Hendrix, J. Pharm. Exp. Ther. 66:22, 1940. Ibid	530
368-720 165-193  142-204 167-240  28-41 380-660  25-35			Winthrop Chem. Corp. 1944. Barlow, J. Pharm. Exp. Ther. 103:147, 1951. Gruber, J. Pharm. Exp. Ther. 73:319, 1941. Barlow, J. Pharm. Exp. Ther. 103:147, 1951. Winthrop Chem. Corp. 1944. Barlow, J. Pharm. Exp. Ther. 103:147, 1951. Way, J. Pharm. Exp. Ther. 87:265, 1946. Duguid, Q. J. Pharm. Pharmacol. 13:318, 1940. Winthrop Chem. Corp. 1944. Gruber, J. Pharm. Exp. Ther. 73:319, 1941. Way, J. Pharm. Exp. Ther. 87:265, 1946. Caratola, Prensa Méd. Arg. 29:1599, 1942. Calesnick, J. Pharm. Exp. Ther. 102:138, 1951. Scott, Current Res. Anes. 26:12, 1947. Scott, J. Pharm. Exp. Ther. 84:184, 1945. Duguid, Q. J. Pharm. Pharmacol. 13:318, 1940. Barlow, J. Pharm. Exp. Ther. 103:147, 1951. Ibid Gruber, J. Pharm. Exp. Ther. 73:319, 1941. Barlow, J. Pharm. Exp. Ther. 103:147, 1951. Ibid Gruber, J. Pharm. Exp. Ther. 73:319, 1941. Ibid Barlow, J. Pharm. Exp. Ther. 103:147, 1951.	531
		24 hr 24 hr 24 hr 24 hr	Haag, Proc. Soc. Exp. Biol. Med. 54:140, 1943. Ambrose, Indust. Engin. Chem. 28:815, 1936. Lehman, Q. Bull. Assoc. F. & D. O.R. 15:122, 1951. Ambrose, Indust. Engin. Chem. 28:815, 1936. Ibid Ibid	532
0.1636-0.3321	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	533
0.9941-2.2627	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	534
0.0780-0.1133	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	535
0.1484-0.2339	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	536
	Peanut oil	6 hr	Selye, Proc. Soc. Exp. Biol. Med. 66:116, 1941.	537
			Lehman, Q. Bull. Assoc. F. & D. O.R. 15:122, 1951.	538

1/3/ Young. 1/4/ Adult. 1/5/ Powdered.

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
539 Diacetin	Mouse	or	LD <sub>50</sub>	8.5 cc <sup>1</sup>
	Mouse	sc	LD <sub>50</sub>	2.5 cc
	Mouse	iv	LD <sub>50</sub>	2.3 cc <sup>1</sup>
	Rat	sc	LD <sub>50</sub>	4 cc
540 Diacetone alconol	Rat	or	LD <sub>50</sub>	4000
	Rabbit	c	LD <sub>50</sub>	14.5 cc
	Rabbit	im	LD	>3000
	Rabbit	iv	LD	3.25 cc
541 1,1-Diacetoxypropene-2	Rat	or	LD <sub>50</sub>	250
	Rabbit	ct	LD <sub>50</sub>	320
542 Diacetylcholine	Mouse	iv	LD <sub>50</sub>	0.55
543 Di-(acetylcyanide)	Rat	or	MLD	20-30
	Rabbit	or	MLD	10.3-18.0
544 Dial	Frog	sc	LD	250
	Rat	sc	LD	110
	Rat	sc	MLD	110-150
	Rabbit	or	LD	50
	Rabbit	sc	LD	100
	Rabbit	iv	LD	70
545 Diallyl acetic acid	Rat	or	LD <sub>50</sub> *	630
	Rat	iv	LD <sub>50</sub>	630
546 Diallyl ether	Rat	or	LD <sub>50</sub>	320
	Rabbit	ct	LD <sub>50</sub>	600
547 Diallyl maleate	Rat	or	LD <sub>50</sub>	300
	Rabbit	ct	LD <sub>50</sub>	1150
548 Diallyl phthalate	Mouse	ip	LD <sub>50</sub> *	671 <sup>2</sup>
	Rat	or	LD	786 <sup>3</sup>
	Rat	or	LD	1679
	Rabbit	or	LD	1679
	Rabbit	sc	LD	1119
	Rabbit	ct	LD <sub>50</sub>	3357
549 4,4'-Diamidinostilbene	Mouse	ip	LD <sub>50</sub>	43-53
	Hamster	ip	LD <sub>50</sub>	50
550 3,6-Diaminocarbazole 2HCl	Rat	or	LD <sub>50</sub>	1035
551 Diamylphenol	Rat?	ip	LD <sub>50</sub>	620
552 Diatrin HCl	Mouse	ip	LD <sub>50</sub>	117
553 Diazinon	Rat	or	LD <sub>50</sub>	32 <sup>4</sup>
	Rat	or	LD <sub>50</sub>	1150 <sup>5</sup>
554 Dibenzamine	Mouse	sc	LD <sub>50</sub>	800
555 Dibenzazepine	Mouse	iv	LD <sub>50</sub>	52±1.6

/1/ Undiluted. /2/ 5% solution in oil. /3/ 25% solution in oil. /4/ Technical grade, 95%.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		1/2 hr 1, 3-4 hr 24 hr 1/3-4 hr	Latven, J. Pharm. Exp. Ther. 65:89, 1939. Li, Proc. Soc. Exp. Biol. Med. 46:26, 1941. Latven, J. Pharm. Exp. Ther. 65:89, 1939. Li, Proc. Soc. Exp. Biol. Med. 46:26, 1941.	539
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid Walton, J. Pharm. Exp. Ther. 33:175, 1928. Ibid	540
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	541
			Castillo, J. Pharm. Exp. Ther. 99:458, 1950.	542
			Treon, Arch. Ind. Hyg. Occ. Med. 4:573, 1951. Ibid	543
		1 hr+	Flury, Abderhalden's Hdb. 4. 7b:1342. Vogt, Arch. exp. Path. Pharm. 152:341, 1930. Gros, Arch. exp. Path. Pharm. 182:348, 1936. Flury, Abderhalden's Hdb. 4. 7b:1342. Ibid Ibid	544
			Hagan, Fed. Proc. 8:299, 1948. Ibid	545
			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	546
250-350 910-1450			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	547
	Oil Oil	3 hr	McOmie, Univ. Cal. Publ. Pharmacol. 2:17, 1949. Ibid Ibid McOmie, Fed. Proc. 5:191, 1946. Ibid McOmie, Univ. Cal. Publ. Pharmacol. 2:17, 1949.	548
			Soong, Fed. Proc. 1:167, 1942. Ibid	549
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	550
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	551
			Castillo, J. Pharm. Exp. Ther. 96:388, 1949.	552
			Bruce, Fed. Proc. 13:339, 1954. Ibid	553
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	554
			Randall, J. Pharm. Exp. Ther. 103:10, 1951.	555

/5/ 23% wetttable powder.

Compound	Animal	Route	Dose	Dosage mg/kg	
				Value	
556 N, N'-Dibenzylethylenediamine 2HCl	Mouse	or	LD <sub>50</sub>	630	
	Mouse	ip	LD <sub>50</sub>	103.9	
557 1, 4-Dibromo-2-butene	Rat	or	LD <sub>50</sub>	75	
558 1, 4-Dibromobutene	Rat	or	LD <sub>50</sub>	75	
559 Dibromosalicyl	Rat	ip	LD <sub>50</sub> <sup>1</sup>	125	
	Rat	ip	LD <sub>50</sub>	>1200	
	Rat	ip	LD <sub>50</sub> <sup>2</sup>	1550	
560 1, 1-Dibutoxyethane	Rat	or	LD <sub>50</sub>	8790	
561 1, 2-Dibutoxyethane	Rat	or	LD <sub>50</sub>	3250	
562 Dibutyl adipate	Rat	or	LD <sub>50</sub>	12,900	
	Rabbit	ct	LD <sub>50</sub>	20,000	
563 n-Dibutylamine	Rat	or	LD <sub>50</sub>	550	
	Rabbit	ct	LD <sub>50</sub>	1.01 cc	
564 Dibutylaminoethanol	Rat	or	LD <sub>50</sub>	1070	
	Rabbit	ct	LD <sub>50</sub>	1.69 cc	
565 Dibutyl fumarate	Rat	or	LD <sub>50</sub>	8530	
	Rabbit	ct	LD <sub>50</sub>	15,900	
566 2-Di-n-butyl-4-hydroxymethyl-1, 3-moxolane	Mouse	ip	LD <sub>50</sub>	82944±82.08	
567 Dibutyl phosphite	Rat	or	LD <sub>50</sub>	3200	
	Rabbit	ct	LD <sub>50</sub>	2000	
568 Dibutyl phthalate	Mouse	ip	LD <sub>50</sub>	4140	
569 Dibutyl sebacate	Rat	or	LD	1600-3200	
570 2, 2'-Dichloroacetic acid	Mouse	or	LD <sub>50</sub>	5520	
	Rat	or	LD <sub>50</sub>	4480	
	Rabbit	ct	LD <sub>50</sub>	510	
571 2, 2'-Dichloroacetyl chloride	Rat	or	LD <sub>50</sub>	2460	
	Rabbit	ct	LD <sub>50</sub>	650	
572 p-Dichloroacrylonitrile	Mouse	ip	LD <sub>50</sub>	6.7	
573 o-Dichlorobenzene	Rabbit	iv	LD	326-652	
574 p-Dichlorobenzene	Rat	ip	LD, 0	2562	
575 1, 4-Dichlorobutene-2	Rat	or	LD <sub>50</sub>	89	
	Rabbit	ct	LD <sub>50</sub>	620	
576 p, p'-Dichlorodiphenylmethylether of Dimethylaminoethanol	Mouse	ip	LD <sub>50</sub>	72±2	
577 1, 1-Dichloroethane	Rat	or	LD <sub>50</sub>	14,100	
	Dog	or	MLD	2500	
	Dog	iv	MLD	175	
578 1, 2-Dichloroethane	Mouse	or	LD <sub>50</sub>	910	
	Rat	or	LD <sub>50</sub>	770	
	Rabbit	or	LD <sub>50</sub>	910	
	Rabbit	ct	LD <sub>50</sub>	3890	

/1/ Buffered with borate. /2/ 10%. /3/ 3%.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
92.8-116.4			Seifter, Antibiotics 1:504, 1951. Ibid	556
57-97			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	557
57-97			Smyth, unpublished data, Mellon Inst.	558
	H <sub>2</sub> O <sup>1</sup> G arabic <sup>2</sup> Mucin <sup>3</sup>	48 hr 48 hr 48 hr	Quadbeck, Klin Wschr. 27:449, 1949. Ibid Ibid	559
7960-9700			Smyth, unpublished data, Mellon Inst.	560
2820-3740			Smyth, unpublished data, Mellon Inst.	561
9,900-17,000			Smyth, J. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	562
480-620 0.68-1.49 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	563
980-1170 1.20-2.36 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	564
6,120-11,900 7,820-32,200			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	565
			Berger, Arch. int. pharmacod. 85:474, 1951.	566
			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	567
			Karel, Fed. Proc. 6:342, 1947.	568
			Smyth, Arch. Ind. Hyg. Occ. Med. 7:310, 1953.	569
3810-8000 4290-4690 390-670		36 hr 36 hr	Woodard, J. Ind. Hyg. Tox. 23:78, 1941. Ibid Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	570
1830-3230 530-810			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	571
		2/3-24hr	U. of Chicago Toxic. Lab. Rpt. 23, 1948.	572
			Cameron, J. Path. Bact. 44:281, 1937.	573
±0.0125(SE)			Zupke, J. Am. Pharm. Assoc. 38:124, 1949.	574
41-196 470-810			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	575
			Ensor, J. Pharm. Exp. Ther. 112:318, 1954.	576
11,700-17,100	Oil Oil	24 h- 30 min	Smyth, unpublished data, Mellon Inst. Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934. Ibid	577
870-950 670-890 860-970 3400-4460			Smyth, unpublished data, Mellon Inst. Ibid Ibid Ibid	578

Compound	Animal	Route	Dose	Dosage mg/kg	
				Value	
578 1, 2-Dichloroethane (concluded)	Rabbit	sc	MLD	1600	
	Dog	or	MLD	2500	
	Dog	iv	LD	95-314	
579 2, 2'-Dichloroethoxymethane	Rat	or	LD <sub>50</sub>	65	
	Guinea pig	or	LD <sub>50</sub>	60	
	Rabbit	ct	LD <sub>50</sub>	410	
580 2, 2'-Dichloroethyl ether	Mouse	or	LD <sub>50</sub>	136	
	Rat	or	LD <sub>50</sub>	105	
	Rabbit	or	LD <sub>50</sub>	126	
	Rabbit	ct	LD <sub>50</sub>	410	
581 2, 2'-Dichloroisopropyl ether	Rat	or	LD <sub>50</sub>	240	
	Guinea pig	or	LD <sub>50</sub>	450	
	Rabbit	ct	LD <sub>50</sub>	3000	
582 Dichloromethane	Rabbit	or	LD	1896	
	Rabbit	sc	MLD	2700	
	Dog	or	MLD	3000 <sup>1</sup>	
	Dog	iv	MLD	200	
583 Dichloro-β-naphthol	Mouse	sc	LD	700	
584 1, 1-Dichloro-1-nitroethane	Rabbit	or	LD	150-200	
585 2, 4-Dichlorophenol-1	Rat	or	LD <sub>50</sub>	580 <sup>2</sup>	
	Rat	sc	LD	1730	
586 Dichlorophenoxyethanediol	Rat	or	LD <sub>50</sub>	1070	
	Rabbit	ct	LD <sub>50</sub>	420	
587 1, 1-Dichloropropane	Rat	or	LD <sub>50</sub>	6500	
588 1, 2-Dichloropropane	Mouse	or	LD <sub>50</sub>	860	
	Rat	or	LD <sub>50</sub>	2270	
	Rabbit	or	LD <sub>50</sub>	1330	
	Rabbit	ct	LD <sub>50</sub>	8750	
589 2, 3-Dichloropropanol	Rat	or	LD <sub>50</sub>	90	
	Rabbit	ct	LD <sub>50</sub>	200	
590 2, 3-Dichloropropionaldehyde	Rat	or	LD <sub>50</sub>	160	
	Rabbit	ct	LD <sub>50</sub>	78	
591 3, 9-Dichloropropylenebenzazepine	Mouse	ip	LD <sub>50</sub>	316	
	Mouse	iv	LD <sub>50</sub>	47	
592 γ-Dichroine	Mouse	or	LD <sub>50</sub>	2.74±0.41	
	Mouse	iv	LD <sub>50</sub>	10.0±0.5	
593 Dicodid(e) (base)	Mouse	sc	LD <sub>50</sub>	8.57	
594 Di-o-cresylphosphate (continued on next page)	Rat	iv	MLD	800	

/1/ Emulsion in H<sub>2</sub>O. /2/ 20% solution in fuel oil.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Oil Oil	24 hr 24 hr 8-24 hr	Barsoum, Q. J. Pharm. Pharmacol. <u>7</u> :205, 1934. Ibid Kistler, Current Res. Anes. <u>8</u> :65, 1929.	578
60-70 54-66 360-460			Smyth, J. Ind. Hyg. Tox. <u>30</u> :63, 1948. Smyth, unpublished data, Mellon Inst. Ibid	579
112-165 95-116 117-135 350-480			Smyth, unpublished data, Mellon Inst. Ibid Ibid Ibid	580
220-270 410-500 1780-5040			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951. Smyth, unpublished data, Mellon Inst. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951.	581
	Oil H <sub>2</sub> O Oil	24 hr 24 hr 30 min	Fühner, Arch. exp. Path. Pharm. <u>97</u> :86, 1923. Barsoum, Q. J. Pharm. Pharmacol. <u>7</u> :205, 1934. Ibid Ibid	582
			Bechold, Zschr. Hyg. Infkr. <u>64</u> :112, 1909.	583
			Machle, J. Ind. Hyg. Tox. <u>27</u> :95, 1945.	584
	Fuel oil		Deichmann, Fed. Proc. <u>2</u> :76, 1943. Ibid	585
700-1650 250-710			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951. Ibid	586
4950-8530			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10</u> :61, 1954.	587
600-1220 1930-2660 990-1800 8310-9200			Smyth, unpublished data, Mellon Inst. Ibid Ibid Ibid	588
			Smyth, J. Ind. Hyg. Tox. <u>30</u> :63, 1948. Ibid	589
140-190 54-112			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951. Ibid	590
			Randall, J. Pharm. Exp. Ther. <u>103</u> :10, 1951. Ibid	591
		2-3 da 2-3 da	Henderson, J. Pharm. Exp. Ther. <u>95</u> :191, 1949. Ibid	592
			Eddy, J. Pharm. Exp. Ther. <u>52</u> :468, 1934.	593
			Smith, J. Pharm. Exp. Ther. <u>51</u> :217, 1934.	594

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
594	Di-o-cresylphosphate (concluded)	Rabbit	iv	MLD	500-700
		Cat	iv	MLD	300
595	Dicumarol	Mouse	or	LD <sub>50</sub>	232.8±46.56
		Mouse	ip	LD <sub>50</sub>	<350
		Mouse	iv	LD <sub>50</sub>	64.3±6.11
		Rat	or	LD <sub>50</sub>	541.6±67.7
		Rat	iv	LD <sub>50</sub>	52.13±1.79
		Guinea pig	iv	LD <sub>50</sub>	58.6±2.29
596	Dicyan	Frog	sc	LD	43-47
		Rabbit	sc	LD	13
597	Di-(2-cyanoethyl)amine	Rat	or	LD <sub>50</sub>	2700
		Rabbit	ct	LD <sub>50</sub>	10,000
598	Di-(2-cyanoethyl)sulfide	Rat	or	LD <sub>50</sub>	4210
		Rabbit	ct	LD <sub>50</sub>	4500
599	p-Di-β-diethylaminoethoxybenzene-diethiodide	Mouse	sc	LD <sub>50</sub>	2.8±0.2
600	Di-2,5-dimethylphenoxyethyl-β-chloroethanolamine	Mouse	ip	LD <sub>50</sub>	>1000
601	Di-3,5-dimethylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
602	Dieldrin	Rat	or	LD <sub>50</sub>	50-55
		Rat	or	LD <sub>50</sub> *	87
		Rabbit	ct	LD <sub>50</sub>	>150 <sup>1</sup>
		Dog	or	LD <sub>50</sub>	65-95
		Chicken	or	LD <sub>50</sub>	25
603	1,2,3,4-Diepoxybutane	Rat	or	LD <sub>50</sub>	78
		Rabbit	ct	LD <sub>50</sub>	0.089 cc
604	Diethamine	Mouse	sc	LD <sub>50</sub>	4.7±0.4
605	1,2-Diethoxyethane	Rat	or	LD <sub>50</sub>	4390
		Guinea pig	or	LD <sub>50</sub>	2440
		Rabbit	or	LD <sub>50</sub>	2520
		Rabbit	ct	LD <sub>50</sub>	8000
606	Diethoxythiophosphoric acid ester of 2-Ethyl-mercaptoethanol (Tech. grade)	Rat	ip	LD <sub>50</sub>	3
607	Dimethylamine	Rat	or	LD <sub>50</sub>	540
		Rabbit	ct	LD <sub>50</sub>	820
608	3-Diethylamino-1,1-di-(2'-thienyl)butane HCl	Mouse	or	LD	293
		Mouse	sc	LD	196
609	3-Diethylamino-1,1-di-(2'-thienyl)butene HCl	Mouse	or	LD <sub>50</sub>	195-203
		Mouse	sc	LD <sub>50</sub>	101

/1/ 4% solution.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Smith, J. Pharm. Exp. Ther. <u>51:217</u> , 1934. Ibid	594
			Rose, Proc. Soc. Exp. Biol. Med. <u>50:228</u> , 1942. Brodersen, Acta pharm. tox. <u>2:109</u> , 1946. Rose, Proc. Soc. Exp. Biol. Med. <u>50:228</u> , 1942. Ibid Ibid Ibid	595
		30-40min	Walim, Surg. Gyn. Obst. <u>76:323</u> , 1943.	
			Ileymans, Arch. int. pharmacod. <u>3:77</u> , 1897. Ibid	596
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	597
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	598
			Winter, J. Pharm. Exp. Ther. <u>100:489</u> , 1950.	599
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	600
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	601
	H <sub>2</sub> O		Lidov, Advances Chem. <u>1:175</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952. Princi, Arch. Ind. Hyg. Occ. Med. <u>3:67</u> , 1951. Eden, J. Econ. Entomol. <u>44:1013</u> , 1951.	602
59-107 0.055-0.144 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	603
			Winter, J. Pharm. Exp. Ther. <u>100:489</u> , 1950.	604
3650-5310 2220-2690 2400-2640 5,920-10,820			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Ibid Smyth, unpublished data, Mellon Inst. Ibid	605
			DaBois, Arch. Ind. Hyg. Occ. Med. <u>6:9</u> , 1952.	606
350-830 530-1260			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	607
280-307 186-207			Eddy, J. Pharm. Exp. Ther. <u>107:385</u> , 1953. Ibid	608
95-107			Eddy, J. Pharm. Exp. Ther. <u>107:385</u> , 1953. Ibid	609

Compound	Animal	Route	Dose	Dosage mg/kg	
					Value
610 Diethylaminoethanol- $\alpha$ -allyl-diphenylacetate HCl	Mouse	ip	LD <sub>50</sub>		185
611 Diethylaminoethylbenzazepine	Mouse	ip	LD <sub>50</sub>		205±9
	Mouse	iv	LD <sub>50</sub>		25±6.5
612 N-Diethylaminoethyl chloride	Rat	or	LD <sub>50</sub>		17
	Rabbit	ct	LD <sub>50</sub>		300
613 $\beta$ -Diethylaminoethylcumate HCl	Mouse	ip	LD <sub>50</sub>		370±18.2
614 $\beta$ -Diethylaminoethyl-9,10-dihydro-anthracene-9-carboxylate HCl	Rat	or	LD <sub>50</sub>		>400
615 Diethylaminomethylbenzodioxan	Frog	sc	LD		250
	Mouse	sc	LD		500
	Guinea pig	or	LD		400
	Guinea pig	sc	LD		400
	Rabbit	sc	LD		300
	Rabbit	iv	LD		20
	Rooster	sc	LD		150
616 Diethylaminopropylcumate HCl	Mouse	ip	LD <sub>50</sub>		238±15.5
617 Diethylammonium-p-aminobenzoate	Mouse	ip	LD		1550
	Rat	im	LD		2000
	Rat	ip	LD		1610
	Rat	iv	LD		520
618 Diethyl-bis(dimethylamido)-pyrophosphate (asymmetric)	Mouse♂	ip	LD <sub>50</sub> *		4.9
	Mouse♀	ip	LD <sub>50</sub> *		4.7
	Rat?	or	LD <sub>50</sub> *		3.8
	Rat♂	ip	LD <sub>50</sub> *		2.7
	Rat♀	ip	LD <sub>50</sub> *		2.4
	Guinea pig	ip	LD <sub>50</sub> *		5-7
	Dog	iv	LD <sub>50</sub> *		10-15
619 Diethyl-bis(dimethylamido)-pyrophosphate (symmetric)	Mouse♂	ip	LD <sub>50</sub>		16.4
	Mouse♀	ip	LD <sub>50</sub>		17
	Rat?	or	LD <sub>50</sub>		12.4
	Rat♂	ip	LD <sub>50</sub>		11.5
	Rat♀	ip	LD <sub>50</sub>		10
	Guinea pig	ip	LD <sub>50</sub>		13-16
	Dog	iv	LD <sub>50</sub>		25-30
620 Diethyl- $\beta$ -chloroethylamine	Mouse	sc	LD <sub>50</sub>		100
	Mouse	iv	LD <sub>50</sub>		100
	Rabbit	iv	LD <sub>50</sub>		40-100
621 Diethyl-2-chlorovinyl phosphate (continued on next page)	Mouse♂	or	LD <sub>50</sub>		32.9
	Mouse♀	or	LD <sub>50</sub>		18
	Rat♂	or	LD <sub>50</sub>		10

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Randall, J. Pharm. Exp. Ther. <u>104:284</u> , 1952.	610
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951. Ibid	611
11-27			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	612
			Williams, J. Am. Pharm. Assoc. <u>40:471</u> , 1951	613
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	614
			Bovet, Arch. int. pharmacod. <u>55:15</u> , 1934. Ibid Zunz, Arch. int. pharmacod. <u>48:287</u> , 1934. Ibid Ibid Ibid Ibid	615
			Williams, J. Am. Pharm. Assoc. <u>40:471</u> , 1951.	616
			Mainardi, Boll. soc. ital. biol. sper. <u>27:275</u> , 1951 Ibid Ibid Ibid	617
			DuBois, J. Pharm. Exp. Ther. <u>107:464</u> , 1953. Ibid Ibid Ibid Ibid Ibid Ibid	618
			DuBois, J. Pharm. Exp. Ther. <u>107:464</u> , 1953. Ibid Ibid Ibid Ibid Ibid Ibid	619
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid	620
31.1-34.9 15.3-21.2 9.4-10.7			Kotama, Arch. Ind. Hyg. Occ. Med. <u>9:45</u> , 1954. Ibid Ibid	621

Compound	Animal	Route	Dose	Dosage
				mg/kg
621 Diethyl-2-chlorovinyl phosphate (concluded)	Rat?	or	LD <sub>50</sub>	10.5
	Rat?	or	LD <sub>50</sub>	9
	Rabbit?	or	LD <sub>50</sub> *	3.37
	Rabbit	ct	LD <sub>50</sub> *	17.6
622 Diethylene glycol	Mouse	or	LD <sub>50</sub>	26,828
	Mouse	sc	LD*	5660
	Mouse	ip	LD <sub>50</sub>	9737
	Rat	or	LD <sub>60</sub>	16,980
	Rat	or	LD <sub>50</sub>	16,980
	Rat	or	LD <sub>50</sub>	12,565
	Rat	im	LD <sub>50</sub>	7924
	Rat	ip	LD <sub>50</sub> *	12,500
	Rat	iv	LD <sub>50</sub>	6565 <sup>1</sup>
	Guinea pig	or	LD <sub>50</sub>	13,210
	Rabbit	im	LD	4528
Rabbit	iv	LD	2264	
Dog	or	LD	16,980 <sup>1</sup>	
623 Diethylene glycol ethyl ether	Rat	or	LD <sub>50</sub>	8690
624 Diethylene glycol monobutyl ether acetate	Mouse	or	LD <sub>50</sub>	6.6 cc
	Rat	or	LD <sub>50</sub>	7.1 cc
	Guinea pig	or	LD <sub>50</sub>	2.7 cc
	Rabbit	or	LD <sub>50</sub>	2.8 cc
	Chicken	or	LD <sub>50</sub>	5.0 cc
625 Di-(2-ethylhexyl)amine	Rat	or	LD <sub>50</sub>	1640
	Rabbit	ct	LD <sub>50</sub>	1190
626 Di-(2-ethylhexyl)phthalate	Rat	or	LD <sub>50</sub>	30,600
	Rat	ip	LD <sub>50</sub>	30,700
	Rabbit	or	LD <sub>50</sub>	33,900
627 2,2-Diethyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	1059.2±99.2
628 Diethyl ketone	Rat	or	LD <sub>50</sub>	2140
	Rabbit	ct	LD <sub>50</sub>	2000
629 O-s-Diethyl-O-(p-nitrophenyl)-phosphate	Frog	sc	MLD	50-100
	Mouse	sc	MLD	25-60
	Mouse	sc	MLD	20
	Rat	or	MLD	50-100
630 O,O-Diethyl-s-(p-nitrophenyl)-phosphate	Frog	sc	MLD	10
	Mouse	sc	MLD	2.5-5.0
	Mouse	sc	MLD	1.25
	Rat	or	MLD	2.5-5.0
631 Diethyl-p-nitrophenylthiophosphate	Frog	sc	MLD	200
	Mouse	sc	MLD	20
	Mouse	sc	MLD	10.0-12.5
	Mouse	sc	LD <sub>50</sub>	15-25
	Rat	or	MLD	6.4
	Rabbit	ct	LD <sub>100</sub>	140 <sup>2</sup>

/1/ 70% solution in H<sub>2</sub>O. /2/ At 15°-25° C.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
9.9-11.1 7.4-11.3 2.29-4.45 8.0-27.2			Kodama, Arch. Ind. Hyg. Occ. Med. <u>9:45</u> , 1954 Ibid Ibid Ibid	621
11,640-14,990	H <sub>2</sub> O  H <sub>2</sub> O	1-5 da  2-5 da  1-14 da 3-4 da	Laug, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Von Oettingen, J. Pharm. Exp. Ther. <u>42:355</u> , 1931. Karel, Fed. Proc. <u>6:342</u> , 1947. Haag, J. Pharm. Exp. Ther. <u>59:93</u> , 1937. Gelling, J. Am. Med. Assoc. <u>109:1532</u> , 1939. Poe, Proc. Soc. Exp. Biol. Med. <u>37:559</u> , 1938. Haag, J. Pharm. Exp. Ther. <u>59:93</u> , 1937. Poe, Proc. Soc. Exp. Biol. Med. <u>37:559</u> , 1938. Weatherby, J. Am. Pharm. Assoc. <u>28:12</u> , 1939. Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Haag, J. Pharm. Exp. Ther. <u>59:93</u> , 1937. Ibid Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941.	622
7,250-10,410			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	623
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1951. Ibid Ibid Ibid Ibid	624
1440-1870 850-1670			Smyth, J. Ind. Tox. <u>31:60</u> , 1949 Smyth, unpublished data, Mellon Inst.	625
20,800-45,200 23,200-40,600 25,200-45,700		6 da 6-14 da 6-14 da	Shaffer, J. Ind. Hyg. Tox. <u>27:130</u> , 1945. Ibid Ibid	626
			Eerger, Arch. int. pharmacod. <u>85:474</u> , 1951.	627
1540-2990			Smyth, unpublished data, Mellon Inst. Ibid	628
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Ibid	629
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Ibid	630
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello  H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Uhry, Arch. mal. profess. <u>11:589</u> , 1950. Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Uhry, Arch. mal. profess. <u>11:589</u> , 1950.	631

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
632 Diethyl phthalate	Mouse	ip	LD <sub>50</sub>	2750
	Guinea pig	sc	LD	3000
	Rabbit	or	LD	1000 <sup>1</sup>
	Rabbit	iv	LD	100 <sup>2</sup>
	Dog	iv	LD	280
633 2,2-Diethyl-1,3-propanediol	Mouse	or	LD <sub>50</sub>	1550±110
	Mouse	ip	LD <sub>50</sub>	1220±92
	Mouse	iv	LD <sub>50</sub>	1170±67
	Rat	or	LD <sub>50</sub>	1400±181
	Rat	or	LD <sub>50</sub>	850
	Rat	ip	LD <sub>50</sub>	700±67
	Rat	iv	LD <sub>50</sub>	635±48
	Rabbit	ct	LD <sub>50</sub>	4.24 cc
634 Diethylstilbestrol	Mouse	or	LD	2500-5000
	Mouse	sc	LD	500-1000
635 N, N-Diethylsuccinamide-n-propylester	Mouse	or	LD <sub>50</sub>	6.3
	Rat	or	LD <sub>50</sub>	6.6
636 Diethyl succinate	Rat	or	LD <sub>50</sub>	8530
637 Diethyl sulfate	Rat	or	LD <sub>50</sub>	880
638 N, N-Diethylthymoxyacetamide HCl	Rat	iv	LD <sub>50</sub>	38.4 <sup>3</sup>
639 Digifanid	Cat	iv	MLD	0.34
640 Digitalein	Frog	sc	LD	5-32
	Mouse	sc	LD	11-65
	Cat	iv	LD	3.0-3.5
641 Digitalin	Frog	sc	LD	6-22
	Rat	sc	LD	120
	Guinea pig	sc	LD	5-16
	Rabbit	or	LD	20
	Rabbit	sc	LD	15
	Rabbit	iv	LD	3
	Cat	sc	LD	4
	Cat	iv	LD	0.97-8.0
	Cat	iv	LD	1.362
	Pigeon	or	LD	7.5 <sup>4</sup>
Pigeon	sc	LD	0.5 <sup>4</sup>	
642 Digitonin	Mouse	or	LD	90
	Mouse	sc	LD	200
	Mouse	iv	LD	10
643 Digitoxigenin	Cat	iv	LD	0.42
644 Digitoxin	Frog	sc	LD	3.3-6.0
	Toad	sc	LD	0.3
	Mouse	sc	LD	14
	Rat	iv	LD	12.2 <sup>5</sup>
	Rabbit	or	LD	100

(continued on next page)

/1/ 6% suspension in gum acacia solution. /2/ 10% emulsion in H<sub>2</sub>O. /3/ Injected over  
tion in 40% alcohol.

Dosage ng/kg	Vehicle	Time of Death	Reference	
Range				
	G acacia H <sub>2</sub> O N saline		Karel, Fed. Proc. 6:342, 1947. Kemp, Dissert., Würzburg 1954. Ibid Ibid Blickensdorfer, J. Am. Pharm. Assoc. 19:1179, 1930	632
780-930  3.01-5.95 cc			Berger, J. Pharm. Exp. Ther. 100:27, 1950. Ibid Ibid Ibid Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Berger, J. Pharm. Exp. Ther. 100:27, 1950. Ibid Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	633
	Ses oil	1 hr 10-16 da	Kreitmair, Klin. Wochr. 18:156, 1939. Ibid	634
			Draize, J. Pharm. Exp. Ther. 93:23, 1948. Ibid	635
6,110-11,900			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	636
760-1010			Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	637
			Craver, Am. J. Dig. Dis. 18:241, 1951.	638
			Röthlin, Münch. med. Wochr. 80:726, 1933.	639
			Lendle, Heffter's Hdb. E. 1:78. Ibid Ibid	540
	Dil alc		Lendle, Heffter's Hdb. E. 1:78. Ibid Ibid Ibid Ibid Ibid Ibid Ibid White, J. Pharm. Exp. Ther. 52:1, 1934. Flury, Abderhalden's Hdb. 4.7b:1343. Ibid	641
		2 da 1 da 2 da	Flury, Abderhalden's Hdb. 4.7b:1395. Ibid Ibid	642
		45 min	Mehnert, Arch. exp. Path. Pharm. 184:181, 1936.	643
	Alcohol  Alcohol		Lendle, Heffter's Hdb. E. 1:78. Flury, Abderhalden's Hdb. 4.7b:1343. Lendle, Heffter's Hdb. E. 1:78. Heubner, Arch. exp. Path. Pharm. 177:60, 1934. Lendle, Heffter's Hdb. E. 1:78.	644

period of 30 minutes. /4/ Uncertain whether data are per kilo or per animal. /5/ 0.1% solu-

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
644 Digitoxin (concluded)	Rabbit	iv	LD	1-6
	Cat	or	LD	0.25
	Cat	sc	LD	0.35
	Cat	iv	LD	0.3-0.41
	Dog	sc	LD	0.5
645 Digitoxoside	Cat	iv	LD <sub>50</sub>	0.478±0.03
646 Diglycol chlorhydrine	Rat	or	LD <sub>50</sub>	6300
	Guinea pig	ct	LD <sub>50</sub>	3000
647 Digoxin <sup>1</sup>	Guinea pig	im	LD <sub>50</sub>	0.63
	Rabbit	iv	LD <sub>50</sub>	3.56
	Cat	iv	LD <sub>50</sub>	0.442
648 Dihexylamine	Rat	or	LD <sub>50</sub>	380
	Guinea pig	or	LD <sub>50</sub>	95
	Rabbit	ct	LD <sub>50</sub>	170
649 1,2-Dihydrazinophthalazine	Mouse	ip	LD <sub>50</sub>	290±9
650 Dihydroergotamine	Mouse	iv	LD <sub>50</sub>	118
	Rat	iv	LD <sub>50</sub>	110
	Rabbit	iv	LD <sub>50</sub>	25
	Cat	sc	LD <sub>50</sub>	68
651 Dihydroerythroene	Mouse	sc	LD	9.3
652 Dihydro-β-erythroidine	Rat	iv	LD <sub>50</sub>	8.9
	Rabbit	iv	LD <sub>50</sub>	2.1
	Dog	iv	LD <sub>50</sub>	1.1
653 Dihydromorphine HCl	Mouse	sc	LD <sub>50</sub>	133.1 <sup>2</sup>
	Rabbit	sc	LD <sub>50</sub>	160
654 Dihydroroteneone	Rat	or	LD <sub>50</sub> <sup>*</sup>	2500
	Rat	or	LD <sub>50</sub> <sup>*</sup>	330
655 Dihydroxyephedrine	Rabbit	iv	LD	10
656 2,4-Dihydroxyphenylpropanolamine	Rabbit	iv	LD	12
657 3,4-Dihydroxyphenylpropanolamine	Rabbit	iv	LD	11
658 (2,5-Dihydroxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	38±2
659 Diisobutylcarbinol	Rat	or	LD <sub>50</sub>	3560
	Rabbit	ct	LD <sub>50</sub>	5660
660 Diisobutylene oxide	Rat	or	LD <sub>50</sub>	4920
	Rabbit	ct	LD <sub>50</sub>	14.1 cc
661 2,2-Diisobutyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	529.2±43.2
662 Diisobutyl ketone	Rat	or	LD <sub>50</sub>	5750
	Rabbit	ct	LD <sub>50</sub>	20,000
663 1,2-Diisopropoxy-2-propanolglyceryl-α-γ-diisopropylether	Mouse	or	LD <sub>50</sub>	1.86±0.06 cc

/1/ From *Digitalis lanata*. /2/ As the base. /3/ Bovet and Bovet-Nitti, "Medicaments du

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Lendle, Heffter's Hdb. E. 1:78. Ibid Ibid Ibid Ibid	644
			Peterfalvi, Arch. int. pharmacod. 87:425, 1951.	645
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid	646
	Alc sal Alc sal	24 hr 12-30min	White, J. Pharm. Exp. Ther. 52:1, 1934. Walker, J. Pharm. Exp. Ther. 70:239, 1940. White, J. Pharm. Exp. Ther. 52:1, 1934.	647
280-500 76-118 120-240			Smyth, unpublished data. Mellon Inst. Ibid Ibid	648
			Walker, J. Pharm. Exp. Ther. 101:369, 1951.	649
			Röthlin, Helvet. physiol. acta 2:48, 1944. Ibid Ibid Ibid	650
			Unna, J. Pharm. Exp. Ther. 80:39, 53, 1944.	651
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	652
150-290			Eddy, J. Pharm. Exp. Ther. 52:468, 1934. Eddy, J. Pharm. Exp. Ther. 66:182, 1939.	653
			Ambrose, J. Am. Pharm. Assoc. 42:364, 1953. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	654
			Bovet & Bovet-Nitti. <sup>3</sup>	655
			Hartung, J. Am. Chem. Soc. 53:4149, 1931.	656
			Hartung, J. Am. Chem. Soc. 53:4149, 1931.	657
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	658
1430-8860 2, 510-12, 800			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	659
3750-6460 8.7-22.9 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	660
			Berger, Arch. int. pharmacod. 85:474, 1951.	661
4690-7060			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	662
		10 da	Mine, Arch. Ind. Hyg. Occ. Med. 2:579, 1950.	663

Système Nerveux Végétatif," New York: S. Karger, 1948.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
664 Diisopropylamine	Rat	or	LD <sub>50</sub>	770
665 Diisopropyl fluorophosphate	Mouse	or	LD <sub>50</sub>	36.8±0.98
	Mouse	ct	LD <sub>50</sub>	72 <sup>1</sup>
	Mouse	sc	LD <sub>50</sub>	4.67±0.28 <sup>2</sup>
	Mouse	sc	LD <sub>50</sub>	3.22±0.31 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	3.71-4.0
	Rat♀	or	LD <sub>50</sub>	7.7±0.64
	Rat♂	or	LD <sub>50</sub>	13.5±0.35
	Rat	or	LD <sub>50</sub>	5-10
	Rat	sc	LD <sub>50</sub>	3
	Rat	im	LD <sub>50</sub>	2
	Rabbit	or	LD <sub>50</sub>	4.0-9.78
	Rabbit	ct	LD	117 <sup>1</sup>
	Rabbit	im	LD <sub>50</sub>	0.75
	Rabbit	sc	LD <sub>50</sub>	1
	Rabbit	io	LD <sub>50</sub>	1.15 <sup>1</sup>
	Rabbit	ip	LD <sub>50</sub>	1
	Rabbit	iv	LD <sub>50</sub>	0.34±0.01
	Rabbit	iv	2/10 <sup>4</sup>	0.3
	Rabbit	iv	10/12 <sup>4</sup>	0.4
	Rabbit	iv	10/10 <sup>4</sup>	0.5
	Rabbit	im	0/2 <sup>4</sup>	0.5
	Rabbit	im	1/2 <sup>4</sup>	0.75
	Rabbit	im		1
Cat	iv		1.63±0.03	
Dog	sc	LD <sub>50</sub>		
Dog	iv	LD <sub>50</sub>	3.43±0.62	
Monkey	iv	LD <sub>50</sub>	0.25-0.30	
Goat	sc	LD <sub>50</sub>	1	
Goat	iv	LD <sub>50</sub>	0.8	
666 α,γ-Diisopropylglyceryl ether	Mouse	or	LD <sub>50</sub>	1860±58
667 2,2-Diisopropyl-4-hydroxy-methyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	729.44±73.32
668 Di-2-isopropyl-5-methylphenoxy-ethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
669 Diisopropyl tartrate	Mouse	or	LD <sub>50</sub>	6.3 cc
	Rat	or	LD <sub>50</sub>	6 cc
670 Dilantin	Mouse	ip	LD <sub>50</sub>	190±13
	Mouse	ip	LD <sub>50</sub>	200
	Rat	or	MLD	>2200
	Rat	ip	LD <sub>50</sub>	280
	Rat	iv	MLD	160
	Rabbit	iv	LD <sub>50</sub>	125
	Dog	iv	MLD	90
671 Dilaudid HCl	Mouse	sc	LD <sub>50</sub>	84.26 <sup>5</sup>
	Mouse	iv	LD <sub>50</sub>	80-96

/1/ Pure. /2/ At 23°-25° C. /3/ At 4° C. /4/ No. animals died/no. animals tested. /5/ Base.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
610-940			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	664
	H <sub>2</sub> O	48 hr 48 hr	Horton, J. Pharm. Exp. Ther. <u>87:414</u> , 1946. Ibid	665
	N saline	48 hr	Streicher, Proc. Soc. Exp. Biol. Med. <u>76:536</u> , 1951. Ibid Horton, J. Pharm. Exp. Ther. <u>87:414</u> , 1946. Frawley, J. Pharm. Exp. Ther. <u>105:156</u> , 1952. Ibid	
	H <sub>2</sub> O	48 hr	Horton, J. Pharm. Exp. Ther. <u>87:414</u> , 1946.	
	H <sub>2</sub> O		Ibid	
	H <sub>2</sub> O		Ibid	
	H <sub>2</sub> O		Ibid	
	H <sub>2</sub> O		McNamara, J. Pharm. Exp. Ther. <u>88:27</u> , 1946. Horton, J. Pharm. Exp. Ther. <u>87:414</u> , 1946. Ibid	
	Triacetin		Ibid	
	N saline		Ibid	
		3½-4 hr	McNamara, J. Pharm. Exp. Ther. <u>88:27</u> , 1946.	
		1/4-2 hr	Ibid	
		5-21 min	Ibid	
			Ibid	
		83 min	Ibid	
		3/4-4½ hr	Ibid	
	Prop gly		Horton, J. Pharm. Exp. Ther. <u>87:414</u> , 1946.	
	H <sub>2</sub> O		Ibid	
	Prop gly		Ibid	
	N saline		Ibid	
	H <sub>2</sub> O		Ibid	
	N saline		Ibid	
			Loeb, Fed. Proc. <u>8:316</u> , 1949.	666
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	667
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	668
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	669
		72 hr	Way, J. Pharm. Exp. Ther. <u>81:265</u> , 1946. Gruber, J. Pharm. Exp. Ther. <u>68:433</u> , 1940. Gruhsit, Arch. Path. <u>28:761</u> , 1939.	670
		2-72 hr	Gruber, J. Pharm. Exp. Ther. <u>68:433</u> , 1940. Gruhsit, Arch. Path. <u>28:761</u> , 1939. Gruber, J. Pharm. Exp. Ther. <u>68:433</u> , 1940. Gruhsit, Arch. Path. <u>28:761</u> , 1939.	
		2-24 hr	Eddy, J. Pharm. Exp. Ther. <u>52:468</u> , 1934. Buchwald, J. Pharm. Exp. Ther. <u>71:197</u> , 1941.	671

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
672 1,1-Dimethoxyethane	Rat	or	LD <sub>50</sub>	6500
	Rabbit	ct	LD <sub>50</sub>	20,000
673 6,7-Dimethoxy-1-(4'-ethoxy-3'-methoxybenzyl)-3-methylisoquinoline	Mouse	iv	LD <sub>50</sub>	112.7 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	1961 <sup>2</sup>
	Rat	or	LD <sub>50</sub>	2060 <sup>1</sup>
674 Di-2-methoxyphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	40
675 3,4-Dimethoxyphenylethylamine	Mouse	ip	LD	420
676 Dimethylamine	Mouse	sc	LD	2000
	Rabbit	iv	LD	3000-5000
677 2-Dimethylaminobenzimidazole	Mouse	iv	LD <sub>50</sub> *	80
678 2-Dimethylaminobenzothiazole	Mouse	iv	LD <sub>50</sub>	131±5
679 3-Dimethylamino-1,1-diphenyl-1-butanol	Mouse	sc	LD <sub>50</sub>	300
680 L-3-Dimethylamino-1,1-diphenyl-butylethylsulfone	Mouse	sc	LD <sub>50</sub>	175
681 6-Dimethylamino-4,4-diphenyl-3-heptanol	Mouse	sc	LD <sub>50</sub>	140
682 D-6-Dimethylamino-4,4-diphenyl-3-heptanone	Mouse	sc	LD <sub>50</sub>	40
683 D,L-6-Dimethylamino-4,4-diphenyl-3-heptanone	Mouse	sc	LD <sub>50</sub>	40
684 L-6-Dimethylamino-4,4-diphenyl-3-heptanone	Mouse	sc	LD <sub>50</sub>	40
685 7-Dimethylamino-4,4-diphenyl-3-heptanone	Mouse	sc	LD <sub>50</sub>	80
686 6-Dimethylamino-4,4-diphenyl-heptanone-3-acetylamine	Mouse	sc	LD <sub>50</sub>	600
687 6-Dimethylamino-4,4-diphenyl-3-heptanone methochloride	Mouse	sc	LD <sub>50</sub>	175
688 6-Dimethylamino-4,4-diphenyl-2-heptene	Mouse	sc	LD <sub>50</sub>	600
689 6-Dimethylamino-4,4-diphenyl-3-hexanone	Mouse	sc	LD <sub>50</sub>	65
690 3-Dimethylamino-1,1-diphenyl-3-methylbutane	Mouse	sc	LD <sub>50</sub>	80
691 4-Dimethylamino-2,2-diphenyl-3-methylbutanoate ethylester	Mouse	sc	LD <sub>50</sub>	150
692 4-Dimethylamino-2,2-diphenyl-3-methylbutyronitrile	Mouse	sc	LD <sub>50</sub>	400

/1/ Phosphate. /2/ Hydrochloride. /3/ Bovet and Bovet-Nitti. "Médicaments du Système

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
5680-7460			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	672
			Henderson, J. Am. Pharm. Assoc. <u>40:207</u> , 1951. Ibid Ibid	673
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	674
			Epstein, J. Physiol. <u>76:224</u> , 1932.	675
			Bovet & Bovet-Nitti. <sup>3</sup> Ibid	676
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	677
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	678
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	679
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	680
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	681
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	682
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	683
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	684
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	685
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	686
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	687
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	688
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	689
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	690
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	691
			Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950.	692

Nerveux Végétatif," New York: S. Karger, 1948.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
693	6-Dimethylamino-4,4-diphenyl-5-methyl-3-hexanol	Mouse	sc	LD <sub>50</sub>	160
694	6-Dimethylamino-4,4-diphenyl-5-methyl-3-hexanone	Mouse	ip	LD <sub>50</sub>	150
695	6-Dimethylamino-4,4-diphenyl-5-methyl-3-hexanone	Mouse	sc	LD <sub>50</sub>	70
696	6-Dimethylamino-4,4-diphenyl-5-methyl-3-hexanone	Mouse	sc	LD <sub>50</sub>	60
697	6-Dimethylamino-4,4-diphenyl-5-methylhexanone-3-acetylamine	Mouse	sc	LD <sub>50</sub>	300
698	6-Dimethylamino-4,4-diphenyl-5-methylhexanone-3-ketimine	Mouse	sc	LD <sub>50</sub>	150
699	6-Dimethylamino-4,4-diphenyl-5-methyl-3-hexanone methochloride	Mouse	sc	LD <sub>50</sub>	175
700	3-Dimethylamino-1,1-diphenyl-3-methylpropane	Mouse	sc	LD <sub>50</sub>	200
701	3-Dimethylamino-1,1-diphenyl-2-methyl-1-propanol	Mouse	sc	LD <sub>50</sub>	325
702	4-Dimethylamino-2,2-diphenyl-pentanoate ethylester	Mouse	sc	LD <sub>50</sub>	110
703	4-Dimethylamino-2,2-diphenylpentanoate isopropylester	Mouse	sc	LD <sub>50</sub>	200
704	4-Dimethylamino-2,2-diphenyl-pentanoate methylester	Mouse	sc	LD <sub>50</sub>	90
705	4-Dimethylamino-2,2-diphenyl-valeronitrile	Mouse	sc	LD <sub>50</sub>	150
706	3-Dimethylamino-1,1-di-(2'-thienyl)butane	Mouse	or	LD <sub>50</sub>	233 <sup>1</sup>
		Mouse	sc	LD <sub>50</sub>	158 <sup>1</sup>
707	3-Dimethylamino-1,1-di-(2'-thienyl)butene	Mouse	or	LD <sub>50</sub>	199 <sup>1</sup>
		Mouse	sc	LD <sub>50</sub>	98 <sup>1</sup>
708	β-Dimethylaminoethylcumate	Mouse	ip	LD <sub>50</sub>	376±18.8
709	Dimethyl-bis-β-chloroethyl-ammonium chloride	Mouse	sc	LD <sub>50</sub>	160-200
710	N,N'-Dimethyl-N,N'-bis-(β-chloroethyl)-piperazinumdichloride	Mouse	sc	LD <sub>50</sub>	500
711	Dimethyl-1-carbomethoxy-1-propen-2-yl phosphate	Mouse <sup>1</sup>	or	LD <sub>50</sub>	7.8
		Mouse <sup>2</sup>	or	LD <sub>50</sub>	4.32
		Rat <sup>1</sup>	or	LD <sub>50</sub>	6.8
		Rat <sup>2</sup>	or	LD <sub>50</sub>	6

<sup>1/1</sup> Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	693
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	694
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	695
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	696
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	697
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	698
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	699
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	700
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	701
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	702
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	703
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	704
			Eddy, J. Pharm. Exp. Ther. <u>98:121, 1950.</u>	705
227-239 149-168			Eddy, J. Pharm. Exp. Ther. <u>107:385, 1953.</u> Ibid	706
184-215 93-103			Eddy, J. Pharm. Exp. Ther. <u>107:385, 1953.</u> Ibid	707
			Williams, J. Am. Pharm. Assoc. <u>40:449, 1951.</u>	708
			Anslow, J. Pharm. Exp. Ther. <u>91:224, 1947.</u>	709
			Anslow, J. Pharm. Exp. Ther. <u>91:224, 1947.</u>	710
6.8-8.9 2.7-6.9 5.4-8.6 5.2-7.0			Kodama, Arch. Ind. Hyg. Occ. Med. <u>9:45, 1954.</u> Ibid Ibid Ibid	711

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
711 Dimethyl-1-carbomethoxy-1-propen-2-yl phosphate (concluded)	Rat?	ip	LD <sub>50</sub>	1.51
	Rabbit	ct	LD <sub>50</sub>	33.8
712 N, N'-Dimethyl-2-chloro-2-phenylethylamine	Rat	iv		3.9±0.3
	Cat	iv		2.1±0.2
713 4, 6-Dimethylcoumalin	Mouse	ip	LD <sub>50</sub>	750
714 2, 6-Dimethyl-1, 1-diethylpiperidinium bromide	Mouse	or	LD <sub>50</sub>	365±40
	Mouse	ip	LD <sub>50</sub>	40±6
	Rat	or	LD <sub>50</sub>	2000±310
	Dog	iv	LD <sub>50</sub>	20-25
715 Dimethyldiethylpyrophosphate	Mouse	ip	LD <sub>50</sub>	1.1
716 Dimethyldiisopropylpyrophosphate	Mouse	ip	LD <sub>50</sub>	2.5
717 Dimethyldioxane	Rat	or	LD <sub>50</sub>	3000
	Rabbit	ct	LD <sub>50</sub>	>10,000
718 o-m'-Dimethyldiphenylmethylether of β-Dimethylaminoethanol	Mouse	ip	LD <sub>50</sub>	90±2
719 Dimethylformamide	Rat	or	LD <sub>50</sub>	7000
	Rabbit	ct	LD <sub>50</sub>	5000
720 Dimethylfuran	Rat	or	LD <sub>50</sub>	300
	Guinea pig	ct	LD <sub>50</sub>	1000
721 2, 6-Dimethylheptanol-4	Rat	or	LD <sub>50</sub>	3160
	Rabbit	ct	LD <sub>50</sub>	>10,000
722 2, 2-Dimethyl-4-hydroxymethyl-1, 3-dioxolane	Mouse	ip	LD <sub>50</sub>	>2112
723 (2, 4-Dimethyl-3-hydroxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	16±1
724 (2, 4-Dimethyl-5-hydroxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	14±2
725 (3, 4-Dimethyl-5-methoxyphenyl)-trimethylammonium iodide	Mouse	iv	LD <sub>50</sub>	5±1
726 Dimethylnicotinium diiodide	Mouse	ip	LD	435
	Rabbit	iv	LD	>200
727 Dimethyl-p-nitrophenyl phosphate	Frog	sc	MLD	50
	Mouse	sc	MLD	2.7
	Mouse	sc	MLD	1.4-2.0
	Rat	or	MLD	3.4-6.8
728 O, O-Dimethyl-S-(p-nitrophenyl)-phosphate (continued on next page)	Frog	sc	MLD	50-75
	Mouse	sc	MLD	7.5-10.0

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
1.34-1.71 12.6-55.0			Kodama, Arch. Ind. Hyg. Occ. Med. 9:45, 1954. Ibid	711
			Ferguson, J. Pharm. Exp. Ther. 100:100, 1950. Ibid	712
			Brodersen, Acta pharm. tox. 2:109, 1946.	713
			Cook, J. Pharm. Exp. Ther. 99:435, 1950. Ibid Ibid Ibid	714
			DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952.	715
			DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952.	716
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	717
			Ensor, J. Pharm. Exp. Ther. 112:318, 1954.	718
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	719
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid	720
			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	721
			Berger, Arch. int. pharmacod. 85:474, 1951.	722
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	723
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	724
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	725
			Larson, J. Pharm. Exp. Ther. 77:343, 1943. Ibid	726
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+cello		Hecht, Arch. exp. Path. Pharm. 77:264, 1950. Ibid Ibid Ibid	727
	H <sub>2</sub> O+cello H <sub>2</sub> O+cello		Hecht, Arch. exp. Path. Pharm. 211:264, 1950. Ibid	728

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
728	O, O-Dimethyl-S-(p-nitrophenyl)-phosphate (concluded)	Mouse	sc	MLD	20-50
		Rat	or	MLD	45
729	O, S-Dimethyl-O-(p-nitrophenyl)-phosphate	Frog	sc	MLD	70-80
		Mouse	sc	MLD	90-100
		Mouse	sc	MLD	35
		Rat	or	MLD	200
730	Dimethyl-p-nitrophenylthiophosphate	Frog	sc	MLD	250
		Mouse	sc	MLD	50-100
		Mouse	sc	MLD	30
		Rat	or	MLD	15-20
731	O, sym. - Dimethyl-p-nitrophenyl-phosphate	Frog	sc	MLD	70-80
		Mouse	sc	MLD	90-100
		Mouse	sc	MLD	35
		Rat	or	MLD	200
732	Dimethylparathion	Rat	or	LD50*	15.2
		Rabbit	ct	LD50*	300-400
733	Di-2-methylphenoxyethylamine	Mouse	sc	LD50*	850
734	Di-2-methylphenoxyethylaminoethanol	Mouse	sc	LD50*	>1000
735	Di-2-methylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD50	>1000
736	Di-3-methylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD50*	>1000
737	Di-4-methylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD50*	1000
738	3,4-Dimethylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD50*	>1000
739	Di-2-methylphenoxyethyl-β-ethanolamine	Mouse	sc	LD50	>1000
740	3,4-Dimethylphenoxyethylbenzyl-β-chloroethylamine	Mouse	sc	LD50*	>1000
741	3,5-Dimethylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD50*	>1000
742	Di-2-methylphenoxyethylethylamine	Mouse	sc	LD50*	1000
743	3,4-Dimethylphenoxyethyl-ethyl-β-chloroethylamine	Mouse	sc	LD50	35
744	2,5-Dimethylphenylisopropylamine	Mouse	ip	LD50	200
745	3,4-Dimethylphenylisopropylamine	Mouse	ip	LD50	83
746	1,1-Dimethyl-4-phenylpiper- asinium iodide	Mouse	im	LD50	27.5
		Rabbit	iv	LD50*	1

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Oil H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid	728
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Ibid	729
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Ibid	730
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264</u> , 1950. Ibid Ibid Ibid	731
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Ibid	732
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	733
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	734
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	735
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	736
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	737
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	738
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	739
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	740
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	741
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	742
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	743
			Marsh, J. Pharm. Exp. Ther. <u>100:290</u> , 1950.	744
			Marsh, J. Pharm. Exp. Ther. <u>100:290</u> , 1950.	745
		20 min 2 min	Chen, J. Pharm. Exp. Ther. <u>101:330</u> , 1951. Ibid	746

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
747	Di-2-methylphenylthioethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> <sup>1</sup>	>1000
748	Dimethyl phthalate	Mouse	or	LD <sub>50</sub>	7.2 cc
		Mouse	sc	MLD <sup>2</sup>	6000
		Mouse	ip	LD <sub>50</sub>	3640
		Rat	or	LD <sub>50</sub>	6.9 cc
		Guinea pig	or	LD <sub>50</sub>	2.4 cc
		Rabbit	or	LD <sub>50</sub>	4.4 cc
749	2,5-Dimethylpiperazine	Rat	or	LD <sub>50</sub>	3510
		Rabbit	ct	LD <sub>50</sub>	800
750	Dimethyl selenide	Mouse	ip	LD <sub>50</sub>	1800
		Rat	ip	LD <sub>50</sub>	2200
751	Dimethyl sulfate	Rat	or	LD <sub>50</sub>	440
		Rabbit	or	LD	50
		Rabbit	sc	LD	50
		Rabbit	sc	LD	50-60
		Rabbit	iv	LD	55 <sup>1</sup>
752	2,4-Dimethylsulfolane	Mouse	ip	LD <sub>50</sub>	81
753	Dimethyltetrahydrophthalate	Rat	or	LD <sub>50</sub>	700
754	3,5-Dimethyltetrahydropyrone-1,4	Rat	or	LD <sub>50</sub>	3400
755	N,N-Dimethylthymoxycetamide HCl	Rat	iv	LD <sub>50</sub>	46 <sup>2</sup>
756	p-Dinitrobenzene	Cat	or	LD	29.4
757	4,6-Dinitro-o-cresol	Mouse	sc	LD <sub>50</sub>	24.2
		Rat	or	LD <sub>50</sub>	30
		Rat	or	LD <sub>50</sub> <sup>2</sup>	26
		Rat	sc	LD <sub>50</sub>	24.6
		Guinea pig	ct	LD <sub>100</sub>	500
		Dog	iv	LD	15
		Dog	im	LD	5
		Dog	ip	LD	10
		Pigeon	im	LD	5
758	4,6-Dinitro-o-cresol sodium	Rat	or	LD <sub>100</sub>	40
		Rat	sc	LD <sub>50</sub> <sup>2</sup>	30
759	2,4-Dinitro-6-cyclohexylphenol	Mouse	or	MLD	50-125
		Mouse	sc	MLD	30-45
		Rat	or	LD <sub>100</sub>	180
		Guinea pig	or	LD <sub>100</sub>	125
		Guinea pig	sc	LD <sub>30</sub>	20
		Guinea pig	ct	LD <sub>100</sub>	>1000
		Dog	sc	LD	8
		Pigeon	im	LD <sub>50</sub>	5
		Pigeon	iv	LD	6-7

<sup>1</sup>/ Neutral. <sup>2</sup>/ Injected over period of 31 minutes.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	747
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Eller, Dissert., Wurzberg 1939. Karel, Ped. Proc. <u>6:342</u> , 1947. Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid Ibid Ibid	748
3180-3880			Smyth, unpublished data, Mellon Inst. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	749
			McConnell, Proc. Soc. Exp. Biol. Med. <u>79:230</u> , 1952. Ibid	750
430-450		17 hr 2 hr 3-4 hr 4 hr	Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Weber, Arch. exp. Path. Pharm. <u>47:113</u> , 1902. Ibid Michels, Arch. int. pharmacod. <u>21:467</u> , 1911. Weber, Arch. exp. Path. Pharm. <u>47:113</u> , 1902.	751
			McOzle, Fed. Proc. <u>6:357</u> , 1947.	752
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	753
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	754
			Craver, Am. J. Dig. Dis. <u>18:241</u> , 1951.	755
		24 hr	White, Lancet <u>2:582</u> , 1901.	756
21.5-27.3 25-37 23.1-26.1	Alcohol	1-2 hr 50 min	Parker, Brit. J. Indust. M. <u>8:226</u> , 1951. Spencer, J. Ind. Hyg. Tox. <u>30:10</u> , 1948. Lohman, Q. Bull. Assoc. F. & D. Ch. <u>15:122</u> , 1951. Parker, Brit. J. Indust. M. <u>8:226</u> , 1951. Spencer, J. Ind. Hyg. Tox. <u>30:10</u> , 1948. Heymans, Arch. int. pharmacod. <u>50:20</u> , 1935. Ibid Ibid Tainter, J. Pharm. Exp. Ther. <u>53:58</u> , 1935.	757
		1-8 hr 2-2½ hr	Ambrose, J. Pharm. Exp. Ther. <u>76:245</u> , 1942. Ibid	758
	Oil Oil Oil Oil	1-2 hr 30 min 8-10 min	Hrenoff, Univ. Cal. Publ. Pharmacol. <u>1:151</u> , 1939. Ibid Spencer, J. Ind. Hyg. Tox. <u>30:10</u> , 1948. Hrenoff, Univ. Cal. Publ. Pharmacol. <u>1:151</u> , 1939. Ibid Spencer, J. Ind. Hyg. Tox. <u>30:10</u> , 1948. Heymans, Arch. int. pharmacod. <u>50:20</u> , 1935. Tainter, J. Pharm. Exp. Ther. <u>53:58</u> , 1935. Heymans, Arch. int. pharmacod. <u>50:20</u> , 1935.	759

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
760	2, 4-Dinitro-o-cyclohexylphenol-dicyclohexylamine	Rat	or	LD50*	330
761	2, 4-Dinitro-a-naphthol	Frog	sc	LD	60
		Guinea pig	sc	LD	80-100
		Dog	iv	LD	30-60
		Pigeon	im	LD50	18.5
		Pigeon	ip	LD	15
762	2, 4-Dinitrophenol	Frog	sc	LD	10 <sup>1</sup>
		Rat	or	LD50	30
		Rat	sc	LD50	25
		Rabbit	or	LD50	200
		Rabbit	sc	LD	30
		Rabbit	ip	LD	100
		Dog	or	LD50	20-30
		Dog	sc	LD50	22
		Dog	sc	LD	10 <sup>1</sup>
		Dog	im	LD50	20
		Dog	iv	LD50	30
		Pigeon	im	LD	7
		Pigeon	iv	LD	15-20 <sup>1</sup>
763	2, 4-Dinitrotoluene	Cat	or	MLD	27
		Cat	sc	LD	50-500
764	2, 6-Dinitrotoluene	Cat	ip	LD	60
765	Diocanol-2-phthalate	Mouse	ip	LD50*	920
766	Diodrast	Dog	iv	LD	2000
767	Dionin	Frog	sc	LD	130
		Mouse	sc	LD	200
		Guinea pig	sc	LD	150
768	Dioxalane	Rat	or	LD50	3000
769	1, 4-Dioxane	Mouse	or	LD50	5830
		Mouse	ip	LD50	790
		Rat	or	LD50	5325
		Rat	or	LD50*	6000
		Rat	or	LD50	7120
		Guinea pig	or	LD50	3150
		Guinea pig	or	LD50	4017
		Rabbit	or	LD50	2170
Rabbit	et	LD50	7600		
770	4, 6-Dioxo-2-methylidihydropyran	Mouse	ip	LD50	>3000
771	Diparcol (base)	Mouse	or	LD50	450
		Mouse	sc	LD50	450
		Mouse	sc	LD50	450
		Mouse	iv	LD50	5
		Mouse	iv	LD50	40-50
		Rabbit	sc	LD50	150-200

(continued on next page)

// Sodium salt.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Lehman, Q. Bull. Assoc. F. & D. <u>15:122</u> , 1951.	760
		30 min 15-30min 30 min	Mathews, J. Pharm. Exp. Ther. <u>2:200</u> , 1910. Cazeneuve & Lépine quoted by Mathews. Ibid Tainter, J. Pharm. Exp. Ther. <u>53:56</u> , 1935. Heymans, Arch. int. pharmacod. <u>50:20</u> , 1935.	761
22-40		3½ hr 1-2 hr 40 min 3 hr 36 min	Magne, Ann. physiol., Par. <u>8:1</u> , 1932. Spencer, J. Ind. Hyg. Tox. <u>30:10</u> , 1948. Tainter, J. Pharm. Exp. Ther. <u>69:187</u> , 1933. Magne, Ann. physiol., Par. <u>8:1</u> , 1932. Tainter, J. Pharm. Exp. Ther. <u>69:187</u> , 1933. Magne, Ann. physiol., Par. <u>8:1</u> , 1932. Tainter, J. Pharm. Exp. Ther. <u>69:187</u> , 1933. Ibid Magne, Ann. physiol., Par. <u>8:1</u> , 1932. Tainter, J. Pharm. Exp. Ther. <u>69:187</u> , 1933. Ibid Ibid Heymans, Arch. int. pharmacod. <u>50:20</u> , 1935.	762
	Oil	2-23 da	White, Lancet <u>2:582</u> , 1901. Kuhls, Dissert., Würzburg 1905.	763
			Von Bredow, Arch. exp. Path. Pharm. <u>200:335</u> , 1942.	764
		24 hr	Hodge, Proc. Soc. Exp. Biol. Med. <u>69:471</u> , 1942.	765
		20 min	Heathcote, Brit. J. Radiol. <u>6:304</u> , 1933.	766
			Flury, Abderhalden's Hdb. <u>4:74</u> , 1944. Ibid Ibid	767
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	768
6015-5655 5686-4985 6380-8050 2720-3650 3800-4244 1820-2580 5930-9730		1-5 da 1-5 da 2 wk 1-5 da	Laug, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Karel, Fed. Proc. <u>6:342</u> , 1947. Laug, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Smyth, unpublished data, Mellan Inst. Smyth, J. Ind. Hyg. Tox. <u>23:299</u> , 1941. Ibid Laug, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Smyth, unpublished data, Mellan Inst. Ibid	769
			Brodersen, Acta pharm. tox. <u>2:109</u> , 1946.	770
			Bovet, Therapie <u>21:115</u> , 1947. Ibid Fournel, J. physiol., Par. <u>42:877</u> , 1950. Bovet, Therapie <u>21:115</u> , 1947. Fournel, J. physiol., Par. <u>42:877</u> , 1950. Bovet, Therapie <u>21:115</u> , 1947.	771

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
771 Diparcol (base) (concluded)	Rabbit	iv	LD <sub>50</sub>	25
772 Diphenoxethylbenzyl- $\beta$ -chloroethylamine	Mouse	sc	LD <sub>50</sub> *	125
773 Diphenoxethyl- $\beta$ -chloroethylamine	Mouse	sc	LD <sub>50</sub> *	25
774 <i>o, o</i> -Diphenyl- $\gamma$ -dimethylamino- valeramide HCl	Mouse	or	LD <sub>50</sub>	395.82±48.6
	Mouse	iv	LD <sub>50</sub>	34.73±2.0
775 <i>o, o</i> -Diphenyl- $\gamma$ -dimethylamino- valeramidemethylodide	Mouse	or	LD <sub>50</sub>	>600
	Mouse	iv	LD <sub>50</sub>	19.41±1.4
776 Diphenylguanidine	Rat	sc	MLD	50
	Guinea pig	sc	MLD	200
	Dog	iv	MLD	25
777 Diphenylmethyl ether of $\beta$ -Methylaminoethanol	Mouse	ip	LD <sub>50</sub>	73±1
778 Diphenylthiourea	Rabbit	or	MLD	1500
779 Dipropamine	Mouse	sc	LD <sub>50</sub>	2.2±0.3
780 Dipropylene glycol	Mouse	ip	LD <sub>50</sub>	4600
	Rat	or	LD <sub>50</sub>	14,850
	Rat	ip	LD <sub>50</sub>	10,590
	Rat	iv	LD <sub>50</sub>	5800
	Dog	iv	LD	11,787
781 Dipropylene glycol methyl ether	Rat	or	LD <sub>50</sub>	5.4 cc
782 2,2-Di- <i>n</i> -propyl-4-hydroxymethyl- 1,3-dioxolone	Mouse	ip	LD <sub>50</sub>	729.44±69.5
783 <i>N, N</i> -Dipropylsuccinamic acid ethylester	Mouse	or	LD <sub>50</sub>	3.6 cc
	Rat	or	LD <sub>50</sub>	6.2 cc
784 Disodium phosphate	Rat	ip	LD	2000
785 Disulfur decafluoride, S <sub>2</sub> F <sub>10</sub>	Rabbit	iv	LD <sub>50</sub>	5.79±0.61 <sup>1</sup>
786 Dithane	Rat	or	LD <sub>50</sub> *	5000
787 Dithane D14	Rat	or	LD <sub>50</sub>	395±12
788 Dithane Z78	Rat	or	LD <sub>50</sub>	>5200
789 Di- <i>o</i> -toluylthiourea	Rabbit	or	MLD	3000
790 Divaricoside	Cat	iv	LD <sub>50</sub>	0.1653
791 Doian	Mouse	or	LD <sub>50</sub>	1100
	Mouse	ip	LD <sub>50</sub>	950
792 Dormison	Mouse	or	LD <sub>50</sub>	698
	Rat	or	LD <sub>50</sub>	300-900
	Guinea pig	or	LD <sub>50</sub>	534

<sup>1</sup>/ Emulsion.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Bovet, <i>Thérapie</i> <u>21:115</u> , 1947.	771
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379</u> , 1951.	772
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379</u> , 1951.	773
			Cazort, <i>J. Pharm. Exp. Ther.</i> <u>100:325</u> , 1950. Ibid	774
			Cazort, <i>J. Pharm. Exp. Ther.</i> <u>100:325</u> , 1950. Ibid	775
	Prop gly Prop gly	15 min	Alles, <i>J. Pharm. Exp. Ther.</i> <u>28:251</u> , 1926. Valade, <i>C. rend. Soc. biol.</i> <u>143:815</u> , 1949. Ibid	776
			Ensor, <i>J. Pharm. Exp. Ther.</i> <u>112:318</u> , 1954.	777
			Hanslik, <i>J. Pharm. Exp. Ther.</i> <u>17:349</u> , 1921.	778
			Winter, <i>J. Pharm. Exp. Ther.</i> <u>100:489</u> , 1950.	779
10,650-20,720 15,940-17,930	N saline		Karel, <i>Fed. Proc.</i> <u>6:342</u> , 1947. Shaffer, <i>Arch. Ind. Hyg. Occ. Med.</i> <u>3:448</u> , 1951. Ibid Hanslik, <i>J. Pharm. Exp. Ther.</i> <u>67:101</u> , 1939.	780
4.9-5.9 cc			Rowe, <i>Arch. Ind. Hyg. Occ. Med.</i> <u>9:509</u> , 1954.	781
			Berger, <i>Arch. int. pharmacod.</i> <u>85:474</u> , 1951.	782
			Draize, <i>J. Pharm. Exp. Ther.</i> <u>93:26</u> , 1948. Ibid	783
			Abelles, <i>Biochem. Zachr.</i> <u>163:226</u> , 1925.	784
			Saunders, <i>Arch. Ind. Hyg. Occ. Med.</i> <u>8:436</u> , 1953.	785
			Lehman, <i>Q. Bull. Assoc. F. &amp; D. Off.</i> <u>15:120</u> , 1951.	786
			Smith, <i>Fed. Proc.</i> <u>11:391</u> , 1952.	787
			Smith, <i>J. Pharm. Exp. Ther.</i> <u>109:159</u> , 1953.	788
	N saline		Hanslik, <i>J. Pharm. Exp. Ther.</i> <u>17:349</u> , 1921.	789
Q1210-Q2349	Alcohol		Chen, <i>J. Pharm. Exp. Ther.</i> <u>111:365</u> , 1954.	790
			Spencer, <i>Fed. Proc.</i> <u>12:368</u> , 1953. Ibid	791
			Schering advertisement. Schaffarick, <i>Science</i> <u>116:663</u> , 1952. Schering advertisement.	792

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
793 Dowicide	Rat	or	LD50	2.7
794 Dromoran HBr	Mouse	sc	LD50	153±12
	Mouse	ip	LD50	120±18
	Mouse	iv	LD50	41±5
	Rat	sc	LD50	125±11
	Rabbit	iv	LD50	19±1.7
795 Dulcin	Dog	or	LD	1000
796 Dypnone	Rat	or	LD50	3600
	Rabbit	ct	LD50	6300
797 E 838	Mouse	or	LD50	98.5±5.0
	Rat <sup>1</sup>	or	LD50	42.0±3.1
	Rat <sup>2</sup>	or	LD50	19.0±2.5
	Guinea pig	or	LD50	25.0±2.3
	Rabbit	ct	LD50*	300
798 Echubioside	Cat	iv	LD50	0.2902
799 Echujin	Cat	iv	LD50	0.3035
800 EFED	Rat <sup>?</sup>	ip	LD50	250
801 EL-60	Rat <sup>?</sup>	ip	LD50	6000
802 Emcol 888	Mouse	or	LD50	470
	Mouse	iv	LD50	8
903 Emetine	Frog	or	MLD	20 <sup>1</sup>
	Frog	sc	MLD	20 <sup>1</sup>
	Frog	iv	MLD	10 <sup>1</sup>
	Mouse	sc	MLD	20 <sup>1</sup>
	Mouse	ip	LD50	62±2.3
	Rat	or	MLD	<100 <sup>2</sup>
	Rat	sc	LD	12
	Rat	sc	MLD	20 <sup>1</sup>
	Rat	im	MLD	<15
	Rat	ip	LD50	17.2±1.4
	Rat	iv	MLD	<15
	Guinea pig	or	MLD	20 <sup>1</sup>
	Guinea pig	sc	MLD	20 <sup>1</sup>
	Guinea pig	sc	LD	16
	Guinea pig	im	MLD	20 <sup>1</sup>
	Guinea pig	iv	MLD	3 <sup>1</sup>
	Guinea pig	iv	LD	7
	Rabbit	or	MLD	15-20 <sup>2</sup>
	Rabbit	or	MLD	20 <sup>1</sup>
	Rabbit	sc	MLD	15-20 <sup>1</sup>
	Rabbit	sc	MLD	30
	Rabbit	im	MLD	15 <sup>1</sup>
	Rabbit	iv	MLD	5
Rabbit	iv	MLD	2.5 <sup>1</sup>	
Cat	or	LD	15-20 <sup>2</sup>	

(continued on next page)

<sup>1</sup>/ 2.5% solution in H<sub>2</sub>O. <sup>2</sup>/ Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
2.4-3.1			Hodge, J. Pharm. Exp. Ther. <u>104:202</u> , 1952.	793
			Rardall, J. Pharm. Exp. Ther. <u>99:163</u> , 1950.	794
			Ibid	
			Ibid	
			Ibid	
			Flury, Abderhalden's Hdb. <u>4.7b:1345</u> .	795
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	796
			Ibid	
			Frawley, J. Pharm. Exp. Ther. <u>105:156</u> , 1952.	797
			Ibid	
			Ibid	
			Ibid	
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952.	
0.2159-0.4152	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	798
0.2275-0.3634	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	799
			Malette, Arch. Ind. Hyg. Occ. Med. <u>5:311</u> , 1952.	800
			Malette, Arch. Ind. Hyg. Occ. Med. <u>5:311</u> , 1952.	801
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954.	802
			Ibid	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	803
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	1-3 min	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
			Gimble, J. Pharm. Exp. Ther. <u>94:431</u> , 1948.	
			Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1938.	
			Walters, J. Pharm. Exp. Ther. <u>10:73</u> , 1917.	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
			Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1938.	
			Gimble, J. Pharm. Exp. Ther. <u>94:431</u> , 1948.	
			Nelson, J. Pharm. Exp. Ther. <u>63:122</u> , 1938.	
	N saline		Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
			Walters, J. Pharm. Exp. Ther. <u>10:73</u> , 1917.	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
	H <sub>2</sub> O	24 hr	Ibid	
			Flury, Abderhalden's Hdb. <u>4.7b:1346</u> .	
		15 da	Anderson, Am. J. Trop. Med. <u>10:249</u> , 1930.	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
	H <sub>2</sub> O	24 hr	Ibid	
			Flury, Abderhalden's Hdb. <u>4.7b:1346</u> .	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
		2-4 da	Walters, J. Pharm. Exp. Ther. <u>94:431</u> , 1948.	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	
		15 da	Anderson, Am. J. Trop. Med. <u>10:249</u> , 1930.	

Compound	Animal	Route	Dose	Dosage mg/kg
				Value
803 Emetine (concluded)	Cat	sc	MLD	20 <sup>1</sup>
	Dog	or	MLD	7.5-10 <sup>1</sup>
	Dog	sc	MLD	5.0-7.5 <sup>1</sup>
	Dog	im	MLD	5.0-7.5 <sup>1</sup>
	Dog	iv	MLD	2.5-3.5 <sup>1</sup>
	Pigeon	sc	MLD	20 <sup>1</sup>
	Pigeon	im	MLD	20 <sup>1</sup>
	804 Emulsept	Mouse	or	LD <sub>50</sub>
Mouse		iv	LD <sub>50</sub>	20
805 Endothal	Rat	or	LD <sub>50</sub> *	35.5
	Rabbit	ct	LD <sub>50</sub> *	100 <sup>2</sup>
806 Eosin (YS, yellowish)	Frog	sc	LD	1000
	Mouse	sc	LD	450
	Rat	ip	LD <sub>50</sub> *	500
	Guinea pig	or	LD	5000
	Guinea pig	sc	LD	300
	Guinea pig	ip	LD	250
	Rabbit	iv	LD <sub>50</sub> *	300
807 Ephedrine	Frog	sc	MLD	530-690
	Frog	sc	MLD	600
	Mouse	or	LD	400
	Mouse	sc	LD	1000
	Mouse	sc	LD	500 <sup>3</sup>
	Mouse	ip	MLD*	400 <sup>3</sup>
	Mouse	iv	LD	200
	Rat	or	MLD	160
	Rat	ip	LD	800
	Rat	iv	MLD	135-140
	Rat	sc	MLD	1500
	Guinea pig	sc	LD	400
	Guinea pig	sc	MLD	400-425
	Rabbit	or	MLD	590
	Rabbit	sc	MLD	320-400 <sup>3</sup>
	Rabbit	sc	MLD	300-460 <sup>4</sup>
	Rabbit	ip	MLD	310-430 <sup>3</sup>
	Rabbit	im	MLD	340 <sup>3</sup>
	Rabbit	iv	MLD	66-70 <sup>3</sup>
	Rabbit	iv	MLD	50-70 <sup>3</sup>
	Cat	iv	MLD	60
	Cat	iv	MLD	75 <sup>3</sup>
	Dog	sc	MLD	220 <sup>4</sup>
Dog	iv	MLD	70-75 <sup>3</sup>	
808 Epinephrine	Frog	sc	LD	800-850 <sup>5</sup>
	Frog	sc	LD	440-460 <sup>6</sup>
	Mouse	or	LD	50

(continued on next page)

/1/ 2.5% solution in H<sub>2</sub>O. /2/ 2% solution in H<sub>2</sub>O. /3/ Ephedrine sulfate. /4/ Ephedrine Nittl, "Médicaments du Système Nerveux Végétatif," New York: S. Karger, 1948.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O	24 hr	Guglielmetti, Presse Méd. <u>26:43</u> , 1918.	803
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
	H <sub>2</sub> O	24 hr	Ibid	
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954.	804
			Ibid	
	H <sub>2</sub> O		Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	805
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952.	
		7-19 hr	Flury, Abderhalden's Hdb. <u>4.7b:1347</u> .	806
			Ibid	
		24 hr	Emerson, Leprosy <u>2:257</u> , 1934.	
			Flury, Abderhalden's Hdb. <u>4.7b:1347</u> .	
			Ibid	807
			Emerson, Int. J. Leprosy <u>2:257</u> , 1934.	
		15-20 hr	Chen, J. Pharm. Exp. Ther. <u>27:61</u> , 1926.	
		3 hr	Kreitmaier, Arch. exp. Path. Pharm. <u>120:189</u> , 1927.	
			Ibid	
			Chen, J. Am. Med. Assoc. <u>87:836</u> , 1926.	
		2 min	Rowe, J. Am. Pharm. Assoc. <u>16:912</u> , 1927.	
			Kreitmaier, Arch. exp. Path. Pharm. <u>120:189</u> , 1927.	
			Hauschild, Arch. exp. Path. Pharm. <u>191:465</u> , 1926.	
			Ibid	
		24 hr	Chen, J. Pharm. Exp. Ther. <u>27:61</u> , 1926.	
		15-20 hr	Kreitmaier, Arch. exp. Path. Pharm. <u>187:607</u> , 1937.	
			Kreitmaier, Arch. exp. Path. Pharm. <u>120:189</u> , 1927.	
			Chen, J. Pharm. Exp. Ther. <u>27:61</u> , 1926.	
			Ibid	
			Chen, J. Am. Med. Assoc. <u>87:836</u> , 1926.	
			Ibid	
			Ibid	
			Ibid	
			Kreitmaier, Arch. exp. Path. Pharm. <u>120:189</u> , 1927.	
			Ibid	
			Chen, J. Am. Med. Assoc. <u>87:836</u> , 1926.	
			Ibid	
			Ibid	
			Fühner, Arch. exp. Path. Pharm. <u>166:455</u> , 1932.	808
			Ibid	
			Bovet&Bovet-Nitti. <sup>7</sup>	

hydrochloride. /5/ Epinephrine bitartrate. /6/ Epinephrine base. /7/ Bovet and Bovet-

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
808 Epinephrine (concluded)	Mouse	sc	LD	1-1.5
	Mouse	sc	LD	7.1-8.2 <sup>2</sup>
	Mouse	id	LD <sub>50</sub>	4 <sup>3</sup>
	Rat	or	LD	30
	Rat	sc	LD	5-10
	Rat	ip	LD	10
	Rat	iv	LD	0.005-0.05
	Guinea pig	sc	LD	0.8-2.0
	Guinea pig	iv	LD	0.1-0.2
	Guinea pig	iv	LD	0.1-0.2
	Rabbit	or	LD	30
	Rabbit	sc	LD	10-20
	Rabbit	iv	LD	0.2-0.3
	Rabbit	iv	LD	0.1-0.2
	Cat	sc	LD	20
	Cat	iv	LD	0.5-8.0
	Cat	iv	LD	0.5-0.8
Dog	sc	LD	5-6	
Dog	iv	LD	0.2-2.0	
Dog	iv	LD	0.1-0.2	
809 D-Epinephrine	Mouse	sc	LD <sub>50</sub>	12.56±0.77
	Rat	sc	LD <sub>50</sub>	80-120
	Rabbit	sc	LD	6.5-7.0
810 DL-Epinephrine	Mouse	sc	LD	16
	Mouse	sc	LD	12-16
	Rabbit	iv	LD	0.25-0.3
	Rabbit	iv	LD	0.5-0.6
811 L-Epinephrine	Mouse	sc	LD	6
	Mouse	sc	LD <sub>50</sub>	1.47±0.14
	Rat	sc	LD	5
	Rat	sc	LD	10-20
	Guinea pig	sc	LD	1
	Rabbit	sc	LD	10-20
	Rabbit	iv	LD	0.05-0.4
	Cat	iv	LD	0.5-0.8
	Dog	sc	LD	5-6
	Dog	iv	LD	1-2
812 EPN	Mouse	or	LD <sub>50</sub>	45.5±3.1
	Rat♀	or	LD <sub>50</sub>	14.5±1.6
	Rat♂	or	LD <sub>50</sub>	91.0±8.6
	Guinea pig	or	LD <sub>50</sub>	79.0±7.6
813 1,2-Epoxy-3-chloropropane	Rat	or	LD <sub>50</sub>	90
814 Epoxyethylphenylacrylic acid ethyl ester	Mouse	or	LD <sub>50</sub>	5.6 cc
	Rat	or	LD <sub>50</sub>	6.1 cc
815 Erbium nitrate, Er(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	Rat	iv	LD <sub>100</sub>	82.8-96.6 <sup>4</sup>
816 Ergobasine (continued on next page)	Mouse	iv	MLD	0.145
	Mouse	iv	MLD	250
	Mouse	iv	LD <sub>50</sub>	144±3.5

/1/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif," New York: S. Karger, 1954, p. 114.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		3-5 da	Bovet & Bovet-Nitti. <sup>1</sup> Fühner, Arch. exp. Path. Pharm. 166:455, 1932. Lands, J. Pharm. Exp. Ther. 90:110, 1947. Bovet & Bovet-Nitti. <sup>1</sup> Ibid Raab, J. Pharm. Exp. Ther. 88:268, 1946. Bovet & Bovet-Nitti. <sup>1</sup> Ibid Ibid Flury, Abderhalden's Hdb. 4. 7b:1293. Bovet & Bovet-Nitti. <sup>1</sup> Ibid Ibid Flury, Abderhalden's Hdb. 4. 7b:1293. Bovet & Bovet-Nitti. <sup>1</sup> Ibid Flury, Abderhalden's Hdb. 4. 7b:1293. Bovet & Bovet-Nitti. <sup>1</sup> Ibid Flury, Abderhalden's Hdb. 4. 7b:1293.	808
		24 hr	Marquardt, Arch. exp. Path. Pharm. 202:658, 1943. Cushny, J. Physiol. 38:259, 1909. Marquardt, Arch. exp. Path. Pharm. 202:658, 1943.	809
			Schultz, J. Pharm. Exp. Ther. 1:291, 1909. Abderhalden, Zschr. physiol. Chem. 63:290, 1909. Ibid Ibid	810
4-8		24 hr	Marquardt, Arch. exp. Path. Pharm. 202:658, 1943. Ibid Flury, Abderhalden's Hdb. 4. 7b:1294. Cushny, J. Physiol. 38:259, 1909. Flury, Abderhalden's Hdb. 4. 7b:1294. Ibid Ibid Ibid Ibid	811
			Freasley, J. Pharm. Exp. Ther. 105:156, 1952. Ibid Ibid Ibid	812
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	813
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	814
			Maxwell, J. Pharm. Exp. Ther. 43:61, 1931.	815
			Röthlin, C. rend. Soc. Biol. 119:1302, 1935. Davis, J. Pharm. Exp. Ther. 54:398, 1955. DeJongh, J. Pharm. Exp. Ther. 105:132, 1952.	816

Karger, 1948. /2/ Epinephrine base. /3/ Epinephrine hydrochloride. /4/ 30-35 mg/kg as

Compound	Animal	Route	Dose	Dosage
				Value
816 Ergobasine (concluded)	Rat	sc	MLD	0.5
	Guinea pig	iv	MLD	80
	Rabbit	iv	MLD	7.5
	Rabbit	iv	LD	1.8-2.9
	Rabbit	iv	LD	6
	Rooster	im	MLD	>10
817 Ergocornine	Rabbit	iv	LD	1.17
818 Ergocristine	Rabbit	iv	LD	1.5
819 Ergocryptine	Rabbit	iv	LD	1.05
820 Ergotamine	Mouse	iv	MLD	45
	Mouse	iv	LD <sub>50</sub>	52
	Rat	sc	MLD	100-150
	Rat	iv	LD <sub>50</sub>	62
	Guinea pig	iv	LD	>36
	Rabbit	iv	LD	2-3
	Rabbit	iv	LD	3.55
	Cat	sc	LD <sub>50</sub>	11
	Rooster	im	LD	2-3
821 Ergotamine tartrate	Mouse	iv	LD <sub>50</sub>	62
	Rat	iv	LD <sub>50</sub>	80
	Rabbit	iv	LD <sub>50</sub>	3.55
	Cat	sc	LD	11
822 Ergotoxine	Mouse	sc	LD	107 <sup>1</sup>
	Mouse	iv	LD	33
	Rabbit	iv	LD	1.5 <sup>1</sup>
	Rabbit	iv	LD	1.8 <sup>2</sup>
823 Erysodine HCl	Mouse	sc	LD	100
824 Erysopine HCl	Mouse	sc	LD	14.8
825 Erysothiopine disodium	Mouse	sc	LD	76
826 Erythramine HBr	Mouse	sc	LD	104
827 Erythrite	Dog	iv	LD	5000
828 $\gamma$ -Erythroidine	Mouse	sc	LD	48
	Mouse	ip	LD <sub>50</sub>	24.0±0.93
	Rat	iv	LD <sub>50</sub>	39.3
	Rabbit	iv	LD <sub>50</sub>	8.6
	Dog	iv	LD <sub>50</sub>	8.8
829 Erythrophenine	Frog	sc	LD	20
830 Erythroisine	Rat	ip	LD <sub>50</sub> <sup>*</sup>	300
	Rabbit	iv	LD <sub>50</sub> <sup>*</sup>	200
831 Ethanol	Frog	sc	LD	7100-7900
	Mouse	or	LD <sub>50</sub>	9488 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	8285 <sup>3</sup>
	Mouse	iv	LD <sub>50</sub>	1973 <sup>3</sup>

(continued on next page)

<sup>1</sup>/1/Ergotoxine base. <sup>2</sup>/2/ Ergotoxine phosphate. <sup>3</sup>/3/95% ethanol.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u> Davis, J. Pharm. Exp. Ther. <u>54:398, 1955.</u> Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u> Barger, Heffter's Hdb. <u>E. 6:84.</u> Röthlin, Arch. exp. Path. Pharm. <u>181:154, 1936.</u> Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u>	816
			Röthlin, Helvet. physiol. acta <u>3:519, 1945.</u>	817
			Röthlin, Helvet. physiol. acta <u>3:519, 1945.</u>	818
			Röthlin, Helvet. physiol. acta <u>3:519, 1945.</u>	819
			Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u> Röthlin, Arch. int. pharmacod. <u>27:459, 1923.</u> Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u> Röthlin, Helvet. physiol. acta <u>2:48, 1944.</u> Barger, Heffter's Hdb. <u>E. 6:104.</u> Ibid Röthlin, Helvet. physiol. acta <u>3:519, 1945.</u> Röthlin, Helvet. physiol. acta <u>2:48, 1944.</u> Röthlin, C. rend. Soc. biol. <u>119:1302, 1935.</u>	820
			Röthlin, Bull. acad. Suisse sci. med. <u>2:No. 4, 1946-47.</u> Ibid Ibid Ibid	821
			Kreitlmair, Arch. exp. Path. Pharm. <u>176:171, 1934.</u> Ibid Röthlin, Arch. exp. Path. Pharm. <u>181:154, 1936.</u> Ibid	822
			Unna, J. Pharm. Exp. Ther. <u>80:39, 53, 1944.</u>	823
			Unna, J. Pharm. Exp. Ther. <u>80:39, 53, 1944.</u>	824
			Unna, J. Pharm. Exp. Ther. <u>80:39, 53, 1944.</u>	825
			Unna, J. Pharm. Exp. Ther. <u>80:39, 53, 1944.</u>	826
		24 hr	Flury, Abderhalden's Hdb. <u>4.7b:1422.</u>	827
		24 hr	Unna, J. Pharm. Exp. Ther. <u>80:39, 53, 1944.</u> Berger, J. Pharm. Exp. Ther. <u>91:362, 1940.</u> Chase, J. Pharm. Exp. Ther. <u>82:266, 1944.</u> Ibid Ibid	828
			Lendle, Heffter's Hdb. <u>E. 1:78.</u>	829
			Emerson, Int. J. Leprosy <u>2:257, 1934.</u> Ibid	830
			Flury, Abderhalden's Hdb. <u>4.7b:1296.</u> Latven, J. Pharm. Exp. Ther. <u>65:89, 1933.</u> Ibid Ibid	831

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
831 Ethanol (concluded)	Rat	or	LD <sub>50</sub>	13.660
	Fat	ip	LD <sub>50</sub>	5000
	Guinea pig	ip	LD <sub>50</sub>	5560
	Rabbit	or	LD	7890
	Rabbit	or	LD <sub>50</sub>	6300
	Rabbit	or	LD <sub>50</sub>	9500
	Rabbit	iv	MLD	9400 <sup>1</sup>
	Cat	iv	LD	3945 <sup>2</sup>
	Dog	or	LD	5500-6500
	Dog	sc	LD	6000-8000
	Dog	iv	LD	5365
832 Ethanolamine HCl	Rat	iv	MLD	860-900
833 Ethanol-2, 2'-thiodi-diacetate	Mouse	or	LD <sub>50</sub>	7.2 cc
	Rat	or	LD <sub>50</sub>	8.2 cc
834 Ether	Frog	sc	LD*	1680
835 Ethoxyacetyl-K-strophanthin	Cat	iv	MLD	0.65
836 4-Ethoxy-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub> *	80
837 Ethoxybenzazepine	Mouse	ip	LD <sub>50</sub>	135±3
	Mouse	iv	LD <sub>50</sub>	32±1.5
838 p-Ethoxy-β-dimethylaminoethoxy-benzene ethiodide	Mouse	sc	LD <sub>50</sub>	92±4.8
839 2-Ethoxyethanol acetate	Rabbit	ct	LD <sub>50</sub>	10.570
840 2(2-Ethoxyethoxy)ethanol	Rat	or	LD <sub>50</sub>	8690
	Rat	sc	LD <sub>50</sub>	7920
	Rat	iv	LD <sub>50</sub>	4080
	Guinea pig	or	LD <sub>50</sub>	3670
	Rabbit	or	LD <sub>50</sub>	3620
	Rabbit	ct	LD <sub>50</sub>	8190
841 2(2-Ethoxyethoxy)ethanol acetate	Rat	or	LD <sub>50</sub>	11.000
	Guinea pig	or	LD <sub>50</sub>	3930
	Rabbit	or	LD <sub>50</sub>	4400
	Rabbit	ct	LD <sub>50</sub>	15.190
842 Ethoxyethyltrimethylammonium iodide	Mouse	sc	LD <sub>50</sub>	32.3±6.4
843 1-Ethoxy-2-hydroxy-4-propenylbenzene	Rat	or	LD <sub>50</sub> *	2400
844 3-Ethoxy-1, 2-propandiol	Mouse	or	LD <sub>50</sub>	9.35±0.13 cc
845 3-Ethoxypropionaldehyde	Rat	or	LD <sub>50</sub>	90
	Rabbit	ct	LD <sub>50</sub>	1000
846 3-Ethoxypropionic acid	Rat	or	LD <sub>50</sub>	4800
	Rabbit	ct	LD <sub>50</sub>	750
847 3-Ethoxy-5,6,7,8-tetrahydrocarbazole	Rat	or	LD <sub>50</sub>	>5000
848 Ethyl acetate	Rat	or	LD <sub>50</sub>	5620
	Guinea pig	sc	LD	3000-5000
	Cat	sc	LD*	3000

/1/ Diluted with normal saline and injected at a rate of 0.5 cc per minute. /2/ Pure ethanol.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
11,170-16,710 4820-6140 5060-7850	N saline	15-48 hr 12-14 hr 36-48 hr	Smyth, J. Ind. Hyg. Tox. 23:253, 1941. Barlow, J. Pharm. Exp. Ther. 56:117, 1936. Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Langgaard, Zschr. exp. Path. 13:20, 1913. Smyth, unpublished data, Mellon Inst. Barlow, J. Pharm. Exp. Ther. 56:117, 1936. Lehman, J. Pharm. Exp. Ther. 61:103, 1937. Macht, J. Pharm. Exp. Ther. 16:1, 1920. DuJardin-Beumetz, C. rend. Acad. sc. 81:192, 1875. Ibid Hanzlik, J. Pharm. Exp. Ther. 67:101, 1939.	831
			Ling, J. Pharm. Exp. Ther. 65:1, 1932.	832
			Draize, J. Pharm. Exp. Ther. 83:26, 1948. Ibid	833
			Flury, Abderhalden's Hdb. 4.7b:1294.	834
			Neumann, Arch. exp. Path. Pharm. 185:328, 1937.	835
			Domino, J. Pharm. Exp. Ther. 105:486, 1952	836
			Randall, J. Pharm. Exp. Ther. 103:10, 1951. Ibid	837
			Winter, J. Pharm. Exp. Ther. 100:489, 1950.	838
9,180-12,190			Smyth, unpublished data, Mellon Inst.	839
7,250-10,410 7210-8300 3740-4440 3140-4260 3210-4090 7210-9310			Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Ibid Smyth, unpublished data, Mellon Inst. Ibid Ibid Ibid	840
10,400-11,590 3490-4310 4040-4790 12,710-18,580			Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Ibid Smyth, unpublished data, Mellon Inst. Ibid	841
			Edwards, J. Pharm. Exp. Ther. 103:196, 1951.	842
			Lehman, Q. Bull. Assoc. F. & D. ON. 15:82, 1951.	843
		10 da	Hine, Arch. Ind. Hyg. Occ. Med. 2:579, 1950.	844
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	845
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	846
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	847
4950-6390			Smyth, unpublished data, Mellon Inst. Flury, Arch. Gewerbepath. 5:1, 1934. Ibid	848

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
11,170-16,710	N saline	15-48 hr	Smyth, J. Ind. Hyg. Tox. <u>23:253</u> , 1941.	831
4820-6140			Barlow, J. Pharm. Exp. Ther. <u>56:117</u> , 1936.	
5060-7850			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941.	
			Langgaard, Zschr. exp. Path. <u>13:20</u> , 1913.	
		Smyth, unpublished data, Mellon Inst.		
		Barlow, J. Pharm. Exp. Ther. <u>56:117</u> , 1936.		
		Lehman, J. Pharm. Exp. Ther. <u>61:103</u> , 1937.		
		Macht, J. Pharm. Exp. Ther. <u>16:1</u> , 1920.		
		DuJardin-Beaumetz, C. rend. Acad. sc. <u>81:192</u> , 1875.		
		Ibid		
		Hanzlik, J. Pharm. Exp. Ther. <u>67:101</u> , 1939.		
			Ling, J. Pharm. Exp. Ther. <u>45:1</u> , 1932.	832
			Draize, J. Pharm. Exp. Ther. <u>83:26</u> , 1948.	833
			Ibid	
			Flury, Abderhalden's Hdb. <u>4:7b:1294</u> .	834
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937.	835
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952	836
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951.	837
			Ibid	
			Winter, J. Pharm. Exp. Ther. <u>100:489</u> , 1950.	838
9,180-12,190			Smyth, unpublished data, Mellon Inst.	839
7,250-410			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941.	840
7210			Ibid	
3740-440			Smyth, unpublished data, Mellon Inst.	
3140-4260			Ibid	
3210-4690			Ibid	
7210-9310			Ibid	
10,400-11,590			Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941.	841
3490-4310			Ibid	
4040-4790			Smyth, unpublished data, Mellon Inst.	
12,710-18,580			Ibid	
			Edwards, J. Pharm. Exp. Ther. <u>103:196</u> , 1951.	842
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:82</u> , 1951.	843
		10 da	Hine, Arch. Ind. Hyg. Occ. Med. <u>2:579</u> , 1950.	844
			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	845
			Ibid	
			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	846
			Ibid	
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	847
4950-6190			Smyth, unpublished data, Mellon Inst.	848
			Flury, Arch. Gewerbepath. <u>3:1</u> , 1934.	
			Ibid	

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
849 Ethyl acetacetate	Rat	or	LD <sub>50</sub>	3980
	Rabbit	ct	LD <sub>50</sub>	>10,000
850 Ethyl acrylate	Rat	or	LD <sub>50</sub>	1020
	Rabbit	ct	LD <sub>50</sub>	1950
851 Ethylamine	Rat	or	LD <sub>50</sub>	400
	Rabbit	ct	LD <sub>50</sub>	0.39 cc
852 4-Ethyl-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub>	77±2
853 Ethylaminoethanol	Rat	or	LD <sub>50</sub>	1480
	Rabbit	ct	LD <sub>50</sub>	0.36 cc
854 2-Ethyl-2-(1-amiyl-4-hydroxy-methyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	549.44±70.7
855 2-Ethyl-2-(n-amiyl-4-hydroxy-methyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	549.4±50.5
856 Ethylaniline	Rat	or	LD <sub>50</sub>	1070
857 Ethylbenzazepine	Mouse	ip	LD <sub>50</sub>	121±7
	Mouse	iv	LD <sub>50</sub>	2±2.9
858 Ethylbenzene	Guinea pig	ip	LD	571.5
859 2-Ethylbenzimidazole	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	100
860 Ethyl benzoate	Rat	or	LD <sub>50</sub>	6400
861 2-Ethylbenzotriazole	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	125
862 2-Ethyl-butanol-1	Rat	or	LD <sub>50</sub>	1850
	Rabbit	ct	LD <sub>50</sub>	1.26 cc
863 Ethylbutylether	Rat	or	LD <sub>50</sub>	1370
864 2-Ethyl-2-butyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	580.9±73.32
865 Ethylbutylketone	Rat	or	LD <sub>50</sub>	2760
	Rabbit	ct	LD <sub>50</sub>	>20,000
866 Ethylbutyraldehyde	Rat	or	LD <sub>50</sub>	3900
867 Ethyl carbitol	Mouse	ip	LD <sub>50</sub>	4749
868 Ethyl cellosolve	Mouse	ip	LD <sub>50</sub>	1710
869 Ethyl Cetab	Mouse	or	LD <sub>50</sub>	600
	Mouse	iv	LD <sub>50</sub>	50
870 Ethyl chaulmoograte	Rat	sc	LD	2,500-2,000 <sup>b</sup>
871 Ethyl-bis-(β-chloroethyl)amine (continued on next page)	Mouse	ct	LD <sub>50</sub>	13
	Mouse	sc	LD <sub>50</sub>	1.2
	Rat	ct	LD <sub>50</sub>	17

<sup>a</sup> 1/ 35 cc-40 cc per kilo.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	849
950-1100 1790-2110			Pozzani, J. Ind. Hyg. Tox. <u>31:311</u> , 1949. Ibid	850
290-560 0.28-0.55 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	851
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	852
1350-1620			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	853
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	854
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	855
770-1500			Smyth, unpublished data, Mellon Inst.	856
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951. Ibid	857
			Chassevant, C. rend. Soc. biol. <u>55:1255</u> , 1896.	858
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	859
5660-7420			Smyth, unpublished data, Mellon Inst.	860
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	861
1520-2240 0.85-1.87 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	862
1340-2600			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	863
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	864
2560-2980			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	865
3340-4740			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	866
			Karel, Fed. Proc. <u>6:342</u> , 1947.	867
			Karel, Fed. Proc. <u>6:342</u> , 1947.	868
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954. Ibid	869
			Emerson, Proc. Soc. Exp. Biol. Med. <u>32:289</u> , 1936.	870
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid	871

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
871 Ethyl-bis-(β-chloroethyl)amine (concluded)	Rat	sc	LD <sub>50</sub>	1
	Rat	iv	LD <sub>50</sub>	0.5
	Rabbit	cr	LD <sub>50</sub> *	15
	Rabbit	iv	LD <sub>50</sub> *	2
872 Ethyl-β-chloroethylamine	Mouse	iv	LD <sub>50</sub> *	100
873 Ethyl-β-chloroethyl-β-(o-benzyl)-phenoxyethylamine	Mouse	iv	LD <sub>50</sub>	33.81±1.28
874 Ethyl-β-chloroethylethylenimonium-picryl sulfonate	Mouse	sc	LD <sub>50</sub>	2
	Rat	iv	LD <sub>50</sub> *	0.5
	Rabbit	iv	LD <sub>50</sub> *	3
875 Ethyl-β-chloroethyl-β-hydroxyethylpicryl sulfonate	Mouse	sc	LD <sub>50</sub>	8
	Mouse	iv	LD <sub>50</sub>	8
	Rabbit	iv	LD <sub>50</sub>	5-10
876 2-Ethylcrotonylurea	Rat	or	LD <sub>50</sub>	2500
	Rat	ip	LD <sub>50</sub>	900
	Guinea pig	ip	LD <sub>50</sub>	1100
	Rabbit	ip	LD <sub>50</sub>	14,000
	Dog	or	LD <sub>50</sub>	3500
	Dog	ip	LD <sub>50</sub>	900
877 Ethylcyanocyclohexyl acetate	Mouse	or	LD <sub>50</sub>	5 cc
	Rat	or	LD <sub>50</sub>	6.4 cc
878 Ethyl-di(dimethylamido)phosphate	Mouse	ip	LD <sub>50</sub>	>1500
879 Ethyldiozaspirane	Mouse	ip	LD <sub>50</sub>	120±146.2
880 2-Ethyldiphenylphosphate	Rabbit	or	MLD	>24,000
	Rabbit	iv	MLD	218-272
881 Ethylene chlorohydrin	Rat	or	LD <sub>50</sub>	95
	Guinea pig	or	LD <sub>50</sub>	110
	Guinea pig	ct	LD <sub>50</sub>	85.6
	Guinea pig	ct	LD <sub>50</sub>	364
882 Ethylenediamine	Mouse	sc	LD*	750
	Rat	or	LD <sub>50</sub>	1160
	Rabbit	ct	LD <sub>50</sub>	730
	Rabbit	sc	LD	1000-2000
	Rabbit	iv	LD*	400
883 Ethylene dichloride	Rabbit	r	LD	3903
	Dog	r	LD	5750
	Dog	iv	LD	225
884 Ethylene glycol	Mouse	or	LD <sub>50</sub>	8348
	Mouse	sc	LD <sub>50</sub>	5308
	Mouse	ip	LD <sub>50</sub>	5620
	Mouse	iv	LD <sub>50</sub>	3339
	Rat	or	LD <sub>50</sub>	6122
	Rat	or	LD <sub>50</sub>	8540
	Rat	im	MLD	4441

(continued on next page)

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid Ibid	871
			Anslow, J. Pharm. Exp. Ther. <u>91:221</u> , 1947.	872
			Henderson, Arch. int. pharmacod. <u>83:115</u> , 1950.	873
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid	874
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid	875
			Randall, Fed. Proc. <u>12:357</u> , 1953. Ibid Ibid Ibid Ibid	876
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	877
			DuBois, Arch. Ind. Hyg. Occ. Med. <u>6:9</u> , 1952.	878
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	879
			Treon, Arch. Ind. Hyg. Occ. Med. <u>8:170</u> , 1953. Ibid	880
67-117 77-164 71.5-101.8		24 hr 24 hr 2 hr	Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Ibid Smyth, J. Ind. Hyg. Tox. <u>27:93</u> , 1945. Ibid	881
980-1370 640-820			Barbour, J. Lab. Clin. Med. <u>5:477</u> , 1920. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid Flury, Abderhalden's Hdb. <u>4.7b:1295</u> . Barbour, J. Lab. Clin. Med. <u>5:477</u> , 1920.	882
	Oil Oil Oil	24 hr 24 hr 30 min	Barsoum, Q. J. Pharm. Pharmacol. <u>7:205</u> , 1934. Ibid Ibid	883
7310-9990		1-5 da	Latven, J. Pharm. Exp. Ther. <u>65:89</u> , 1935. Ibid Karel, Fed. Proc. <u>6:342</u> , 1947. Latven, J. Pharm. Exp. Ther. <u>65:89</u> , 1935. Calvery, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Hanzlik, J. Pharm. Exp. Ther. <u>41:387</u> , 1931.	884

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
884 Ethylene glycol (concluded)	Rat	ip	LD	3896 <sup>1</sup>
	Rat	iv	LD <sub>50</sub>	2783
	Rat	iv	LD <sub>50</sub>	2800
	Rabbit	or	LD	9000
	Rabbit	im	LD	6600
	Rabbit	im	LD	6567
	Rabbit	ip	LD	1008
	Rabbit	iv	LD	4400-5500
	Cat	sc	LD	2000
885 Ethylene glycol dinitrate	Rabbit	sc	LD <sub>100</sub>	300
	Cat	sc	LD <sub>100</sub>	100
886 Ethylene glycol methyl ether acetate	Rat	or	LD <sub>50</sub>	3930
	Guinea pig	or	LD <sub>50</sub>	1250
887 Ethylene glycol monoacetate	Mouse	ip	LD <sub>50</sub>	1450
888 Ethylene glycol monobutylether	Rat	or	LD <sub>50</sub>	1480
	Guinea pig	or	LD <sub>50</sub>	1200
889 Ethylene glycol monoethylether	Mouse	or	LD	4.31 cc <sup>2</sup>
	Mouse	or	LD	5.2 cc <sup>3</sup>
	Rat	or	LD <sub>50</sub>	3000
	Rat	or	LD	3.46 cc
	Guinea pig	or	LD <sub>50</sub>	1400
	Guinea pig	or	LD	2.79 cc
890 Ethylene glycol nitrate	Rabbit	sc	LD <sub>100</sub>	400
	Cat	sc	LD <sub>100</sub>	100
891 Ethyleneimine	Rat	or	LD <sub>50</sub>	15 <sup>4</sup>
	Guinea pig	or	LD <sub>50</sub> <sup>4</sup>	15 <sup>4</sup>
892 Ethylene oxide	Cat	sc	LD	100
	Dog	iv	LD	444 <sup>5</sup>
893 N-Ethylepinephrine	Mouse	sc	LD	6
894 Ethyl-5-fluorohexanoate	Mouse	sc	LD <sub>50</sub>	4
	Rat	im	LD <sub>50</sub>	2.3
	Rabbit	iv	LD <sub>50</sub>	0.2-0.5
895 Ethyl-2-furylcarbamate	Rat	or	LD <sub>50</sub>	3150
896 Ethyl glyceryl ether	Mouse	or	LD <sub>50</sub>	9350±134
897 2-Ethylhexanol	Mouse	ip	LD <sub>50</sub>	700
	Rat	or	LD <sub>50</sub>	3200
	Rat	ip	LD <sub>50</sub>	650
898 Ethyl-β-hydroxyethyl-ethyl-enimoniumpicryl sulfonate	Mouse	sc	LD <sub>50</sub>	5.5
	Mouse	iv	LD <sub>50</sub>	5
	Rabbit	iv	LD <sub>50</sub>	5-6
899 Ethyl mandelate	Mouse	or	LD <sub>50</sub>	3 cc
	Rat	or	LD <sub>50</sub>	4.7 cc

/1/80% solution in H<sub>2</sub>O. /2/Concentrated. /3/1:1 dilution in H<sub>2</sub>O. /4/0.1% solution in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Page, J. Pharm. Exp. Ther. <u>30</u> :313, 1927. Hanzlik, J. Pharm. Exp. Ther. <u>41</u> :387, 1931. Hunt, Indust. Engin. Chem. <u>24</u> :836, 1932. Lehmann & Flury, "Industrial Solvents," 1943. Hanzlik, J. Pharm. Exp. Ther. <u>41</u> :387, 1931. Ajazzi-Mancini, Boll. soc. ital. biol. sper. <u>14</u> :68, 1939. Page, J. Pharm. Exp. Ther. <u>30</u> :313, 1926. Hanzlik, J. Pharm. Exp. Ther. <u>41</u> :387, 1931. Hofbauer, Dissert., Würzburg 1933.	884
			Gross, Arch. exp. Path. Pharm. <u>200</u> :271, 1942. Ibid	885
3290-4690 1080-1450			Smyth, J. Ind. Hyg. Tox. <u>23</u> :259, 1941. Ibid	886
			Karel, Fed. Proc. <u>6</u> :342, 1947.	887
1150-1310 960-1500			Smyth, J. Ind. Hyg. Tox. <u>23</u> :259, 1941. Ibid	888
4.64-4.01 cc 5.73-4.73 cc 2510-3570 3.62-3.28 cc 1220-1600 3.02-2.57 cc	H <sub>2</sub> O		Laug, J. Ind. Hyg. Tox. <u>21</u> :173, 1939. Ibid Smyth, J. Ind. Hyg. Tox. <u>23</u> :259, 1941. Laug, J. Ind. Hyg. Tox. <u>21</u> :173, 1939. Smyth, J. Ind. Hyg. Tox. <u>23</u> :259, 1941. Laug, J. Ind. Hyg. Tox. <u>21</u> :173, 1939.	889
			Gross, Arch. exp. Path. Pharm. <u>200</u> :271, 1942. Ibid	890
11-21	H <sub>2</sub> O H <sub>2</sub> O		Carpenter, J. Ind. Hyg. Tox. <u>30</u> :2, 1948. Ibid	891
	H <sub>2</sub> O	10-12 hr	Hofbauer, Dissert., Würzburg 1933. Stehle, Arch. exp. Path. Pharm. <u>104</u> :82, 1924.	892
			Konsett, Klin. Wochr. <u>19</u> :1303, 1940.	893
			Chenoweth, J. Pharm. Exp. Ther. <u>97</u> :383, 1949. Ibid Ibid	894
			Eagle, J. Pharm. Exp. Ther. <u>99</u> :450, 1950.	895
			Loeb, Fed. Proc. <u>8</u> :316, 1949.	896
			Hodge, Proc. Soc. Exp. Biol. Med. <u>53</u> :20, 1943. Ibid Ibid	897
			Anslow, J. Pharm. Exp. Ther. <u>91</u> :224, 1947. Ibid Ibid	898
			Div. Pharm. F. & D. Adm. Q. Rpt., Feb. 1946. Ibid	899

/5/ 20% solution.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
900	Ethylmercuric phosphate	Rat	or	LD <sub>50</sub> <sup>*</sup>	30
901	Ethyl mercury thioglycolate	Rat	ip	MLD	10
		Rabbit	iv	MI D	20
902	Ethyl methacrylate	Rat	or	LD <sub>50</sub>	12,700
		Rabbit	or	LD	5440
903	4-Ethylmorpholine	Rat	or	LD <sub>50</sub>	1780
904	3-Ethylpent-4-en-1-yn-3-ol	Mouse	or	LD <sub>50</sub>	630
		Mouse	sc	LD <sub>50</sub>	690
905	Ethylphenylbenzazepine	Mouse	ip	LD <sub>50</sub>	155±6
906	1-Ethyl-1-phenylthiourea	Rat	ip	LD <sub>50</sub>	297±63
907	N-Ethylpiperidine	Rabbit	sc	LD	100
908	N-Ethyl-3-piperidylidiphenylacetate HCl	Mouse	or	LD <sub>50</sub>	1040±68
		Mouse	iv	LD <sub>50</sub>	26±0.12
909	2-Ethylpropyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	395.92±72.72
910	Ethyl salicylate	Guinea pig	or	MLD	1400
		Guinea pig	sc	LD	1500
911	Ethyltheobromine	Mouse	iv	LD <sub>50</sub>	61.0±2.41
		Rat	or	LD <sub>50</sub>	176±10.5
		Rat	iv	LD <sub>50</sub>	73.6±3.67
912	Ethyl thiocarbamate	Rat	ip	LD <sub>100</sub> <sup>*</sup>	425
913	Ethyl thiocyanate	Mouse	sc	MLD	50
		Rat	or	LD <sub>50</sub>	40
		Rat	sc	MLD	40
		Cat	or	MLD	10
914	Ethyltrichlorosilane	Rat	or	LD <sub>50</sub>	1330
915	Ethyltriethoxysilane	Rat	or	LD <sub>50</sub>	13,720
916	Ethyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	43
917	Ethyl vanillin	Rat	sc	LD <sub>50</sub>	2000
		Rabbit	or	MLD	3000 <sup>2</sup>
918	β-Eucaine	Frog	sc	MLD	1300
		Rat	iv	MLD	15-25
		Guinea pig	sc	MLD	310
		Guinea pig	ip	MLD	180
		Guinea pig	iv	MLD	30
		Rabbit	sc	MLD	400-500
919	Eucodal	Cat	iv	MLD	10.0-12.5
		Frog	sc	LD	500
		Rabbit	sc	LD	80-150
		Rabbit	iv	LD	40-45

/1/ To 5½ hours. /2/ 4-5% solution in milk.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	900
		24 hr Sudden	Cohen, J. Pharm. Exp. Ther. <u>35:343</u> , 1929. Ibid	901
		1½-96 hr 9½ hr	Deichmann, J. Ind. Hyg. Tox. <u>23:343</u> , 1941 Ibid	902
1490-2120			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	903
504-782 579-821			DuBois, J. Pharm. Exp. Ther. <u>107:459</u> , 1953. Ibid	904
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951	905
			Saunders, Proc. Soc. Exp. Biol. Med. <u>76:84</u> , 1951.	906
			Wolffenstein, Ber. deut. chem. Ges. <u>34:2408</u> , 1901.	907
			Chen, J. Pharm. Exp. Ther. <u>104:269</u> , 1952. Ibid	908
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	909
			Houghton, Am. J. Physiol. <u>13:331</u> , 1905. Ibid	910
		1 min	Scott, J. Pharm. Exp. Ther. <u>82:89</u> , 1944. Ibid Ibid	911
		48 hr	Dille, J. Am. Pharm. Assoc. <u>29:195</u> , 1940.	912
		½-2 hr 10 min 1-3 hr 7 hr	Von Oettingen, J. Ind. Hyg. Tox. <u>18:310</u> , 1936. Ibid Ibid Ibid	913
1050-1700			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	914
11,960-15,750			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	915
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939.	916
	Milk	3-24 hr	Deichmann, J. Am. Pharm. Assoc. <u>29:425</u> , 1940. Ibid	917
			Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Ibid Ibid Ibid Ibid Ibid	918
			Flury, Abderhalden's Hdb. <u>4.7b:1347</u> . Ibid Ibid	919

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
920 Eucupine	Mouse	sc	LD	300
	Rabbit	iv	LD	13
	Cat	sc	LD	25-50
921 Eugenol	Rat	or	LD <sub>50</sub>	1930
	Rat	sc	LD*	5000
	Rat	ip	LD	800-1000
922 Eumedrine	Frog	sc	LD	50
	Pigeon	sc	LD	40
923 Evipal	Frog	sc	LD	800
	Mouse	or	LD	500
	Mouse	sc	LD	250
	Mouse	ip	LD <sub>50</sub>	280.0±20.4
	Mouse	ip	LD <sub>50</sub>	270±17
	Mouse	iv	LD*	190
	Rat	sc	LD	404
	Rat	ip	MLD	170
	Rat	ip	MLD	280
	Guinea pig	ip	LD	100
	Rabbit	or	MLD	1200
	Rabbit	rt	MLD	175
	Rabbit	ip	MLD	200-250
	Rabbit	iv	LD <sub>50</sub>	80
Cat	or	LD	400	
Cat	iv	LD	100	
Dog	iv	LD	100	
924 Fanyline	Mouse	iv	LD <sub>50</sub>	44.9±2.9
	Mouse	or	LD <sub>100</sub>	70
	Rat	or	LD <sub>50</sub>	9.1±0.7
	Rat	or	LD <sub>100</sub>	16.1
	Guinea pig	or	LD <sub>100</sub>	1.3
	Rabbit	or	LD <sub>100</sub>	1.7
	Cat	or	LD <sub>100</sub>	0.5
	Dog	or	LD <sub>100</sub>	0.25
	Pigeon	or	LD <sub>50</sub>	7.2±0.6
	Pigeon	cr	LD <sub>100</sub>	12.5
925 Fencholic acid	Rabbit	ct	LD <sub>50</sub>	>9 cc
926 Ferbam	Mouse ♂	ip	LD <sub>50</sub>	3000±230
	Rat ♂	ip	LD <sub>50</sub>	2700±96
	Rat ♀	ip	LD <sub>50</sub>	>17,000
	Guinea pig	ip	LD <sub>50</sub>	450-2000
	Rabbit ♂	ip	LD <sub>50</sub>	2000-3000
927 Ferric chloride, FeCl <sub>3</sub> · 6H <sub>2</sub> O	Frog	sc	LD	5420
	Rat	or	LD	900
	Rabbit	iv	LD	7.2
928 Ferric sulfate, Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> · 6H <sub>2</sub> O	Frog	sc	LD	13,318
	Rabbit	sc	LD	>1066.8

/1/ 20% gum acacia solution.

Dosage m <sub>2</sub> /kg	Vehicle	Time of Death	Reference	
Range				
		1-1.6 hr	Bylsma, Zschr. ges. exp. Med. 11:257, 1920. Hoffmann, Zbl. Chir. 45:92, 1918. Bylsma, Zschr. ges. exp. Med. 11:257, 1920.	920
		1-48 hr	Sober, Proc. Soc. Exp. Biol. Med. 73:148, 1950. Binet, Rev. méd. Suisse rom. 16:449, 1896. Ibid	921
			Flury, Abderhalden's Hdb. 4.7b:1312. Ibid	922
		24 hr	S. Schlossman, Heffter's Hdb. E.2:152. Ibid Ibid Berger, J. Pharm. Exp. Ther. 93:362, 1948. Way, J. Pharm. Exp. Ther. 87:265, 1946. Kennedy, J. Pharm. Exp. Ther. 50:347, 1934. Schlossman, Heffter's Hdb. E.2:152. Ibid Maloney, J. Pharm. Exp. Ther. 54:77, 1935. Schlossman, Heffter's Hdb. E.2:152. Werner, J. Pharm. Exp. Ther. 60:189, 1937. Ibid Maloney, J. Pharm. Exp. Ther. 54:77, 1935. Werner, J. Pharm. Exp. Ther. 60:189, 1937. Schlossman, Heffter's Hdb. E.2:152. Ibid Ibid	923
	G acacia G acacia G acacia G acacia G acacia G acacia		Karel, J. Pharm. Exp. Ther. 93:287, 1948. Ibid Ibid Ibid Ibid Ibid Ibid Ibid	924
			Div. Pharm. F. & D. Adm. Q. Rpt., March 1947.	925
			Hodge, J. Am. Pharm. Assoc. 41:662, 1952. Ibid Ibid Ibid	926
		6 hr Instant	Starkenstein, Heffter's Hdb. 3.2:1278. Ibid Ibid	927
		Sev la	Starkenstein, Heffter's Hdb. 3.2:1278. Ibid	928

Compound	Animal	Route	Dose	Dosage	
				mg/kg Value	
929	Ferrous acetate, FeAc. 4H <sub>2</sub> O	Rabbit	sc	LD	492
930	Ferrous chloride, FeCl <sub>2</sub> . 4H <sub>2</sub> O	Frog	or	LD	1986
		Rat	or	LD	984-1986
		Rat	rt	LD	498-984
		Rabbit	or	LD	890
		Rabbit	sc	LD	188.6
		Rabbit	rt	LD	984
931	Ferrous lactate, FeLac. 3H <sub>2</sub> O	Rabbit	sc	LD	577.9
		Rabbit	iv	LD	286.8
932	Ferrous nitrate, Fe(NO <sub>3</sub> ) <sub>2</sub> . 6H <sub>2</sub> O	Rabbit	sc	LD	428
933	Ferrous sulfate, FeSO <sub>4</sub> . 7H <sub>2</sub> O	Frog	or	MLD	2778.8
		Frog	sc	MLD	996
		Frog	ip	MLD	612.5
		Rat	or	LD	1389-2778
		Rat	rt	LD	697-1389
		Rabbit	or	LD	2778.8
		Rabbit	sc	LD	277.8
		Rabbit	iv	LD	99
		934	Flaxedil	Mouse	sc
Mouse	iv			LD <sub>50</sub>	4.32
935	Fluorescein	Rat	ip	LD <sub>50</sub> *	600
		Rabbit	or	LD	2000-3000
		Rabbit	iv	LD <sub>50</sub> *	300
936	"Fluoroacetate"	Toad <sup>1</sup>	ip	LD <sub>50</sub>	>560
		Mouse <sup>2</sup>	or	LD <sub>50</sub>	17
		Mouse <sup>3</sup>	or	LD <sub>50</sub>	0.5
		Mouse <sup>4</sup>	or	LD <sub>50</sub>	8
		Mouse <sup>5</sup>	o:	LD <sub>50</sub>	4
		Mouse <sup>6</sup>	sc	LD <sub>50</sub>	17
		Mouse <sup>6</sup>	sc	LD <sub>50</sub>	19.3
		Mouse <sup>7</sup>	sc	LD <sub>50</sub>	16
		Mouse <sup>7</sup>	sc	LD <sub>50</sub>	5
		Mouse <sup>7</sup>	ip	LD <sub>50</sub>	10
		Rat <sup>7</sup>	or	LD <sub>50</sub>	2.5
		Rat <sup>7</sup>	sc	LD <sub>50</sub>	2-3
		Rat <sup>7</sup>	im	LD <sub>50</sub>	5
		Rat <sup>8</sup>	or	LD <sub>50</sub>	0.5
		Rat <sup>9</sup>	or	LD <sub>50</sub>	0.1
		Rat <sup>10</sup>	or	LD <sub>50</sub>	0.1
Rat <sup>11</sup>	ip	LD <sub>50</sub>	0.1		
Rat <sup>12</sup>	ip	LD <sub>50</sub>	0.15		
Rat <sup>13</sup>	or	LD <sub>50</sub>	3		
Rat <sup>14</sup>	or	LD <sub>50</sub>	0.22		
Rat <sup>15</sup>	ip	LD <sub>50</sub>	0.8		
Rat <sup>16</sup>	or	LD <sub>50</sub>	1.5		

(continued on next page)

/1/South African clawed. /2/Curworth. /3/Meadow. /4/Moose. /5/Deer. /6/Maple grove. Morrison. /13/Norway, Florida. /14/Norway, Maryland. /15/Wood, Arizona. /16/Wood.



Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		19 hr	Starkenstein, Heffter's Hdb. 3. 2:1278.	929
		24 hr Few hr 48 hr 24 hr 12 hr 6 hr	Starkenstein, Heffter's Hdb. 3. 2:1278. Ibid Ibid Ibid Ibid Ibid	930
		48 hr 8 hr	Starkenstein, Heffter's Hdb. 3. 2:1278. Ibid	931
		24 hr	Starkenstein, Heffter's Hdb. 3. 2:1278.	932
		24 hr  4 hr 8 hr 9 hr 8 hr	Starkenstein, Heffter's Hdb. 3. 2:1278. Ibid Ibid Ibid Ibid Ibid Ibid	933
			Winter, J. Pharm. Exp. Ther. 100:489, 1950. Pelikan, Proc. Pharm. Soc. Fall. Meet. p64, 1951.	934
			Emerson, Int. J. Leprosy 2:257, 1934. Flury, Abderhalden's Hdb. 4. 7b:1348. Emerson, Int. J. Leprosy 2:257, 1934.	935
			Chenoweth, Chem. Biol. Coord. Ctr. Rev. 2. Ibid Ibid Ibid Ibid Tourtellote, J. Pharm. Exp. Ther. 101:82, 1951. Chenoweth, Chem. Biol. Coord. Ctr. Rev. 2. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	936

17/Albino. 18/Alexandrine 19/Black 10/Cotton. 11/Kangaroo, Bannertail. 12/Kangaroo, California.

Compound	Animal	Route	Dose	Dose
				mg/kg Value
936 "Fluoroacetate" (concluded)	Guinea pig	sc	LD <sub>100</sub>	0.25
	Guinea pig	ip	LD <sub>50</sub>	0.35
	Rabbit <sup>1</sup>	sc	LD <sub>100</sub>	0.5-1.0
	Rabbit <sup>2</sup>	iv	LD <sub>50</sub>	0.25
	Rabbit <sup>3</sup>	iv	LD <sub>50</sub>	0.5
	Hamster	ip	LD <sub>50</sub>	3
	Gopher <sup>4</sup>	ip	LD <sub>100</sub>	0.05
	Gopher <sup>5</sup>	ip	LD <sub>50</sub>	0.2
	Gr. squir. <sup>6</sup>	or	LD <sub>50</sub>	0.3
	Gr. squir. <sup>7</sup>	ip	LD <sub>50</sub>	0.4
	Gr. squir. <sup>8</sup>	ip	LD <sub>50</sub>	0.9
	Cat	iv	LD <sub>50</sub>	0.2
	Dog	iv	LD <sub>50</sub>	0.06
	Dog	iv	LD <sub>100</sub>	0.10
	Coyote	ip	LD <sub>50</sub>	0.10
	Monkey <sup>9</sup>	iv	LD <sub>50</sub>	4
	Monkey <sup>10</sup>	iv	LD <sub>50</sub>	15
	Goat	im	LD <sub>50</sub>	0.6
	Horse	or	LD <sub>50</sub>	1
	Pig <sup>11</sup>	or	LD <sub>50</sub>	<1
Pig <sup>12</sup>	ip	LD <sub>50</sub>	0.4	
Sheep	or	LD <sub>50</sub>	2	
Chicken <sup>13</sup>	or	LD <sub>50</sub>	7.5	
Chicken <sup>14</sup>	or	LD <sub>50</sub>	5	
Chicken <sup>15</sup>	or	LD <sub>50</sub>	5.5	
Pigeon <sup>16</sup>	or	LD <sub>50</sub>	2.5	
Pigeon <sup>5</sup>	or	LD <sub>50</sub>	9	
Eagle <sup>17</sup>	or	LD <sub>50</sub> <sup>a</sup>	5	
Quail <sup>18</sup>	cr	LD <sub>50</sub>	28	
Sparrow <sup>19</sup>	or	LD <sub>50</sub>	2.5	
Vulture <sup>20</sup>	or	LD <sub>50</sub> <sup>a</sup>	15	
937 Fluoroacetate sodium	Rat <sup>21</sup>	or	LD <sub>50</sub>	0.22±0.01
	Rat <sup>22</sup>	or	LD <sub>50</sub>	6.9
	Dog	or	LD <sub>50</sub>	0.066
938 3-Fluoro-5-bromotyrosine	Mouse	sc	LD	78
939 γ-Fluorobutyrate methyl ester	Rabbit	iv	LD <sub>50</sub>	0.10
	Cat	iv	LD <sub>50</sub>	0.2
	Monkey <sup>9</sup>	iv	LD <sub>50</sub>	3-5
940 γ-Fluorocrotonate sodium	Frog <sup>23</sup>	sc	LD <sub>50</sub>	25
	Mouse <sup>22</sup>	iv	LD <sub>50</sub>	1
	Mouse <sup>22</sup>	iv	LD <sub>100</sub>	2
	Rat <sup>22</sup>	ip	LD <sub>50</sub>	1
	Rabbit <sup>22</sup>	iv	LD <sub>50</sub>	0.15
941 1,2,4-Fluorodinitrobenzene	Mouse	sc	LD <sup>b</sup>	108
942 5-Fluorobenzoate ethyl ester (continued on next page)	Mouse	sc	LD <sub>50</sub>	4

<sup>1/1</sup> Dutch. <sup>2/2</sup> New Zealand white. <sup>3/3</sup> New Zealand pigmented. <sup>4/4</sup> Pocket. <sup>5/5</sup> Florida.  
<sup>9/9</sup> Rhems. <sup>10/10</sup> Spider. <sup>11/11</sup> Adult. <sup>12/12</sup> Young. <sup>13/13</sup> White leghorn. <sup>14/14</sup> Rhode Island red.  
<sup>21/21</sup> Norway. <sup>22/22</sup> Albino. <sup>23/23</sup> Rana pipiens.



Compound	Animal	Route	Dose	Dosage
				mg/kg Value
942 5-Fluorohexanoate ethyl ester(concluded)	Rat	im	LD <sub>50</sub>	2.3
	Rabbit	iv	LD <sub>50</sub>	0.2-0.5
943 3-Fluoro-4-hydroxyphenylacetic acid	Mouse	sc	LD	3500
944 1-(3-Fluoro-4-hydroxy)-phenyl-1-methyl-2-methylaminoethane	Mouse	sc	LD	550
945 Fluorotyramine	Mouse	sc	LD	1000
946 Formaldehyde	Mouse	sc	LD <sub>50</sub>	300
	Rat	or	LD <sub>50</sub>	800
	Rat	sc	LD <sub>50</sub>	420
	Guinea pig	or	LD <sub>50</sub>	260
	Rabbit	iv	LD	700
947 Formalin <sup>1</sup>	Dog	sc	LD	0.88 cc
	Dog	sc	LD	0.55 cc
948 Formamit <sup>2</sup>	Frog	sc	LD	300
949 Formic acid	Rabbit	iv	MLD	239
	Dog	or	MLD	4000 <sup>2</sup>
	Dog	iv <sup>3</sup>	MLD	3000 <sup>2</sup>
950 Formic acid ethyl ester	Rat	or	LD <sub>50</sub>	4290
	Rabbit	ct	LD <sub>50</sub>	>20 cc
951 Fradicia (crystalline)	Mouse	ip	LD <sub>50</sub> <sup>4</sup>	4
952 Frugoside	Cat	iv	LD <sub>50</sub>	0.1611
953 Fudin	Rabbit	iv	MLD	80
954 Fuchsine (basic)	Mouse	rt	LD	25 <sup>4</sup>
	Rabbit	or	LD	150 <sup>4</sup>
955 Fungicide 341-B <sup>5</sup>	Mouse <sup>6</sup>	or	LD <sub>50</sub>	5300
	Rat <sup>6</sup>	or	LD <sub>50</sub>	8400
	Rat <sup>6</sup>	or	LD <sub>50</sub>	6800
	Rat <sup>6</sup>	or	LD <sub>50</sub>	5000
956 Fungicide 341-C	Rat	or	LD <sub>50</sub> <sup>4</sup>	3720
957 Furacin	Mouse	or	LD <sub>50</sub>	580
	Rat	or	LD <sub>50</sub>	590
	Rat	sc	LD <sub>50</sub>	3000
958 Furfural	Frog	or	LD	3479.8
	Frog	sc	LD	2642
	Mouse	sc	LD	13.7
	Rabbit	or	LD	927
	Dog	or	LD	2318
	Dog	iv	LD	166
959 Furfuryl alcohol	Rat	or	LD <sub>50</sub>	275 <sup>7</sup>
	Rat	iv	LD <sub>50</sub>	650 <sup>8</sup>
	Guinea pig	iv	MLD	210 <sup>9</sup>
	Rabbit	sc	LD	600 <sup>10</sup>

<sup>1</sup>/1/Formalin-37% solution of formaldehyde in H<sub>2</sub>O. <sup>2</sup>/2/Sodium salt. <sup>3</sup>/3/Intravenous injection. <sup>4</sup>/4/Daily. heolin to make 100%. <sup>5</sup>/5/Animals not fasted. <sup>6</sup>/6/2% solution in H<sub>2</sub>O. <sup>7</sup>/7/10% solution in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Chenoweth, Chem. Biol. Coord. Ctr. Rev. 2. Ibid	942
			Euler, Arch. exp. Path. Pharm. 206:75, 1949.	943
			Euler, Arch. exp. Path. Pharm. 206:75, 1949.	944
			Euler, Arch. exp. Path. Pharm. 206:75, 1949.	945
750-870		24 hr	Skog, Acta pharm. tox. 6:299, 1950.	946
		24 hr	Smyth, J. Ind. Hyg. Tox. 23:259, 1941.	
220-300		24 hr	Skog, Acta pharm. tox. 6:299, 1950.	
		8 hr	Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Sammartino, Arch. farm. sper. 56:301, 1933.	
		24 hr Sevda	Fleig, Arch. int. pharmacod. 17:147, 1907. Ibid	947
			Gibbs, DuBois' Arch. f. Physiol. Suppl. p259, 1892.	948
			Sammartino, Arch. farm. sper. 56:301, 1933. Fleig; Arch. int. pharmacod. 17:147, 1907. Ibid	949
3070-5980			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	950
			Hickey, Science 113:261, 1951.	951
0.1107-0.2844	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	952
			Weese, Med. u. Chem., Berl. 3:413, 1936.	953
		10 da 10 da	Deschiens, C. rend. Soc. biol. 138:201, 1944. Ibid	954
4800-5700 8100-9400 6100-7600 4600-5600			Carpenter, Arch. Ind. Hyg. Occ. Med. 4:494, 1951. Ibid Ibid Ibid	955
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	956
			Downing, J. Am. Med. Assoc. 133:299, 1947. Ibid Ibid	957
		3 min 10 min 20 min 15 hr 10 min	McGuigan, J. Pharm. Exp. Ther. 21:65, 1923. Ibid Ibid Ibid Ibid Ibid	958
	H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Gajewski, Fed. Proc. 8:294, 1949. Ibid Jeffroy, Arch. méd. exp., Par. 8:195, 1896. Erdmann, Arch. exp. Path. Pharm. 48:233, 1902.	959

/5/Contains 30% heptadecylimidazole + 3.3% 2-heptadecyl-1-hydroxyethylimidazole +  
/9/Injected at rate of 15 mg per minute. /10/ 25% solution in H<sub>2</sub>O.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
959 Furfuryl alcohol (concluded)	Rabbit	iv	MLD	240 <sup>1</sup>
	Rabbit	iv	LD	800-1400 <sup>2</sup>
	Dog	iv	MLD	290 <sup>1</sup>
960 2-a-Furyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	374±15.3
961 Gallic acid	Frog	sc	LD	3000 <sup>3</sup>
	Frog	sc	LD	2030 <sup>4</sup>
	Rat	sc	LD	3500 <sup>4</sup>
	Rat	sc	LD	5000 <sup>3</sup>
	Guinea pig	sc	LD	3500 <sup>4</sup>
	Guinea pig	sc	LD	5000 <sup>3</sup>
962 Gallium ammonium sulfate	Mouse	sc	LD	100 <sup>5</sup>
	Rat	sc	LD	200
	Guinea pig	sc	LD	1143
963 Gallium lactate	Rat	sc	LD <sub>50</sub>	585.6
	Rat	iv	LD <sub>50</sub>	222.6
	Rabbit	sc	LD <sub>50</sub>	474.3
	Rabbit	iv	LD <sub>50</sub>	208.1
964 Gallium nitrate	Rat	sc	LD <sub>100</sub>	72
965 Gastrisin lithium	Mouse	or	LD <sub>50</sub>	10,000
	Mouse	sc	LD <sub>50</sub>	5000
	Mouse	iv	LD <sub>50</sub>	2500
966 Gastrisin sodium	Mouse	or	LD <sub>50</sub>	10,000
	Mouse	ip	LD <sub>50</sub>	3200
	Rat	iv	LD <sub>50</sub>	2300
967 Gelsemine	Rabbit	sc	MLD	0.51
968 Germanin	Mouse	iv	LD <sub>50</sub>	400 <sup>6</sup>
969 Germanium oxide	Rat	sc	LD	>100
	Rat	ip	LD <sub>50</sub>	750
	Rat	ip	LD <sub>100</sub>	1200
	Guinea pig	ip	MLD <sup>6</sup>	400
	Guinea pig	ip	MLD <sup>6</sup>	300
970 Germerine	Frog <sup>7</sup>	sc	LD <sub>50</sub>	9
	Frog <sup>8</sup>	sc	LD <sub>50</sub>	20
	Rat	or	LD <sub>50</sub>	30
	Rat	sc	LD <sub>50</sub>	3.7
	Rabbit	sc	LD <sub>100</sub>	2
	Rabbit	iv	LD	0.3
971 Germidine	Mouse	ip	LD <sub>50</sub>	10
		iv	LD <sub>50</sub>	139
972 Germin	Mouse	iv	LD <sub>50</sub>	139

<sup>1</sup>/1/ Injected at rate of 15 mg per minute. <sup>2</sup>/2/ 20% solution in normal saline. <sup>3</sup>/3/ As sodium  
<sup>7</sup>/7/ Water frog. <sup>8</sup>/8/ Grass frog.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	N saline		Jeffroy, Arch. méd. exp., Par. 8:195, 1896. Fine, Arch. Ind. Hyg. Occ. Med. 1:625, 1950. Jeffroy, Arch. méd. exp., Par. 8:195, 1896.	959
			Berger, Arch. int. pharmacod. 85:474, 1951.	960
			Binet, Rev. méd. Suisse rom. 15:561, 1895. Ibid Ibid Ibid Ibid Filomeni, Arch. farm. sper. 63:183, 1937.	961
		5 da	Schwarz, Arch. Hyg. 100:143, 1928. Ibid Ibid	962
			Dudley, N. M. R. Proj. NMO11013 Rpt. 3, 1949. Ibid Ibid Ibid	963
		7-14 da	Meek, Indust. Med. 12:7, 1943.	964
			Schnitzer, J. Pharm. Exp. Ther. 88:47, 1946. Ibid Ibid	965
			Schnitzer, J. Pharm. Exp. Ther. 88:47, 1946. Ibid Ibid	966
			Risi, Zschr. Biol. 99:446, 1939.	967
			Branden, Ann. Soc. belge méd. trop. 20:91, 1940.	968
		24 hr	Hammet, J. Pharm. Exp. Ther. 19:337, 1922. Rosenfeld, Arch. Ind. Hyg. Occ. Med. 8:436, 1953. Ibid Muller, J. Pharm. Exp. Ther. 42:277, 1931. Ibid	969
			Haas, Arch. exp. Path. Pharm. 189:397, 1938. Ibid Krayor, Physiol. Rev. 26:303, 1946. Ibid Haas, Arch. exp. Path. Pharm. 189:397, 1938. Ibid Ibid	970
9.1-11.0			Swiss, Proc. Soc. Exp. Biol. Med. 76:847, 1951.	971
		13ml±	Krayor, J. Pharm. Exp. Ther. 82:167, 1946.	972

salt. /4/ Free acid. /5/ 100 mg per mouse, as gallium metal. /6/ Slow injection.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
973 Gitalin	Frog	sc	LD	4.5-6.0
	Mouse	sc	LD	29
	Rabbit	iv	LD	5.8
	Cat	or	LD	0.37
	Cat	sc	LD	0.55
	Cat	iv	LD	0.53
974 Gitorin	Cat	iv	LD <sub>50</sub>	0.4372
975 Gitoxin	Frog	sc	LD	8.5
	Cat	or	LD	0.88
	Cat	sc	LD	0.8
	Cat	iv	LD	0.59
976 Gitoside	Cat	iv	LD <sub>50</sub>	0.587±0.037
977 Glucose	Rabbit	or	LD	20,000
	Rabbit	iv	LD	12000-25000
	Rabbit	iv	LD	35,000
	Dog	or	LD	8000-12,000
978 Glucosyl-β-phenylethylamine	Mouse	ip	LD <sub>50</sub>	538 <sup>1</sup>
	Mouse	ip	LD <sub>50</sub>	434 <sup>2</sup>
979 Glucuronic acid lactone	Mouse	or	LD <sup>o</sup>	10,700
	Mouse	sc	LD <sup>o</sup>	4,700
	Mouse	ip	LD <sup>o</sup>	3,200
	Mouse	iv	LD <sup>o</sup>	940
	Rat	or	LD <sub>50</sub>	20,050±450
	Rat	sc	LD <sub>50</sub>	6400±740
	Rat	ip	LD <sub>50</sub>	3100±440
	Rabbit	sc	LD <sup>o</sup>	7100
	Rabbit	iv	LD <sup>o</sup>	2100
980 Glycerol	Mouse	or	LD	31,500 <sup>3</sup>
	Mouse	or	LD <sub>50</sub>	23 cc
	Mouse	or	LD <sub>50</sub>	32,224
	Mouse	or	LD <sub>100</sub>	44,250-56,700
	Mouse	sc	LD <sub>50</sub>	12,600 <sup>3</sup>
	Mouse	iv	LD <sub>50</sub>	7560 <sup>3</sup>
	Rat	or	LD <sub>50</sub>	27,500
	Rat	or	LD <sub>50</sub>	27.2 cc
	Rat	or	LD <sub>50</sub>	27,500
	Rat	sc	LD <sub>60</sub>	15,120
	Rat	sc	LD <sub>50</sub>	20,160
	Rat	im	LD <sub>60</sub>	7560
	Rat	ip	LD <sub>60</sub>	6300-7560
	Guinea pig	or	LD <sub>50</sub>	7750
	Guinea pig	sc	LD <sub>100</sub>	15,750
	Rabbit	or	LD	26,460
	Rabbit	or	LD	28,980
	Dog	sc	LD	9000-11,260

<sup>1</sup>/Optical rotation, -15°. <sup>2</sup>/Optical rotation, +10°. <sup>3</sup>/Undiluted.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid Ibid Ibid Ibid	973
0.3144-0.5073	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365 1954.</u>	974
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid Ibid Ibid	975
			Peterfalvi, Arch. int. pharmacod. <u>87:425, 1951.</u>	976
		Instant	Flury, Abderhalden's Hdb. <u>4. 7b: 1422.</u> Ibid Ibid Ibid	977
			Kaesling, Proc. Pharm. Soc. Fall Meet. <u>p45, 1951.</u> Ibid	978
			Deichmann, Indust. Med. <u>20:417, 1951.</u> Ibid Ibid Ibid Ibid Ibid Ibid Ibid	979
23,950-31,610  6030-9950		3 hr-3 dm 1 hr-3 dm 2-3 hr*	Latvon, J. Pharm. Exp. Ther. <u>65:89, 1939.</u> Hise, Arch. Ind. Hyg. Occ. Med. <u>7:282, 1953.</u> Woodard, Fed. Proc. <u>4:142, 1945.</u> Lannoy, J. pharm. chim., Par. <u>2:3, 1942.</u> Latvon, J. Pharm. Exp. Ther. <u>65:89, 1939.</u> Ibid Smyth, J. Ind. Hyg. Tox. <u>23:259, 1941.</u> Hise, Arch. Ind. Hyg. Occ. Med. <u>7:282, 1953.</u> Woodard, Fed. Proc. <u>4:142, 1945.</u> Braun, J. Am. Pharm. Assoc. <u>25:746, 1936.</u> Deichmann, Indust. Med. <u>10:5, 1941.</u> Braun, J. Am. Pharm. Assoc. <u>25:746, 1936.</u> Deichmann, Indust. Med. <u>10:5, 1941.</u> Smyth, J. Ind. Hyg. Tox. <u>23:259, 1941.</u> Lannoy, J. pharm. chim., Par. <u>2:3, 1942.</u> Deichmann, Indust. Med. <u>10:5, 1941.</u> Ibid Ploes, Arch. ges. Physiol. <u>16:153, 1878.</u>	980

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
981 Glycidyl oleate	Rat	or	LD <sub>50</sub>	3520
982 Glycolaldehyde	Rabbit	sc	LD	4000
983 Glyodin (base)	Rat	or	LD <sub>50</sub>	3720
984 Glyoxal	Rat	or	LD <sub>50</sub>	2020
	Guinea pig	or	LD <sub>50</sub>	760
	Dog	sc	LD	28
985 Glyoxal tetrabutylacetal	Rat	or	LD <sub>50</sub>	8900
	Rabbit	ct	LD <sub>50</sub>	2240
986 Gossypol acetate	Cat	iv	LD	75
997 Gramicidin	Mouse	ip	LD <sub>18</sub>	75
	Mouse	iv	LD <sub>100</sub>	5
	Mouse	iv	LD <sub>50</sub>	1.5
988 Guaiacol	Rat	sc	LD	900
	Guinea pig	sc	LD	600
	Rabbit	iv	LD	3.7
989 Guanidine	Mouse	sc	LD <sup>1</sup>	300
	Rat	sc	MLD	250 <sup>2</sup>
	Rat	sc	LD <sub>100</sub>	750
	Rat	ip	LD <sup>3</sup>	175
	Guinea pig	sc	LD <sub>100</sub>	100-200 <sup>3</sup>
	Guinea pig	sc	LD	500
	Guinea pig	ip	LD	1500
	Rabbit	or	LD	500
	Rabbit	sc	LD	500
	Cat	sc	LD	200-250 <sup>3</sup>
	Cat	ip	LD	100
	Dog	sc	LD	200-250 <sup>3</sup>
990 Halazone	Rat	or	MLD	3500
	Rat	iv	MLD	800
991 Harmaline	Frog	sc	MLD	250
	Rat	sc	MLD	120
	Guinea pig	sc	MLD	100
	Rabbit	sc	MLD	100
	Cat	sc	MLD	100
	Dog	sc	LD	33.3
992 Harmene	Mouse	sc	LD	30
993 Harmine	Frog	sc	MLD	300
	Frog	sc	MLD	300
	Mouse	sc	LD	300
	Rat	sc	MLD	200
	Guinea pig	sc	MLD	120
	Guinea pig	sc	LD	100

(continued on next page)

/1/ Or alcohol. /2/ Free base. /3/ Hydrochloride.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
3350-3690			Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	981
			Mayer, Zschr. physiol. Chem. 38:135, 1903.	982
			Conley, J. Am. Med. Assoc. 157:237, 1955.	983
1630-2520 500-1040			Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Ibid Pohl, Arch. exp. Path. Pharm. 37:413, 1896.	984
6700-11,980 930-5380			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	985
	Oil	2-4 da	Alsberg, J. Pharm. Exp. Ther. 13:504, 1919.	986
		24 hr 24 hr	Robinson, J. Pharm. Exp. Ther. 74:75, 1942. Ibid	987
	Prop gly		Anderson, Science 103:419, 1946.	
			Binet, Rev. méd. Suisse rom. 15:561, 1895. Ibid Stefano, Arch. farm. sper. 67:190, 1939.	988
99-700		24 hr  3 hr 20 min 3-5 hr 3-5 hr	Flury, Abderhalden's Hdb. 4.7b:1352. Alles, J. Pharm. Exp. Ther. 28:251, 1926. Minot, J. Pharm. Exp. Ther. 43:295, 1931. Klinger, Arch. exp. Path. Pharm. 90:129, 1921. Flury, Abderhalden's Hdb. 4.7b:1352. Heyde, Zschr. ges. exp. Med. 1:59, 1913. Ibid Flury, Abderhalden's Hdb. 4.7b:1352. Ibid Ibid Klinger, Arch. exp. Path. Pharm. 90:129, 1921. Flury, Abderhalden's Hdb. 4.7b:1352.	989
		1-18 hr	Stohman, Pub. Health Rpt. 59:541, 1944. Ibid	990
		31-36 hr 7 1/2 hr 7 2/3 hr 1 1/2 hr 9 hr	Gunn, Tr. R. Soc., Edinburgh 47:245, 1909. Ibid Ibid Ibid Ibid Flury, Arch. exp. Path. Pharm. 64:105, 1911.	991
			Kadoyama, Tohoku J. E.M. 17:1, 10, 20, 25, 28, 1931.	992
			Hara, Jap. J. Med. Sc. IV Pharm. 1:78, 1933. Gunn, Q. J. Pharm. Pharmacol. 4:33, 1931. Hara, Jap. J. Med. Sc. IV Pharm. 1:78, 1933. Gunn, Q. J. Pharm. Pharmacol. 4:33, 1931. Ibid Lewin, Arch. exp. Path. Pharm. 129:133, 1928.	993

Compound	Animal	Route	Dose	In sage
				ng/kg Value
993 Harmaline (concluded)	Rabbit	sc	LD	200
	Rabbit	sc	MLD	100
	Rabbit	sc	MLD	200
	Rabbit	sc	MLD	230
	Cat	sc	MLD	200
	Monkey	sc	MLD	30
	Pigeon	sc	MLD	150
994 Harmol	Frog	sc	LD	180
	Mouse	ip	LD	140
	Rat	sc	LD	400
	Guinea pig	sc	LD	200
	Rabbit	s.	LD	400
995 Helleborein	Frog	sc	LD	4
	Toad	sc	LD	185-244
	Cat	iv	LD	1.9
996 Heparin	Mouse	iv	LD <sub>50</sub>	1500-2000
997 Heparinoid	Mouse	iv	LD <sub>50</sub>	1898
998 Heptachlor	Rat	or	LD <sub>50</sub> <sup>a</sup>	90
999 2-Heptadecyl-1-hydroxyethyl-imidazole	Rat	or	LD <sub>50</sub>	3800
1000 Heptadecylimidazole	Rat	or	LD <sub>50</sub>	1300
1001 Heptaldehyde sodium bisulfite	Mouse	ip	LD <sub>50</sub>	1460
	Mouse	iv	LD <sub>50</sub>	500
	Rat	ip	LD <sub>50</sub>	1300
	Rabbit	iv	LD <sub>50</sub>	450
1002 2-Heptanol	Rat	or	LD <sub>50</sub>	2580
	Rabbit	ct	LD <sub>50</sub>	1.78 cc
1003 3-Heptanol	Rat	or	LD <sub>50</sub>	1870
	Rabbit	ct	LD <sub>50</sub>	4360
1004 Heptazone	Mouse	sc	LD <sub>50</sub>	110
1005 Heptazone HCl	Mouse	sc	LD <sub>50</sub>	240
	Mouse	iv	LD <sub>50</sub>	47.5
	Rat	sc	LD <sub>50</sub>	132
1006 (3-Heptoxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	5.0±0.5
1007 2-Heptylamine	Mouse	ip	LD <sub>50</sub>	95
1008 3-Heptylamine	Mouse	ip	LD <sub>50</sub>	90
1009 2-Heptylmethylamine	Mouse	ip	LD <sub>50</sub>	110
1010 3-Heptylmethylamine	Mouse	ip	LD <sub>50</sub>	70
1011 n-Heptyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	28
1012 Heroin	Rabbit	sc	LD	150

Dose mg/kg Range	Vehicle	Time of Death	Reference	
		3-6 hr	Lewin, Arch. exp. Path. Pharm. 129:133, 1928. Hara, Jap. J. Med. Sc. IV Pharm. 1:78, 1933. Lewin, Arch. exp. Path. Pharm. 129:133, 1928. Gunn, Q. J. Pharm. Pharmacol. 4:33, 1931. Hara, Jap. J. Med. Sc. IV Pharm. 1:78, 1933. Ibid Gunn, Q. J. Pharm. Pharmacol. 4:33, 1931.	993
			Gunn, Q. J. Pharm. Pharmacol. 4:33, 1931. Ibid Ibid Ibid	994
			Honda, Arch. int. pharmacod. 9:431, 1901. Ibid Lond'e, Heffter's Hdb. E. 1: 78.	995
			Seifter, Am. J. Med. Sc. 216:234, 1948.	996
			Seifter, Am. J. Med. Sc. 216:234, 1948.	997
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	998
3400-4200			Carpenter, Arch. Ind. Hyg. Occ. Med. 4:494, 1951.	999
1000-1700			Carpenter, Arch. Ind. Hyg. Occ. Med. 4:494, 1951.	1000
			Gruber, J. Pharm. Exp. Ther. 98:274, 1950. Ibid Ibid Ibid	1001
2290-2910 1. 10-2. 88 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1002
1340-2600 2360-8060			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1003
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	1004
			Winter, J. Pharm. Exp. Ther. 98:105, 1950. Ibid Ibid	1005
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	1006
			Marsh, J. Pharm. Exp. Ther. 103:325, 1951.	1007
			Marsh, J. Pharm. Exp. Ther. 103:325, 1951.	1008
			Marsh, J. Pharm. Exp. Ther. 103:325, 1951.	1009
			Marsh, J. Pharm. Exp. Ther. 103:325, 1951.	1010
			Allee, Univ. Cal. Publ. Pharmacol. 1:187, 1919.	1011
			Flury, Abderhalden's Hdb. 4. 7b:1154.	1012

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1013 HETP	Mouse	or	LD <sub>50</sub>	55.5
	Mouse	sc	LD <sub>50</sub>	0.9
	Mouse	ip	LD <sub>50</sub>	0.1
	Rat	or	LD <sub>50</sub>	1.9
	Rat	or	LD <sub>50</sub>	7
	Rat	sc	LD <sub>50</sub>	0.7
	Rat	ct	LD <sub>50</sub>	25
	Guinea pig	or	LD <sub>50</sub>	16
	Guinea pig	sc	LD <sub>50</sub>	2.2
	Guinea pig	ct	LD <sub>50</sub>	120
	Rabbit	or	LD <sub>50</sub>	20.5
	Rabbit	iv	LD <sub>50</sub>	0.69
	Rabbit	ct	LD <sub>50</sub>	103.2 <sup>1</sup>
Dog	im	LD <sub>50</sub>	1.5	
Dog	iv	LD <sub>50</sub>	1.3	
1014 Hexamine	Mouse	ip	LD <sub>50</sub>	61
1015 Hexazan	Mouse	or	LD <sub>50</sub>	660
	Mouse	ip	LD <sub>50</sub>	248
	Mouse	iv	LD <sub>50</sub>	82
	Rat	or	LD <sub>50</sub>	1380
	Rat	ip	LD <sub>50</sub>	465
	Rat	iv	LD <sub>50</sub>	150
1016 Hexachloroethane	Dog	iv	MLD	325
1017 Hexachloropropylene	Rat	ip	LD <sub>50</sub>	0.4 cc
1018 Hexahydrophthalic acid diethyl ester	Mouse	or	LD <sub>50</sub>	2.4 cc
	Rat	or	LD <sub>50</sub>	3.9 cc
1019 Hexanal	Rat	or	LD <sub>50</sub>	4520-5640
1020 2,5-Hexanediol	Rat	or	LD <sub>50</sub>	5000
	Rabbit	ct	LD <sub>50</sub>	16,300
1021 1,2,6-Hexanetriol	Rat	or	LD <sub>50</sub>	17,000
	Rabbit	ct	LD <sub>50</sub>	>20 cc
1022 Hexanoic acid	Rat	or	LD <sub>50</sub>	3000
	Rat	or	LD <sub>50</sub>	6440
	Rat	or	LD <sub>50</sub>	6840
	Guinea pig	ct	LD <sub>50</sub>	4450
	Rabbit	ct	LD <sub>50</sub>	0.63 cc
1023 1-Hexanol	Rat	or	LD <sub>50</sub>	4870
1024 2-Hexanone	Rat	or	LD <sub>50</sub>	2590
	Rabbit	ct	LD <sub>50</sub>	9.99 cc
1025 Hexobarbital	Mouse	or	LD <sub>50</sub>	400 <sup>2</sup>
1026 Hexose diphosphoric acid	Rat	ip	LD	4000
1027 Hexylamine	Rat	or	LD <sub>50</sub>	670
	Rabbit	ct	LD <sub>50</sub>	0.42 cc
1028 2-Hexylamine	Mouse	ip	LD <sub>50</sub>	60
1029 Hexylbenzotriepine	Mouse	ip	LD <sub>50</sub>	180ml.3
	Mouse	iv	LD <sub>50</sub>	17ml.7

<sup>1/1</sup> 2.5% solution in H<sub>2</sub>O <sup>2/2</sup> 94-107% limit of error.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Hagan, Fed. Proc. 6:335, 1947. Forssling, Acta pharm. tox. 4:143, 1948. Dayrit, J. Pharm. Exp. Ther. 92:173, 1948. Forssling, Acta pharm. tox. 4:143, 1948. Hagan, Fed. Proc. 6:335, 1947. Forssling, Acta pharm. tox. 4:143, 1948. Ibid Hagan, Fed. Proc. 6:335, 1947. Forssling, Acta pharm. tox. 4:143, 1948. Ibid Hagan, Fed. Proc. 6:335, 1947. Ibid Deichmann, Fed. Proc. 4:322, 1947. Dayrit, J. Pharm. Exp. Ther. 92:173, 1948. Ibid	1013
			Reinhard, Proc. Soc. Exp. Biol. Med. 66:512, 1947.	1014
			Harned, Ann. N. Y. Acad. Sci. 50:141, 1948. Ibid Ibid Ibid Ibid	1015
	Oil	30 min	Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934.	1016
			Spiegel, A. E. C. MDDC-1719, 1948.	1017
			Draine, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	1018
			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	1019
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	1020
12,200-21,800			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1021
5770-7190 5580-8450 0.33-1.2 cc			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Smyth, unpublished data, Mellon Inst. Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	1022
4520-5640			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	1023
2110-5180 4.27-6.42 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1024
			Reinhard, J. Pharm. Exp. Ther. 106:444, 1932.	1025
			Abeloe, Biochem. Zschr. 163:226, 1925.	1026
620-740 0.3-0.6 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1027
			Marsh, J. Pharm. Exp. Ther. 103:125, 1931.	1028
			Randall, J. Pharm. Exp. Ther. 103:10, 1931. Ibid	1029

Compound	Animal	Route	Dose	Invasage
				mg/kg Value
1030 n-Hexylbenzoate	Rat	or	LD <sub>50</sub>	12.100
	Rabbit	ct	LD <sub>50</sub>	21.000
1031 Hexylether	Rat	or	LD <sub>50</sub>	30.900
	Rabbit	ct	LD <sub>50</sub>	6.9 cc
1032 2-n-Hexyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	439.92±52.64
1033 2-Hexylmethylamine	Mouse	ip	LD <sub>50</sub>	120
1034 n-Hexylresorcinol	Mouse	sc	MLD	750-1000 <sup>1</sup>
	Mouse	ip	MLD	50 <sup>2</sup>
	Mouse	ip	MLD	200 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	550
	Rat	or	MLD	250 <sup>3</sup>
	Guinea pig	or	LD <sub>50</sub>	475 <sup>4</sup>
1035 n-Hexyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	24
1036 Hibicon	Rat	or	LD <sub>50</sub>	3200
	Rat	ip	LD <sub>50</sub>	770
1037 Histadyl (base)	Mouse	or	LD <sub>50</sub>	182.2±12.8
	Mouse	iv	LD <sub>50</sub>	19.85±0.69
	Mouse	ip	LD <sub>50</sub>	77
	Rat	sc	LD <sub>50</sub> <sup>o</sup>	150
	Guinea pig	or	LD <sub>50</sub>	374.9±34.5
1038 Histamine	Frog	sc	LD	2000-2300
	Mouse	sc	LD <sub>100</sub>	2300-2700
	Mouse	ip	LD <sub>50</sub>	12.930
	Guinea pig	or	LD	200-400
	Guinea pig	sc	LD	3.5-10.0
	Guinea pig	iv	LD <sub>50</sub>	0.18±0.007
	Guinea pig	iv	LD	0.5-0.75
	Guinea pig	ip	LD	12-54
	Guinea pig	ic	MLD	0.5
	Rabbit	sc	LD	12-15
	Rabbit	iv	LD <sup>o</sup>	0.1
	Rabbit	iv	LD	0.6
Monkey	iv	LD	50	
1039 Humatropine methylbromide	Mouse	or	LD <sub>50</sub>	1400
	Mouse	sc	LD <sub>50</sub>	650
	Mouse	ip	LD <sub>50</sub>	60
	Rat	or	LD <sub>50</sub>	1200
	Rat	sc	LD <sub>50</sub>	800
	Rat	ip	LD <sub>50</sub>	82
	Guinea pig	or	LD <sub>50</sub>	1000
Guinea pig	ip	LD <sub>50</sub>	120	
1040 Nardexine sulfate	Rat	sc	LD <sup>o</sup>	1000
	Guinea pig	sc	LD	2000
	Guinea pig	iv	LD	300
	Rabbit	iv	LD	250-300
	Dog	or	LD	2000
Dog	iv	LD	250-300	

/1/5% solution in oil. /2/1% emulsion. /3/25% emulsion. /4/25% solution in oil.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
11,500-13,500			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1030
27,800-34,400 3.6-10.0 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1031
			Berger, Arch. int. pharmacod. 85:474, 1951.	
			Marsh, J. Pharm. Exp. Ther. 103:325, 1951.	1033
	Olive oil H <sub>2</sub> O Olive oil  H <sub>2</sub> O Oil		Broom, Brit. J. Exp. Path. 12:327, 1931. Ibid Lamson, J. Pharm. Exp. Ther. 53:198, 1935. Broom, Brit. J. Exp. Path. 12:327, 1931. Anderson, Proc. Soc. Exp. Biol. Med. 48:609, 1931.	1034
			Alles, Univ. Cal. Publ. Pharmacol. 1:187, 1939.	1035
1098-1306 670-886			Smith, J. Pharm. Exp. Ther. 107:403, 1953. Ibid	1036
94-108			Lee, Proc. Soc. Exp. Biol. Med. 80:458, 1952. Ibid Castillo, J. Pharm. Exp. Ther. 96:388, 1949 Halpern, C. rend. Soc. Biol. 144:887, 1940. Lee, Proc. Soc. Exp. Biol. Med. 80:458, 1952.	1037
		2 da 7-8 hr	Fühner, Arch. exp. Path. Pharm. 166:455, 1932. Ibid Alles, J. Pharm. Exp. Ther. 76:386, 1943. Parrot, 17th Int. Physiol. Congr. p378, 1947. Schmidt, Zschr. Immunitätsforsch. 60:222, 1929. Lands, J. Pharm. Exp. Ther. 95:45, 1949. Flury, Abderhalden's Hdb. 4.7b:1354. Schmidt, Zschr. Immunitätsforsch. 60:222, 1929. Lands, Bull. Johns Hopkins Hosp. 83:330, 1948. Schmidt, Zschr. Immunitätsforsch. 60:222, 1929. Flury, Abderhalden's Hdb. 4.7b:1354. Oehme, Arch. exp. Path. Pharm. 72:76, 1913. Flury, Abderhalden's Hdb. 4.7b:1354.	1038
1180-1680 520-800 51-75 1050-1400 620-1040 75-91 920-1090 85-170			Cohen, J. Pharm. Exp. Ther. 105:166, 1952. Ibid Ibid Ibid Ibid Ibid Ibid	1039
		10 min  10 min	Camus, C. rend. Acad. sc. 142:110, 1906. Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1354. Ibid Ibid	1040

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1041 Hyamine 1622	Rat	or	LD <sub>50</sub>	420±25
	Rat	ip	LD <sub>50</sub>	33.1±2.5
	Rat	iv	LD <sub>50</sub>	19.1±0.8
1042 Hyamine 2389	Fat	or	LD <sub>50</sub>	325
	Rat	or	LD <sub>50</sub>	399±28
	Rat	ip	LD <sub>50</sub>	7.9
	Rat	ip	LD <sub>50</sub>	10.23±1.0
	Rat	iv	LD <sub>50</sub>	1.9
	Rat	iv	LD <sub>50</sub>	3.06±0.73
1043 Hydrastine	Frog	sc	LD	264-400
	Rabbit	sc	LD	>100-175
	Dog	sc	LD	>100-175
1044 Hydrastinine HCl	Rat	sc	LD	1000
	Rabbit	sc	LD	300-500
	Dog	sc	LD	250-300
1045 Hydrazine	Mouse	ip	LD <sub>50</sub>	163
	Rat	ip	LD <sub>50</sub>	102
	Rabbit	ct	LD <sub>50</sub>	91
	Rabbit	iv	LD <sub>50</sub>	34
1046 Hydrazine hydrate	Mouse	ip	LD <sub>50</sub>	163
	Rabbit	iv	LD <sub>50</sub>	20-25
1047 Hydrazine sulfate	Guinea pig	sc	LD	200-300
	Rabbit	sc	LD	100
	Rabbit	sc	LD	200-300
	Dog	sc	LD	100
1048 1-Hydrazinophthalazine	Mouse	ip	LD <sub>50</sub>	83±6
1049 Hydroacrylic acid-β-phenylethyl ester	Mouse	or	LD <sub>50</sub>	4.6 cc
	Rat	or	LD <sub>50</sub>	7.8 cc
1050 Hydrocyanic acid	Frog	sc	LD	60
	Mouse	sc	LD	5
	Mouse	sc	LD	3-10
	Mouse	ip	LD	3-10
	Guinea pig	sc	LD	0.1
	Rabbit	or	LD	4
	Rabbit	sc	LD	1.1-3.0
	Rabbit	iv	LD	0.1-0.33
	Cat	sc	LD	1.1
	Bird	sc	LD	0.1
1051 Hydrogen peroxide	Rat	ct	LD <sub>50</sub> <sup>a</sup>	700
	Rat	iv	LD <sub>50</sub> <sup>a</sup>	21
1052 Hydroquinone	Frog	sc	LD	190-200
	Mouse	or	LD <sub>50</sub> <sup>a</sup>	400 <sup>i</sup>
	Mouse	sc	LD	160-170
(continued on next page)	Rat	or	LD <sub>50</sub> <sup>a</sup>	320 <sup>i</sup>

/1/ 2% aqueous solution.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Finnegan, J. Pharm. Exp. Ther. 109:422, 1953. Ibid Ibid	1041
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:43, 1954. Finnegan, J. Pharm. Exp. Ther. 109:422, 1953. Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Finnegan, J. Pharm. Exp. Ther. 109:422, 1953. Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Finnegan, J. Pharm. Exp. Ther. 109:422, 1953.	1042
			Flury, Abderhalden's Hdb. 4. 7b:1356. Ibid Ibid	1043
			Flury, Abderhalden's Hdb. 4. 7b:1355. Ibid Ibid	1044
			Krop, Arch. Ind. Hyg. Occ. Med. 9:199, 1954. Ibid Ibid Ibid	1045
			Thienes, North Am. Aviation Rpt. AL731, 1948. Kunkel, Chem. Corps Med. Lab. Rpt. 83, 1951.	1046
		2 hr 2 hr	Flury, Abderhalden's Hdb. 4. 7b:1355. Trendelenburg, Heffter's Hdb. 1. 1:514. Flury, Abderhalden's Hdb. 4. 7b:1356. Trendelenburg, Heffter's Hdb. 1. 1:514.	1047
			Walker, J. Pharm. Exp. Ther. 101:369, 1951.	1048
			Div. Pharm. F. & D. Adm. Q. Rpt., June 1946. Div. Pharm. F. & D. Adm. Q. Rpt., Sept. 1946.	1049
		10 min	Flury, Abderhalden's Hdb. 4. 7b:1340. Hunt, Arch. int. pharmacod. 12:447, 1904. Flury, Abderhalden's Hdb. 4. 7b:1340. Ibid Ibid Ibid Ibid Ibid Ibid	1050
			Krachon, Health Haz. Mil. Chem. No. 4, Feb. 1950 Ibid	1051
	H <sub>2</sub> O H <sub>2</sub> O	6-7 hr Few hr F <sub>1</sub> / hr	Fühner, Arch. exp. Path. Pharm. 164:637, 1932. Woodard, Fed. Proc. 8:348, 1949. Fühner, Arch. exp. Path. Pharm. 164:637, 1932. Woodard, Fed. Proc. 8:348, 1949.	1052

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1052 Hydroquinone (concluded)	Rat	sc	LD	300-350
	Rat	iv	LD <sub>50</sub> <sup>a</sup>	115 <sup>1</sup>
	Guinea pig	or	LD <sub>50</sub> <sup>a</sup>	550 <sup>1</sup>
	Guinea pig	sc	LD	300
	Guinea pig	ip	LD	200
	Rabbit	or	LD	550
	Cat	or	LD	60-100
	Cat	or	LD <sub>50</sub> <sup>a</sup>	70
	Cat	sc	LD	50
	Dog	or	LD <sub>50</sub>	200 <sup>1</sup>
	Dog	iv	LD	80-100
	Pigeon	or	LD <sub>50</sub> <sup>a</sup>	300 <sup>1</sup>
1053 Hydroxyacetic acid	Cat	or	LD	500
	Cat	iv	LD	1000
1054 4-Hydroxy-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	160
1055 6-Hydroxy-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	300
1056 m-Hydroxybenzoic acid	Guinea pig	ip	LD	2800
1057 p-Hydroxybenzoic acid	Guinea pig	ip	LD	3000
1058 (2-Hydroxybenzyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	5.8±0.5
1059 3-Hydroxycinchonic acid	Mouse	sc	LD	1600
1060 4-Hydroxycoumarin	Mouse	ip	LD <sub>50</sub>	2000
1061 (2-Hydroxy-3,5-dimethylphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	5.8±0.3
1062 m-Hydroxyephedrine	Rabbit	iv	LD	50-60
1063 o-Hydroxyephedrine	Rabbit	iv	LD	50-60
1064 p-Hydroxyephedrine	Rabbit	iv	LD	150
1065 Hydroxyethylapocupreine	Mouse	or	LD <sub>50</sub>	2200 <sup>3</sup>
	Mouse	or	LD <sub>50</sub>	3000 <sup>4</sup>
	Mouse	ip	LD <sub>50</sub>	460 <sup>3</sup>
1066 N-Hydroxyethylethylenimine	Rat	or	LD <sub>50</sub>	74
	Rabbit	ct	LD <sub>50</sub>	280
1067 Hydroxyethylpropylenediamine	Rat	or	LD <sub>50</sub>	4920
	Rabbit	ct	LD <sub>50</sub>	10,000
1068 Hydroxylamine	Rabbit	sc	LD	25
	Dog	o	LD	200-300
	Dog	iv	LD	60
1069 Hydroxylamine HCl	Mouse <sup>a</sup>		LD <sub>50</sub>	608
	Mouse <sup>b</sup>		LD <sub>50</sub>	419

<sup>1</sup>/1/ 2% aqueous solution. <sup>2</sup>/2/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O	Few hr	Binet, Rev. méd. Suisse rom. 15:561, 1895.	1052
	H <sub>2</sub> O	Few hr	Woodard, Fed. Proc. 8:348, 1949.	
			Ibid	
	Milk	1-11 da	Binet, Rev. méd. Suisse rom. 15:561, 1895.	
			Chassevant, Arch. int. pharmacod. 14:93, 1905.	
			Brieger, Dubois' Arch. f. Physiol. 3:61, 1879.	
			Oettel, Arch. exp. Path. Pharm. 183:319, 1936.	
			Woodard, Fed. Proc. 8:348, 1949.	
	H <sub>2</sub> O	Few hr	Oettel, Arch. exp. Path. Pharm. 183:319, 1936.	
	H <sub>2</sub> O	Few hr	Woodard, Fed. Proc. 8:348, 1949.	
			Gibbs, Dubois' Arch. f. Physiol. p344, 1890.	
			Woodard, Fed. Proc. 8:348, 1949.	
		5-21 da	Riker, J. Am. Pharm. Assoc. 31:306, 1942.	1053
		2-4 da	Ibid	
			Domino, J. Pharm. Exp. Ther. 105:486, 1952	1054
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1055
			Chassevant, Arch. int. pharmacod. 14:93, 1905.	1056
			Chassevant, Arch. int. pharmacod. 14:93, 1905.	1057
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	1058
			Blanchard, Bull. Johns Hopkins Hosp. 88:181, 1951	1059
			Broderson, Acta pharm. tox. 2:109, 1951.	1060
			Randall, J. Pharm. Exp. Ther. 100:83, 1950.	1061
			Bovet & Bovet-Nitti, 2 p103.	1062
			Bovet & Bovet-Nitti, 2 p103.	1063
			Bovet & Bovet-Nitti, 2 p103.	1064
			Bracken, J. Pharm. Exp. Ther. 60:259, 1940.	1065
			Ibid	
			Carlson, J. Am. Pharm. Assoc. 40:471, 1951.	
64-87			Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	1066
			Ibid	
3750-6460			Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	1067
			Ibid	
			Leber, Dissert., Erlanger 1888.	1068
			Gibbs, Dubois' Arch. f. Physiol. 17:201, 1893.	
			Ibid	
			Reiman, Acta pharm. tox. 6:285, 1950.	1069
			Ibid	

Végétatif." New York: S. Karger, 1948. /3/ Dihydrochloride. /4/ Base.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1070	o-(N-γ-Hydroxymercuri-β-hydroxyethoxypropyl carbamyl)-phenoxyacetic acid	Mouse	im	LD <sub>50</sub>	117.9±8.1
		Mouse	iv	LD <sub>50</sub>	112.9±10.8
		Rat	im	LD <sub>50</sub>	34.8±4.4
		Rat	iv	LD <sub>50</sub>	32.2±2.8
		Rabbit	im	LD <sub>50</sub>	26.2±4.1
1071	(3-Hydroxy-4-methylphenyl)-trimethylammonium bromide	Mouse	or	LD <sub>50</sub>	350±39
		Mouse	sc	LD <sub>50</sub>	185±20
		Mouse	iv	LD <sub>50</sub>	2.0±0.2
1072	(3-Hydroxyphenyl)benzyl-dimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	8.0±0.4
1073	3-Hydroxy-2-phenylcinchoninic acid	Mouse	im	LD <sub>50</sub> <sup>a</sup>	400
1074	(3-Hydroxyphenyl)diethylmethylammonium bromide	Mouse	or	LD <sub>50</sub>	690±117
		Mouse	sc	LD <sub>50</sub>	61±15
		Mouse	ip	LD <sub>50</sub>	26.0±2.3
		Mouse	iv	LD <sub>50</sub>	10.0±0.4
		Rat	iv	LD <sub>50</sub>	27±6
		Dog	iv	LD <sub>50</sub>	20±5
1075	(3-Hydroxyphenyl)dimethylethylammonium bromide	Mouse	or	LD <sub>50</sub>	600±126
		Mouse	sc	LD <sub>50</sub>	130±4
		Mouse	ip	LD <sub>50</sub>	37.0±2.6
		Mouse	iv	LD <sub>50</sub>	9±1
		Rabbit	iv	LD <sub>50</sub>	28.5±7.0
		Dog	iv	LD <sub>50</sub>	15±1
1076	N,N'-(5-Hydroxy-1,3-phenylene)-di(trimethylammonium)dichloride	Mouse	...	LD <sub>50</sub>	9.4±0.9
1077	(3-Hydroxyphenyl)isopropyl-dimethylammonium iodide	Mouse	iv	LD <sub>50</sub>	6.2±0.9
1078	β-m-Hydroxyphenylpropanolamine	Rabbit	iv	LD	16
1079	β-o-Hydroxyphenylpropanolamine	Rabbit	iv	LD	40
1080	β-p-Hydroxyphenylpropanolamine	Rabbit	iv	LD	125
1081	(3-Hydroxyphenyl)triethylammonium bromide	Mouse	iv	LD <sub>50</sub>	8.7±0.5
1082	(2-Hydroxyphenyl)trimethylammonium bromide	Mouse	sc	LD <sub>50</sub>	22±1
1083	(3-Hydroxyphenyl)trimethylammonium bromide	Mouse	or	LD <sub>50</sub>	480±96
		Mouse	sc	LD <sub>50</sub>	81.0±11.3
		Mouse	iv	LD <sub>50</sub>	2.5±0.05
		Dog	iv	LD <sub>50</sub>	10
1084	(4-Hydroxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	2.7±0.2
1085	(3-Hydroxyphenyl)trimethylammonium-methylsulfate-benzylcarbamate	Mouse	iv	LD	0.1

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Robbins, J. Am. Pharm. Assoc. <u>42</u> :249, 1951. Ibid Ibid Ibid	1070
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950. Ibid	1071
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1072
			Blanchard, Bull. Johns Hopkins Hosp. <u>88</u> :181, 1951.	1073
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950. Ibid Ibid Ibid Ibid	1074
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950. Ibid Ibid Ibid Ibid	1075
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1076
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1077
			Hartung, J. Am. Chem. Soc. <u>53</u> :4149, 1931.	1078
			Hartung, J. Am. Chem. Soc. <u>53</u> :4149, 1931.	1079
			Hartung, J. Am. Chem. Soc. <u>53</u> :4149, 1931.	1080
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1081
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1082
			Randall, J. Pharm. Exp. Ther. <u>99</u> :16, 1950. Ibid Ibid	1083
			Randall, J. Pharm. Exp. Ther. <u>100</u> :83, 1950.	1084
			Aeschlimann, J. Pharm. Exp. Ther. <u>43</u> :413, 1931.	1085

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1086 (3-Hydroxyphenyl)trimethylammonium-methylsulfateethylcarbamate	Mouse	iv	LD	0.7
1087 (3-Hydroxyphenyl)trimethylammonium-methylsulfatediethylcarbamate	Mouse	iv	LD	8
1088 (3-Hydroxyphenyl)trimethylammonium-methylsulfatedipropenylcarbamate	Mouse	iv	LD	10
1089 (3-Hydroxyphenyl)trimethylammonium-methylsulfateethylcarbamate	Mouse	iv	LD	1
1090 (3-Hydroxyphenyl)trimethylammonium-methylsulfatemethylcarbamate	Mouse	iv	LD	0.1
1091 (3-Hydroxyphenyl)trimethylammonium-methylsulfatemethylphenylcarbamate	Mouse	iv	LD	3.5
1092 (3-Hydroxyphenyl)trimethylammonium-methylsulfatepentylcarbamate	Mouse	iv	LD	6
1093 (3-Hydroxyphenyl)trimethylammonium-methylsulfatephenylcarbamate	Mouse	iv	LD	2-6
1094 (3-Hydroxyphenyl)trimethylammonium-methylsulfatepropenylcarbamate	Mouse	iv	LD	0.75
1095 m-Hydroxyprocaine	Mouse	ip	LD <sub>50</sub>	220
	Rat	ip	LD <sub>50</sub>	240
	Rabbit	ip	MLD	72
1096 8-Hydroxyquinoline	Guinea pig	or	LD <sub>20</sub>	1200
1097 Hydroxystreptomycin	Mouse	sc	LD <sub>50</sub>	865
1098 Ilotycin (base)	Mouse	or	LD <sub>50</sub>	3112±211
	Mouse	sc	LD <sub>50</sub>	>2500
	Rat	or	LD <sub>50</sub>	>1000
	Rat	sc	LD <sub>50</sub>	>2000
	Guinea pig	ip	LD <sub>50</sub>	413.4±51.7
	Hamster	or	LD <sub>50</sub>	1018±190
1099 β-(Imidazolyl-[4])-b-methylethylamine	Mouse	ip	LD <sub>50</sub>	1000
	Guinea pig	ip	LD <sub>50</sub>	200
1100 Impletol <sup>1</sup>	Mouse	sc	LD <sub>50</sub>	270
1101 Indalone	Mouse	or	LD <sub>50</sub>	11.6 cc
	Rat	or	LD <sub>50</sub>	7.4 cc
	Guinea pig	or	LD <sub>50</sub>	3.2 cc
	Rabbit	or	LD <sub>50</sub>	5.4 cc
	Chicken	or	LD <sub>50</sub>	15.0 cc
1102 Indium chloride	Mouse	sc	MLD	60
	Rat	sc	MLD	10.2
	Rabbit	sc	MLD	2.35
	Rabbit	iv	MLD	0.64

<sup>1</sup>/1/ Procaine-caffeine. /2/ Buffered with citrate.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1086
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1087
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1088
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1089
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1090
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1091
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1092
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1093
			Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931.	1094
			Burgson, Fed. Proc. <u>10:284</u> , 1951.	1095
			Ibid	
			Ibid	
			Anderson, Proc. Soc. Exp. Biol. Med. <u>28:284</u> , 1931.	1096
			Ambrose, Proc. Soc. Exp. Biol. Med. <u>76:466</u> , 1951.	1097
			Anderson, J. Am. Pharm. Assoc. <u>41:55</u> , 1952.	1098
			Ibid	
			Alles, J. Pharm. Exp. Ther. <u>76:386</u> , 1943.	1099
			Ibid	
250-290			Sorhring, Arzneimittelforsch. <u>1:28</u> , 1951.	1100
			Draize, J. Pharm. Exp. Ther. <u>91:26</u> , 1948.	1101
			Ibid	
			Ibid	
			Ibid	
	H <sub>2</sub> O <sup>2</sup>	Delayed 4 da 6-7 da 10 da	Von Oettingen, Proc. Soc. Exp. Biol. Med. <u>29:1188</u> , 1932. McCord, J. Ind. Hyg. Tox. <u>24:243</u> , 1942.	1102
			Ibid	
			Ibid	

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1103 Indium sulfate	Frog	sc	MLD	600-900
	Rat	sc	MLD	12.5 <sup>1</sup>
	Rat	sc	MLD	150
	Rabbit	or	MLD	1500-2000
	Rabbit	sc	LD	2.6
	Rabbit	iv	MLD	0.67
1104 Indole	Frog	sc	MLD	500
	Dog	iv	LD	60
1105 Insulin	Frog	sc	LD	1000 <sup>3</sup>
1106 Intocortin	Mouse	sc	LD <sub>50</sub>	0.67±0.05 <sup>4</sup>
	Mouse	sc	LD <sub>50</sub>	0.38±0.10 <sup>5</sup>
1107 Iodisikon	Mouse	iv	LD <sub>50</sub>	270-370
	Rabbit	or	LD	4350
	Rabbit	iv	LD	470
	Dog	iv	LD	270
1108 Iodine	Rabbit	sc	MLD	175-180
	Dog	iv	LD	40
1109 Iodine phosphide	Rabbit	or	LD <sup>6</sup>	6.8
1110 Iodoacetamide	Mouse	sc	LD <sub>50</sub>	42±1
1111 Iodoacetic acid	Rat	or	LD <sub>50</sub>	116±13
	Rat	ip	MLD	30-50
1112 Iodofluorotyrosine	Mouse	sc	LD	57
1113 Iodoform	Rabbit	or	LD	440-490
	Rabbit	or	LD	910
	Rabbit	sc	LD	176
	Rabbit	sc	LD	830
	Cat	or	LD	7500
1114 o-Iodophenol	Rat	sc	LD	4000
1115 Icnol	Rat?	ip	LD <sub>50</sub>	8000
1116 Iopax	Rat	iv	LD	8000
	Rabbit	iv	LD	9000
1117 Iprat	Mouse	ip	LD	250
	Rat	sc	LD	310
	Rat	ip	LD	110
	Rabbit	or	LD	160
	Rabbit	ip	LD	110
	Rabbit	iv	LD	140
	Cat	or	LD	140
1118 Irgapyrin	Mouse	iv	LD <sub>50</sub>	155
	Rat	ip	LD <sub>50</sub>	290
1119 Isoniazid	Mouse	sc	LD <sub>50</sub>	90

<sup>1</sup>/1/ Calculated as indium metal. <sup>2</sup>/2/ Buffered with citrate. <sup>3</sup>/3/ Units per kilo. <sup>4</sup>/4/ At 25°.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	1002	10 da 4-10 da 5-12 da 5 da 4 da	Steidle, Arch. exp. Path. Pharm. 17:458, 1933. McCord, J. Ind. Hyg. Tox. 24:293, 1942. Steidle, Arch. exp. Path. Pharm. 17:458, 1933. Ibid McCord, J. Ind. Hyg. Tox. 24:293, 1942. Ibid	1103
			Bin-Ichi, Tohoku J. E. M. 25:407, 1935 Ets. Am. J. Physiol. 136:647, 1942.	1104
			Barlow, J. Pharm. Exp. Ther. 41:229, 1931.	1105
			Streicher, Proc. Soc. Exp. Biol. Med. 86:536, 1951 Ibid	1106
			Barba-Gon, Q. J. Pharm. Pharmacol. 2:396, 1929. Greenbaum, J. Pharm. Exp. Ther. 30:407, 1927. Ibid Graham, J. Am. Med. Assoc. 84:1175, 1925.	1107
			Myers, Proc. Soc. Exp. Biol. Med. 25:784, 1928. Flury, Abderhalden's Hdb. 4. 7b:1359.	1108
		70 min.	Santesson, Skand. Arch. Physiol. 15:420, 1909.	1109
		48 hr	Beck, Proc. Soc. Exp. Biol. Med. 78:382, 1951.	1110
			Lundquist, J. Dent. Res. 30:203, 1951. Hall, Proc. Soc. Exp. Biol. Med. 29:360, 1932.	1111
			Euler, Arch. exp. Path. Pharm. 206:75, 1949.	1112
	Oil	24 hr	Mulzer, Zschr. exp. Path. 1:446, 1905.	1113
	Oil	1 1/2 hr	Ibid	
	Oil	5 da	Flury, Abderhalden's Hdb. 4. 7b:1359.	
	Oil	4 da	Ibid	
	Oil	24 hr	Ibid	
			Binet, Rev. méd. Suisse rom. 16:449, 1896.	1114
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	1115
			Binz, Biochem. Zschr. 227:200, 1930. Benassi, Arch. Ital. urol. 7:5, 1931.	1116
			Kochmann, Heffter's Hdb. E. 2:147. Ibid Ibid Ibid Ibid Launoy, J. physiol. path. gén. 30:164, 1932. Kochmann, Heffter's Hdb. E. 2:147.	1117
		48 hr 24 hr	Hazleton, J. Pharm. Exp. Ther. 109:387, 1951. Ibid	1118
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	1119

250 C. / 5/ At 40 C.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1120 Isobutyl alcohol	Mouse	sc	LD	7490
	Rabbit	iv	MLD	1570
	Cat	iv	LD	211
1121 N-Isobutyladrenaline	Mouse	sc	LD	200
1122 Isobutyl alcohol	Rat	sc	LD <sub>50</sub>	2460
	Rabbit	ct	LD <sub>50</sub>	4.24 cc
1123 Isobutyraldehyde	Rat	or	LD <sub>50</sub>	1710
	Rabbit	ct	LD <sub>50</sub>	7.13 cc
1124 Isocaine	Mouse	sc	LD	400
	Rat	sc	LD	700
	Rabbit	sc	LD	300
	Cat	sc	LD	200
1125 Isocyclex	Rat <sup>2</sup>	ip	LD <sub>50</sub>	250
1126 Isodehydroacetic acid	Mouse	ip	LD <sub>50</sub>	>1000
1127 Isodiphenylethanolamine-N-ethyl-diethyleneamine HCl	Mouse	sc	LD <sup>0</sup>	400
1128 Isodiphenylethanolamine HCl	Mouse	sc	LD <sup>0</sup>	100
1129 Iso-1-hexylidioxaspirane	Mouse	ip	LD <sub>50</sub>	871, 64128.8
1130 Iso-2-hexylidioxaspirane	Mouse	ip	LD <sub>50</sub>	2.740.2
1131 α-L-Isomethadone	Mouse	ip	LD <sub>50</sub>	60
1132 β-Isomethadone	Mouse	sc	LD <sub>50</sub>	21
1133 Isomonometh-1-nicotinium iodide	Mouse	ip	LD	170
	Rabbit	iv	LD <sup>0</sup>	100
1134 Isonicotinaldehyde semicarbazone	Mouse	or	LD <sub>50</sub>	911
1135 Isonicotinyl hydrazide	Mouse	or	LD <sub>50</sub>	205
	Mouse	ip	LD <sub>50</sub>	159
	Mouse	iv	LD <sub>50</sub>	150
	Rat	or	LD <sub>50</sub>	650
	Rat	ip	LD <sub>50</sub>	100
	Guinea pig	or	LD <sub>50</sub>	200
1136 Isopral	Frog	sc	LD	671
	Rat	or	LD	1000
	Rabbit	or	LD	900
	Cat	or	LD	400
	Dog	or	LD	600
1137 1-Isopropoxy-1,2-propanediol	Mouse	or	LD <sub>50</sub>	8.249.14 cc
1138 Isopropyl acetate	Rat	or	LD <sub>50</sub>	1000
1139 1-Isopropyladrenaline	Mouse	sc	LD	60
1140 Isopropyl alcohol	Mouse	or	LD	4970

(Continued on next page)

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Starrek. Dissert., Würzburg 1938. Lehman, J. Pharm. Exp. Ther. <u>61:103</u> , 1937. Macht, J. Pharm. Exp. Ther. <u>16:1</u> , 1921.	1120
			Konzett. Klin. Wschr. <u>19:1301</u> , 1940.	1121
1600-5780 2.52-7.12 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	1122
2680-5210			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954 Ibid	1123
			Schmitz, J. Pharm. Exp. Ther. <u>24:167</u> , 1925. Ibid Ibid Ibid	1124
			Mallette, Arch. Ind. Hyg. Occ. Med. <u>5:311</u> , 1952.	1125
			Brouwersen, Acta pharm. tox. <u>2:109</u> , 1944.	1126
			Mercier, J. physiol., Par. <u>42:675</u> , 1950.	1127
			Mercier, J. physiol., Par. <u>42:675</u> , 1950.	1128
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1129
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1130
			Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950.	1131
			Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950.	1132
			Larson, J. Pharm. Exp. Ther. <u>77:343</u> , 1943. Ibid	1133
			Grunberg, Proc. Soc. Exp. Biol. Med. <u>77:47</u> , 1951.	1134
			Reinhard, Science <u>116:166</u> , 1952. Ibid Ibid Ibid Ibid Ibid	1135
			Kochmann, Hefter's Hdb. <u>3:1:418</u> . Bullner, J. Pharm. Exp. Ther. <u>63:183</u> , 1938. Kochmann, Hefter's Hdb. <u>3:1:418</u> . Impens, Therap. Monatsch. <u>17:419</u> , 1905. Ibid	1136
		10 dn	Hine, Arch. Ind. Hyg. Occ. Med. <u>2:579</u> , 1950.	1137
			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	1138
			Konzett, Arch. Path. <u>197:27, 41</u> , 1940.	1139
			Horuttau, Deut. med. Wschr. <u>47:747</u> , 1921.	1140

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1140 Isopropyl alcohol (concluded)	Mouse	sc	LD <sub>50</sub>	5000
	Rat	or	LD <sub>50</sub>	4440
	Rabbit	or	LD <sub>50</sub>	5000
	Rabbit	ct	LD <sub>50</sub>	16.4 cc
	Cat	iv	LD	1.62.5
1141 Isopropylamine	Rat	or	LD <sub>50</sub>	820
	Rabbit	ct	LD <sub>50</sub>	550
1142 Isopropylbenzazepine	Mouse	ip	LD <sub>50</sub>	156±9.5
	Mouse	iv	LD <sub>50</sub>	23±1.0
1143 Isopropyl benzoate	Rat	or	LD <sub>50</sub>	3730
	Rabbit	ct	LD <sub>50</sub>	20,000
1144 Isopropyl-bis-(β-chloroethyl)amine	Mouse	or	LD <sub>50</sub>	22
	Mouse	sc	LD <sub>50</sub>	1.1
	Rat	iv	LD <sub>50</sub>	0.5
	Rabbit	iv	LD <sub>50</sub> *	2.0
1145 2-Isopropyl-2-butyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	709.2±17.18
1146 Isopropylcinnamate	Guinea pig	or	LD <sub>50</sub>	2.7 cc
1147 α-Isopropylglyceryl ether	Mouse	or	LD <sub>50</sub>	8200±135
1148 2-Isopropyl-5-methylphenoxyethyl-benzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	100
1149 2-Isopropylphenoxyethyl-benzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
1150 2-Isopropylphenoxyethyl-ethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	35
1151 2-Isopropylphenoxyisopropyl-benzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	1000
1152 p-Isopropylphenylethyl alcohol	Mouse	or	LD <sub>50</sub>	3.9 cc
	Rat	or	LD <sub>50</sub>	1.8 cc
1153 Isopropyl tartrate	Mouse	or	LD <sub>50</sub>	6.3 cc
1154 Isoquinoline	Rat	or	LD <sub>50</sub>	350
	Rabbit	ct	LD <sub>50</sub>	590
1155 Isothan Q-15	Rat	or	LD <sub>50</sub>	210
	Guinea pig	or	LD <sub>50</sub>	200
1156 Jervine	Mouse	iv	LD <sub>50</sub>	9.3
1157 Kerosene	Guinea pig	o.	LD <sub>50</sub> *	25,380
	Rabbit	or	LD <sub>50</sub> *	28,350
	Rabbit	ip	LD <sub>50</sub> *	6600
	Rabbit	iv	LD <sub>50</sub> *	180
1158 4-Ketomyltrimethylammonium iodide	Mouse	sc	LD <sub>50</sub>	13.5±2.4
1159 1-Ketobutyltrimethylammonium iodide	Mouse	sc	LD <sub>50</sub>	>170

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Starrek, Dissert., Würzburg 1938. Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Weese, Arch. exp. Fath. Pharm. 135:118, 1928. Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Macht, J. Pharm. Exp. Ther. 16:1, 1921.	1140
670-1070 300-1020			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1141
			Randall, J. Pharm. Exp. Ther. 103:10, 1951. Ibid	1142
2430-5730			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1143
			Anselow, J. Pharm. Exp. Ther. 91:224, 1947. Ibid Ibid Ibid	1144
			Berger, Arch. int. pharmacod. 85:474, 1951.	1145
			Draize, J. Pharm. Exp. Ther. 93:26, 1948.	1146
			Loeb, Fed. Proc. 8:316, 1949.	1147
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:378, 1951.	1148
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:378, 1951.	1149
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:378, 1951.	1150
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:378, 1951.	1151
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	1152
			Div. Pharm. F. & D. Adm. Q. Rpt., April 1946.	1153
380-910			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1154
			Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Ibid	1155
			Krayer, J. Pharm. Exp. Ther. 82:167, 1944.	1156
			Deichmann, Ann. Int. M. 21:603, 1944. Ibid Ibid Ibid	1157
		2 hr	Edwards, J. Pharm. Exp. Ther. 103:196, 1951.	1158
		2 hr	Edwards, J. Pharm. Exp. Ther. 103:196, 1951.	1159

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1160	Krysolgan	Rat	sc	LD	40
		Rat	iv	LD	1
		Rabbit	iv	LD	150
		Rabbit	iv	LD	30
1161	Lactic acid	Rat	or	LD <sub>50</sub>	3750
		Guinea pig	or	LD <sub>50</sub>	1810
1162	Lactose	Rabbit	iv	LD	1500
1163	Lanadigin	Frog	sc	LD	1.6
		Rat	sc	LD	4.5
		Rat	iv	MLD	40.5 <sup>1</sup>
		Rat	iv	MLD	25 <sup>2</sup>
		Rabbit	sc	LD	1.3
1164	Lanthanum acetate	Rat	or	LD <sub>50</sub>	10,000
		Rat	ip	LD <sub>50</sub>	475
1165	Lanthanum ammonium nitrate	Rat	or	LD <sub>50</sub>	3400
		Rat	ip	LD <sub>50</sub>	625
1166	Lanthanum chloride	Mouse	sc	LD	3500
		Rat	or	LD	4200
		Rat	ip	LD	350
		Rabbit	iv	LD	200-250
1167	Lanthanum nitrate	Rat	or	LD <sub>50</sub>	4500
		Rat	ip	LD <sub>50</sub>	450
1168	Lanthanum oxide	Rat	or	LD <sub>50</sub>	>10,000 <sup>3</sup>
1169	Lanthanum sulfate	Rat	or	LD <sub>50</sub>	>5000 <sup>3</sup>
		Rat	ip	LD <sub>50</sub>	275 <sup>3</sup>
1170	Larocaine	Frog	sc	LD	860
		Mouse	sc	LD	310
		Mouse	sc	LD	300
		Mouse	iv	LD	40
		Mouse	iv	LD	50
		Guinea pig	sc	LD	200
		Rabbit	sc	LD	150
		Rabbit	iv	LD	15
1171	Lauryldiethylenetriamine	Rat	or	MLD <sup>4</sup>	350
		Rabbit	or	MLD <sup>4</sup>	400
		Rabbit	iv	MLD <sup>4</sup>	10
1172	Lead	Rat	ip	LD	>1000 <sup>4</sup>
		Guinea pig	ip	LD <sub>50</sub>	100
		Guinea pig	ip	LD <sub>25</sub>	200
		Pigeon	or	LD	160

<sup>1/1</sup> Given by slow injection. <sup>1/2</sup> Given by rapid injection. <sup>1/3</sup> Suspension in H<sub>2</sub>O. <sup>1/4</sup> Parts-

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		Sev da 7 mo Rapid Sev da	Schlossmann, Hefter's Hdb. 3, 3:2135. Ibid Ibid Ibid	1160
3020-4610 1690-1930			Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Ibid	1161
			Flury, Abderhalden's Hdb. 4, 7b:1422.	1162
		24 hr Rapid  2 hr	Samaan, Q. J. Pharm. Pharmacol. 7:192, 1934. Merz, Arch. exp. Path. Pharm. 156:277, 1930. Heubner, Arch. exp. Path. Pharm. 177:60, 1934. Ibid Samaan, Q. J. Pharm. Pharmacol. 7:192, 1934.	1163
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	1164
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	1165
	H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Vincke, Arch. exp. Path. Pharm. 188:465, 1938. Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid Ibid	1166
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	1167
	H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	1168
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	1169
			Gessner, Arch. exp. Path. Pharm. 168:447, 1932. Ibid Frombers, Arch. exp. Path. Pharm. 158:368, 1930. Ibid Gessner, Arch. exp. Path. Pharm. 168:447, 1932. Dietrichs, Arch. exp. Path. Pharm. 161:206, 1931. Fromiers, Arch. exp. Path. Pharm. 158:368, 1930. Ibid	1170
			Deichmann, J. Ind. Hyg. Tox. 22:488, 1940. Ibid Ibid	1171
		4 mo 4 mo	Bradley, Indust. Med. 2:15, 1941. Fairhall, Pub. Health Bull. 253, 1940. Ibid Flury, Abderhalden's Hdb. 4, 7b:1314.	1172

cle size = 325 mesh.

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1173	Lead acetate	Frog	sc	LD	1660
		Rat	ip	LD	130
		Rat	ip	LD50	150
		Rabbit	sc	LD	300
		Rabbit	iv	LD	50
		Rabbit	iv	LD	300-400
		Cat	sc	LD	100
		Dog	or	LD	300
		Dog	sc	LD	80
		Dog	iv	LD	9
		Dog	iv	LD	300
1174	Lead arsenate	Rat	or	LD <sub>50</sub> <sup>a</sup>	825
		Rat	or	LD <sub>50</sub> <sup>a</sup>	100
		Rabbit	or	LD <sub>50</sub> <sup>a</sup>	125
		Rabbit	or	MLD	200
		Chicken	or	LD <sub>50</sub> <sup>a</sup>	450
		Sheep	or	LD	4940 <sup>1</sup>
1175	Lead carbonate	Guinea pig	or	MLD <sup>a</sup>	1000
		Guinea pig	ip	LD	124
		Guinea pig	ip	LD <sub>75</sub>	250
1176	Lead chloride	Guinea pig	or	MLD	1500-2000
1177	Lead chromate	Guinea pig	ip	LD <sub>75</sub>	156
		Guinea pig	ip	LD <sub>66</sub>	310
1178	Lead dioxide	Guinea pig	ip	LD <sub>33</sub>	115
		Guinea pig	ip	LD <sub>66</sub>	230
1179	Lead lactate	Guinea pig	or	LD <sub>25</sub>	1000-4000
1180	Lead monoxide	Rat	ip	LD <sub>50</sub>	400
		Guinea pig	ip	LD <sub>40</sub>	108
		Guinea pig	ip	LD <sub>75</sub>	210
1181	Lead nitrate	Rat	ip	LD	270
		Guinea pig	or	LD	2000
1182	Lead oleate	Guinea pig	or	LD	8000
1183	Lead orthoarsenate	Guinea pig	ip	LD <sub>100</sub>	160
		Guinea pig	ip	LD <sub>50</sub>	38
1184	Lead orthophosphate	Guinea pig	ip	LD <sub>33</sub>	131
		Guinea pig	ip	LD	260
1185	Lead oxide	Rat	ip	LD <sub>50</sub>	450
		Guinea pig	or	MLD	2000
1186	Lead (red)	Guinea pig	ip	LD <sub>40</sub>	118
		Guinea pig	ip	LD <sub>50</sub>	220
1187	Lead silicate	Guinea pig	ip	LD	136
1188	Lead stearate	Guinea pig	or	MLD	20,000

1/ Lead monoarsenate.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		3-4 da	Flury, Abderhalden's Hdb. 4.7b:1314. Buck, J. Pharm. Exp. Ther. 38:161, 1930. Bradley, Indust. Med. 2:15, 1941.	1173
		27 da	Flury, Abderhalden's Hdb. 4.7b:1314	
		2 da	Ibid	
		Few min	Ibid	
		11 da	Ibid	
			Ibid	
		11-12 da	Ibid	
		24 hr	Ibid	
			Voigt, J. Am. Pharm. Assoc. 37:122, 1948. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Voigt, J. Am. Pharm. Assoc. 37:122, 1948. Ibid Ibid McCulloch, J. Am. Vet. M. Assoc. 96:321, 1940.	1174
		2½ da	Tartler, Arch. Hyg. 125:273, 1941.	1175
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	
		4 mo	Ibid	
			Tartler, Arch. Hyg. 125:273, 1941.	1176
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	1177
		4 mo	Ibid	
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	1178
		4 mo	Ibid	
		6 mo	Tartler, Arch. Hyg. 125:273, 1941.	1179
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	1180
		4 mo	Bradley, Indust. Med. 2:15, 1941.	
		4 mo	Ibid	
		2½ hr	Buck, J. Pharm. Exp. Ther. 38:161, 1930. Tartler, Arch. Hyg. 125:273, 1941.	1181
			Tartler, Arch. Hyg. 125:273, 1941.	1182
		18 hr	Fairhall, Pub. Health Bull. 253, 1940.	1183
		18 hr	Ibid	
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	1184
		4 mo	Ibid	
			Bradley, Indust. Med. 2:15, 1941. Tartler, Arch. Hyg. 125:273, 1941.	1185
		4 mo	Fairhall, Pub. Health Bull. 253, 1940.	1186
		4 mo	Ibid	
			Fairhall, Pub. Health Bull. 253, 1940.	1187
			Tartler, Arch. Hyg. 125:273, 1941.	1188

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1189	Lead sulfate	Guinea pig	or	MLD*	35,000
		Guinea pig	ip	LD <sub>10</sub>	146
		Guinea pig	ip	LD <sub>75</sub>	253
		Dog	or	LD	2000-3000
1190	Lead sulfide	Rat	ip	LD <sub>50</sub>	1600
		Guinea pig	or	MLD	10,000
		Guinea pig	ip	LD <sub>20</sub>	113
		Guinea pig	ip	LD <sub>55</sub>	220
1191	Lead tetraethyl	Rat	ip	MLD*	10
		Rabbit	sc	MLD	312-468
		Rabbit	iv	MLD	21.8-46.8
1192	Leptoride	Cat	iv	LD <sub>50</sub>	1,888
1193	Lergigan	Rat	sc	LD <sub>50</sub> *	400
		Rat	sc	LD <sub>100</sub> *	700
1194	Lethane (special) <sup>1</sup>	Rat	or	LD <sub>50</sub>	400
		Rabbit	ct	LD <sub>50</sub>	1000
1195	Lethane 60	Rat	or	LD <sub>50</sub>	500
		Rabbit	ct	LD <sub>50</sub>	10,000
1196	Lethane 384 <sup>2</sup>	Rat	or	LD	90
		Rat	or	LD	0.5 cc
		Rat	ct	LD	0.6 cc
		Rat	sc	LD	0.55 cc
		Rat	ip	LD	0.09 cc
		Guinea pig	or	LD	0.4 cc
		Guinea pig	sc	LD	0.45 cc
		Guinea pig	ip	LD	0.084 cc
		Rabbit	or	LD	0.12 cc
		Rabbit	ct	LD	0.4 cc
		Rabbit	ct	LD	0.25-0.5 cc
		Rabbit	sc	LD	0.10 cc
		Rabbit	ip	LD	0.08 cc
		Dog	or	LD	0.05 cc
Dog	sc	LD	0.2 cc		
1197	Levulose	Rabbit	iv	LD	14,300-18,000
1198	Licheniformin A5	Mouse	sc	LD <sub>50</sub>	670
		Mouse	ip	LD <sub>50</sub>	476
		Mouse	iv	LD <sub>50</sub>	368
		Rat	sc	LD <sub>50</sub>	300
		Guinea pig	sc	LD <sub>50</sub>	670
		Guinea pig	ip	LD <sub>50</sub>	500
		Guinea pig	iv	LD <sub>50</sub>	100
1199	Lithium chloride (continued on next page)	Frog	sc	LD	885.8
		Mouse	ip	LD <sub>50</sub>	1060
		Guinea pig	sc	LD	610.9

<sup>1/1</sup> Lethane 60-3 parts, lethane 384-1 part. <sup>2/2</sup> 50% solution of  $\beta$ -Mucosyl-p-thioxyanodiethyl

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		4 mo 4 mo	Tartler, Arch. Hyg. <u>125:273</u> , 1941. Fairhall, Pub. Health Bull. <u>253</u> , 1940. Ibid Flury, Abderhalden's Hdb. <u>4.7b:1314</u> .	1189
		3 da 4 mo 4 mo	Bradley, Indust. Med. <u>2:15</u> , 1941. Tartler, Arch. Hyg. <u>125:273</u> , 1941. Fairhall, Pub. Health Bull. <u>253</u> , 1940 Ibid	1190
	H <sub>2</sub> O		Buck, J. Pharm. Exp. Ther. <u>38:161</u> , 1930. Obara, Tohoku J. E. M. <u>46:295</u> , 1944. Bischoff, J. Pharm. Exp. Ther. <u>34:85</u> , 1928.	1191
1.360-2.850	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1192
		48 hr	Halpern, C. rend. Soc. biol. <u>144:887</u> , 1950. Ibid	1193
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952.	1194
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952.	1195
	Pet oil Pet oil		Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Main, Indust. Med. <u>11:531</u> , 1942. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952. Main, Indust. Med. <u>11:531</u> , 1942. Ibid Ibid Ibid	1196
			Flury, Abderhalden's Hdb. <u>4.7b:1422</u> .	1197
587-719 457-496 356-381			Keppie, Brit. J. Pharm. <u>5:474</u> , 1950. Ibid Ibid Ibid Ibid Ibid	1198
			Flury, Abderhalden's Hdb. <u>4.7b:1362</u> . Allea, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939. Flury, Abderhalden's Hdb. <u>4.7b:1362</u> .	1199

ether in light petroleum oil.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1199 Lithium chloride (concluded)	Rabbit	sc	LD	551
	Cat	sc	LD	400-500
	Pigeon	sc	LD	>15.2
1200 Lithium fluoride	Frog	sc	LD	250
	Guinea pig	or	LD	200
	Guinea pig	sc	LD	2000
1201 Longlobine	Mouse	iv	LD <sub>50</sub>	76.86±4.84
1202 α-Longlobine	Mouse	iv	LD <sub>50</sub>	71.52±4.65
1203 β-Longlobine	Mouse	iv	LD <sub>50</sub>	77.2±5.0
1204 Luminal	Mouse	or	LD <sub>50</sub>	325
	Mouse	ip	LD <sub>50</sub>	340
	Mouse	ip	LD <sub>50</sub>	235±12
	Rat	or	LD <sub>50</sub>	660
	Rat	sc	LD <sub>50</sub>	200
	Rat	ip	LD <sub>50</sub>	199
	Rat	ip	M.LD	155
	Rabbit	or	MLD	150
	Rabbit	ip	MLD	150
	Rabbit	iv	LD <sub>50</sub>	185
Cat	or	LD <sub>50</sub> <sup>a</sup>	175	
1205 Lunarine	Mouse	iv	LD <sup>b</sup>	62.3
1206 Lupetidine	Frog	sc	LD <sup>c</sup>	625-775
1207 Lupulon	Mouse	or	LD <sub>50</sub>	1500
	Mouse	im	LD <sub>50</sub>	600
	Rat	or	LD <sub>50</sub>	1800
	Rat	im	LD <sub>50</sub>	330
	Guinea pig	or	LD <sub>50</sub>	130
1208 Magnesium acetate	Mouse	iv	LD <sub>50</sub>	10.35
1209 Magnesium chloride	Rat	or	LD <sub>50</sub>	5250
	Rat	ip	LD <sub>50</sub>	1100
1210 Magnesium chloride	Rat <sup>d</sup>	sc	MLD	900
	Rat	ip	LD	225
	Rat	iv	LD	176
1211 Magnesium fluoride	Frog	sc	LD	>2500
	Guinea pig	or	LD	1000
	Guinea pig	sc	LD	3000
1212 Magnesium silicofluoride	Frog	sc	LD	375
	Guinea pig	or	LD	200
	Guinea pig	sc	LD	400
1213 Magnesium sulfate	Guinea pig	sc	MLD	>1800
	Rabbit	sc	MLD	>1750
	Cat	sc	MLD	>1000
	Dog	sc	LD	>1750

<sup>d</sup>/ Young rat.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Flury, Abderhalden's Hdb. 4.7b:1362. Ibid Ibid	1199
			Simonin, C. rend. Soc. biol. 124:133, 1937. Ibid Ibid	1200
			Henderson, Proc. Soc. Exp. Biol. Med. 76:530, 1951.	1201
			Henderson, Proc. Soc. Exp. Biol. Med. 76:530, 1951.	1202
			Henderson, Proc. Soc. Exp. Biol. Med. 76:530, 1951.	1203
			Reinhard, J. Pharm. Exp. Ther. 106:444, 1952. Gruber, J. Pharm. Exp. Ther. 81:254, 1944. Way, J. Pharm. Exp. Ther. 87:265, 1946. Schaffarsick, Science 116:663, 1952. Vogt, Arch. exp. Path. Pharm. 152:341, 1930. Gruber, J. Pharm. Exp. Ther. 81:254, 1944. Fitch, J. Pharm. Exp. Ther. 44:325, 1932. Ibid Ibid Gruber, J. Pharm. Exp. Ther. 81:254, 1944. Krop, J. Pharm. Exp. Ther. 88:260, 1946.	1204
			Henderson, J. Am. Pharm. Assoc. 39:516, 1950.	1205
			Gruber, Arch. Anat. Physiol. 401:1890.	1206
			Vin Chiang Chin. Fed. Proc. 8:281, 1949. Ibid Ibid Ibid	1207
		48 hr	Welch, J. Lab. Clin. Med. 29:809, 1944.	1208
			Ulrich, J. Pharm. Exp. Ther. 35:1, 1929. Ibid	1209
		1 hr 3-5 min	Main, Endocrinology 24:523, 1939. Ulrich, J. Pharm. Exp. Ther. 35:1, 1929. Loesser, J. Lab. Clin. Med. 15:32, 1929.	1210
			Simonin, C. rend. Soc. biol. 125:133, 1937. Ibid Ibid	1211
			Simonin, C. rend. Soc. biol. 125:133, 1937. Ibid Ibid	1212
			Meltzer, Am. J. Physiol. 14:366, 1905. Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1364.	1213

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1213 Magnesium sulfate (concluded)	Dog	ip	LD	1200-2000
			LD	500-1000
1214 Malachite green	Rabbit	or	LD	751
1215 Malathion <sup>2</sup>	Mouse <sup>1</sup>	or	LD <sub>50</sub>	885 <sup>3</sup>
	Mouse	or	LD <sub>50</sub>	1120
	Rat <sup>1</sup>	or	LD <sub>50</sub>	1100
	Rat <sup>2</sup>	or	LD <sub>50</sub>	12
	Rat	or	LD <sub>50</sub>	480 <sup>3</sup>
	Rat	or	LD <sub>50</sub>	1400
	Rat	ip	LD <sub>50</sub>	750
	Rat	iv	LD <sub>50</sub> <sup>3</sup>	50
1216 Maleic hydrazide	Rabbit	or	LD <sub>50</sub>	4000
	Rabbit	ct	LD <sub>50</sub> <sup>3</sup>	>4000
1217 Malonic acid	Frog	sc	LD	800-1000
	Mouse	ip	LD <sub>50</sub>	1550
	Rat	ip	LD <sub>50</sub>	1540
	Rabbit	ip	LD <sub>50</sub>	640
1218 Malonylnitrile	Frog	sc	LD	95
	Mouse	ip	LD <sub>50</sub>	12.75±0.39
	Rabbit	sc <sup>3</sup>	LD	6-7
	Pigeon	im	M-LD	80
1219 Mandelic acid	Rat	or	MLD	3000
	Rat	im	LD <sub>50</sub>	300
1220 Mandelonitrile	Frog	sc	LD	600
	Mouse	sc	LD	23
	Rabbit	sc	LD	6
	Pigeon	im	LD	22
1221 Manganese chloride MnCl <sub>2</sub> ·4H <sub>2</sub> O	Mouse	sc	LD	180-250
	Guinea pig	sc	LD	180
	Rabbit	sc	LD	180
	Rabbit	iv	MLD	64.8
	Dog	iv	LD <sub>50</sub>	201.6
1222 Manganese dioxide	Mouse	sc	LD	500
	Rabbit	iv	LD	45.36
1223 Manerin	Cat	iv	LD <sub>50</sub>	0.1407
1224 Mapharsen	Mouse	ip	LD <sub>50</sub>	42.6
	Mouse	ip	LD <sub>50</sub>	42.7±0.4
	Rat	or	MLD	>30
	Rat	im	MLD	>21
	Rat	iv	MLD	>21
	Rabbit	ip	LD <sub>50</sub>	11
1225 Maralid	Mouse	or	LD <sub>50</sub>	968±29
	Mouse	ct	LD <sub>50</sub>	720
	Mouse	sc	LD <sub>50</sub>	712
	Mouse	sc	LD <sub>50</sub>	100000

<sup>1/1</sup> Daily <sup>2/2</sup> Formerly Malathion. <sup>3/3</sup> Technical. \*0% solution in oil

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Flury, Abderhalden's Hdb. 4.7b:1364. Ibid	1213
		6-10 da	Deschiens, C. rend. Soc. biol. 138:838, 1944.	1214
	Veg oil		Holland, Fed. Proc. 11:357, 1952. Hagan, Fed. Proc. 12:327, 1952. Ibid	1215
	Veg oil		Holland, Fed. Proc. 11:357, 1952. DuBois, Arch. ind. Hyg. Occ. Med. 8:350, 1953. Ibid Hagan, Fed. Proc. 12:327, 1952. Ibid	
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Lehman, Q. Bull. Assoc. F. & D. Off. 65:3, 1952.	1216
			Heymans, Dubois' Arch. f. Physiol. 168, 1889. Gruber, Arch. int. pharmacod. 79:461, 1949. Ibid Ibid	1217
			Heymans, Arch. int. pharmacod. 3:77, 1897. Nash, Arch. int. pharmacod. 84:385, 1950. Heymans, Arch. int. pharmacod. 3:77, 1897. Meurice, Arch. int. pharmacod. 7:11, 1900.	1218
			Meier, Arch. int. pharmacod. 64:79, 1940. Boyd, Exp. Med. Surg. 4:223, 1946.	1219
		6 hr	Verbrugge Arch. int. pharmacod. 5:161, 1899. Hunt, Arch. int. pharmacod. 12:447, 1904. Verbrugge, Arch. int. pharmacod. 5:161, 1899. Meurice, Arch. int. pharmacod. 7:11, 1900.	1220
		12 hr 12 hr	Langecker, Heffter's Hdb. 3.2:1346. Ibid Ibid Ibid Carvinka, C. rend. Soc. biol. 102:262, 1929.	1221
			Langecker, Heffter's Hdb. 3.2:1346. Sabatini, Ber. Phys. med. Ges. 47:336, 1928.	1222
0.1196-0.1771	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1223
			Eagle, J. Pharm. Exp. Ther. 81:142, 1949. Beck, Proc. Soc. Exp. Biol. Med. 78:392, 1951. Nelson, J. Pharm. Exp. Ther. 63, 122, 1938. Ibid Ibid Eagle, J. Pharm. Exp. Ther. 81:142, 1949.	1224
		1 da	Benson, Am. Rev. Tuberc. 65:376, 1952. Grunberg, Q. Bull. Sea View Hosp. 13:3, 1952. Ibid	1225
		1 da	Benson, Am. Rev. Tuberc. 65:376, 1952.	

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1225	Marsilal (concluded)	Mouse	im	LD <sub>50</sub>	681±47.8
		Mouse	ip	LD <sub>50</sub>	690
		Mouse	iv	LD <sub>50</sub>	725±16.3
		Mouse	iv	LD <sub>50</sub>	689
		Rat	or	LD <sub>50</sub>	383
		Rabbit	or	LD <sub>50</sub>	150
		Rabbit	iv	LD <sub>50</sub>	150
1226	Meccholyl HCl	Mouse	or	LD <sub>50</sub>	1100
		Mouse	sc	LD <sub>50</sub>	90
		Mouse	iv	LD <sub>50</sub>	15
		Rat	or	LD <sub>50</sub>	750
		Rat	sc	LD <sub>50</sub>	75
		Rat	iv	LD <sub>50</sub>	20
1227	Mefurone	Rat	?	LD <sub>50</sub>	25±0.2
		Mouse	?	LD <sub>50</sub>	33±0.2
1228	Menadione	Mouse	or	LD <sub>100</sub>	1000 <sup>1</sup>
		Mouse	ip	LD <sub>100</sub>	200 <sup>1</sup>
		Chicken	ip	LD <sub>100</sub>	250 <sup>1</sup>
1229	Menthol (natural)	Mouse	sc	LD	5000-6000
		Rat	sc	LD	1000-2500
		Cat	or	LD	800-1000 <sup>2</sup>
		Cat	ip	LD	800-1000 <sup>2</sup>
1230	Menthol (synthetic)	Mouse	sc	LD	1400-1600
		Cat	or	LD	1500-1600 <sup>2</sup>
		Cat	ip	LD	1500-1600 <sup>2</sup>
1231	Mephenezin carbamate	Mouse	or	LD <sub>50</sub>	2.77
		Mouse	ip	LD <sub>50</sub>	7.67
1232	Mephentermine	Mouse	ip	LD <sub>50</sub>	100-110
1233	Mercurhydrin	Mouse	sc	LD <sub>50</sub>	84±2
		Rat	sc	LD <sub>50</sub>	12.5
		Rat	im	LD <sub>50</sub>	11.8±0.4
		Rat	iv	LD <sub>50</sub>	25
1234	Mercuric chloride	Mouse	sc	LD <sub>50</sub>	23
		Mouse	iv	LD <sub>50</sub>	7.6
		Mouse	iv	LD <sub>50</sub>	14±2.4 <sup>3</sup>
		Mouse	iv	LD <sub>50</sub>	4.8±0.8 <sup>3</sup>
		Rat	or	LD <sub>50</sub> <sup>*</sup>	37
		Rabbit	sc	LD	10
1235	Mercurochrome	Rabbit	iv	LD	15-20
1236	Mercurophylline	Mouse	sc	LD <sub>50</sub>	163±2
		Mouse	iv	LD <sub>50</sub>	55.6
		Mouse	iv	LD <sub>50</sub>	43.6±3
		Rat	sc	LD <sub>50</sub>	21
		Rat	iv	LD <sub>50</sub>	84-112
		Rabbit	iv	LD <sub>50</sub>	7.1

/1/ Suspension in oil. /2/ Emulsion. /3/ As mercury.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		1 da 1 da 1 da 1 wk 1 da 1 da	Benson, A. <i>Rev. Tuberc.</i> <u>65:376</u> , 1952. Ibid Ibid Grunberg, Q. <i>Bull. Sea View Hosp.</i> <u>13:3</u> , 1952. Benson, <i>Am. Rev. Tuberc.</i> <u>65:376</u> , 1952. Ibid Ibid	1225
			Molitor, <i>J. Pharm. Exp. Ther.</i> <u>58:337</u> , 1936. Ibid Ibid Ibid Ibid	1226
			Slaughter, <i>J. Pharm. Exp. Ther.</i> <u>101:33</u> , 1951. Ibid	1227
	Oil Oil Oil		Molitor, <i>Proc. Soc. Exp. Biol. Med.</i> <u>43:125</u> , 1940. Ibid Ibid	1228
	Oil Oil		Flury, <i>Abderhalden's Hdb.</i> <u>4.7b:1365</u> . Ibid Ibid Ibid	1229
	Oil		Flury, <i>Abderhalden's Hdb.</i> <u>4.7b:1365</u> . Ibid Ibid	1230
			Dresel, <i>Proc. Soc. Exp. Biol. Med.</i> <u>79:286</u> , 1952. Ibid	1231
			Seifter, 116th Meet. Am. Chem. Soc., 1949.	1232
		1-7 da 1-7 da	Blumberg, <i>J. Pharm. Exp. Ther.</i> <u>105:336</u> , 1952. Orth, <i>Fed. Proc.</i> <u>9:305</u> , 1950. Blumberg, <i>J. Pharm. Exp. Ther.</i> <u>105:336</u> , 1952. Orth, <i>Fed. Proc.</i> <u>9:305</u> , 1950.	1233
	H <sub>2</sub> O	3 hr 4 da	Wien, <i>Q. J. Pharm. Pharmacol.</i> <u>12:212</u> , 1939. Ibid Lehman, <i>J. Pharm. Exp. Ther.</i> <u>99:149</u> , 1950. Ibid Lehman, <i>Q. Bull. Assoc. F. &amp; D. Off.</i> <u>15:122</u> , 1951. Hesse, <i>Arch. exp. Path. Pharm.</i> <u>177:266</u> , 1926.	1234
		7-10 da	Cohen, <i>J. Pharm. Exp. Ther.</i> <u>34:343</u> , 1929.	1235
		½ hr 4 da 1-7 da 50 min ½ hr	Blumberg, <i>J. Pharm. Exp. Ther.</i> <u>105:336</u> , 1952. Lehman, <i>J. Pharm. Exp. Ther.</i> <u>99:149</u> , 1950. Ibid Orth, <i>Fed. Proc.</i> <u>9:305</u> , 1950. Ibid Lehman, <i>J. Pharm. Exp. Ther.</i> <u>99:149</u> , 1950.	1236

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1237 Mersalyl theophylline	Mouse	sc	LD50	74±4
	Rat	im	LD50	10.8±0.2
1238 Merthiolate	Mouse	sc	LD50	66
	Mouse	iv	LD50	45
1239 Mesantoin	Rat	ip	LD100	270 <sup>d</sup>
	Guinea pig	ip	LD50	215 <sup>1</sup>
1240 Metacide	Rat	or	LD50	12.7
	Rat	ip	LD50	3.5
1241 Methacrylaldehyde	Rat	or	LD50	140
	Rabbit	ct	LD50	0.43 cc
1242 Methacrylonitrile	Mouse	or	LD <sup>a</sup>	15
	Mouse	ip	LD <sup>a</sup>	15
1243 D-Methadone HCl	Mouse	ip	LD50	65
	Mouse	iv	LD50	30.6±1.0
	Rat	ip	LD50	72
1244 D,L-Methadone HCl	Frog <sup>2</sup>	sc	LD50	102±20
	Frog <sup>3</sup>	sc	LD50	55.5±5.3
	Turtle	sc	LD50	31.3±2.2
	Mouse	or	LD50	93.7±9.5
	Mouse	sc	LD50	48±19
	Mouse	sc	LD50	40
	Mouse	sc	LD50	33.7±5.4
	Mouse	ip	LD50	31
	Mouse	ip	LD50	38.2±1.9
	Mouse	iv	LD50	17.3±0.9
	Mouse	iv	LD50	18
	Mouse	iv	LD50	20.9±1.6
	Mouse	iv	LD50	20±5
	Rat	or	LD	90.0±10.8
	Rat	or	LD50	95.0±33
	Rat	sc	LD50	12.4±2.5
	Rat	sc	LD50	48
	Rat	sc	LD50	100±19
	Rat	sc	LD50	45±16
	Rat	ip	LD50	23.8±2.4
	Rat	ip	LD50	33
	Rat	ip	LD50	40
	Rat	iv	LD50	10.4±1.19
	Rat <sup>4</sup>	iv	LD50	14.62±1.58
	Rat	iv	LD50	9.2±0.4
	Guinea pig	sc	LD50	54.4±3.6
	Monkey	sc	LD50	10-20
Pigeon	iv	LD50	50.9±3.1	
Duck <sup>5</sup>	iv	LD50	12.0±3.6	

/1/ 10% solution in propylene glycol. /2/ Leopard frog. /3/ African clawed frog. /4/ Young

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Blumberg, J. Pharm. Exp. Ther. <u>105:336</u> , 1952. Ibid	1237
			Wien, Q. J. Pharm. Pharmacol. <u>12:212</u> , 1939. Ibid	1238
	Propgly Propgly		Pers. comm., Scandoz Chem. Works, 1950. Ibid	1239
			DuBois, Fed. Proc. <u>9:269</u> , 1950. DuBois, Arch. Ind. Hyg. Occ. Med. <u>6:9</u> , 1952.	1240
100-190 0.28-0.66 cc			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	1241
			McOmie, J. Ind. Hyg. Tox. <u>31:113</u> , 1949. Ibid	1242
			Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Scott, Current Res. Anes. <u>26:12</u> , 1947. Winter J. Pharm. Exp. Ther. <u>98:305</u> , 1950.	1243
			Henderson, Arch. int. pharmacod. <u>79:282</u> , 1949. Ibid Ibid Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Randall, J. Pharm. Exp. Ther. <u>99:163</u> , 1950. Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950. Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Ibid Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Scott, Current Res. Anes. <u>26:12</u> , 1947. Randall, J. Pharm. Exp. Ther. <u>99:163</u> , 1950. Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Finnegan, J. Pharm. Exp. Ther. <u>92:269</u> , 1948. Chen, Ann. N. Y. Acad. Soc. <u>51:38</u> , 1948. Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Finnegan, J. Pharm. Exp. Ther. <u>92:269</u> , 1948. Randall, J. Pharm. Exp. Ther. <u>99:163</u> , 1950. Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Eddy, J. Pharm. Exp. Ther. <u>98:121</u> , 1950. Henderson, Proc. Soc. Exp. Biol. Med. <u>68:350</u> , 1948. Ibid Finnegan, J. Pharm. Exp. Ther. <u>92:269</u> , 1948. Chen, Ann. N. Y. Acad. Sci. <u>51:83</u> , 1948. Ibid Henderson, Arch. int. pharmacod. <u>79:282</u> , 1949. Ibid	1244

rats (14 days old) are less sensitive than mature rats (4 months old). /5/ Young.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1245 l-Methadone HCl	Mouse	sc	LD <sub>50</sub>	19
	Mouse	ip	LD <sub>50</sub>	30
	Mouse	iv	LD <sub>50</sub>	28.7±4.5
	Rat	sc	LD <sub>50</sub>	44
	Rat	ip	LD <sub>50</sub>	24
1246 Methadren(e)	Mouse	sc	LD	250
	Rat	sc	LD <sub>50</sub> *	104
	Rat	ip	LD <sub>50</sub> *	50
	Rat	iv	LD <sub>50</sub> *	5-6
	Rabbit	sc	LD <sub>50</sub> *	25-30
	Rabbit	ip	LD <sub>50</sub> *	20-25
	Rabbit	iv	LD <sub>50</sub> *	2.5-3.75
	Rabbit	iv	LD	40
	Dog <sup>1</sup>	iv	LD <sub>50</sub> *	10-15
Dog <sup>2</sup>	iv	LD <sub>50</sub> *	7.5	
1247 Methanol	Frog	iv	LD	4176
	Mouse	or	LD	7920-9504
	Rat	or	LD <sub>50</sub>	12,880
	Rabbit	or	LD	6970
	Rabbit	or	LD	11,088
	Rabbit	iv	LD	4220
	Rabbit	iv	MLD	15,919
	Cat	iv	LD	4673
	Dog	or	LD	6336
1248 Methedrine	Mouse	ip	LD <sub>50</sub>	70
	Mouse	ip	MLD	32
	Rat	or	LD*	3-5
	Rat	ip	LD	1.5-2.5
	Rat	ip	LD	25
1249 4-Methoxy-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	56±124
	Mouse	iv	LD <sub>50</sub>	46±12
1250 5-Methoxy-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub> *	150
1251 6-Methoxy-2-aminobenzothiazole	Mouse	iv	LD <sub>50</sub> *	140
1252 p-Methoxybenzyl alcohol	Mouse	or	LD <sub>50</sub>	1.6 cc
	Rat	or	LD <sub>50</sub>	1.2 cc
1253 Methoxychlor	Mouse	or	LD <sub>20</sub>	800
	Rat	or	LD <sub>50</sub>	5000
	Rat	or	LD <sub>50</sub> *	6000
	Rabbit	ct	LD <sub>50</sub> *	4000
1254 Methoxyethyl oleate	Rat	or	LD*	16,000
1255 2-Methoxyphenoxyethylbenzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	50
1256 2-Methoxyphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	25

/1/ Young. /2/ Ac.it.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Ibid Scott, Current Res. Anes. <u>26:12</u> , 1947. Winter, J. Pharm. Exp. Ther. <u>98:305</u> , 1950. Ibid	1245
		24 hr 24 hr 24 hr 24 hr 24 hr	Geiger, Arch. int. pharmacod. <u>61:64</u> , 1939. Stutzman, J. Pharm. Exp. Ther. <u>69:1</u> , 1940. Ibid Ibid Ibid Ibid Ibid Ibid	1246
11,440-14,460  Macht			Sammartino, Arch. farm. sper. <u>56:351</u> , 1933. Weese, Arch. exp. Path. Pharm. <u>135:118</u> , 1928. Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Dujardin, C. rend. Acad. sc. <u>81:192</u> , 1876. Langgard, Berl. klin. Wochr. <u>49:1704</u> , 1912. Sammartino, Arch. farm. sper. <u>56:351</u> , 1933. Lehman, J. Pharm. Exp. Ther. <u>61:103</u> , 1937. Macht, J. Pharm. Exp. Ther. <u>16:1</u> , 1921. Haskell, Arch. Int. Med. <u>27:71</u> , 1921.	1247
			Lands, J. Pharm. Exp. Ther. <u>89:382</u> , 1947. Hauschild, Arch. exp. Path. Pharm. <u>195:647</u> , 1940. Hauschild, Arch. exp. Path. Pharm. <u>191:465</u> , 1939. Ibid Hauschild, Arch. exp. Path. Pharm. <u>195:647</u> , 1940.	1248
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952. Ibid	1249
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	1250
			Domino, J. Pharm. Exp. Ther. <u>105:486</u> , 1952.	1251
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	1252
	Oil Oil	7 da 72 hr	Von Oettingen, J. Pharm. Exp. Ther. <u>88:400</u> , 1946. Hodge, J. Pharm. Exp. Ther. <u>99:140</u> , 1950. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Ibid	1253
			Smith, Ind. Med. Hyg. <u>7:310</u> , 1953.	1254
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1255
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1256

Compound	Animal	Route	Dose	Dosage	
				mg/kg Value	
1257	2-Methoxyphenoxylethyldiethylamine	Mouse	sc	LD <sub>50</sub> *	350
1258	2-Methoxyphenoxylethylmethylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	40
1259	m-Methoxyphenylethylamine	Mouse	ip	LD	230
1260	p-Methoxyphenylethylamine	Mouse	ip	LD	150
1261	α-(4-Methoxyphenyl)-β-methylamino-propane	Rat	ip	LD <sub>50</sub>	300
1262	α-(p-Methoxyphenyl)-β-methylamino-propane	Mouse	ip	MLD	300
1263	1-(p-Methoxyphenyl)-2-methyl-1,3-propanediol methylene ether	Mouse	or	LD <sub>50</sub>	4.5 cc
		Rat	or	LD <sub>50</sub>	4.2 cc
1264	2-Methoxy-4-propylenephenoxylethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	15
1265	Methyl acetate	Guinea pig	sc	LD	3000-5000
		Cat	sc	LD	3000
1266	Methyl acetoacetate	Rat	or	LD <sub>50</sub>	3000
		Rabbit	ct	LD <sub>50</sub>	>10,000
1267	4-Methylasculetin	Mouse	ip	LD <sub>50</sub>	>3000
1268	Methylamine	Frog	sc	LD	2000-3000
		Mouse	sc	LD	2500
		Rabbit	sc	LD	2000
		Rabbit	iv	LD	800-1000
1269	2-Methylaminobenzothiazole	Mouse	iv	LD <sub>50</sub>	166±9
1270	4-Methyl-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	697±147
		Mouse	iv	LD <sub>50</sub>	54±4
1271	5-Methyl-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	1070±200
		Mouse	iv	LD <sub>50</sub>	74±2
1272	6-Methyl-2-aminobenzothiazole	Mouse	or	LD <sub>50</sub>	525±168
		Mouse	iv	LD <sub>50</sub>	84±5
1273	6-Methyl-2-aminobenzothiazole, 4-methyl	Mouse	or	LD <sub>50</sub> *	850
1274	2-Methylaminoethanol	Rat	or	LD <sub>50</sub>	2340
1275	p-di-β-3-Methylaminoethoxybenzene diiodide	Mouse	sc	LD <sub>50</sub>	15.5±1.7
1276	2-Methyl-6-aminoheptane	Rat	or	LD <sub>50</sub>	538
		Rat	im	LD <sub>50</sub>	146
		Rat	ip	LD <sub>50</sub>	50
1277	2-Methyl-2-n-amyl-4-acetyl-methyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	1000.5±170.2

/1/ Bovet and Bovet-Nitti. "Medicaments du Système Nerveux Végétatif." New York:

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	1257
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	1258
			Epstein, J. Physiol. 76:224, 1932.	1259
			Epstein, J. Physiol. 76:224, 1932.	1260
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1261
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1262
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	1263
		10 da	Nickerson, J. Pharm. Exp. Ther. 101:379, 1951.	1264
			Flury, Arch. Gewerbepath. 5:1, 1934. Ibid	1265
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	1266
			Brodersen, Acta pharm. tox. 2:109, 1951.	1267
			Flury, Abderhalden's Hdb. 4. 7b:1365. Bovet & Bovet-Nitti, <sup>1</sup> Brunton, Philos. Tr. Roy. Soc. Lond. 175:197, 1884. Bovet & Bovet-Nitti, <sup>1</sup>	1268
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1269
			Domino, J. Pharm. Exp. Ther. 105:486, 1952. Ibid	1270
			Domino, J. Pharm. Exp. Ther. 105:486, 1952. Ibid	1271
			Domino, J. Pharm. Exp. Ther. 105:486, 1952. Ibid	1272
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1273
2130-2560			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	1274
			Winter, J. Pharm. Exp. Ther. 100:489, 1950.	1275
			Semenza, Boll. soc. ital. biol. sper. 27:554, 1951. Ibid Ibid	1276
			Berger, Arch. int. pharmacod. 85:474, 1951.	1277

S. Karger, 1948.

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1278	2-(1-Methylamyl)dioxaspirane	Mouse	ip	LD <sub>50</sub>	502.2±37.2
1279	(3-Methylamyl)dioxaspirane	Mouse	ip	LD <sub>50</sub>	465±37.2
1280	2-Methyl-2-n-aryl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	940.1±90
1281	2-Methyl-2-aryl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	594.0±42±52
1282	2-Methyl-2-sec.-aryl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	654.2±101.52
1283	Methylaniline	Rabbit	or	LD	280
		Rabbit	ct	LD	3000
		Rabbit	iv	LD	24
		Cat	iv	LD	24
1284	9-Methyl-azobicyclo-nonanol-diphenylacetate HCl	Mouse	ip	LD <sub>50</sub>	120
1285	2-Methylbenzimidazole	Mouse	iv	LD <sub>50</sub> <sup>*</sup>	200
1286	2-Methylbenzothiazole	Mouse	iv	LD <sub>50</sub>	105±3
1287	2-Methylbenzotriazole	Mouse	iv	LD <sub>50</sub> <sup>*</sup>	375
1288	(3-m-Methylbenzoxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	7.8±0.82
1289	(3-p-Methylbenzoxyphenyl)-trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	11.2±0.79
1290	α-Methylbenzylamine	Rat	or	LD <sub>50</sub>	940
		Rabbit	ct	LD <sub>50</sub>	780
1291	α-Methylbenzylamine-N-hydroxyethyl	Rat	or	LD <sub>50</sub>	2830
		Rabbit	ct	LD <sub>50</sub>	1540
1292	Methylbenzyl "cellosolve"	Rat	or	LD <sub>50</sub>	2290
		Rabbit	ct	LD <sub>50</sub>	5 cc
1293	Methyl-bis(β-chloroethyl)amine (Bunte salt)	Mouse	sc	LD <sub>50</sub>	500
		Mouse	iv	LD <sub>50</sub>	200
		Rabbit	iv	LD <sub>50</sub>	90
1294	Methyl-bis(β-chloroethyl)amine HCl	Mouse	or	LD <sub>50</sub>	20
		Mouse	ct	LD <sub>50</sub>	29
		Mouse	sc	LD <sub>50</sub>	2.6
		Mouse	iv	LD <sub>50</sub> <sup>*</sup>	2
		Rat	or	LD <sub>50</sub>	10
		Rat	ct	LD <sub>50</sub>	22
		Rat	sc	LD <sub>50</sub>	1.9
		Rat	iv	LD <sub>50</sub>	1.1
		Rabbit	ct	LD <sub>50</sub> <sup>*</sup>	15
		Rabbit	iv	LD <sub>50</sub> <sup>*</sup>	1.6
		Dog	iv	LD <sub>50</sub> <sup>*</sup>	1
1295	2-Methyl-1,4-butanediol	Rat	or	LD <sub>50</sub>	3460
		Rabbit	ct	LD <sub>50</sub>	2620

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Berger, Arch. int. pharmacod. 85:474, 1951.	1278
			Berger, Arch. int. pharmacod. 85:474, 1951.	1279
			Berger, Arch. int. pharmacod. 85:474, 1951.	1280
			Berger, Arch. int. pharmacod. 85:474, 1951.	1281
			Berger, Arch. int. pharmacod. 85:474, 1951.	1282
		130 hr 3-5 hr 7 hr	Treon, J. Ind. Hyg. Tox. 31:1, 1949. Ibid Ibid Ibid	1283
			Randall, J. Pharm. Exp. Ther. 104:284, 1952.	1284
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1285
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1286
			Domino, J. Pharm. Exp. Ther. 105:486, 1952.	1287
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	1288
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	1289
670-1310 420-1450			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1290
1640-4870 910-2510			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1291
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	1292
			Anslow, J. Pharm. Exp. Ther. 71:224, 1947. Ibid Ibid	1293
			Anslow, J. Pharm. Exp. Ther. 91:224, 1947. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1294
4790-6220 2300-2890			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Ibid	1295

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1296	2-Methyl-1-butene-3-one	Rat	or	LD <sub>50</sub>	180
		Rabbit	or	LD <sub>50</sub>	230
1297	1-Methylbutyl cartamate	Mouse	ip	LD <sub>50</sub>	350
1298	4-(2-Methylbutyl-2)-2-chlorophenoxyethoxyethyl-4-chlorobenzylidimethylammonium chloride	Mouse	iv	LD <sub>50</sub>	37.4
1299	2-Methyl-2-n-butyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	560±43.5
1300	2-Methyl-2-n-butyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	475.02±55.68
1301	2-(Methyl-2-butyl-2)-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	649.02±85.26
1302	Methyl "carbitol"	Rat	or	LD <sub>50</sub>	92:0
1303	Methyl "cellosolve"	Mouse	ip	LD <sub>50</sub>	2150
		Rat	or	LD <sub>50</sub>	2460
		Guinea pig	or	LD <sub>50</sub>	950
1304	Methyl "cellosolve" acetate	Rat	or	LD <sub>50</sub>	3390
		Rabbit	or	LD <sub>50</sub>	5250
1305	Methyl-β-chloroethylamine	Mouse	iv	LD <sub>50</sub> <sup>a</sup>	100
1306	Methyl-β-chloroethylethylammonium picrylsulfonate	Mouse	sc	LD <sub>50</sub>	2.4
		Mouse	iv	LD <sub>50</sub>	1.5
1307	Methyl-β-chloroethyl-β-hydroxyethylamine HCl	Mouse	sc	LD <sub>50</sub>	16
		Mouse	ip	LD <sub>50</sub>	34
		Mouse	iv	LD <sub>50</sub>	22.5
		Rabbit	iv	LD <sub>50</sub> <sup>a</sup>	12
1308	2-Methyl-2-chloromethyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	850.02±51.52
1309	Methylcyclohexane	Rabbit	or	MLD	4000-4500
1310	Methylcyclohexanol	Rabbit	or	MLD	1750-2000
		Rabbit	or	MLD	6800-9400
1311	Methylcyclohexanone	Rabbit	or	MLD	1000-1250
		Rabbit	or	MLD	4900-7200
1312	2-Methyl-2-cyclohexyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	1000±150
1313	Methyldebenzazepine	Mouse	ip	LD <sub>50</sub>	122±14
1314	5,5'-Methylene-bis-(4,6-dioxo-2-methylidihydropyran)	Mouse	ip	LD <sub>50</sub>	350
1315	2,2'-Methylene-bis-[(4-methyl-6-butyl-3)phenol]	Rat	or	LD <sub>50</sub>	6500
1316	Methylene-bis-tetrionic acid	Mouse	ip	LD <sub>50</sub>	>600

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
70-770			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	1296
			Rpt. Chemother. Leukemia, So. Res. Inst. 1949.	1297
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954.	1298
			Berger, A. J. int. pharmacod. <u>35:474</u> , 1951.	1299
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1300
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1301
7,900-10,710			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	1302
2130-2840 840-1080			Karel, Fed. Proc. <u>6:342</u> , 1947. Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Ibid	1303
			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948. Ibid	1304
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947.	1305
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid	1306
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid Ibid	1307
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1308
			Treon, J. Ind. Hyg. Tox. <u>25:199</u> , 1943.	1309
			Treon, J. Ind. Hyg. Tox. <u>25:199</u> , 1943. Ibid	1310
			Treon, J. Ind. Hyg. Tox. <u>25:199</u> , 1943. Ibid	1311
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1312
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951.	1313
			Brodersen, Acta pharm. tox. <u>2:109</u> , 1946.	1314
			Hagan, Fed. Proc. <u>11:353</u> , 1952.	1315
			Brodersen, Acta pharm. tox. <u>2:109</u> , 1946.	1316

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1317 Methylene blue <sup>1</sup>	Frog	sc	LD <sub>50</sub> <sup>*</sup>	572
	Mouse	sc	LD	150
	Mouse	ip	LD <sub>100</sub>	400 <sup>2</sup>
	Mouse	iv	LD <sub>50</sub>	200
	Rat	sc	LD <sub>50</sub>	400
	Rat	iv	LD	300 <sup>3</sup>
	Guinea pig	sc	LD <sub>50</sub>	300 <sup>4</sup>
	Guinea pig	ip	LD <sub>50</sub>	250 <sup>5</sup>
	Rabbit	or	LD	1000
	Rabbit	ip	LD	400
	Rabbit	iv	LD <sub>50</sub>	150 <sup>4</sup>
Cat	iv	MLD	40	
Dog	or	LD	500	
1318 Methylene green	Rat	or	LD <sub>50</sub> <sup>*</sup>	500
	Rat	ip	LD <sub>50</sub> <sup>*</sup>	125
	Rabbit	iv	LD <sub>50</sub> <sup>*</sup>	150
	Cat	iv	LD <sub>100</sub>	75
1319 3-Methylethylamino-1, 1-di-(2'-thienyl)butane HCl	Mouse	or	LD <sub>50</sub>	253
	Mouse	sc	LD <sub>50</sub>	130
1320 3-Methylethylamino-1, 1-di-(2'-thienyl)butane HCl	Mouse	or	LD <sub>50</sub>	192
	Mouse	sc	LD <sub>50</sub>	88
1321 2-Methyl-5-ethylpyridine	Rat	or	LD <sub>50</sub>	1540
	Rabbit	ct	LD <sub>50</sub>	3800
1322 Methyl-7-fluorobutyrate	Rabbit	iv	LD <sub>50</sub>	0.1
	Cat	iv	LD <sub>50</sub>	0.2
	Monkey <sup>5</sup>	iv	LD <sub>50</sub>	3-5
1323 Methylguanidine	Frog	sc	LD	170-190
	Mouse	sc	LD	550-600
	Rat	sc	MLD	750
1324 3-Methyl-5-heptanone	Mouse <sup>6</sup>	or	LD	3800
	Rat <sup>7</sup>	or	LD	3500
	(Guinea pig)	or	LD	2500
1325 2-Methyl-2-n-heptyl-4-hydroxy-methyl-1, 3-dioxolane	Mouse	ip	LD <sub>50</sub>	99.60±49.68
1326 2-Methyl-2-hexylamine	Mouse	ip	LD <sub>50</sub>	85
1327 3-Methyl-2-hexylamine	Mouse	ip	LD <sub>50</sub>	90
1328 4-Methyl-2-hexylamine	Mouse	ip	LD <sub>50</sub>	145
1329 5-Methyl-2-hexylamine	Mouse	ip	LD <sub>50</sub>	90
1330 2-Methyl-2-n-hexyl-4-hydroxy-methyl-1, 3-dioxolane	Mouse	ip	LD <sub>50</sub>	60.54±19.09
1331 2-Methyl-2-hexyl-methylamine	Mouse	ip	LD <sub>50</sub>	70

<sup>1</sup>/1/ Brands may vary in toxicity. <sup>2</sup>/2/ 1% solution. <sup>3</sup>/3/ 2% solution. <sup>4</sup>/4/ 5% solution. <sup>5</sup>/5/ Rhesus.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Flury, Abderhalden's Hdb. <u>4.7b:1366.</u> Ibid Anderson, J. Pharm. Exp. Ther. <u>51:150, 1934.</u> Ibid Ibid Ibid Ibid Flury, Abderhalden's Hdb. <u>4.7b:1366.</u> Anderson, J. Pharm. Exp. Ther. <u>51:150, 1934.</u> Ibid Macht, Ann. Int. Med. <u>7:738, 1933.</u> Flury, Abderhalden's Hdb. <u>4.7b:1366.</u>	1317
	H <sub>2</sub> O		Emerson, Int. J. Leprosy <u>2:257, 1934.</u> Ibid Ibid Ibid	1318
221-291 121-140			Eddy, J. Pharm. Exp. Ther. <u>107:385, 1953.</u> Ibid	1319
185-199 84-93			Eddy, J. Pharm. Exp. Ther. <u>107:385, 1953.</u> Ibid	1320
1220-1910			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:118, 1951.</u> Ibid	1321
			Chenoweth, J. Pharm. Exp. Ther. <u>97:383, 1949.</u> Ibid Ibid	1322
		2 da 1-2 hr 24 hr	Fühner, Arch. exp. Path. Pharm. <u>166:437, 1932.</u> Ibid Alles, J. Pharm. Exp. Ther. <u>28:251, 1926.</u>	1323
3000-4800 2800-4500 1300-4800			Morse, Fed. Proc. <u>12:353, 1953.</u> Ibid Ibid	1324
			Berger, Arch. int. pharmacod. <u>85:474, 1951.</u>	1325
			Marsh, J. Pharm. Exp. Ther. <u>103:325, 1951.</u>	1326
			Marsh, J. Pharm. Exp. Ther. <u>103:325, 1951.</u>	1327
			Marsh, J. Pharm. Exp. Ther. <u>103:325, 1951.</u>	1328
			Marsh, J. Pharm. Exp. Ther. <u>103:325, 1951.</u>	1329
			Berger, Arch. int. pharmacod. <u>85:474, 1951.</u>	1330
			Marsh, J. Pharm. Exp. Ther. <u>103:325, 1951.</u>	1331

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1332	3-Methyl-2-hexyl-methylamine	Mouse	ip	LD <sub>50</sub>	70
1333	4-Methyl-2-hexyl-methylamine	Mouse	ip	LD <sub>50</sub>	120
1334	5-Methyl-2-hexyl-methylamine	Mouse	ip	LD <sub>50</sub>	65
1335	4-Methyl-1-hydrazinophthalazine	Mouse	ip	LD <sub>50</sub>	115±7
1336	Methyl-7-hydroxycoumarin-diethoxythiophosphoric ester	Rat	or	LD <sub>50</sub>	22
		Rat	ip	LD <sub>50</sub>	15
1337	Methyl-8-hydroxyethylethyl-enimonium picrylsulfonate	Mouse	ip	LD <sub>50</sub>	7.5
		Mouse	iv	LD <sub>50</sub>	4.2
		Rabbit	iv	LD <sub>50</sub>	3-5
1338	β-(5-Methylimidazolyl-[4])-ethylamine	Mouse	ip	LD <sub>50</sub>	1000
		Guinea pig	ip	LD <sub>50</sub>	300
1339	β-(5-Methylimidazolyl-[4])-methylamine	Mouse	ip	LD <sub>50</sub>	750
		Guinea pig	ip	LD <sub>50</sub>	300
1340	Methyl iodide	Rat	or	LD <sub>50</sub> *	150-220 <sup>1</sup>
		Rat	sc	LD <sub>50</sub> *	150-220 <sup>1</sup>
1341	Methylmercury chloride	Rabbit	iv	LD*	15
1342	Methylmercury thioglycolate sodium	Rat	ip	MLD	40
		Rabbit	iv	MLD	20
1343	Methylmethacrylate	Rat	or	LD <sub>50</sub>	8420
		Rat	or	LD <sub>50</sub>	9360
		Rabbit	or	LD*	6550-7490
1344	2-Methyl-2-(1'-methylol-n-amy)-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	571.2±54.52
1345	2-Methyl-2-L-methylpentyl-4-hydroxymethyl-1-dioxolane	Mouse	ip	LD <sub>50</sub>	25.18±109.08
1346	N-Methylmorpholine	Rat	or	LD <sub>50</sub>	2720
		Rabbit	ct	LD <sub>50</sub>	1350
1347	Methyl-1-naphthaleneacetic acid	Rat	or	LD <sub>50</sub> *	2140
1348	2-Methyl-2,4-pentandiol	Mouse	or	LD <sub>50</sub>	4158
		Mouse	ip	LD <sub>50</sub>	1386
		Rat	or	LD <sub>50</sub>	3696
		Guinea pig	or	LD <sub>50</sub>	2587
		Rabbit	or	LD <sub>50</sub>	2956
1349	Methylpentanediol-2,4	Rat	or	LD <sub>50</sub>	4700
		Rabbit	ct	LD <sub>50</sub>	13,300
1350	2-Methylpentanol-1	Rat	or	LD <sub>50</sub>	1410
		Rabbit	ct		3.56 cc
1351	2-Methyl-2-pentene-1-ol	Rat	or	LD <sub>50</sub>	4920
		Rabbit	ct	LD <sub>50</sub>	3.0 cc

<sup>1</sup>/1/ 10% solution in oil.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Marsh, J. Pharm. Exp. Ther. <u>103:325</u> , 1951.	1332
			Marsh, J. Pharm. Exp. Ther. <u>103:325</u> , 1951.	1333
			Marsh, J. Pharm. Exp. Ther. <u>103:325</u> , 1951.	1334
			Walker, J. Pharm. Exp. Ther. <u>101:369</u> , 1951.	1335
			Cochran, Fed. Proc. <u>10:287</u> , 1951. Ibid	1336
			Anslow, J. Pharm. Exp. Ther. <u>91:224</u> , 1947. Ibid Ibid	1337
			Alles, J. Pharm. Exp. Ther. <u>76:386</u> , 1943. Ibid	1338
			Alles, J. Pharm. Exp. Ther. <u>76:386</u> , 1943. Ibid	1339
	Oil Oil		Chem. Absts. <u>45:5316e</u> , 1951. Ibid	1340
		4-5 min	Cohen, J. Pharm. Exp. Ther. <u>35:343</u> , 1929.	1341
		24 hr 1-2 wk	Cohen, J. Pharm. Exp. Ther. <u>35:343</u> , 1929. Ibid	1342
		7-8 min 70 min	Deichmann, J. Ind. Hyg. Tox. <u>23:343</u> , 1941. Spealman, Indust. Med. <u>14:292</u> , 1945. Deichmann, J. Ind. Hyg. Tox. <u>23:343</u> , 1941.	1343
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1344
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1345
2230-3300 980-1880			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	1346
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	1347
			Woodard, Fed. Proc. <u>4:142</u> , 1945. Ibid Ibid Ibid Ibid	1348
			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948. Ibid	1349
960-2080			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	1350
3750-6460 2.13-4.21 c <sup>m</sup>			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	1351

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1352	3-Methylpen-4-en-1-yn-3-ol	Mouse	or	LD <sub>50</sub>	1350
		Mouse	sc	LD <sub>50</sub>	1100
1353	3-Methylpentene-1-ol	Mouse	or	LD <sub>50</sub>	940
1354	2-Methylphenoxyethylbenzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
1355	2-Methylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	750
1356	4-Methylphenoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	35
1357	2-Methylphenoxyethyldiethylamine	Mouse	sc	LD <sub>50</sub>	500
1358	2-Methylphenoxyethyl-β-hydroxyethylamine	Mouse	sc	LD <sub>50</sub>	500
1359	2-Methylphenoxyethyl-1-methylnaphthol-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	>1000
1360	b-2-Methylphenoxyisopropylbenzyl-α-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	850
1361	2-Methylphenoxypropylenebenzylchloroethylamine	Mouse	sc	LD <sub>50</sub> *	1000
1362	2-Methylphenyldiethyletherethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	70
1363	2-Methyl-2-phenyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	329.8±20.1
1364	2-Methylphenylisopropylamine	Mouse	ip	LD <sub>50</sub>	152
1365	3-Methylphenylisopropylamine	Mouse	ip	LD <sub>50</sub>	90
1366	4-Methylphenylisopropylamine	Mouse	ip	LD <sub>50</sub>	136
1367	2-Methylphenylthioethylbenzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	>1000
1368	2-Methylphenylthioethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	850
1369	2-Methylphenylthioethylethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> *	60
1370	N-Methylpiperidine	Rabbit	sc	LD	400
1371	Methylpropylenebenzazepine iodide	Mouse	ip		83±6
		Mouse	iv		6.3±0.9
1372	2-Methyl-2-n-propyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	940.8±70.4
1373	Methylpyridium chloride	Mouse	ip	MLD	220
1374	Methylpyridinium hydroxide	Mouse	ip	MLD	220

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
1273-1431			P' Au, J. Pharm. Exp. Ther. <u>107:459</u> , 1953.	1352
973-1245			Ibid	
			Reinhard, J. Pharm. Exp. Ther. <u>106:444</u> , 1952.	1353
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1354
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1355
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1356
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1357
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1358
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1359
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1360
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1361
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1362
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1363
			Marsh, J. Pharm. Exp. Ther. <u>100:298</u> , 1950.	1364
			Marsh, J. Pharm. Exp. Ther. <u>100:298</u> , 1950.	1365
			Marsh, J. Pharm. Exp. Ther. <u>100:298</u> , 1950.	1366
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1367
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1368
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1369
			Wolfenstein, Ber. deut. chem. Ges. <u>34:2408</u> , 1901.	1370
			Randall, J. Pharm. Exp. Ther. <u>103:10</u> , 1951.	1371
			Ibid	
			Berger, Arch. int. pharmacod. <u>85:474</u> , 1951.	1372
			Baxter, J. Clin. Invest. <u>25:908</u> , 1946.	1373
			Baxter, J. Clin. Invest. <u>25:908</u> , 1946.	1374

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1375 Methyl salicylate	Guinea pig	or	MLD	700
	Guinea pig	sc	MLD	1500
	Guinea pig	sc	LD	2700-2750
	Rabbit	or	LD	2750-2850
	Rabbit	sc	LD	4250-4350
	Dog	or	LD	2005-2150
	Dog	sc	LD	2250
1376 2-Methyl-2- $\alpha$ -thienyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	500±60
1377 Methyl thiocyanate	Mouse	sc	LD <sub>80</sub>	64
	Rat	sc	LD <sub>20</sub>	29
	Cat	or	LD	8.5
1378 Methylthiouracil	Rabbit	or	MLD	2486
1379 2-Methyl-o-tolyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	852.8±97.76
1380 Methyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	30
1381 Methyl-( $\beta$ -trimethylammonium)-propionate <sup>2</sup>	Mouse	or	LD <sub>50</sub>	87
	Mouse	ip	LD <sub>50</sub>	6.7
1382 Methyl violet 6B	Mouse	rt	LD	25
	Rabbit	or	LD	75 <sup>3</sup>
1383 3-Methylxanthine	Frog	sc	LD <sub>100</sub>	470
	Rabbit	iv	MLD	500
	Dog	iv	MLD	300-400
1384 Methyl-p-xenylacetate ester of $\beta$ -Piperidinoethanol	Mouse	or	LD <sub>50</sub>	1160±90
	Mouse	or	LD <sub>50</sub>	1300±90
	Mouse	sc	LD <sub>50</sub>	610±50
	Mouse	sc	LD <sub>50</sub>	690±50
	Mouse	iv	LD <sub>50</sub>	40±3
	Mouse	iv	LD <sub>50</sub>	40±3
1385 Metopon	Mouse	sc	LD <sub>50</sub>	25
1386 Metrazol	Frog	sc	LD	250
	Mouse	sc	LD	80
	Mouse	sc	LD	75-90
	Mouse	ip	LD <sub>50</sub>	92
	Mouse	ip	MLC	50
	Rat	or	LD	170
	Rat	sc	LD	75-150
	Rat	sc	LD <sub>50</sub>	100
	Rat	sc	LD <sub>100</sub>	150
	Rat	ip	LD	70-80
	Rat	ip	MLD	50
	Rat	iv	LD	50
	Guinea pig	sc	LD	80-90

(continued on next page)

/1/ Minutes. /2/ Reversed carboxyl analogue of acetylcholine. /3/ Daily.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		8-10 hr 2-3 da 1-3 da 24 hr 30 hr	Houghton, Am. J. Physiol. <u>13</u> :331, 1905. Ibid Leone, Arch. farm. sper. <u>22</u> :327, 1916. Ibid Ibid Ibid	1375
			Berger, Arch. int. pharmacod. <u>85</u> :474, 1951.	1376
		20-46 30-55 20 min	Von Oettingen, J. Ind. Hyg. Tox. <u>18</u> :310, 1936. Ibid Ibid	1377
			Simon, Boll. soc. ital. biol. sper. <u>24</u> :803, 1948.	1378
			Berger, Arch. int. pharmacod. <u>85</u> :474, 1951.	1379
			Alles, Univ. Cal. Publ. Pharmacol. <u>1</u> :187, 1939.	1380
			Bass, J. Pharm. Exp. Ther. <u>100</u> :465, 1950. Ibid	1381
		8 da 10 da	Deschiens, C. rend. Soc. biol. <u>138</u> :838, 1944. Ibid	1382
			Impens, Arch. int. pharmacod. <u>10</u> :463, 1902. Albanese, Arch. exp. Path. Pharm. <u>43</u> :305, 1900. Ibid	1383
		7 da 24 hr 24 hr 24 hr	Lands, J. Pharm. Exp. Ther. <u>100</u> :19, 1950. Ibid Ibid Ibid Ibid	1384
			Eddy, Ann. N. Y. Acad. Sci. <u>51</u> :51, 1948.	1385
			Hildebrandt, Heffter's Hdb. <u>E. 5</u> :154. Ibid Ibid McOmie, Fed. Proc. <u>6</u> :357, 1947. Gros, J. Pharm. Exp. Ther. <u>87</u> :291, 1946. Hildebrandt, Heffter's Hdb. <u>E. 5</u> :154. Ibid Gros, Arch. exp. Path. Pharm. <u>182</u> :348, 1936. Ibid Hildebrandt, Heffter's Hdb. <u>E. 5</u> :154. Gros, J. Pharm. Exp. Ther. <u>87</u> :291, 1946. Hildebrandt, Heffter's Hdb. <u>E. 5</u> :154. Ibid	1386

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1386	Metrazol (concluded)	Guinea pig	ip	LD	90
		Rabbit	sc	LD	75-100
		Rabbit	iv	MLD	70
		Cat	sc	LD	75
		Cat	iv	LD	80
1387	Metycaine HCl	Mouse	sc	LD <sub>50</sub>	800
		Rat	sc	LD <sub>50</sub>	1300
		Rat	ip	LD <sub>50</sub>	120
		Rat	iv	LD <sub>50</sub>	20
		Rabbit	iv	LD <sub>50</sub>	28
1388	Milloside	Cat	iv	LD <sub>50</sub>	1.330
1389	Mintacol	Frog	sc	MLD	30
		Mouse	sc	MLD	2
		Mouse	sc	MLD	0.6-0.8
		Rat	or	MLD	3
1390	Miracil D	Mouse	or	LD <sub>50</sub>	500
		Mouse	iv	LD <sub>50</sub>	45
1391	Molybdenum trioxide	Guinea pig	ip	LD <sub>75</sub>	400
1392	Monacetin	Mouse	sc	LD <sub>50</sub>	4200
		Rat	sc	LD <sub>50</sub>	6600
1393	Monocaine HCl	Mouse	sc	LD <sub>50</sub>	449±26.1
		Mouse	ip	LD <sub>50</sub>	203.0±7.9
		Mouse	iv	LD <sub>50</sub>	43.2±0.95
		Rat	ip	LD <sub>50</sub>	182.3±4.8
		Rat	iv	LD <sub>50</sub>	28.2±1.6
1394	Mono-o-cresol-phosphate	Rat	iv	LD	800-1000
		Rabbit	iv	LD	>700
		Cat	iv	LD	200
1395	Monofluoroethanol	Rat	ip	LD <sub>50</sub>	5
1396	Moniodoacetic acid	Dog	iv	LD	60
1397	Monomethylarsinic acid disodium	Mouse	sc	MLD	3350
		Rabbit	iv	MLD	600
		Chicken	im	MLD	2000
1398	Monomethylnicotinium iodide	Mouse	ip	LD	5.4
		Rabbit	iv	LD	0.45
1399	Monopropylenemethylether	Rat	or	LD <sub>50</sub>	6.6 cc
1400	Morphine	Frog	sc	LD	600-800
		Mouse	sc	LD <sub>50</sub>	700
		Mouse	sc	LD <sub>50</sub>	531
		Mouse	iv	LD	226-318
		Rat	sc	LD	400
		Guinea pig	sc	LD	500-580
		Rabbit	sc	LD <sub>50</sub>	266 <sup>1</sup>

/1/ Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Hildebrandt, Heffter's Hdb. <u>E. 5:154.</u> Ibid Werner, J. Pharm. Exp. Ther. <u>66:260, 1939.</u> Hildebrandt, Heffter's Hdb. <u>E. 5:154.</u> Ibid	1386
			Rose, J. Lab. Clin. Med. <u>15:731, 1930.</u> Ibid Ibid Ibid	1387
1. 244-1. 390	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	1388
	H <sub>2</sub> O+cello Oil H <sub>2</sub> O+cello H <sub>2</sub> O+det		Hecht, Arch. exp. Path. Pharm. <u>211:264, 1950.</u> Ibid Ibid Ibid	1389
			Kikuth, Ann. Trop. Med. Parasitol. <u>42:256, 1948.</u> Wood, Q. J. Pharm. Pharmacol. <u>20:31, 1947.</u>	1390
		4 da	Fairhall, Pcb. Health Bull. <u>293:1945.</u>	1391
			Latven, J. Pharm. Exp. Ther. <u>65:89, 1939.</u> Ibid	1392
			Schram, Anesthesiology <u>3:398, 1942.</u> Ibid Ibid Ibid Ibid	1393
		<18 hr	Smith, J. Pharm. Exp. Ther. <u>51:217, 1934.</u> Ibid Ibid	1394
			Bartlett, J. Pharm. Exp. Ther. <u>106:464, 1952.</u>	1395
		26½ hr	Dobrowolski, Arch. int. pharmacod. <u>45:428, 1933.</u>	1396
		4 da 6 da 1 da	Castell, Arch. Trop. Hyg. <u>16:605, 1912.</u> Ibid Ibid	1397
			Larson, J. Pharm. Exp. Ther. <u>77:343, 1943.</u> Ibid	1398
			Rowe, Arch. Ind. Hyg. Occ. Med. <u>9:509, 1954.</u>	1399
			Flury, Abderhalden's Hdb. <u>4. 7b:1367.</u> Eddy, J. Pharm. Exp. Ther. <u>67:127, 1939.</u> Eddy, Ann. N. Y. Acad. Sci. <u>51:51, 1948.</u> Buchwald, J. Pharm. Exp. Ther. <u>71:197, 1941.</u> Flury, Abderhalden's Hdb. <u>4. 7b:1367.</u> Ibid Eddy, J. Pharm. Exp. Ther. <u>71:197, 1939.</u>	1400

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1400 Morphine (concluded)	Rabbit	sc	LD	400-600
	Rabbit <sup>1</sup>	ip	LD <sub>50</sub>	150 <sup>2</sup>
	Rabbit <sup>3</sup>	ip	LD <sub>50</sub>	500 <sup>2</sup>
	Cat	sc	MLD	40-80
	Dog	sc	LD	210
1401 Morphine sulfate	Frog <sup>4</sup>	sc	LD <sub>50</sub>	90 <sup>3</sup> ±110
	Turtle	sc	LD <sub>50</sub>	25 <sup>3</sup> ±51
	Mouse	sc	MLD	250
	Mouse	sc	LD <sub>50</sub>	311±53
	Mouse	sc	LD <sub>50</sub>	360±18
	Mouse	iv	LD <sub>50</sub>	230±25
	Rat	or	LD <sub>50</sub>	905±144
	Rat	sc	LD <sub>50</sub>	299±46
	Rat	sc	LD <sub>50</sub>	600±72
	Rat	ip	LD <sub>100</sub>	920
	Rat	iv	LD <sub>50</sub>	237±6
	Guinea pig	or	MLD	1000
	Guinea pig	sc	MLD	400
	Guinea pig	sc	LD <sub>50</sub>	391±25
	Guinea pig	im	MLD	400
	Hamster	sc	LD <sub>50</sub>	1250
	Pigeon	iv	LD <sub>50</sub>	321±32
Duck <sup>1</sup>	iv	LD <sub>50</sub>	213±32	
1402 Morpholine	Rat	or	LD <sub>50</sub>	1600
	Rat	or	LD <sub>50</sub>	4500 <sup>2</sup>
	Rat	or	LD <sub>50</sub>	1090
	Guinea pig	or	LD <sub>50</sub>	900
	Rabbit	ct	LD <sup>6</sup>	900
	Rabbit	ct	LD	0.50 cc
1403 Muscaroside	Cat	iv	LD <sub>50</sub>	0.6809
1404 Muscarine (native)	Frog	sc	LD <sup>6</sup>	0.4
	Frog <sup>5</sup>	sc	LD	0.1
	Frog <sup>6</sup>	sc	LD	1
	Cat	sc	LD	1.1 <sup>7</sup>
	Cat	sc	LD	1.4 <sup>8</sup>
	Cat	sc	LD	9-12 <sup>8</sup>
1405 Muscarine (choline)	Frog	sc	LD <sup>6</sup>	1.2
	Rabbit	or	LD <sup>6</sup>	260
	Rabbit	sc	LD <sup>6</sup>	30
	Cat	or	LD <sup>6</sup>	28.6
	Cat	sc	LD	2.8
1406 Mustard gas	Mouse	sc	LD <sub>50</sub>	26
	Mouse	ct	LD <sub>50</sub>	92
	Mouse	iv	LD <sub>50</sub>	8.6
	Mouse	sc	LD <sub>50</sub>	9
	Rat	sc	LD <sub>50</sub>	1.2 <sup>10</sup>
	Rat	sc	LD <sub>50</sub>	0.7
	Rat	iv	LD <sub>50</sub> <sup>6</sup>	18

(continued on next page)  
 /1/ Young. /2/ Hydrochloride. /3/ Adult. /4/ Leopard frog. /5/ Rana esculenta. /6/ R.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Flury, Abderhalden's Hdb. 4.7b:1367. Chesler, J. Pharm. Exp. Ther. 75:363, 1942. Ibid Flury, Abderhalden's Hdb. 4.7b:1367. Ibid	1400
		1 hr	Henderson, Arch. int. pharmacod. 79:282, 1949. Ibid Nedzel, J. Lab. Clin. Med. 22:1031, 1937. Chen, Ann. N. Y. Acad. Sci. 51:83, 1948. Randall, J. Pharm. Exp. Ther. 99:163, 1950. Ibid Finnegan, J. Pharm. Exp. Ther. 92:269, 1948. Chen, Ann. N. Y. Acad. Sci. 51:83, 1948. Randall, J. Pharm. Exp. Ther. 99:163, 1950. Chesler, J. Pharm. Exp. Ther. 75:363, 1942. Finnegan, J. Pharm. Exp. Ther. 92:269, 1948. Hatcher, J. Am. Med. Assoc. 63:469, 1914. Ibid Chen, Ann. N. Y. Acad. Sci. 51:83, 1948. Hatcher, J. Am. Med. Assoc. 63:469, 1914. Houchin, Proc. Soc. Exp. Biol. Med. 54:339, 1943. Henderson, Arch. int. pharmacod. 79:282, 1949. Ibid	1401
4060-5160 950-1160  0.31-0.81 cc	H <sub>2</sub> O  H <sub>2</sub> O		Shea, J. Ind. Hyg. Tox. 21:236, 1939. Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Shea, J. Ind. Hyg. Tox. 21:236, 1939. Ibid Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954.	1402
0.3063-1.7481	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1403
		Sev hr 10-15 <sup>9</sup>	Fühner, Heffter's Hdb. 1:644. Flury, Abderhalden's Hdb. 4.7b:1368. Ibid Ibid Ibid	
			Fühner, Heffter's Hdb. 1:644. Fühner, Arch. exp. Path. Pharm. 61:283, 1909. Ibid Flury, Abderhalden's Hdb. 4.7b:1369. Ibid	1405
	Prop gly Prop gly Prop gly Prop gly  Prop gly		Anslow, J. Pharm. Exp. Ther. 93:1, 1948. Ibid Ibid Ibid Ibid Ibid	1406

temporaria. /7/ Base. /8/ Sulfate. /9/ Minutes. /10/ Undiluted.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1406	Mustard gas (concluded)	Rabbit	iv	LD <sub>50</sub>	2.7
		Rabbit	iv <sup>1</sup>	LD	3.6 <sup>2</sup>
		Rabbit	iv <sup>3</sup>	LD <sub>50</sub>	4.5 <sup>2</sup>
		Dog	sc	LD	100
		Dog	im	LD	14
		Dog	im	LD	20
		Dog	iv	LD	11.1
1407	Myanesin	Mouse	or	LD <sub>50</sub>	2.83±3.8 <sup>4</sup>
		Mouse	or	LD <sub>50</sub>	990 <sup>5</sup>
		Mouse	ip	LD <sub>50</sub>	10.53±5.1 <sup>4</sup>
		Mouse	ip	LD <sub>50</sub>	600.0±22.4
1408	Myristicin	Frog	sc	LD	800
		Cat	or	LD	570
		Cat	sc	LD	4000 <sup>6</sup>
		Dog	iv <sup>3</sup>	LD	571
1409	Myristil-γ-picolinium chloride	Rat	or	LD <sub>50</sub>	250
		Rat	sc	LD <sub>50</sub>	200
		Rat	ip	LD <sub>50</sub>	7.5
		Rat	iv	LD <sub>50</sub>	30
1410	Nabam	Rat	or	LD <sub>50</sub>	395
1411	Naphthaleneacetic acid	Rat	or	LD <sub>50</sub> <sup>*</sup>	1000
1412	α-Naphthol	Rabbit	or	LD	9000
		Rabbit	sc	LD	3400-4000
		Cat	or	LD	100-150
		Dog	sc	LD	330
1413	β-Naphthol	Frog	sc	LD	30-100
		Rat	sc	LD	2940
		Guinea pig	sc	LD	2670
		Rabbit	or	LD	3800
		Rabbit	or	LD	3000
		Rabbit	iv	LD	130
		Rabbit	iv	LD	80
Cat	or	LD	100-150		
1414	α-Naphthylamine	Rabbit	sc	LD	300-400
		Dog	sc	LD	400
1415	1-Naphthoxyethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> <sup>*</sup>	35
1416	2-Naphthoxyethyl-β-chloroethylamine	Mouse	iv	LD <sub>50</sub> <sup>*</sup>	70
1417	Narcotine (continued on next page)	Frog	sc	MLD	2000
		Rat <sup>7</sup>	ip	LD <sub>50</sub>	825
		Rat <sup>8</sup>	ip	LD <sub>50</sub>	800

/1/ Rapid injection. /2/ Undiluted. /3/ Slow injection. /4/ Millimoles per kilo. /5/ 97-

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Prop gly	5-6 hr 77 hr 13 hr 24 hr	Anslow, J. Pharm. Exp. Ther. <u>93:1</u> , 1948. Ibid Ibid Lynch, J. Pharm. Exp. Ther. <u>12:265</u> , 1920. Ibid Ibid Ibid	1406
		24 hr	Dresel, Proc. Soc. Exp. Biol. Med. <u>79:286</u> , 1952. Reinhard, J. Pharm. Exp. Ther. <u>106:144</u> , 1952. Dresel, Proc. Soc. Exp. Biol. Med. <u>79:286</u> , 1952. Berger, J. Pharm. Exp. Ther. <u>93:362</u> , 1948.	1407
	Gacacia Oil	5 hr 2 da 8 hr 1 hr	Rimini, Arch. farm. terap. <u>14:293</u> , 1908. Power, Am. J. Pharm. <u>80:563</u> , 1909. Rimini, Arch. farm. terap. <u>14:293</u> , 1908. Ibid	1408
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954. Ibid Ibid Ibid	1409
			Smith, J. Pharm. Exp. Ther. <u>109:159</u> , 1953.	1410
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	1411
			Maximowitch, C. rend. Acad. sc. <u>106:1411</u> , 1888. Ibid Lesage, C. rend. Soc. biol. <u>56:852, 853</u> , 1904. Neisser, Zbl. med. Wiss. <u>19:545</u> , 1881.	1412
	Alcohol		Willens, Therap. Monatsch. <u>2:20, 67, 116</u> , 1888. Risi, Arch. exp. Path. Pharm. <u>186:195</u> , 1937. Ibid Bouchard, C. rend. Soc. biol. <u>105:702</u> , 1897. Maximowitch, C. rend. Acad. sc. <u>106:1441</u> , 1888. Ibid Bouchard, C. rend. Soc. biol. <u>105:702</u> , 1897. Lesage, C. rend. Soc. biol. <u>56:852, 853</u> , 1904.	1413
			Pitini, Arch. Ital. biol. <u>29:132</u> , 1898. Ibid	1414
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1415
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1416
			Chopra, Ind. J. M. Res. <u>18:55</u> , 1930. Dromond, Acta pharm. tox. <u>6:234</u> , 1950. Ibid	1417

103% error. /6/ Suspension in gum acacia solution. /7/ 1½ months old. /8/ 2-4 months old.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1417 Narcotine (concluded)	Rat <sup>1</sup>	ip	LD <sub>50</sub>	750
	Cat	or	MLD	2000
	Cat	sc	MLD	1500-2000
	Cat	iv <sup>2</sup>	LD	40
	Cat	iv <sup>3</sup>	LD	70
1418 Neoantergan HCl	Mouse	sc	LD <sub>50</sub>	150
	Mouse	ip	LD <sub>50</sub>	90±6.9 <sup>4</sup>
	Mouse	ip	LD <sub>50</sub>	115
	Mouse	iv	LD <sub>50</sub>	30
	Rat	sc	LD <sub>50</sub>	150
	Guinea pig	sc	LD <sub>50</sub>	70
1419 Neosarsphenamine	Mouse	iv	MLD	250
	Rat	iv	LD <sub>50</sub>	280-520
	Rat	iv	LD <sub>100</sub>	400 <sup>5</sup>
	Rabbit	iv	MLD	250-300
1420 Neodymium chloride	Frog	sc	LD	250
	Mouse	sc	LD <sub>50</sub>	4000
	Guinea pig	iv	LD	70
	Rabbit	iv	LD <sub>50</sub>	200-250 <sup>6</sup>
1421 Neogermitrine	Mouse	ip	LD <sub>50</sub>	0.51
1422 Neohexamine HCl	Mouse	or	LD <sub>50</sub>	245 <sup>7</sup>
	Mouse	ip	LD <sub>50</sub>	119 <sup>8</sup>
	Guinea pig	or	LD <sub>50</sub>	493 <sup>9</sup>
1423 Neomycin sulfate	Mouse	or	LD <sub>50</sub>	>865,000 <sup>10</sup>
	Mouse	sc	LD <sub>50</sub>	36,000 <sup>10</sup>
	Mouse	ip	LD <sub>50</sub>	15,000 <sup>10</sup>
	Mouse	iv	LD <sub>50</sub>	4450 <sup>10</sup>
	Rat	or	LD <sub>50</sub>	>865,000 <sup>10</sup>
	Rat	sc	LD <sub>50</sub>	92,000 <sup>10</sup>
1424 Neonal	Rat	sc	MLD	190
	Rat	ip	MLD	135
	Rabbit	or	MLD	160
	Rabbit	ip	MLD	115
1425 Neostigmine	Mouse	or	LD <sub>50</sub>	7.5±1.4
	Mouse	sc	LD <sub>50</sub>	0.42±0.07
	Mouse	iv	LD <sub>50</sub>	0.16±0.03
	Rat	sc	LD <sub>50</sub>	0.37
	Rat	iv	LD <sub>50</sub>	0.165
	Rabbit	sc	MLD	12.5
	Dog	sc	MLD	13.5
	Dog	iv	LD	20
1426 Neostigmine methylsulfate	Mouse	or	LD <sub>50</sub>	14.4
	Mouse	sc	LD <sub>50</sub>	0.6±0.08
	Mouse	iv	LD <sub>50</sub>	0.36±0.02
	Rabbit	im	LD <sub>50</sub>	0.31±0.034
1427 Neo-synephrine	Mouse	sc	LD	1000

<sup>1</sup>/1/Mature animals. <sup>2</sup>/2/Rapid injection. <sup>3</sup>/3/Slow injection. <sup>4</sup>/4/ 93-107% error. <sup>5</sup>/5/Freshly  
<sup>6</sup>/6/96-105% error. <sup>7</sup>/7/73-139% error. <sup>8</sup>/8/Units. <sup>9</sup>/9/Emulsion.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		2 hr	Dromond, Acta. pharm. tox. 6:234, 1950. Chopra, Ind. J. Med. Res. 18:35, 1930. Ibid Cooper, J. Pharm. Exp. Ther. 51:411, 1934. Ibid	1417
		48 hr	Loew, Physiol. Rev. 27:542, 1947. Sherrod, J. Pharm. Exp. Ther. 89:247, 1947. Castillo, J. Pharm. Exp. Ther. 95:388, 1949. Loew, Physiol. Rev. 27:542, 1947. Halpern, C. rend. Soc. biol. 144:687, 1950. Loew, Physiol. Rev. 27:542, 1947.	1418
			Flury, Abderhalden's Hdb. 4. 7b:1309. Sampson, J. Am. Pharm. Assoc. 25:1106, 1936. Schamberg, Am. J. Synp. Neurol. 18:37, 1934. Flury, Abderhalden's Hdb. 4. 7b:1309.	1419
	H <sub>2</sub> O	Instant	Guidi, Arch. int. pharmacod. 37:305, 1930. Vincke, Arch. exp. Path. Pharm. 188:465, 1938. Guidi, Arch. int. pharmacod. 37:305, 1930. Vincke, Arch. exp. Path. Pharm. 188:465, 1938.	1420
0.41-0.63			Swiss, Proc. Soc. Exp. Biol. Med. 76:847, 1951.	1421
			Reinhard, Proc. Soc. Exp. Biol. Med. 66:512, 1947. Ibid Ibid	1422
	H <sub>2</sub> O <sup>11</sup>		Spencer, Fed. Proc. 9:317, 1950. Ibid Ibid Ibid Ibid	1423
			Nielson, J. Pharm. Exp. Ther. 26:371, 1926. Fitch, J. Pharm. Exp. Ther. 44:325, 1932. Ibid Ibid	1424
0.346-0.396 0.152-0.179		40 min 3 hr	Randall, J. Pharm. Exp. Ther. 99:16, 1950. Ibid Ibid Haley, J. Am. Pharm. Assoc. 39:12, 1950. Ibid Heathcote, J. Pharm. Exp. Ther. 46:375, 1932. Ibid Polonowski, C. rend. Acad. sc. 181:887, 1925.	1425
			Brown, Arch. int. pharmacod. 81:276, 1950. Ibid Ibid Ibid	1426
			Kuschinsky, Arch. exp. Path. Pharm. 162:46, 1931.	1427

prepared. /5/ 1% solution in H<sub>2</sub>O injected at rate of 4 cc per minute. /7/ 91-110% error.

Compound	Animal	Route	Dose	Dosage	
				mg/kg	Value
1428 Neriin	Frog	sc	LD	20-50	
	Mouse	sc	LD	95	
	Dog	iv	LD	0.85	
1429 Neurine	Mouse	sc	LD	46	
	Rabbit	or	LD	90	
	Rabbit	sc	LD	40-50	
	Dog	sc	LD	40-50	
1430 Neutral Red	Mouse	iv	LD <sub>50</sub>	141.62	
	Rat	iv	LD <sub>50</sub>	112.42	
	Rabbit	iv	LD <sub>50</sub>	96.6	
1431 Nickel chloride, NiCl <sub>2</sub> .6H <sub>2</sub> O	Frog	sc	LD	150-200	
	Dog	iv	LD	40-80	
1432 Nickel sulfate, NiSO <sub>4</sub> .6H <sub>2</sub> O	Guinea pig	sc	LD	62	
	Rabbit	sc	LD	500-1000	
	Dog	sc	LD	500-1000	
1433 Nicotinaldehyde thiosemicarbazone	Mouse	or	LD <sub>50</sub>	340	
1434 Nicotinamide	Rat	sc	LD <sub>50</sub>	1680	
1435 Nicotinamide methochloride	Rat	sc	LD <sub>50</sub>	2400	
1436 Nicotine	Mouse	or	MLD	24	
	Mouse	sc	MLD	16	
	Mouse	iv	MLD	0.8	
	Mouse	iv	LD <sub>50</sub>	7.1	
	Rat	sc	LD <sub>50</sub>	33.5	
	Rat	iv	MLD	1	
	Guinea pig <sup>1</sup>	sc	MLD	15	
	Guinea pig <sup>2</sup>	sc	MLD	40	
	Guinea pig	iv	MLD	4.5	
	Rabbit	ct	LD	50-60	
	Rabbit	sc	LD	20	
	Rabbit	iv	MLD	30-45	
	Rabbit	iv	LD <sub>50</sub>	9.4	
	Dog	iv	LD <sub>50</sub>	5	
Dog	iv	LD	3		
Pigeon	sc	LD	4.58		
1437 Nicotine (base)	Frog	sc	LD	40	
	Rat	or	LD <sub>50</sub> *	50-60	
	Rat	sc	LD	50-60	
	Rabbit	ct	LD <sub>50</sub>	50	
	Cat	iv	LD	6.1	
1438 α-Nicotine	Frog	sc	LD	600	
	Rat	sc	LD	320-640	
	Cat	iv	LD	6.1	
1439 β-Nicotine HCl	Rat	ip	MLD	23.5	
	Guinea pig	ip	MLD	33	

/1/ Small animals. /2/ Large animals.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Lendle, Heffter's Hdb. <u>E.1:78.</u> Ibid Ibid	1428
			Hunt, J. Pharm. Exp. Ther. <u>28:367, 1926.</u> Flury, Abderhalden's Hdb. <u>4.7b:1372.</u> Ibid Ibid	1429
			Stolarsky, Fed. Proc. <u>10:337, 1951.</u> Ibid Ibid	1430
			Flury, Abderhalden's Hdb. <u>4.7b:1373.</u> Caujolle, J. pharm. chim. <u>29:391, 1939.</u>	1431
			Hendrych, Heffter's Hdb. <u>3.2:1446.</u> Ibid Ibid	1432
			Grunberg, Proc. Soc. Exp. Biol. Med. <u>77:47, 1951.</u>	1433
			Brazda, Proc. Soc. Exp. Biol. Med. <u>62:19, 1946.</u>	1434
			Brazda, Proc. Soc. Exp. Biol. Med. <u>62:19, 1946.</u>	1435
			Heubner, Arch. exp. Path. Pharm. <u>188:605, 1938.</u> Ibid Chen, Proc. Soc. Exp. Biol. Med. <u>38:241, 1938.</u> Larson, J. Pharm. Exp. Ther. <u>95:506, 1949.</u> Behrend, J. Pharm. Exp. Ther. <u>48:317, 1933.</u> Chen, Proc. Soc. Exp. Biol. Med. <u>38:241, 1938.</u> Hatcher, Am. J. Physiol. <u>11:17, 1904.</u> Ibid Chen, Proc. Soc. Exp. Biol. Med. <u>38:241, 1938.</u> Div. Pharm. F. & D. Adm. Q. Rpt. 7, March 1948. Hatcher, Am. J. Physiol. <u>11:17, 1904.</u> Flury, Abderhalden's Hdb. <u>4.7b:1374.</u> Larson, J. Pharm. Exp. Ther. <u>95:506, 1949.</u> Ibid Franke, Proc. Soc. Exp. Biol. Med. <u>29:1177, 1932.</u> Flury, Abderhalden's Hdb. <u>4.7b:1374.</u>	1436
			Oosterhuis, Rec. Trav. Chim. Pays-Bas <u>55:729, 1936.</u> Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u> Oosterhuis, Rec. Trav. Chim. Pays-Bas <u>55:729, 1936.</u> Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122, 1951.</u> Macht, J. Pharm. Exp. Ther. <u>50:93, 1934.</u>	1437
			Oosterhuis, Rec. Trav. Chim. Pays-Bas <u>55:729, 1936.</u> Ibid Macht, J. Pharm. Exp. Ther. <u>50:93, 1934.</u>	1438
			Hicks, Austral. J. Exp. Biol. <u>25:83, 1947.</u> Ibid	1439

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1440 L-Nicotine HCl	Mouse	ip	MLD	10
	Rat	ip	MLD	20-23.5
	Guinea pig	ip	MLD	32
	Rabbit	iv	MLD	6.5
1441 Nicotinic acid, sodium salt	Mouse	iv	MLD	4500
	Rat	or	LD <sub>50</sub>	7000
	Rat	sc	LD <sub>50</sub>	5000
	Rat	sc	LD <sub>50</sub>	5000
	Rat	iv	MLD	3500
	Guinea pig	iv	MLD	3500
1442 Nisentil HCl	Mouse	sc	LD <sub>50</sub>	98
	Mouse	sc	LD <sub>50</sub>	115±31
	Mouse	ip	LD <sub>50</sub>	73
	Mouse	ip	LD <sub>50</sub>	95±12
	Mouse	iv	LD <sub>50</sub>	54
	Mouse	iv	LD <sub>50</sub>	32±5
	Rat	sc	LD <sub>50</sub>	23
	Rat	sc	LD <sub>50</sub>	50±8
	Rat	ip	LD <sub>50</sub>	22
	Rabbit	iv	LD <sub>50</sub>	18.5
	Rabbit	iv	LD <sub>50</sub>	22
1443 Nitrobenzene	Mouse	ct	MLD	480
	Rat	sc	LD	800 <sup>1</sup>
	Rat	ip	LD	500 <sup>1</sup>
	Guinea pig	sc	LD	800 <sup>1</sup>
	Guinea pig	ip	LD	500
	Rabbit	or	LD	600-720
	Rabbit	ct	LD	2500
	Rabbit	ct	LD	10,000
	Rabbit	sc	LD	600
	Dog	or	LD	750-1000
	Dog	iv	LD	150-250
1444 Nitrocholine	Mouse	sc	LD	210
1445 2-Nitro-2-ethyl-1,3-propanediol-butylaldehyde acetal	Mouse	or	LD <sub>50</sub>	3.1 cc
	Rat	or	LD <sub>50</sub>	1.95 cc
1446 Nitroglycerol	Frog	sc	MLD	475
	Rat	or	MLD	80-100
	Rat	im	MLD	150-400
	Rabbit	sc	LD <sub>100</sub>	500 <sup>2</sup>
	Rabbit	im	MLD	400-500
	Rabbit	iv	MLD	45 <sup>3</sup>
1447 Nitroglycol (Mono-)	Rabbit	sc	LD	300
	Cat	sc	LD	100
1448 Nitromethane	Dog	sc	LD	569-1138

/1/ Emulsion in gum arabic solution. /2/ Technical grade. /3/ 10% solution in alcohol.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Larson, J. Pharm. Exp. Ther. <u>77:343</u> , 1943. Hicks, Austral. J. Exp. Biol. <u>25:63</u> , 1947. Ibid Larson, J. Pharm. Exp. Ther. <u>77:343</u> , 1943.	1440
		Prompt	Chen, Proc. Soc. Exp. Biol. Med. <u>38:241</u> , 1938. Unna, J. Pharm. Exp. Ther. <u>73:85</u> , 1941. Ibid Brazda, Proc. Soc. Exp. Biol. Med. <u>62:19</u> , 1946. Chen, Proc. Soc. Exp. Biol. Med. <u>38:241</u> , 1938. Ibid	1441
			Gruber, J. Pharm. Exp. Ther. <u>99:312</u> , 1950. Randall, J. Pharm. Exp. Ther. <u>93:314</u> , 1948. Gruber, J. Pharm. Exp. Ther. <u>99:312</u> , 1950. Randall, J. Pharm. Exp. Ther. <u>93:314</u> , 1948. Gruber, J. Pharm. Exp. Ther. <u>99:312</u> , 1950. Randall, J. Pharm. Exp. Ther. <u>93:314</u> , 1948. Gruber, J. Pharm. Exp. Ther. <u>99:312</u> , 1950. Randall, J. Pharm. Exp. Ther. <u>93:314</u> , 1948. Gruber, J. Pharm. Exp. Ther. <u>99:312</u> , 1950. Ibid Randall, J. Pharm. Exp. Ther. <u>93:314</u> , 1948.	1442
	G arabic G arabic G arabic	8½ hr 4½ hr 52 hr	Shimkin, Proc. Soc. Exp. Biol. Med. <u>42:844</u> , 1939. Ellinger, Heffter's Hdb. <u>1:1034</u> . Ibid Flury, Abderhalden's Hdb. <u>4.7b:1375</u> . Ibid Ibid Ibid Ibid Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892. Ibid	1443
			Hunt, J. Pharm. Exp. Ther. <u>25:315</u> , 1925.	1444
			Div. Pharm. F. & D. Adm. Q. Rpt. 4, June 1946. Ibid	1445
	Alcohol		Orestano, Arch. ital. farm. <u>6:153</u> , 1937. Ibid Ibid Gross, Arch. exp. Path. Pharm. <u>200:271</u> , 1942. Orestano, Arch. ital. farm. <u>6:153</u> , 1937. Oltman, J. Pharm. Exp. Ther. <u>41:121</u> , 1931. Gross, Arch. exp. Path. Pharm. <u>200:271</u> , 1942.	1446
			Gross, Arch. exp. Path. Pharm. <u>200:271</u> , 1952. Ibid	1447
		24 hr	Gibbs, Am. Chem. J. <u>13:361</u> , 1891.	1448

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1449	2-Nitro-2-methyl-1,3-propanediol	Mouse	or	LD <sub>50</sub>	6.3 cc
		Rat	or	LD <sub>50</sub>	4.0 cc
1450	2-Nitro-2-methyl-1,3-propanediol-butvaldehyde acetal	Mouse	or	LD <sub>50</sub>	5.4 cc
1451	m-Nitrophenol	Dog	iv	MLD	83
1452	o-Nitrophenol	Frog	sc	LD	300
		Mouse	im	LD	600
		Rabbit	sc	LD	1700
		Cat	sc	LD	600
		Dog	iv	LD	100
1453	p-Nitrophenol	Frog	sc	MLD	50
		Rabbit	sc	MLD	600
		Cat	sc	MLD	197
		Dog	iv	LD	10
1454	p-Nitrophenyldimethylthionophosphate	Rat	or	LD <sub>50</sub> <sup>a</sup>	12.7
		Rat	ip	LD <sub>50</sub> <sup>a</sup>	3.5
1455	Noctal	Rat	sc	LD <sub>50</sub>	90
		Rat	sc	MLD	90-160
		Rat	ip	LD	60
		Rabbit	or	MLD	300-350
		Rabbit	or	MLD	255
		Rabbit	ip	LD	120
1456	n-Nonyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	46
1457	o-Nornicotine	Rat	ip	MLD	6
		Guinea pig	ip	MLD	10
1458	o-L-Nornicotine	Rat	ip	MLD	10.5
1459	L-Nornicotine	Mouse	ip	LD	22
		Rat	ip	MLD	23.5
		Guinea pig	ip	MLD	28
		Rabbit	iv	LD	3
1460	Numal	Rat	sc	LD <sub>50</sub>	100
		Rat	sc	MLD	100-175
1461	Nupercaine	Frog	sc	MLD	55-60
		Mouse	sc	MLD	70
		Guinea pig	sc	MLD	11.2
		Guinea pig	iv	MLD	3-4
		Rabbit	sc	MLD	5-35
		Rabbit	sc	LD	0.5
		Rabbit	iv	LD <sub>50</sub>	2.5
		Rabbit	iv	MLD	2.4-4.5
		Dog	sc	MLD <sup>a</sup>	25
Dog	iv	MLD	2.5-3.0 <sup>1</sup>		
1462	Nydrazide (see also Isonicotinyl hydrazide)	Mouse	or	LD <sub>50</sub>	190±6
		Mouse	sc	LD <sub>50</sub>	170±5
		Mouse	iv	LD <sub>50</sub>	165±4
		Dog	iv	LD <sub>50</sub> <sup>a</sup>	50

<sup>1</sup>/1% solution.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid	1449
	Corn oil		Div. Pharm. F. & D. Adm. Q. Rpt. 2, Dec. 1946.	1450
			Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892.	1451
			Levy, Dissert., Würzburg 1902. Beutner, Proc. Pharm. Soc. 1941. Levy, Dissert., Würzburg 1902. Ibid Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892.	1452
			Levy, Dissert., Würzburg, 1902. Ibid Ibid Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892.	1453
			DuBois, Fed. Proc. <u>9:269</u> , 1950. DuBois, Arch. Ind. Hyg. Occ. Med. <u>6:9</u> , 1952.	1454
			Vogt, Arch. exp. Path. Pharm. <u>152:341</u> , 1930. Gros, Arch. exp. Path. Pharm. <u>182:348</u> , 1936. Fitch, J. Pharm. Exp. Ther. <u>44:325</u> , 1932. Maloney, J. Pharm. Exp. Ther. <u>42:267</u> , 1931. Schlossman, Heffter's Hdb. <u>E. 2:149</u> . Ibid	1455
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939	1456
			Hicks, Austral. J. Exp. Biol. <u>25:83</u> , 1947. Ibid	1457
			Hicks, Austral. J. Exp. Biol. <u>25:83</u> , 1947.	1458
			Larson, J. Pharm. Exp. Ther. <u>77:343</u> , 1943. Hicks, Austral. J. Exp. Biol. <u>25:83</u> , 1947. Ibid Larson, J. Pharm. Exp. Ther. <u>77:343</u> , 1943.	1459
			Vogt, Arch. exp. Path. Pharm. <u>152:341</u> , 1930. Gros, Arch. exp. Path. Pharm. <u>182:348</u> , 1936.	1460
	N saline	4-5 hr 1 hr	Fühner, Arch. exp. Path. Pharm. <u>166:437</u> , 1932. Ibid Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Uhlmann, Arch. int. pharmacod. <u>36:253</u> , 1929. Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Wahl, Proc. Soc. Exp. Biol. Med. <u>29:368</u> , 1932. Ibid Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Bond, J. Lab. Clin. Med. <u>16:447</u> , 1931. Ibid	1461
			Rubin, Am. Rev. Tuberc. <u>65:392</u> , 1952. Ibid Ibid Ibid	1462

Compound	Animal	Route	Dose	Dosage
				mg/kg
1463 Hydrazid (see also Isonicotinyl hydrazide)	Mouse	or	LD <sub>50</sub>	190±6
	Mouse	sc	LD <sub>50</sub>	170±5
	Mouse	iv	LD <sub>50</sub>	165±4
	Dog	iv	LD <sub>50</sub> *	50
1464 Octare-1, 8-diamine 2HCl	Mouse	ip	LD <sub>50</sub>	3.5
1465 Octin	Mouse	sc	LD <sub>50</sub>	171 <sup>1</sup>
	Mouse	sc	MLD	100
	Mouse	iv	LD <sub>50</sub>	17.5 <sup>1</sup>
	Rabbit	sc	LD <sub>50</sub>	101 <sup>1</sup>
	Rabbit	iv	LD <sub>50</sub>	17.6 <sup>1</sup>
	Dog	or	LD <sub>50</sub>	146 <sup>2</sup>
	Dog	sc	LD <sub>50</sub>	76.3 <sup>1</sup>
1466 Octyl thiocyanate	Mouse	sc	MLD	730
	Rat	sc	MLD	500
	Cat	or	LD	264
1467 n-Octyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	60
1468 Odorobioside G monoacetate	Cat	iv	LD <sub>50</sub>	0.6705
1469 Odorobioside K	Cat	iv	LD <sub>50</sub>	2.29
1470 Odoroside D	Cat	iv	LD <sub>50</sub>	0.594
1471 Odoroside H monoacetate	Cat	iv	LD <sub>50</sub>	0.2732
1472 Odoroside K	Cat	iv	LD <sub>50</sub>	4.735
1473 Odorotrioside G monoacetate	Cat	iv	LD <sub>50</sub>	0.6222
1474 Oleandrin	Frog	sc	LD	2.25
1475 Oleylpolyoxyethylene glycol ether	Rat	ip	LD <sub>50</sub>	235
1476 OMPA	Mouse	or	LD <sub>50</sub>	30.0±3.1
	Mouse	ip	LD <sub>50</sub>	17
	Mouse	ip	LD <sub>50</sub>	8
	Rat	or	LD <sub>50</sub> *	13.5
	Rat?	or	LD <sub>50</sub>	35.5±1.4
	Rat	or	LD <sub>50</sub>	13.5±0.34
	Rat	ip	LD <sub>50</sub>	8-8.5
	Guinea pig	or	LD <sub>50</sub>	15.0±0.88
	Guinea pig	ip	LD <sub>50</sub>	10
	Rabbit	ct	LD <sub>50</sub>	<750 <sup>3</sup>
1477 Onyxide	Rat	or	LD <sub>50</sub>	500
	Guinea pig	or	LD <sub>50</sub>	158
1478 Optochin	Frog	sc	MLD	350
	Mouse	sc	LD	5000
1479 Ortal sodium	Rat	ip	LD <sub>50</sub>	240-250
1480 Orthotran	Rat	or	LD <sub>50</sub>	2000

/1/ Hydrochloride. /2/ Mucate. /3/ 20% solution in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Report from Squibb & Sons. Ibid Ibid Ibid	1463
			Alles, J. Pharm. Exp. Ther. <u>107:332</u> , 1953.	1464
			Walton, J. Pharm. Exp. Ther. <u>92:214</u> , 1948. Fiegenbaum, Dissert., Münster. Walton, J. Pharm. Exp. Ther. <u>92:214</u> , 1948. Ibid Ibid Ibid Ibid	1465
		1 1/3-16 hr 4-72 hr 15 hr	Von Oettingen, J. Ind. Hyg. Tox. <u>18:310</u> , 1936. Ibid Ibid	1466
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939.	1467
0.3414-1.154	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1468
1.465-3.322	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1469
0.4064-1.1433	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1470
0.1949-0.3564	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1471
3.149-9.340	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1472
0.4745-0.8036	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1473
			Lendle, Heffter's Hdb. <u>E.1:78</u> .	1474
			Sweeney, J. Am. Pharm. Assoc. <u>42:556</u> , 1953.	1475
	H <sub>2</sub> O		Frawley, J. Pharm. Exp. Ther. <u>105:156</u> , 1952. DuBois, J. Pharm. Exp. Ther. <u>99:376</u> , 1950. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Frawley, J. Pharm. Exp. Ther. <u>105:156</u> , 1952. Ibid DuBois, J. Pharm. Exp. Ther. <u>99:376</u> , 1950. Frawley, J. Pharm. Exp. Ther. <u>105:156</u> , 1952. DuBois, J. Pharm. Exp. Ther. <u>99:376</u> , 1950. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952. DuBois, J. Pharm. Exp. Ther. <u>99:376</u> , 1950.	1476
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954. Ibid	1477
			Smith, J. Pharm. Exp. Ther. <u>8:53</u> , 1916 Ibid	1478
	H <sub>2</sub> O		Gruber, J. Pharm. Exp. Ther. <u>60:439</u> , 1937.	1479
			Lehman, personal communication.	1480

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1481 Oxalic acid	Frog	sc	MLD	400
	Dog	or	LD	1000
1482 Oxathiane	Rat	or	LD <sub>50</sub>	2830
1483 α-(p-Oxyphenyl)-β-methylaminopropane	Mouse	ip	MLD	100
1484 Palladium chloride	Rabbit	iv	LD	18.6
1485 Paludrine HCl	Mouse	or	LD <sub>50</sub>	23
	Mouse	im	LD <sub>50</sub> *	20
	Rat	or	LD <sub>50</sub> *	200
	Dog	im	LD	160
	Monkey	im	LD	160
1486 Panthesin	Frog	sc	LD	480-840
	Mouse	sc	LD	300-350
	Guinea pig	sc	LD	93-150
	Guinea pig	iv	LD	20
	Rabbit	sc	LD	240-250
	Rabbit	iv	LD	20
1487 Pantocaine	Frog	sc	LD	200
	Mouse	sc	LD	53
	Mouse	sc	LD	45-50
	Mouse	iv	LD	10-12
	Rabbit	sc	LD	20
	Rabbit	iv	LD	6-8
1488 Pantothenic acid (calcium salt)	Mouse	or	LD <sub>50</sub>	10,000
	Mouse	sc	LD <sub>50</sub>	2700
	Mouse	ip	LD <sub>50</sub>	920
	Mouse	iv	LD <sub>50</sub>	910
	Rat	or	LD <sub>50</sub>	>10,000
	Rat	sc	LD <sub>50</sub>	3400
	Rat	ip	LD <sub>50</sub>	820
	Rat	iv	LD <sub>50</sub>	830
1489 Papaverine	Frog	sc	MLD	1000
	Mouse	or	LD <sub>50</sub>	2500
	Mouse	sc	MLD	500
	Mouse	iv	LD <sub>50</sub>	33.1 <sup>3</sup>
	Rat	or	LD <sub>50</sub>	745.6
	Rat	ip	LD <sub>50</sub>	62-64
	Rabbit	sc	MLD	250
	Pigeon	sc	MLD	150
1490 Papaverine-3-carboxylic acid	Mouse	or	LD <sub>50</sub>	50-260
	Mouse	sc	LD <sub>50</sub>	225
	Mouse	iv	LD <sub>50</sub>	200
1491 Paraldehyde (continued on next page)	Rat	or	LD <sub>50</sub>	1650
	Rat	sc	MLD	1650
	Rat	ip	MLD	1500
	Rat	ip	MLD	1240-1780
	Rat	rt	MLD	1500

/1/ Buffered water. /2/ Leupold-Lowenthal. /3/ Hydrochloride.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		2 da	Heymans, Dubois' Arch. f. Physiol. 13:168, 1889. Flury, Abderhalden's Hdb. 4.7b:1377.	1481
			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 195..	1482
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1483
	H <sub>2</sub> O <sup>1</sup>	12 da	Orestano, Boll. soc. ital. biol. sper. 8:1154, 1933.	1484
			Schmidt, J. Pharm. Exp. Ther. 90:233, 1947. Ibid Ibid Ibid	1485
			Röthlin, Arch. exp. Path. Pharm. 144:197, 1929. Ibid Ibid Ibid Ibid	1486
			Gessner, Arch. exp. Path. Pharm. 168:447, 1932. Ibid Fusgänger, Arch. exp. Path. Pharm. 160:53, 1931. Ibid Ibid Ibid	1487
			Unna, Proc. Soc. Exp. Biol. Med. 45:311, 1940. Ibid Ibid Ibid Unna, J. Pharm. Exp. Ther. 73:85, 1941. Unna, Proc. Soc. Exp. Biol. Med. 45:311, 1940. Ibid Unna, J. Pharm. Exp. Ther. 73:85, 1941.	1488
		30 min	Macht, Arch. Int. Med. 17:786, 1916. Löwenthal, <sup>2</sup> Wien med. Wochr. 101:61, 1951. Macht, Arch. Int. Med. 17:786, 1916. Henderson, J. Am. Pharm. Assoc. 40:207, 1951. Ibid Dromond, Acta pharm. tox. 6:234, 1950. Flury, Abderhalden's Hdb. 4.7b:1377. Ibid	1489
			Kewitz, Arch. exp. Path. Pharm. 213:30, 1951. Ibid Ibid	1490
1470-1850			Figot, Acta pharm. tox. 8:290, 1952. Tunger, Arch. exp. Path. Pharm. 160:74, 1931. Ibid	1491
1470-1850			Phillips, Anesthesiology 5:287, 1944. Tunger, Arch. exp. Path. Pharm. 160:74, 1931.	

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1491 Paraldehyde (concluded)	Guinea pig	ip	LD <sub>50</sub>	1160-1290
	Rabbit	or	LD	5000
	Rabbit	iv	LD	1325
	Dog	or	LD	3000-4000
1492 Paraoxone	Rat	or	LD <sub>50</sub>	7.8
	Rabbit	ct	LD <sub>50</sub>	10
1493 Parasorbic acid	Mouse	ip	LD <sub>50</sub>	750
1494 Parathion	Mouse	or	LD <sub>50</sub>	25±1.8
	Mouse	ip	LD <sub>50</sub>	5.5
	Rat	or	LD <sub>50</sub>	4.42
	Rat	cr	LD <sub>50</sub>	4.03
	Rat <sup>9</sup>	or	LD <sub>50</sub>	3.0±0.25
	Rat <sup>9</sup>	or	LD <sub>50</sub>	30.0±3.6
	Rat <sup>9</sup>	ip	LD <sub>50</sub>	7
	Rat <sup>9</sup>	ip	LD <sub>50</sub>	4
	Guinea pig	or	LD <sub>50</sub>	32±2
	Rabbit	ct	LD <sub>50</sub>	870 <sup>1</sup>
	Rabbit	ct	LD <sub>50</sub>	420
	Cat	ip	LD <sub>50</sub>	3-5
	Dog	ip	LD <sub>50</sub>	12-20
1495 Paris green	Frog	sc	MLD	10
	Rat	or	LD <sup>9</sup>	22
	Rat	or	MLD	300
	Guinea pig	or	LD	30
1496 Parpanit	Mouse	ip	LD <sub>50</sub>	222.3
	Mouse	iv	LD <sub>50</sub>	45.1
	Rat	ip	LD <sub>50</sub>	209
	Rabbit	iv	LD <sub>50</sub>	24.5
	Cat	or	LD	390
1497 Parsidol (base)	Mouse	or	LD <sub>50</sub>	650
	Mouse	sc	LD <sub>50</sub>	450
	Mouse	iv	LD <sub>50</sub>	45-50
	Rat	sc	LD <sub>50</sub>	200-250
	Rat	iv	LD <sub>50</sub>	15
1498 Patulin	Mouse	ip	LD <sub>50</sub>	5
1499 Paulioside	Cat	iv	LD <sub>50</sub>	0.1136
1500 PDDB	Mouse	iv	LD <sub>50</sub>	31
	Rat	ip	LD <sub>50</sub>	40-45
	Rat	iv	LD <sub>50</sub>	18
	Guinea pig	ip	LD <sub>50</sub>	10-20
	Rabbit	iv	LD <sub>50</sub>	11-15
1501 Pelletierine	Frog	sc	LD	>3125
	Rabbit	iv	LD	12-40
1502 Pelletine	Rabbit	sc	LD	90-100
	Rabbit	iv	LD	60
1503 α-Peltatin	Mouse	sc	LD <sub>50</sub>	60.3±4.3

/1/ Undiluted.

Dosage mg/kg range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Phillips, Anesthesiology 5:182, 1944. Flury, Abderhalden's Hdb. 4.7b:1378 Ibid Ibid	1491
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Ibid, 16:3, 1952.	1492
			Brodersen, Acta pharm. tox. 2:109, 1946.	1493
	Corn oil Corn oil		Frawley, J. Pharm. Exp. Ther. 105:156, 1952. DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952. Deichmann, Arch. Ind. Hyg. Occ. Med. 5:44, 1952. Ibid Frawley, J. Pharm. Exp. Ther. 105:156, 1952. Ibid DuBois, J. Pharm. Exp. Ther. 95:79, 1949. Ibid Frawley, J. Pharm. Exp. Ther. 105:156, 1952. Deichmann, Arch. Ind. Hyg. Occ. Med. 5:44, 1952. Ibid DuBois, J. Pharm. Exp. Ther. 95:79, 1949. Ibid	1494
	Corn oil			
		4-5 hr	Bonsmann, Klin. Wschr. 21:304, 1942. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Bonsmann, Klin. Wschr. 21:304, 1942. Ibid	1495
			Kraatz, J. Pharm. Exp. Ther. 96:42, 1949. Ibid Ibid Ibid	1496
			Fournel, J. physiol., Par. 42:877, 1950. Ibid Ibid Ibid Ibid	1497
			Brodersen, Acta pharm. tox. 2:109, 1946.	1498
0.4147-1.168	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1499
			Lehman, Q. Bull. Assoc. F. & D. Off. 18:43, 1954. Ibid Ibid Ibid	1500
			Flury, Abderhalden's Hdb. 4.7b:1379. Ibid	1501
			Heffter, Arch. exp. Path. Pharm. 40:385, 1898. Ibid	1502
		7 da	Beck, Proc. Soc. Exp. Biol. Med. 78:392, 1951.	1503

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
1504 Penclomid	Mouse	or	LD <sub>50</sub> <sup>*</sup>	2500
	Mouse	sc	LD <sub>50</sub>	225
	Mouse	iv	LD <sub>50</sub>	65
	Rabbit	or	LD <sub>50</sub>	3000
	Rabbit	sc	LD <sub>50</sub>	160
	Rabbit	iv	LD <sub>50</sub>	75
1505 Penicillic acid	Mouse	ip	LD <sub>50</sub>	300
1506 Penicillin <sup>1</sup>	Mouse	sc	LD	3200
	Mouse	sc	LD <sub>50</sub>	1777 <sup>2</sup>
	Mouse	sc	LD <sub>50</sub>	670 <sup>3</sup>
	Mouse	iv	LD <sub>50</sub>	1000 <sup>4</sup>
	Mouse	iv	LD	1500 <sup>5</sup>
	Mouse	ice <sup>6</sup>	LD <sub>50</sub>	5.7±0.23
	Rabbit	ici <sup>7</sup>	LD <sub>50</sub>	0.653±0.069
	Dog	ici <sup>7</sup>	LD <sub>50</sub>	1.118±0.112
	Dog	il <sup>8</sup>	LD <sub>50</sub>	4.94±0.27
1507 Pentabromophenol	Rat	or	LD <sub>50</sub> <sup>*</sup>	200
1508 Pentachloroethane	Rabbit	sc	MLD	700
	Dog	or	MLD	1750
	Dog	iv	MLD	100
1509 Penta-chlorophenol	Mouse	sc	MLD	56
	Rat	or	LD <sub>50</sub> <sup>*</sup>	78
	Rat	or	LD <sub>50</sub>	125-200
	Rabbit	or	MLD	550
	Rabbit	or	LD	7090 <sup>9</sup>
	Rabbit	or	LD	160-130 <sup>10</sup>
	Rabbit	or	LD	70-85 <sup>11</sup>
	Rabbit	sc	MLD	257
	Rabbit	ct	MLD	512.5
	Rabbit	ct	LD	60-70 <sup>9</sup>
	Rabbit	ct	LD	90-100 <sup>12</sup>
	Rabbit	ct	LD	40-50 <sup>13</sup>
	Rabbit	ip	MLD	135.5
	Dog	sc	MLD	135
1910 Pentamethylenedipropionate	Mouse	or	LD <sub>50</sub>	10.4 cc
	Rat	or	LD <sub>50</sub>	9.1 cc
1911 Pentanediol-2,4	Rat	or	LD <sub>50</sub>	6860
	Rabbit	ct	LD <sub>50</sub>	14.1 cc
1912 3-Pentanol	Rat	or	LD <sub>50</sub>	280C
	Rat	or	LD <sub>50</sub>	1870
	Rabbit	ct	LD <sub>50</sub>	2.52 cc

/1/ Toxicity may vary for different brands. /2/ Sodium salt. /3/ Ammonium salt. /4/ Per  
/5/ Intralumbur. /9/ 5% solution in fuel oil. /10/ 11% solution in olive oil. /11/ 5% solu-

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Bein, Schweiz. med. Wschr. <u>81</u> :446, 1951. Ibid Ibid Ibid Ibid	1504
			Brodersen, Acta pharm. tox. <u>2</u> :169, 1946.	1505
	H <sub>2</sub> O	1 da 2-5 da 1-4 da	Robinson, J. Pharm. Exp. Ther. <u>77</u> :70, 1943. Hobby, Proc. Soc. Exp. Biol. Med. <u>50</u> :285, 1942. Ibid Robinson, J. Pharm. Exp. Ther. <u>77</u> :70, 1943. Ibid Rose, J. Lab. Clin. Med. <u>34</u> :126, 1949. Ibid Ibid Ibid	1506
			Stohlman, Pub. Health Rpt. <u>66</u> :1303, 1951.	1507
	Oil Oil Oil	24 hr 24 hr 30 min	Barsoum, Q. J. Pharm. Pharmacol. <u>7</u> :205, 1934. Ibid Ibid	1508
	Oil Olive oil Olive oil  Oil Oil Oil	2-5 hr 10-16 hr 3-6 hr  1½-4 hr 1½-3 hr 9-22 hr	Bechold, Zschr. physiol. Chem. <u>47</u> :173, 1906. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15</u> :122, 1951. Stohlman, Pub. Health Rpt. <u>66</u> :1303, 1951. McGavack, J. Ind. Hyg. Tox. <u>23</u> :239, 1941. Deichmann, J. Pharm. Exp. Ther. <u>76</u> :No. 2, 1942. Ibid Ibid McGavack, J. Ind. Hyg. Tox. <u>23</u> :239, 1941. Ibid Deichmann, J. Pharm. Exp. Ther. <u>76</u> :No. 2, 1942. Ibid Ibid McGavack, J. Ind. Hyg. Tox. <u>23</u> :239, 1941. Ibid	1509
			Draize, J. Pharm. Exp. Ther. <u>93</u> :26, 1948. Ibid	1510
6290-7480			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10</u> :61, 1954. Ibid	1511
1340-2600 1.33-4.78 cc			Schaffarzick, Science <u>116</u> :663, 1952. Smyth, Arch. Ind. Hyg. Occ. Med. <u>10</u> :61, 1954. Ibid	1512

day of crude drug. /5/ Per day of pure drug. /6/ Intracerebral. /7/ Intracisternal.  
tion in olive oil. /12/ 5% solution in "furnace" oil. /13/ 1.8% solution in pine oil.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1513 Pentabone-3	Rat	or	LD <sub>50</sub>	≥140
1514 Pentobarbital sodium	Mouse	or	LD <sub>50</sub>	280.2±19.8
	Mouse	ip	LD <sub>50</sub>	140
	Mouse	ip	LD <sub>50</sub>	155
	Mouse	ip	LD <sub>50</sub>	123±17.3
	Mouse	ip	LD <sub>50</sub>	128.76±2.75
	Mouse	im	LD <sub>50</sub>	124.42±5.25
	Mouse	iv	LD <sub>50</sub>	80.46±4.71
	Rat	or	MLD	175
	Rat	sc	LD	125
	Rat	ip	LD	75
	Rat	ip	LD <sub>50</sub>	48-75
	Guinea pig	ip	LD <sub>50</sub>	50-60
	Rabbit	or	LD <sub>50</sub>	275
	Rabbit	or	MLD	175
	Rabbit	ip	MLD	65
	Rabbit	iv	LD <sub>50</sub>	45
	Rabbit	ic	LD <sub>50</sub>	65
Cat	or	LD <sub>50</sub> *	100	
1515 Pentothal sodium	Rat <sup>1</sup>	ip	LD <sub>50</sub>	125-130
	Rat <sup>2</sup>	ip	LD <sub>50</sub>	115-125
	Guinea pig <sup>1</sup>	ip	LD <sub>50</sub>	47.5-50.0
	Guinea pig <sup>2</sup>	ip	LD <sub>50</sub> *	57.5
	Rabbit	or	MLD	600
	Rabbit	rt	MLD	110
Rabbit	iv	MLD	35	
1516 Perillartine	Rat	or	LD <sub>50</sub>	>2500
1517 Periplocin	Frog	sc	LD	25
	Rat	sc	LD	320-480
	Rabbit	sc	LD	10
	Cat	sc	LD	2.5
1518 Pernoston	Frog	sc	LD	150
	Mouse	sc	LD	150
	Rat	sc	MLD	72-125
	Rat	ip	LD	65-66
	Rabbit	or	MLD	350-400
	Rabbit	sc	LD	175
	Rabbit	ip	MLD	75
	Rabbit	iv	LD	70
Cat	or	LD <sub>50</sub> *	135	
1519 Phanodorn	Mouse	sc	LD	400
	Mouse	iv	LD	200
	Rat	sc	LD	220
	Rat	ip	LD	195
	Rabbit	or	LD	450
	Rabbit	sc	LD	300
	Rabbit	ip	LD	130
	Rabbit	iv	LD	90

(continued on next page)

/1/ Young animals. /2/ Adult animals.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
1540-2980			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954.	1513
			Caesnick, J. Pharm. Exp. Ther. <u>102:138</u> , 1951. Gruber, J. Pharm. Exp. Ther. <u>81:254</u> , 1944. Hunt, J. Am. Pharm. Assoc. <u>35:231</u> , 1946. Way, J. Pharm. Exp. Ther. <u>87:265</u> , 1946. Caesnick, J. Pharm. Exp. Ther. <u>102:138</u> , 1951. Ibid Ibid Fitch, J. Pharm. Exp. Ther. <u>42:266</u> , 1931. Schlossmann, Heffter's Hdb. <u>E. 2:152</u> . Ibid Gruber, J. Pharm. Exp. Ther. <u>81:254</u> , 1944. Carmichael, Proc. Soc. Exp. Biol. Med. <u>33:527</u> , 1936. Werner, J. Pharm. Exp. Ther. <u>50:189</u> , 1937. Fitch, J. Pharm. Exp. Ther. <u>42:266</u> , 1931. Ibid Werner, J. Pharm. Exp. Ther. <u>60:189</u> , 1937. Ibid Krop, J. Pharm. Exp. Ther. <u>88:260</u> , 1946.	1514
			Carmichael, Anesthesiology <u>8:589</u> , 1947. Ibid Ibid Ibid Werner, J. Pharm. Exp. Ther. <u>60:189</u> , 1937. Ibid Ibid	1515
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:82</u> , 1951.	1516
			Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Ibid	1517
			Kochmann, Heffter's Hdb. <u>E. 2:149</u> . Ibid Tunger, Arch. exp. Path. Pharm. <u>160:74</u> , 1931. Kochmann, Heffter's Hdb. <u>E. 2:149</u> . Maloney, J. Pharm. Exp. Ther. <u>42:267</u> , 1931. Kochmann, Heffter's Hdb. <u>E. 2:149</u> . Fitch, J. Pharm. Exp. Ther. <u>44:325</u> , 1932. Kochmann, Heffter's Hdb. <u>E. 2:149</u> . Krop, J. Pharm. Exp. Ther. <u>88:260</u> , 1946.	1518
			Kochmann, Heffter's Hdb. <u>E. 2:151</u> . Ibid Ibid Ibid Ibid Ibid Ibid	1519

Compound	Animal	Route	Dose	Dosage mg/kg	
					Value
1519 Phenergan (concluded)	Cat	or	LD	120-200	
	Dog	or	LD	200-300	
	Dog	sc	LD	100	
1520 Phenacaine HCl	Guinea pig	sc	MLD	53	
	Guinea pig	ip	MLD	50	
	Guinea pig	iv	MLD	15	
	Cat	iv	MLD	10	
1521 Phenacetin	Rat	or	LD	2600	
	Rat	or	LD <sub>50</sub>	1705	
	Rabbit	or	MLD	>1000	
	Dog	or	LD <sup>o</sup>	1000	
1522 Phenergan HCl	Mouse	sc	LD <sub>50</sub> <sup>o</sup>	750	
	Rat	sc	LD <sub>50</sub>	225	
	Rat	iv	LD <sub>50</sub>	50	
1523 Phenetole	Rat	sc	MLD	3500-4000	
1524 Phenol	Frog	sc	MLD	290-310	
	Mouse	sc	MLD	125	
	Mouse	sc	MLD	420-450	
	Rat	or	LD <sub>50</sub>	530	
	Rat	or	LD <sub>50</sub>	1300	
	Rat	sc	LD	217	
	Rat	sc	LD	500-600	
	Guinea pig	sc	MLD	450-550	
	Guinea pig	ip	MLD	300	
	Rabbit	or	MLD	420-620 <sup>1</sup>	
	Rabbit	sc	LD <sub>50</sub>	620 <sup>2</sup>	
	Rabbit	iv	LD <sub>50</sub>	180 <sup>2</sup>	
	Cat	sc	MLD	80 <sup>3</sup>	
1525 Phenothiazine	Rat	or	LD <sub>50</sub> <sup>o</sup>	5000	
	Rabbit	or	MLD	4000	
1526 2-Phenoxyethyl acetate	Mouse	or	LD <sub>50</sub>	3.7 cc	
	Rat	or	LD <sub>50</sub>	4.9 cc	
1527 Phenylethylbenzylethylamine	Mouse	sc	LD <sub>50</sub> <sup>o</sup>	1000	
1528 Phenoxyethylethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> <sup>o</sup>	35	
1529 3-Phenoxy-1, 2-propanediol	Mouse	or	LD <sub>50</sub>	2.65±0.02 cc	
1530 6-Phenoxypropylbenzyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub> <sup>o</sup>	750	
1531 Phenoxypropylethyl-β-chloroethylamine	Mouse	sc	LD <sub>50</sub>	50	
1532 Phenurone	Mouse	or	LD <sub>50</sub> <sup>o</sup>	5000	
1533 (3-Phenylacetoxyphenyl)trimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	2.9±0.5	
1534 Phenylacetyl-K-strophanthidin	Rabbit	iv	MLD	0.5	

/1/ 20% solution in H<sub>2</sub>O. /2/ 5% solution in H<sub>2</sub>O. /3/ 10% solution in oil.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Kochmann, Heffter's Hdb. <u>E.2:151.</u> Ibid Ibid	1519
			Hirschfelder, <i>Physiol. Rev.</i> <u>12:262, 1932.</u> Ibid Ibid Ibid	1520
			Hart, <i>J. Pharm. Exp. Ther.</i> <u>89:205, 1947.</u> Eagle, <i>J. Pharm. Exp. Ther.</i> <u>99:450, 1950.</u> Flury, <i>Abderhalden's Hdb.</i> <u>4.7b:1300.</u> Ibid	1521
			Halpern, <i>C. rend. Soc. biol.</i> <u>144:887, 1950.</u> Fournel, <i>J. Physiol.</i> <u>42:877, 1950.</u> Ibid	1522
			Binet, <i>Rev. med. Suisse rom.</i> <u>15:561, 1895.</u>	1523
	H <sub>2</sub> O Oil	8ev hr 2-3 da	Fühner, <i>Arch. exp. Path. Pharm.</i> <u>166:437, 1932.</u> Duplay, <i>C. rend. Acad. sc.</i> <u>112:627, 1891.</u> Fühner, <i>Arch. exp. Path. Pharm.</i> <u>166:437, 1932.</u> Deichmann, <i>J. Pharm. Exp. Ther.</i> <u>80:233, 1944.</u> Ibid Duplay, <i>C. rend. Acad. sc.</i> <u>112:627, 1891.</u> Binet, <i>Rev. med. Suisse rom.</i> <u>15:561, 1895.</u> Ibid Chassevant, <i>Arch. int. pharmaccd.</i> <u>14:93, 1905.</u> Deichmann, <i>J. Pharm. Exp. Ther.</i> <u>80:233, 1944.</u> Ibid Ibid Ibid	1524
	H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O Oil	30-45 min 317 hr		
			Lehman, <i>Q. Bull. Assoc. F. &amp; D. Off.</i> <u>45:122, 1951.</u> Schmitzer, <i>Canad. Pub. Health. J.</i> <u>33:17, 1942.</u>	1525
			Draize, <i>J. Pharm. Exp. Ther.</i> <u>93:26, 1948.</u> Ibid	1526
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379, 1951.</u>	1527
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379, 1951.</u>	1528
		10 da	Hine, <i>Arch. Ind. Hyg. Occ. Med.</i> <u>2:579, 1950.</u>	1529
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379, 1951.</u>	1530
		10 da	Nickerson, <i>J. Pharm. Exp. Ther.</i> <u>101:379, 1951.</u>	1531
			Everett, <i>J. Pharm. Exp. Ther.</i> <u>106:303, 1952.</u>	1532
			Randall, <i>J. Pharm. Exp. Ther.</i> <u>99:16, 1950.</u>	1533
			Neumann, <i>Arch. exp. Path. Pharm.</i> <u>185:328, 1937.</u>	

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1535	$\alpha$ -Phenyl- $\beta$ -aminobutane	Rat	or	LD <sub>50</sub>	400
		Rat	ip	LD <sub>50</sub>	70
1536	$\alpha$ -Phenyl- $\beta$ -aminobutanol	Rabbit	iv	LD <sub>50</sub>	50
1537	$\alpha$ -Phenyl- $\beta$ -aminoethane	Rat	or	LD <sub>50</sub>	800
		Rat	ip	LD <sub>50</sub>	100
1538	$\alpha$ -Phenyl- $\beta$ -aminopentane	Rat	or	LD <sub>50</sub>	400
		Rat	ip	LD <sub>50</sub>	70
1539	$\alpha$ -Phenyl- $\beta$ -aminopentanol	Rabbit	iv	LD	40
1540	$\alpha$ -Phenyl- $\beta$ -aminopropane	Mouse	ip	MLD	25
1541	$\beta$ -Phenyl- $\alpha$ -aminopropane	Mouse	sc	LD	540
		Rat	or	LD <sub>50</sub>	>3000
		Rat	ip	LD <sub>50</sub>	150
		Rabbit	iv	LD	72
1542	DL-1-Phenylaminopropane sulfate	Rat	ip	LD <sub>50</sub>	25-35
		Guinea pig	ip	LD <sub>50</sub>	50-70
1543	Phenylarsenoxide	Mouse	ip	LD <sub>50</sub>	1.93
		Rabbit	ip	LD <sub>50</sub>	0.79
1544	$\alpha$ -Phenyl- $\beta$ -benzylaminopropanol	Rabbit	iv	LD	20
1545	Phenylboric acid	Mouse	ip	LD	560
		Guinea pig	ip	LD	284
		Dog	iv <sup>2</sup>	LD	450
1546	$\alpha$ -Phenylbutanolmethylamine	Rabbit	iv	LD	45
1547	Phenylbutazone	Mouse	iv	LD <sub>50</sub>	122
		Rat	ip	LD <sub>50</sub>	215
1548	$\alpha$ -Phenyl- $\beta$ -butylaminopropane	Rat	or	LD <sub>50</sub>	390
		Rat	ip	LD <sub>50</sub>	130
1549	$\alpha$ -Phenyl- $\beta$ -butylaminopropanol	Rabbit	iv	LD	15
1550	2-Phenylcyclohexanol	Mouse	or	LD <sub>50</sub>	5.4 cc
		Rat	or	LD <sub>50</sub>	3.5 cc
		Guinea pig	or	LD <sub>50</sub>	1.6 cc
		Rabbit	or	LD <sub>50</sub>	2.7 cc
1551	$\alpha$ -Phenyldiaminopropanol	Rabbit	iv	LD	55
1552	Phenyldichlorarsine	Rabbit	ct	MLD	8-10
1553	Phenyldiethylaminoethyl- $\alpha$ -aminoacetic acid isoamyl ester	Mouse	or	LD <sub>50</sub>	760
		Mouse	im	LD <sub>50</sub>	360
		Mouse	iv <sup>3</sup>	LD <sub>50</sub>	40
1554	Phenyldiethylmethylammonium bromide	Mouse	iv	LD <sub>50</sub>	19.0±7.6
1555	$\alpha$ -Phenyl- $\beta$ -dimethylaminopropane	Rat	or	LD <sub>50</sub>	750
		Rat	ip	LD <sub>50</sub>	180

/1/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif." New York:

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Bovet & Bovet-Nitti. <sup>1</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1535
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1536
			Bovet & Bovet-Nitti. <sup>1</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1537
			Bovet & Bovet-Nitti. <sup>1</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1538
			Hartung, J. Am. Chem. Soc. 52:3317, 1930.	1539
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1540
			Bovet & Bovet-Nitti. <sup>1</sup> Ibid Hauschild, Arch. exp. Path. Pharm. 195:647, 1940. Bovet & Bovet-Nitti. <sup>1</sup>	1541
			Fellows, J. Pharm. Exp. Ther. 100:267, 1950. Ibid	1542
			Eagle, J. Pharm. Exp. Ther. 81:142, 1944. Ibid	1543
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1544
			Caujolle, Bull. Acad. méd., Par. 135:314, 1951. Ibid Ibid	1545
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1546
		48 hr 48 hr	Hazleton, Fed. Proc. 12:330, 1953. Ibid	1547
			Bovet & Bovet-Nitti. <sup>1</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1548
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1549
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid Ibid Ibid	1550
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1551
			Dudley, Pub. Health. Rpt. 53:338, 1938.	1552
			Brock, Arch. exp. Path. Pharm. 212:133, 1951. Ibid Ibid	1553
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	1554
			Bovet & Bovet-Nitti. <sup>1</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1555

S. Karger, 1948. /2/ Injected over period of 60 minutes. /3/ Given by slow injection.

Compounds	Animal	Route	Dose	Dosage
				mg/kg Value
1556 m-Phenylenediamine	Rat	sc	MLD	80
	Rabbit	or	MLD	300
	Rabbit	sc	MLD	200
	Cat	or	MLD	300
	Dog	iv	MLD	17
1557 o-Phenylenediamine	Frog	sc	MLD	4000
	Mouse	sc	MLD	250 <sup>1</sup>
	Mouse	sc	MLD	600 <sup>2</sup>
	Rat	sc	MLD	600 <sup>2</sup>
1558 p-Phenylenediamine	Rat	sc	MLD	176
	Rabbit	or	MLD	250
	Rabbit	sc	MLD	200
	Cat	or	MLD	100
	Dog	sc	MLD <sup>1</sup>	100
1559 Phenylethanolamine	Mouse	sc	LD	1100
	Rat	iv	MLD <sup>*</sup>	140
	Guinea pig	sc	MLD	1000
	Rabbit	iv	MLD	25-30
	Rabbit	iv	LD	80
1560 α-Phenyl-β-ethanolaminopropanol	Rabbit	iv	LD	75
1561 Phenylethanolmethylamine	Rabbit	iv	LD	100
1562 Phenylethylamine	Mouse	sc	LD	300
	Guinea pig	sc	LD	200-250
	Rabbit	iv	LD	40-50
1563 Phenylethylamine HCl	Guinea pig	sc	MLD	200-250
	Rabbit	sc	MLD <sup>*</sup>	300
1564 β-Phenylethylamine HCl	Mouse	ip	LD <sub>50</sub>	366
1565 Phenylethylamine iodide	Mouse	ip	LD <sub>50</sub>	360
1566 α-Phenyl-β-ethylaminopropane	Rat	or	LD <sub>50</sub>	250
	Rat	ip	LD <sub>50</sub>	80
1567 α-Phenyl-β-ethylaminopropanol	Rabbit	iv	LD	50
1568 β-Phenylethylglucosamine <sup>4</sup>	Mouse	ip	LD <sub>50</sub>	426
1569 β-Phenylethylglucosamine <sup>5</sup>	Mouse	ip	LD <sub>50</sub>	535
1570 2-Phenylethyl-α-hydroxyisobutyrate	Mouse	or	LD <sub>50</sub>	2.8 cc
	Rat	or	LD <sub>50</sub>	3.3 cc
	Guinea pig	or	LD <sub>50</sub>	1.1 cc
	Rabbit	or	LD <sub>50</sub>	1.9 cc
1571 Phenylethyltrimethylammonium hydroxide	Mouse	sc	LD	80
1572 α-Phenylglyceryl ether	Mouse	or	LD <sub>50</sub>	2650±25

/1/ Salt. /2/ Base. /3/ Bovet and Bovet-Nitti, Médicaments du Système Nerveux Végétatif."

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Hanzlik, J. Ind. Hyg. <u>4:386</u> , 1923. Ibid Ibid Ibid	1556
		1½ hr 24 hr 24 hr	Tainter, Arch. int. pharmacod. <u>36:140</u> , 1930. Ibid Ibid Ibid	1557
			Hanzlik, J. Ind. Hyg. <u>4:386</u> , 1923. Ibid Ibid Ibid Erdmann, Arch. exp. Path. Pharm. <u>53:401</u> , 1905.	1558
			Hasama, Arch. exp. Path. Pharm. <u>153:161</u> , 1930. Tainter, Proc. Soc. Exp. Biol. Med. <u>25:275</u> , 1928. Alles, J. Pharm. Exp. Ther. <u>32:121</u> , 1927. Ibid Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1559
			Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1560
			Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1561
			Hasama, Arch. exp. Path. Pharm. <u>153:161</u> , 1930 Alles, J. Pharm. Exp. Ther. <u>32:121</u> , 1927. Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1562
			Alles, J. Pharm. Exp. Ther. <u>32:121</u> , 1927. Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1563
			Kaesling, Proc. Soc. Exp. Biol. Med. <u>81:607</u> , 1952.	1564
			Kaesling, Proc. Soc. Exp. Biol. Med. <u>81:607</u> , 1952.	1565
			Bovet & Bovet-Nitti. <sup>3</sup> Hauschild, Arch. exp. Path. Pharm. <u>195:647</u> , 1940.	1566
			Chen, J. Pharm. Exp. Ther. <u>36:363</u> , 1929.	1567
			Kaesling, Proc. Soc. Exp. Biol. Med. <u>81:607</u> , 1952.	1568
			Kaesling, Proc. Soc. Exp. Biol. Med. <u>81:607</u> , 1952.	1569
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1948. Ibid Ibid Ibid	1570
			Hunt, J. Pharm. Exp. Ther. <u>48:51</u> , 1933.	1571
			Loeb, Fed. Proc. <u>8:316</u> , 1949.	1572

New York: S. Karger, 1948. /4/ Optical rotation +8°. /5/ Optical rotation - 15°.

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1573	Phenylhydrazine	Frog	sc	MLD	300
		Mouse	sc	LD	170
		Rat	sc	LD	40
		Rabbit	or	LD*	500
		Rabbit	sc	MLD	50-80
		Dog	or	MLD	200-250
		Dog	iv	MLD	120-200
1574	4-Phenyl-1-hydrazinophthalazine	Mouse	ip	LD <sub>50</sub>	45±4
1575	Phenylhydroxylamine	Rabbit	or	MLD	10-20 <sup>1</sup>
		Rabbit	sc	MLD	50
1576	2-Phenyl-4-hydroxymethyl-1,3-dioxolane	Mouse	ip	LD <sub>50</sub>	1296.0±58.4
1577	α-Phenyl-β-isopropylaminopropanol	Rabbit	iv	LD	50
1578	Phenylmercuric nitrate	Mouse	sc	LD <sub>50</sub>	45
		Mouse	iv	LD <sub>50</sub>	27
		Rat	sc	LD <sub>50</sub>	63
1579	Phenylmercuric-triethanolammonium lactate	Rat	or	LD <sub>50</sub>	30
1580	α-Phenyl-β-methylaminoethane	Rat	or	LD <sub>50</sub>	1400
		Rat	ip	LD <sub>50</sub>	180
1581	α-Phenyl-β-methylaminopropane	Mouse	ip	MLD	32
1582	DL-1-Phenyl-2-methylaminopropane HCl	Rat	ip	LD <sub>50</sub>	20-30
		Guinea pig	ip	LD <sub>50</sub>	40
		Rabbit	ip	LD <sub>50</sub>	30-40
1583	α-Phenyl-β-methylaminopropanol	Mouse	ip	MLD	170
1584	Phenylmethylcarbinol	Rat	or	LD <sub>50</sub>	400
		Guinea pig	ct	LD <sub>50</sub>	>15,000
1585	Phenyl-α-(1-naphthyl)methyl ether of Dimethylaminoethanol	Mouse	ip	LD <sub>50</sub>	52±2
1586	α-Phenyl-β-oxethylaminopropane	Mouse	ip	MLD	250
1587	α-Phenylpentanolmethylamine	Rabbit	iv	LD	35
1588	α-Phenylpentylaminopropanol	Rabbit	iv	LD	20
1589	α-Phenyl-β-propylaminopropane	Mouse	ip	LD <sub>50</sub>	80
		Rat	or	LD <sub>50</sub>	250
1590	α-Phenyl-β-propylaminopropanol	Rabbit	iv	LD	50
1591	Phenylthiourea	Rat	or	LD	20-40
		Rat	sc	LD	5-27
		Rat	ip	LD	5-12
1592	Phenyltrimethylammonium bromide	Mouse	iv	LD <sub>50</sub>	4.0±0.24

/1/ Per animal. /2/ Bovet and Bovet-Nitti. "Médicaments du Système Nerveux Végétatif."

Dosage m <sub>g</sub> /kg Range	Vehicle	Time of Death	Reference	
		15-20min	Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892. Von Oettingen, J. Ind. Hyg. Tox. 18:1, 1936. Hauschild, Arch. exp. Path. Pharm. 182:118, 1936. Jaffe, Zschr. f. Path., Frankfurt 24:No. 2. Hauschild, Arch. exp. Path. Pharm. 182, 118, 1936. Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892. Ibid	1573
			Walker, J. Pharm. Exp. Ther. 101:369, 1951.	1574
			Sieburg, Zschr. physiol. Chem. 92:331, 1914. Lewin, Arch. exp. Path. Pharm. 35:401, 1895.	1575
			Bergcr, Arch. int. pharmacod. 85:474, 1951.	1576
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1577
			Wien, Q. J. Pharm. Pharmacol. 12:212, 1939. Ibid Ibid	1578
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	1579
			Bovet & Bovet-Nitti. <sup>2</sup> Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1580
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1581
			Fellows, J. Pharm. Exp. Ther. 100:267, 1950. Ibid Ibid	1582
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1583
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944. Ibid	1584
			Ensor, J. Pharm. Exp. Ther. 112:318, 1954.	1585
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	1586
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1587
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1588
			Hauschild, Arch. exp. Path. Pharm. 195:647, 1940. Bovet & Bovet-Nitti. <sup>2</sup>	1589
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1590
		2-18 hr 6-15 hr 9-15 hr	Richter, Arch. Path. 33:46, 1942. Ibid Ibid	1591
			Randall, J. Pharm. Exp. Ther. 99:16, 1950.	1592

New York: S. Karger, 1948.

Compound	Animal	Route	Dose	Dosage	
				mg/kg Value	
1593	Phenyltrimethylammonium hydroxide	Mouse	sc	LD	49
1594	Phloroglucinol	Rat	sc	MLD	1500-1600
		Guinea pig	sc	MLD	1000-1200
		Guinea pig	ip	MLD	1000
		Dog	iv	MLD	1000-1200
1595	Phosphorus, Yellow	Rabbit	or	LD	7
		Rabbit	or	LD	10
		Rabbit	sc	LD	12.5
		Rabbit	sc	LD	30
		Dog	sc	LD	2-3
		Dog	sc	LD <sup>1</sup>	12
1596	Phosphorus sesquisulfide	Rabbit	or	LD	100
		Rabbit	sc	LD	200-600
1597	o-Phthalic acid	Mouse	ip	LD <sub>50</sub>	550
		Rat	cr	LD <sub>50</sub>	7500-8400
1598	Phthalylsulfathiazole	Mouse	ip	LD <sub>50</sub> <sup>1</sup>	920 <sup>1</sup>
		Mouse	ip	LD <sub>50</sub>	800 <sup>2</sup>
1599	Phthiocol	Mouse	or	LD <sub>100</sub>	600 <sup>1</sup>
		Mouse	ip	LD <sub>100</sub>	200 <sup>1</sup>
		Chicken	ip	LD <sub>100</sub>	250 <sup>1</sup>
1600	Phygon	Rat	or	LD <sub>50</sub>	1500
1601	Physostigmine	Frog	sc	LD	433-650
		Mouse	or	LD	3
		Mouse	sc	LD	0.75
		Mouse	iv	LD	0.5
		Rabbit	sc	LD	3
		Rabbit	iv	LD	0.4
		Cat	iv	LD	0.25
1602	Physostigmine salicylate	Cat	im	LD	1
		Cat	iv	LD	0.8
1603	Picolinaldehyde thiosemicarbazone	Mouse	or	LD <sub>50</sub>	51.1
1604	α-Picoline	Rat	or	LD <sub>50</sub>	1410
		Rabbit	ct	LD <sub>50</sub>	410 cc
1605	4-Picoline	Rat	or	LD <sub>50</sub>	1290
		Rabbit	ct	LD <sub>50</sub>	0.27 cc
1606	Picric acid	Frog	sc	LD	200
		Frog	sc	MLD	200-300 <sub>2</sub>
		Dog	sc	MLD	60
1607	Picropodophyllin	Mouse	ip	LD <sub>50</sub>	280
1608	Picrotoxin	Frog	sc	MLD	7
		Frog	sc	MLD	20
		Mouse	sc	LD	2.5-7.0
		Mouse	ip	LD <sub>50</sub>	4.5
		Mouse	iv	MLD	4

(continued on next page)

<sup>1</sup>/1/Suspension in oil. <sup>2</sup>/Sodium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Hunt, J. Pharm. Exp. Ther. <u>28:367</u> , 1926.	1593
			Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905. Gibbs, Dubois' Arch. f. Physiol. p344, 1890.	1594
	Oil	2-4 da	Hirz, Zschr. Biol. <u>60:187</u> , 1913.	1595
	Oil	3-4 da	Frank, Arch. exp. Path. Pharm. <u>64:274</u> , 1911.	
	Oil	Sev da	Santesson, Skand. Arch. Physiol. <u>15:259</u> , 1904.	
	Oil	7 hr	ibid	
	Oil	2-4 da	Rubow, Arch. exp. Path. Pharm. <u>52:173</u> , 1905.	
	Oil	5 da	Welsh, Arch. int. pharmacod. <u>14:211</u> , 1905.	
		11 da 2-12 da	Santesson, Skand. Arch. Physiol. <u>15:259</u> , 1904. Heffter's Hdb. <u>3.1:619</u> .	1596
			Hodge, Proc. Soc. Exp. Biol. Med. <u>49:471</u> , 1942. Shaffer, J. Ind. Hyg. Tox. <u>27:130</u> , 1945.	1597
	Oil		Mattis, J. Pharm. Exp. Ther. <u>81:116</u> , 1944. Ibid	1598
	Oil		Molitor, Proc. Soc. Exp. Biol. Med. <u>43:125</u> , 1940.	1599
	Oil		Ibid	
	Oil		Ibid	
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	1600
			Flury, Abderhalden's Hdb. <u>4.7b:1383</u> . Aeschlimann, J. Pharm. Exp. Ther. <u>43:413</u> , 1931. Ibid Ibid Ibid Heubner, Arch. exp. Path. Pharm. <u>53:313</u> , 1905. Ibid	1601
			Weiss, J. Pharm. Exp. Ther. <u>27:181</u> , 1926. Ibid	1602
			Grunberg, Proc. Soc. Exp. Biol. Med. <u>77:47</u> , 1951.	1603
960-2080 270-630 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	1604
1120-1500 0.19-0.38 cc			Smyth, Arch. Ind. Hyg. Occ. Med. <u>10:61</u> , 1954. Ibid	1605
		Instant	Flury, Abderhalden's Hdb. <u>4.7b:1384</u> . Hilzoter, Arch. Hyg. <u>87:213</u> , 1918. Flury, Abderhalden's Hdb. <u>4.7b:1384</u> .	1606
			Sullivan, Proc. Soc. Exp. Biol. Med. <u>77:269</u> , 1951.	1607
			Swanson, J. Pharm. Exp. Ther. <u>57. 0</u> , 1936. Fühner, Arch. exp. Path. Pharm. <u>166:437</u> , 1932. Flury, Abderhalden's Hdb. <u>4.7b:1385</u> . McOnals, Fed. Proc. <u>6:357</u> , 1947. Swanson, J. Pharm. Exp. Ther. <u>57:410</u> , 1936.	1608

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1608 Picrotoxin (concluded)	Rat	sc	LD <sub>100</sub>	81
	Rat	sc	MLD	6
	Rat	iv	MLD	4
	Guinea pig	sc	LD	8
	Rabbit	sc	MLD	2.5
	Rabbit	iv	MLD	1.25
	Rabbit	iv	MLD	1.35
	Dog	sc	LD	2.2
	Pigeon	im	LD	1.4
1609 Pilocarpine	Rabbit	iv	LD	120-230
	Pigeon	iv	LD	353 <sup>2</sup>
1610 Piracolin	Guinea pig	sc	LD	700
1611 Piperidine	Frog	sc	LD	1750
	Frog	sc	LD	200-1000
	Mouse	sc	LD	460-760
	Rat	sc	LD	50
	Rabbit	sc	LD	500
1612 3-Piperidyl-1,1-di-(2'-thienyl)-butane acid oxalate	Mouse	or	LD <sub>50</sub>	264
	Mouse	sc	LD <sub>50</sub>	159
1613 3-Piperidyl-1,1-di-(2'-thienyl)-butene HCl	Mouse	or	LD <sub>50</sub>	190
	Mouse	sc	LD <sub>50</sub>	119
1614 Piperonal	Rat	ip	MLD	1500-1700
1615 Piperonyl butoxide	Mouse	or	LD <sub>50</sub>	3.8 cc
	Rat	or	LD <sub>50</sub>	7.5-10.0 cc
	Rat	or	LD <sub>50</sub> <sup>*</sup>	11,500
	Rabbit	ct	LD <sub>50</sub> <sup>*</sup>	>1880
	Cat	or	LD <sub>50</sub>	>10 cc
	Dog	or	LD <sub>50</sub>	>7.5 cc
1616 Piperonylcyclohexanone	Mouse	or	LD <sub>50</sub>	5.1 cc
	Rat	or	LD <sub>50</sub>	5200
	Rat	or	LD <sub>50</sub>	6.9 cc
1617 Piperonylether butoxide	Mouse	or	LD <sub>50</sub>	8.3 cc
	Rat	or	LD <sub>50</sub>	8-12 cc
1618 Pip-pip	Rat ?	ip	LD <sub>50</sub>	250
1619 Plasmoquine  (continued on next page)	Mouse	sc	MLD	12.5
	Rabbit	or	MLD	225
	Rabbit	sc	MLD	20
	Rabbit	iv	MLD	3.5
	Cat	or	MLD	7.5
	Cat	sc	MLD	5.0-7.5
	Cat	iv	MLD	5
	Dog	or	MLD	20
	Dog	sc	MLD	20
	Dog	iv	MLD	5-10
	Canary	or	MLD	50

/1/5% solution in water. /2/Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	H <sub>2</sub> O	4-30 min	Sampson, J. Pharm. Exp. Ther. 65:275, 1939. Kreitmar, Arch. exp. Path. Pharm. 187:607, 1937. Swanson, J. Pharm. Exp. Ther. 57:410, 1936. Flury, Abderhalden's Hdb. 4.7b:1385. Swanson, J. Pharm. Exp. Ther. 57:410, 1936. Ibid Werner, J. Pharm. Exp. Ther. 66:260, 1939. Flury, Abderhalden's Hdb. 4.7b:1386. Ibid	1608
		1 1/2 hr	Flury, Abderhalden's Hdb. 4.7b:1386. Ibid	1609
		1 1/4-8 hr	Bong, Dissert., Stockholm 1934.	1610
			Gürber, Dubois' Arch. f. Physiol. p401, 1890. Jacob, Arch. exp. Path. Pharm. 50:199, 1903. Ibid Tab. Biol. 3:754, 1926. Albahary, C. rend. Acad. sc. 147:996, 1908.	1611
250-278 152-167			Eddy, J. Pharm. Exp. Ther. 107:385, 1953. Ibid	1612
183-197 114-125			Eddy, J. Pharm. Exp. Ther. 107:385, 1954. Ibid	1613
			Binet, Rev. med. Suisse rom. 16:449, 1896.	1614
			Div. Pharm. F. & D. Adm. Q. Rpt. Sept. 1946. Sarlis, Am. J. Trop. Med. 29:151, 1949. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Ibid, 16:3, 1952. Sarlis, Am. J. Trop. Med. 29:151, 1949. Ibid	1615
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Draize, J. Pharm. Exp. Ther. 93:26, 1948.	1616
			Div. Pharm. F. & D. Adm. Q. Rpt. 1, Aug. 1946. Ibid, Rpt. 2, Dec. 1946.	1617
			Mallette, Arch. Ind. Hyg. Occ. Med. 5:311, 1952.	1618
			LeHeux, Arch. exp. Path. Pharm. 144:341, 1929. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Tahimanauri, Arch. Schiffs Tropenhyg. 35:89, 1931. LeHeux, Arch. exp. Path. Pharm. 144:341, 1929.	1619

Compound	Animal	Route	Dose	Dosage
				ng/kg Value
1619 Plasmoquine (concluded)	Canary	sc	MLD	33-50
	Rooster	or	MLD	57
1620 Platinum chloride	Rabbit	iv <sup>1</sup>	MLD	180.1
	Rabbit	iv <sup>2</sup>	MLD	125
	Rabbit	iv	MLD	22.9
1621 Plutonium citrate	Dog	im	LD	0.35-0.68
	Dog	iv	LD	0.3
1622 Podophyllic acid	Mouse	or	LD <sub>50</sub>	899
	Mouse	sc	LD <sub>50</sub>	700
1623 Podophyllin	Mouse	or	LD <sub>50</sub>	63
	Mouse	sc	LD <sub>50</sub>	58
	Dog	or	LD	120
1624 Podophyllotoxin	Mouse	or	LD <sub>50</sub>	90
	Mouse	sc	LD <sub>50</sub>	24.6
1625 Polyethylene glycol	Mouse	ip	LD <sub>50</sub>	9200±450 <sup>3</sup>
	Mouse	ip	LD <sub>50</sub>	2000±150 <sup>4</sup>
	Mouse	ip	LD <sub>50</sub>	8000±800 <sup>5</sup>
1626 Polypropylene glycol	Mouse	ip	LD <sub>50</sub>	700±75 <sup>3</sup>
	Mouse	ip	LD <sub>50</sub>	195±8 <sup>6</sup>
	Mouse	ip	LD <sub>50</sub>	113±12 <sup>7</sup>
	Mouse	ip	LD <sub>50</sub>	3600±400 <sup>8</sup>
1627 Polypropylene glycol 425	Rat	or	LD <sub>50</sub>	2910
	Rat	ip	LD <sub>50</sub>	460
	Rat	iv	LD <sub>50</sub>	410
1628 Polypropylene glycol 1025	Rat	or	LD <sub>50</sub>	2150
	Rat	ip	LD <sub>50</sub>	230
	Rat	iv	LD <sub>50</sub>	120
1629 Polypropylene glycol 2025	Rat	or	LD <sub>50</sub>	9760
	Rat	ip	LD <sub>50</sub>	4470
	Rat	iv	LD <sub>50</sub>	710
1630 Pontamine Sky Blue	Mouse	iv	LD <sub>50</sub>	2260
1631 Potasan	Rat	ip	LD <sub>50</sub>	15
1632 Potassium acid saccharate <sup>9</sup>	Rat	or	LD	>2000
1633 Potassium arsenite	Mouse	sc	MLD	16-18
	Rat	or	LD <sub>50</sub>	14
	Guinea pig	sc	MLD	10
	Rabbit	sc	MLD	10
	Rabbit	iv	MLD	6-7
	Cat	sc	MLD	7
	Dog	sc	MLD	8
	Dog	iv	MLD	2-3

/1/Fast injection. /2/Slow injection. /3/Molecular weight 400. /4/Molecular weight 1000.  
/8/Molecular weight 2000. /9/Neutralized.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			LeHeux, Arch. exp. Path. Pharm. <u>144</u> :341, 1929. Kohlschütter, Arch. exp. Path. Pharm. <u>201</u> :402, 1943.	1619
		3 da	Orestano, Boll. soc. ital. biol. sper. <u>8</u> :1152, 1933. Ibid Ibid	1620
		16 da	Painter, Nucl. Sci. Abstr. <u>1</u> :18, 1948. Ibid	1621
			Sullivan, Proc. Soc. Exp. Biol. Med. <u>77</u> :269, 1951. Ibid	1622
		16 hr	Sullivan, Proc. Soc. Exp. Biol. Med. <u>77</u> :269, 1951. Ibid Flury, Abderhaiden's Hdb. <u>4</u> . 7b:1387.	1623
			Sullivan, Proc. Soc. Exp. Biol. Med. <u>77</u> :269, 1951. Ibid	1624
			Shideman, J. Pharm. Exp. Ther. <u>103</u> :293, 1951. Ibid Ibid	1625
			Shideman, J. Pharm. Exp. Ther. <u>103</u> :293, 1951. Ibid Ibid Ibid	1626
2650-3190 300-700 310-540		14 da 14 da 14 da	Shaffer, Arch. Ind. Hyg. Occ. Med. <u>3</u> :448, 1951. Ibid Ibid	1627
1190-2410 150-360 84-160		14 da 14 da 14 da	Shaffer, Arch. Ind. Hyg. Occ. Med. <u>3</u> :448, 1951. Ibid Ibid	1628
8, 850-10, 760 2790-7150		14 da 14 da 14 da	Shaffer, Arch. Ind. Hyg. Occ. Med. <u>3</u> :448, 1951. Ibid Ibid	1629
			Weinberg, Science <u>114</u> :41, 1951.	1630
			DaBois, Arch. Ind. Hyg. Occ. Med. <u>6</u> :9, 1952.	1631
			Ambrose, J. Am. Pharm. Assoc. <u>40</u> :277, 1951.	1632
			Sieburg, Zschr. physiol. Chem. <u>97</u> :53, 1916. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15</u> :122, 1951. Sieburg, Zschr. physiol. Chem. <u>97</u> :53, 1916. Ibid Ibid Ibid Ibid	1633

/5/Molecular weight 4000. /6/Molecular weight 750. /7/Molecular weight 1200.

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1634	Potassium chlorate	Rat	or	LD	7000
		Rat	ip	LD	1500
		Guinea pig	ip	LD	1800
		Rabbit	or	MLD	2000-2500
		Dog	or	MLD	1200-1250
1635	Potassium chloride	Frog	sc	LD	950
		Mouse	ip	LD <sub>50</sub>	670
		Rat	or	LD	2430
		Rat	sc	MLD	1200
		Rat	ip	LD	825
		Rat	iv	MLD	90
		Guinea pig	sc	LD	1140
		Guinea pig	iv	MLD	80-87
		Guinea pig	ip	LD	900
		Pigeon	sc	MLD	988
1636	Potassium chromate	Guinea pig	sc	MLD	60-80
		Rabbit	sc	LD	12
		Dog	iv	MLD	2.9-5.0
1637	Potassium columbate	Rat	or	LD <sub>50</sub>	3000 <sup>1</sup>
		Rat	ip	LD <sub>50</sub>	225 <sup>1</sup>
1638	Potassium cyanide	Frog	sc	MLD	149
		Mouse	sc	LD	3-102
		Mouse	sc	LD <sub>50</sub>	6.02±0.33 <sup>3</sup>
		Mouse	sc	LD <sub>50</sub>	2.86±0.16 <sup>4</sup>
		Mouse	ip	MLD	3-10
		Mouse	iv	LD	2.5
		Rat	or	MLD	10-15
		Rat	sc	MLD	17
		Rat	iv	MLD	2.5
		Dog	or	LD	5.3
		Dog	or	LD	1.6
		Pigeon	im	MLD	4
		Pigeon	iv	MLD	4
1639	Potassium dichromate	Mouse	sc	LD	100
		Guinea pig	sc	LD	29.4
		Rabbit	sc	LD	15.8-19.0
		Rabbit	sc	LD	58.8
		Rabbit	iv	LD	27.9
		Dog	or	LD	2829
		Dog	sc	LD	149
		Dog	sc	LD	310
Dog	sc	LD	67.6		
1640	Potassium fluoride	Frog	sc	MLD	375
		Guinea pig	or	MLD	250
		Guinea pig	sc	MLD	350
1641	Potassium iodide	Rat	iv	LD <sup>6</sup>	285

/1/ 50% solution in H<sub>2</sub>O. /2/ Calculated as HCN. /3/ At 23°-25° C. /4/ At 4° C.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Ulrich, J. Pharm. Exp. Ther. <u>35:1</u> , 1929. Ibid Ibid Stockuis, Arch. exp. Path. Pharm. <u>21:169</u> , 1886. Rost, Heffter's Hdb. <u>3.1:386</u> .	1634
		Few hr  1 hr	Flury, Abderhalden's Hdb. <u>4.7b:1359</u> . Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939. Ulrich, J. Pharm. Exp. Ther. <u>35:1</u> , 1929. Main, Endocrinology <u>24:523</u> , 1939. Ulrich, J. Pharm. Exp. Ther. <u>35:1</u> , 1929. Loeser, J. Lab. Clin. Med. <u>15:35</u> , 1929. Flury, Abderhalden's Hdb. <u>4.7b:1359</u> . Amberg, J. Pharm. Exp. Ther. <u>6:595</u> , 1915. Ulrich, J. Pharm. Exp. Ther. <u>35:1</u> , 1929. Flury, Abderhalden's Hdb. <u>4.7b:1359</u> .	1635
		3-5 da	Flury, Abderhalden's Hdb. <u>4.7b:1330</u> . Eichler, Heffter's Hdb. <u>3.3:1520</u> . Ibid	1636
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950. Ibid	1637
		26 hr    21 min 155 min 3 min Rapid	Heymans, Arch. int. pharmacod. <u>3:77</u> , 1897. Flury, Abderhalden's Hdb. <u>4.7b:1340</u> . Streicher, Proc. Soc. Exp. Biol. Med. <u>76:536</u> , 1951. Ibid Flury, Abderhalden's Hdb. <u>4.7b:1340</u> . Ibid Ibid Fühner, Arch. exp. Path. Pharm. <u>166:455</u> , 1932. Ibid Gettler, Am. J. Med. Sc. <u>195:182</u> , 1938. Ibid Heymans, Arch. int. pharmacod. <u>3:77</u> , 1897. Ibid	1638
	H <sub>2</sub> O	6 hr  1-3 da 8-10 da 1 hr 3 hr 4 1/2 hr 1 da	Eichler, Heffter's Hdb. <u>3.3:1520</u> . Ibid Ibid Ibid Ibid Brand, 14th Congr. Ind. Chem., Paris 1934. Ibid Ibid Eichler, Heffter's Hdb. <u>3.3:1520</u> .	1639
			Simonin, C. rend. Soc. biol. <u>124:133</u> , 1937. Ibid Ibid	1640
			Hildebrandt, Arch. exp. Path. Pharm. <u>96:292</u> , 1923.	1641

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1642	Potassium nitrate	Cat	iv	LD	>100
1643	Potassium permanganate	Mouse	sc	MLD	500
		Rabbit	iv	LD	701
1644	Potassium silicofluoride	Frog	sc	MLD	400
		Guinea pig	or	MLD	250
		Guinea pig	sc	MLD	500
1645	Potassium sulfate	Guinea pig	sc	LD	3000
1646	Potassium tantalum fluoride	Rat	or	LD <sub>50</sub>	2500 <sup>2</sup>
		Rat	ip	LD <sub>50</sub>	375 <sup>2</sup>
1647	Potassium thiocyanate	Frog	sc	LD	250-300
		Mouse	or	LD <sub>50</sub>	594.4±27
		Mouse	iv	LD <sub>50</sub>	88.2±5.8
		Rat	or	LD <sub>50</sub>	854.1±66.6
		Rat	sc	LD	1000
		Guinea pig	or	LD	600-800
		Guinea pig	sc	LD	150-300
		Guinea pig	sc	LD	750
		Rabbit	or	LD	500-1000
		Rabbit	sc	LD	550
		Rabbit	iv	LD	150-180
		Dog	iv	LD	100
		Pigeon	sc	LD	500
Pigeon	im	LD	500		
1648	Frantal	Mouse	or	LD <sub>50</sub>	317
		Mouse	ip	LD <sub>50</sub>	47
		Rat	or	LD <sub>50</sub>	1107
		Guinea pig	or	LD <sub>50</sub>	404
		Dog	iv	LD <sub>50</sub>	41.6
1649	Praseodymium chloride, PrCl <sub>3</sub> · 7H <sub>2</sub> O	Mouse	sc	LD <sub>50</sub>	2500
		Rabbit	iv <sup>3</sup>	LD <sub>50</sub>	200-250
1650	Praseodymium nitrate, Pr(NO <sub>3</sub> ) <sub>3</sub> · 6H <sub>2</sub> O	Rat	iv	LD	10.8-13.9
1651	Privine	Mouse	iv	LD <sub>50</sub>	17C
		Rat	sc	LD <sub>50</sub>	385
		Rat	sc	LD	200
		Rat	ip	LD	50
		Rabbit	sc	LD <sub>50</sub>	0.95
		Rabbit	iv	LD <sub>50</sub>	0.8
1652	Procaine	Frog	sc	MLD	1500 <sup>5</sup>
		Frog	sc	MLD	1250-1330 <sup>6</sup>
		Mouse	or	LD <sub>50</sub>	900
		Mouse	sc	MLD	800 <sup>5</sup>
		Mouse	sc	MLD	1600-1700 <sup>5</sup>
		Mouse	sc	MLD	1330-1410 <sup>6</sup>
		Mouse	sc	LD <sub>50</sub>	339.1±42.4
		Mouse	sc	LD <sub>50</sub>	800
		Mouse	sc	LD <sub>50</sub>	800
		Mouse	im	LD <sub>50</sub>	630

(continued on next page)

/1/5% solution in H<sub>2</sub>O. /2/Suspension in H<sub>2</sub>O. /3/Injected at rate of 3-4 cc per minute.  
S. Karger, 1948. /5/Hydrochloride. /6/Base.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O		Flury, Abderhalden's Hdb. <u>4.7b:1360.</u>	1642
	H <sub>2</sub> O	Instant	Langecker, Heffter's Hdb. <u>3.2:1346.</u> Ibid	1643
			Simonin, C. rend. Soc. biol. <u>124:133, 1937.</u> Ibid Ibid	1644
			Flury, Abderhalden's Hdb. <u>4.7b:1360.</u>	1645
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637, 1950.</u> Ibid	1646
		6-12 hr	Flury, Abderhalden's Hdb. <u>4.7b:1391.</u> Anderson, J. Am. Pharm. Assoc. <u>29:152, 1940.</u> Ibid Ibid Flury, Abderhalden's Hdb. <u>4.7b:1391.</u> Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1647
269-361 900-1362 254-642		5 da	Margolin, Proc. Soc. Exp. Biol. Med. <u>78:576, 1951.</u> Ibid Ibid Ibid Ibid	1648
	H <sub>2</sub> O		Vincke, Arch. exp. Path. Pharm. <u>188:465, 1938.</u> Ibid	1649
		3-5 da	Maxwell, J. Pharm. Exp. Ther. <u>43:61, 1931.</u>	1650
			Gylfe, Fed. Proc. <u>9:280, 1950.</u> Ibid Bovet & Bovet-Nitti. <sup>4</sup> Ibid Gylfe, Fed. Proc. <u>9:280, 1950.</u> Ibid	1651
			Hirschfelder, Physiol. Rev. <u>12:262, 1932.</u> Fühner, Arch. exp. Path. Pharm. <u>166:455, 1932.</u> Seifter, Antibiotics <u>1:504, 1951.</u> Hirschfelder, Physiol. Rev. <u>12:262, 1932.</u> Fühner, Arch. exp. Path. Pharm. <u>166:455, 1932.</u> Ibid Schamp, Anesthesiology <u>3:398, 1942.</u> Ross, J. Lab. Clin. Med. <u>15:731, 1930.</u> Seifter, Antibiotics <u>1:504, 1951.</u>	1652

<sup>4</sup>/Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif," New York:

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1652 Procaine (concluded)	Mouse	ip	LD <sub>50</sub>	123.8±7.1
	Mouse	iv	LD <sub>50</sub>	56.9±1.5
	Rat	sc	LD <sub>50</sub>	2100
	Rat	sc	MLD	1650
	Rat	ip	LD <sub>50</sub>	184
	Rat	ip	LD	300
	Rat	ip	LD <sub>50</sub>	225±24
	Rat	ip	LD <sub>50</sub>	269.2±5.8
	Rat	iv	LD <sub>50</sub>	38.3±1.6
	Rat	iv	LD <sub>50</sub>	53
	Guinea pig	sc	MLD	430
	Guinea pig	ip	MLD	60
	Guinea pig	iv	MLD	50
	Rabbit	sc	MLD	460
	Rabbit	iv	LD <sub>50</sub>	57
	Guinea pig	sc	MLD	430
	Guinea pig	ip	MLD	60
	Guinea pig	iv	MLD	50
	Rabbit	sc	MLD	460
	Rabbit	iv	LD <sub>50</sub>	44
	Rabbit	iv	LD <sub>50</sub>	57
	Cat	sc	MLD	450
	Cat	iv	MLD	40-45
Dog	sc	MLD	250	
1653 Progesterone	Rat	ip	LD <sub>100</sub>	327.1
1654 Prolan	Rat	or	LD <sub>50</sub> <sup>a</sup>	4000
	Rabbit	ct	LD <sub>50</sub>	400-800
1655 Promurit	Mouse	ip	LD <sub>50</sub>	1.35
	Rat ♀	or	LD <sub>50</sub> <sup>a</sup>	0.28
	Rat ♀	ip	LD <sub>50</sub>	0.2
	Guinea pig	ip	LD <sub>50</sub>	1.9
	Rabbit	ip	LD <sub>50</sub>	1.75
1656 Propadrine	Rabbit	iv	LD	75
1657 Propanol	Mouse	or	MLD	3500-4500
	Mouse	sc	MLD	4985
	Rat	or	LD <sub>50</sub>	1870
	Rat	ip	MLD	3216
	Rabbit	ct	LD <sub>50</sub>	5.04 cc
	Rabbit	iv	LD	4020
	Cat	iv	LD	1608
	Dog	or	LD	2975-3296
	Dog	sc	LD	4020-4502
1658 Propionaldehyde	Mouse	sc	LD <sub>50</sub>	680
	Rat	or	LD <sub>50</sub>	1410
	Rat	sc	LD <sub>50</sub>	820
	Rabbit	ct	LD <sub>50</sub>	5.04 cc
1659 Propionic anhydride	Rat	or	LD <sub>50</sub>	2360
	Rabbit	ct	LD <sub>50</sub>	10 cc

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Schamp, Anesthesiology 3:398, 1942. Ibid Rose, J. Lab. Clin. Med. 15:731, 1930. Hirschfelder, Physiol. Rev. 12:262, 1932. Burgison, Fed. Proc. 10:284, 1951. Rose, J. Lab. Clin. Med. 15:731, 1930. Rau, J. Pharm. Exp. Ther. 101:421, 1951. Schamp, Anesthesiology 3:398, 1942. Ibid Rose, J. Lab. Clin. Med. 15:731, 1930. Hirschfelder, Physiol. Rev. 12:262, 1932. Ibid Ibid Ibid Rose, J. Lab. Clin. Med. 15:731, 1930. Hirschfelder, Physiol. Rev. 12:262, 1932. Ibid Ibid Ibid Burgison, Fed. Proc. 10:284, 1951. Rose, J. Lab. Clin. Med. 15:731, 1930. Hirschfelder, Physiol. Rev. 12:262, 1932. Ibid ibid	1652
	Peanut oil	6 hr	Selye, Proc. Soc. Exp. Biol. Med. 46:116, 1941.	1653
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Ibid, 16:3, 1952.	1654
	Prop gly Prop gly Prop gly Prop gly		Cochran, Fed. Proc. 8:283, 1949. Ibid Ibid Ibid Ibid	1655
			Chen, J. Pharm. Exp. Ther. 36:363, 1929.	1656
1340-2600 3.4-7.46 cc			Weese, Arch. exp. Path. Pharm. 135:118, 1928. Starrek, Dissert., Würzburg 1938. Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Lendle, Arch. exp. Path. Pharm. 132:214, 1928. Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Lehman, J. Pharm. Exp. Ther. 61:103, 1937. Macht, J. Pharm. Exp. Ther. 16:1, 1921. Dujardin, C. rend. Acad. sc. 81:192, 1875. Ibid	1657
960-2080 3.4-7.46 cc		24 hr 24 hr	Skog, Acta pharm. tox. 6:299, 1950. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Skog, Acta pharm. tox. 6:299, 1950. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	1658
2060-2710 5.3-19.0 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	1659

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1660	Propionitrile	Frog	sc	MLD	8000
		Rat	or	LD <sub>50</sub>	39
		Rabbit	sc	MLD	65
		Rabbit	ct	LD <sub>50</sub>	210
		Rabbit	iv	MLD	50
		Pigeon	im	LD	1250
1661	3-Propionyloxy-6-dimethylamino-4,4-diphenylheptane	Mouse	sc	LD <sub>50</sub>	250
1662	3-Propionyloxy-6-dimethylamino-4,4-diphenyl-5-methylhexane	Mouse	sc	LD <sub>50</sub>	600
1663	Propional	Rat	sc	LD <sub>50</sub>	260
		Rat	sc	MLD	200-350
1664	p-(n-Propoxy)benzaldehyde	Mouse	or	LD <sub>50</sub>	1.8 cc
		Rat	or	LD <sub>50</sub>	1.6 cc
1665	n-Propyladrenalin	Mouse	sc	LD	200
1666	p-n-Propylbenzaldehyde	Mouse	or	LD <sub>50</sub>	1.8 cc
		Rat	or	LD <sub>50</sub>	4.2 cc
1667	Propylbenzazepine	Mouse	ip	LD <sub>50</sub>	145±13
		Mouse	iv	LD <sub>50</sub>	17±2.3
1668	n-Propyl cinnamate	Mouse	or	LD <sub>50</sub>	7 cc
		Guinea pig	or	LD <sub>50</sub>	3 cc
1669	Propylenebenzazepine	Mouse	or	LD <sub>50</sub>	460±29
		Mouse	sc	LD <sub>50</sub>	725±43
		Mouse	im	LD <sub>50</sub>	600±125
		Mouse	ip	LD <sub>50</sub>	210±13
		Mouse	iv	LD <sub>50</sub>	26.5±5
		Rabbit	iv	LD <sub>50</sub>	26.5±5.1
		Dog	iv	LD <sub>50</sub>	50±24
1670	Propylene chlorohydrin	Rat	or	LD <sub>50</sub>	220
		Guinea pig	or	LD <sub>50</sub>	720
1671	Propylene glycol	Mouse	or	LD <sub>50</sub>	2200
		Mouse	or	LD	23,900
		Mouse	sc	LD <sub>50</sub>	18,500
		Mouse ♀	ip	LD <sub>50</sub>	9730
		Mouse	iv	LD <sub>50</sub>	5000
		Mouse	iv	LD <sub>50</sub>	8000
		Rat	or	LD <sub>50</sub>	21,000
		Rat	or	LD <sub>50</sub>	32,200
		Rat	sc	LD <sub>50</sub>	24,900
		Rat	sc	LD <sub>50</sub>	28,000
		Rat	ip	LD <sub>50</sub>	13,000
		Rat	im	LD <sub>50</sub>	13,400
		Rat	im	LD <sub>50</sub>	20,000
		Guinea pig	or	LD <sub>50</sub>	18,350

(continued on next page)

/1/Bovet and Bovet-Nitti. "Médicaments du Système Nerveux Végétatif," New York: S.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
30-51 150-300			Verbrugge, Arch. int. pharmacod. 5:161, 1889. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Verbrugge, Arch. int. pharmacod. 5:161, 1889. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951. Lapigne, C. rend. Soc. biol. 41:251, 1889. Meurice, Arch. int. pharmacod. 7:11, 1900.	1660
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	1661
			Eddy, J. Pharm. Exp. Ther. 98:121, 1950.	1662
			Vogt, Arch. exp. Path. Pharm. 152:341, 1930. Gros, Arch. exp. Path. Pharm. 182:348, 1936.	1663
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	1664
			Bovet & Bovet-Nitti. I	1665
			Div. Pharm. F. & D. Adm. Q. Rpt. 3, April 1946. Ibid. Rpt. 4, June 1946.	1666
			Randall, J. Pharm. Exp. Ther. 103:10, 1951. Ibid	1667
			Draize, J. Pharm. Exp. Ther. 93:26, 1948. Ibid	1668
			Randall, J. Pharm. Exp. Ther. 103:10, 1951. Ibid Ibid Ibid Ibid Ibid	1669
190-270 620-830			Smyth, J. Ind. Hyg. Tox. 23:259, 1941. Ibid	1670
22, 800-25, 100 16, 940-19, 870			Latven, J. Pharm. Exp. Ther. 65:89, 1939. Laug, J. Ind. Hyg. Tox. 21:173, 1939. Latven, J. Pharm. Exp. Ther. 65:89, 1939. Karel, Fed. Proc. 6:342, 1947. Lehmann & Flury, "Industrial Solvents," 1943. Latven, J. Pharm. Exp. Ther. 65:89, 1939. Laug, J. Ind. Hyg. Tox. 21:173, 1939. Weatherby, J. Am. Pharm. Assoc. 27:466, 1938. Braun, J. Am. Pharm. Assoc. 25:746, 1946. Thomas, J. Ind. Hyg. Tox. 31:256, 1949. Ibid Weatherby, J. Am. Pharm. Assoc. 27:466, 1938. Thomas, J. Ind. Hyg. Tox. 31:256, 1949. Smyth, J. Ind. Hyg. Tox. 23:259, 1941.	1671

Karger, 1948.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1671	Propylene glycol (concluded)	Guinea pig	or	LD <sub>50</sub>	18,900
		Rabbit	or	LD <sub>50</sub>	19,200
		Rabbit	iv	LD <sub>50</sub>	4100
		Rabbit	iv	LD <sub>50</sub>	6200
		Dog	iv	LD <sub>50</sub>	25,000
1672	1,3-Propylene glycol	Mouse	or	LD <sub>50</sub>	6
1673	Propylene glycol ethyl ether (β isomer)	Rat	or	LD <sub>50</sub>	8930
1674	Propylene glycol methyl ether	Rat	or	LD <sub>50</sub>	6.6 cc
1675	2-a-propylenephenoxethyl-β- chloroethylamine	Mouse	sc	LD <sub>50</sub>	>1000
1676	N-Propylepinephrine	Mouse	sc	LD	200
1677	n-Propyl-2-furylcarbamate	Rat	or	LD <sub>50</sub>	1600
1678	Propyl gallate	Rat	or	LD <sub>50</sub>	3800
		Rat	ip	LD <sub>50</sub>	380
1679	n-Propylisome	Rat	or	LD <sub>50</sub> <sup>1</sup>	15,000
		Rabbit	ct	LD <sub>50</sub> <sup>2</sup>	>375 <sup>2</sup>
1680	Propyl lupetidene	Frog	sc	LD <sup>3</sup>	100
1681	β-Propylpiperidine (synthetic Coniine)	Rabbit	sc	LD	150
1682	n-Propylpiperidine	Rabbit	sc	LD	10
1683	n-Propyltrimethylammonium iodide	Mouse	ip	LD <sub>50</sub>	68
1684	Protoveratrine	Frog <sup>3</sup>	sc	LD <sub>50</sub>	4.5
		Frog <sup>4</sup>	sc	LD <sub>50</sub>	13
		Mouse	iv	LD <sub>50</sub>	0.048
		Mouse	ip	LD <sub>50</sub>	0.44 <sup>5</sup>
		Mouse	ip	LD <sub>50</sub>	0.37 <sup>5</sup>
		Rat	or	LD <sub>50</sub>	5
		Rat	sc	LD <sub>50</sub>	0.6
		Rabbit	sc	LD <sub>50</sub>	0.11
		Rabbit	iv	LD <sub>50</sub>	0.05
		Cat	sc	LD <sub>50</sub>	0.5
1685	Protoverine	Mouse	iv	LD <sub>50</sub>	194
1686	Pseudoephedrine	Rabbit	sc	MLD	500
		Rabbit	iv	MLD	100
1687	Pilocaine	Mouse	sc	MLD	330
		Rat	iv <sup>6</sup>	MLD	30
		Guinea pig	sc	MLD	95
		Guinea pig	ip	MLD	200
		Guinea pig	iv	MLD	20
		Cat	sc	MLD	60
		Cat	iv	MLD	15
		Dog	iv	LD	25

<sup>1</sup>/Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif," New York: from two commercial sources. <sup>6</sup>/Slow injection.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
17, 200-20, 700			Laug, J. Ind. Hyg. Tox. <u>21:173</u> , 1939. Braun, J. Am. Pharm. Assoc. <u>25:746</u> , 1936. Weatherby, J. Am. Pharm. Assoc. <u>27:466</u> , 1938. Ajazzi, Boll. soc. ital. biol. sper. <u>14:68</u> , 1939. Hanzlik, J. Pharm. Exp. Ther. <u>67:101</u> , 1939.	1671
			Kopf, Arch. exp. Path. Pharm. <u>210:346</u> , 1950.	1672
7, 890 - 10, 900			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	1673
6. 1-6. 9 cc			Rowe, Arch. Ind. Hyg. Occ. Med. <u>9:509</u> , 1954.	1674
		10 da	Nickerson, J. Pharm. Exp. Ther. <u>101:379</u> , 1951.	1675
			Bovet & Bovet-Nitti, <sup>1</sup>	1676
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	1677
			Orten, Food Technol. <u>2:308</u> , 1948. Ibid	1678
	H <sub>2</sub> O		Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952.	1679
			Gürber, Dubois' Arch. f. Physiol. <u>401</u> , 1890.	1680
			Granger, Ber. deut. chem. Ges. <u>30:1060</u> , 1897.	1681
			Wolfenstein, Ber. deut. chem. Ges. <u>34:2408</u> , 1901.	1682
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939.	1683
0. 30-0. 64 0. 29-0. 48			Haas, Arch. exp. Path. Pharm. <u>189:397</u> , 1938. Ibid Kraye, J. Pharm. Exp. Ther. <u>82:167</u> , 1944. Swiss. Proc. Soc. Exp. Biol. Med. <u>76:347</u> , 1951. Ibid Kraye, Physiol. Rev. <u>26:383</u> , 1946. Ibid Ibid Haas, Arch. exp. Path. Pharm. <u>189:397</u> , 1938. Ibid	1684
			Kraye, J. Pharm. Exp. Ther. <u>82:167</u> , 1944.	1685
			Chou, Proc. Soc. Exp. Biol. Med. <u>23:618</u> , 1926. Ibid	1686
			Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Ibid Ibid Ibid Ibid Hirschfelder, Physiol. Rev. <u>12:262</u> , 1932. Mercier, C. rend. Acad. sc. <u>189:872</u> , 1929.	1687

S. Karger, 1948. /2/4% solution. /3/Rana temporaria. /4/R. esculenta. /5/Preparations

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1688	Psychotrine HCl	Rat	sc	LD	>1000
		Guinea pig	sc	LD	>200
1689	Pulvic acid	Mouse	ip	LD <sub>50</sub>	500
1690	Pyrethrins I & II	Mouse	ip	LD <sub>100</sub>	200
		Rat	or	LD <sub>50</sub>	820 <sup>1</sup>
		Rat	or	LD <sub>50</sub>	1870 <sup>1</sup>
		Rat	ip	LD <sub>90</sub>	200
		Guinea pig	or	LD <sub>50</sub>	1500
		Guinea pig	ip	LD <sub>90</sub>	200
1691	Pyribenzamine	Dog	iv	LD	6-8
		Mouse	or	LD <sub>50</sub>	210
		Mouse	or	LD <sub>50</sub>	97-44
		Mouse	or	LD <sub>50</sub>	360±30
		Mouse	sc	LD <sub>50</sub>	62
		Mouse	sc	LD <sub>50</sub>	75
		Mouse	ip	LD <sub>50</sub>	65
		Mouse	ip	LD <sub>50</sub>	70±2
		Mouse	ip	LD <sub>50</sub>	45
		Mouse	iv	LD <sub>50</sub>	12
		Mouse	iv	LD <sub>50</sub>	17±1.4
		Rat	or	LD <sub>50</sub>	570
		Rat	or	LD <sub>50</sub>	515
		Rat	sc	LD <sub>50</sub>	225
		Rat	sc	LD <sub>50</sub>	340
		Rat	iv	LD <sub>50</sub>	13±1
		Rat	iv	LD <sub>50</sub>	15-20
		Rabbit	sc	LD <sub>50</sub>	33
Rabbit	iv	LD <sub>50</sub>	9		
Rabbit	iv	LD <sub>50</sub>	12		
Hamster	iv	LD <sub>50</sub>	13±1		
1692	Pyridine	Mouse	ip	MLD <sup>0</sup>	1200
		Rat	or	LD <sub>50</sub>	1580
		Rat	sc	LD <sub>50</sub>	1000
		Guinea pig	or	MLD	4000
		Guinea pig	ip	MLD	870
		Rabbit	or	MLD	2000
1693	Pyridium	Rat	ip	LD <sub>100</sub>	450 <sup>2</sup>
1694	Pyridoxine	Mouse	iv	LD <sub>50</sub>	545. 3±42. 9
		Rat	or	LD <sub>50</sub>	5500 <sup>3</sup>
		Rat	sc	LD <sub>50</sub>	3700 <sup>3</sup>
		Rat	sc	LD	3100 <sup>4</sup>
		Rat	iv	LD <sub>50</sub>	657. 5±18. 3
1695	N-(2-Pyridyl)-N', N'-dimethylene-diamine fumarate	Mouse	or	LD <sub>50</sub>	264-423
		Mouse	ip	LD <sub>50</sub>	136

/1/ 20% in an olive oil base. /2/ 1% solution. /3/ Hydrochloride. /4/ Base.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Walters, J. Pharm. Exp. Ther. <u>10:73</u> , 1917. Ibid	1688
			Brodersen, Acta pharm. tox. <u>2:109</u> , 1946.	1689
680-1000 1340-2600	Pet oil Olive oil Olive oil Pet oil Pet oil Pet oil	48 hr	Shimkin, Proc. Soc. Exp. Biol. Med. <u>34:135</u> , 1936. Carpenter, Arch. Ind. Hyg. Occ. Med. <u>2:420</u> , 1950. Ibid Shimkin, Proc. Soc. Exp. Biol. Med. <u>34:145</u> , 1936. Ibid Ibid Chevalier, Bull. sc. pharm. <u>37:154</u> , 1930.	1690
63-67 36-57		Rapid	Loew, Physiol. Rev. <u>27:542</u> , 1947. Orcutt, J. Pharm. Exp. Ther. <u>101:488</u> , 1951. Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949. Van der Brock, J. Pharm. Exp. Ther. <u>94:197</u> , 1948. Loew, Physiol. Rev. <u>27:542</u> , 1947. Orcutt, J. Pharm. Exp. Ther. <u>101:488</u> , 1951. Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949. Way, J. Pharm. Exp. Ther. <u>104:115</u> , 1952. Loew, Physiol. Rev. <u>27:542</u> , 1947. Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949. Loew, Physiol. Rev. <u>27:542</u> , 1947. Ibid Ibid Ibid Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949. Van der Brock, J. Pharm. Exp. Ther. <u>94:197</u> , 1948. Loew, Physiol. Rev. <u>27:542</u> , 1947. Ibid Van der Brock, J. Pharm. Exp. Ther. <u>94:197</u> , 1948. Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949.	1691
1420-1770			Baxter, J. Clin. Invest. <u>25:908</u> , 1946. Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Brazda, Proc. Soc. Exp. Biol. Med. <u>62:19</u> , 1946. Brunton, J. Physiol. <u>17:272</u> , 1894. Ibid Distler, Dissert., Erlangen 1882.	1692
	H <sub>2</sub> O	6½ hr	Walton, J. Pharm. Exp. Ther. <u>51:200</u> , 1934.	1693
			Wiegand, Proc. Soc. Exp. Biol. Med. <u>44:147</u> , 1940. Unna, J. Pharm. Exp. Ther. <u>73:85</u> , 1941. Ibid Ibid Wiegand, Proc. Soc. Exp. Biol. Med. <u>44:147</u> , 1940.	1694
125-148			Orcutt, J. Pharm. Exp. Ther. <u>101:488</u> , 1951. Ibid	1695

1696	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1696	Pyrogallol	Frog	sc	MLD	200-300
		Rat	sc	MLD	600-700
		Guinea pig	sc	MLD	800-1200
		Rabbit	or	MLD	1100
		Dog	or	MLD	25
		Dog	sc	MLD	300-400
		Dog	iv	MLD	80-100
1697	Pyronyl	Mouse	or	LD <sub>50</sub>	1116±73
		Mouse	sc	LD <sub>50</sub>	1270±156
		Mouse	im	LD <sub>50</sub>	836.6±95
		Mouse	iv	LD <sub>50</sub>	53.53±1.61
		Guinea pig	or	LD <sub>50</sub>	992.6±107
		Guinea pig	sc	LD <sub>50</sub>	1241±165
		Guinea pig	im	LD <sub>50</sub>	625.6±41.9
1698	Pyrotartaric acid	Frog	sc	MLD	2400-2600
1699	Pyrrolazote	Mouse	sc	LD <sub>50</sub>	1500
		Mouse	iv	LD <sub>50</sub>	33-39
		Rat	iv	LD <sub>50</sub>	24-27
		Rabbit	iv	LD <sub>50</sub> *	38
1700	Pyrrole	Mouse	sc	MLD	60,500
1701	3-Pyrrolidyl-1,1-di-(2'-thienyl)-butane HCl	Mouse	or	LD <sub>50</sub>	284
		Mouse	sc	LD <sub>50</sub>	222
1702	3-Pyrrolidyl-1,1-di-(2'-thienyl)-butane HCl	Mouse	or	LD <sub>50</sub>	215
		Mouse	sc	LD <sub>50</sub>	121
1703	Pyrrolone	Cat	sc	MLD	300
1704	Quercetin <sup>1</sup>	Mouse	or	LD <sub>50</sub>	161
		Mouse	sc	LD <sub>50</sub>	97
1705	Quercetin <sup>2</sup>	Mouse	or	LD <sub>50</sub>	159
		Mouse	sc	LD <sub>50</sub>	99
1706	Quinaldine	Rat	or	LD <sub>50</sub>	1230
		Rabbit	ct	LD <sub>50</sub>	1870
1707	Quinhydrone	Rat	or	LD <sub>50</sub> *	225
		Rat	iv	LD <sub>50</sub> *	35
1708	Quinidine	Frog	sc	MLD	250
		Mouse	sc	MLD	400
		Rat	ip	MLD	174
		Cat	iv	LD <sub>50</sub>	21.6
1709	Quinidine sulfate	Mouse	or	LD <sub>50</sub>	593.9±83.0
		Mouse	ip	LD <sub>50</sub>	189.96±39.5
		Mouse	iv	LD <sub>50</sub>	66.97±3.36
		Mouse	iv	LD <sub>50</sub>	69.0±2.6
		Rat	ip	LD	200

/1/ Derived from podophyllin. /2/ Derived from quercetron.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Banet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Ibid Heyroth, personal communication. Vitali, Tierchem. <u>29:827</u> , 1894 Neisser, Zschr. klin. Med. <u>1:88</u> , 1880. Gibbs, Dubois' Arch. f. Physiol. p344, 1890.	1696
			Lee, Proc. Soc. Exp. Biol. Med. <u>80:458</u> , 1952. Ibid Ibid Ibid Ibid Ibid	1697
			Heymans, Dubois' Arch. f. Physiol. p168, 1889.	1698
			Van der Brock, J. Pharm. Exp. Ther. <u>94:197</u> , 1948. Ibid Ibid Ibid	1699
			Rabbeno, Arch. int. pharmacod. <u>59:431</u> , 1938.	1700
266-302 200-246			Eddy, J. Pharm. Exp. Ther. <u>107:385</u> , 1953. Ibid	1701
196-235 112-130			Eddy, J. Pharm. Exp. Ther. <u>107:385</u> , 1953. Ibid	1702
		4 hr	Tunicliffe, Zbl. Physiol. <u>16:93</u> , 1903.	1703
			Sullivan, Proc. Soc. Exp. Biol. Med. <u>77:269</u> , 1951. Ibid	1704
			Sullivan, Proc. Soc. Exp. Biol. Med. <u>77:269</u> , 1951. Ibid	1705
440-1620 1340-2600			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	1706
			Woodard, Fed. Proc. <u>8:348</u> , 1949. Ibid	1707
			Bonsmann, Arch. exp. Path. Pharm. <u>295:129</u> , 1948. Ibid Ibid Kirchmann, Arch. exp. Path. Pharm. <u>192:639</u> , 1939.	1708
			Caiesnick, J. Pharm. Exp. Ther. <u>102:138</u> , 1951. Ibid Ibid Scott, J. Pharm. Exp. Ther. <u>84:184</u> , 1946. Macht, J. Pharm. Exp. Ther. <u>22:21</u> , 1923.	1709

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1710 Quinine	Frog	sc	LD	200
	Frog	sc	LD	400
	Frog	sc	LD	600 <sup>1</sup>
	Frog	sc	MLD	200
	Frog	sc	MLD	700
	Rat	or	MLD	<500
	Rat	sc	MLD	200
	Rat	sc	LD	790
	Rat	im	MLD	300
	Rat	iv	MLD	<75
	Guinea pig	or	MLD	300
	Guinea pig	sc	MLD	160
	Guinea pig	sc	LD	293
	Rabbit	or	LD	800
	Rabbit	or	LD	1500 <sup>1</sup>
	Rabbit	sc	LD	231
	Rabbit	sc	LD	250
	Rabbit	sc	LD	500 <sup>1</sup>
	Rabbit	iv	LD	70 <sup>1</sup>
Cat	sc	MLD	100	
Dog	sc	LD <sup>2</sup>	180	
Rooster	or	LD	857 <sup>2</sup>	
1711 Quinine-n-amylochloride	Rat	iv	LD <sub>50</sub>	4.5
	Rabbit	iv	LD <sub>50</sub>	10
	Dog	iv	LD <sub>50</sub>	15.6
1712 Quinine-n-butylchloride	Rat	iv	LD <sub>50</sub>	7.2
	Rabbit	iv	LD <sub>50</sub>	5.8
	Dog	iv	LD <sub>50</sub>	9.5
1713 Quinine ethochloride	Rat	iv	LD <sub>50</sub>	5.2
	Rabbit	iv	LD <sub>50</sub>	7.6
	Dog	iv	LD <sub>50</sub>	12.9
1714 Quinine hexylbromide	Rat	iv	LD <sub>50</sub>	9.3
	Rabbit	iv	LD <sub>50</sub>	10
	Dog	iv	LD <sub>50</sub>	20.8
1715 Quinine isoamylbromide	Rat	iv	LD <sub>50</sub>	5.3
	Rabbit	iv	LD <sub>50</sub>	10.3
	Dog	iv	LD <sub>50</sub>	20
1716 Quinine isopropylchloride	Rat	iv	LD <sub>50</sub>	20.8
	Rabbit	iv	LD <sub>50</sub>	13.2
	Dog	iv	LD <sub>50</sub>	9.3
1717 Quinine methochloride	Rat	iv	LD <sub>50</sub>	5
	Rabbit	iv	LD <sub>50</sub>	7
	Dog	iv	LD <sub>50</sub>	16.3
1718 Quinine-n-propylbromide	Rat	iv	LD <sub>50</sub>	4.2
	Rabbit	iv	LD <sub>50</sub>	3.4
	Dog	iv	LD <sub>50</sub>	5.9

<sup>1</sup>/Hydrobromide. <sup>2</sup>/Hydrochloride.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Bonsmann, Arch. exp. Path. Pharm. 205:129, 1948. Smith, J. Pharm. Exp. Ther. 8:53, 1916. Flury, Abderhalden's Hdb. 4, 7b:1320. Bonsmann, Arch. exp. Path. Pharm. 205:129, 1948. Smith, J. Pharm. Exp. Ther. 8:53, 1916. Nelson, J. Pharm. Exp. Ther. 63:122, 1938. Bonsmann, Arch. exp. Path. Pharm. 205:129, 1948. Flury, Abderhalden's Hdb. 4, 7b:1320. Nelson, J. Pharm. Exp. Ther. 63:122, 1938. ibid	1710
		4-5 hr	Hunt, Arch. int. pharmacod. 12:497, 1904. Bonsmann, Arch. exp. Path. Pharm. 205:129, 1948. Flury, Abderhalden's Hdb. 4, 7b:1320.	
		7-9 hr	Hunt, Arch. int. pharmacod. 12:497, 1904. Flury, Abderhalden's Hdb. 4:7b:1320. Ibid	
		2 hr*	Hunt, Arch. int. pharmacod. 12:497, 1904. Flury, Abderhalden's Hdb. 4, 7b:1320. Ibid Bonsmann, Arch. exp. Path. Pharm. 205:129, 1948. Flury, Abderhalden's Hdb. 4, 7b:1320. Kohlschütter, Arch. exp. Path. Pharm. 201:402, 1943.	
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1711
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1712
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1713
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1714
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1715
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1716
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1717
			Chase, J. Pharm. Exp. Ther. 82:266, 1944. Ibid Ibid	1718

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1719	Quinine-n-propylchloride	Rat	iv	LD <sub>50</sub>	6.9
		Rabbit	iv	LD <sub>50</sub>	2.9
		Dog	iv	LD <sub>50</sub>	4.3
1720	Quinoline	Rat	or	LD <sub>50</sub>	460
		Rabbit	ct	LD <sub>50</sub>	540
		Rabbit	sc	LL	200-400 <sup>1</sup>
1721	Quinone	Rat	or	LD <sub>50</sub> <sup>a</sup>	130
		Rat	iv	LD <sub>50</sub> <sup>a</sup>	25
1722	Quinosol	Mouse	sc	MLD	20
		Rat	sc	MLD	30
		Guinea pig	or	LD <sub>10</sub>	1200
		Cat	sc	MLD	30
1723	p-Quinuclidinol acetate HCl	Mouse	iv	LD <sub>50</sub>	27
1724	Quinuclidinol-α-allyldiphenylacetate HCl	Mouse	ip	LD <sub>50</sub>	132
1725	Quinuclidinolbenzilate HCl	Mouse	ip	LD <sub>50</sub>	110
		Mouse	iv	LD <sub>50</sub>	23.5
1726	Quinuclidinoldiphenylacetate- ½H <sub>2</sub> SO <sub>4</sub> ·H <sub>2</sub> O	Mouse	ip	LD <sub>50</sub>	150
		Mouse	iv	LD <sub>50</sub>	28.1
		Dog	iv	LD <sub>50</sub>	20
1727	L-Quinuclidinoldiphenylacetate HCl	Mouse	iv	LD <sub>50</sub>	29.5
1728	Quinuclidinoethylbromide diphenylacetate	Mouse	ip	LD <sub>50</sub>	52
		Mouse	iv	LD <sub>50</sub>	3.7
1729	Quinuclidinol-9-fluorencarboxylate HCl	Mouse	ip	LD <sub>50</sub>	165
		Mouse	iv	LD <sub>50</sub>	26
1730	Quinuclidinolmethylbromide- benzilate	Mouse	or	LD <sub>50</sub>	492
		Mouse	sc	LD <sub>50</sub>	500
		Mouse	ip	LD <sub>50</sub>	54
		Mouse	iv	LD <sub>50</sub>	16.1
		Dog	iv	LD <sub>50</sub>	26
1731	Quinuclidinolmethylbromide diphenylacetate	Mouse	ip	LD <sub>50</sub>	55
		Mouse	iv	LD <sub>50</sub>	4.25
1732	Quotane	Rat	ip	LD <sub>50</sub>	45-50
		Rabbit	iv	LD <sub>50</sub>	5
1733	Resibufogenin	Cat	iv	LD <sub>50</sub>	5.08-7.91
1734	Resorcinol (continued on next page)	Frog	sc	MLD	270-290
		Mouse	sc	MLD	340-360

<sup>1</sup>/Salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Chase, J. Pharm. Exp. Ther. <u>82</u> :266, 1944. Ibid Ibid	1719
240-890 350-830			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951. Ibid Flury, Abderhalden's Hdb. <u>4</u> , 7b:1322.	1720
			Woodard, Fed. Proc. <u>8</u> :348, 1949. Ibid	1721
			Heubner, Klin. Wschr. <u>52</u> :1709, 1926. Ibid Anderson, Proc. Soc. Exp. Biol. Med. <u>28</u> :484, 1931. Heubner, Klin. Wschr. <u>52</u> :1709, 1926.	1722
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952.	1723
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952.	1724
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid	1725
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid Ibid	1726
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952.	1727
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid	1728
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid	1729
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid Ibid Ibid Ibid	1730
			Randall, J. Pharm. Exp. Ther. <u>104</u> :284, 1952. Ibid	1731
			Fellows, J. Pharm. Exp. Ther. <u>103</u> :306, 1950. Ibid	1732
	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111</u> :365, 1954.	1733
		28 hr	Fühner, Arch. exp. Path. Pharm. <u>166</u> :437, 1932. Ibid	1734

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1734 Resorcinol (concluded)	Rat	sc	MLD	400-500
	Guinea pig	sc	MLD	400-500
	Guinea pig	ip	MLD	300
	Dog	iv	LD	700-1000
1735 r-Resorcylate sodium	Mouse	or	LD <sub>100</sub>	>5000
	Mouse	sc	LD <sub>100</sub>	2500
1736 Retrosine	Mouse	iv	LD <sub>50</sub>	71.67±2.93
1737 Ricin <sup>1</sup>	Mouse	sc	LD	0.02
	Mouse	ip	LD	0.1
	Rat	sc	LD	0.02
	Guinea pig	sc	LD	0.02
	Guinea pig	im	LD	0.0008-0.0032
	Rabbit	sc	LD*	0.02
	Rabbit	im	LD	0.0001-0.0005
	Cat	im	LD	0.0002
	Cat	im	LD	0.1
	Dog	im	LD	0.0006-0.5
1738 Rimifon	Mouse	or	LD <sub>50</sub>	142±10
	Mouse	ct	LD <sub>50</sub>	203
	Mouse	sc	LD <sub>50</sub>	160±11.2
	Mouse	sc	LD <sub>50</sub>	203
	Mouse	im	LD <sub>50</sub>	140±15.4
	Mouse	ip	LD <sub>50</sub>	132±13.2
	Mouse	iv	LD <sub>50</sub>	152±16.8
	Mouse	iv	LD <sub>50</sub>	171
	Rat	or	LD <sub>50</sub>	1435
	Rabbit	or	LD <sub>50</sub>	250
Rabbit	iv	LD <sub>50</sub>	94	
1739 Rivanol	Mouse	sc	LD	75
	Mouse	ip	LD	41.65
	Mouse	iv	LD	45.5
	Rabbit	sc	LD	100
	Rabbit	iv	LD	50
1740 Roccal	Mouse	or	LD <sub>50</sub>	340
	Mouse	iv	LD <sub>50</sub>	16
	Rat	or	LD <sub>50</sub>	234.3±26.5
	Rat	or	LD <sub>50</sub>	350
	Rat	or	LD <sub>50</sub>	445
	Rat	ip	LD <sub>50</sub>	50
	Guinea pig	or	LD <sub>50</sub>	200
1741 Rodione	Mouse	or	LD <sub>50</sub>	2500
1742 Rotenone	Mouse	ip	LD <sub>100</sub>	10
	Rat	or	LD <sub>50</sub>	100
	Rat	or	LD <sub>50</sub> *	132
	Rat	ip	LD <sub>100</sub>	5
	Guinea pig	or	MLD*	200
	Guinea pig	or	MLD*	75

(continued on next page)

<sup>1/1</sup> Toxicity of different preparations varies considerably.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Chassevant, Arch. int. pharmacod. <u>14:93</u> , 1905. Gibbs, Dubois' Arch. f. Physiol. <u>p352</u> , 1890.	1734
			Buttle, Brit. Med. J. <u>2:325</u> , 1951. Ibid	1735
			Henderson, Proc. Soc. Exp. Biol. Med. <u>76:530</u> , 1951	1736
			Carmichael, J. Pharm. Exp. Ther. <u>35:193</u> , 1929. Rpt. Chemother. Leukemia, So. Res. Inst. Carmichael, J. Pharm. Exp. Ther. <u>35:193</u> , 1929. Ibid Field, J. Exp. Med. <u>12:551</u> , 1910. Carmichael, J. Pharm. Exp. Ther. <u>35:193</u> , 1929. Field, J. Exp. Med. <u>12:551</u> , 1910. Ibid Ibid Ibid	1737
		1 da 1 da 1 da 1 da 1 da 1 da 1 wk 1 da 1 da	Benson, Am. Rev. Tuberc. <u>65:376</u> , 1952. Grunberg, Q. Bull. Sea View Hosp. <u>13:3</u> , 1952. Benson, Am. Rev. Tuberc. <u>65:376</u> , 1952. Grunberg, Q. Bull. Sea View Hosp. <u>13:3</u> , 1952. Benson, Am. Rev. Tuberc. <u>65:376</u> , 1952. Ibid Ibid Grunberg, Q. Bull. Sea View Hosp. <u>13:3</u> , 1952. Benson, Am. Rev. Tuberc. <u>65:376</u> , 1952. Ibid Ibid	1738
			Fiury, Abderhalden's Hdb. <u>4.7b:1292</u> . Ibid Ibid Ibid Ibid	1739
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954. Ibid Alfredson, J. Am. Pharm. Assoc. <u>40:263</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>18:43</u> , 1954. Ibid Ibid Ibid	1740
			Mollitor, Arch. int. pharmacod. <u>62:281</u> , 1939.	1741
	Eth gly Eth gly Eth gly Eth gly Eth gly		Shimkin, Proc. Soc. Exp. Biol. Med. <u>34:135</u> , 1936. Ibid Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1952. Shimkin, Proc. Soc. Exp. Biol. Med. <u>34:135</u> , 1936. Ibid Haag, J. Pharm. Exp. Ther. <u>43:193</u> , 1931.	1742

Compound	Animal	Route	Dose	Dosage mg/kg	
				Value	
1742 Rotenone (concluded)	Guinea pig	sc	MLD*	16	
	Guinea pig	im	MLD*	7	
	Guinea pig	ip	MLD*	2	
	Guinea pig	ip	MLD*	15	
	Chicken	or	MLD	996	
1743 Rubidium chloride	Mouse	ip	LD <sub>50</sub>	1209	
1744 Rubijervine	Mouse	iv	LD <sub>50</sub>	70	
1745 Rutgers 612	Mouse	or	LD <sub>50</sub>	1.9 cc	
	Rat	or	LD <sub>50</sub>	1.4 cc	
	Guinea pig	or	LD <sub>50</sub>	4.2 cc	
	Chicken	or	LD <sub>50</sub>	2.5 cc	
1746 Rutin	Mouse	iv	LD <sub>50</sub>	950	
	Mouse	iv	LD <sub>50</sub>	4000 <sup>1</sup>	
1747 Ryania	Rat	or	LD <sub>50</sub> *	750	
	Rabbit	ct	LD <sub>50</sub>	>4000	
1748 Sabadilla <sup>2</sup>	Rat	or	LD <sub>50</sub> *	4000	
1749 Safrole	Rabbit	or	MLD*	1000	
	Rabbit	sc	MLD*	1000	
	Rabbit	iv	MLD	200	
1750 Salicylaldehyde	Rat	sc	MLD	900-1000	
1751 Salicylamide	Mouse	or	LD <sub>50</sub>	1400	
	Mouse	iv	LD <sub>50</sub>	313	
	Rat	or	LD <sub>50</sub>	1400 <sup>3</sup>	
	Rat	or	LD <sub>50</sub>	2000	
	Rat	or	LD <sub>50</sub>	1200	
	Rat	ip	LD <sub>100</sub>	1000-1500	
	Rat	ip	LD <sub>50</sub>	600	
	Rabbit	or	LD <sub>50</sub> *	3000	
1752 Salicylcyclohexylamide	Rat	ip	LD <sub>50</sub>	13	
1753 Salicyldicyclohexylamide	Rat	ip	LD <sub>50</sub>	2000	
1754 Salicyldiethylamide	Rat	ip	LD <sub>50</sub>	350	
1755 Salicyldimethylamide	Rat	ip	LD <sub>50</sub>	2000	
1756 Salicylethylamide	Rat	ip	LD <sub>50</sub>	250	
1757 Salicylhydroxyethylamide	Rat	ip	LD <sub>50</sub>	1500	
1758 Salicylic acid	Frog	sc	MLD	500-900	
	Mouse	sc	LD <sub>50</sub>	520	
	Rat	sc	MLD	700	
	Guinea pig	sc	MLD	850	
	Guinea pig	ip	MLD	900 <sup>4</sup>	
	Rabbit	or	LD	1100-1600	
	Dog	or	MLD	450-500 <sup>4</sup>	
	Dog	sc	LD	300-400 <sup>4</sup>	
	Dog	ip	LD	991 <sup>4</sup>	

/1/ Suspension. /2/ V. ratrine-like alkaloids. /3/ 20% suspension in H<sub>2</sub>O. /4/ Sodium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Eth gly Eth gly Eth gly		Haag, J. Pharm. Exp. Ther. <u>43:193</u> , 1931. Ibid Ibid Shimkin, Proc. Soc. Exp. Biol. Med. <u>34:135</u> , 1936. Cutkomp, J. Pharm. Exp. Ther. <u>77:238</u> , 1943.	1742
			Alles, Univ. Cal. Publ. Pharmacol. <u>1:187</u> , 1939.	1743
			Krayer, J. Pharm. Exp. Ther. <u>82:167</u> , 1944.	1744
			Draize, J. Pharm. Exp. Ther. <u>93:26</u> , 1951. Ibid Ibid Ibid	1745
	Prop gly H <sub>2</sub> O	3 da	Harrison, J. Am. Pharm. Assoc. <u>39:557</u> , 1950. Ibid	1746
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Ibid, <u>16:3</u> , 1952.	1747
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951.	1748
			Heffter, Arch. exp. Path. Pharm. <u>35:342</u> , 1895. Ibid Ibid	1749
			Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895.	1750
	H <sub>2</sub> O  G traga	24 hr  24 hr	Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947. Litter, J. Pharm. Exp. Ther. <u>101:119</u> , 1951. Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947. Ichniowski, J. Am. Pharm. Assoc. <u>35:225</u> , 1946. Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953. Ichniowski, J. Am. Pharm. Assoc. <u>35:225</u> , 1946. Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953. Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947.	1751
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1752
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1753
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1754
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1755
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1756
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1757
			Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Hanzlik, Arch. int. pharmacod. <u>38:9</u> , 1930. Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Flury, Abderhalden's Hdb. <u>4.7b:1392</u> . Ibid Ibid Ibid Ibid	1758

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1759 Salicylmethylamide	Rat	ip	LD <sub>50</sub>	350
1760 Salicylphenylethylamide	Rat	ip	LD <sub>50</sub>	1500
1761 Salicyl-n-propylamide	Rat	ip	LD <sub>50</sub>	250
1762 Salicylic acid (sodium salt)	Mouse	sc	LD <sub>50</sub>	1130
	Rat	sc	LD <sub>50</sub>	3000
1763 Salyrgan	Mouse	im	LD <sub>50</sub>	97.4±5.4
	Mouse	iv	LD <sub>50</sub>	72.6±5.1
	Rat	im	LD <sub>50</sub>	24.1±1.9
	Rat	iv	LD <sub>50</sub>	17.7±1.7
	Rabbit	im	LD <sub>50</sub>	24.5±2.1
	Rabbit	iv	MLD	7-15
1764 Samarium nitrate	Frog	sc	MLD	1600
	Guinea pig	sc	MLD	500
1765 Sanochrysin	Frog	sc	LD	50
	Mouse	sc	MLD	100-300
	Mouse	iv	LD	150
	Rat	sc	LD	100
	Rat	sc	LD	30
	Rat	iv	LD	80
	Guinea pig	iv	LD	40
	Rabbit	iv	LD	75
	Rabbit	iv	LD	100
	Rabbit	iv	LD	64.8
	Rabbit	iv	LD	389
1766 Santonin	Mouse	sc	LD	250-400
	Rabbit	or	LD	3000 <sup>1</sup>
	Rabbit	sc	LD	1000 <sup>1</sup>
	Rabbit	iv	LD	200 <sup>1</sup>
	Dog	sc	MLD	100
1767 Santowhite	Rat?	ip	LD <sub>50</sub>	5000
1768 Saponin(s) <sup>2</sup>	Mouse	or	LD	3000
	Mouse	sc	LD	300
	Mouse	iv	LD	1000
	Rabbit	iv	LD	40
	Cat	iv	LD	46
1769 Sapotoxin <sup>3</sup>	Mouse	or	LD	1000
	Mouse	sc	LD	80
	Mouse	iv	LD	20
	Rabbit	or	LD	56-62
	Rabbit	sc	LD	40
	Rabbit	iv	LD	15
	Dog	or	LD	20-25
	Dog	sc	LD	25
	Dog	iv	LD	2.5

/1/ Sodium salt. /2/ From Sapindus. /3/ From Agrostemma.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1759
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1760
			Way, J. Pharm. Exp. Ther. <u>108:450</u> , 1953.	1761
			Hanzlik, Arch. int. pharmacod. <u>8:30</u> , 1916. Ibid	1762
			Robbins, J. Am. Pharm. Assoc. <u>40:249</u> , 1951. Ibid Ibid Ibid Möller, Arch. exp. Path. Pharm. <u>148:67</u> , 1930.	1763
			Steidle, Arch. exp. Path. Pharm. <u>145:19</u> , 1929. Ibid	1764
		24 hr* 7 da 24 hr Sev da 7 da 4 da  7 da 14 da 5 hr 15 da	Schlossmann, Heffter's Hdb. 3. <u>3:2134</u> . Kurosu, Zachr. ges. exp. Med. <u>57:77</u> , 1927. Schlossmann, Heffter's Hdb. 3. <u>3:2134</u> . Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1765
	Oil		Flury, Abderhalden's Hdb. <u>4.7b:1394</u> . Ibid Ibid Ibid Harnack, Arch. exp. Path. Pharm. <u>45:272, 447</u> , 1901.	1766
			Mallette, Arch. Ind. Hyg. Occ. Med. <u>5:311</u> , 1952.	1767
		1 da 5 da 1 da	Flury, Abderhalden's Hdb. <u>4.7b:1394</u> . Ibid Ibid Ibid	1768
		1 da 2 da 1 da  Sev da  2-3 da 15 hr	Flury, Abderhalden's Hdb. <u>4.7b:1394</u> . Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1769

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1770	Sarin	Frog <sup>1</sup>	sc	LD <sub>50</sub> <sup>*</sup>	6
1771	Sarmentoside A <sup>3</sup>	Cat	iv	LD <sub>50</sub>	0.0890
1772	Sarmentoside A monoacetate	Cat	iv	LD <sub>50</sub>	3.616
1773	Sarmentoside C	Cat	iv	LD <sub>50</sub>	0.0963
1774	Sarmol	Mouse	or	LD <sub>50</sub>	25.000
1775	Sarmutoside	Cat	iv	LD <sub>50</sub>	0.4776
1776	Sarnovide	Cat	iv	LD <sub>50</sub>	0.1489
1777	Sarverogenin	Cat	iv	LD <sub>50</sub>	0.5186
1778	Scillaren	Frog Rat Rabbit Rabbit Rabbit Cat	sc sc or sc iv iv	LD LD LD LD LD LD	0.8-1.1 10 0.9 0.7 0.45 0.18-0.62
1779	Scillarenin	Cat	iv	LD <sub>50</sub>	0.1567
1780	Scopolamine	Mouse Mouse	sc sc	LD <sub>50</sub> LD <sub>50</sub>	1700 5875 <sup>4</sup>
1781	Seconal sodium	Frog Frog Mouse Mouse Mouse Rat Rat Rat Rat Guinea pig Guinea pig Guinea pig Rabbit Rabbit Rabbit Cat Cat Cat Dog	sc iv sc ip iv or sc ip iv sc ip iv sc ip iv or ip iv or	MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD MLD LD <sub>50</sub> MLD MLD MLD	90 130 160 140 80 125 140 110 35 60 40 35 90 50 45 50 75 50 90
1782	Sedormid	Mouse Rat Guinea pig Rabbit Dog	or or or or or	LD LD LD LD LD	600 600 600 1250 300
1783	Selenium oxychloride	Rabbit	ct	LD	<7
1784	Serotonin (continued on next page)	Mouse Mouse	sc iv	LD <sub>50</sub> LD <sub>50</sub>	>868 160

<sup>1</sup>/ Bullfrog. <sup>2</sup>/ Leopold-Löwenthal. <sup>3</sup>/ Crude crystallizate. <sup>4</sup>/ Hydrobromide.



	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1784	Serotonin (concluded)	Rat	sc	LD <sub>50</sub> *	117
		Rat	iv	LD <sub>50</sub>	30
1785	Silver nitrate	Rabbit	iv	LD	8-96
1786	Skatole	Frog	sc	MLD	1000
1787	Skiodan	Mouse	iv	MLD	7500
		Rabbit	iv	MLD	8000
		Dog	iv	MLD*	8000
1788	Sn 198	Rat	iv	LD <sub>50</sub>	46
1789	Sn 216	Rat	iv	LD <sub>50</sub>	38.4
1790	Snake venoms				
	Ancistrodon blomhoffi	Mouse	sc	LD <sub>100</sub>	33
	Ancistrodon halys	Mouse	sc	LD <sub>100</sub>	9
	Ancistrodon mokasen	Mouse	sc	LD <sub>100</sub>	53
	Ancistrodon piscivorus	Mouse	sc	LD <sub>100</sub>	45
	Bothrops altomata	Mouse	sc	LD <sub>100</sub>	23
	Bothrops atrox	Mouse	sc	LD <sub>100</sub>	31
	Bothrops coblara	Mouse	sc	LD <sub>100</sub>	15
	Bothrops itapatiningae	Mouse	sc	LD <sub>100</sub>	25
	Bothrops jararaca	Mouse	sc	LD <sub>100</sub>	7
	Bothrops jararacassu I	Mouse	sc	LD <sub>100</sub>	9
	Bothrops jararacassu II	Mouse	sc	LD <sub>100</sub>	26
	Bothrops neuwiedii	Mouse	sc	LD <sub>100</sub>	14
	Bothrops insularis	Mouse	sc	LD <sub>100</sub>	19
	Crotalus adamantus	Rat	ip	MLD	25
		Rat	ip	MLD	2
		Guinea pig	ip	MLD	0.4
		Rabbit	ip	MLD	0.4
	Crotalus atrox	Mouse	sc	LD <sub>100</sub>	19
	Crotalus basiliscus	Mouse	sc	LD <sub>100</sub>	4
	Crotalus horridus	Mouse	sc	LD <sub>100</sub>	36
	Crotalus terrificus	Mouse	sc	LD <sub>100</sub>	1.1
	Lachesis muta	Mouse	sc	LD <sub>100</sub>	57
	Micruvus frontalis	Mouse	sc	LD <sub>100</sub>	2.5
	Sistrurus catenatus	Mouse	sc	LD <sub>100</sub>	9
	Trimeresurus anamallensis	Mouse	sc	LD <sub>100</sub>	29
Trimeresurus fleuroviridis	Mouse	sc	LD <sub>100</sub>	16	
1791	Sodium acetate	Mouse	iv	LD <sub>50</sub>	380
1792	Sodium acetylsalicylate	Mouse	or	LD <sub>50</sub>	1100
		Rat	or	LD <sub>50</sub>	1500
		Rabbit	or	LD <sub>50</sub>	1800
1793	Sodium arsenate	Frog	or	LD	600
		Frog	sc	LD	200
		Rat	ip	MLD	34.7-44.6
1794	Sodium arsenite (continued on next page)	Mouse <sup>1</sup>	sc	LD <sub>50</sub>	12.3±7.0
		Mouse <sup>2</sup>	sc	LD <sub>50</sub>	11.2±4.3
		Mouse <sup>3</sup>	sc	LD <sub>50</sub>	12.5±5.0

<sup>1/1</sup> Various strains.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
58-234 24-37			Freyburger, J. Pharm. Exp. Ther. <u>105:80</u> , 1952. Ibid	1784
			Weergaard, Arch. exp. Path. Pharm. <u>110:103</u> , 1925.	1785
			Ein Ichi, Tohoku J. E. M. <u>25:407</u> , 1935.	1786
	H <sub>2</sub> O H <sub>2</sub> O	24 hr 5 min	Hecht, Heffter's Hdb. <u>E.8:102</u> . Damm, Klin. Wschr. <u>11:2932</u> , 1932. Heathcote, Brit. J. Radiol. <u>4:641</u> , 1931.	1787
			Craver, Am. J. Dig. Dis. <u>18:241</u> , 1951.	1788
			Craver, Am. J. Dig. Dis. <u>18:241</u> , 1951.	1789
			Schöttler, Am. J. Trop. Med. <u>31:489</u> , 1951. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Billing, J. Pharm. Exp. Ther. <u>38:173</u> , 1930 Ibid (quoting Noguchi). Ibid Ibid Schöttler, Am. J. Trop. Med. <u>31:489</u> , 1951. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1790
			Welch, J. Lab. Clin. Med. <u>29:811</u> , 1944.	1791
			Hart, J. Pharm. Exp. Ther. <u>89:205</u> , 1947. Ibid Ibid	1792
			Flury, Abderhalden's Hdb. <u>4.7b:1307</u> . Ibid Franke, J. Pharm. Exp. Ther. <u>58:454</u> , 1936.	1793
			Beck, Proc. Soc. Exp. Biol. Med. <u>78:392</u> , 1951 Ibid Ibid	1794

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1794 Sodium arsenite (concluded)	Mouse♂	sc	LD <sub>50</sub>	9.8±0.59
	Mouse♂	sc	LD <sub>50</sub>	12.0±0.55
	Mouse♂	sc	LD <sub>50</sub>	10.5±0.37
	Mouse♂	sc	LD <sub>50</sub>	7.0±0.55
	Mouse♂	iv	LD <sub>50</sub>	10.7±0.42
	Rat	ip	MLD	9.6- 0.7
1795 Sodium azide	Rat	or	LD <sub>100</sub>	46-60
	Rat	sc	LD <sub>100</sub>	38
	Rat	ip	LD <sub>100</sub>	37
1796 Sodium benzoate	Rat	or	LD <sub>50</sub>	4070
1797 Sodium bismuthate	Rat	or	LD <sub>100</sub>	720
	Rat	im	LD <sub>100</sub>	250
	Rat	iv	LD <sub>50</sub>	11.5
	Rat	iv	LD <sub>100</sub>	25
	Rabbit	or	LD <sub>100</sub>	510
	Rabbit	im	LD <sub>100</sub>	110
	Rabbit	iv	LD <sub>50</sub>	6
	Rabbit	iv	LD <sub>100</sub>	9
	Cat	or	LD <sub>100</sub> <sup>a</sup>	200
	Dog	or	LD <sub>100</sub> <sup>a</sup>	200
1798 Sodium bismuth thioglycolate	Rat	ip	MLD	26.2-31.4
	Guinea pig	ip	MLD	26.2-31.4
	Rabbit	im	MLD <sup>b</sup>	26.2-31.4
	Rabbit	iv	MLD	20.9-26.2
1799 Sodium bisulfite	Mouse	iv	LD <sub>50</sub>	130±8
	Rat	iv	LD <sub>50</sub>	115±10
	Rabbit	iv	LD <sub>50</sub>	65
	Hamster	iv	LD <sub>50</sub>	95±6
1800 Sodium bromate	Guinea pig	sc	MLD	100
	Rabbit	or	MLD	250-580
	Rabbit	iv	MLD	360
	Dog	sc	MLD	120
	Dog	sc	MLD	320
1801 Sodium bromide	Rat	or	LD <sub>50</sub>	3500
	Rat	iv	MLD	1800
	Rabbit	or	MLD	3250
1802 Sodium cacodylate	Mouse	sc	LD	1250
	Rabbit	sc	LD	500
	Rabbit	iv	LD	250-400
	Chicken	im	LD	830
1803 Sodium chaulmoograte	Rat	sc	LD	2000
	Rat	iv	LD	200-300
1804 Sodium chlorate	Rat	or	LD	12,000
	Rat	ip	LD	6000
	Rabbit	or	LD	8,000-12,000

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Beck, Proc. Soc. Exp. Biol. Med. <u>78</u> :392, 1951. Ibid Ibid Ibid Ibid Franke, J. Pharm. Exp. Ther. <u>58</u> :454, 1936.	1794
		3 hr 3 hr 3 hr	Fairhall, Pub. Health Rpt. <u>58</u> :607, 1943. Ibid Ibid	1795
3720-4440			Smyth, J. Ind. Hyg. Tox. <u>30</u> :63, 1948.	1796
		7 da 72 hr 24 hr  72 hr 24 hr	Hanzlik, J. Pharm. Exp. Ther. <u>62</u> :372, 1938. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	1797
			Gruhzit, Arch. Derm. Syph. <u>15</u> :550, 1927. Ibid Ibid Ibid	1798
			Hoppe, J. Pharm. Exp. Ther. <u>101</u> :101, 1951. Ibid Ibid Ibid	1799
		8 hr 12 hr 2½ hr 1 wk 12 hr	Santesson, Skand. Arch. Physiol. <u>30</u> :337, 1913. Ibid Ibid Ibid Ibid	1800
		48 hr	Smyth, J. Pharm. Exp. Ther. <u>55</u> :200, 1935. Loesser, J. Lab. Clin. Med. <u>15</u> :35, 1929. Bernoulli, Arch. exp. Path. Pharm. <u>73</u> :355, 1913.	1801
			Heffter, Heffter's Hdb. <u>3</u> .1:503. Keaser, Heffter's Hdb. <u>E</u> .3:178. Heffter, Heffter's Hdb. <u>3</u> .1:503. Ibid	1802
			Anderson, Int. J. Leprosy <u>2</u> :39, 1934. Ibid	1803
			Ulrich, J. Pharm. Exp. Ther. <u>35</u> :1, 1929. Ibid Stokuis, Arch. exp. Path. Pharm. <u>21</u> :169, 1886.	1804

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1804	Sodium chlorate (concluded)	Cat	or	LD	1350-1940
		Cat	sc	LD	1000
		Dog	or	LD	700
		Dog	ip	LD	12,000
		Dog	iv	LD	1000 <sup>1</sup>
1805	Sodium chloride	Mouse	ip	LD <sub>50</sub>	3096
		Rat <sup>2</sup>	sc	MLD	3500
		Rat	ip	LD	5000
		Rat	iv	MLD	2500
		Guinea pig	iv	MLD <sup>3</sup>	2910 <sup>3</sup>
1806	Sodium chromate	Guinea pig	sc	LD	20-30
		Rabbit	sc	LD	243
		Rabbit	iv	LD	97-162
		Rabbit	iv	LD	19.4-32
		Dog	iv	LD	145.8-162
1807	Sodium citrate (Mono-), NaH <sub>2</sub> (C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) · 7H <sub>2</sub> O	Mouse	ip	LD <sub>50</sub>	1760
		Mouse	iv <sup>4</sup>	LD <sub>50</sub>	53.4
		Rat	ip	LD <sub>50</sub>	1460
		Rabbit	iv <sup>5</sup>	LD <sub>50</sub>	410
1808	Sodium citrate (Di-), Na <sub>2</sub> H(C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) · 7H <sub>2</sub> O	Mouse	ip	LD <sub>50</sub>	2680
		Mouse	iv <sup>4</sup>	LD <sub>50</sub>	107
		Rat	ip	LD <sub>50</sub>	2620
		Rabbit	iv <sup>5</sup>	LD <sub>50</sub>	630
1809	Sodium citrate(Tri-), Na <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) · 2H <sub>2</sub> O	Mouse	ip	LD <sub>50</sub>	1615
		Mouse	iv <sup>4</sup>	LD <sub>50</sub>	194
		Rat	ip	LD <sub>50</sub>	1760
		Rabbit	iv <sup>5</sup>	LD <sub>50</sub>	510
1810	Sodium cyanate	Rat	im	LD <sub>50</sub>	310±5
1811	Sodium cyanide	Frog	sc	MLD	60-65
		Mouse	sc	MLD	10
		Rabbit	sc	MLD	2.2
		Dog	iv	LD	2.8-29.0 <sup>6</sup>
1812	Sodium dehydroacetate	Rat	or	LD <sub>50</sub> <sup>*</sup>	645
1813	Sodium dichromate	Frog	iv	LD	172.8
		Mouse	iv	LD	52.4
		Guinea pig	sc	LD	51
		Rabbit	iv	LD	36.7
		Rabbit	iv	LD	38.7-59.6
		Rabbit	iv	LD	179-298
		Dog	iv	LD	357.6-417.2
1814	Sodium fluoride	Frog	sc	MLD	400
		Mouse	or	LD	80
		Mouse	sc	LD	70
		Mouse	ip	LD	125
		Rat	or	LD <sub>50</sub>	200
		Rat	sc	MLD	125

(continued on next page)

<sup>1</sup>/ 5% solution in H<sub>2</sub>O rapidly injected. <sup>2</sup>/ Young animals. <sup>3</sup>/ 10% solution in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	H <sub>2</sub> O	2½-5 hr Sev da 5½ hr 67 min 10 min	Lipschitz, Arch. exp. Path. Pharm. 144:570, 1932. Becker, Arch. exp. Path. Pharm. 201:197, 1943. Flury, Abderhalden's Hdb. 4. 7b:1328. Marchana, Arch. exp. Path. Pharm. 22:201, 1886. Flury, Abderhalden's Hdb. 4. 7b:1324.	1804
	H <sub>2</sub> O		Alles, Univ. Cal. Pub. Pharmacol. 1:187, 1939. Main, Endocrinology 24:523, 1939. Ulrich, J. Pharm. Exp. Ther. 35:1, 1929. Loeser, J. Lab. Clin. Med. 15:35, 1929. Amberg, J. Pharm. Exp. Ther. 6:595, 1915.	1805
		45 min 5-7 hr 2-4 da 78 min	Flury, Abderhalden's Hdb. 4. 7b:1330. Eichler, Heffter's Hdb. 3. 3:1520. Ibid Ibid Ibid	1806
			Gruber, J. Pharm. Exp. Ther. 94:65, 1948. Ibid Ibid Ibid	1807
			Gruber, J. Pharm. Exp. Ther. 94:65, 1948. Ibid Ibid Ibid	1808
			Gruber, J. Pharm. Exp. Ther. 94:65, 1948. Ibid Ibid Ibid	1809
			Birch, Brit. J. Pharm. 1:186, 1946.	1810
		½-1 hr	Fühner, Arch. exp. Path. Pharm. 166:455, 1932. Ibid Chen, J. Am. Med. Assoc. 100:1920, 1933. Lawrence, Fed. Proc. 6:349, 1947.	1811
			Spencer, J. Pharm. Exp. Ther. 98:30, 1950.	1812
		2-5 da 5-7 hr ¾-2 hr	Cavalli, Arch. int. pharmacod. 62:330, 1939. Ibid Flury, Abderhalden's Hdb. 4. 7b:1330. Cavalli, Arch. int. pharmacod. 62:330, 1939. Eichler, Heffter's Hdb. 3. 3:1520. Ibid Ibid	1813
		32 min	Simonin, C. rend. Soc. biol. 124:133, 1937. Schulz, Dissert., Hamburg 1936. Ibid Flury, Abderhalden's Hdb. 4. 7b:1349. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Muehlberger, J. Pharm. Exp. Ther. 39:247, 1930.	1814

/4/ Rapid injection. /5/ Slow injection. /6/ Depending on rate of injection.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1814 Sodium fluoride (concluded)	Rat	ip	MLD	28-35
	Guinea pig	or	MLD	250
	Guinea pig	sc	MLD	400
	Rabbit	or	MLD	100-200
	Rabbit	or	MLD	200
	Rabbit	iv	LD	87.5
	Cat	sc	LD	13.7
	Dog	or	MLD	50-100
	Dog	sc	LD	150-160
	Dog	im	MLD	31-50
1815 Sodium-γ-fluorocrotonate	Frog	sc	LD <sub>50</sub>	25
	Mouse	iv	LD <sub>50</sub>	1
	Rat	ip	LD <sub>50</sub>	1
	Rabbit	iv	LD <sub>50</sub>	0.15
	Dog	iv	LD <sub>50</sub>	0.05-0.07
	Monkey <sup>1</sup>	iv	LD <sub>50</sub>	2.5
1816 Sodium formaldehyde sulfoxylate	Mouse	sc	LD	4000
	Rat	or	LD	>1000
	Rat	iv <sup>2</sup>	LD	>2000
1817 Sodium fumarate	Rat	or	MLD <sup>4</sup>	8000
	Rabbit	iv	MLD <sup>4</sup>	500
1818 Sodium hexametaphosphate	Mouse	or	LD	>100
	Dog <sup>3</sup>	iv	LD <sup>4</sup>	140
1819 Sodium hydnicarpate	Rat	sc	MLD <sup>4</sup>	2000
	Rat	iv	MLD	100-125
1820 Sodium hydroxide	Rabbit	or	LD	535 <sup>4</sup>
	Rabbit	or	LD	577 <sup>4</sup>
	Rabbit	or	LD	625 <sup>4</sup>
	Rabbit	or	LD	833 <sup>5</sup>
	Rabbit	or	LD	500 <sup>6</sup>
	Rabbit	or	LD	943 <sup>6</sup>
1821 Sodium hydroxymercuribenzoate <sup>7</sup>	Rat	ip	LD <sub>50</sub>	15.5
1822 Sodium hydroxymercuribenzoate <sup>8</sup>	Rat	ip	LD <sub>50</sub>	4.96
1823 Sodium salt of o-(N-γ-hydroxymercuri-β-hydroxyethoxypropyl-carbamyl)phenoxyacetic acid	Mouse	im	LD <sub>50</sub>	117.9±8.1
	Mouse	iv	LD <sub>50</sub>	112.9±10.8
	Rat	im	LD <sub>50</sub>	34.8±4.4
	Rat	iv	LD <sub>50</sub>	32.2±2.8
	Rabbit	im	LD <sub>50</sub>	26.2±4.1
1824 Sodium iodate	Rabbit	iv	LD	75-100
	Dog	iv	LD	200
1825 Sodium iodide	Rat	iv	MLD	1300
1826 Sodium iodomethionate	Mouse	iv	LD	10,000

<sup>1</sup>/Rhesus. <sup>2</sup>/Slow injection. <sup>3</sup>/Young animals. <sup>4</sup>/2% solution. <sup>5</sup>/3% solution. <sup>6</sup>/10%

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		2 hr	Roholm, Heffter's Hdb. E. 7:27. Simonin, C. rend. Soc. biol. 124:133, 1937. id Roholm, Heffter's Hdb. E. 7:27. Muehlberger, J. Pharm. Exp. Ther. 39:247, 1930. Leake, J. Pharm. Exp. Ther. 33:279, 1928. Flury, Abderhalden's Hdb. 4. 7b:1349. Roholm, Heffter's Hdb. E. 7:27. Flury, Abderhalden's Hdb. 4. 7b:1349. Roholm, Heffter's Hdb. E. 7:27. Ibid	1814
			Chenoweth, J. Pharm. Exp. Ther. 97:383, 1949. Ibid Ibid Ibid Ibid	1815
			Rosenthal, Pub. Health Rpt. 49:908, 1934. Ibid, 48:1543, 1933. Ibid, 49:908, 1934.	1816
			Levey, J. Am. Pharm. Assoc. 35:298, 1946. Bodansky, J. Am. Pharm. Assoc. 31:1, 1942.	1817
			Behrens, Arch. exp. Path. Pharm. 169:238, 1933. Ibid	1818
			Anderson, Int. J. Leprosy 2:39, 1934. Ibid	1819
		3½ da 26 hr 12 hr 7 hr 14½ da 10½ da	Fazekas, Arch. exp. Path. Pharm. 184:587, 1937. Ibid Ibid Ibid Ibid Ibid	1820
		8 da	Haley, J. Am. Pharm. Assoc. 36:30, 1947.	1821
		8 da	Haley, J. Am. Pharm. Assoc. 36:30, 1947.	1822
			Robbins, J. Am. Pharm. Assoc. 40:249, 1951. Ibid Ibid Ibid	1823
			Maxwell, J. Pharm. Exp. Ther. 40:451, 1930. Flury, Abderhalden's Hdb. 4. 7b:1359.	1824
			Loeser, J. Lab. Clin. Med. 15:35, 1929.	1825
			Binz, Biochem. Zschr. 252:16, 1932.	1826

solution. /7/Ortho salt. /8/Para salt.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1827 Sodium DL-malate	Cat	sc	LD*	3300
	Dog	sc	LD	1730
1828 Sodium L-malate	Rabbit	or	LD	6600
	Rabbit	sc	LD	4000
	Rabbit	sc	LD	2330
	Dog	sc	LD	2770
1829 Sodium malonate	Mouse	iv	LD <sub>50</sub>	2100
	Rat	ip	LD <sub>50</sub>	2500
1830 Sodium metaphosphate	Rabbit	iv	MLD	130
1831 Sodium metavanadate	Rabbit	or	LD	200
	Rabbit	iv	LD	17
	Dog	sc	LD	17
	Dog	iv	LD	11
1832 Sodium molybdate	Rat	ip	MLD	285-292
1833 Sodium nitrate	Frog	sc	MLD	450
	Rat <sup>1</sup>	or	MLD	1100-2000
	Rat <sup>2</sup>	or	MLD	460-1200
	Rat <sup>1</sup>	or	MLD	190-200
	Rat <sup>2</sup>	or	MLD	57-130
1834 Sodium nitrite	Frog	sc	LD	1000
	Rat	sc	MLD	10-20
	Rabbit	sc	MLD	60
	Rabbit	sc	LD <sub>100</sub>	170
	Rabbit	iv	MLD	80-90
	Cat	sc	LD <sub>100</sub>	35
	Dog	or	MLD	330
	Dog	sc	MLD	50-70
1835 Sodium nitroprusside	Frog	sc	LD <sub>100</sub>	40-160
	Mouse	sc	MLD	9.5
	Mouse	sc	MLD	12
	Guinea pig	iv	MLD	100-200
	Rabbit	or	LD <sub>100</sub>	250
	Rabbit	sc	MLD	4.8
	Cat	sc	LD <sub>100</sub>	50
	Cat	iv	LD <sub>100</sub> <sup>2</sup>	1
	Dog	or	MLD	200
	Dog	sc	LD <sub>100</sub>	80
	Dog	iv	LD <sub>100</sub> <sup>2</sup>	1
Pigeon	sc	MLD	10-12	
1836 Sodium orthophosphate <sup>1</sup>	Mouse	or	LD	>100
	Rabbit	iv	MLD	4250
	Dog	iv	LD	>240
1837 Sodium oxalate (continued on next page)	Frog	sc	MLD	800 <sup>2</sup>
	Frog	sc	MLD	480-600 <sup>2</sup>
	Mouse	sc	MLD	100-200

<sup>1/1</sup> Primary. <sup>2/2</sup> Dose not related to unit weight by source.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		24 hr	Wise, J. Biol. Chem. <u>28:185</u> , 1916. Tomita, Biochem. Zschr. <u>123:231</u> , 1921.	1827
		12 hr 3 hr 8 hr 12 hr	Otha, Biochem. Zschr. <u>44:481</u> , 1912. Tomita, Biochem. Zschr. <u>123:231</u> , 1921. Ibid Otha, Biochem. Zschr. <u>44:481</u> , 1912.	1828
			Gruber, Arch. int. pharmacod. <u>79:461</u> , 1949. Ibid	1829
			Jones, J. Am. Water Works Assoc. <u>32:1471</u> , 1940.	1830
		12 hr+ Few min	Lendle, Heffter's Hdb. <u>3.3:1541</u> . Ibid Ibid Ibid	1831
			Fairhall, Pub. Health Bull. <u>293</u> , 1945.	1832
			Orestano, Arch. ital. farm. <u>6:153</u> , 1937. Tarr, J. Fish. Res. Board Can. <u>6:63</u> , 1942. Ibid Ibid Ibid	1833
		2-3 hr	Flury, Abderhalden's Hdb. <u>4.7b:1372</u> . Becker, Arch. exp. Path. Pharm. <u>291:197</u> , 1943. Flury, Abderhalden's Hdb. <u>4.7b:1372</u> . Hesse, Arch. exp. Path. Pharm. <u>126:209</u> , 1927. Oltman, J. Pharm. Exp. Ther. <u>41:121</u> , 1931. Hesse, Arch. exp. Path. Pharm. <u>126:209</u> , 1927. Flury, Abderhalden's Hdb. <u>4.7b:1372</u> . Dossin, Arch. int. pharmacod. <u>21:425</u> , 1911.	1834
		48 hr	Johnson, Arch. int. pharmacod. <u>35:480</u> , 1929. Ibid Hunt, Arch. int. pharmacod. <u>12:447</u> , 1904. Gibbs, Am. Chem. J. <u>13:361</u> , 1891. Johnson, Arch. int. pharmacod. <u>35:480</u> , 1929. Ibid Ibid Ibid Gibbs, Am. Chem. J. <u>13:361</u> , 1891. Johnson, Arch. int. pharmacod. <u>35:480</u> , 1929. Ibid Ibid	1835
			Behrens, Arch. exp. Path. Pharm. <u>169:238</u> , 1933. Jones, J. Am. Water Works Assoc. <u>32:1471</u> , 1940. Behrens, Arch. exp. Path. Pharm. <u>169:238</u> , 1933.	1836
			Vietinghoff-Scheel, Arch. int. pharmacod. <u>8:225</u> , 1901. Heymans, Dubois' Arch. f. Physiol. <u>13:168</u> , 1889. Vietinghoff-Scheel, Arch. int. pharmacod. <u>8:225</u> , 1901.	1837

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1837 Sodium oxalate (concluded)	Rabbit	im	LD <sub>100</sub>	200
	Cat	sc	LD	100
	Cat	sc	LD	300
1838 Sodium permanganate	Rabbit	iv	LD	54.8
1839 Sodium persulfate	Rabbit	iv	MLD	178
1840 Sodium phosphate (acid)	Rat	ip	LD <sub>50</sub>	250
1841 Sodium phthalate	Mouse	ip	LD <sub>50</sub>	2100
1842 Sodium pyrophosphate	Mouse	or	LD*	40
	Rabbit	iv	MLD	70
	Dog	iv	MLD	50
1843 Sodium rhenate	Rat	ip	MLD	1350-1500
1844 Sodium salicylate	Mouse	or	LD <sub>50</sub>	900
	Mouse	sc	LD <sub>50</sub>	520
	Rat	or	LD <sub>50</sub>	1600
	Rat	sc	LD <sub>50</sub>	650
	Guinea pig	ip	LD	900
	Rabbit	or	LD <sub>50</sub>	1700
	Cat	sc	LD <sub>100</sub>	800-1000
	Dog	or	LD	450-500
	Dog	sc	LD	300-400
	Dog	sc	LD	940
	Dog	ip	LD	941
1845 Sodium selenate	Rat	ip	MLD	13.8
	Rat	iv	LD <sub>50</sub>	3-4
	Rabbit	or	LD <sub>100</sub>	4
	Rabbit	iv	LD <sub>100</sub>	2.5
1846 Sodium selenite	Rat	ip	MLD	7.2-7.7
	Rat	iv	LD <sub>50</sub>	3
	Rabbit	or	LD <sub>100</sub>	4
	Rabbit	iv	LD <sub>100</sub>	1.5
	Dog	sc	LD	4
	Dog	iv <sup>1</sup>	LD	3
	Dog	iv <sup>2</sup>	LD	90
1847 Sodium silicofluoride	Frog	sc	MLD	400
	Rat	or	LD <sub>50</sub> *	125
	Rat	sc	MLD	70
	Guinea pig	or	MLD	250
	Guinea pig	sc	MLD	500
	Rabbit	or	MLD	125
	Rabbit	sc	MLD	74-149
Rabbit	iv	LD	6.06	
1848 Sodium sorbate	Rat	or	LD <sub>50</sub>	7160
1849 Sodium succinate (Mono-)	Cat	iv	MLD*	2000 <sup>3</sup>
1850 Sodium succinate (Di-)	Mouse	iv	LD <sub>50</sub>	4500 <sup>4</sup>

/1/ Rapid injection. /2/ Slow injection. /3/ Isotonic solution. /4/ 30% solution in H<sub>2</sub>O.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
		Sevda Rapid	Gates, J. Pharm. Exp. Ther. 9:353, 1917. Hofbauer, Dissert., Würzburg 1933. Ibid	1837
		50-60 hr	Sabatini, Ber. Phys. med. Ges. 49:276, 1928.	1838
			DaVal, Arch. int. sc. farm. 2:445, 1933.	1839
			Boyd, Exp. Med. Surg. 4:223, 1951.	1840
			Hodge, Proc. Soc. Exp. Biol. Med. 49:471, 1942	1841
			Behrens, Arch. exp. Path. Pharm. 169:238, 1933. Jones, J. Am. Water Works. Assoc. 32:1471, 1940. Behrens, Arch. exp. Path. Pharm. 169:238, 1933.	1842
		1/2-1 hr	Maresh, Proc. Soc. Exp. Biol. Med. 45:576, 1940.	1843
			Hart, J. Pharm. Exp. Ther. 89:205, 1947. Hanzlik, J. Pharm. Exp. Ther. 38:9, 1930. Hart, J. Pharm. Exp. Ther. 89:205, 1947. Johnson, J. Pharm. Exp. Ther. 36:319, 1929. Flury, Abderhalden's Hdb. 4.7b:1392. Hart, J. Pharm. Exp. Ther. 89:205, 1947. Waddell, Arch. Int. Med. 8:784, 1911. Flury, Abderhalden's Hdb. 4.7b:1392. Ibid Ibid Ibid	1844
			Franke, J. Pharm. Exp. Ther. 58:454, 1936. Smith, J. Pharm. Exp. Ther. 60:449, 1937. Ibid Ibid	1845
			Franke, J. Pharm. Exp. Ther. 58:454, 1936. Smith, J. Pharm. Exp. Ther. 60:449, 1937. Ibid Ibid Flury, Abderhalden's Hdb. 4.7b:1397. Ibid Ibid	1846
			Simonin, C. rend. Soc. biol. 124:133, 1937. Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Muehlberger, J. Pharm. Exp. Ther. 39:247, 1930. Simonin, C. rend. Soc. biol. 124:133, 1937. Ibid Muehlberger, J. Pharm. Exp. Ther. 39:247, 1930. Wieland, Arch. exp. Path. Pharm. 97:489, 1923. Marcovitch, J. Pharm. Exp. Ther. 34:179, 1928.	1847
6820-7520		2 min	Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	1848
	H <sub>2</sub> O		Friend, J. Am. Pharm. Assoc. 36:50, 1947.	1849
	H <sub>2</sub> O		Zuckerbrod, Ann. Int. M. 32:905, 1950.	1850

Compound	Animal	Route	Dose	Dosage
				mg/kg
				Value
1851 Sodium sulfate	Mouse	iv	LD	1220±90
	Rabbit	iv	LD	4470
	Rabbit	iv	MLD	910?
1852 Sodium sulfide	Rabbit	iv	LD	6
1853 Sodium sulfite	Mouse	iv	LD <sub>50</sub>	175±6
	Guinea pig	sc	LD	600
	Guinea pig	iv	LD	200
	Cat	sc	LD	1300-1600
	Cat	iv	LD	400
	Dog	sc	LD	1300-1600
1854 Sodium tartrate	Rat	or	LD <sub>50</sub>	1290
	Rat	sc	MLD	3500
	Rabbit	sc	MLD	1000
1855 Sodium tellurate	Rat	ip	MLD	37.2-55.8
1856 Sodium tellurite	Rat	ip	MLD	3.8-4.3
1857 Sodium thiocyanate	Mouse	or	LD <sub>50</sub>	598.4±18.3
	Mouse	sc	LD	400-600
	Mouse	iv	LD <sub>50</sub>	483.5±9.3
	Rat	or	LD <sub>50</sub>	764.7±50.9
	Rat	ip	LD <sub>50</sub>	540±42.5
	Guinea pig	or	LD	600-800 <sup>1</sup>
	Guinea pig	or	MLD	380
	Guinea pig	sc	MLD	230
	Guinea pig	ip	MLD	210
	Guinea pig	ip	MLD	500
	Rabbit	or	MLD	440
	Rabbit	sc	MLD	300
	Rabbit	sc	MLD	500
	Dog	sc	MLD	160
Dog	iv	MLD	90	
1858 Sodium thioglycollate	Rat	ip	LD <sub>50</sub>	148
	Rabbit	iv	MLD*	100
1859 Sodium thiosulfate, Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> · 5H <sub>2</sub> O	Rat	iv	LD	>2500
1860 Sodium trimetaphosphate	Mouse	or	LD	>100
	Dog	iv	LD	240
1861 Sodium tungstate, Na <sub>2</sub> WO <sub>4</sub> · 2H <sub>2</sub> O	Frog	sc	MLD	568-994
	Rat	sc	LD	563
	Rat	sc	LD <sub>50</sub>	223-254
	Guinea pig	or	LD	990
	Guinea pig	sc	LD	810
	Rabbit	sc	MLD	78.1
	Cat	or	LD	190
	Cat	sc	MLD	2105.8
	Dog	sc	MLD	140.5
	Dog	sc	LD	125

(continued on next page)

1/1 1.25-2.5% solution in H<sub>2</sub>O

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Hoppe, J. Pharm. Exp. Ther. 101:101, 1951. Flury, Abderhalden's Hdb. 4. 7b:1372. DaVal, Arcn. itai. sc. farm. 2:445, 1933.	1851
			Flury, Abderhalden's Hdb. 4. 7b:1396.	1852
			Hoppe, J. Pharm. Exp. Ther. 101:101, 1951. Flury, Abderhalden's Hdb. 4. 7b:1396. Ibid Ibid Ibid	1853
			Levey, J. Am. Pharm. Assoc. 35:298, 1946. Flury, Abderhalden's Hdb. 4. 7b:1372 Ibid	1854
			Franke, J. Pharm. Exp. Ther. 58:454, 1936.	1855
			Franke, J. Pharm. Exp. Ther. 58:454, 1936.	1856
	H <sub>2</sub> O	1-4 1/2 da	Anderson, J. Am. Pharm. Assoc. 29:152, 1940. Flury, Abderhalden's Hdb. 4. 7b:1351. Anderson, J. Am. Pharm. Assoc. 29:152, 1940. Ibid Krantz, Proc. Soc. Exp. Biol. Med. 74:321, 1950. Flury, Abderhalden's Hdb. 4. 7b:1391. Carratala, Rev. Asoc. méd. argent. 58:861, 1944. Ibid Ibid Jahr, Arch. exp. Path. Pharm. 169:429, 1933. Carratala, Rev. Asoc. méd. argent. 58:861, 1944. Ibid Jahr, Arch. exp. Path. Pharm. 169:429, 1933. Carratala, Rev. Asoc. méd. argent. 58:861, 1944. Ibid	1857
		24 hr	Freeman, Fed. Proc. 11:347, 1952. Cohen, J. Pharm. Exp. Ther. 35:343, 1929.	1858
			Voegtlin, J. Pharm. Exp. Ther. 57:297, 1925.	1859
			Behrens, Arch. exp. Path. Pharm. 169:238, 1933. Ibid	1860
			Flury, Abderhalden's Hdb. 4. 7b:1418. Ibid Kinard, Am. J. Med. Sc. 199:668, 1940. Pulewka, Heffter's Hdb. 3. 4:2232. Ibid Flury, Abderhalden's Hdb. 4. 7b:1418. Pulewka, Heffter's Hdb. 3. 4:2232. Flury, Abderhalden's Hdb. 4. 7b:1418. Ibid Pulewka, Heffter's Hdb. 3. 4:2232.	1861

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1861 Sodium tungstate, Na <sub>2</sub> WO <sub>4</sub> · 2H <sub>2</sub> O (concluded)	Chicken	sc	LD	400
1862 Sodium vanadate (ortho)	Rabbit	or	LD	100
	Rabbit	sc	LD	9-15
	Rabbit	iv	LD	20-30
1863 Sodium vanadite	Rat	ip	MLD	8.8-11.1
1864 Sodium zirconyl sulfate	Rat	or	LD <sub>50</sub>	10,000 <sup>1</sup>
	Rat	ip	LD <sub>50</sub>	4100 <sup>1</sup>
1865 Solanine	Rabbit	iv	LD	20-30
1866 Sorbic acid	Rat	or	LD <sub>50</sub>	7360
1867 Sparteine	Toad	sc	MLD <sup>3</sup>	375
	Mouse	sc	MLD	129 <sup>2</sup>
	Rabbit	sc	MLD	100 <sup>2</sup>
	Rabbit	iv	MLD	30 <sup>2</sup>
	Pigeon	sc	MLD	86 <sup>2</sup>
1868 Spergon	Rat	or	LD <sub>50</sub> <sup>*</sup>	4000
	Rat	ip	LD <sub>50</sub>	500
1869 Sprintillamine	Mouse	sc	LD	1
	Mouse	sc	LD	2
	Rabbit	iv	LD	5-7
1870 Squill (red) <sup>3</sup>	Rat	or	LD <sub>50</sub>	125±9.7
	Rat	or	LD <sub>50</sub>	175±24.3
	Rat	or	LD <sub>50</sub>	1500 <sup>4</sup>
	Rat	or	LD <sub>50</sub>	1000 <sup>5</sup>
	Rat <sup>6</sup>	or	LD <sub>50</sub>	276±29
	Rat <sup>6</sup>	or	LD <sub>50</sub>	133±10
1871 Squill (white) <sup>7</sup>	Rat	or	LD <sub>50</sub>	10,000-15,000
1872 Stannic iodide	Rat	iv	MLD	200
1873 Stannous chloride	Dog	iv	LD	20-50
1874 Stovaine	Frog	sc	MLD	975
	Mouse	sc	MLD	170-520
	Rat	iv	MLD	25-30
	Guinea pig	sc	MLD	210
	Guinea pig	ip	MLD	230
	Guinea pig	iv	MLD	10-40
	Rabbit	sc	MLD	178
	Rabbit	iv	MLD	28.5
	Cat	iv	MLD	25-30 <sup>8</sup>
Dog	sc	MLD	100-150	
1875 Streptomycin sulfate	Mouse	sc	LD <sub>50</sub>	970
1876 Stroboside	Cat	iv	LD <sub>50</sub>	0.2554

/1/ 25% solution in H<sub>2</sub>O. /2/ Sulfate. /3/ Toxicity varies with age and specimen of drug rat. /7/ Cultivated. /8/ 2% solution.

Desage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Pulewka, Heffter's Hdb. <u>3.4:2232.</u>	1861
		13 hr	Lendle, Heffter's Hdb. <u>3.3:1541.</u> Ibid Ibid	1862
			Franke, J. Pharm. Exp. Ther. <u>58:454, 1936.</u>	1863
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637, 1950.</u> Ibid	1864
			Flury, Abderhalden's Hdb. <u>4.7b:1398.</u>	1865
6690-8900			Smyth, J. Ind. Hyg. Tox. <u>30:63, 1948.</u>	1866
		1 hr Few min	Heathcote, J. Pharm. Exp. Ther. <u>27:431, 1926.</u> Zipf, Arch. exp. Path. Pharm. <u>200:536, 1942-43.</u> Flury, Abderhalden's Hdb. <u>4.7b:1398.</u> Ibid Ibid	1867
			McGavack, J. Ind. Hyg. Tox. <u>25:98, 1943.</u> Ibid	1868
		60 min 30 min	Franzen, Arch. exp. Path. Pharm. <u>159:183, 1931.</u> Ibid Ibid	1869
			Ligon, Fed. Proc. <u>9:295, 1950.</u> Ibid Wokes, Q. J. Pharm. Pharmacol. <u>7:565, 1934.</u> Ibid Dieke, Pub. Health Rpt. <u>61:672, 1946.</u> Ibid	1870
			Wokes, Q. J. Pharm. Pharmacol. <u>7:565, 1934.</u>	1871
			Kolmer, J. Pharm. Exp. Ther. <u>43:515, 1931.</u>	1872
		Instant	Flury, Abderhalden's Hdb. <u>4.7b:1421.</u>	1873
	H <sub>2</sub> O		Hirschfelder, Physiol. Rev. <u>12:262, 1932.</u> Ibid Ibid Ibid Ibid Ibid Ibid Ibid Hooper, Am. J. Physiol. <u>68:120, 1924.</u> Hirschfelder, Physiol. Rev. <u>12:262, 1932.</u>	1874
			Ambrose, Proc. Soc. Exp. Biol. Med. <u>76:456, 1951.</u>	1875
0.1512-0.3721	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365, 1954.</u>	1876

and with species and sex of animals. /4/ Wild squill. /5/ Cultivated squill. /6/ Norway

	Compound	Animal	Route	Dose	Dosage mg/kg
					Value
1877	Strontium acetate	Mouse	iv	LD	323
		Rat	iv	LD	238
1878	Strontium bromide	Rat	ip	LD <sub>50</sub>	1000
		Rat	iv	MLD	500
1879	Strontium chloride	Rat	iv	MLD	400
1880	Strontium fluoride	Frog	sc	MLD	>25,000
		Rat	iv	LD	625
		Guinea pig	or	MLD	>5000
		Guinea pig	sc	MLD	>5000
1881	Strontium iodide	Rat	ip	LD <sub>50</sub>	800
		Rat	iv	MLD	500
1882	Strontium lactate	Rat	ip	LD <sub>50</sub>	900
1883	Strontium nitrate	Rat	ip	LD <sub>50</sub>	540
1884	Strontium salicylate	Rat	ip	LD <sub>50</sub>	400
1885	K-Strophanthidin	Rabbit	iv	MLD	1.1
		Cat	iv	MLD	0.28
1886	Strophanthin G	Frog	sc	LD	0.4-1.0
		Mouse	sc	LD	8-13
		Rat	sc	LD	50-100
		Rat	iv <sup>1</sup>	LD	42.5
		Rat	iv <sup>2</sup>	LD	17.2
		Guinea pig	sc	LD	0.1-0.3
		Guinea pig	im	LD <sub>50</sub> *	0.26
		Rabbit	or	LD	8-20
		Rabbit	sc	LD	0.1-0.4
		Rabbit	iv	LD	0.1-0.2
		Cat	or	LD	2.4
		Cat	sc	LD	0.15-0.20
		Cat	iv	LD	0.15
		Cat	iv	LD	0.12
		Cat	iv	LD	0.09
		Dog	or	LD	1.5
		Dog	sc	LD	0.1-0.15
Dog	iv	LD	0.125-0.175		
1887	Strophanthin H	Guinea pig	sc	LD	0.2
		Rabbit	sc	LD	0.125
		Rabbit	iv	LD	0.2-0.4
1888	Strophanthin K (crystalline)	Frog	sc	LD	0.75-1.0
		Mouse	sc	LD	5-9
		Rat	sc	LD	60-90
		Rat	iv	LD <sub>50</sub> <sup>3</sup>	15.1 <sup>3</sup>
		Guinea pig	sc	LD	0.4
		Rabbit	or	LD	20
		Rabbit	sc	LD	0.5
Rabbit	iv	LD	0.25		

(continued on next page)

/1/ Slow injection. /2/ Rapid injection. /3/ Varies with rate of injection.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Cole, J. Pharm. Exp. Ther. <u>71:1</u> , 1941. Ibid	1877
		45 min	Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950. Loeser, J. Lab. Clin. Med. <u>15:35</u> , 1929.	1878
			Cole, J. Pharm. Exp. Ther. <u>71:1</u> , 1941.	1879
		60 hr	Simonin, C. rend. Soc. biol. <u>124:133</u> , 1937. Loeser, J. Lab. Clin. Med. <u>15:35</u> , 1929. Simonin, C. rend. Soc. biol. <u>124:133</u> , 1937. Ibid	1880
		45 min	Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950. Loeser, J. Lab. Clin. Med. <u>15:35</u> , 1929.	1881
			Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950.	1882
			Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950.	1883
			Cochran, Arch. Ind. Hyg. Occ. Med. <u>1:637</u> , 1950.	1884
			Neumann, Arch. exp. Path. Pharm. <u>185:328</u> , 1937. Ibid	1885
		30 min 60 min 90 min	Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Heubner, Arch. exp. Path. Pharm. <u>177:60</u> , 1934. Ibid Lendle, Heffter's Hdb. <u>E. 1:78</u> . White, J. Pharm. Exp. Ther. <u>52:1</u> , 1934. Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Flury, Abderhalden's Hdb. <u>4.7b:1401</u> . Lendle, Heffter's Hdb. <u>E. 1:78</u> . Maresh, Fed. Proc. <u>5:191</u> , 1946. Ibid Ibid Flury, Abderhalden's Hdb. <u>4.7b:1401</u> . Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid	1886
			Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid	1887
			Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Mehnert, Arch. exp. Path. Pharm. <u>184:181</u> , 1936. Lendle, Heffter's Hdb. <u>E. 1:78</u> . Ibid Ibid Ibid	1888

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1888 Strophanthin K (crystalline) (concluded)	Cat	sc	LD	0.3
	Cat	iv	LD	0.13
	Dog	iv	LD	0.11
1889 Strophanthin K (amorphous)	Frog	sc	LD	1.1-3.0
	Mouse	sc	LD	25
	Rat	sc	LD	50-80
	Guinea pig	sc	LD	1
	Rabbit	or	LD	30
	Rabbit	sc	LD	1
	Rabbit	iv	LD	0.23
	Rabbit	iv	MLD	0.20
	Cat	iv	LD	0.17
	Cat	iv	MLD	0.16
	Dog	iv	LD	0.15
1890 Strychnine	Frog	sc	LD	0.35-2.1
	Mouse	sc	MLD	0.5-1.25
	Rat	or	MLD	5
	Rat	or	LD <sub>50</sub> <sup>+</sup>	16.2
	Rat	sc	MLD	3 <sup>1</sup>
	Rat	im	MLD	2.5 <sup>1</sup>
	Rat	im	MLD	4
	Rat	ip	LD <sub>50</sub>	1.4-2.3
	Rat	ip	LD <sub>50</sub>	0.9-1.4
	Rat	iv	MLD	1.1
	Guinea pig	sc	LD	3.0-3.4
	Rabbit	or	LD	0.6-30
	Rabbit	sc	LD	0.4-1.0
	Rabbit	iv	LD	0.2-0.5
	Cat	or	LD	0.75
	Cat	sc	LD	0.75
	Cat	iv	LD	0.3-0.35
	Dog	or	LD	1.0-1.2
	Dog	or	LD	0.3-0.4
	Dog	sc	LD	0.3-0.4
Dog	iv	LD	0.2-0.3	
Pigeon	or	LD	8.5-11.0	
Pigeon	sc	LD	1.0-1.5	
Chicken	sc	MLD	2.2	
1891 Subtilin	Mouse	or	LD <sub>50</sub>	5000 <sup>2</sup>
	Mouse	sc	LD <sub>50</sub>	670±30 <sup>2</sup>
	Mouse	iv	LD <sub>50</sub>	60±3 <sup>2</sup>
1892 Succinic acid	Frog	sc	MLD	1800-2000
1893 Succinylchlorimide	Rat	or	MLD	2700
	Rat	iv	LD	400
1894 Succinylnitrite	Frog	sc	MLD	1000
	Rabbit	sc	MLD	35
1895 Succinylsulfathiazole	Mouse	ip	LD <sub>50</sub>	5700
	Mouse	ip	LD <sub>50</sub>	7500 <sup>3</sup>

/1/ Nitrate. /2/ 1% solution in H<sub>2</sub>O. /3/ Sodium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid Ibid	1888
			Lendle, Heffter's Hdb. <u>E. 1:78.</u> Ibid Ibid Ibid Ibid Ibid Ibid Neumann, Arch. exp. Path. Pharm. <u>185:328, 1937.</u> Lendle, Heffter's Hdb. <u>E. 1:78.</u> Neumann, Arch. exp. Path. Pharm. <u>185:328, 1937.</u> Lendle, Heffter's Hdb. <u>E. 1:78.</u>	1889
		1/3-2 hr	Flury, Abderhalden's Hdb. <u>4. 7b:1403.</u> Ibid Amann, Arch. exp. Path. Pharm. <u>201:161, 1943.</u> Lehman, Q. Full. Assoc. F. & D. Off. <u>18:122, 1951.</u> Kreitmair, Arch. exp. Path. Pharm. <u>187:607, 1937.</u> Amann, Arch. exp. Path. Pharm. <u>201:161, 1943.</u> Poe, J. Pharm. Exp. Ther. <u>58:239, 1936.</u> Ibid Ibid Amann, Arch. exp. Path. Pharm. <u>201:161, 1943.</u> Flury, Abderhalden's Hdb. <u>4. 7b:1403.</u> Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid Heinekamp, J. Pharm. Exp. Ther. <u>23:146, 1924.</u>	1890
	H <sub>2</sub> O H <sub>2</sub> O H <sub>2</sub> O		Anderson, Science <u>103:419, 1946.</u> Ibid Ibid	1891
			Heymans, Dubois' Arch. f. Physiol. <u>13:168, 1839.</u>	1892
		1/2-12 hr	Stohlman, Pub. Health Rpt. <u>59:541, 1944.</u> Ibid	1893
			Heymans, Arch. int. pharmacod. <u>3:77, 1897.</u> Ibid	1894
	Oil H <sub>2</sub> O	4 hr 1/2-1 hr	Welch, J. Pharm. Exp. Ther. <u>75:231, 1942.</u> Ibid	1895

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1896 Sulfacetinade	Mouse	or	LD <sub>50</sub>	16,500
	Rabbit	or	LD <sub>50</sub>	15,000
	Dog	or	LD <sub>50</sub>	8000
1897 Sulfadiazine (sodium salt)	Mouse	sc	LD <sub>50</sub>	1500-1750
1898 Sulfaguanidine	Mouse	ip	LD <sub>100</sub> *	1000
1899 Sulfamethylthiazole sodium	Mouse	sc	LD <sub>50</sub>	860
	Rat	ip	LD <sub>100</sub>	750
1900 Sulfamic acid	Rat	or	MLD	1600
	Rat	ip	MLD*	100
1901 Sulfanilamide	Mouse	or	LD <sub>50</sub>	3700
	Mouse	or	LD <sub>50</sub>	4200
	Mouse	sc	MLD	6000-8000 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	3900-10,000
	Rat	ip	LD <sub>50</sub> *	2600
	Rat	ip	LD <sub>50</sub>	600-700 <sup>2</sup>
	Rabbit	or	LD <sub>50</sub>	3500-5000
Dog	or	LD <sub>50</sub>	2000	
1902 Sulfapyridine	Mouse	or	LD <sub>50</sub>	27,000 <sup>3</sup>
	Mouse	or	LD <sub>50</sub>	15,000
	Mouse	sc	LD <sub>50</sub>	1000 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	1390 <sup>3</sup>
	Mouse	iv	LD <sub>50</sub>	960 <sup>3</sup>
	Rat	or	LD <sub>100</sub>	3000
	Rat	or	LD <sub>50</sub>	15,800
	Rat	ip	LD <sub>100</sub>	1500
	Rabbit	iv	LD <sub>25</sub>	500 <sup>3</sup>
	Rabbit	iv	LD <sub>100</sub>	1000 <sup>3</sup>
Dog	iv	LD	500 <sup>3</sup>	
1903 Sulfakinoxaline	Mouse	or	LD	15,000
	Rat	or	LD	1000
1904 Sulfarsphenamine	Rat	sc	MLD	400-700
	Rat	iv	MLD	320-480
1905 Sulfathiazole	Mouse	or	LD <sub>50</sub>	4500 <sup>3</sup>
	Mouse	sc	LD <sub>50</sub>	1450-1950
	Mouse	iv	LD <sub>50</sub>	990 <sup>3</sup>
	Rat	ip	LD <sub>100</sub>	1250
1906 Sulfocetic acid	Rat	or	LD <sub>50</sub>	3160
	Rabbit	ct	LD <sub>50</sub>	1570
1907 Sulfonal	Guinea pig	or	MLD	8500
	Rabbit	or	LD	3000
	Dog	or	LD	900
1908 Sulfox-Cide <sup>4</sup>	Rat	or	LD <sub>50</sub> *	2000
	Rabbit	ct	LD <sub>50</sub> *	>9 cc
1909 Suosan	Rat	ip	LD <sub>50</sub>	1000

<sup>1/1</sup> Isotonic solution. <sup>2/2</sup> Hydrochloride. <sup>3/3</sup> Sodium salt. <sup>4/4</sup> Commercial name.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	G acacia G acacia G acacia		Fisher, J. Urol. 47:183, 1942. Ibid Ibid	1896
		24 hr+	Feinstone, Bull. Johns Hopkins Hosp. 67:427, 1940.	1897
	Olive oil	12-24 hr	Marshall, Bull. Johns Hopkins Hosp. 67:163, 1940.	1898
		20 hr	Lehr, Proc. Soc. Exp. Biol. Med. 45:15, 1940. Ibid	1899
		12-20 hr 4-72 hr	Ambrose, J. Ind. Hyg. Tox. 25:26, 1943.- Ibid	1900
	G acacia	1-3 da	Fisher, J. Urol. 47:183, 1942. Wien, Q. J. Pharm. Pharmacol. 11:217, 1938. Barlow, Proc. Soc. Exp. Biol. Med. 37:315, 1937. Marshall, Physiol. Rev. 19:280, 1939. Poe, Proc. Soc. Exp. Biol. Med. 37:559, 1937. Ibid Molitor, J. Pharm. Exp. Ther. 65:405, 1939. Fisher, J. Urol. 47:183, 1942.	1901
	H <sub>2</sub> O  H <sub>2</sub> O	3 hr	Wien, J. Pharm. Exp. Ther. 84:203, 1945. Ibid Lehr, Proc. Soc. Exp. Biol. Med. 45:15, 1940. Wien, J. Pharm. Exp. Ther. 84:203, 1945. Ibid Molitor, Arch. int. pharmacod. 62:281, 1939. Wien, Q. J. Pharm. Pharmacol. 11:217, 1938. Lehr, Proc. Soc. Exp. Biol. Med. 45:15, 1940. Kohn-Richards, Am. J. Physiol. 129:399, 1940. Ibid Ibid	1902
			Seeler, J. Pharm. Exp. Ther. 82:357, 1944. Ibid	1903
			Voegtlin, Pub. Health Rpt. 37:2783, 1922. Ibid	1904
		11 hr	Wien, J. Pharm. Exp. Ther. 84:203, 1945. Lehr, Proc. Soc. Exp. Biol. Med. 45:15, 1940. Wien, J. Pharm. Exp. Ther. 84:203, 1945. Lehr, Proc. Soc. Exp. Biol. Med. 45:15, 1940.	1905
1000-2460			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Ibid	1906
		24 hr 24 hr	Flury, Abderhalden's Hdb. 4.7b:1404. Ibid Ibid	1907
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Ibid. 16:3, 1952.	1908
			Kiese, Arch. exp. Path. Pharm. 208:178, 1949.	1909

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1910	S,mpatol	Frog	sc	MLD	1370-1600 <sup>1</sup>
		Frog	sc	MLD	2000-2300 <sup>2</sup>
		Mouse	sc	MLD	2070-2420 <sup>1</sup>
		Mouse	sc	MLD	3200-3400 <sup>2</sup>
1911	S,nephrin	Mouse	sc	LD	700-800
1912	2,4,5-T	Rat	or	LD <sub>50</sub> <sup>*</sup>	300
		Dog	or	LD <sub>50</sub> <sup>*</sup>	100
1913	Tagathen	Mouse	ip	LD <sub>50</sub>	105
1914	Tanghiniferin	Cat	iv	LD <sub>50</sub>	0.9443
1915	Tanghinigenin	Cat	iv	LD <sub>50</sub>	1.016
1916	Tanghinin	Cat	iv	LD <sub>50</sub>	0.3524
1917	Tannic acid	Mouse	or	LD <sub>100</sub>	6000
		Mouse	sc	LD <sub>100</sub>	200
		Mouse	iv	LD <sub>100</sub>	80
1918	Tantalum chloride	Rat	or	LD <sub>50</sub>	1900 <sup>3</sup>
		Rat	ip	LD <sub>50</sub>	75 <sup>3</sup>
1919	Tantalum oxide	Rat	or	LD <sub>50</sub>	>8000 <sup>4</sup>
1920	Taurocholic acid sodium	Frog	sc	MLD <sup>*</sup>	1444
		Rabbit	iv	MLD <sup>*</sup>	350
		Dog	iv	MLD <sup>*</sup>	600-700
1921	TBH <sup>5</sup>	Rabbit	ct	LD <sub>50</sub> <sup>*</sup>	>1880
1922	Tenebryl	Mouse	iv	MLD	3330
1923	Tergitol 08 <sup>6</sup>	Rat	or	LD <sub>50</sub>	10.3 cc
		Guinea pig	or	LD <sub>50</sub>	3.8 cc
1924	Tergitol 4 <sup>7</sup>	Rat	or	LD <sub>50</sub>	5 cc
		Guinea pig	or	LD <sub>50</sub>	2.6 cc
1925	Tergitol 7 <sup>8</sup>	Rat	or	LD <sub>50</sub>	5.7 cc
		Guinea pig	or	LD <sub>50</sub>	1.7 cc
1926	Terramycin HCl	Mouse	or	LD <sub>50</sub>	7200
		Mouse	sc	LD <sub>50</sub>	892
		Rat	iv	LD <sub>50</sub>	280
1927	Testosterone	Rat <sup>9</sup>	ip	LD <sub>100</sub> <sup>*</sup>	325.5
1928	sym.-Tetrabromoethane	Guinea pig	or	LD <sub>50</sub> <sup>*</sup>	400
		Rabbit	or	LD <sub>50</sub> <sup>*</sup>	400
1929	sym.-Tetrachloroethane	Rabbit	sc	MLD	500
		Rabbit	iv <sup>9</sup>	LD <sub>50</sub>	80
		Dog	or	MLD	700
		Dog	iv	MLD	60
1930	Tetrachloroethylene (continued on next page)	Mouse	or	LD	8120
		Mouse	or	LD <sub>50</sub> <sup>*</sup>	8850 <sup>10</sup>

/1/Dose. /2/Tartrate. /3/50% solution in H<sub>2</sub>O. /4/50% suspension in H<sub>2</sub>O. /5/20% solution. /6/ethyl-2-methyldecanol-4-sulfate. /8/25% aqueous solution of sodium 3,9-diethyltridecanol-

Dosage mg, kg Range	Vehicle	Time of Death	Reference	
		1/2 hr	Fühner, Arch. exp. Path. Pharm. 166:437, 1932. Ibid Ibid Ibid	1910
			Kuschinsky, Arch. exp. Path. Pharm. 156:290, 1930.	1911
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Drill, Arch. Ind. Hyg. Occ. Med. 7:61, 1951.	1912
92-109			Castillo, J. Pharm. Exp. Ther. 96:388, 1949.	1913
0.5034-1.3344	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1914
0.6486-1.5675	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1915
0.2275-0.8372	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	1916
		1-3 da 1-2 da 1-2 da	Robinson, J. Pharm. Exp. Ther. 77:63, 1943. Ibid Ibid	1917
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	1918
	H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	1919
			Flury, Abderhalden's Hdb. 4.7b:1350. Ibid Ibid	1920
			Lehman, Q. Bull. Assoc. F. & D. Off. 16:3, 1952.	1921
			Binz, Biochem. Zachr. 252:16, 1932.	1922
9.0-11.4 cc 3.3-4.2 cc			Smyth, J. Ind. Hyg. Tox. 23:478, 1941. Ibid	1923
4.4-5.5 cc 2.3-2.8 cc			Smyth, J. Ind. Hyg. Tox. 23:478, 1941. Ibid	1924
4.8-6.6 cc 1.3-2.2 cc			Smyth, J. Ind. Hyg. Tox. 23:478, 1941. Ibid	1925
6585-8232 819-972 233-336			P'An, J. Pharm. Exp. Ther. 99:234, 1950. Ibid Ibid	1926
		6 hr	Selye, Proc. Soc. Exp. Biol. Med. 46:116, 1941.	1927
			Grey, Arch. Ind. Hyg. Occ. Med. 2:407, 1950. Ibid	1928
		24 hr 24 hr 30 min	Barsoum, Q. J. Pharm. Pharmacol. 7:203, 1934. Hart, J. Pharm. Exp. Ther. 98:12, 1950. Barsoum, Q. J. Pharm. Pharmacol. 7:203, 1934. Ibid	1929
		2-9 hr	Lamson, Am. J. Hyg. 9:430, 1929. Dybing, Acta pharm. tox. 2:223, 1946.	1930

/6/40% aqueous solution of sodium 2-ethylethanosulfate. /7/25% aqueous solution of sodium 6-sulfate. /9/Rapid injection. /10/Chemically pure.

	Compound	Animal	Route	Dose	Dosage
					mg/kg
					Value
1930	Tetrachloroethylene (concluded)	Mouse	or	LD <sub>50</sub>	10,900
		Rabbit	or	LD	8120
		Rabbit	sc	MLD	2200
		Cat	or	LD	6496
		Dog	or	LD	6,496-24,360
		Dog	iv	MLD	85
1931	2, 3, 4, 6-Tetrachlorophenol	Rat	or	LD <sub>50</sub>	140 <sup>1</sup>
		Rat	sc	MLD	2.0 <sup>1</sup>
1932	1, 1, 3, 3-Tetraethoxypropane	Rat	or	LD <sub>50</sub>	3730
1933	Tetraethoxysilane	Rat	or	LD <sub>100</sub>	3000-5000
		Rat	or	LD <sub>50</sub>	6270
		Rat	ip	MLD	559.8
		Rabbit	iv	MLD	186.6
1934	Tetraethylammonium hydroxide	Frog	sc	LD	100-200
		Mouse	sc	LD	192
1935	Tetraethylene glycol dibutyl ether	Rat	or	LD <sub>50</sub>	6500
		Rabbit	ct	LD <sub>50</sub>	10,000
1936	Tetraethylenepentamine	Rat	or	LD <sub>50</sub>	3990
		Rabbit	ct	LD <sub>50</sub>	660
1937	Tetraethyl pyrophosphate	Mouse	or	LD <sub>50</sub>	7.0±0.3
		Mouse	ip	LD <sub>50</sub>	0.85
		Rat	or	LD <sub>50</sub>	1.24
		Rat ♀	or	LD <sub>50</sub>	1.2±0.1
		Rat ♂	or	LD <sub>50</sub>	2.0±0.15
		Rat	or	LD <sub>50</sub> *	1.2
		Rat	or	LD <sub>50</sub> *	1.4
		Rat	ip	LD <sub>50</sub>	0.65
		Guinea pig	or	LD <sub>50</sub>	2.3±0.19
		Rabbit	ct	MLD	0.04 cc
Rabbit	ct	LD <sub>50</sub>	5		
1938	Tetraethylthiuramide	Rabbit	or	MLD	3000
1939	5, 6, 7, 8-Tetrahydrocarbazole	Rat	or	LD <sub>50</sub>	2650
1940	Tetrahydroerythroidine	Mouse	sc	LD	9.5
1941	Tetrahydroisoquinoline	Mouse	sc	MLD	230-350
1942	Tetrahydronaphthalene	Rat	or	LD <sub>50</sub>	2860
		Rabbit	ct	LD <sub>50</sub>	17,300
1943	1, 2, 3, 4-Tetrahydro-2-naphthol	Mouse	or	LD <sub>50</sub>	2 cc
		Rat	or	LD <sub>50</sub>	1 cc
		Guinea pig	or	LD <sub>50</sub>	1 cc
		Rabbit	or	LD <sub>50</sub>	2.8 cc
1944	Tetrahydronaphthylamine	Rabbit	sc	MLD	50
1945	Tetraisopropyl pyrophosphate	Mouse	ip	LD <sub>50</sub>	16

/1/ 4% solution in fuel oil. /2/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Oil	7-20 hr	Dybing, Acta pharm. tox. 2:225, 1946. Lamson, Am. J. Hyg. 9:430, 1929.	1930
		21 hr	Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934.	
		6-30 hr	Lamson, Am. J. Hyg. 9:430, 1929.	
		7-72 hr	Ibid	
	Oil	30 min	Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934.	
	Fuel oil		Deichmann, Fed. Proc. 2:76, 1943.	1931
	Fuel oil		Ibid	
2680-5310			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	1932
4820-8100		4 da	Rowe, J. Ind. Hyg. Tox. 30:332, 1948.	1933
		5 min	Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	
			Kasper, Indust. Med. 6:660, 1927.	
			Ibid	
			Bovet & Bovet-Nitti, <sup>2</sup> Hunt, J. Pharm. Exp. Ther. 25:335, 1925.	1934
			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	1935
			Ibid	
3340-4780			Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	1936
550-780			Ibid	
			Frawley, J. Pharm. Exp. Ther. 105:156, 1952.	1937
			Mangun, Fed. Proc. 6:353, 1947.	
			Div. Pharm. F. & D. Adm. Q. Rpt. 4, June 1947.	
			Frawley, J. Pharm. Exp. Ther. 105:156, 1952.	
			Ibid	
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	
			Mangun, Fed. Proc. 6:353, 1947.	
			Ibid	
			Frawley, J. Pharm. Exp. Ther. 105:156, 1952.	
			Deichmann, Fed. Proc. 6:322, 1947.	
			Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951.	
			Ganzlik, J. Pharm. Exp. Ther. 17:349, 1921.	1938
			Eagle, J. Pharm. Exp. Ther. 99:450, 1950.	1939
			Unna, J. Pharm. Exp. Ther. 80:39, 53, 1944.	1940
			Hjort, J. Pharm. Exp. Ther. 62:165, 1938.	1941
2580-3180			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	1942
14,500-20,600			Ibid	
			Draize, J. Pharm. Exp. Ther. 93:26, 1948	1943
			Ibid	
			Ibid	
			Ibid	
			Stern, Arch. path. Anat. 115:14, 1889.	1944
			DuBois, Arch. Ind. Hyg. Occ. Med. 6:9, 1952.	1945

Végétatif," New York: S. Karger, 1948

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1946	N,N,N',N'-Tetrakis-(β-chloroethyl)- ammonium chloride	Mouse	sc	LD <sub>50</sub> *	26
		Mouse	iv	LD <sub>50</sub> *	7.5
		Rat	sc	LD <sub>50</sub> *	19
		Rat	iv	LD <sub>50</sub> *	3.8
		Rabbit	iv	LD <sub>50</sub> *	2.5
1947	Tetramethoquin	Mouse	or	LD <sub>50</sub>	18.8±3.35
		Mouse	sc	LD <sub>50</sub>	0.77±0.05
		Mouse	iv	LD <sub>50</sub>	0.24±0.033
		Rabbit	im	LD <sub>50</sub>	0.79±0.078
1948	Tetramethylammonium hydroxide	Frog	sc	LD	5
		Mouse	sc	LD	20
		Rabbit	sc	LD	6-8
		Rabbit	iv	LD	1-2
1949	Tetramethylpyrophosphate	Mouse	ip	LD <sub>50</sub>	1.7
1950	Tetramethylthiuramide	Rabbit	or	MLD	±50
1951	Tetrapropylidithionophosphate	Rat	or	LD <sub>50</sub>	1450
		Rat	ip	LD <sub>50</sub>	1100
1952	Tetronic acid	Mouse	ip	LD <sub>50</sub>	3000
1953	Tetrosan	Mouse	or	LD <sub>50</sub>	2000
		Mouse	iv	LD <sub>50</sub>	50
		Rat	or	LD <sub>50</sub>	730
		Guinea pig	or	LD <sub>50</sub>	316
1954	Tetryl	Dog	sc	MLD	500
1955	Thallium acetate	Mouse	sc	MLD	0.5
		Rabbit	sc	MLD	5
		Dog	or	MLD	18.5
		Bird	sc	LD	40-160
1956	Thallium nitrate	Rat	sc	LD	20
		Rabbit	iv	LD	14
		Dog	or	LD	45
1957	Thallium sulfate	Rat <sup>2</sup>	or	LD <sub>50</sub>	15.8±9.0
		Rat <sup>3</sup>	or	LD <sub>50</sub>	22.9
		Rat	or	LD <sub>50</sub> *	25
1958	Thanate	Rat	or	LD <sub>50</sub> *	1000
1959	Thebaine	Frog	sc	LD	20
		Guinea pig	sc	LD	30
		Rabbit	cc	LD <sub>50</sub>	13.9 <sup>4</sup>
		Pigeon	sc	LD	24
1960	Thenfaul	Mouse	or	LD <sub>50</sub>	277±15
		Mouse	sc	LD <sub>50</sub>	36±4
		Mouse	ip	LD <sub>50</sub>	55±5
		Mouse	iv	LD <sub>50</sub>	14.2±1
		Rat	or	LD <sub>50</sub>	52±50
		Rat	iv	LD <sub>50</sub>	15±1

(continued on next page)

11/ Bovet and Bovet-Nitti, "Médicaments du Système Nerveux Végétatif," New York: S.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Anslow, J. Pharm. Exp. Ther. <u>91</u> :224, 1947. Ibid Ibid Ibid	1946
			Brown, Arch. int. pharmacod. <u>8</u> :276, 1950. Ibid Ibid Ibid	1947
			Youlbauer, Arch. int. pharmacod. <u>7</u> :183, 1900. Ibid Ibid Bovet & Bovet-Nitti, <sup>1</sup>	1948
			DuBois, Arch. Ind. Hyg. Occ. Med. <u>6</u> :9, 1952.	1949
			Hanzlik, J. Pharm. Exp. Ther. <u>17</u> :349, 1921.	1950
			DuBois, Arch. Ind. Hyg. Occ. Med. <u>8</u> :350, 1953. Ibid	1951
			Brodersen, Acta pharm. tox. <u>2</u> :109, 1946.	1952
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>18</u> :43, 1954. Ibid Ibid Ibid	1953
			Wells, J. Ind. Hyg. <u>2</u> :247, 1920-1921.	1954
		7 da 9 da	Flury, Abderhalden's Hdb. <u>4.7b</u> :1406. Ibid Ibid Ibid	1955
		48 hr 4 da	Flury, Abderhalden's Hdb. <u>4.7b</u> :1406. Ibid Ibid	1956
		3-4 da	Dieke, Pub. Health Rpt. <u>61</u> :672, 1946. Div. Pharm. F. & D. Adm. Rpt. <u>4</u> , Oct. 1945. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15</u> :122, 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15</u> :122, 1951.	1957
			Lehman, Q. Bull. Assoc. F. & D. Off. <u>15</u> :122, 1951.	1958
			Flury, Abderhalden's Hdb. <u>4.7b</u> :1408. Starkenstein, Heffter's Hdb. <u>2.2</u> :987. Eddy, J. Pharm. Exp. Ther. <u>66</u> :182, 1939. Flury, Abderhalden's Hdb. <u>4.7b</u> :1408.	1959
			Hoppe, J. Pharm. Exp. Ther. <u>97</u> :371, 1949. Ibid Ibid Ibid Ibid Ibid	1960

Karger, 1948. /2/ Norway rat. /3/ Albino rat. /4/ Hydrochloride.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1960 Theofadri (continued)	Hamster	iv	LD <sub>50</sub>	9±1
	Rabbit	iv	LD <sub>50</sub>	12±1
	Dog	or	LD <sub>50</sub>	60
	Dog	im	LD <sub>50</sub>	12
	Dog	iv	LD	10
1961 Theobromine	Rabbit	sc	LD	1000-1500
	Cat	or	LD	180-205
	Rat	sc	LD	900 <sup>1</sup>
1962 Theophylline	Guinea pig	sc	LD	170-200
	Rabbit	or	LD	300-400
	Rabbit	iv	LD	100-130
	Cat	or	LD	100
1963 Theophylline sodium acetate	Rat	sc	MLD	300-350
	Rat	iv	MLD	240
1964 Theosparteine (mono derivative)	Rabbit	iv	MLD	0.00133 <sup>2</sup>
1965 Theophorin	Mouse	or	LD <sub>50</sub>	255±21
	Mouse	sc	LD <sub>50</sub>	270±60
	Mouse	ip	LD <sub>50</sub>	88±11
	Mouse	ip	LD <sub>50</sub>	106
	Mouse	iv	LD <sub>50</sub>	22.5±2.5
	Rat	or	LD <sub>50</sub>	280±50
	Rat	sc	LD <sub>50</sub>	250
	Guinea pig	ip	LD <sub>50</sub>	140:42
	Rabbit	or	LD <sub>50</sub>	500
	Rabbit	iv	LD <sub>50</sub>	15±2.4
	Dog	iv	LD <sub>50</sub>	33
1966 Thiamine HCl	Mouse	or	LD <sub>50</sub>	3000
	Mouse	sc	LD <sub>66</sub>	1000
	Mouse	ip	LD <sub>50</sub>	329.8±3.93
	Mouse	iv	LD	125
	Mouse	iv	LD <sub>100</sub>	150
	Rat	iv	LD	250
	Rabbit	iv	LD	300
	Rabbit	iv	MLD	117.45
	Dog	iv	LD	350
1967 Thiamine mononitrate	Mouse	ip	LD <sub>50</sub>	387.3±1.65
	Mouse	iv	LD <sub>50</sub>	84.24±1.14
	Rabbit	iv	LD <sub>50</sub>	112.58
1968 Thioacetamide	Rat	or	MLD	200
1969 Thioamytal sodium	Rat	or	MLD	250
	Rat	ip	MLD	140
	Rat	iv	MLD	160
1970 Thiocyanobenzoic acid (continued on next page)	Rat	ip	LD <sub>50</sub>	32±2.1 <sup>3</sup>
	Rat	or	LD <sub>50</sub>	73±5.7 <sup>4</sup>

<sup>1/1</sup> With sodium acetate. <sup>2/2</sup> Given as "gram equivalents/kilo" in reference <sup>3/3</sup> Ortho.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			Hoppe, J. Pharm. Exp. Ther. <u>97:371</u> , 1949. Ibid Ibid Ibid	1960
			Flury, Abderhalden's Hdb. <u>4:7b:1408</u> . Ibid Unna, Arch. exp. Path. Pharm. <u>187:163</u> , 1937.	1961
	H <sub>2</sub> O		Flury, Abderhalden's Hdb. <u>4:7b:1409</u> . Ibid Ibid Ibid	1962
			Unna, Arch. exp. Path. Pharm. <u>187:163</u> , 1937. Chen, J. Pharm. Exp. Ther. <u>45:1</u> , 1932.	1963
			Simon, Boll. soc. ital. biol. sper. <u>27:1324</u> , 1951.	1964
96-117		48 hr	Lehman, J. Pharm. Exp. Ther. <u>92:249</u> , 1948. Ibid Ibid Way, J. Pharm. Exp. Ther. <u>104:115</u> , 1952. Lehman, J. Pharm. Exp. Ther. <u>92:249</u> , 1948. Ibid Halpern, C. rend. Soc. biol. <u>144:887</u> , 1950. Lehman, J. Pharm. Exp. Ther. <u>92:249</u> , 1948. Ibid Ibid Ibid	1965
		20 min	Hecht, Klin. Wschr. <u>16:414</u> , 1937. Ibid Haley, Proc. Soc. Exp. Biol. Med. <u>68:153</u> , 1948. Molitor, Merck Report 1941. Hecht, Klin. Wschr. <u>16:414</u> , 1937. Molitor, Merck Report 1941. Ibid Haley, Proc. Soc. Exp. Biol. Med. <u>68:153</u> , 1948. Molitor, Merck Report 1941.	1966
			Haley, Proc. Soc. Exp. Biol. Med. <u>68:153</u> , 1948. Ibid Ibid	1967
		48-72 hr	Ambrose, J. Ind. Hyg. Tox. <u>31:158</u> , 1949.	1968
			Gruhzt, J. Pharm. Exp. Ther. <u>60:125</u> , 1937. Ibid Ibid	1969
		3 hr	Krantz, Proc. Soc. Exp. Biol. Med. <u>74:321</u> , 1950. Tawab, J. Pharm. Exp. Ther. <u>96:416</u> , 1949.	1970

/4/ Meta.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
1970 Thiocyanobenzoic acid (concluded!)	Rat	ip	LD <sub>50</sub>	17±1.3 <sup>1</sup>
	Rat	or	LD <sub>50</sub>	83±8.1 <sup>2</sup>
	Rat	ip	LD <sub>50</sub>	22±1.9 <sup>2</sup>
1971 Thiomerin sodium <sup>3</sup>	Mouse	sc	LD <sub>50</sub>	0.84±0.7 cc
	Mouse	iv	LD <sub>50</sub>	4.57±0.94 cc
	Mouse	iv	LD <sub>50</sub>	0.98±0.11 cc
	Rat	sc	LD <sub>50</sub>	0.025 cc
	Rat	iv	LD <sub>50</sub>	0.15 cc
	Rabbit	iv	LD	8 cc
	Rabbit	iv	LD	0.75 cc
	Cat	iv	LD	4 cc
Cat	iv	LD	2 cc	
1972 Thiopentex	Rat <sup>7</sup>	ip	LD <sub>50</sub>	1200
1973 Thiophene	Rabbit	sc	MLD	830
1974 Thiosemicarbazide	Rat <sup>4</sup>	or	LD <sub>50</sub>	13±2.1
	Rat <sup>5</sup>	or	LD <sub>50</sub>	19±1.3
	Rat <sup>6</sup>	or	LD <sub>50</sub>	11±2
	Guinea pig	ip	LD <sub>50</sub>	24±2
	Cat	or	LD <sub>50</sub>	20
	Dog	or	LD <sub>50</sub>	10
1975 Thiozinamine	Frog	sc	LD	5000
	Mouse	sc	LD	700-1000
	Rat	sc	LD	700-1000
	Guinea pig	iv	LD	700-1000
	Rabbit	iv	MLD	571
	Dog	iv	LD	100-130
1976 2-Thiouracil	Rabbit	or	MLD	3697
1977 Thiourea	Frog	sc	MLD <sup>10</sup>	10,000
	Rat <sup>4</sup>	or	LD <sub>50</sub>	1830
	Rat <sup>7</sup>	or	LD <sub>50</sub>	125-640
	Rat <sup>8</sup>	ip	LD <sub>50</sub>	4.0±0.2
	Rat <sup>4</sup>	ip	LD <sub>50</sub>	1830±135
	Guinea pig	sc	MLD <sup>10</sup>	4000
Rabbit	or	MLD	6985	
1978 Thorium chloride	Mouse	sc	LD <sub>50</sub>	4000
	Rat	iv	LD	24.2-32.2
	Rabbit	iv	LD	50 <sup>9</sup>
1979 Thorium nitrate	Frog	sc	LD	600
	Rat	ip	LD <sub>50</sub>	68±12
	Rabbit	iv	LD	50 <sup>9</sup>
1980 Thorium sodium citrate	Frog	sc	LD	600
1981 Thujone	Rat	ip	LD <sub>100</sub>	24011
1982 Thymol	Frog	sc	LD	150
	Mouse	or	MLD	800
	Mouse	or	LD <sub>50</sub>	1800±224

/1/Meta. /2/Para. /3/1 cc contains 40 mg mercury. /4/Norway rat. /5/Adult. /6/Albino. of 2-3 cc per minute as a 0.5% solution in H<sub>2</sub>O. /10/ Water with trisodium citrate. /11/ 2%

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
		3 hr	Tawao, J. Pharm. Exp. Ther. <u>96:416</u> , 1949.	1970
		3 hr	Ibid Krantz, Proc. Soc. Exp. Biol. Med. <u>74:321</u> , 1950.	
		4 da	Lehman, J. Pharm. Exp. Ther. <u>99:149</u> , 1950.	1971
		3 hr	Ibid	
		4 da	Ibid	
		1-7 da	Orth, Fed. Proc. <u>9:305</u> , 1950.	
		50 min	Ibid	
		3 hr	Lehman, J. Pharm. Exp. Ther. <u>99:149</u> , 1950.	
		4 da	Ibid	
		4 hr	Ibid	1972
		4 da	Ibid	
			Mallette, Arch. Ind. Hyg. Occ. Med. <u>5:311</u> , 1952.	1973
		24 hr	Thieme, Dissert., Würzburg 1935.	
5-15	G acacia		Dieke, Proc. Soc. Exp. Biol. Med. <u>70:688</u> , 1949.	1974
	G acacia		Ibid	
	G acacia		Ibid	
	G acacia		Ibid	
	G acacia		Ibid	
			Flury, Abderhaiden's Hdb. <u>4.7b:1409</u> .	1975
			Ibid	
		24 hr	Ibid Tyrode, Arch. int. pharmacod. <u>19:195</u> , 1909.	
			Ibid Flury, Abderhaiden's Hdb. <u>4.7b:1409</u> .	
			Simon, Boll. soc. ital. biol. sper. <u>24:803</u> , 1948.	1976
			Hartzell, Boyce Thompson Inst. <u>11:249</u> , 1940.	1977
			Dieke, J. Pharm. Exp. Ther. <u>90:260</u> , 1947.	
			Ibid	
			Ibid, <u>83:195</u> , 1945.	
			Ibid	1978
			Hartzell, Boyce Thompson Inst. <u>11:249</u> , 1940.	
			Simon, Boll. soc. ital. biol. sper. <u>24:803</u> , 1948.	
	H <sub>2</sub> O		Vincke, Arch. exp. Path. Pharm. <u>188:465</u> , 1938.	1978
	H <sub>2</sub> O		Maxwell, J. Pharm. Exp. Ther. <u>43:61</u> , 1931.	
			Vincke, Arch. exp. Path. Pharm. <u>188:465</u> , 1938.	1979
	H <sub>2</sub> O <sup>10</sup>		Sollmann, Am. J. Physiol. <u>18:426</u> , 1907.	
	H <sub>2</sub> O		McClinton, J. Pharm. Exp. Ther. <u>94:1</u> , 1948.	
			Vincke, Arch. exp. Path. Pharm. <u>188:465</u> , 1938.	1980
			Sollmann, Am. J. Physiol. <u>18:426</u> , 1907.	
	G acacia		Sampson, J. Pharm. Exp. Ther. <u>65:275</u> , 1939.	1981
			Kochmann, Arch. exp. Path. Pharm. <u>161:196</u> , 1931.	1982
			Ellinger, Heffter's Hdb. <u>E.1:929</u> .	
	Cot oil	10 da	McOmie, J. Am. Pharm. Assoc. <u>38:366</u> , 1949.	

/7/ Domestic. /8/ "Hopkins" rat; toxicity varies with species and diet. /9/ Injected at rate solution in 6% gum acacia.

1982	Thymol (concluded)	Animal	Route	Dose	Dosage
					mg/kg
					Value
1982		Rat	sc	MLD	1600-1700
		Guinea pig	sc	MLD	1100
		Guinea pig	ip	MLD	300
		Guinea pig	ip	MLD	>2000
		Rabbit	or	MLD	750-1000
		Rabbit	sc	LD	>2000
		Rabbit	iv	MLD	60
		Cat	or	MLD	250
1983	Tin <sup>1</sup>	Rat	iv	LD	20
		Rabbit	sc	LD	25
1984	Toluene	Rat	sc	LD	4330-8660
		Rat	ip	LD	1732
1985	Toluenediamine	Rat	ip	LD	50
		Guinea pig	sc	LD	200-1700
		Rabbit	sc	LD	400
		Dog	sc	LD	200-250
		Dog	sc	LD	350
1986	o-Tolueno-azo-β-naphthol	Rabbit	or	LD	1500
		Rabbit	iv	LD <sub>100</sub>	120
		Dog	iv	LD <sub>100</sub>	249
1987	Toluidine Blue	Mouse	iv	LD <sub>50</sub>	27.56
		Rat	iv	LD <sub>50</sub>	28.93
		Rabbit	iv	LD <sub>50</sub>	13.44
1988	1-(o-Toluoxy)-2,3-bis-(2,2,2-trichloro-1-hydroxyethoxy)propane	Mouse	or	LD <sub>50</sub>	1820 <sup>2</sup>
		Mouse	or	LD <sub>50</sub>	640 <sup>3</sup>
		Rat	or	LD <sub>50</sub>	880 <sup>4</sup>
		Rat	ip	LD <sub>50</sub>	400 <sup>5</sup>
		Guinea pig	or	LD <sub>50</sub>	950 <sup>6</sup>
		Guinea pig	ip	LD <sub>50</sub>	460 <sup>7</sup>
1989	2-[N-p'-Tolyl-N-(m'-hydroxyphenyl)aminoethyl]imidazoline	Mouse	or	LD <sub>50</sub>	750
		Rat	or	LD <sub>50</sub>	1250
		Rat	sc	LD <sub>50</sub>	275
		Rat	iv	LD <sub>50</sub>	75
		Rabbit	or	LD <sub>50</sub>	2700
1990	m-Tolyloxyacetamide HCl	Rat	iv	LD <sub>50</sub>	73
1991	Tomatin(e)	Rat	or	LD	800-1000
1992	Toxaphene	Mouse	or	LD <sub>50</sub>	112
		Rat	or	LD <sub>50</sub> *	69
		Rat	ip	LD	200
		Guinea pig	or	LD <sub>50</sub>	69
		Guinea pig	sc	LD	62.5
		Rabbit	ct	LD <sub>50</sub> *	>4000
		Dog	or	LD <sub>50</sub>	15
		Sheep	iv	LD	5
1993	Transvaalin	Cat	iv	LD <sub>50</sub>	0.1670

<sup>1</sup>/Sodium stannous tartrate; calculated as tin metal. <sup>2</sup>/92-108% error. <sup>3</sup>/97-107% error.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
	Oil		Binet, Rev. méd. Suisse rom. <u>15:561</u> , 1895. Ibid Caujolle, Bull. Soc. biol. chim. <u>26:334</u> , 1944. Gardner, C. rend. Acad. sc. <u>200:1430</u> , 1935. Kochmann, Arch. exp. Path. Pharm. <u>161:196</u> , 1931. Ibid Basquet, C. rend. Soc. biol. <u>83:1149</u> , 1920. Kochmann, Arch. exp. Path. Pharm. <u>161:196</u> , 1931.	1982
		24 hr 1-6 da	Salant, J. Pharm. Exp. Ther. <u>5:517</u> , 1914. Ibid	1983
			Cameron, J. Path. Bact. <u>46:95</u> , 1938. Ibid	1984
		6-12 hr 12-36 hr 12-36 hr	Hess, Zschr. exp. Path. Ther. <u>17:59</u> , 1915. Ibid Gibbs, Dubois' Arch. f. Physiol. Suppl. p259, 1892. Hess, Zschr. exp. Path. Ther. <u>17:59</u> , 1915.	1985
			Climenko, J. Am. Med. Assoc. <u>109:493</u> , 1937. Ibid Ibid	1986
			Stolarsky, Fed. Proc. <u>10:337</u> , 1951. Ibid Ibid	1987
			Reinhard, J. Pharm. Exp. Ther. <u>106:444</u> , 1952. Ibid Ibid Ibid Ibid	1988
			Trapold, J. Pharm. Exp. Ther. <u>100:119</u> , 1950. Meier, Proc. Soc. Exp. Biol. Med. <u>71:7J</u> , 1950. Ibid Ibid Trapold, J. Pharm. Exp. Ther. <u>100:119</u> , 1950.	1989
		30 min	Craver, J. Pharm. Exp. Ther. <u>101:353</u> , 1951.	1990
		2 da	Wilson, Fed. Proc. <u>9:325</u> , 1950.	1991
			Div. Pharm. F. & D. Adm. Q. Rpt. 9, March 1948. Lehman, Q. Bull. Assoc. F. & D. Off. <u>15:122</u> , 1951. Rodriguez, Arch. soc. biol., Montevideo <u>18:46</u> , 1951. Div. Pharm. F. & D. Adm. Q. Rpt. 4, June 1947. Rodriguez, Arch. soc. biol., Montevideo <u>18:46</u> , 1951. Lehman, Q. Bull. Assoc. F. & D. Off. <u>16:3</u> , 1952. Lackey, J. Ind. Hyg. Tox. <u>31:117</u> , 1949. Rodriguez, Arch. soc. biol., Montevideo <u>18:46</u> , 1951.	1992
0.1168-0.2097	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	1993

/4/73-136% error. /5/96-104% error. /6/87-115% error. /7/91-110% error.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
1994	Trasentine	Mouse	or	LD <sub>50</sub>	690
		Mouse	iv	LD <sub>50</sub>	21.5
		Rat	iv	LD <sub>50</sub>	27
1995	Triacetin	Mouse	sc	LD <sub>50</sub>	2670
		Rat	sc	LD <sub>50</sub>	3250
1996	2, 4, 6-Tribromophenol	Rat	or	LD <sub>50</sub> *	200
1997	Tributyl phosphate	Mouse	sc	MLD	3000
		Rat	or	LD <sub>50</sub>	3000
1998	Tributyl phosphite	Rat	or	LD <sub>50</sub>	3000
1999	Trichloroacetamide	Rat	or	LD	1500-2000
2000	Trichloroacetic acid	Mouse	or	LD <sub>50</sub>	4970
		Rat	or	LD <sub>50</sub>	3320
2001	Trichloroacrylyl chloride	Rat	ip	LD <sub>50</sub>	0.75-1.5 cc
2002	1, 1, 1-Trichloroethane	Rabbit	sc	MLD	500
		Dog	or	MLD	750
		Dog	iv	MLD	95
2003	Trichloroethanol	Mouse	or	LD <sub>50</sub> *	725
		Rat	or	LD <sub>50</sub> *	600
		Rat	or	MLD	1000
2004	Trichloroethylene	Rabbit	or	LD	7330
		Rabbit	sc	MLD	1800
		Cat	or	LD	5864
		Dog	or	LD	5864
		Dog	iv	MLD	150
2005	Tri-(2-chloroethyl)phosphate	Rat	or	LD <sub>50</sub>	1410
2006	2-(Trichloromethyl)-4-chloro-methyl-1, 3, 3-dioxolane	Rat	or	LD <sub>50</sub>	1000
2007	2-(Trichloromethyl)-1, 3-dioxolane-4-carbinol acid succinate ester	Rat	or	LD <sub>50</sub>	3400
2008	2-(Trichloromethyl)-4-methyl-1, 3-dioxolane	Rat	or	LD <sub>50</sub>	380
2009	2, 4, 6-Trichlorophenol	Rat	or	LD <sub>50</sub>	820 <sup>1</sup>
		Rat	sc	LD <sub>50</sub>	2260 <sup>1</sup>
2010	1, 1, 2-Trichloropropane	Rat	or	LD <sub>50</sub>	1230
		Rabbit	ct	LD <sub>50</sub>	14.1 cc
2011	Trichlorosilane	Rat	or	LD <sub>50</sub>	1030
		Rat	or	LD <sub>50</sub>	1000
		Rat	ip	LD <sub>100</sub>	30-100
2012	Tri-o-cresyl phosphate	Mouse	sc	MLD	12,000
		Rabbit	or	LD	100
		Rabbit	sc	LD	100 <sup>2</sup>
		Rabbit	iv	LD	100 <sup>2</sup>

<sup>1</sup>/ 20% solution in fuel oil. <sup>2</sup>/ 25% solution in olive oil.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Chen, Proc. Pharm. Soc. Fall Meet. p11 1951. Ibid Craver, Am. J. Dig. Dis. 18:241, 1951.	1994
			Li, Proc. Soc. Exp. Biol. Med. 16:26, 1941. Ibid	1995
			Stohman, Pub. Health Rpt. 66:1303, 1951.	1996
			Eller, Dissert., Würzburg 1937. Smyth, J. Ind. Hyg. Tox. 26:269, 1944.	1997
			Smyth, J. Ind. Hyg. Tox. 26:269, 1944.	1998
			Bräutigam, Arztl. Forsch. 7:115, 1953.	1999
4700-5260 3160-3480		36 hr 36 hr	Woodard, J. Ind Hyg. Tox. 23:78, 1941. Ibid	2000
			Spiegel, A. E. C. MDDC-1715, 1947.	2001
	Oil Oil Oil	24 hr 24 hr 30 min	Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934. Ibid Ibid	2002
			Molitor, Current Res. Anes. 17:258, 1938. Ibid Burtner, J. Pharm. Exp. Ther. 63:183, 1938.	2003
	Oil	24 hr  30 min	Lamson, Am. J. Hyg. 9:430, 1929. Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934. Lamson, Am. J. Hyg. 9:430, 1929. Ibid Barsoum, Q. J. Pharm. Pharmacol. 7:205, 1934.	2004
960-2080			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	2005
			Finnegan, Fed. Proc. 10:294, 1951.	2006
			Finnegan, Fed. Proc. 10:294, 1951.	2007
			Finnegan, Fed. Proc. 10:294, 1951.	2008
	Fuel oil Fuel oil		Deichmann, Fed. Proc. 2:76, 1943. Ibid	2009
940-1620 8.8-22.9 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	2010
890-1210			Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Rowe, J. Ind. Hyg. Tox. 10:332, 1948. Ibid	2011
	Olive oil Olive oil Olive oil	Sev da 3-5 da 4 hr	Eller, Dissert., Würzburg 1937. Gross, Arch. exp. Path. Pharm. 168:473, 1932. Ibid Ibid	2012

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
2012 Tri-o-cresyl phosphate (concluded)	Guinea pig	or	MLD	200-500
	Guinea pig	sc	LD	300-500
	Cat	or	MLD	300-500
	Cat	sc	LD	300-500
	Dog	or	LD	100-500
	Dog	sc	LD	100 <sup>1</sup>
	Chicken	or	MLD	500-1000
	Chicken	sc	MLD	500-1000
2013 Tridione	Mouse	iv	LD <sub>50</sub>	2000
	Rabbit	ip	LD <sub>50</sub>	1500
	Rabbit	iv	LD <sub>50</sub>	1500
2014 Tridiurecaine HCl	Rat	ip	LD <sub>50</sub>	250±13
	Dog	iv	LD <sup>2</sup>	5
2015 Triethanolamine	Rat	or	LD <sub>50</sub>	9000
	Guinea pig	or	LD <sub>50</sub>	800
2016 Triethoxyethane	Rat	or	LD <sub>50</sub>	7660
	Rabbit	ct	LD <sub>50</sub>	20,000
2017 1, 3, 3-Triethoxypropane	Rat	or	LD <sub>50</sub>	1600
	Rabbit	ct	LD <sub>50</sub>	8000
2018 1, 2, 3-Triethoxy-1-propene	Rat	or	LD <sub>50</sub>	2460
	Rabbit	ct	LD <sub>50</sub>	370
2019 Triethylamine	Rat	or	LD <sub>50</sub>	460
	Rabbit	ct	LD <sub>50</sub>	570
2020 Triethylene glycol	Mouse	or	LD <sub>50</sub>	20,913
	Mouse	sc	LD <sub>50</sub>	9044
	Mouse	ip	LD	8150
	Mouse	iv	LD <sub>50</sub>	7313
	Rat	or	LD <sub>50</sub>	22,060
	Rat	or	LD <sub>50</sub>	12,375-14,885
	Rat	im	MLD <sup>2</sup>	0400
	Guinea pig	or	LD <sub>50</sub>	14,660
2021 Triethylenemelamine	Mouse	ip	LD <sub>50</sub> <sup>2</sup>	4
2022 Triethylenetetramine	Rat	or	LD <sub>50</sub>	4340
	Rabbit	ct	LD <sub>50</sub>	820
2023 Triethylberyl phosphate	Rat	or	LD <sub>50</sub>	37,000
2024 Triethyl lead chloride	Rat	ip	MLD	5
	Rabbit	ip	LD	8
2025 Trigonelline	Mouse	sc	MLD	2000
	Rat	sc	LD	5000
2026 2, 4, 6-Triiodophenol	Rat	or	LD <sub>50</sub>	<2500
	Rat	or	LD <sub>50</sub>	>2500 <sup>2</sup>
2027 3, 4, 5-Trimethoxyphenethylamine	Mouse	ip	LD	500

<sup>1/1</sup> 25-50% solution in olive oil. <sup>2/2</sup> Sodium salt.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
	Olive oil	Sev da 4 da Sev da 39 da Sev da	Gross, Arch. exp. Path. Pharm. <u>168:473</u> , 1932. Ibid Ibid Ibid Ibid Ibid Ibid	2012
	Olive oil	21 da		
			Richards, J. Lab. Clin. Med. <u>31:1330</u> , 1946. Ibid Ibid	2013
			Rau, J. Pharm. Exp. Ther. <u>101:421</u> , 1941. Ibid	2014
			Kindsvatter, J. Ind. Hyg. Tox. <u>22:206</u> , 1940. Ibid	2015
5780-8630			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	2016
			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	2017
1880-3230 240-570			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	2018
250-850 360-900			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Ibid	2019
19,380-25,130 13,750-15,700			Latven, J. Pharm. Exp. Ther. <u>65:89</u> , 1939. Ibid Karel, Fed. Proc. <u>6:342</u> , 1947. Latven, J. Pharm. Exp. Ther. <u>65:89</u> , 1939. Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941. Lawter, J. Am. Pharm. Assoc. <u>29:5</u> , 1940. Ibid Smyth, J. Ind. Hyg. Tox. <u>23:259</u> , 1941.	2020
			Kraus, Proc. Soc. Exp. Biol. Med. <u>76:489</u> , 1951.	2021
3810-4940 720-940			Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949. Ibid	2022
33,700-40,790			Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	2023
			Buck, J. Pharm. Exp. Ther. <u>38:161</u> , 1930. Bishoff, J. Pharm. Exp. Ther. <u>34:85</u> , 1928.	2024
			Ito, Jap. J. M. Sc., IV Pharm. <u>1:64</u> , 1933. Brasda, Proc. Soc. Exp. Biol. Med. <u>52:19</u> , 1946.	2025
			Stohlman, Pub. Health Rpt. <u>66:1303</u> , 1951. Ibid	2026
			Grace, J. Pharm. Exp. Ther. <u>50:359</u> , 1934.	2027

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
2028	Trimethylamine	Frog	sc	LD	2000
		Mouse	sc	LD	1000
		Rabbit	sc	LD	800
		Rabbit	iv	LD	400-500
2029	r-Trimethylammonium propanediol ethylal	Mouse	or	LD	5
		Mouse	sc	LD	1.25
		Mouse	iv	LD	0.2
		Guinea pig	sc	LD	0.075
		Dog	sc	LD	0.05
2030	1, 2, 4-Trimethylbenzene	Rat	ip	LD	1.5-2.0 cc
2031	Trimethyl bismuth	Rabbit	or	LD <sub>50</sub> <sup>0</sup>	484
		Rabbit	sc	LD <sub>50</sub> <sup>2</sup>	182
		Rabbit	iv	LD <sub>50</sub> <sup>0</sup>	12
		Dog	or	LD <sub>50</sub> <sup>0</sup>	484
		Dog	sc	LD <sub>50</sub> <sup>0</sup>	182
		Dog	iv	LD <sub>50</sub> <sup>0</sup>	12
2032	Trimethylene glycol	Rat	or	LD <sub>50</sub>	16,940
		Rat	im	LD <sub>50</sub>	6360-7420
		Rabbit	iv	LD <sub>50</sub>	4240-5300
		Cat	or	LD <sub>50</sub> <sup>2</sup>	3180
2033	Trimethylnonanone	Rat	or	LD <sub>50</sub>	8470
		Rabbit	ct	LD <sub>50</sub>	11,000
2034	Trimethyl phosphate	Rat	or	LD <sub>50</sub>	1975
		Guinea pig	or	LD	1676
		Rabbit	or	LD	1256
2035	Trimethylstibine <sup>2</sup>	Cat	sc	LD	1370
2036	Trimeton	Mouse	iv	LD <sub>50</sub>	67.8 <sup>3</sup>
		Rat	sc	LD <sub>100</sub>	500
		Rabbit	iv	MLD	30 <sup>3</sup>
2037	Trinitrotoluene	Rat	sc	LD	>700
		Rabbit	sc	LD	500-700
		Cat	or	LD	400
		Cat	sc	LD	200
2038	Triphenylguanidine	Rat	sc	MLD	300
2039	Tripropylene glycol methyl ether	Rat	or	LD <sub>50</sub>	3.3 cc
2040	Tris(β-chloroethyl)amine	Mouse	ct	LD <sub>50</sub>	7
		Mouse	sc	LD <sub>50</sub>	2
		Rat	ct	LD <sub>50</sub>	4.9
		Rat	iv	LD <sub>50</sub>	8.7
		Rabbit	ct	LD <sub>50</sub>	19
		Rabbit	iv	LD <sub>50</sub>	2.5
		Dog	ct	LD <sub>50</sub>	1
2041	2,4,6-Tris-(dimethylamino)-S-triazine	Mouse	ip	LD <sub>50</sub>	220
		Rat	ip	LD <sub>50</sub>	265

/1/Bovet and Bovet-Nitti, "Medicaments du Systeme Nerveux Végétatif." New York: S. Stibine. /3/As the base.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			Santesson, Skand. Arch. Physiol. <u>10</u> :201, 1900. Bovet & Bovet-Nitti. <sup>1</sup> Dreyfus, C. rend. Soc. biol. <u>83</u> :481, 1920. Bovet & Bovet-Nitti. <sup>1</sup>	2028
			Fourneau, Bull. Soc. chim. biol. <u>26</u> :516, 1944. Ibid Ibid Ibid Ibid	2029
		24 hr	Cameron, J. Path. Bact. <u>46</u> :95, 1938.	2030
			Seifter, J. Pharm. Exp. Ther. <u>67</u> :17, 1939. Ibid Ibid Ibid Ibid	2031
			Van Winkle, J. Pharm. Exp. Ther. <u>72</u> :227, 1941. Ibid Ibid Ibid	2032
7180-9980 9,420-13,000			Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951. Ibid	2033
		Sev da 24-30 hr Sev da	Deichmann, J. Pharm. Exp. Ther. <u>88</u> :338, 1946. Ibid Ibid	2034
		8 da	Seifter, J. Pharm. Exp. Ther. <u>66</u> :366, 1939.	2035
			Lindner, Arch. exp. Path. Pharm. <u>211</u> :328, 1950. Halpern, C. rend. Soc. biol. <u>44</u> :887, 1950. Lindner, Arch. exp. Path. Pharm. <u>211</u> :328, 1950.	2036
	Oil Oil		Wyon, Med. Res. Council, Sp. Rpt. <u>58</u> :32, 1921. Ibid Ibid Ibid	2037
		24 hr	Allee, J. Pharm. Exp. Ther. <u>28</u> :251, 1926.	2038
			Rowe, Arch. Ind. Hyg. Occ. Med. <u>9</u> :509, 1954.	2039
			Anslow, J. Pharm. Exp. Ther. <u>91</u> :224, 1947. Ibid Ibid Ibid Ibid Ibid	2040
188-258 143-490			Phillips, J. Pharm. Exp. Ther. <u>100</u> :398, 1950. Ibid	2041

Karger, 1948. /2/ Given in literature as antimony, 1000 mg. recalculated as trimethyl-

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
2042	2,4,6-Tris(ethyleneimino)-S-triazine	Mouse	ip	LD <sub>50</sub>	2.8
		Rat	ip	LD <sub>50</sub>	1
2043	Tritium oxide	Mouse	sc	LD <sub>50</sub>	1 mc/g <sup>1</sup>
2044	Tromexan	Mouse	or	LD <sub>50</sub>	880
		Mouse	sc	LD <sub>50</sub>	750
		Mouse	ip	LD <sub>50</sub>	260
		Rat	or	LD <sub>50</sub>	840
		Rat	ip	LD <sub>50</sub>	320
		Rabbit	or	LD <sub>50</sub>	1100
		Rabbit	ip	LD <sub>50</sub>	170
2045	Tropacocaine	Frog	sc	MLD	650
		Rat	iv	MLD	15-20
		Guinea pig	sc	MLD	217
		Guinea pig	ip	MLD	170
		Guinea pig	iv	MLD	25
		Rabbit	sc	MLD*	400
		Cat	iv	MLD	18-22
2046	Trypan blue	Mouse	ip	LD <sub>100</sub>	400 <sup>2</sup>
		Mouse	iv	LD <sub>60</sub> *	200 <sup>2</sup>
		Rat	sc	LD <sub>40</sub> *	300 <sup>3</sup>
		Rat	ip	LD <sub>100</sub>	350 <sup>3</sup>
		Rat	iv	LD <sub>100</sub>	300 <sup>3</sup>
		Guinea pig	sc	LD <sub>66</sub> *	300 <sup>3</sup>
		Guinea pig	ip	LD <sub>50</sub>	250 <sup>3</sup>
		Rabbit	ip	LD <sub>100</sub>	400 <sup>4</sup>
		Rabbit	iv	LD <sub>60</sub> *	150 <sup>4</sup>
2047	Tryparsamide	Rat	or	MLD	>14,000
		Rat	im	MLD	>2500
		Rat	iv	MLD	>2000
		Rat	iv	LD <sub>50</sub>	3200
2048	Tryptamine-strophanthidin	Cat	iv	LD <sub>50</sub>	0.550 <sup>7</sup>
2049	D-Tubocurarine	Mouse	sc	LD	0.525
		Mouse	iv	LD	0.14
		Rabbit	iv	LD	0.223
2050	Tutocaine HCl	Mouse	sc	MLD	350-500
		Mouse	iv	MLD	50
		Guinea pig	sc	MLD	193
		Guinea pig	ip	MLD	250
		Guinea pig	iv	MLD	30
		Rabbit	sc	MLD	200-300
		Rabbit	iv	MLD	15-21
		Dog	ip	MLD	82-85
		Dog	iv	MLD	15-20
2051	Tyramine	Mouse	sc	LD	150-300
		Rabbit	iv	LD	250-300
		Cat	sc	LD	30

<sup>1</sup>/Circa 1 millicurie per gram mouse. <sup>2</sup>/2/1% solution in H<sub>2</sub>O. <sup>3</sup>/3/2% solution in H<sub>2</sub>O.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
2.1-3.8 0.85-1.2			Philips, J. Pharm. Exp. Ther. <u>100</u> :398, 1950. Ibid	2042
		30 da	Brues, Proc. Soc. Exp. Biol. Med. <u>79</u> :174, 1952.	2043
			Gruber, Fed. Proc. <u>10</u> :303, 1951. Stirling, Lancet <u>2</u> :611, 1951. Gruber, Fed. Proc. <u>10</u> :303, 1951. Ibid Ibid Ibid Ibid	2044
			Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932. Ibid Ibid Ibid Ibid Ibid	2045
	H <sub>2</sub> O H <sub>2</sub> O		Anderson, Proc. Soc. Exp. Biol. Med. <u>31</u> :825, 1934. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	2046
			Nelson, J. Pharm. Exp. Ther. <u>63</u> :122, 1938. Ibid Ibid Harris, J. Pharm. Exp. Ther. <u>82</u> :254, 1944.	2047
0.3067-0.8765	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111</u> :365, 1954.	2048
			Macri, Proc. Soc. Exp. Biol. Med. <u>85</u> :603, 1954. Ibid Ibid	2049
			Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932. Ibid Ibid Ibid Ibid Ibid Ibid Barke, Dissert., Hannover 1936. Hirschfelder, Physiol. Rev. <u>12</u> :262, 1932.	2050
			Flury, Abderhalden's Hdb. <u>4</u> .7b:1410. Ibid Ibid	2051

/4/5% solution in H<sub>2</sub>O.

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
2052 Tyrocidine	Mouse	ip	LD <sub>95</sub>	90
	Mouse	iv	LD <sub>100</sub>	25
2053 Tyrothricin <sup>1</sup>	Mouse	ip	LD <sub>100</sub>	90
	Mouse	iv	LD <sub>100</sub>	10
2054 Uliron	Frog	sc	MLD	>500
	Mouse	or	MLD	>2000
	Mouse	iv	MLD	750
	Rabbit	or	MLD	>5000
	Rabbit	im	MLD	3000
	Rabbit	iv	MLD	250-300
Monkey	or	MLD	>1000	
2055 Undecylenic acid	Rat	or	LD <sub>50</sub> <sup>6</sup>	2500
2056 Uranium tetrachloride	Rat	ip	LD <sub>50</sub>	335 <sup>2</sup>
2057 Uranyl fluoride	Rat	ip	LD <sub>50</sub>	40-78
2058 Uranyl nitrate, UO <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> · 6H <sub>2</sub> O	Mouse <sup>4</sup>	ip	LD <sub>50</sub>	52.8
	Mouse <sup>4</sup>	ip	LD <sub>50</sub>	42.2-50.64
	Mouse <sup>4</sup>	iv	LD <sup>6</sup>	21.1-42.2
	Rat <sup>4</sup>	ip	LD <sub>50</sub> <sup>6</sup>	3055
	Rat <sup>4</sup>	ip	LD <sub>50</sub> <sup>6</sup>	135 <sup>5</sup>
	Rat	iv	LD <sup>6</sup>	2.11
	Guinea pig	iv	LD <sup>6</sup>	6.33
	Rabbit	sc	LD <sub>50</sub> <sup>6</sup>	1.47
	Rabbit	iv	LD <sup>6</sup>	0.8
	Rabbit	iv	LD <sup>6</sup>	0.21
	Cat	or	LD	238
	Dog	or	LD	12.25-1575
	Dog	sc	LD <sub>50</sub> <sup>6</sup>	4.22
Dog	iv	LD <sub>100</sub> <sup>6</sup>	6.75	
2059 Urea	Frog	sc	LD	400-1000
	Guinea pig	iv	LD	4000 <sup>6</sup>
	Rabbit	sc	LD	3000-9000
	Dog	sc	LD	3000-9000
	Dog	iv	LD	3000
	Pigeon	sc	LD	16,000
2060 3-Urea-9-methylcarbazole	Rat	or	LD <sub>50</sub>	>5000
2061 Urea stibamine <sup>7</sup>	Mouse	ip	LD <sub>50</sub>	266±19
	Mouse	ip	LD <sub>50</sub>	404±27
2062 1-Urea-5,6,7,8-tetrahydrocarbazole	Rat	or	LD <sub>50</sub>	2770
2063 3-Urea-5,6,7,8-tetrahydrocarbazole	Rat	or	LD <sub>50</sub>	>5000
2064 Urechitoxin	Cat	iv	LD <sub>50</sub>	0.3558
2065 Urethan	Mouse	ip	MLD	2100-2200
	Rat	sc	LD	1800
	Rabbit	iv	LD	2000-2800
	Dog	or	LD	2500

<sup>1</sup>/1/Dubos' crude crystals. <sup>2</sup>/2/10% solution in H<sub>2</sub>O; toxicity varies with sex and weight of New York: McGraw-Hill, 1949. <sup>4</sup>/4/Toxicity varies with sex and age. <sup>5</sup>/5/10% solution in

Dosage mg/kg Range.	Vehicle	Time of Death	Reference	
		24 hr 24 hr	Robinson, J. Pharm. Exp. Ther. <u>74:75</u> , 1942. Ibid	2052
		24 hr 24 hr	Robinson, J. Pharm. Exp. Ther. <u>74:75</u> , 1942. Ibid	2053
			Gessner, Arch. Derm. Syph. <u>181:129</u> ; 1940. Ibid Ibid Ibid Ibid Ibid	2054
			Tislow, J. Pharm. Exp. Ther. <u>98:31</u> , 1950.	2055
	H <sub>2</sub> O	24 hr	Voegtlin & Hodge. <sup>3</sup>	2056
		24 hr	Voegtlin & Hodge. <sup>3</sup>	2057
	H <sub>2</sub> O H <sub>2</sub> O	24 hr 24 hr 8 hr	Voegtlin & Hodge. pp305, 306. <sup>3</sup> Ibid Ibid, p 307. Ibid, p 284. Ibid Ibid, p 307. Ibid Ibid, p 282. Ibid Ibid, p 307. Woroschilsky, Arch. pharm. Inst., Dorpat. <u>5:1,1090</u> . Ibid Voegtlin & Hodge, p 282. <sup>3</sup> Ibid	2058
	H <sub>2</sub> O		Flury, Abderhalden's Hdb. <u>4.7b:1353</u> . Amberg, J. Pharm. Exp. Ther. <u>6:595</u> , 1915. Flury, Abderhalden's Hdb. <u>4.7b:1353</u> . Ibid Ibid Ibid	2059
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	2060
			Reed, Fed. Proc. <u>5:197</u> , 1946. Ibid	2061
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	2062
			Eagle, J. Pharm. Exp. Ther. <u>99:450</u> , 1950.	2063
0.2295-0.4435	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	2064
			Franklin, J. Pharm. Exp. Ther. <u>42:1</u> , 1931. Gross, Arch. exp. Path. Pharm. <u>182:348</u> , 1936. Flury, Abderhalden's Hdb. <u>4.7b:1413</u> . Ibid	2065

animals. /3/Voegtlin and Hodge, "Pharmacology and Toxicology of Uranium Compounds,"  
H<sub>2</sub>O. /6/30% solution in H<sub>2</sub>O. /7/Toxicity varies with different brands.

	Compound	Animal	Route	Dose	Dosage
					mg/kg Value
2066	Urezin	Cat	iv	LD <sub>50</sub>	3.611
2067	γ-Valerolactone	Rat	or	LD <sub>50</sub>	9240
		Rabbit	or	LD <sub>50</sub>	2604
2068	n-i-Valeryloxypropionyl-K-strophanthidin	Cat	iv	MLD	0.82
2069	i-Valeryl-K-strophanthidin	Cat	iv	MLD	0.83
		Rabbit	iv	MLD	0.70
2070	n-Valeryl-K-strophanthidin	Cat	iv	MLD	0.33
2071	Vanadium pentoxide	Rabbit	sc	LD	20 <sup>1</sup>
		Rabbit	iv	LD	10 <sup>1</sup>
2072	Vanadium tribromide	Rabbit	sc	LD	20
2073	Vanadium trichloride	Rabbit	sc	LD	20
2074	Van Dyke 264	Rat	or	LD <sub>50</sub> <sup>o</sup>	2800
		Rabbit	ct	LD <sub>50</sub> <sup>o</sup>	470 <sup>2</sup>
2075	Vanillin	Rat	sc	MLD	1500
		Rat	sc	LD <sub>50</sub>	2600
		Rat	or	MLD	3000
2076	Veneniferin	Cat	iv	LD <sub>50</sub>	0.3696
2077	Veratridine	Mouse	iv	LD <sub>50</sub>	0.42
		Mouse	ip	LD <sub>50</sub>	1.35
		Rat	ip	LD <sub>50</sub>	3.5
2078	Veratrine	Mouse	ip	LD <sub>50</sub>	8.5
		Mouse	ip	LD <sub>50</sub>	7.5
2079	Veratrone	Mouse	ip	LD <sub>50</sub>	2.45
2080	Veriloid	Mouse	ip	LD <sub>50</sub>	3.2
		Mouse	iv	LD <sub>50</sub>	0.43
		Rat	or	LD <sub>50</sub>	12.2
		Rabbit	or	LD <sub>50</sub>	18.7
2081	Veritol	Rat	sc	LD	450-500
		Rat	ip	LD <sub>50</sub>	100
2082	Victoria yellow	Dog	sc	LD <sup>o</sup>	15
2083	Vinyl acetate	Rat	or	LD <sub>50</sub>	2920
		Rabbit	ct	LD <sub>50</sub>	2500
2084	Vinyl butyl ether	Rat	or	LD <sub>50</sub>	10,300
		Rabbit	ct	LD <sub>50</sub>	4.24 cc
2085	Vinyl butyrate	Rat	or	LD <sub>50</sub>	8530
2086	Vinyl-β-bis(β-chloroethyl)-aminoethylsulfone	Mouse	sc	LD <sub>50</sub>	9
		Rabbit	iv	LD <sub>50</sub>	2.55

/1/ 2% solution in H<sub>2</sub>O. /2/ 5% solution in H<sub>2</sub>O.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
1.601-8.738	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	2066
			Deichmann, J. Ind. Hyg. Tox. 27:263, 1945. Ibid	2067
			Neumann, Arch. exp. Path. Pharm. 185:328, 1937.	2068
			Neumann, Arch. exp. Path. Pharm. 185:328, 1937. Ibid	2069
			Neumann, Arch. exp. Path. Pharm. 185:328, 1937.	2070
	H <sub>2</sub> O H <sub>2</sub> O		Lendle, Heffter's Hdb. 3, 3:1541. Ibid	2071
			Lendle, Heffter's Hdb. 3, 3:1541.	2072
			Lendle, Heffter's Hdb. 3, 3:1541.	2073
	H <sub>2</sub> O		Lehman, Q. Bull. Assoc. F. & D. Off. 15:122, 1951. Ibid, 16:3, 1952.	2074
			Binet, Rev. méd. Suisse rom. 16:449, 1896. Deichmann, J. Am. Pharm. Assoc. 29:425, 1940. Ibid	2075
0.2695-0.5347	Alcohol		Chen, J. Pharm. Exp. Ther. 111:365, 1954.	2076
1.12-1.6			Krayer, J. Pharm. Exp. Ther. 82:167, 1944. Swiss. Proc. Soc. Exp. Biol. Med. 76:847, 1951. Krayer, Physiol. Rev. 26:383, 1946.	2077
7.5-9.6 6.1-9.2			Swiss. Proc. Soc. Exp. Biol. Med. 76:847, 1951. Ibid	2078
1.8-3.2			Bauer, Fed. Proc. 9:257, 1950.	2079
			Bauer, Fed. Proc. 9:257, 1950. O'Dell, Proc. Soc. Exp. Biol. Med. 85:400, 1954. Bauer, Fed. Proc. 9:257, 1950. Ibid	2080
			Lindner, Arch. exp. Path. Pharm. 188:675, 1938. Hauschild, Arch. exp. Path. Pharm. 195:647, 1940.	2081
			Matthews, J. Pharm. Exp. Ther. 2:200, 1910.	2082
			Smyth, J. Ind. Hyg. Tox. 30:63, 1948. Ibid	2083
8.400-12.630 3.02-5.95 cc			Smyth, Arch. Ind. Hyg. Occ. Med. 10:61, 1954. Ibid	2084
6,120-11,900			Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	2085
			Anslow, J. Pharm. Exp. Ther. 91:224, 1947. Ibid	2086

Compound	Animal	Route	Dose	Dosage
				mg/kg Value
2087	Guinea pig	or	LD <sub>50</sub> <sup>a</sup>	175
	Cat	or	LD <sub>50</sub> <sup>a</sup>	400
2088	Mouse	?	LD <sub>50</sub>	100±2
	Rat	?	LD <sub>50</sub>	80±1.2
2089	Rat	iv	MLD	0.2
	Rat	iv	LD <sub>50</sub>	0.26
2090	Mouse	sc	LD <sub>100</sub>	3
	Mouse	ip	LD <sub>100</sub>	3
2091	Dog	or	LD	4-5
2092	Mouse	ip	LD	>25,000
	Chicken	ip	LD	>25,000
2093	Mouse	ip	LD <sub>50</sub>	75
2094	Mouse	sc	MLD	200
	Rabbit	iv	LD	35
	Cat	sc	MLD	200
2095	Mouse	or	LD <sub>50</sub>	374±84
	Rat♂	or	LD <sub>50</sub>	323±70
	Rat♀	or	LD <sub>50</sub>	58±18
	Rat♂♀	iv	LD <sub>50</sub>	186±11
	Guinea pig	or	LD <sub>50</sub>	182±8
	Rabbit	or	LD <sub>50</sub> <sup>a</sup>	890
	Rabbit	iv	LD <sub>50</sub>	100-200
	Dog	or	LD <sub>50</sub>	200-300
	Dog	iv	LD <sub>50</sub>	200-300
	Chicken	or	LD <sub>50</sub>	>1000
2096	Rat	sc	MLD	4320-8640
	Rat	ip	MLD	1728-2160
2097	Rat	sc	MLD	2200-4400
	Rat	ip	MLD	1320-1760
2098	Rat	sc	MLD	4305-8610
	Rat	ip	MLD	1722-2153
2099	Guinea pig	sc	MLD	1750
2100	Rat	or	LD	610-920
	Rabbit	or	LD	620
	Rabbit	iv	LD	240
	Rabbit	ct	LD	3300
	Cat	iv	LD	120
2101	Mouse	sc	LD <sub>50</sub>	400 <sup>1</sup>
	Mouse	iv	LD <sub>50</sub>	25.0-37.5
2102	Cat	iv	LD <sub>50</sub>	4.472
2103	Frog	sc	LD <sub>50</sub>	33.5 <sup>2</sup>
	Mouse	or	LD <sub>100</sub>	25-50 <sup>2</sup>
	Mouse	iv	LD	16

<sup>1</sup>/1, 2% solution in H<sub>2</sub>O. <sup>2</sup>/Hydrochloride.

Dosage mg/kg Range	Vehicle	Time of Death	Reference	
			David, Am. J. Trop. Med. <u>74:29</u> , 1944. Ibid	2087
			Slaughter, J. Pharm. Exp. Ther. <u>101:33</u> , 1951. Ibid	2088
			Zipf, Arch. exp. Path. Pharm. <u>209:165</u> , 1950. Ibid	2089
			Triana, Arch. Path. <u>49:278</u> , 1950. Ibid	2090
		3-5 da	Schettler, Zschr. ges. exp. Med. <u>116:138</u> , 1950.	2091
			Molitor, Proc. Soc. Exp. Biol. Med. <u>43:125</u> , 1940. Ibid	2092
			Brodersen, Acta pharm. tox. <u>2:109</u> , 1946.	2093
		Instant	Bijlma, Zschr. ges. exp. Med. <u>11:257</u> , 1920. Hoffmann, Zbl. Chir. <u>45:921</u> , 1918. Bijlma, Zschr. ges. exp. Med. <u>11:257</u> , 1920.	2094
			Hagen, J. Am. Pharm. Assoc. <u>42:379</u> , 1953. Ibid Ibid Ibid Ibid Ibid Ibid Ibid Ibid	2095
			Cameron, J. Path. Bact. <u>46:95</u> , 1938. Ibid	2096
			Cameron, J. Path. Bact. <u>46:95</u> , 1938. Ibid	2097
			Cameron, J. Path. Bact. <u>46:95</u> , 1938. Ibid	2098
			Laubenheimer, "Phenol u. s. Derivate," 1909.	2099
		1-2 da 1-2 da 8 1/2 hr 33 3/4 hr	Treon, J. Ind. Hyg. Tox. <u>31:1</u> , 1949. Ibid Ibid Ibid	2100
	H <sub>2</sub> O		Goldberg, Acta physiol. scand. <u>18:1</u> , 1949. Hunter, Brit. J. Anaesth. <u>23:153</u> , 1951.	2101
2.729-6.773	Alcohol		Chen, J. Pharm. Exp. Ther. <u>111:365</u> , 1954.	2102
			Hamet, C. rend. Soc. biol. <u>137:305</u> , 1943. Langer, Dissert., Breslau 1932. Röthlin, Arch. int. pharmacod. <u>50:241</u> , 1935.	2103

	Compound	Animal	Route	Dose	Dosage mg/kg
					Value
2103	Yohimbine (concluded)	Rabbit	sc	LD	50
		Rabbit	iv	LD	11
		Dog	sc	LD	20
2104	Yttrium chloride	Rat	ip	LD <sub>50</sub>	450
2105	Yttrium nitrate	Frog	sc	MLD	350
		Rat	ip	LD <sub>50</sub>	350
2106	Yttrium oxide	Rat	ip	LD <sub>50</sub>	500
2107	Zephiran chloride <sup>1</sup>	Frog	or	LD <sub>50</sub>	30
		Frog	sc	LD <sub>50</sub>	15
		Mouse	ip	LD <sub>50</sub>	10
		Mouse	iv	LD <sub>50</sub>	10
		Guinea pig	ip	LD <sub>50</sub>	10-12
		Dog	ip	LD <sub>50</sub>	6.7
2108	Zinc acetate	Rabbit	or	MLD	976-1966
2109	Zinc chloride	Rat	iv	LD	60-90 <sup>2</sup>
2110	Zinc diethyldithiocarbamate	Rabbit	or	LD <sub>50</sub>	600
2111	Zinc ethylene-bis-dithiocarbamate	Rat	or	LD <sub>50</sub>	>5200
2112	Zinc phosphide	Rat <sup>3</sup>	or	LD <sub>50</sub>	40.5±2.9
		Rat <sup>4</sup>	or	LD <sub>50</sub>	46.7
2113	Zinc sulfate <sup>5</sup> ZnSO <sub>4</sub> ·7H <sub>2</sub> O	Frog	sc	LD	149
		Rat	or	LD	2200
		Rat	sc	LD	330-440
		Rat	iv	LD	49.3-61.0
		Rabbit	or	LD	1914-2200
		Rabbit	sc	LD	>220-440
		Rabbit	iv	LD	44
		Dog	sc	LD	78
		Dog	iv	LD	66-110
2114	Ziram	Mouse?	ip	LD <sub>50</sub>	73±1
		Rat	or	LD <sub>50</sub>	1400±99
		Rat <sup>6</sup>	ip	LD <sub>50</sub>	23±2
		Rat?	ip	LD <sub>50</sub>	33±5
		Guinea pig	or	LD <sub>50</sub>	100-150
		Guinea pig	ip	LD <sub>50</sub>	20-30
		Rabbit	or	LD <sub>50</sub>	100-1020
		Rabbit	ip	LD <sub>50</sub>	400
2115	Zirconyl acetate	Rat	or	LD <sub>50</sub>	4100 <sup>6</sup>
		Rat	ip	LD <sub>50</sub>	300 <sup>6</sup>
2116	Zirconyl chloride	Rat	or	LD <sub>50</sub>	3500 <sup>6</sup>
		Rat	ip	LD	400
2117	Zirconyl nitrate	Rat	or	LD <sub>50</sub>	2500 <sup>6</sup>
		Rat	ip	LD <sub>50</sub>	1250 <sup>6</sup>

<sup>1/1</sup> Calculated as Zephiran commercial solution. <sup>2/2</sup> 1% solution in H<sub>2</sub>O. <sup>3/3</sup> Norway.  
the most common form of zinc sulfate. <sup>6/6</sup> 50% solution in H<sub>2</sub>O.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Rang <sup>4</sup>				
			Flury, Abderhalden's Hdb. 4.7b:1418. Ibid Langer, Dissert., Breslau 1932.	2103
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	2104
			Steidle, Arch. exp. Path. Pharm. 141:273, 1929. Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950.	2105
			Cochran, Arch. Ind. Hyg. Occ. Med. 1:537, 1950.	2106
			Arnold, Deut. Zschr. ger. Med. 41:297, 1952. Ibid Ibid Ibid Ibid	2107
			Eichholtz, Heffter's Hdb. 3.3:1925.	2108
	H <sub>2</sub> O		Bruner, Fed. Proc. 9:260, 1950.	2109
			Brieger, Proc. 9th Int. Congr. Acc. Med., 1948.	2110
			Smith, J. Pharm. Exp. Ther. 109:159, 1953.	2111
			Dieke, Pub. Health Rpt. 61:672, 1946. Div. Pharm. F. & D. Adm. Q. Rpt. 4, Oct. 1945.	2112
			Eichholtz, Heffter's Hdb. 3.3:1925. Flury, Abderhalden's Hdb. 4.7b:1419. Ibid Ibid Ibid Ibid Ibid Ibid	2113
			Hodge, J. Am. Pharm. Assoc. 41:662, 1952. Ibid Ibid Ibid Ibid Ibid Ibid Brieger, Proc. 9th Int. Congr. Acc. Med., 1948. Hodge, J. Am. Pharm. Assoc. 41:662, 1952.	2114
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	2115
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	2116
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. 1:637, 1950. Ibid	2117

<sup>4</sup>/4/ Albino. <sup>5</sup>/5/ Values given as mg zinc metal in literature are recalculated as ZnSO<sub>4</sub>·7H<sub>2</sub>O.

Compound		Animal	Route	Dose	Dosage
					mg/kg
					Value
2118	Zirconyl sodium citrate	Rat	ip	LD <sub>50</sub>	1710±80
2119	Zirconyl sodium gluconate	Rat	ip	LD <sub>50</sub>	247±40
2120	Zirconyl sulfate	Rat	or	LD <sub>50</sub>	3500 <sup>1</sup>
		Rat	ip	LD <sub>50</sub>	175 <sup>1</sup>

<sup>1</sup>/1/ 25% solution in H<sub>2</sub>O.

Dosage mg/kg	Vehicle	Time of Death	Reference	
Range				
			McClinton, J. Pharm. Exp. Ther. <u>94</u> :1, 1941.	2118
			McClinton, J. Pharm. Exp. Ther. <u>94</u> :1, 1948.	2119
	H <sub>2</sub> O H <sub>2</sub> O		Cochran, Arch. Ind. Hyg. Occ. Med. <u>1</u> :637, 1950. Ibid	2120

## TABLE II

LETHAL CONCENTRATIONS OF  
GASES, VAPORS, AND FUMES IN RESPIRED AIR:  
LABORATORY ANIMALS

	Compound	Animal	Dose	Concentration mg/liter
1	Acetal	Rat	LC	19.3
2	Acetaldehyde	Rat Cat	LC <sub>50</sub> LC	37 20
3	Acetic anhydride	Rat	LC <sub>50</sub>	4.3
4	Acetone	Rat Rat Rat Rat Guinea pig Guinea pig Guinea pig Cat Cat	LC LC LC LC LC LC LC LC LC	76 100 200 300 23.7 47.4 118.5 50.5 64
5	Acetylene	Rat	LC	947
6	Acrolein	Rat Rat Cat Cat	LC <sub>50</sub> LC <sub>50</sub> LC LC	0.019 0.3 1.5 1.98
7	Acrylonitrile	Rat Rat Dog	LC <sub>50</sub> MLC <sub>100</sub> MLC	1.1 1.38 0.24
8	Allyl acetate	Rat	LC <sub>50</sub>	1
9	Allyl alcohol	Mouse Rat Rat Rabbit Rabbit Monkey	LC LC <sub>50</sub> LC LC LC LC	12 9.6 2.4 1.2 2.4 2.4
10	Allyl chloride	Rat Rat Rat Guinea pig Guinea pig Guinea pig	MLC <sub>100</sub> MLC <sub>100</sub> MLC <sub>100</sub> MLC <sub>100</sub> MLC <sub>100</sub> MLC <sub>100</sub>	50 10 1 50 10 1
11	Allylene	Rat	LC	82
12	Ammonia	Mouse Guinea pig Rabbit Rabbit Cat	LC <sub>50</sub> MLC LC <sub>50</sub> * MLC MLC	7.06 ± 0.32 7-9.5 7 3.2-4.4 3.5-5.1

Concentration: Parts per million	Exposure Time	Time of Death	Reference	
4000	4 hr	14 da	Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	1
1112	30 min Cont	1-2 hr	Skog, Acta pharm. tox. 6:299, 1950. Iwanoff, Arch. f. Hyg. 73:307, 1911.	2
1000	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	3
32,000 42,200 84,400 126,600 10,000 20,000 50,000 21,310 27,000	8 hr Cont Cont Cont Cont Cont Cont 3 hr 4 hr	4½-5½ hr 2½-3 hr <2-<3 hr 48 hr* 22-26 hr 3-4 hr* 72 hr 24 hr	Smyth, unpublished data, Mellon Inst. Haggard J. Ind. Hyg. Tox. 26:133, 1944. Ibid Ibid Specht, Pub. Health Rpt. 54:944, 1939 Ibid Ibid Kagan, Arch. f. Hyg. 94:41, 1924. Ibid	4
900,000	Cont	2 hr	Riggs, Proc. Soc. Exp. Biol. Med. 22:269, 1925.	5
8 655 865	4 hr 30 min 2 1/4 hr Cont	18 hr 2½ hr	Carpenter, J. Ind. Hyg. Tox. 31:343, 1949. Skog, Acta pharm. tox. 6:299, 1950. Iwanoff, Arch. f. Hyg. 73:307, 1911. Ibid	6
509 635 110	4 hr 4 hr Cont	8 hr 4 hr	Carpenter, J. Ind. Hyg. Tox. 31:343, 1949. Dudley, J. Ind. Hyg. Tox. 24:27, 1942. Ibid	7
250	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	8
5000 250 1000 50C 1000 1000	1 hr 4 hr Cont 4 hr Cont Cont	4 hr >3-<5 hr 3 hr	Smyth, unpublished data, Mellon Inst. Carpenter, J. Ind. Hyg. Tox. 31:343, 1949. McCord, J. Am. Med. Assoc. 98:2267, 1932. Smyth, unpublished data, Mellon Inst. McCord, J. Am. Med. Assoc. 98:2267, 1932. Ibid	9
14,500 2900 290 14,500 2900 290	Cont Cont Cont Cont Cont Cont	1 1/4 hr 3 hr 8 hr 3/4 hr 2 hr 4 hr	Adams, J. Ind. Hyg. Tox. 22:79, 1940. Ibid Ibid Ibid Ibid Ibid	10
50,000	Cont	2 hr	Riggs, Proc. Soc. Exp. Biol. Med. 22:269, 1925.	11
10,066 9,800-13,500 10,066 4630-6250 4950-7230	10 min 3 hr 1 hr Cont Cont	10 da 14 da 1 hr 5 3/4 hr 1½ hr	Silver, J. Ind. Hyg. Tox. 30:7, 1948. Lehmann, Arch. f. Hyg. 5:68, 1886. Boyd, J. Ind. Hyg. Tox. 26:29, 1944. Lehmann, Arch. f. Hyg. 5:68, 1886. Ibid	12

	Compound	Animal	Dose	Concentration mg/liter
13	Amylene	Rat	LC	171
14	Amyltrichlorosilane	Rat	LC	16.8
15	Aniline	Mouse	LC <sub>50</sub>	1.12 ± 0.03
		Rat	LC	2.1
		Cat	MLC	0.7
16	Arsenic trichloride	Mouse	LC	2.5
		Cat	LC	0.2
17	Arsine	Mouse	LC <sub>50</sub>	0.025
		Mouse	LC <sub>50</sub>	0.1
		Mouse	LC <sub>50</sub>	0.5
		Mouse	LC <sub>50</sub> *	1
		Cat	LC	0.15
		Cat	LC	0.38-0.94
		Monkey	LC <sub>80</sub>	0.45
18	Benzene	Mouse	MLC	38
		Mouse	LC <sub>50</sub>	31.79
		Rat	LC <sub>50</sub>	51
		Cat	LC	170
		Dog	LC	146
19	Benzyl alcohol	Rat	LC <sub>50</sub>	8.8
20	Bis-(p-chlorophenoxy)methane	Rat	LC <sub>50</sub>	98
		Rat	LC <sub>50</sub> *	82
21	Bromine	Guinea pig	LC	0.98
		Rabbit	LC	0.59
		Rabbit	LC	0.98
22	Bromoform	Dog	LC	57.9
23	1,3-Butadiene	Rabbit	LC	552
24	Butadiene monoxide	Mouse	LC <sub>50</sub> *	0.25mM
		Mouse	LC <sub>50</sub> *	18
25	Butanone	Guinea pig	LC	294
		Guinea pig	LC	29.4
26	Butene - 2	Mouse	LC	420-430
27	Butyl acetate	Rat	LC <sub>50</sub>	3
		Cat	LC	92
28	Butyl acrylate	Rat	LC	5.2
29	Butylene	Rat	LC	687

Concentration Parts per million	Exposure Time	Time of Death	Reference	
60,000	Cont	2 hr	Riggs, Proc. Soc. Exp. Biol. Med. <u>22:269</u> , 1925.	13
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	14
294.6	7 hr	24 hr	Von Oettingen, N. I. H. Bull. <u>188</u> , 1947.	15
180	8 hr Cont	8½ hr	Rpt., Army Chem. Ctr., Md., June 1949. Lehmann, Lehrb. Arb. u. Gewerb. Hyg., 1919.	
338	Cont	10 min	Flury, "Schädliche Gase," p180, 1931.	16
27	20 min	4 da	Flury, Zschr. ges. exp. Med. <u>13:523</u> , 1921.	
7.8	Cont	21-24 hr	Levy, Q. J. Exp. Physiol. <u>34:47</u> , 1947.	17
31	Cont	50 min	Ibid	
156	Cont	2½ min	Ibid	
313	Cont	1 ¼ min	Ibid	
46.9	Cont	20 min	Flury, Abderhalden's Hdb. <u>4:7h</u> 1306.	
119-294	1 hr	12-40 min	Ibid	
140.8	15 min	Sev da	Kensler, J. Pharm. Exp. Ther. <u>88:99</u> , 1946.	
11,894	Cont	38 min	Fühner, Biochem. Zschr. <u>115:235</u> , 1921.	18
9980	7 hr	8 hr	Ibid	
16,000	4 hr		Svirbely, J. Ind. Hyg. Tox. <u>25:366</u> , 1943.	
53,210	Cont	70 min	Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	
45,698	Cont	30 min	Lehmann, Arch. f. Hyg. <u>75:1</u> , 1912. Luig, Dissert., Würzburg 1913.	
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	19
18,000	3 hr	0.4 hr	Adams, Arch. Ind. Hyg. Occ Med. <u>1:225</u> , 1950.	20
14,250	7 h.	0.4 hr	Ibid	
300	Cont	3 hr	Lehmann, Arch. f. Hyg. <u>7:235</u> , 1887.	21
180	Cont	6½ hr	Ibid	
300	3 hr	Sev hr	Ibid	
5600	Cont	< 1 hr	Mersbach, Zschr. ges. exp. Med. <u>63:383</u> , 1928.	22
250,000	Cont	23 min	Carpenter, J. Ind. Hyg. Tox. <u>26:69</u> , 1944.	23
			Doucet, J. Pharm. Exp. Ther. <u>101:9</u> , 1951.	24
			Ibid	
100,000	Cont	45-55 min	Patty, Pub. Health Rpt. <u>50:1217</u> , 1935.	25
10,000	Cont	>13 hr	Ibid	
			Larianow, Kazansky Med. Zhur. <u>30:440</u> , 1934.	26
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	27
19,000	37 min	Sev da	Flury, Arch. Gewerbepath. <u>5:63</u> , 1934.	
1000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	28
200,000	Cont	2 hr	Riggs, Proc. Soc. Exp. Biol. Med. <u>22:269</u> , 1925.	29

	Compound	Animal	Dose	Concentration mg/liter
30	Butyl ether	Rat	LC	21
31	p-tert. -Butyltoluene	Mouse Rat Rat Rat Rat	LC50 LC50 LC50 LC50 LC50	
32	Butyraldehyde	Rat Rat	LC50 LC	174 47
33	Cadmium oxide <sup>1</sup>	Mouse Rat Guinea pig Rabbit Cat Dog Monkey	LC100* LC50* LC50 LC100* LC LC50* LC50*	44 28.8 265-370 265 2 370 1100
34	Carbon dioxide	Rat Rat Rat Rabbit Rabbit Dog	LC80 LC100 LC100 LC100 LC* LC*	360 450 900 540-810 450 640-820
35	Carbon disulfide	Rabbit Cat Cat	LC LC LC	16 23 122
36	Carbon monoxide	Mouse Mouse Guinea pig Guinea pig Guinea pig Rabbit Rabbit Rabbit Cat Cat Cat Cat Dog Pigeon Chick Sparrow	LC LC LC LC LC LC LC* LC LC LC LC LC LC LC LC LC	2.3-5.7 4.6 10.3 20.6 23 4.6 11.5 17.2 4.6 5.7 11.5 34.4-45.8 34.4-45.8 11.5 4.6 11.5
37	Carbon ox sulfide	Mouse Mouse Mouse Mouse	LC LC LC LC	21.8 7.3 2.9 2.2

<sup>1</sup>/ Individual susceptibility to cadmium oxide varies greatly.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
4000	4 hr		Smyth, unpublished data, Mellon Inst.	30
248 ± 30 934 ± 130 734 ± 92 248 ± 30 165 ± 19	4 hr 1 hr 2 hr 4 hr 8 hr		Hine, <i>Arch. Ind. Hyg. Occ. Med.</i> <u>9:227</u> , 1954. Ibid Ibid Ibid Ibid	31
16,000	30 min 4 hr		Skog, <i>Acta pharm. tox.</i> <u>6:299</u> , 1950. Smyth, unpublished data, Mellon Inst.	32
	15 min 15 min 15 min 15 min 15 min 15 min	7 da 7 da 7 da 7 da 4 da 14 da 28 da	Barrett, <i>J. Ind. Hyg. Tox.</i> <u>29:279</u> , 1947. Ibid Ibid Ibid Otto, <i>Zbl. Gewerbehyg.</i> <u>2:309</u> , 1925. Barrett, <i>J. Ind. Hyg. Tox.</i> <u>29:279</u> , 1947. Ibid	33
200,000 250,000 500,000 300,000-500,000 250,000 354,000-457,000	Cont Cont Cont Cont Cont Cont	4 da 36 hr 6 hr 30-60 min 24 hr Sev hr	Barbour, <i>J. Pharm. Exp. Ther.</i> <u>78:11</u> , 1943. Ibid Ibid Fjury, "Schädliche Gase," p219, 1931. Ibid Ibid	34
7400	6 1/4 hr Cont 48 min	7 da 3 hr 12 hr	Lehmann, <i>Arch. f. Hyg.</i> <u>75:1</u> , 1912. Lehmann, <i>Arch. f. Hyg.</i> <u>20:26</u> , 1894. Ibid	35
2000-5000 4000 9000 18,000 20,000 4000 10,000 15,000 4000 5000 10,000 30,000-40,000 30,000-40,000 10,000 4000 10,000	Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont Cont	12-13 min 45-50 min 60 min 59 min 20-20 min 30-40 min 112 min 40 min 79 min* 45 min* 15 min 3-4 min 3-5 min 4 min 32 min 4 min	Haldane, <i>J. Physiol.</i> <u>22:239</u> , 1897. Douglas, <i>J. Physiol.</i> <u>44:304</u> , 1912. Schwartau, <i>Dissert.</i> , Göttingen 1896. Ibid Ibid Gruber, <i>Arch. f. Hyg.</i> <u>1:145</u> , 1883. Gréhant, "L'Oxyde de Carbone," 1903. Ibid Wirth, <i>Arch. exp. Path. Pharm.</i> <u>157:264</u> , 1930. Ibid Hofer, <i>Arch. exp. Path. Pharm.</i> <u>111:183</u> , 1923. Pokrowsky, <i>Arch. path. Anat.</i> <u>36:530</u> , 1864. Ibid Bock, <i>Heffer's Hdb.</i> <u>1:70</u> . Gruber, <i>Arch. f. Hyg.</i> <u>1:145</u> , 1883. Gréhant, "L'Oxyde de Carbone," 1903.	36
8900 2900 1200 900	Cont Cont Cont Cont	45 min 90 min 35 min Survived	Klemenc, <i>Ber. deut. chem. Ges.</i> <u>76:299</u> , 1943. Ibid Ibid Ibid	37

	Compound	Animal	Dose	Concentration mg/liter
38	Carbon tetrachloride	Mouse	LC <sub>50</sub>	59.95±0.86
		Mouse	MLC	65-70
		Rat	LC <sub>50</sub>	150.5
		Cat	LC	90
39	Chlorine	Guinea pig	LC	0.4-0.9
		Rabbit	LC	0.4-0.9
		Cat	LC	0.4-0.9
		Dog	LC	1.2-1.3
40	1-Chloro-1, 1-difluoroethane	Rat	LC	
41	2-Chloroethyl vinyl ether	Rat	LC <sub>50</sub>	1.1
42	Chloroform	Mouse	LC <sub>50</sub>	27.8
		Mouse	LC	38.7
		Mouse	LC	42.9
		Guinea pig	LC	82.6
		Rabbit	LC	58.7
		Rabbit	LC	70.9
		Dog	LC	100
43	1-Chloro-1-nitropropane	Guinea pig	LC <sub>100</sub>	18
		Guinea pig	LC <sub>75</sub>	25
		Rabbit	LC <sub>100</sub>	18
		Rabbit	LC <sub>100</sub>	25
44	Chloropicrin	Guinea pig	LC	0.8
		Rabbit	LC	0.8
		Rabbit	LC	5
		Cat	LC	0.8
45	1-Chloro-2-propanol	Rat	LC	3.9
46	Chlorotrifluoroethylene	Rat	LC	38
47	Crotonaldehyde	Rat	LC	4
		Guinea pig	LC	5.7
48	Crotonylene	Mouse	LC	250
49	Cumene	Mouse	MLC <sub>50</sub>	10
		Rat	LC <sub>50</sub>	39
50	Cyanogen chloride	Mouse	LC	0.78
		Rat	LC	1.40
		Rat	LC	2.80
		Dog	LC	0.8
		Goat	LC	2.2
		Goat	LC	2.7
		Goat	LC	5.1

Concentration Parts per million	Exposure Time	Time of Death	Reference	
9528 10,320-13,160 23,900 14,300	7 hr 2 hr 30 min 70 min	8 hr 14 da 1-17 da	Svrbely, J. Ind. Hyg. Tox. 29:382, 1947. Lazarew, Arch. exp. Path. Pharm. 141:19, 1925. Spiegel, A. E. C. MDDC-1715, 1948. Reuss, Dissert., Würzburg 1931.	38
280-630 280-630 280-630 800-900	Cont 65 min Cont 30 min	64 min 24 min 60 min Later	Lehmann, Arch. f. Hyg. 7:233, 1887. Ibid Ibid Barbour, J. Pharm. Exp. Ther. 14:65, 1919.	39
500,000			Lester, Arch. Ind. Hyg. Occ. Med. 2:335, 1950.	40
250	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	41
5687 6150 8300 15,400 12,000 14,500 20,480	7 hr Cont 20 min Cont Cont Cont Cont	8 hr 3 hr 24 hr 10 min 2 hr 40 min 2-2½ hr	Von Oettingen, N. I. H. Bull. 191, 1949. Molitor, J. Pharm. Exp. Ther. 57:274, 1936. Wittgenstein, Arch. exp. Path. Pharm. 83:234, 1918. Ibid Rosenfeld, Arch. exp. Path. Pharm. 37:52, 1892. Madelung, Arch. exp. Path. Pharm. 62:409, 1910. Bert, C. rend. Soc. biol. 35:241, 1883.	42
3473 4960 3473 4960	Cont Cont Cont Cont	120 min 60 min 120 min 60 min	Machle, J. Ind. Hyg. Tox. 27:95, 1945. Ibid Ibid Ibid	43
110 110 743 110	20 min 20 min Cont 20 min	2 da 3 da 30 min 14 da	Ritlop, Zschr. ges. exp. Med. 106:296, 1939. Ibid Mayer, C. rend. Acad. sc. 171:1396, 1920. Ritlop, Zschr. ges. exp. Med. 106:296, 1939.	44
1000	4 hr		Smyth, unpublished data, Mellon Inst.	45
8000	4 hr		Smyth, unpublished data, Mellon Inst.	46
2000	30 min 30 min	2 hr	Skog, Acta pharm. tox. 6:299, 1950. Smyth, unpublished data, Mellon Inst.	47
90,000	2 hr		Lazarew, Arch. exp. Path. Pharm. 143:223, 1929.	48
2040 8000	7 hr 4 hr	8-24 hr	Werner, J. Ind. Hyg. Tox. 26:264, 1944. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	49
310  318	7½ min 10 min 5 min 7½ min 7-10 min 10-20 min 1-2 min		Flury, Abderhalden's Hdb. 4. 7b:1341. Fuhr, Rpt. Army Chem. Ctr., April 1944. Ibid Flury, Abderhalden's Hdb. 4. 7b:1341. McGrath, Rpt. Army Chem. Ctr., March 1944. Ibid Ibid	50

	Compound	Animal	Dose	Concentration mg/liter
51	Cyclohexadiene	Mouse	LC	45
52	Cyclohexane	Mouse Rabbit	LC LC <sub>100</sub>	60-70 89.6
53	Cyclohexanone	Rat	LC <sub>50</sub>	32
54	Cyclohexene	Mouse	LC	45-60
55	Cyclopentane	Mouse	LC	110
56	Decaborane	Mouse	LC*	
57	Decahydronaphthalene	Rat	LC <sub>50</sub>	2.8
58	1, 1-Diacetoxypropene-2	Rat	LC <sub>50</sub>	0.06
59	Di-(acetylcyanide)	Mouse Rat Rabbit	MLC MLC MLC	
60	Diborane	Mouse Rat	LC <sub>50</sub> LC <sub>50</sub> *	
61	1, 1-Dibromoethane	Guinea pig	LC	30.7
62	n-Dibutylamine	Rat	LC	2.6
63	2, 2'-Dichloroacetyl chloride	Rat	LC <sub>50</sub>	12
64	1, 4-Dichlorobutene-2	Rat	LC <sub>50</sub>	0.32
65	1, 1-Dichloroethane	Mouse Rat	MLC LC	70 64.7
66	1, 2-Dichloroethane	Mouse Mouse Rat Rat Rat Rat Guinea pig Rabbit	MLC LC <sub>100</sub> LC <sub>100</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>100</sub> LC <sub>100</sub>	150-200 12.4 12.4 4 4 4 12.4 12.4
67	Di-(2-chloroethoxy) methane	Rat	LC <sub>50</sub>	0.44
68	1, 2-Dichloroethyl acetate	Rat	LC <sub>50</sub>	0.10
69	Dichloroethylene	Mouse Guinea pig	LC LC	76.2 155.2

Concentration Parts per million	Exposure Time	Time of Death	Reference	
13,770	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223, 1929.</u>	51
14,460-20,570	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223, 1929.</u>	52
26,572	1 hr		Treon, J. Ind. Hyg. Tox. <u>25:323, 1943.</u>	
8000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343, 1949.</u>	53
13,410-17,880	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223, 1929.</u>	54
38,390	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>149:116, 1930.</u>	55
26	4 hr	48 hr	Krackow, Arch. Ind. Hyg. Occ. Med. <u>8:335, 1953.</u>	56
500	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119, 1951.</u>	57
5	4 hr		Smyth, J. Ind. Hyg. Tox. <u>30:63, 1948.</u>	58
73	8 hr		Treon, Arch. Ind. Hyg. Occ. Med. <u>4:573, 1951.</u>	59
66	8 hr		Ibid	
73	8 hr		Ibid	
175-200	15 min		Krackow, Arch. Ind. Hyg. Occ. Med. <u>28:335, 1953.</u>	60
50	4 hr		Ibid	
4000	1 hr	6-18 hr	Thomas, Pub. Health Rpt. <u>42:370, 1927.</u>	61
500	4 hr		Smyth, unpublished data. Mellon Inst.	62
2000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119, 1951.</u>	63
62	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119, 1951.</u>	64
17,290	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>141:19, 1929.</u>	65
16,000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343, 1949.</u>	
56,850-75,800	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>141:19, 1929.</u>	66
3000	7 hr	1 da	Heppel, J. Pharm. Exp. Ther. <u>84:53, 1945.</u>	
3000	7 hr	1 da	Ibid	
1000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343, 1949.</u>	
12,000	0.53 hr	2-7 da	Spencer, Arch. Ind. Hyg. Occ. Med. <u>4:402, 1951.</u>	
3000	2.75 hr	2-7 da	Ibid	
1000	3.7 hr	2-7 da	Ibid	
3000	7 hr	1-2 da	Heppel, J. Pharm. Exp. Ther. <u>84:53, 1945.</u>	
3000	7 hr	1-3 da	Ibid	
62	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343, 1949.</u>	67
16	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343, 1949.</u>	68
14,270	Cont	2 hr*	Wittgenstein, Arch. exp. Path. Pharm. <u>83:234, 1918.</u>	69
35,820	Cont	1 hr	Ibid	

	Compound	Animal	Dose	Concentration mg/liter
70	2, 2'-Dichloroethyl ether	Guinea pig	LC <sub>50</sub>	5.9
71	2, 2'-Dichloroisopropyl ether	Rat Guinea pig	LC LC	14 7
72	Dichloromethane	Mouse Mouse	MLC LC <sub>50</sub>	50 56.23±0.34
73	1, 1-Dichloro-1-nitromethane	Guinea pig Guinea pig Guinea pig Rabbit Rabbit Rabbit	LC <sub>100</sub> LC <sub>100</sub> LC <sub>100</sub> LC <sub>100</sub> LC <sub>100</sub> LC <sub>100</sub>	0.58 14.4 57.7 0.58 14.4 57.7
74	1, 2-Dichloropropane	Mouse Rat	LC <sub>100</sub> LC <sub>50</sub>	10.4 9.2
75	2, 3-Dichloropropanol	Rat	LC <sub>50</sub>	2.6
76	2, 3-Dichloropropionaldehyde	Rat	LC <sub>50</sub>	0.083
77	Diethoxychlorosilane	Rat	LC <sub>50</sub>	25
78	1, 2-Diethoxyethane	Rat	LC <sub>50</sub>	38.6
79	Diethylamine	Rat	LC <sub>50</sub>	12
80	Diethyl-2-chlorovinyl phosphate	Rat	LC <sub>50</sub>	
81	Diethyl fluorophosphate	Mouse	LC <sub>50</sub>	0.50
82	Diethyl ketone	Rat	LC	76.7
83	Diethyl sulfate	Rat	LC	3.15
84	1, 1-Difluoro-1, 2-dibromoethane	Rat Rat	LC LC	0.5-1.0% <sup>1</sup> 5% <sup>1</sup>
85	1, 1-Difluoroethane	Rat	LC	50-55% <sup>1</sup>
86	1, 1-Difluoroethylene	Rat		80% <sup>1</sup>
87	Diisobutyl ketone	Rat	LC <sub>50</sub>	11.6
88	Diisopropyl fluorophosphate	Mouse Mouse Mouse Mouse Mouse Mouse Rat	LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub>	5 2.65 0.75 0.60 0.44 0.185 4.2

(continued on next page)

<sup>1</sup>/ By volume in air. <sup>2</sup>/ No severe toxic effects followed this exposure.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
1000	45 min		Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	70
2000	4 hr		Smyth, unpublished data. Mellon Inst.	71
1000	8 hr		Ibid	
14,400	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>141:19</u> , 1929.	72
16,183	Cont	8 hr	Svirbely, J. Ind. Hyg. Tox. <u>29:382</u> , 1947.	
98	300 min	Sev hr	Machle, J. Ind. Hyg. Tox. <u>27:95</u> , 1945.	73
2425	135 min	Sev hr	Ibid	
9797	10 min	Sev hr	Ibid	
98	300 min	Sev hr	Ibid	
2425	135 min	Sev hr	Ibid	
9797	10 min	Sev hr	Ibid	
2200	Cont	<7 hr	Heppel, J. Ind. Hyg. Tox. <u>28:1</u> , 1946.	74
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	
500	4 hr		Smyth, J. Ind. Hyg. Tox. <u>30:63</u> , 1948.	75
16	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	76
4000	4 hr		Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	77
8000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	78
4000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	79
22.4	1 hr		Kodama, Arch. Ind. Hyg. Occ. Med. <u>9:45</u> , 1954.	80
78	10 min	1 hr	Silver, J. Ind. Hyg. Tox. <u>30:307</u> , 1948.	81
16,000	4 hr		Smyth, unpublished data. Mellon Inst.	82
500	4 hr		Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	83
	18 hr		Lester, Arch. Ind. Hyg. Occ. Med. <u>2:335</u> , 1950.	84
	2 hr		Ibid	
		10-25min	Lester, Arch. Ind. Hyg. Occ. Med. <u>2:335</u> , 1950.	85
	18 hr <sup>2</sup>		Lester, Arch. Ind. Hyg. Occ. Med. <u>2:335</u> , 1950.	86
2000	4 hr.		Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	87
664	1 min	2 hr	Kilby, Brit. J. Pharm. <u>2:234</u> , 1947.	88
350	2 min	2 hr	Ibid	
99.6	5 min	2 hr	Ibid	
80	10 min	1 hr	Silver, J. Ind. Hyg. Tox. <u>30:307</u> , 1948.	
58.4	10 min	2 hr	Kilby, Brit. J. Pharm. <u>2:234</u> , 1947.	
24.6	30 min	2 hr	Ibid	
558.2	1 min	2 hr	Ibid	

	Compound	Animal	Dose	Concentration mg/liter
88	Diisopropyl fluorophosphate (concluded)	Rat	LC <sub>50</sub>	2
		Rat	LC <sub>50</sub>	0.7
		Rat	LC <sub>50</sub>	0.36
		Rat	LC <sub>50</sub>	0.18
89	1, 1-Dimethoxyethane	Rat	LC <sub>50</sub>	33
90	Dimethyl-1-carbomethoxy-1-propen-2-yl phosphate	Rat <sup>2</sup>	LC <sub>50</sub>	
91	Dimethylcyclohexane	Mouse	LC	25-30
92	Dimethyl disulfide	Rat	LC	20
93	Dimethyl fluorophosphate	Mouse	LC <sub>50</sub>	0.29
94	Dimethyl phthalate	Cat	LC	9.3
95	Dimethyl sulfate	Rat	LC <sub>50</sub>	0.17
96	Dimethyl sulfide	Rat	LC	140
97	3, 5-Dimethyltetrahydropyrone-1, 4	Rat	LC <sub>50</sub>	42
98	1, 4-Dioxane	Mouse	LC	7.5
		Mouse	LC	36
		Mouse	LC	18
		Rat	LC	36
		Rat	LC	18
		Guinea pig	LC	36
		Guinea pig	LC	18
		Rabbit	LC	18
Cat	LC	65		
99	1, 3-Dioxolane	Rat	LC	97
100	Diphenyl <sup>1</sup>	Rat	LC	0.3
101	Divinyl ether	Mouse	LC <sub>50</sub>	2.1 mM
102	1, 2-Epoxy-3-chloropropane	Rat	LC <sub>50</sub>	0.94
103	Ethanol	Mouse	LC	55
		Rat	LC	18.8-22.5
		Rat	LC	37.6-43.3
		Rat	LC	84.6
		Guinea pig	LC	84.6
104	Ether	Mouse	LC <sub>50</sub>	127.4
		Mouse	LC	133.4
		Rat	LC	194

(continued on next page)

<sup>1</sup>/As a dust. <sup>2</sup>/ 49 exposures of 7 hours duration each.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
364.8	2 min	2 hr	Kilby, Brit. J. Pharm. 2:234, 1947.	88
93	5 min	2 hr	Ibid	
47.8	10 min	2 hr	Ibid	
23.9	30 min	2 hr	Ibid	
16,000	4 hr		Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	89
14.4	1 hr		Kodama, Arch. Ind. Hyg. Occ. Med. 9:45, 1954.	90
5458-6549	2 hr		Lazarew, Arch. exp. Path. Pharm. 143:223, 1929.	91
5000	Cont	15 min	Ljunggren, Acta physiol. scand. 5:248, 1943.	92
56	10 min	6 hr	Silver, J. Ind. Hyg. Tox. 30:307, 1948.	93
1213	390 min	3 da	Eller, Dissert., Würzburg 1937.	94
32	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	95
54,000	Cont	15 min	Ljunggren, Acta physiol. scand. 5:248, 1943.	96
8000	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	97
2085	8 hr	2 1/4 hr	Klimmer, Dissert., Würzburg 1937.	98
10,000	Cont	3 hr	Schrenk, J. Ind. Hyg. Tox. 18:448, 1936.	
5000	Cont	3-51 hr	Ibid	
10,000	Cont	3-10 1/2 hr	Ibid	
5000	Cont	9-15 hr	Ibid	
10,000	Cont	3-7 1/2 hr	Ibid	
5000	Cont	43.5 hr	Ibid	
5000	Cont	16.5 hr	Ibid	
18,000	258 min	4-5 da	Klimmer, Dissert., Würzburg 1937.	
32,000	4 hr		Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	99
	7 hr <sup>2</sup>		Deichmann, J. Ind. Hyg. Tox. 29:1, 1947.	100
			Mollitor, J. Am. Med. Assoc. 109:656, 1937.	101
250	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	102
29,000	Cont		Bachem, Arch. exp. Path. Pharm. 122:69, 1927.	103
10,000-12,000	4 hr	24 hr	Loewy, Biochem. Zschr. 86:125, 1918.	
20,000-23,000	Cont	10 hr	Ibid	
45,000	Cont	8 3/4 hr	Ibid	
45,000	Cont	11 hr <sup>a</sup>	Ibid	
42,000	Cont	3 hr	Mollitor, J. Pharm. Exp. Ther. 57:274, 1936.	104
44,000	Cont	97 min <sup>a</sup>	Kärber, Arch. exp. Path. Pharm. 142:1, 1929.	
64,000	4 hr		Smyth, unpublished data, Mellon Inst.	

	Compound	Animal	Dose	Concentration mg/liter
104	Ether (concluded)	Rabbit Dog	LC LC	321.2 230.2-583.3
105	2-Ethoxyethanol	Mouse Rat	MLC LC <sub>50</sub>	6.7 14.8
106	2-Ethoxyethanol acetate	Rat	LC <sub>50</sub>	10.8
107	3-Ethoxypropionaldehyde	Rat	LC <sub>50</sub>	1
108	Ethyl acetate	Mouse Rat Cat	LC <sub>50</sub> LC LC	44 57.7 61
109	Ethyl acrylate	Rat	LC	8.2
110	Ethylbenzene	Mouse	LC	45
111	Ethyl bromide	Rat Rat	LC LC	89.2 133.8
112	Ethylbutylketone	Rat	LC	18.2
113	2-Ethylbutyraldehyde	Rat	LC <sub>50</sub>	16.3
114	Ethylcyclohexane	Mouse	LC	35
115	Ethylene	Mouse	LC	1087
116	Ethylene chlorohydrin	Rat	LC <sub>50</sub>	0.10
117	Ethylenediamine	Rat	LC	9.9
118	Ethylene glycol monobutyl ether	Mouse	MLC	3.4
119	Ethylene glycol monoisopropyl ether	Mouse	MLC	3.4
120	Ethylene glycol monomethyl ether	Mouse	MLC	4.6
121	Ethylene glycol monopropyl ether	Mouse	MLC	6.5
122	Ethyleneimine	Mouse Rat	LC <sub>50</sub> LC <sub>50</sub>	3±0.42 0.44
123	Ethylene oxide	Rat Rat Rat Rat Guinea pig Guinea pig Guinea pig	LC <sub>50</sub> LC LC LC LC LC LC	7.2 104 180 450 90-180 36 9

Concentration Parts per million	Exposure Time	Time of Death	Reference	
100,000 76,000-192,500			Flury, Abderhalden's Hdb. 4.7b:1294. Ibid	104
1820 2000	7 hr 4 hr	3 wk	Werner, J. Ind. Hyg. Tox. 25:157, 1943. Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	105
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	106
250	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	107
12,330 16,000 17,000	Cont 8 hr 1 hr	3 hr 70 min	Speiman, Indust. Med. 14:292, 1945. Smyth, unpublished data, Mellon Inst. Flury, Arch. Gewerbepath. 5:16, 1934.	108
2000	4 hr		Pozzani, J. Ind. Hyg. Tox. 31:311, 1949.	109
10,382	2 hr		Lazarew, Arch. exp. Path. Pharm. 143:223, 1929.	110
20,000 30,000	1 hr 1 hr	Delayed 3-12 hr	Flury, Abderhalden's Hdb. 4.7b:1315. Ibid	111
4000	4 hr		Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	112
4000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	113
7605	2 hr		Lazarew, Arch. exp. Path. Pharm. 143:223, 1929.	114
950,000	Cont	5-10 min	Flury, Arch. exp. Path. Pharm. 138:65, 1928.	115
32	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	116
4000	8 hr		Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	117
700	7 hr	3 wk	Werner, J. Ind. Hyg. Tox. 25:157, 1943.	118
700	7 hr	3 wk	Werner, J. Ind. Hyg. Tox. 25:157, 1943.	119
1480	7 hr	3 wk	Werner, J. Ind. Hyg. Tox. 25:157, 1943.	120
1530	7 hr	3 wk	Werner, J. Ind. Hyg. Tox. 25:157, 1943.	121
2240 250	10 min 2 hr	10 da	Silver, J. Ind. Hyg. Tox. 30:7, 1948. Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	122
4000 58,000 100,000 250,000 50,000-100,000 20,000 5000	4 hr Cont 39 min Cont 1½ hr 1 hr	5 hr 24 hr Instant Few min 24 hr 40 hr	Carpenter, J. Ind. Hyg. Tox. 31:343, 1949. Henderson, J. Pharm. Exp. Ther. 57:394, 1936. Stehle, Arch. exp. Path. Pharm. 104:82, 1924. Ibid Waite, Pub. Health Rpt. 45:1832, 1930. Koelsch, Zbl. Gewerbehyg. 264, 1939. Ibid	123

	Compound	Animal	Dose	Concentration mg/liter
124	Ethyl formate	Rat	I.C	24.2
125	2-Ethylhexaldehyde	Rat	LC	53.5
126	2-Ethylhexene-1	Rat	LC <sub>50</sub>	18.6
127	2-Ethylhexylamine	Rat	LC	1.3
128	2-Ethylhexyl chloride	Rat	LC <sub>50</sub>	24.4
129	4-Ethylmorpholine	Rat	LC	18.8
130	Fluoroethylene	Rat		80% <sup>1</sup>
131	Formaldehyde	Rat Rat Cat Cat	LC LC <sub>50</sub> LC LC	1 0.31 6 9.6
132	Furan	Rat	LC	84.5
133	Gasoline	Mouse	LC	123
134	Germanium hydride	Mouse	LC	6.3
135	Heptane	Mouse Mouse	LC LC	65 75
136	Hexachloropropane	Rat	LC <sub>50</sub>	4.4
137	Hexachloropropylene	Mouse Rat Rabbit	LC <sub>100</sub> LC <sub>100</sub> LC <sub>100</sub>	
138	Hexane	Mouse Mouse	LC LC	154 120-150
139	2,5-Hexanedione	Rat	LC <sub>50</sub>	9.4
140	2-Hexanone	Mouse	LC <sub>50</sub>	36.8
141	"Hexone"	Rat Guinea pig Guinea pig Guinea pig Guinea pig	LC LC LC LC LC	16.4 40.9 81.8 26.5 4
142	Hexylene	Mouse	LC	130-150
143	Hydrazine	Rat	LC <sub>50</sub>	128-576 <sup>3</sup>

<sup>1/1</sup> By volume in air. <sup>2/2</sup> Without serious toxic effects. <sup>3/3</sup> Milligrams per cubic meter.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
8000	4 hr		Smyth, unpublished data, Mellon Inst.	124
8000	4 hr		Smyth, unpublished data, Mellon Inst.	125
4000	4 hr		Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	126
250	4 hr		Smyth, J. Ind. Hyg. Tox. <u>31:60</u> , 1949.	127
4000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	128
4000	4 hr		Smyth, unpublished data, Mellon Inst.	129
	12½ hr	Survived <sup>2</sup>	Lester, Arch. Ind. Hyg. Occ. Med. <u>2:335</u> , 1950.	130
250 4890 7825	30 min 4 hr 3 hr Cont	- 3½ hr 3½ hr	Skog, Acta pharm. tox. <u>6:299</u> , 1950. Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949. Iwanoff, Arch. f. Hyg. <u>73:387</u> , 1911. Ibid	131
30, 400	Cont	8-48 hr	Henderson, J. Pharm. Exp. Ther. <u>57:394</u> , 1936.	132
	Cont	104 min	Fühner, Biochem. Zschr. <u>115:235</u> , 1921.	133
2000	60 min	24 hr	Paneth, Ber. deut. chem. Ges. <u>57:1925</u> , 1924.	134
15, 900 18, 337	Cont 2 hr	30 min	Fühner, Biochem. Zschr. <u>115:235</u> , 1921. Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	135
425	30 min	14 da	Spiegel, A. E. C. MDDC-1715, 1948.	136
530 425 310	30 min 30 min 30 min	1 da 2-14 da 6-7 da	Spiegel, A. E. C. MDDC-1715, 1948. Ibid Ibid	137
43, 736 34, 000-42, 600	Cont 2 hr	120 min	Fühner, Biochem. Zschr. <u>115:235</u> , 1921. Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	138
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	139
9000	1 hr	7 da	Hart, Univ. Cal. Publ. Pharmacol. <u>1:161</u> , 1939.	140
4000 10, 000 20, 000 6500 1000	4 hr Cont Cont Cont 18½ hr	4 hr 70 min 9 hr Delayed	Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951. Specht, Pub. Health Rpt. <u>53:292</u> , 1938. Schrenk, Pub. Health Rpt. <u>51:624</u> , 1935. Ibid Ibid	141
37, 830-43, 650	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	142
	2 hr		Krop, Arch. Ind. Hyg. Occ. Med. <u>9:199</u> , 1954.	143

	Compound	Animal	Dose	Concentration mg/liter
144	Hydrazoic acid	Rat	LC <sub>100</sub>	2.3
		Guinea pig	LC <sub>50</sub>	1.9
		Cat	LC	0.2
		Cat	LC	0.3
		Cat	LC	0.5
		Cat	LC	1
145	Hydrochloric acid	Guinea pig	LC <sub>100</sub>	1
		Guinea pig	LC <sub>100</sub>	6.5
		Rabbit	LC <sub>100</sub>	1
		Rabbit	LC <sub>100</sub>	6.5
146	Hydrocyanic acid	Cat	LC	0.2
		Cat	LC	0.35
		Dog	LC	0.2
		Dog	LC	0.35
		Monkey	LC	0.2
		Monkey	LC	0.35
147	Hydrofluoric acid	Guinea pig	LC	0.04
		Guinea pig	LC	0.24
		Guinea pig	LC	0.53
		Rabbit		0.04
		Rabbit	LC	0.24
		Rabbit	LC	0.53
148	Hydrogen selenide	Guinea pig	LC <sub>50</sub> *	0.012
		Guinea pig	LC <sub>50</sub> *	0.020
		Guinea pig	LC <sub>50</sub> *	0.35
149	Hydrogen sulfide	Mouse	LC	1.12
		Rat	LC	1.5
		Rabbit	LC	1.5
		Cat	LC	1.4
		Dog	LC	0.7
150	Iodine	Dog	MLC	14-18
151	Isobutyraldehyde	Rat	LC	47
152	Isophorone	Guinea pig	LC	25.9
153	Isoprene	Mouse	LC	140
154	Isopropyl acetate	Rat	LC	137
155	Isopropyl alcohol	Rat	LC <sub>50</sub>	40
156	Isopropylamine	Rat	LC	19.4

Concentration Parts per million	Exposure Time	Time of Death	Reference	
1300 1040 113.8 170.7 284.5 569	Cont Cont Cont Cont Cont 15 min	1/2-3/4 hr 1 hr 500 min 240 min 60 min >65 min	Fairhall, Pub. Health Rpt. <u>58:607</u> , 1943. Ibid Hildebrandt, Arch.exp.Path.Pharm. <u>187:155</u> , 1937. Ibid Ibid Ibid	144
670 4290 670 4290	2-6 hr Cont 2-6 hr Cont	30 min 30 min	Machle, J. Ind. Hyg. Tox. <u>24:222</u> , 1942. Ibid Ibid Ibid	145
181 317 181 317 181 317	Cont Cont Cont Cont Cont Cont	5-10 min Instant 5-10 min Instant 5-10 min Instant	Flury, Abderhalden's Hdb. <u>4.7b:1340</u> . Ibid Ibid Ibid Ibid Ibid	146
50 250 660 50 250 660	Cont Cont Cont Cont Cont Cont	2 hr 1 hr 30 min Survived 3 hr 1 1/2 hr	Ronzani, Arch. f. Hyg. <u>70:217</u> , 1909. Ibid Ibid Ibid Ibid Ibid	147
3.6 6 105.7	30 min 30 min 10 min	1-15 da 1-30 da 1-5 da	Dudley, Pub. Health Rpt. <u>52:1217</u> , 1937. Ibid Ibid	148
800 1000 1000 900 500	Cont Cont Cont Cont Cont	10-30 min 15 min 2 min 5 min 1 min	Flury, Abderhalden's Hdb. <u>4.7b:1396</u> . Ljunggren, Acta physiol. scand. <u>5:248</u> , 1943. Lehmann, Arch. f. Hyg. <u>14:135</u> , 1892. Ibid Ibid	149
2700-3460	Cont	4-16 hr	Luckhardt, J. Pharm. Exp. Ther. <u>15:1</u> , 1920.	150
16,000	4 hr		Smyth, unpublished data, Mellon Inst.	151
4600	8 hr	Later	Smyth, J. Ind. Hyg. Tox. <u>22:477</u> , 1940.	152
51,800	2 hr		Lazarew, Kazansky Med. Zhur. <u>30:440</u> , 1934.	153
32,000	4 hr		Smyth, unpublished data, Mellon Inst.	154
16,000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	155
8000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	156

Concentration Parts per million	Exposure Time	Time of Death	Reference	
1300	Cont	1/2-3/4 hr	Fairhall, Pub. Health Rpt. <u>58:607</u> , 1943.	144
1040	Cont	1 hr	Ibid	
113.8	Cont	500 min	Hildebrandt, Arch.exp.Path.Pharm. <u>187:155</u> , 1937.	
170.7	Cont	240 min	Ibid	
284.5	Cont	60 min	Ibid	
569	15 min	>65 min	Ibid	
670	2-6 hr		Machle, J. Ind. Hyg. Tox. <u>24:222</u> , 1942.	145
4290	Cont	30 min	Ibid	
670	2-6 hr		Ibid	
4290	Cont	30 min	Ibid	
181	Cont	5-10 min	Flury, Abderhalden's Hdb. <u>4.7b:1340</u> .	146
317	Cont	Instant	Ibid	
181	Cont	5-10 min	Ibid	
317	Cont	Instant	Ibid	
181	Cont	5-10 min	Ibid	
317	Cont	Instant	Ibid	
50	Cont	2 hr	Ronzani, Arch. f. Hyg. <u>70:217</u> , 1909.	147
250	Cont	1 hr	Ibid	
660	Cont	30 min	Ibid	
50	Cont	Survived	Ibid	
250	Cont	3 hr	Ibid	
660	Cont	1 1/2 hr	Ibid	
3.6	30 min	1-15 da	Dudley, Pub. Health Rpt. <u>52:1217</u> , 1937.	148
6	30 min	1-30 da	Ibid	
105.7	10 min	1-5 da	Ibid	
800	Cont	10-30 min	Flury, Abderhalden's Hdb. <u>4.7b:1396</u> .	149
1000	Cont	15 min	Ljunggren, Acta physiol. scand. <u>5:248</u> , 1943.	
1000	Cont	2 min	Lehmann, Arch. f. Hyg. <u>14:135</u> , 1892.	
900	Cont	5 min	Ibid	
500	Cont	1 min	Ibid	
2700-3460	Cont	4-16 hr	Luckhardt, J. Pharm. Exp. Ther. <u>15:1</u> , 1920.	150
16,000	4 hr		Smyth, unpublished data, Mellon Inst.	151
4600	8 hr	Later	Smyth, J. Ind. Hyg. Tox. <u>22:477</u> , 1940.	152
51,800	2 hr		Lazarow, Kazansky Med. Zhur. <u>30:440</u> , 1934.	153
32,000	4 hr		Smyth, unpublished data, Mellon Inst.	154
16,000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	155
8000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	156

	Compound	Animal	Dose	Concentration mg/liter
157	Isopropyl ether	Rat	LC	66.7
		Guinea pig	LC	250
		Rabbit	LC	250
		Monkey	LC	250
158	Ketene	Mouse	LC <sub>50</sub>	0.6
		Mouse	MLC	0.089
		Rat	LC <sub>100</sub>	0.43
		Rat	MLC	0.64
		Guinea pig	LC <sub>50</sub>	0.63
		Guinea pig	MLC	0.85
		Rabbit	LC	1.70
		Cat	LC <sub>50</sub>	0.63
		Cat	MLC	1.26
		Monkey	MLC	0.34
		159	2-Mercaptoethanol	Rat
160	Mesityl oxide	Mouse	LC <sub>50</sub>	48.1
		Rat	LC <sub>100</sub>	52.1
		Rat	LC <sub>100</sub>	10
		Rat	LC <sub>30</sub>	2
		Guinea pig	LC <sub>100</sub>	52.1
		Guinea pig	LC <sub>100</sub>	10
		Guinea pig	LC <sub>30</sub>	2
161	Methacrylaldehyde	Rat	LC	0.7
162	Methanol	Mouse	LC	317-475
		Rat	LC	227.5
		Rat	LC	83.6
		Cat	LC	380
163	2-Methoxyethanol	Rat	LC <sub>50</sub>	6.2
164	Methyl acetate	Rat	LC	97
		Cat	LC	106
165	Methyl acrylate	Rat	LC <sub>50</sub>	3.5
166	Methylal	Mouse	LC <sub>50</sub>	57
167	Methyl amyl ketone	Rat	LC	18.6
168	2-Methyl aziride	Rat	LC <sub>50</sub>	1.2
169	Methyl bromide	Rat	LC <sub>100</sub>	0.63
		Rat	LC <sub>100</sub>	10
		Rat	LC <sub>100</sub>	0.84
		Rat	LC <sub>100</sub>	50
		Rabbit	LC <sub>100</sub>	10

(continued on next pag-)

/1/ Later.

Concentration. Parts per million	Exposure Time	Time of Death	Reference	
16,000	4 hr		Smyth, unpublished data. Mellon Inst.	157
60,000	Cont	78 min	Machle, J. Ind. Hyg. Tox. 21:72, 1939	
60,000	Cont	35 min	Ibid	
60,000	Cont	20 min	Ibid	
350	10 min	55 min	Wooster, J. Ind. Hyg. Tox. 29:56, 1947.	158
50	10 min	1-7 hr	Treon, J. Ind. Hyg. Tox. 31:209, 1949.	
250	10 min	2½ hr	Wooster, J. Ind. Hyg. Tox. 29:56, 1947.	
375	10 min	>3-<10hr	Treon, J. Ind. Hyg. Tox. 31:209, 1949.	
366	10 min	8-12 hr	Wooster, J. Ind. Hyg. Tox. 29:56, 1947.	
500	10 min	5.5 hr	Treon, J. Ind. Hyg. Tox. 31:209, 1949.	
1000	10 min	0.8 hr	Ibid	
366	10 min	8-12 hr	Wooster, J. Ind. Hyg. Tox. 29:56, 1947.	
750	10 min	2.83 hr	Treon, J. Ind. Hyg. Tox. 31:209, 1949.	
200	10 min	7.67 hr	Ibid	
250	8 hr		Smyth, unpublished data. Mellon Inst.	159
12,000	1 hr	7 da	Hart, Univ. Cal. Publ. Pharmacol. 1:161, 1939.	160
13,000	Cont	1 hr	Smyth, J. Ind. Hyg. Tox. 24:46, 1942.	
2500	Cont	8 hr	Ibid	
500	Cont	8 hr	Ibid	
13,000	Cont	1 hr	Ibid	
2500	Cont	8 hr	Ibid	
500	Cont	8 hr	Ibid	
250	4 hr	14 da	Smyth, J. Ind. Hyg. Tox. 31:60, 1949.	161
242,000-363,000	Cont	3-4½ hr	Weese, Arch. exp. Path. Pharm. 135:118, 1928.	162
174,000	Cont		Fachem, Arch. exp. Path. Pharm. 122:69, 1927.	
64,000	8 hr		Smyth, unpublished data. Mellon Inst.	
250,000	3½ hr		Flury, "Schädliche Gase," p347, 1931.	
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	163
32,000	4 hr		Smyth, unpublished data. Mellon Inst.	164
35,000	30 min	5 min <sup>1</sup>	Flury, Arch. Gewerbepath. 5:8, 1936.	
1000	4 hr		Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	165
	Cont	7 hr	Weaver, Brit. J. Indust. M. 2:279, 1951.	166
4000	4 hr		Smyth, unpublished data. Mellon Inst.	167
500	4 hr		Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	168
514	Cont	6 hr	Irish, J. Ind. Hyg. Tox. 22:218, 1940.	169
2570	Cont	42 min	Ibid	
5140	Cont	24 min	Ibid	
12,850	Cont	6 min	Ibid	
2570	Cont	132 min	Ibid	

	Compound	Animal	Dose	Concentration mg/liter
169	Methyl bromide (concluded)	Rabbit Rabbit	LC <sub>100</sub> LC <sub>100</sub>	20 50
170	2-Methyl-1-butene-3-one	Rat	LC <sub>50</sub>	0.42
171	Methyl butyl ketone	Rat	LC	32.7
172	3-Methylbutane	Mouse	LC	250
173	Methyl chloride	Mouse Guinea pig Guinea pig	LC <sub>50</sub> MLC <sub>50</sub> * LC	0.5 0.15 43-51
174	Methylcyclohexane	Mouse	LC	40-50
175	2-Methyl-1,3-dioxolane	Rat	LC <sub>50</sub>	57.7
176	2-Methyl-5-ethylpyridine	Rat	LC	5
177	Methyl formate	Guinea pig	LC	122.7
178	2-Methylhexane	Mouse	LC	70-80
179	Methyl iodide	Mouse Mouse Mouse	LC LC LC	0.04-0.4 2.2-3.2 4.3
180	Methyl mercaptan	Rat	LC	20
181	Methylmethacrylate	Mouse	LC <sub>50</sub>	55
182	Methylmorpholine	Rat	LC	16.5
183	2-Methylpyridine	Rat	LC	15.2
184	Methyl silicate	Rat	LC	1.2
185	Monochloro-monobromo-methane	Mouse Mouse Mouse	LC <sub>50</sub> LC <sub>50</sub> LC <sub>50</sub>	12.03±0.16 13.25±0.27 15.85±0.71
186	Mustard gas	Dog Dog	LC LC	0.01 0.5
187	Nickel carbonyl	Rabbit Cat Dog	LC LC LC	1.3 2.8 2.5
188	Nitroethane	Guinea pig Guinea pig Rabbit	LC <sub>100</sub> LC <sub>50</sub> LC <sub>100</sub>	92.1 92.1 15.3

(continued on next page)

Concentration Parts per million	Exposure Time	Time of Death	Reference	
5140 12,850	Cont Cont	84 min 30 min	Irish, J. Ind. Hyg. Tox. <u>22:218</u> , 1940. Ibid	169
125	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	170
8000	4 hr		Smyth, unpublished data, Mellon Inst.	171
90,000	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	172
3146 75 21,000-25,000	7 hr Cont Cont	8 hr 72 hr 2 hr	Von Ottingen, N. I. H. Bull. 191, 1949. White, J. Ind. Hyg. Tox. <u>13:273</u> , 1951. Nuckolis, Underwriters' Lab. Rpt. 2375, 1933.	173
9000-12,000	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	174
16,000	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	175
1000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	176
50,000	Cont	20-30min	Schrenk, Pub. Health Rpt. <u>51:1329</u> , 1936.	177
7000-8000	2 hr		Lazarew, Arch. exp. Path. Pharm. <u>143:223</u> , 1929.	178
6, 8-68 380-550 740		24 hr 2-2½ hr 1 hr	Bachem, Arch. exp. Path. Pharm. <u>122:69</u> , 1927. Ibid Ibid	179
10,000	Cont	15 min	Ljunggren, Acta physiol. scand. <u>5:248</u> , 1943.	180
13,500	3 hr	5 hr	Spealman, Indust. Med. <u>14:292</u> , 1945.	181
4000	4 hr		Smyth, unpublished data, Mellon Inst.	182
4000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	183
250	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	184
1550 1707 2045	7 hr 7 hr 7 hr	72 hr 24 hr 8 hr	Svirbely, J. Ind. Hyg. Tox. <u>29:382</u> , 1947. Ibid Ibid	185
1,0 77	Cont Cont	8 hr 5 min	Marshall, J. Am. Med. Assoc. <u>73:684</u> , 1919. Ibid	186
180 400 360	50½ min 75½ min 75½ min	69.2 hr 88.93 hr	Armit, J. Hygiene <u>8:565</u> , 1908. Ibid Ibid	187
30,000 30,000 5000	1, 25 hr 1 hr 3 hr	24 hr 24 hr 24 hr	Machle, J. Ind. Hyg. Tox. <u>22:315</u> , 1940. Ibid Ibid	188

	Compound	Animal	Dose	Concentration mg/liter
188	Nitroethane (concluded)	Rabbit	LC <sub>100</sub>	30.6
		Rabbit	LC <sub>100</sub>	92.1
189	Nitrogen oxide	Mouse	LC	
		Mouse	LC	
		Guinea pig	LC	
		Cat	LC	
		Cat	LC	
190	Nitromethane	Guinea pig	LC <sub>100</sub>	25
		Guinea pig	LC <sub>100</sub>	250
		Rabbit	LC <sub>100</sub>	62
		Rabbit	LC <sub>100</sub>	250
191	1-Nitropropane	Guinea pig	LC <sub>100</sub>	18.2
		Guinea pig	LC <sub>100</sub>	36.4
		Rabbit	LC <sub>100</sub>	18.2
		Rabbit	LC <sub>100</sub>	36.4
192	2-Nitropropane	Rat	MLC	5.4
		Guinea pig	MLC	16.5
		Rabbit	MLC	8.5
		Cat	MLC	2.55
193	Nitrous oxide	Rat		2200 <sup>1</sup>
194	p-Oxathiane	Rat	LC	34
195	Ozone	Mouse	LC	0.04
		Mouse	LC	0.01
		Mouse	LC	0.001
		Rat	LC	0.03
		Guinea pig	LC	0.001
		Rabbit	LC	0.001
196	Pentaborane	Mouse	LC <sub>50</sub>	37
		Rat	LC <sub>50</sub>	50
197	Pentachloroethane	Mouse	MLC	35
198	Pentane	Mouse	LC	377
199	2,4-Pentanedione	Rat	LC <sub>50</sub>	4.1
200	Pentalone	Guinea pig	LC	17.6
		Guinea pig	LC	45.8
		Guinea pig	LC	176
201	3-Pentene-2-one	Rat	LC <sub>50</sub>	0.86
202	Phenyldichlorarsine	Guinea pig	LC <sub>10</sub> <sup>0</sup>	0.4

<sup>1/1</sup> Millimeters pressure.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
10,000 30,000	3 hr 1.25 hr	24 hr 24 hr	Machle, J. Ind. Hyg. Tox. <u>22:315</u> , 1940. Ibid	188
500 4500 30,000 330 2100	Cont Cont Cont Cont Cont	30 min 4-5 min 5-9 min 60 min 25 min	LaTowsky, J. Ind. Hyg. Tox. <u>23:129</u> , 1941. Ibid Ibid Ibid Ibid	189
1000 10,000 2500 10,000	30 hr 6 hr 12 hr 6 hr	24 hr 24 hr 24 hr 24 hr	Machle, J. Ind. Hyg. Tox. <u>22:315</u> , 1940. Ibid Ibid Ibid	190
5000 10,000 5000 10,000	3 hr 3 hr 3 hr 3 hr	24 hr 24 hr 24 hr 24 hr	Machle, J. Ind. Hyg. Tox. <u>22:315</u> , 1940. Ibid Ibid Ibid	191
	4.5 hr 5.5 hr 4.5 hr 4.5 hr		Treon, Arch. Ind. Hyg. Occ. Med. <u>5:52</u> , 1952. Ibid Ibid Ibid	192
			Bock, Heffter's Hdb. <u>1:132</u> .	193
8000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4:119</u> , 1951.	194
20 5 0.5 15 0.5 0.5	2 hr Cont 6 hr 3½ hr Cont Cont	12 hr 5 hr 6½ hr 12 hr 5½ hr 3½ hr	Hill, Proc. Roy. Soc., Lond. B <u>84:404</u> , 1912. Konrich, Zschr. Hyg. Infkr. <u>73:443</u> , 1913. Ibid Hill, Proc. Roy. Soc., Lond. B <u>84:404</u> , 1912. Konrich, Zschr. Hyg. Infkr. <u>73:443</u> , 1913. Ibid	195
14 19	2 hr		Krackow, Arch. Ind. Hyg. Occ. Med. <u>8:335</u> , 1953. Ibid	196
4230	2 hr		Lasarew, Arch. exp. Path. Pharm. <u>141:19</u> , 1929.	197
128,200	Cont	37 min	Fühner, Biochem Zschr. <u>115:235</u> , 1921.	198
1500	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	199
5000 13,000 50,000	810 min Cont Cont	>810 min 300 min 50 min	Yant, Pub. Health Rpt. <u>51:392</u> , 1936. Ibid Ibid	200
250	4 hr		Carpenter, J. Ind. Hyg. Tox. <u>31:343</u> , 1949.	201
44	30 min	1-5 da	Dudley, Pub. Health Rpt. <u>53:338</u> , 1938.	202

	Compound	Animal	Dose	Concentration mg/liter
203	Phosgene	Rat	LC <sub>50</sub>	0.2-0.3
		Cat	LC	0.05
		Cat	LC	0.1
		Dog	LC	0.3-0.4
204	Phosphine	Frog	LC	83.5-97.4
		Mouse	LC	0.75
		Rat	LC	0.08
		Rat	LC	0.8
		Guinea pig	LC	0.4
		Guinea pig	LC	0.035
		Rabbit	LC	0.035
		Rabbit	LC	0.55
		Rabbit	LC	2.1
		Rabbit	LC	2.2
		Cat	LC	0.07
		Cat	LC	0.21
		Cat	LC	0.55
Cat	LC	3.5		
205	4-Picoline	Rat	LC	7.6
206	Propadiene	Rat	LC	245
207	Propionaldehyde	Rat	LC <sub>50</sub>	62
		Rat	LC	19
20 <sup>a</sup>	Propionitrile	Rat	LC <sub>50</sub>	1.12
209	2-Propoxyethanol	Rat	LC <sub>50</sub>	11.3
210	Propylbenzene	Mouse	LC	20
		Rat	LC	116
211	Propylene oxide	Rat	LC	9.5
212	Pyridine	Rat	LC	12.9
213	Sorbalddehyde	Rat	LC	15.7
214	Styrene	Rat	LC <sub>100</sub>	6.0-6.3
		Rat	LC <sub>100</sub>	9.3
		Rat	LC <sub>100</sub>	11.6
		Rat	LC <sub>100</sub>	23.2
		Guinea pig	LC <sub>100</sub>	6.0-6.3
		Guinea pig	LC <sub>100</sub>	9.3
		Guinea pig	LC <sub>100</sub>	11.6
Guinea pig	LC <sub>100</sub>	23.2		
215	Sulfur dioxide (continued on next page)	Frog	LC	2.4-3.0

Concentration Parts per million	Exposure Time	Time of Death	Reference	
50-80 12.4 24.7 80-100	30 min 20 min 20 min 30 min	14 da   24 hr	Spiegel, A. E. C. MDDC-1715, 1948. Wirth, Arch. exp. Path. Pharm. 181:193, 1936. Ibid Meek, Am. J. Physiol. 51:303, 1920.	203
60, 600-70, 000 540 60 600 300 25 25 400 1500 2000 50 150 400 2500	Cont Cont Cont Cont Cont 4 hr 4 hr 30 min 10 min Cont 105 min Cont 30 min 25 min	3 hr 35 min 4 hr 1 hr 2 hr  4 hr 50 min 10 min 33 min 4-5 hr 160 min 55 min 51 min	Brilliant, Arch. exp. Path. Pharm. 15:439, 1882. Jokote, Arch. f. Hyg. 49:275, 1904. Rebmann, Zschr. Gesundh. 29:279, 1933. Ibid Ibid Müller, Arch. exp. Path. Pharm. 195:184, 1940. Ibid Jokote, Arch. f. Hyg. 49:275, 1904. Meissner, Zschr. ges. exp. Med. 42:267, 1924. Henderson, Dubois' Arch. f. Physiol. 13:109, 1879. Jokote, Arch. f. Hyg. 49:275, 1904. Ibid Ibid Brilliant, Arch. exp. Path. Pharm. 15:439, 1882.	204
2000	4 hr		Smyth, unpublished data, Mellon Inst.	205
150, 000	2 hr		Riggs, Proc. Soc. Exp. Biol. Med. 22:269, 1925.	206
8000	30 min 4 hr		Skog, Acta pharm. tox. 6:299, 1950. Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	207
500	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	208
2000	4 hr		Carpenter, J. Ind. Hyg. Tox. 31:343, 1949.	209
4100 650, 000	2 hr Cont	2 hr	Lazarew, Arch. exp. Path. Pharm. 143:223, 1929. Riggs, Proc. Soc. Exp. Biol. Med. 22:269, 1925.	210
4000	4 hr		Smyth, J. Ind. Hyg. Tox. 30:63, 1948.	211
4000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. 4:119, 1951.	212
4000	4 hr		Smyth, unpublished data, Mellon Inst.	213
1300 2000 2500 5000 1300 2000 2500 5000	Cont Cont Cont Cont Cont Cont Cont Cont	40 hr 30 hr 21 hr 8 hr 40 hr 30 hr 21 hr 8 hr	Spencer, J. Ind. Hyg. Tox. 24:295, 1942. Ibid Ibid Ibid Ibid Ibid Ibid Ibid	214
820-1150	Cont	Sev hr	Flury, Abderhalden's Hdb. 4, 7b:1396.	215

	Compound	Animal	Dose	Concentration mg/liter
215	Sulfur dioxide (concluded)	Frog Mouse Mouse Rat	LC LC LC LC	2.6 1.6 2 2.6
216	Sulfuric acid mist	Guinea pig <sup>1</sup> Guinea pig <sup>3</sup>	LC <sub>50</sub> LC <sub>50</sub>	50 <sup>2</sup> 18 <sup>4</sup>
217	1, 1, 1, 2-Tetrachloro-2,2-difluoroethane	Rat	LC	2-3% <sup>5</sup>
218	1, 1, 2, 2-Tetrachloro-1,2-difluoroethane	Rat	LC	3% <sup>6</sup>
219	sym. -Tetrachloroethane	Mouse Mouse	LC MLC	30 40
220	Tetrachloroethylene	Mouse	LC	40
221	Tetraethoxysilane	Rat Guinea pig	LC LC	21.3 21.5
222	Tetrahydrofuran	Mouse Mouse	LC <sub>50</sub> LC	64.7 90.2
223	Tetranitromethane	Cat Cat	LC LC	0.08 0.8
224	Thiophene	Mouse Mouse	LC LC	20 30
225	Tin hydride	Mouse	LC	1.65
226	Toluene	Mouse Mouse	LC <sub>50</sub> LC <sub>50</sub>	19.96±0.3 30-35
227	Tributyl phosphate	Cat Cat	LC LC	23 23
228	Trichloroacrylyl chloride	Mouse Rat Rabbit	LC <sub>50</sub> <sup>7</sup> LC <sub>50</sub> LC <sub>50</sub>	
229	1, 1, 1-Trichloroethane	Mouse Rat Rat	MLC LC <sub>50</sub> LC <sub>50</sub>	65 47.9 82
230	1, 1, 2-Trichloroethane	Mouse	MLC	60
231	Trichloroethylene	Mouse Guinea pig <sup>8</sup> Guinea pig <sup>9</sup> Rabbit	MLC LC LC LC	42 200 200 107.6

/1/ 1½ days old. /2/ 50 mg per cubic meter. /3/ 1-2 months old. /4/ 18 mg per cubic meter.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
1000 600 800 1000	Cont Cont Cont Cont	15-20min 5 hr 20 min	Flury, Abderhalden's Hdb. 4, 7b:1396. Ibid Ibid Ibid	215
	8 hr 8 hr		Amdur, Arch. Ind. Hyg. Occ. Med. 5:311, 1952. Ibid	216
		1-2, 5 hr	Greenberg, Arch. Ind. Hyg. Occ. Med. 2:345, 1950.	217
		40-60min	Greenberg, Arch. Ind. Hyg. Occ. Med. 2:345, 1950.	218
4000 5850	Cont 2 hr	115 min	Lehmann, Arch. f. Hyg. 116:131, 1936. Lasarew, Arch. exp. Path. Pharm. 141:19, 1929.	219
5925	2 hr		Lasarew, Arch. exp. Path. Pharm. 141:19, 1929.	220
2500 2530	Cont Cont	4 da 4 hr	Smyth, J. Ind. Hyg. Tox. 31:60, 1949. Smyth, J. Ind. Hyg. Tox. 22:288, 1940.	221
22,000 64,700	Cont	109 min 24 hr	Stoughton, J. Pharm. Exp. Ther. 58:171, 1936. Henderson, J. Pharm. Exp. Ther. 57:394, 1936.	222
10 100	20 min 20 min	10 da 1 hr	Flury, "Schädliche Gase," p417, 1931. Ibid	223
5800 8700	Cont Cont	80 min 30 min*	Thieme, Dissert., Würzburg 1935. Ibid	224
329	2 hr	15 min <sup>7</sup>	Paneth, Ber. deut. chem. Ges. 57:1925, 1924.	225
5300 7980-9310	7 hr 2 hr	8 hr	Svirbely, J. Ind. Hyg. Tox. 25:366, 1943. Lasarew, Arch. exp. Path. Pharm. 143:123, 1929.	226
6125 6125	4 hr 2 hr	5 hr 2 da	Eller, Dissert., Würzburg 1937. Ibid	227
165 107 200	30 min 30 min 30 min	1 da 1 da 1-14 da	Spiegel, A. E. C. MDDC-1715, 1948. Ibid Ibid	228
11,000 18,000 14,000	2 hr 3 hr 7 hr		Lasarew, Arch. exp. Path. Pharm. 141:19, 1929. Adams, Arch. Ind. Hyg. Occ. Med. 1:225, 1950. Ibid	229
11,000	2 hr		Lasarew, Arch. exp. Path. Pharm. 141:19, 1929.	230
7800 37,200 37,200 20,000	2 hr Cont Cont Cont	9-12 min 40 min 2 hr	Lasarew, Arch. exp. Path. Pharm. 141:19, 1929. Landé, Arch. mal. profess. 2:454, 1939. Ibid McCord, J. Am. Med. Assoc. 99:409, 1932.	231

/5/ 2-3% by volume in air. /6/ 3% by volume in air. /7/ Later. /8/ Young. /9/ Mature.

	Compound	Animal	Dose	Concentration mg/liter
232	Trichlorofluoromethane	Rat	LC	10% <sup>1</sup>
233	1, 2, 3-Trichloropropane	Mouse	LC <sub>50</sub>	30
234	Trichlorosilane	Rat	LC <sub>50</sub>	6.7
235	Triethoxymethane	Rat	LC <sub>50</sub>	24.2
236	Triethylamine	Rat	LC	8.3
237	Vinyl acetate	Rat	LC <sub>50</sub>	14
238	Vinyl butyrate	Rat	LC <sub>50</sub>	18.6
239	Vinyl chloride	Mouse Guinea pig	MLC LC	625-750 1024
240	Vinyl ether	Mouse Rat	LC <sub>50</sub> LC <sub>50</sub>	146.8 386.5
241	m-Xylene	Mouse	LC	50
242	o-Xylene	Mouse	LC	30
243	p-Xylene	Mouse	LC	15-35

<sup>1</sup>/1/ 10% by volume in air.

Concentration Parts per million	Exposure Time	Time of Death	Reference	
		20-30min	Lester, Arch. Ind. Hyg. Occ. Med. <u>2</u> :335, 1950.	232
5000	20 min	48 hr	McOmie, Fed. Proc. <u>8</u> :319, 1949.	233
1000	4 hr	14 da	Smyth, J. Ind. Hyg. Tox. <u>31</u> :60, 1949.	234
4000	8 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951.	235
2000	4 hr		Smyth, unpublished data, Mellon Inst.	236
4000	4 hr		Smyth, J. Ind. Hyg. Tox. <u>30</u> :63, 1948.	237
4000	4 hr		Smyth, Arch. Ind. Hyg. Occ. Med. <u>4</u> :119, 1951.	238
233, 000-280, 000 400, 000	Cont Cont	10 min 10-20min	Peoples, J. Pharm. Exp. Ther. <u>48</u> :284, 1933. Yant, Pub. Health Rpt. <u>45</u> :1963, 1930.	239
51, 233 134, 888	3 hr	24 hr <3 hr	Molitor, J. Pharm. Exp. Ther. <u>57</u> :274, 1936. Ibid	240
11, 540	2 hr		Lasarew, Arch. exp. Path. Pharm. <u>143</u> :223, 1929.	241
6920	2 hr		Lasarew, Arch. exp. Path. Pharm. <u>143</u> :223, 1929.	242
3460-8075	2 hr		Lasarew, Arch. exp. Path. Pharm. <u>143</u> :223, 1929.	243

**BIBLIOGRAPHY**  
**ABBREVIATIONS**

ABBREVIATION		FULL TITLE	
- A -			
1	Abderhalden's Hdb.	Abderhalden, Handbuch der biologischen Arbeitsmethoden	1
2	Acta pharm. tox.	Acta pharmacologica et toxicologica	2
3	Acta physiol. Scand.	Acta physiologica Scandinavica	3
4	Advances Chem.	Advances in Chemistry	4
5	A E. C. MDDC-1715	Atomic Energy Commission (Report) MDDC-1715	5
6	Am. Chem. J.	American Chemical Journal	6
7	Am. J. Clin. Path.	American (The) Journal of Clinical Pathology	7
8	Am. J. Dig. Dis.	American Journal of Digestive Diseases and Nutrition	8
9	Am. J. Hyg.	American (The) Journal of Hygiene	9
10	Am. J. Med. Sc.	American (The) Journal of the Medical Sciences	10
11	Am. J. Pharm.	American Journal of Pharmacy	11
12	Am. J. Physiol.	American (The) Journal of Physiology	12
13	Am. J. Syph. Neurol.	American Journal of Syphilis and Neurology	13
14	Am. J. Trop. Med.	American (The) Journal of Tropical Medicine	14
15	Am. Rev. Tuberc.	American (The) Review of Tuberculosis	15
16	Anesth. & Analg.	Anesthésie et analgésie	16
17	Anesthesiology	Anesthesiology	17
18	Ann. anat. path.	Annales d'anatomie pathologique medico-chirurgicale	18
19	Ann. Int. M.	Annals of Internal Medicine	19
20	Ann. N. Y. Acad. Sci.	Annals of the New York Academy of Sciences	20
21	Ann. physiol., Par.	Annales de physiologie et de physicochimie biologique, Paris	21
22	Ann. Trop. Med. Parasitol.	Annals of Tropical Medicine and Parasitology	22
23	Antibiotics	Antibiotics	23
24	Arb. pharm. Inst., Dorpat.	Arbeiten aus dem pharmakologischen Institut, Dorpat	24
25	Arch. Anat. Physiol.	Archiv für Anatomie und Physiologie	25
26	Arch. Derm. Syph.	Archives of Dermatology and Syphilology	26
27	Arch. exp. Path. Pharma.	Archiv für experimentelle Pathologie und Pharmakologie	27
28	Arch. f. Derm. Syph.	Archiv für Dermatologie und Syphilis	28
29	Arch. f. Hyg.	Archiv für Hygiene	29
30	Arch. farm. sper.	Archivio di farmacologia sperimentale e scienze affini	30
31	Arch. farm. terap.	Archivio di farmacologia e terapeutica	31
32	Arch. ges. Physiol.	Archiv (Pflüger's) für die gesamte Physiologie des Menschen und der Tiere	32
33	Arch. Gewerbepath.	Archiv für Gewerbepathologie und Gewerbehygiene	33
34	Arch. Hyg.	Archiv für Hygiene und Bacteriologie, München	34
35	Arch. Int. Med.	Archives of Internal Medicine	35

ABBREVIATIONS		FULL TITLE	
36	Arch. Ind. Hyg. Occ. Med.	Archives of Industrial Hygiene and Occupational Medicine	36
37	Arch. int. pharmacod.	Archives internationales de pharmacodynamie et de thérapie	37
38	Arch. ital. biol.	Archives italiennes de biologie	38
39	Arch. ital. sc. farm.	Archivio italiano di scienze farmaceutiche	39
40	Arch. ital. urol.	Archivio italiano di urologia	40
41	Arch. mal. profess.	Archives des maladies professionnelles; hygiène et toxicologie industrielles	41
42	Arch. méd. exp., Par.	Archives de médecine expérimentale et d'anatomie pathologique. Paris	42
43	Arch. Path.	Archives of Pathology	43
44	Arch. path. Anat.	Archiv für pathologische Anatomie und Physiologie, und für klinische Medizin	44
45	Arch. sc. biol., Bologna	Archivio di scienze biologiche, Bologna	45
46	Arch. sc. biol., St. Petersburg	Archives des sciences biologiques. St. Petersburg	46
47	Arch. Schiffs Tropenhyg.	Archiv für Schiffs- und Tropenhygiene, Pathologie und Therapie exotischer Krankheiten	47
48	Arch. soc. biol., Montevideo	Archivos de la Sociedad de biología de Montevideo	48
49	Arch. Surg.	Archives of Surgery	49
50	Arztl. Forsch.	Arztliche Forschung	50
51	Arzneimittelforsch.	Arzneimittelforschung	51
52	Austral. J. Exp. Biol.	Australian Journal of Experimental Biology and Medical Science	52
- B -			
53	Barke, Dissert.	Barke, Dissertation	53
54	Ber. deut. chem. Ges.	Berichte deutsche chemische Gesellschaft	54
55	Ber. Phys. Med. Ges.	Berichte der Physikalisch-medizinischen Gesellschaft zu Würzburg	55
56	Berl. klin. Wochr.	Berliner klinische Wochenschrift	56
57	Bierwag, Dissert.	Bierwag, Dissertation	57
58	Biochem. J.	Biochemical Journal	58
59	Biochem. Zschr.	Biochemische Zeitschrift	59
60	Boll. soc. ital. biol. sper.	Bollettino della Società di biologia sperimentale	60
61	Bong, Dissert.	Bong, Dissertation	61
62	Boruttau, Dissert.	Boruttau, Dissertation	62
63	Bovet & Bovet-Nitti	Bovet, D. and Bovet-Nitti, F., "Médicaments du Système Nerveux Végétatif," S. Karger: New York, 1948	63
64	Boyce Thompson Inst.	Boyce Thompson Institute	64
65	Brit. J. Anaesth.	British Journal of Anaesthesia	65
66	Brit. J. Exp. Path.	British (The) Journal of Experimental Pathology	66
67	Brit. J. Indust. M.	British Journal of Industrial Medicine	67
68	Brit. J. Pharm.	British Journal of Pharmacology and Chemotherapy	68
69	Brit. J. Radiol.	British Journal of Radiology	69
70	Brit. Med. J.	British (The) Medical Journal	70

ABBREVIATIONS		FULL TITLE	
71	Bull. Acad. méd., Par.	Bulletin de l'Académie de médecine, Paris	71
72	Bull. Acad. Suisse sci. méd.	Bulletin der Schweizerischen Akademie der Medizinischen Wissenschaften (Tri-lingual)	72
73	Bull. Johns Hopkins Hosp.	Bulletin of the Johns Hopkins Hospital	73
74	Bull. sc. pharm.	Bulletin des sciences pharmacologiques, Paris	74
75	Bull. Soc. chim. biol.	Bulletin de la Société de chimie biologique, Paris	75
- C -			
76	C. rend. Acad. sc.	Comptes rendus hebdomadaires des séances de l'Académie des sciences, Paris	76
77	C. rend. Soc. biol.	Comptes rendus des séances de la Société de biologie	77
78	Canad. Pub. Health J.	Canadian Public Health Journal	78
79	Cancer	Cancer	79
80	Cazeneuve & Lépine	Cazeneuve and Lépine (unpublished (?) data)	80
81	Chem. Absts.	Chemical Abstracts	81
82	Chem. Biol. Coord. Ctr. Rev.	Chemical-Biological Coordination Center Review (National Research Council)	82
83	Chem. Corps Med. Lab. Rpt.	Chemical Corps Medical Laboratory Report (U. S. Army)	83
84	Chem. Indust.	Chemical Industries	84
85	Chem. Zbl.	Chemisches Zentralblatt	85
86	Chicago Med. School Q.	Chicago Medical School Quarterly	86
87	Clin. med. ital.	Clinica (La) medica italiana	87
88	Current Res. Anes.	Current Researches in Anesthesia and Analgesia	88
89			
- D -			
89	Deut. med. Wschr.	Deutsche medizinische Wochenschrift	89
90	Deut. Zschr. ger. Med.	Deutsche Zeitschrift für die gesamte gerichtliche Medizin	90
91	Distler, Dissert.	Distler, Dissertation	91
92	Div. Pharm. F. & D. Adm. Q. Rpt.	Division of Pharmacology, Food and Drug Administration Quarterly Report	92
93	Dubois' Arch. f. Physiol.	Dubois' Archiv für Anatomie und Physiologie	93
94	Dubois' Arch. f. Physiol. Suppl.	Dubois' Archiv für Anatomie und Physiologie Supplement	94
95			
- E, F, G -			
95	Eller, Dissert.	Eller, Dissertation	95
96	Endocrinology	Endocrinology	96
97	Exp. Med. Surg.	Experimental Medicine and Surgery	97
98	Falkenburg, Dissert.	Falkenburg, Dissertation	98
99	Fed. Proc.	Federation Proceedings (Federation of American Societies for Experimental Biology)	99
100	Fliegenbaum, Dissert.	Fliegenbaum, Dissertation	100

ABBREVIATIONS		FULL TITLE	
101	Flury, "Schädliche Gase"	Flury, F., "Schädliche Gase." Springer: Berlin, 1931	101
102	Food Technology	Food Technology	102
103	Gréhant, "L'Oxyde de Carbone"	Gréhant, N., "Hygiene Expérimentale: L'Oxyde de Carbone." Gauthier-Villars: Paris, 1903	103
- H -			
104	Hadra, Dissert.	Hadra, Dissertation	104
105	Health Haz. Mil. Chem.	Health Hazards of Military Chemicals	105
106	Heffter's Hdb.	Heffter's Handbuch der experimentelle Pharmakologie	106
107	Heyroth and Diechmann	Heyroth, F.F. and Deichmann, W. B. (Unpublished data)	107
108	Hofbauer, Dissert.	Hofbauer, Dissertation	108
109	Hyg. Lab. Bull.	Hygienic Laboratory Bulletin	109
- I -			
110	Ind. J. M. Res.	Indian (The) Journal of Medical Research	110
111	Indust. Med.	Industrial Medicine	111
112	Ind. Med. Hyg.	Industrial Medicine, Industrial Hygiene Section	112
113	Indust. Engin. Chem.	Industrial and Engineering Chemistry	113
114	Int. J. Leprosy	International Journal of Leprosy	114
- J -			
115	J. Am. Chem. Soc.	Journal of the American Chemical Society	115
116	J. Am. Med. Assoc.	Journal (The) of the American Medical Association	116
117	J. Am. Pharm. Assoc.	Journal of the American Pharmaceutical Association	117
118	J. Am. Vet. M. Assoc.	Journal of the American Veterinary Medical Association	118
119	J. Am. Water Works Assoc.	Journal; American Water Works Association	119
120	J. Biol. Chem.	Journal (The) of Biological Chemistry	120
121	J. Clin. Invest.	Journal (The) of Clinical Investigation	121
122	J. Comp. Path.	Journal (The) of Comparative Pathology and Therapeutics	122
123	J. Dent. Res.	Journal (The) of Dental Research	123
124	J. Econ. Entomol.	Journal (The) of Economic Entomology	124
125	J. Exp. Med.	Journal (The) of Experimental Medicine	125
126	J. Fish. Res. Board Can.	Journal of the Fisheries Research Board of Canada	126
127	J. Hygiene	Journal (The) of Hygiene	127
128	J. Ind. Hyg.	Journal (The) of Industrial Hygiene	128
129	J. Ind. Hyg. Tox.	Journal (The) of Hygiene and Toxicology	129
130	J. Lab. Clin. Med.	Journal (The) of Laboratory and Clinical Medicine	130
131	J. Path. Bact.	Journal (The) of Pathology and Bacteriology, London	131
132	J. pharm. chim.	Journal de pharmacie et de chimie, Paris	132

ABBREVIATIONS		FULL TITLE	
133	J. Pharm. Exp. Ther.	Journal (The) of Pharmacology and Experimental Therapeutics	133
134	J. physiol., Par.	Journal de physiologie, Paris	134
135	J. Physiol.	Journal of Physiology, London	135
136	J. physiol. path. gén.	Journal de physiologie et de pathologie générale	136
137	J. Urol.	Journal (The) of Urology	137
138	Jap. J. M. Sc., IV Pharm.	Japanese Journal of Medical Sciences, IV Pharmacology	138
139		- K, L -	
139	Kazansky Med. Zhur.	Kazansky Meditsinsky Zhurnal	139
140	Kemp, Dissert.	Kemp, Dissertation	140
141	Klimmer, Dissert.	Klimmer, Dissertation	141
142	Klin. Wschr.	Klinische Wochenschrift	142
143	Kuhls, Dissert.	Kuhls, Dissertation	143
144	Lagier, Thèse	Lagier, Dissertation	144
145	Lancet	Lancet	145
146	Langer, Dissert.	Langer, Dissertation	146
147	Laubenheimer, "Phenol u. s. Derivate"	Laubenheimer, K., "Phenol und seine Derivate als Desinfektionsmittel," Urban und Schwarzenberg: Berlin, 1909	147
148	Leber, Dissert.	Leber, Dissertation	148
149	Lehman, pers. comm.	Lehman, Arnold J. (personal communication)	149
150	Lehmann and Flury, "Industrial Solvents"	Lehmann, K. B., and Flury, F., "Toxicology and Hygiene of Industrial Solvents," Williams and Wilkins: Baltimore, 1943	150
151	Lehrb. Arb. u. Gewerb. Hyg.	"Kurztes Lehrbuch der Arbeits- und Gewerbehygiene," S. Hirzel: Leipzig, 1919	151
152	Luig, Dissert.	Luig, Dissertation	152
		- M, N, O -	
153	Med. Klin., Berl.	Medizinische Klinik, Berlin	153
154	Med. Res. Council, Sp. Rpt.		154
155	Med. u. Chem., Berl.	Medizin und Chemie, Berlin	155
156	Mellon Inst., unpublished data	Mellon Institute, Philadelphia	156
157	Merck Report	Merck & Co., Inc., Rahway, N. J.	157
158	Munch. med. Wschr.	Münchener medizinische Wochenschrift	158
159	N. I. H. Bull.	National Institute of Health Bulletin	159
160	N. M. R. Proj.	Naval Medical Research Institute Project	160
161	North Am. Aviation Rpt.	North American Aviation Report (North American Aviation Co.)	161
162	Nucl. Sci. Abstr.	Nuclear Science Abstracts	162
163	Ottat, Dissert.	Ottat, Dissertation	163
		- P -	
164	Pers. comm., Food and Drug Adm.	Personal communication, Food and Drug Administration	164
165	Pers. comm., Scandoz Chem. Works	Personal communication, Scandoz Chemical Works	165

ABBREVIATION		FULL TITLE	
166	Philos. Tr. Roy. Soc. Lond.	Philosophical Transactions of the Royal Society of London	166
167	Physiol. Rev.	Physiological Review	167
168	Prensa Méd. Arg.	Prensa (La) Médica Argentina	168
169	Presse Méd.	Presse (La) Médicale	169
170	Proc. 9th Int. Congr. Acc. Med.	Proceedings of the 9th International Congress for Accidental and Occupational Medicine, London, 1948	170
171	Proc. Pharm. Soc. Fall Meet.	Proceedings, American (The) Society for Pharmacology and Experimental Therapeutics, Fall Meeting	171
172	Proc. Roy. Soc. London.	Proceedings of the Royal Society of London	172
173	Proc. Soc. Exp. Biol. Med.	Proceedings of the Society for Experimental Biology and Medicine	173
174	Pub. Health Bull.	Public Health Bulletin	174
175	Pub. Health Rpt.	Public Health Report	175
- Q -			
176	Q. Bull. Assoc. F. & D. Off.	Quarterly Bulletin of the Association of Food and Drug Officials of the United States	176
177	Q. Bull. Sea View Hosp.	Quarterly Bulletin of the Sea View Hospital	177
178	Q. J. Exp. Physiol.	Quarterly Journal of Experimental Physiology	178
179	Q. J. Pharm. Pharmacol.	Quarterly Journal of Pharmacy and Pharmacology, London	179
- R. S -			
180	Rec. Trav. Chim. Pays-Bas	Recueil des travaux chimiques des Pays-Bas	180
181	Reuss, Dissert.	Reuss, Dissertation	181
182	Rev. Asoc. méd. argent.	Revista de la Asociación médica argentina	182
183	Rev. de méd.	Revue de médecine, Paris	183
184	Rev. méd. Suisse rom.	Revue médicale de la Suisse romande	184
185	Report from Squibb & Son	Report from Squibb and Son (E. R. Squibb and Son)	185
186	Rpt. Army Chem. Ctr.	Report of (the) Army Chemical Center (U. S. Army)	186
187	Rpt. Chemother. Leukemia, So. Res. Inst.	Report on the Chemotherapy of Leukemia, Southern Research Institute Birmingham	187
188	Schulz, Dissert.	Schulz, Dissertation	188
189	Schwartz, Dissert.	Schwartz, Dissertation	189
190	Schweiz, med. Wochr.	Schweizerische medizinische Wochenschrift	190
191	Science	Science	191
192	Skand. Arch. Physiol.	Skandinavisk Archiv für Physiologie	192
193	Sollman & Hanslik, "Experimental Pharmacology"	Sollman, T. H., and Hanslik, F. J., "Fundamentals of Experimental Pharmacology," 2nd ed., Stacey: San Francisco, 1940.	193
194	Starrek, Dissert.	Starrek, Dissertation	194

	ABBREVIATION	FULL TITLE	
195	Su.nm. Rpt. Med. Div. Army Chem. Ctr. Md.	Summary Report, Medical Division, Army Chemical Center (U. S. Army)	195
196	Surg. Gyn. Obst.	Surgery, Gynecology and Obstetrics	196
197	Tab. Biol.	Tabulae Biologicae	197
198	Therap. Monatsh.	Therapeutische Monatshefte	198
199	Therap. Umschau	Therapeutische Umschau und medizinische Bibliographie	199
200	Thérapie	Thérapie, Paris	200
201	Thieme, Dissert.	Thieme, Dissertation	201
202	Tierchem.	Jahresbericht über die Fortschritte der Tier-chemie, oder der physiologischen und pathologischen Chemie	202
203	Tohoku J. E. M.	Tohoku Journal of Experimental Medicine	203
204	Toxikologie	Toxikologie	204
205	Tr. R. Soc., Edinburgh	Transactions of the Royal Society of Edinburgh	205
- U, V, W -			
206	Underwriters' Lab. Rpt.	Underwriters' Laboratory Report	206
207	U. of Chicago Toxic. Lab. Rpt.	University of Chicago Toxicity Laboratory Report	207
208	U. S. Bur. Plant Ind. Bull.	U. S. Bureau of Plant Industry, Soils and Agricultural Engineering Bulletin	208
209	U. S. Dept. Agr. Bull.	U. S. Department of Agriculture Bulletin	209
210	Univ. Cal. Publ. Pharmacol.	University of California Publications in Pharmacology	210
211	Voeglin and Hodge	Voeglin and Hodge, "Pharmacology and Toxicology of Uranium Compounds," McGraw Hill: New York, 1949	211
212	Von Engelhardt, Dissert.	Von Engelhardt, Dissertation	212
213	Wien. med. Wschr.	Wiener medizinische Wochenschrift	213
214	Winthrop Chem. Corp.	Winthrop Chemical Corporation	214
- Z -			
215	Zbl. Chir.	Zentralblatt für Chirurgie	215
216	Zbl. Gewerbehyg.	Zentralblatt für Gewerbehygiene und Unfallverhütung	216
217	Zbl. med. Wiss.	Zentralblatt für des medizinische Wissenschafte	217
218	Zschr. Biol.	Zeitschrift für Biologie	218
219	Zschr. exp. Path. Ther.	Zeitschrift für experimentelle Pathologie und Therapie	219
220	Zschr. f. Path., Frankfurt	Zeitschrift für Pathologie, Frankfurt	220
221	Zschr. Hyg. Infkr.	Zeitschrift für Hygiene und Infektionskrankheiten	221
222	Zschr. klin. Med.	Zeitschrift für klinische Medizin	222
223	Zschr. ges. exp. Med.	Zeitschrift für die gesamte experimentelle Medizin	223
224	Zschr. Gesundheitstechn.	Zeitschrift für Gesundheitstechnik und Städtehygiene	224
225	Zschr. Immunitätsforsch.	Zeitschrift für Immunitätsforschung und experimentelle Therapie	225

	ABBREVIATION	FULL TITLE	
226	Zachr. physiol. Chem.	Zeitschrift für physiologische Chemie (Hoppe-Seyler's)	226
227	14th Congr. Ind. Chem.	14th Congress on Industrial Chemistry	227
228	116th Meet. Am. Chem. Soc.	116th Meeting of the American Chemical Society	228

# INDEX

WADC TR 55-16

365

## Index

Compounds or substances appearing in this volume are listed here in alphabetical order. In addition, commonly used alternate names or designations and synonyms, as well as some proprietary and, where available, official names, have been included so that this listing may also serve as a cross index. Time and space disallowed complete utilization of the nomenclature system recommended by "Chemical Abstracts." Therefore, it is entirely possible that a few compounds may appear in more than one place under different names. It has been impossible for the editor to catch all of these minor discrepancies.

It will be noticed that names which begin with prefixes, such as *L.* or *Bis.*, are alphabetized under *D* or *B* respectively. Greek letters, *p.*, *o.*, *m.*, and designation numbers have been disregarded in primary alphabetization but have been considered secondarily, e.g.,  $\beta$ -Acetylcholine appears in the *A* group but follows *o*-Acetylcholine.

A name appearing by itself (i.e., not followed by another in parentheses) in the index appears as such in the table. A name followed by another name in parentheses in the index appears in the table as the parenthetical name. All substances listed in the table have item numbers so that each name in the index is followed by an underlined number - the item number - separated by a colon from a second number - the page number. When two sets of numbers appear, separated by a semi-colon, the first set refers to the substance as a solid or liquid in Table I, and the second set refers to the substance as a gas in Table II. As examples: ACETIC OXIDE, (ACETIC ANHYDRIDE) 21:8; 3:322. Acetic oxide is listed as acetic anhydride, item 21 on page 8 (Table I) and item 3 on page 322 (Table II). ACETANILIDE 16:6. Ace-anilide is found as item 16 on page 6.

- ABIGUANIL, (SULFAGUANIDINE) 189:288.  
 ABOBIOSIDE, 1:6.  
 ABOMONOSIDE, 2:6.  
 ABRODIL, (SKIODAN) 1787:258.  
 ABSTINYL, (ANTABUSE) 158:26.  
 ACECOLINE, (ACETYLCOLINE CHLORIDE) 36:10.  
 ACETAL, 3:6; 1:322.  
 ACETALDEHYDE, 4:6; 2:322.  
 ACETALDEHYDE DIETHYL ACETAL, (ACETAL) 3:6; 1:322.  
 ACETALDOL, (ALDOL) 63:14.  
 ACETAMIDE, 5:6.  
*p*-ACETAMINOBENZALDEHYDETHIOSEMICARBAZONE, 6:6.  
 1-ACETAMINOCARBAZOLE, 7:6.  
 2-ACETAMINOCARBAZOLE, 8:6.  
 3-ACETAMINOCARBAZOLE, 9:6.  
 2-ACETAMINODIBENZOFURAN, 10:6.  
 3-ACETAMINODIBENZOTHIOPHENE, 11:6.  
 3-ACETAMINO-9-METHYLCARBAZOLE, 12:6.  
*p*-ACETAMINOPHENOL, 13:6.  
 1-ACETAMINO-5,6,7,8-TETRAHYDROCARBAZOLE, 14:6.  
 3-ACETAMINO-5,6,7,8-TETRAHYDROCARBAZOLE, 15:6.  
 ACETANILIDE, 16:6.  
 ACETARSONE, 17:6, 8.  
 ACETIC ACID, 18:8.  
 ACETIC ACID ETHYL ESTER, 19:8.  
 ACETIC ACID ISOPROPYL ESTER, 20:8.  
 ACETIC ALDEHYDE, (ACETALDEHYDE) 4:6; 2:322.  
 ACETIC ANHYDRIDE, 11:8; 3:322.  
 ACETIC ETHER, (ETHYL ACETATE) 648:130; 108:336.  
 ACETIC OXIDE, (ACETIC ANHYDRIDE) 21:8; 3:322.  
 ACETIN, (MONACETIN) 1392:204.  
 ACETONE, 22:8; 4:322.  
 ACETONE CYANOHYDRIN, 23:8.  
 ACETONITRILE, 24:8.  
 ACETONYLACETONE, (2,5-HEXANEDIONE) 139:378.  
 3-(*o*-ACETONYLBENZYL)-4-HYDROXYCOUMARIN, (WARFARIN) 2095:314.  
*p*-ACETOPHENETIDE, (PHENACETIN) 1521:228.  
*p*-ACETOPHENETIDIN, (PHENACETIN) 1521:228.  
 ACETOPHENETIDINE, (PHENACETIN) 1521:228.  
 ACETOPHENONE, 25:8.  
 ACETOPHENONE-4-METHOXY-3-METHYL, 26:8.  
 2-ACETOXYBENZOIC ACID, (ACETYLSALICYLIC ACID) 43:10.  
*o*-ACETOXYCINNAMIC ACID, 27:8.  
 3-ACETOXY-6-DIMETHYLAMINO-4,4-DIPHENYLHEPTANE, 28:8.  
 3-ACETOXY-6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYLHEXANE, 29:8.  
 1-ACETOXY-3-DIMETHYLAMINO-1,1-DIPHENYL-2-METHYLPROPANE, 30:8.  
 2-(ACETOXY-3,5-DIMETHYLPHENYL)TRIMETHYLAMMONIUM IODIDE, 31:8.  
 (3-ACETOXYPHENYL)METHYLDIETHYLAMMONIUM IODIDE, 32:10.  
 (3-ACETOXYPHENYL)TRIMETHYLAMMONIUM BROMIDE, 33:10.  
 (3-ACETOXYPHENYL)TRIMETHYLAMMONIUM IODIDE, 34:10.  
 (2-ACETOXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE, (MECHOLYL HCl) 1226:184.  
 ACET-*p*-PHENETIDIN, (PHENACETIN) 1521:228.  
 ACET-THEOCIN SODIUM, (THEOPHYLLINE SODIUM ACETATE) 1563:296.  
 ACETYLAACETONE, (2,4-PENTANEDIONE) 199:346.  
 ACETYLAMINOHYDROXYPHENYLARSONIC ACID, (ACETARSONE) 17:6, 8.  
 3-ACETYLAMINO-4-HYDROXYPHENYL-1-ARSONIC ACID, (ACETARSONE) 17:6, 8.  
 ACETYL-*p*-AMINOPHENOL, (*p*-ACETAMINOPHENOL) 13:6.  
*p*-ACETYLAMINOPHENOL, (*p*-ACETAMINOPHENOL) 13:6.  
 ACETYLBENZENE, (ACETOPHENONE) 25:8.  
 ACETYLCOLINE, 35:10.  
 ACETYLCOLINE, "reversed carbonyl analogue" of, (METHYL-(*p*-TRIMETHYLAMMONIUM)PROPIONATE) 1381:202.  
 ACETYLCOLINE CHLORIDE, 36:10.  
*o*-ACETYLDIGITOXIN, 37:10.  
 $\beta$ -ACETYLDIGITOXIN, 38:10.  
*o*-ACETYLDIGOXIN, 39:10.  
 $\beta$ -ACETYLDIGOXIN, 40:10.  
 ACETYLENE, 5:322.  
 ACETYLENE TETRABROMIDE, (*sym.*-TETRABROMOETHANE) 1928:290.  
 ACETYLENE TETRACHLORIDE, (*sym.*-TETRACHLOROETHANE) 1929:290; 219:350.  
 ACETYLMETHADOL, 41:10.  
 ACETYL- $\beta$ -METHYLCOLINE CHLORIDE, (MECHOLYL HCl) 1226:184.  
*o*-ACETYL- $\beta$ -METHYLCOLINE CHLORIDE, (MECHOLYL HCl) 1226:184.

3-ACETYL-6-METHYL-1,2-PYRAN-2,4(3H)-DIONE  
 (DEHYDROACETIC ACID) 529:88.  
 ACETYL OXIDE, (ACETIC ANHYDRIDE) 21:8; 3:322.  
 α-ACETYL-OXY-PROPIONYL X-STROPHANTHIDIN,  
 42:10.  
 ACETYL-SALICYLIC ACID, 43:10.  
 ACETYL-K-STROPHANTHIDIN, 44:10.  
 N<sup>1</sup>-ACETYSULFANILAMIDE, (SULFACETIMIDF)  
 1895:286.  
 ACETYLTANGHININ, 45:10.  
 ACCON, 46:10.  
 ACCOLONGIFLOUSIDE E, 47:10.  
 ACONITINE, (AMORPHOUS) 48:12.  
 ACONITINE (CRYSTALLINE) 49:12.  
 ACONITINE (LAPP) 50:12.  
 ACRALDEHYDE, (ACROLEIN) 54:12; 6:322.  
 ACRIDAN, 51:12.  
 ACRIDINE, 52:12.  
 ACRIFLAVINE, 53:12.  
 ACROLEIN, 54:12; 6:322.  
 ACRYLALDEHYDE, (ACROLEIN) 54:12; 6:322.  
 ACRYLIC ACID, 55:12.  
 ACRYLIC ALDEHYDE, (ACROLEIN) 54:12; 6:322.  
 ACRYLONITRILE, 56:12; 7:322.  
 ACTIDONE, 57:12.  
 ADALIN, 58:14.  
 ADANON HCl, (m-METHADONE HCl) 1244:186.  
 ADENINE, 59:14.  
 ADERMINE, (PYRIDOXINE) 1694:252.  
 ADONIDIN, 60:14.  
 ADRENALIN(E), (EPINEPHRINE) 808:124, 126.  
 AGARIC ACID, (AGARIC ACID) 61:14.  
 AGARIC ACID, 61:14.  
 AGARICIN, (AGARIC ACID) 61:14.  
 AGERITE, (ALBA) (AGERITE, (WHITE)) 62:14.  
 AGERITE (WHITE), 62:14.  
 AH-42, (HISTADYL BASE) 1037:158.  
 ALBUCID, (SULFACETIMIDE) 1896:286.  
 "ALDEHYDE", (ACETALDEHYDE) 4:6; 2:322.  
 ALDOL, 63:14.  
 ALDRIN, 64:14.  
 ALEPOL, (SODIUM HYDROCARPATE) 1819:274.  
 ALEURINE, (N-ISOPROPYLADRENALINE) 1139:170.  
 ALEURIN, 65:14.  
 ALKENYLDIMETHYLETHYLAMMONIUM BROMIDE,  
 (ONYXIDE) 1477:218.  
 ALKRON, (PARATHION) 1494:222.  
 ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE,  
 (ROCCAL) 1740:260.  
 ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDES,  
 mixture of (ZEPHIRAN CHLORIDE) 2107:316.  
 ALKYLDIMETHYL-3,4-DICHLOROBENZYL-  
 AMMONIUM CHLORIDE, (TETROGAN) 1953:294.  
 ALKYL MERCURIC CHLORIDE, 66:14.  
 ALLENE, (PROPADIENE) 206:348.  
 ALLETHRIN, 67:14.  
 ALLOXAN, 68:14.  
 ALLYL ACETATE, 69:14; 8:322.  
 ALLYL ALCOHOL, 70:14; 8:322.  
 ALLYLARSINIC ACID, 71:14.  
 ALLYL-BIS-(β-CHLOROETHYL)AMINOETHYL-  
 SULFONE, 72:16.  
 ALLYL CHLORIDE, 10:322.  
 ALLYL CINEOLIN, (ALLETHRIN) 67:14.  
 ALLYL CYCLOHEXYLPROPIONATE, 73:16.  
 1-ALLYL-2,4-DIMETHOXY-3,4-METHYLENE-  
 DIOXYBENZENE, (APIOL) 176:30.  
 ALLYLENE, 11:322.  
 ALLYL ETHER, (DALLYL ETHER) 546:90.  
 ALLYLGLYCERYL ETHER, 74:16.  
 ALLYLGLUCOSYL, (EUGENOL) 921:140.  
 ALLYLISOPROPYLACETYL CARBAMIDE, (SEDORMID)  
 1782:266.  
 ALLYLISOPROPYLACETYLUREA, (SEDORMID)  
 1782:266.  
 5-ALLYL-5-ISOPROPYLBARBITURIC ACID, (NUMAL)  
 1460:216.  
 1-ALLYL-3-METHOXY-4,5-METHYLENEDIOXIDE  
 BENZENE, (MYRISTICIN) 1408:208.  
 4-ALLYL-2-METHOXYPHENOL, (EUGENOL) 921:140.  
 4-ALLYL-1,4-METHYLENEDIOXYBENZENE,  
 (SAFROLE) 1749:262.  
 3-ALLYLOXY-1,2-PROPANDIOL, 75:16.  
 ALLYL THEOBROMINE, 76:16.  
 ALLYL THIOUREA, (THIOSINAMINE) 1975:298.  
 1-ALLYL-2-THIOUREA, (THIOSINAMINE) 1975:298.  
 ALPHANAPHTHOL, (α-NAPHTHOL) 1412:208.  
 ALPHAPRODINE HCl, (NISENITIL HCl) 1442:214.  
 ALUMINON, (AURIN TRICARBOXYLIC ACID) 197:34.  
 ALUMINUM CHLORIDE, 77:16.  
 ALUMINUM NITRATE, 78:16.  
 ALURATE, (NUMAL) 1460:216.  
 ALYPIN, 79:16.  
 AMABEVAN, (CARBARSONE) 364:58.  
 AMANITINE, (CHOLINE) 434:70.  
 AMBER ACID, (SUCCINIC ACID) 1892:286.  
 AMBOSIDE, 80:16.  
 AMEBAN, (CARBARSONE) 364:58.  
 AMETHOCAINE HCl, (PANTOCAINE) 1487:220.  
 AMICARDINE, (VISAMMIN) 2088:314.  
 AMIDON HCl (m-METHADONE HCl) 1244:186.  
 AMIDOPYRINE, (AMINOPYRINE) 118:20.  
 AMIDOSULFONIC ACID, (SULFAMIC ACID) 1900:38.  
 AMIDRINE, 81:16; also see 1276:190 (2-METHYL-6-  
 AMINOHEPTANE)  
 AMIDRYL, (BENADRYL) 220:34, 40.  
 AMINICOTIN, (NICOTINAMIDE) 1434:212.  
 p-AMINOACETOPHENONE, 82:16.  
 AMINOACRIDINE HCl, 83:16.  
 9-AMINOACRIDINE PENICILLIN, 84:16.  
 6-AMINO-2-AMINO BENZOTHAZOLE, 85:16.  
 2-AMINO-4-ARSENOPHENOL HCl, (MAPHARSEN)  
 1224:182.  
 o-AMINO BENZALDEHYDE, 86:16.  
 AMINO BENZENE, (ANILINE) 153:26; 15:324.  
 p-AMINO BENZENE SULFONACETAMIDE,  
 (SULFACETIMIDE) 1896:286.  
 p-AMINO BENZENE SULFONAMIDE,  
 (SULFANILAMIDE) 1901:288.  
 4-AMINO BENZENE SULFONAMIDE,  
 (SULFANILAMIDE) 1901:288.  
 2-AMINO BENZIMIDAZOLE, 87:16.  
 p-AMINO BENZOIC ACID, 88:16.  
 p-AMINO BENZOIC ACID, 2-DIETHYLAMINO-ethyl  
 ester of, (PROCAINE) 1652:244, 246.  
 2-AMINO BENZOTHAZOLE, 89:18.  
 2-AMINO BENZOXAZOLE, 90:18.  
 2-(p-AMINO BENZOXY)-1-n-AMYLAMINOETHANE HCl,  
 (STOVAIN) 1874:282.  
 3-(p-AMINO BENZOXY)-1-d-n-BUTYLAMINO-  
 PROPANE SULFATE, (BUTYN SULFATE) 342:54.  
 (3-p-AMINO BENZOXYPHENYL)TRIMETHYL-  
 AMMONIUM BROMIDE, 91:18.  
 p-AMINO BENZOYL DIETHYLAMINOETHANOL,  
 (PROCAINE) 1652:244, 246.  
 p-AMINO BENZOYL DIISOPROPYLAMINOETHANOL  
 HCl, (ISOCAINE) 1124:170.  
 p-AMINO BENZOYL DIMETHYLAMINO-1,2-DIMETHYL-  
 PROPANOL HCl, (TUTOCAINE HCl) 2050:308.  
 1-AMINO BENZOYL-2,2-DIMETHYL-3-DIETHYL-  
 AMINOPROPANOL HCl, (LAROCAINE) 1170:174.  
 AMINO BUTANE, (n-BUTYLAMINE) 320:52.

1-AMINO-9-n-BUTYL CARBAZOLE HCl, 92:18.  
 2-AMINO CARBAZOLE HCl, 93:18.  
 3-AMINO CARBAZOLE HCl, 94:18.  
 AMINO CYCLOHEXANE, (CYCLOHEXYLAMINE)  
 506:82.  
 AMINODIMETHYLAMINO TOLUAMINOZINE HCl,  
 (SALICILAMINE) 222:222.  
 AMINODIMETHYLBENZENE, (XYLIDINE) 2160:314.  
 AMINOETHANE, (ETHYLAMINE) 851:132.  
 2-AMINOETHANOL, 95:18.  
 2-AMINOETHOXYETHANOL, 96:18.  
 2-AMINO-3-ETHOXY-5,6,7,8-TETRAHYDRO-  
 CARBAZOLE HCl, 97:18.  
 p-AMINOETHYLBENZENE, (PHENYLETHYLAMINE)  
 1562:232.  
 o-(1-AMINOETHYL)BENZYL ALCOHOL,  
 (PROPADRINE) 1656:246.  
 1-AMINO-9-ETHYL CARBAZOLE HCl, 98:18.  
 AMINOETHYLETHANAMINE, 99:18.  
 p-AMINOETHYLGLYOXALINE, (HISTAMINE)  
 1038:158.  
 p-AMINOETHYLMIAZOLE, (HISTAMINE) 1038:158.  
 N-AMINOETHYLMORPHOLINE, 100:18.  
 1-AMINO-9-ETHYL-5,6,7,8-TETRAHYDRO-  
 CARBAZOLE HCl, 101:18.  
 3-AMINO-9-ETHYL-5,6,7,8-TETRAHYDRO-  
 CARBAZOLE HCl, 102:18.  
 AMINOFORMAMIDINE, (GUANIDINE) 989:152.  
 3-AMINO-5,6,7,8,12,13-HEXAHYDROCARBAZOLE  
 HCl, 103:18.  
 2-AMINOHYDROXYBENZENE, (o-AMINOPHENOL)  
 109:20.  
 4-AMINO-1-HYDROXYBENZENE, (p-AMINOPHENOL)  
 110:20.  
 3-AMINO-4-HYDROXYPHENYLARSINOXIDE HCl,  
 (MAPHARSEN) 1224:182.  
 3-AMINO-4-HYDROXYPHENYLDICHLORARSINE HCl,  
 (CHLOROARSEN) 404:66.  
 AMINOMETHANAMIDINE, (GUANIDINE) 989:152.  
 AMINOMETHANE, (METHYLAMINE) 1268:190.  
 3-AMINO-9-METHYL CARBAZOLE HCl, 104:18.  
 2-AMINO-6-METHYLHEPTANE, 105:18.  
 2-AMINO-4-METHYLHEXANE, (4-METHYL-2-  
 HEXYLAMINE) 1328:196.  
 m-2-AMINO-1-(p-METHYLPHENYL)PROPANE,  
 106:18.  
 3-(4-AMINO-2-METHYLPYRIMIDYL-5-METHYL)-4-  
 METHYL-5-β-HYDROXYETHYLTHIAZOLIUM-  
 CHLORIDE HYDROCHLORIDE, (THIAMINE HCl)  
 1964:296.  
 2-AMINO-9-METHYL-5,6,7,8-TETRAHYDRO-  
 CARBAZOLE HCl, 107:20.  
 3-AMINO-9-METHYL-5,6,7,8-TETRAHYDRO-  
 CARBAZOLE HCl, 108:20.  
 1-AMINONAPHTHALENE, (α-NAPHTHYLAMINE)  
 1414:208.  
 AMINOPHEN, (ANILINE) 153:26; 15:324.  
 o-AMINOPHENOL, 109:20.  
 p-AMINOPHENOL, 110:20.  
 1-AMINO-2-PHENYLETHANE, (PHENYLETHYL-  
 AMINE) 1562:232.  
 m-(4-AMINOPHENYL)-p-METHYLAMINOPROPANE,  
 111:20.  
 4-(4-AMINOPHENYL)SULFONAMIDOPHENYL-  
 SULFONDIMETHYLAMIDE, (ULIBON) 2054:310.  
 AMINOPHYLLINE, 112:20.  
 2-AMINOPROPANE, (ISOPROPYLAMINE) 1141:172;  
 154:340.  
 1-AMINO-2-PROPANOL, 113:20.  
 p-AMINOPROPIONONE, 114:20.  
 3-AMINO-9-PROPYL CARBAZOLE HCl, 115:20.  
 4-AMINOPROPYLMORPHOLINE, 116:20.  
 o-AMINOPURINE, (ADENINE) 59:14.  
 p-AMINOPYRIDINE, 117:20.  
 AMINOPYRROL, 118:20.  
 2-AMINOQUINOLIDINOLPHENYLACETATE HCl,  
 119:20.  
 2-AMINOSALICYLIC ACID, 120:20.  
 1-AMINO-5,6,7,8-TETRAHYDROCARBAZOLE HCl,  
 121:22.  
 2-AMINO-5,6,7,8-TETRAHYDROCARBAZOLE HCl,  
 122:22.  
 3-AMINO-5,6,7,8-TETRAHYDROCARBAZOLE HCl,  
 123:22.  
 AMINOTHIAZOLE, 124:22.  
 AMMIVIN, (VISAMIN) 2088:314.  
 AMMONIA, 125:22; 12:322.  
 AMMONIUM ACETATE, 126:22.  
 AMMONIUM CHLORIDE, 127:22.  
 AMMONIUM CHLOROHEPTACARBONATE,  
 (AMMONIUM HEPTACHLOROCARBONATE) 130:22.  
 AMMONIUM DICROMATE, 128:22.  
 AMMONIUM FLUORIDE, 129:22.  
 AMMONIUM HEPTACHLOROCARBONATE, 130:22.  
 AMMONIUM HYDROXIDE, (AMMONIA) 125:22; 12:322.  
 AMMONIUM MANDELATE, 131:22.  
 AMMONIUM MOLYBDATE, 132:22.  
 AMMONIUM PERSULFATE, 133:22.  
 AMMONIUM SALICYLATE, 134:22.  
 AMMONIUM SILICOFLUORIDE, 135:22.  
 AMMONIUM SULFAMATE, 136:22.  
 AMOBARBITAL, (AMYTAL) 144:24, 26.  
 AMPHEDROKYN, (METHEDRINE) 1248:188.  
 AMPHETAMINE, (METHEDRINE) 224:60.  
 AMPHETAMINE SULFATE, (METHEDRINE SULFATE)  
 225:60.  
 AMYDRICACINE, (ALTYP) 79:16.  
 AMYGDALIC ACID, (MANDelic ACID) 1219:182.  
 AMYGDALIC ACID, (MANDelic ACID) 1219:182.  
 AMYL ALCOHOL, 137:24.  
 AMYL ALCOHOL, (SOL.) 138:24.  
 AMYLAMINOETHYL-p-AMINO BENZOATE HCl,  
 (STOVALINE) 1874:282.  
 2-n-AMYLENETHYLCARBAZOLE, 139:24.  
 N,N-AMYLENETHYLCYCLOHEXYLAMINE, 140:24.  
 AMYLCAINE HCl, (STOVALINE) 1874:282.  
 AMYLCARENOL, (1-HEXANOL) 1023:156.  
 AMYLENE, 13:324.  
 AMYLENE HYDRATE, (AMYL ALCOHOL (tertiary))  
 (AVENTIN FLUID) 138:24; 201:34.  
 AMYL-2-FURYL CARBAMATE (SOL.), 141:24.  
 AMYLOCAINE, (STOVALINE) 1874:282.  
 AMYLOXASPIRINE (SOL.), 142:24.  
 2-AMYLPHENOXYETHYLENEETHYL-p-CHLORO-  
 ETHYLAMINE, 143:24.  
 2-AMYLPHENOXYETHYLENEETHYL-p-CHLORO-  
 ETHYLAMINE, 144:24.  
 AMYLENE HCl, (STOVALINE) 1874:282.  
 AMYLTRICHLOROSILANE, 145:24.  
 n-AMYLTRIMETHYLANMONIUM IODIDE, 145:24.  
 AMYTAL, 144:24, 26.  
 AN-148, (m-METHADONE HCl) 1244:184.  
 ANABARBITAL, 147:24.  
 ANACONIN, (VITAMIN B<sub>2</sub>) 2090:314.  
 ANABST, (NEOSTRAPHINE HCl) 1422:210.  
 ANALGESINE, (ANTIPYRINE) 173:28.  
 ANAYODINE, (CHEROPON) 199:64.  
 ANCISTRODON CLOANNOPFI, (SNAKE VENOM)  
 1790:268.  
 ANCISTRODON HALYI, (SNAKE VENOM) 1790:268.  
 ANCISTRODON MOKASEN, (SNAKE VENOM) 1790:268.  
 ANCISTRODON ESCIVORUS, (SNAKE VENOM) 1790:268.

$\Delta^4$ -ANDROSTEN-17 $\alpha$ -ol-3-one (TESTOSTERONE) 197:289.  
 ANEMONIN, 148:26.  
 ANETHAINE, (PANTOCAINE) 1467:220.  
 ANEURINE HCl, (THIAMINE HCl) 1966:296.  
 $\alpha$ -ANGELICA LACTONE, 149:26.  
 $\beta$ -ANGELICA LACTONE, 150:26.  
 ANHALINE SULFATE, (HÖRDERINE SULFATE) 1940:158.  
 16-ANHYDRODIGITALINUM VERUM MONOACETATE, 151:26.  
 ANHYDROGITALIN, (GITOXIN) 975:150.  
 5-ANHYDROPERIPLOGENONE, 152:26.  
 ANHYDROUS HYDRAZINE, (HYDRAZINE) 1045:160; 143:338.  
 ANILINE, 153:26; 15:324.  
 ANILINE GREEN, (MALACHITE GREEN) 1214:182.  
 ANILINE OIL, (ANILINE) 153:26; 15:324.  
 p-ANILINESULFONAMIDE, (SULFANILAMIDE) 1901:288.  
 ANILINOETHANOL, 154:26.  
 2-ANILINOETHANOL, 155:26.  
 ANISE ALCOHOL, (p-METHOXYBENZYL ALCOHOL) 1252:188.  
 ANISOLE, 156:26.  
 ANISYL ALCOHOL, (p-METHOXYBENZYL ALCOHOL) 1252:188.  
 ANISYLIDENE-STROPHANTHIDIN, 157:26.  
 ANTABUSE, 158:26.  
 ANTALLERGAN HCl, (NEOANTERGAN HCl) 1518:210.  
 ANTAZOLIDINE, (ANTISTINE) 174:30.  
 ANTERGAN, 159:26.  
 ANTHISAN HCl, (NEOANTERGAN HCl) 1418:210.  
 ANTIARIN, 160:28.  
 ANTIBASON, (METHYLTHIOURACIL) 1378:202.  
 ANTIBIOTIC from STREPTOMYCES GRISEUS, (ACTIDIONE) 57:12.  
 ANTICHLOR, (SODIUM THIOSULFATE) 1859:286.  
 ANTICOAGULANT 43, (4-HYDROXYCOUMARIN) 1060:162.  
 ANTIFEBRIN, (ACETANILIDE) 16:6.  
 ANTIHEMORRHAGIC VITAMIN, (VITAMIN K) 2092:314.  
 ANTIMONY, 161:28.  
 ANTIMONY PENTASULFIDE, 162:28.  
 ANTIMONY PENTOXIDE, 163:28.  
 ANTIMONY POTASSIUM TARTRATE, 164:28.  
 o-ANTIMONY POTASSIUM TARTRATE, 165:28.  
 m-ANTIMONY POTASSIUM TARTRATE, 166:28.  
 l-ANTIMONY POTASSIUM TARTRATE, 167:28.  
 meso-ANTIMONY POTASSIUM TARTRATE, 168:28.  
 ANTIMONY SODIUM TARTRATE, 169:28.  
 ANTIMONY TRIOXIDE, 170:28.  
 ANTIMONY TRISULFIDE, 171:28.  
 ANTIMOSAN, 172:28.  
 ANTINONNIN, (4,6-DINITRO-o-CRESOL) 757:116.  
 ANTINOSIN, (MEDIKON) 1107:168.  
 ANTIPELLAGRA VITAMIN, (NICOTINIC ACID) 1441:214.  
 ANTIPERNICIOUS ANEMIA PRINCIPLE, (VITAMIN B<sub>12</sub>) 2090:314.  
 ANTIPYRINE, 173:30.  
 ANTISTINE, 174:30.  
 ANTODYNE, (o-PHENYLGLYCERYL ETHER) 1572:232.  
 ANTRYPOL, (GERMANIN) 948:148.  
 ANTS, artificial oil of (FURFURAL) 958:144.  
 ANTU, 175:30.  
 APIOL, 176:30.  
 APOATROPINE, 177:30.  
 APOATROPINE METHYL BROMIDE, 178:30.  
 APOMORPHINE, 179:30.  
 APOTHESES, 180:30.  
 APROMBARBITAL, (NURSAL) 1460:216.  
 AQUAKAY, (MENADIONE) 1228:184.  
 AQUINONE, (MENADIONE) 1278:184.  
 ARABINOSE, 181:30.  
 ARAMINE, 182:30.  
 ARAMITE, 183:30.  
 ARASAN, 184:30.  
 ARECOLINE, 185:30.  
 ARIBINE, (HAR) 992:152.  
 ARRHENAL, (METHYLARSINIC ACID DISODIUM) 1397:204.  
 ARSACETIN, 186:30.  
 ARSAMIN, (ATOXYL) 193:32.  
 ARSENIC CHLORIDE, (ARSENIC TRICHLORIDE) 16:324.  
 ARSENIC PENTOXIDE, 187:30.  
 ARSENIC TRICHLORIDE, 16:324.  
 ARSENIC TRIHYDRIDE, (ARSINE) 189:32; 17:324.  
 ARSENIC TRIOXIDE, 188:32.  
 ARSENURETED HYDROGEN, (ARSINE) 189:32; 17:324.  
 ARSENO 39, (MAPHARSEN) 1224:182.  
 ARSENOBENZENE, (ARSPHENAMINE) 190:32.  
 ARSENOBENZOL, (ARSPHENAMINE) 190:32.  
 ARSENOGAN, (MAPHARSEN) 1224:182.  
 ARSENOUS CHLORIDE, (ARSENIC TRICHLORIDE) 16:324.  
 ARSENOUS OXIDE, (ARSENIC TRIOXIDE) 188:32.  
 ARSINE, 189:32; 17:324.  
 ARSINOXIDE HCl, (MAPHARSEN) 1224:182.  
 ARSPHENAMINE, 190:32.  
 ARSPHENDIAMINE HCl, (ARSPHENAMINE) 190:32.  
 ARSYLEN, (ALLYLARSINIC ACID) 71:16.  
 ASCPTCHROME, (MERCUROCHROME) 1235:184.  
 ASP-47, 191:32.  
 ASPIRIN, (ACETYSALICYLIC ACID) 43:10.  
 ATABRINE, 192:32.  
 ATEBRIN, (ATABRINE) 192:32.  
 ATOXYL, 193:32.  
 ATROPINE, 194:32, 34.  
 ATROPINE METHYLNITRATE, (EUMEDRINE) 922:140.  
 AUREOMYCIN, 195:34.  
 AURIC CHLORIDE, 196:34.  
 AURIN TRICARBOXYLIC ACID, 197:34.  
 AUROCIDIN, (SANOCHRYSINE) 1765:264.  
 AUROCIDINE, (SANOCHRYSINE) 1765:264.  
 AUROLIN, (SANOCHRYSINE) 1765:264.  
 AUROPIN, (SANOCHRYSINE) 1765:264.  
 AUROSAN, (SANOCHRYSINE) 1765:264.  
 AUROUS CHLORIDE, (SODIUM) 198:34.  
 AVACAN, 199:34.  
 AVERTIN, 200:34.  
 AVERTIN FLUID, 201:34.  
 AZABICYCLONONANOL DIPHENYLACETATE HCl, 202:34.  
 AZABICYCLOOCTANOL DIPHENYLACETATE HCl, 203:34.  
 AZABICYCLOOCTANOL-9-FLUORENECARBOXYLATE HCl, 204:34.  
 AZABICYCLOOCTANOL METHYL BROMIDE DIPHENYLACETATE 205:36.  
 AZOLE, (PYRROLE) 1700:254.  
 AZOKYBENZENE, 206:36.  
 AZOKYBENZIDE, (AZOKYBENZENE) 206:36.  
 BACITRACIN, 207:36.  
 BACITRACIN A, 208:36.  
 BACITRACIN B, 209:36.

BACITRACIN C, 210:36.  
BAL, 211:36.  
BANISTERINE, (HARMINE) 993:152, 154.  
BANCLODE, (HETRAZAN) 1015:156.  
BANTHINE BROMIDE, 212:36.  
BANTHINE CHLORIDE, 213:36.  
BAPTITOXINE NITRATE, (CYTISINE NITRATE)  
520:84.  
BARBENYL, (LUMINAL) 1204:180.  
BARBIPHENYL, (LUMINAL) 1204:180.  
BARBITAL, 214:36.  
BARIUM ACETATE, 215:38.  
BARIUM CARBONATE, 216:38.  
BARIUM CHLORIDE, 217:38.  
BARIUM FLUORIDE, 218:38.  
BARIUM SILICOFLUORIDE, 219:38.  
BASIC MAGENTA, (FUCHSINE (BASIC)) 954:146.  
BAYER 205, (GERMANIN) 968:148.  
BDH 312, (MYANESIN) 1407:208.  
BEHPAN, (VITAMIN B<sub>12</sub>) 2090:314.  
BENADRYL, 220:38, 40.  
BENECARDIN, (VISAMMIN) 2088:314.  
BENEMID, 221:40.  
BENTYL HCl, 222:40.  
BENZALDEHYDE, 223:40.  
BENZALDEHYDE CYANHYDRIN,  
(MANDELONITRILE) 1220:182.  
BENZALDEHYDE GREEN, (MALACHITE GREEN)  
1214:182.  
BENZALKONIUM CHLORIDE, (ZEPHIRAN  
CHLORIDE) 2107:316.  
BENZAMINE BLUE, (TRYPAN BLUE) 2046:308.  
1-BENZAZINE, (QUINOLINE) 1720:258.  
BENZEDRINE, 224:40.  
BENZEDRINE SULFATE, 225:40.  
BENZENE, 226:42; 18:324.  
BENZENEDICARBOXYLIC ACID, (o-PHTHALIC  
ACID) 1597:236.  
BENZENE HEXACHLORIDE (α), 227:42.  
BENZENE HEXACHLORIDE (β), 228:42.  
BENZENE HEXACHLORIDE (γ), 229:42.  
BENZENE HEXACHLORIDE (δ), 230:42.  
BENZETHONIUM CHLORIDE, (HYAMINE 1622)  
1041:160.  
2-(BENZHYDROXY)-N,N-DIMETHYLETHYL-  
AMINE HCl, (BENADRYL) 220:38, 40.  
BENZIDINE, 231:42.  
BENZILYLOXYETHYLDIETHYLMETHYLAMMONIUM  
CHLORIDE, 232:42.  
BENZILYLOXYETHYLDIETHYLETYLAMMONIUM  
CHLORIDE, 233:42.  
BENZILYLOXYETHYLDIMETHYLISOPROPYL-  
AMMONIUM CHLORIDE, 234:42.  
BENZILYLOXYETHYLTRIETHYLAMMONIUM  
BROMIDE, 235:42.  
BENZILYLOXYPROPYLDIETHYLMETHYL-  
AMMONIUM CHLORIDE, 236:42.  
BENZILYLOXYPROPYLDIETHYLETYLMETHYL-  
AMMONIUM CHLORIDE, 237:42.  
4-BENZILYLOXY-1,2,2,6-TETRAMETHYLPIPER-  
IDINE METHOCHLORIDE (α), 238:42.  
4-BENZILYLOXY-1,2,2,6-TETRAMETHYLPIPER-  
IDINE METHOCHLORIDE (β), 239:44.  
BENZIMIDAZOLE, 240:44.  
BENZINE (EUROPEAN), (GASOLINE) 133:316.  
BENZINOPORM, (CARBON TETRACHLORIDE)  
371:60; 38:328.  
BENZO BLUE, (TRYPAN BLUE) 2046:308.  
BENZOIC ACID, (SODIUM SALT) 241:44.  
BENZOIC ACID BENZYL ESTER, (BENZYL  
BENZOATE) 258:44, 46.

BENZOIC ACID BUTYL ESTER, 242:44.  
BENZOIC ACID ETHYL ESTER, 243:44.  
BENZOIC ACID METHYL ESTER, 244:44.  
BENZOIC ACID VINYL ESTER, 245:44.  
BENZOIC ALDEHYDE, (BENZALDEHYDE) 223:40.  
BENZOL, (BENZENE) 226:42; 18:324.  
BENZONITRILE, 246:44.  
BENZO[b]PYRIDINE, (QUINOLINE) 1720:258.  
2,3-BENZOPYRROLE, (INDOLE) 1104:168.  
1,1-BENZOQUINONE, (QUINONE) 1721:258.  
BENZOTHAZOLE, 247:44.  
BENZOTRIAZOLE, 248:44.  
BENZOTRICHLORIDE, 249:44.  
BENZOXAZOLE, 250:44.  
3-BENZOXY-6-DIMETHYLAMINO-4,4-DIPHENYL-  
HEPTANE, 251:44.  
3-BENZOXY-6-DIMETHYLAMINO-4,4-DIPHENYL-5-  
METHYLHEXANE, 252:44.  
2-BENZOXY-2-DIMETHYLAMINOETHYL-1-  
DIMETHYLAMINOBUTANE, (ALYPIN) 79:16.  
(3-BENZOXYPHENYL)METHYLDIETHYLAMMONIUM  
BROMIDE, 253:44.  
(2-BENZOXYPHENYL)TRIMETHYLAMMONIUM  
BROMIDE, 254:44.  
(4-BENZOXYPHENYL)TRIMETHYLAMMONIUM  
BROMIDE, 255:44.  
BENZOYLETHYLDIETHYLAMINOISOPROPANOL,  
(STOVAINE) 1874:282.  
BENZOYLPSUDOTROPEINE, (TROPACOCAINE)  
2045:308.  
BENZYL ALCOHOL, 256:44; 19:324.  
2-(N-BENZYLAMINOMETHYL)IMIDAZOLINE,  
(ANTISTINE) 174:30.  
BENZYL BENZAZEPINE, 257:44.  
BENZYL BENZENECARBOXYLATE, (BENZYL  
BENZOATE) 258:44, 46.  
N-BENZYL-β-CHLOROPROPINAMIDE, (HIBICON)  
1034:158.  
2-[BENZYL(2-DIMETHYLAMINOETHYL)AMINO]-  
PYRIDINE, (PYRIBENZAMINE) 1691:252.  
2-[BENZYL(2-DIMETHYLAMINOETHYL)AMINO]-  
PYRIMIDINE, (HETRAMINE) 1014:156.  
N-BENZYL-N',N'-DIMETHYL-N-PHENYLETHYLENE  
DIAMINE HCl, (ANTEGAN) 159:25.  
BENZYLDIMETHYL(2-[2-(p-1,1,3,3-TETRAMETHYL-  
BUTYLPHENOXY)ETHOXY]ETHYL)AMMONIUM  
CHLORIDE, (HYAMINE 1622) 1041:160.  
2-BENZYL-4-HYDROXYMETHYL-1,3-DIOXOLANE,  
259:46.  
BENZYL NITRILE, 260:46.  
p-(BENZYL SULFONAMIDO)BENZOIC ACID,  
(CARONAMIDE) 373:60.  
BENZYL TRIMETHYLAMMONIUM HYDROXIDE,  
261:46.  
BEPNOCHINE, (PLASMOQUINE) 1619:238, 240.  
BERUBIGEN, (VITAMIN B<sub>12</sub>) 2090:314.  
BERYLLIUM CARBONATE, 262:46.  
BERYLLIUM CHLORIDE, 263:46.  
BERYLLIUM NITRATE, 264:46.  
BERYLLIUM OXYFLUORIDE, 265:46.  
BERYLLIUM SULFATE, 266:46.  
BETABON HCl, (THIAMINE HCl) 1946:296.  
BETACAINE, (β-EUCALINE) 918:138.  
BETAUCALINE, (β-EUCALINE) 918:138.  
BETALIN 12, (VITAMIN B<sub>12</sub>) 2090:314.  
BETANAPHTHOL, (β-NAPHTHOL) 1413:208.  
BETULA OIL, (METHYL SALICYLATE) 1375:202.  
BEVIDOX, (VITAMIN B<sub>12</sub>) 2090:314.  
BPP, (BIS-(DIMETHYLAMINO)FLUOROPHOSPHATE)  
281:68.

BICYCLO[4.4.0]DECANE, (DECAHYDRO-NAPHTHALENE) 524:86; 57:330.  
 BIETHYLENE, (1,3-BUTADIENE) 23:324.  
 BIFORMYL, (GLYOXAL) 984:152.  
 BIGITALIN, (GITOKIN) 975:150.  
 BILINEURINE, (CHOLINE) 434:70.  
 BIOGRES, (VITAMIN B<sub>12</sub>) 2090:314.  
 BIPHENYL, 267:46.  
 BIS (4-ACETAMIDOPHENYL)SULFONE, (BONOLONE) 1741:260.  
 BIS-2-(BENZOTHAZOLYLTHIOMETHYL)UREA, (EL-60) 811:122.  
 BIS(BISDIMETHYLAMINOPHOSPHONOUS)-ANHYDRIDE, (OMPA) 1476:218.  
 BIS-(3-CARBOMETHOXY-4-HYDROXYPHENYL)-β-TRICHLOROETHANE, 268:46.  
 BIS-(β-CHLOROETHYL)AMINE, 269:46.  
 BIS-(β-CHLOROETHYL)CHLOROAMINE, 270:46.  
 N,N'-BIS(2-CHLOROETHYL)-N-2-(CHLOROETHYL)AMINOETHYL-ETHYLENEDIAMINE HCl, 271:46.  
 N,N'-BIS(2-CHLOROETHYL)-N,N'-DIETHYL-ETHYLENEDIAMINE 2 HCl, 272:46.  
 BIS (β-CHLOROETHYL)FORMAMIDE, 273:46.  
 BIS-(2-CHLOROETHYL)METHYLAMINE HCl, 274:46.  
 BIS (β-CHLOROETHYL)MORPHOLINUM CHLORIDE, 275:46.  
 BIS-(β-CHLOROETHYL)NITROAMINE, 276:46.  
 N,N'-BIS(2-CHLOROETHYL)-1,4-PIPERAZINE HCl, 277:46.  
 BIS (β-CHLOROETHYL)SULFIDE, (MUSTARD GAS) 1404:206, 208; 186:344.  
 BIS (2-CHLOROETHYL)SULFIDE, (MUSTARD GAS) 1404:206, 208; 186:344.  
 BIS (β-CHLOROETHOXY)METHANE, 278:46; 29:324.  
 o-o'-BIS(p-CHLOROPHENYL)-o,β,β'-TRICHLOROETHANE, (DDT) 523:86.  
 2,2-BIS(p-CHLOROPHENYL)-1,1,1-TRICHLOROETHANE, (DDT) 523:86.  
 2,6-BIS(DIETHYLAMINOETHOXY)BENZOPHENONE DIETHOXIDE, 279:46.  
 2,5-BIS(3-DIETHYLAMINOPROPYLAMINO)-BENZOQUINONE-BIS-BENZYLCHLORIDE, 280:46.  
 BIS(DIETHYLTHIOCARBAMYL)DISULFIDE, (ANTABUSE) 158:26.  
 BIS(DIMETHYLAMIDO)FLUOROPHOSPHATE, 281:48.  
 BIS(DIMETHYLTHIOCARBAMYL)DISULFIDE, (ARASAN) 184:30.  
 N<sup>1</sup>,N<sup>2</sup>-BIS(p-ETHOXYPHENYL)ACETAMIDINE HCl, (PRENACAINE HCl) 1528:228.  
 2,2-BIS(ETHYLSULFONYL)PROPANE, (SULFONAL) 1987:280.  
 2,6-BIS(ETHYLAMINO)-4-AMINO-8-TRIAPINE, 282:48.  
 1,6-BIS(3,3-ETHYLENEIMIDOUREIDO)-n-HEXANE, 283:48.  
 2,3-BIS(3,3-ETHYLENEIMIDOUREIDO)TOLUENE, 284:48.  
 1,15-BIS(9-FLUORENYL)DIETHYLAMMONIUM-DECANE BROMIDE, 285:48.  
 1,6-BIS(9-FLUORENYL)DIETHYLAMMONIUM-HEXANE BROMIDE, 286:48.  
 1,6-BIS(9-FLUORENYL)DIETHYLAMMONIUM-HEXANE BROMIDE, 287:48.  
 BISHYDROXYCOUMARIN, (DECUMAROL) 595:96.  
 2,3-BIS(3-(2-HYDROXYETHYL)UREIDO)TOLUENE, 288:48.  
 3,6-BIS(p-HYDROXYPHENYL)-3-HEXENE, (DIETHYLSTILBESTROL) 834:102.  
 2,3-BIS(p-HYDROXYPHENYL)PROPIONITRILE, 289:48.  
 2,3-BIS(p-HYDROXYPHENYL)VALERONITRILE, 290:48.  
 BISMARSEN, 291:48.  
 2,2-BIS-(p-METHOXYPHENYL)-1,1,1-TRICHLOROETHANE, (METHOXYCHLOR) 1253:188.  
 BISMUTH ARSPHENAMINE SULFONATE, (BISMARSEN) 291:48.  
 BIS-3,3'-(4-OXYCOUMARINYL)ETHYLACETATE, (THROMBAXAN) 2044:084.  
 2,7-BIS(TRICHLOROMETHYL)-4-METHYL-1,3,6-TRIOXEPANE, 292:48.  
 BITEVAN, (VITAMIN B<sub>12</sub>) 2090:314.  
 β-BITTERACID, (LUPULON) 1207:180.  
 BITTER SALT, (MAGNESIUM SULFATE) 1213:180, 182.  
 BIVINYL, (1,3-BUTADIENE) 23:324.  
 BL-5, (4-HYDROXYCOUMARIN) 1060:162.  
 BLACK MANGANESE OXIDE, (MANGANESE DIOXIDE) 1222:182.  
 BLADAN BASE, (HETP) 1013:156.  
 BONOFORM, (sym.-TETRACHLOROETHANE) 1929:290; 219:350.  
 BORACIC ACID, (BORIC ACID) 293:48.  
 BORIC ACID, 293:48.  
 BORNEOL, 294:48.  
 BORNYL ALCOHOL, (BORNEOL) 294:48.  
 BOROETHANE, (DIBORANE) 64:330.  
 BOTHROPS ALTOMATA, (SNAKE VENOM) 1790:268.  
 BOTHROPS ATROX, (SNAKE VENOM) 1790:268.  
 BOTHROPS COMARA, (SNAKE VENOM) 1790:268.  
 BOTHROPS INSULARIS, (SNAKE VENOM) 1790:268.  
 BOTHROPS ITAFATINGAE, (SNAKE VENOM) 1790:268.  
 BOTHROPS JARARACA, (SNAKE VENOM) 1790:268.  
 BOTHROPS JARARACASU I, (SNAKE VENOM) 1790:268.  
 BOTHROPS JARARACASU II, (SNAKE VENOM) 1790:268.  
 BOTHROPS NEUWIEDI, (SNAKE VENOM) 1790:268.  
 BOURBANAL, (ETHYL VANILLIN) 917:130.  
 BOVOGENIN E, 295:50.  
 BOVOGENIN D, 295:50.  
 BRILLIANT GREEN, 297:50.  
 BRITISH ANTI-LEWISITE, (BAL) 211:36.  
 BROMIC ETHER, (ETHYL BROMIDE) 111:334.  
 BROMINE, 21:324.  
 BROMISOVAL, (BROMURAL) 303:50.  
 BROMISOVALUM, (BROMURAL) 303:50.  
 5-(2-BROMOALLYL)-5-BROMOPYLMARITURIC ACID, (MOCTAL) 1455:216.  
 5-(2-BROMOALLYL)-5-(BUTYL-2)BARTURIC ACID, (PERBOSTON) 1518:226.  
 BROMODIETHYLACETYL UREA, (ADALIN) 58:14.  
 BROMOBORONIC, (BOREN (YS, yellowish)) 846:174.  
 BROMOETHANE, (ETHYL BROMIDE) 111:334.  
 (α-BROMO-α-ETHYLBUTYRYL) UREA, (ADALIN) 58:14.  
 BROMOFLUOROBORIC ACID, (BOREN (YS, yellowish)) 846:174.  
 BROMOFORM, 298:50; 22:324.  
 (2-BROMOSUBSTITUTED)UREA, (PROBURAL) 303:50.  
 BROMOL, (2,4,6-TRIBROMOPHENOL) 1946:302.  
 BROMOMETHANE, (METHYL BROMIDE) 111:334, 344.  
 α-BROMOPHENOL, 299:50.  
 p-BROMOPHENYL, PHENYL-METHYLETHER of p-DIMETHYLAMINO ETHANOL, 300:50.  
 p-BROMOPHENYL, PHENYL-METHYLETHER of PYRROLIDINO ETHANOL, 301:50.  
 BROMOTRICHLOROETHYL MALONATE, 302:50.  
 BROMURAL, 303:50.  
 BRUCIDE, 304:50.

BUFAGENINE, 305:50.  
BUFOTOXIN, 306:50.  
BULAN, 307:50.  
BULBOCAPNINE, 308:50.  
BURSINE, (CHOLINE) 444:70.  
BUTACAINE SULFATE, (BUTYN SULFATE) 343:54.  
α-γ-BUTADIENE, (1,3-BUTADIENE) 23:324.  
1,3-BUTADIENE, 23:324.  
BUTADIENE MONOXIDE, 24:324.  
BUTALGIN, (DL-METHADONE HCl) 1244:186.  
BUTALLYLONAL, (PERNOSTON) 1518:226.  
BUTANAL, (BUTYRALDEHYDE) 344:54; 32:326.  
1,3-BUTANEDIAMINE, 309:50.  
BUTANEDIOIC ACID, (SUCCINIC ACID) 1892:286.  
BUTANEDIOL, 310:50.  
1,2,3,4-BUTANETETROL, (ERYTHRIT) 827:128.  
1,2,4-BUTANETRIOL, 311:50.  
1-BUTANOL, (n-BUTYL ALCOHOL) 317:52.  
2-BUTANOL, (BUTYL ALCOHOL (secondary)) 318:52.  
BUTANONE, 25:324.  
1-BUTANONE, (BUTANONE) 25:324.  
BUTAZOLIDINE, (PHENYLBUTAZONE) 547:230.  
trans.-2-BUTENAL, (CROTONALDEHYDE) 483:80;  
47:328.  
BUTENE-2, 26:324.  
1-BUTENE, (BUTYLENE) 29:324.  
trans.-2-BUTENOIC ACID, (CROTONIC ACID)  
485:80.  
BUTETHAL, (NEONAL) 1424:210.  
BUTETHANOL, (PANTOCAINE) 1487:220.  
BUTOBARETAL, (NEONAL) 1424:210.  
BUTOPYRONEXYL, (INDALONE) 1101:166.  
2-BUTOXY-N-(2-DIETHYLAMINOETHYL)-  
CINCHONINAMIDE, (NUPERCAINE) 1461:216.  
2-BUTOXYETHANOL, 312:50.  
2(2-BUTOXYETHOXY)ETHANOL, 313:50.  
2(2-BUTOXYETHOXY)ETHANOL ACETATE, 314:52.  
β-BUTOXY-β-THIOCYANODIETHYLETHYL  
(LETHANE 384) 1196:178.  
BUTTER OF ARSENIC, (ARSENIC TRICHLORIDE)  
16:324.  
BUTTER OF ZINC, (ZINC CHLORIDE) 2189:316.  
BUTYL ACETATE, 315:52; 27:324.  
BUTYL ACRYLATE, 316:52; 28:324.  
n-BUTYL ALCOHOL, 317:52.  
n-prim.-BUTYL ALCOHOL, (n-BUTYL ALCOHOL)  
317:52.  
BUTYL ALCOHOL (secondary) 318:52.  
BUTYL ALCOHOL (tertiary) 319:52.  
BUTYL ALDEHYDE, (BUTYRALDEHYDE) 344:54;  
32:326.  
n-BUTYLAMINE, 320:52.  
BUTYLAMINOALCOHOL, 321:52.  
p-BUTYLAMINOBENZOYLDMETHYLAMINO HCl  
(PANTOCAINE) 1487:220.  
n-BUTYLAMINE, 322:52.  
BUTYLENZAEPINE, 323:52.  
2-BUTYL-β-BROMALLYL BARETURIC ACID,  
(PERNOSTON) 1518:226.  
BUTYLCAREBITOL, 324:52.  
n-BUTYLCAREBITOL THIOCYANATE, 325:52.  
BUTYLCAREBITYL-4-PROPYLPERONYL ETHER,  
(PIPERONYL BUTOXIDE) 1615:238.  
BUTYL CELLOSOLVE, (ETHYLENE GLYCOL  
MONOBUTYLETHYL) 888:136; 118:336.  
BUTYL-3,4-DIHYDRO-2,7-DIMETHYL-4-OXO-1,2H-  
PYRAN-6-CARBOXYLATE, (INDALONE) 1101:166.  
2-BUTYLDIOXASPIRANE, 326:52.  
BUTYLENE, 29:324.  
α-BUTYLENE, (BUTYLENE) 29:324.  
β-BUTYLENE, (BUTENE-2) 26:324.

BUTYLENEGLYCOL, 327:52.  
1,3-BUTYLENE GLYCOL, 328:52.  
1,4-BUTYLENE GLYCOL, 329:52.  
2,3-BUTYLENE GLYCOL, 330:52.  
BUTYLENE HYDRATE, (BUTYL ALCOHOL  
(secondary)) 318:52.  
n-BUTYLEPINEPHRINE, 331:52.  
BUTYL ETHER, 332:52; 30:326.  
3-BUTYL-5-ETHYLBARETURIC ACID, (NEONAL)  
1424:210.  
n-BUTYL-α-MALATE, 333:54.  
BUTYL MESITYL OXIDE, (INDALONE) 1101:166.  
n-BUTYLMETHACRYLATE, 334:54.  
tert.-BUTYL METHYL KETONE, (PINACOLIN)  
1610:238.  
n-BUTYL PHTHALATE, (DIBUTYL PHTHALATE)  
368:92.  
N-sec.-BUTYLPHTHALIMIDE, 335:54.  
BUTYL STEARATE, 336:54.  
BUTYL-K-STROPHANTHIDIN (iso-), 337:54.  
n-BUTYL-K-STROPHANTHIDIN, 338:54.  
N-BUTYL-1,2,3,4-TETRAHYDRONAPHTHYLAMIDE,  
339:54.  
n-BUTYL THIOCYANATE, 340:54.  
p-tert.-BUTYLTOLUENE, 341:54; 31:326.  
n-BUTYLTRIMETHYLLAMMONIUM IODIDE, 342:54.  
BUTYN SULFATE, 343:54.  
BUTYRALDEHYDE, 344:54; 32:326.  
BUTYRIC ACID, 345:54.  
BUTYRIC or normal primary BUTYL ALCOHOL,  
(n-BUTYL ALCOHOL) 317:52.  
BUTYRIC ANHYDRIDE, 346:54.  
BUTYRONITRILE, 347:54.  
BUTYRYL OXIDE, (BUTYRIC ANHYDRIDE) 346:54.  
  
CACODYLIC ACID, 348:54.  
CADMIUM CHLORIDE, 349:54.  
CADMIUM OXIDE, 33:326.  
CADMIUM SULFATE, 350:56.  
CAFFEARINE, (TRICORWELLONE) 2025:304.  
CAFFEINE, 351:56.  
CALAMINOPOLYLMETHYLPYRIDINIUM CHLORIDE,  
lauric and myristic acid esters of, (EMULSEPT)  
884:124.  
CALCIFEROL, (VITAMIN D<sub>2</sub>) 2091:314.  
CALCIUM ACETATE, 352:56.  
CALCIUM ARSENATE, 353:58.  
CALCIUM CHLORATE, 354:58.  
CALCIUM CHLORIDE, 355:58.  
CALCIUM FLUORIDE, 356:58.  
CALCIUM HYDROXIDE, 357:58.  
CALCIUM SILICOFLUORIDE, 358:58.  
2-CAMPHANOL, (BORNEOL) 294:48.  
2-CAMPHANONE, (CAMPHOR) 359:58.  
CAMPHENE, chlorinated, (TOXAPHENE) 1792:308.  
CAMPHOR, 359:58.  
CANTHARIDIN, 360:58.  
n-CAPROIC ACID, (HEXANOIC ACID) 1022:154.  
CAPRONITRILE, 361:58.  
CAPTAN, 362:58.  
CARAMIPHEN HCl, (PARPANIT) 1496:222.  
CARRACHOL, (CARRAMYLCOLINE CHLORIDE)  
363:58.  
CARRAMAMIDINE, (GUANIDINE) 909:152.  
CARRAMIDE, (UREA) 2059:310.  
CARRAMIDINE, (GUANIDINE) 909:152.  
p-CARRAMIDOBENZENEARSONIC ACID,  
(CARRARSONE) 364:58.  
p-CARRAMYLAMINOPHENYLARSONIC ACID,  
(CARRARSONE) 364:58.  
N-CARRAMYLARSAZILIC ACID, (CARRARSONE) 364:58.

CARBAMYLCHOLINE CHLORIDE, 363:59.  
 CARBARSONE, 354:58.  
 CARBAZOLE, 365:60.  
 CARBAZOTIC ACID, (PICRIC ACID) 1606:236.  
 CARBINOL, (METHANOL) 1247:188; 162:342.  
 CARBITOL, 366:60.  
 CAPBITOL ACETATE, 367:60.  
 CARBITOL SOLVENT, 368:60.  
 CARBOLIC ACID, (PHENOL) 1524:228.  
 CARBOMETHENE, (KETENE) 158:342.  
 2-CARBOMETHOXY-5-ACETAMINOFURAN, 369:60.  
 CARBON BISULFIDE, (CARBON DISULFIDE)  
 370:60; 35:326.  
 CARBON DICHLORIDE, (TETRACHLOROETHYLENE)  
 1930:290, 292; 220:350.  
 CARBON DIOXIDE, 34:326.  
 CARBON DISULFIDE, 370:60; 35:326.  
 CARBON HEXACHLORIDE, (HEXACHLOROETHANE)  
 1016:154.  
 CARBONIC ACID GAS, (CARBON DIOXIDE) 34:326.  
 CARBONIC ANHYDRIDE, (CARBON DIOXIDE) 34:326.  
 CARBON MONOXIDE, 36:326.  
 CARBON OXY SULFIDE, 37:326.  
 CARBON TETRACHLORIDE, 371:60; 38:328.  
 CARBONYL CHLORIDE, (PHOSGENE) 203:348.  
 CARBONYLDIAMIDE, (UREA) 2059:310.  
 CARBONYL SULFIDE, (CARBON OXY SULFIDE)  
 37:326.  
 CARBOWAX, (POLYETHYLENE GLYCOL) 1625:240.  
 p-CARBOXYBENZENESULFONIC CHLORAMIDE,  
 (HALAZONE) 990:152.  
 2-CARBOXYMETHYLMERCAPTOBENZENE-  
 STIBONIC ACID, 372:60.  
 N-(γ-CARBOXYMETHYLMERCAPTOBENZENE-β-  
 METHOXY)PROPYLCAMPHORAMIC ACID  
 DIODIUM SALT, (THOMERIN SODIUM) 1971:290.  
 4-CARBOXYPHENYLMETHANESULFONAMIDE,  
 (CARBAMIDE) 373:60.  
 CARBOMAL, (ADALIN) 58:14.  
 CARBOLIN, (CARBAMYLCHOLINE CHLORIDE)  
 363:59.  
 CARBIZOL, (METRAZOL) 1386:202, 204.  
 CARBIDE, (METRAZAN) 1013:134.  
 CARBONAMIDE, 373:60.  
 CARVACROL, 374:60.  
 CARYOPHYLLIC ACID, (EUGENOL) 921:140.  
 CASTROL, 375:62.  
 CATECHOL, 376:62.  
 CAUDOIDS, 377:63.  
 CAUSTIC ARSENIC CHLORIDE, (ARSENIC  
 TRICHLORIDE) 16:324.  
 CAUSTIC SODA, (SODIUM HYDROXIDE) 1820:274.  
 CD-68, (CHLORDAN(E)) 396:64, 66.  
 CEPHYN CHLORIDE, 378:62.  
 CELLAMINE, 379:62.  
 CELLON, (ny. -TETRACHLOROETHANE)  
 1529:290; 219:390.  
 CELLULOSE, (2-ETHOXYETHANOL) 105:334.  
 CELLULOSE ACETATE, (2-ETHOXYETHANOL  
 ACETATE) 819:130; 106:334.  
 CEPHALEXIN HCl, 308:62.  
 CEZELOSE, (GLUCOSE) 977:150.  
 CESIUM CHLORIDE, 381:62.  
 CESIUM CHLORIDE, (CESIUM CHLORIDE) 381:62.  
 CESIUM BROMIDE, 382:62.  
 CESIUM CHLORIDE, 383:62.  
 CESIUM HYDROXIDE, 384:62.  
 CESIUM IODIDE, 385:62.  
 CESIUM NITRATE, 386:62.  
 CETYLDIMETHYLETHYLAMMONIUM BROMIDE,  
 (ETHYL CETAN) 409:132.

CETYLPYRIDINIUM CHLORIDE, (CEKPRYN  
 CHLORIDE) 378:62.  
 CEBADINE, 387:62.  
 CEVINE, 388:64.  
 CHAULMOESTROL, (ETHYL CHAULMOGRATE)  
 870:13.  
 CHAULMOGRA OIL FATTY ACIDS, sodium salts of.  
 (SODIUM HYDROCARBATE) 1819:274.  
 CHELIDONINE SULFATE, 389:64.  
 CHICK ANTI-DERMATITIS FACTOR, (PANTOTHENIC  
 ACID) 1488:220.  
 CHILE SALTPETER, (SODIUM NITRATE) 1833:276.  
 CHINA GREEN, (MALACHITE GREEN) 1215:182.  
 CHINOFON, 390:64.  
 CHINOLEINE, (QUINOLINE) 1728:258.  
 CHLORAL ACETAMIDE, 391:64.  
 CHLORAL HYDRATE, 392:64.  
 CHLORALLYLENE, (ALLYL CHLORIDE) 10:322.  
 2-CHLORALLYLDENE-3,3-DIACETATE, 393:64.  
 CHLORALOSANE, (CHLORALOSE) 394:64.  
 CHLORALOSE, 395:64.  
 CHLORANIL, (SPERGON) 1866:282.  
 CHLORIBUTOL, (CHLOROTONE) 396:64.  
 CHLORCYCLOZINE HCl, 395:64.  
 CHLORDAN(E), 396:64, 66.  
 CHLORETHAMINE, 397:64.  
 CHLORETOSE, 398:64.  
 CHLORQUANIDE HCl, (PALUDRINE HCl) 1485:220.  
 CHLORINE, 39:328.  
 CHLOROACETIC ACID, 399:64.  
 4-CHLORO-2-AMINO BENZOTHAZOLE, 400:64.  
 5-CHLORO-2-AMINO BENZOTHAZOLE, 401:64.  
 6-CHLORO-2-AMINO BENZOTHAZOLE, 402:64.  
 7-CHLORO-2-AMINO BENZOTHAZOLE, 403:64.  
 CHLOROARSEN, 404:64.  
 N-(p-CHLOROBENZYL)N-METHYLPYPERAZINE  
 HCl, 405:64.  
 (3-m-CHLOROBENZOXYPHENYL)TRIMETHYL-  
 AMMONIUM BROMIDE, 406:64.  
 (3-p-CHLOROBENZOXYPHENYL)TRIMETHYL-  
 AMMONIUM BROMIDE, 407:64.  
 1-CHLOROBUTANE, 408:64.  
 CHLOROBUTANOL, (CHLOROTONE) 396:64.  
 1-CHLORO-2-(p-CHLOROETHYLTHIO)ETHANE,  
 (MUSTARD GAS) 1486:286, 288; 104:344.  
 p-CHLORO-m-CRESOL, 409:64.  
 1-CHLORO-1,1-DIFLUOROETHANE, 40:328.  
 3-CHLORO-6-DIMETHYLAMINO-4,4-DIPHENYL-  
 HEPTANE, 410:64.  
 2-[p-CHLORO-C-(2-DIMETHYLAMINOETHYL)-  
 BENZYL]PYRIDINE, (CHLOROPROPENPYRID-  
 AMINE) 412:60.  
 2-CHLORO-4-DIMETHYLAMINO-6-METHYLPIRID-  
 IDINE(?), (CASTROL) 375:62.  
 2-CHLOROETHANOL, (ETHYLENE CHLOROHYDRIN)  
 801:134; 116:336.  
 N-(1-CHLOROETHYL)DIENEYLANINE, (DIEN-  
 AMINE) 554:90.  
 2-CHLOROETHYLACRYLATE, 411:64.  
 2-CHLOROETHYL ALCOHOL, (ETHYLENE  
 CHLOROHYDRIN) 801:134; 116:336.  
 CHLOROETHYLENE, (VINYL CHLORIDE) 239:352.  
 (p-CHLOROETHYL-p-(p-tol. -BUTYLPHENOXY)-o-  
 METHYLETHYL SULFITE, (ARAMITE) 183:30.  
 2-CHLOROETHYL VINYL ETHER, 412:64; 41:328.  
 CHLOROFORM, 413:64; 42:328.  
 CHLOROPHYL CHLORIDE, (PHOSGENE) 203:348.  
 5-CHLORO-8-HYDROXY-7-ISOQUINOLINE,  
 (VIOFORM) 2087:314.  
 4-CHLORO-3-HYDROXYTOLUENE, (p-CHLORO-m-  
 CRESOL) 409:64.

p-CHLOROMERCURIBENZOATE, 414:68.  
 CHLOROMETHANE (METHYL CHLORIDE) 173:344.  
 CHLORO-*o*-NAPHTHOL, 415:68.  
 1-CHLORO-1-NITROETHANE, 416:68.  
 1-CHLORO-1-NITROPROPANE, 417:68; 43:328.  
 2-CHLORO-2-NITROPROPANE, 418:68.  
 m-CHLOROPHENOL, 419:68.  
 o-CHLOROPHENOL, 420:68.  
 p-CHLOROPHENOL, 421:68.  
 p-CHLOROPHENYL-p-CHLOROBENZENE  
 SULFONATE, (ORTHOTRAN) 1480:218.  
 N-p-CHLOROPHENYLDIAZOTHIUREA  
 (PROCURIT) 1655:246.  
 3-(p-CHLOROPHENYL)-1,1-DIMETHYLUREA,  
 422:68.  
 N-p-CHLOROPHENYL-N-ISOPROPYLBIGUANIDE,  
 (PALUDRINE HCl) 1485:220.  
 1-(p-CHLOROPHENYL)-5-ISOPROPYLBIGUANIDE  
 HCl, (PALUDRINE HCl) 1485:220.  
 1-p-CHLOROPHENYL-2-PHENYL-4-PYRROLIDINE-  
 2-BUTENE, diphosphate salt of, (PYRONYL)  
 1697:254.  
 CHLOROPHYLL, (CHLOROPHYLLIN) 423:68.  
 CHLOROPHYLLIN, 423:68.  
 CHLOROPICRIN, 424:68; 44:328.  
 1-CHLORO-2-PROPANOL, 425:68; 45:328.  
 1-CHLOROPROFENE, 426:68.  
 2-CHLOROPROPYLDIMETHYLAMINE, 427:68.  
 3-CHLOROPROPYLENE, (ALLYL CHLORIDE) 10:322.  
 CHLOROSTYRENE, 428:68.  
 CHLOROTHEN HCl, (TAGATHEN) 1913:290.  
 2-[(5-CHLORO-2-THENYL)(2-DIMETHYLAMINO-  
 ETHYL)-AMINO]PYRIDINE HCl, (TAGATHEN)  
 1913:290.  
 CHLOROTHENYLPYRAMINE HCl, (TAGATHEN)  
 1913:290.  
 CHLOROTHON, 429:68.  
 2-CHLORO-1,1,3-TRIETHOXYPROPANE, 430:68.  
 CHLOROTRIFLUOROETHYLENE, 46:328.  
 2-CHLORO-1,1,2-TRIFLUOROETHYLMETHYL  
 ETHER, 431:68.  
 CHLOROTRIMETON, (CHLOROPHENYLPYRID-  
 AMINE) 432:68.  
 CHLOROPHENYLPYRIDAMINE, 432:68.  
 CHLORTETRACYCLINE, (AUREOMYCIN) 195:34.  
 CHLORYLEN, (TRICHLOROETHYLENE) 204:32; 23:350.  
 CHOLIC ACID SODIUM, (TAUROCHOLIC ACID  
 SODIUM) 1929:290.  
 CHOLALIC ACID, (CHOLIC ACID) 433:70.  
 CHOLEPULVIS, (CODEKON) 1107:168.  
 CHOLIC ACID, 433:70.  
 CHOLINE, 434:70.  
 CHOLINE CHLORIDE, 435:70.  
 CHOLUMBRIN, (CODEKON) 1107:168.  
 CHOLYLTAURINE SODIUM, (TAUROCHOLIC ACID  
 SODIUM) 1929:290.  
 CHROMIUM, (MERCUROCHROME) 1235:184.  
 CHROMIC ACETATE, 436:70.  
 CHROMIC CHLORIDE, 437:70.  
 CHROMIUM SULFATE, 438:70.  
 CHROMIUM TRIOXIDE, 439:70.  
 CHRYSANTHEMUM MONO- and DI-CARBOXYLIC  
 ACIDS, pyrethrolone esters of, (PYRETHRINS I and  
 II) 1690:252.  
 CIBAZOL, (SULFATHIAZOLE) 1905:288.  
 CICUTINE, (CONINE) 461:74; also 1681:250 ( $\beta$ -  
 PROPYLPYPERIDINE)  
 CICUTOXIN, 440:70.  
 CINCHOCAIN, (NUPERCAIN) 1461:216.  
 CINCHONINE, 441:70.  
 CINCHONIDINE, 441:70.  
 CINCHONINE, 442:70.  
 CINCHOPHEN, 443:70.  
 CINCHOPHEN SODIUM, 444:70.  
 CINCHOVATINE, (CINCHONIDINE) 441:70.  
 CINNAMENE, (STYRENE) 214:348.  
 CINNACOL, (STYRENE) 214:348.  
 3-CINNAMOXYPHENYLTRIMETHYLAMMONIUM  
 BROMIDE, 445:70.  
 CIS-BICYCLO(2,2,1-HEPTANE-2,3-DICARBOXYLIC  
 ACID)-METHYL ESTER, 445:70.  
 CITRACONIC ANHYDRIDE, 447:70.  
 CITRIC ACID, 448:72.  
 CLARETIN-12, (VITAMIN B<sub>12</sub>) 2090:314.  
 CLAVACIN, (PATULIN) 1498:222.  
 CLAVATIN, (PATULIN) 1498:222.  
 CLAVIFORMIN, (PATULIN) 1498:222.  
 "COAL OIL", (KEROSENE) 1157:172.  
 COBALTOUS CHLORIDE, 449:72.  
 COBALTOUS NITRATE, 450:72.  
 COBAMINE, (VITAMIN B<sub>12</sub>) 2090:314.  
 COBIONE, (VITAMIN B<sub>12</sub>) 2090:314.  
 COBRA VENOM, 451:72.  
 COCAINE, 452:72.  
*o*-COCAINE TARTRATE, (PSICAINE) 1687:250.  
 COCCOCLASE, (SULFAPYRIDINE) 1902:288.  
 COCCULIN, (PICROTOXIN) 1608:236, 238.  
 CODEINE HCl, 453:72.  
 CODEINE PHOSPHATE, 454:72.  
 COFFEARINE, (TRIGONELLINE) 2025:304.  
 COFFEINE, (CAFFEINE) 351:56.  
 COLALIN, (CHOLIC ACID) 433:70.  
 COLCHICINE, 455:72.  
 COLCHICINE, 456:74.  
 COLUMBUM CHLORIDE, 457:74.  
 COMMON SALT, (SODIUM CHLORIDE) 1805:272.  
 CONGO BLUE, (TRYPAN BLUE) 2046:308.  
 CONGO RED, 458:74.  
 CONHYDRINE, 459:74.  
 $\gamma$ -CONICEINE, 360:74.  
 CONICINE, (CONINE) 461:74; also 1681:250 ( $\beta$ -  
 PROPYLPYPERIDINE)  
 CONINE, 461:74; also 1681:250 ( $\beta$ -PROPYL-  
 PIPERIDINE)  
 CONQUININE, (QUINDINE) 1708:254.  
 CONVALLAMARIN, 462:74, 76.  
 CONVALLARIN, 463:76.  
 CONVALLATOXIN, 464:76.  
 CONVALLOTOXOL, 465:76.  
 COPELLIDINE, 466:76.  
 COPPER ACETARSENITE, (PARIS GREEN) 1495:222.  
 COPPER CARBONATE, 467:76.  
 COPPER CHLORIDE, 468:76.  
 COPPER NITRATE, 469:76.  
 COPPER SULFATE, 470:76.  
 CORAMINE, 471:76.  
 COSBOROSIDE A, 472:76.  
 COSBOROSIDE B, 473:76.  
 CORN SUGAR, (GLUCOSE) 977:150.  
 CORPUS LUTEUM HORMONE, (PROGESTERONE)  
 1653:246.  
 CORROSIVE MERCURY CHLORIDE, (MERCURIC  
 CHLORIDE) 1234:184.  
 CORROSIVE SUBLIMATE, (MERCURIC CHLORIDE)  
 1234:184.  
 CORYAMYRTIN, 474:76, 78.  
 CORYNANTHINE, 475:78.  
 CORYNANTHINE TARTRATE, 476:78.  
 CORYNANTHINE HCl, 477:78.  
 CORYNANTHINE TARTRATE, 478:78.  
 COTONIN, 479:78.  
 m-CRESOL, 480:78.  
 o-CRESOL, 481:78.

p-CRESOL, 482:77.  
 o-CRESYL GLYCEROL ETHER, (MYANESIN) 1407:208.  
 CRISALBINE, (SANOCHRYSINE) 1765:264.  
 CROTALUS ADAMANTUS, (SNAKE VENOM) 1790:268.  
 CROTALUS ATROX, (SNAKE VENOM) 1790:268.  
 CROTALUS BASILICUS, (SNAKE VENOM) 1790:268.  
 CROTALUS HORRIDUS, (SNAKE VENOM) 1790:268.  
 CROTALUS TERRIFICUS, (SNAKE VENOM) 1790:268.  
 CROTONALDEHYDE, 483:80; 47:328.  
 CROTONAMIDE, 484:80.  
 CROTONIC ACID, 485:80.  
 α-CROTONIC ACID, (CROTONIC ACID) 485:80.  
 CROTONIC ACID VINYL ESTER, 486:80.  
 CROTONIC ALDEHYDE, (CROTONALDEHYDE) 483:80; 47:328.  
 CROTONYLENE, 48:328.  
 CRYOLITE, 487:80.  
 CRYPTENAMINE, 488:80.  
 CRYSTALLINE DIGITALIN, cf. Digitaline Nativella, N. N. R. 1946, (DIGITOXIN) 644:102, 104.  
 CRYSTAL VIOLET, 489:80.  
 CUBIC NITER, (SODIUM NITRATE) 1833:276.  
 CUMENE, 490:80; 49:378.  
 CUMERTILIN, 491:80.  
 CUMOL, (CUMENE) 490:80; 49:328.  
 CURARE, 492:80.  
 CURARINE, 493:80; 82.  
 CYANINE No. 715, 494:82.  
 CYANOBENZENE, (BENZONITRILE) 245:44.  
 CYANOCOBALAMIN, (VITAMIN B<sub>12</sub>) 2090:314.  
 CYANOTHTYLENE, (ACRYLONITRILE) 56:12; 7:322.  
 CYANOGEN CHLORIDE, 495:82; 50:328.  
 CYANOGEN IODIDE, 496:82.  
 CYANOMETHANE, (ACETONITRILE) 24:8.  
 CYANOMETHYL ACETATE, 497:82.  
 CYANOMETHYL BUTYRATE, 498:82.  
 CYCLAMATE SODIUM, (CYCLOHEXYL SULFAMATE SODIUM) 515:84.  
 CYCLETRIN, 499:82.  
 CYCLOPENTANOL, (PHANODORN) 1519:224, 228.  
 CYCLOBARBITONE, (PHANODORN) 1519:224, 228.  
 CYCLOHEXADIENE, 51:330.  
 1,4-CYCLOHEXADIENEDIONE, (QUINONE) 1721:250.  
 CYCLOHEXANE, 500:82; 52:330.  
 CYCLOHEXANECARBOXYLIC ACID-1-HYDROXY-CYCLOPHENYL ESTER, 501:82.  
 CYCLOHEXANOL, 502:82.  
 CYCLOHEXANONE, 503:82; 53:330.  
 CYCLOHEXATRIENE, (BENZENE) 224:42; 18:324.  
 CYCLOHEXENE, 54:334.  
 5-(1-CYCLOHEXYL-1-YL)-1,3-DIMETHYL-BARBITURIC ACID, (EVIPAL) 525:140.  
 5-(1-CYCLOHEXYL)-5-ETHYL-BARBITURIC ACID, (PHANODORN) 1519:224, 228.  
 β-β-1,2-CYCLOHEXYLISOPROPYLAMINE, 504:82.  
 CYCLOHEXYLACETOACETATE, 505:82.  
 CYCLOHEXYLAMINE, 506:82.  
 α-1-CYCLOHEXYL-2-AMINOPROPANE HCl, 507:82.  
 CYCLOHEXYLAMMONIUM FORMATE, 508:82.  
 CYCLOHEXYLAMMONIUM STEARATE, 509:82.  
 N-CYCLOHEXYL-N-DIMETHYLTHIOCARBONYL-SULFONAMIDE, (THIOPENTEX) 1972:290.  
 α-CYCLOHEXYL-α-ETHYLAMINE, 510:84.  
 α-CYCLOHEXYL-β-ETHYLAMINE, 511:84.  
 CYCLOHEXYLETHYL-BARBITURIC ACID, (PHANODORN) 1519:224, 228.  
 α-CYCLOHEXYLISOPROPYLAMINE, 512:84.  
 CYCLOHEXYLMETHYLAMINE, 513:84.  
 α-1-CYCLOHEXYL-2-METHYLAMINOPROPANE HCl, 514:84.  
 CYCLOHEXYL SULFAMATE SODIUM, 515:84.  
 CYCLONAL, (EVIPAL) 525:140.  
 CYCLONITE, (CYCLOTRIMETHYLENETRINITRAMINE) 516:84.  
 2-CYCLOPENTANETRIENETETRAZOLE, (METRAZOL) 1384:204, 204.  
 CYCLOPENTAMINE HCl, (α-1-CYCLOHEXYL-2-METHYLAMINOPROPANE HCl) 514:84.  
 CYCLOPENTANE, 55:330.  
 (3-(2-CYCLOPENTENYL)-2-METHYL-4-oxo-2-cyclopentenyl)-CHRYSANTHEMUM MONOCARBOXYLATE, (CYCLETHRIN) 499:82.  
 CYCLOTRIMETHYLENETRINITRAMINE, 516:84.  
 CYMARIN, 517:84.  
 CYMENE, 518:84.  
 3-p-CYMENOL, (THYMOL) 1902:790, 300.  
 CYSTAMINE, 519:84.  
 CYSTOGEN, (CYSTAMINE) 519:84.  
 CYTAMEN, (VITAMIN B<sub>12</sub>) 2090:314.  
 CYTISINE NITRATE, 520:84.  
 2,4-D, 521:84.  
 DAGENAN, (SULFAPYRIDINE) 1902:200.  
 DAVITAMON K, (MENADIONE) 1228:144.  
 DE 90, (ULIRON) 2054:310.  
 DDD, 522:84.  
 DDT, 523:84.  
 DESENAL, (SULFADIAZINE) 1897:266.  
 DEC, (DECALIN) 525:86; 57:330.  
 DECABORANE, 524:86; 56:330.  
 DECABORON TETRADECANYDRIDE, (DECABORANE) 524:86; 56:330.  
 DECAHYDRONAPHTHALENE, 525:86; 57:330.  
 DECALIN, (DECAHYDRONAPHTHALENE) 525:86.  
 DECAN-1,10-DIAMINE 2HCl, 526:86.  
 DECAPRYL SUCCINATE, 527:86.  
 DECICAIN, (PANTOCAIN) 1487:220.  
 DECLID, (UNDECYLENIC ACID) 2055:310.  
 DECYLTHIOCYANATE, 528:86.  
 DEQUELIA ROOT, (DEQUE ROOT) 532:88.  
 DEHYDROACETIC ACID, 529:88.  
 DEKALIN, (DECAHYDRONAPHTHALENE) 525:86; 57:330.  
 DELYSIL, (4,4-DINITRO-α-CRESOL) 757:116.  
 DELVINAL, 530:88.  
 DEMEROL HCl, 531:88.  
 DERRIS ROOT, 532:88.  
 DERACETYL-TANNINS, 533:88.  
 DESREPTYL, (SULFANILAMIDE) 1901:200.  
 DESOLUCO-CHLORIDE A, 534:88.  
 DESOLUCO-BELLEBROL, 535:88.  
 DESOLUCO-TRANSVAALIN, 536:88.  
 DESOXYCORTICOSTERONE, 537:88.  
 α-DESOXYEPHEDRINE HCl, (METHEDRINE) 1248:180.  
 DESOXYFED, (METHEDRINE) 1248:180.  
 DESOXYN, (METHEDRINE) 1248:180.  
 DETAL, (4,4-DINITRO-α-CRESOL) 757:116.  
 DEXOVAL, (METHEDRINE) 1248:180.  
 DEXTROROTATORY METHADONE HCl, (α-METHADONE HCl) 1243:180.  
 DEXTROSE, (GLUCOSE) 977:150.  
 DFDT, 538:88.  
 DPP, (DIISOPROPYL FLUOROPHOSPHATE) 645:104; 88:332, 334.  
 DIACETIN, 539:88.  
 DIACETONE ALCONOL, 540:88.  
 1,1-DIACETOXYPROPENE-2, 541:90; 58:330.  
 DI-β-ACETYLAMINOPROPYL SULFONE, (BODILONE) 1741:200.

DIACETYLCHOLINE, 542:90.  
DI-(ACETYL)CYANIDE, 543:90; 59:330.  
 $\alpha$ - $\beta$ -DIACETYLTHANE, (2,5-HEXANEDIONE) 139:338.  
DIACETYLMETHANE, (2,4-PENTANEDIONE) 199:346.  
DIACETYLMORPHINE, (HEROIN) 1012:154.  
DIAGNORENOL, (SKIODAN) 1787:268.  
DIAL, 544:70.  
DIALLYL ACETIC ACID, 545:90.  
DIALLYL BARBITURIC ACID, (DIAL) 544:90.  
DIALLYL ETHER, 546:90.  
DIALLYL MALEATE, 547:90.  
DIALLYL PHTHALATE, 548:90.  
4,4'-DIAMIDINOTILBENE, 549:90.  
DIAMIDOGEN SULFATE, (HYDRAZINE SULFATE) 1047:160.  
DIAMINE BLUE, (TRYPAN BLUE) 2046:308.  
DIAMINE HYDRATE, (HYDRAZINE HYDRATE) 1046:160.  
DIAMINE SULFATE, (HYDRAZINE SULFATE) 1047:160.  
m-DIAMINO BENZENE, (m-PHENYLENEDIAMINE) 1556:232.  
o-DIAMINO BENZENE, (o-PHENYLENEDIAMINE) 1557:232.  
p-DIAMINO BENZENE, (p-PHENYLENEDIAMINE) 1558:232.  
3,6-DIAMINOCARBAZOLE 2HCl, 550:90.  
3,3'-DIAMINO-4,4'-DIHYDROXYARSENOBENZENE 2HCl, (ARSPHENAMINE) 190:32.  
p-DIAMINODIPHENYL, (BENZIDINE) 231:42  
1,2-DIAMINOETHANE, (ETHYLENEDIAMINE) 882:134; 117:336.  
2,5-DIAMINO-7-ETHOXYACRIDINE, (RIVANOL) 1739:260.  
6,7-DIAMINO-2-ETHOXYACRIDINE, (RIVANOL) 1739:260.  
3,6-DIAMINOMETHYLACRIDINIUM CHLORIDE, (ACRIFLAVINE) 53:12.  
DIAMINON HCl, (m-METHADONE HCl) 1244:186.  
DIAMYLPHENOL, 551:90.  
2,6-DIAMINO-3-PHENYLAZOPYRIDINE HCl, (PYRIDUM) 1493:252.  
DIAMINOTOLUENE, (TOLUENEDIAMINE) 1985:300.  
DIANIL BLUE, (TRYPAN BLUE) 2046:308.  
DIANISYL-m-m-o-PHENETHYLGUANIDINE HCl, (ACON) 46:10.  
2,2-DI-p-ANISYL-1,1,1-TRICHLOROETHANE, (METHOXYCHLOR) 1253:186.  
DIATRAST, (DIODRAST) 766:118.  
DIATRIN HCl, 552:90.  
DIAZINON, 553:90.  
DIBENAMINE, 554:90.  
DIBENZAZEPINE, 555:90.  
9-DIBENZO-[b,c]-PYRROLE, (CARBAZOLE) 345:60.  
DIBENZOTHAZINE, (PHENOTHIAZINE) 1925:221.  
N,N'-DIBENZYLETHYLENEDIAMINE 2HCl, 556:92.  
N-DIBENZYLPHENOXYETHYL- $\beta$ -CHLOROETHYLAMINE, (DIBENAMINE) 554:90.  
DIBORANE, 60:330.  
DIBORON HEXAHYDRIDE, (DIBORANE) 60:330.  
1,4-DIBROMO-2-BUTANE, 557:92.  
1,4-DIBROMOBUTENE, 558:92.  
5,5'-DIBROMO-2,2'-DIHYDROXYBENZYL, (DIBROMOSALICYL) 559:92.  
1,1-DIBROMOETHANE, 61:330.  
2,7-DIBROMO-4-HYDROXYMERCURIFLUORESCIN, (MERCUROCHROME) 1235:184.  
DIBROMOHYDROXYMERCURIFLUORESCIN DISODIUM, (MERCUROCHROME) 1235:184.  
DIBROMOSALICYL, 559:92.  
DIRUCAINF, (NUPFRCAINF) 1461:216.  
1,1-DIBUTOXYETHANE, 560:92.  
1,2-DIBUTOXYETHANE, 561:92.  
DIBUTYL ADIPATE, 562:92.  
n-DIBUTYLAMINE, 563:92; 62:330.  
DIBUTYLAMINOETHANOL, 564:92.  
DIBUTYLAMINOPROPYL-p-AMINOBENZOATE SULFATE, (BUTYN SULFATE) 343:34.  
DIBUTYL FUMARATE, 565:92.  
2-DI-n-BUTYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 566:92.  
DIBUTYL PHOSPHITE, 567:92.  
DIBUTYL PHTHALATE, 568:92.  
DIBUTYL SEBACATE, 569:92.  
S-(1,2-DICARBETHOXYETHYL)-O,O-DIMETHYL-DITHIOPHOSPHATE, (MALATHION) 1215:182.  
DICHLOREN, (METHYL-BIS(p-CHLOROETHYL)-AMINE HCl) 1294:192.  
DI-CHLORICIDE, (p-DICHLORO BENZENE) 574:92.  
2,2'-DICHLOROACETIC ACID, 570:92.  
2,2'-DICHLOROACETYL CHLORIDE, 571:92; 63:330.  
 $\beta$ -DICHLOROACRYLONITRILE, 572:92.  
o-DICHLOROBENZENE, 573:92.  
p-DICHLOROBENZENE, 574:92.  
1,1-DICHLORO-2,2-BIS(p-CHLOROPHENYL)ETHANE, (DDD) 522:84.  
1,4-DICHLOROBUTENE-2, 575:92; 64:330.  
2,2'-DICHLORODIETHYL SULFIDE, (MUSTARD GAS) 1406:206, 208; 186:344.  
DICHLORODIPHENYLDICHLOROETHANE, (DDT) 522:84.  
p,p'-DICHLORODIPHENYLMETHYLENE DIETHYLAMINOETHANOL, 576:92.  
DICHLORODIPHENYLTRICHLOROETHANE, (DDT) 523:86.  
1,1-DICHLOROETHANE, 577:92; 65:330.  
1,2-DICHLOROETHANE, 578:92; 64:330.  
sym.-DICHLOROETHANE, (1,2-DICHLOROETHANE) 578:92; 64; 66:330.  
DI-(2-CHLOROETHOXY)METHANE, 67:330.  
2,2'-DICHLOROETHOXYMETHANE, 579:94.  
1,2-DICHLOROETHYL ACETATE, 68:330.  
DICHLOROETHYLENE, 69:330.  
1,2-DICHLOROETHYLENE, (ETHYLENE DICHLORIDE) 883:134.  
 $\beta$ -p'-DICHLOROETHYL ETHER, (2,2'-DICHLOROETHYL ETHER) 580:94; 70:332.  
2,2'-DICHLOROETHYL ETHER, 580:94; 70:332.  
sym.-DICHLOROETHYL ETHER, (2,2'-DICHLOROETHYL ETHER) 580:94; 70:332.  
 $\beta$ -p'-DICHLOROETHYL SULFIDE, (MUSTARD GAS) 1406:206, 208; 186:344.  
2,2'-DICHLOROETHOXYMETHYL ETHER, 581:94; 71:332.  
DICHLOROMETHANE, 582:94; 72:332.  
2,2-DICHLORO-N-METHYLDIETHYLAMINE HCl, (METHYL-BIS(CHLOROETHYL)AMINE HCl) 1294:192.  
DICHLORO- $\beta$ -NAPHTHOL, 583:94.  
2,3-DICHLORO-1,4-NAPHTHOQUINONE, (PHYCON) 1600:216.  
1,1-DICHLORO-1-NITROETHANE, 584:94.  
1,1-DICHLORO-1-NITROMETHANE, 73:332.  
2,4-DICHLOROPHENOL-1, 585:94.  
(2,4-DICHLOROPHENOXY)ACETIC ACID SODIUM SALT, (2,4-D) 521:84.  
DICHLOROPHENOXYETHANEDIOL, 586:94.  
1,1-DICHLOROPROPANE, 587:94.  
1,2-DICHLOROPROPANE, 588:94; 74:332.  
2,3-DICHLOROPROPANOL, 589:94; 75:332.  
2,3-DICHLOROPROPIONALDEHYDE, 590:94; 76:332.  
3,9-DICHLOROPROPYLENEBENZAZEPINE, 591:94.

p-(N,N-DICHLOROSULFAMYL)BENZOIC ACID, (HALAZONE) 990:152.  
 γ-DICHOINE, 592:94.  
 DICODIDE (base), 593:94.  
 DICUMARAL, (DICUMAROL) 595:96.  
 DICUMARIN, (DICUMAROL) 595:96.  
 DI-o-CRESYLPHOSPHATE, 594:94, 96.  
 DICUMAROL, 595:96.  
 DICYAN, 596:96.  
 DI-(2-CYANOETHYL)AMINE, 597:96.  
 DI-(2-CYANOETHYL)SULFIDE, 598:96.  
 DICYCLOMINE HCl, (BENTYL HCl) 222:40.  
 DIDAKENE, (TETRACHLOROETHYLENE) 1930:29, 292, 220, 350.  
 p-DI-β-DIETHYLAMINOETHOXYBENZENE DIETHIOFIDE, 599:96.  
 p-DI-β-DIMETHYLAMINOETHOXYBENZENE DIETHIODIDE, (DIETHAMINE) 604:96.  
 DI-2,5-DIMETHYLPHENOXYETHYL-β-CHLOROETHANOLAMINE, 600:96.  
 DI-3,5-DIMETHYLPHENOXYETHYL-β-CHLOROETHYLAMINE, 601:96.  
 DIELDRIN, 602:96.  
 1,2,3,4-DIEPOXYBUTANE, 603:96.  
 DIETHAMINE, 604:96.  
 DIETHANOLAMINE SALT of 3,5-DIODO-4-PYRIDONE-N-ACETIC ACID, (DIODRAST) 766:110.  
 DIETHAZINE BASE, (DIPARCOL (base)) 771:119, 120.  
 DIETHOXYCHLOROSILANE, 77:332.  
 DIETHOXY ESTER of 7-HYDROXYCOUMARIN, (POTASAN) 1631:240.  
 1,1-DIETHOXYETHANE, (ACETAL) 3:6; 1:322.  
 1,2-DIETHOXYETHANE, 605:96; 78:332.  
 DIETHOXYPHOSPHORIC ACID ESTER of 7-HYDROXY-4-METHYLCOUMARIN, (POTASAN) 1631:240.  
 DIETHOXYTHIOPHOSPHORIC ACID ESTER of 7-ETHYLMERCAPTOETHANOL (tech. grade) 606:96.  
 DIETHOXYTHIOPHOSPHORIC ACID ESTER of 7-HYDROXY-4-METHYLCOUMARIN, (E 838) 797:122.  
 DIETHYLACETAL, (ACETAL) 3:6; 1:322.  
 DIETHYLAMINE, 607:96; 79:332.  
 α-DIETHYLAMINO-2,6-ACETOXYLIDINE, (XYLOCAINE) 2101:314.  
 DIETHYLAMINO-CARBETHOXYBICYCLOHEXYL HCl, (BENTYL HCl) 222:40.  
 O-DIETHYLAMINO-2,6-DIMETHYLACETANILIDE, (XYLOCAINE) 2101:314.  
 3-DIETHYLAMINO-2,2-DIMETHYLPROPYL-p-AMINO BENZOATE HCl, (LAROCAINE) 1170:174.  
 3-DIETHYLAMINO-1,1-DI-(2'-THIENYL)BUTANE HCl, 608:96.  
 3-DIETHYLAMINO-1,1-DI-(2'-THIENYL)BUTENE HCl, 609:96.  
 DIETHYLAMINOETHANOL-α-ALLYLDIPHENYLACETATE HCl, 610:96.  
 1-DIETHYLAMINOETHYLAMINO-α-METHYLTHIOXANTHONE HCl, (MIRACIL D) 1390:204.  
 α-[N-(β-DIETHYLAMINOETHYL)]-AMINOPHENYLACETIC ISOANYL ESTER HCl, (AVACAN) 159:34.  
 DIETHYLAMINOETHYL BENZAZEPINE, 611:98.  
 N-DIETHYLAMINOETHYL CHLORIDE, 612:98.  
 β-DIETHYLAMINOETHYLUMATE HCl, 613:98.  
 β-DIETHYLAMINOETHYL-9,10-DIHYDROANTHRACENE-9-CARBOXYLATE HCl, 614:98.  
 N-(β-DIETHYLAMINOETHYL)-2-OXYBUTYL-CINCHONAMIDE, (NUPERCAINE) 1441:215.  
 10-(2-DIETHYLAMINOETHYL)PHENOTHIAZINE, (DIPARCOL (base)) 771:118, 120.  
 2-DIETHYLAMINOETHYL-α-PHENYLCYCLOHEXANE ACETATE HCl, (TRASENTINZ, 1994:302.

DIETHYLAMINOETHYL-1-PHENYLCYCLOPENTANE-1-CARBOXYLATE HCl, (PARPANIT) 1496:222.  
 N-(DIETHYLAMINOETHYL)THIOPHENYLAMINE, (DIPARCOL (base)) 771:118, 120.  
 β-DIETHYLAMINOETHYL-9-XANTHENCARBOXYLATE METHYLBROMIDE, (BANTHINE BROMIDE) 212:36.  
 β-DIETHYLAMINOETHYL-9-XANTHENCARBOXYLATE METHOCHLORIDE, (BANTHINE CHLORIDE) 213:36.  
 n-DIETHYLAMINOISOPENTYL-β-AMINO-6-METHOXYQUINOLINE, (PLASMOQUINE) 1619:238, 240.  
 DIETHYLAMINOMETHYLBENZODIOXAN, 615:98.  
 DIETHYLAMINOISOPENTYL ALCOHOL HCl, p-AMINO BENZOATE of, (LAROCAINE) 1170:174.  
 γ-DIETHYLAMINOPROPYL CINNAMATE HCl, (APOTHESENE) 180:30.  
 DIETHYLAMINOPROPYLUMATE HCl, 616:98.  
 2-DIETHYLAMINO-1-PROPYL-N-DIBENZOPARATHIAZINE, (PARSIDOL (base)) 1497:222.  
 10-(2-DIETHYLAMINO-1-PROPYL)PHENOTHIAZINE, (PARSIDOL (base)) 1497:222.  
 DIETHYLAMMONTUM-p-AMINO BENZOATE, 617:98.  
 5,5-DIETHYLBARBITURIC ACID, (BARBITAL) 214:36.  
 DIETHYL-BIS(DIMETHYLAMIDO)PYROPHOSPHATE (asymmetric), 618:98.  
 DIETHYL-BIS(DIETHYLAMIDO)PYROPHOSPHATE (symmetric) 619:98.  
 DIETHYL CARBAMAZINE, (HETRAZAN) 1015:156.  
 1-DIETHYL CARBAMYL-4-METHYLPIPERAZINE HCl, (HETRAZAN) 1015:156.  
 DIETHYL CARBINOL, (3-PENTANOL) 1512:224.  
 DIETHYL-β-CHLOROETHYLAMINE, 620:98.  
 DIETHYL-2-CHLOROVINYL PHOSPHATE, 621:98; 100:80:332.  
 1,4-DIETHYLENE DIOXIDE, (1,4-DIOXANE) 769:118; 98:334.  
 DIETHYLENE GLYCOL, 622:100.  
 DIETHYLENE GLYCOL ETHYL ETHER, 623:100.  
 DIETHYLENE GLYCOL MONOBUTYL ETHER, (BUTYL CARBITOL) 324:52.  
 DIETHYLENE GLYCOL MONOBUTYL ETHER ACETATE, 624:100.  
 DIETHYLENE GLYCOL MONOETHYL ETHER, (CARBITOL) 366:60.  
 DIETHYL ETHER, (ETHER) 834:130; 104:334, 336.  
 DIETHYL FLUOROPHOSPHATE, 81:332.  
 DI-(2-ETHYLHEXYL)AMINE, 625:100.  
 DI-(2-ETHYLHEXYL)PHTRALATE, 626:100.  
 2,2-DIETHYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 627:100.  
 DIETHYL KETONE, 628:100; 82:332.  
 N-DIETHYLLEUCINOL ESTER of p-AMINO BENZOIC ACID, METHANESULFONIC SALT of, (PANTHESIN) 1486:220.  
 N,N-DIETHYL-4-METHYL-1-PIPERAZINE CARBOXAMIDE HCl, (HETRAZAN) 1015:156.  
 N,N-DIETHYLNICOTINAMIDE, (CORAMINE) 471:76.  
 DIETHYL-p-NITROPHENYL PHOSPHATE (MINTACOL) 1389:204.  
 O,O-DIETHYL-p-NITROPHENYL PHOSPHATE, (PARATHION) 1496:222.  
 O-β-DIETHYL-O-(p-NITROPHENYL)PHOSPHATE, 629:100.  
 O,O-DIETHYL-s-(p-NITROPHENYL)PHOSPHATE 630:100.  
 DIETHYL-p-NITROPHENYLTHIOPHOSPHATE, 631:100.  
 O,O-DIETHYL-O-p-NITROPHENYL THIOPHOSPHATE, (PARATHION) 1496:222.

DIETHYL OXIDE, (ETHER) 834:130; 104:334, 336.  
DIETHYL PHTHALATE, 632:102.  
2,2-DIETHYL-1,3-PROPANDIOL, 633:102.  
a, a'-DIETHYLSTILBENEDIOL, (DIETHYLSTIL-  
BESTROL) 634:102.  
DIETHYLSTILBESTROL, 634:102.  
N,N-DIETHYL SUCCINAMIDE-n-PROPYL ESTER,  
635:102.  
DIETHYL SUCCINATE, 636:102.  
DIETHYL SULFATE, 637:102; 83:342.  
DIETHYL SULFONEDIMETHYL METHANE,  
(SULFONAL) 1907:288.  
N,N-DIETHYLTHYMYLOXYACETAMIDINE HCl,  
638:102.  
1,1-DIFLUORO-1,2-DIBROMOETHANE, 84:332.  
DIFLUORODIPHENYL TRICHLOROETHANE, (DFDT)  
538:88.  
1,1-DIFLUOROETHANE, 85:332.  
1,1-DIFLUOROETHYLENE, 86:332.  
DIFORMYL, (GLYOXAL) 984:152.  
DIGILANID, 639:102.  
DIGISIGIN, (DIGITOXIN) 644:102, 104.  
DIGITALEIN, 640:102.  
DIGITALIN, 641:102.  
DIGITALIN, SCHMIEDEBERG'S, (DIGITALIN) 641:102.  
DIGITALINUM VERUM, (DIGITALIN) 641:102.  
DIGITIN, (DIGITONIN) 642:102.  
DIGITONIN, 642:102.  
DIGITOXIGONIN, 643:102.  
DIGITOXIN, 644:102, 104.  
DIGITOXOSIDE, 645:104.  
DIGLYCOL CHLORHYDRINE, 646:104.  
DIGOKIN, 647:104.  
DIHEXYLAMINE, 648:104.  
1,2-DIHYDRAZINOPHTHALAZINE, 649:104.  
DIHYDROCODEINONE, (DICODID(E) Base) 593:94.  
DIHYDROERGOTAMINE, 650:104.  
DIHYDROERYTHRODENE, 651:104.  
DIHYDRO- $\beta$ -ERYTHROIDINE, 652:104.  
3,4-DIHYDROHARMINE, (HARMALINE) 991:192.  
DIHYDROHYDROXYCODEINONE HCl, (EUCODAL)  
919:138.  
3,4-DIHYDRO-2-METHOXY-2-METHYL-4-PHENYL-  
2,5-PYRANO[3,2-c][1]BENZOPYRAN-5-ONE,  
(4-HYDROXYCOUMARIN) 1060:162.  
3,4-DIHYDRO-7-METHOXY-1-METHYL-9-PYRID[3,  
4-b]INDOLE, (HARMALINE) 991:192.  
DIHYDROMORPHINE HCl, 653:104.  
DIHYDROMORPHINE HCl, (DALAUDID HCl) 671:106.  
1,2-DIHYDRO-3,6-PYRIDAZINEDIONE, (MALIC  
HYDRAZIDE) 1216:182.  
2,5-DIHYDROPYRROLE, (PYRROLINE) 1793:254.  
DIHYDROPTERONE, 654:104.  
m-DIHYDROXYBENZENE, (RESORCINOL) 1734:254,  
260.  
p-DIHYDROXYBENZENE, (HYDROQUINONE)  
1052:160, 162.  
2,3-DIHYDROXYBUTANE, (BUTYLENE GLYCOL)  
327:52.  
 $\beta$ ,  $\beta'$ -DIHYDROXY-DIETHYL ETHER, (DIETHYLENE  
GLYCOL) 622:100.  
4,4'-DIHYDROXY-a,  $\beta$ -DIETHYLSTILBENE,  
(DIETHYLSTILBESTROL) 634:102.  
3,4-DIHYDROXY-a-(DIMETHYLAMINOETHYL)-  
BENZYL ALCOHOL, (METHADREN(E)) 1246:188.  
D(+)-N-( $\gamma$ -DIHYDROXY- $\beta$ - $\beta$ -DIMETHYLBUTYRYL)-  
 $\beta$ -ALANINE, (PANTOTHENIC ACID) 1488:220.  
6-(N-a- $\gamma$ -DIHYDROXY) $\beta$ ,  $\beta$ -DIMETHYLBUTYRYL-  
 $\beta$ -ALANINE, (PANTOTHENIC ACID) 1488:220.  
DIHYDROXYPHEDRINE, 655:104.  
DIHYDROXYFLUORANE, (LUMINESCIN) 935:142.

2,6-DIHYDROXY-4-METHOXYBENZOPHENONE,  
(COTOIN(E)) 473:75.  
3,4-DIHYDROXY-a-(METHYLAMINOETHYL)-  
BENZYL ALCOHOL, (EPINEPHRINE) 968:124, 126.  
1,2-DIHYDROXY-3-(2-METHYLPHENOXY)PROPANE,  
(MYANESIN) 1407:208.  
a-(3,4-DIHYDROXYPHENYL)- $\beta$ -DIMETHYLAMINO-  
ETHANOL, (METHADREN(E)) 1246:188.  
a-(3,4-DIHYDROXYPHENYL)- $\alpha$ -HYDROXY- $\beta$ -  
DIMETHYLAMINOETHANE, (METHADREN(E))  
1246:188.  
1- $\beta$ -3,4-DIHYDROXYPHENYL- $\beta$ -METHYLAMINO-  
ETHANOL, (EPINEPHRINE) 968:124, 126.  
2,4-DIHYDROXYPHENYLPROPANOLAMINE, 656:104.  
3,4-DIHYDROXYPHENYLPROPANOLAMINE, 657:104.  
(2,5-DIHYDROXYPHENYL)TRIMETHYLAMMONIUM  
BROMIDE, 658:104.  
DIISOBUTYL CARBINOL, 659:104.  
DIISOBUTYLENE OXIDE, 660:104.  
2,2-DIISOBUTYL-4-HYDROXYMETHYL-1,3-  
DIOXOLANE, 661:104.  
DIISOBUTYL KETONE, 662:104; 87:532.  
DI-ISOBUTYLPHENOXY-ETHOXYETHYL-  
DIMETHYLBENZYLAMMONIUM CHLORIDE,  
(HYAMINE 1622) 1041:160.  
1,2-DIISOPROPOXY-2-PROPANOLGLYCERYL-a- $\gamma$ -  
DIISOPROPYLETHYL ETHER, 663:104.  
DIISOPROPYLAMINE, 664:104.  
DIISOPROPYL ETHER, (DIISOPROPYL ETHER) 157:342.  
DIISOPROPYL FLUOROPHOSPHATE, 665:104; 84:332,  
334.  
a,  $\gamma$ -DIISOPROPYLGLYCERYL ETHER, 666:104.  
2,2-DIISOPROPYL-4-ETHOXYMETHYL-1,3-  
DIOXOLANE, 667:104.  
DI-2-ISOPROPYL-5-METHYLPHENOXYETHYL- $\beta$ -  
CHLOROETHYLAMINE, 668:104.  
DIISOPROPYL TARTRATE, 669:104.  
DILANTIN, 670:104.  
DILAUDID HCl, 671:106.  
2,3-DIMERCAPTO-1-PROPANOL, (BAL) 211:36.  
1,1-DIMETHOXYETHANE, 672:104; 89:317.  
6,7-DIMETHOXY-1-(4'-ETHOXY-3'-METHOXY-  
BENZYL)-3-METHYLQUINOLINE, 673:106.  
DIMETHOXYMETHANE, (DMETHYLAL) 122:342.  
5,8-DIMETHOXY-2-METHYL-4',5'-FURO[4,7-  
CHROMONE, (VIBAMINE) 2088:314.  
DI-2-METHOXYPHENOXYETHYL- $\beta$ -CHLOROETHYL-  
AMINE, 674:106.  
3,4-DIMETHOXYPHENYLETHYLAMINE, 675:106.  
6,7-DIMETHOXY-1-VERATRYLSOQUINOLINE,  
(PAPAVERINE) 1489:220.  
DIMETHYLACETAL, (1,1-DIMETHOXYETHANE)  
672:104; 89:334.  
DIMETHYL ACETONE, (DMETHYL KETONE)  
628:104; 82:332.  
DIMETHYLAMINE, 676:106.  
2-DIMETHYLAMINOIMIDAZOLE, 677:106.  
2-DIMETHYLAMINOIMIDAZOLE, 678:106.  
4,6-DIMETHYL-2-AMIDOBENZOTHAZOLE, (6-  
METHYL-2-AMIDOBENZOTHAZOLE, 4-METHYL)  
1273:190.  
(6-DIMETHYLAMINO-2-[2-(2,5-DIMETHYL-1-  
PHENYL-3-PROPYL)URYL]-1-METHYLQUINO-  
LINUM CHLORIDE, (TAKINE No. 715) 494:82.  
4-DIMETHYLAMINO-1,5-DIMETHYL-2-PHENYL-3-  
PYRAZOLONE, (AMINOPIPER) 118:20.  
2-DIMETHYLAMINO-1,2-ETHYLDIISOPROPYL-  
AMINOACRYLATE HCl, (TUTOCALINE HCl) 2056:308.  
3-DIMETHYLAMINO-1,1-DIPHENYL-1-BUTANOL,  
679:106.

- 1-(3-DIMETHYLAMINO-1,1-DIPHENYL)BUTYL-ETHYLSULFONE, 680:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANOL, 681:108.
- 5-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE (ISOAMIDONE II) 1119:168.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE, 682:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE, 683:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE, 684:109.
- 7-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE, 685:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYLHEPTANONE-3-ACETYLIMINE, 686:103.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE HCl, (S-METHADONE HCl) 1243:184.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE HCl, (S-METHADONE HCl) 1244:184.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE HCl, (L-METHADONE HCl) 1245:188.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANONE-2-METHOCHLORIDE, 687:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTANYL ACETATE, (ACET-1-METHADOL) 41:10.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEPTENE, 688:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-3-HEXANONE, 689:108.
- 3-DIMETHYLAMINO-1,1-DIPHENYL-3-METHYLBUTANE, 692:108.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-3-METHYLBUTANOATE ETHYLESTER, 693:108.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-3-METHYLBUTYRONITRILE, 692:108.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANOL, 693:110.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE, 694:110.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE, 695:110.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE, 696:116; also see 1132:170 (L-ISO-METHADONE)
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE METHOCHLORIDE, 697:110.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE, 698:116.
- 6-DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-HEXANONE METHOCHLORIDE, 699:110.
- 3-DIMETHYLAMINO-1,1-DIPHENYL-3-METHYL-PROPANE, 700:110.
- 3-DIMETHYLAMINO-1,1-DIPHENYL-2-METHYL-1-PROPANOL, 701:110.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-PENTANOATE ETHYLESTER, 703:110.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-PENTANOATE ISOPROPYLESTER, 703:110.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-PENTANOATE METHYLESTER, 704:110.
- 4-DIMETHYLAMINO-2,2-DIPHENYL-VALERONITRILE, 705:110.
- 3-DIMETHYLAMINO-1,1-DI-(2'-THIENYL)BUTANE, 706:110.
- 3-DIMETHYLAMINO-1,1-DI-(2'-THIENYL)BUTENE, 707:110.
- 1-( $\beta$ -DIMETHYLAMINOETHOXY)- $\gamma$ -BUTYLBISQUINOLINE HCl, (QUOTANE) 172:256.
- 2-[ $\alpha$ -(2-DIMETHYLAMINOETHOXY)- $\alpha$ -METHYLBENZYL]-PYRIDINE SUCCINATE, (DECAPRYN SUCCINATE) 527:86.
- $\beta$ -DIMETHYLAMINOETHYLBENZHYDROL ETHER HCl, (BENADRYL), 220:38,40.
- 2-[ $\alpha$ -(2-DIMETHYLAMINOETHYL)BENZYL]-PYRIDINE, (PANTOCAL) 2018:166.
- $\beta$ -DIMETHYLAMINOETHYLCUMATE, 208:110.
- 2-DIMETHYLAMINOETHYL ESTER OF  $\beta$ -BUTYLAMINO-BENZOIC ACID, the hydrochloride of, (PANTOCAINE) 1487:220.
- 2-[2-DIMETHYLAMINOETHYL( $\beta$ -METHOXYBENZYL)AMINO]PYRIDINE HCl, (NECANTERGAN HCl), 1418:210.
- 2-[2-DIMETHYLAMINOETHYL( $\beta$ -METHOXYBENZYL)AMINO]PYRIMIDINE HCl, (NEPHETRAMINE HCl) 1422:210.
- 2(N-DIMETHYLAMINOETHYL-N- $\beta$ -METHOXYBENZYL)AMINOPYRIMIDINE MONO-HCl, (NEPHETRAMINE HCl) 1422:210.
- $\beta$ -(2-DIMETHYLAMINOETHYL)PHENOL SULFATE, (HORDENNE SULFATE) 1040:159.
- 2-[2-(DIMETHYLAMINOETHYL)-2-THIENYLAMINO]-PYRIDINE, (HISTADYL (base)) 1037:158.
- 2-[2-(2-DIMETHYLAMINOETHYL)-3-THIENYLAMINO]-PYRIDINE, (THIENADYL) 1960:294,296.
- 6-1-DIMETHYLAMINO-2-METHYL-3,3-DIPHENYL-4-HEXANONE, (S-ISO-METHADONE) 1131:170.
- 6-1-DIMETHYLAMINO-2-METHYL-3,3-DIPHENYL-4-HEXANONE, (L-ISO-METHADONE) 1132:170.
- N-DIMETHYLAMINO-2-METHYLETHYLTHIOBIPHENYLAMINE HCl, (PHENLAGAN HCl) 1522:228.
- $\alpha$ -(DIMETHYLAMINOMETHYL)PHTHALIC ACID ALCOHOL, (MET-ADRENOL) 1246:188.
- 10-(1-DIMETHYLAMINO-2-PROPYL)PHENOTIAZINE, (LENGICAM) 1193:174.
- 1,3-DIMETHYLAMYLAMINE, (4-METHYL-2-HEXYLAMINE) 1228:196.
- DIMETHYLAMINIC ACID, (CACODYLIC ACID) 348:54.
- DIMETHYLAMINE (XYLENE) 2096, 2097, 2099: 314; 241:352; 242:352; 273:352.
- N,N-DIMETHYL-N'-BENZYL-N'- $\alpha$ -AMIDOPYRIMIDYL)ETHYLENEDIAMINE HCl, (DETRAMINE) 1014:154.
- N,N-DIMETHYL-N'-BENZYL-N'- $\alpha$ -PYRIDYL)ETHYLENEDIAMINE (PYRIDENZAMINE) 1691:252.
- 3,3-DIMETHYL-2-BUTANONE, (PIRACETAM) 1610:238.
- DIMETHYL-CARBAMOL, (ISOPROPYL ALCOHOL) 1140:170,172; 155:348.
- DIMETHYL- $\beta$ -CHLOROPHTHALAMMONIUM CHLORIDE, 709:110.
- N,N'-DIMETHYL-N,N'- $\beta$ -CHLOROETHYL)PIPERAZINUM DICHLORIDE, 710:110.
- DIMETHYL-1-CARBOMETHOXY-1-PROPEN-2-YL PHOSPHATE, 711:110,112; 92:334.
- N,N'-DIMETHYL-2-CHLORO-2-PHENYLETHYLAMINE, 712:112.
- 4,4-DIMETHYLOUMALIN, 713:112.
- DIMETHYLCYCLOHEXANE, 713:112.
- N- $\alpha$ -DIMETHYLCYCLOPENTAN- $\beta$ -ETHYLAMINE HCl, (S-1-CYCLOHEXYL-2-METHYLAMINOPROPANE HCl) 514:84.
- 2,4-DIMETHYL-1,1-DIETHYLPIPERIDINUM BROMIDE, 714:112.
- DIMETHYLDIETHYLPYRROPHOSPHATE, 715:112.
- DIMETHYLDIISOPROPYLPYRROPHOSPHATE, 716:112.
- DIMETHYLDIOXANF, 717:112.
- $\alpha$ - $\beta$ -DIMETHYLDIPHENYLMETHYLENE ETHER OF  $\beta$ -DIMETHYLAMINOETHANOL, 718:112.

DIMETHYL DISULFIDE 32:334  
O, O-DIMETHYL DITHIOPHOSPHATE of DIETHYL-  
MERCAPTOSUCCINATE. (MALATHION) 1215:182.  
Sym - DIMETHYLETHYLENE. (BUTENE-2) 76:324  
DIMETHYLETHYLENE GLYCOL. (BUTYLENE  
GLYCOL) 227:52.  
DIMETHYL FLUOROPHOSPHATE. 93:334.  
DIMETHYLFOAMAMIDE. 719:112.  
DIMETHYLURANE. 720:112.  
2, 5-DIMETHYLHEPTANOL-4. 721:112.  
2, 5-DIMETHYLHEPTANONE. (DIISOBUTYL KETONE)  
562:104, 97:332.  
2-DIMETHYL-4-HYDROXYMETHYL-1, 3-  
DIOXOLANE. 722:112.  
(2, 4-DIMETHYL-5-HYDROXYPHENYL)TRIMETHYL-  
AMMONIUM BROMIDE. 723:112.  
(2, 4-DIMETHYL-5-HYDROXYPHENYL)TRIMETHYL-  
AMMONIUM BROMIDE. 724:112.  
O, O-DIMETHYL-O-(2-ISOPROPYL)-4-METHYL-  
PYRIMIDYL-[6]THIOSULFATE. (DIAZINON)  
553:90.  
N-(5, 4-DIMETHYL-5-ISOKAZOLYL)SULFANIL-  
AMIDE LITHIUM SALT. (GANTRISIN LITHIUM)  
966:148.  
N-(3, 4-DIMETHYL-5-ISOKAZOLYL)SULFANIL-  
AMIDE SODIUM SALT. (GANTRISIN SODIUM)  
966:148.  
DIMETHYL KETONE. (ACETONE) 22:8; 4:322.  
N, N-DIMETHYL-N-(p-METHOXYBENZYL)-N'-(2-  
PYRIDYL)ETHYLENEDIAMINE HCl. (NEOME-  
TRAMINE HCl) 1422:210.  
(3, 4-DIMETHYL-5-METHOXYPHENYL)TRIMETHYL-  
AMMONIUM IODIDE. 725:112.  
DIMETHYLNICOTINUM DI-OXIDE. 726:112.  
DIMETHYL-p-NITROPHENYL PHOSPHATE. 727:112.  
O, O-DIMETHYL-S-(p-NITROPHENYL)PHOSPHATE.  
728:112, 114.  
O, S-DIMETHYL-O-(p-NITROPHENYL)PHOSPHATE.  
729:114.  
DIMETHYL-p-NITROPHENYLTHIOPHOSPHATE.  
730:114.  
O, sym. -DIMETHYL-p-NITROPHENYLPHOSPHATE.  
731:114.  
O, O-DIMETHYLNITROPHENYL THIOPHOSPHATE.  
(DIMETHYL PARATHION) 732:114.  
DIMETHYLOXYQUINAZINE. (ANTIPYRINE) 173:28.  
DIMETHYL PARATHION. 732:114.  
o-N, a-DIMETHYLPHENETHYLAMINE HCl.  
(METHEDRINE) 1248:194.  
DIMETHYLPHENOL. (XYLENOL) 2099:314.  
N-2-METHYLPHENOXYETHYLAMINE. 733:114.  
DI-2-METHYLPHENOXYETHYLAMINE ETHANOL.  
734:114.  
DI-2-METHYLPHENOXYETHYL-β-CHLOROETHYL-  
AMINE. 735:114.  
DI-3-METHYLPHENOXYETHYL-β-CHLOROETHYL-  
AMINE. 736:114.  
DI-4-METHYLPHENOXYETHYL-β-CHLOROETHYL-  
AMINE. 737:114.  
3, 4-DIMETHYLPHENOXYETHYL-β-CHLORO-  
ETHYLAMINE. 738:114.  
DI-2-METHYLPHENOXYETHYL-β-ETHANOLAMINE.  
739:114.  
3, 4-DIMETHYLPHENOXYETHYLBENZYL-β-CHLORO-  
ETHYLAMINE. 740:114.  
3, 5-DIMETHYLPHENOXYETHYL-β-CHLOROETHYL-  
AMINE. 741:114.  
DI-2-METHYLPHENOXYETHYLETHYLAMINE.  
742:114.  
3, 4-DIMETHYLPHENOXYETHYLETHYL-β-CHLORO-  
ETHYLAMINE. 743:114.

2, 5-DIMETHYLPHENYLISOPROPYLAMINE. 744:114.  
3, 4-DIMETHYLPHENYLISOPROPYLAMINE. 745:114.  
1, 1-DIMETHYL-4-PHENYLPIPERAZINIUM IODIDE.  
746:114.  
DL-a-1, 3-DIMETHYL-4-PHENYL-4-PROPIONOKY-  
PIPERIDINE HCl. (cis form). (NISENTIL HCl)  
1442:214.  
1, 5-DIMETHYL-2-PHENYL-3-PYRAZOLONE.  
(ANTIPYRINE) 173:28.  
N-DIMETHYL-9-PHENYL-2, 3, 4, 7-TETRAHYDRO-  
PYRIDINDENE TARTRATE. (LERCIGAN) 1193:178.  
N, N-DIMETHYL-N'-PHENYL-N-(2-THENYL)ETHYL-  
ENEDIAMINE HCl. (DIAMIN HCl) 552:90.  
DI-2-METHYLPHENYLTHIOETHYL-β-CHLORO-  
ETHYLAMINE. 747:116.  
DIMETHYL PHTHALATE. 748:116; 94:334  
2, 5-DIMETHYLPIPERAZINE. 749:116.  
N, N'-DIMETHYL-4-PIPERIDYLIDENE-1, 1-DIPHENYL-  
METHANEMETHYLSULFATE. (PRANTAL) 1648:244.  
N-DIMETHYL-N'-PYRIDYL-N'-CHLOROTHENYL-  
ETHYLENEDIAMINE. (TAGATHEN) 1913:290.  
N, N-DIMETHYL-N'-(2-PYRIDYL)-N'-(5-CHLORO-2-  
THENYL)ETHYLENEDIAMINE HCl. (TAGATHEN)  
1913:290.  
N, N-DIMETHYL-N'-(a-PYRIDYL)-N'-(2-METHYL-5-  
CHLOROTHENYL)ETHYLENEDIAMINE HCl.  
(TAGATHEN) 1913:290.  
N, N-DIMETHYL-N'-(a-PYRIDYL)-N'-(a-THENYL)-  
ETHYLENEDIAMINE HCl. (HISTADYL (base))  
1037:158.  
DIMETHYL SELENIDE. 750:116.  
4'-(DIMETHYLSULFAMYL)SULFANILAMIDE.  
(ULIRON) 2054:310.  
3, 4-DIMETHYL-5-SULFANILAMIDISOXAZOLE  
SODIUM. (GANTRISIN SODIUM) 966:148.  
3, 4-DIMETHYL-5-SULFANILAMIDISOXAZOLE  
LITHIUM. (GANTRISIN LITHIUM) 965:148.  
N, N'-DIMETHYL-N'-SULFANILYLSULFANILAMIDE.  
(ULIRON) 2054:310.  
DIMETHYL SULFATE. 751:116; 35:334.  
DIMETHYL SULFIDE. 96:334.  
2, 4-DIMETHYLSULFOLANE. 752:116.  
DIMETHYLTETRAHYDROPTHALATE. 753:116.  
3, 5-DIMETHYLTETRAHYDROOPYRONE-F, 4. 754:116;  
97:334.  
N, N-DIMETHYL-N'-(3-THENYL)-N'-(2-PYRIDYL)-  
ETHYLENEDIAMINE. (THENPADIL) 1960:294, 296.  
N, N-DIETHYLTHYMYLOXYACETAMIDINE HCl.  
(SN 216) 1789:248.  
N, N-DIMETHYLTHYMYLOXYACETAMIDINE HCl.  
795:116; also see 1788:248 (SN 198).  
DIMETHYLTOLUTHIONINE CHLORIDE. (TOLUIDINE  
BLUE) 1987:300.  
1, 3-DIMETHYLXANTHINE. (THEOPHYLLINE)  
1962:296.  
3, 7-DIMETHYLXANTHINE. (THEOBROMINE) 1961:296.  
N, N'-DI-β-NAPHTHYL-p-PHENYLENEDIAMINE.  
(AGERITE (WHITE)) 62:14.  
p-DINITROBENZENE. 756:116.  
4, 6-DINITRO-o-CRESOL. 757:116.  
4, 6-DINITRO-o-CRESOL SODIUM. 758:116.  
2, 4-DINITRO-6-CYCLOHEXYLPHENOL. 759:116.  
2, 4-DINITRO-o-CYCLOHEXYLPRENOLDICCYCLO-  
HEXYLAMINE. 760:118.  
3, 5-DINITRO-2-HYDROXYTOLUENE. (4, 6-DINITRO-o-  
CRESOL) 757:116.  
DINITROL. (4, 6-DINITRO-o-CRESOL) 757:116.  
2, 4-DINITRO-a-NAPHTHOL. 761:118.  
a-DINITROPHENOL. (2, 4-DINITROPHENOL) 762:118.  
2, 4-DINITROPHENOL. 763:118.  
2, 4-DINITROTOLUENE. 763:118.  
2, 6-DINITROTOLUENE. 764:118.

DI-OCTANOL-2-PHTHALATE, 765-118.  
DIODONE, (DIODRAST) 766-118.  
DIODRAST, 766-118.  
DIOLOXOL, (MYANESIN) 1407-208.  
DIONIN, 767-118.  
DIOKALANE, 768-118.  
1,4-DIOXANE, 769-118; 98-334.  
1,3-DIOXOLANE, 99-334.  
4,6-DIOXO-2-METHYLDIHYDROPYRAN, 770-118.  
DICKYMETYLENE-PROTOCATECHUIC ALDEHYDE, (PIPERONAL) 1614-238.  
DIPANALENE, (CHLORCYCLOZINE HCl) 395-64.  
DIPARCOL (base), 771-118, 120.  
DIPEGYL, (NICOTINAMIDE) 1434-212.  
N,N'-DI-p-PHENETYLACETAMIDE, (PHENACANE HCl) 1520-228.  
DIPHENHYDRAMINE HCl, (BENADRYL) 220-38, 40.  
DIPHENCYETHYLBNFYL-p-CHLOROETHYLAMINE, 772-120.  
DIPHENCYETHYL-p-CHLOROETHYLAMINE, 773-120.  
DIPHENYL, (BIPHENYL) 267-66; 100-334.  
DIPHENYL-BIS-AZONAPHTHOIC ACID, (CONGO RED) 458-74.  
a,a-DIPHENYL-g-DIMETHYLAMINOALERAMIDE HCl, 774-120.  
a,a-DIPHENYL-g-DIMETHYLAMINOALERAMIDE METHYLOXIDE, 775-120.  
DIPHENYLENIMINE, (CARBAZOL) 365-60.  
DIPHENYLGUANIDINE, 776-120.  
DIPHENYLHYDANTOIN SODIUM, (DILANTIN) 670-100.  
DIPHENYLMETHYLENE-ETHER OF p-METHYLAMINOETHANOL, 777-120.  
DIPHENYLTHIOUREA, 778-120.  
DIPROPAMINE, 779-120.  
DIPROPYLBARBITURIC ACID, (PROPRONAL) 1663-240.  
DIPROPYLENE GLYCOL, 780-120.  
DIPROPYLENE GLYCOL METHYL ETHER, 781-120.  
2,2-DI-n-PROPYL-4-HYDROXYMETHYL-1,3-DIOXOLONE, 782-120.  
DI-n-PROPYL-6,7-METHYLENEDIOXY-3-METHYL-1,2,3,4-TETRAHYDROBENZOPHTHALENE-1,2-DICARBOXYLATE, (n-PROPYLBORNE) 1679-250.  
N,N-DIPROPYLSUCCINAMIC ACID ETHYL ESTER 783-120.  
p-(DI-n-PROPYLSULFANYL)BENZOIC ACID, (BENEMED) 221-60.  
DIREPTAL, (ULIBON) 2994-310.  
DIREPTAL A, (ULIBON) 2844-310.  
DISODIUM 3,3'-DIAMINO-4,4'-DIHYDROXYARSENODIBENZENE-DIMETHYLENESULFONATE, (SULFARSPHENAMINE) 1900-280.  
DISODIUM ETHYLENE-BIS-DITHIOCARBAMATE, (NABAM) 1410-200.  
DISODIUM PHOSPHATE, 784-120.  
DISPADOL, (DEMEROL HCl) 531-60.  
DISULFAM, (ANTABINE) 132-24.  
DISULFUR DECAFLUORIDE, 785-120.  
DI-(4-tert-BUTYL-m-CRESOL)SULFIDE, (SANTOWHITE) 1767-264.  
2,6-DI-tert-BUTYL-4-METHYLPHENOL, (BONOL) 1119-100.  
DITHANE, 786-120.  
DITHANE D 14, 787-120.  
DITHANE Z 78, 788-120.  
DI-o-TOLUYLTICUREA, 789-120.  
p-DI-3-TRIMETHYLAMINOPROPYL BENZENE DITHIOIDE, (DIPROPAMINE) 779-120.  
DITRACOL, (4,6-DINITRO-o-CRESOL) 757-116.  
DIVANICOIDE, 790-120.  
DIVINYL, (1,3-BUTADIENE) 23-324.  
DIVINYLENE OXIDE, (FURAN) 132-340.

DIVINYLENE SULFIDE, (THIOPHENE) 1973-290; 224-350.  
DIVINYLENIMINE, (PYRROLE) 1700-250.  
DIVINYL ETHER, 101-334; also see 260-352 (VINYL ETHER)  
DIVINYL OXIDE, (DIVINYL ETHER) 804-334.  
DMDT, (METHOXYCHLOR) 1253-100.  
DN, (4,6-DINITRO-o-CRESOL) 757-116.  
DN-111, (2,4-DINITRO-o-CYCLOHEXYLPHECOL-DICYCLOHEXYLAMINE) 763-118.  
DNOC, (4,6-DINITRO-o-CRESOL) 757-116.  
DOCEMINE, (VITAMIN B<sub>12</sub>) 2090-314.  
DODECAVITE, (VITAMIN B<sub>12</sub>) 2090-314.  
DODLX, (VITAMIN B<sub>12</sub>) 2090-314.  
DOLAN, 791-120.  
DOLANTAL, (DEMOROL HCl) 531-60.  
DOLANTIN, (DEMOROL HCl) 531-60.  
DOLOPHIN HCl, (m-METHADONE HCl) 1244-184.  
p-DOLOPHIN HCl, (p-METHADONE HCl) 1243-184.  
m-DOLOPHIN(H) HCl, (m-METHADONE HCl) 1244-184.  
DOLURAL, (DEMOROL HCl) 531-60.  
DOLVONAL, (DEMOROL HCl) 531-60.  
D. O. M. F., (MEKUROCHROM) 1325-184.  
DORICO SOLUBLE, (HEKOBARBITAL) 1025-154.  
DORMBRAL, (LUMINAL) 1204-100.  
DORMISON, 792-120.  
DORYL, (CARBAMYLCHLORIDE CHLORIDE) 362-50.  
DOWICIDR, 793-122.  
DOXYLAMINE SUCCINATE, (DECAFRIN SUCCINATE) 527-64.  
DRIKALFA, (METHEDRINE) 1240-100.  
DRINUPAL HCl, (PALUDRINE HCl) 1005-230.  
DREDOOL, (VITAMIN D<sub>2</sub>) 2091-314.  
DROMORAN HBr, 794-122.  
DUBOS' CRUDE CRYSTALS, (TYROBIBICIN) 2053-310.  
DULCIN, 795-122.  
DYPNONE, 796-122.  
E 605, (PARATHION) 1494-222.  
E 850, 797-122.  
ECBOLINZ, (ERGOTONINE) 822-120.  
ECHINOCIDE, 798-122.  
ECHUOIN, (ECHUIN) 799-122.  
ECHUIN, 799-122.  
EFDN, 800-172.  
EFFUSAN, (4,6-DINITRO-o-CRESOL) 757-116.  
EPRICINE, (METHEDRINE) 1240-100.  
EURELICH 5, (MAPHANER) 132-100.  
EURELICH 640, (ARSPHENAMINE) 400-32.  
84 L (EORTY-FOUR), (HETRAZEN) 1015-154.  
844 (EORTY-FOUR-FOUR), (PENTOBARBITAL SODIUM) 1514-226.  
EL-35, 801-122.  
ELATL, (ETHYLENE) 119-334.  
ELDRIN, (RUTIN) 1744-242.  
ELUDRON, (SULFATMAZOLE) 1902-200.  
EMBITAL, (PENTOBARBITAL SODIUM) 1514-226.  
EMCOL 800, 802-122.  
EMERALD GREEN, (BRILLIANT GREEN) 397-50.  
EMETINE, 803-122, 124.  
EMULSEPT, 804-124.  
EMANTIC ALCOHOL, (2-AMPHETAMINE) 1000-154.  
ENDOLAT, (DEMOROL HCl) 531-60.  
ENDOTRAL, 805-124.  
3,6-ENDOCHELARYDROPHTHALIC ACID, (ENDOTRAL) 805-124.  
ENTEROKIN, (VIOPORM) 2007-314.  
ENTEROQUINOL, (VIOPORM) 2007-314.  
ENTERO-VIOPORM, (VIOPORM) 2007-314.  
BORN (YS. yellowish), 806-124.

EPHEDRINE, 807:124.  
 p-EPHEDRINE, (PSEUDOEPHEDRINE) 1686:250  
 L-EPHEDRINE, (β-PHENYL-α-AMINOPROPANE) 1541:230.  
 EPHETONINE, (EPHEDRINE) 807:124.  
 EPINEPHRINE, 808:124, 126.  
 D-EPINEPHRINE, 809:125.  
 DL-EPINEPHRINE, 810:125.  
 L-EPINEPHRINE, 811:126.  
 EPN, 812:126.  
 1,2-EPOXY-3,4-BUTYLENE, (BUTADIENE MONOXIDE) 24:324.  
 1,2-EPOXY-3-CHLOROPROPANE, 813:126, 102:334.  
 EPOXYMETHYLPHENYLACRYLIC ACID ETHYL ESTER, 814:126.  
 EPSOM SALT, (MAGNESIUM SULFATE) 1213:160, 182.  
 ERBIUM NITRATE, 815:126.  
 ERGAMINE, (HISTAMINE) 1018:158.  
 ERGOBASINE, 816:126, 128.  
 ERGOCORINE, 817:128.  
 ERGOCRISTINE, 818:128.  
 ERGOCRYPTINE, 819:128.  
 ERGONOVINE, (ERGOBASINE) 816:126, 128.  
 ERGOTAMINE, 820:128.  
 ERGOTAMINE TARTRATE, 821:128.  
 ERGOTIDINE, (HISTAMINE) 1038:158.  
 ERGOTOLINE, 822:128.  
 ERSODINE HCl, 823:128.  
 ERSOPINE HCl, 824:128.  
 ERSOTHIOPINE DISODIUM, 825:128.  
 ERYTHRAMINE HBr, 826:128.  
 ERYTHRENE, (1,3-BUTADIENE) 23:324.  
 ZANTHRENE, 827:128.  
 ERYTHRITOL, (ERYTHRITE) 827:128.  
 meso-ERYTHRITOL, (ERYTHRITE) 827:128.  
 ERYTHROGLUCIN, (ERYTHRITE) 827:128.  
 β-ERYTHRODINE, 828:128.  
 ERYTHROL, (ERYTHRITE) 827:128.  
 ERYTHROMYCIN, (LOTYCIN) 1098:166.  
 ERYTHROSINE, 830:128.  
 ESERIDINE, (NEOSTIGMINE) 1425:210.  
 ESERINE, (PHYSOSTIGMINE) 1601:236.  
 ESERINE SALICYLATE, (PHYSOSTIGMINE SALICYLATE) 1602:236.  
 ESKEL (VITAMIN) 2088:314.  
 ESPERAL, (ANTABUSE) 158:26.  
 ETHACOL, (α-PHENYL-β-ETHYLAMINOPROPANOL) 1567:232.  
 ETHANAL, (ACETALDEHYDE) 4:6; 2:322.  
 ETHANEDIAL, (GLYOXAL) 984:152.  
 ETHANEDIOIC ACID, (OXALIC ACID) 1481:220.  
 ETHANOL, 831:124, 130; 103:334.  
 ETHANOLAMINE HCl, 832:130.  
 ETHANOL-2,2'-THIODIACETATE, 833:130.  
 ETHENE, (ETHYLENE) 115:336.  
 ETHENONE, (KETENE) 158:14.  
 ETHENYLOXYETHENE, (DIVINYL ETHER) 101:334.  
 ETHER, 834:130; 104:334, 336.  
 ETHINE, (ACETYLENE) 5:322.  
 ETHINYL TRICHLORIDE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 ETHICPROPAZINE BASE, (PARSIDOL (BASE)) 1497:222.  
 ETHOVAN, (ETHYL VANILLIN) 917:138.  
 p-ETHOXYACETANILIDE, (PHENACETIN) 1521:228.  
 ETHOXYACETYL-K-STROPHANTHIN, 835:130.  
 4-ETHOXY-2-AMINOBENZOTHAZOLE, 836:130.  
 ETHOXYBENZAZEPINE, 837:130.  
 2-ETHOXY-6,9-DIAMINOACRIDINE LACTATE, (RIVANOL) 1739:260.

p-ETHOXY-4-DIMETHYLAMINOETHOXYBENZENE ETHIOIDE, 838:130.  
 ETHOXYETHANE, (ETHER) 834:130; 104:334, 336.  
 2-ETHOXYETHANOL, 105:336; 889:136 (ETHYLENE GLYCOL MONOETHYLETER).  
 2-ETHOXYETHANOL ACETATE, 839:130; 106:336.  
 2(2-ETHOXYETHOXY)ETHANOL, 840:130.  
 2(1-ETHOXYETHOXY)ETHANOL ACETATE, 841:130.  
 2-ETHOXYETHYL ACETATE, (2-ETHOXYETHANOL ACETATE) 839:130; 106:336.  
 ETHOXYETHYLTRIMETHYLAMMONIUM IODIDE, 842:130.  
 3-ETHOXY-4-HYDROXYBENZALDEHYDE, (ETHYL VANILLIN) 917:138.  
 1-ETHOXY-2-HYDROXY-4-PROPENYL BENZENE, 843:130.  
 3-ETHOXY-1,2-PROPANDIOL, 844:130.  
 3-ETHOXYPROPIONALDEHYDE, 845:130; 107:336.  
 3-ETHOXYPROPIONIC ACID, 846:130.  
 1-ETHOXY-5,6,7,8-TETRAHYDROCARBAZOLE, 847:130.  
 ETHYL ACETATE, 848:130; 108:336.  
 ETHYL ACETOACETATE, 849:132.  
 ETHYL ACETONE, (PENTANONE) 200:346.  
 ETHYL ACRYLATE, 850:132; 109:336.  
 ETHYL ALCOHOL, (ETHANOL) 831:128, 130; 103:334.  
 ETHYLALDEHYDE, (ACETALDEHYDE) 4:6; 2:322.  
 ETHYLAMINE, 851:132.  
 4-ETHYL-2-AMINOBENZOTHAZOLE, 852:132.  
 ETHYLAMINOETHANOL, 853:132.  
 2-ETHYL-2-1-AMYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 854:132.  
 2-ETHYL-2-n-AMYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 855:132.  
 ETHYLANILINE, 856:132.  
 ETHYLBENZAZEPINE, 857:132.  
 ETHYLBENZENE, 858:132; 110:336.  
 2-ETHYLBENZIMIDAZOLE, 859:132.  
 ETHYL BENZOATE, 860:132.  
 2-ETHYLBENZOTRIAZOLE, 861:132.  
 ETHYL BROMIDE, 111:336.  
 2-ETHYL-BUTANOL-1, 862:132.  
 ETHYLBUTYLETER, 863:132.  
 2-ETHYL-2-BUTYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 864:132.  
 ETHYLBUTYLKETONE, 865:132; 112:336.  
 ETHYLBUTYRALDEHYDE, 866:132.  
 2-ETHYLBUTYRALDEHYDE, 113:336.  
 ETHYL CARBAMATE, (URETHAN) 2065:310.  
 ETHYL CARBITOL, 867:132.  
 ETHYLCELLULOSE, 868:132.  
 ETHYL CETAB, 869:132.  
 ETHYL CHALMOGRATE, 870:132.  
 ETHYL CHLORIDE, (1,2-DICHLOROETHANE) 578:92, 94; 66:330.  
 ETHYL-BIS-(β-CHLOROETHYLAMINE) 871:132, 134.  
 ETHYL BIS-COUMACETATE, (TROMEXAN) 2044:308.  
 ETHYL BIS(4-HYDROXYCOUMARINYL)ACETATE, (TROMEXAN) 2044:308.  
 ETHYL-β-CHLOROETHYLAMINE, 872:134.  
 ETHYL-β-CHLOROETHYL-β-(α-BENZYL)PHENOXY-ETHYLAMINE, 873:134.  
 ETHYL-β-CHLOROETHYLETHYLENIMONIUM PICRYL SULFONATE, 874:134.  
 ETHYL-β-CHLOROETHYL-β-HYDROXYETHYLPICRYL SULFONATE, 875:134.  
 2-ETHYLCROTONYLUREA, 876:134.  
 ETHYL CYANIDE, (PROPIONITRILE) 1660:248; 208:348.  
 ETHYLCYANOCYCLOHEXYL ACETATE, 877:134.

ETHYLCYCLOHEXANE, 114:136.  
 ETHYL-DIDIPHENYLAMIDOPHOSPHATE, 878:14.  
 ETHYLDIOXASPIRANE, 873:134.  
 2-ETHYLDIPHENYLPHOSPHATE, 880:134.  
 ETHYLENE, 115:336.  
 ETHYLENE-BIS-DITHIOCARBAMATE, DISODIUM SALT, (DITHANE D14) 787:120.  
 ETHYLENE-BIS-DITHIOCARBAMIC ACID, sodium and zinc salts of, (DITHANE) 786:120.  
 ETHYLENE BROMIDE, (1,1-DIBROMOETHANE) 6:330.  
 ETHYLENE CHLORIDE, (1,2-DICHLOROETHANE) 578:92, 94; 66:330.  
 ETHYLENE CHLOROHYDRIN, 881:134; 116:336.  
 ETHYLENEDIAMINE, 882:134; 117:336.  
 ETHYLENEDIAMINE 2HCl, (CHLÖRETHAMINE) 397:66.  
 ETHYLENE DICHLORIDE, 883:134.  
 ETHYLENE GLYCOL, 884:134, 136.  
 ETHYLENE GLYCOL DINITRATE, 885:136.  
 ETHYLENE GLYCOL METHYL ETHER ACETATE, 886:136.  
 ETHYLENE GLYCOL MONOACETATE, 887:136.  
 ETHYLENE GLYCOL MONOBUTYLETHER, 888:136; 118:336.  
 ETHYLENE GLYCOL MONOETHYLETHER, 889:136; 105:336 (2-ETHOXYETHANOL).  
 ETHYLENE GLYCOL MONOETHYL ETHER ACETATE (2-ETHOXYETHANOL ACETATE) 839:130; 126:336.  
 ETHYLENE GLYCOL MONOISOPROPYL ETHER, 119:336.  
 ETHYLENE GLYCOL MONOMETHYL ETHER, 120:336 also see 1303:194 (METHYL "CELLOSOLVE").  
 ETHYLENE GLYCOL MONOPROPYL ETHER, 121:336.  
 ETHYLENE GLYCOL NITRATE, 890:136.  
 ETHYLENIMINE, 891:136; 122:336.  
 ETHYLENE OXIDE, 892:136; 123:336.  
 ETHYLENESUCCINIC ACID, (SUCCINIC ACID) 1892:286.  
 ETHYLENE TETRACHLORIDE, (TETRACHLOROETHYLENE) 1930:290, 292; 220:350.  
 N-ETHYLEPINEPHRINE, 893:136.  
 ETHYL ETHER, (ETHER) 834:130; 104:324, 335.  
 ETHYLETHYLENE, (BUTYLENE) 25:324.  
 ETHYL-5-FLUOROHexamONATE, 894:136.  
 ETHYL FORMATE, 124:338.  
 ETHYL-7-ETHYLCARBAMATE, 895:136.  
 ETHYL GLYCERYL ETHER, 896:136.  
 ETHYL GREEN, (BRILLIANT GREEN) 297:54.  
 2-ETHYLHEXALDEHYDE, 125:338.  
 2-ETHYLHEXANEDIOL-1,3, (BUTGERS) 612:1745:262.  
 2-ETHYLHEXANOL, 897:136.  
 2-ETHYLHEXENE-1, 126:338.  
 2-ETHYLHEXYLAMINE, 127:337.  
 2-ETHYLHEXYL CHLORIDE, 128:338.  
 ETHYLHYDROCUPREINE, (OPTOCHIN) 1478:218.  
 ETHYL-p-HYDROXYETHYL-ETHYLENIMONIUM-PICRYL SULFONATE, 898:136.  
 ETHYLIDENE CHLORIDE, (1,1-DICHLOROETHANE) 577:97; 65:330.  
 ETHYLIDENE DIETHYL ETHER, (ACETAL) 3:6; 1:322.  
 ETHYLIDENE DIMETHYL ETHER, (1,1-DIMETHOXYETHANE) 672:108; 89:334.  
 5-ETHYL-5-ISOPROPYLBARBITURIC ACID, (AMYTAL) 146:24, 26.  
 5-ETHYL-5-ISOPROPYLBARBITURIC ACID, (IPRAL) 1117:168.  
 ETHYL MANDELATE, 899:136.  
 ETHYLMERCURIC PHOSPHATE, 900:138.  
 ETHYL MERCURY THIOGLYCOLATE, 901:138.

ETHYL METHACRYLATE, 902:138.  
 5-ETHYL-5-(1-METHYL-1-BUTENYL)HARNITURIC ACID, (DELVINAL) 510:88.  
 ETHYL(METHYLBUTYL)THIOCARBAMATE, (PENTOTHAL SODIUM) 1515:226.  
 ETHYL METHYL KETONE, (BUTANONE) 25:324.  
 5-ETHYL-3-METHYL-5-PHENYLHYDANTOIN, (MESANTON) 1239:186.  
 ETHYL-1-METHYL-4-PHENYLPIPERIDINE-4-CARBOXYLATE HCl, (DEMEROL HCl) 531:88.  
 ETHYLMORPHINE HCl, (DIONIN) 767:118.  
 4-ETHYLMORPHOLINE, 903:138; 129:338.  
 ETHYL-p-NITROPHENYLTHIOBENZENE PHOSPHONATE, (EPN) 812:125.  
 ETHYL-p-NITROPHENYLTHIOBENZENE PHOSPHATE, (EPN) 812:125.  
 ETHYLOLAMINE HCl, (ETHANOLAMINE HCl) 832:130.  
 ETHYL OXIDE, (ETHER) 834:130; 104:334, 336.  
 ETHYL OXYTHIOCARBAMATE, (ETHYL THIOCARBAMATE) 912:138.  
 3-ETHYLPENT-4-EN-1-YN-3-OL, 904:138.  
 ETHYLPHENYLAMINE, (ETHYLANILINE) 856:132.  
 5-ETHYL-5-PHENYLBARBITURIC ACID, (LUMINAL) 1204:140.  
 ETHYLPHENYLBENZAZEPINE, 905:138.  
 ETHYL PHENYL ETHER, (PHENETOLE) 1523:228.  
 1-ETHYL-1-PHENYLTHIOUREA, 906:138.  
 ETHYL PHTHALATE, (DIETHYL PHTHALATE) 632:102.  
 N-ETHYLPYPERIDINE, 907:138.  
 N-ETHYL-3-PIPERIDYLDIPHENYLACETATE HCl, 908:138.  
 2-ETHYLPROPYL-4-HYDROXYMETHYL-1,3-DICHLOROLANE, 909:138.  
 ETHYL SALICYLATE, 910:138.  
 ETHYL SILICATE, (TETRAETHOXYSLANE) 1933:292; 221:350.  
 ETHYL SULFATE, (DIETHYL SULFATE) 637:102; 83:332.  
 ETHYL SULFOCYANATE, (ETHYL THIOCYANATE) 913:138.  
 ETHYL TETRAPHOSPHATE, (TETRAETHYL PYROPHOSPHATE) 1937:292.  
 ETHYLTHIOBROMINE, 911:138.  
 ETHYL THIOCARBAMATE, 911:138.  
 ETHYL THIOCYANATE, 913:138.  
 ETHYLTHIONURETHANE, (ETHYL THIOCARBAMATE) 912:138.  
 ETHYLTRICHLOROSILANE, 914:138.  
 ETHYLTRIMETHOXYSLANE, 915:138.  
 ETHYLTRIMETHYLLAMMONIUM IODIDE, 916:138.  
 ETHYL URETHAN, (URETHAN) 2065:319.  
 ETHYL VANILLIN, 917:138.  
 ETHYNE, (ACETYLENE) 5:322.  
 ETOVAL, (NEONAL) 1424:210.  
 EUBASIN, (SULFAPYRIDINE) 1962:280.  
 p-EUCALPTE, 918:138.  
 EUCODAL, 919:138.  
 EUCUINE, 920:140.  
 EUGENIC ACID, (EUGENOL) 921:140.  
 EUGENOL, 921:140.  
 EUMEDRINE, 922:140.  
 EUMYDRIN, (EUMEDRINE) 922:140.  
 EUNERYL, (LUMINAL) 1204:140.  
 EVIPAL, 923:140.  
 EVIPAL SODIUM, (HEXOBARBITAL) 1025:156.  
 EVIPAN SODIUM, (HEXOBARBITAL) 1025:156.  
 EXPANSINE, (PATULIN) 1490:222.  
 FAGNE, (CHOLINE) 434:70.  
 FANTONIN, (FUADIN), 925:140.  
 FANYLINE, 924:140.

FAST GREEN, (MALACHITE GREEN) 1214:182.  
 FAST GREEN J, (BRILLIANT GREEN) 297:50.  
 FEMERGIN, (ERGOTAMINE TARTRATE) 821:128.  
 FENCHOLIC ACID, 925:140.  
 FERBAM, 926:140.  
 FERMENTATION AMYL ALCOHOL, (ISOAMYL ALCOHOL) 1120:170.  
 FERMENTATION BUTYL ALCOHOL, (ISOBUTYL ALCOHOL) 1122:170.  
 FERRIC CHLORIDE, 927:140.  
 FERRIC DIMETHYLDITHIOCARBAMATE, (FERBAM) 926:140.  
 FERRIC SULFATE, 928:140.  
 FERROUS ACETATE, 929:142.  
 FERROUS CHLORIDE, 930:142.  
 FERROUS LACTATE, 931:142.  
 FERROUS NITRATE, 932:142.  
 FERROUS SULFATE, 933:142.  
 FLAVOLUTAN, (PROGESTERONE) 1653:246.  
 FLAVUROL, (MERCUROCHROME) 1235:184.  
 FLAXEDIL, 934:142.  
 FLOPROPYL, (DIISOPROPYL FLUOROPHOSPHATE) 665:106; 88:332, 334.  
 FLORESCÉIN, 935:142.  
 "FLUOROACETATE" 936:142, 144.  
 FLUOROACETATE SODIUM, 937:144.  
 FLUOROACETPHENYLHYDRAZIDE, (FANYLINE) 924:140.  
 3-FLUORO-5-BROMOTYROSINE, 938:144.  
 γ-FLUOROBUTYRATE METHYL ESTER, 939:144.  
 γ-FLUOROCROTONATE SODIUM, 940:144.  
 1, 2, --FLUORODINITROBENZENE, 941:144.  
 FLUOROETHYLENE, 130:338.  
 5-FLUOROHEXANOATE ETHYL ESTER, 942:144, 146.  
 FLUOROHYDRIC ACID, (HYDROFLUORIC ACID) 147:340.  
 3-FLUORO-4-HYDROXYPHENYLACETIC ACID, 943:146.  
 1-(3-FLUORO-4-HYDROXY)-PHENYL-1-METHYL-2-METHYLAMINOETHANE, 944:146.  
 FLUOROTYRAMINE, 945:146.  
 FONTANSAN, (MAPHERSEN) 1224:182.  
 FORICID, (IODEKYN) 1107:168.  
 FORMAL, (METHYLAL) 166:342.  
 FORMALDEHYDE, 946:146; 131:338.  
 FORMALDEHYDE DIMETHYL ACETAL, (METHYLAL) 166:342.  
 FORMALDEHYDE SODIUM SULFOXYLATE, (SODIUM FORMALDEHYDE SULFOXYLATE) 1816:274.  
 FORMALIN, 947:146.  
 FORMAMIDE, 948:146.  
 FORMIC ACID, 949:146.  
 FORMIC ACID ETHYL ESTER, 950:146.  
 FORMIC ALDEHYDE, (FORMALDEHYDE) 946:146; 131:338.  
 FORMIN, (CYSTAMIN(E)) 519:84.  
 FORTHANE, (4-METHYL-2-HEXYLAMINE) 1328:196.  
 FOUADIN, (FUADIN) 953:146.  
 FRADICIN, (CRYSTALLINE) 951:146.  
 FRUCTOSE, (LEVULOSE) 1197:178.  
 FUSOIDE, 952:146.  
 FRUIT SUGAR, (LEVULOSE) 1197:178.  
 FUADIN, 953:146.  
 FUCHSINE (basic), 954:146.  
 FUMING LIQUID ARSENIC, (ARSENIC TRICHLORIDE) 16:324.  
 FUNGICIDE 341-B, 955:146.  
 FUNGICIDE 341-C, 956:146.  
 FURACIN, 957:146.  
 2-FURALDEHYDE, (FURFURAL) 958:146.  
 FURAN, 132:338.

2-FURANCARBINOL, (FURFURYL ALCOHOL) 959:146, 148.  
 FURFURAL, 958:146.  
 FURFURALCOHOL, (FURFURYL ALCOHOL) 959:146, 148.  
 FURFURAN, (FURAN) 132:338.  
 FURFURYL ALCOHOL, 959:148.  
 α-FURYL CARBINOL, (FURFURYL ALCOHOL) 959:146, 148.  
 2-FURYL CARBINOL, (FURFURYL ALCOHOL) 959:146, 148.  
 2-α-FURYL-4-HYDROXYMETHYL-1, 3-DIOXOLANE, 960:148.  
 FUSEL OIL, (ISOAMYL ALCOHOL) 1129:170.  
 4-(β-D-GALACTOSIDO)-D-GLUCOSE, (LACTOSE) 1162:174.  
 GALLIC ACID, 961:148.  
 GALLIUM AMMONIUM SULFATE, 962:148.  
 GALLIUM LACTATE, 963:148.  
 GALLIUM NITRATE, 964:148.  
 GALLOCHROME, (MERCUROCHROME) 1235:184.  
 GALLOTANNIC ACID, (TANNIC ACID) 1917:290.  
 GAMEFAR, (PLASMOQUINE) 1619:238, 240.  
 GAMMEKANE, (BENZENE HEXACHLORIDE (γ)) 229:42.  
 GANDAN, (SULFAGUANIDINE) 1898:283.  
 GANTRISIN LITHIUM, 965:148.  
 GANTRISIN SODIUM, 965:148.  
 GANTROGAN LITHIUM, (GANTRISIN LITHIUM) 965:148.  
 GANTROGAN SODIUM, (GANTRISIN SODIUM) 965:148.  
 GARDENAL, (LUMINAL) 1204:180.  
 GASOLINE, 133:338.  
 GELSEMINE, 967:148.  
 GELSEMIUM SEMPERVIRENS, alkaloids of (GELSEMINE) 967:148.  
 GEMALGENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 GENESERINE, (NEOSTIGMINE) 1425:210.  
 GERMALGENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 GERMANIN, 968:148.  
 GERMANIUM HYDRIDE, 134:338.  
 GERMANIUM OXIDE, 969:148.  
 GERMERINE, 970:148.  
 GERMININE, 971:148.  
 GERMINE, 972:148.  
 GESAROL, (DDT) 523:86.  
 GITALIN, 973:150.  
 GITOLIN, 974:150.  
 GITOXIN, 975:150.  
 GITOKOSIDE, 976:150.  
 GLAUBER'S SALT, (SODIUM SULFATE) 1851:280.  
 GLOBULARACTININ, (BUTIN) 1746:262.  
 GLONON, (NITROGLYCEROL) 1446:214.  
 GLUCOCHLORAL, (CHLORALOSE) 394:64.  
 α-D-GLUCOCHLORALOSE, (CHLORALOSE) 394:64.  
 GLUCOPERIFLOCYMARIN, (PERIFLOCIN) 1317:224.  
 GLUCOSE, 977:150.  
 α-GLUCOSE, (GLUCOSE) 977:150.  
 GLUCOSYL-β-PHENYLETHYLAMINE, 978:150.  
 GLUCURONIC ACID LACTONE, 979:150.  
 GLYCERIN, (GLYCEROL) 980:150.  
 GLYCEROL, 980:150.  
 GLYCEROL, nitric acid triester of, (NITROGLYCEROL) 1446:214.  
 GLYCEROL-α-ALLYLETHER, (3-ALLYLOXY-1, 2-PROPANDIOL) 75:16.  
 GLYCEROL-α-ETHYLETHER, (3-ETHOXY-1, 2-PROPANDIOL) 844:150.

GLYCEROL- $\alpha$ -ISOPROPYLETHYL (3-ISOPROPOXY-1,2-PROPANEDIOL) 1137:170.  
GLYCERYL DIACETATE. (DIACETIN) 533:90.  
GLYCERYL MONOACETATE. (MONACETIN) 1392:204.  
GLYCERYL- $\alpha$ -PHENYL ETHER. (3-PHENOXY-1,2-PROPANEDIOL) 1529:228.  
GLYCERYL- $\alpha$ -TOLYL ETHER. (MYANESIN) 1477:208.  
GLYCERYL TRIACETATE. (TRACETIN) 1995:302.  
GLYCERYL TRINITRATE. (NITROGLYCEROL) 1446:214.  
GLYCIDYL OLEATE. 941:152.  
GLYCOL. (ETHYLENE GLYCOL) 884:134, 136.  
GLYCOLALDEHYDE. 982:152.  
GLYCOL CHLOROHYDRIN. (ETHYLENE CHLOROHYDRIN) 881:134; 116:336.  
GLYCOL DIETHYL ETHER. (ETHYL CARBITOL) 867:132.  
GLYCOLIC ACID. (HYDROXYACETIC ACID) 1053:162.  
GLYCOL-MONOACETIN. (ETHYLENE GLYCOL MONOACETATE) 887:136.  
GLYKETAL. (2-METHYL-2-AMYL-4-HYDROXY-METHYL-1,3-DIOXOLANONE) 1281:192.  
GLYKRESIN. (MYANESIN) 1407:208.  
GLYODIN (base) 983:152.  
GLYOXAL. 984:152.  
GLYOXALIDENE ACETATE. (FUNGICIDE 341C) 956:146.  
GLYOXAL TETRABUTYLACETAL. 985:152.  
GLYPHENARSINE. (TRYPARSAMIDE) 2047:308.  
GOLD and SODIUM THIOSULFATE. (SANOCHRYSEIN) 1765:264.  
GOLD. double thio sulfate of. (SANOCHRYSEIN) 1765:264.  
GOSSYPINE. (CHOLINE) 434:70.  
GOSSYPOL ACETATE. 985:152.  
GRAMICIDIN. 987:152.  
GRAPE SUGAR. (GLUCOSE) 977:150.  
GREEN HYDROQUINONE. (QUINHYDRONE) 1707:254.  
G-STROPHANTHIN. (STROPHANTHIN G) 1866:244.  
GUALACOL. 988:152.  
GUAMIDE. (SULFAGUANIDINE) 1898:288.  
GUANATOL HCl. (PALUDRINE HCl) 1485:220.  
GUANICINE. (ACON) 46:10.  
GUANIDINE. 989:152.  
N<sup>1</sup>-GUANYLSULFANILAMIDE. (SULFAGUANIDINE) 1898:288.  
GUARANINE. (CAFFEINE) 351:96.  
GUM CAMPHOR. (CAMPOR) 259:58.  
GYNERGEN. (ERGOTAMINE TARTRATE) 821:128.  
GYNESINE. (TRIGONELINE) 2025:304.  
GYNOCHROME. (METHYLBIOCHROME) 1235:184.  
  
HALAZONE. 990:152.  
HARMALINE. 991:152.  
HARMANE. 992:152.  
HARMINE. 993:152, 154.  
HARMOL. 994:154.  
HEBARAL. (ORTAL SODIUM) 1479:218.  
HELIOTROPIN. (PIPERONAL) 1614:238.  
HELLEBOREIN. 995:154.  
HEMODAL. (MENADIONE) 1228:184.  
HEMO- $\beta$ -DOZE. (VITAMIN B<sub>12</sub>) 2090:314.  
10-HENDECENOIC ACID. (UNDECYLENIC ACID) 2055:310.  
HEPARIN. 996:154.  
HEPARINOID. 997:154.  
HEPTACOVITE. (VITAMIN B<sub>12</sub>) 2090:314.  
HEPTACHLOR. 998:154.

1, 4, 5, 6, 7, 8, 8-HEPTACHLORO-3a, 4, 7, 7a-TETRAHYDRO-4, 7-METHANONDENE. (HEPTACHLOR) 992:154.  
HEPTADECYLGLYOXALIDINE. (GLYODIN (base)) 983:152.  
2-HEPTADECYL-1-HYDROXYETHYLIMIDAZOLINE. 999:154.  
HEPTADECYLIMIDAZOLINE. 1000:154.  
2-HEPTADECYL-2-IMIDAZOLINE. (GLYODIN (base)) 983:152.  
HEPTADECYLIMIDAZOLINE and 2-HEPTADECYL-1-HYDROXYETHYLIMIDAZOLINE (mixture of). (FUNGICIDE 341 B) 955:146.  
HEPTALDEHYDE SODIUM BISULFITE. 1001:154.  
HEPTANE. 135:338.  
n-HEPTANE. (HEPTANE) 135:338.  
2-HEPTANOL. 1002:154.  
3-HEPTANOL. 1003:154.  
2-HEPTANONE. (METHYL AMYL KETONE) 167:342.  
HEPTAZONE. 1004:154.  
HEPTAZONE HCl. 1005:154.  
(3-HEPTOXYPHENYL)TRIMETHYLAMMONIUM BROMIDE. 1006:154.  
n-HEPTYLALCOHOL. (2-HEPTANOL) 1002:154.  
n-HEPTYLALCOHOL. primary (2-HEPTANOL) 1002:154.  
HEPTYL ALDEHYDE SODIUM BISULFITE. (HEPTALDEHYDE SODIUM BISULFITE) 1001:154.  
2-HEPTYLAMINE. 1007:154.  
3-HEPTYLAMINE. 1008:154.  
2-HEPTYLMETHYLAMINE. 1009:154.  
3-HEPTYLMETHYLAMINE. 1010:154.  
n-HEPTYLTRIMETHYLAMMONIUM IODIDE. 1011:154.  
HEROIN. 1012:154.  
HETP. 1013:154.  
HETRAMINE. 1014:154.  
HETRAZAN. 1015:154.  
HEXABIONE. (PYRIDOXINE) 1694:252.  
 $\alpha$ -1, 2, 3, 4, 5, 6-HEXACHLOROCYCLOHEXANE. (BENZENE HEXACHLORIDE ( $\alpha$ )) 227:42.  
 $\beta$ -1, 2, 3, 4, 5, 6-HEXACHLOROCYCLOHEXANE. (BENZENE HEXACHLORIDE ( $\beta$ )) 228:42.  
 $\gamma$ -1, 2, 3, 4, 5, 6-HEXACHLOROCYCLOHEXANE. (BENZENE HEXACHLORIDE ( $\gamma$ )) 229:42.  
 $\delta$ -1, 2, 3, 4, 5, 6-HEXACHLOROCYCLOHEXANE. (BENZENE HEXACHLORIDE ( $\delta$ )) 230:42.  
1, 2, 3, 4, 10, 10-HEXACHLORO-6, 7-EPOXY-1, 4, 4a, 5, 6, 7, 8a-OCTAHYDRO-1, 4, 5, 8-DIMETHANONAPHTHALENE. (DELDREN) 692:96.  
HEXACHLOROETHANE. 1016:154.  
1, 2, 3, 4, 10, 10-HEXACHLORO-1, 4, 4a, 5, 8a-HEXAHYDRO-1, 4, 5, 8-DIMETHANONAPHTHALENE. (ALDREN) 64:14.  
HEXACHLOROPROPANE. 136:338.  
HEXACHLOROPROPYLENE. 1017:154; 137:338.  
2, 4-HEXADIENOIC ACID. (SEBACIC ACID) 1046:282.  
HEXAETHYL TETRAPHOSPHATE. (HETP) 1013:154.  
HEXAHYDROANILINE. (CYCLOHEXYLAMINE) 506:82.  
HEXAHYDRO-3a, 7a-DIMETHYL-4, 7-EPOXYISO-BENZOPURAN-1, 3-DIONE. (CANTHARIDIN) 360:58.  
HEXAHYDROPHENOL. (CYCLOHEXANOL) 502:82.  
HEXAHYDROPHTHALIC ACID DIETHYL ESTER. 1018:154.  
HEXAHYDROPYRIDINE. (PIPERIDINE) 1611:238.  
HEXAHYDROTHYMOL. (MANTHOL. (natural)) 1229:184.  
HEXAHYDRO-1, 3, 5-TRINITRO-s-TRIAZINE. (CYCLOHEXYLENETRINITRAMINE) 516:84.  
HEXAHYDROX(BENZENE. (CYCLOHEXANE) 500:82; 52:330.

HEXALIN. (CYCLOHEXANOL) 502:82.  
HEXAMETHYLENE. (CYCLOHEXANE) 500:82;  
50:330  
HEXAMETHYLENETETRAMINE. (CYSTAMIN(E))  
519:84.  
HEXAMINE. (CYSTAMIN(E)) 519:84.  
HEXANAL. 1019:156.  
HEXANAPHTHENE. (CYCLOHEXANE) 500:82; 52:330.  
HEXANASTAB. (HEXOBARBITAL) 1025:156.  
HEXANE. 138:338.  
n-HEXANE. (HEXANE) 138:338.  
2,5-HEXANEDIOL. 1020:156.  
HEXANEDIONE-2,5. (2,5-HEXANEDIONE) 139:338.  
2,5-HEXANEDIONE. 139:338.  
1,2,6-HEXANETRIOL. 1021:156.  
HEXANOIC ACID. 1022:156.  
3-HEXANOL. 1023:156.  
2-HEXANONE. 1024:156; 140:338.  
HEXASODIUM sym. -BIS(m-AMINO BENZOYL-m-AMINO-p-METHYLBENZOYL-1-NAPHTHYLAMINO-4,6,8-TRISULFONATE)CARBAMIDE. (GERMANIN)  
968:148.  
o-HEXENE. (HEXYLENE) 142:338.  
HEXETHAL SODIUM. (ORTAL SODIUM) 1479:218.  
HEXOBARBITAL. 1025:156.  
HEXOBARBITONE. (EVIPAL); 923:140.  
HEXOGEN. (CYCLOTETRAMETHYLENETRINITRAMINE)  
516:84.  
"HEXONE". 141:338.  
HEXOSE DIPHOSPHORIC ACID. 1025:156.  
n-HEXYLALCOHOL. (1-HEXANOL) 1023:156.  
HEXYLAMINE. 1027:156.  
2-HEXYLAMINE. 1028:156.  
HEXYLBENZAZEPINE. 1029:156.  
n-HEXYLBENZOATE. 1030:156.  
HEXYLENE. 142:338.  
HEXYLETHER. 1031:156.  
2-n-HEXYL-4-HYDROXYMETHYL-1,3-DIOXOLANE.  
1032:156.  
2-HEXYLMETHYLAMINE. 1033:156.  
n-HEXYLRESORCINOL. 1034:156.  
1-HEXYL-2,4-RESORCINOL. (n-HEXYLRESORCINOL)  
1034:156.  
n-HEXYLTRIMETHYLAMMONIUM IODIDE. 1035:158.  
HEYDEN 611. (ANTIMOSAN) 172:28.  
HIBICON. 1036:158.  
HISTADYL BASE. 1037:158.  
HISTAMINE. 1038:158.  
HISTANTINE. (CHLORCYCLOZINE HCl) 395:64.  
HOECHST 10620. (METHADONE HCl) 1244:186.  
HOLOCAINE HCl. (PHENACAINE HCl) 1520:228.  
HOMATROPINE METHYLBROMIDE. 1039:158.  
HORDENINE SULFATE. 1040:158.  
HYAMINE 1622. 1041:160.  
HYAMINE 2389. 1042:160.  
HYDRACRYLIC ACID- $\beta$ -PHENYLETHYL ESTER.  
(HYDROACRYLIC ACID- $\beta$ -PHENYLETHYL ESTER)  
1049:160.  
HYDRASTINE. 1043:160.  
L- $\beta$ -HYDRASTINE. (HYDRASTINE) 1043:160.  
HYDRASTININE HCl. 1044:160.  
HYDRAZINE. 1045:160; 143:338.  
HYDRAZINE HYDRATE. 1046:160.  
HYDRAZINE SULFATE. 1047:160.  
HYDRAZINO BENZENE. (PHENYLHYDRAZINE)  
1573:234.  
1-HYDRAZINOPHTHALAZINE. 1048:160.  
HYDRAZONIC ACID. 144:340.  
HYDROACRYLIC ACID- $\beta$ -PHENYLETHYL ESTER.  
1049:160

HYDROBROMIC ETHER. (ETHYL BROMIDE) 111:326.  
HYDROCHLORIC ACID. 145:440.  
HYDROCYANIC ACID. 1050:160; 146:340.  
HYDROFLUORIC ACID. 147:340.  
HYDROGEN ARSENIDE. (ARSENINE) 189:32; 17:324.  
HYDROGEN DIOXIDE. (HYDROGEN PEROXIDE)  
1051:160.  
HYDROGEN PEROXIDE. 1051:160.  
HYDROGEN SELENIDE. 148:340.  
HYDROGEN SULFIDE. 149:340.  
HYDROQUINONE. 1552:160; 162.  
HYDROQUINONE MONOBENZYL ETHER. (AGERITF.  
(WHITE)) 62:14.  
"HYDROSULFURIC ACID". (HYDROGEN SULFIDE)  
149:340.  
HYDROXYACETIC ACID. 1053:162.  
4-HYDROXY-2-AMINOBENZOTRIAZOLE. 1054:162.  
6-HYDROXY-2-AMINOBENZOTRIAZOLE. 1055:162.  
5-HYDROXY-3-( $\beta$ -AMINOETHYL)INDOLE.  
(SEROTONIN) 1784:266, 265.  
o-HYDROXYANISOLE. (GUAIACOL). 988:152.  
o-HYDROXYBENZALDEHYDE. (SALICYLALDEHYDE)  
1750:262.  
o-HYDROXYBENZAMIDE. (SALICYLAMIDE) 1751:262.  
HYDROXYBENZENE. (PHENOL) 1524:228.  
m-HYDROXYBENZOIC ACID. 1056:162.  
o-HYDROXYBENZOIC ACID. (SALICYLIC ACID)  
1750:262.  
p-HYDROXYBENZOIC ACID. 1057:162.  
(2-HYDROXYBENZYL)TRIMETHYLAMMONIUM  
BROMIDE. 1058:162.  
 $\beta$ -HYDROXYBUTYRALDEHYDE. (ALDOL) 63:14.  
2-HYDROXYCAMPHANE. (BORNEOL) 294:48.  
3-HYDROXYCINCHONINE. 1059:162.  
4-HYDROXYCOUMARIN. 1060:162.  
2-HYDROXY-p-CYMELE. (CARVACROL) 374:60.  
3-HYDROXY-p-CYMELE. (THYMOL) 1982:290, 300.  
8-HYDROXY-4,7-DIMETHOXY-1,2-DIMETHYL-1,2,3,  
4-TETRAHYDROISOQUINOLINE. (PELOTTINE)  
1502:222.  
3-HYDROXY-4,5-DIMETHYL- $\alpha$ -PICOLINE.  
(PYRIDOXINE) 1694:252.  
p-HYDROXY-N,N-DIMETHYLPHENETHYLAMINE.  
(VERITOL) 2081:312.  
p-HYDROXY-N,N-DIMETHYLPHENETHYLAMINE  
SULFATE. (HORDENINE SULFATE) 1040:158.  
(2-HYDROXY-3,5-DIMETHYLPHENYL)TRIMETHYL-  
AMMONIUM BROMIDE. 1061:162.  
m-HYDROXYEPHEDRINE. 1062:162.  
o-HYDROXYEPHEDRINE. 1063:162.  
p-HYDROXYEPHEDRINE. 1064:162.  
2-HYDROXYETHYLAMINE HCl. (ETHANOLAMINE HCl)  
832:138.  
HYDROXYETHYLAPOCUPREINE. 1065:162.  
N-HYDROXYETHYLETHYLENEIMINE. 1066:162.  
HYDROXYETHYLPROPYLENE DIAMINE. 1067:162.  
( $\beta$ -HYDROXYETHYL)TRIMETHYLAMMONIUM  
HYDROXIDE. (CHOLINE) 434:70.  
1-HYDROXYHEPTANE. (2-HEPTANOL). 1068:154.  
1-HYDROXYHEXANE. (1-HEXANOL) 1023:156.  
5-HYDROXY-2-HEXENOIC ACID LACTONE. (PARA-  
SOREIC ACID) 1493:222.  
8-HYDROXY-7-ISOQUINOLINE-5-SULFONIC ACID.  
(CHINIFON) 390:64.  
HYDROXYLAMINE. 1068:162.  
HYDROXYLAMINE HCl. 1069:162.  
o-(N- $\gamma$ -HYDROXYMERCURY- $\beta$ -HYDROXYETHOXY-  
PROPYLCARBAMYL)-PHENOXYACETIC ACID.  
1070:164.

- o-(3-HYDROXYMERCURI-2-METHOXYPROPYL) CARBAMYL] PHENOXYACETIC ACID SODIUM SALT. (SALYRGAN) 1753:264.
- o-[(1-HYDROXYMERCURI-2-METHOXYPROPYL) CARBAMYL] PHENOXYACETIC ACID SODIUM + THEOPHYLLINE. (MERSALYL THEOPHYLLINE) 1237:186.
- o-(3-HYDROXYMERCURI-6-METHOXY)PROPYL N'-SUCCINYLUREA + THEOPHYLLINE. (MERCURYDRIN) 1233:184.
- 4-HYDROXY-3-METHOXYBENZALDEHYDE. (VANILLIN) 2075:312.
- l-m-HYDROXY-a-(METHYLAMINOMETHYL)BENZYL ALCOHOL. (NEO-SYNEPHRINE) 1427:210.
- p-HYDROXY-N-METHYLBENZEDRINE. (VERITOL) 2081:312.
- 2-HYDROXYMETHYLFURAN. (FURFURYL ALCOHOL) 959:146, 148.
- 3-HYDROXY-N-METHYLMORPHINAN HBr. (DROMORAN HBr) 794:122.
- 2-HYDROXY-3-METHYL-1,4-NAPHTHOQUINONE. (PHTHICOL) 1599:236.
- 4-HYDROXY-4-METHYL-2-PENTANONE. (DIACETONE ALCOHOL) 540:90.
- (3-HYDROXY-4-METHYLPHENYL)TRIMETHYLAMMONIUM BROMIDE. 1071:164.
- 1-HYDROXYMETHYLPROPANE. (ISOBUTYL ALCOHOL) 1122:170.
- 5-HYDROXY-5-METHYL-2,4-PYRIDINECARBINOL. (PYRIDOXINE) 1694:252.
- 5-HYDROXY-6-METHYL-3,4-PYRIDINEDIMETHANOL. (PYRIDOXINE) 1694:252.
- 8-HYDROXY-1-METHYL-1,2,3,4-TETRAHYDROQUINOLINEDIMETHYLURETHANE METHOIDE. (TETRAMETHOQUIN) 1947:294.
- o-HYDROXYNAPHTHALENE. (a-NAPHTHOL) 1412:208.
- β-HYDROXYNAPHTHALENE. (β-NAPHTHOL) 1413:208.
- 2-HYDROXYNAPHTHALENE. (β'-NAPHTHOL) 1413:208.
- 4-HYDROXYPHENETHYLAMINE. (TYRAMINE) 2051:308.
- o-HYDROXYPHENYLACETIC ACID. (MANDELIC ACID) 1219:182.
- (m-HYDROXYPHENYL)-o-AMINO-1-PROPANOL. (ARAMINE) 192:30.
- (3-HYDROXYPHENYL)BENZYLDIMETHYLAMMONIUM BROMIDE. 1072:164.
- 3-HYDROXY-2-PHENYLCHINCHONIC ACID. 1073:164.
- (3-HYDROXYPHENYL)DIETHYLMETHYLAMMONIUM BROMIDE. 1074:164.
- (3-HYDROXYPHENYL)DIMETHYLETHYLAMMONIUM BROMIDE. 1075:164.
- N,N'-(5-HYDROXY-1,3-PHENYLENE)DI(TRI-METHYLAMMONIUM)DICHLORIDE. 1076:164.
- p-HYDROXYPHENYLETHYLAMINE. (TYRAMINE) 2051:308.
- 2-p-HYDROXYPHENYLETHYLAMINE. (TYRAMINE) 2051:308.
- o-(3-HYDROXYPHENYL)-o-HYDROXY)-β-METHYLAMINOTRANE. (NEO-SYNEPHRINE) 1427:210.
- l-a-(4-HYDROXYPHENYL)-o-HYDROXY)-β-METHYLAMINOTRANE. (SYNEPHRIN) 1911:290.
- (3-HYDROXYPHENYL)ISOPROPYLDIMETHYLAMMONIUM IODIDE. 1077:164.
- o-(p-HYDROXYPHENYL)ISOPROPYLMETHYLAMINE. (VERITOL) 2081:312.
- β-(p-HYDROXYPHENYL)ISOPROPYLMETHYLAMINE. (VERITOL) 2081:312.
- l-1-(m-HYDROXYPHENYL)-2-METHYLAMINOETHANOL. (NEO-SYNEPHRINE) 1427:210.
- p-HYDROXYPHENYLMETHYLAMINOETHANOL. (SYNEPHRIN) 1911:290.
- p-HYDROXYPHENYLMETHYLAMINOETHANOL TARTRATE. (SYMPATOL) 1910:290.
- a-(p-HYDROXYPHENYL)-β-METHYLAMINOPROPANE. (VERITOL) 2081:312.
- a-(4-HYDROXYPHENYL)-β-METHYLAMINOPROPANE. (VERITOL) 2081:312.
- 1-(4-HYDROXYPHENYL)-2-METHYLAMINOPROPANOL. (p-HYDROXYEPHEDRINE) 1064:162.
- p-m-HYDROXYPHENYLPROPANOLAMINE. 1079:164.
- β-o-HYDROXYPHENYLPROPANOLAMINE. 1079:164.
- β-p-HYDROXYPHENYLPROPANOLAMINE. 1086:164.
- (3-HYDROXYPHENYL)TRIETHYLAMMONIUM BROMIDE. 1081:164.
- (2-HYDROXYPHENYL)TRIMETHYLAMMONIUM BROMIDE. 1082:164.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM BROMIDE. 1083:164.
- (4-HYDROXYPHENYL)TRIMETHYLAMMONIUM BROMIDE. 1084:164.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE-BENZYL CARBAMATE. 1085:164.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE CARBAMATE. 1086:164.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATEDIETHYL CARBAMATE. 1087:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATEDIPROPENYL CARBAMATE. 1088:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE-ETHYL CARBAMATE. 1089:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE METHYL CARBAMATE. 1090:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE METHYLPHENYL CARBAMATE. 1091:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE PENTYL CARBAMATE. 1092:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE PHENYL CARBAMATE. 1093:166.
- (3-HYDROXYPHENYL)TRIMETHYLAMMONIUM-METHYLSULFATE PROPENYL CARBAMATE. 1094:166.
- m-HYDROXYPROCAINE. 1095:166.
- 2-HYDROXY-1,2,3-PROPANETRICARBOXYLIC ACID (CITRIC ACID) 449:72.
- o-HYDROXYPROPIONIC ACID. (LACTIC ACID). 1161:174.
- 2-HYDROXYPROPIONIC ACID. (LACTIC ACID) 1161:174.
- 2-(a-HYDROXYPROPYL)PIPERIDINE. (COMHYDRINE) 459:74.
- (2-HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE ACETATE. (MECHOLYL HCl) 1226:184.
- β-HYDROXYQUINOLINE. 1096:164.
- HYDROXYSTREPTOMYCIN. 1097:166.
- o-HYDROXYTOLUENE. (BENZYL ALCOHOL) 255:44; 19:324.
- o-HYDROXY-a-TOLUIC ACID. (MANDELIC ACID) 1219:182.
- 5-HYDROXYTRYPTAMINE. (SEROTONIN) 1784:266, 268.
- HYOSCINE. (SCOPOLAMINE) 1780:266.
- m-HYOSCYAMINE. (ATROPINE) 196:12, 34.

HYPONE, (ACETOPHENONE) 25:8.  
HYPO, (SODIUM THIOSULFATE) 1859:280.  
HLOTYCN (BASE), 1098:166.  
4-IMIDAZOLEETHYLAMINE, (HISTAMINE)  
1 78:158.  
5-IMIDAZOLEETHYLAMINE, (HISTAMINE)  
1038:158.  
2-(4-IMIDAZOLYL)ETHYLAMINE, (HISTAMINE)  
1038:158.  
3-(IMIDAZOLYL-[4])-b-METHYLETHYLAMINE,  
1999:166.  
IMIDOLE, (PYRROLE) 1700:254.  
IMINOUREA, (GUANIDINE) 939:152.  
IMPERIAL GREEN, (PARIS GREEN) 1495:222.  
IMPLETOL, 1100:166.  
INDALONE, (I) 166.  
INDIUM CHLORIDE, 1102:166.  
INDIUM SULFATE, 1103:168.  
INDOLE, 1104:168.  
INHISTON, (TRIMETON) 2036:306.  
INSULIN, 1105:168.  
INTOCOSTRIN, 1106:168.  
INTRAVAL SODIUM, (PENTOTHAL SODIUM)  
1515:226.  
IODEIKON, 1107:168.  
IODINE, 1108:168; 150:340.  
IODINE PHOSPHIDE, 1109:168.  
IODOACETAMIDE, 1110:168.  
IODOACETIC ACID, 1111:168.  
IODOCHLOROXYQUINOLINE, (VIOFORM)  
2087:314.  
IODOCHLOROXYQUINOLINE, (VIOFORM)  
2087:314.  
IODOFLUOROTYROSINE, 1112:168.  
IODOFORM, 1113:168.  
7-IDO-8-HYDROXYQUINOLINE-5- SULFONIC ACID,  
(CHINIOFON) 390:64.  
Iodomethane, (METHYL IODIDE) 1340:198; 179:344.  
IODOPHENE SODIUM, (IODEIKON) 1107:168.  
o-iodophenol, 1114:168.  
IODOPHTHALEIN SODIUM, (IODEIKON) 1107:168.  
IODOPHTHALEIN, soluble, (IODEIKON) 1107:168.  
IODOPYRACET, (DIODRAST) 766:118.  
IODORAYORAL, (IODEIKON) 1107:168.  
IODOTETRAGONS r, (IODEIKON) 1107:168.  
IONOL, 1115:168.  
IOXAL, 1116:168.  
IOPYRACL, (DIODRAST) 766:118.  
IPRAL, 1117:168.  
IRGAPYRIN, 1118:168.  
ISOAMIDONE I, 1119:168.  
L-ISOAMIDONE, (L-ISOMETHADONE) 1132:170.  
ISOAMYL ALCOHOL, 1120:170.  
ISOAMYL-N-(3-DIETHYLAMINOETHYL)-a-AMINO-  
PHENYLACETATE 2HCL, (AVACAN) 199:34  
ISOAMYLETHTYLBARBITURIC ACID, (AMYTAL)  
146:24, 26.  
ISOAMYLDIHYDROEUPHINE, (EUCUPINE) 920:140.  
3-ISOMYL-5-(3,4-METHYLENEDIOXYPHENYL)-2-  
CYCLOHEXANONE, (PIPERONYLCYCLOHEX-  
ANONE) 1616:230.  
ISOBORNYLTHIOCYANOACETATE, (THANIF 2)  
1958:294.  
N-ISOBUTYLADRENALINE, 1121:170.  
ISOBUTYL ALCOHOL, 1122:170.  
ISOBUTYLALDEHYDE, (ISOBUTYRALDEHYDE)  
1123:170; 151:340.  
2-ISOBUTYLAMINOETHYL-p-AMINOBENZOATE  
HCL, (MONOCAINE HCL) 1393:204.  
ISOBUTYL CARBINOL, (ISOBUTYL ALCOHOL) 1120:170

ISOBUTYRALDEHYDE, 1123:170; 151:340.  
ISOCAINE, 1124:170.  
ISOCAINE TARTRATE, (PSICAINE) 1687:250.  
ISOCYCLEX, 1125:170.  
ISODEHYDROACETIC ACID, 1126:170.  
ISODIPHENYLETHANOLAMINE-N-ETHYLDIETHYL-  
ENEAMINE HCL, 1127:170.  
ISODIPHENYLETHANOLAMINE HCL, 1128:170.  
D-ISOEPHEDRINE, (PSEUDOEPHEDRINE) 1686:250.  
ISOFLUROPHATE, (DISOPROPYL FLURO-  
PHOSPHATE) 665:106; 28:332, 374.  
ISO-1-HEXYLDIOXASPIRANE, 1129:170.  
ISO-2-HEXYLDIOXASPIRANE, 1130:170.  
DL-ISOMETHADONE, 1131:170.  
L-ISOMETHADONE, 1132:170; also see 696:110, L-6-  
DIMETHYLAMINO-4,4-DIPHENYL-5-METHYL-3-  
HEXANONE.  
ISOMONOMETHYLNICOTINUM IODIDE, 1133:170.  
ISONAPHTHOL, (3-NAPHTHOL) 1413:208.  
ISONICOTINALDEHYDE SEMICARBAZONE, 1134:170.  
ISONICOTINIC ACID HYDRAZIDE, (NYDRACIDE)  
(RIMIFON) 1462:216; 1738:260.  
ISONICOTINYL HYDRAZIDE, 1135:170.  
ISONICOTINYL HYDRAZINE, (NYDRAZID) 1463:218.  
1-ISONICOTINYL-2-ISOPROPYLHYDRAZINE,  
(MARSILD) 1225:182, 184.  
ISONIPECAINE, (DEMEROL HCL) 531:88.  
ISOCTYLHYDROEUPHINE, (VUZIN) 2094:314.  
ISOPHEN, (METHEDRINE) 1248:188.  
ISOPHORONE, 152:340.  
ISOPRAL, 1136:170.  
ISOPRENE, 153:340.  
ISOPROPANOL, (ISOPROPYL ALCOHOL) 1140:170, 172;  
155:340.  
3-ISOPROPOXY-1,2-PROPANEDIOL, 1137:170.  
ISOPROPYL ACETATE, 1138:170; 154:340.  
ISOPROPYLACETONE, ("HEXONE") 141:330.  
ISOPROPYLACETYLENE, (3-METHYL BUTYNE)  
172:344.  
N-ISOPROPYLADRENALINE, 1139:170.  
ISOPROPYL ALCOHOL, 1140:170, 172; 155:340.  
ISOPROPYLALYL BARBITURIC ACID, (NUMAL)  
1460:216.  
ISOPROPYLAMINE, 1141:172; 156:340.  
ISOPROPYLBENZAZEPINE, 1142:172.  
ISOPROPYLBENZENE, (CUMENE) 490:88; 49:328.  
ISOPROPYL BENZOATE, 1143:172.  
ISOPROPYLBENZOTHAZOLE SULFONAMIDE,  
(ISOCYCLEX) 1125:170.  
ISOPROPYLBROMOPROPENYL BARBITURIC ACID,  
(NOCTAL) 1455:216.  
ISOPROPYLCARBENOL, (ISOBUTYL ALCOHOL)  
1122:170.  
ISOPROPYL-BIS-(3-CHLOROETHYL)AMINE, 1144:172.  
2-ISOPROPYL-2-BUTYL-4-HYDROXYMETHYL-1,3-  
DIOXOLANE, 1145:172.  
ISOPROPYLCINNAMATE, 1146:172.  
ISOPROPYL-o-CRESOL, (CARVACROL) 374:60.  
ISOPROPYL ETHER, 157:342.  
a-ISOPROPYLGLYCERYL ETHER, 1147:172.  
ISOPROPYLDENE ACETONE, (METHYL OXIDE)  
140:342.  
2-ISOPROPYL-5-METHYLPHENOXYETHYLBENZYL-  
3-CHLOROETHYLAMINE, 1148:172.  
ISOPROPYLMETHYLPHOSPHOROFLUORIDE,  
(SARIN) 1770:266.  
(2-ISOPROPYL-4-PENTENOYL)UREA, (SEDORMID)  
1782:266.  
2-ISOPROPYLPHENOXYETHYLBENZYL-3-CHLORO-  
ETHYLAMINE, 1149:172.

2-ISOPROPYLPHENOXYETHYLETHYL  $\beta$ -CHLORO-ETHYLAMINE, 1150:172  
2-ISOPROPYLPHENOXYISOPROPYLBENZYL- $\beta$ -CHLOROETHYLAMINE, 1151:172  
 $\beta$ -ISOPROPYLPHENYLETHYL ALCOHOL, 1152:172  
ISOPROPYL TARTRATE, 1153:172  
ISOQUINOLINE, 1154:172  
ISOSAFROLE, *n*-OCTYLSULFOXIDE of, (SULFOXIDE) 1908:288  
ISOTHAN Q-15, 1155:172

JERVINE, 1156:172

K III, (4,6-DINITRO-*o*-CRESOL) 757:116  
K IV, (4,6-DINITRO-*o*-CRESOL) 757:116  
KAERGONA, (MENADIONE) 1228:184  
KAMPFSTOFF "LOST", (MUSTARD GAS) 1406:206, 208, 186:344

KAPILIN, (MENADIONE) 1228:184  
KAPILON, (MENADIONE) 1228:184  
KAPPAXAN, (MENADIONE) 1228:184  
KAPPAXIN, (MENADIONE) 1228:184  
KAREON, (MENADIONE) 1228:184  
KAVITON, (MENADIONE) 1228:184  
KAYQUINONE, (MENADIONE) 1228:184  
KENDALL'S DESUXY COMPOUND B, (DESOKYCORTICOSTERONE) 537:88

KERAPHEN, (IODIENON) 1107:164  
KEROSENE, 1157:172  
KETENE, 158:342

4-KETOAMYLTRIMETHYLAMMONIUM IODIDE, 1158:172

3-KETOBUTYLTRIMETHYLAMMONIUM IODIDE, 1159:172

KETOHexamethylene, (CYCLOHEXANONE) 503:82, 53:330

$\beta$ -KETOPROPANE, (ACETONE) 22:8; 4:322

KHELLIN, (VISMAMIN) 2088:314

KOLKLOT, (MENADIONE) 1228:184

KRYSOLOAN, 1160:174

LABURNINE NITRATE, (CYTISKE NITRATE) 520:84

LACHESIS MUTA, (SNAKE VENOM) 1790:248

LACTIC ACID, 1161:174

LACTOBACILLUS LACTIS DORNER FACTOR, (VITAMIN B<sub>12</sub>) 298:314

LACTOSE, 1162:174

LANADIGENIN, (DIKETOGLIGONIN) 643:102

LANADIGEN, 1163:174

LANTHANUM ACETATE, 1164:174

LANTHANUM AMMONIUM NITRATE, 1165:174

LANTHANUM CHLORIDE, 1166:174

LANTHANUM NITRATE, 1167:174

LANTHANUM OXIDE, 1168:174

LANTHANUM SULFATE, 1169:174

LAROCARNE, 1170:174

LAURYLDIETHYLENETRIAMINE, 1171:174

LAURYLHQUNOLINUM BROMIDE, (ISOTHAN Q-15) 1155:172

LEAD, 1172:174

LEAD ACETATE, 1173:176

LEAD ARSENATE, 1174:176

LEAD CARBONATE, 1175:176

LEAD CHLORIDE, 1176:176

LEAD CHROMATE, 1177:176

LEAD DIOXIDE, 1178:176

LEAD LACTATE, 1179:176

LEAD MONOXIDE, 1180:176

LEAD NITRATE, 1181:176

LEAD OLEATE, 1182:176

LEAD ORTHOARSENATE, 1183:176

LEAD ORTHOPHOSPHATE, 1184:176

LEAD OXIDE, 1185:176

LEAD (RED), 1186:176

LEAD SILICATE, 1187:176

LEAD STEARATE, 1188:176

LEAD SULFATE, 1189:178

LEAD SULFIDE, 1190:178

LEAD TETRAETHYL, 1191:178

LENTIN, (CARBAMYLCHOLINE CHLORIDE) 363:58

LEPTAZOL, (METRAZOL) 1386:202, 204

LEPTOSIDE, 1192:178

LERIGAN, 1193:178

LETHANE (special), 1194:178

LETHANE 60, 1195:178

LETHANE 384, 1196:178

LEUCOHARMIN, (HARMINE) 993:152, 154

LEUCOLINE, (QUINOLINE) 1720:258

LEVOROTATORY METHADONE HCl, (*l*-METHADONE HCl) 1245:188

LEVULOSE, 1197:178

LICHENIFORMIN A5, 1198:178

LINDANE, (BENZENE HEXACHLORIDE ( $\gamma$ )) 229:42

LIPAN, (4,6-DINITRO-*o*-CRESOL) 757:116

LIPO-LUTIN, (PROGESTERONE) 1653:246

LISSEPHEN, (MYANESIN) 1407:208

LITHIUM CHLORIDE, 1199:178, 180

LITHIUM FLUORIDE, 1200:180

LLD FACTOR, (VITAMIN B<sub>12</sub>) 2090:314

LONGLOBINE, 1201:180

$\alpha$ -LONGLOBINE, 1202:180

$\beta$ -LONGLOBINE, 1203:180

LOTURINE, (HARMINE) 992:152

LUMINAL, 1204:180

LUNARINE, 1205:180

LUPETIDINE, 1206:180

LUPINIDINE, (SPARTEINE) 1867:282

$\alpha$ -LUPULIC ACID, (LUPULON) 1207:180

LUPULON, 1207:180

LURIDINE, (CHOLINE) 434:78

LUTEODYN, (PROGESTERONE) 1653:246

LUTEOGAN, (PROGESTERONE) 1653:246

LUTEOBAN, (PROGESTERONE) 1653:246

LUTOCTYLIN, (PROGESTERONE) 1653:246

LUTREN, (PROGESTERONE) 1653:246

LUTROMONE, (PROGESTERONE) 1653:246

LYCOPENESCIN, (TOMATIN(E)) 1951:300

LYSIVANE BASE, (PARSDOL (base)) 1497:222

M 4886, (PALUDRINE HCl) 1485:220

MAGNESIUM ACETATE, 1208:180

MAGNESIUM CHLORATE, 1209:180

MAGNESIUM CHLORIDE, 1210:180

MAGNESIUM FLUORIDE, 1211:180

MAGNESIUM FLUOSILICATE, (MAGNESIUM SILICOFLUORIDE) 1212:180

MAGNESIUM SILICOFLUORIDE, 1212:180

MAGNESIUM SULFATE, 1213:180, 182

MALACHITE GREEN, 1214:182

MALACHITE GREEN G, (BRILLIANT GREEN) 297:50

MALATHION, 1215:182

MALATHION, (formerly) (MALATHION) 1215:182

MALEIC ACID HYDRAZIDE, (MALEIC HYDRAZIDE) 1216:182

MALEIC HYDRAZIDE, 1216:182

MALLOPHENE, (PYRIDINE) 1693:252

MALONIC ACID, 1217:182

MALONONITRILE, (MALONYLNITRILE) 1218:182

MALONYLNITRILE, 1218:182

MANDelic ACID, 1219:182

*o*-MANDelic ACID, (MANDelic ACID) 1219:182

*p*-MANDelic ACID, (MANDelic ACID) 1219:182

MANDELIC ACID NITRILE. (MANDELONITRILE) 1220:182.  
 MANDELONITRILE. 1220:182.  
 MANGANESE DIOXIDE. (MANGANESE DIOXIDE) 1222:182.  
 MANGANESE CHLORIDE. 1221:182.  
 MANGANESE DIOXIDE. 1222:182.  
 MANGANESE PEROXIDE. (MANGANESE DIOXIDE) 1222:182.  
 MANGANESE SUPEROXIDE. (MANGANESE DIOXIDE) 1222:182.  
 MANSONIN. 1223:182.  
 MAPHARSIN. 1224:182.  
 MAPHARSIDE. (MAPHARSIN) 1224:182.  
 MARSILID. 1225:182, 184.  
 MARTIUS YELLOW. (2,4-DINITRO- $\alpha$ -NAPHTHOL) 761:118.  
 MSA HYDROCHLORIDE. (METHYL-BIS( $\beta$ -CHLOROETHYL)AMINE HCl) 1294:192.  
 MECHLORETHAMINE HCl. (METHYL-BIS( $\beta$ -CHLOROETHYL)AMINE HCl) 1294:192.  
 MECHOLIN. (MECHOLYL HCl) 1226:184.  
 MECHOLYL HCl. 1226:184.  
 MEDINAL. (BARBITAL) 214:36.  
 MEFURONE. 1227:184.  
 MELANILINE. (DIPHENYLGUANIDINE) 776:120.  
 MELETIN. (QUERCETIN) 1704, 1705:254.  
 MELIN. (RUTIN) 1746:252.  
 MELITOXIN. (DICUMAROL) 595:96.  
 MENADIONE. 1228:184.  
 MENAPHTHONE. (MENADIONE) 1228:184.  
 MENAQUINONE. (MENADIONE) 1228:184.  
 3-p-MENTHANOL. (MENTHOL (natural)) 1229:184.  
 MENTHOL (natural). 1229:184.  
 MENTHOL (synthetic). 1230:184.  
 L-MENTHOL. (MENTHOL (natural)) 1229:184.  
 MEPERIDINE HCl. (DEMEROL HCl) 531:88.  
 MEPHENESIN. (MYANESIN) 1407:408.  
 MEPHENESIN CARBAMATE. 1231:184.  
 MEPHENTERMINE. 1232:184.  
 MEPYRAMINE HCl. (NEOANTERGAN HCl) 1418:210.  
 MERALLURIDE SODIUM. (MERCURYDRIN) 1233:184.  
 MERBROMIN. (MERCUROCHROME) 1235:184.  
 2-MERCAPTOETHANOL. 159:342.  
 2-MERCAPTO-4-HYDROXYPYRIMIDINE. (2-THIOURACIL) 1976:298.  
 MERCAPTOMERIN SODIUM. (THIOMERIN SODIUM) 1971:298.  
 2-MERCAPTO-4-PYRIMIDONE. (2-THIOURACIL) 1976:298.  
 MERCURYDRIN. 1233:184.  
 MERCUMATILIN. (CUMERTILIN) 491:80.  
 MERCUPURIN. (MERCUROPHYLLINE) 1236:184.  
 MERCURANINE. (MERCUROCHROME) 1235:184.  
 MERCURIC CHLORIDE. 1234:184.  
 MERCUROCHROME. 1235:184.  
 MERCUROCOL. (MERCUROCHROME) 1235:184.  
 MERCUROME. (MERCUROCHROME) 1235:184.  
 MERCUROPHAGE. (MERCUROCHROME) 1235:184.  
 MERCUROPHYLLINE. 1236:184.  
 MERCURY BICHLORIDE. (MERCURIC CHLORIDE) 1234:184.  
 MERCURY PERCHLORIDE. (MERCURIC CHLORIDE) 1234:184.  
 MERCUZANTHIN. (MERCUROPHYLLINE) 1236:184.  
 MERPHENE. (PHENYLMERCURIC NITRATE) 1578:234.  
 MERPHENYL NITRATE. (PHENYLMERCURIC NITRATE) 1578:234.  
 MERSALYL. (SALYRGAN) 1763:264.  
 MERSALYL THEOPHYLLINE. 1237:186.

MERTHIOLATE. 1238:186.  
 MERTHIOLATE SODIUM. (MERTHIOLATE) 1238:186.  
 MESANTON. 1239:186.  
 MESCALINE. (3,4,5-TRIMETHOXYPHENETHYLAMINE) 2027:304.  
 MESTYL OXIDE. 160:342.  
 MESOPINE. (HOMATROPINE METHYL BROMIDE) 1039:158.  
 MESOXALYL CARBAMIDE. (ALLOXAN) 68:14.  
 MESOXALYLUREA. (ALLOXAN) 68:14.  
 METACIDE. 1240:186.  
 METANIL YELLOW. (VICTORIA YELLOW) 2082:312.  
 METANILYLZODIPHENYLAMINE SODIUM SALT. (VICTORIA YELLOW) 2082:312.  
 METARSOL. (MONOMETHYLARSINIC ACID DISODIUM) 1397:204.  
 METASYMPATHOL. (NEO-SYNEPHRINE) 1427:210.  
 METHACETONE. (DIETHYL KETONE) 628:100, 82:332.  
 METHACHOLINE HCl. (MECHOLYL HCl) 1226:184.  
 METHACRYLALDEHYDE. 1241:186; 161:342.  
 METHACRYLIC ACID (METHYLMETHACRYLATE) 1343:198; 181:344.  
 $\alpha$ -METHACRYLIC ACID. (METHYLMETHACRYLATE) 1343:198; 181:344.  
 $\beta$ -METHACRYLIC ACID. (CROTONIC ACID) 485:80.  
 METHACRYLIC ACID METHYL ESTER. (METHYLMETHACRYLATE) 1343:198; 181:344.  
 METHACRYLONITRILE. 1242:186.  
 $\alpha$ -METHADONE HCl. 1243:186.  
 $\alpha$ -METHADONE HCl. 1244:186.  
 $\alpha$ -METHADONE HCl. 1245:188.  
 METHADREN(E). 1246:188.  
 METHAFORM. (CHLOROTONE) 398:66.  
 METHAFRONE. (VISAMMIN) 2088:314.  
 METHAMPHETAMINE HCl. (METHEDRINE) 1248:188.  
 METHANAL. (FORMALDEHYDE) 946:146; 131:338.  
 METHANEDICARBOXYLIC ACID. (MALONIC ACID) 1217:182.  
 METHANETHIOL. (METHYL MERCAPTAN) 180:344.  
 METHANOL. 1247:188; 162:342.  
 METHANTELIN BROMIDE. (BANTHINE BROMIDE) 212:36.  
 METHAPYRILENE BASE. (HISTADYL BASE) 1037:158.  
 METHEDRINE. 1248:188.  
 METHENAMINE. (CYSTAMIN(E)) 512:84.  
 METHENEXYL. (EVIPAL) 923:140.  
 METHENEXYL SODIUM. (HEXOMARBITAL) 1025:156.  
 METHIOCIL. (METHYLTHIOURACIL) 1378:202.  
 METHIODAL SODIUM. (SKIODAN) 1787:266.  
 4-METHOXY-2-AMINO BENZOTHAZOLE. 1249:188.  
 5-METHOXY-2-AMINO BENZOTHAZOLE. 1250:188.  
 6-METHOXY-2-AMINO BENZOTHAZOLE. 1251:188.  
 METHOXYBENZENE. (ANISOLE) 156:26.  
 p-METHOXYBENZYL ALCOHOL. 1252:188.  
 N-p-METHOXYBENZYL-N',N'-DIMETHYL-N-a-PYRIDYLETHYLENEDIAMINE HCl. (NEOANTERGAN HCl) 1418:210.  
 METHOXYCHLOR. 1253:188.  
 METHOXY-DDT. (METHOXYCHLOR) 1253:188.  
 2-METHOXYETHANOL. 163:342.  
 2-METHOXYETHANOL ETHYL ETHER. (ETHYL CELLOSOLVE) 868:132.  
 METHOXYETHYL OLEATE. 1254:188.  
 3-METHOXY-4-HYDROXYBENZALDEHYDE. (VANILLIN) 2075:312.  
 8-(2-METHOXY-3'-HYDROXYMERCURIPROPYL)COUMARIN CARBOXYLIC ACID THEOPHYLLINE. (CUMERTILIN) 491:80.  
 6-METHOXY-8-(1-METHYL-4-DIETHYLAMINO)-BUTYLAMINOQUINOLINE. (PLASMOQUINE) 1619:238, 240.

7-METHYL-1-METHYL-9-PYRID[3,4-b]INDOLE, (HARMINE) 991:152, 154.  
 O-METHOXYPHENOL, (GUAIACOL) 988:152.  
 2-METHOXYPHENOXYETHYL BENZYL- $\beta$ -CHLOROETHYLAMINE, 1256:188.  
 2-METHOXYPHENOXYETHYL  $\beta$ -CHLOROETHYLAMINE, 1256:188.  
 2-METHOXYPHENOXYETHYLDIETHYLAMINE, 1:57:190.  
 2-METHOXYPHENOXYETHYLMETHYLPHENOXYETHYL- $\beta$ -CHLOROETHYLAMINE, 1258:190.  
 m-METHOXYPHENYLETHYLAMINE, 1259:190.  
 p-METHOXYPHENYLETHYLAMINE, 1260:190.  
 o-(4-METHOXYPHENYL)- $\beta$ -METHYLAMINOPROPANE, 1261:190.  
 o-(p-METHOXYPHENYL)- $\beta$ -METHYLAMINOPROPANE, 1262:190.  
 1-(p-METHOXYPHENYL)-2-METHYL-1,3-PROPANDIOL METHYLENE ETHER, 1263:190.  
 2-METHOXY-4-PROPYLENENPHENOXYETHYLETHYL- $\beta$ -CHLOROETHYLAMINE, 1264:190.  
 METHYLACETALDEHYDE, (PROPIONALDEHYDE) 1658:246; 207:348.  
 METHYL ACETATE, 1269:190, 164:342.  
 METHYL ACETOACETATE, 1265:190.  
 METHYLACETOXYMALONONITRILE, (DI-(ACETYLCYANIDE)) 543:90; 59:330.  
 $\beta$ -METHYLACROLEIN, (CROTONALDEHYDE) 483:80; 47:328.  
 METHYL ACRYLATE, 165:342.  
 METHYL ADRENALIN(E), (METHADREN(E)) 1246:188.  
 N-METHYLADRENALINE, (METHADREN(E)) 1246:188.  
 4-METHYLAESCULETIN, 1267:190.  
 METHYLAL, 166:342.  
 METHYL ALCOHOL, (METHANOL) 1247:188; 162:342.  
 METHYL ALDEHYDE, (FORMALDEHYDE) 946:146; 131:338.  
 METHYLAMINE, 1268:190.  
 2-METHYLAMINOENZOTHAZOLE, 1269:190.  
 4-METHYL-2-AMINOENZOTHAZOLE, 1270:190.  
 5-METHYL-4-AMINOENZOTHAZOLE, 1271:190.  
 6-METHYL-2-AMINOENZOTHAZOLE, 1272:190.  
 6-METHYL-2-AMINOENZOTHAZOLE, 4-METHYL, 1273:190.  
 2-METHYLAMINOETHANOL, 1274:190.  
 p-DI- $\beta$ -3-METHYLAMINOETHOXYBENZENE DIOXIDE, 1275:190.  
 2-METHYL-4-AMINOHEPTANE, 1276:190; also see 81:16 (AMIDRINE).  
 METHYLAMINOOCETENE, (OCTIN) 1465:218.  
 6-METHYLAMINO-2-METHYLHEPTENE, (OCTIN) 1465:218.  
 p-(2-METHYLAMINOPROPYL)PHENOL, (VANITOL) 2081:312.  
 2-METHYL-2-n-AMYL-4-ACETYLMETHYL-1,3-DIOXOLANE, 1277:190.  
 2-(3-METHYLAMYL)DIOKASPIRANE, 1278:192.  
 (3-METHYLAMYL)DIOKASPIRANE, 1279:192.  
 2-METHYL-2-n-AMYL-1,3-DIOXOLANE, 1280:192.  
 2-METHYL-2-AMYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1281:192.  
 2-METHYL-2-sec-AMYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1282:192.  
 METHYL AMYL KETONE, 167:342.  
 N-METHYLANHALONIDINE, (PELLOTINE) 1502:222.  
 METHYLAMILINE, 1283:192.  
 2-METHYL AZIRIDE, 168:342.  
 9-METHYL-AZOBICYCLO-NON/10L-DIPHENYLACETATE HCl, 1284:192.  
 METHYLBENZENE, (TOLUENE) 1384:300; 226:350.  
 2-METHYLBENZIMIDAZOLE, 1285:192.  
 2-METHYLBENZOTHAZOLE, 1286:192.  
 2-METHYLBENZOTRIAZOLE, 1287:192.  
 (3-m-METHYLBENZOXYPHENYL)TRIMETHYLAMMONIUM BROMIDE, 1288:192.  
 (3-p-METHYLBENZOXYPHENYL)TRIMETHYLAMMONIUM BROMIDE, 1289:192.  
 o-METHYLBENZYLAMINE, 1290:192.  
 o-METHYLBENZYLAMINE-N-HYDROXYETHYL, 1291:192.  
 METHYL BENZYL "CELLOSOLVE", 1292:192.  
 METHYL BROMIDE, 169:342, 344.  
 2-METHYLBUTADIENE, (ISOPRENE) 153:340.  
 3-METHYL-2-BUTADIENE, (ISOPRENE) 153:340.  
 METHYL-BIS-( $\beta$ -CHLOROETHYLAMINE, (BUNTE SALT) 1293:192.  
 METHYL-BIS( $\beta$ -CHLOROETHYLAMINE) HCl, 1294:192.  
 2-METHYL-1,4-BUTANEDIOL, 1295:192.  
 1-METHYL-1-BUTANOL, (ISOAMYL ALCOHOL) 1120:170.  
 2-METHYL-2-BUTENE, (AMYLENE) 13:324.  
 2-METHYL-1-BUTENE-3-ONE, 1296:194; 170:344.  
 1-METHYLBUTYL CARBAMATE, 1297:194.  
 4-(2-METHYLBUTYL-2)-2-CHLOROPHENOXYETHOXYETHYL-4-CHLOROBENZYLDIMETHYLAMMONIUM CHLORIDE, 1298:194.  
 2-METHYL-2-1-BUTYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1299:194.  
 2-METHYL-2-n-BUTYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1300:194.  
 2-(METHYL-2-BUTYL-3)-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1301:194.  
 METHYL BUTYL KETONE, 171:344.  
 1-METHYLBUTYL-2-PHENYL-2-HYDROXYPROPIONATE, (SARMOL) 1774:246.  
 3-METHYLBUTYNE, 172:344; also see CROTONYLENE, 48:328.  
 METHYL "CARBITOL", 1302:194.  
 17(a)-(1-METHYL-3-CARBOXYPROPYL)-ETIOCHOLANE-3a), 7(a), 12(a)-TRIOLE, (CHOLIC ACID) 431:70.  
 METHYLCAECIOL, (GUAIACOL) 988:152.  
 METHYL "CELLOSOLVE", 1303:194; 112:336 (as ETHYLENE GLYCOL MONOMETHYL ETHER).  
 METHYL "CELLOSOLVE" ACETATE, 1304:194.  
 METHYL CHLORIDE, 173:344.  
 N-METHYL-N'-(4-CHLOROBENZHYDRYL)PIPERAZINE ZNCL, (CHLOROCYCLOZINE HCl) 395:44.  
 METHYL- $\beta$ -CHLOROETHYLAMINE, 1305:194.  
 METHYL- $\beta$ -CHLOROETHYLETHYLENEDIUMONIUM PICRYLSULFONATE, 1306:194.  
 METHYL- $\beta$ -CHLOROETHYL- $\beta$ -HYDROXYETHYLAMINE HCl, 1:57:194.  
 METHYLCHLOROPFORM, (1,1,1-TRICHLOROETHANE) 2002:302; 229:350.  
 2-METHYL-2-CHLOROMETHYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1308:194.  
 METHYL CYAMIDE, (ACETONITRILE) 24:3.  
 METHYLCYCLOHEXANE, 1309:194; 176:344.  
 METHYLCYCLOHEXANOL, 1310:194.  
 METHYLCYCLOHEXANONE, 1311:194.  
 2-METHYL-2-CYCLOHEXYL-4-HYDROXYMETHYL-1,3-DIOXOLANE, 1312:194.  
 METHYLDIBENZAZEPINE, 1313:194.  
 METHYLDIHYDROMORPHINONE, (METOPON) 1385:202.  
 2-METHYL-4,6-DINITROPHENOL, (4,6-DINITRO-CRESOL) 757:116.  
 2-METHYL-1,3-DIOXOLANE, 175:344.

(METHYLDODECYLBENZYL)TRIMETHYL-AMMONIUM CHLORIDE. (HYAMINE 2369) 1042:150.  
METHYLENE BICHLORIDE. (DICHLOROMETHANE) 582:94, 72:332.  
5, 5'-METHYLENE-BIS-(4, 6-DIOXO-2-METHYL-1-HYDROPYRAN). 1314:194.  
3, 3'-METHYLENE-BIS(4-HYDROXY-1, 2-BENZOPYRONE). (DICUMAROL) 595:96.  
3, 3'-METHYLENE-BIS-[4-HYDROXYCOUMARIN]. (DICUMAROL) 595:96.  
2, 2'-METHYLENE-BIS-[4-METHYL-6-BUTYL-3-PHENOL]. 1315:194.  
METHYLENE-BIS-TETRONIC ACID. 1316:194.  
METHYLENE BLUE. 1317:196.  
METHYLENE CHLORIDE. (DICHLOROMETHANE) 582:94, 72:332.  
3, 4-METHYLENEDIOWIDE-1-ALLYLBENZENE. (SAFROLE) 1749:262.  
3, 4-METHYLENEDIOWIDE-1-BENZALDEHYDE. (PIPERONAL) 1611:238.  
METHYLENE GREEN. 1318:196.  
METHYLENE OXIDE. (FORMALDEHYDE) 946:146; 131:338.  
N-METHYLEPINEPHRINE. (METHADREN(F)) 1246:188.  
3-METHYLETHYLAMINO-1, 1-DI-(2'-THIENYL) BUTANE HCl. 1319:196.  
3-METHYLETHYLAMINO-1, 1-DI-(2'-THIENYL) BUTENE HCl. 1320:196.  
METHYLETHYL CARBINOL. (BUTYL ALCOHOL (secondary)) 318:52.  
METHYL ETHYL KETONE. (BUTANONE) 25:324.  
METHYLETHYLOLAMINE. (2-METHYLAMINOETHANOL) 1274:190.  
2-METHYL-5-ETHYLPYRIDINE. 1321:196; 176:344.  
METHYL FLUOROACETATE AND FLUOROETHANOL. mixture of, ("FLUOROACETATE") 936:142, 144.  
METHYL- $\gamma$ -FLUOROBUTYRATE. 1322:196.  
METHYL FORMATE. 177:344.  
METHYL-p-GLYCOL. (DORMISON) 792:120.  
METHYLGUANIDINE. 1323:196.  
3-METHYL-5-HEPTANONE. 1324:196.  
2-METHYL-2-n-HEPTYL-4-HYDROXYMETHYL-1, 3-DIOXOLANE. 1325:196.  
METHYLHEXAMINE. (4-METHYL-2-HEXYLAMINE) 1326:196.  
2-METHYLHEXANE. 178:344.  
2-METHYL-2-METHYLAMINE. 1326:196.  
3-METHYL-2-HEXYLAMINE. 1327:196.  
4-METHYL-2-HEXYLAMINE. 1328:196.  
5-METHYL-2-HEXYLAMINE. 1329:196.  
2-METHYL-2-n-HEXYL-4-HYDROXYMETHYL-1, 3-DIOXOLANE. 1330:196.  
2-METHYL-2-HEXYL-METHYLAMINE. 1331:196.  
3-METHYL-2-HEXYL-METHYLAMINE. 1332:196.  
4-METHYL-2-HEXYL-METHYLAMINE. 1333:196.  
5-METHYL-2-HEXYL-METHYLAMINE. 1334:196.  
METHYLHYDANTOIN. (MESANTOIN) 1239:186.  
4-METHYL-1-HYDRAZINOPHTHALAZINE. 1335:196.  
2-METHYL-3-HYDROXY-4, 5-BIS(HYDROXYMETHYL)PYRIDINE. (PYRIDOXINE) 1694:252.  
METHYL-7-HYDROXYCOUMARIN-DIETHOXYTHIOPHOSPHORIC ESTER. 1336:196.  
METHYL-( $\beta$ -HYDROXYETHYL)AMINE. (2-METHYLAMINOETHANOL) 1274:190.  
METHYL- $\beta$ -HYDROXYETHYLETHYLENEDIUM PICRYLSULFONATE. 1337:198.  
1-METHYL-3-HYDROXY-4-ISOPROPYLBENZENE. (THYMOL) 1982:298, 300.  
1-METHYL-7-HYDROXY-2, 9-PYRIDINDOLE. (HARMOL) 994:154.  
 $\beta$ -(5-METHYLIMIDAZOLYL-[4])ETHYLAMINE. 1338:198.  
 $\beta$ -(5-METHYLIMIDAZOLYL-[4])METHYLAMINE. 1339:198.  
 $\beta$ -METHYLINDOLE. (SKATOLE) 1786:268.  
METHYL IODIDE. 1340:198; 179:344.  
METHYL ISOBUTYL KETONE. ("HEXONE") 141:338.  
METHYLISOMYN. (METHEDRINE) 1248:185.  
METHYLISOPROPYLBENZENE. (CYMENE) 518:84.  
5-METHYL-2-ISOPROPYL-1-PHENOL. (THYMOL) 1982:298, 300.  
METHYL MERCAPTAN. 180:344.  
METHYLMERCURY CHLORIDE. 1341:198.  
METHYLMERCURY THIOGLYCOLATE SODIUM. 1342:198.  
METHYLMETHACRYLATE. 1343:198; 181:344.  
4-METHYL-6-METHYL-2-AMINO BENZOTHIAZOLE. (6-METHYL-2-AMINO BENZOTHIAZOLE-4-METHYL) 1273:190.  
2-METHYL-2-(1'-METHYLOL-n-AMYL)-1, 3-DIOXOLANE. 1344:198.  
2-METHYL-2-L-METHYLPENTYL-4-HYDROXYMETHYL-1-DIOXOLANE. 1345:198.  
METHYLMORPHINE HCl. (CODEINE HCl) 453:72.  
N-METHYLMORPHOLINE. 1346:198.  
4-METHYLMORPHOLINE. 182:344.  
METHYL-1-NAPHTHALENEACETIC ACID. 1347:198.  
2-METHYL-1, 4-NAPHTHOQUINONE. (MENADIONE) 1228:184.  
METHYLARAFYNOL. (DORMISON) 792:120.  
2-METHYL-2, 4-PENTANDIOL. 1348:198.  
METHYLPENTANEDIOL-2, 4. 1349:198.  
2-METHYLPENTANOL-1. 1350:198.  
2-METHYL-2-PENTENE-1-OL. 1351:198.  
4-METHYL-3-PENTEN-2-ONE. (MESITYL OXIDE) 160:342.  
3-METHYLPENT-4-EN-1-YN-3-OL. 1352:200.  
3-METHYLPENTYNE-1-OL. 1353:200.  
3-METHYL-1-PENTYN-3-OL. (DORMISON) 792:120.  
m-a-METHYLPHENETHYLAMINE. (BENZEDRINE) 224:40.  
m-a-METHYLPHENETHYLAMINE SULFATE. (BENZEDRINE SULFATE) 225:40.  
m-METHYLPHENOL. (m-CRESOL) 480:78.  
o-METHYLPHENOL. (o-CRESOL) 481:78.  
p-METHYLPHENOL. (p-CRESOL) 482:78.  
2-METHYLPHENOKYETHYLBENZYL- $\beta$ -CHLOROETHYLAMINE. 1354:200.  
2-METHYLPHENOKYETHYL- $\beta$ -CHLOROETHYLAMINE. 1355:200.  
4-METHYLPHENOKYETHYL- $\beta$ -CHLOROETHYLAMINE. 1356:200.  
2-METHYLPHENOKYETHYLDIETHYLAMINE. 1357:200.  
2-METHYLPHENOKYETHYL- $\rho$ -HYDROXYETHYLAMINE. 1358:200.  
2-METHYLPHENOKYETHYL-1-METHYLNAPHTHOL- $\beta$ -CHLOROETHYLAMINE. 1359:200.  
b-2-METHYLPHENOXYISOPROPYLBENZYL-a-CHLOROETHYLAMINE. 1260:200.  
2-METHYLPHENOKYPROPYLENEBENZYLCHLOROETHYLAMINE. 1361:200.  
N-METHYL-4-PHENYL-4-CARBETHOXYPIPERIDINE HCl. (DEMEROL HCl) 531:88.  
2-METHYLPHENYLDIETHYLETHYL-ETHYL- $\beta$ -CHLOROETHYLAMINE. 1362:200.  
3-METHYL-5, 5-PHENYLETHYLHYDANTOIN. (MESANTOIN) 1239:186.  
2-METHYL-2-PHENYL-4-HYDROXYMETHYL-1, 3-DIOXOLANE. 1363:200.  
2-METHYLPHENYLISOPROPYLAMINE. 1364:200.



NALLIPRON (PROGESTERONE) 1553:246.  
 NAMURON (PHANODORIN) 1514:226, 228.  
 NAPHAZOLINE (PRIVINE) 1651:244.  
 NAPHTHOLANE (DECAHYDRO-NAPHTHALENE) 525-56, 57:333.  
 NAPHTHALENEACETIC ACID, 1411:208.  
 NAPHTHALIDINE, (α-NAPHTHYLAMINE) 1414:208.  
 NAPHTHANE (DECAHYDRO-NAPHTHALENE) 525-56, 57:333.  
 α-NAPHTHOL, 1412:208.  
 β-NAPHTHOL, 1413:208.  
 NAPHTHYLALENE ACID, (NAPHTHALENEACETIC ACID) 1411:208.  
 α-NAPHTHYLAMINE, 1414:208.  
 NAPHTHYLAMINE BLUE, (TRYPAN BLUE) 2046:308.  
 α-NAPHTHYLMETHYLIMIDAZOLINE, (PRIVINE) 1651:244.  
 2-(7-NAPHTHYLMETHYL)IMIDAZOLINE, (PRIVINE) 1651:244.  
 2-(7-NAPHTHYLMETHYL)-2-IMIDAZOLINE, (PRIVINE) 1651:244.  
 1-NAPHTHYLOXYETHYLETHYL-β-CHLOROETHYLAMINE, 1415:208.  
 2-NAPHTHYLOXYETHYLETHYL-β-CHLOROETHYLAMINE, 1416:208.  
 α-NAPHTHYLTHIOUREA, (ANTU) 175:30.  
 1-(1-NAPHTHYL)-2-THIOUREA, (ANTU) 175:30.  
 NAPHRIDE SODIUM, (GERMANIN) 968:148.  
 NARCOSINE (NARCOTINE) 1417:208, 210.  
 NARCOTINE, 1417:208, 210.  
 1-α-NARCOTINE, (NARCOTINE) 1417:208, 210.  
 NEMBUTAL (PENTOBARBITAL SODIUM) 1514:226.  
 NEOANTERGAN HCl, 1418:210.  
 NEOANTIMOSAN (FUADIN) 953:146.  
 NEOARSPHENAMINE, 1419:210.  
 NEOCID, (DDT) 523:86.  
 NEODYMIUM CHLORIDE, 1420:210.  
 NEOGERMITRINE, 1421:210.  
 NEOHETRAMINE HCl, 1422:210.  
 NEOMETHIODAL, (DIODRAST) 766:118.  
 NEOMYCIN SULFATE, 1423:210.  
 NEONAL, 1424:210.  
 NEONICOTINE, (ANABASINE) 147:26.  
 NEOSALVARSAN, (NEOARSPHENAMINE) 1419:210.  
 NEO-SKIODAN, (DIODRAST) 766:118.  
 NEOSTIGMINE, 1425:210.  
 NEOSTIGMINE METHYL SULFATE, 1426:210.  
 NEO-STREPSAN, (SULFATHIAZOLE) 1905:288.  
 NEO-SYNEPHRINE, 1427:210.  
 NEOTHESIN HCl, (METYCAINE HCl) 1387:204.  
 NEOTRAN, (BIS(p-CHLOROPHENOXY)METHANE) 278:46; 20:324.  
 NERFIN, 1428:212.  
 NESDONAL SODIUM, (PENTONAL SODIUM) 1515:226.  
 NEURINE, 1429:212.  
 NEUROBARK, (LUMINAL) 1204:180.  
 NEUTRAL RED, 1430:212.  
 NIACIN, (NICOTINIC ACID) 1441:214.  
 NIACINAMIDE, (NICOTINAMIDE) 1434:212.  
 NIAGARA BLUE, (TRYPAN BLUE) 2046:308.  
 NICAMINDON, (NICOTINAMIDE) 1434:212.  
 NICKEL CARBONYL, 187:344.  
 NICKEL CHLORIDE, 1431:212.  
 NICKEL SULFATE, 1432:212.  
 NICKEL TETRACARBONYL, (NICKEL CARBONYL) 187:344.  
 NICOTAMIDE, (NICOTINAMIDE) 1434:212.  
 NICOTILAMIDE, (NICOTINAMIDE) 1434:212.  
 NICOTINALDEHYDE TRICREMICARBAZONE, 1433:212.  
 NICOTINAMIDE, 1434:212.  
 NICOTINAMIDE METHOCHLORIDE, 1435:212.

NICOTINE, 1436:212.  
 NICOTINE (base) 1437:212.  
 o-NICOTINE, 1438:212.  
 o-NICOTINE HCl, 1439:212.  
 L-NICOTINE HCl, 1440:214.  
 NICOTINIC ACID AMIDE, (NICOTINAMIDE) 1444:212.  
 NICOTINIC ACID, N-METHYLBETAINE of (TRIGONELLINE) 3025:304.  
 NICOTINIC ACID, SODIUM SALT, 1441:214.  
 NIFOS, (TETRAETHYL PYROPHOSPHATE) 1947:292.  
 NIKE THAMIDE, (CORAMINE) 471:76.  
 NIOFORM, (VIOFORM) 2087:314.  
 NIRAN, (PARATHION) 1494:222.  
 NISENTIL HCl, 1442:214.  
 NITROBENZENE, 1443:214.  
 NITROBENZOL, (NITROBENZENE) 1443:214.  
 2-NITRO-1,1-BIS-(p-CHLOROPHENYL)BUTANE, (BULAN) 307:50.  
 2-NITRO-1,1-BIS-(p-CHLOROPHENYL)PROPANE, (PROLAN) 1654:246.  
 NITROCARBOL, (NITROMETHANE) 1448:214; 190:346.  
 NITROCHLOROFORM, (CHLOROPICRIN) 424:68; 44:328.  
 NITROCHOLINE, 1444:214.  
 NITROETHANE, 188:344, 346.  
 2-NITRO-2-ETHYL-1,3-PROPANDIOLBUTYRAL-DEHYDEACETAL, 1445:214.  
 5-NITRO-2-FORMALDEHYDE SEMICARBAZONE, (FURACIN) 957:146.  
 NITROGEN MONOXIDE, (NITROUS OXIDE) 193:346.  
 NITROGEN MUSTARDS, (ETHYL-BIS-(p-CHLOROETHYL)AMINE) 871:132, 134; (ISOPROPYL-BIS-(p-CHLOROETHYL)AMINE) 1144:172; (METHYL-BIS-(p-CHLOROETHYL)AMINE HCl) 1294:192; (TRIS(p-CHLOROETHYL)AMINE) 2040:306.  
 NITROGEN OXIDE, 189:346.  
 NITROGLYCERIN, (NITROGLYCEROL) 1446:214.  
 NITROGLYCEROL, 1446:214.  
 NITROGLYCOL (NIOGOL), 1447:214.  
 NITROMETHANE, 1448:214; 190:346.  
 2-NITRO-2-METHYL-1,3-PROPANDIOL, 1449:216.  
 2-NITRO-2-METHYL-1,3-PROPANDIOLBUTYRAL-DEHYDE ACETAL, 1450:216.  
 m-NITROPHENOL, 1451:216.  
 o-NITROPHENOL, 1452:216.  
 p-NITROPHENOL, 1453:216.  
 p-NITROPHENYLDIMETHYLTHIOPHOSPHATE, 1454:216; also see METACIDE 1240:186.  
 N-p-NITROPHENYLUREA PROPIONIC ACID, (SUOBAN) 1909:288.  
 1-NITROPROPANE, 191:346.  
 2-NITROPROPANE, 192:346.  
 NITROUS OXIDE, 193:346.  
 NITROKANTHIC ACID, (PICRIC ACID) 1606:236.  
 NOCTAL, 1455:215.  
 n-NONYLTRIMETHYLAMMONIUM IODIDE, 1456:216.  
 m-NOREPHEDRINE, (PROPADRINE) 1656:246.  
 o-NORNICOTINE, 1457:216.  
 m-NORNICOTINE, 1458:216.  
 L-NORNICOTINE, 1459:216.  
 NORODIN HCl, (METHEDRINE) 1248:188.  
 NOSOPHENE SODIUM, (IODEKON) 1107:164.  
 NOSTAL, (NOCTAL) 1455:216.  
 NO-SYLAN, (DIODRAST) 766:118.  
 NOVCHRYSIN, (SANOCHRYSINE) 1765:264.  
 NOVARSENOBENZOL, (NEOARSPHENAMINE) 1419:210.  
 NOVATRINE, (HOMATROPINE METHYLBROMIDE) 1039:158.  
 NOVATROPINE, (HOMATROPINE METHYLBROMIDE) 1039:158.  
 NOVOCaine, (PROCAINE) 1652:244, 246.

NOVOCOL (STOVAIN) 1474:287  
 NU 1196 (NISENTH HCl) 1442:214  
 NU 1534 (THEPHOBIN) 1565:296  
 NU 2226 HBr. (BROMORAN HBr) 794:122  
 NUMAL. 1460:216  
 NUNOQUIN. (OPTOCHIN) 1478:218  
 NUNOL. (UMINAL) 1204:155  
 SUPERCANE. 1461:216  
 NYDRACIDE. 1462:216  
 NYDRAZID. 1463:218  
 1, 2, 4, 5, 6, 7, 8, 8-OCTACHLORO-2, 3, 3a, 4, 7, 7a-  
 HEXAHYDRO-4, 7-METHANOINDENE  
 (CHLORDAN(E)) 196:64, 66  
 OCTA KLOR. (CHLORDAN(E)) 196:64, 66  
 OCTAMETHYL PYROPHOSPHORAMIDE. (OMPA)  
 1475:218  
 OCTANE-1, 8-DIAMINE 2HCl. 1464:218  
 OCTIN. 1465:218  
 n-OCTYLBI-CYCLOHEPTANEDICARBONIMIDE.  
 (VAN DYKE 264) 2074:312  
 OCTYL THIOCYANATE. 1466:218  
 n-OCTYLTRIMETHYLAMMONIUM IODIDE. 1467:218  
 ODOROBISIDE G MONOACETATE. 1468:218  
 ODOROBISIDE K. 1469:218  
 ODOROSIDE D. 1470:218  
 ODOROSIDE H MONOACETATE. 1471:218  
 ODOROSIDE K. 1472:218  
 ODOROTRISIDE G MONOACETATE. 1473:218  
 OIL of MIRBANE. (NITROBENZENE) 1443:214  
 OIL of WINTERGREEN, natural or synthetic.  
 (METHYL SALICYLATE) 1375:202  
 OLEANDER DIGITALEIN. (NERIN) 1428:212  
 OLEANDRIN. 1474:218  
 OLEFIANT GAS. (ETHYLENE) 115:336  
 OLEYL POLYOXETHYLENE GLYCOL ETHER.  
 1475:218  
 OMAL. (2, 4, 6-TRICHLOROPHENOL) 2009:302  
 OMPA. 1476:218  
 ONYXIDE. 1477:218  
 OPACIN. (RODELON) 1107:168  
 OPARENAL. (DIODRAST) 764:118  
 OPIAN. (MARCOTINE) 1417:208, 210  
 OPIANINE. (NARCOTINE) 1417:208, 210  
 OPTOCHIN. 1478:218  
 OPTOQUINE. (OPTOCHIN) 1478:218  
 ORANXON. (MYANESIN) 1407:208  
 ORGANINE. (RYANIA) 1747:262  
 ORTAL SODIUM. 1479:218  
 ORTHOBORIC ACID. (BORIC ACID) 293:48  
 ORTHOTRAN. 1480:218  
 OSYRITIN. (RUTIN) 1744:262  
 OSYRITIN. (RUTIN) 1744:262  
 OUABAIN. (STROPHANTHIN G) 1836:284  
 OUABAIN. (STROPHANTHIN G) 1836:284  
 OXALDEHYDE. (GLYOKAL) 984:152  
 OXALIC ACID. 1481:220  
 OXALIC NITRILE. (DICYAN) 594:96  
 OXAMMONIUM HCl. (HYDROXYLAMINE HCl)  
 1069:162  
 OXATHANE. 1482:220  
 p-OXATHANE. 134:146  
 OXIARSOLAN. (MAPHARSIN) 1224:182  
 OXINE. (8-HYDROXYQUINOLINE) 1096:166  
 OXOLE. (FURAN) 132:338  
 OXOMETHANE. (FORMALDEHYDE) 946:146;  
 131:338  
 OXOPHENARSAMINE HCl. (MAPHARSIN) 1224:182  
 OXYBENZENE. (PHENOL) 1524:228  
 OXYMETHYLENE. (FORMALDEHYDE) 946:146;  
 131:338

o-(p-OXYPHENYL)-p-METHYLAMINOPROPANE.  
 1443:220  
 OXYQUINOLINE. (8-HYDROXYQUINOLINE) 1096:166  
 OZON. 195:346  
 PABA. (p-AMINO BENZOIC ACID) 88:18  
 PALINUM. (PHANODORN) 1519:225, 228  
 PALLADIUM CHLORIDE. 1484:220  
 PALLADIOUS CHLORIDE. (PALLADIUM CHLORIDE)  
 1484:220  
 PALUDRINE HCl. 1485:220  
 PALUSIL HCl. (PALUDRINE HCl) 1485:220  
 PANPARNIT. (PARPANIT) 1496:222  
 PANTHESIN. 1486:220  
 PANTOIC ACID. 1487:220  
 PANTOTHENIC ACID. (CALCIUM SALT) 1488:220  
 PAPAVERINE. 1489:220  
 PAPAVERINE-3-CARBOXYLIC ACID. 1490:220  
 PAPP. (p-AMINOPROPIOPHENONE) 114:20  
 PARA-AMINO BENZOIC ACID. (p-AMINO BENZOIC ACID)  
 88:18  
 PARACETALDEHYDE. (PARALDEHYDE) 1491:220, 222  
 PARALDEHYDE. 1491:220, 222  
 PARAMANDELIC ACID. (MANDELIC ACID) 1219:182  
 PARAMORPHAN. (DILAUDID HCl) 671:106  
 PARAMORPHINE. (THEBAINE) 1959:294  
 PARACONE. 1492:222  
 PARASORBIC ACID. 1493:222  
 PARATHION. 1494:222  
 PARATHION. METHYL ANALOGUE of. (p-NITRO-  
 PHENYLDIMETHYLTHIOPHOSPHATE) 1454:216  
 PAREDROL. (VERITOL) 2081:312  
 PARIS GREEN. 1495:222  
 PARITOL. (HEPARINOD) 997:154  
 PARODYNE. (ANTIPYRINE) 113:28  
 PARPANIT. 1496:222  
 PARROT GREEN. (PARIS GREEN) 1496:222  
 PARSIDOL (base) 1497:222  
 PATULIN. 1498:222  
 PAULIOBIDE. 1499:222  
 PDOB. 1500:222  
 PELENTAN. (TACOMEXAN) 2044:308  
 PELLAGRA PREVENTIVE FACTOR. (NICOTINIC ACID)  
 1441:214  
 PELLETERINE. 1501:222  
 PELLOTINE. 1502:222  
 PELONINAMIDE. (NICOTINAMIDE) 1434:212  
 p-PELTATIN. 1503:222  
 PENDIOMID. 1504:224  
 PENICIDIN. (PATULIN) 1498:222  
 PENICILLIC ACID. 1505:224  
 PENICILLIN. 1506:224  
 PENICILLIN G. (PENICILLIN) 1506:224  
 PENTABORANE. 194:346  
 PENTABORON ENNEAHYDRIDE. (PENTABORANE)  
 194:346  
 PENTABROMOPHENOL. 1507:224  
 PENTACHLOROETHANE. 1508:224; 197:346  
 PENTACHLOROPHENOL. 1509:224  
 PENTADIGALLOYL esterlike compound of GLUCOSE.  
 (TANNIC ACID) 1917:290  
 3, 3', 4', 5, 7-PENTAHYDROXYFLAVONE. (QUERCITIN)  
 1704, 1705:254  
 3, 3', 4', 5, 7-PENTAHYDROXYFLAVONE-3-RUTINO-  
 SIDE. (RUTIN) 1744:262  
 PENTALIN. (PENTACHLOROETHANE) 1508:224;  
 197:346  
 PENTAMETHYLBENZYL-p-ROBAMLINE HCl.  
 (METHYL VIOLET 6B) 1302:282

N, N, N', N'-3-PENTAMETHYL-N, N'-DIETHYL-3-AZOPENTYLENE-1, 5-DIAMMONIUM DIBROMIDE, (PENDING) 1504:234.  
 PENTAMETHYLENE, (CYCLOPENTANE) 59:330.  
 PENTAMETHYLENEDIPROPIONATE, 1510:224.  
 1, 5-PENTAMETHYLENETETRAZOLE, (METRAZOL) 1386:202, 204.  
 PENTANE, 198:346.  
 PENTANE, normal, (PENTANE) 198:346.  
 n-PENTANE, (PENTANE) 198:346.  
 PENTANEDIOL-2, 4, 1511:224.  
 1, 5-PENTANEDIOLDIPROPIONATE, (PENTAMETHYLENEDIPROPIONATE) 1510:224.  
 2, 4-PENTANEDIONE, 198:346.  
 3-PENTANOL, 1512:224.  
 PENTANONE, 200:346.  
 PENTANONE-3, 1513:226.  
 3-PENTENE-2-ONE, 201:346.  
 PENTOBARBITAL SODIUM, 1514:226.  
 PENTOBARBITAL, soluble, (PENTOBARBITAL SODIUM) 1514:226.  
 PENTOTHAL SODIUM, 1515:226.  
 PENTYL, (PENTOBARBITAL SODIUM) 1514:226.  
 PENTYLCABINOL, (1-HEXANOL) 1023:156.  
 PENTYLENETETRAZOLE, (METRAZOL) 1386:202, 204.  
 PEPPERMINT CAMPHOR, (MENTHOL (NATURAL)) 1229:184.  
 PERABODIL, (DIOBRAS) 764:118.  
 PERAEMON, (VITAMIN B<sub>12</sub>) 2090:314.  
 PERAZIL, (CHLORCYCLOZINE HCl) 395:64.  
 PERAZYL, (CHLORCYCLOZINE HCl) 395:64.  
 PERCAINE, (NUPECARINE) 1461:216.  
 PERCHLOROETHANE, (HEXACHLOROETHANE) 1016:156.  
 PERCHLOROETHYLENE, (TETRACHLOROETHYLENE) 1930:290, 292; 228:350.  
 PERCHLOROMETHANE, (CARBON TETRACHLORIDE) 371:60; 38:328.  
 PERHYDRONAPHTHALENE, (DECAHYDRONAPHTHALENE) 525:84; 57:330.  
 PERILLA ANTI-ALCOXIME, (PERILLARTINE) 1515:226.  
 PERILLARTINE, 1516:226.  
 PERIPLOCIN, 1517:226.  
 PERIPLOCIN, (PERIPLOCIN) 1517:226.  
 PERNIPUR, (VITAMIN B<sub>12</sub>) 2090:314.  
 PERNOSTON, (PERNOSTON) 1518:226.  
 PERNOSTON, 1518:226.  
 PERRADIOGRAPHOL, (DIOBRAS) 764:118.  
 PERVITIN, (METHEDRINE) 1248:188.  
 PESTOX III, (OMPA) 1476:218.  
 PETHIDINE HCl, (DEMEROL HCl) 531:88.  
 PETRONOL, (ISOPROPYL ALCOHOL) 1140:170, 172; 155:340.  
 PETROL (British), (GASOLINE) 133:338.  
 PHANODORM, (PHANODORN) 1515:226, 228.  
 PHANODORN, 1515:226, 228.  
 PHEMERIDE, (HYAMINE 1622) 1041:160.  
 PHEMERITE, (PHENYL MERCURIC NITRATE) 1578:234.  
 PHEMEROL CHLORIDE, (HYAMINE 1622) 1041:160.  
 PHEMEROL CHLORIDE MONOHYDRATE, (HYAMINE 1622) 1041:160.  
 PHENACANE HCl, 1520:228.  
 PHENACETIN, 1521:228.  
 PHENANTON, (MESANTON) 1239:186.  
 PHENANGAN, (LERGGAN) 1133:178.  
 PHENAZONE, (ANTIPYRINE) 173:28.  
 PHENERGAN HCl, 1522:228.  
 PHENETHYLAMINE, (PHENYLETHYLAMINE) 1562:232.  
 PHENETHYLAMINE HCl, (PHENYLETHYLAMINE HCl) 1563:232.  
 p-PHENETOLCARBAMIDE, (DULCIN) 795:122.  
 PHENETOLE, 1523:228.  
 PHENIC ACID, (PHENOL) 1524:228.  
 PHENINDAMINE, (THEPHORIN) 1965:296.  
 PHENMERZYL NITRATE, (PHENYL MERCURIC NITRATE) 1578:234.  
 PHENOBARBITAL, (LUMINAL) 1204:160.  
 PHENOBARBITONE, (LUMINAL) 1204:160.  
 PHENOL, 1524:228.  
 PHENOL, methyl ester of, (ANISOLE) 156:26.  
 PHENONYL, (LUMINAL) 1204:160.  
 PHENOPROPAZINE BASE, (PARSIDOL (base)) 1497:222.  
 PHENOTHIAZINE, 1525:228.  
 PHENOKUR, (PHENOTHIAZINE) 1525:228.  
 2-PHENOKYETHYL ACETATE, 1525:228.  
 PHENOKYETHYLBENZYLETHYLAMINE, 1527:228.  
 p-PHENOKYETHYLDIMETHYLDODECYLAMMONIUM BROMIDE, (PDDB) 1500:222.  
 PHENOKYETHYLETHYL-p-CHLOROETHYLAMINE, 1528:228.  
 3-PHENOKY-1, 2-PROPANEDIOL, 1529:228.  
 6-PHENOKYPROPYLEBENZYL-p-CHLOROETHYLAMINE, 1530:228.  
 PHENOKYPROPYLETHYL-p-CHLOROETHYLAMINE, 1531:228.  
 PHENURONE, 1532:228.  
 N-PHENYLACETAMIDE, (ACETANILIDE) 16:6.  
 (3-PHENYLACETOXYPHENYL)TRIMETHYLAMMONIUM BROMIDE, 1533:228.  
 3-a-PHENYL-p-ACETYLETHYL-4-HYDROXY-COUMARIN, (WARFARIN) 2095:314.  
 PHENYLACETYL-K-STROPHANTHIDIN, 1534:228.  
 PHENYLACETYL UREA, (PHENURONE) 1532:228.  
 PHENYLAMINE, (ANILINE) 153:26; 15:326.  
 a-PHENYL-p-AMINOETHANOL, 1535:230.  
 a-PHENYL-p-AMINOETHANOL, 1536:230.  
 a-PHENYL-p-AMINOETHANOL, 1537:230.  
 a-PHENYL-p-AMINOETHANOL, (PHENYLETHANOLAMINE) 1539:232.  
 a-PHENYL-p-AMINOPENTANE, 1539:230.  
 a-PHENYL-p-AMINOPENTANOL, 1539:230.  
 a-PHENYL-p-AMINOPROPANE, 1540:230.  
 a-PHENYL-p-AMINOPROPANE, 1541:230.  
 1-PHENYL-2-AMINOPROPANE, (BENZEDRINE) 224:40.  
 1-PHENYL-2-AMINOPROPANE SULFATE, (BENZEDRINE SULFATE) 225:40.  
 m-1-PHENYLAMINOPROPANE SULFATE, 1542:230.  
 a-PHENYL-p-AMINOPROPANOL, (PROPADRINE) 1656:244.  
 PHENYLARSENIDE, 1543:230.  
 p-PHENYLazo-a, a'-DIAMINEPYRIDINE HCl, (PYRIDUM) 1693:252.  
 PHENYLazo-a-DIAMINEPYRIDINE HCl, (PYRIDUM) 1693:252.  
 PHENYLBIENZENE, (BIPHENYL) 267:46; 100:334.  
 a-PHENYL-p-BENZYLAMINOPROPANOL, 1544:230.  
 N-PHENYL-N-BENZYL-N', N'-DIMETHYLETHYLENE-DIAMINE HCl, (ANTERGAN), 159:26.  
 PHENYLBOIC ACID, 1545:230.  
 a-PHENYL-BUTANOLMETHYLAMINE, 1546:230.  
 PHENYL-BUTAZONE, 1547:230.  
 a-PHENYL-p-BUTYLAMINOPROPANE, 1548:230.  
 a-PHENYL-p-BUTYLAMINOPROPANOL, 1549:230.

PHENYL CARBINOL. (BENZYL ALCOHOL) 256:44; 19:324.  
9-PHENYL-9-CHLORO-10-METHYL-3-DIMETHYL-AMINOACRIDAN 2HCL. (ACRIDAN) 51:12.  
2-PHENYL CINCHONIC ACID. (CINCHOPEN) 443:70.  
PHENYL CYANIDE. (BENZONITRILE) 246:44.  
2-PHENYL CYCLOHEXANOL. 1550:230.  
1-PHENYL CYCLOPENTANE CARBOXYLIC ACID HCL. DIETHYLAMINOETHYL ESTER of. (PARPANIT) 1496:222.  
α-PHENYLDIAMINOPROPANOL. 1551:230.  
PHENYLDICHLORARSINE. 1552:230; 202:346.  
PHENYLDIETHYLAMINOETHYL-α-AMINOACETIC ACID ISOAMYL ESTER. 1553:230.  
PHENYLDIETHYL METHYLAMMONIUM BROMIDE 1554:230.  
α-PHENYL-β-DIMETHYLAMINOPROPANE. 1555:230.  
m-PHENYLENEDIAMINE. 1556:232.  
o-PHENYLENEDIAMINE. 1557:232.  
p-PHENYLENEDIAMINE. 1558:232.  
PHENYLEPHRINE. (NEO-SYNEPHRINE) 1427:210.  
PHENYLETHANOLAMINE. 1559:232.  
α-PHENYL-β-ETHANOLAMINOPROPANOL. 1560:232.  
PHENYLETHANOLMETHYLAMINE. 1561:232.  
PHENYLETHYLAMINE. 1562:232.  
β-PHENYLETHYLAMINE. (PHENYLETHYLAMINE) 1562:232.  
PHENYLETHYLAMINE HCL. 1563:232.  
β-PHENYLETHYLAMINE HCL. 1564:232.  
PHENYLETHYLAMINE IODIDE. 1565:232.  
α-PHENYL-β-ETHYLAMINOPROPANE. 1566:232.  
α-PHENYL-β-ETHYLAMINOPROPANOL. 1567:232.  
PHENYLETHYLENE. (STYRENE) 214:348.  
PHENYL ETHYL ETHER. (PHENETOLE) 1523:228.  
β-PHENYLETHYLGLUCOSAMINE. 1948. [547:232. 1204:186.  
2-PHENYLETHYL-α-HYDROXYBUTYRATE. 1570:232.  
PHENYLETHYL TRIMETHYLAMMONIUM HYDROXIDE. 1571:232.  
α-PHENYLGLYCERYL ETHER. 1572:232.  
PHENYLGLYCOLIC ACID. (MANDLIC ACID) 1219:182.  
PHENYLHYDRAZINE. 1573:234.  
4-PHENYL-1-HYDRAZINOPHTHALAZINE. 1574:234.  
PHENYL HYDROXIDE. (PHENOL) 1524:228.  
PHENYLHYDROXYACETIC ACID. (MANDLIC ACID) 1219:182.  
PHENYLHYDROXYLAMINE. 1575:234.  
β-PHENYLHYDROXYLAMINE. (PHENYLHYDROXYLAMINE) 1575:234.  
N-PHENYLHYDROXYLAMINE (PHENYLHYDROXYLAMINE) 1575:234.  
2-PHENYL-4-HYDROXYMETHYL-1,3-DICHLORAPT. 1576:234.  
PHENYLIC ACID. (PHENOL) 1524:228.  
(PHENYLISOPROPYL)AMINE. (BENZEDRINE) 224:40.  
β-PHENYLISOPROPYLAMINE. (BENZEDRINE) 224:40.  
(PHENYLISOPROPYL)AMINE SULFATE. (BENZEDRINE SULFATE) 225:40.  
β-PHENYLISOPROPYLAMINE SULFATE. (BENZEDRINE SULFATE) 225:40.  
α-PHENYL-β-ISOPROPYLAMINOPROPANOL. 1577:234.  
PHENYLMERCURIC NITRATE. 1578:234.  
PHENYLMERCURIC TRIETHANOLAMMONIUM LACTATE. 1579:234.

PHENYLMETHANE. (TOLUENE) 1904:300; 226:350.  
PHENYLMETHANOL. (BENZYL ALCOHOL) 256:44; 19:324.  
α-PHENYL-β-METHYLAMINOETHANE. 1580:234.  
α-PHENYL-β-METHYLAMINOPROPANE. 1581:234.  
α-α-PHENYL-β-METHYLAMINOPROPANE HCL. (METHEDRINE) 1248:188.  
bc-1-PHENYL-2-METHYLAMINOPROPANE HCL. 1582:234.  
α-PHENYL-β-METHYLAMINOPROPANOL. 1583:234.  
PHENYLMETHYL CARBINOL. 1584:234.  
PHENYL METHYL KETONE. (ACETOPHENONE) 25:8.  
PHENYL-α-(1-NAPHTHYL)METHYL ETHER of DIMETHYLAMINOETHANOL. 1585:234.  
α-PHENYL-β-OMETHYLAMINOPROPANE. 1586:234.  
α-PHENYLPENTANOLMETHYLAMINE. 1587:234.  
α-PHENYLPENTYLAMINOPROPANOL. 1588:234.  
o-PHENYLPHENOL. (DOWICIDE) 793:122.  
1-PHENYLPROPANE. (PROPYLBENZENE) 210:346.  
PHENYLPROPANOLAMINE. (PROPADRINE) 1656:244.  
α-PHENYL-β-PROPYLAMINOPROPANE. 1589:234.  
α-PHENYL-β-PROPYLAMINOPROPANOL. 1590:234.  
γ-PHENYL-γ-(2-PYRIDYL)-N,N-DIMETHYL-PROPYLAMINE. (TRIMETON) 2036:306.  
1-PHENYL-1-(2-PYRIDYL)-3-DIMETHYLAMINOPROPANE. (TRIMETON) 2036:306.  
1-PHENYL-1-PYRIDYL-(2)-3-DIMETHYLAMINOPROPANE-p-AMINOALSCLATE. (TRIMETON) 2036:306.  
2-PHENYLQUINOLINE-4-CARBOXYLIC ACID. (CINCHOPEN) 443:70.  
PHENYLTHIOCARBAMIDE. (PHENYLTHIOUREA) 1591:234.  
PHENYLTHIOUREA. 1591:234.  
PHENYLTRIMETHYLAMMONIUM BROMIDE. 1592:234.  
PHENYLTRIMETHYLAMMONIUM HYDROXIDE. 1593:234.  
PHLOROGUCIN. (PHLOROGUCINOL) 1994:236.  
PHLOROGUCINOL. 1994:236.  
PHOLEDRONE. (VERTOL) 2881:312.  
PHOSGENE. 283:348.  
PHOSPHINE. 284:348.  
PHOSPHORUS, YELLOW. 1995:236.  
PHOSPHORUS SEQUELITE. 1996:236.  
PHOTODIENE. (ODERKON) 1187:168.  
PHTHALIC ACID. (o-PHTHALIC ACID) 1997:236.  
α-PHTHALIC ACID. 1597:234.  
2-(N<sup>6</sup>-PHTHALYLSULFANILAMIDO)THIAZOLE. (PHTHALYLSULFATHIAZOLE) 1998:236.  
PHTHALYLSULFATHIAZOLE. 1998:236.  
PHTHOCOL. 1999:234.  
PHYCITE. (ERTHENTITE) 827:128.  
PHYCIN. 1600:236.  
PHYLLOQUINONE. (VITAMIN K) 2092:314.  
PHYSEPTONE HCL. (α-METHADONE HCL) 1244:184.  
PHYSTOMIDE. 1601:236.  
PHYSTOMIDE SALICYLATE. 1602:236.  
PHYTOMELIN. (RUTIN) 1744:242.  
3-PHYTYLAMENADONE. (VITAMIN K) 2092:314.  
PICOLINALDEHYDE TROSKENCARBAZONE. 1603:236.  
α-PICOLINE. 1604:236; also see 2-METHYLPYRIDINE. 183:344.  
4-PICOLINE. 1605:236; 209:348.  
PICRIC ACID. 1606:236.  
PICRONITRIC ACID. (PICRIC ACID) 1606:236.  
PICROPODOPHYLLEN. 1607:236.  
PICROPOKIN. 1608:236, 118.  
PILLOPHEN. (ODERKON) 1187:168.  
PILOCARPINE. 1609:236.

PIMPLIC KETONE. (CYCLOHEXANONE) 503:82;  
 53:310.  
 PINACOLIN. 1610:238.  
 PINACOLONE. (PINACOLIN) 1610:238.  
 PIPERIDINE. 1611:238.  
 PIPERIDINIUM CYCLOPENTAMETHYLENE-DITHIO-  
 CARBAMIDE. (PIP-PIP) 1613:238.  
 3-PIPERIDYL-1,1-DI-(2'-THIENYL)BUTANE ACID  
 OXALATE. 1612:236.  
 3-PIPERIDYL-1,1-DI-(2'-THIENYL)BUTENE HCl.  
 1613:238.  
 3-(2'-PIPERIDYL)PROPIONALDEHYDE. (PELLE-  
 TIERINE) 1501:222.  
 PIPERCAINE HCl. (METYCAINE HCl) 1387:204.  
 PIPERONAL. 1614:238.  
 PIPERONYLALDEHYDE. (PIPERONAL) 1614:238.  
 PIPERONYL BUTOXIDE. 1615:238.  
 PIPERONYLCYCLOHEXANONE. 1616:238.  
 PIPERONYLETHER BUTOXIDE. 1617:238.  
 PIP-PIP. 1618:238.  
 PIRIDAZOL. (SULFAPYRIDINE) 1902:288.  
 PITAYNE. (QUINIDINE) 1708:254.  
 PLANOCHROME. (MERCURIOCHROME) 1235:184.  
 PLASMOQUINE. 1619:238, 240.  
 PLATINUM CHLORIDE. 1620:240.  
 PLUTONIUM CITRATE. 1621:240.  
 PODOPHYLLIC ACID. 1622:240.  
 PODOPHYLLIN. 1623:240.  
 PODOPHYLLOTOXIN. 1624:240.  
 POLAMIDON HCl. (m-METHADONE HCl) 1244:186.  
 POLISEPTIL. (SULPATRIAZOLE) 1905:288.  
 POLYALKYL NAPHTHALENE PYRIDINIUM CHLOR-  
 IDE. (EMCOL 888) 892:122.  
 POLYETHYLENE GLYCOL. 1625:240.  
 POLYPROPYLENE GLYCOL. 1626:240.  
 POLYPROPYLENE GLYCOL 425. 1627:240.  
 POLYPROPYLENE GLYCOL 1025. 1628:240.  
 POLYPROPYLENE GLYCOL 2025. 1629:240.  
 PONTACAINE HCl. (PANTOCAINE) 1487:220.  
 PONTAMINE SKY BLUE. 1630:240.  
 POTASIN. 1631:240.  
 POTASSIUM ACID SACCHARATE. 1632:240.  
 POTASSIUM ANTIMONY III BIS-PYROCATECHOL-2,  
 4-DISULFONATE. (ANTIMOSAN) 172:28.  
 POTASSIUM ARSENITE. 1633:240.  
 POTASSIUM BISACCHARATE. (POTASSIUM ACID  
 SACCHARATE) 1632:240.  
 POTASSIUM CHLORATE. 1634:242.  
 POTASSIUM CHLORIDE. 1635:242.  
 POTASSIUM CHROMATE. 1636:242.  
 POTASSIUM COLUMBATE. 1637:242.  
 POTASSIUM CYANIDE. 1638:242.  
 POTASSIUM DICHROMATE. 1639:242.  
 POTASSIUM FLUORIDE. 1640:242.  
 POTASSIUM IODIDE. 1641:242.  
 POTASSIUM NITRATE. 1642:244.  
 POTASSIUM PERMANGANATE. 1643:244.  
 POTASSIUM SILICOFLUORIDE. 1644:244.  
 POTASSIUM SULFATE. 1645:244.  
 POTASSIUM SULFOCYANATE. (POTASSIUM THIO-  
 CYANATE) 1647:244.  
 POTASSIUM TANTALUM FLUORIDE. 1646:244.  
 POTASSIUM THIOCYANATE. 1647:244.  
 POTATO SPIRIT OIL. (ISOAMYL ALCOHOL)  
 1120:170.  
 P. P. (NICOTINIC ACID) 1441:214.  
 PRABUINE. (PLASMOQUINE) 1619:238, 240  
 PRANTAL. 1648:244.  
 PRASEODYMIUM CHLORIDE. 1649:244.  
 PRASEODYMIUM NITRATE. 1650:244.

Δ<sup>4</sup>-PREGNENE-3, 20-DIONE. (PROGESTERONE)  
 1651:246.  
 Δ<sup>4</sup>-PREGNENE-3, 20-DION-21-OL. (DESKYLCORTI-  
 CORTERONE) 537:88.  
 PRILIDENE HCl. (NISENTIL HCl) 1442:214.  
 PRIVINE. 1651:244.  
 PROBARBITAL. (PRAL) 1117:168.  
 PROBENECID. (BENEMID) 221:60.  
 PROCALINE. 1652:244, 246.  
 PROCALINE-CAFFEINE. (IMPLETOL) 1100:166.  
 PROGESTERONE. (PROGESTERONE) 1653:246.  
 PROGESTERONE. 1653:246.  
 PROGESTIN. (PROGESTERONE) 1653:244.  
 PROGESTONE. (PROGESTERONE) 1653:246.  
 PROGUANIL HCl (PALUDRINE) 1485:220.  
 PROKARTOL. (4,6-DINITRO-o-CRESOL) 757:116.  
 PROLAN. 1654:246.  
 PROLUTON. (PROGESTERONE) 1653:246.  
 PROMURIT. 1655:246.  
 PRONTALBEN. (SULFANILAMIDE) 1901:288.  
 PRONTOSIL. (SULFANILAMIDE) 1901:288.  
 PRONTOSIL ALBUM. (SULFANILAMIDE) 1901:288.  
 PROPADIENE. 206:348.  
 PROPADRENE. 1656:246.  
 PROPALLYLONAL. (NOCTAL) 1455:216.  
 PROPANAL. (PROPIONALDEHYDE) 1658:246; 207:348.  
 PROPANEDIETHYLSULFONE. (SULFONAL) 1907:288.  
 PROPANEDIOIC ACID. (MALONIC ACID) 1217:182.  
 1, 2-PROPANEDIOL. (PROPYLENE GLYCOL) 1671:248,  
 250.  
 1, 3-PROPANEDIOL. (TRIMETHYLENE GLYCOL)  
 2032:306.  
 PROPANOL. 1657:246.  
 2-PROPANOL. (ISOPROPYL ALCOHOL) 1140:170, 172;  
 155:348.  
 2-PROPANONE. (ACETONE) 22:8; 4:322.  
 1, 2, 3-PROPANETRIOL. (GLYCEROL) 980:150.  
 2-PROPENAL. (ACROLEIN) 54:3; 6:322.  
 PROPENITRILE. (ACRYLONITRILE) 56:12; 7:322.  
 PROPENE OXIDE. (PROPYLENE OXIDE) 211:348.  
 PROPENIC ACID. (ACRYLIC ACID) 55:12.  
 1-PROPENOL-3. (ALLYL ALCOHOL) 70:14; 9:322.  
 2-PROPEN-1-OL. (ALLYL ALCOHOL) 70:14; 9:22.  
 PROPENPYRIDAMINE. (TRIMETON) 2034:306.  
 PROPIONALDEHYDE. 1658:246; 207:348.  
 PROPIONE. (DIETHYL KETONE) 528:100; 82:332.  
 PROPIONIC ANHYDRIDE. 1659:246.  
 PROPIONITRILE. 1660:248; 208:348.  
 3-PROPIONOKY-6-DIMETHYLAMINO-4,4-DIPHENYL-  
 HEPTANE. 1661:248.  
 3-PROPIONOKY-6-DIMETHYLAMINO-4,4-DIPHENYL-  
 5-METHYLHEXANE. 1662:248.  
 PROPONAL. 1663:248.  
 p-(o-PROPOXY)BENZALDEHYDE. 1664:248.  
 2-PROPOXYETHANOL. 289:348.  
 n-PROPYLADRENALIN. 1665:248.  
 PROPYL ALCOHOL. (PROPANOL) 1657:246.  
 PROPYL ALCOHOL. secondary. (ISOPROPYL  
 ALCOHOL) 1140:170, 172; 155:348.  
 PROPYLALDEHYDE. (PROPIONALDEHYDE) 1658:246;  
 207:348.  
 p-n-PROPYLBENZALDEHYDE. 1666:248.  
 PROPYLBENZAZEPINE. 1667:248.  
 PROPYLBENZENE. 210:348.  
 n-PROPYLBENZENE. (PROPYLBENZENE) 210:348.  
 PROPYL CARBINOL. (n-BUTYL ALCOHOL) 317:52.  
 n-PROPYL CINNAMATE. 1668:248.  
 PROPYLENEBENZAZEPINE. 1669:248.  
 PROPYLENE CHLOROHYDRIN. 1670:248.  
 PROPYLENE DICHLORIDE. (1, 2-DICHLOROPRO-  
 PANE) 58:94; 74:332.

PROPYLENE GLYCOL, 1671-248-250  
 1,3-PROPYLENE GLYCOL, 1672-250  
 PROPYLENE GLYCOL ETHYL ETHER ( $\beta$ -ISOMER), 1673-250  
 PROPYLENE GLYCOL METHYL ETHER, 1674-250  
 PROPYLENE TERCIARY AMINE, 1675-250  
 2- $\alpha$ -PROPYLENEBENZYLXYETHYL- $\beta$ -CHLOROETHYLAMINE, 1675-250  
 N-PROPYL EPINEPHRINE, 1676-250  
 n-PROPYL 2-PYRYL CARBAMATE, 1677-250  
 PROPYL GALLATE, 1678-250  
 PROPYLIDENE CHLORIDE, (1,1-DICHLOROPROPANE), 587-94  
 n-PROPYL IODIDE, 1679-250  
 PROPYL LUPETIDINE, 1680-250  
 $\beta$ -PROPYL PIPERIDINE, 1541-250  
 n-PROPYL PIPERIDINE, 1682-250  
 2-PR-PROPYL PIPERIDINE, (CONINE) 461-74; also see 1681-250 ( $\beta$ -PROPYL PIPERIDINE)  
 2-PROPYL-1,4,5,6-TETRAHYDOPYRIDINE, (Y-CONICINE) 462-74  
 n-PROPYLTAMETHYLAMMONIUM IODIDE, 1683-250  
 PSEUDOILLARIDIN A, (DESGLUCO-TRANSVAALIN) 536-88  
 PROSTIGMINE, (NEOSTIGMINE) 1425-210  
 PROSTIGMINE SULFATE, (NEOSTIGMINE METHYL-SULFATE) 1426-210  
 PROTOVERATRINE, 1644-250  
 PROTOVERINE, 1645-250  
 PROTOKYL, (ATOKYL) 193-37  
 PRUSIC ACID, (HYDROCYANIC ACID) 1050-160; 144-348  
 PSEUDOBUTYLENE, (BUTENE-2) 26-34  
 PSEUDOCOCAINE BITARTRATE, (PSCAINE) 1647-250  
 $\alpha$ -PSEUDOCOCAINE BITARTRATE, (PSCAINE) 1647-250  
 PSEUDOCOCAINE TARTRATE, (PSCAINE) 1647-250  
 PSEUDOCUMENE, (1,2,4-TRIMETHYLBENZENE) 2010-306  
 PSEUDOPHTORIN, (PHTORIN) 975-150  
 PSEUDOPHTORINE, 1646-250  
 PSCAINE, 1647-250  
 PSYCHOTRINE HCl, 1648-252  
 PULVIC ACID, 1649-252  
 PUNICINE, (PELLETIERINE) 1501-227  
 PUNODEN, (DICTODEN) 444-102, 104  
 PYLOL, (DIODRAT) 764-118  
 PYLMBEN, (DIODRAT) 764-118  
 PYRAMIDON, (AMINOPYRINE) 118-20  
 PYRANAMINE HCl, (NEOANTERGAN HCl) 1418-210  
 PYRATHIAZINE, (PYRROLAZOTE) 1699-254  
 PYRATHYN BASE, (HEPTALYL BASE) 1037-198  
 PYRETHENS I & II, 1690-252  
 PYRAMID, (SULFAPYRIDINE) 1902-280  
 PYRIMENZAMINE, 1691-252  
 PYRIDINE, 1692-252; 212-348  
 PYRIDINE- $\beta$ -CARBOXYLDIETHYLAMIDE, (CORAMINE) 471-76  
 PYRIDINE- $\beta$ -CARBOXYLDIETHYLAMIDE, (CORAMINE) 471-76  
 PYRIDINE- $\beta$ -CARBOXYLIC ACID, (NICOTINIC ACID) 1441-214  
 PYRIDINE-3-CARBOXYLIC ACID, (NICOTINIC ACID) 1441-214  
 3-PYRIDINECARBOXYLIC ACID AMIDE, (NICOTINAMIDE) 1434-212  
 PYRIDINE-3-CARBOXYLIC ACID DIETHYLAMIDE, (CORAMINE) 471-76

PYRIDUM, 1693-252  
 PYRIDOXINE, 1694-252  
 N-2-PYRIDYL-N-BENZYL-N,N-DIMETHYLETHYLENEDIAMINE, (PYRIBENZAMINE) 1695-252  
 N-(2-PYRIDYL)-N,N'-DIMETHYLENEDIAMINE PUMARATE, 1695-252  
 N- $\gamma$ -PYRIDYL-N- $\beta$ -METHOXY-BENZYL-N,N'-DIMETHYLETHYLENE DIAMINE HCl, (NEOANTERGAN HCl) 1418-210  
 $\alpha$ -PYRIDYL- $\alpha$ -N-METHYLPYRROLIDINE, ( $\alpha$ -NICOTINE) 1438-212  
 $\beta$ -PYRIDYL- $\alpha$ -N-METHYLPYRROLIDINE, (NICOTINE) 1438-212  
 L-2-(1-PYRIDYL)PIPERIDINE, (ANABASINE) 147-25  
 3-PYRIDYL-5-PIPERIDINE, (ANABASINE) 147-25  
 D-2-(3-PYRIDYL)PYRROLIDINE, ( $\beta$ -NICOTINE) 1457-216  
 DL-2-(1-PYRIDYL)PYRROLIDINE, ( $\alpha$ -NICOTINE) 1457-216  
 D-2-(3-PYRIDYL)PYRROLIDINE, ( $\beta$ -NICOTINE) 1459-216  
 N-2-PYRIDYLSULFANYLAMIDE, (SULFAPYRIDINE) 1902-280  
 PYRILAMINE HCl, (NEOANTERGAN HCl) 1418-210  
 PYRIMAL, (SULFADIAZINE) 1897-280  
 2,4,5,6,11,13-PYRIMIDINETETRAONE, (ALLOKAN) 68-14  
 N-2-PYRIMIDYLSULFANYLAMIDE, (SULFADIAZINE) 1897-280  
 PYRNUCLEIC ETHER, (ACETONE) 228-422  
 PYROCATECHOL, (CATECOL) 376-62  
 PYROGALLIC ACID, (PYROGALLOL) 1696-254  
 PYROGALLOL, 1696-254  
 PYROMUCK ALDEHYDE, (FURFURAL) 926-144  
 PYRONYL, 1597-254  
 PYROTARTARIC ACID, 1697-254  
 PYRROLAZOTE, 1699-254  
 PYRROLAZOTE ABENIC, (PYRROLAZOTE) 1699-254  
 PYRROLE, 1700-254  
 $\beta$ -PYRROLIDINEETHYLPHENOTHIAZINE MONO HCl, (PYRROLAZOTT) 1699-254  
 3-PYRROLIDYL-1,1-DI-(2'-TRIFLYLBUTANE HCl, 1701-254  
 3-PYRROLIDYL-1,1-DI-(2'-TRIFLYLBUTANE HCl, 1702-254  
 10-[2-(1-PYRROLIDYL)-ETHYL]PHENOTHIAZINE HCl, (PYRROLAZOTE) 1699-254  
 PYRROLINE, 1703-254  
 PYRROLYLENE, (1,3-BUTADIENE) 22-34  
 QUERCETIN, 1704-1705-254  
 QUERCETIN-3-RUTINOSIDE, (AUTE) 1746-262  
 QUINACRINE, (ATABRIN) 192-32  
 QUINALDINE, 1704-254  
 QUINAMICIDE, (VIOPORIN) 2087-34  
 QUINHYDRONE, 1707-254  
 QUINIDINE, 1708-254  
 $\alpha$ -QUINIDINE, (CHOCROWIDINE) 441-78  
 QUINIDINE SULFATE, 1709-254  
 QUININE, 1710-254  
 QUININE- $\alpha$ -AMYLOCHLORIDE, 1711-254  
 QUININE- $\alpha$ -BUTYLCHLORIDE, 1712-254  
 QUININE ETHOCHLORIDE, 1713-254  
 QUININE HEXYLBROMIDE, 1714-254  
 QUININE ISOAMYL BROMIDE, 1715-254  
 QUININE ISOPROPYLCHLORIDE, 1716-254  
 QUININE METHOCHLORIDE, 1717-254  
 QUININE- $\alpha$ -PROPYLBROMIDE, 1718-254  
 QUININE- $\alpha$ -PROPYLCHLORIDE, 1719-254  
 QUINOLINE, 1720-254

8-QUINOLINONE. (8-HYDROXYQUINOLINE) 109-166.  
 QUINONE. 1721-258.  
 p-QUINONE. (QUINONE) 1721-258.  
 QUINOPHENOL. (8-HYDROXYQUINOLINE) 1096-166.  
 QUINOSOL. 1722-258.  
 N-(2-QUINOXYLYLSULFANILAMIDE). (SULFA-QUINOXALINE) 1901-288.  
 QUINOXYL. (CHINOFON) 190-54.  
 p-QUINUCRIDINOL ACETATE HCl. 1723-258.  
 QUINUCRIDINOL-4 ALLYL-DIPHENYLACETATE HCl. 1724-258.  
 QUINUCRIDINOL BENZYLATE HCl. 1725-258.  
 QUINUCRIDINOL-DIPHENYLACETATE  $\cdot \frac{1}{2} \text{H}_2\text{SO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$ . 1726-258.  
 L-QUINUCRIDINOL-DIPHENYLACETATE HCl. 1727-258.  
 QUINUCRIDINOL-ETHYLBROMIDE-DIPHENYLACETATE. 1728-258.  
 QUINUCRIDINOL-9-FLUORENECARBOXYLATE HCl. 1729-258.  
 QUINUCRIDINOL-METHYLBROMIDE BENZYLATE. 1730-258.  
 QUINUCRIDINOL-METHYLBROMIDE-DIPHENYLACETATE. 1731-258.  
 QUIPENYL. (PLASMOQUINE) 1619-236, 240.  
 QUOTANE. 1732-258.  
  
 RACEMIC BENZAMINE. ( $\beta$ -EUCARINE) 918-138.  
 RACEMIC LACTIC ACID. (LACTIC ACID) 1161-174.  
 RACEMIC MANDELIC ACID. (MANDELIC ACID) 1219-182.  
 RACEMIC METHADONE HCl. ( $m$ -METHADONE HCl) 1220-186.  
 RACEMIC- $\gamma$ -(2-METHYLPYPERIDYL)PROPYLBENZOATE HCl. (METYCAINE HCl) 387-204.  
 RADIOGRAPHOL. (SKIODAN) 1787-268.  
 RADIOTETRANE. (IODEKON) 1157-168.  
 RDX. (CYCLOTRIMETHYLENETRINITRAMINE) 516-84.  
 REICHSTEIN'S SUBSTANCE Q. (DESORXYCORTICOSTERONE) 537-88.  
 RELAXAR. (MYANESIN) 1407-208.  
 RELBAPRIDINA. (SULFAPYRIDINE) 1982-288.  
 REPODRAL. (FOTADIN) 953-146.  
 RESBUFOGENIN. 1733-258.  
 RESISTAB. (NEUHETRAMINE HCl) 1422-218.  
 RESORCIN. (RESORCINOL) 1734-258, 260.  
 RESORCINOL. 1735-258, 260.  
 RESORCINOL-PHTHALEIN. (FLUORESCEN) 935-142.  
 $\gamma$ -RESORCYLATE SODIUM. 1735-260.  
 RETROBINE. 1736-260.  
 RHODALLINE. (THIOSEAMINE) 1975-298.  
 RHODANIDE. (POTASSIUM THIOCYANATE) (SODIUM THIOCYANATE) 1647-244; 1857-280.  
 RUCIN. 1737-260.  
 RIMFON. 1738-260.  
 RIVANOL. 1739-260.  
 ROCCAL. 1740-260.  
 ROCK SALT. (SODIUM CHLORIDE) 1805-272.  
 RODOLONE. 1741-260.  
 RODINAL. (p-AMINOPHENOL) 110-20.  
 ROMETIN. (VIOFORM) 2007-314.  
 ROSANILINE HCl & PARAROSANILINE HCl (mixture of). (FUCHSINE (BASE)) 64-144.  
 ROTENONE. 1742-260, 262.  
 ROTRANE. (GDD) 522-84.  
 R. P. 2771. (HETRAMINE) 101 & 156.  
 R. P. 2987. (DIPACOL (base)) 771-118, 120.  
 R. P. 3145. (PARSOL (base)) 1897-222.  
  
 R. P. 3389. (LERGIGAN) 1193-178.  
 R. P. 3799. (HETRAZAN) 1015-156.  
 RUBIDIUM CHLORIDE. 1743-262.  
 RUBIJERVINE. 1744-262.  
 RUBRAMINE. (VITAMIN B<sub>12</sub>) 2090-314.  
 RUTGERS 612. 1745-262.  
 RUTIN. 1746-262.  
 RUTOSIDE. (RUTIN) 1746-262.  
 RYANIA. 1747-262.  
 RYANODINE. (RYANIA) 1747-262.  
  
 SABADILLA. 1748-262.  
 SABADININE. (CEVINE) 388-64.  
 SAFFROLE. 1749-262.  
 SALAMID. (SALICYLAMIDE) 1751-262.  
 SAL. ETHYL. (ETHYL SALICYLATE) 918-138.  
 SALICYLALDEHYDE. 1750-262.  
 SALICYLAMIDE. 1751-262.  
 SALICYLCYCLOHEXYLAMIDE. 1752-262.  
 SALICYLIDOCYCLOHEXYLAMIDE. 1753-262.  
 SALICYLDIETHYLAMIDE. 1754-262.  
 SALICYLDIMETHYLAMIDE. 1755-262.  
 SALICYLETHYLAMIDE. 1756-262.  
 SALICYLHYDROXYETHYLAMIDE. 1757-262.  
 SALICYL-( $\gamma$ -HYDROXYMERCURY- $\beta$ -METHOXYPROPYL)AMIDE-O-ACETIC ACID SODIUM SALT. (SALYRGAN) 1763-264.  
 SALICYLIC ACID. 1758-262.  
 SALICYLIC ACID ETHYL ESTER. (ETHYL SALICYLATE) 918-138.  
 SALICYLIC ALDEHYDE. (SALICYLALDEHYDE) 1759-262.  
 SALICYLIC ETHER. (ETHYL SALICYLATE) 918-138.  
 SALICYLMETHYLAMIDE. 1759-264.  
 SALICYLPHENYLETHYLAMIDE. 1760-264.  
 SALICYL-n-PROPYLAMIDE. 1761-264.  
 SALICYLURIC ACID (SODIUM SALT). 1762-264.  
 SALT. (SODIUM CHLORIDE) 1805-272.  
 SALUFER. (SODIUM SILICOFLUORIDE) 1847-278.  
 SALVARSAN. (ARSOPHENAMINE) 190-32.  
 SALTZMAN. 1763-264.  
 SAMARUM NITRATUM. 1764-264.  
 SANOCHEPSINE.  
 SANTONIN. 1766-264.  
 SANTOWHITE. 1767-264.  
 SAPONINIC. 1768-264.  
 SAPOTONIN. 1769-264.  
 SARN. 1770-264.  
 SARMENTORDE A. 1771-264.  
 SARMENTORDE A MONOACETATE. 1772-266.  
 SARMENTORDE C. 1773-266.  
 SARMOL. 1774-264.  
 SARMUTORDE. 1775-264.  
 SARNOVIDE. 1776-264.  
 SARYSARANIN. 1777-266.  
 SCHRADAN. (OMPA) 1476-218.  
 SCHWEINFURTH GREEN. (PARIS GREEN) 1495-222.  
 SCILLAREN. 1778-264.  
 SCILLAREN A. (TRANSVAALIN) 1993-398.  
 SCILLARENIN. 1779-264.  
 SCOPOLAMINE. 1780-264.  
 n-SCOPOLAMINE. (SCOPOLAMINE) 1780-264.  
 SDT 91. (FUADIN) 953-146.  
 SEA ONION. (SQUILL, red) (SQUILL, white) 1870-282; 1871-282.  
 SEA SALT. (SODIUM CHLORIDE) 1805-272.  
 SECOBARSITAL SODIUM. (SECONAL SODIUM) 1781-264.  
 SECONAL SODIUM. 1781-264.  
 SEDA FORM. (CHLOROTONE) 392-64.

SEDORMED, 1782:264.  
 SEL DE FORDOS ET GELIN. (SANOCHRYSEIN)  
 1765:264.  
 SELENIUM. (SODIUM Selenat) and SODIUM  
 SELENITE)  
 SELENIUM HYDRIDE. (HYDROGEN SELENIDE)  
 48:140.  
 SELENIUM OXYCHLORIDE. 1783:264.  
 SEMKON BASE. (NISTADYL BASE) 1037:148  
 SEMPERVIRENE. (GELSEMIN) 947:148  
 SEPTICUMON. (SULFAPYRIDINE) 1902:288.  
 SEPTINPLEX (SULFANILAMIDE) 1901:288.  
 SERIAL 01013. (NISTADYL BASE) 1037:148.  
 SEROTONIN. 1784:264, 268.  
 SEVINGON. (UNDECYLENIC ACID) 2059:310.  
 SHADOCOL. (RODOLIN) 1107:1-8.  
 SILVER NITRATE. 1785:264  
 SINAN. (MYA. ESIN) 1727:208.  
 SINCALINE. (CH. LINE) 434:70.  
 SINGK. (4, 6-DINITRO-6-CRIBOL) 757:114.  
 SISTURUS CATENATUS. (SNAKE VENOM) 1790:268.  
 686 ("SIX O SIX"). (ARSPRENAMINE) 190:32.  
 SMOATOLE. 1776:268.  
 SKODAN. 1787:268.  
 SN 198. 1788:268; also see 749:11; (N, N-DIMETHYL-  
 TRYPTOLACTAMIDE) (FCI)  
 SN 210. 1790:268.  
 SN 12, 857. (PALUDINE HCl) 1482:220.  
 SNAKE VENOM (ANCISTRON BLOMHOFF).  
 1790:268.  
 SNAKE VENOM (ANGUIBODON HALYS). 1790:268.  
 SNAKE VENOM (ANGUIBODON MOKASHI). 1790:268.  
 SNAKE VENOM (ANCISTRON PECIVORUS)  
 1790:268.  
 SNAKE VENOM (BOTHROPUS ALTOBATA). 1790:268.  
 SNAKE VENOM (BOTHROPUS ATRICK). 1790:268.  
 SNAKE VENOM (BOTHROPUS COB. RA). 1790:268.  
 SNAKE VENOM (BOTHROPUS BULGARIS). 1790:268.  
 SNAKE VENOM (BOTHROPUS TAPATINDIGAL).  
 1790:268.  
 SNAKE VENOM (BOTHROPUS JARACACA). 1790:268.  
 SNAKE VENOM (BOTHROPUS JARACACASU B).  
 1790:268.  
 SNAKE VENOM (BOTHROPUS JARACACASU B).  
 1790:268.  
 SNAKE VENOM (BOTHROPUS NEUWIEDII) 1790:268.  
 SNAKE VENOM. (COBRA VENOM) 441:72  
 SNAKE VENOM (CROTALUS ADAMANTUS). 1790:268.  
 SNAKE VENOM (CROTALUS ATRICK) 1790:268.  
 SNAKE VENOM (CROTALUS BASSICUS). 1790:268.  
 SNAKE VENOM (CROTALUS HORRIDUS). 1790:268.  
 SNAKE VENOM (CROTALUS TERRIFICUS). 1790:268.  
 SNAKE VENOM (LACHESIS MUTA) 1790:268.  
 SNAKE VENOM (MORPHIA FRONTALE). 1790:268.  
 SNAKE VENOM (SEPTURUS CATENATUS). 1790:268.  
 SNAKE VENOM (TRIMERESCUS ANAMALLENSIS).  
 1790:268.  
 SNAKE VENOM (TRIMERESCUS FLEUQUEVIDES).  
 1790:268.  
 S. N. F. (PARATHION) 1494:221.  
 SOAMER. (ATOKYL) 193:32.  
 SODA NITR. (SODIUM NITRATE) 1833:276.  
 SODIUM ACETATE. 1791:264.  
 SODIUM ACETYL-P-AMINOPHENYLARSENATE.  
 (ARSACTIN) 184:30.  
 SODIUM ACETYLSARABATE. (ARSACTIN) 184:30.  
 SODIUM ACETYLSALICYLATE. 1792:264.  
 SODIUM ACID SULFITE. (SODIUM BISULFITE)  
 1792:270.  
 SODIUM 5-ALLYL-5-(1-METHYLBUTYL)BARI-  
 TURATE. (SODIUM) 1781:264.

SODIUM ALUMINUM FLUORIDE. (CRYOLITE) 487:80.  
 SODIUM AMMONIUM. (ATOKYL) 193:32.  
 SODIUM 4-AMINO-2-AUROTHIOPHENOLCARBOXY-  
 LATE. (KRYSOLOGAN) 1160:174.  
 SODIUM 4-AMINO-2-AUROTHIOBACILYLATE.  
 (KRYSOLOGAN) 1160:174.  
 SODIUM ANILARSENATE. (ATOKYL) 193:32.  
 SODIUM ANTIMONY III BIS-PYROCATECHOL-2, 4-  
 DISULFONATE. (FUADIN) 953:144.  
 SODIUM ANTIMONAN. (FUADIN) 953:144.  
 SODIUM ARSANTATE. (ATOKYL) 193:32.  
 SODIUM ARSENATE. 1792:268.  
 SODIUM ARSENITE. 1792:268, 270.  
 SODIUM AUROTHIOBOLATE. (SANOCHRYSEIN)  
 170:264.  
 SODIUM AZIDE 1792:270.  
 SODIUM BENZOATE. 1792:270.  
 SODIUM BISMUTHATE. 1792:270.  
 SODIUM BISMUTH THIOGLYCOLATE. 1792:270.  
 SODIUM BISULFITE. 1792:270.  
 SODIUM BROMATE. 1880:270.  
 SODIUM BROMIDE. 1881:270.  
 SODIUM CACODYLATE. 1882:270.  
 SODIUM CAULMOODORATE. 1882:270.  
 SODIUM CHLORATE. 1884:270, 272.  
 SODIUM CHLORIDE. 1885:272.  
 SODIUM CHROMATE. 1886:272.  
 SODIUM CHROMATE. (SODIUM CHROMATE)  
 1886:272.  
 SODIUM CITRATE (Mono-). 1887:272.  
 SODIUM CITRATE (Di-). 1887:272.  
 SODIUM CITRATE (Tri-). 1887:272.  
 SODIUM CYANATE. 1812:272.  
 SODIUM CYANIDE. 1811:272.  
 SODIUM 5-(1-CYCLOHEXYL-1-YL)-1, 9-DIMETHYL-  
 BARIURATE. (HEKOBARITAL) 1882:196.  
 SODIUM DEHYDROACETATE. 1812:272.  
 SODIUM 3-DIAMINO-4-DIHYDROXYARSENODIETHYLENE-  
 METRANAL SULFONYLATE. (SODIUM ARSPRENAMINE)  
 1419:210.  
 SODIUM DICROMATE. 1813:272.  
 SODIUM 1, 9-DIMETHYLTHIOCARBOL-4-SULFATE.  
 (TERGETOL 7) 1928:290.  
 SODIUM DIPHENYLTHANESULFONATE. (TERGETOL).  
 1922:290.  
 SODIUM DIMETHYLARSENATE. (SODIUM CACODY-  
 LATE) 1882:270.  
 SODIUM DIPENTYLDIAMINO-2, 4-NAPHTHYLENE-  
 SULFONATE. (CONGO B) 440:74.  
 SODIUM DIPENTYLTHANESULFONATE. (SODIUM)  
 670:106.  
 SODIUM DITOLYLDIAMINO-2-AMINO-1-NAPHTHOL-  
 3, 6-SULFONATE. (TRYPAN BLUE) 504:106.  
 SODIUM 2-ETHYLETHANOL SULFATE. (TERGETOL  
 8) 1923:290.  
 SODIUM 5-ETHYL-5-HEXYLBARIURATE. (ORTAL  
 SODIUM) 1479:218.  
 SODIUM ETHYLMERCURITHIOBACILYLATE.  
 (MERTHURATE) 1230:106.  
 SODIUM 5-ETHYL-5-(1-METHYLBUTYL)BARI-  
 TURATE. (PENTOBARBITAL SODIUM) 1514:226.  
 SODIUM 5-ETHYL-5-(1-METHYLBUTYL)-7-THIOBAR-  
 BITURATE. (PENTOTHAL SODIUM) 1515:226.  
 SODIUM 7-ETHYL-2-METHYL-DECANOL-6-SULFATE.  
 (TERGETOL 4) 1928:290.  
 SODIUM FLUORIDE. 1814:272, 274.  
 SODIUM 7-FLUOROCROTONATE. 1815:276.  
 SODIUM FLUOPHENICATE. (SODIUM FLUOROPHENIC)  
 1847:278.  
 SODIUM FORMALDEHYDE SULFONYLATE. 1816:274.  
 SODIUM FUMARATE. 1817:274.

SODIUM GYNOCARDATE, (SODIUM HYDROCARPATE) 1819:274.  
 SODIUM HEXAMETAPHOSPHATE, 1818:274.  
 SODIUM N-HEXYLETHYL BARRITURATE, (ORTAL SODIUM) 1479:218.  
 SODIUM HYSNOCARPATE, 1819:274.  
 SODIUM HYDRATE, (SODIUM HYDROXIDE) 1820:274.  
 SODIUM HYDROXIDE, 1820:274.  
 SODIUM HYDROXYMERCURIBENZOATE (ortho-), 1821:274.  
 SODIUM HYDROXYMERCURIBENZOATE (para-), 1822:274.  
 SODIUM SALT OF o-(N-γ-HYDROXYMERCURI-β-HYDROXYETHOXYPROPYLCARDAMYLPHENOXY-ACETIC ACID, 1823:274.  
 SODIUM HYPOSULFITE, (SODIUM THIOSULFATE) 1859:280.  
 SODIUM IODATE, 1824:274.  
 SODIUM IODIDE, 1825:274.  
 SODIUM IODOMETHANESULFONATE, (SKIODAN) 1787:268.  
 SODIUM IODOMETHIONATE, 1826:274.  
 SODIUM 5-iodo-2-pyridone-N-acetate, (IOPAX) 1116:168.  
 SODIUM ISGAMYLETHYLTHIOBACILLURATE, (THIOAMYLAL SODIUM) 1969:296.  
 SODIUM m-MALATE, 1827:276.  
 SODIUM L-MALATE, 1828:276.  
 SODIUM MALONATE, 1829:276.  
 SODIUM METAPHOSPHATE, 1830:276.  
 SODIUM METAVANADATE, 1831:276.  
 SODIUM MOLYBDATE, 1832:276.  
 SODIUM NITRATE, 1833:276.  
 SODIUM NITRITE, 1834:276.  
 SODIUM NITROFERRICYANIDE, (SODIUM NITRO-PRUSSIDE) 1835:276.  
 SODIUM NITROPRUSSIDE, 1835:276.  
 SODIUM ORTHOPHOSPHATE (primary), 1836:276.  
 SODIUM OKALATE, 1837:275, 278.  
 SODIUM PARA-AMINOPHTHALARSONATE, (ATOKYL) 193:32.  
 SODIUM PERMANGANATE, 1338:278.  
 SODIUM PERSULFATE, 1839:278.  
 SODIUM PHOSPHATE (ACID), 1840:278.  
 SODIUM PHTRALATE, 1841:278.  
 SODIUM POLYANHYDROMANNURONIC ACID SULFATE, (HEPARINOD) 997:154.  
 SODIUM PROPYLMETHYLCARBONYLLALLYLBARRITURATE, (NEONAL SODIUM) 1781:266.  
 SODIUM PYROPHOSPHATE, 1842:278.  
 SODIUM RERKATE, 1843:278.  
 SODIUM SALICYLATE, 1844:278.  
 SODIUM SELENATE, 1845:278.  
 SODIUM SELENITE, 1846:278.  
 SODIUM SILICOFLUORIDE, 1847:278.  
 SODIUM SORBATE, 1848:278.  
 SODIUM SUCCINATE (MONO-), 1849:278.  
 SODIUM SUCCINATE (DI-), 1850:278.  
 SODIUM m-SULFANILIC ACID-ALZODIPRENTYLAMINE, (VICTORIA YELLOW) 2082:312.  
 SODIUM SULFATE, 1851:280.  
 SODIUM SULFIDE, 1852:280.  
 SODIUM SULFITE, 1853:280.  
 SODIUM SULFOCYANATE, (SODIUM THIOCYANATE) 1857:280.  
 SODIUM TARTRATE, 1854:280.  
 SODIUM TELLURATE, 1855:280.  
 SODIUM TELLURITE, 1856:280.  
 SODIUM TETRADECYL SULFATE, (TERGITOL 4) 1924:290.  
 SODIUM THIOCYANATE, 1857:280.  
 SODIUM THIOGLYCOLATE, (SODIUM THIOGLYCOLLATE) 1858:280.  
 SODIUM THIOGLYCOLLATE, 1858:280.  
 SODIUM THIOSULFATE, 1859:280.  
 SODIUM TRIMETAPHOSPHATE, 1860:280.  
 SODIUM TUNGSTATE, 1861:280, 282.  
 SODIUM VANADATE, (SODIUM METAVANADATE) 1821:276.  
 SODIUM VANADATE (ORTHO-), 1862:282.  
 SODIUM VANADITE, 1863:282.  
 SODIUM ZIRCONYL SULFATE, 1864:282.  
 SOLANINE, 1865:282.  
 SOLANSON, (AMMONIUM HEPTACHLOROANTHONATE), 139:22.  
 SOLATUNINE, (SOLANINE) 1865:284.  
 SOLFOCRISIL, (SANOCHAYENE) 1769:244.  
 SOMONAL, (LUMINAL) 1204:180.  
 SONNERYL, (NEONAL) 1474:210.  
 SOPHORETIN, (QUERCITIN) 1704, 1705:254.  
 SOPHORIN, (RUTIN) 1746:262.  
 SOPHORIN NITRATE, (CITRINE NITRATE) 520:84.  
 SORBALDEHYDE, 213:348.  
 SORBIC ACID, 1866:282.  
 SPARTEINE, 1867:282.  
 L-SPARTEINE, (SPARTEINE) 1867:282.  
 SPARTEINE THEOPHYLLINE ACETATE, (TRHO-SPARTEINE (MONO derivative)) 1964:296.  
 SPERMON, 1868:282.  
 SPINOD, (ACETARSONE) 17:6, 8.  
 SPINTELLAMINE, 1869:282.  
 SQUILL (red), 1870:282.  
 SQUILL (white), 1871:282.  
 STANNIC IODIDE, 1872:282.  
 STANNOUS CHLORIDE, 1873:282.  
 STIBOPHEN, (PAUDIN) 955:144.  
 4,4'-STILBENEDICARBONAMIDES, (4,4'-DIAMID-1<sup>0</sup>-STILBENS), 549:90.  
 STILBESTROL, (DIETHYLSTILBESTROL) 534:102.  
 STILBOSES, (EROL, (DIETHYLSTILBESTROL) 534:102.  
 STIPOLAC, (RODEKON) 1167:168.  
 STOVAINE, 1874:282.  
 STOVARSOL, (ACETARSONE) 17:6, 8.  
 STREPTOCID, (SULFAMILAMIDE) 1901:280.  
 STREPTOMYCIN SULFATE, 1875:282.  
 STROBONINE, 1876:282.  
 STRONTIUM ACETATE, 1877:284.  
 STRONTIUM BROMIDE, 1878:284.  
 STRONTIUM CHLORIDE, 1879:284.  
 STRONTIUM FLUORIDE, 1880:284.  
 STRONTIUM IODIDE, 1881:284.  
 STRONTIUM LACTATE, 1882:284.  
 STRONTIUM NITRATE, 1883:284.  
 STRONTIUM SALICYLATE, 1884:284.  
 K-STROPHANTHIDIN, 1885:284.  
 STROPHANTHIN G, 1886:284.  
 STROPHANTHIN H, 1887:284.  
 STROPHANTHIN K, 1888, 1889:284, 284.  
 STRECHENON, 1879:282.  
 STYRENE, 214:348.  
 STYROL, (STYRENE) 214:348.  
 STYROLKENE, (STYRENE) 214:348.  
 SU 198, (N,N-DIMETHYL-TRYMLOXYACETAMIDINE HCl) 259:114.  
 SU 214, (N,N-DIMETHYL-TRYMLOXYACETAMIDINE HCl) 618:102.  
 SUTILIN, 1891:284.  
 SUCARTI, SODIUM (CYCLOHEXYL SULFAMATE SODIUM) 515:84.  
 SUCCINIC ACID, 1892:284.  
 SUCINOCHELONINE, 1893:284.  
 SUCCINYLCHELONINE, (DIACETYLCHELONINE) 548:98.

SUCCINYL NITRILE, 1894:264  
 2-(N-SUCCINYL)SULFANILAMIDOTHIAZOLE,  
 (SUCCINYL SULFATHIAZOLE), 1895:286.  
 SUCCINYL SULFATHIAZOLE, 1895:286  
 SULAMYD, (SULFACETIMIDE), 1896:288  
 SULFACET, (SULFACETIMIDE), 1896:288  
 SULFACETAMIDE, (SULFACETIMIDE), 1896:288.  
 SULFACETIMIDE, 1896:288  
 SULFADIAMINE, (RODOLONE), 1741:269  
 SULFADIAZINE, (SODIUM SALT), 1897:288.  
 SULFADINE, (SULFAPYRIDINE), 1902:288.  
 SULFAGUANIDINE, 1898:288.  
 SULFAGUINE, (SULFAGUANIDINE), 1898:288.  
 SULFAMETHYLTHIAZOLE SODIUM, 1899:288.  
 SULFAMIC ACID, 1920:288.  
 SULFANILAMIDE, 1901:288.  
 2-SULFANILAMIDOPYRIDINE, (SULFAPYRIDINE)  
 1902:288.  
 2-SULFANILAMIDOPYRIDINE, (SULFADIAZINE)  
 1897:288  
 2-SULFANILAMIDOQUINOKALINE, (SULFAQUINOK-  
 ALIN) 1901:288  
 2-SULFANILAMIDOTHAZOLE, (SULFATHIAZOLE)  
 1895:288  
 N-SULFANILYLACETAMIDES, (SULFACETIMIDE)  
 1896:288  
 2-SULFANILYLAMIDOPYRIDINE, (SULFADIAZINE)  
 1897:288  
 SULFANILYLGUANIDINE, (SULFAGUANIDINE)  
 1898:288  
 SULFANILYLGUANINE, (SULFAGUANIDINE)  
 1898:288  
 SULFAPYRIDINE, 1902:288.  
 SULFASPHENAMINE BISMUTH, (BISMARSEN)  
 291:48  
 SULFAQUINOKALINE, 1902:288.  
 SULFASPHENAMINE, 1920:288.  
 SULFASUXIDINE, (SUCCINYL SULFATHIAZOLE)  
 1895:286  
 SULFATHALIDINE, (PENTHALLYL SULFATHIAZOLE)  
 1898:288  
 SULFATHIAZOLE, 1895:286  
 SULFIDINE, (SULFAPYRIDINE), 1902:288.  
 SULFOACETIC ACID, 1904:288.  
 4-(1-SULFOBENZENE 77'-DIPHENYL)AMINE  
 SODIUM SALT, (VICTORIA YELLOW), 1882:312.  
 SULFOCARBAMIDE, (DIPHENYLTHIOUREA)  
 278:178.  
 SULFOSTEARIC ACID, (SULFOACETIC ACID), 1904:  
 288.  
 SULFOQUINIL, (SULFAGUANIDINE), 1898:288.  
 SULFONAL, 1907:288.  
 p-SULFONACETANILAMIDOBENZEOIC ACID,  
 (NALAZONE), 990:152.  
 SULFONMETRANE, (SULFONAL), 1907:288.  
 p,p'-SULFONYLBISACETANILIDES, (NODOLONE)  
 1741:269.  
 SULFOKAZOLE LITHIUM, (GASTREIN LITHIUM)  
 965:148.  
 SULFOKAZOL: SODIUM, (GASTREIN SODIUM)  
 965:148.  
 SULFON-CHIN, 1906:288.  
 SULFUR DIOXIDE, 215:348, 350.  
 SULFURETID HYDROGEN, (HYDROGEN SULFIDE,  
 149:348.  
 SULFURIC ACID, (MIST), 216:350.  
 SULFURIC ESTER, (ESTER), 215:348, 350, 356.  
 SULFUROUS ANHYDRIDE, (SULFUR DIOXIDE)  
 215:348, 350.  
 SULFUROUS OXIDE, (SULFUR DIOXIDE), 215:348, 350.  
 SUORAN, 1906:288.

TUPRIFEN (p-HYDROXYEPHEDRINE) 1066:162.  
 SURAMIN, (GERMANIN), 968:148  
 SURAMIN SODIUM, (GERMANIN), 968:148  
 SWEET BIRCH OIL, (METHYL SALICYLATE)  
 1375:202.  
 SYMPATHOL, (SYNEPHRINE), 1911:290  
 SYMPATOL, 1910:90  
 SYNOROL, (METHEDRINE), 1240:100.  
 SYNEPHRIN, 1911:290  
 SYNEPHRINE, (SYNEPHRIN), 1911:290  
 SYNEPHRINE TARTRATE, (SYMPATOL), 1910:290.  
 SYNKAY, (MENADIONE), 1228:104.  
 SYNTHETIC 39% (TOKAPHENE), 1922:300.  
 SYTOGENE, (TYRAMINE), 2051:108.  
 SYSTOX, (DIETHOXYLPHOSPHORIC ACID ESTER  
 of ETHYLMECAPTOETHANOL TECH. GRADE)  
 606:96.  
 T<sub>4</sub>, (CYCLOTRIMETHYLENETRINITRAMINE), 516:60.  
 T-1026, (METHYL-BIS(p-CHLOROBETHYLAMINE) HCl),  
 1294:192.  
 T, 4, 5-T, 1912:290.  
 TABLE SALT, (SODIUM CHLORIDE), 1009:272.  
 TAGATHEN, 1913:290.  
 TANORHIFERIN, 1914:290.  
 TANGHININ, 1915:290.  
 TANGHININ, 1916:290.  
 TANNIC ACID, 1917:290.  
 TANNIN, (TANNIC ACID), 1917:290.  
 TANTALUM CHLORIDE, 1918:290.  
 TANTALUM OXIDE, 1919:290.  
 TARTAR Emetic, (ANTIMONY POTASSIUM TAR-  
 TRATE), 164:28.  
 TAUROCHOLIC ACID SODIUM, 1020:290.  
 TBL, 1921:290.  
 TDE, (DDO), 522:84.  
 p,p'-TDE, (DDO), 522:84.  
 TEABERRY OIL, (METHYL SALICYLATE), 1375:202.  
 TELEPATRINE, (HARMINE), 993:152, 154.  
 TEM, (TRIMETHYLENEMELANIN), 2021:304.  
 T. E. P., (TETRAETHYL PYROPHOSPHATE), 1927:292.  
 T. E. P. P., (TETRAETHYL PYROPHOSPHATE)  
 1927:292.  
 TENALIN BASE, (HISTADYL BASE), 1027:198.  
 TENEBRYL, 1922:290.  
 TERGITOL 60, 1923:290.  
 TERGITOL 4, 1924:290.  
 TERGITOL 7, 1925:290.  
 TERPENE CHLORINATED, (TOKAPHEN), 1922:300.  
 TERRAMYCIN HCl, 1926:290.  
 TERTIARY ISOBUTYL ALCOHOL, (ISOBUTYL ALCOHOL  
 (tertiary)) 319:52.  
 TESTOSTERONE, 1927:290.  
 TETROTHALEIN SODIUM, (IODIOLIN), 1107:168.  
 sym.-TETRABROMOETHANE, 1928:290.  
 TETRABROMOPHTHOCHEN, (BORN (TR. yellowish))  
 806:124.  
 TETRACANE HCl, (PANTOCANE), 1467:228.  
 TETRACHLORO-p-BENZOQUINONE, (SPERON)  
 1860:282.  
 2,3,5,6-TETRACHLORO-1,4-BENZOQUINONE,  
 (SPERON), 1860:282.  
 1,1,1,2-TETRACHLORO-2,2-DIFLUOROETHANE,  
 217:300.  
 1,1,2,2-TETRACHLORO-1,2-DIFLUOROETHANE,  
 218:300.  
 sym.-TETRACHLOROETHANE, 1929:290; 219:300.  
 TETRACHLOROMETHYLENE, 1929:290, 292; 218:300.  
 TETRACHLOROMETHANE, (CARBON TETRA-  
 CHLORIDE), 371:60; 30:328.  
 2,3,4,6-TETRACHLOROPHENOL, 1931:292.

THIOKONE, 1991:394.  
 THIOQUINONE (MENADIOLONE) 1228:184.  
 THYMIC CAMPHOR, (THYMICOL) 1987:208, 300.  
 THYMOL, 1982:298, 300.  
 $\alpha$ -THYMOL, (THYMOL) 1982:298, 300.  
 THYMUS STANNOUS TARTRATE, 1983:300.  
 TIN DICHLORIDE, (STANNOUS CHLORIDE) 1973:242.  
 TIN HYDRIDE, 225:350.  
 TIN TETRAFLUORIDE, (STANNIC IODIDE) 1972:282.  
 TOLAPID, (COCHEIN) 1107:168.  
 TOLANIC ACID, (PALUDRINE HCl) 1485:220.  
 TNT, (TRINITROTOLUENE) 2037:308.  
 TOCOSINE, (TYRAMINE) 2051:308.  
 TOLCICL, (MYANESIN) 1407:204.  
 TOLONYN, (MYANESIN) 1407:208.  
 3-*o*-TOLYOXY-1,2-PROPANEDIOL, (MYANESIN) 1407:208.  
 TOLSEROL, (MYANESIN) 1407:208.  
 TOLUENE, 1984:300; 226:350.  
 TOLUENEDIAMINE, 1985:300.  
*o*-TOLUENO-AZO- $\beta$ -NAPHTHOL, 1986:300.  
 TOLUIDINE BLUE, 1987:300.  
 TOLUOL, (TOLUENE) 1984:300; 226:350.  
 1-(*o*-TOLUOXY)-2,3-BIS(2,2,2-TRICHLORO-1-HYDROXYETHOXY)PROPANE, 1988:300.  
 2-[*N*-*p*-TOLYL-N-(*m*)-HYDROXYPHENYL]AMINO-ETHYL]IMIDAZOLINE, 1989:300.  
*m*-TOLYLOXYACETAMIDINE HCl, 1990:300.  
 TOMATINE, 1991:300.  
 TOXAPHENE, 1992:300.  
 TRANS-TESTOSTERONE, (TESTOSTERONE) 1927:290.  
 TRANSVAALIN, 1993:300.  
 TRASENTINE, 1994:302.  
 TRASENTINE-A, (TRASENTINE) 1994:302.  
 TRASENTINE-H, (TRASENTINE) 1994:302.  
 TRETHYLEN, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRÉTHYLENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRÉ, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRIACETIN, 1995:302.  
 TRIBROMOETHANOL, (AVERTIN) 200:34.  
 TRIBROMOMETHANE, (BROMOFORM) 298:50; 22:324.  
 2,4,6-TRIBROMOPHENOL, 1996:302.  
 TRIBUTYL PHOSPHATE, 1997:304; 227:350.  
 TRIBUTYL PHOSPHITE, 1998:302.  
 TRICHLOROACETALDEHYDE MONOHYDRATE, (CHLORAL HYDRATE) 392:64.  
 TRICHLOROACETAMIDE, 1999:302.  
 TRICHLOROACETIC ACID, 2000:302.  
 TRICHLOROACRYLYL CRYLIDE, 2001:302; 228:350.  
 1,1,1-TRICHLORO-2,2-BIS(*p*-CHLOROPHENYL)ETHANE, (DDT) 523:84.  
 1,1,1-TRICHLORO-2,2-BIS(*p*-FLUOROPHENYL)ETHANE, (DFDT) 538:82.  
 1,1,1-TRICHLORO-2,2-BIS(*p*-METHOXYPHENYL)ETHANE, (DDE) 1253:188.  
 1,1,1-TRICHLOROETHANE, 2002:302; 229:350.  
 1,1,2-TRICHLOROETHANE, 239:350.  
 TRICHLOROETHANOL, 2003:302.  
 TRICHLOROETHENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRICHLOROETHYL ALCOHOL, (TRICHLOROETHANOL) 2005:302.  
 TRICHLOROETHYLENE, 2C 4:302; 231:350.  
 TRI-(*o*-CHLOROETHYL)PHOSPHATE, 2005:302.  
 TRICHLOROFLUOROMETHANE, 232:352.  
 1,1,1-TRICHLORO-2,2,2-TRIFLUOROETHANE, (FC-113) 1116:178.  
 TRICHLOROMETHANE, (CHLOROPFORM) 413:68; 42:328.

2-(TRICHLOROMETHYL)-4-CHLOROMETHYL-1,1,1-DIOXOLANE, 2006:302.  
 2-(TRICHLOROMETHYL)-1,1,1-DIOXOLANE-4-CARBINOL, (AND SUCCINATE ESTER), 2007:302.  
 N-TRICHLOROMETHYLMERCAPTO-4-CYCLOHEXENE-1,2-DICARBOXIMIDE, (CAPTAN) 162:59.  
 2-(1-TRICHLOROMETHYL)-4-METHYL-1,1,1-DIOXOLANE, 2008:302.  
 1,1,1-TRICHLORO-2-METHYL-2-PROPANOL, (CHLOROTONE) 195:66.  
 TRICHLORONITROMETHANE, (CHLOROPICRIN) 424:68; 44:328.  
 2,4,5-TRICHLOROPHENOL, 2009:302.  
 (2,4,5-TRICHLOROPHENOXY)ACETIC ACID, (2,4,5-T) 1912:290.  
 1,1,2-TRICHLOROPROPANE, 2010:302.  
 1,1,2-TRICHLOROPROPANE, 233:352.  
 TRICHLOROSILANE, 2011:302; 216:352.  
*m*,*m*,*m*-TRICHLOROTOLUENE, (BENZOTRICHLORIDE) 249:44.  
 TRI-CLENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRI-*o*-CRESYL PHOSPHATE, 2012:302, 304.  
 TRIDIONE, 2013:304.  
 TRIDURFACINE HCl, 2014:304.  
 TRIELINE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRIETHANOLAMINE, 2015:304.  
 TRIETHOXYMETHANE, 2016:304; 235:352.  
 1,1,3-TRIETHOXYPROPANE, 2017:304.  
 1,1,2,3-TRIETHOXY-1-PROPENE, 2018:304.  
 TRIETHYLAMINE, 2019:304; 236:352.  
 TRIETHYLENE GLYCOL, 2020:304.  
 TRIETHYLENEMELAMINE, 2021:304.  
 TRIETHYLENETETRAMINE, 2022:304.  
 TRIETHYLEXYL PHOSPHATE, 2023:304.  
 TRIETHYL LEAD CHLORIDE, 2024:304.  
 TRIETHYLOLAMINE, (TRIETHANOLAMINE) 2015:304.  
 TRIETHYLORTHOPHOSPHATE, (TRIETHOXYMETHANE) 2016:304; 235:352.  
 TRIGONELLINE, (TRIGONELLINE) 2025:304.  
 TRIGONELLINE, 2025:304.  
 1,2,3-TRIHYDROXYBENZENE, (PYROGALLOL) 1696:254.  
 1,3,5-TRIHYDROXYBENZENE, (PHLOROGLUCINOL) 1594:236.  
 3,4,5-TRIHYDROXYBENZOIC ACID, (GALLIC ACID) 961:148.  
 3,7,12-TRIHYDROXYCHOLANIC ACID, (CHOLIC ACID) 433:78.  
 TRIHYDROXYPROPANE, (GLYCEROL), 598:150.  
 TRIHYDROXYTRIETHYLAMINE, (TRIETHANOLAMINE) 2015:304.  
 TRIODOMETHANE, (IODOPFORM) 1113:168.  
 2,4,6-TRIODOPHENOL, 2026:304.  
 TRIENE, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRILIN, (TRICHLOROETHYLENE) 2004:302; 231:350.  
 TRIMERESURUS ANAMALLENIS, (SNAKE VENOM) 1790:248.  
 TRIMERESURUS FLETROVIRUS, (SNAKE VENOM) 1790:248.  
 3,4,5-TRIMETHOXYPHENETHYLAMINE, 2027:304.  
 TRIMETHYLAMINE, 2028:304.  
*v*-TRIMETHYLAMMONIUM PROPANEDIOL ETHYLAL, 2029:306.  
 1,2,4-TRIMETHYLBENZENE, 2830:306.  
 1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE, (CAMPHOR) 359:58.  
 TRIMETHYL BISMUTH, 2031:306.  
 TRIMETHYLCARBINOL, (BUTYL ALCOHOL (tertiary)) 319:52.

THIURONE, 1991:304  
TILUDINONE (MENDICONE) 1228:184  
TYVALE CAMPHOR (TYVALOL) 1927:208, 300  
THYMOL (THYMOL) 1982:298, 300  
TIN POTASSIUM STANNOUS TARTRATE 1983:300  
TIN DICHLORIDE (STANNOUS CHLORIDE) 1873:282  
TIN HYDRIDE, 225:350  
TIN TETRAOXYDE (STANNOUS OXIDE) 1872:282,  
T. P. S. (ODDFICE) 1107:168  
TIRHANOL (PALUDRINE HCl) 1485:220  
TNT (TRINITROTOLUENE) 2037:304  
TOCOPHOL (TYRAMINE) 2031:308  
TOLCHL (MYANESIN) 1407:208  
TOLONYN (MYANESIN) 1407:208  
3-O-TOLONY-1,2-PROPANEDIOL (MYANESIN)  
1407:208  
TOLSERG (MYANESIN) 1407:208  
TOLUENE, 1984:300, 226:350  
TOLUENEDIAMINE, 1984:300  
o-TOLUENO-AZO-p-NAPHTHOL, 1984:300  
TOLUIDINE BLUE, 1987:300  
TOLUOL (TOLUENE) 1984:300, 226:350  
1-(o-TOLUOL)-2,3-BIS(2,4,6-TRICHLORO-1-  
HYDROXYETHOXY)PROPANE, 1988:300  
2-[N-(p-TOLYL)-N-(m-HYDROXYPHENYL)AMINO-  
ETHYL]IMIDAZOLINE, 1989:300  
m-TOLYLOXYACETAMIDE HCl, 1990:300  
TOMAYONE, 1591:300  
TOKAPHENE, 1992:300  
TRANS-TESTOSTERONE (TESTOSTERONE) 1927:200  
TRANSVAALIN, 1993:300  
TRASENTINE, 1994:302  
TRASENTINE-A (TRASENTINE) 1994:302  
TRASENTINE-H (TRASENTINE) 1994:302  
TRITHYLEN (TRICHLOROETHYLENE) 2004:302;  
231:350  
TRITHYLENE (TRICHLOROETHYLENE) 2004:302;  
231:350  
TRI (TRICHLOROETHYLENE) 2004:302; 231:350  
TRIACETIN, 1995:302  
TRIBROMETHANOL (AVENTIN) 200:34  
TRIBROMOMETHANE (BROMOPORIN) 298:50; 22:326  
2,4,6-TRIBROMOPHENOL, 1996:302  
TRIBUTYL PHOSPHATE, 1977:206; 427:350  
TRIBUTYL PHOSPHITE, 1990:302  
TRICHLOROACETALDEHYDE MONOHYDRATE  
(CHLORAL HYDRATE) 392:64  
TRICHLOROACETAMIDE, 1999:302  
TRICHLOROACETIC ACID, 2000:302  
TRICHLOROACRYLYL CRYLIDE, 2001:302; 228:350  
1,1,1-TRICHLORO-2,2-BIS(p-CHLOROPHENYL)  
ETHANE (DDT) 523:80  
1,1,1-TRICHLORO-2,2-BIS(p-FLUOROPHENYL)  
ETHANE (DFDT) 530:60  
1,1,1-TRICHLORO-2,2-BIS(p-METHOXYPHENYL)  
ETHANE (THIOXYCHLOR) 1253:188  
1,1,1-TRICHLOROETHANE, 2002:302; 229:350  
1,1,2-TRICHLOROETHANE, 338:350  
TRICHLOROETHANOL, 2003:302  
TRICHLOROETHENE (TRICHLOROETHYLENE)  
2002:302; 23:350  
TRICHLOROETHYL ALCOHOL (TRICHLORO-  
ETHANOL) 2003:302  
TRICHLOROETHYLENE, 20:4:302; 231:350  
TRI-(7-CHLOROETHYL)PHOSPHATE, 2005:302  
TRICHLOROFLUOROCYCLOHEXANE, 232:353  
1,1,1-TRICHLOROISOPROPYL ALCOHOL (ISOPRAL)  
1126:170  
TRICHLOROMETHANE (CHLOROPFORM) 413:68;  
42:328

2-(TRICHLOROMETHYL)-4-CHLOROMETHYL-1,3,3-  
DIOXOLANE, 2006:302  
2-(TRICHLOROMETHYL)-1,3-DIOXOLANE-4-  
CARBINOL ACID SUCCINATE ESTER, 2007:302  
N-TRICHLOROMETHYLMERCAPTO-4-CYCLOHEXENE  
1,2-DICARBONILIDE (CAPTAN) 162:55  
2-(1-UCHLOROMETHYL)-4-METHYL-1,3-DIOXOLANE  
2008:302  
1,1,1-TRICHLORO-2-METHYL-2-PROPANOL  
(CHLOROTONE) 195:64  
TRICHLORONITROMETHANE (CHLOROPICRIN)  
424:68, 44:328  
2,4,6-TRICHLOROPHENOL, 2009:302  
(2,4,6-TRICHLOROPHENOXACETIC ACID  
(2,4,6-T) 1912:290  
1,1,2-TRICHLOROPROPANE, 2010:302  
1,2,3-TRICHLOROPROPANE, 233:352  
TRICHLOROELANE, 2011:302; 336:352  
o,o',o'-TRICHLOROTOLUENE (BENZOTRICHLOIDE)  
249:44  
TRICLENE (TRICHLOROETHYLENE) 2004:302;  
231:350  
TRI-O-CRESYL PHOSPHATE, 2012:302; 304  
TRIDIONE, 2013:304  
TRIDURECATIONE HCl, 2014:304  
TRILENE (TRICHLOROETHYLENE) 2004:302;  
231:350  
TRITHANOLAMINE, 2015:304  
TRITROXYMETHANE, 2016:304; 235:352  
1,3,3-TRIMETHOXYPROPANE, 2017:304  
1,2,3-TRIMETHOXY-1-PROPENE, 2018:304  
TRIMETHYLAMINE, 2019:304; 236:352  
TRIMETHYLENE GLYCOL, 2020:304  
TRIMETHYLENEMELAMINE, 2021:304  
TRIMETHYLENETETRAMINE, 2022:304  
TRIMETHYLENETHYL PHOSPHATE, 2023:304  
TRIMETHYL LEAD CHLORIDE, 2024:304  
TRIMETHYLOLAMINE (TRITHANOLAMINE) 2015:304  
TRIMETHYLORTHOFORMATE (TRITROXYMETHANE)  
2016:304; 235:352  
TRIGONELLINE (TRIGONELLINE) 2025:304  
TRIGONELLINE, 2025:304  
1,2,3-TRIHYDROXYBENZENE (PYROGALLOL)  
1690:254  
1,3,5-TRIHYDROXYBENZENE (PHENOLGLUCINOL)  
1594:236  
3,4,5-TRIHYDROXYBENZIC ACID (GALLIC ACID)  
901:146  
3,7,12-TRIHYDROXYCHOLANIC ACID (CHOLIC ACID)  
433:70  
TRIHYDROXYPROPANE (GLYCEROL), 900:150  
TRIHYDROXYTRIMETHYLAMINE (TRITHANOLAMINE)  
2015:304  
TRIODOMETHANE (IODOPORIN) 1113:168  
2,4,6-TRIODOPHENOL, 2026:304  
TRILENE (TRICHLOROETHYLENE) 2004:302; 231:350  
TRILIN (TRICHLOROETHYLENE) 2004:302; 231:350  
TRIMERESURUS ANAMALLENSIS (SHAKE VESPER)  
1790:240  
TRIMERESURUS FLETROVINGENS (SHAKE VESPER)  
1790:240  
3,4,5-TRIMETHOXYPHENETHYLAMINE, 2027:304  
TRIMETHYLAMINE, 2028:304  
gamma-TRIMETHYLAMMONIUM PROPANEDICOL ETHYLAL  
2029:304  
1,2,4-TRIMETHYLBENZENE, 2030:304  
1,7,7-TRIMETHYLBICYCLO[2.2.1]-2-HEPTANONE  
(CAMPHOR) 359:58  
TRIMETHYL BISMUTH, 2031:306  
TRIMETHYL CARBINOL (BUTYL ALCOHOL (tertiary))  
319:52

TRIMETHYLENE GLYCOL, 2012-306.  
TRIMETHYLENE ETHYLENE, (AMYLENE) 13:124.  
TRIMETHYLNONANONE 2011-306.  
3, 5, 5-TRIMETHYLOXOAZOLIDINE-2, 4-DIONE,  
(TPIDIONE) 2011-304.  
N- $\alpha$ -TRIMETHYLPHENETHYLAMINE,  
(MEPHENTEMINE) 1232-104.  
TRIMETHYL PHOSPHATE 2034-306.  
TRIMETHYLSTIRINE, 2015-306.  
TRIMETHYL VINYLAMMONIUM HYDROXIDE,  
(NEUTINE) 1429-212.  
1, 3, 7-TRIMETHYLCANTHINE, (CAFFEINE) 351-90.  
TRIMFTON, 2036-306.  
TRINITOLIN, (NITROGLYCEROL) 1446-214.  
TRINITROGLYCEROL, (NITROGLYCEROL) 1446-214.  
2, 4, 6-TRINITROPHENOL, (PICRIC ACID) 1606-236.  
TRINITROPHENYL METHYLNITRAMINE, (TETRYL)  
1054-294.  
TRINITROTOLUENE, 2037-306.  
TRIPLENNAMINE, (PYRIBENZAMINE) 1691-252.  
TRIPHENYLGUANIDINE, 2038-306.  
TRIPHENYLPHOSPHATE (EPED) 800-122.  
TRIPOTON, (TRIMETON) 2036-306.  
TRIPROPYLENE GLYCOL METHYL ETHER,  
2039-306.  
TRIS( $\beta$ -CHLOROETHYL)AMINE, 2040-306.  
2, 4, 6-TRISDIMETHYLAMINO-S-TRIAZINE,  
2041-306.  
2, 4, 6-TRIS(ETHYLENIMINO)-S-TRIAZINE,  
2042-308.  
TRITUM OXIDE, 2043-308.  
TRI-(TRIMETHYL- $\beta$ -ETHOXYAMMONIUM)-1, 2, 3-  
BENZENETRIOXIDE, (FLAKEDEL) 954-142.  
TROMERAN, 2044-308.  
TROPACOCINE, 2045-308.  
TROPACOLIN G, (VICTORIA YELLOW) 2082-312.  
DL-TROPYL TROPATE, (ATROPINE) 154-32, 34.  
TRYPAFLAVINE, (ACRIFLAVINE) 53-12.  
TRYPAN BLUE, 2046-308.  
TRYPARSAMIDE, 2047-308.  
TRYPARSONE, (TRYPARSAMIDE) 2047-308.  
TRYPONARSTYL, (TRYPARSAMIDE) 2047-308.  
TRYPOTHANE, (TRYPARSAMIDE) 2047-308.  
TRYPOXYL, (ATOKYL) 193-32.  
TRYPTAMINE-STROPHANTHIDIN, 2048-308.  
TTD, (ANTABUSE) 158-26.  
TUBAROOT, (MERRIS ROOT) 532-88.  
 $\beta$ -TUBOCURARINE, 2049-308.  
TUTOCAINE HCl, 2050-308.  
TYRAMINE, 2051-308.  
TYROCIDINE, 2052-310.  
TYROSAMINE, (TYRAMINE) 2051-308.  
TYROTHERICIN, 2053-310.  
  
ULERON, (ULIDON) 2054-310.  
ULEXONE NITRATE (CYTISINE NITRATE) 520-84.  
ULIBON, 2054-310.  
10-UNDECYNOIC ACID, (UNDECYLENIC ACID)  
2055-310.  
UNDECYLENIC ACID, 2055-310.  
9-UNDECYLENIC ACID, (UNDECYLENIC ACID)  
2055-310.  
UNDOXIN, (DIGITALEXIN) 644-102, 104.  
URANIUM NITRATE, (URANYL NITRATE) 2058-310.  
URANIUM TETRACHLORIDE, 2056-310.  
URANYL FLUORIDE, 2057-310.  
URANYL NITRATE, 2058-310.  
UREA, 2059-310.  
3-UREA-9-METHYLCARBAZOLE, 2060-310.  
UREA STIBAMINE, 2061-310.  
UREA STIBENAMINE, (UREA STIBAMINE) 2061-310.

1-UREA-5, 6, 7, 8-TETRAHYDROCARBAZOLE,  
2062-310.  
3-UREA-5, 6, 7, 8-TETRAHYDROCARBAZOLE,  
2063-310.  
URECHITOXIN, 2064-310.  
p-UREIDOBENZENEARSONIC ACID, (CARBARSONE)  
364-50.  
4-UREIDO-1-PHENYLARSONIC ACID, (CARBARSONE)  
364-50.  
URETHAN, 2065-310.  
URETHANE, (URETHAN) 2065-310.  
UREZIN, 2066-312.  
URIODONE, (DIODRASI) 764-118.  
UROSELECTAN, (HOPAX) 1116-168.  
URSOL D, (p-PHENYLENEDIAMINE) 1550-422.  
URSOL P, (p-AMINOPIENOL) 110-20.  
UTERAMINE, (TYRAMINE) 2051-308.  
  
v-VALEROLACTONE, 2067-312.  
 $\alpha$ -1-VALERYLOXYPROPIONYL-K-STROPHANTHIDIN,  
2068-312.  
1-VALERYL-K-STROPHANTHIDIN, 2069-312.  
n-VALERYL-K-STROPHANTHIDIN, 2070-312.  
VANADIC ANHYDRIDE, (VANADIUM PENTOXIDE)  
2071-312.  
VANADIUM PENTOXIDE, 2071-312.  
VANADIUM TRIBROMIDE, 2072-312.  
VANADIUM TRICHLORIDE, 2073-312.  
VAN DYKE 264, 2074-312.  
VANILLAL, (ETHYL VANILLIN) 917-138.  
VANILLIC ALDEHYDE, (VANILLIN) 2075-312.  
VANILLIN, 2075-312.  
VANILROME, (ETHYL VANILLIN) 917-138.  
VELBOL 1068, (CHLORDANES) 376-64, 66.  
VENENIFERES, 2076-312.  
VERATRIDINE, 2077-312.  
VERATRINE, 2078-312.  
VERATRONE, 2079-312.  
VERATRUM ALBUM, alkaloid from, (GERMINE)  
970-148.  
VERILCO, 2080-312.  
VERITOL, 2081-312.  
VERONAL, (BARBITAL) 214-36.  
VICTORIA GREEN B, (MALACHITE GREEN) 1214-182.  
VICTORIA YELLOW, 2082-312.  
VIDOPHEL, (IODEKON) 1107-158.  
VIDINE, (CHOLINE) 434-70.  
VIENNA GREEN, (PARIS GREEN) 1495-222.  
VINEGAR NAPHTHA, (ETHYL ACETATE) 940-130;  
108-336.  
VINETHRINE, (VINYL ETHER) 240-352.  
VINETHENE, (VINYL ETHER) 240-352.  
VINYL ACETATE, 2083-312; 237-352.  
VINYL BENZENE, (STYRENE) 214-348.  
VINYL BUTYL ETHER, 2084-312.  
VINYL BUTYRATE, 2085-312; 238-352.  
VINYL CARBINOL, (ALLYL ALCOHOL) 70-14; 9-322.  
VINYL  $\beta$ -BIS( $\beta$ -CHLOROETHYL)AMINOETHYLGLY-  
COLATE, 2086-312.  
VINYL CHLORIDE, 239-352.  
VINYL CYANIDE, (ACRYLONITRILE) 56-12; 7-322.  
VINYL ETHER, 240-352.  
VINYLETHYLENE, (1, 3-BUTADIENE) 23-324.  
VINYL FLUORIDE, (FLUOROETHYLENE) 130-338.  
VINYLFORMIC ACID, (ACRYLIC ACID) 55-12.  
VINYLIDENE FLUORIDE, (1, 1-DIFLUOROETHYLENE)  
86-332.  
VINYL TRICHLORIDE, (1, 1, 2-TRICHLOROETHANE) 230-390.  
VIOFORM, 2087-314.  
VIOLAQUERCETIN, (RUTIN) 1746-262.  
VISAMMIN, 2088-314.

VISCOTEXIN 2089 314  
VISMAGEN (VISMAMIN) 2048 314  
VITAMIN B<sub>1</sub> HCl (THIAMINE HCl) 1944-296  
VITAMIN B<sub>1</sub> MONONITRATE (THIAMINE MONO-  
NITRATE) 1967-296  
VITAMIN B<sub>6</sub> (PYRIDOXINE) 1829-252  
VITAMIN B<sub>12</sub> 2090 314  
VITAMIN D<sub>2</sub> 2091 314  
VITAMIN K 2092 314  
VITARURIN (VITAMIN B<sub>12</sub>) 2090 314  
VITIPNIC ACID 2093 314  
VUZIN 2094 314  
VUZINE (VUZIN) 2094 314  
  
W-53 (HISTADYL BASE) 1037-154  
WARFARIN 2095 314  
WARF COMPOUND 42 (WARFARIN) 2095 314  
WES. PEROX. (TRICHLOROETHYLENE) 2004-302,  
211-350  
WIN-2548 (THENFADOL) 1960-294, 296  
WINTERGREEN, natural or synthetic oil of,  
(METHYL SALICYLATE) 1375-202  
WOOD ALCOHOL (METHANOL) 1247-180; 162-342  
WYAMINE (MEPHENTERMINE) 1232-104  
  
XYLENE, commercial mixture of m-, o-, and p-  
XYLENE 2096, 2097, 2098-314; 241, 242-352; 243-350,  
m-XYLENE 2096-314; 241-352  
o-XYLENE 2097 314; 242-352  
p-XYLENE 2098 314; 243-352  
XYLENOL 2099 314  
XYLIDINE 2100 314  
XYLOCAINE 2101 314  
XYLOL (XYLENE) 2096, 2097, 2098-314; 241, 242,  
243-352  
XYSMALORIN 2102 314

YAGEINE (HARZINE) 993-152, 154  
YATREN (ICHNIOPONY) 190-64  
YELLOW CROSS LIQUID (MUSTARD GAS) 1406-206,  
208; 186-344  
YOHIMBINE 2103 314, 316  
YPERITE (MUSTARD GAS) 1406-206, 208; 186-344  
YTTRIA (YTTRIUM OXIDE) 2106 316  
YTTRIUM CHLORIDE 2106 316  
YTTRIUM NITRATE 2106 316  
YTTRIUM OXIDE 2106 316  
  
ZEPHIRAN CHLORIDE 2107 316  
ZEPHIROL (ZEPHIRAN CHLORIDE) 2107-316  
ZERLATE (ZIRAM) 2114-316  
ZIMATE (ZIRAM) 2114-316  
ZINC ACETATE 2108 316  
ZINC CHLORIDE 2109 316  
ZINC DIETHYLDITHIOCARBAMATE 2110-316  
ZINC DIMETHYLDITHIOCARBAMATE (ZIRAM)  
2114-316  
ZINC ETHYLENE-BIS-DITHIOCARBAMATE 2111-316  
ZINC ETHYLENE-BIS-THIOCARBAMATE,  
(DITHANE Z 78) 789-128  
ZINC PHOSPHIDE 2112 316  
ZINC SULFATE 2113 316  
ZIRAM 2114-316  
ZIRCONIUM OXYCHLORIDE (ZIRCONYL CHLORIDE)  
2114 316  
ZIRCONYL ACETATE 2115 316  
ZIRCONYL CHLORIDE 2116 316  
ZIRCONYL NITRATE 2117 316  
ZIRCONYL SODIUM CITRATE 2118 316  
ZIRCONYL SODIUM OXONATE 2119 316  
ZIRCONYL SULFATE 2120 316