

AD

TECHNICAL REPORT

74-37-FL

NON-CAKING FREEZE DRIED APPLESAUCE

by

Abdul R. Rahman

Thomas R. Schmidt

David S. Criz

Karl R. Johnson

and

Edward E. Anderson

Project reference: 1G762713AO34
and NASA T-20541-G

Approved for public release;
distribution unlimited.

March 1974

UNITED STATES ARMY
NATICK LABORATORIES
Natick, Massachusetts 01760



Food Laboratory
FL-190

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

Unclassified

Security Classification

AD 779456

DOCUMENT CONTROL DATA - R & D

(Security classification of this, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
US Army Natick Laboratories Natick, Massachusetts 01760		Unclassified	
3. REPORT TITLE		2b. GROUP	
NON-CAKING FREEZE DRIED APPLESAUCE			
5. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
6. AUTHOR(S) (First name, middle initial, last name)			
Abdul R. Rahman, Thomas R. Schmidt, Edward E. Anderson, David S. Criz, Karl R. Johnson			
8. REPORT DATE		10. TOTAL NO. OF PAGES	
March 1974		20	
9a. CONTRACT OR GRANT NO.		10. NO. OF REFS	
b. PROJECT NO.		6	
c. 1G762713A034		9b. ORIGINATOR'S REPORT NUMBER(S)	
d.		9c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
		Series: FL-190	
10. DISTRIBUTION STATEMENT			
This document has been approved for public release. Distribution unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		US Army Natick Laboratories Natick, Massachusetts 01760	
13. ABSTRACT			
A study was initiated to develop an applesauce which resists caking when subjected to elevated temperatures such as 37.7°C. for 2 weeks and/or 57°C. for 3 hours as required by NASA. Juice was extracted from McIntosh apples at different levels ranging between 15.8 and 77.0 percent by weight. The following results were obtained: 1) The degree of caking of the freeze dried applesauce powder was correlated with the amount of juice extracted. 2) Correlations were established between the percentage of juice extracted and each of the following: bulk density, soluble solids and reducing sugars of the applesauce powder. 3) Reducing sugars appear to be the factor contributing most significantly to the caking with the higher reducing sugar levels producing the higher degrees of caking. 4) Flavor and texture of the rehydrated applesauce powders were adversely affected by higher juice extractions.			

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

DD FORM 1473

REPLACES DD FORM 1473, 1 NOV 65, WHICH IS
OBSOLETE FOR ARMY USE.

Unclassified

Security Classification

Unclassified
Security Classification

10. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Caking	8		7			
Apples	1,2		7,9		1	
Applesauce	1,2		7,9		1	
Freeze dried foods	1,2					
Dehydrated foods	1,2					
Frozen Foods	1,2					
Freeze drying			6			
Shelf life			7			
Sugars			6,7			
Reducing sugars			6,7			
Applesauce powder					2	
Powder					2	
Juices					2	
Fruit juices					2	
Extraction					8	
Reconstitution					8	

ia

Unclassified

Security Classification

Approved for public release.
Distribution is unlimited.

AD _____

TECHNICAL REPORT

74-37-FL

NON-CAKING FREEZE DRIED APPLESAUCE

by

Abdul R. Rahman
Thomas R. Schmidt
Edward E. Anderson
David S. Criz
Karl R. Johnson

March 1974



Project Reference
1G762713A034 and
NASA T-20541-G

Series: FL-190

Food Laboratory
U. S. ARMY NATICK LABORATORIES
Natick, Massachusetts 01760

ib

FOREWORD

Natural dehydrated fruit powders when packaged in flexible packages under vacuum and stored at elevated temperatures (37°C or higher) solidify and become very difficult to rehydrate. Therefore, this work was undertaken to develop processing techniques for the production of natural fruit powders such as apple-sauce powder which resists caking upon storage at elevated temperatures and can be rehydrated readily with cold or hot water. Such a product can be used successfully in space missions and special high altitude flight feeding systems.

This work was performed under Project No. 1G762713A034, Military Food Service and Subsistence Technology and National Aeronautics and Space Administration Customer Order No. T-20541-G, Food Packages and Containers for Manned Space Flights.

TABLE OF CONTENTS

	Page
Foreword	ii
List of Tables	iv
List of Figures	v
Abstract	vi
Introduction	1
Experimental Procedures	2
Results and Discussion	3
Literature Cited	4

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Reconstitution of applesauce powder as affected by caking.	5
2	Chemical analysis of fresh and pressed apple dice (percent dry basis) and bulk density of the powder.	6
3	Average Technological Panel ratings of applesauce powder (reconstituted) as affected by juice extraction.	7

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Applesauce powder packaged in flexible packages under vacuum prior to storage at 37.7°C for 2 weeks.	8
2	Caking of applesauce powder as affected by juice extraction after storage at 37.7°C.	9
3	Total soluble solids (degrees Brix) in applesauce powder as affected by juice extraction.	10
4	Reducing sugars in applesauce powder as affected by juice extraction.	11
5	Bulk density of applesauce powder as affected by juice extraction.	12

ABSTRACT

A study was initiated to develop an applesauce which resists caking when subjected to elevated temperatures such as 37.7°C. for 2 weeks and/or 57°C for 3 hours as required by NASA. Juice was extracted from McIntosh apples at different levels ranging between 15.8 and 77.0 percent by weight. The following results were obtained: 1) The degree of caking of the freeze dried applesauce powder was correlated with the amount of juice extracted. 2) Correlations were established between the percentage of juice extracted and each of the following: bulk density, soluble solids and reducing sugars of the applesauce powder. 3) Reducing sugars appear to be the factor contributing most significantly to the caking with the higher reducing sugar levels producing the higher degrees of caking. 4) Flavor and texture of the rehydrated applesauce powders were adversely affected by higher juice extractions.

INTRODUCTION

A study was initiated to develop a dehydrated applesauce which meets the current requirements of NASA space foods. Such a product when placed in a flexible package under pressure (105×10^3 Pa) and subjected to elevated temperatures (i.e., 57°C for 3 hours and/or 2 weeks at 37.7°C) should not cake. To date, all available dehydrated applesauces failed to meet such requirements.

McIntosh apples were processed as follows: Peeling, coring, dicing, sulfiting, blanching, mechanical pressing (to extract the juice at 9 different levels ranging from 15 to 77 percent by weight), freezing, freeze drying, grinding, addition of sucrose and malic acid, and packaging. The results showed the following: 1) Caking occurred in samples where less than 45 percent of the juice was extracted, whereas no caking was observed in samples with higher juice extraction; 2) Technological evaluation for flavor, color, and texture of reconstituted samples with 45 to 55 percent juice extraction indicated acceptable quality whereas higher juice extraction adversely affected the quality; 3) Definite correlation was established between the degree of juice extraction and each of the following: Brix value, reducing sugars, bulk density and degree of caking; 4) Natural occurring sugars, especially reducing sugars, are contributing factors to the caking of dehydrated applesauce.

A high degree of food concentration may be attained by dehydration and conversion to powder form. This offers reduction in weight and volume, convenience in handling and packaging, and better stability when properly packaged and stored at room temperature. However, dehydrated fruit juices and pulps, due to their high content of hygroscopic sugars are often adversely affected by moisture, high storage temperatures and packaging conditions.

Properly packaged fruit powders often cake when stored at elevated temperatures, therefore this study was initiated to develop dehydrated applesauce which meets the current requirements of the National Aeronautic and Space Administration (NASA) space foods. Such a product when placed in a flexible package under pressure of 105×10^3 Pa and subjected to elevated temperatures (i.e., 57°C for 3 hours and/or 2 weeks at 37.7°C) should not cake. To date, all available dehydrated applesauces failed to meet such requirements. Perhaps this is due to the high content of reducing sugars which were found to be predominant in apples. Mylne and Seegmiller (1950) indicated that apples contain 10.5 percent total sugars among which 8.6 percent are reducing sugars. Lopez, et al (1958) reported that total sugars in ten varieties of apples ranged from 10.5 to 13 percent among which 7 to 9.5 percent were reducing sugars.

EXPERIMENTAL PROCEDURES

Fresh McIntosh apples were washed, peeled, cored and manually trimmed. They were diced to approximately 3/8 inch and sulfited by dipping the dice in a solution containing sodium metabisulfite resulting in approximately 300 ppm SO_2 in the applesauce powder. The diced apples were then drained and blanched for 3 minutes in boiling water. The blanched dice were drained and divided into 13 lots where one lot was used as a control and each of the 12 remaining lots was pressed by means of a hydraulic press in order to extract specified amounts of juice. The percents by weight of juice extracted from each of the 12 lots respectively were: 15.8, 23.0, 26.1, 31.5, 34.6, 40.0, 46.6, 49.4, 55.2, 60.3, 66.0 and 77.0. Each of the pressed lots as well as the control was individually frozen at -20°F . and then freeze dried at 48°C . Each lot was then ground so that 100 percent of the particles passed through a No. 10 sieve (0.20 cm openings).

Packaging and storage: 15 gms. of applesauce powder from each lot were separately placed in individual 8.9 x 17.8 cm bags made of a four-ply laminate: 1.0 mil polyethylene, 2.0 mil Aclar, 0.75 mil Mylar, and 2.2 mil polyethylene. This procedure was repeated with the addition of 20 gms. sucrose and 0.2 gm. malic acid to the applesauce powder. Each bag was sealed under pressure of $105 \times 10^3 \text{ Pa}$ as shown in Fig. 1. Bags from each lot were separately stored for 3 hours at 57°C . and for two weeks at 37.7°C .

Objective tests: AOAC methods were used in the determination of moisture, total sugars, reducing sugars and total acidity.

Bulk density was measured by placing a weighed amount of applesauce powder into a graduated cylinder and then tapping 50 times on a wooden surface after which the volume of the powder was recorded.

Subjective tests: Flavor, color and texture were evaluated by a panel consisting of ten experienced food technologists at the U. S. Army Natick Laboratories (NLAPS). The applesauce powder was reconstituted by mixing the following ingredients: 15 gms. pure applesauce powder + 20 gms. sugar (sucrose) + 0.2 gm. malic acid + 200 gms. water.

RESULTS AND DISCUSSION

The effect of temperature on applesauce powder as shown in Fig. 2 illustrates considerable caking in samples made of apple dice where less than 49.4 percent by weight of the juice was extracted.

The addition of sugar (sucrose) to the apple powder did not affect the degree of caking, since no noticeable differences could be seen when compared with the powder alone. The degree of caking decreases as the amount of extracted juice increases. In addition caking adversely affected the rehydration of applesauce powder as shown in Table 1.

The data shown in Table 2 indicates a definite negative correlation between the degree of juice extraction and each of the following: bulk density, soluble solids, and reducing sugars of the applesauce powder after pressing. These data are further illustrated in Figs. 3, 4 and 5. As the bulk density decreased the caking decreased and when the soluble solids as well as the reducing sugars decreased the caking also decreased. However, malic acid did not seem to follow such a pattern.

Caking of applesauce powder at elevated temperatures may be due to the relatively low melting point of reducing sugars (such as glucose, levulose, mannose and xylose as compared with sucrose). Vitte et al (1952) stated that sucrose, glucose, levulose, mannose and xylose were identified in apples. Therefore the degree of caking could be attributed to the amount of reducing sugars present in the applesauce as they represent the major constituents of the soluble solids. This appears to be confirmed since the addition of sucrose to the powder did not seem to have a noticeable effect on the caking.

The results of the technological evaluation as shown in Table 3 indicate that samples with higher percentages of juice extraction received lower ratings for both flavor and texture.

LITERATURE CITED

- Association of Official Analytical Chemists 1965. Official Methods of Analysis, 10th ed. The Association, Washington, D. C.
- Handbook of Chemistry and Physics, 45th ed. 1965. Chemical Rubber Publishing Company.
- Lopez, A., Fellers, P. J., Wood, C. B. and Johnson, J. M. 1958. Composition of ten processing and table varieties of Virginia apples. Food Res., 23, 492-504.
- Myline, A. M. and Saegmiller, C. G. 1950. Laboratory studies on factors affecting leaching losses during the processing of apples. Food Technol. 4, 43-6.
- Snedecor, G. W. 1956. Statistical Methods. Iowa State College Press, Ames, Iowa.
- Vitte, G. E., Boussemart, E. and Guichard, G. 1952. Identification of apple sugars by paper partition chromatography. Bull. Soc. Pharm. Marseille, France, No. 3, 50.

TABLE 1 - RECONSTITUTION OF APPLESAUCE
POWDER AS AFFECTED BY CAKING

Percent by weight of juice extracted	Time in minutes
Control	No reconstitution *
15.8	No reconstitution *
23.0	" "
26.1	" "
31.5	" "
34.6	" "
40.0	15 - 30
46.6	5 - 10
49.4	3 - 5
55.2	1
60.3	"
66.0	"
77.0	"

* Failed to reconstitute within 1 hour (caked).

Reproduced from
best available copy.

TABLE 2 - CHEMICAL ANALYSIS OF FRESH AND PRESSED APPLE DICE
(PERCENT DRY BASIS) AND BULK DENSITY OF THE POWDER

Percent by weight of juice extracted	Fresh apple dice				Pressed apple dice		Appearance Powder	
	Reducing Sugars	Soluble Solids (Degrees Brix)	Malic Acid	Reducing Sugars	Soluble Solids (Degrees Brix)	Malic Acid	Bulk Density	wt/cc
Control	70.7	87.0	2.3	--	--	--		0.241
15.8	65.0	85.8	2.5	56.2	75.4	2.0		0.235
23.0	73.1	87.8	1.8	56.1	70.4	2.1		0.238
26.1	69.3	89.2	2.5	55.2	76.7	2.4		0.214
31.5	65.4	91.0	2.1	52.8	75.3	1.9		0.223
34.6	64.4	84.2	2.1	50.3	76.2	1.8		0.201
40.0	66.8	84.7	1.6	49.8	69.3	1.9		0.213
46.6	65.7	86.0	1.8	49.4	74.5	1.6		0.205
49.4	67.8	90.6	1.8	46.8	67.7	1.7		0.196
55.2	67.4	84.9	2.0	41.2	60.2	2.0		0.185
60.3	64.6	83.0	2.3	42.1	52.8	1.8		0.197
66.0	64.3	88.5	1.8	43.1	64.1	1.4		0.193
77.0	66.5	85.9	2.2	42.9	56.9	1.9		0.160

Correlation Coefficient (r) between percent by weight of juice extracted and bulk density = 0.95
 " " " " " " soluble solids = 0.83
 " " " " " " reducing sugars = 0.76

TABLE 3 - AVERAGE TECHNOLOGICAL PANEL RATINGS* OF APPLESAUCE
POWDER (RECONSTITUTED) AS AFFECTED BY JUICE EXTRACTION

Percent juice by weight extracted	Color	Odor	Flavor	Texture	Appearance
Control (0 extraction)	6.6	6.6	5.4	5.6	6.5
15.8	6.9	6.5	6.5	6.1	6.9
23.0	5.0	6.0	4.9	5.3	5.4
26.1	6.7	6.6	5.9	5.4	6.2
31.5	6.7	6.4	6.3	5.4	6.3
34.6	5.7	5.6	4.2	4.9	5.3
40.0	5.3	5.7	5.4	5.1	5.6
46.6	5.9	5.9	5.9	5.7	5.6
49.4	5.7	6.0	5.1	5.7	5.7
55.2	6.6	5.9	5.1	5.2	6.2
60.3	5.0	5.7	4.4	4.8	5.3
66.0	5.3	5.4	4.6	4.8	5.2
77.0	4.7	5.1	3.8	4.3	4.6

* 1 = Extremely poor
9 = Excellent




Figure 1 - Applesauce powder packaged in flexible packages under vacuum prior to storage at 37.7° for 2 weeks.






Figure 2 - Caking of applesauce powder as affected by juice extraction after storage at 37.7°C.




PERCENT BY WEIGHT OF JUICE EXTRACTED

Figure 3 - Total soluble solids (degrees Brix) in applesauce powder as affected by juice extraction.



PERCENT BY WEIGHT OF JUICE EXTRACTED

Figure 4 - Reducing sugars in applesauce powder as affected by juice extraction.



PERCENT BY WEIGHT OF ICE EXTRACTED

Figure 5 - Bulk density of applesauce powder as affected by juice reaction.