

UNCLASSIFIED

AD NUMBER
AD852134
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; MAR 1969. Other requests shall be referred to Army Atmospheric Sciences Office, White Sands Missile Range, NM. Export Control.
AUTHORITY
usaec notice, 13 sep 1971

THIS PAGE IS UNCLASSIFIED

THIS DOCUMENT IS SUBJECT TO SPECIAL EXPORT CONTROLS AND EACH TRANSMITTAL TO FOREIGN GOVERNMENTS OR FOREIGN NATIONALS MAY BE MADE ONLY WITH PRIOR APPROVAL OF ATMOSPHERIC SCIENCES OFFICE, WHITE SANDS MISSILE RANGE, NEW MEXICO.

DR-421

MARCH 1969

AD

AD852134

WHITE SANDS MISSILE RANGE

CLIMATE CALENDAR

BY

PAUL H. TAFT

ATMOSPHERIC SCIENCES OFFICE
WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

15 MAR 1969
LIBRARY
A

WHITE SANDS MISSILE RANGE

CLIMATE CALENDAR

BY

PAUL H. TAFT

DR-421

REVISED, APRIL 1969

DA Task IT665702D127-02

ATMOSPHERIC SCIENCES OFFICE
WHITE SANDS MISSILE RANGE, NEW MEXICO

ABSTRACT

This is the fourth edition of the White Sands Missile Range Climate Calendar, which was first published in May, 1963.

Mean daily maximum and minimum temperatures, and extreme temperatures for the period of record (1950-1968) are tabulated in calendar form for "A" Station, the weather center located at Headquarters, White Sands Missile Range, New Mexico. Averages of temperature, relative humidity, wind and cloudiness are included for each month, as well as maximum 24-hour and monthly rainfall.

Supplementary tables give monthly, seasonal and annual values of maximum winds, degree days, solar radiation, means and extremes of station pressure, the greatest monthly and single-storm snowfall, and the average six-hourly temperatures and relative humidities. Also included are the average number of days with the occurrence of precipitation, distant lightning, thunderstorms and visibility restrictions, as well as a summary of weather extremes for the State of New Mexico. Presented in graph form are weekly means of maximum and minimum temperatures, weekly values of precipitation, mean hourly and monthly wind speeds with prevailing directions, and average hourly variations from the mean station pressure.

CONTENTS

	PAGE
ABSTRACT -----	111
INTRODUCTION -----	1
DISCUSSION -----	2
CLIMATE CALENDAR -----	10
REFERENCES -----	29
FIGURES	
1. Weather Stations, White Sands Missile Range and Vicinity -----	8
2. Topographic Cross Sections, White Sands Missile Range -----	9
3. Smoothed Weekly Means of Maximum and Minimum Temperature, 1950-1968, "A" Station, WSMR -----	25
4. Smoothed Weekly Precipitation Means, 1950-1968, "A" Station, WSMR -----	26
5a. Mean Hourly Wind Speeds and Prevailing Direction, 1948-1960, "A" Station, WSMR -----	27
5b. Average Monthly Wind Speeds and Prevailing Directions With Strongest Gusts, 1950-1968, "A" Station -----	27
6. Diurnal Pressure Variations, 1948-1960, "A" Station -----	28
TABLES	
I. Temperatures During Coldest Months, "A" Station -----	4
II. Temperatures During Warmest Months, "A" Station -----	4
III. Precipitation Extremes, WSMR and Vicinity -----	5
IV. New Minimum Temperature Records in Southern New Mexico Due to Severe Cold Spell of 10-11 January 1962 -----	6
V. New Mexico Temperature Extremes by Months -----	7

CONTENTS (CONT)

	PAGE
VI. New Mexico Rainfall and Snowfall Extremes -----	7
VII. Monthly and Annual Climatological Data, "A" Station -----	22
VIII. "A" Station Climatology--Seasonal Values, 1950-1968 ----	23
IX. "A" Station 6-Hourly Mean Temperatures, 1948-1968 -----	24

INTRODUCTION

The weather site designated as "A" Station is in the Headquarters area of White Sands Missile Range (WSMR). Its geographic coordinates are 32° 22.7' North and 106° 28.8' West (Fig. 1). The elevation of the Station Barometer is 4,238.4 feet above sea level. The climatological data in this report are for a period of 19 years, 1950 through 1968, unless otherwise indicated. (Daily temperature means and extremes only have been computed through February, 1969.) The station was initially operated by the Air Force, but since April 1961 it has been manned by U. S. Army personnel.

Temperature, wind, precipitation and relative humidity are measured with instruments mounted on the roof of the weather station building, No. 1510. (The elevation of the floor of the instrument shelter is 4252 feet.) However, since May 1955 wind measurements have been made by an Aerovane mounted on a 13-foot mast 0.5 mile west—279°—from the station, (elevation of Aerovane, 4,304.05 feet) with indicators and recorders for wind speed and direction installed in the weather station building.

Temperature extremes are the highest (maximum) and the lowest (minimum) temperatures which have occurred for each day of the year for the period of record. Temperatures are given in degrees Fahrenheit, wind speeds are in knots, and rainfall and snowfall are reported in inches. Daily temperature means were smoothed after comparison with weekly and monthly averages. (Fig. 3 and 4.)

The data in this report are considered to be representative of the Headquarters area. However, due to the great extent and extreme variations in elevation and topography of WSMR (4,000 square miles, from dry lake beds—"playas"—at 3,900 feet to mountain peaks near 9,000 feet, Fig. 1 and 2) conditions in other parts of the range may vary widely. For example, the record low temperature for this station is 6° below zero, while at White Sands National Monument it is 25° below zero, and both of these records occurred on the same date—11 January 1962. (See Table IV.) Also, severe local thunderstorms may produce torrential rainfall in a comparatively small area with little or no rainfall a few miles distant. On 4 July 1961, 1.80" of rain fell in 48 minutes at "A" Station and the 24-hour total was 2.31", while at Orogrande [1], 24 miles east, the total rainfall for that day was only 0.02".

The greatest 24-hour rainfall of record on the Range occurred at White Sands National Monument [2] on 21-22 September 1941, with a fall of 5.30". Of this amount, 4.28" fell in five hours—1430-1930 MST, 21 September. This, however, was a general storm, with rainfall totals at a few other stations on or near WSMR as follows: [2 & 3] Alamogordo, 2.60"; El Paso Airport, 3.42"; Las Cruces, 4.61"; Orogrande, 3.27", Tularosa, 4.75". The greatest 24-hour rainfall of record at "A" Station is 4.25", which fell on 23-24 August 1959. (See Table III.)

DISCUSSION

COLD SEASON (NOVEMBER-APRIL) WEATHER

December and January are coldest months, with identical mean temperatures. (See Table I.) February averages nearly 3° warmer, but it has the same low temperature record as December. The record low temperature, (-6°) occurred on 11 January 1962, when absolute record minima were established at most stations in southern New Mexico, during an extremely severe cold spell. (See Table IV.)

The average number of days with minimum temperatures at or below freezing is 38, and with 20° or less is only three. The earliest date of the last freezing temperature in spring occurred on 14 February 1950 (see Table VIII), while the earliest date of a 90° temperature was 14 April 1963. The record high temperature for the cold season--94°--was recorded on 22 April 1965. The average date of the last freezing temperature in the Spring is 14 March, and of the first freeze in the Fall is 20 November.

Mean maximum and minimum temperatures for April are within 0.2° of the annual means. A comparison of "A" Station with 141 Weather Bureau Climatological stations in New Mexico [4], shows that the mean minimum temperature of "A" Station for the coldest month (34.3°) is 0.4° higher than that of Carlsbad Caverns, which has the highest winter month minimum temperatures of any of the New Mexico Weather Bureau stations.

Only 30% of the annual rainfall occurs during the cold season, and April (the second driest month) and November (the third driest) altogether account for only 7% of the annual total. This 6-month period averages only three days with the occurrence of thunderstorms out of the annual total of 44 days. The three coldest months receive 77% of the annual snowfall total of 5.9 inches.

April, the windiest month of the year, has an average hourly wind speed of 8.5 knots. Visibility is reduced to 6 miles or less (by fog, snow, blowing dust, etc.) on an average of 23 days during this season. Five of these days occur in March and four in April, while the total for the year is 39 days. (See Table VII.)

WARM SEASON (MAY-OCTOBER) WEATHER

Although June and July are the warmest months, August is only slightly cooler (see Table II). The average number of days with a temperature of 100° or more is only 7, three each in June and July, and one in August. Only in occasional years do such high temperatures occur in May, and none have been recorded in September at this station. The greatest number of successive days with 100° or more is 8, from 26 June to 3 July 1960. However, 18 successive days with 99° or more occurred from 24 June to 11 July 1951. It was during these two periods that the absolute record high temperature of 106° occurred four times.

Maximum temperatures at Desert Station (near Army Block House) average about 1.2° higher than at "A" Station during the summer months, so that 100° temperatures can be expected in that area on an average of about 12 days each summer. At Orogrande, about 24 miles east of WSMR Headquarters, summer temperatures average about four degrees higher than at this station, and the absolute record high temperature for Orogrande—116°—equals the record high temperature for the entire state of New Mexico. (See Table V).

The lowest maximum temperature of occurrence for any year was in 1959 when 99° was recorded only twice. The average number of days with maximum temperatures of 90° or more is 34, sixty-seven of which occur during the three warmest months. The earliest date of a 95° reading was 11 May 1962, and the average date is 2 June. The latest occurrence of 95° in late summer was on 27 September 1951, and the average date is 4 September, while there are thirty-six days per year when a maximum of 95° or more is recorded. October mean temperatures are within two degrees of the annual means.

May (the driest month) and June are, on the average, quite dry. Collectively, they contribute only 11% of the total annual rainfall. July, August and September, the wettest months of the year, account for 50% of the average annual rainfall of 10.32", and for 66% of the thunderstorms. Seventy percent of the annual rainfall occurs during the warm season and all but three of the 44 days with thunderstorms. The greatest monthly rainfall of record at this station--7.42"--occurred in June, 1966. The driest year of record was 1956, with a rainfall total of only 3.92", (Table III).

October, with an average hourly wind speed of 4.6 knots, is the least windy month of the year, while the annual average is 6.1 knots. The prevailing wind direction for 11 of the 12 months is west, but for July it is southeast. Visibility of 6 miles or less occurs on 16 days during the warm season.

COLDEST PERIODS	TEMPERATURES (° F)				
	MEAN MAX	MEAN MIN	MEAN	HIGH- EST	LOW- EST
MONTH OF DECEMBER	55.7	34.4	45.1	77	8
MONTH OF JANUARY	55.9	34.3	45.1	73	-6
MONTH OF FEBRUARY	59.9	37.6	48.8	81	8
COLDEST 30 DAYS, 12/20 to 1/18	54.3	32.6	43.5	73	-6
COLDEST 15 DAYS, 1/3 to 1/17	54.1	32.2	43.2	73	-6
COLDEST 7 DAYS, 1/8 to 1/14	53.7	32.0	42.9	73	-6

TABLE I. TEMPERATURES DURING COLDEST MONTHS, "A" STATION

WARMEST PERIODS	TEMPERATURES (° F)				
	MEAN MAX	MEAN MIN	MEAN	HIGH- EST	LOW- EST
MONTH OF JUNE	92.9	69.2	81.1	106	50
MONTH OF JULY	93.2	70.5	82.0	106	59
MONTH OF AUGUST	91.1	68.9	80.0	102	55
WARMEST 30 DAYS, 6/18 to 7/17	94.4	71.0	82.7	106	59
WARMEST 15 DAYS, 6/19 to 7/3	95.2	71.5	83.4	106	59
WARMEST 7 DAYS, 6/22 to 6/28	95.5	72.2	83.9	106	62

TABLE II. TEMPERATURES DURING WARMEST MONTHS, "A" STATION

The following tabulations show the precipitation extremes (greatest and least) of record for White Sands Missile Range and vicinity:

PRECIPITATION EXTREMES, "A" STATION, WHITE SANDS MISSILE RANGE		
0.38 inch	8 minutes	1412-1420MST, 27 July 1965
1.80 inch	48 minutes	1530-1618MST, 4 July 1961
2.92 inches	2 $\frac{1}{2}$ hours	0050-0320MST, 24 August, 1959
3.17 inches	6 hours	2245-0445MST, 23-24 August, 1959
3.72 inches	12 hours	1645-0445MST, 23-24 August, 1959
4.25 inches	24 hours	2210-1925MST, 23-24 August, 1959
Greatest annual rainfall:		20.02 inches in 1958.
Least annual rainfall:		3.92 inches in 1956.
Longest dry spell		
(no measureable rainfall):		123 days, 2/10-6/11, 1956.
Second longest dry spell:		80 days, 10/8-12/26, 1954.
Greatest seasonal snowfall:		24.5 inches, 1967-1968.
Greatest annual snowfall:		18.5 inches, 1960.
HEAVIEST RAINFALL OF RECORD, WHITE SANDS NATIONAL MONUMENT [3]		
0.95 inch	30 minutes	4.28 inches 5 hours
1.50 inch	1 hour	4.40 inches 6 hours
2.50 inches	2 hours	5.17 inches 12 hours
3.50 inches	3 hours	5.30 inches 24 hours, 9/21-22/41
PRECIPITATION EXTREMES, NEW MEXICO STATE UNIVERSITY, LAS CRUCES [8]		
Extremely heavy rainfall occurred at the University station from 11:05pm 29 Aug. to 7:00am 30 Aug., 1935, measure as follows:		
0.64 inch	5 minutes	2.77 inches 60 minutes
1.06 inch	10 minutes	4.15 inches 2 hours
1.50 inch	15 minutes	4.77 inches 3 hours
1.86 inch	20 minutes	5.91 inches 4 hours
2.48 inches	30 minutes	6.46 inches 7 hours 55 minutes
Greatest 24-hour rainfall:		6.49 inches, 29-30 August, 1935
Greatest monthly rainfall:		7.53 inches, September, 1941
WETTEST AND DRIEST YEARS, NEW MEXICO STATE UNIVERSITY		
15.05 inches in 1881, La Mesilla	13.26 inches in 1931, NMSU	
17.09 inches in 1905, NMSU	19.60 inches in 1941, NMSU	
14.35 inches in 1926, NMSU	14.01 inches in 1958, NMSU	
3.61 inches in 1860, Ft. Fillmore	4.02 inches in 1910, NMSU	
3.49 inches in 1873, Ft. Selden	3.81 inches in 1953, NMSU	
4.47 inches in 1892, NMSU	3.62 inches in 1964, NMSU	
HEAVIEST SNOWFALL OF RECORD, NEW MEXICO STATE UNIVERSITY		
Greatest Monthly		Greatest 24-hours
January	4.7 inches in 1947	4.7 inches in 1947
February	10.4 inches in 1956	9.0 inches in 1956
March	2.7 inches in 1944	2.7 inches in 1944
November	5.0 inches in 1957	5.0 inches in 1957
December	10.3 inches in 1931	9.0 inches in 1931

TABLE III. PRECIPITATION EXTREMES, WSMR AND VICINITY

WEATHER EXTREMES IN NEW MEXICO

On rare occasions an extremely cold arctic air mass invades southern New Mexico, bringing record-breaking low temperatures. Such an event occurred on the 10th and 11th of January, 1962. It was the most severe outbreak of polar continental air in many years and tumbled old low temperature records for most stations in south-central New Mexico, some of which had stood for more than a half-century. Table IV lists these new absolute minimum temperature records.

STATION	TEMPERATURE, °F
"A" STATION, WHITE SANDS MISSILE RANGE	-6
ALAMOGORDO	-14
BINGHAM	-12
BOQUE DEL APACHE	-16
CARRIZO	-12
CLOVERCROFT	-21
DESERT STATION (MSD), WSMR	-14
FLORIDA	-15
PORT STANTON	-28
RATER	-17
WILLIAMS AIR FORCE BASE	-11
LODSBURG	-2
MUSCALERO	-19
NEW MEXICO STATE UNIVERSITY, LAS CRUCES	-10
OROGRANTE	-13
SUNSPOT (SACRAMENTO PEAK) [7]	-23
SILVER CITY	-13
WHITE SANDS NATIONAL MONUMENT	-25

TABLE IV. NEW MINIMUM TEMPERATURE RECORDS IN SOUTHERN NEW MEXICO DUE TO SEVERE COLD SPELL OF 10-11 JANUARY, 1962 [4]



Tables V and VI are listings of weather extremes which give an indication of the great variations of climate which are encountered in New Mexico. Only twelve of the fifty states have recorded lower temperatures than New Mexico's -50°, while eighteen states have endured summer temperatures exceeding our record of 116°. With a seasonal snowfall record of 483 inches, New Mexico ranks seventh among the fifty states; Washington ranks first, with exactly one thousand inches. [9]

MONTH	HIGHEST TEMPERATURE				LOWEST TEMPERATURE			
	°F	DAY	YEAR	STATION	°F	DAY	YEAR	STATION
JAN	89	6	1938	Tularosa	-47	11	1962	Eagle Nest
FEB	100	24	1904	Carlsbad	-50	1	1951	Covilan
MAR	99	31	1946	Roswell #2	-34	12	1948	Eagle Nest
APR	104	10	1934	Artesia	-36	5	1945	Eagle Nest
MAY	110	28	1896	Rincon	-2	1	1967	Eagle Nest
JUN	116	29	1918	Artesia	12	1	1946	E'town *
JUL	116	14	1934	Orogrande	19	5	1935	Therma
AUG	111	7	1934	Kara Visa	23	30	1944	Seloor Ranch
	111	23	1932	Rodeo				
SEP	112	7	1948	Orogrande	8	23	1912	E'town *
OCT	101	5	1934	Carlsbad	-15	24	1945	Red River
NOV	97	7	1903	Carlsbad	-36	24	1931	Covilan
					-36	25	1931	Bulce
DEC	90	12	1933	Hagerman	-47	12	1961	Bulce

TABLE V. NEW MEXICO TEMPERATURE EXTREMES BY MONTHS, 1892-1968 [5]
 * E'town = Elizabethtown (near Eagle Nest)

EXTREMES		INCHES	LOCATION	DATE
ANNUAL RAINFALL	Greatest	62.45	White Tail	1941
	Least	1.00	Hermasas	1910
GREATEST RAINFALL	1-Month	16.21	Portales 7 WNW	May 1941
	24-Hour	11.28	Lake Maloya	19 May 1955
	Seasonal	483.0	Anchor Mine	1911-1912
GREATEST SNOWFALL	Annual	415.7	Anchor Mine	1915
	1-Month	144.0	Anchor Mine	March 1912
	Single-Storm	40.0	Corona	14-16 Dec. 1959
	24-Hour	30.0	Sandia Crest	29 Dec. 1958
	Greatest Depth	90.0	Anchor Mine	28 Mar. 1912

TABLE VI. NEW MEXICO RAINFALL AND SNOWFALL EXTREMES, 1892-1968 [5]







FIG. 2 TOPOGRAPHIC CROSS SECTIONS, WHITE SANDS MISSILE RANGE (2)

FEBRUARY

MON

THE UNIVERSITY OF CHICAGO PRESS

[illegible]

AVG. HIGH	62	AVG. MAXIMUM TEMPERATURE	59.9	°	AVERAGE MONTHLY WIND SPEED	6.5	K	1	ANNUAL	6.1	K
HIGHEST	67	AVG. MINIMUM TEMPERATURE	37.6	°	PREVAILING WIND DIRECTION	WEST		1	ANNUAL	WEST	
YEAR	1956	RECORD MAXIMUM TEMPERATURE	61	°	AVG. MONTHLY RAINFALL	0.60		IN.	ANNUAL	10.32	IN.
	29	RECORD MINIMUM TEMPERATURE*	+8	°	AVG. MONTHLY SNOWFALL	1.5		IN.	ANNUAL	5.7	IN.
AVG. JAN	40	AVG. RELATIVE HUMIDITY	39	%	AVG. MONTHLY CLOUDLINESS	36		%	1	ANNUAL	%
LOWEST	29	GREATEST MONTHLY RAINFALL	1.48	IN.	YEAR	1957					
YEAR	1956	GREATEST 24-HOUR RAINFALL	1.01	IN.	YEAR	1957					
					DATE	28th					

14th: EARLIEST DATE OF LAST FREEZING TEMPERATURE IN SPRING, 1950.

"A" STATION, WHITE SANDS MISSILE RANGE
DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

MARCH				MARCH				MARCH				MARCH			
AVG. HIGH	62	AVG. HIGH	62	AVG. HIGH	63	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64
HIGHEST	73	HIGHEST	77	HIGHEST	75	HIGHEST	75	HIGHEST	75	HIGHEST	81	HIGHEST	80	HIGHEST	80
YEAR	1959	YEAR	1967	YEAR	1967	YEAR	1960	YEAR	1956	YEAR	1960	YEAR	1960	YEAR	1960
AVG. LOW	40	AVG. LOW	40	AVG. LOW	40	AVG. LOW	41	AVG. LOW	41	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42
LOWEST	27	LOWEST	24	LOWEST	32	LOWEST	16	LOWEST	22	LOWEST	29	LOWEST	31	LOWEST	31
YEAR	1960	YEAR	1965	YEAR	1965	YEAR	1965	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966
AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	64	AVG. HIGH	65	AVG. HIGH	65	AVG. HIGH	65
HIGHEST	81	HIGHEST	78	HIGHEST	77	HIGHEST	74	HIGHEST	74	HIGHEST	76	HIGHEST	76	HIGHEST	76
YEAR	1960	YEAR	1960	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1960	YEAR	1960	YEAR	1966
AVG. LOW	42	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42	AVG. LOW	42
LOWEST	28	LOWEST	30	LOWEST	32	LOWEST	31	LOWEST	27	LOWEST	30	LOWEST	28	LOWEST	28
YEAR	1956	YEAR	1964	YEAR	1958	YEAR	1968	YEAR	1958	YEAR	1951	YEAR	1951	YEAR	1951
AVG. HIGH	65	AVG. HIGH	66	AVG. HIGH	66	AVG. HIGH	66	AVG. HIGH	66	AVG. HIGH	67	AVG. HIGH	67	AVG. HIGH	67
HIGHEST	80	HIGHEST	77	HIGHEST	81	HIGHEST	82	HIGHEST	78	HIGHEST	79	HIGHEST	77	HIGHEST	77
YEAR	1966	YEAR	1966	YEAR	1967	YEAR	1967	YEAR	1966	YEAR	1966	YEAR	1960	YEAR	1960
AVG. LOW	43	AVG. LOW	43	AVG. LOW	43	AVG. LOW	44	AVG. LOW	44	AVG. LOW	44	AVG. LOW	44	AVG. LOW	44
LOWEST	21	LOWEST	29	LOWEST	32	LOWEST	32	LOWEST	23	LOWEST	26	LOWEST	29	LOWEST	29
YEAR	1962	YEAR	1962	YEAR	1960	YEAR	1951	YEAR	1965	YEAR	1965	YEAR	1955	YEAR	1955
AVG. HIGH	68	AVG. HIGH	68	AVG. HIGH	68	AVG. HIGH	69	AVG. HIGH	69	AVG. HIGH	70	AVG. HIGH	70	AVG. HIGH	70
HIGHEST	80	HIGHEST	79	HIGHEST	80	HIGHEST	81	HIGHEST	80	HIGHEST	83	HIGHEST	86	HIGHEST	86
YEAR	1967	YEAR	1950	YEAR	1950	YEAR	1953	YEAR	1956	YEAR	1963	YEAR	1967	YEAR	1967
AVG. LOW	45	AVG. LOW	45	AVG. LOW	46	AVG. LOW	46	AVG. LOW	46	AVG. LOW	47	AVG. LOW	47	AVG. LOW	47
LOWEST	26	LOWEST	28	LOWEST	37	LOWEST	32	LOWEST	23	LOWEST	23	LOWEST	28	LOWEST	28
YEAR	1952	YEAR	1952	YEAR	1966	YEAR	1957	YEAR	1955	YEAR	1955	YEAR	1955	YEAR	1955
AVG. HIGH	71	AVG. HIGH	71	AVG. HIGH	72	AVG. HIGH	72	AVG. HIGH	72	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73
HIGHEST	80	HIGHEST	78	HIGHEST	82	RECORD HIGH TEMPERATURE	86	RECORD HIGH TEMPERATURE	86	RECORD HIGH TEMPERATURE	86	RECORD HIGH TEMPERATURE	86	RECORD HIGH TEMPERATURE	86
YEAR	1967	YEAR	1968	YEAR	1963	RECORD LOW TEMPERATURE	16	RECORD LOW TEMPERATURE	16	RECORD LOW TEMPERATURE	16	RECORD LOW TEMPERATURE	16	RECORD LOW TEMPERATURE	16
AVG. LOW	48	AVG. LOW	48	AVG. LOW	49	AVG. RELATIVE HUMIDITY	31	AVG. RELATIVE HUMIDITY	31	AVG. RELATIVE HUMIDITY	31	AVG. RELATIVE HUMIDITY	31	AVG. RELATIVE HUMIDITY	31
LOWEST	31	LOWEST	40	LOWEST	37	GREATEST MONTHLY RAINFALL	3.00 IN.	GREATEST MONTHLY RAINFALL	3.00 IN.	GREATEST MONTHLY RAINFALL	3.00 IN.	GREATEST MONTHLY RAINFALL	3.00 IN.	GREATEST MONTHLY RAINFALL	3.00 IN.
YEAR	1951	YEAR	1961	YEAR	1961	GREATEST 24-HOUR RAINFALL	1.46 IN.	GREATEST 24-HOUR RAINFALL	1.46 IN.	GREATEST 24-HOUR RAINFALL	1.46 IN.	GREATEST 24-HOUR RAINFALL	1.46 IN.	GREATEST 24-HOUR RAINFALL	1.46 IN.
YEAR	1951	YEAR	1961	YEAR	1961	DATE	3-6th	DATE	3-6th	DATE	3-6th	DATE	3-6th	DATE	3-6th

** AVERAGE DATE OF LAST FREEZING TEMPERATURE IN SPRING. ***LATEST DATE OF FREEZING TEMPERATURE IN SPRING.

"A" STATION, WHITE SANDS MISSILE RANGE
 DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
 MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

APRIL				APRIL				APRIL				APRIL				APRIL				APRIL				APRIL				APRIL			
AVG. HIGH	72	AVG. HIGH	72	AVG. HIGH	72	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73	AVG. HIGH	73
HIGHEST	80	HIGHEST	83	HIGHEST	86	HIGHEST	87	HIGHEST	86	HIGHEST	86	HIGHEST	86	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	86	HIGHEST	86	HIGHEST	86
YEAR	1950	YEAR	1966	YEAR	1954	YEAR	1967	YEAR	1959	YEAR	1959	YEAR	1959	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1963	YEAR	1963	YEAR	1963
AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49	AVG. LOW	49
LOWEST	40	LOWEST	35	LOWEST	35	LOWEST	37	LOWEST	41	LOWEST	41	LOWEST	41	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	41	LOWEST	41	LOWEST	41
YEAR	1955	YEAR	1956	YEAR	1960	YEAR	1964	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1964	YEAR	1964	YEAR	1964
AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74	AVG. HIGH	74
HIGHEST	86	HIGHEST	84	HIGHEST	86	HIGHEST	88	HIGHEST	82	HIGHEST	82	HIGHEST	82	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	90	HIGHEST	90	HIGHEST	90
YEAR	1963	YEAR	1954	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1963	YEAR	1963	YEAR	1963
AVG. LOW	50	AVG. LOW	50	AVG. LOW	50	AVG. LOW	51	AVG. LOW	51	AVG. LOW	51	AVG. LOW	51	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52	AVG. LOW	52
LOWEST	40	LOWEST	41	LOWEST	41	LOWEST	34	LOWEST	37	LOWEST	37	LOWEST	37	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	36	LOWEST	38	LOWEST	38	LOWEST	38
YEAR	1964	YEAR	1964	YEAR	1956	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1959	YEAR	1959	YEAR	1959	YEAR	1959	YEAR	1959	YEAR	1959	YEAR	1958	YEAR	1958	YEAR	1958
AVG. HIGH	76	AVG. HIGH	76	AVG. HIGH	76	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	77
HIGHEST	89	HIGHEST	91	HIGHEST	89	HIGHEST	89	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	88	HIGHEST	92	HIGHEST	92	HIGHEST	92
YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1954	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1962	YEAR	1965	YEAR	1965	YEAR	1965
AVG. LOW	53	AVG. LOW	53	AVG. LOW	54	AVG. LOW	54	AVG. LOW	54	AVG. LOW	54	AVG. LOW	54	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55
LOWEST	42	LOWEST	43	LOWEST	43	LOWEST	42	LOWEST	43	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	45	LOWEST	45	LOWEST	45
YEAR	1956	YEAR	1961	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1959	YEAR	1959	YEAR	1959
AVG. HIGH	77	AVG. HIGH	77	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78	AVG. HIGH	78
HIGHEST	94	HIGHEST	89	HIGHEST	88	HIGHEST	83	HIGHEST	83	HIGHEST	83	HIGHEST	83	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	85	HIGHEST	84	HIGHEST	84	HIGHEST	84
YEAR	1965	YEAR	1965	YEAR	1959	YEAR	1956	YEAR	1956	YEAR	1956	YEAR	1956	YEAR	1953	YEAR	1953	YEAR	1953	YEAR	1953	YEAR	1953	YEAR	1953	YEAR	1961	YEAR	1961	YEAR	1961
AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	55	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56
LOWEST	46	LOWEST	41	LOWEST	36	LOWEST	45	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	43	LOWEST	49	LOWEST	49	LOWEST	49
YEAR	1952	YEAR	1968	YEAR	1968	YEAR	1961	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1964	YEAR	1961	YEAR	1961	YEAR	1961
AVG. HIGH	78	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79	AVG. HIGH	79
HIGHEST	87	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89	HIGHEST	89
YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961	YEAR	1961
AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56	AVG. LOW	56
LOWEST	45	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42	LOWEST	42
YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951	YEAR	1951
22				23				24				25				26				27				28				29			
21				20				19				18				17				16				15				14			
14				13				12				11				10				9				8				7			
7				6				5				4				3				2				1				APRIL			

**EARLIEST DATE OF ≥ 90° TEMPERATURE AT STATION.

"A" STATION, WHITE SANDS MISSILE RANGE									
DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE									
MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES									
MAY					MAY				
AVG. HIGH 79	AVG. HIGH 80	AVG. HIGH 81	AVG. HIGH 82	AVG. HIGH 82	AVG. HIGH 82	AVG. HIGH 82	AVG. HIGH 82	AVG. HIGH 82	AVG. HIGH 82
HIGHEST 90	HIGHEST 87	HIGHEST 91	HIGHEST 92	HIGHEST 92	HIGHEST 92	HIGHEST 92	HIGHEST 92	HIGHEST 92	HIGHEST 92
YEAR 1961	YEAR 1965	YEAR 1956	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1956
1	2	3	4	5	6	7	8	9	10
AVG. LOW 56	AVG. LOW 56	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57	AVG. LOW 57
LOWEST 41	LOWEST 39	LOWEST 43	LOWEST 39	LOWEST 44	LOWEST 46	LOWEST 46	LOWEST 46	LOWEST 46	LOWEST 49
YEAR 1951	YEAR 1967	YEAR 1953	YEAR 1953	YEAR 1950	YEAR 1950	YEAR 1950	YEAR 1950	YEAR 1950	YEAR 1960
AVG. HIGH 82	AVG. HIGH 83	AVG. HIGH 83	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84
HIGHEST 93	HIGHEST 93	HIGHEST 94	HIGHEST 95	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 95
YEAR 1956	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1963
8	9	10	11	12	13	14	15	16	17
AVG. LOW 58	AVG. LOW 59	AVG. LOW 59	AVG. LOW 59	AVG. LOW 60	AVG. LOW 60	AVG. LOW 60	AVG. LOW 60	AVG. LOW 60	AVG. LOW 60
LOWEST 50	LOWEST 46	LOWEST 45	LOWEST 50	LOWEST 50	LOWEST 45	LOWEST 45	LOWEST 45	LOWEST 45	LOWEST 47
YEAR 1964	YEAR 1965	YEAR 1953	YEAR 1953	YEAR 1955	YEAR 1953	YEAR 1953	YEAR 1953	YEAR 1953	YEAR 1953
AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84	AVG. HIGH 84
HIGHEST 94	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93	HIGHEST 93
YEAR 1964	YEAR 1964	YEAR 1964	YEAR 1965	YEAR 1961	YEAR 1961	YEAR 1961	YEAR 1961	YEAR 1961	YEAR 1965
15	16	17	18	19	20	21	22	23	24
AVG. LOW 60	AVG. LOW 61	AVG. LOW 61	AVG. LOW 61	AVG. LOW 62	AVG. LOW 62	AVG. LOW 62	AVG. LOW 62	AVG. LOW 62	AVG. LOW 62
LOWEST 47	LOWEST 49	LOWEST 52	LOWEST 48	LOWEST 47	LOWEST 50	LOWEST 50	LOWEST 50	LOWEST 50	LOWEST 50
YEAR 1957	YEAR 1967	YEAR 1965	YEAR 1968	YEAR 1952	YEAR 1960	YEAR 1960	YEAR 1960	YEAR 1960	YEAR 1967
AVG. HIGH 86	AVG. HIGH 86	AVG. HIGH 86	AVG. HIGH 87	AVG. HIGH 87	AVG. HIGH 88	AVG. HIGH 88	AVG. HIGH 88	AVG. HIGH 88	AVG. HIGH 88
HIGHEST 93	HIGHEST 94	HIGHEST 99	HIGHEST 95	HIGHEST 100	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 101
YEAR 1965	YEAR 1953	YEAR 1964	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951
22	23	24	25	26	27	28	29	30	31
AVG. LOW 62	AVG. LOW 63	AVG. LOW 63	AVG. LOW 63	AVG. LOW 64	AVG. LOW 64	AVG. LOW 64	AVG. LOW 64	AVG. LOW 64	AVG. LOW 64
LOWEST 55	LOWEST 57	LOWEST 56	LOWEST 54	LOWEST 53	LOWEST 50	LOWEST 50	LOWEST 50	LOWEST 50	LOWEST 50
YEAR 1962	YEAR 1963	YEAR 1959	YEAR 1954	YEAR 1967	YEAR 1950	YEAR 1950	YEAR 1950	YEAR 1950	YEAR 1952
AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89	AVG. HIGH 89
HIGHEST 98	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 99
YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1951
29	30	31	32	33	34	35	36	37	38
AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65	AVG. LOW 65
LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57	LOWEST 57
YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962
** EARLIEST DATE OF 100° TEMPERATURE AT STATION.									
AVG. WIND SPEED 7.9 KNOTS PREVAILING WIND DIR. West AVERAGE RAINFALL 0.24 IN. AVERAGE SNOWFALL 0.0 IN. AVERAGE CLOUDINESS 37 % IN. YEAR 1959 IN. YEAR 1959 DATE 21									

"A" STATION, WHITE SANDS MISSILE RANGE.
DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

JUNE				JUNE				JUNE				JUNE			
AVG. HIGH	89	AVG. HIGH	89	AVG. HIGH	90	AVG. HIGH	90	AVG. HIGH	90	AVG. HIGH	90	AVG. HIGH	90	AVG. HIGH	90
HIGHEST	96	HIGHEST	96	HIGHEST	100	HIGHEST	99	HIGHEST	94	HIGHEST	97	HIGHEST	99	HIGHEST	99
YEAR	1953	YEAR	1956	YEAR	1956	YEAR	1956	YEAR	1967	YEAR	1950	YEAR	1956	YEAR	1956
AVG. LOW	66	AVG. LOW	66	AVG. LOW	66	AVG. LOW	67	AVG. LOW	67	AVG. LOW	67	AVG. LOW	67	AVG. LOW	67
LOWEST	50	LOWEST	52	LOWEST	56	LOWEST	57	LOWEST	56	LOWEST	60	LOWEST	59	LOWEST	59
YEAR	1964	YEAR	1964	YEAR	1962	YEAR	1957	YEAR	1963	YEAR	1959	YEAR	1960	YEAR	1960
AVG. HIGH	91	AVG. HIGH	91	AVG. HIGH	91	AVG. HIGH	92	AVG. HIGH	92	AVG. HIGH	93	AVG. HIGH	93	AVG. HIGH	93
HIGHEST	101	HIGHEST	98	HIGHEST	98	HIGHEST	98	HIGHEST	98	HIGHEST	101	HIGHEST	99	HIGHEST	99
YEAR	1955	YEAR	1953	YEAR	1962	YEAR	1959	YEAR	1968	YEAR	1956	YEAR	1956	YEAR	1956
AVG. LOW	67	AVG. LOW	67	AVG. LOW	67	AVG. LOW	68	AVG. LOW	68	AVG. LOW	69	AVG. LOW	69	AVG. LOW	69
LOWEST	63	LOWEST	59	LOWEST	53	LOWEST	50	LOWEST	56	LOWEST	62	LOWEST	57	LOWEST	57
YEAR	1968	YEAR	1965	YEAR	1963	YEAR	1963	YEAR	1960	YEAR	1953	YEAR	1953	YEAR	1953
AVG. HIGH	93	AVG. HIGH	94	AVG. HIGH	94	AVG. HIGH	95	AVG. HIGH	95	AVG. HIGH	95	AVG. HIGH	96	AVG. HIGH	96
HIGHEST	101	HIGHEST	99	HIGHEST	100	HIGHEST	103	HIGHEST	104	HIGHEST	103	HIGHEST	105	HIGHEST	105
YEAR	1950	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1968	YEAR	1968
AVG. LOW	69	AVG. LOW	69	AVG. LOW	70	AVG. LOW	70	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71
LOWEST	65	LOWEST	64	LOWEST	58	LOWEST	59	LOWEST	64	LOWEST	63	LOWEST	61	LOWEST	61
YEAR	1968	YEAR	1968	YEAR	1968	YEAR	1953	YEAR	1963	YEAR	1953	YEAR	1966	YEAR	1966
AVG. HIGH	96	AVG. HIGH	96	AVG. HIGH	96	AVG. HIGH	95	AVG. HIGH	95	AVG. HIGH	94	AVG. HIGH	94	AVG. HIGH	94
HIGHEST	104	HIGHEST	102	HIGHEST	102	HIGHEST	102	HIGHEST	103	HIGHEST	101	HIGHEST	106	HIGHEST	106
YEAR	1960	YEAR	1968	YEAR	1961	YEAR	1951	YEAR	1957	YEAR	1957	YEAR	1951	YEAR	1951
AVG. LOW	72	AVG. LOW	72	AVG. LOW	72	AVG. LOW	72	AVG. LOW	72	AVG. LOW	72	AVG. LOW	71	AVG. LOW	71
LOWEST	62	LOWEST	68	LOWEST	63	LOWEST	63	LOWEST	62	LOWEST	62	LOWEST	64	LOWEST	64
YEAR	1965	YEAR	1966	YEAR	1965	YEAR	1964	YEAR	1967	YEAR	1966	YEAR	1966	YEAR	1966
AVG. HIGH	94	AVG. HIGH	95	AVG. HIGH	95	AVG. HIGH	92.9	AVG. HIGH	92.9	AVG. HIGH	92.9	AVG. HIGH	92.9	AVG. HIGH	92.9
HIGHEST	106	HIGHEST	103	HIGHEST	103	HIGHEST	106	HIGHEST	106	HIGHEST	106	HIGHEST	106	HIGHEST	106
YEAR	1951	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960	YEAR	1960
AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71	AVG. LOW	71
LOWEST	61	LOWEST	62	LOWEST	62	LOWEST	62	LOWEST	62	LOWEST	62	LOWEST	62	LOWEST	62
YEAR	1967	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966	YEAR	1966
0 ABSOLUTE RECORD MAXIMUM TEMPERATURE AT STATION.				AVERAGE MAXIMUM TEMPERATURE				AVERAGE MONTHLY WIND SPEED				AVERAGE MONTHLY CLOUDINESS			
				92.9				6.8				31.3			
				AVERAGE MINIMUM TEMPERATURE				PREVAILING WIND DIRECTION				WEST			
				59.7				AVERAGE MONTHLY RAINFALL				0.90			
				RECORD MAXIMUM TEMPERATURE				AVERAGE MONTHLY SNOWFALL				0.0			
				106				AVERAGE MONTHLY CLOUDINESS				31.3			
				RECORD MINIMUM TEMPERATURE				YEAR 1966				DATE 29 th			
				50				YEAR 1966				YEAR 1966			
				AVERAGE RELATIVE HUMIDITY				7.42 IN.				2.40 IN.			
				27				GREATEST MONTHLY RAINFALL				2.40 IN.			
				GREATEST 24-HOUR RAINFALL				YEAR 1966				DATE 29 th			
				2.40 IN.				YEAR 1966				YEAR 1966			

"A" STATION, WHITE SANDS MISSILE RANGE
DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

JULY				JULY				JULY				JULY			
AVG. HIGH 95	AVG. HIGH 95	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93
HIGHEST 103	HIGHEST 106	HIGHEST 105	HIGHEST 103	HIGHEST 99	HIGHEST 103	HIGHEST 102	HIGHEST 101	HIGHEST 102	HIGHEST 101	HIGHEST 102	HIGHEST 101	HIGHEST 102	HIGHEST 101	HIGHEST 104	HIGHEST 104
YEAR 1957	YEAR 1960	YEAR 1960	YEAR 1966	YEAR 1966	YEAR 1966	YEAR 1951	YEAR 1958	YEAR 1963	YEAR 1963	YEAR 1954	YEAR 1961	YEAR 1955	YEAR 1952	YEAR 1958	YEAR 1951
AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 70	AVG. LOW 71	AVG. LOW 70	AVG. LOW 71	AVG. LOW 70	AVG. LOW 70
LOWEST 65	LOWEST 65	LOWEST 64	LOWEST 62	LOWEST 62	LOWEST 62	LOWEST 64	LOWEST 65	LOWEST 63	LOWEST 62	LOWEST 62	LOWEST 63	LOWEST 62	LOWEST 63	LOWEST 64	LOWEST 64
YEAR 1959	YEAR 1956	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1960	YEAR 1962	YEAR 1959	YEAR 1962	YEAR 1962	YEAR 1964	YEAR 1955	YEAR 1964	YEAR 1960	YEAR 1960
AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93	AVG. HIGH 93
HIGHEST 106	HIGHEST 104	HIGHEST 105	HIGHEST 104	HIGHEST 104	HIGHEST 104	HIGHEST 105	HIGHEST 104	HIGHEST 105	HIGHEST 104	HIGHEST 104	HIGHEST 101	HIGHEST 102	HIGHEST 101	HIGHEST 104	HIGHEST 104
YEAR 1951	YEAR 1951	YEAR 1951	YEAR 1958	YEAR 1958	YEAR 1958	YEAR 1951	YEAR 1958	YEAR 1951	YEAR 1958	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1958	YEAR 1958
AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71
LOWEST 61	LOWEST 59	LOWEST 64	LOWEST 65	LOWEST 64	LOWEST 64	LOWEST 64	LOWEST 65	LOWEST 64	LOWEST 65	LOWEST 63	LOWEST 63	LOWEST 62	LOWEST 63	LOWEST 64	LOWEST 64
YEAR 1952	YEAR 1952	YEAR 1960	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1960	YEAR 1956	YEAR 1960	YEAR 1956	YEAR 1962	YEAR 1962	YEAR 1955	YEAR 1964	YEAR 1950	YEAR 1950
AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94	AVG. HIGH 94
HIGHEST 104	HIGHEST 101	HIGHEST 100	HIGHEST 99	HIGHEST 99	HIGHEST 99	HIGHEST 100	HIGHEST 99	HIGHEST 101	HIGHEST 101	HIGHEST 101	HIGHEST 101	HIGHEST 102	HIGHEST 101	HIGHEST 99	HIGHEST 99
YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1961	YEAR 1955	YEAR 1961	YEAR 1952	YEAR 1952
AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 71	AVG. LOW 70	AVG. LOW 70
LOWEST 67	LOWEST 65	LOWEST 66	LOWEST 65	LOWEST 65	LOWEST 65	LOWEST 66	LOWEST 65	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 62	LOWEST 63	LOWEST 62	LOWEST 62
YEAR 1952	YEAR 1952	YEAR 1959	YEAR 1956	YEAR 1956	YEAR 1956	YEAR 1959	YEAR 1956	YEAR 1962	YEAR 1956	YEAR 1962	YEAR 1962	YEAR 1955	YEAR 1962	YEAR 1955	YEAR 1955
AVG. HIGH 93	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92
HIGHEST 100	HIGHEST 102	HIGHEST 102	HIGHEST 101	HIGHEST 101	HIGHEST 101	HIGHEST 105	HIGHEST 101	HIGHEST 101	HIGHEST 101	HIGHEST 99	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 102
YEAR 1966	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1963	YEAR 1966	YEAR 1954	YEAR 1954	YEAR 1954	YEAR 1954	YEAR 1954
AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70
LOWEST 62	LOWEST 61	LOWEST 61	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 66	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 62	LOWEST 62	LOWEST 62	LOWEST 62	LOWEST 65	LOWEST 65
YEAR 1950	YEAR 1955	YEAR 1955	YEAR 1957	YEAR 1957	YEAR 1957	YEAR 1957	YEAR 1956	YEAR 1956	YEAR 1956	YEAR 1950	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1968	YEAR 1968
AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92	AVG. HIGH 92
HIGHEST 100	HIGHEST 99	HIGHEST 99	HIGHEST 97	HIGHEST 97	HIGHEST 97	HIGHEST 97	HIGHEST 97	HIGHEST 97	HIGHEST 97	HIGHEST 99	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 102	HIGHEST 102
YEAR 1960	YEAR 1957	YEAR 1957	YEAR 1967	YEAR 1967	YEAR 1967	YEAR 1967	YEAR 1967	YEAR 1967	YEAR 1967	YEAR 1966	YEAR 1954	YEAR 1954	YEAR 1954	YEAR 1954	YEAR 1954
AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70	AVG. LOW 70
LOWEST 63	LOWEST 62	LOWEST 62	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 63	LOWEST 62	LOWEST 62	LOWEST 62	LOWEST 62	LOWEST 65	LOWEST 65
YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1968	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1962	YEAR 1968	YEAR 1968
0 ABSOLUTE RECORD MAXIMUM TEMPERATURE AT STATION: 106° ON THREE DATES IN 1951 AND ONE IN 1960.															
106° MAXIMUM TEMPERATURE 93.2° 106° MINIMUM TEMPERATURE 70.5° RECORD HIGH TEMPERATURE 106° RECORD LOW TEMPERATURE 59° AVG. RELATIVE HUMIDITY 43% GREATEST MONTHLY RAINFALL 5.63 IN., YEAR 1962 GREATEST 24-HOUR RAINFALL 2.31 IN., YEAR 1961, DATE 4th															

AUGUST **"A" STATION, WHITE SANDS MISILE RANGE** **AUGUST**
DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

AVG. HIGH HIGHEST YEAR	92 102 1966	AVG. HIGH HIGHEST YEAR	92 100 1960	AVG. HIGH HIGHEST YEAR	92 98 1964	AVG. HIGH HIGHEST YEAR	93 97 1952	AVG. HIGH HIGHEST YEAR	93 100 1951	AVG. HIGH HIGHEST YEAR	93 101 1951
1		2		3		4		5		6	
AVG. LOW LOWEST YEAR	70 62 1965	AVG. LOW LOWEST YEAR	70 65 1965	AVG. LOW LOWEST YEAR	70 63 1965	AVG. LOW LOWEST YEAR	70 66 1963	AVG. LOW LOWEST YEAR	70 63 1963	AVG. LOW LOWEST YEAR	70 64 1964
AVG. HIGH HIGHEST YEAR	93 101 1951	AVG. HIGH HIGHEST YEAR	93 100 1951	AVG. HIGH HIGHEST YEAR	93 100 1951	AVG. HIGH HIGHEST YEAR	92 98 1964	AVG. HIGH HIGHEST YEAR	92 98 1964	AVG. HIGH HIGHEST YEAR	91 100 1962
8		9		10		11		12		13	
AVG. LOW LOWEST YEAR	70 65 1966	AVG. LOW LOWEST YEAR	70 65 1967	AVG. LOW LOWEST YEAR	70 63 1967	AVG. LOW LOWEST YEAR	70 59 1966	AVG. LOW LOWEST YEAR	70 64 1960	AVG. LOW LOWEST YEAR	69 65 1967
AVG. HIGH HIGHEST YEAR	91 100 1962	AVG. HIGH HIGHEST YEAR	91 97 1951	AVG. HIGH HIGHEST YEAR	90 101 1951	AVG. HIGH HIGHEST YEAR	90 99 1951	AVG. HIGH HIGHEST YEAR	90 98 1951	AVG. HIGH HIGHEST YEAR	90 100 1952
15		16		17		18		19		20	
AVG. LOW LOWEST YEAR	69 62 1965	AVG. LOW LOWEST YEAR	69 60 1967	AVG. LOW LOWEST YEAR	69 62 1968	AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 64 1965	AVG. LOW LOWEST YEAR	68 63 1968
AVG. HIGH HIGHEST YEAR	90 97 1950	AVG. HIGH HIGHEST YEAR	90 96 1950	AVG. HIGH HIGHEST YEAR	90 97 1950	AVG. HIGH HIGHEST YEAR	90 97 1964	AVG. HIGH HIGHEST YEAR	90 96 1960	AVG. HIGH HIGHEST YEAR	90 98 1962
22		23		24		25		26		27	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 62 1966	AVG. LOW LOWEST YEAR	68 62 1954	AVG. LOW LOWEST YEAR	68 59 1966	AVG. LOW LOWEST YEAR	68 55 1966	AVG. LOW LOWEST YEAR	68 63 1966
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
29		30		31		32		33		34	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 55 1967	AVG. LOW LOWEST YEAR	68 54 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
39		40		41		42		43		44	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
49		50		51		52		53		54	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
59		60		61		62		63		64	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
69		70		71		72		73		74	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
79		80		81		82		83		84	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
89		90		91		92		93		94	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
99		100		101		102		103		104	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
109		110		111		112		113		114	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
119		120		121		122		123		124	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
129		130		131		132		133		134	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
139		140		141		142		143		144	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
149		150		151		152		153		154	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
159		160		161		162		163		164	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
169		170		171		172		173		174	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
179		180		181		182		183		184	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
189		190		191		192		193		194	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
199		200		201		202		203		204	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
209		210		211		212		213		214	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
219		220		221		222		223		224	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
229		230		231		232		233		234	
AVG. LOW LOWEST YEAR	68 63 1967	AVG. LOW LOWEST YEAR	68 61 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967	AVG. LOW LOWEST YEAR	68 58 1967
AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1962	AVG. HIGH HIGHEST YEAR	90 98 1950	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1966	AVG. HIGH HIGHEST YEAR	90 98 1962
239		240		241		242		243		244	
AVG. LOW LOWEST											

00 LATEST DATE OF $\geq 100^{\circ}$ TEMPERATURE AT STATION, 1952.

SEPTEMBER

ANNUAL SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL, EXTREMES, DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE

STATION	DATE	TEMPERATURE
000	LATEST DATE OF	95° TEMPERATURE AT STATION, 1951:

"A" STATION, WHITE SANDS MISSILE RANGE
 DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
 MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

OCTOBER

OCTOBER	1	2	3	4	5	6	7	OCTOBER
AVG. HIGH HIGHEST YEAR	83 91 1951	83 88 1951	82 88 1967	82 88 1956	82 90 1956	82 90 1956	82 90 1956	81 87 1965
AVG. LOW LOWEST YEAR	59 48 1965	59 48 1965	58 48 1961	58 46 1961	57 49 1953	57 49 1968	57 45 1952	57 45 1952
AVG. HIGH HIGHEST YEAR	81 90 1965	81 92 1965	80 89 1965	80 88 1951	79 88 1951	79 88 1968	79 88 1968	78 90 1968
AVG. LOW LOWEST YEAR	57 45 1952	57 50 1959	57 48 1951	56 48 1961	56 50 1965	53 50 1964	53 46 1966	53 46 1966
AVG. HIGH HIGHEST YEAR	78 86 1951	77 85 1950	77 86 1952	76 82 1955	76 85 1950	75 82 1954	75 82 1954	75 85 1961
AVG. LOW LOWEST YEAR	54 45 1966	54 44 1952	53 41 1967	53 38 1968	32 43 1968	52 40 1964	51 43 1964	51 43 1964
AVG. HIGH HIGHEST YEAR	74 84 1950	74 85 1959	73 83 1950	73 86 1950	72 82 1968	72 83 1950	71 85 1950	71 85 1950
AVG. LOW LOWEST YEAR	51 46 1965	50 44 1968	50 43 1966	50 44 1968	50 42 1964	49 41 1953	49 41 1952	49 41 1952
AVG. HIGH HIGHEST YEAR	71 83 1950	70 85 1950	70 85 1950	70 85 1950	70 85 1950	70 85 1950	70 85 1950	70 85 1950
AVG. LOW LOWEST YEAR	48 40 1967	48 36 1967	47 34 1956	47 34 1956	47 34 1956	47 34 1956	47 34 1956	47 34 1956
94 LATEST DATE OF TEMPERATURE $\geq 90^{\circ}$ AT STATION, 1965.								

"A" STATION. WHITE SANDS MISSILE RANGE

NOVEMBER

"A" STATION, WHITE SANDS MISSILE RANGE
 DAILY TEMPERATURE MEANS AND EXTREMES, WITH YEAR OF OCCURRENCE
 MONTHLY SUMMARY OF AVERAGE CLIMATOLOGICAL DATA, WITH RAINFALL EXTREMES

DECEMBER				DECEMBER			
AVG. HIGH	59	AVG. HIGH	59	AVG. HIGH	58	AVG. HIGH	57
HIGHEST	73	HIGHEST	71	HIGHEST	73	HIGHEST	70
YEAR	1961	YEAR	1954	YEAR	1958	YEAR	1954
AVG. LOW	38	AVG. LOW	37	AVG. LOW	36	AVG. LOW	36
LOWEST	32	LOWEST	27	LOWEST	24	LOWEST	19
YEAR	1956	YEAR	1968	YEAR	1952	YEAR	1952
AVG. HIGH	57	AVG. HIGH	56	AVG. HIGH	56	AVG. HIGH	55
HIGHEST	69	HIGHEST	65	HIGHEST	70	HIGHEST	69
YEAR	1958	YEAR	1958	YEAR	1958	YEAR	1950
AVG. LOW	36	AVG. LOW	35	AVG. LOW	35	AVG. LOW	34
LOWEST	25	LOWEST	20	LOWEST	22	LOWEST	21
YEAR	1968	YEAR	1951	YEAR	1953	YEAR	1966
AVG. HIGH	55	AVG. HIGH	55	AVG. HIGH	55	AVG. HIGH	55
HIGHEST	67	HIGHEST	65	HIGHEST	63	HIGHEST	67
YEAR	1950	YEAR	1957	YEAR	1953	YEAR	1953
AVG. LOW	34	AVG. LOW	33	AVG. LOW	33	AVG. LOW	33
LOWEST	22	LOWEST	27	LOWEST	26	LOWEST	25
YEAR	1967	YEAR	1963	YEAR	1968	YEAR	1967
AVG. HIGH	55	AVG. HIGH	54	AVG. HIGH	54	AVG. HIGH	54
HIGHEST	65	HIGHEST	71	HIGHEST	67	HIGHEST	70
YEAR	1950	YEAR	1955	YEAR	1955	YEAR	1955
AVG. LOW	33	AVG. LOW	33	AVG. LOW	33	AVG. LOW	33
LOWEST	22	LOWEST	48	LOWEST	21	LOWEST	22
YEAR	1967	YEAR	1953	YEAR	1953	YEAR	1968
AVG. HIGH	54	AVG. HIGH	54	AVG. HIGH	53.7	AVG. HIGH	53.7
HIGHEST	69	HIGHEST	73	HIGHEST	71.9	HIGHEST	71.9
YEAR	1955	YEAR	1951	YEAR	1955	YEAR	1955
AVG. LOW	33	AVG. LOW	33	AVG. LOW	33	AVG. LOW	33
LOWEST	18	LOWEST	21	LOWEST	21	LOWEST	22
YEAR	1966	YEAR	1958	YEAR	1953	YEAR	1968
** LATEST DATE OF FIRST FREEZING TEMPERATURE IN YEAR, 1954.				** LATEST DATE OF FIRST FREEZING TEMPERATURE IN YEAR, 1954.			

1948-1968 [6]										1950-1968										1961-63									
M O N T H	STATION PRESSURE (INCHES OF MERCURY)			SIX-HOURLY RELATIVE HUMIDITY						AVERAGE NUMBER OF DAYS WITH:						AVG. DE- GREE DAYS BASE 65°F	GREATEST SNOWFALL		AVG. DAILY SOLAR RADI- ATION										
	MEANS	HIGH- EST	LOWEST	5		11		5		11		PRECIPITATION		VISI- BILITY															
				AM	PM	AM	PM	AM	PM	T	P																		
JAN	25.777	26.240	25.210	55	43	38	48	46	4	3	1	5	+	1	610	5.5	7.8	332											
FEB	25.727	26.170	25.180	49	36	29	40	39	-	3	1	5	2	2	436	8.6	8.6	410											
MAR	25.677	26.180	25.180	40	28	22	33	31	1	1	6	4	1	4	313	14-13	3.5	308											
APR	25.666	26.080	25.190	35	23	18	27	26	1	1	4	2	1	4	93	11-12	3.5	424											
MAY	25.671	26.080	25.290	34	21	16	25	24	3	2	5	2	1	3	13	0	0	679											
JUN	25.676	25.970	25.370	38	24	18	28	27	7	4	8	3	2	3	0	0	0	692											
JUL	25.750	26.050	25.470	58	36	31	46	43	13	8	15	7	4	3	0	0	0	632											
AUG	25.769	26.010	25.525	59	37	32	45	43	11	7	14	8	4	1	0	0	0	584											
SEP	25.754	26.040	25.410	55	35	30	44	41	5	7	8	5	3	1	1	0	0	538											
OCT	25.774	26.220	25.300	50	33	29	41	38	2	1	5	3	2	1	63	T	T	485											
NOV	25.770	26.240	25.290	51	34	34	44	41	-	1	4	2	1	2	362	6.2	6.2	340											
DEC	25.776	26.285	25.200	55	42	38	48	46	-	6	4	2	2	3	610	14.0	14.0	331											
YEAR	25.732	26.285	25.180	48	33	28	39	37	44	32	85	46	24	19	2525	14.0	14.9	513											

* LESS THAN $\frac{1}{2}$. - LESS THAN $\frac{1}{2}$, BUT MAKING A TOTAL OF 1.

+ VISIBILITY REDUCED TO 6 MILES OR LESS DUE TO PRECIPITATION AND FOG.

++ VISIBILITY REDUCED TO 6 MILES OR LESS DUE TO HAZE, DUST AND BLOWING DUST.

00 MEASUREMENTS IN LANGLEYS, MADE ON ROOF OF BUILDING 1744, WEHR HEADQUARTERS, BY CALIBRATION LABORATORY.

⚡ DISTANT LIGHTNING--NO THUNDER HEARD.

☉ HEATING DEGREE DAYS.

T TRACE OF PRECIPITATION.

* LESS THAN $\frac{1}{2}$. - LESS THAN $\frac{1}{2}$, BUT MAKING A TOTAL OF 1. L DISTANT LIGHTNING--NO THUNDER HEARD.
+ VISIBILITY REDUCED TO 6 MILES OR LESS DUE TO PRECIPITATION AND FOG. 0 HEATING DEGREE DAYS.
++ VISIBILITY REDUCED TO 6 MILES OR LESS DUE TO HAZE, DUST AND BLOWING DUST. T TRACE OF PRECIPITATION.
99 MEASUREMENTS IN LANGLEYS, MADE ON ROOF OF BUILDING 1744, WMMR HEADQUARTERS, BY CALIBRATION LABORATORY.

TABLE VII. MONTHLY AND ANNUAL CLIMATOLOGICAL DATA, "A" STATION, WMMR HEADQUARTERS

ITEM	WINTER	SPRING	SUMMER	FALL	YEAR
TEMPERATURES (°F)					
Mean Maximum	57.2	75.3	92.4	75.8	75.2
Mean Minimum	35.4	52.3	69.5	52.8	52.5
Mean	46.3	63.8	81.0	64.3	63.9
Extremes of Record					
Highest	81	103	106	98	106
Date	2/11/57	5/28/51	*	9/16/51	*
Lowest	-6	16	50	22	-6
Date	1/11/62	3/4/65	6/11/65	11/11/50	1/11/62
DEGREE DAYS (Base 65°F)	1676	421	0	428	2525
RELATIVE HUMIDITY (%)	44	27	38	40	37
SURFACE WINDS (Knots) **					
Average Speed	W 5.8	W 8.2	W 5.4	W 4.9	W 6.1
Strongest Gusts	SW 82	W, WSW 74	S 60	W 61	SW 82
Month and Year	12/51	3/51, 5/61	6/62	11/65	Dec. '51
RAINFALL (Inches) †					
Percent of Annual	182	102	452	272	1002
Greatest Monthly	2.43	3.00	7.42	5.76	7.42
Month and Year	12/65	3/58	6/66	9/58	6/66
Greatest 24-Hour	1.02	1.46	4.25	2.96	4.25
Dates	12/14-15/67	3/5-6/58	8/23-24/59	9/11-12/64	1959
SNOWFALL (Inches)					
Greatest Monthly	4.6	0.5	0.0	0.8	5.9
Month and Year	14.9	3.5	0.0	6.2	14.9
	12/67	3/58	- - -	11/61	1967
CLOUDINESS (%)	38	35	40	28	35
NUMBER OF DAYS WITH:					
Measureable Rainfall †	10	8	18	10	46
Thunderstorms	1	5	31	7	44
Visibility ≤ 6 Miles	10	13	9	7	39
† 0.01" or more					
STATION PRESSURE					
Average (Inches of Hg)	25.758	25.671	25.732	24.766	24.732
† WINTER = Calendar Months of December, January, February. SPRING = March, April, May. SUMMER = June, July, August. FALL = September, October, November. ** With Prevailing Wind Directions. To convert knots to miles per hour, multiply knots by 1.15155. * Four dates: June 28 & 29, 1951; July 8, 1951; July 2, 1960. † "Rainfall" includes water content of snowfall.					

TABLE VI-1. "A" STATION CLIMATOGRAPHY--SEASONAL VALUES, 1950-1968

MONTH	0500H	1100H	1700H	2300H	YEARS
JAN.	37.7°	47.1°	50.6°	42.2°	44.4°
FEB.	41.2	51.7	56.0	46.3	48.8
MAR.	47.0	58.4	63.2	53.3	55.5
APR.	55.5	68.6	73.5	63.2	65.2
MAY	62.8	77.5	81.7	70.7	73.2
JUNE	71.0	86.3	90.4	79.8	81.6
JULY	72.0	86.4	89.4	79.0	81.7
AUG.	70.4	84.8	87.6	77.5	80.1
SEP.	65.4	80.0	83.0	72.3	75.2
OCT.	56.1	70.4	73.1	62.3	65.5
NOV.	44.7	56.8	58.3	49.7	52.4
DEC.	38.4	48.3	50.2	42.9	45.0
YEAR	55.2	68.0	71.4	61.5	64.0 *

* The Mean annual temperature, as derived from the annual mean maximum and annual mean minimum temperatures, is 63.9° ($75.2 + 52.5 / 2 = 63.9^\circ$).
 Note also that the 6-hourly and mean temperatures for April and October are very near the annual values.

TABLE IX. "A" STATION MEAN 6-HOURLY TEMPERATURES, 1948-1968 [6]




FIG. 3 SMOOTHED WEEKLY MEANS OF MAXIMUM AND MINIMUM TEMPERATURES, 1930-1968, "A" STATION, WACO, N. M.






FIG. 4 SMOOTHED WEEKLY PRECIPITATION MEANS, 1950-1966, "A" STATION, WHITE SANDS MISSILE RANGE, N. M.






FIG. 6 DIURNAL PRESSURE VARIATIONS*, 1948-1960, "A" STATION, WHITE SANDS MISSILE RANGE, N. M. [6]

REFERENCES

1. "New Mexico Climatological Data," July 1961, U. S. Weather Bureau, Asheville, North Carolina.
2. Kenneth R. Jenkins and Paul H. Taft, "Weather Elements in the Tularosa Basin," Special Report No. 40, July 1960. U. S. Army Signal Missile Support Agency, White Sands Missile Range, New Mexico.
3. "Supplemental Bulletin, Daily and Hourly Precipitation, September 20-24, 1941." Hydrologic Network, Southwest District, Corps of Engineers, U. S. Army and U. S. Weather Bureau, Albuquerque, New Mexico.
4. "Climatography of the United States No. 86-25," New Mexico, 1965, and Monthly Climatological Data, New Mexico, U. S. Department of Commerce, Weather Bureau, Washington, D. C.
5. Records from "Climatological Data, New Mexico," monthly and annual issues, U. S. Department of Commerce, ESSA, Weather Bureau--courtesy of Frank Houghton, State Climatologist.
6. Marjorie M. Hoidale, "Atmospheric Structure, White Sands Missile Range, New Mexico, Part 2," ERDA-106, January 1964. (1948-1960 values from this source with 1961-1968 values added thereto in most cases.)
7. Howard L. DeMastus, "A General Summary of Sacramento Peak Weather," GRD Research Notes No. 82, U. S. Air Force, Bedford, Mass.
8. Paul H. Taft, and John C. Overpeck, "Climate Calendar, New Mexico State University, Las Cruces, New Mexico, 1851 to 1966," January, 1968. Agricultural Experiment Station Research Report 138, New Mexico State University.
9. "Weatherwise," December, 1962. American Meteorological Society, Boston, Mass.

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(See classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) U. S. Army Electronics Command Ft. Monmouth, New Jersey		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE WHITE SANDS MISSILE RANGE CLIMATE CALENDAR			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) Taft, Paul H.			
6. REPORT DATE April 1969	7a. TOTAL NO. OF PAGES 37	7b. NO. OF REFS 9	
8a. CONTRACT OR GRANT NO. a. PROJECT NO. c. DA Task 11665702D127-02 d.		8b. ORIGINATOR'S REPORT NUMBER(S) DR-421 8c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. DISTRIBUTION STATEMENT Qualified requesters may obtain copies of this report from DDC.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY U. S. Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico	
13. ABSTRACT This is the fourth edition of the White Sands Missile Range Climate Calendar, which was first published in May, 1963. Mean daily maximum and minimum temperatures, and extreme temperatures for the period of record (1950-1968) are tabulated in calendar form for "A" Station, the weather center located at Headquarters, White Sands Missile Range, New Mexico. Averages of temperature, relative humidity, wind and cloudiness are included for each month, as well as maximum 24-hour and monthly rainfall. Supplementary tables give monthly, seasonal and annual values of maximum winds, degree days, solar radiation, means and extremes of station pressure, the greatest monthly and single-storm snowfall, and the average six-hourly temperatures and relative humidities. Also included are the average number of days with the occurrence of precipitation, distant lightning, thunderstorms and visibility restrictions, as well as a summary of weather extremes for the State of New Mexico. Presented in graph form are weekly means of maximum and minimum temperatures, weekly values of precipitation, mean hourly and monthly wind speeds with prevailing directions, and average hourly variations from the mean station pressure. / 7			

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

