REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Aflington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM	I TO THE ABOVE ADDRESS.			
1. REPORT DATE (DD-MM-YYYY) 30/06/2015	2. REPORT TYPE Final		3. DATES COVERED (From - To) 2012-2013	
4. TITLE AND SUBTITLE Development of a New Army Standardized Physical Readiness Test: Janurary 2012 through December 2013 (Public Release)			NTRACT NUMBER	
January 2012 through Documen	2010 (Labile Release)	5b. GR	ANT NUMBER	
		5c. PR	OGRAM ELEMENT NUMBER	
6. AUTHOR(S) Dr. Bruce Jones, Dr. Bradley Ninc Tyson Grier Veronique Hauschild.			5d. PROJECT NUMBER	
Tyson Grier, Veronique Hauschild, Elizabeth Clearfield, Morgan Anderson, Timothy Bushman, Stephen Rossi		5e. TA	5e. TASK NUMBER	
		5f. WO	RK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAMI U.S. Army Public Health Comman Proving Ground, Maryland, 21010	nd, Injury Prevention Program,	Aberdeen	8. PERFORMING ORGANIZATION REPORT NUMBER PHR 12-01-0614	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)	
			11. SPONSORING/MONITORING AGENCY REPORT NUMBER	

12. DISTRIBUTION AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

The original document was released in 2014 with Limited Distribution; The USAPHC's 2012-2013 activities are part of a still-ongoing collaborative effort referred to as the Soldier Baseline Physical Readiness Requirements Study (SBPRRS). The U.S. Army Training and Doctrine Command (TRADOC) is the designated lead organization for the comprehensive Army study. The U.S. Army Medical Command (MEDCOM) has been tasked to support the planning and execution of the study. Authorization for public release was received by TRADOC and approved by APHC in 2015. Original file contains color images.

14. ABSTRACT

The primary objective of the SBPRRS is to recommend "a physical readiness test or tests that accurately predict Soldier performance of Warrior tasks and battle drills (WTBDs)." This report documents the key USAPHC activities and products completed during the 2012 – 2013 timeframe that were performed in support of the SBPRRS and the development of a new Army physical readiness test. Some materials prepared by other organizations (e.g., TRADOC) are included to provide relevant context. Other efforts conducted solely by collaborating organizations (e.g., TRADOC, USARIEM, or USUHS) are not included. For one of its SBPRRS tasks, the USAPHC has also published the associated Public Health Report (# PHR 12-02-0614) "Correlations between Physical Fitness Tests and Perfromance of Military Tasks: A Systematic Review and Meta-analyses", June 2014, DTIC accession # ADA607688 (public release).

15. SUBJECT TERMS

APFT, WTBD, task performance, health standards, fitness for duty, aerobic fitness, strength, baseline soldier study

16. SECURITY CLASSIFICATION OF:		NSTRUCTIONS FOR COMPLE 17. LIMITATION OF ABSTRACT UU 18. NUMBER OF PAGES 126		UMBER	19a. NAME OF RESPONSIBLE PERSON	
			ABSTRACT	OF F	AGES	Dr. Bruce H. Jones
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified		0		19b. TELEPONE NUMBER (Include area code)
uriciassilleu	unciassineu	unciassined				410-436-4655; Usarmy.apg.medcom- phc.mbx.injuryprevention@mail.mil

U.S. Army Public Health Command

Public Health Report

Development of a New Army Standardized Physical Readiness Test

January 2012 through December 2013


Approved for public release; distribution unlimited

PHR No. 12-01-0614

General Medicine: 500A

June 2015





Epidemiology and Disease Surveillance Portfolio Injury Prevention Program Physical Readiness Test Study Team Personnel

Dr. Bruce H. Jones Dr. Bradley Nindl Keith Hauret MAJ David DeGroot Tyson Grier Veronique Hauschild Elizabeth Clearfield Morgan Anderson Timothy Bushman Stephen Rossi

Acknowledged as Collaborators:

Operational Guidance:

Mike Haith, HQE-Human Dimension Integration, Initial Military Training Center of Excellence, U.S. Army TRADOC

Whitfield (Chip) East, PhD, West Point

LTC Sonya Cable, Chief, Human Dimensions Division, Initial Military Training, Initial Military Training Center of Excellence, U.S. Army TRADOC

Technical Input:

Consortium of Health and Military Performance, Uniformed Services University Diana Purvis, Director, Strategic Operations and Special Projects Peter Lisman

Military Performance Division, U.S. Army Research Institute of Environmental Medicine Edward J. Zambraski Ph.D, Division Chief Marilyn Sharp

Focus Group Support:

Karen Deaver, USAPHC Strategic Initiatives Office

Field Study Support:

Donald Goddard, USAPHC Ergonomics Program.

Use of trademarked name(s) does not imply endorsement by the U.S. Army but is intended only to assist in identification of a specific product.





Table of Contents

	<u>Page</u>
1	Summary 1
	1.1 Overview 1 1.2 Purpose 1 1.3 Results 1
2	References 3
3	Authority 3
4	Introduction 3
	4.1 Mission 3 4.2 Background 3
5	Review of impacts and validity of 2012 APRT events, Feb-August 2012 5
	5.1 Scope
6	Gender Analyses of APFT and APRT event, Sept-October 2012 5
	6.1 Scope
7	Systematic Review – A Literature Search for Pertinent Data 6
	7.1 Scope 6 7.2 Method 7 7.3 Results 7
8	Identifying Key Warrior Tasks and Battle Drills (WTBDs) and Field Events 9
	8.1 Scope

9	Fort Carson Investigative Field Study - September 16-26, 2013	10
	9.1 Scope9.2 Ranked Scoring of Difficult Tasks	
	9.3 Correlation Analyses	
10	Discussion and Next Steps	17
11	Point of Contact	18
App	pendices	
Α	References	A-1
В	History of U.S. Army Physical Fitness Testing	B-1
С	USAPHC White Paper: Changes to the Army Physical	
	Fitness Test, 29 February 2012	
D	USAPHC-IPP EXSUM Aug 2012 (Initial TRADOC Tasker VTC)	D-1
E	Reviews by Subject Matter Experts of the 2012 Proposed Army Physical Readiness Test (APRT)	E-1
F	Physical Fitness as a Predictor of Injury and Analysis of FORSCOM	
	Pilot APRT Data; USAPHC- AIPH IPP Briefing, 1 October 2012,	F-1
G	Analyses of Existing APFT Data from 2 nd Brigade Combat Team,	
	4 th Infantry Division, 2012	G-1
Н	Baseline Soldier Physical Readiness Study Initial Planning Conference	
	Initial Military Training Center of Excellence Ft Eustis, VA	
	2-3 October 2012	H-1
I	TRADOC Initial Baseline Soldier Physical Readiness Requirements	
	Study Concept Brief for the Army Chief of Staff (CSA)	
	27 November 2012	I-1
J	USAPHC Preliminary Review–Military-Relevant Tasks Identified for	
	Systematic Review	J-1
K	Physical Readiness Requirements Study USAPHC IPP Soldier	
	Systematic Review-Final 2013 Update Brief to TRADOC Interim	
	Findings 12 July 2013	K-1
L	National Strength and Conditioning Association (NSCA) Tactical	
	Strength and Conditioning (TSAC) Program Blue Ribbon Panel	
	for Military Readiness April 18-29 2013, Norfolk, VA	L-1
M	TRADOC May Planning Conference Brief-Deconstruction of WTBDs,	
	May 2013	M-1
Ν	Summary and Example Results of Focus Group Sessions, June 2013	
0	Baseline Soldier Physical Readiness Study TRADOC in Progress	
	Review (IPR) Brief 19 August 2013	
Р	Protocol Request for Ft Carson Field Study September 2013	P-1
Q	Ft Carson Field Study, September 2013, Description of Field Events	

R	Ft C	Carson Field Study, September 2013, Ranking of Physically Difficult Tasks	R-1			
S						
Tabl	les					
Tabl	e 1.	2012-2013 Activities for the Development of a new APRT	2			
Tabl	e 2.	Systematic Review Subject Areas	7			
Tabl	e 3.	Fort Carson - Tasks and Associated Individual Events	12			
Tabl	e 4.	Top Ranked Most Physically Difficult Field Events	15			
Tabl	e 5.	Summary of Task and Event Correlations to Soldiers'				
		Physical Variables	14			
Tabl	e 6.	Task to Task Correlation Results				
Figu						
1.	1. Results of Systematic Review to Identify Pertinent Studies8					



Public Health Report No. 12-01-0614 Development of a New Army Standardized Physical Readiness Test January 2012 through December 2013

1 Summary

1.1 Overview

From 2012 through December 2013 the U.S. Army Public Health Command (USAPHC) supported the Army's initiative to develop a new Army Physical Readiness Test (APRT). The APRT is intended to replace the existing Army Physical Fitness Test (APFT). The APFT includes a timed 2-mile run, 2 minutes of sit-ups, and 2 minutes of push-ups. Despite its existence since 1980, and numerous studies over the decades since, the association of APFT scores to one's physical ability to conduct critical military tasks has not been scientifically validated. The Army has now ordered efforts to ensure scientifically-defensible physical testing standards, to include specialties previously excluded to women (Department of the Army-Headquarters (HQDA) 2012a, HQDA 2012b, HQDA 2013).

The USAPHC's 2012-2013 activities are part of a still-ongoing collaborative effort referred to as the Soldier Baseline Physical Readiness Requirements Study. The primary objective of this study is to determine baseline Soldier physical readiness requirements and to recommend "a physical readiness test or tests that accurately predict Soldier performance of Warrior tasks and battle drills (WTBDs)." (HQDA 2012b) The U.S. Army Training and Doctrine Command (TRADOC) is the designated lead organization for the comprehensive Army study. The U.S. Army Medical Command (MEDCOM) has been tasked to support the planning and execution of the study. MEDCOM support is provided through subject matter expertise (SME) from the USAPHC and the U.S. Army Research Institute of Environmental Medicine (USARIEM). Additionally, the Uniformed Services University of the Health Sciences (USUHS) and the Superintendent United State Military Academy (USMA) have provided SME support.

The USAPHC 2012-2013 activities enhance the scientific evidence necessary to establish a relevant and a validated physical readiness test to support the Army goal to develop a new physical readiness test. The Army-wide comprehensive Soldier Baseline Physical Readiness Requirements Study (SBPRRS) is ongoing, and additional products will build on the products to date.

1.2 Purpose

This report documents the key USAPHC activities and products completed during the 2012 – 2013 timeframe that have resulted from USAPHC responsibilities and tasks to support the development of a new Army physical readiness test. Some materials prepared by other organizations (e.g., TRADOC) are included to provide relevant context. Other efforts conducted solely by collaborating organizations (e.g., TRADOC, USARIEM, or USUHS) are not included.

1.3 Results

Table 1 summarizes the activities and products described in this report. While the activities are presented as sequential efforts over time, some efforts occurred concurrently. The USAPHC is continuing to conduct various efforts described (e.g., systematic review, field studies) and intends to publish additional analyses in the future to provide scientific evidence in support of U.S. Army efforts to develop new physical readiness and performance standards.

Table 1. 2012 - 2013 Activities for the Development of a new APRT

TIMEFRAME	ACTIVITY	IN THIS REPORT
	References	Appendix A
	History of U.S. Army Physical Fitness Testing	Section 4.2
		Appendix B
Preliminary re	view of impacts and validity of proposed APRT events	SECTION 5
January 2012	USAPHC reviewed selected proposed APRT events and associated	
,	impacts relative to injuries; prepared talking paper and white paper.	Appendix C
March-April	TRADOC requested three groups of SMEs to evaluate the APRT that	Appendix D
2012 ່	was to be implemented 1 October 2013 in order to advise decision-	''
	makers as to whether to implement the proposed 2012 APRT.	
August	HQDA organized a video teleconference with Army SMEs from	Section 5
2012	TRADOC, USAPHC and USARIEM, to discuss plans to suspend	Appendix E
	implementation of proposed APRT pending a more comprehensive	''
	study.	
Gender Analys	ses of APFT and APRT events	SECTION 6
September-	USAPHC analyzed gender-related score differences for APFT and	Appendices F, G
October 2012	pilot APRT events (presented and discussed during initial October	, , , , , , , , , , , , , , , , , , ,
0010001 2012	conference).	
October 2012	USAPHC participates in TRADOC initial planning conference at Ft.	Appendix H
0010001 2012	Eustis, VA, also attended by USARIEM, USUHS, and others.	Appendix II
Study Plans a	nd USAPHC Systematic Review	SECTION 7
-	•	
November	The TRADOC project lead presented study concept to the TRADOC	Appendix I
2012	Chief of Staff for approval – included five phases: first phase was a	
	systematic literature review to be performed by USAPHC.	
January–	USAPHC conducted preliminary assessment of Army-relevant tasks	Appendix J and K
June 2013	and initiated a Systematic Review of the scientific literature; provided	
	interim findings of the review to TRADOC in June 2013.	
	y Warrior Tasks and Battle Drills (WTBDs)	SECTION 8
April 2013	USAPHC SMEs participated in a blue ribbon panel sponsored by the	Section 8.2
	National Strength and Conditioning Association and American College	Appendix L
	of Sports Medicine to rank military tasks and associated fitness tests.	
May 2013	TRADOC planning conference focused on deconstruction of various	Section 8.3
	WTBD to identify essential components of physical fitness required to	Appendix M
	perform the tasks.	
May – July	USAPHC provided SME support to TRADOC focus groups at Ft	Section 8.4
2013	Jackson, SC; Ft Benning, GA; and Ft Leonard Wood, MO to obtain	Appendix N
	feedback from Soldiers regarding physical demands of key WTBDs.	
June	USAPHC provided SME support to initial TRADOC pilot evaluation of	Section 8.5
2013	proposed field events to simulate key WTBDs (Fort Jackson, SC)	
August 2013	TRADOC presented In-Process Review (IPR) briefing to stakeholders	Section 8.5
ragaot 2010	The Late of processing in a record review (in the priority to diamondiagram	Appendix O
Fort Carson In	vestigative Field Study	SECTION 9
		01011011
September	USAPHC provided data collection and analysis support for the	
2013	TRADOC field study at Fort Carson, CO where Soldiers performed a	
	series of simulated tasks and associated events that represented	Section 9.1 and
	major components of the essential WTBDs.	Appendix P
	[This report contains the TRADOC protocol for that field study, a	Appendix Q
	description of the simulated field events and tasks, the ranked scoring	Section 9.3 and
	of Soldiers perceptions of the physically-demanding tasks after their	Appendix R
	participation, and also results of the USAPHC analysis of the	Section 9.4 and
	correlation of events, tasks, ad physical variables.]	Appendix S
	d Conclusions	SECTION 10

2 References

See Appendix A for a complete list of reference information.

3 Authority

Under U.S. Army Regulation (AR) 40-5, Section 2-19, the USAPHC is responsible for providing support for Army preventive medicine activities, and to provide Army Commands (ACOMs) the epidemiological support necessary to address force health and readiness requirements. (Department of the Army (DA), 2007). For this study, the USAPHC- representing MEDCOM- is providing the SME support for the TRADOC Baseline Study by providing epidemiological support to better define the scientific relationship between physical fitness testing measurements and current military occupational task requirements as a means to better predict and prevent injuries to Army Soldiers. (HQDA 2012a, HQDA 2012b, HQDA 2013).

4 Introduction

4.1 Mission

The Army Institute of Public Health (AIPH) Injury Prevention Programs (IPP) mission is to identify injury causes or risk factors that can be used in evidence-based initiatives to prevent injuries. Specifically, the AIPH Injury Prevention Program seeks to identify scientific relationships between occupational, physiological, and environmental conditions and physical injuries amongst Army Soldiers through surveillance, epidemiological analysis, field studies, program evaluations, and systematic reviews. Performance on the APFT events has been a long standing measurement used in AIPH epidemiologic evaluations to assess the association between physical fitness and injuries. Defining the scientific relationship between physical fitness testing measurements and current military occupational task requirements is critical to understanding injury risk factors and identifying means to prevent injuries and thus improve overall Army readiness.

4.2 Background

U.S. Department of Defense (DoD) policy requires that "Individual Service members must possess the cardio-respiratory endurance, muscular strength and muscular endurance, together with desirable levels of body composition to successfully perform in accordance with their Service-specific mission and military specialty." (DoD, 2004). The DoD policy does not define the specific tests or required thresholds for fitness measures; instead it indicates that such measures be tied to successful performance of Service-specific mission or specialty. Each Service establishes its own specific set of fitness tests and standards.

The U.S. Army has utilized various tests of physical fitness since as early as 1940 (See Appendix B). The current APFT was established in 1980 (DA, 2010). It includes a timed 2-mile run, 2 minutes of sit ups, and 2 minutes of push-ups. A Soldier's scores for the APFT events are based on gender- and age-adjusted standards with a maximum score of 100 points on each event, combining to a maximum score of 300 (DA, 2009; DA, 2010; McCrary 2006). While the APFT has been shown to correspond to types of muscular and cardiovascular fitness (Knapik 1989; USACHPPM 2004, Sharp 1980), the basis for the APFT scoring standards is not entirely clear, in a 1998 inquiry by the U.S. Government Accounting Office (GAO); the Army Physical Fitness School indicated that modified scoring tables were to be implemented in 1999 (GAO, 1998). The revised standards' minimum passing score was selected as the scores at which 8% of the males and 8% of

the females would fail the events. The maximum scores were the 90th percentile of the gender-based scores. Requirements were then "gradually reduced in 5-year increments as age increases." (GAO 1998).

Though numerous studies of different tests and regression models have been performed over the years; the association the U.S. Army's APFT events to military job task performance or overall readiness has never been scientifically validated (NRC 2006, Harman 2008, Leboeuf 2002, DoD 1999, GAO, 1998, Rayson 2000; Sharp 1980). Many national reports on this concern (NRC 2006, GAO 1998, IOM 1998, GAO 1996) indicate that the ability to meet the APFT standards may not adequately measure one's physical capability to conduct critical military tasks, much less ensure military physical readiness in critical land combat operations. In addition, the DoD and Services have received increasing pressure to ensure scientifically defensible physical testing standards, in particular for military occupational specialties (MOS) which have previously excluded women (HQDA 2013; NRC 2006; GAO 1998; NATO 1997, DOD 1995).

The U.S. Army has evaluated potential new physical tests over the last decade and a 2002 sevenevent APRT was proposed though not implemented (U.S. Army Center for Health Promotion and Preventive Medicine (USACHPPM), 2002). Most recently, a 2012 five-event APRT was proposed. This proposed 2012 APRT included a 60-yard shuttle run, 1-minute (min) rower, standing long jump, 1-min push-up with no rest allowed and a 2-mile run for time. A separate "Army Combat Readiness Test" (ACRT) was also conceptually proposed as a gender-neutral obstacle course field test for assessing task-related physical capability prior to combat deployments. The TRADOC conducted two pilot test evaluations of the APRT and ACRT on samples of TRADOC and U.S. Army Forces Command (FORSCOM) Soldiers. The Injury Prevention Program, USAPHC analyzed TRADOC data from these pilot tests to compare the performance of men and women on each of the test events and to evaluate the correlation of the test events to the three events comprising the current APFT. In August 2012, the Army Chief of Staff (CSA) suspended plans to implement the proposed APRT and ACRT on 1 October 2012 after SME evaluations indicated that the new tests had not been validated. The use of the 2012 APRT as a replacement of the APFT was considered premature. The CSA directed the execution of a more comprehensive scientific study of physical assessments to identify test events that would "more accurately predict Soldier performance of Warrior Task and Battle Drills." The study was also to provide a determination for the "threshold for success... for all Soldiers, independent of age or gender" (HQDA 2012a).

Many of USAPHC activities in 2013 were in support of the Soldier Baseline Physical Readiness Requirements Study (HQDA 2012a, HQDA 2012b, HQDA 2013). The USAPHC conducted these efforts in collaboration with TRADOC (including the TRADOC Initial Military Training-Center of Excellence (IMT-CoE), the U.S. Army Physical Fitness School (USAPFS), and the TRADOC Analyses Center (TRAC)) and SMEs from USARIEM, USUHS, and U.S. Military Academy (West Point). The study design established by TRADOC included five phases. The primary 2013 USAPHC activities included a Phase 1 systematic review of the scientific literature and technical and field support for aspects of Phase 2 (task even identification and selection). Phases 3-5 will involve efforts to evaluate specific tests and ultimately recommend to the VCSA a battery of physical assessments that a) encourages Soldiers to maintain health-related fitness and b) is associated with successful performance of the most physically demanding WTBDs.

5 Review of impacts and validity of 2012 APRT events, February- August 2012

5.1 Scope

Early in 2012, the USAPHC was requested to participate in discussions and provide input to the potential injury related impacts of proposed 2012 APRT and ACRT events. In August 2012, a video teleconference (VTC) organized by Army headquarters described responses of other SME reviews of the APRT. At that time, the USAPHC was made aware of plans to retain the existing APFT pending future tasks pertaining to a comprehensive physical requirements study.

5.2 Results

Appendix C contains the February 2012 USAPHC Talking Points and White Paper summarizing an assessment of injury concerns associated with various proposed events that had be suggested by the VCSA in media interview, including a 4-mile run and a 12-mile road march. In addition to citing increases in injuries with these events, USAPHC recommended that new tests should measure recognized components of health and operational fitness, be safe and easy to administer, and that training for the tests should enhance health-related fitness and minimize injury risk. A tiered approach for assessment of a base level of fitness and additional assessments according to occupational specialty and common military tasks was recommended.

Appendix D provides the USAPHC Executive Summary of the VTC held on August 2012. The discussion from the VTC was the prelude to the formal All Army Activities (ALARACT) 232/2012: Retention of the Army Physical Fitness Test and initiation of Baseline Soldier Physical Readiness Study (HQDA, 2012). This ALARACT formally cited the Baseline Soldier Physical Readiness Requirements study initiative and identified TRADOC as the lead.

Appendix E contains the external SME reviews of the validity of the proposed APRT and ACRT. The USAPHC was provided these reviews to help focus early discussions with the Study collaborators (i.e., TRADOC IMT-CoE, USARIEM, USUHS, USAPFS, and USMA). While the responses and recommendations were quite varied, there was general consensus that the proposed 2012 APRT could not be considered a 'validated' test and therefore was not considered an appropriate replacement to the existing APFT. While some concerns about the appropriateness or fairness of the proposed 2012 APRT could be equally stated about the current APFT, the SMEs recommended a more thorough, systematic, and scientific study that would culminate in recommending a validated battery of physical assessments that would encourage health related fitness and be associated with successful performance of physically demanding WTBDs.

6 Gender Analyses of APFT and APRT events, September - October 2012

6.1 Scope

The TRADOC IMT-CoE organized an initial planning conference at Fort Eustis in October 2012. For its role, the USAPHC had conducted epidemiological analyses of existing data sets that included male and female scores for APFT events as well as proposed APRT events for gender comparison.

6.2 Results

Appendix F and G provide the USAPHC analyses that were prepared for discussion at TRADOC's October 2012 initial planning conference. These analyses demonstrate the proportional differences of males and females that would pass the events in the current APFT and proposed APRT/ACRT using a "gender-neutral standard" with a 10% fail rate applied to the overall male and female scores combined. The 10% fail rate is similar to the existing 8% thresholds that were used to establish the score standards for the current APFT (GAO 1998). For the existing APFT pushup and 2 mile run events, a much higher percentage of females than -males who would fail. The sit ups, however, do not present a gender difference. Though more substantial gender differences are seen with the pilot APRT long jump and pull-up events, the gender impact is much lower for other proposed APRT events (e.g. rower, shuttle and 1/2-mile run (~800 yards)). This analysis demonstrates issues that will need to be considered when evaluating potential fitness assessments for the APRT if standards are to be gender-neutral. Certain events may be considered 'unfair' if they are not made gender specific. Other events, such as sit ups, rower, or short runs (shuttle, 1/2 mile) may be more "gender-neutral."

Appendix H contains the USAPHC EXSUM and briefing presented by the TRADOC lead at the initial planning conference. This presentation describes the overall context and planned goals of the Soldier Baseline Physical Readiness Requirements Study.

7 Systematic Review, November 2012 - June 2013

7.1 Scope

The TRADOC-lead presented the Baseline Soldier Physical Requirements Study concept brief to the CSA on 27 Nov 2012 (See Appendix I). The first phase of the study included a systematic review which was to be completed within 6 months after the initial study plan was approved. The systematic review was to be conducted by the USAPHC, with support from the USUHS. The purpose of the Systematic Review was to conduct a thorough review of the scientific and military literature to summarize the current state of the science as it pertains to the relationship(s) between performance of military tasks, physical fitness tests, and injuries. The review was also to include assessment of the differential effects of age and gender on these associations. The USAPHC was assigned lead for conducting the systematic review. Because the subject area of review was so broad, it was subdivided into four focused areas, each area being assigned to a team of SMEs at USAPHC and USUHS (see Table 2). A complete Systematic review, conducted in line with current scientific quidelines (Moher 2009, IOM 2011), would require well over a year of dedicated time and substantial resources from USAPHC and USUHS. Because the TRADOC timelines were constrained, an expedited review process was negotiated in order to provide interim findings to the TRADOC study team by June 2013. USAPHC and USUHS required additional time to complete the full systematic review and report the findings in a formal report and/or peer reviewed publication. The systematic review plan was finalized and approved in December 2012. The USAPHC was to provide a final briefing by June-July 2013.

Table 2. Systematic Review Subject Areas

Sys	stematic Review Subject Areas	Assigned Personnel		
1	Lab and Field Tests to Assess Physical Fitness	Tyson Grier, Morgan Anderson, Tim Bushman (USAPHC)		
2	Comparison of Physical Fitness Tests to Job Task Performance	MAJ DeGroot and Veronique Hauschild (USAPHC)		
3	Association of Task Performance and Injury	Keith Hauret and Elizabeth Clearfield (USAPHC)		
4	Association of Components of Physical Fitness and Injury	Dr. Dianna Purvis, Dr. Pete Lisman, Dr. Sarah Delamotte, and Ms. Kaitlin Murphy (USUHS)		


7.2 Method

The Systematic Review process was patterned after the PRISMA guidelines (Moher 2009; IOM 2011; Hemingway 2009) with scientifically supported adjustments for rapid reviews (Ganaan 2010). The databases used included: PubMed®, selected portions of EBSCOhost® (Academic Search Premier), Cochrane Methodology Register, MEDLINE® Biomedical Reference Collection, Comprehensive Nursing & Allied Health Collection, SportDiscus & SportDiscus Full text; CINAHL® & CINAHL Full Text, EMBASE®, and DTICEMBASE proved to be relatively difficult to apply search criteria but useful for specific article look-ups; it was also not completely accessible for free government access so was considered of limited additional benefit to this review. (PubMed is a registered trademark of the U.S. National Library of Medicine.) (EBSCOhost® is a registered trademark of EBSCO Publishing) (MEDLINE® is a registered trademark of the U.S. National Library of Medicine) (CINAHL® is a registered trademark of EBSCO Publishing) (EMBASE® is a registered trademark of Elsevier B.V.) Each subject area required determination on uniquely pertinent search terms but all areas used the following inclusion and exclusion criteria:

- **Document type**. Included were citable studies from military and non-military national and international sources; not included are editorials, presentations or abstracts, drafts or works-in-progress, or restricted or classified materials.
- Dates. Sources dated after 1970 up to the present 2013.
- Language. Only English language citations were used due to time and translation resource limitations.
- **Population characteristics**. Only human studies on healthy adults (> $18 \le 65$ years) were included. Studies on children, infants, elderly, or disabled/ill persons were excluded, as were animal, in vivo, or theoretical biomechanical or engineering studies.
- **Military Relevance**. Because the literature review included a variety of studies of occupational populations (e.g., firefighters police, athletes, and other occupations), it was critical provide a construct determining what might be relevant to the military and especially the physical demands of Army Soldiers. A preliminary review of selected military-focus documents (e.g., NATO 2009; DA 2009) was used to identify types of common and relevant military physical tasks. Appendix J summarizes the findings of the preliminary review that served as a basis for determining inclusion and exclusion of articles during the systematic review process.

7.3 Results

Figure 1 demonstrates the breadth of the systematic review process. From over 57,000 articles and reports initially identified as potentially relevant at the start of the review, less than 400 (for all four subject areas) were determined to provide the specific kind of quantified correlation data necessary for the epidemiological evaluations of pertinent associations. Appendix K provides the AIPH IPP and USUHS interim findings of the systemic review efforts as of June 2013 which were provided to TRADOC in a July 2013 briefing.



^{*} These numbers include all four subject areas combined

Figure 1. Results* of Systematic Review to Identify Pertinent Studies

8 Identifying Key Warrior Tasks and Battle Drills, May – August 2013

8.1 Scope

During the 3rd QTR FY2013, the AIPH IPP team supported the following initiatives associated with the assessment of physically demanding WTBDs that are required of Soldiers, and design of field events to simulate these WTBDs.

8.2 External SME Panel Discussion on Military Tasks and Fitness Tests

On April 18-19 2013, USAPHC SMEs participated in the national Strength and Condition Associations Blue Ribbon Panel on Military Physical Readiness: Military Performance Testing. The panel members ranked common military tasks and then rated the relevance of each of the health-related fitness components required to perform each task. The panel members then broke into groups to identify and rank a list of field expedient tests that could be used to measure Soldiers' abilities to perform these tasks. A summary of the results of the rankings are provide in Appendix L.

8.3 Deconstruction of WTBDs

In May 2013, USAPHC personnel participated in a workshop with the other study's SME collaborators to deconstruct the most physically demanding WTBD into sub-tasks and then identify the components of physical fitness required to perform these sub-tasks. A presentation (Appendix M) from this workshop provides descriptions of the various tasks of interest.

8.4 Focus Groups to Identify Key Physical Requirements and WTBDs

Focus groups of TRADOC Soldiers were organized by the TRADOC study lead (IMT-CoE) at three locations (Fort Leonard Wood, Fort Benning, and Fort Jackson) in May - July 2013. The purpose was to further support the findings of the May workshop (per Section 8.3) with additional insights from the field about conditions under which WTBDs are conducted and what baseline standards that every Soldier, regardless of gender or MOS, should be able to meet without special skills or training. The sessions were confidential and only basic demographic information about the participants was obtained. Each focus group began with a discussion lead by IMT-CoE staff on problems with the current APFT and the need to connect physical fitness testing with WTBDs. USAPHC provided personnel to facilitate, record answers to questions, and prepare summaries of the sessions. Appendix N provides a summary of the focus groups results and an example of the questions and responses received (from Fort Jackson, July 2013).

8.5 Selection of Field Simulation Events to Represent WTBD

The previous efforts culminated in the selection of field events that simulated the most physical demanding WTBD yet were feasible for testing large numbers of Soldiers in a standardized field setting. TRADOC's August 2013 in progress review (IPR) presentation (Appendix O) describes the basis for recommended field test events. These field simulations were first evaluated during a pilot field site visit at Fort Jackson later that month on 21-30 August 2013. The USAPHC supported this pilot test with a representative from both the Injury Prevention Program and the Ergonomics Program. Based on observations at Fort Jackson, some modifications to the field events were made prior to the official field study planned for Fort Carson, CO.

9 Fort Carson Investigative Field Study - September 16-26, 2013

9.1 Scope

The TRADOC field study at Fort Carson was designed to evaluate the feasibility of conducting the field simulations of the physically demanding WTBDs and common military tasks that were pilottested at Fort Jackson. The Army Human Research Protection Office (AHRPO) did an expedited review of, and approved, the study plan (see Appendix P). Relevant for this review, the study was operationally-directed, Soldier participation was voluntary, and personally identifiable information was not used to identify participants. To evaluate Soldier performance on the task simulations, an obstacle-type course was constructed. Stations on the course simulated 4 military tasks that were represented by 11 individual events. Table 3 describes the selected military tasks and the Fort Carson field events used to simulate those tasks. Appendix Q provides a detailed description of the field events and equipment loads.

Table 3. Fort Carson Tasks and Associated Individual Events

Task Name	Basis for Task	Field events to simulate
		(see Appendix Q for details)
Prepare Fighting Position	Common Soldier Task ^a	Bucket Fill
		Sandbag Stack
Move Over Under (around)	Elements of Key Warrior tasks	Crawl and Ruck Sack move
and Through ("MOUT")	("Move" and "Survive")	Balance Beam
		High Walls (wall gauntlet)
Perform Combatives	Elements of Key Warrior tasks b	Tire Flip
	("Move" and Survive";	Skedko Pull
	Elements of Battle Drills (e.g.,	Sandbag Toss
	"react to contact", "react to indirect fire") ^c	Trashcan Spin
Casualty Evacuation	Battle Drills (e.g., "perform combat	Extricate Casualty
	casualty care") b	Casualty Drag
^a DA, 2011 ^b See Appendix O		

Two hundred and seventy Soldiers (15% female) volunteered to participate. Volunteers were tested in six groups (three groups each for 2 weeks). All volunteers were given an opportunity to familiarize themselves with individual events on the day prior to the official start of the test study. For the test study, Soldiers times for tasks and events were measured on 3 consecutive days. On test Day 1, Soldiers wore only the basic Army Combat Uniform (ACU), and were first timed for each individual event completed in random order. Time to rest was allowed between events and no overall course time was measured. Next, Soldiers went through the tasks and events in the established sequence of the obstacle course. Time to rest was allowed between events and no overall course time was measured. On Day 2 and Day 3, Soldiers were timed as they executed each event sequentially through the course. On Day 2, they wore the ACU and additional fighting gear ("Fighting Load") to perform the tasks. On Day 3, they also completed a 10-kilometer (km) (6.2 mile) road march wearing their sustainment load, and then completed the series of field events wearing their Fighting Load. Each day as Soldiers finished the course, a study team member asked each Soldier to identify the three most physically demanding events and recorded these responses for later analysis. On Day 3, Soldiers completed a brief survey regarding their experience in performing the simulated WTBDs.

The USAPHC provided on-site personnel to assist with daily data collection and entered all data into databases for analyses. The data collected included gender, body weight, height, and self-reported AFPT scores, daily times for Soldiers to complete each of the events/tasks, overall times to complete the course, Soldiers' daily responses about the most physically demanding events, and the survey responses from Day 3. The data analysis by the AIPH IPP team included a summary of Soldiers rankings of the most physically demanding events and tasks, and an examination of the correlations among the different field events, correlations of Soldier APFT performance and the field events, and correlations of the road march timed performance and the field events.

9.2 Ranked Scoring of Difficult Tasks

After completing the sequential events and tasks each day, Soldiers were asked to rank the three most physically demanding events for that day. Some Soldiers listed only one or two events, rather than three, on a given day. Therefore, the top ranked event for each day was considered most informative. Rankings for all groups over the 2 weeks were tallied together and percentages of ranks for individual events, as well as composite (task) events, were calculated for each of the 3 test days. These percentages provide a basic descriptive assessment of Soldiers' perceptions of these tasks. Anecdotal comments were documented to provide additional insights as to difficulty of performing the various events. Table 4 summarizes results of the composite and individual events and comments. Appendix R includes the detailed daily rankings of perceived most difficult tasks.

- The Perform Combatives task was consistently identified as the most difficult and physically demanding. This task was comprised of four individual events of which the Skedco Pull was consistently identified as the most physically difficult. The next most difficult ranked task was the Casualty Evacuation, which was represented primarily by the Casualty Drag event. The Skedco Pull and Casualty Drag both measured a Soldier's physical capability to drag an injured Soldier some distance, and thus may be considered duplicative test events.
- While trends in ranked scores were similar each day, some notable changes occurred:
- o The Prepare Fighting Position task (specifically the Sandbag Stack event) was ranked as most difficult by 35% of Soldiers on Day 3 after the Road March, as compared to only 15% and 20% on Days 1 and 2.
- Soldiers reported all events seemed less difficult by Day 3 despite overall fatigue. From day to day, there may have been a task familiarization effect, since many Soldiers specifically stated that previously difficult events such as Skedco Pull, Trashcan Spin, and Casualty Drag actually seemed easier by Day 3 due to their familiarization with the task.
- Across tasks, fatigue was not always the reason given for "difficulty."
- o More problematic were environmental conditions (e.g., on Day 1 wet sand made the sand bags heavier; wet ground made it difficult to get good footing for the Skedco Pull, and Trashcan Spin; and equipment hindrance. Specifically, the body armor and ammo pouch worn on chest was in the way during Sandbag Stack of the Prepare Fighting Position Task, and was also in the way for shorter persons during the High Walls/Wall Gauntlet of the MOUT task. For some Soldiers, the slung weapon was in way especially for certain events such as Trashcan Spin.
- o On the other hand, some of same factors were noted as reasons that certain tasks/events became easier. For example, some Soldiers indicated the Low/HighCrawl, Skedco Pull, and

Trashcan Spin were easier on wet ground. Some Soldiers with shorter stature noted that addition of the fighting load made Skedco Pull seem easier.

- \circ On Day 3, some Soldiers noted that the Road March was difficult due to blisters and discomfort from the boots.
- o Finally, while rankings from females were not gathered separately for analyses, anecdotally it appeared that concerns cited by some women were due more to their shorter/smaller stature (height and weight). Some of the same concerns were reported by shorter men. Taller/larger women did not have the same problems. Thus, the equipment issue described above appears to be more of a problem for 'shorter Soldiers' as opposed to being gender-specific. Other specific anecdotal comments are at the end of Table 4.

Table 4. Top Ranked Most Physically Difficult Field Events

Soldier Tasks ^{a-c} and Associated Events	Day 1 ACU Only	Day 2 Fighting Load	Day 3 Fighting Load, After 6.2 mile Road March
Prepare Fighting Position ^a	15%	20%	35%
Bucket Fill	3%	2%	4%
Sandbag Stack	12%	18%	30%
Move Over–Under- Around- Through (Move O-U-A-T) b	6%	19%	14%
Crawl and Rucksack Move	1%	4%	3%
Balance Beam	0%	0%	0%
High walls (wall gauntlet)	5%	15%	11%
Perform Combatives b, c	56%	46%	51%
Tire Flip	8%	13%	13%
Skedko Pull	31%	23%	33%
Sandbag Throw	4%	2%	1%
Trash Can Spin	12%	9%	4%
Casualty Evacuation	23%	15%	20%
Casulty Drag (mannequin)	23%	15%	20%
Ruck March*			15%

NOTES: a-c are bolded as they represent the tasks, while non-bolded are associated events

Anecdotal Soldier comments regarding compliant/concerns for various events:

Bucket Fill: Too many buckets to fill (too long of an event); wet sand made it much more difficult; event was very hard on back **Sandbag stack**: Too many bags to fill (too long of an event); equipment (ammo pouch) was in way of lifting (especially noted by shorter persons); sand bags much heavier when wet

Ruck sack move: least difficult (physically demanding) event, but crawling on wet ground (grass and dirt) was easier than when ground was dry; event was more difficult with gear, after road march with tired legs; equipment (ammo pouch) got in the way **Balance beam**: Not difficult, but some commented that this was NOT the correct technique for carrying the M249 SAW.

Tire flip: Event became easier with improved technique by Day 3; but lower extremity fatigue after the road march was a factor; caused pain in the back for some Soldiers.

^a Specified as a "Common Soldier Task", Soldier Training Publication (STP) 21-1-SMCT Soldiers Manual of Common Tasks (May 2011)

b Represent elements of key "Warrior Tasks" [e.g., 'Move'(perform individual movement technique), 'Survive'(react to man-to-man contact)]

^c Represent elements of "Battle Drills" (e.g., 'react to contact', 'perform combat casualty care', 'react to indirect fire',)

Skedco Pull: Majority felt this was most the physically demanding event, but it was easier for many when grass was wet, even though bags inside were heavier when wet; some persons (shorter, lower weight) indicated the event was easier when wearing more gear (Fighting Load) and more so by Day 3 (due to load and technique)

Trash can spin: Can was heavier when wet; many said it was much easier by the last day (sand was drier, but also they had learned 'technique'); several felt that trash can rotation event was a strange, poorly designed 'test' and was hard on the back.

Casualty Drag: Many considered this to be more physically demanding than the Skedco Pull, but noted it may seem especially hard because this event was at very end of course; slippery ground made it harder to get footing; many said the event was easier on last day (technique/more practiced)

Road March: Not intended to be a ranked event, as only on Day 3, but some said it was the hardest event that day – not necessarily "physically demanding" but physically difficult e.g., blisters were a common reason (from boots and weight); some stated they thought 10 km was too long distance.

9.3 Correlation Analyses

Obstacle course times were collected individually for each event on the first day and as continuous time stamps on the second and third days of the study. The continuous times were broken into individual event times by taking the difference between consecutive events. All event times were converted into fractions of minutes. Additional Soldier data were collected by study staff (i.e., height, weight, and self-reported most recent APFT results. Body mass index (BMI) was calculated as a Soldier's weight in kilograms divided by the Soldier's height in meters squared. SPSS version 19 (IBM) was used to calculate Pearson correlation coefficients for the variables of interest. Bivariate correlation tables with a two-sided test of statistical significance were constructed. Though it is recognized that various limitations in study design prevent substantial conclusions to be drawn from the data collected, Pearson correlation matrices were prepared for the following three types of data correlations:

- Correlation of the individual events and tasks (measured as "time to complete events/tasks") and physical variables (weight, height, BMI and self-reported APFT scores). Correlation matrices were prepared separately for female and male Soldiers, for each day.
- Correlation within the individual events and tasks (measured as "time to complete event/task"). Matrices were prepared using all available data and not separated by gender.
- Road March (only conducted on Day 3) as correlated to the physical variables and APFT scores, and other field events and tasks

Appendix S includes the correlation matrices of the resulting correlation values. Though limited interpretation of the correlations can be drawn, general observations and conclusions are presented below. To summarize data, statistically significant Pearson correlation (r) values greater than 0.4 (for positive correlations) and less than -0.4 (for negative correlations) were considered noteworthy. This criterion was selected due to the expected variation and confounding in these types of associations. Correlation values above 0.4 or below -0.4 were grouped in categories of Very high (\geq 0.7 or \leq -0.7); High (\geq 0.5 to <0.7 or \leq -0.5) and Moderate (\geq 0.4 to 0.5 (\geq -0.4 to \leq -<0.5) for general ranking and discussion purposes.

9.3.1 Task and Event Correlations to Soldiers' Physical Variables

Table 5 provides a summary of the correlations presented in Appendix S, Tables S1-S6.

• For females, height and weight had the strongest correlation to all tasks except for the MOUT. Specific events such as the Sandbag Stack and Skedco Pull were highly correlated with height and weight in a negative relationship: as height and weight decreased, time to complete

these events increased. BMI had lower correlations to both tasks and events. APFT variables had low correlations to all tasks, with some moderate correlation between Sit Ups and the Tire Flip and Casualty Drag events.

• For males, no physical variables (weight, height, BMI, or APFT event/scores) had any noteworthy correlations with any events or Tasks (all r values were Low, <0.4 or >-0.4

Table 5. Summary of Task and Event Correlations to Soldiers' Physical Variables

		ask and Event Correlations to Soldiers' Physical Variables
FEMALES	Weight	High correlation with Prepare Fighting Position task time for Day 1
		and 2, and Moderate for Day 3 (Fighting Load after Road
		March). High correlation with Sandbag Stack event (part of the Prepare
		Fighting Position Task) for Days 2 and 3, and Moderate for Day 1.
		Moderate correlation of Perform Combatives Task on
		Day 1 in ACU; Low correlation for this task for
		Days 2-3 when in Fighting Load. However, there was a
		High correlation with the Skedko Pull on all 3 days.
		Moderate correlation with Casualty Evacuation Task on Day 3,
		Low on Days 2 and 3.
		Low and non-statistically significant correlation to MOUT task on all days.
	Height	Moderate correlation with Prepare Fighting Position task
	1.0.5	for all days
		Within this task, high correlation to Sandbag Stack event for
		all days
		High correlation of Perform Combatives Task on
		Day 1 only, Moderate on Day 3; Low on Day 2.
		High correlation for Skedko Pull event time on Days 1 and 3,
		Moderate on Day 2.
		High correlation to Casualty Evacuation Task on Day 1,
		Moderate on Days 2 and 3. Moderate correlation due to
		Extraction event and not Drag.
	ВМІ	Moderate correlation with time to complete Prepare Fighting Position task.
		Low correlation with all other Tasks and individual events.
	APFT	Low correlation to all Tasks on all days.
		Moderate correlation to Tire Flip and Casualty Drag
		events on Day 3 (Fight Load with Road March);
		Low correlation to all other individual events, and none of these correlations
	Sit Ups	were statistically significant*
	Sit Ops	Low Correlation to all tasks; none were statistically significant Moderate correlation with Tire Flip and Casualty Drag
		events on Day 3 (Fight Load with Road March);
		Low correlation to all other individual events except for a moderate positive
		correlation between number of sit-up reps and the amount of time it took for a
		Soldier to reach the vehicle door where the casualty dummy was positioned.
	Push ups	All correlations were Low and not statistically significant, except for a
		moderate negative correlation between push-up score and balance beam
		time on Day 2.
	Run	All correlations were Low, except for Moderate negative correlation between
		APFT Run Time and time to complete the Casualty Drag event on Day 3.
	l	7 to 1 1 to 1 to 1 to 10 to 10 to 10 to 0 to

Table 5. Summary of Task and Event Correlations to Soldiers' Physical Variables (continued)

•	
MALES	No noteworthy (all Low <0.4 or >-0.4) correlation between weight, height, BMI, or APFT
	related variables or associated Tasks, regardless of ACU/Fighting Load, or prior completion
	of a 10-km Road March.

Notes:

(-) Correlations are negative (e.g., higher weight/height/BMI/ Scores/Reps= less time in Task or event)

9.3.2 Task to Task and Individual Event Correlations

Table 6 provides a summary of the correlations presented in Appendix S, Tables S7-S10.

- On Day 3, the strength of correlation between all Tasks is High to Very High.
- MOUT had no noteworthy correlation to any other tasks on Day 1; however, the highest task-to-task correlations are between MOUT and Performing Combative Tasks on Day 2 and Day 3.
- Of all individual events, the Sandbag Stack, which was part of the Prepare Fight Position task, had the strongest overall correlation to all tasks. This was particularly notable on the day Soldiers complete the obstacle course in their Fighting Load (Day 2): the correlations of this event to other tasks are High or Very High.
- The Skedco Pull was the next most highly correlated individual event (each day) to other tasks, followed by Casualty Drag. These events tend to have High to Very High correlations to each other as well as several other events.

9.3.3 Road March Correlations to Physical Variables, Tasks, and Events

The full correlation matrix is for Road March correlations are presented in Appendix S, Tables S11 and S12.

- Taking into account male and female Soldiers together, time to complete the 10-km Road March was highly correlated with Soldier's height, weight or BMI.
- The only noteworthy correlation was between Road March time and the self-reported 2-mile run time, and this was a positive low correlation. Those with faster 2-mile run times also had faster Road March times.
- Including the entire cohort in the analysis, Road March time had a low correlation only with the Fighting Position task time, in particular, the Sandbag Stack event. Separating the analysis by gender, the correlations between the Road March time and the time to complete these events was low (not noteworthy).

^{*} One event included in analyses was referred to as the "vehicle door" as part of Casualty Evacuation; all correlations were Low for this event except with Female sit up reps – which is a moderate positive correlations. Since it is not clear that the same activity was timed for this event for all days it is not considered a key event or finding

Table 6. Task to Task Correlation Results

Day 1/Soldiers Wearing ACU, Events Performed in Random Order							
,	Fight Pos	MOUT	Combat	CasEvac			
Fight Pos	1	0.32	0.60	0.50			
MOUT		1	0.39	.31			
Combat			1	0.66			
CasEvac				1			
Day 1/Soldiers	Wearing ACU, E	Events Performed in	n Sequence				
	Fight Pos	MOUT	Combat	CasEvac			
Fight Pos	1	0.22	0.66	0.68			
MOUT		1	0.43	0.66			
Combat			1	0.59			
CasEvac				1			
Day 2/Soldiers	Wearing Fightir	ng Load, Events Pe	rformed in Sequence	e			
	Fight Pos	MOUT	Combat	CasEvac			
Fight Pos	1	0.72	0.73	0.68			
MOUT		1	0.82	0.66			
Combat			1	0.63			
CasEvac				1			
Day 3/Soldiers Road March	Day 3/Soldiers Wearing Fighting Load, Events Performed in Sequence After 10-km Road March						
	Fight Pos	MOUT	Combat	CasEvac			
Fight Pos	1	0.708	0.69	0.619			
MOUT		1	0.75	0.659			
Combat			1	.723			
CasEvac				1			
Legend:							

Fight Pos= Prepare Fighting Position Combat = Perform Combatives

CasEvac = Casualty Evacuation

NOTE: Correlations greater than 0.4 (for positive correlations) and less than -0.4 (for negative correlations) were considered noteworthy and are bolded. Correlations were grouped in categories of Very high (≥ 0.7 or ≤ -0.7); High (≥ 0.5 to < 0.7 or $\le -0.5 \ge -0.7$); and Moderate (≥ 0.4 to 0.5 (≥ -0.4 to ≤ -0.4 to ≥ -0.4 to <0.5). Darker shading indicated strongest correlations. The changes in strength of these correlations should not be overly interpreted. This data merely demonstrates some consistent correlations between certain tasks over days. The significance in changes in correlation strength may not be significant or could be due to a variety of factors (e.g., learning technique, equipment, fatigue, changes in motivation) that were not measured here.

9.3.4 Conclusions From Correlation Data

Pearson correlation coefficients tell us if there is a linear relationship between two variables; in this study we looked at both 1) the relationship between time to complete events/tasks and Soldier variables such as height, weight, BMI and fitness variables and 2) the relationship between time to complete one event/task with the time to complete all other events/tasks.

The first set of correlations gives us insight on how Soldiers with different body types and fitness levels performed on this obstacle course, and how they potentially would perform, in terms of time to completion, on a future APRT that incorporated some of these events. For men, none of the body or fitness characteristics had notable correlations with time to complete the various events and task, and for women, height and weight had negative correlations events. For the women in this study, those who were shorter and those who were heavier generally took a longer time to complete events and tasks.

The second set of correlations of each task and event with each other task and event provides information about how similar or dissimilar the times were to complete the events. A high correlation indicates that for the Soldiers in the study, the time to complete one event was similar to the time to complete another event. Combining these correlation coefficients with anecdotal evidence (e.g., from the Soldiers rankings and comments described in Section 9.2), it may follow that tasks or events that are highly correlated may have incorporated similar physical skills or exertion. However, it should be noted that if for one event a Soldier was working hard for 4 minutes and another event that Soldier rested for 3 minutes and worked for 1 minute, a high correlation would still be noted. Quantified data was not collected to ascertain this level of individual variation.

We saw changes in the correlations of certain tasks (in particular, the MOUT task) from Day 1, when the Soldier wore only ACUs to Day 2 and 3, in that correlation coefficients were notably higher on Day 2 and 3. While the reason for this change could be related to or influenced by several possible factors (e.g., learning technique, fatigue, motivation, and/or equipment), this correlation analyses cannot be used to provide a reason for this change, as we did not collect data on learning technique, motivation, or effect of the equipment. Fatigue data was collected in the form of asking the Soldier their rated perceived exertion, but these data were not incorporated into the correlation analysis.

10 Discussion and Next Steps

This PHR is intended to serve as a foundation reference for future USAPHC, TRADOC, and Army efforts to establish a new Army physical readiness test. The information provides an understanding that though the existing AFPT is not a validated test, additional work and documentation is necessary to provide clear justification of a new test. Some of initial findings include:

• The current fail points for the APRT events reflect gender-based standards. If the cut-off for failing the APFT pushup and 2-mile run was not adjusted for gender, a much higher percentage of females compared with the percentage of males would fail. The sit ups do not present this gender difference. The gender impact is much lower for some new proposed events (e.g. rower, shuttle and ½-mile run (~800 yards)). This suggests that use of certain events as a fitness standards may be considered 'unfair' if they are not made gender specific. Other events, such as sit ups, rower, or short runs (shuttle, ½-mile) may be more "gender-neutral."

- Review of literature, Focus Groups of Soldiers, and SME recommendations has helped to identify key common Army-required physical task capabilities most critical to military operations. Specific tasks of interest include:
 - Moving short distances quickly, with varying amounts of weight or load, and including over walls and obstacles. Load Weight is a key factor as to ability – focus group responses noted concerns with slower speeds especially while sprinting, marching, crawling, and climbing over obstacles when loads exceeded 35-40 pounds.
 - Lifting, lowering, carrying, dragging items (e.g., lifting, carrying, dragging sand bags and casualties). Digging (e.g. sand or dirt to fill and carry sandbags) pertains to the task "Prepare Fighting Position" which is still considered a reasonably anticipated task. To some extent lifting weights 25-40 pounds was noted at reasonable expectation by focus groups while heavier weights less likely to be 'baseline Soldier' requirements (or could be conducted by more than one Soldier).
- Despite study design limitations during the Fort Carson field study, self-reported perceptions of the events requiring highest physical demands as well as some correlation data provide some useful information regarding these task and associated events or activities:
 - o Performance of tasks that require lifting, carry, and dragging (of items and casualties) are highly correlated to each other. Several individual events are also correlated to certain tasks that they are not a component. Therefore, a test of physical capability that is correlated to one task may be used to represent capability of one or more of the other tasks. Key task of greatest interest from activities in this report include the Sandbag Stack of the Prepare Fighting Position task and the Skedco Pull form the Perform Combatives task.
 - Self-reported ranking of perceived physical difficulty with tasks and events did support some correlation findings. The Skedco Pull, along with Casualty Drag, was ranked as the most physical demanding events of those evaluated.
 - o For females, height and weight appear to be key differentiating factors to correlations with certain tasks and events. There were no noteworthy correlations to any tasks with APFT scores. For males, no noteworthy correlations were noted for any physical variables, or APFT scores with tasks and individual field events.
 - Though correlations only showed it with females, both shorter men as well as women reported notable difficulties with completing the Sand bag Stack once they were wearing Fighting Load. This was described as due to equipment designs (e.g., the ammo pack) which hindered movement.
- Consideration should be given to how specific tests may increase training injury risk (for example, increasing the 2-mile run to 3 miles, or including a long road march could increase risk of lower extremity injuries).
- Some physical fitness tests result in much higher percentages of males passing if scored against a single standard. This includes the current 2-mile run and push-ups. For other tests (e.g., sit ups or proposed tests such as rowing or sprints) there appears to be less gender bias.
- While fitness tests have been associated with different aspect of fitness (cardio respiratory endurance, muscular strength, muscular endurance), and while certain tasks have been

described as been associated with one or more of these fitness components, the association of the test to the Army's current key physical tasks has not been scientifically documented. Data that specifically evaluates this relationship will be published as a result of the ongoing systematic review.

The USAPHC AIPH Injury Prevention Program is currently continuing efforts to compete and publish supporting reports regarding the results of our systematics reviews.

11 Point of Contact

The Injury Prevention Program is the point of contact for this project, 410-436-4655, DSN 584-4655.

APPENDIX A

References

- Headquarters Department of the Army (HQDA). 2012a. All Army Activities (ALARACT) 232/2012: Retention of Army Physical Fitness Test and Initiation of Baseline Soldier Readiness Study, 29 August 2012.
- HQDA. 2012b. Execution Order (EXORD) 041-13: Comprehensive Study to Determine Baseline Soldier Physical Readiness Requirements and a Standardized, Baseline Physical Readiness Test, 27 December 2012.
- HQDA. 2013. EXORD 112-13: Army Required Actions in Support of the Elimination of the Direct Ground Combat Assignment Rule (DGCAR), 6 April 2013.
- U.S. Department of Army (DA). 2007. Army Regulation (AR) 40-5, *Preventive Medicine*, 25 May 2007.
- DA. 2009. AR 350-1. Army Training and Leader Development, 18 December 2009.
- DA. 2010. Training Circular (TC) 3-22.20. *Army Physical Readiness Training*, August 2010.
- U.S. Department of Defense (DoD). 2004. DoD Directive 1308.1, DoD Physical Fitness and Body Fat Program, 30 June 2004.
- DoD. 1995. Gender Neutral Standards. Report to the House Committee on National Security Senate Committee on Armed Services House and Senate Committees on Appropriations. Office of the Assistant Secretary of Defense. (Force Management Policy). April 1995
- DoD. 1999. Joint Technology Coordinating Group-5 and the U.S. Army Medical Research & Materiel Command. *Summary Report: Research workshop on physical fitness standards and measurements within the military services*. Herndon, VA.
- Ganaan, R et al. 2010. Expediting systematic reviews: methods and implications of rapid reviews *Implementation Science* 2010, 5:56. http://www.implementationscience.com/content/5/1/56
- U.S. Government Accounting Office (GAO). 1998. Gender Issues: Improved Guidance and Oversight Are Needed to Ensure Validity and Equity of Fitness Standards. Washington D.C. November 1998.

- GAO. 1996. Physically Demanding Jobs- Services Have Little Data on Ability of Personnel to Perform. Washington D.C., July 1996.
- Harman, E.A., et al., Prediction of simulated battlefield physical performance from field-expedient tests. *Mil Med*, 2008. 173(1): p. 36-41.
- Hemingway, P. 2009. What is a Systematic Review? What is..? series evidence based medicine. April 2009. www.whatisseries.co.uk
- Institute of Medicine (IOM). 1998. Assessing Readiness in Military Women: The Relationship of Body Composition, Nutrition, and Health. National Academy Press, Washington D.C. 1998.
- IOM. 2011. Finding What Works in Healthcare: Standards for Systematic Reviews. National Academy Press, Washington D.C., March 2011.
- Knapik, J.J., The Army Physical Fitness Test (APFT): a review of the literature. *Mil Med*, 1989. 154(6): p. 326-9.
- Leboeuf, MK and East, W.B. 2002. Chapter 22, Case No. 2. Physical Readiness Training and Assessment, pages 469-486. *The Future of the Army Profession*, Snider, D.M, G.L, Watkins. McGraw-Hill Primis Custom Publishing, New York. 8 April 2002.
- McCrary, J.E. 2006. Chapter 2. Overview of Recruiting and Accessions. Textbook of Military Medicine. Recruitment Medicine. 2006.
- Moher, D et al. 2009. Preferred Reporting Items for Systematic Reviews and Meta-Analyses The PRISMA Statement. July 2009. *PLoS Med.* Volume 6, Issue 7. E1000097.
- North Atlantic Treaty Organization (NATO). 2007. Optimizing the Performance of Women in the Armed Forces of NATO, NATO-Defense work Group (DRG) AC/243 (Panel 8). 1997
- NATO. 2009. Optimizing operational physical fitness: Final report of Task Group 019. 2009: Neuilly-sur-Seine Cedex, France.
- National Research Council (NRC). 2006. Assessing Fitness for Military Enlistment: Physical, Medical, and Mental Health Standards. National Academy Press, Washington D.C., 2006.

- Rayson, M., D. Holliman, and A. Belyavin, *Development of physical selection procedures for the British Army.* Phase 2: relationship between physical performance tests and criterion tasks. *Ergonomics*, 2000. 43(1): p. 73-105.
- Sharp, D.S., et al. Screening for physical capacity in the U.S. Army: An analysis of measures predictive of strength and stamina (Technical Report No. T8/80). 1980, U.S. Army Research Institute of Environmental Medicine: Natick, MA.
- U.S. Army Center for Health Promotion and Prevention Medicine (USACHPPM). 2004. Technical Report No. 12-HF-01Q9D-04. *The Case for Pre-Enlistment Physical Fitness Testing: Research and Recommendations*. Authored by Knapik, J.J.
- USACHPPM. 2002. Technical Report No 12-HF-5738-02. Administrative and safety evaluation of a proposed Army Physical Readiness Test. Authored by Knapik, J.J., et al.

APPENDIX B

History of U.S. Army Physical Fitness Testing


Though the current APFT was established in the 1980s, there were many different tests prior that time, and proposals and review for change since then prior the current 2011-2012 proposed tests. This Appendix documents slides from a presentation prepared by Dr. Whitfield (Chip) East, Department of Physical Education - United States Military Academy (West Point). The Table summarizes the tests identified in his slides.

APFT History

Army conducts numerous conferences to review, revise, update physical readiness training and assessment:

- 1958 Physical Fitness Seminar, hosted by the United States Army Infantry. School, FT Benning, GA, 21-24 April, 1958.
- 1970 Physical Fitness Symposium, hosted by the USAIS, FT Benning, GA, 12-14 October 1970.
- 1980 Department of Defense Study of the Military Services Physical Fitness; hosted by the Secretary of Defense, 17-19 June 1980.
- 1990 National Conference on Military Physical Fitness, hosted by the President's Council on Physical Fitness and Sports, in cooperation with the National Defense University, 25-26 January 1990.
- 2010 <u>Army Physical Fitness Test Working Group</u>, hosted by the USAPFS, Fort Jackson, SC, 26-27 October, 2010.

23




World War I - The Princeton Years

- Chairman/Professor of Hygiene and Physical Education
- Introduced mass athletics sports into training camps
- · Mass Physical Training (1919) approved by Army War Dept

Individual Efficiency Test (IET)

- ✓ Based upon lessons learned from WWI
- √ Five-item combat readiness battery
 - 100-vd run
 - Running Broad Jump
 - · 8' Wall Climb
 - · Hand grenade Throw
 - Obstacle Course Run





Interwar Years (1920 - 1942)

Physical Training, Basic Field Manual - BFM (1936) - Volume I - Chapter 4.

Physical Training, Field Manual - FM 21-20, (1941): recommended a myriad of fitness tests designed to assess combat readiness.


Primary Assessments

- 100-yd Dash
- Running High Jump
- Running Broad Jump
- Pushups
- OCT Obstacle Course Test
- Individual Efficiency Test (IET)

 100-yd run
 Running Broad Jump
 8' Wall Climb
 Hand grenade Throw
 Obstacle Course Run


Secondary Assessments

- Baseball Throw
- BasketballThrow
- Bar Vault ¼ mile run
- ½ milerun
- 2 milewalk
- Verticaliump Pull-ups
- 20' rope climb
- Stand/Run hop-skip-jump
- Standing backwardjump
- Running long dive



Kelton's Outcome Assessments

- · scale a 15' wall without instruments
- · vault a horse 15 hands high
- leap a ditch 10' wide
- run a mile in 8 min or two miles in 18 min
- walk 4.5 miles in one hour
- walk 3 miles/hour with 20 lb knapsack (arms and equipment)
- · swim a mile and repeat
- dive and swim underwater for 45 sec
- · dive head foremost from a height of 8 feet
- · leap into the water from a height of 20 feet
- · demonstrate proficiency in use of the foil, sword, and bayonet



World War II

- · 7 December 1941 Pearl Harbor
- 1942 Army Ground Forces Training Directive
 - ✓ Army Ground Forces (AGF) Test
 - √ "highly encouraged"
 - ✓ Contained six (6) events:
 - Pushups
 - 300-yd Shuttle Run
 - 20-sec Burpee Test
 - 70-yd Pig-a-back Run (carrying Soldier of equal weight)
 - 70-yd Zig-zag Run(creep, crawl, jump, run)
 - 4-mile Road March



World War II

Physical Conditioning (DA Pamphlet 21-9, May 1944)

- ✓ Physical Efficiency Test Battery- PETB replaces AGFT
- ✓ First time use of normative scales (0-100)
- ✓ PETB was designed to measure the "man's total score"
- ✓ Contained seven (7) test events:
- Pull-ups
- 20-sec Burpee Test
- Squat Jumps
- Pushups
- 100-yd Pig-a-back Run 70-yd Zig-zag Run
- Sit-ups
- 300-yd Shuttle Run

AGFT

- · Pushups
- · 300-yd Shuttle Run
- 20-sec Burpee Test
- 70-yd Pig-a-back Run
- · 4-mile Road March



COL Theodore Bank

Post World War II to Korea

Physical Training (FM 21-20, 1946 & 1950)

- ✓ Introduced two physical fitness test batteries (PFTB) "Outdoor" and "Indoor"
- ✓ Terminated AGF Test
- √ Revised PETB (eliminated burpee/pig-a-back)

PFTB Outdoor Battery

- Pull-ups
- Squat Jumps
- Push-ups
- Sit-ups
- 300-yd Shuttle Run

PFTB Indoor Battery

- Pull-ups
- Squat Jumps
- Push-ups
- Sit-ups
- Shuttle Run (250 yds) or 60-sec Burpee Test

Post Korean War

Task Force Smith - "As the reports came back from Korea, an alarming number of casualties were attributed to the inability of the U. S. soldiers to physically withstand the rigors of combat over rugged terrain and under unfavorable climatic conditions." (FM 21-20, 1957, p. 10)

FM 21-20, Physical Training and TM 21-200, Physical Conditioning (1957)

- ✓ Retained the Physical Fitness Test Battery (PFTB) outdoor
- ✓ Introduced the Physical Achievement Test (PAT); which was only administered to "combat type units" and was designed to measure combat readiness.

Physical Fitness Test Battery (PFTB)

- Pull-ups
- Squat Jumps
- · Push-ups
- 300-yd Shuttle Run

Physical Achievement Test (PAT)

- 5-sec Rope Climb
- 75-yd Dash
- Triple Broad Jump
- 150-yd Man Carry
- 1-mile Run

Pre Vietnam War

Change 1: TM 21-200, Physical Conditioning (1961) introduced the Physical Combat Proficiency Test (PCPT).

- ✓ The PETB and PAT fitness tests were terminated.
- ✓ PCPT was designed to assess individual and unit fitness
- ✓ Minimum performance times/scores were provided

Physical Combat Proficiency Test

- · 40-yd Low Crawl
- Horizontal Ladder Test (1-min)
- . Dodge, Run, and Jump
- Grenade Throw
- 1-mile Run
- Pull-uns
- · Squat Jumps
- · Push-ups
- Sit-ups
 300-yd Shuttle Ri



Vietnam War

Physical Readiness Training (FM21-20, 1969)

Retained the 5-item Physical Combat Proficiency Test (PCPT) and identified three additional specialty tests

- PCPT: 40-yd low crawl, horizontal ladder, dodge/run/jump, grenade throw, 1-mile run
- Army Minimum PFT Male: squat bender, sit-ups, push-ups, leg over, burpee, stationary run
- Airborne Trainee PF Qualification Test: chin-ups, bent-leg sit-ups, push-ups, half knee bend, 1-mile run
- ✓ Inclement Weather PFT: push-ups, knee bender, sit-ups, side step (jumping jacks), squat thrust (burpee)

Post Vietnam War

Physical Readiness Training (FM 21-20, 1973)

Introduced the Advanced Physical Fitness Test (APFT), the Staff-Specialist PFT (SSPFT), and the Basic PFT (BPFT).

- ✓ APFT: inverted crawl, bent leg sit-ups, run/dodge/jump, 2-mile run.
- ✓ SSPFT: push-ups, bent leg sit-ups, run/dodge/jump, 1-mile run
- ✓ BPFT (for trainees < 40): inverted crawl, bent leg sit-ups, run/dodge/ jump, 1-mile run
- ✓ FM 21-20 (1973) also recognized four (4) specialty tests:
 - Inclement Weather PFT
 - Minimum PFT Male
 - Airborne Trainee PF Qualification Test
 - Ranger/Special Forces PF Qualification Test

Women's Army Corps

FM 35-20, Physical Fitness for Women (1975) approved four physical fitness tests for women.

- Advanced PFT: 80m shuttle run, modified pushups (knees), run/dodge/jump, modified sit-ups (crunches), 1-mile run
- ✓ <u>Basic PFT</u> (for basic trainees): 80m shuttle run, modified pushups (knees), run/dodge/jump, modified sit-ups (crunches), .5-mile run
- ✓ <u>Staff-Specialist PFT</u>: 80m shuttle run, modified pushups (knees), run/dodge/jump, modified sit-ups (crunches), stationary run
- √ <u>Airborne Trainee PF Qualification Test</u>: incline chin-up (approximately 45° angle), modified pushups, modified sit-ups, knee bender, 1-mile run.

Unclassified

Cold War PRT

Physical Readiness Training (FM 21-20, 1980)

- Introduced the Army Physical Readiness Test (APRT):

 ✓ Supersedes FM 21-20 (1973) and FM 35-20 (1975) establishing the
- ✓ Men and women performed same 3-event PRT
- Stipulations for the APFT were: easy to administer (administer anywhere) and minimal need for equipment

first gender integrated Physical Readiness Training manual

- ✓ Soldiers > 40 years/age were not allowed to test PU or SU:
 - Soldiers (ages 17-39): Push-up, Sit-up and 2-mile Run
 - . Soldiers (ages 40-60): 2-mile run or alternate cardio event
- ✓ 1982 U.S. Army Soldier Physical Fitness Center FT Ben Harrison
- √ 1983 Master Fitness Trainer Course (6P ASI)

Breaking the 40 year old Barrier

Physical Fitness Training (Change 1, FM 21-20, 1986)

- √ 23 June 1986 Headquarter DA published Change 1.
- ✓ Scoring standards were change to 5-year age increments
- With 5-year age increments 17-21... a 37-41 age group was established, effectively breaking the 40 year old age barrier
- Minimum performance scores (60-pt score) for 17-21 year old men and women changed significantly
- √ 60-pt scoring standards (17-21):
 - Men PU = 42, SU = 52, 2MR = 15:54
 - Women PU = 18, SU = 50, 2MR = 18:54

Unclassified

Proposed APRT (2002)

The PROPOSED six event APRT consists of the following events:

- √ Long Jump (2 x 5 second jumps)
- √ Power Squat (1 minute)
- √ Heel Hook (1 minute)
- ✓ Shuttle Run (6 x 25 yard sprints)
- ✓ Push-Ups (1 minute)
- √ 1 Mile Run (As fast as you can)

Note: There are no exceptions to this sequence.

APPENDIX C

USAPHC Talking Point Paper and White Paper Changes to the Army Physical Fitness Test, 29 February 2012

An initial review of various potential events and effects on physical performance and injuries.

TALKING POINT PAPER

MCHB-IP-DI 29 February 2012

SUBJECT: Changes to the Army Physical Fitness Test

1. Purpose: To provide talking points on the potential effects of proposed changes to the Army Physical Fitness Test on physical performance and injuries.

2. Talking Points:

- The current APFT effectively measures three key components of physical fitness necessary for warrior tasks: aerobic endurance, muscle endurance, and body composition.
- Two-mile run time, the APFT measure of aerobic endurance, is predictive of individual and unit readiness as well as performance on operational tasks.
- Advantages of the current APFT include its ease of administration and the ability to assess Soldier fitness over multiple decades.
- Current physical training doctrine, Army PRT, is built on established scientific principles that improve physical fitness while minimizing overtraining and injuries.
- Training for a 4-mile APFT run event will increase cumulative running mileage, which will increase injuries.
- Training for a 12-mile road march APFT event will result in greater training time requirements and increased injuries.
- Prior studies of physical performance tests should be considered in development of a new APFT.
- Any new tests selected for the APFT should measure recognized components
 of health and operational fitness, be safe and easy to administer, allow for
 comparisons to past fitness measures, and should encourage Soldiers to train for
 the test such that health-related fitness is enhanced and risk of injury is minimized.
- A tiered approach to physical fitness testing that allows for assessment of a base level of fitness and additional assessments according to occupational specialty and common military tasks identified by NATO [24] should be considered.

Drs. Jones and Chervak/MCHB-IP-D1/410-436-1377

APPROVED BY: LTC(P) Cersovsky

WHITE PAPER

MCHB-IP-DI 29 February 2012

SUBJECT: Changes to the Army Physical Fitness Test

1. Purpose: To summarize the potential effects of proposed changes to the Army Physical Fitness Test on physical performance and injuries.

2. Background.

- a. GEN Odierno (CSA) will make a decision shortly on proposed changes to the Army Physical Fitness Test (APFT), including possible new events, to be implemented on 1 October 2012. Events that have been considered for the new APFT include the 60-yard shuttle run, one-minute rower, standing long jump, one-minute push-ups, and a 1.5-mile run. In February 2012, the Sergeant Major of the Army suggested that a 4-mile run and 12-mile ruck march with load should be part of the new APFT, rather than a 1.5-mile run. He also suggested replacing push-ups with dead-hang pull-ups and changing the rower event time from one to two minutes.[1]
- b. At least 5 changes to the Army's physical performance test have been documented since 1941, when the first Army physical performance test was published.[2] Prior tests have included events considered in the proposed test such as pull-ups and shuttle run. The current 3-event test was established in 1980, and has not been altered except to twice revise the point standards.[2]
- 3. Physical Fitness, the APFT, and Injury Risk
- a. Components of performance-related physical fitness are aerobic endurance, muscle endurance, muscle strength, muscle power, speed, flexibility, agility, balance, reaction time, and body composition.[3] The current APFT measures 3 of these components: aerobic endurance (run event), muscle endurance (push-up and sit-up events), and body composition (body mass index). Aerobic endurance is necessary for warrior tasks such as running or marching under load from one point to another, engaging in man-to-man combat, and evacuating a casualty.[4] Muscle strength and endurance are necessary for nearly all essential warrior tasks such as moving under fire, running or marching with a load, engaging in man-to-man combat, employing hand grenades, and evacuating a casualty.[4]
- b. The current APFT measure for aerobic endurance, 2-mile run time, is a validated performance metric. Two-mile run time is highly correlated with maximal oxygen uptake (VO₂max), the gold standard for aerobic fitness,[5] and has been associated with performance on simulated battlefield tasks such as obstacle course completion, a 400-meter run, and a 30-meter rush.[6] In addition, research and field investigations conducted from the early 1980s to the present have demonstrated that low aerobic endurance is consistently associated with injury, a key determinant of individual and unit readiness. Soldiers with the lowest aerobic fitness (slowest run times) experience a 1.4

to 2.8 times greater risk of injury compared to the most aerobically fit.[7-12] While other measures of fitness (e.g., push-ups, sit-ups, and muscle strength) have been shown to be associated with injury risk, the strength of the associations have not been as consistent or strong. Monitoring APFT run time performance can provide commanders with insights into the overall fitness and potential for injury among their Soldiers. Decreased or stagnant fitness levels plus increased injury rates are markers for overtraining.

- c. The current APFT measure for body composition, the body mass index (BMI), when gender- and age-adjusted, is considered a reasonable indicator of body fat for population-based assessments.[13] When BMI and fitness levels are examined, Soldiers with high BMIs and high aerobic fitness (e.g., performance on the APFT run event) have lower injury risk. Specifically, during Army basic combat training, aerobically fit male Soldiers with a high BMI (>27.3) had an injury risk of 21% compared to an injury risk of 28% for unfit males with a low BMI (<22.2). Aerobically fit female Soldiers with a high BMI (>25.5) had an injury risk of 38% compared to an injury risk of 61% for unfit females with a low BMI (<21.3).[14]
- d. Advantages of the current APFT also include its ease of administration and, given the accumulation of over 20 years of standardized test results, the ability to assess and compare Soldier fitness over time. Given the sit-up, push-up, and run events test different muscle groups and/or fitness components, the events can be conducted on the same day. This could not be accomplished if the APFT included two weight-bearing aerobic events (i.e., a run and a road march). In addition, the current APFT has minimal equipment requirements and can be administered with relatively few staff. Administration of alternative fitness tests such as a shuttle run, standing long jump, or pull-up would require additional staff and equipment such as permanently installed pull-up bars of a standardized circumference, standardized surface for the shuttle run, tape measures, and cones. If testing was conducted outside, the condition of the pull-up bars and ground surface would have to be considered, as the ability to maintain grip or footing while making abrupt changes in direction would be affected by cold and/or wet conditions, which could increase the risk of injury.[2]
- e. The current doctrine for physical training, the Army Physical Readiness Training (PRT) Program, was implemented in 2004. It is built on the established principles that injuries can be avoided and desired physical fitness can be obtained by gradually introducing weight-bearing training, limiting total running volume, and including training to enhance agility, mobility, and coordination.[4, 15] Prior studies of both Marine and Army units demonstrated that running distances during training could be reduced without decreasing desired aerobic performance gains.[16, 17] In an evaluation of Army PRT, units conducting traditional Army physical training had a 40% greater injury incidence compared to units conducting Army PRT, yet there were no differences in fitness gains (APFT pass rates) between the units.[18] Surveillance of basic combat training injuries showed a 29% reduction in injury rates during the first 4 years of implementation.[19]

- 4. Potential Effects of 4-mile Run and a 12-mile Road March APFT Events
- a. By increasing the APFT run event to 4 miles, reductions in basic combat training injury rates would likely reverse, as units train for the APFT by running even greater distances. Numerous civilian and military studies have demonstrated that higher cumulative running mileage increases the risk of lower extremity injury. While increasing running mileage can result in enhanced aerobic fitness, there are thresholds at which injury risks increase but fitness levels remain the same or decrease. For example, among runners training 3 days/week at 85-90% maximum heart rate, the group that trained for 45 minutes/day experienced a 54% injury incidence and a 16.9% increase in endurance (as measured by maximal oxygen uptake, or VO₂max).[20] In comparison, the group that trained for 30 minutes/day experienced a much lower injury incidence (24%) with similar gains in endurance (16.1%). In a study of running mileage during Army infantry initial entry training, a unit that ran 130 miles experienced a 29% higher injury incidence with no difference in two-mile run time compared to a unit that ran only 56 miles.[17] Evidence such as this prompted the Joint Services Military Injury Prevention Working Group to rank 'prevention of overtraining' as the top priority for prevention of physical training-related injuries.[21] Such effects have also been seen recently in a 2010 analysis of infantry physical training. In this analysis, Soldiers in units who ran more than 16 miles per week had a 75% greater risk of injury compared to units who ran less than 7 miles per week, with no difference in APFT performance.[22]
- b. Similarly, if personnel are being tested on a 12-mile road march with a load, units will train for this event by conducting more and longer road marches. Increased injuries as a result of road marching can be expected.[23-25] As an example, 24% of Soldiers in a light infantry unit were injured during a 20 km (12.4 mile) road march carrying a 46 kg (101 pound) load.[26] The majority (77%) were lower extremity injuries such as blisters, metatarsalgia, and sprains/strains, with back pain/strain making up the remaining 23%. Injuries reported in other studies of military road marches have also included stress fractures, knee pain, and rucksack palsy.[25] Methods to reduce march-related injury risk have been described [25], and regular aerobic and resistance training, as well as routine road marching with load have been recommended to improve road march capabilities.[24, 27] However, adding this training event as well as a 4-mile run would greatly increase training time and injuries resulting from the extensive weight-bearing training Soldiers will be required to perform. Pilot testing and development of appropriate standards would also be required for this test. Such a road march test would be better suited for an operational test battery.
- 5. Considerations for the Development of a New APFT
- a. Prior studies have investigated alternative laboratory and field expedient physical performance tests and the reported relationships to operational tasks in military populations.[6, 28-30] Findings of these studies should be thoroughly reviewed by appropriate organizations and subject matter experts when considering development of new events for the APFT.
- b. Regardless of the specific test events selected for the new APFT, the test should measure recognized components of health and operational fitness, be safe and easy to

administer, allow for comparisons to past fitness measures, and should encourage Soldiers to train for the test such that a base level of physical fitness is attained and maintained. As stated in a 1999 consensus statement from the Research Workshop on Physical Fitness Standards and Measurements within the Military Services, required maintenance of a base level of physical fitness "promotes a standard of physical readiness commensurate with the active life style and deployability of the military profession" and serves a "common goal of motivating service members toward good fitness habits, physical training participation, and a healthy life style."[31] However, a number of occupational specialties arguably have additional physical demands for which a "second tier" of operational fitness test measures could be developed to evaluate and test additional job-specific fitness requirements.[31]

6. Conclusions.

- a. The current APFT effectively measures three key components of physical fitness necessary for warrior tasks: aerobic endurance, muscle endurance, and body composition.
- b. Two-mile run time, the APFT measure of aerobic endurance, is predictive of individual and unit readiness as well as performance on operational tasks.
- c. Advantages of the current APFT include its ease of administration and the ability to assess Soldier fitness over multiple decades.
- d. Current physical training doctrine, Army PRT, is built on established scientific principles that improve physical fitness while minimizing overtraining and injuries.
- e. Training for a 4-mile APFT run event will increase cumulative running mileage, which will increase injuries.
- f. Training for a 12-mile road march APFT event will result in greater training time requirements and increased injuries.
- g. Prior studies of physical performance tests should be considered in development of a new APFT.
- h. Any new tests selected for the APFT should measure recognized components of health and operational fitness, be safe and easy to administer, allow for comparisons to past fitness measures, and should encourage Soldiers to train for the test such that health-related fitness is enhanced and risk of injury is minimized.
- i. A tiered approach to physical fitness testing that allows for assessment of a base level of fitness and additional assessments according to occupational specialty and common military tasks identified by NATO [24] should be considered.

Drs. Jones and Chervak/MCHB-IP-DI/410-436-1377

APPROVED BY: LTC(P) Cersovsky

References

- 1. Bacon, L.M. (February 13, 2012) *SMA wants 4-mile run, 12-mile march for PT test.* Army Times.
- 2. Knapik, J.J., Bullock, S., Hauret, K., Wells, J., Hoedebecke, E., Canada, S., Toney, E., Kenyon, M., Pace, C., Young, L., Corum, S., *Administrative and safety evaluation of a proposed Army Physical Readiness Test (Technical Report No. 12-HF-5738-02)*. 2002, U.S. Army Center for Health Promotion and Preventive Medicine: Aberdeen Proving Ground, MD.
- 3. U.S. Department of Health and Human Services, *Physical activity and health: A report of the surgeon general.* 1996, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion: Atlanta, GA.
- 4. Headquarters Department of the Army, *Army Physical Readiness Training (Training Circular No. 3-22.20)*. August 2010.
- 5. Knapik, J.J., *The Army Physical Fitness Test (APFT): a review of the literature.* Mil Med, 1989. **154**(6): p. 326-9.
- 6. Harman, E.A., et al., *Prediction of simulated battlefield physical performance from field-expedient tests.* Mil Med, 2008. **173**(1): p. 36-41.
- 7. Jones, B.H., et al., Intrinsic risk factors for exercise-related injuries among male and female army trainees. Am J Sports Med, 1993. **21**(5): p. 705-10.
- 8. Knapik, J.J., et al., *Injury reduction effectiveness of selecting running shoes based on plantar shape.* J Strength Cond Res, 2009. **23**(3): p. 685-97.
- 9. Knapik, J.J., et al., Risk factors for training-related injuries among men and women in basic combat training. Med Sci Sports Exerc, 2001. **33**(6): p. 946-54.
- 10. Reynolds, K.L., et al., *Cigarette smoking, physical fitness, and injuries in infantry soldiers.* Am J Prev Med, 1994. **10**(3): p. 145-50.
- 11. Knapik, J.J., et al., *Injury incidence and injury risk factors among U.S. Army basic trainees at Fort Jackson, S.C., 1998.* 1999, U.S. Army Center for Health Promotion and Preventive Medicine: Aberdeen Proving Ground, MD.
- 12. Canham, M.L., *Training, physical performance, and injuries among men and women preparing for occupations in the Army,* in *Advances in occupational ergonomics and safety: proceedings of the XIIIth Annual International Occupational Ergonomics and Safety Conference 1998* S. Kumar, Editor. 1998, IOS Press: Washington, DC. p. 711-714.
- 13. Pasco, J.A., et al., *Prevalence of obesity and the relationship between the body mass index and body fat: cross-sectional, population-based data.* PLoS One, 2012. **7**(1): p. e29580.
- 14. Jones, B.H., S. Darakjy, and J.J. Knapik, *Aerobic fitness, body mass index, and risk of injury during Army basic combat training.* Med Sci Sports Exerc, 2004. **36**(5): p. S308.
- 15. Knapik, J.J., et al., *Injury and fitness outcomes during implementation of physical readiness training.* Int J Sports Med, 2003. **24**(5): p. 372-81.
- 16. Shaffer, R.A., *Musculoskeletal injury project.*, in *43rd Annual Meeting of the American College of Sports Medicine*. 1996: Cincinatti, OH.
- 17. Jones, B.H., D.N. Cowan, and J.J. Knapik, *Exercise*, training, and injuries. Sports Med, 1994. **18**(3): p. 202-14.

APPENDIX D

USAPHC-IPP EXSUM - AUG 2012

(Initial TRADOC Tasker VTC)

UNCLASSIFIED EXECUTIVE SUMMARY 30 Aug 2012

(U) SUMMARY OF VTC REGARDING REVISED APFT TASKER. (U) (MCHB-IP-DI) Drs Jones and Nindl, CPT DeGroot and Mr Hauret and Mr Grier participated in a VTC organized by LTC David DiNenna, HQDA DCS G-3/5/7 in order to clarify issues regarding the revised APFT and other taskers. Also in attendance from HQDA were SGM Wells and SGM Hank McClellan, who lead the discussion. Mr Mike Haith and SGM Taylor from TRADOC and personnel from USARIEM also participated. SGM McClellan stressed that there are multiple taskers regarding fitness testing and physical training and that communication and transparency, especially with HQDA, is important in light of the issues with the now-defunct earlier attempt to revise the APFT. Mr Haith expressed his intention to keep TRADOC senior leaders appraised as the process to develop a new APFT proceeds, as reflected by the Decision Brief dates in the draft EXORD. The meeting was beneficial for AIPH personnel for situational awareness purposes.

CPT DeGroot/MCHB-IP-DI/(APPROVED BY: Dr Bruce Jones

UNCLASSIFIED

APPENDIX E

Reviews by Subject Matter Experts of the 2012 Proposed Army Physical Readiness Test (APRT)

March - April 2012

DESCRIPTION:

Table E-1. Army Physical Readiness Test (APRT) as a proposed APFT replacement included the following 5 tests:

1. Test	2. Measure	
3. 60-yard Shuttle Run	4. (agility)	
5. 1 min Rower	6. (muscular endurance)	
7. Standing Long Jump	8. (leg power)	
9. 1 min Push-up	10. (upper body muscular endurance)	
11. 2-mile Run	12. (cardio-respiratory endurance)	

Army Combat Readiness Test (ACRT) was conceptualized to be a separate gender/age free test for readiness (e.g. prior deployment):




Figure E-1. Concept for ACRT

REVIEW:

In order to advise Army headquarter decision-makers as to whether to implement the new APRT, three groups of subject matter experts (SMEs) were requested by TRADOC to evaluate the APRT by answering the following questions. The responses are provided in the following pages of this Appendix:

- 1. Is the proposed five-event APRT the right test?
- 2. Are the five events the right events?
- 3. Do these five events test what we (the Army) want to test?
- 4. Is the APRT fair (does height, weight, age affect performance)?
- 5. What scoring system would best ensure fairness?

Dr. Todd Crowder and Dr. Whitfield East Department of Physical Education - United States Military Academy (West Point)

Purpose: The purpose of this validation is to provide the CG TRADOC with a level of confidence that confirms that the proposed five-event Army Physical Readiness Test (APRT) is an appropriate replacement for the current Army Physical Fitness Test (APFT).


Question #1: Is the proposed five-event APRT the right test?

To determine if the proposed five-event APRT is the "right test", we must first establish a cross-validation criterion. We first reviewed the myriad of tests that have been used by the Army to assess physical readiness. We also reviewed the limited number of studies that have addressed the physiological demands of combat. Further, we considered that *current* theater engagements should not dictate the demands of *future* full spectrum combat operations in varying terrains, climates, and diverse theaters of operations.

The logical criterion for a physical readiness assessment is the physiological needs of the modern combat Soldier, with a concomitant criterion-referenced measure. Unfortunately there is little or no conclusive research on the physiological demands of combat (i.e., with current uniform, IBA and gear). Therefore, utilizing only a historical perspective with limited physiological combat assessment data, it is problematic to determine if this five-event APRT is the "right test". Without some criterion-referenced basis on which to judge the construct validity of the 5-event battery, our response can only be based upon the intuitive face validity of the five events. In order to improve the basis of our analysis, we will utilize the following three referent criteria to analyze the five events: (1) the attributes of a "good" fitness test items, (2) TRADOC's initial event stipulations, and (3) our philosophy of physical readiness training.

- (1) There are five primary attributes of a "good" test event:
 - Validity events should measure what they purport/intend to measure. Since we
 have no criterion-referenced standard upon which to conduct a construct validation,
 the best we can offer is opinions relative to the face validity of each test event.
 - Reliability scores must be replicable over "time".
 - Objectivity scores must be replicable over "raters".
 - Discrimination scores discriminate between levels of performance.
 - Authenticity events should have some functional connection to combat readiness.
- (2) As we understand it, these are the current stipulations for the APRT:
 - Minimal need for "equipment".
 - Event battery should be administrable in 60-120 minutes.
 - The rater/Soldier ratio should be relatively low.

- Events should be administrable in a relatively confined area with close proximity between events.
- (3) Our underlying physical readiness training (PRT) model is similar to TC 3-22.20. The nexus of our model is "mobility", which represents the confluence of strength, speed, and stamina:



- Strength/Force: ability to overcome resistance; strength is a high intensity action.
- Stamina/Endurance: ability to do sustainable physical work; stamina is low intensity action.
- Speed: ability to move rapidly over a given distance; speed is a high intensity action.

Question #2: Are the five events in the proposed PRT (60-yd shuttle run, 1-min rower, standing long jump, 1-min push-up w/no rest and 2-mile run); are these the right events?

Attribute analysis of the five PRT events:

Event	Assessment	Face Validity	Reliability	Objectivity	Discrimination	Authentic
Shuttle run	Agility	good	good	good	moderate	fair
Push-ups	upper-body endurance	good	moderate	poor	good	fair
Rower	core-body endurance	good	moderate	fair	good	moderate
Long jump	lower body power	good	moderate	moderate	moderate	fair
2-mile Run	C-R endurance	good	good	good	good	moderate

Analysis of the 5-event battery aligned with current APRT stipulations:

Strength/Force: There are many events that can be used to assess muscular strength. Most strength assessments focus on the upper body (shoulder) and lower body (hips/low back). Based upon Stipulations 1 & 4, there are no true strength measures (1RM bench press, 1RM back squat, 1RM dead lift) that would be acceptable to the Army. We, therefore, recommend including two functional strength/power/endurance assessments; as a measure of functional strength/ endurance in the upper body we recommend the Chin-Up and as a measure of functional strength/power in the upper and lower body we recommend the "100-yd Load Carry".

Chin-ups: Have been used on numerous occasions in Army PR tests.. We recommend some administrative device (like a cadence) to ensure Soldiers come to full extension. We further recommend an "incline chin-up" option for women to score at the 60-65 point level and the awarding of 70 pts for 1 chin-up. Chin-ups score well on virtually every test attribute:

- Chin-ups and chin-up bars are ubiquitous throughout the Army.
- Rater/Soldier ratio is high, but no greater than the current push-up event and is mitigated by the minimal administration time, < 1 minute per Soldier.
- Chin-ups have a relatively high degree of reliability, objectivity, and authenticity.
- Promotes the strengthening of the upper arm/shoulder and posterior-chain muscles to improve shoulder stability and prevent shoulder injuries.

The only issue is the chin-up test is body mass centric; i.e., big, heavy soldiers (fat or muscle) score lower than small, light soldiers. An ancillary benefit to this issue is the chin-up test will serve as a forcing function for lowering body fat.

100-yd Load Carry: Soldiers would "carry" (lift/drag) an 80-pound load 100 yards for time. Soldier may lift this load in any fashion or drag it 100 yards.

- 100-yd Load Carry simulates an event that has been used in three different Army PRTs; the Army Ground Forces Test (1942) 70-yd "pick-a-back" run, the Physical Efficiency Test Battery (1944) 100-yd "pick-a-back" run, and the Physical Achievement Test (1957) 150-yard man carry.
- Rater/Soldier ratio is low.
- Minimal need for equipment (canvas bag, sand, cones, stopwatch).
- Administration time would average < 1 minute per Soldier.
- 100-yd Load Carry has a relatively high degree of reliability, objectivity, authenticity (WTBDs casualty evac), and discriminates well.
- 100-yd Load Carry provides some equity versus body mass by assessing functional strength/force/power in the lower/upper body.

Stamina/Endurance: The two primary stamina/endurance domains are cardio-respiratory and muscular:

- Cardio-respiratory stamina is the ability to accomplish sustainable, low intensity work. Some of the more common field measures are:
 - Runs for distance (1, 1.5, 2, 3, 4 miles) or time (9-min, 12-min, etc.)
 - Road march for distance (3, 6, 9, 12, 15 miles) generally with load
 - Stationary or road bike (5, 10, 15 miles)

2-mile Run (2MR): We recommend retaining the 2-mile run in the APRT as a measure of cardio-respiratory endurance.

- 2MR has been used in the Army since 1975.
- Rater/Soldier ratio is low.

- Minimal need for equipment (flat running surface).
- Administration time would average < 20 minutes per Soldier.
- 2MR has a relatively high degree of reliability, objectivity, and discriminates well.
- Muscular endurance Field measures of muscular endurance generally focus on the shoulder/upper body, hips/lower body and core body. Most field-expedient events have moderate to poor objectivity (due to the subjective performance criteria – i.e., the push-up), making the scores less reliable and therefore less valid. Some of the field measure are:
 - Upper body pushups, pull-ups, dips
 - Core body sit-ups, crunches, rower, ankles to the bar, heel hook, plank
 - Lower body squats/knee bends, squat jumps, burpees/squat thrusts

Push-up: We do not recommend the inclusion of the push-up due to its poor objectivity and isolation/emphasis on anterior-chain muscles, which tends to destabilize the shoulder.

Rower: We recommend retaining the "rower" as a measure of core-body endurance; however we recommend adjusting the administration time to two minutes with no rest to mitigate objectivity issues and potential for soft tissue injuries (TC 3-22.20 uses the "rower" as a warm-up activity and recommends execution at a "slow cadence").

- Rower-like tests have used in the Army since 1946.
- Rater/Soldier ratio is low.
- Minimal need for equipment (flat surface).
- Administration time would average < 2 minutes per Soldier.
- Rower has a relatively high degree of reliability, objectivity, authenticity (more functional than sit-ups, crunches, or plank) and discriminates well.

Mobility: Mobility is generally defined by the six components of skill-related fitness as influenced by a Soldiers strength, speed, and stamina:

- Agility shuttle run, 5-10-5 Pro agility test
- Speed 40, 60, 100 meter sprint
- Balance stork stand, balance beam walk
- Power vertical jump, standing long jump, box jumps, Margaria-Kalamen
 Power test
- Flexibility


 sit and reach
- Kinesthesis spatial awareness of the body during movement

We can either choose to measure the various sub-components of mobility or develop a more authentic, functional test of general mobility. The current APRT proposes two sub-component tests: shuttle run - agility/speed, and standing long jump – explosive power.

Shuttle Run/Long Jump: We believe authenticity is crucial to the APRT. Therefore, we do not recommend including the shuttle run or the long jump based upon their lack of

authenticity, low ability to discriminate, and potential administrative time constraints for the long jump.

Mobility (MOB): We recommend the development of a functional measure of mobility that provides a higher degree of discrimination and authenticity. For over 25 years the Army used a mobility run to assess combat readiness: Army Ground Forces Test (1942) – 70-yd zig-zag run and Physical Combat Proficiency Test (1961) – dodge, run, and jump. Listed below is an example of a functional mobility test (MOB). This test incorporates all of the sub-components of mobility into a functional 1-shot test. The MOB has significantly greater authenticity than the shuttle run and still meets all Army event stipulations; equipment needs and set-up time are minimal and you can test a large number of Soldiers quickly (the test would last < 90 seconds). The MOB also discriminates well among Soldiers.



Summary for Question #2:

We recommend an alternative 5-event battery to test physical readiness that will measure cardio-respiratory stamina, upper-body functional strength, lower-body functional strength, core-body endurance, and mobility. The entire APRT should be completed in ACUs with running shoes. The five test events (in order) are:

- MOB as a functional measure of mobility (fundamental and motor skills), Soldiers will execute the 90-sec mobility run course
- 2. **Rower** as a functional measure of core body endurance, Soldiers will execute the "rower" as described in TC 3-22.20 for a maximum of 2 minutes not to exceed 100 repetitions (100 points). There is no rest position.
- 3. **100-yd Load Carry** as a functional test of leg/lower back strength/force, Soldiers will "carry" an 80-pound load 100 yards for time. The load may be lifted to the shoulders as in the "Fireman's carry", carried in front as in the "basket carry", or "dragged".
- 4. **Chin-ups** as a functional measure of upper body strength/force. Soldiers will execute the chin-ups until the Soldier reaches momentary muscular failure. There is no rest position. The Soldier may use any of three grips: palms facing out, palms

facing in, or an alternate grip. The Soldier must generally maintain a generally straight body position throughout each repetition. The Soldier may not begin the next repetition until he/she has come to a fully-extended hanging position (or is prompted by the grader – "up" or a cadence).

5. **2-mile Run** – as a functional measure of stamina. Soldiers will run at their best sustainable speed for two miles.

Question #3: Do these five events test what we (the Army) want to test? No - we recommend the five events listed above. To enhance, we further recommend consideration of adding an IBA to each event listed in Question #2 except the chin-ups (APRT-2).

Question #4: Do these five events test what we (the Army) want to test?

No, and to a relatively significant degree, neither does the revised 5-event APRT battery we recommended above (although we feel it is more authentic than the currently propose 5-event APRT battery). Without stipulations, we recommend the Army consider the five-event battery listed below. We believe if the Army established the physiological needs of the modern combat Soldier, these events could be tested and would emerge as measures of functional combat readiness.

- 1. **MOB** as a functional measure of mobility (fundamental and motor skills), Soldiers will execute the 90-sec mobility run course
- 2. **Bench Press** (men = 175 lbs, women = 90 lbs.) as a measure of upper body strength/force. Soldiers will execute repetitions at the specified weight to momentary muscle failure.
- 3. **100-yd Load Carry** as a functional test of leg/lower back strength/force, Soldiers will "carry" an 80-pound load 100 yards for time. The load may be lifted to the shoulders as in the "Fireman's carry", carried in front as in the "basket carry", or "dragged".
- 4. **Chin and Curl** as a functional measure of upper/core body strength/force, Soldiers will execute alternating repetitions of the "chin-up" and the ankles-to-the-bar (or heel hook) until the Soldier reaches momentary muscular failure. There is no rest position, palms may face out, in or an alternating grip may be used. Soldiers must generally maintain a straight body position throughout the entire repetition. The Soldier may not begin the next repetition until prompted by the grader "up".
- 5. **3-mile Run** as a functional measure of endurance/stamina, Soldiers will run at their best sustainable speed for three miles.

Lastly, we recommend all test events (in Question #4) with the exception of the Bench Press be taken in ACU's with running shoes; in addition we recommend the "MOB" be taken in body armor. The bench press test will be taken on a separate day from the "field" events. The

MOB, 100-yd Load Carry, Chin and Curl, and 3-mile Run will be taken sequentially during a 60-minute testing period.

Question #5: Is the APRT fair?

Combat requires a variety of physical skills and abilities and there is no way to predict the full extent to the level of any engagement; i.e., who/what/when/where a Soldier will come into contact with the enemy and/or the physical extent of that contact. Therefore PRT assessments should be sufficiently rigorous to ensure mission success and personal safety/survivability. Combat is pass/fail and the only way to ensure that Soldiers are prepared for combat is to establish combat-focused criterion-referenced standards. Clearly we must account for physiological differences by age and gender; however this accountability should come during the "evaluation" phase, not during the assessment phase. Combat is not fair and when we interject "fairness" into the development of physical readiness assessments we jeopardize the overall mission.

Respectfully submitted; 10 April 2012: Dr. Whitfield B. East, Professor Dr. Todd A. Crowder, Associate Professor Department of Physical Education United States Military Academy

EXSUM	Current APRT Revised APRT		Revised APFT	
Recommendations:	with stipulations	with stipulations	no stipulations	
Strength/Power (lower	Standing Long	100-yd Load	100-yd Load	
body)	Jump	Carry	Carry	
Strength (upper body)			Bench Press	
Endurance/Strength	Push-up	Chin-up	Chin-Curl	
Core Endurance	Rower	Rower	Criin-Curi	
CR Stamina	2-mile Run	2-mile Run	3-mile Run	
Mobility	Shuttle Run	MOB	MOB	

Marilyn A. Sharp, M.S., Barry A. Spiering, Ph.D., Bradley J. Warr, MAJ, SP, Ph.D., MPAS United States Army Research Institute of Environmental Medicine (USARIEM)

Purpose:

The Director of the Army Physical Readiness Division (PRD) requested input from USARIEM personnel regarding the proposed Army Physical Readiness Test (APRT) as a replacement for the current Army Physical Fitness Test (APFT).

Responses to Specific Questions:

Is the proposed five-event APRT the right test?

[We interpret this as: "Is it better to perform the proposed five-event APRT or the alternatively proposed three-event APRT?"]

Response: Soldiering performance requires multiple physical capabilities, including aerobic endurance, muscle strength, muscle endurance, speed, power, agility, etc. The current APFT is limited to only assessments of aerobic endurance and muscle endurance. An advantage of the five-event APRT is that it captures a more diverse array of physical capabilities (aerobic endurance, muscular endurance, agility, and power), possibly making the five-event APRT a better assessment of soldiering performance. The burden of including two additional tests should be acknowledged, but the burden appears minimal and reasonable.

Are the five events (60-yd shuttle run, 1-min rower, standing long jump, 1-min push-up w/no rest and 2-mile run) the right events?

Response: Retaining the 2-mile run permits a historical assessment of changes in aerobic fitness over time. This is beneficial because Army investigators have large amounts of historical data indicating the utility of the 2-mile run for predicting performance on common soldiering tasks (Myers et al. 1984; Knapik et al. 1990; Harman et al. 2008) as well as predicting future injury risk (Knapik et al. 2001). With regards to the remaining four events, the answer is unknown because the criterion validity has not been established (i.e., no data have been collected to establish the relationship between these APRT tests and performance on common soldiering tasks). These four tests are based on face validity. In other words, in theory these tests seem to be a better indicator of performance on common soldiering tasks, but this theory has not been tested/validated/quantified. Furthermore, there are other field-expedient tests (e.g., pull-ups) that could possibly be better predictors of performance on common soldiering tasks; however, the criterion validity of other field-expedient tests has not been thoroughly investigated. Therefore, at this point it is not possible to determine if these four APRT tests are the "right events", or if other field-expedient tests might be "better tests".

Do these five events test what we (the Army) want to test?

Response: DODI 1308.01 mandates the assessment of aerobic endurance, muscle endurance, and muscle strength. DODI 1308.01 correctly defines strength as the maximal ability of the neuromuscular system to produce force in a single repetition. There is no debate that the current APFT assesses aerobic endurance and muscle endurance. There is also little

debate that the APFT does not adequately assess muscle strength. Therefore, muscle strength is the critical variable not current assessed by the APFT.

The Army PRD has been handcuffed by a requirement mandating that physical performance tests should utilize no equipment. This requirement has forced the Army PRD to rely on field-expedient tests such as the broad jump to assess muscle strength. The broad jump is an adequate assessment of peak power (power = force x velocity). In a small sample of athletic men and women, broad jump is correlated to maximal leg strength (Peterson et al. 2006). However, although the broad jump is correlated with muscle strength, the broad jump is not a commonly accepted assessment of muscle strength.

Regardless of the relationship between APFT/APRT tests and various test constructs (e.g., strength, endurance, agility, etc), a more compelling question is whether performance on the APFT or APRT predicts performance on common soldiering tasks. Previous research has demonstrated that, with the exception of the 2-mile run, the APFT has limitations in predicting performance on common soldiering tasks (Myers et al. 1984; Knapik et al. 1990; Harman et al. 2008). No research has examined this relationship in the APRT events. Based on face validity, it seems that APRT performance would be a better predictor of performance of common soldiering tasks than APFT performance. However, it would be prudent to validate this assumption prior to APRT implementation.

Is the APRT fair?

Response: Vanderburgh (2008) indicates that the APFT is unfair to heavier West Point cadets and ROTC cadets. However, USARIEM investigators did not find this to be true in a large sample of soldiers (Hendrickson et al. 2009). Therefore, whether height and weight bias the APFT results remains equivocal. With respect to age and gender, APFT scores are adjusted to improve "fairness" of the results. Based on the data and analysis provided by Army PRD, it seems that the APRT is no more biased than the APFT. Further analysis of the data might be required to sufficiently answer this question. Importantly, it seems that additional data will need to be collected on 40+ year olds to establish standards.

What scoring system would best ensure fairness?

Response: COA 1 is the "historical approach" to scoring and is acceptable. COA 3 also seems appropriate (everyone judged on the same scale, but required points adjusted by age/gender); this approach has the added benefit of allowing for direct comparisons of performance between age groups and genders. COA 2 ("historical approach" +10%) is arbitrary and therefore difficult to defend. COA 4 ("historical approach" for three-events and "go or no go" for the broad jump and shuttle test) would be advantageous considering the difficulty in scoring the shuttle test accurately without equipment (see comments below). Importantly, it seems that additional data will need to be collected on 40+ year olds to establish requirements.

Gaps and Concerns:

The foundation of the proposed APRT is built on guidance from SMEs and "face validity". This is a necessary first step; however, a critical next step is establishing the criterion validity (i.e., relationship between APRT test performance and common soldiering task performance), test reliability (i.e., the ability of the test to produce consistent scores), impact of environmental conditions on test scores, etc. Further data collection would increase strength of certainty that the five-event APRT is appropriate for Army-wide implementation.

We have concerns regarding the reliability/stability of the shuttle run. The standard error of this test could be relatively large, considering that it will be hand-timed, the likelihood of between-site difference in testing surfaces, the effects of environmental conditions, etc. Relatively large random error in the measurement (likely >0.2 sec) could make meaningful differences in the outcome score, considering that merely a 0.1 sec difference is sufficient to raise/lower a soldier's outcome score.

We have concerns about scoring the rower. Will swinging of the arms generate momentum, thus reducing the force requirements for the abdominal muscles? Could this be overcome by an alternative exercise technique?

Recommendations to Mitigate Gaps and Concerns:

The APFT was not scientifically validated prior to implementation. Instead, the APFT was implemented and subsequent research has challenged is utility and predictive validity. This mistake should not be made again. If a primary objective is to establish the relationship between the APFT/APRT and common soldiering task performance, then additional research must be conducted. Army PRD has an opportunity to further validate the APRT prior to its implementation. This would improve strength of certainty and secure buy-in from the appropriate decision-makers. We recommend that Army PRD collaborates with Army scientists to:

- 1) Determine the criterion validity of various field-expedient tests (APFT, APRT, and other candidate tests). In other words, assess the ability of various field-expedient tests (e.g., long jump, shuttle run, pull-ups, etc) to predict performance on common soldiering tasks. A large-scale investigation will answer: i) which tests are most appropriate; and ii) the minimal number of tests required to adequately assess performance on common soldiering tasks.
- 2) Determine the reliability/stability of the field-expedient tests (i.e., how much random error is associated with the measurement, the number of tests required to obtain a stable value, etc)
- 3) Determine the impact of environmental conditions, surface conditions, etc, on test results
- 4) Establish appropriate criterion-based and/or normative-based scoring systems

USARIEM Panel:

Marilyn A. Sharp, M.S. Barry A. Spiering, Ph.D. Bradley J. Warr, MAJ, SP, Ph.D., MPAS

References:

Harman EA, Gutekunst DJ, Frykman PN, Sharp MA, Nindl BC, Alemany JA, Mello RP. Prediction of simulated battlefield physical performance from field-expedient tests. *Military Medicine* 2008; 173 (1):36-41.

Hendrickson, N.R., Sharp, M.A., Knapik, J.J., Marin, R. Body mass bias and allometric scaling in the Army physical fitness test among Infanty Soldiers. Med Sci Sports Exerc 41 (5S): S232, 2009.

Knapik JJ, Staab J, Bahrke M, O'Conner J, Sharp M, Frykman P, Mello R, Reynolds K, Vogel J: Relationship of soldier load carriage to physiological factors, military experience and mood states, Technical Report No. T17-90. Natick, MA, U.S. Army Research Institute of Environmental Medicine, 1990.

Knapik JJ, Sharp MA, Canham-Chervak M, Hauret K, Patton JF, Jones BH. Risk factors for training-related injuries among men and women in basic combat training. *Med Sci Sports Exerc* 2001; 33 (6): 946-54.

Myers DC, Gebhardt DL, Crump CE, Fleishman EA: Validation of the military entrance physical strength capacity test. Alexandria, VA, U.S. Army Research Institute for the Behavioral Sciences, 1984.

Peterson MD, Alvar BA, Rhea MR. The contribution of maximal force production to explosive movement among young collegiate athletes. *Journal of Strength and Conditioning Research* 2006; 20 (4): 867–873.

Vanderburgh PM. Occupational relevance and body mass bias in military physical fitness tests. *Med Sci Sports Exerc* 2008; 40 (8): 1538-45.

Lee E. Brown

I have evaluated all the materials sent to me by Barry A. Spiering regarding the new APRT test. My comments, suggestions and recommendations are below:

COMMENTS

According to DOD 1308.1, section 4.1.1. Physical Fitness. The Military Services shall design physical fitness training and related physical activities consistent with established scientific principles of physical conditioning that enhance fitness and general health essential to combat readiness. Individual Service members must possess the cardio-respiratory endurance, muscular strength and muscular endurance, together with desirable levels of body composition to successfully perform in accordance with their Service-specific mission and military specialty. According to DOD 1308.3, section 6.1.3.1. Military Services shall develop and use physical fitness tests (PFTs) that evaluate aerobic capacity (e.g., timed run, submaximal cycling) and muscular strength and muscular endurance (e.g., push-ups, pullups, sit-ups, machine tests). PFTs assess Service-wide baseline generalized fitness levels and are not intended to represent mission or occupationally specific fitness demands. Also, according to section E1.1.7. Muscular Strength. The maximal force that can be exerted in a single voluntary contraction of a skeletal muscle or skeletal muscle group. The simplest measure of strength involves various one-repetition maximum weight-lifting test (the heaviest weight that can be lifted only once). Although tests such as push-ups, pull-ups, and sit-ups measure primarily muscular endurance, there is a physiological continuum where individuals who can perform only a few repetitions of a test are completing a strength test. Thus, the pullup, for which many individuals can complete only a few repetitions, is closer to a true strength test than push-ups.

The committee was asked to answer the five questions below (per the MEMORANDUM FOR Director, Military Performance Division, U.S. Army Research Institute of Environmental Medicine, Natick, MA 01760-5007):

- 2. Focus. The CG TRADOC asked that the following five questions be reviewed and answered by an external subject matter expert panel:
- a. Is the proposed five-event APRT the right test?
- b. Are the five events (60-yd shuttle run, 1-min rower, standing long jump, 1-min push-up w/no rest and 2-mile run) the right events?
- c. Do these five events test what we (the Army) want to test?
- d. Is the APRT fair?

- i. Does height affect performance?
- ii. Does weight affect performance?
- iii. Does age affect performance?
- e. What scoring system would best ensure fairness?

The resultant recommendations by the committee are the five tests below:

- 1. 60-yard Shuttle Run (agility)
- 2. 1 min Rower (muscular endurance)
- 3. Standing Long Jump (leg power)
- 4. 1 min Push-up (upper body muscular endurance)
- 5. 2-mile Run (cardio-respiratory endurance)

SUGGESTIONS

- 1. The DOD documents listed above clearly state strength is a variable of interest. However, the current recommended tests do not measure strength as it is defined by the document. The current recommended tests substitute power for strength.
- 2. My answers to the five questions asked of the committee below in ALL CAPS.
- a. Is the proposed five-event APRT the right test?
- NO, SINCE THEY DO NOT MEASURE STRENGTH, THEY CANNOT BE RIGHT. IN FACT THIS VIOLATES THE DOD DIRECTIVE BY SUBSTITUTING A POWER TEST (STANDING LONG JUMP) FOR THE STRENGTH TEST. I CAN ONLY ASSUME THIS IS TO SATISFY THE ARMY'S DIRECTIVE TO USE NO EQUIPMENT. HOWEVER, THIS RULE VIOLATES THE DOD DIRECTIVE 1308.1 THAT "THE MILITARY SERVICES SHALL DESIGN PHYSICAL FITNESS TRAINING AND RELATED PHYSICAL ACTIVITIES CONSISTENT WITH ESTABLISHED SCIENTIFIC PRINCIPLES..."
- b. Are the five events (60-yd shuttle run, 1-min rower, standing long jump, 1-min push-up w/no rest and 2-mile run) the right events? ONCE AGAIN THE ANSWER MUST BE NO AS THEY DO NOT MEASURE STRENGTH, THEY MEASURE MUSCULAR ENDURANCE TWICE (1-MIN ROWER AND 1-MIN PUSH-UP TEST) AND THEY SUBSTITUTE POWER WHICH DOES NOT APPEAR IN THE DOD DIRECTIVE.
- f. Do these five events test what we (the Army) want to test?
 ONCE AGAIN NO FOR THE SAME REASONS MENTIONED ABOVE.
- g. Is the APRT fair?
- i. Does height affect performance?

YES, OF COURSE IT DOES AS TALL PEOPLE JUMP FURTHER THAN SHORT PEOPLE. THIS IS FURTHER VALIDATED BY LOOKING AT THE SCORES BY GENDER. MEN OUTPERFORM WOMEN IN ALL PERFORMANCE TESTS (SEE RESULTS IN THE SLIDES 'APRT BRIEF-CONE v6'). THIS IS BASIC HUMAN PHYSIOLOGY AND IS SO ROBUST A FINDING AS TO RENDER IT AXIOMATIC.

- ii. Does weight affect performance? YES, OF COURSE IT DOES. SAME ANSWER AS ABOVE.
- iii. Does age affect performance? YES, OF COURSE IT DOES. THIS IS BASIC HUMAN PHYSIOLOGY AND IS SO ROBUST A FINDING AS TO RENDER IT AXIOMATIC.
- h. What scoring system would best ensure fairness? WHAT IS MEANT BY FAIRNESS? NORMATIVE OR CRITERION SCALE? THE ARMY MUST HAVE STANDARDS TO PERFORM TASKS. THEREFORE, THERE HAS TO BE CUT-OFF SCORES WHICH WOULD MEAN THE ARMY USES A CRITERION SCALE. THEN WHAT IS FAIRNESS MEAN? THAT WEAK PEOPLE ARE ALLOWED TO PASS THE TEST? IN A RELATIVE SENSE THEN, WOMEN WOULD MOST OFTEN BE CONSIDERED WEAK WHEN COMPARED TO THEIR MALE COUNTERPARTS. IN THIS SCENARIO, STANDARDIZED SCORES SUCH AS Z-SCORES WOULD BE THE BEST SCORING SYSTEM.

RECOMMENDATIONS

Based on my comments and suggestions above, I have three recommendations:

- 1. Delete either the rower or push-up tests as they are redundant and measure the same thing.
- 2. Consider deleting the standing long jump test as it measures power (not in the DOD directive) NOT strength. However, it is a useful test and may be added if time permits.
 - 1. 3. Add at least one strength test (easy and inexpensive). My recommendations are one (upper *or* lower body strength)

or two (upper **and** lower body strength) of the three tests below:

- a. Pull-ups to failure
- b. Hand-grip dynamometer
- c. Leg dynamometer

APPENDIX F


Physical Fitness as a Predictor of Injury and Analysis of FORSCOM Pilot APRT Data USAPHC- AIPH IPP Briefing, October 2012


Presented at the Baseline Soldier Physical Readiness Study Initial Planning Conference 2-3 OCT 12, Initial Military Training Center of Excellence; Ft Eustis VA


This appendix includes a PowerPoint slide set that was presented by Mr. Keith Hauret from the Injury Prevention Program, USAPHC at the initial meeting for the Baseline Soldier Physical Requirements Study on 2 October 2012. This presentation has two components:


- 1) The association of the physical fitness tests and injury. Historical data from field studies and program evaluations by the Injury Prevention Program, U.S. Army Public Health Command were presented to illustrate the finding that Soldiers who perform in the lowest quartile (i.e., slowest or least number of repetitions) on the 2-mile run, 300-yard shuttle run, 2-minute push-up test, and 2-minutes sit-up test have higher injury rates compared to those who ran faster or did more push-ups or sit-ups.
- 2) Summary of the analysis of TRADOC data by the Injury Prevention Program of the pilot evaluation of the proposed Army Physical Readiness Test (APRT) and Army Combat Readiness Test (ACRT) by FORSCOM Soldiers. These tests were to be implemented Army-wide in October 2012. The slides show frequency distributions for the male and female performance on some of the events that comprised the proposed tests. On each slide, the red vertical line represents the cut-point for a 90% pass and 10% fail rate for the event using a gender-neutral standard. (Note: The scores for the current APFT events were established to allow 8% of the males and 8% of the females to fail the events using gender-specific scores (GAO, 1998)). These slides demonstrate differences in the proportion of males and females that would pass the events using a "gender-neutral standard" of the 10% fail rate applied to the overall male and female scores combined. For the existing APFT pushup and 2 mile run events, a much higher percentage of females compared with the percentage of males who would fail. The sit ups, however, do not present a gender difference. Though more substantial gender differences are seen with the pilot APRT long jump and pull up events; the gender impact is much lower for other proposed APRT events (e.g. rower, shuttle and half-mile run (~800 yards)). This suggests that use of certain events as a fitness standards may be considered 'unfair' if they are not made gender specific. Other events, such as sit ups, rower, or short runs (shuttle, ½ mile) may be more "gender-neutral."


If tests are considered a means to assess ability to perform physical military tasks – it is necessary to determine which fitness tests are most associated with military tasks. To date to the association between these fitness tests and military tasks has not been validated.









































Figure F-1. FORSCOM APFT Female and Male Scores – Push Ups ("10%" Point Shown By Arrow)




Figure F-2. FORSCOM APFT Female and Male Scores – Sit Ups ("10%" Point Shown By Arrow)




Figure F-3. FORSCOM APFT Female and Male Scores – 2Mile Run ("10%" Point Shown By Arrow)




Figure F-4. FORSCOM APRT Pilot Event – Push Ups ("10%" Point Shown By Arrow)




Figure F-5. FORSCOM APRT Pilot Event - Shuttle ("10%" Point Shown By Arrow)




Figure F-6. FORSCOM APRT Pilot Event - 1 Minute Rower ("10%" Point Shown By Arrow)




Figure F-7. FORSCOM APRT Pilot Event- 2 Minute Rower ("10%" Point Shown By Arrow)




Figure F-8. FORSCOM APRT Pilot Event – Long Jump ("10%" Point Shown By Arrow)




Figure F-9. FORSCOM APRT Pilot Event – ½ Mile Run ("10%" Point Shown By Arrow)




Figure F-10. FORSCOM Pilot ACRT- Total Time ("10%" Point Shown By Arrow)




Figure F-11. FORSCOM APRT Pilot Event – Push Ups ("10%" Point Shown By Arrow)

		вмі	Body fat	APFT Push Ups	APFT Sit Ups	APFT2 Mile	APRT Push Ups	APRTShuttle	APRT1Minute Rower	APRT 2 Minutes Rower	APRT Long Jump	APRT One and a Half Mile Run Time	ACRT Total Time	Pullups
ВМІ	Pearson	1	.760	029	151	.252	030	.076	087	135	045	.297	011	16
	Correlation		.000	.038	.000	.000	.025	.000	.000	.000	.001	.000	.435	.00
	Sig. (2-tailed) N	5493	5493	5219	5218	5215		5205	3437		5392		4675	129
Body fat	Pearson	.760	3493	286	153	.494	250	.209			243		.320	18
Douy lat	Correlation				55,500,000			100,000	1.5.15.40					
	Sig. (2-tailed)	.000		.000		.000		.000			.000		.000	.00
	N	5493	5493	5219		5215	5428	5205	3437		5392	5430	4675	129
Ups	Pearson Correlation	029	286	1	.507	507	.602	239			.300		397	.43
	Sig. (2-tailed)	.038	.000		.000	.000	.000	.000	.000		.000		.000	.00
	N	5219	5219	5251	5248	5242	5207	4998	3234	1979	5181	5208	4540	127
APFT Sit Ups	Pearson Correlation	151	153	.507	1	404	.309	129	.266	.265	.128	315	204	.29
	Sig. (2-tailed)	.000	.000	.000		.000	.000	.000	.000	.000	.000	.000	.000	.00
	N	5218	5218	5248	5249	5240	5205	4997	3233	1978	5180	5206	4538	127
APFT2 Mile run Time	Pearson Correlation	.252	.494	507	404	1	403	.233	191	231	281	.697	.520	27
	Sig. (2-tailed)	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000	.000	.00
	N	5215	5215	5242	5240	5247	5203	4995	3236		5177	5204	4538	127
APRT Push Ups	Pearson Correlation	030	250	.602		403	1	251	.337	.313	.324	378	332	.49
-P-	Sig. (2-tailed)	.025	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000	.00
	N	5428	5428	5207	5205	5203	5462	5228	3456		5411		4642	126
APRT Shuttle	Pearson Correlation	.076	.209	239	129	.233	251	1	170		256		.285	13
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000	.00
	N	5205	5205	4998	4997	4995	5228	5238	3419		5223	5226	4521	118
APRT 1 Minute		087	108	.196		191	.337	170		.a	.127		180	
Rower	Correlation		.000		.000	W49001	100000	Williams	,	ı.a	********	.000		.a
	Sig. (2-tailed)	.000		.000		.000	.000	.000	2455		.000		.000	
	N	3437	3437	3234	3233	3236	3456	3419	3456	0	3411	3456	2995	
APRT 2 Minutes Rower		135	185	.192	.265	231	.313	205	.a	1	.167	287	183	.22
	Sig. (2-tailed)	.000	.000	.000		.000	.000	.000			.000	.000	.000	.00
	N	1999	1999	1979	1978	1973	1998	1813	C	2013	2009	2000	1650	126
APRT Long Jump	Pearson Correlation	045	243	.300	.128	281	.324	256	.127	.167	1	255	469	.26
	Sig. (2-tailed)	.001	.000	.000	.000	.000	.000	.000	.000	.000		.000	.000	.00
	N	5392	5392	5181	5180	5177	5411	5223	3411	2009	5426	5413	4638	126
APRT One and a Half Mile Run		.297	.483	406	315	.697	378	.257	257	287	255	1	.516	26
Time	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000		.000	.00
	N	5430	5430	5208	5206	5204	5450	5226	3456	2000	5413	5464	4641	126
ACRT Total Time	Pearson Correlation	011	.320	397	204	.520	332	.285	180	183	469	.516	1	14
second/Sill	Sig. (2-tailed)	.435	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000		.00
	N	4675	4675	4540		4538	4642	4521	2995		4638		4703	129
Pullups	Pearson Correlation	167	180	.435	.298	277	.494	133		.223	.261		144	
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000		.000	.000	.000	.000	
	N	1296	1296	1278	1277	1276	1266	1181			1266	1261	1297	130
Strength of rela		.250	. 200		.211	.210	.200			.200	.200	.201	.201	100
on engin of fer	Strong	(-1.0 to -0.5 or 1.0	to 0.5)											
		(-0.5 to -0.3 or 0.3												
Blank		(-0.3 ro -0.1 or 0.1												

72						Male All	FORSCOM AP	RTACRT						
		вмі	Body fat	APFT Push Ups	APFT Sit Ups	APFT 2 Mile run Time	APRT Push Ups	APRT Shuttle	APRT1Minute Rower	APRT 2 Minutes Rower	APRT Long Jump	APRT One and a Half Mile Run Time	ACRT Total Time	Pullups
вм	Pearson	1	.958	103	156	.348	087	.116	086	150	100	.383	.103	17
	Correlation													
	Sig. (2-tailed) N	5030	.000 5030	.000 4782	.000 4781	.000 4780	.000 4979	.000 4824	.000 3143	.000	.000 4970	.000 4973	.000 4332	.00 128
Body fat	Pearson	.958	5030	096	175	.381	079	.128	109	179	106	.391	.132	16
Dody lat	Correlation	.550		030	175	.301	073	.120	103	175	100	.551	.132	10
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.00
	N	5030	5030	4782	4781	4780	4979	4824	3143	1835	4970	4973	4332	128
APFT Push Ups	Pearson Correlation	103	096	1	.572	405	.536	165	.204	.178	.185	293	235	.43
	Sig. (2-tailed)	.000	.000		.000	.000		.000	.000	.000	.000	.000	.000	.00
	N	4782	4782	4814	4811	4807	4781	4628	2960	1818	4771	4774	4205	126
APFT Sit Ups	Correlation	156	175	.572	1	435	.334	136	.257	.267	.136	324	240	.30
	Sig. (2-tailed)	.000	.000	.000	1010	.000	.000	.000	.000	.000	.000	.000	.000	.00
APFT 2 Mile	N Pearson	4781 .348	4781 .381	4811 405	4812 435	4805	4779 296	4627 .161	2959 187	1817 222	4770 171	4772 .641	4203 .401	126 26
run Time	Correlation			10000		3								
	Sig. (2-tailed) N	.000 4780	.000 4780	.000 4807	.000 4805	4812	.000 4779	.000 4627	.000 2963	.000 1813	.000 4769	.000 4772	.000 4205	.00 126
APRT Push	Pearson Correlation	087	079	.536	.334	296	1	192	.360	.318	.230	284	191	.48
Ups	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000	.00
	N	4979	4979	4781	4779	4779	5013	4852	3162	1843	4998	5002	4308	125
	Pearson Correlation	.116	.128	165	136	.161	192	1	175	205	194	.203	.206	12
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000	.00
	N	4824	4824	4628	4627	4627	4852	4857	3159	1692	4844	4846	4214	117
APRT 1 Minute Rower		086	109	.204	.257	187	.360	175	1	.a	.127	255	216	.a
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000			.000	.000	.000	
	N	3143	3143	2960	2959	2963	3162	3159	3162	0	3153	3162	2775	
APRT 2 Minutes	Pearson Correlation	150	179	.178	.267	222		205	.a	1	.150	264	166	.22
Rower	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000			.000	.000	.000	.00
ADDT	N	1835	1835	1818	1817	1813	1843	1692	0	1849	1845	1837	1532	125
APRT Long Jump	Pearson Correlation	100 .000	106	.185	.136	171	.230	194	.000	.150		161 .000	317	.25
	Sig. (2-tailed) N	4970	4970	4771	4770	4769	4998	.000 4844	3153	1845	5004	4992	4301	.00 125
APRT One	Pearson	.383	.391	293	324	.641	284	.203	255	264	161	4992	.418	25
and a Half Mile Run Time	e Correlation	600360569		1,00000	558 50	100000	lecture		355 (3546)		*410000		1000000	
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000		.000	.00
	N	4973	4973	4774	4772	4772	5002	4846	3162	1837	4992	5007	4303	125
ACRT Total Time	Pearson Correlation	.103	.132	235	240	.401	191	.206	216	166	317	.418	1	13
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	1000	.00
Dullung	N Pearson	4332	4332 167	4205 .430	4203 .300	4205 267	4308 .489	4214 128	2775	1532 .222	4301 .252	4303 252	4360 132	128
Pullups	Correlation	172 .000	167	.430	.000		200000		.a	.000	.252	252	132	
	Sig. (2-tailed) N	1286	1286	1268	1267	.000 1266	.000 1256	.000 1173	. 0	1253	1256	1251	1287	129
Strength of rel	04.000	1200	1200	1200	1207	1200	1200	11/3	, o	1233	1206	1231	1201	123
ouengun of rei	Strong	(-1.0 to -0.5 or 1.	0+o 0 5)											
		(-0.5 to -0.3 or 0.												
Blank	Weak or none													

						Female A	II FORSCOM AP	RTACRT						
												APRT One and		
		BMI	Dodfot	APFT Push Ups	APFT Sit Ups	APFT 2 Mile	APRT Push	APRT Shuttle	APRT 1 Minute	APRT 2 Minutes Rower	APRT Long	a HalfMile Run	ACRT Total	Pullups
ВМІ	Pearson	DIVII	Bodfat	058	132	Run Time .258	Ups 131	.038	Rower 139		Jump 077	Time .275	Time 114	
BMI	Correlation	1	.946	-,058	132	.258	131	.038	-,139	100	077	.215	114	056
	Sig. (2-tailed)		.000	.229	.006	.000	.005	.454	.017	.202	.115	.000	.036	.878
	N	463	463	437	437	435	449	381	294	164	422	457	343	10
Body fat	Pearson	.946	1	045	132	.251	107	.082	171	108	066	.271	095	117
	Correlation	20.30												
	Sig. (2-tailed)	.000		.348	.006	.000	.023	.109	.003	.169	.174	.000	.079	.747
	N	463	463	437	437	435	449	381	294		422	457	343	10
APFT Push Ups	Pearson	058	045	1	.439	352	.400	150	.266		.181	359	180	.448
	Correlation						7000							
	Sig. (2-tailed)	.229	.348		.000	.000	.000	.004	.000		.000	.000	.001	.194
	N	437	437	437	437	435	426	370			410	434	335	10
APFT Sit Ups	Pearson	132	132	.439	1	470	.314	104	.357	.245	.147	418	235	.360
	Correlation	200												
	Sig. (2-tailed)	.006	.006	.000	437	.000	.000	.046	.000	.002	.003	.000	.000	.306
APFT 2 Mile rur		.258	.251	352	470	435	337	.172			194	.697	403	251
APF1 2 Mile rur Time	Corrolation			(3000)1622	. 28770.000	1	2,404,000	555,874,502		11.00	194	.091	200,200,000	
111110	Sig. (2-tailed)	.000	.000	.000	.000		.000	.001	.000	.000	.000	.000	.000	.484
	N	435	435	435	435	435	424	368	273	160	408	432	333	10
APRT Push	Pearson	131	107	.400	.314	337	1	175	.340	.315	.242	304	124	.800
Ups	Correlation													
	Sig. (2-tailed)	.005	.023	.000	.000	.000	***	.001	.000	.000	.000	.000	.023	.005
APRT Shuttle	N	.038	.082	426	426 104	424 .172	449 175	376	294		413	.448 .176	334 .263	10 362
APRI STULLIE	Pearson Correlation	.030	.002	150	104	.17.2	175	1	149	101	352	.170	.203	302
	Sig. (2-tailed)	.454	.109	.004	.046	.001	.001		.016	.047	.000	.001	.000	.378
	N	381	381	370	370	368	376	381	260	121	379	380	307	8
APRT 1 Minute	Pearson	139	-,171	.266	.357	326	.340	149	1	.a	.236	390		a
Rower	Completion	0.17	000		000	000		0.10					000	
	Sig. (2-tailed)	.017	.003	.000	.000	.000	.000	.016	201	i i	.000	.000	.000	
APRT 2	N Pearson	294 100	294 108	274	274	273 282	294	260 - 181	294 a	0	258 .193	294 - 464	220 324	.303
Minutes Rower	Corrolation		-,100	.240		202		101	.a	1	.193		524	
Williages (Cover	Sig. (2-tailed)	.202	.169	.002	.002	.000	.000	.047			.014	.000	.000	.394
	N	164	164	161	161	160	155	121	0	164	164	163	118	10
APRT Long	Pearson	077	066	.181	.147	194	.242	352	.236	.193	1	179	281	255
Jump	Correlation	445	474	000	000	000	000	000	000	044		000	000	470
	Sig. (2-tailed)	.115	.174	.000	.003	.000	.000	.000	.000	.014	422	.000 421	.000	.478
APRT One and	Pearson	.275	.271	359	-418	.697	304	.176			179	421	.473	324
a HalfMile Run		.273	.211	509	410	.091	304	.170	590	-,404	179	4	.473	324
Time		000	200		200	000		001	200	200			000	201
0.000.000000	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.001	.000	.000	.000	457	.000	.361
ACRT Total	Pearson	457 114	457 095	434 180	434 235	432	124	380 .263	294 273	163 324	421 281	457 .473	338	072
Time	Correlation	-,114	095	-,100	235	.403	124	.203	2/3	324	201	.413	3	072
111110	Sig. (2-tailed)	.036	.079	.001	.000	.000	.023	.000	.000	.000	.000	.000		.844
	N	343	343	335	335	333	334	307	220	118	337	338	343	10
Pullups	Pearson	056	117	.448	.360	251	.800	362		.303	255	324	072	1
	Correlation			2007120										
	Sig. (2-tailed)	.878	.747	.194	.306	.484	.005	.378		.394	.478	.361	.844	
	N (2-tailed)	10	10		10	10	10		0	10	10	10	10	10
Strength of rela	-	10	10	10	,,,	,,,	1.0	Ü	<u> </u>				10	
Jugan or Tela	Strong	(-1.0 to -0.5 or 1.0 t	to 0.5)											
	Moderate	(-0.5 to -0.3 or 0.3 t												
Blank	Weak or none	(-0.3 ro -0.1 or 0.1 t												
		7												

APPENDIX G

Analyses of Existing APFT Data from 2nd Brigade Combat Team, 4th Infantry Division

USAPHC- AIPH IPP preliminary background analyses: comparison of male and female APFT data

If the current APFT were to be gender neutral (e.g., just have one scale for both men and women with an 8%* fail rate), we would want to know how this would affect men and women of different age groups. To determine the percentage of men and women who would fail within these specific age groups, charts were plotted showing the total population compared to either men or women in their specific age group. Tables of injury risk are also included showing that men who perform poorly on the 2-mile run and push-up test were at a higher risk of injury. There were no difference in injury risk for women and the number of push-ups performed. The women in the fastest 2-mile run time group tended to have a lower injury risk compared to the other groups.

Table G-1. Summary of Men and Women Compared to the Total Population who would Fail using an 8% Cut-off Point

Age	% Failed 2-mile	% Failed 2-mile	% Failed Push-	% Failed Push-
	run	run	ups	ups
	Women	Men	Women	Men
≤ 25	51%	3%	60%	2%
26-35	55%	5%	60%	3%
36+	44%	11%	62%	7%

^{* 8 %} is used since that is the current cut-point applied to gender-specific APFT results (GAO, 1998)

All Analyses are of Existing survey data obtained from the 4 ID 2BCT

Table G-2. Averages for Men and Women from existing 4 ID 2BCT Initial Survey Data

_	Men	Women	Difference
Age	26.8± 6.0	25.8± 5.6	4%
2 Mile Run Time	14.9± 1.7	17.8± 2.2	19%
Push-Ups	66.2± 14.7	38.5± 13.9	72%
Sit-Ups	68.0± 12.8	64.1± 12.2	6%




Figure G-1. Two Mile Run Times for Men and Women (n=2169) and Women ≤ 25 years old (n=96)




Figure G-2. Two Mile Run Times for Men and Women (n=2169) and Women 26-35 years old (n=60)




Figure G-3. Two Mile Run Times for Men and Women (n=2169) and Women 36+ years old (n=9)




Figure G-4. Two Mile Run Times for Men and Women (n=2169) and Men ≤ 25 years (n=1046)




Figure G-5. Two Mile Run Times for Men and Women (n=2169) and Men 26-35 years (n=732)




Figure G-6. Two Mile Run Times for Men and Women (n=2169) and Men 36+ years (n=193)




Figure G-7. Push-Ups for Men and Women (n=2322) and Women ≤ 25 years old (n=99)




Figure G-8. Push-Ups for Men and Women (n=2322) and Women 26-35 years (n=72)




Figure G-9. Push-Ups for Men and Women (n=2322) and Women 36+ years old (n=13)




Figure G-10. Push-Ups for Men and Women (n=2322) and Men ≤ 25 years old (n=1075)




Figure G-11. Push-Ups for Men and Women (n=2322) and Men 26-35 years old (n=796)




Figure G-12. Push-Ups for Men and Women (n=2322) and Men 36+ years old (n=221)*

Table G-3. Injury Risk and 2 Mile Run Times for Men

Run Time	n	% Injured	Risk Ratio and 95%	p-value
(Minutes and			CI	
Fraction of a				
Minute)				
≤ 13.75 min	520	35%	1.00	
13.76-14.67 min	489	36%	1.04 (0.89-1.23)	0.65
14.68-15.75 min	496	41%	1.19 (1.01-1.39)	0.03
15.76+ min	497	44%	1.28 (1.10-1.49)	<0.01

Table G-4. Injury Risk and 2 Mile Run Times for Women

Run Time	n	% Injured	Risk Ratio and 95%	p-value
(Minutes and		-	CI	
Fraction of a				
Minute)				
≤ 16.13 min	42	33%	1.00	
16.14-17.83 min	43	49%	1.47 (0.87-2.48)	0.15
17.84-19.00 min	44	64%	1.91 (1.18-3.09)	<0.01
19.01+ min	42	50%	1.50 (0.89-2.53)	0.12

Table G-5. Injury Risk and Push-Ups for Men

		,		
Push-Ups	n	% Injured	Risk Ratio and 95%	p-value
(reps)			CI	
≤ 55	542	49%	1.32 (1.14-1.52)	<0.01
56-66	541	40%	1.10 (0.94-1.28)	0.24
67-76	539	38%	1.02 (0.87-1.19)	0.82
77+	503	37%	1.00	

Table G-6. Injury Risk and Push-Ups for Women

Push-Ups (reps)	n	% Injured	Risk Ratio and 95% CI	p-value
≤ 28	50	58%	1.41 (0.88-2.24)	0.13
29-39	24	55%	1.33 (0.82-2.15)	0.24
40-50	29	46%	1.12 (0.69-1.81)	0.64
51+	14	41%	1.00	

APPENDIX H

Baseline Soldier Physical Readiness Study Initial Planning Conference Initial Military Training Center of Excellence; Ft Eustis VA 2-3 October 2012

USAPHC EXSUM and TRADOC Briefing presented by Mike Haith, TRADOC IMT-CoE

TRADOC SOLDIER PHYSICAL READINESS STUDY PLANNING MEETING (UNCLASSIFIED)


EXECUTIVE SUMMARY


4 October 2012


(U) <u>SUMMARY OF PHYSICAL READINESS STUDY PLANNING MEETING.</u> (U) (MCHB-IP-DI) On October 2-3, Dr Nindl, CPT DeGroot and Mr Hauret of the Army Institute of Public Health (AIPH) along with CSM Ecker participated in a meeting at Ft Eustis hosted by the TRADOC DCG for IMT. The purpose of the meeting was to develop possible courses of action (COA) for creating a new physical readiness test to replace the current Army Physical Fitness Test. In addition to TRADOC IMT personnel, subject matter experts from USARIEM, West Point and USUHS participated in the planning meeting. Four possible COAs were developed, each of which includes a survey of appropriate stakeholders and a systematic review of the literature; AIPH was identified as the lead for those tasks. In the coming months the COAs will be refined into discreet phases, with subtasks, milestones and phase leads. The TRADOC CG will be briefed in mid-December at which time we expect a COA to be chosen. We anticipate a 2-year timeline until study completion and recommendations for the test. AIPH/APHC personnel will be playing a significant role throughout this important, high-visibility project.

CPT DeGroot/MCHB-IP-DI


APPROVED BY: Dr Bruce Jones











Phase V Tasks Establish Test Standards

- Collect referent data for various demographic populations in order to establish performance scales
- Collect data for the final test events in order to establish preliminary scoring scales and standards.
- Decision Brief to CG TRADOC NLT 6 JUN 14.
- Decision Brief to CSA and SMA for approval of Physical Readiness test with Standards NLT 11 JUL 14.

- To provide an accurate representation of performance

USMA-Testing Outcomes

- Validity the appropriateness, meaningfulness, and usefulness of specific inferences made from test scores
- Reliability consistency of outcomes over time (intra-rater reliability)
- Objectivity consistency of outcomes over raters (inter-rater reliability)




Established by invitation milSuite site to share documents and status

https://www.milsuite.mil/book/groups/soldierbaselinephysicalreadiness

- Phase 1 start 1-4 OCT 12 Ft Eustis-Bldg 210 IMT CoE
- HQDA TASKORD and UFR with TRADOC Staff for final staffing S: 28 SEP 12
- · DA G3 Institutional Training (DAMO-TRI) is DA Sponsor
- · All participants have agreed to participate
- Coordinated Study TASKORD with TRADOC LNO to FORSCOM (Colonel
- · Coordinating study with the TRADOC KSAO Review


20











- Identify the physiological aspects of WTBD
- 2. Review input for the field
- Collect empirical data as needed
- 4. Formulate assessment(s)
- Validate against a known criterion














APRT Study Tasks (cont.)

PHASE 3: Testing

• Pilot test PRT

• Refine PRT test based on pilot data

• Validate PRT test

• Establish age and gender norms

• PHASE 4: Surveillance

• Construct data capture system/use existing systems to assess new PRT standards effect on reduction of musculoskeletal injuries and improved physical readiness

– Is it working to improve physical readiness and reduce injuries?



APPENDIX I

TRADOC Initial Baseline Soldier Physical Readiness Requirements Study Concept
Brief
for the Army Chief of Staff (CSA)
27 November 2012
Presented by Mike Haith, TRADOC IMT-CoE





Baseline Soldier Physical Readiness Requirements Study

Brief to CSA 27Nov12

"It [PRT] may not be the most important thing we do in a day, but it's the most important thing we do every day"

CPT Nicholas Bilotta

Company Commander, TF Spader, Konar Province, 2011

1



Baseline Soldier Physical Readiness Requirements Study



STUDY PURPOSE

- Identify baseline Soldier physical readiness requirements to perform Warrior Tasks and Battle Drills (WTBD)
- Develop <u>physical readiness assessment</u> that evaluates baseline fitness against valid performance standards for all <u>Soldiers</u>
- Assess:
 - 3 components of PRT Dootrine (Endurance, Mobility, Strength)
 - a 2 Levels of Fitness (Physical, Functional)
- Standards of performance for all Soldiers, Independent of age or gender
- Standards and assessment aligned with FM 7-22, Army Physical Readiness Training (PRT)

STUDY PARTICIPANTS

- IMT CoE (Co-lead)
- USMA (Co-lead)
- US Army Research Institute of Environmental Medicine (USARIEM)
- . US Army Institute of Public Health (IPH)
- Uniformed Services University (USU)
- External SMEs/Consultants-Led by Dr. James R. Morrow, University of North Texas

WAY AHEAD-linked w/ KSAO Review

- Study duration: 23-28 Months
- Study Plan 5 Phases

- 1 - Human Use & Systematic Review 28 JUN 13
- 2 - Task identification 31 OCT 13
- 3 - Establish Task Parameters 20 DEC 13
- 4 - Event Selection/Validation 19 DEC 14
- 5 - Final Test and Standards 30 APR 15

- · Phases conclude w/ decision brief to CG, TRADOC
- Study concludes w/ Decision Brief to CSA/SMA NLT 15 May 15

CURRENT STATUS

- Initial Planning Conference 2-3 OCT at Ft Eustis
- HQDA TASKORD with DA G3 for approval and execution
- CG TRADOC approved study plan-21 NOV 12
- Coordinating study with TRADOC SFTA 2020, MFTC, annual WTBD review
- \$276 K UFR approved

2



APPENDIX J

USAPHC Preliminary Review – Military-Relevant Tasks Identified for Systematic Review

Table J-1. Summary of Preliminary Assessment of Military (Army) - Relevant Tasks

MILITARY	Manual tasks	Upright Moving	Other Key Activities	Sources and Notes
	Lift, Carry, Push, Pull	Marching, Walking, Running		
CANADA (2009)	Lift (e.g., Ammunition box)Carry (e.g. Sand bag)Lift & carry (Jerry can)	Marching -Weight-loaded (~13 km) 3 loads: Fighting/Approach/Emergency	Digging (Entrenchment dig)	NATO 2009 - key source Singh et al, 1991
CANADA (2008-2010)	Same as above, plus: Vehicle extrication (VE) Casualty Drag (CD) (150-180 lb mannequin 20-25 m) Per observations, drag new method and about one third of 126 observed CE involved VE.	Re-Evaluation of marching: still appears a very relevant task even for non-Combat based on surveys. Almost half of respondents indicated often or more though distance < 13 k and loads heavier	Re-evaluation of digging: appears somewhat relevant task though not definitive data	Reilly 2010 -Canadian 'standards' test for job selection and readiness is separate from physical fitness test (push up, sit up, run) 2010 - Canadian Land Force PT Assessment - evaluation of (7) Predictive Fitness Tests: pushups, grip strength, grip endurance, static squat, static row, wall sit, vertical jump. Evaluation of CD/VE = grip strength and static squat most predictive
UNITED KINGDOM (2009)	 Lifting (88%) ~70% from ground; 57% to waist, 28% to shoulder, 15% to overhead; test via Ammunition box lift of 1.7 m Carry (48%) Tet with: sand bag, drum, extinguisher Push -pull (3%) 	■ March (Road) (2 %)	 Digging (Trench Dig) (1%) Climbing (3%) Crawling (2%) 	NATO 2009 key sources: Bilzon 2002 Rayson, 1998: % are based on 1998 task review
NETHERLANDS	Lifting and carrying	Walking (Loaded)		NATO 2009
UNITED STATES (2009)	 Lifting/lowering (41%) Carry/load bear (30%) Pull/torque (6%) Push 	Walking/Running/Marching Infantry -Marching for a long distance, load bearing)	 Climb/descend (4%) Reach 2% Stoop 2 % (Dig/Crawl/Throw etc -<1%) 	NATO 2009 - % are based on Sharp et al, 1998 a review of 1,999 MOS task requirements (does not address actual measured continuum of activity levels) Also Knapik 2004 (TR)
UNITED STATES (2011, and 2013 Warrior Tasks and Battle tasks (WTBD)) Analysis)	Above items but more specifically: 'Casualty evacuation' [top ranked Battle Drill, 'life saving measures ' top warrior task) Lift and carry specific weights listed for each MOS (see Notes) based on tasks involving equipment, supplies, ammunition) Repetitive lifting	Weight-loaded march (move location, security patrol) Key WTBD: 'Move under fire' & and 'React to ambush.' Includes following: Weight-loaded run Run (no load) – (endurance, and sprint) Stop/start/change direction Crawl (High & low)	Key Common Warrior Tasks (CWT) Crawling (low/high) Traverse pipes Jump hurdles Climb walls Stairs (up/down) Rushes and sprints Obstacle/slalom course Block/strike Employ/engage weapon Throw grenade Key physical actions for most CWT Squat, Lunge, Jump	■ 2011 STP 21-1-SMCT: CWT due to increased number of operations in urban settings. ■ March 2013 WTBD Analysis: Survey response, n = 28, 024) 1. Jump or leap over obstacles 2. Move with agility and coordination 3. Carry heavy loads 4. Drag heavy loads 5. Run long distances (tie) 5. Sprint (tie)

Table J-1. Summary of Preliminary Assessment of Military (Army) - Relevant Tasks (continued)

	<u> </u>	3 (3)		,
AUSTRALIA	Lift ["Strength"] (via Box lift and place	March (Loaded) ["Aerobic"] (via	•	2012-Australian Defense Science and Technology
	(55 & 66 lbs)	5 km w 22kg); & 10 km w 38 kg)		Organization: Proposed Employment Standards
	Carry ["Local muscle endurance"] (via	 Fire and movement simulation 		(PES): (1) All Corps Soldier(ASC) and (2)
	Jerry can carry: 136 & 300 yds)	["Anaerobic"] (via 16 x 6m		Combat Arms (CA). No age/gender bias; more rigorous
		bounds + leopard crawl)		tests for required for certain occupations

NOTES

- a) One of US Army Common Warrior Task includes donning and basic movement in military gas mask this is not addressed in this PT assessment
- b) Weight estimates: Jerry can weight: 10.5lb empty; ~41lb full (Rayson: ~ 20kg); Ammo box weight: 5lb empty; ~90 full; (Rayson: 35 kg up to 75 kg); Sandbags –weights vary (e.g., 40, 60, --150)
- c) Loads for marches military loads vary from 5 to 68 kg over distances 5-20 k (NATO 2009)
- d) Current MOS Physical Demand weights (Army, 2007): Light(LT) = 10-20 lbs, Moderate (MD= 25-50), Moderately heavy(MH)= 40-80, Heavy (HV)= 50-100; and very heavy(VH)=>50->100

Cited Information Sources

- NATO 2009: North Atlantic Treaty Organization (NATO)- Research and Technology Org (RTO)
 Human Factors and Medicine Panel (HFM) Technical Report (AC/323(TR-HFM-080)TP/200; Optimizing Operational Physical Fitness. 2009
- Singh et al, 1991: Singh, M., Lee, Wheeler et al. Related Physical Fitness and Performance Standards for the Canadian Army. University Of Alberta. 1991.
- Reilly 2010: Reilly, T. Canada's Physical Fitness Standard for the Land Force: A Global Comparison; published in www.armyforces.gc.ca/caj2010;obtained 2012
- 2010 Canadian Land Force PT Assessment: Personal communications with Canadian SMEs, recorded by Mr. Michael S. McGurk Director, Research & Analysis
 Directorate; Initial Military Training Center of Excellence (IMT-COE), ATTN: ATCG-MTA, 210 Dillon Circle, Fort Eustis, VA
- 2011 STP 21-1-SMCT: Headquarters Department of the Army, Soldier's Manual of Common Tasks Warrior Skills Level 1, May 2011.
- March 2013 WTBD Analysis: Discsuion brief by W. East (West Point) for IMT-COE, March 2013.
- 2012-Australian Defense Science and Technology Organization: Proposed Employment Standards:
- Bilzon, 2002: Bilzon J. L. J., Scarpello E.G., E. Bilzon and A. J. Allsopp; Generic task-related occupational requirements for Royal Naval personnel. Occup. Med. Vol. 52 No. 8, pp. 503–510, 2002.
- Rayson, 1998: The development of Physical Selection Procedures (Phase 1 Job Analysis). 1998.
- Sharp et al, 1998: M.A. Sharp, J.F. Patton and J.A. Vogel. U.S. Army Research Institute of Environmental Medicine 9USARIEM) Technical Report T98; A Database of Physically Demanding Tasks Performed by US Army Soldiers. Natick, MA 01760-5007
- Knapik, 2004. The Case for Pre-Enlistment Physical Fitness Testing: Research and Recommendations. USACHPPM Report No. 12-HF-01Q9D-04, 2004.

Table J-2. Examples of Military-Relevant Civilian Occupational Physical Performance Tests

Occupation	Manual tasks	Upright and Moving	Other Tasks	Sources and Notes
US Department of Labor industry standards-	Lift and carry (specific weight groups described)	Standing	Sitting	<u>Harbin 2005</u>
Firefighters*	Fire hose carry (upstairs) Ladder lift/ladder extension Victim drag or carry or drag downstairs	Continuous walking through all drills Walk/Run with 'load' (equipment, protective clothing)	 Stair climbing Ladder climbing Forcible entry Sledge hammer drive Rake 	Rhea, 2004; Davis, 1982. Tests are sometimes – though not always) performed in fire fighter clothing – including SCBA.

Harbin 2005. Harbin, G and Olson, J. Post-Offer, Pre-Placement Testing in Industry; American Journal of Industrial Medicine 47:296–307; 2005.

Rhea, 2004. Rhea, MR Alvar BA, Gray, R. Physical Fitness and Job Performance of Firefighters. *Journal of Strength and Conditioning Research*, 18(2), 348–352; National Strength & Conditioning Association; 2004.

Davis, 1982. Davis, PO et al. Relationship between simulated fire-fighting tasks and physical performance measures; *Medicine and Science in Sports and Exercise* Vol. 14, No. 1, pp. 65-71 1982.

Table J-3. Example Military Tasks As Associated with Components of Fitness

Physical Requireme nt Areas ^{1,2}		Fitness Components ³	Primary Physical Fitness Sub-Components and Definitions ³		Example Associated Military Tasks/Activities ³
ANAEROBIC AEROBIC	ENDURANCE	CARDIO- RESPIRATORY ENDURANCE	→ Stamina "Aerobic fitness"	Ability to sustain high repetition low intensity muscle contractions for long duration	 Patrolling/marching with a ruck Continuous bouts of high intensity efforts with little or no breaks (e.g., lift, carry, fill, push, pull, drag, sprint/change direction, march) over extended time
		MUSCULAR ENDURANCE ⁴	→ Dynamic Strength "Anaerobic"	Ability to conduct high intensity muscle contractions repeatedly for relatively short periods of time	 Lift & carry equipment/ammunition/supplies Dig and fill sand bags Short sprint (e.g., while running for cover)
	STRENGTH	MUSCULAR STRENGTH	→ Static Strength	Ability to exert maximal force against a fairly immovable object for a short time	 Lift/push a heavy load Throw an object (grenade, smoke flare) Evacuate (drag) casualty
			→ Explosive Power "Anaerobic"	Ability to expend a maximum of energy to rapidly project or move an object or the body in one burst or a series of bursts	Jump/climb (over walls, logs, fences)Short sprint (e.g., while running for cover)
	MOBILITY (and AGILITY)	FLEXIBILITY	→ Extent & Dynamic	Ability to stretch, flex or otherwise lengthen various body parts (Dynamic = quickly) as far as possible	Stop/change direction (e.g., while running cover to cover) with and without load
		COORDINATION	→ Gross body coordination	Ability to synchronize simultaneous movement of a number of body parts.	March/run/walk/carry; with and without load
		BALANCE	→ Static & Dynamic	Ability to maintain body at equilibrium (stable posture) in a fixed position (when static and when moving)	Shoot

Does not address Body Composition


² Aerobic capacity, strength, endurance (DODI 1308.1); anaerobic capacity and mobility and subcomponents such as power/speed, agility, coordination, balance (AR 350-1,611-1; DA Pam611 ³ Key components and definitions reference: (Knapik, 2004) "*The Case for Pre-Enlistment Physical Fitness Testing: Research and Recommendations.*" Technical Report 12-HF-01Q9D-04. USACHPPM 2004.


⁴ Key sources describing common tasks include: Knapik, 2004; NATO, 2009; Sharp, 2009; MSCoE, 2011; Haith, 2013 (Personal communications re: 2012 KSO)


APPENDIX K

Physical Readiness Requirements Study USAPHC IPP Soldier Systematic Review- Final 2013 Update Brief to TRADOC Interim Findings * 12 July 2013

* As noted in the methods and results section of this document, this presentation represents the findings of the abbreviated system review process in July 2013. This information was considered adequate for the needs of TRADOC, but does not represent a formal or complete Systematic Review. Complete of systematic review is an intended objective of the IPP participants. The systematic review s would provide more quantitative information regarding correlations and limits it data confidence. The general findings identified in this July briefing, however, indicated there are gaps in specific research regarding the physical demands of Army WTBD. This supported TRADOC's decision to conduct field studies to specifically evaluate current Army WTBDs.









Subject Area 1: Lab vs. Field Tests to Assess Physical Fitness

- · Aerobic Tests Gold Standard: Measured VO2 max performed on a treadmill
 - Timed runs and multistage stage shuttle runs
 - · Showed excellent reproducibility and good to excellent validity when correlated with VO2 max.
- · Anaerobic Tests Gold Standard: Wingate Test
 - Sprints and shuttle runs
 - · Showed excellent reproducibility and fair to good validity when correlated with VO2 max.
- Muscular Strength and Endurance Tests Gold Standard for Muscular Strength is 1 repetition maximum, No Gold Standard for Muscular Endurance
 - One repetition maximum, horizontal jump, Dips, hand grip strength, pull-ups and flexed arm hang, squats, push-ups, and rope climb.
 - · Showed excellent reproducibility.
 - Maximum repetitions and sit-ups.
 - Had fair to good reproducibility.
- · Functional Tests No Gold Standard
 - Agility and hop tests
 - · Showed excellent reproducibility
 - Obstacle course
 - · No reproducibility measurements performed.
 - . Performance was found to have fair to good validity when correlated with VO2 max.
 - · Equipment needed and more difficult to administer



Subject Area 2: Comparison of Physical Fitness Tests to Job Task Performance

- Performance on several groups of military 'activities' have been compared to different fitness tests
 - <u>Task activities</u>: Casualty Drag, Loaded March, Lift/Lower/Carry, Push/Pull, Sprint, Climb, Crawl, Dig, combined events/multiple-activities (e.g., obstacle courses)
 - <u>Fitness tests</u>: Aerobic (runs), Anaerobic (sprints, shuttles), Strength and Endurance (Push up, sit up, pull up, jumps, squats, bench press, other machines)
- Activities are common elements of military task performance, but do not individually reflect the complex series of physical activities required to perform Warrior Tasks/Battle Drills – EXCEPT:
 - Casualty drag
 - Loaded march
- Key physical requirements include:
 - Casualty drag Anaerobic (400m sprint test) was best predictor
 - Road march with a load Aerobic fitness was best predictor BUT data from only 1 study



Subject Area 3: Association of Performance Tasks and Injury

- Loaded road march is the only military performance task that has been studied to identify the association of injuries with task performance (9 studies)
 - Injuries increase with greater distance or heavier load
- Physically Demanding MOSs
 - Compared to Soldiers in "light" physical demand MOSs, Soldiers in "moderate" and "heavy" physical demand MOSs are 16% and 76%, respectively, more likely to be hospitalized for an on-duty injury
- When developing training programs, the following factors from civilian occupational studies should be considered:
 - Lifting: Injuries increase when lifting is performed with 1) greater frequency, 2) more weight, or 3) weight is lifted to higher levels (eg waist vs head height)
 - Pushing/Pulling: Shoulder injuries are commonly observed; increased injury risk is based on frequency of the activity and amount of force applied
 - Kneeling/Squatting: Workers in jobs that require kneeling or squatting have more injuries, overall, and more knee injuries than workers who don't do these activities

Injury Prevention Program

UNCLA SSIFIED

6





Subject Area 4: Association of Physical Fitness and Injury

- Cardiovascular Endurance:
 - · Most frequently studied fitness component
 - Poor run time is consistently and strongly associated with musculoskeletal injury (MSK-I; in > 80% articles reviewed)
- Muscular Endurance
 - Low muscular endurance (assessed via push-ups or sit-ups) is moderately associated with MSK-I
- Muscular Strength
 - . Little data exists for females and has not been heavily studied in men
 - Association with MSK-I is unclear due to inconsistent findings
- Flexibility
 - Extremes (high or low) in flexibility are associated with MSK-I as measured by sit and reach test
- Balance, agility, speed, coordination, and power
 - · Little or no data found for each of these fitness components

Injury Prevention Program

UNCLA 8 8 IFIED

7



Summary and Conclusions

- Reflecting the current APFT, there is a considerable body of injury and performance literature concerning muscular endurance and cardiovascular fitness
 - Research and injury surveillance will be increasing important when a new fitness test is fielded
- With the exception of casualty drag and road marches, there is a lack of research concerning the physical demands of Warrior Tasks and Battle Drills
 - Data collection planned in support of the Baseline Soldier Physical Readiness study will address this need
- There continues to be a need to strike a balance between training to improve physical performance and avoiding over-training so as not to cause injury
 - More # Better




Backup Slides Subject Area 1: Lab vs. Field Tests to Assess Physical Fitness

Injury Prevention Program

UNCLA 8 SIFIED

1

USA	PHC		70			1	24	4
Tests	to Assess	Cor	npon	ents	of Ph	ysica	al Fitn	ess
Measures of Fitness	Teat	Relability- Mean	Relability- Median	Relability- Range	Valdty- Mean	Valde- Median	Valde- Range	E of orticies Reviewed
Aerobic Tests	Timed Runs	0.90	0.99	0.99	0.71	0.72	0.56-0.96	16
	Multistage shutterurs	0.82	0.97	0.74-0.99	040	0.00	049-089	21
	Distance Runs	-	-	-	0.71	0.77	0.00-0.00	21
Anaerobic Tests	Dash/Sprints	0.00	0.00	0.66	0.50	0.50	0.05-0.65	
	Shuttle runs	0.66	0.00	0.86	0.50	0.50	049-049	2
Muscular Strength	1 Repetition Maximum	0.86	0.85	0.93-0.99		_	_	2
and Endurance Tests	Horizontal Jump	0.99	0.92	0.90-0.95	_	_	-	2
	Dips	0.92	0.92	0.92	-	-	-	2
	Vertical Jump	0.81	0.81	0.61-0.99	_	_		٤
	Hand Grip Strength	0.00	0.82	0.75-0.99	_	-		
	Curl/Pull-ups/Arm hang	0.00	0.90	0.86-0.85	_	_	-	10
	Squat	0.00	0.90	0.70-0.99	_	_	_	,
	Push-ups	0.82	0.02	0.00	_	-	_	,
	Rope Climb	0.60	0.00	0.60	-	_	-	,
	Maximum Repetitions	0.77	0.77	0.66-0.65	_	_		2
	Sit-ups	0.65	0.65	0.57-0.72	_	_	_	2
Functional Tests	Agility	0.81	0.00	0.60-0.67	-	_		,
	Нор	0.67	0.67	0.60-0.87	_	_	-	:
	Obstacle Course		_		-0.79	0.54	0.40-0.79	2



APPENDIX L

National Strength and Conditioning Association (NSCA)
Tactical Strength and Conditioning (TSAC) Program
Blue Ribbon Panel for Military Readiness
April 18-19 2013 Norfolk, VA



FORWARD

The National Strength and Conditioning Association (NSCA) was founded in 1978 by 76 strength coaches from across the country with the common desire to network, collaborate, and unify the profession of strength and conditioning. Since its inception, the NSCA has grown to nearly 33,000 Members in 72 countries, and become the leader in the research and education of strength and conditioning professionals. As the worldwide authority on strength and conditioning, the NSCA supports and disseminates research-based knowledge and its practical application to improve athletic performance and fitness.

In 2005, the NSCA founded the Tactical Strength and Conditioning (TSAC) program by working with elite military and law enforcement groups. The TSAC program quickly expanded to include all members of military, law enforcement, and fire & rescue personnel.

The mission of the NSCA's TSAC program is to provide scientifically-sound and safe physical training and educational programs to those who serve and protect our country and communities.

In support of its mission, the NSCA's TSAC program sponsored and hosted the 2^{nd} Blue Ribbon Panel on Military Physical Readiness: Military Physical Performance Testing immediately following the NSCA's 4^{th} annual TSAC Conference on April 18 – 19, 2013 in Norfolk, VA. The 2^{nd} Blue Ribbon Panel was convened to continue the TSAC program's commitment to its mission of providing state-of-the-art physical training and education, and to expand and deliver this information to those who serve and protect our country and communities.



EXECUTIVE SUMMARY

This meeting brought together a total of 20 subject matter experts (SME) from the U.S. Air Force Army, Marine Corps, Navy and academia representing practitioners, operators, researchers, and policy advisors to discuss the current state of physical performance testing across the Armed Services. The SME panel initially rated common military tasks (refer to Table 1) by the degree to which health-related fitness components (e.g., aerobic fitness, muscular strength, muscular endurance, flexibility, and body composition) and skill-related fitness components (e.g., muscular power, agility, balance, coordination, speed, and reaction time) were required to accomplish these tasks. Muscular strength, power, and endurance received the highest rating scores.

The Blue Ribbon Panel then broke into SME groups to establish a list of field-expedient tests (refer to Table 2) that could be considered for military physical performance testing for later voting by the entire panel. Table 2 lists the field-expedient tests that received the most votes by the panel.

Panel discussion centered on whether the services should have a common criteria health-based fitness test (82% of panel members concurred) and whether services should consider a Tier II test focused on both health-related and skill-related fitness components based upon occupational, functional, and tactical military performance requirements (95% of panel members concurred).

It was noted that the Marine Corps currently has a combat-oriented, functional fitness test; however, none of the services currently have an occupationally specific physical fitness assessment. The Army and Air Force have study initiatives considering Tier II fitness tests. Subsequently, the panel discussed the need to consider whether Department of Defense Instruction 1308.3 (DOD Physical Fitness and Body Fat Programs Procedures) should be revised to consider inclusion of Tier II tests to assess functional and skill-related fitness components related to occupational tasks.

CONCLUSIONS:

- 1) Selected fitness components are currently not being assessed by the military.
- Field-expedient options to measure both health-based and skill-based fitness components are available.
- 3) Branches of the military may want to consider having common fitness-based tests. Concern for historical perspective and appropriate health-based criterion reference standards should be given to alter military physical performance testing if needed.
- 4) It seems prudent for each branch of the military to design an occupational, functional, and tactical military performance test for inclusion as part of a fitness testing battery.

RECOMMENDATIONS:

- 1) The Panel will organize a writing group to publish a peer-reviewed manuscript based on the panel findings and proceedings.
- 2) The findings and recommendations from the panel should be briefed to the DoDl owners, Office of the Secretary of Defense/Personnel & Readiness/Morale, Welfare and Recreation Policy Division for consideration to revising DODI 1308.3 DOD Physical Fitness and Body Fat Programs Procedures.



The opinions expressed at the conference or contained in this paper do not constitute official Department of Defense policy positions or those of the Services.

TABLE 1. COMMON MILITARY TASKS

Military Tasks	Strength	Power	Endurance	Body Composition	Coordination	Balance	Agility	Flexibility	Aerobic Fitness	Speed	Reaction Time
Jump or leap over obstacles	7.5	9	4	6.4	6.9	5.7	6.5	5.9	2.6	5.7	4
Move with agility- coordination	4.7	5.4	5.5	5.8	9.5	8.4	9.8	6.1	4.1	6.5	6.6
Carry heavy loads	8.8	6.2	7.5	5.2	3.7	5	2.9	3.3	5.5	2.2	1.6
Drag heavy loads	9.2	7.4	7.4	5.2	4,5	4.8	3.3	3.8	5.2	2.7	1.6
Run long distances	3.8	3.1	6.9	6.9	3.2	3.2	3	3.2	9.9	4	1.4
Move quickly for short distances	6	7.8	5	6.2	7	6.4	7.8	4.4	4	9.3	6
Climb over obstacles	8.3	6.5	5.7	6.7	7	6.1	6	5.9	3.9	4.1	2.2
Lift heavy objects off ground	9.7	7.7	5.4	5.5	4.8	5.1	2.7	5	3	2.3	1.6
Load/stow/mount hardware	7.7	6	6.3	5	5.7	5.3	3.4	4.9	3.6	2.6	2.2
Overall mean	7.3	6.6	6	5	5.8	5.5	5	4.7	4.6	4.4	3



TABLE 2. VIABLE PERFORMANCE TESTS

Aerobic Fitness	Running Test				
	Beep Test				
Muscular Strength	Isometric Dynamometer				
	Pull-Up				
	Incremental Dynamic Lift				
	Push-Up				
Muscular Enduranc	e Push-Up				
	Burpee (Squat Thrust)				
	Squat				
Flexibility	Functional Movement Screen				
	Sit and Reach				
	Y-Balance				
Body Composition	Circumference Measurements Bod Pod				
Speed40-Yard Sprint					
Agility	300-Yard Shuttle Run				
	T-Test Agility Drill				
Power	Standing Broad Jump				
	Vertical Jump				
	Medicine Ball Throw				
Coordination	Sit-Up and Stand w/o using Hands Burpees				
Balance	Beam Walk				
	Y-Balance				





APPENDIX M


TRADOC May Planning Conference Brief Deconstruction of WTBDs
















































071-326-3013 Conduct Tactical Movement

Task: Conduct a 24 Kilometer Tactical Movement


Condition: Wearing / Carrying 128 lb Approach March Load

Standard: Complete in 24 hours; Soldiers do not have to

complete the entire 24 kilometers at once.



Carry minimum of 128 lbs evenly distributed over entire body and remain able to fight at conclusion of march of 24 kilometers per day.



- 128 lbs is combined weight of Basic Soldier Uniform (12 lbs), PPE (68 lbs), 24 hour sustainment load (48 lbs) - Weight of specialty equipment varies (e.g., 60 mm mortar base

plates weigh 18 lbs) - Patrois remaining in the field overnight or for multiple days Increase weight significantly (additional ammunition, food, water, mission essential equipment, etc.)

- Army Standard for Tactical Movement is 3-4 km per hour for a total of 24-32 km per day (24 km is approximately 15 miles) - 24 km per day is representative of 1-2 Combat Patrols (6-8 km out and 6-8 km back twice a day) from Combat Outposts and Joint Security Sites in the Afghanistan AOR.

- Does not require the Soldier to complete the entire distance at



MOS 11B: Infantryman 071-326-5703 Prepare a Fighting Position (Fill and Emplace Sandbags)



Task: Fill Sandbags

Condition: Wearing / Carrying 68 lb Fighting Load(-) (no weapon) and given entrenching tool, 28 empty sandbags, sufficient fill

Standard: 26 sandbags filled 55-60% full in 52 minutes

Fill Sandbags

Dig, lift, and shovel 11 lbs scoops of dirt in bent, stooped or kneeling position into sandbags.

Weight: 11 lbs Horizontal Distance: N/A Vertical Distance: 0.75 m Time: 36-52 minutes

- 11 lbs is combined weight of e-tool and average weight of various soil compositions
 0.75 meters is height of a sandbag, 3-5 scoops of dirt fill one sandbag
- One hasty flighting position (without overhead cover) utilizes 18-26 sand bags
- 2 minute average to fill a sandbag 54-130 scoops required to fill 18-25 sandbags

Task: Carry / Emplace Sandbags

Condition: Wearing / Carrying 68 lb Fighting Load(-) (no weapon) and given 26 sandbags (55-60% full)

Standard: Hasty fighting position (without overhead cover) built in 26 minutes 10 meters from the original position of the sandbags


Carry/Emplace Sandbags


Lift 30-40 lbs sandbags waist to shoulder high, carry them 1- 30 m and emplace.


Weight: 30-40 lbs Horizontal Distance: 30 m Vertical Distance: Walst-shoulder high Time: 18-26 minutes


(Urban environment requires lifting/heaving sandbags to multiple storled buildings)


- 30-40 lbs is average weight based on soil composition; bags filled 55-60% - Sandbags are typically carried/emplaced walst to shoulder high
- 30 meters is farthest distance carried from fill point without a vehicle
- 1 minute estimate to carry/emplace sandbags
















APPENDIX N

Summary and Example Results of Focus Group Sessions June 2013

Focus group sessions were sponsored by TRADOC IMT-CoE and organized by COL Sonya Cable and Mr. Mike Haith. The purpose was to gain insight from the field about conditions under which warrior tasks and battle drills (WTBDs) are conducted and establish baseline standards that every Soldier, regardless of gender or MOS, should be able to meet without special skills or training. The sessions were confidential and only basic demographic information about the participants was obtained. Each focus group began with a discussion lead by IMT CoE staff on problems with the current APFT and the need to connect physical fitness testing with WTBDs. A common theme of discussion and participant comments was regarding the weight of clothing and equipment worn and carried during training and combat. The focus groups were beneficial and provided many insights about the validity of selected WTBDs.

The focus groups were conducted at following:

FT Jackson, 12-13 Jun 2013

USAPHC Personnel: Ms. Karen Deaver (group facilitator) and Mr. Tim Bushman Three focus groups, totaling of 21 men and 7 women of mixed ranks

FT LeonardWood, 18 Jun 2013

USAPHC Personnel: Mr. Joe Houser (facilitator); Ms. Lauren Lynch (transcriptionist) Two focus groups, totaling 13 men and 7 women of varying ranks

Ft Benning, 25-27JUN13

USAPHC Personnel Ms. Karen Deaver (facilitator), Ms. Elizabeth Clearfield (transcriptionist)

Three focus groups, totaling groups 23 men and 2 women of mixed ranks.

The following is an example of the information transcribed from the focus sessions.

EXAMPLE SUMMARY OF FOCUS GROUP RESPONSES AND NOTES

12 June 2013

Fort Jackson, SC Day 1 Morning Session-A

Moderator: Karen Deaver-US Army Institute of Public Health Transcriber: Tim Bushman-US Army Institute of Public Health

Drill Sergeant of the Year: SGT Heilman

Session Start Time: 8:10, Instruction End: 8:20

Session End Time: 10:50

Number of Participants: 10 (7 males, 3 females)

Conduct Tactical Foot March

Q1: Do you think that the average Soldier, male or female, could march 16 km (10 miles)?

Q2: Do you think that the average Soldier, male or female, could march 16 km (10 miles) in 4 hours (a 2.5 mile-per-hour pace)?

Q3: Do you think that the average Soldier, male or female, could march 16 km (10 miles) in 4 hours while carrying a 128-pound load?

Q4: What do you think that an average, baseline Soldier could accomplish in terms of a foot march? If you had to develop the conditions and standards for the average Soldier, what would they be?

- 1) 16-km is a reasonable distance, general consensus
- 2) From a baseline perspective, Soldiers that just got in, they start at 12 miles, not 10, and they progressively increase distance and load and this was feasible
- 3) Distance is usually 20 km or 12 miles
- 4) They say that 16-km is too low as more conversation transpired
- 5) Probably ought to be 20-km
- 6) 4-hour pace for 10 miles is too slow
- 7) 4-hours for 20-km is good, correct pace
- 8) Would be easier to make the decision based off of what your actual backpack weighs, not the actual load
- 9) No Soldier really incorporates what they wear (bag and kit)
 - a) Two separate equations you have to account for
- 10) 35 pounds for the ruck sack
- 11) 128 pounds and subtract the uniform weight, so roughly a 115-pound load
- 12) ACH, FLC, weapons, boots has nothing to do with the "load" as far as they think
- 13) The actual "weight" should be 35 pounds as far as they consider it
- 14) There is a doctrinal way to think of this: fighting load (FLC) and approach march load (everything) and the middle load is maybe assault load?
- 15) 128 pounds seems excessive for the approach march load, a more acceptable number is 25-35 pounds
 - a) 70-75 pounds for the entire load because the load you're wearing can vary 20-30 pounds depending on what you're carrying

- b) 70-75 pounds sounds like a general agreement number as far as what a Soldier should be able to carry
- 16) For baseline Soldiers, one of the issues is multiple standards for different body sizes
- 17) It would just be a little easier for the bigger Soldiers and a little harder for the smaller Soldiers
 - a) Soldiers can do it, they just have to build up to it but it is totally possible
- 18) Need to build stamina
- 19) 1/3 of body weight is a general number as far as load to carry
- 20) Building up to it is the key for baseline Soldiers, start out at 2-4-6-8-10-12 kilometers
 - a) Nothing for 2-km, then continually adding more weight to help train for distance and load simultaneously
- 21) 4 hours at the 20-km still makes sense with a full load of 70-75 pounds
- 22) According to Chapter 5 Foot Marches, 21-18 manual, says 72 pounds should be the cap for load
- 23) Regular Army does that, Ft. Jackson doesn't
- 24) Fort Jackson bases it on body weight, generally 1/3 of body weight
- 25) 30-35 pounds average fighting load?
- 26) 30% of body weight, some units do do that outside of the Army
- 27) 35-pound ruck is the set standard for Fit to Fight
- 28) Soldiers need to be able to do this, but there really is no set standard
- 29) Doesn't make sense to have it MOS specific, because every Soldier is a Soldier first
- 30) Hard to establish a standard because everyone does something different (MOS)
- 31) It comes down to enforcement at the end of the day, whatever standard you set forth, you need to enforce that
- 32) Every unit enforces standards based on MOS, and unless all units enforce the same standards, then anything we establish is "air"
- 33) Taking APFT in one unit may be different than taking APFT in another unit
- 34) As a former infantryman, it was "you are going to do this, and it is going to be checked"
- 35) It comes down to ENFORCEMENT
- 36) Karen took the conversation away from enforcement, that is another day's conversation, but today's focus is what are you doing TODAY
- 37) We should expect 20-km in 4 hours with 70-75 pounds in load carriage

Perform Exterior Movement Techniques during an Urban Operation

- Q1: In said example, if a Soldier must sprint under load, jump and crouch under load, drop to the prone position under load, and perform balancing acts under load; what different physical components, or physical movements, are involved in this task?
- Q2: Considering each physical component described above, how easy or difficult is it to perform? While carrying an 80-pound load? Do you think that the average Soldier, male or female, could perform that physical component with a fighting load? Without a fighting load?
- Q3: What do you think an average, baseline Soldier could accomplish in terms of exterior movement during urban operations? If you had to develop the conditions and standards, what would they be?
 - 1. No, not the baseline Soldier (the baseline Soldier wouldn't be doing this?)
 - 2. Just operational, not IET, right after IET though
 - 3. They would never do this in operational anyways

- 4. What are the physical capabilities that we should expect of the baseline Soldier during unified land operations (Korea, Kuwait to Afghanistan, Northern Africa)
- 5. Participant thinks this is possible because CTT Training is similar to that above-described scenario, but would never do that on a normal basis
- 6. If you want to tie these things together, we're not walking, jumping and crawling with the before-stated 70-75 pound load
 - a. If that's the standard for walking or marching, it can't be the standard for more operational tasks
 - b. 15-25 pounds is a reasonable expectation?
- 7. If you're under fire, you are dropping your ruck sack and running so allow yourself more maneuverable
- 8. 210 rounds, weapon, radio
- 9. Whatever the standard issue is, 35-40 pounds
- 10. 25-30 pounds sounds like a more appropriate standard as far as consensus
- 11. What other physical things do we need to do aside from the scenario actions:
 - a. Crawl, shoot, pull their own body weight, potentially carry others with this 15-25 pound load
 - b. Pull myself up onto a shelf-type obstacle, sprinting, IMT
- 12. Of the physical components just described, what can you reasonably do with 15-40 pounds?
 - a. Crawl, but the less weight the better because of the transition between activities and physical components
 - b. If low-crawling with 80 pounds, and then have to get up and sprint, the transition is going to take way too long
 - c. Everybody would rather move FASTER
- 13. Climbing over walls with 25 pounds, reasonable expectation
- 14. Climbing over walls with 40 pounds, too much
- 15. 25-30 sounds okay, 40 pounds is too much, you're asking for issues (that's when you are going to run into issues with the baseline Soldier)
- 16. What about ascending stairs? What weight is reasonable? 25 is always reasonable, 40 is always a huge stretch, seemingly unacceptable
- 17. 40 pounds you should be able to do a flight of steps, 60-80 pounds is doable but you are going to naturally slow down
- 18. For sprinting, weight is certainly an issue
 - a. Lighter is better, especially if you're getting shot at
 - b. Still, 25-35 pounds is okay for the sprint
 - c. Any additional weight and you are going to be zigzagging and not sprinting in a straight line anymore, you're just trying to stay out of harm's way
- 19. 25-40 range seems generally okay for all warrior tasks and battle drills, anything more seems farfetched and seemingly unrealistic/unreasonable

Move Under Direct Fire

Q1: In said example, what are the different physical components, or physical movements, are involved in the task?

Q2: Considering each physical component described above, how easy or difficult is it to perform? While carrying an 80-pound load? Do you think that the average Soldier, male or female, could perform that physical component with a fighting load? Without a fighting load?

Q3: What do you think an average, baseline Soldier could accomplish in terms of moving under direct fire? If you had to develop the conditions and standards, what would they be?

- 1. Everything on here is legit, except for the weight
- 2. Is this the right scenario physically under direct fire? YES, it is a reasonable expectation
- 3. Is there anything missing as far as physical fitness components? Change magazine
 - a. Generally would be expected to do low and high crawl
 - b. Kneeling behind cover, crouched position depending on cover
- 4. Reasonable physical components, make sense, but the weight is too much
- 5. For a reasonable expectation for weight, the weight should be the same
 - a. The weight doesn't change, 25-40 pounds as in the scenario above
 - b. 15-25 pounds for a 15-meter sprint is a total weight that you're carrying
 - The distance is okay, but in order to conduct this task 40 pounds is a lot of weight
 - c. Last scenario 25-40 was reasonable, but in this scenario you're shedding some weight and looking at a range of 15-25 pounds
 - d. With a movement to contact task, you want more speed and less weight
 - i. In this particular drill, there is an emphasis of speed and that cannot be achieved with the addition of weight
 - ii. YES, GENERAL AGREEEMENT of this opinion
 - e. Putting a weight to testing a baseline Soldier is incorrect altogether, because a baseline weight is going to differ
 - i. It should be a list of gear that you're wearing
 - ii. IBA and rifle all weigh differently from one Soldier compared to another
 - iii. The way to describe these scenarios is not defined by weight, it's defined by equipment
 - f. Plus or minus 20 pounds is a general range of variation for equipment weights between different Soldiers
- 6. We want to have as little weight on us as possible
- Every Soldier should be able to carry weapon, ammunition, water, personal protective equipment
- 8. Scratch the 80-pounds out and replace with fighting load, and the scenario would be accurate
- 9. If you don't give a weight requirement, then you better spell-out the equipment you expect me to carry
- 10. If you don't give us a standard, then what are we doing in the Army?
- 11. Capabilities
- 12. Task, condition, standard
- 13. Standard comes into play
- 14. Personal protective equipment (PPE) is different between units, which causes loads to fluctuate with PPE

- 15. Think about the scenario at a couple of different weight limits: low crawl, high crawl, changing the magazine, running and sprinting, transition, lifting your body up and down (depends on terrain)
- 16. In moving under direct fire, is there really a step called 'climb over something'?
 - a. Not generally, you are looking for cover and a concealed position
- 17. Baseline Soldier cannot crawl with 80 pounds
 - a. Could maybe do it for a minute, but you won't be that successful
 - b. May be good for 20-30 meters
 - c. Not going to do much for anything with 80 pounds
 - d. 80 pounds is a show-stopper
 - e. 80 pounds is not impossible, but if it's used for standardization then 80 pounds is an issue
- 18. Is 60 pounds reasonable for 150 meters? NO
- 19. 15-25 pounds is the very reasonable weight
- 20. When you raise it to 25-35, you can still perform all those physical components but it becomes DANGEROUSLY slower, which is why that weight needs to come down
- 21. 35 pounds is a tipping point
- 22. 51 pounds is what one Soldier would wear, not including his radio and knives but he isn't a baseline Soldier
 - a. That's going back to MOS, because it is what he is required to carry
- 23. 25-40 pounds is our fighting load? Is it a reasonable fighting load? Baseline should be easily 40 pounds, which has a much more general consensus
 - a. Can move or is agile with 40 pounds, so the tipping point is 35-40 pounds
 - b. But 25 pounds means that you dropped your ACH or some other mission-critical equipment so with the addition of a few more things, you're at 35-40 pounds which is reasonable for these physical components for the baseline Soldier
- 24. Weapons, ammo, PPE is in the 40-pound range
 - a. BASELINE Soldier you stick to 40-pounds
 - i. Incorporate the plus or minus 20 pounds
- 25. You're never going to make everybody happy with this, but 40 pounds is good
- 26. Another individual is sticking with 15-25 pounds
- 27. To perform these tasks optimally, the only addition you want to add is 15-25 pounds
 - a. But to do these tasks with 40 plus pounds on, it's a "spiritual" task
- 28. TRADOC is behind, participant thinks that we're going backward, we're still training on things that we have already shown we are proficient at
 - a. We already do this, so we need to come up with some newer, different things to forward the training doctrine of the Army
- 29. Doing these WTBD with 40 pounds you will experience a degree of degradation

React to Vehicle Roll-Over

Q1: In said example, what are the different physical components, or physical movements, are involved in the task?

Q2: Considering each physical component described above, how easy or difficult is it to perform? While carrying an 80-pound load? Do you think that the average Soldier, male or female, could perform that physical component with a fighting load? Without a fighting load?

Q3: What do you think an average, baseline Soldier could accomplish in terms of reacting to vehicle roll-over? If you had to develop the conditions and standards, what would they be?

- 1. First thing is to take everything you have strapped-on off, keep OTV and whatever else the seat belt will fit around (your "kit")
- 2. You will not be able to put your chin to your chest, too much stuff
- 3. 60 pounds would be roughly accurate, not 80
- 4. If you have your neck guard on, you don't have any room to tuck your chin to your chest
- 5. Better description is to tuck everything into a ball, "ball-up"
- 6. Ditching your gear, everything but the helmet because everything you're wearing is going to snag in the vehicle
- 7. Helmet and weapon
- 8. You just have to be flexible and agile, IOTV (majority of Army should have these)
 - a. Should have pull tabs?
 - b. Apparently not everyone has IOTV's
 - c. Shouldn't take that much effort to shed that excess equipment and weight
 - d. Unit SOP is everyone has to wear your seatbelt at all times
 - e. Cut the seatbelt, leave your IBA on because you may have to fight
 - f. Others in the convoy will "circle the wagon"
 - g. Another thinks you keep your fighting load on you depending on the threat level
 - h. If time is of essence, you pull off your excess gear and get out
 - i. How smashed up is the vehicle? Is the truck on fire? Is someone on top of you? Are you being engaged?
- 9. The windows are really small, so trying to get out with all your gear on is rather difficult
- 10. This is a tough scenario to train on because it varies too much due to the myriad of reasons why a rollover may occur
- 11. You would have to cover all the scenario to establish SOP's for this type of event
- 12. What are the physical tasks for getting out of the vehicle?
 - a. You would have to establish some strength to try and open and keep the door open (lifting the door, trying to keep it open)
 - b. The windows on the humvee, probably going out the windshield because the top is no longer available and the doors are pretty narrow spaces
 - c. Look for the quickest way out, which would be the door if it's available
 - d. Is ditching your gear and crawling out of the window something a baseline Soldier can do? Everyone should be able to do this. If it's on its side, you would have to pull and lift the door which may take 2-3 Soldiers. If it's on its roof, you would have to go out the sides
 - e. Realistic scenario: you have 3 or 4 people that are in rough shape, IF your seatbelt is on you are upside down, someone is unconscious, first thing to do is identify the gunner because he is probably dead

- f. This is a realistic expectation for a baseline Soldier, but that's completely different than what will happen in the actual event
 - i. One training scenario with gear, one without
 - ii. Very realistic to expect a baseline Soldier to recover themselves out of a flipped vehicle
 - iii. There isn't a new level of fitness you're asking us to do by executing this task
 - iv. If we can do the previous scenarios, we can do this scenario
 - v. Physical components are the same or similar than the others
 - vi. Don't know what things we're measuring in this task
 - vii. This one is almost our easiest one, it's more mental than physical
 - viii. "What's going on upstairs", meaning it's more important to think clearly than have the physical capacity to do this
 - ix. How are you going to react, can you react?
 - x. Too many variables to make this a training exercise, should just be a unit SOP
 - xi. Much more mental than physical
 - xii. Just rollover, get out, not something you necessarily train on, but you do it in Kuwait before you go to your station
 - xiii. Don't have humvees in Afghanistan, different vehicle systems everywhere
 - xiv. Not everyone has gunners anymore
 - xv. Even State-side, we aren't all driving humvees or tactical vehicles, so don't necessarily have a standard common knowledge

Solder Load

Q1: Considering the Army Combat Uniform (ACU), what does the average baseline Soldier wear every day, and what would he\she be carrying in the pockets? How much do you think this weighs? The uniform plus other pocket and attached items? Do you think the average, baseline Soldier can function effectively while wearing this much weight?

- Some people shed earplugs, some don't
- 2. Do not need Chapstik
- 3. Gloves can shed
- 4. Underwear can shed
- 5. Eye protection
- 6. Everything minus the sports bra I'm taking
- 7. Left off the multi-tool because not everyone has one, not everyone needs one
- 8. 11.75, 13, 12.13, 11.0, 12.6, 12.4, 12.3, 13.0, within a pound you're looking at 12 pounds roughly
- 9. This seems appropriate as far as weight per equipment
- 10. Most everyone is this room has that much weight right now
- 11. Is there anything missing that you would have in battle? Some form of communication device
 - a. Pound of smart cards
 - b. Weapon and a magazine
 - c. Looking for equipment in garrison
 - d. In garrison you don't need eye pro, ear pro, multi tool, gloves, more comes off the list when 'in garrison' is in effect

- e. Leave the tool or knife
- f. Might want to have your ipro and gloves in garrison
- 12. Chapstick, earplugs, gloves, maybe multi tool in a battle drill can be left behind
- 13. Everything except the sports bra, and maybe not underwear
- 14. You list a notebook, but no pen
- 15. In a battle drill, you have all of this, but maybe not underwear
- 16. This is the BASIC UNIFORM, this is how you show up
- 17. 12-13 pounds sounds good

Q2: Considering the Fighting Load (the ACU plus the gear a Soldier would wear and carry into a situation with potential enemy combatants): what would a Soldier going into a potential combat situation need to wear, carry, and hold in his/her hands? How much do you think this weighs? The uniform plus other items? Do you think the average, baseline Soldier can function effectively while wearing this much weight? What do you think an average, baseline Soldier should be wearing and carrying?

- 1. 45 pounds after shedding a number of items
- 2. 50 pounds
- 3. Kept most of it
- 4. Took off deltoid protector, lower back, protective side plates, waste pack, etool, compass, visual language translator card, goggles, grenade pouches, grenades, seems to concur all-around (these are all items taking out)
- 5. The sling was questionable
- 6. If we're talking about the battles drills vs. just going wherever, we would also take off rhino mount, flashlights, infrared beacon concerning night drills
- 7. Most people kept on body armor, plates, small arm inserts, em4, ACH, magazines, mag pouch, (all must-haves)
- 8. Baseline Soldier fighting load should be around 52.81 on the LOW END
- 9. 52.0 LOW END
- 10. 52.0, 54.5, 47.0 (middle range), 52.0, 48 (low on the body armor), 64 with side plates, 56, 69 with high end numbers for everything
- 11. Someone would keep the grenade pouches, but not the grenades
- 12. Range of 47-69 pounds
- 13. Assuming 50-55 pounds, can you do the tactical foot march with just this weight? YES (20 km, under 4 hours)
- 14. Assuming 50-55 pounds, exterior movements for urban operations? YES crawl, transition, climb the wall (yes and no, you are going to have someone there to help you), (you can do this, but it's going to be slow), with this weight UNASSISTED these tasks, 6-foot wall with 60-70 pounds worth of stuff, is not doable
- 15. At this weight, should the wall be a baseline? NO, because they are not going to be alone and they will have someone there to help me
- 16. Do not remember having to climb a 6-ft wall
- 17. Sprinting with this weight: 15-meters yes, but obviously slower
- 18. Baseline Soldiers should be able to do that, but you haven't given us a standard time? Under double time, yes, absolutely you should be able to d this

- 19. At 15 meters, the weight doesn't affect the performance as much because it's too short of distance
- 20. Going up steps, it shouldn't be a problem
- 21. For moving under fire: not for a baseline Soldier, what can you train them to be able to do after 6 months or so? Yes, after training with the aforementioned fighting loads
- 22. Should we have our Soldiers saying "this is what you need to do to accomplish the mission?" Is this way too far? Is this realistic? Baseline Soldier in the Army cannot do this, but they should be held to this standard, but it's going to take so much time to get this standard developed that it's "not worth it"
- 23. Have passed the previously-defined tipping point of 40 pounds?
 - a. Individual movement techniques would render 55 pounds as too much weight
 - b. It would take a unit a considerable amount of time to get that Soldier to achieve these tasks at said weight of 55 plus pounds
 - c. A lot of the Army isn't going to implement this because they have their own mission and agenda
 - d. Baseline Soldiers could NOT do this, general agreement
 - e. They WON'T DO IT
 - f. How many Soldiers get to drill sergeant school and can't perform the tasks and battle drills asked of them
 - g. Not a reasonable expectation that is baseline for the entire Army
 - h. Assuming that the PPE is mandatory, then it's completely different

Q3: Considering the Approach March Load (the Fighting Load plus the gear a Soldier would wear and carry into a protracted mission in a hostile region): what would a Soldier on a multi-day mission in a hostile region need to wear, carry, and hold in his/her hands? How much do you think this weighs? The uniform plus the other items? Do you think the average, baseline Soldier can function effectively while wearing and carrying this much weight?

- 1. In addition to your 12-13 pound uniform, roughly 50 pound gear
- 2. This is enough gear for a 48-hour event, what is the load expectancy?
- 3. 27, 40, 15, 27.6, 33.4, 47.8,
- 4. Did not carry: ruck, downgrade to medium ruck, intermediate bag, you need mre's, something to carry it in, molee, less mre's,
- 5. This tells me what we have been doing, but not that it is optimal
- 6. Leaving out some sustainment items because this is tactical, so the load goes down by half
- 7. If you're training for a particular mission, such as 20-km in 5 hours, given our load, then a lot of these things articulated on this matrix would be something to sleep in, keep dry, chow, additional ammunition, radio, map
- 8. Two-day patrol that is a combat patrol, you aren't taking a sleeping bag because you won't be sleeping (travel light and freeze at night, sucks to be you for two days)
- 9. No more molee ruck sacks, just three-day packs
- 10. Molees are stupid, molee rucks
- 11. Molee rucks suck
- 12. Three-day pack is close to the old system ruck, more realistic

- 13. In some circumstances the ruck may be essential to the mission and survival (Alaska), there is a reason to have it in some instances
 - a. For baseline Soldier, this is not necessary
- 14. Two points: fitness as it applies to warrior tasks and battle drills, there are some other avenues that physical fitness gets to: is there a level of fitness to be achieved that helps us with suicide prevention or increases self-esteem? Multiple civilian studies that have found that daughters that are raised with higher levels of fitness have higher levels of self-esteem and don't get into situations where sexual assault becomes an issue? There is another component, not just towards mission, that makes the Army more resilient against suicide, sexual assault, etc.
- 15. NO ONE agrees that just the PT test and weapons test is good enough to get into the Army
- 16. With all of this, we have to define what an Army thinks a Soldier should be which always comes down to MOS-specific, which makes us weaker
- 17. Marines all call themselves Marines, but the Army does not all call themselves Army, they define it by MOS (I'm an infantryman, I'm a mechanic I'm a ...)
 - a. In the Marines, it's I'm a Marine and I'm a Marine and I'm a Marine
- 18. We basically train to 2/9 tests to pass BCT (fitness test and arms test), but we need to change this


Mike Haith's Presentation - Key Points


- We need to get back to COMPETITION and allowing squad leaders to gauge their own unit's physical fitness
 - Reinstitute competition
- We need to train "in-kit"
- Where do you draw the line with training and injury risk?
- No tactical training in NCOIS
 - Any school in quartermaster course is the same
 - Not getting the training in school to be able to relay that education and training
- Should be able to have a workout of the day with crossfit, TRX, etc.
- No more "one-size-fits-all" approach
- Need for DIFFERENTIATION AND COMPETITION


APPENDIX O


Baseline Soldier Physical Readiness Requirements Study TRADOC in Process Review (IPR) Brief 19 August 2013


Presented by Mike Haith, TRADOC IMT-CoE





























































































Climb over Obstacles


Lift heavy loads off the ground


















APPENDIX P

Protocol Request for Fort Carson Field Study September 2013

----Original Message-----

From: Hoedebecke, Edward L CIV (US) Sent: Thursday, September 12, 2013 8:44 AM

To: Jones, Bruce H CIV USARMY MEDCOM PHC (US); DeGroot, David W MAJ USARMY

MEDCOM PHC (US)

Cc: Eslinger, Dawn M CIV USARMY MEDCOM PHC (US)

Subject: FW: Request for Review: Baseline Soldier Physical Fitness Study

(Protocol Development Phase (UNCLASSIFIED)

Classification: UNCLASSIFIED

Caveats: NONE

Bruce, Dave,

Nancy Hathaway has reviewed the documents and determined the activity is not research. What I what you to do is review the documents and agree that that is what you are actually doing. If so, we have the answer and can proceed, if not, we have to talk.

Ned

Edward (Ned) Hoedebecke, DVM, MPH, MA, Dipl ACVPM Chair, Public Health Review Board Human Protections Administrator United States Army Public Health Command Aberdeen Proving Ground, Maryland 21010-5043

----Original Message-----

From: Hathaway, Nancy L CIV USARMY HQDA OTSG (US)

Sent: Thursday, September 12, 2013 8:41 AM

To: Muraca, Stephanie T CIV (US); Hoedebecke, Edward L CIV (US); Eslinger,

Dawn M CIV USARMY MEDCOM PHC (US)

Cc: Myers, Cynthia M CIV USARMY TRADOC (US); Cable, Sonya J COL USARMY (US);

East, Whitfield B Dr CIV USA USMA; Whitfield East; Bienvenu, Robert V II CIV

USARMY HQDA OTSG (US)

Subject: Request for Review: Baseline Soldier Physical Fitness Study

(Protocol Development Phase (UNCLASSIFIED)

Classification: UNCLASSIFIED

Caveats: NONE

AHRPO has reviewed the attached documents and determined, based upon the information provided, that the activity does not meet the definition of "research" as defined by 32 CFR 219.

While there is some systematic inquiry (observing individuals perform specific physical tasks and collecting their MOS, height/weight, last PT score, and opinions about the relevance of the tasks), there is no systematic evaluation that could contribute to generalizable knowledge. Rather, the intent of the activity is identify the operational relevance and feasibility of 5 task scenarios. This background information would then be considered in the development of measures for future research activities.

Please note that the data collected from this activity may NOT be used for research purposes.

To the extent that activities fall outside of those specifically described on the attached request, this determination does not apply.

Nancy L. Hathaway, JD, CIP Acting Deputy Director

Research Ethics and Compliance Officer

Army Human Research Protections Office

7700 Arlington Blvd, Ste 3SW319 Falls Church, VA 22042-5143 AHRPO Office: 703-681-6565

AHRPO email usarmy.ncr.hqda-otsq.mbx.usarmy-ncr-hqda-otsq-mailbox-otsq--ahrp@mail.mil

----Original Message-----

From: Muraca, Stephanie T CIV (US)

Sent: Wednesday, September 11, 2013 11:09 AM To: Hathaway, Nancy L CIV USARMY HQDA OTSG (US)

Cc: Myers, Cynthia M CIV USARMY TRADOC (US); Cable, Sonya J COL USARMY (US);

East, Whitfield B Dr CIV USA USMA; Whitfield East

Subject: Request for Review: Baseline Soldier Physical Fitness Study

(Protocol Development Phase) (UNCLASSIFIED)

Classification: UNCLASSIFIED

Caveats: NONE

Ma'am:

Thank you, very much, for your time and patience regarding this issue. I hope this helps put things in order, but if not, please don't hesitate to contact me at this email address, or via cell [xxxxx].

The attached submission details an "information-gathering" effort to garner the insights and feedback we need to refine potential criterion measures. We are in the process of developing our research protocol, but before we can complete and submit it to AHRPO for consideration, we need to assess the feasibility and operational relevance of a series of Warrior Task and Battle Drill (WTBD) scenarios (our potential criterion measures). WTBDs are common Army tasks on which all Soldiers, regardless of age, gender, or occupational specialty, are required to maintain proficiency. WTBDs are taught in Initial Entry Training, and are consistently trained/reinforced throughout the Army career-cycle.

A team of subject matter experts (SMEs) developed a series of WTBD scenarios that we hope to use as criterion measures in future research efforts. Before we can propose those efforts, or even assess the WTBD scenarios for reliability, we must determine if the scenarios are feasible (given time/space/resource constraints, can they actually be constructed and managed?) and operationally relevant (do experienced Soldiers think the scenarios contain movements actually performed in combat environments?). That is what we hope to glean from this information gathering effort - the insight we need to refine (or scrap) the scenarios so that we can develop a research protocol. This is part of a larger study effort to improve Army Physical Fitness training and assessment by forging a stronger link between the former and the physical demands placed upon Soldiers in combat/hostile environments.

V/r, Stephanie

Stephanie T. Muraca, Ph.D. Research Psychologist IMT-CoE

ATTN: ATCG-MTA

210 Dillon Circle

Fort Eustis, VA 23604-5701

nitial Military Training Co Excellence (IMTCol Institutional Review B ocol for Human Subjects	E) oard	Proto Version	col Num col Title on: Received		
Download this document to yo To enter your information, dou					oth text and check boxes.
rincipal Investigator Infor					
First Name:	Middle In	ntial:	Last N	ame:	
Whitfield Degree(s): EDD – Measure	B.	P. C4	East		
IMTCoE Human Subjects T			tistics	Email:	
Yes	ranning Compi	cieu?		Ellian.	
Job Title:		Affiliatio	n· St	ndent XI	DoD Employee
Professor		Military			Other, specify:
Department/Division:		School/C			, .p
Physical Education				litary Acade	my
Company:		Contracto			•
• -				•	
Work Phone:	ax:				ļ
upervisor Information (Fa Supervisor Name: COL Sonya Cable	culty Advisor	if PI is a : Title: Director,			NA
Human Subjects Training C	ompleted?			Email:	
⊠ Yes 📋 No					
Department: IMT-CoE		School/U	niversit	y:	
Division: HDD/R&AD		Contracto	or:		
Work Address:		Zip+4:		_	
				0.41.71	
				Cell Phone	2:
tudy Contact Information First Name:	(complete if p		ntact is Last N		rom PI) 🖂 NA
Degree(s):			-		
IMTCoE Human Subjects T	raining Compl	eted?	Yes	Email:	
□ No Job Title:		Affiliatio	n: C	tudent I	DoD Employee
		Military	Cor	ntractor	Other, specify:
Department:		School/U		y:	
Division:		Contracto	Of:		
Work Address:		Zip+4:			

Work Phone:	Fax: P	ager:	Cell Phone:	
4. Additional Personnel Involve Note: Research personnel incl recruitment, consent or data c	ude all individuals			ble for
Name (First, Middle, Last)/Degree	Department/Divi n or Affiliation	sio Role In Project	IMT CoE Human Subjects Training Completed	Date Training Complete
Stephanie T. Muraca, Ph.D.	HDD / IMT-CoE	Co- Investigato	r Yes No	08/2011
	/		Yes No	
5. Study Type Information				
A. Review Requested:				
Full Committee Study do	oes not meet Exemp	ption or Expedit	ed Review Requirement	s
Expedited Study meets I only involvement of human st <u>Categories.</u>				
B. Has this proposal been prev	viously reviewed by	an IMTCoE IRE	3?	
⊠ No □ Yes If "Yes," p	olease list IRB #(s):			
5. Study Abstract				
In 250 words or less, provide a	brief abstract of the	study in lay lang	guage.	
****PLEASE NOTE: The pury develop criterion measures for tests (e.g., push-ups, bench-pre WTBDs are the Army's "comm or military occupational special develop two research protocols will request approval to assess measures (WTBD scenarios). T request approval to assess the e bench press, sprint) predict per	potential future studies, sprint) predict Women core" of movem lty, must be able to go The first protocol, the reliability (intercent to which differ formance on the Wilcan be developed, to	lies of the extent l'arrior Task and l nents and tactics to perform. This eff which will be su- rater and test/re- which will be su- rent field-expedit TBD scenarios.	to which field-expedient p Battle Drill (WTBD) perform that all Soldiers, regardless fort will provide the insight bmitted to AHRPO o/a Detest) of the yet-to-be-deter abmitted to AHRPO in FY ent physical fitness tests (constitution of the state of the	ohysical fitness ormance. s of age, gender, t necessary to ecember 2013, mined criterion 2014, will e.g., push-ups,
Before the research protocols constructing/resourcing the WI courses," and the extent to whice environments. Based on feedba WTBD scenarios, and design the Team members will be assessing scenarios developed by Subject	ch the proposed WT ack from volunteer of the final criterion me ng the feasibility/ope	BD scenarios ref bservers and/or p asures. erational relevance	flect operations in combat/ participants, team member see of five discrete WTBD	he "obstacle hostile s will adjust the performance

(entry-level) Soldiers in operational environments. Contributing SMEs included academicians and practitioners in the fields of medicine, human performance, and exercise physiology, Army training developers and instructors, and incumbent Soldiers (Officers and Enlisted, senior and junior, across a range of occupational specialties).

The IMT-CoE team will construct five obstacle-type courses (designed to simulate a tactical march, offensive/defensive movement in a hostile situation, casualty extraction and evacuation, sandbag filling, carrying, and stacking, and combatives), and modify courses on-site to accommodate space, time, and resource constraints. The team will observe volunteers as they execute these tasks, and gather feedback about task relevance, realism, and physical demand.

This proposed observational/protocol development phase is part of a larger study effort to improve Army Physical Fitness training and assessment by forging a stronger link between the former and the physical demands placed upon Soldiers in combat/hostile environments. By observing Soldiers as they execute common task scenarios, study team members will gain a better understanding of the discrete physical movements and physiological processes involved in tactical activities. By assessing the operational relevance and feasibility of the five task scenarios, team members will gather the information they need to develop task-based criterion measures against which to validate potential field expedient test items.

7. Background Information

Describe the background information, specific aims, hypothesis or research question, previous experience, and a critical evaluation of existing knowledge (relevant literature) about the research topic. A reference list and copies of pertinent articles can be appended if thought to be of value in the evaluation of the research by the IRB. The IRB needs to understand how this study adds to the knowledge on this topic in order to be able to judge the risks and benefits to the research participants.

The contributions of physical readiness to combat performance are not in disputable. High levels of physical conditioning provide Soldiers with three significant performance advantages: (1) an increased high and low intensity work capacity, resulting in increased functional fitness, (2) an increased mental toughness and perseverance (will to win), and (3) a decreased risk of injury, resulting in increased survivability due to all-cause morbidity and combat-related injuries. Terms, like "pentathelete" and "Soldier athlete", are common place in Army parlance and Army training manuals laud the benefits of high levels of physical conditioning. In addition we clearly know "what right looks like" relative to periodized training and yet the USArmy has never clearly define and operationalize the physiological needs of the modern combat Soldier. This physiological tableau must be scientifically based and sufficiently broad to prepare Soldiers for full spectrum combat operations in varying terrains and climates. Once the Army establishes the requisite physiological needs for combat, it can then develop applicable training programs and criterion-referenced assessments and standards to measure physical readiness and ensure success of our combat mission. These performance assessments and concomitant standards can then serve as the determinant of combat readiness.

"Every war in which the US has been involved since 1860 has revealed the physical deficiencies of our soldiers during the initial mobilization...casualties in initial engagements were attributed to the inability of our soldiers to physically withstand the rigors of combat..."

To sharpen our focus on how we think about physical readiness training and assessment in the Army, we can address five embedded issues. Although the U.S. Army Physical Fitness School, the 75th Ranger Regiment (Ranger Athlete Warrior) and to a lesser degree the 101st Airborne Division (Eagle Tactical Warrior Program) and the 4th Infantry Division (Mountain Warrior Program) have made some progress in PRT development over the past six years, the Army has yet to empirically define the baseline physiological needs of the Soldier. We have a myriad of first-person anecdotal reports from Soldiers, commanders, and fitness professionals that describe the physical nature of combat, but we have no

Version Date 1 January 2012


empirical evidence. The closest we came was in 1942-43 when Drs. Esslinger and McCoy worked with COL Ted Bank to develop a "combat focused" PRT program and then tested their program against known measures of endurance, stamina, and coordination and against existing Army PRT programs. These results provided the foundation for TC 87 – Physical Training (1942) and DA Pam 21-9 – Physical Conditioning (1944).

With regard to the physical domain current Warrior Tasks and Battle Drills require significant levels of strength, stamina, and mobility. Regardless of a Soldier's military occupational specialty there is a common set of physically demanding, commonly occurring Warrior Tasks and Battle Drills and Common Soldier Tasks that every Soldier must perform. Successful performance of these functional tasks is predicated upon a Soldier's general physical fitness, which is composed of three areas: structural work capacity, metabolic work capacity, and physical work economy. Structural work capacity is the ability to development and maintain an adequate structural integrity to promote dynamic postural equilibrium and serve as a platform for load carriage. Metabolic work capacity is the ability to generate adequate energy to fuel task performance. Physical work economy is the ability to perform repetitive movement tasks at the lowest metabolic cost. After a short discussion of each of these areas of physical fitness, we will discuss how these areas inform physical readiness training.


Structural work capacity is develop during the general preparation phase (GPP) of fitness development. Vii In the GPP phase Soldiers work to repair the body from previous physical activity or prepare the body for future physical activity. Physical training should concentrate on light to moderate impact activities to initiate adaptive bone remodeling, refine CNS recruitment of muscle fibers, and soft tissue integrity. Soldiers should concentrate on higher repetition, low load exercises with great attention to body mechanics/posture and precision of movement. After 8-12 weeks these adaptive physical activities prepare the skeletal and soft tissue structures for more vigorous physical activity and load carriage. Viii The progression curve should be relatively flat as Soldiers work to strengthening the frame and core. An ancillary consideration of this phase is awareness of and attention to body mass, more specifically the absolute amount of fat mass and the ratio of lean to fat mass. Lean mass is metabolically more active and contributes to movement efficiency and effectiveness.

Developing metabolic work capacity primarily occurs in the build (toughening) phase of physical readiness training. Humans are carbon-based aerobes; we are inextricably linked to the production of high quantities of Adenosine Triphosphate (ATP). As Soldiers execute the repetitive movements required in WTBD/CSTs the demand for ATP exceeds what can be supplied via glycolysis and aerobic metabolism supplies the bulk of ATP via oxidative phosphorylation of pyruvate (carbohydrate) and triglyceride (fat). Large quantities of ATP are created via the electron transport chain, which requires a continuous supply of oxygen. Through O2 respiration and transportation to the muscles via hemoglobin, the mitochondria can produce large quantities of ATP. We often measure aerobic work capacity as the maximal level of O2 uptake and is reported in milliliters of O² per kilogram of body weight per minute (ml/kg/min) and call this measure predicted VO² max. With a continuous supply of O² the rate limiter in ATP production for repetitive movements is glucose, which is derived from carbohydrate metabolism. For higher intensity steady-state repetitive movements humans have enough glucose (stored glycogen) to produce requisite levels of ATP for about 2 hours (enough to generate about 2,000 kcals of energy).

Version Date 1 January 2012 Page 4 of 19



This framework of Army physical readiness training and assessment must be built around the concept of physical work capacity (PWC); i.e., the ability to perform physical work in a functional environment. The standard metric of physical work capacity is work volume, which is defined as the product of work intensity and work duration. Work intensity is a function of resistance (speed) x repetitions (distance) ± rest, which controls work duration. Training frequency (how often we train) is predicated on the status of the Soldier and the training volume (how long/hard we train – duration x intensity). These components must be strictly coordinated with training recovery (i.e., the time required for a Soldier to rest between work bouts). Training recovery is in turn regulated by two factors: the physiologic characteristics of the individual Soldier and their current physiologic status. Failure to understand the rate at which a Soldier recovers and his/her current physiologic status and to incorporate that knowledge into the development and execution a periodized training plan will ultimately lead to organic failures. To produce Soldiers who are capable of accomplishing WTBD/CSTs physiologic training must occur throughout the entire intensity spectrum with accommodations for proper rest/recovery. This PRT framework is perhaps easier to visualize graphically:



Version Date 1 January 2012 Page 5 of 19

Physical Work Capacity Continuum¹

Physical work capacity is primarily influenced by the quantity and efficiency of lean muscle mass and the ratio to total body mass. Musculoskeletal fitness begins to influence work capacity as work load and work duration increases. Lifting heavy objects for long durations requires muscles to generate a greater amount of force, which imparts a greater metabolic demand and eventually leads to muscular fatigue. Muscular fatigue will result from peripheral fatigue (due to depletion of intramuscular energy stores) and central fatigue (impaired brain and nervous system function due to glycogen depletion), which decreases the muscle's ability to generate force resulting in a decrease in performance and work capacity. Thuring physical training exposure to progressive work overload causes "type II fibers take on many of the properties of type I fibers, with reduced myosin ATPase activity, increased mitochondrial density and oxidative enzyme activities, and a greater capillary density."

There are many manifestations of a dysfunctional periodized training plan. In some cases Soldiers fail to develop adequate baseline levels of physical fitness. In other cases the lack of specificity results in a failure to acquire appropriate levels of functional fitness. However, one the most revealing symptoms of a dysfunctional PRT plan is a high number of organic failures (injuries), which seems to be the case in the Army. **iii* For CY2004 Ruscio et al. estimated that Service members (DoD-wide) had over 2 million injury visits for acute and chronic (overuse) injuries affecting approximately 900,000 Service members at a cost of hundreds of millions of dollars and resulting in over 25,000,000 days of limited duty. **Iii* In 2006 the Department of Defense recorded an estimated 743,547 musculoskeletal injuries at a cost of over \$2.2 billion. **Iii* In 2006 the Department of Defense recorded an estimated 743,547 musculoskeletal injuries at a cost of over \$2.2 billion. **Iii* In 2006 the Department of Defense recorded an estimated 743,547 musculoskeletal injuries at a cost of over \$2.2 billion.

For the Army to regain the momentum in PRT there is a need to resource a modern, comprehensive combat-focused fitness research program that will drive physical readiness training and assessment. We have but to compare the secular advances in the science of exercise and human performance over the past 30 years with current Army PRT doctrine to understand the gross disparity. Here are four basic research questions that demonstrate the depth of our lack of understanding: (1) what are the baseline physical attributes that constitute combat readiness; (2) what are the frequency, duration, and intensity of training required to illicit these physical attributes, (3) what fitness measures best assess these physical attributes; and (4) what resources (trainers, facilities, and equipment) are required to facilitate acquisition of these physical attributes in a timely manner while mitigating organic failures. We currently cannot answer even these basic questions to any degree of scientific acceptability. Only PRT doctrine grounded in the science of exercise and human performance can prepare Soldiers, leaders, and units to fight in the full spectrum of operations.

The most precious and irreplaceable resource in the U.S. Army is the individual Soldier. We must do all we can to develop and preserve this resource. Since the early 1900's the Army's physical readiness training program has been universally recognized as a force multiplier that enhances combat effectiveness, resilience, and survivability on the battlefield. We spend billions of dollars each year developing and producing tactical weapons and funding the associated training necessary to deploy them. Although we have the most technologically advanced Army in the world, our commitment to physical readiness training is derisory by comparison. As the Army moves to a smaller, lighter, more mobile force in the fight against the global war on terrorism, a long-term, comprehensive commitment to the highest quality physical readiness training is mandatory to ensure our future success.

Version Date 1 January 2012

Note: a relevant example of how similar organizations accomplish this goal is the Houston, TX Fire Department. The Houston Fire Department uses a job-related physical ability test designed to determine if an applicant has the requisite strength and endurance needed to perform the job duties of a Firefighter. These job duties require balance, coordination, strength, endurance, and cardio-vascular fitness. Applicants are tested over seven (7) timed, pass/fail events while wearing

gloves and an air pack because Firefighters are required to wear Self-Contained Breathing Apparatus (SCBA) and other heavy protective clothing while functioning at emergency incidents. The events include:

- Balance Beam Walk- within 30 seconds, one must walk the entire length of the beam.
- Ladder Extension within 1 minute, an applicant must fully extend and lower the fly section of a 24' aluminum
 extension ladder by using the hand-over-hand method.
- Stair Climb within 3 minutes 30 seconds, an applicant must pick up, shoulder hold, and carry two (2) 50' sections of
 hose, tied in a "Brown Fold," then climb and descend six (6) flights of stairs.
- Equipment Hoist within 1 minute, an applicant standing on the 3rd floor of the drill tower, using the hand-over-hand
 method, must hoist one section of 2 ½" hose (44 lb.) from the ground up to the 3rd floor window, and then lower the
 hose back to the ground.
- Portable Equipment Carry within 1 minute, an applicant must pick up an equipment/accessory box (Hurst, or Amkus, extrication tools) (70 lb.) from a 2' stand and carry it 50' in one direction, turn around to carry it back 50' and then place the box on a 3' stand.
- Rescue Attempt within 30 seconds, an applicant must carry or drag a 150 lb. human dummy, 30 feet.

1.5 Mile Run - within 13 minutes 7 seconds, an applicant must run 1.5 miles.

- Department of the Army, Physical Readiness Training FM 21-20 (Washington, D.C.: U.S. Government Printing Office, 1980) 1-2
- ³ FM 7-22 "Army Physical Readiness Training", Department of the Army, October, 2012.

Warrior Tasks and Battle Drills, IMTCoE, March 2013.

⁵ Soldier's Manual of Common Tasks, IMTCoE, 2013.

- ⁶ TRADOC PAM 257-3-7: The Army Human Dimension Concept, Department of the Army, 2013; Sharon L. Plowman and Denise L. Smith. Exercise Physiology for Health, Fitness, and Exercise. Baltimore: Lippincott, Williams and Wilkins, 2008; Tudor W. Bompa. Periodization Training: Theory & Methodology of Training. Champaign, Ill: Human Kinetics, 1999.
 ⁷ Personal conversation with Dr. William Brechue, FACSM (9 July 2013).
- *Belinda R. Beck, "Stress Fractures," ACSM Current Comment (Indianapolis, IN: American College of Sports Medicine, , 2007), 1 available at: http://www.acsm.org (accessed 3 May 2011); Note: based upon the American College of Sports Medicine "Current Comment" on stress fractures, we know it take about six weeks of adaptive exercise before bone density and connective tissue improve enough to help prevent stress-reaction injuries; "Bones are most susceptible to stress fracture when weakened by remodeling-related porosity, a primary stage in the adaptive response of bone to changes in patterns of

 loading." (p. 2)
 Andrew M. Jones, "The Physiology of the World Record Holder for the Women's Marathon" International Journal of Sport Science & Coaching 1:2 (2006): 101-116; Scott Powers and Edward Howley, Exercise Physiology: Application to Theory and Performance. Columbus, OH: McGraw Hill Publishing Co, 2013.

Whitfield B. East, A Historical Analysis of Army Physical Readiness Training and Assessment, FT Leavenworth, KS: Combined Arms Institute Press, US Army Combined Arms Center, March 2013.

¹¹ Paul J. Sharkey and Brian O. Davis. Hard Work: Defining Physical Work Performance Requirements. Champaign, Ill: Human Kinetics, 2008; Per-Olof Astrand, Kaare Rodahl; Hans A. Dahl and Sigmund B. Stromme. Textbook of Work Physiology. Champaign. Ill: Human Kinetics, 2003.

¹² Jones, "Physiology of the World Record Holder", 112.

Note: based upon the April 2009 <u>Armed Forces Medical Surveillance Monthly Report</u>, there were 7.8 million ambulatory visits for illness and injury during 2008; the largest percentage (> 24%) of visits were caused by musculoskeletal and connective tissue injuries – generally construed to be "overuse" injuries (approximately 1.9 million visits); Larkin, 2010, p. 41.42.

¹⁴ Bruce Ruscio, et al., DOD Military Injury Prevention Priorities Working Group: Leading Injuries, Causes and Mitigation Recommendations (Washington, DC: Office of the Assistant Secretary of Defense for Health Affairs, February 2006), 1, 4, 7; Preventing Injuries in the U.S. Military: The Process, Priorities, and Epidemiologic Evidence (Aberdeen Proving Ground, MD: Army Center for Health Promotion and Preventive Medicine, December 2008), Section 1-1, A(2), 1-2.

15 Christopher P. Larkin, "Combat Fitness a Concept Vital to National Security" (Paper - Master of Science, Department of Defense: Joint Forces Staff College, 18 June 2010), 100; Note: MAJ Larkin extrapolated these data, which were derived from the following source: Armed Forces Health Surveillance Center. "Ambulatory Visits among Members of Active Components, U.S. Armed Forces, 2008," Medical Surveillance Monthly Report 16:4 (April, 2009): 10.

8. Location of Research

A. Is this a multi-center research project in which IMTCoE will function as the coordinating center/lead institution? (A multi-center study is one where different PIs at different institutions are conducting the same study.)

X No

Version Date 1 January 2012

Page 7 of 19

Thi inst add	eract with living individuals ormation for research purposes earch. Please refer to the instance is may apply when an IMI titution, or when IMICoE solitional sites. Each will recorded Consent.	for research; or (iii) if the cuctions for CoE invested to the cuctor of	he institution receives examples of what may tigator collaborates w Coordinating Center.	s em ain a dir be c vith a Plea	ployees or ago individually ect federal aw onsidered "en a non-IMTC se check all	identifiable privional factorial description of the control of the
Chec k all that apply	Name of Performance Site (list all participating sites		FWA Holding Institution		RB of ecord	IRB Approval
\boxtimes	FT Carson, CO			┰	IMTCoE	Attached
				\geq	Other	Pending
					IMTCoE	Attached
	0.4			 	Other	Pending
Ш	Other, specify:			-	IMTCoE Other	Attached Pending
			1	╁┾	IMTCoE	Attached
				-	Other	Pending
				┧┝	IMTCoE	Attached
					Other	Pending
\times	t all Performance Site(s) " <u>not</u> NA institution or performance sit					
An do indi rece con the	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-Linstructions for examples of v	e is consider with living information support such MTCoE site	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w	searc ch p s; or es if then	h" when its e urposes; or (i (iii) if the is an IMTCoE collecting da	mployees or age ii) does not obt nstitution does i investigator will ta). Please refer
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-Li	e is consider with living information support such MTCoE site what may be	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w	search p s; or les if then ged is	h" when its e urposes; or (i (iii) if the in an IMICOE collecting dan n research."	mployees or age ii) does not obt nstitution does i investigator will ta). Please refer
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a co	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w considered "not engage erformance Site has a ppy of the IRB approv	search prich prices if when ged in	h" when its e urposes; or (i (iii) if the in an IMICOE collecting dan n research."	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a co	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w considered "not engage erformance Site has a	search prich prices if when ged in	h" when its e urposes; or (i (iii) if the in an IMTCoE collecting dan research."	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site nve an IRB, a poperation is
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a cole	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w considered "not engage erformance Site has a ppy of the IRB approve etter is required.	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfodoes not hat letter of corrections	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a cole Attache	red "not engaged in re- individuals for resear for research purpose h research. This applia or institution (e.g., w considered "not engage erformance Site has a ppy of the IRB approve etter is required.	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfodoes not hat letter of correq	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a collection of the Pendin Pendin	red "not engaged in re- individuals for resear for research purpose h research. This appli or institution (e.g., w considered "not engage erformance Site has a appy of the IRB approve etter is required.	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not hat letter of correq Attached Pending	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a co le Attache Pendin Attache	red "not engaged in re- individuals for resear for research purpose h research. This appli or institution (e.g., w considered "not engage erformance Site has a appy of the IRB approve etter is required.	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not has letter of correction of the pending Attached Attached Attached	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a collection of the Pendin Pendin	red "not engaged in re- individuals for resear for research purpose h research. This appli or institution (e.g., w considered "not engage erformance Site has a appy of the IRB approve etter is required.	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not hat letter of correq Attached Pending	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site nve an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Pe IRB, a collection is a collection in the Pendin Attache Pendin Pendin Pendin	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w- considered "not engage erformance Site has a ppy of the IRB approv- etter is required. ed g ed g ed	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the ii an IMTCoE collecting da n research." If the Perfe does not he letter of co req Attached Pending Attached Pending	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site nve an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Period Research Attache Pendin Attache	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w considered "not engage erformance Site has a ppy of the IRB approv- etter is required. ed g ed g ed g ed	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not has letter of comparing the pending Attached	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site nve an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Period Research Attache Pendin Attache Pendin Attache Pendin	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., we considered "not engage erformance Site has a ppy of the IRB approve etter is required. ed g ed g ed g ed g ed g	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not has letter of comparing the pending Attached Pending Attached Pending Attached Pending Attached Pending Pending Pending Pending Pending Pending Pending	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Period Research Attache Pendin Attache	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., w considered "not engage erformance Site has a ppy of the IRB approve etter is required. ed g	search prich prices if when ged in	h" when its e urposes; or (soii) if the is an IMTCoE collecting dan research." If the Perfedoes not has letter of comparishment of the pending Attached Attached Attached	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.
An do indi rece the for	NA institution or performance sit not (i) intervene or interact ividually identifiable private eive a direct federal award to ducting research at a non-L instructions for examples of v Waiver of Informed Consent.	e is consider with living information support such MTCoE site what may be If the Period Research Attache Pendin Attache Pendin Attache Pendin	red "not engaged in re- individuals for resear for research purpose h research. This appli- or institution (e.g., we considered "not engage erformance Site has a ppy of the IRB approve etter is required. ed g g ed g ed g ed g ed g ed g ed	search prich prices if when ged in	h" when its e urposes; or (; (iii) if the is an IMTCoE collecting dan research." If the Perfedoes not has letter of comparing the pending Attached Pending Attached Pending Attached Pending Attached Pending Pending Pending Pending Pending Pending Pending	mployees or age ii) does not obt nstitution does n investigator will ta). Please refer See IMTCoE Pol ormance Site ave an IRB, a poperation is uired.

Version Date 1 January 2012

9.

Subject Population(s)						
A. Identify all categories or groups, primary or secondary target, age range, total number to be solicited, total number to be consented, and the number expected to complete the study. Primary targets are those who either give consent or those who can only provide assent (e.g., minors). Secondary targets are those who provide data to supplement the primary target data (e.g., parents completing a questionnaire, teachers who supply information and data).						vho vho
Category/Group (e.g., parents, children, teachers, adults)	Primary or Secondary Target	Age Range (e.g., 7- 12, 13- 17, adults)	Number Directly Solicited (applies only to mailed survey studies)	Number to be Consented (including withdrawals or screen failures)	Number Expected to Complete the Study	
4 th Infantry Division	□ Primary □ Secondary □ Primary □ Secondary	adults	⊠ N/A	300	200	
	Primary Secondary Primary Secondary		□ N/A			
Insert additional row	TO Ente f	TALS er totals from umns 4, , & 6	□ N/A	300	200	
B. For multi-center r sites. (See item 8)	В.)	olease provi	de the total number of	participants to be	consented at Al	LL
	C. Describe how the selection of participants is equitable in relation to the research purpose and setting (e.g., no one ethnic group is targeted or excluded, the same group of participants will benefit from the results of					
recent Army Physicecently diagnosed year post-complet. Fort Carson's altit personnel (e.g., Sowill provide a gentesting, and a very criterion measures briefing, 4th ID Sothey would prefer provide feedback; that can be made to	no one ethnic group is targeted or excluded, the same group of participants will benefit from the results of					one oE

Page 9 of 19

10. Does this	s study target one gender or specific social/ethnic group(s)?
⊠ No	Yes If "Yes," please provide a rationale.
11. Is the pe	opulation being enrolled in this study at high risk for incarceration?
⊠ No □ Yes	If "Yes," will the participants be withdrawn from the study once they are incarcerated? No Yes If "No," describe how recontacting/reconsenting, treatment, and/or follow-up will occur.
(Federal	ll non-English speaking participants be consented? Not Applicable at this time regulations require the equitable selection of minorities as research subjects to assure that they in equal share of the benefits of research and to ensure that they do not bear a disproportionate
A. Choo	A translated written informed consent document in a language understandable to the participant. This should be an accurate translation of the full informed consent document (consider having a translator present during the consenting process should the participant have any questions).
	Orally, using a qualified translator to translate the English informed consent document to the participant, and a translated short form in a language understandable to the participant (See IRB Policy IV.B "Documentation of Informed Consent" for details).
	*Note: It is acceptable to submit the English informed consent document and the English short form, if there is no current non-English speaking person identified for the study. Once identified, the translated informed consent document or the short form must be submitted to the IRB for expedited review and approval prior to consenting the participant.
B. Ident	tify the name of the individual or translation service that provided the translation.
C. List	the qualifications of the individual who provided the translation.
	aiver or alteration of the consent process or a waiver or alteration of the consent ntation be used?
⊠ No □ Yes	If "Yes," complete the Request for Waiver of Consent and/or Authorization.
14. Participa	ant Identification, Inclusion/Exclusion Criteria, and Recruitment
also (ribe the specific steps to be used to identify and/or contact prospective participants. (If applicable, describe how you have access to lists of potential participants. Scripts and advertisements should be aitted with this application or examples should be provided for any telephone contacts, rtisements, oral contact, etc.)
recent	fantry Division Commanders will identify Soldiers who are: (1) physically fit (passed their most t Army Physical Fitness Test); (2) physically well (e.g., not injured, not on an Army "profile," not tly diagnosed with a performance-inhibiting illness or disease, not pregnant); (3) who are at least one
Version Date 1 Ja	Page 10 of 19

year post-completion of Army Initial Entry Training; (4) who have had sufficient time to acclimatize to Fort Carson's altitude; and (5) who are available to attend an information briefing conducted by IMT-CoE personnel (e.g., Soldiers not on leave, pass, or with conflicting duty assignments). IMT-CoE personnel will provide a general description of the Army's effort to study and potentially change physical fitness testing, and a very detailed description/walk-through demonstration of the WTBD scenarios (potential criterion measures). IMT-CoE personnel will also conduct a safety briefing. Upon conclusion of the briefing, 4th ID Soldiers will be invited to complete the WTBD "obstacle course," parts of the course if they would prefer not to complete it in its entirety, or to observe as others complete the course, and then to provide feedback about the operational relevance/realism of course components, and about modifications that can be made to course construction/execution. Volunteers will not be screened in or out on the basis of gender, ethnicity, education, or any other sociodemographic variable.

B. Describe the specific steps for obtaining informed consent (e.g., by whom, his/her credentials, where, when, etc.).

Civilian IMT-CoE personnel (Mr. Michael Haith, Dr. Whitfield East) will provide the informed consent briefing to 4th Infantry Division Soldiers. The briefing will explain the purpose of the effort and what participants will be asked to do. The informed consent briefer will emphasize that participation is completely anonymous (PII will NOT be collected from volunteer participants) and voluntary, that a volunteer can stop participating at any time/refuse to answer questions, and that there will be no penalties/consequences for not participating/not answering questions. The briefer will also emphasize that complete anonymity will be guaranteed at all times throughout the effort, and that volunteers should not write their name or any other PII on feedback documents or materials. Following the brief, Soldiers will have the opportunity to ask questions, and will be told that they can ask questions at any time throughout the effort. They will also be provided with study team contact information should any questions or concerns arise upon completion of the WTBD scenarios. Soldiers who chose to participate will not be asked to sign any forms in order to maintain complete anonymity of participants.

ano	onymity of participants.	
C.	Does the person obtaining consent have an existing relationship with the part No □ Yes If "Yes," describe the relationship and how you will protect coercion.	•
D.	Identify the criteria for inclusion and exclusion and explain the procedures the eligibility. If psychiatric/psychological assessments will be conducted (ideation screenings), state who will administer, his/her experience, and how recommendations are considered to the conduction of	e.g., depression or suicidal
	No Soldiers who volunteer to participate will be excluded from the study.	
E.	Do you plan to actively recruit participants? NOTE: Please provide a copy of all advertising materials including ads, with this application; must include graphics. In addition, The IRB must revi of all audio/videotapes prior to use.	
	No Yes If "Yes," choose all recruitment/advertisement methods that ☐ Flyers ☐ Internet ☐ Newspaper ☐ Letter ☐ Posters ☐ Departmental Research Boards ☐ Other (describe):	icitation Radio Telephone Television
Version L	ate 1 January 2012	Page 11 of 19

Version Date 1 January 2012

research inform related to their or agreement, it m release of any s	o release study information to IMTCoE-approved web sites or publications? Posting ation on research-related websites allows potential participants to search and find studies condition or interest. (Please be aware that if this research is subject to a contractual may be necessary for you to obtain permission from the sponsor prior to authorizing the tudy information.) release information to research-related web sites. formation may be released as described in item #1 of the informed consent document
(Purpose of	the study).
15. Methods and Proc	edures Applied to Human Participants (Where appropriate, check all that apply)
	n chronological narrative of ALL study procedures. (For use of multiple assessments, etc., it is suggested that a table is included showing the frequency and duration of each attendance activities.)
same order of events (de volunteer participants fr	ffort will be conducted over the course of two weeks. Weeks one and two will follow the escribed below), but with different groups of volunteer participants. During week one, 150 om the 4 th ID will have the opportunity to execute the WTBD scenarios/provide feedback, separate group of 150 volunteer participants from the 4 th ID will have the opportunity to
consent briefing. IMT-C description of what stud performance component	oldiers assigned to FT Carson's 4 th ID will attend an operational concept and informed CoE team members will explain purpose and procedures, provide a step-by-step by participants will be asked to do, provide an active demonstration of WTBD ts, and will emphasize principles of informed consent/the voluntary nature of s' right to opt out at any time without consequence or reprisal.
(Dr. Whitfield East) abo components of the "obs properly hydrated while questions they may have	per to participate will receive a safety briefing from a certified Army exercise physiologist but the safe and ergonomically/physiologically correct way to execute the physical task tacle course," about proper performance fueling, and about the importance of staying executing the physical task components. Participants will have the opportunity to ask any eabout proper physical form, nourishment, and hydration, and will be informed that they y time throughout the course of the effort.
3. The criterion develop	oment effort will span four days, lasting approximately 3 hours per day.
4. On day one, voluntee of the WTBD "obstacle	ers will have the opportunity to observe, walk-through, and practice different components course."
5. On day two, particip	ants will practice the individual WTBD simulations:
items), Soldiers while jumping beam under loa each hand); lift the platform, lo over/under obs Soldiers will pr may stop the er wearing a wrist	der/Around Obstacles. Wearing a tactical "load" (approximately 35 lbs including uniform is will complete a 100m obstacle course that requires them to sprint 15m, zigzag run 45m over two low obstacles (12") and negotiating 8 tires; traverse on a 40' zigzag balance and (beam will be resting on the ground and Soldiers will carry a 40 lb jerry water can in two 30 lb objects onto a 6' platform, climb onto the platform using hand/foot holds, cross over themselves and the objects to the ground; surmount a 4.5' wall; complete an tacles; and sprint 15m. All these obstacles are commonly occurring in Urban Terrain. Socied at their own pace, may stop and rest, may self administer nutrients and water, and sercise at any time. Soldiers will be allowed to wear a heart-rate monitor (similar to twatch with a chest strap) if they chose to do so. This event will be filmed and Soldiers bout the level of their physical effort at the end of the course.

Page 12 of 19

- b) Dig/lift/carry/fill/stack: Wearing a tactical "load" (approximately 35 lbs including uniform items), Soldiers will complete a dig/fill/carry/stack task that will involve filling 4-gal buckets with sand, carrying 5m and emptying into two 55-gal trashcan (approximately 13 repetitions). When the trashcan is full, Soldiers will lift/carry 16-40lb sandbags (generally one sandbag at a time) 5m and stack 4x4 rows on top of a 36" platform. This task contains common Soldier tasks associated with preparing a fighting position. Soldiers will proceed at their own pace, may stop and rest if necessary, may self administer nutrients and water as needed, and may stop the exercise at any time if necessary. Soldiers will be allowed to wear a heart-rate monitor (similar to wearing a wristwatch with a chest strap) if they chose to do so. This event will be filmed and Soldiers will be asked about the level of their physical effort at the end of the event.
- c) Casualty Extraction and Drag: Wearing a tactical "load" (approximately 35 lbs including uniform items), Soldiers will complete a sprint for 15m and crouch run for 15m to get to the objective a HUMVEE. Once at the HUMVEE the Soldier will open the driver's side door and extricate a wounded soldier (220 lb training dummy) from the HUMVEE with a controlled lowering to the ground. Once the casualty is on the ground the Soldier will drag the casualty 20m. This task contains a commonly occurring WTBD associated with a casualty evacuation. Soldiers will proceed at their own pace, may stop and rest, may self administer nutrients and water, and may stop the exercise at any time. Soldiers will be allowed to wear a heart-rate monitor (similar to wearing a wristwatch with a chest strap) if they chose to do so. This event will be filmed and Soldiers will be asked about the level of their physical effort at the end of the event.
- d) Combatives Simulation (***this simulation does NOT involve any manner of combat or physical interaction between Soldiers): Wearing a tactical "load" (approximately 35 lbs including uniform items), Soldiers will a tire-flip, SKEDCO pull, 25-pound sandbag throw, and a barrel rotation (rotate a 55 gal barrel on a plywood base). These tasks capture physical movements endemic to hand-to-hand combat (e.g., pushing, pulling, throwing to the ground, twisting) without asking Soldiers to engage in actual combatives. Soldiers will proceed at their own pace, may stop and rest, may self administer nutrients and water, and may stop the exercise at any time. Soldiers will be allowed to wear a heart-rate monitor (similar to wearing a wristwatch with a chest strap) if they chose to do so. This event will be filmed and Soldiers will be asked about the level of their physical effort at the end of the event.
- 6. On day three, volunteers will execute a "composite course" (run all four WTBD simulations back-to-back). Soldiers will proceed at their own pace, may stop and rest, may self administer nutrients and water, and may stop the exercise at any time. Soldiers will be allowed to wear a heart-rate monitor (similar to wearing a wristwatch with a chest strap) if they chose to do so. This event will be filmed and Soldiers will be asked about the level of their physical effort at the end of the event.

7. On day four:

- a) Participants will complete a 6 mile tactical foot march. Wearing a tactical "fighting load" (approximately 80 lbs including uniform items and weapon), Soldiers will march 6 miles (three repetitions of the approved 2-mile run course). Soldiers will proceed at their own pace, may stop and rest, may self administer nutrients and water, and may stop the exercise at any time. Soldiers will be allowed to wear a heart-rate monitor (similar to wearing a wristwatch with a chest strap) if they chose to do so. Portions of this event will be filmed and Soldiers will be asked about the level of their physical effort approximately every ½ mile.
- If they choose to do so, volunteers will transition directly from the foot march to the composite course, detailed in step 6, above.

Version Date 1 January 2012

Page 13 of 19

В.	Compensation (Specify the method of compensation (e.g., mon If payment schedules are complex, it is suggested that a table is incamount of compensation.) N/A	
C.	Behavioral Observation Describe the focus, duration, and number of observations and specific recorded. NOTE: If this information has been described in detail in the box and enter "see 15.4."	
	See 15A	
D.	Randomization Describe the randomization process. NOTE: If this information has 8.4., it is acceptable to check the box and enter "see 8.4." N/A	s been described in detail in item
E.	☐ Blinding Describe who will be blinded. Describe if and when research results assignments will be made available to participants. Describe the proemergency situations, participant's request, etc.). NOTE: If this inf detail in item 15.A., it is acceptable to check the box and enter "see N/A"	visions for breaking the blind (e.g., ormation has been described in
F.	Surveys, Interviews, Questionnaires If surveys, interviews or questionnaires will be conducted with this survey, interview or questionnaire and their qualifications. In addit administering the instrument (e.g., by telephone, one-on-one, grinstrument. NOTE: If this information has been described in decheck the box and enter "see 15.4." N/A	tion, describe the setting and mode of oup, etc.) and attach a copy of the
G.	☐ Document and Artifact Collection Describe any documents or other artifacts (e.g., student written assig N/A	nments) that are to be collected.
Н.	Describe the methods of deception to be used, the medications being time medications will be withheld or postponed, any other restriction diet, exercise), and the precautions taken to decrease or eliminate ris N/A	withheld or postponed, the length of as to be imposed on participants (e.g.,
I.	☐ Data Collection, Storage of Data/Specimens and/or Issues of	Confidentiality
	i. Describe the storage of research information including data (h audio/videotapes, etc.). Indicate who will have access to the rese stored, and how long it will be kept. In addition, describe the fin when the study is concluded (e.g., will information be destroyed information). NOTE: If this information has been described in check the box and enter "see 15.4."	arch information, where it will be al disposition of research information or will the PI maintain the
	formation obtained during this effort will be treated as privileged and on tified researchers involved in the study on a need-to-know basis. Par	
Version 1	Date 1 January 2012	Page 14 of 19

IMT-CoE team members, and will be asked to remove Army name tags, rank, and other identifying information from their persons prior to participation in the WTBD scenarios/filming. Soldiers who volunteer to participate will be assigned a 5-digit identification number, which will be used to coordinate information gathering throughout the four-day operation. Soldiers who cannot remove Army name/rank etc., from their uniforms (e.g., if tags are sewn on) will be asked to cover PII with small pieces of obscuring tape (provided by the IMT-CoE team). Lessons Learned from WTBD performance observations will be used to refine WTBD criterion measures, and to develop the two study protocols described in Section 6. As this is neither a study nor a research effort, none of the information gathered will be published or reported. Video recordings will be hand-carried, by the principal investigator, from the FT Carson site to the home office, and maintained on a double-password-protected data file stored on a non-networked computer to which only the principal investigator has access. Video recordings will be deleted upon completion of the full study.

ii. Describe how the confidentiality of participants will be assured. Include a description of any issues specific to the study that might increase the risk of breach of confidentiality. For example, video/audiotapes, discovering information about the participant that could be harmful if released such as mental illness, genetic information, sexual preference, drug abuse, etc. Describe how codes will be generated if codes are used to protect identities, and who will have access to such codes. If a certificate of confidentiality will be provided, include the name of the person holding the certificate. NOTE: If this information has been described in detail in item 15A., it is acceptable to check the box and enter "see 15A."

Participants will not provide any PII to IMT-CoE team members, and will be asked to remove Army name tags, rank, and other identifying information from their persons prior to participation in the study/filming. Soldiers who cannot remove Army name/rank etc., from their uniforms (e.g., if tags are sewn on) will be asked to cover PII with small pieces of obscuring tape (provided by the IMT-CoE team). Soldiers who volunteer to participate will be assigned a 5-digit identification number, which will be used to coordinate information gathering throughout the four-day operation. Video recordings will be hand-carried, by the principal investigator, from the FT Carson site to the home office, and maintained on a double-password-protected data file stored on a non-networked computer to which only the principal investigator has access. Video recordings will be deleted upon completion of the full study.

J. X Audio or Video Taping

Video recordings will be hand-carried, by the principal investigator, from the FT Carson site to the home office, and maintained on a double-password-protected data file stored on a non-networked computer to which only the principal investigator has access. Video recordings will be deleted upon completion of the full study.

K. Use or Disclosure of Protected Health Information

i. Will Protected Health Information (PHI) be accessed (used) in the course of screening/recruiting for this research? Protected health information (PHI) is individually identifiable health information that is or has been collected or maintained by IMTCoE, including information that is collected for research purposes only, and can be linked back to the individual participant.

\boxtimes	No
	Yes

- If "Yes," the following 3 conditions must be met:
- The use or disclosure of the PHI is sought solely for the purpose of this research protocol.
- 2. The PHI will not be removed from IMTCoE.
- 3. The PHI is necessary for the purpose of this research study.
- Does this research use or disclose Protected Health Information (PHI)?
 No

Version Date 1 January 2012

Page 15 of 19

	. It can be accessed at HIPA	A Compliance.	
Financial Liability for Study I Complete the table below, indica		assment of research acti	wities and procedures
(Limit list to research activities			
items.			
Procedure/Activity	Frequency		ole for Payment
		Sponsor Department	Investigator
		Patient	
		Sponsor	Investigator
		Department	
		Patient	
		Sponsor	Investigator
		Department	
		Patient	
should include anyone liste application. Please note ownership of an individual an investigator, his/her spo worth of equities in the spo	of interest for the Principal Inv d as Principal Investigator, that the thresholds of owne investigator, his/her spouse, a use, domestic partner and d nsor, it should be reported be	or other research per rship described below lomestic partner and d ependent children own	sonnel on page 1 of the apply to the aggrega ependent children (e.g., together \$10,000 or 5!
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spoworth of equities in the spowof all investigators. No Yes If "Yes," the protocon NOTE: Al proceed wi	ed as Principal Investigator, that the thresholds of owne investigator, his/her spouse, a use, domestic partner and donsor, it should be reported be col must be reviewed by the Inthough approval may be grath the research until a final IMTCoE.	or other research per rship described below lomestic partner and de ependent children own low). Do not consider TICOE IRB. anted by the IRB, the	sonnel on page 1 of the apply to the aggrega ependent children (e.g., together \$10,000 or 5% the combined ownersh. Investigator may not
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spot worth of equities in the spot of all investigators. No Yes If "Yes," the protoce NOTE: Al proceed wi	ed as Principal Investigator, that the thresholds of owne investigator, his/her spouse, a use, domestic partner and donsor, it should be reported be col must be reviewed by the Inthough approval may be grath the research until a final IMTCoE.	or other research per rship described below lomestic partner and de ependent children own low). Do not consider TICOE IRB. anted by the IRB, the	sonnel on page 1 of the apply to the aggrega ependent children (e.g., together \$10,000 or 5% the combined ownersh. Investigator may not
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spot worth of equities in the spot of all investigators. No Yes If "Yes," the protoce NOTE: All proceed with Deputy CG	ed as Principal Investigator, that the thresholds of owne investigator, his/her spouse, a use, domestic partner and donsor, it should be reported be col must be reviewed by the Inthough approval may be grath the research until a final IMTCoE.	or other research per rship described below lomestic partner and de ependent children own low). Do not consider TCoE IRB. Inted by the IRB, the determination has bee	sonnel on page 1 of the apply to the aggrega ependent children (e.g., together \$10,000 or 5% the combined ownersh. Investigator may not
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spot worth of equities in the spot of all investigators. No Yes If "Yes," the protoce NOTE: All proceed with Deputy CG B. If "Yes," check all that apple Compensation whose variations.	ed as Principal Investigator, that the thresholds of owne investigator, his/her spouse, ouse, domestic partner and donsor, it should be reported be sold must be reviewed by the Inthough approval may be grath the research until a final immode.	or other research per rship described below lomestic partner and dependent children own clow). Do not consider TCoE IRB. Inted by the IRB, the determination has been tudy outcome.	sonnel on page 1 of the apply to the aggregal ependent children (e.g., together \$10,000 or 5% the combined ownersh. Investigator may not en rendered by the
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spot worth of equities in the spot of all investigators. No Yes If "Yes," the protoc NOTE: All proceed with Deputy CG. B. If "Yes," check all that appl. Compensation whose very considered in the confidence of the confidence o	and as Principal Investigator, that the thresholds of owne investigator, his/her spouse, ouse, domestic partner and donsor, it should be reported be not must be reviewed by the Inthough approval may be grather the research until a final FIMTCoE.	or other research per rship described below lomestic partner and dependent children own clow). Do not consider TCoE IRB. Inted by the IRB, the determination has been tudy outcome. It not limited to, a pate is from product comme alue cannot be readily.	sonnel on page 1 of the apply to the aggregal ependent children (e.g., together \$10,000 or 5% the combined ownerships the combined by the en rendered by the ent, trademark, copyright recialization.
should include anyone liste application. Please note to ownership of an individual an investigator, his/her spot worth of equities in the spot of all investigators. No Yes If "Yes," the protoc NOTE: All proceed with Deputy CG. B. If "Yes," check all that appl. Compensation whose value or licensing agreement, Any equity interest in the preference to public price.	and as Principal Investigator, that the thresholds of owne investigator, his/her spouse, a use, domestic partner and donsor, it should be reported be of must be reviewed by the Inthough approval may be grath the research until a final in IMTCoE. The could be affected by the sould be registed by the sould be affected by the sould be registed by the sould be receive royalties approach to receive royalties approach to receive royalties approach or product whose very sould be sponsor or product whose very sponsor	or other research per rship described below lomestic partner and dependent children own clow). Do not consider ITCoE IRB. Inted by the IRB, the determination has been tudy outcome. It not limited to, a pate is from product comme alue cannot be readily a stock options).	sonnel on page 1 of the apply to the aggregal ependent children (e.g., together \$10,000 or 5% the combined ownerships the combined by the en rendered by the ent, trademark, copyright recialization.

Significant payments or other sorts with a cumulative value of \$10,000 made directly by the sponsor to any of the investigators listed on page 1 of this application as an unrestricted research or educational grant, equipment, consultation or honoraria.	or
PRINCIPAL INVESTIGATOR'S ASSURANCE STATEMENT	
I certify that the information provided in this application is complete and accurate.	
I understand that as Principal Investigator, I have ultimate responsibility for the conduct of the study, the ethi performance of the project, the protection of the rights and welfare of human participants, and strict adherence to study protocol and any stipulations imposed by the Initial Military Training Center of Excellence (IMTCo Institutional Review Board.	the
I understand that, should I use the project described in this application as a basis for a proposal for funding (eit internal or external), it is my responsibility to ensure that the human participants' involvement as described in funding proposal(s), is consistent in principle, to that contained in this application. I will submit modifications and changes to the IRB as necessary, in the form of an amendment, to ensure these are consistent.	the
I agree to comply with all IMTCoE policies and procedures, as well as with all applicable federal, state, and local la regarding the protection of human participants in research, including, but not limited to: • Ensuring all investigators and key study personnel have completed the IMTCoE human subjects train program;	ing
 Ensuring the project is conducted by qualified personnel following the approved IRB application and stu- protocol; 	udy
 Implementing no changes in the approved IRB application, study protocol, or informed consent document with prior IRB approval in accordance with IMTCoE IRB policy (except in an emergency, if necessary to safeguard well-being of a human participant, and will report to the IRB within 5 days of such change); Obtaining the legally effective informed consent from human participants or their legally responsi representative, using only the currently approved date-stamped informed consent documents, and providing a copy the participant, if applicable. 	the ible
 Promptly report to the IRB, Data Safety and Monitoring Boards, sponsors and appropriate federal agencies a adverse experiences and all unanticipated problems involving risks to human subjects or others that occur in the cou of the research in accordance with IMTCoE IRB Policies and Procedures. 	any irse
• If unavailable to conduct this research personally, as when on sabbatical leave or vacation, I will arrange another investigator to assume direct responsibility for the study. Either this person is named as another investigator this application, or I will notify the IRB of such arrangements;	for r in
 Promptly providing the IRB with any information requested relative to the project; Promptly and completely complying with an IRB decision to suspend or withdraw approval for the project; Obtaining Continuing Review approval prior to the date the approval for the study expires. I understand if I fail apply for continuing review, approval for the study will automatically expire, and all study activity must cease un IRB approval is granted; 	l to ntil
 Maintain accurate and complete research records, including, but not limited to, all informed consent documents 3 years from the date of study completion; 	for
 Maintain any authorization documents to use or disclose PHI for 6 years from the date authorization is obtained 	ed;
• Fully informing the IMTCoE IRB of all locations in which human participants will be recruited for this project a being responsible for obtaining and maintaining current IRB approvals/letters of cooperation when applicable.	and
Signature Principal Investigator Sept 20/3 Date	

Version Date 1 January 2012

Page 17 of 20

By my signature, I certify that I have evaluated this research application for soundness of research design and scholarly

merit in accordance with departmental policy and the adequacy of facilities and resources.

FACULTY ADVISOR ASSURANCE STATEMENT

(Applicable for Student Data Requests)

*The faculty sponsor must be a member of the University Faculty. The faculty member is considered the responsible party for the legal and ethical performance of the project.

By my signature as sponsor on this research application, I certify that the student or guest investigator is knowledgeable about the regulations and policies governing research with human participants and has sufficient training and experience to conduct this particular study in accordance with the approved protocol. In addition,

- I agree to meet with the student investigator on a regular basis to monitor study progress;
- Should problems arise during the course of the study, I agree to be available, personally, to supervise the student investigator in solving them;
- I will ensure that all investigators and key study personnel have completed the IMTCoE human subjects training program;
- I will ensure that the project is performed only by qualified personnel according to the approved IRB
 application;
- I will ensure that the student investigator does not implement any changes to the approved IRB application or
 informed consent document without prior IRB approval in accordance with IMTCoE IRB policy (except in an
 emergency, if necessary to safeguard the well-being of human participants, and will report to the IRB within 5
 days of such change);
- I will ensure that the student investigator only obtains legally effective informed consent from human
 participants or their legally responsible representative, only the currently approved date stamped informed
 consent documents for human participants are used; and a copy of the informed consent is provided to the
 participant.
- I will ensure that the study investigator promptly reports any unanticipated problems involving risks to
 participants or others, or any serious adverse events (whether anticipated or not) to the IRB in accordance
 with IMTCoE IRB Policies and Procedures;
- I will assume the responsibility for the accurate documentation, investigation and follow-up of all possible study related adverse events and unanticipated problems involving risks to participants.
- If I will be unavailable to supervise this research personally, as when on sabbatical leave or vacation, I will
 arrange for an alternate Faculty Advisor to assume direct responsibility in my absence and I will advise the
 IRB by letter in advance of such arrangements;
- I will ensure that the student investigator promptly provides the IRB with any information requested relative to the project;
- I will ensure that the student investigator promptly and completely complies with an IRB Decision to suspend
 or withdraw approval for the project; and
- I will ensure that the student investigator obtains continuing review approval prior to the date approval for the study expires. Further, I understand that if the student investigator fails to apply for continuing review, approval for the study will automatically expire and I must ensure that all study activity ceases until IRB approval is obtained.

Faculty Sponsor's Signature	Date
By my signature, I certify that I have evaluated this scholarly merit in accordance with departmental pol	research application for soundness of research design and licy and the adequacy of facilities and resources.
Department Chair's Signature	Date
	is accomplish this goal is the Houston, TX Fire Department. The ability test designed to determine if an applicant has the requisite
Version Date 1 January 2012	Page 18 of 19


strength and endurance needed to perform the job duties of a Firefighter. These job duties require balance, coordination, strength, endurance, and cardio-vascular fitness. Applicants are tested over seven (7) timed, pass/fail events while wearing gloves and an air pack because Firefighters are required to wear Self-Contained Breathing Apparatus (SCBA) and other heavy protective clothing while functioning at emergency incidents. The events include:

- Balance Beam Walk- within 30 seconds, one must walk the entire length of the beam.
- Ladder Extension within 1 minute, an applicant must fully extend and lower the fly section of a 24' aluminum
 extension ladder by using the hand-over-hand method.
- Stair Climb within 3 minutes 30 seconds, an applicant must pick up, shoulder hold, and carry two (2) 50' sections of hose, tied in a "Brown Fold," then climb and descend six (6) flights of stairs.
- Equipment Hoist within 1 minute, an applicant standing on the 3rd floor of the drill tower, using the hand-over-hand method, must hoist one section of 2 ½" hose (44 lb.) from the ground up to the 3rd floor window, and then lower the hose back to the ground.
- Portable Equipment Carry within 1 minute, an applicant must pick up an equipment/accessory box (Hurst, or Amkus, extrication tools) (70 lb.) from a 2' stand and carry it 50' in one direction, turn around to carry it back 50' and then place the box on a 3' stand.
- Rescue Attempt within 30 seconds, an applicant must carry or drag a 150 lb. human dummy, 30 feet.
- 1.5 Mile Run within 13 minutes 7 seconds, an applicant must run 1.5 miles.
- Department of the Army, Physical Readiness Training FM 21-20 (Washington, D.C.: U.S. Government Printing Office, 1980), 1-2.
- FM 7-22 "Army Physical Readiness Training", Department of the Army, October, 2012.
- Warrior Tasks and Battle Drills, IMTCoE, March 2013.
- V Soldier's Manual of Common Tasks, IMTCoE, 2013.
- ** TRADOC PAM 257-3-7: The Army Human Dimension Concept, Department of the Army, 2013; Sharon L. Plowman and Denise L. Smith. Exercise Physiology for Health, Fitness, and Exercise. Baltimore: Lippincott, Williams and Wilkins, 2008; Tudor W. Bompa. Periodization Training: Theory & Methodology of Training. Champaign, Ill: Human Kinetics, 1999.
- vii Personal conversation with Dr. William Brechue, FACSM (9 July 2013).
- Belinda R. Beck, "Stress Fractures," ACSM Current Comment (Indianapolis, IN: American College of Sports Medicine, , 2007), 1 available at: http://www.acsm.org (accessed 3 May 2011); Note: based upon the American College of Sports Medicine "Current Comment" on stress fractures, we know it take about six weeks of adaptive exercise before bone density and connective tissue improve enough to help prevent stress-reaction injuries; "Bones are most susceptible to stress fracture when weakened by remodeling-related porosity, a primary stage in the adaptive response of bone to changes in patterns of loading." (p. 2)
- ix Andrew M. Jones, "The Physiology of the World Record Holder for the Women's Marathon" International Journal of Sport Science & Coaching 1:2 (2006): 101-116; Scott Powers and Edward Howley, Exercise Physiology: Application to Theory and Performance. Columbus, OH: McGraw Hill Publishing Co, 2013.
- * Whitfield B. East, A Historical Analysis of Army Physical Readiness Training and Assessment, FT Leavenworth, KS: Combined Arms Institute Press, US Army Combined Arms Center, March 2013.
- Naul J. Sharkey and Brian O. Davis. Hard Work: Defining Physical Work Performance Requirements. Champaign, Ill: Human Kinetics, 2008; Per-Olof Astrand, Kaare Rodahl; Hans A. Dahl and Sigmund B. Stromme. Textbook of Work Physiology. Champaign, Ill: Human Kinetics, 2003.
- xii Jones, "Physiology of the World Record Holder", 112.
- Note: based upon the April 2009 <u>Armed Forces Medical Surveillance Monthly Report</u>, there were 7.8 million ambulatory visits for illness and injury during 2008; the largest percentage (> 24%) of visits were caused by musculoskeletal and connective tissue injuries generally construed to be "overuse" injuries (approximately 1.9 million visits); Larkin, 2010, p. 41.42.
- Since Ruscio, et al., DOD Military Injury Prevention Priorities Working Group: Leading Injuries, Causes and Mitigation Recommendations (Washington, DC: Office of the Assistant Secretary of Defense for Health Affairs, February 2006), 1, 4, 7; Preventing Injuries in the U.S. Military: The Process, Priorities, and Epidemiologic Evidence (Aberdeen Proving Ground, MD: Army Center for Health Promotion and Preventive Medicine, December 2008), Section 1-1, A(2), 1-2.
- W Christopher P. Larkin, "Combat Fitness a Concept Vital to National Security" (Paper Master of Science, Department of Defense: Joint Forces Staff College, 18 June 2010), 100; Note: MAJ Larkin extrapolated these data, which were derived from the following source: Armed Forces Health Surveillance Center. "Ambulatory Visits among Members of Active Components, U.S. Armed Forces, 2008," Medical Surveillance Monthly Report 16:4 (April, 2009): 10.

Version Date 1 January 2012

APPENDIX Q Fort Carson Field Study, September 2013 Description of Field Events

Diagram and Spreadsheet contributed by Don Goddard, AIPH Ergonomics Program



Day 1 - Army Combat Uniform (ACU)

Day 2 – Fighting Load,

Day 3 - Fighting Load (after 10 K Ruck March w Sustainment Load)

	Individu	al Equipment List		
ACU		[Sustainment Load]		
Boots	5.00	Poncho	1.05	
Jacket & trouser	3.20	Liner Poncho		1.14
Multi tool	0.50	Assault Pack w/ waist pack	4.2	
Rigger Belt	0.50	Water – 3L or 100 oz	7.10	
Patches	0.49	Hygiene Kit		1.0
Patrol Cap	0.48	Undershirt moisture wicking x 1 ea	0.35	
ID Tags	0.38	Socks x 1 pr		0.20
Undershirt	0.35	Improved Rain suit Top	1.7	
Gloves	0.25	Improved Rain suit Bottom		1.7
Eye Pro	0.25	Meal Ready To Eat (MRE) 1 ea (1.50/0	.68 kg)	1.5
Notebook	0.25	Undershirt moisture wicking x 1 ea	0.35	
Underwear (shirt/Drawers)	0.55	Socks x 1 pr 0.20		
Socks	0.20	Improved Cleaning Kit	1.6	
Wrist Watch	0.19	Chemlight (2per)		0.04
Ear Plugs	0.13	Water purification tablets		0.02
Chapstick	0.01			
ID Card	0.01			
Sports Bra	0.20			
Fighting Load Body Armor with Neck/Groin P Enhanced Small Arms Protecti Enhanced Side Ballistic Insert: MOLLE 100 oz Hydration Syste MOLLE Tactical Assault Panel MOLLE 30 Round Double Mag MOLLE 30 Round Triple Maga Hand grenade Pouch (2) with (ve Inserts set with Side Pla em (with Water) (TAP) or Fightin azine Pouch (3 x zine Pouch (2 x 2) M67 Fragmen AA Battery NIX with Battery ss Statement H) cover Band Plate ("rubber duck"-is	te Carrier g Load Carrier (0.25) 375) station Grenades w/o grenades	7.10 0.0625 1.86 0.27 1.08 0.24 0.70 0.38 0.01 2.9-3.8 0.20 8.50 0.71 0.28 0.32 8.25	5

Off Carson	Field Event Des	scriptions		
Category	Test Item	Movement	Action	Demands
ighting	Start	Move to Bucket Fill	Run	52 ft
osition				minute, total weight can + bucket, buck
	Bucket Fill	Fill Buckets	Shovel	weight)
	Transition	Move bucket fill to sandbag stack	Walk	8 ft
	Sandbag Stack	Stack Sandbags	Lift	40 lb sandbag x 16
			Carry	(40 lb sandbag 18 ft) x 16
			Lower	40 lb sandbag x 16
	Transition	Move from flag 1 to flag 2 between tables	Run	18 ft
	Transition	Move from flag 2 to flag 3 at high crawl	Run	35 ft
ove O-U-A-T	High Crawl	High Crawl	High Crawl	20 ft
	Transition	Stand		
	Short Run	Run from flag 4 to high wall	Run	25 ft
	High Wall	Jump high wall	Jump	1 ft high sandbag pile
	Short Run	Run from high wall to wide wall	Run	13 ft
	Wide Wall	Jump wide wall	Jump	4.5 wide 4 x 4 sandbag obstruction
	Short Run	Run from wide wall to cone (flag 5)	Run	15 ft
	Short Run	Run from flag 5 to tires	Run	39 ft
	Tire Run	Run through 6 tires	Run	12 ft of tires (6 steps)
	Short Run	Run from tires to cone (flag 6)	Run	38 ft
	Short Run	Run from flag 6 to high wall	Run	15 ft
	High Wall	Jump high wall	Jump	1 ft high sandbag pile
	Short Run	Run from high wall to wide wall	Run	13 ft
	Wide Wall	Jump wide wall	Jump	4.5 wide 4 x 4 sandbag obstruction
	Short Run	Run from wide wall to cone (flag 7)	Run	12 ft
	Short Run	Run from flag 7 to balance beam	Run	15 ft
	Balance Beam	Pick up saw and ammo can	Lift	18.3 lb saw and 29.3 lb ammo can
		Negotiate balance beam	Walk	12' beam length x 2
		Lower saw and ammo can	Lower	18.3 lb saw and 29.3 lb ammo can
	Transition	Run from flag 8 end of balance beam to flag 9 front of rucks		30 ft
	Transition	Run from flag 9 to flag 10 at one end of the rucksack carry ov		15 ft
	Transition	itali nom nag s to nag 10 at one ena or the racksack carry ov	nuii	53 lb rucksack from ground and place of
	Platform Mount	Lift rucks a ck	Lift	ft high platform (4'2" x 4' x 4')
		Climb platform	Climb	Climb on top of 4 ft high platform
		Move over platform	Move	Move over 4'2" long platform
		Jump to ground	Jump	Jump 4 ft from top of platform to groun
		Pull rucksack across platform	Pull	platform
		Lower rucks ack	Lower	to ground 4 ft below
	Transition	Run from rucksack platform to high wall	Run	wall
	High Wall	Negotiate high wall	Climb	Climb 4' 6" high wall
	Short Run	Run from high wall low wall	Run	16 ft
	Low Wall	Negotiate low wall	Climb	Climb 3' 6" low wall
	Short Run	Run from low wall to roll under	Run	10 ft
	Roll Under	Roll under obstacle	Roll	under 2 ft high pipe
	Short Run	Run from pipe to low wall	Run	10 ft
	Low Wall	Negotiate low wall	Climb	Climb 3' 6" low wall
	Short Run	Run from low wall to tunnel	Run	10 ft
	Tunnel	Crawl through tunnel	Crawl	4' 6" through tunnel (4'4" x 4'6" x 2'9")
	Short Run	Run from tunnel to low wall	Run	10 ft
	Low Wall	Negotiate low wall	Climb	Climb 3' 6" low wall
	Short Run	Run from low wall to BA Tire	Run	22 ft

Fort Carson	Field Event De	scriptions, Continued (page 2)		
Category	Test Item	Movement	Action	Demands
Perform	Tire Flip	Lift tire 2 x 2 times	Lift	102 lb tire
Combatives		Push tire over 2 x 2 times	Push	lb
	Short Run	Run from BA tire to Skedco flag 11	Run	17 ft
	Skedco Pull	Pull Skedco	Pull	Pull Skedco using 53.3 force 40 ft x 2
	Short Run	Run from Skedco cone (flag 11) to flag 12	Run	14 ft
	Short Run	Run from flag 12 to sandbag toss	Run	15 ft
	Sandbag Toss	Throw sandbags over wall	Lift	30 lb sandbag x 4
			Throw	Throw over 4'6" wall x 4
	Short Run	Run from sandbag toss to trashcan	Run	19 ft
	Trashcan Turn	Turn trashcan	Turn	Turn 55 gal trashcan x 4 revolutions using 60 lbs of force
	Short Run	Run from trashcan to low barrier	Run	25 ft
	Short Run	Run from low barrier to high barrier	Run	Run 30 ft
	Short Run	Run from high barrier to HMMWV	Run	31 ft
Casualty Evacuation	Evacuate Casua	Extricate casualty	Pull	Pull casualty out of HMMWV using lb force
			Lower	Lower casualty ft to ground
	Casualty Drag	Casualty Drag	Drag	Pull casualty 45 ft using 112 lb force
	Finish	Run from HMMWV to finish line	Run	67 ft

APPENDIX R Fort Carson Field Study, Sept 2013-Rankings of Physically Difficult Tasks

Prepared by USAPHC-IPP, as discussed in Section 9.2 of this PHR

Table R-1. Analyses of Reported Most Physically Demanding Events, Fort Carson Field Study

		Day 1 -	TUESE	DAY W	eek 1			Day 1-	TUES	DAY W	/eek 2		Da	y 2 - W	/EDN	IESDAY	Wee	k 1	Da	y 2 -W	EDNE	SDAY	Weel	k 2	Day 3-	THU	IRSDAY V	Neek 1	L Day	3- TI	HURSE	YAC	Week
	1:	st	2r	ıd	31	rd	1	st	21	nd	3	·d	1	st	2	2nd	3	rd	1	st	2n	ıd	31	rd	1st	:	2nd	3rd ²	15	st	2n	d	3rd
Event	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n %	n %	n	%	n	%	n 9
Ruck March																									_	30	3 16			11	1		0
Fighting Position	21	18	9	13	15	29		12		14		24	37		11	10		9	15	11	14	11		13	43 :	100	19 100		23	17		14	24
Bucket Fill	3	3	3	4		8		4		5		7	3	2				2	2	2	5	4		3		16	3 16		1		3	3	3
Sandbag Stack	18	15	6	9	11	22	11	8	11	9	20	16	34	27	10	10	7	7	13	10	9	7	11	10	36	84	16 84		22	16	13	11	21
Move O-U-A-T	11	9	0	0	0	0	5	4	8	7	3	2	14	11	7	7	2	2	34	26	17	13	9	8		0	0		21	16	19	16	11
Rucksack Move (crawl & sprint)							2	2	1	1	0	О	0	0	0	0	0	0	10	8	3	2	2	2	5	12	5 26		5	4	3	3	0
Balance Beam ¹							1	1	1	1	2	2	0	0	0	0	0	0	О	О	О	О	0	0		0	0		0	0	2	2	1
High Walls/Wall Gauntlet	11	9	О	0	0	О	2	2	6	5	1	1	14	11	7	7	2	2	24	18	14	11	7	7		0	0		16	12	14	12	10
Perform Combatives	62	52	35	51	24	47	79	60	67	56	52	42	58	46	58	55	23	23	60	45	86	65	43	40		0	0		54	40	62	53	32
Tire Flip	7	6	9	13	1	2	13	10	6	5	5	4	15	12	15	14	6	6	18	14	28	21	5	5	9	21	14 74		15	11	12	10	7
Skedko Pull	38	32	12	17	13	25	41	31	29	24	21	17	28	22	28	27	9	9	31	23	34	26	15	14	30	70	23 121		33	24	39	33	13
Sandbag Throw	7	6	5	7	5	10	4	3	4	3	6	5	1	1	5	5	2	2	3	2	5	4	4	4	1	2	5 26		1	1	3	3	2
Trash Can Spin	10	8	9	13	5	10	21	16	28	23	20	16	14	11	10	10	6	6	8	6	19	14	19	18	3	7	8 42		5	4	8	7	10
Casualty Evacuation	25	21	25	36	12	24		24	28	23	39	32	16	13	29	28	19	19		17	16	12	41	38		0	0		22	16	19	16	33
Extricate and Drag	25	21	25	36	12	24	32	24	28	23	39	32	16	13	29	28	19	19	23	17	16	12	41	38	16	37	35 184		22	16	19	16	33
TOTALS	119	100	69	100	51	100	132	100	120	100	123	100	125	100	105	100	53	53	132	100	133	100	107	100	56	100	22 100		135	100	117	100	100 1
			D 4	THE	DAV						AVEDA	ECD AV	/ T-A-							TILLID	CDAV	T-4-1											
	1:		Day 1 - 2n			rd	Tor	1-3		st		ESDAY nd		rd	Ιτο	p 1-3	1	st L		THUR!	3r		Тор	1_3	_	-						-	
Event	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%									
Road March		/6		/6	- ''	/6	-"-	/0		/6		70		/6	- ''	/0	28	15%			0	0%	15	3%									
Fighting Position	37	15%	26	14%	44	25%	107	17%	52	20%	25	11%	23	14%	100	16%		35%	35			24%		29%	-	-							
Bucket Fill	8		9	5%	13		30	5%	5	2%	6	3%	5	3%	16		8	4%			3	3%	17	4%									
Sandbag Stack	29		17			18%	77	13%	47	18%	19	8%	18		84			30%		21%		21%		25%									
Move O-U-A-T ¹	16	6%	8		3	2%	27	4%	48	19%	24	10%	11	7%	83			11%		14%		11%		12%									
Rucksack Move (crawl & sprint)	2		1		0	0%	3	0%	10	4%	3	1%	2	1%	15		10	5%		6%	0	0%	18	4%	-	-						-	
																									-	-					-		
Balance Beam ¹	1	0%	1		2		4	1%	0	0%	0	0%	0	0%	0		0	0%			1	1%	3	1%	-	-					-	-	
High Walls/Wall Gauntlet Perform Combatives	13 141	5% 56%	6 102	3% 54%	76		20 319	3%	38 118	15%	21 144	9% 61%	9 66	6%	68 328		16 54	8% 28%	14 62	10% 45%	10 32	10% 32%	40 148	9% 34%		-							
Tire Flip	20		102		6		41	52% 7%	33	46%	43	18%	11	41% 7%	328 87		24		-		7	7%	57	13%	_	-						-	
Skedko Pull	79	8% 31%	41		34		154	7% 25%	59	23%	62	26%	24	15%	145			33%				13%	_	32%	-	-					-	-	
Sandbag Throw	11	4%	9		11	6%	31	25% 5%	4	25%	10	4%	6	4%	20		2			6%	2	2%	12	3%	-	-							
Trash Can Spin	31	12%	37			14%	93	15%	22	9%	29	12%	25	16%	76		8			12%	10	10%	34	8%	-								
Casualty Evacuation	57	23%	53		51		161	26%	39	15%	45	19%	60	38%	144		22	12%	19	14%	33	33%	74	17%	-				-				
Extricate and Drag	57	_	53	_		29%	161	26%	39	15%	45	19%	60	38%	144		38				_	33%		29%									
TOTALS		100%		100%		100%		100%						100%		100%						100%											
	231	10070	103	10070	-7 1	10070	011	10070	237	10070	230	10070	100	10070	033	10070	131	10070	133	10070	100	10070	130	10070									
		day 2																															
Fighting Position	15%	20%	35%																														
Bucket Fill	3%	2%	4%																														
Sandbag Stack	12%	18%	30%																							_							
Move O-U-A-T	6%	19%	11%																														
Rucksack Move (crawl & sprint)	1%	4%	5%																														
Balance Beam	0%	0%	0%																						_	_							
High Walls/Wall Gauntlet	5%	15%	8%																							_							
Perform Combatives	56%	46%	28%													-									-	-					_	-	
Tire Flip	8%	13%	13%																						-	-					-	-	
Skedko Pull	31%	23%	33%													-										-						-	
Sandbag Throw	4%	2%	1%																														
Trash Can Spin	12%	9%	4%																						-	-						-	
Casualty Evacuation	23%	15%	12%																							-						-	
Extricate and Drag	23%	15%	20%																		-												
Road March			15%																		-				-	-					-	-	
TOTALS	100%	100%	100%																														

APPENDIX S

Fort Carson Field Study, Sept 2013 Correlation Analyses

This appendix contains the key findings of the correlation analyses conducted on data collected during the Sept 2013 Fort Carson field study described in Section 9 of this report. Due to the expected variation and confounding in these types of associations, statistically-significant Pearson correlation (*r*) values greater than 0.4 were considered noteworthy. However, more specific rankings of the noted correlation values were assessed based on the following scale:

Ranking Scale used to Assess Correlation (r) values

<.4	LOW
<u>></u> .4 <.5	MODERATE
<u>></u> .5 <.7	HIGH
<u>></u> .7	VERY HIGH

Correlation Matrices Tables S-1 through S-12

- Table S-1. FEMALES in ACU: Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-2. FEMALES in Fighting Load (FL): Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-3. FEMALES in FL After 6.2 Mile Road March: Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-4. MALES in ACU: Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-5. MALES in FL: Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-6. MALES in FL After 6.2 Mile Road March: Individual Events and Associated TASK Groups with Weight, Height, and Fitness Variables
- Table S-7. Soldiers in ACU Performed Each Task in Random Order: Correlation of Field Events with Each other
- Table S-8. Soldiers in ACU Performed Each Task in Order through Course: Correlation of Field Events with Each other
- Table S-9. Soldiers in Fighting Load (FL) Performed Each Task in Order through Course: Correlation of Field Events with Each other
- Table S-10. Soldiers in FL Performed Each Task in Order through Course After 6.2 Mile Road March: Correlation of Field Events with Each other
- Table S-11. 6.2 Mile Road March Correlated with Height, Weight, and APFT Variables
- Table S-12. 6.2 Mile Road March Correlated with Tasks and Individual Events (Day 3, After Road March)

		Bucket	Sandbag	FIGHTING POSITION	Balance	Over High	MOUAT	Tire	Skedco	Sandb _ag	COMBAT	Vehicle	Casualty	Casualty	CASUALTY
	correlation	369	Stack 498	605	.062	.148	.138	Flip 125	Pull 526	322	408	Door .200	Extraction 132	333	320
Weight	correlation	.018				.356		125 .448	.001	.052	408	.200	132 .417	.036	320
	p-value (N)	(41)	.001 (41)	.000 (40)	.702 (40)	(41)	.396 (40)	(39)	(39)	(37)	(41)	(41)	(40)	(40)	(41)
11-1-1-4	correlation	244	567	488	086	077	101	331	580	378	500	020	471	398	535
Height	p-value (N)	.124 (41)	.000 (41)	.001 (40)	.596 (40)	.632 (41)	.534 (40)	.039 (39)	.000 (39)	.021 (37)	.001 (41)	.900 (41)	.002 (40)	.011 (40)	.000 (41)
	correlation	298	234	436	.155	.264	.271	.085	246	152	156	.303	.198	129	.005
ВМІ	p-value (N)	.059 (41)	.140 (41)	.005 (40)	.340 (40)	.095 (41)	.091 (40)	.605 (39)	.131 (39)	.370 (37)	.332 (41)	.054 (41)	.221 (40)	.426 (40)	.976 (41)
Total	correlation	.166	103	.222	247	116	252	310	.149	311	100	.053	139	112	079
APFT	p-value (N)	.407 (27)	.609 (27)	.277 (26)	.223 (26)	.565 (27)	.213 (26)	.123 (26)	.468 (26)	.131 (25)	.620 (27)	.791 (27)	.497 (26)	.585 (26)	.697 (27)
Run	correlation	347	071	075	344	050	309	112	351	216	260	008	178	.052	013
Time	p-value (N)	.065 (29)	.715 (29)	.704 (28)	.073 (28)	.796 (29)	.110 (28)	.570 (28)	.067 (28)	.279 (27)	.173 (29)	.969 (29)	.364 (28)	.794 (28)	.946 (29)
Run	correlation	.156	101	.173	090	125	134	.008	.326	238	.098	.124	.088	063	.078
Score	p-value (N)	.384 (33)	.577 (33)	.345 (32)	.624 (32)	.488 (33)	.463 (32)	.964 (32)	.069 (32)	.197 (31)	.588 (33)	.491 (33)	.633 (32)	.732 (32)	.667 (33)
Sit-Up	correlation	.163	.103	.310	288	079	259	235	.055	059	.002	162	065	121	247
Reps	p-value (N)	.406 (28)	.603 (28)	.115 (27)	.146 (27)	.688 (28)	.192 (27)	.237 (27)	.785 (27)	.775 (26)	.992 (28)	.410 (28)	.746 (27)	.549 (27)	.206 (28)
Sit-Up	correlation	.029	.001	.192	319	.051	261	279	008	127	086	130	160	078	260
Score	p-value (N)	.872 (33)	.996 (33)	.293 (32)	.076 (32)	.777 (33)	.150 (32)	.122 (32)	.966 (32)	.497 (31)	.634 (33)	.470 (33)	.382 (32)	.672 (32)	.143 (33)
Push-	correlation	046	070	197	.165	.205	.183	132	033	.081	055	.073	.064	291	156
Up Reps	p-value (N)	.814 (29)	.719 (29)	.315 (28)	.400 (28)	.287 (29)	.352 (28)	.503 (28)	.869 (28)	.687 (27)	.776 (29)	.705 (29)	.746 (28)	.132 (28)	.418 (29)
Push-	correlation	.088	210	084	.000	024	055	207	096	232	222	.161	026	132	.010
Up Score	p-value (N)	.627 (33)	.242 (33)	.649 (32)	.998 (32)	.896 (33)	.764 (32)	.255 (32)	.600 (32)	.209 (31)	.214 (33)	.371 (33)	.889 (32)	.473 (32)	.957 (33)

		Bucket Fill	Sandbag Stack	FIGHTING POSITION TASK	Balance Beam	Over High Wall	MOUAT TASK	Tire Flip	Skedco Pull	Sandbag Toss	COMBAT TASK	Vehicle Door	Casualty Extraction	Casualty Drag	CASUALTY EVACUATION TASK
	correlation	225	599	580	194	.023	141	227	518	294	267	.057	376	392	341
Weight	p-value (N)	.163 (40)	.000 (40)	.000 (40)	.230 (36)	.893 (40)	.386 (36)	.182 (36)	.001 (39)	.069 (40)	.095 (40)	.726 (40)	.017 (39)	.014 (40)	.031 (40)
	correlation	083	552	499	235	237	284	171	458	393	331	191	462	343	448
Height	p-value (N)	.611 (40)	.000 (40)	.001 (40)	.145 (40)	.165 (36)	.076 (40)	.318 (36)	.005 (36)	.013 (39)	.037 (40)	.238 (40)	.003 (40)	.032 (40)	.004 (40)
	correlation	245	390	406	101	.213	.025	177	342	104	100	.232	137	249	094
ВМІ	p-value (N)	.128 (40)	.013 (40)	.009 (40)	.537 (40)	.212 (36)	.878 (40)	.302 (36)	.041 (36)	.531 (39)	.541 (40)	.149 (40)	.399 (40)	.126 (39)	.562 (40)
Total	correlation	.166	041	.012	142	368	211	154	.216	132	.014	207	024	.245	078
APFT	p-value (N)	.417 (26)	.844 (26)	.952 (26)	.489 (26)	.092 (22)	.302 (26)	.482 (23)	.321 (23)	.529 (25)	.946 (26)	.311 (26)	.908 (26)	.239 (25)	.705 (26)
Run	correlation	125	309	278	029	.325	.023	217	373	027	338	091	204	182	131
Time	p-value (N)	.525 (28)	.110 (28)	.152 (28)	.882 (28)	.121 (24)	.908 (28)	.308 (24)	.072 (24)	.895 (27)	.079 (28)	.644 (28)	.297 (28)	.364 (27)	.506 (28)
Run	correlation	.010	.066	.033	127	324	024	.085	.127	050	.141	043	.109	.071	045
Score	p-value (N)	.955 (32)	.721 (32)	.858 (32)	.489 (32)	.092 (28)	.898 (32)	.669 (28)	.520 (28)	.788 (31)	.440 (32)	.816 (32)	.553 (32)	.702 (31)	.805 (32)
Sit-Up	correlation	.259	016	.060	.142	265	074	229	.099	097	130	282	081	.130	014
Reps	p-value (N)	.193 (27)	.937 (27)	.767 (27)	.480 (27)	.222 (23)	.712 (27)	.283 (24)	.646 (24)	.636 (26)	.517 (27)	.154 (27)	.687 (27)	.526 (26)	.944 (27)
Sit-Up	correlation	.275	024	.062	.149	160	128	233	.016	034	090	253	027	.145	024
Score	p-value (N)	.128 (32)	.897 (32)	.734 (32)	.415 (32)	.416 (28)	.486 (32)	.232 (28)	.935 (28)	.857 (31)	.624 (32)	.162 (32)	.885 (32)	.436 (31)	.897 (32)
Push-	correlation	.040	008	.021	210	051	140	.147	.344	227	007	.029	156	.098	081
Up Reps	p-value (N)	.838 (28)	.966 (28)	.915 (28)	.285 (28)	.813 (24)	.477 (28)	.483 (25)	.092 (25)	.255 (27)	.973 (28)	.882 (28)	.427 (28)	.628 (27)	.684 (28)
Push-	correlation	.094	178	100	404	140	236	.119	.312	126	.092	014	233	.047	137
Up Score	p-value (N)	.611 (32)	.330 (32)	.586 (32)	.022 (32)	.477 (28)	.193 (32)	.546 (28)	.106 (28)	.501 (31)	.617 (32)	.939 (32)	.200 (32)	.803 (31)	.454 (32)

Table S-	3. FEMALES	in FL After	6.2 Mile R	oad March:	Individu	al Event	s and Ass	ociated 1	ASK Gr	oups with	Weight, He	eight, and	d Fitness \	/ariables	
		Bucket Fill	Sandbag Stack	FIGHTING POSITION TASK	Balance Beam	Over High Wall	MOUAT TASK	Tire Flip	Skedco Pull	Sandbag Toss	COMBAT TASK	Vehicle Door	Casualty Extraction	Casualt y Drag	CASUALTY EVACUATION TASK
Weight	correlation	276	432	398	030	285	156	.084	535	322	241	186	057	336	424
	p-value (N)	.120 (33)	.012 (33)	.022 (33)	.867 (33)	.134	.401 (31)	.670 (28)	.003 (29)	.077 (31)	.191 (31)	.299 (33)	.760 (31)	.070 (30)	.016 (32)
Height	correlation	256	569	440	227	486	435	303	578	201	499	070	162	361	493
	p-value (N)	.151 (33)	.001 (33)	.010 (33)	.203 (33)	.008 (29)	.014 (31)	.117 (28)	.001 (29)	.278 (31)	.004 (31)	.697 (33)	.384 (31)	.050 (30)	.004 (32)
вмі	correlation	173	153	201	.120	.009	.121	.319	250	298	.056	208	.068	150	191
	p-value (N)	.336 (33)	.396 (33)	.262 (33)	.507 (33)	.964 (29)	.517 (31)	.098 (28)	.191 (29)	.104 (31)	.766 (31)	.247 (33)	.716 (31)	.428 (30)	.296 (32)
Total APFT	correlation	.000	124	082	247	345	313	404	.112	.213	394	.288	.102	035	089
APFI	p-value (N)	1.000 (24)	.564 (24)	.705 (24)	.246 (24)	.136 (20)	.145 (23)	.077 (20)	.640 (20)	.329 (23)	.063 (23)	.172 (24)	.644 (23)	.874 (23)	.688 (23)
Run Time	correlation	.090	007	.078	.172	.093	.111	.092	170	256	.087	264	.177	479	075
	p-value (N)	.662 (26)	.972 (26)	.706 (26)	.400 (26)	.680 (22)	.598 (25)	.685 (22)	.450 (22)	.227 (24)	.678 (25)	.192 (26)	.398 (25)	.015 (25)	.723 (25)
Run Score	correlation	188	024	149	198	117	079	033	064	.208	116	.232	128	.356	.025
	p-value (N)	.320 (30)	.901 (30)	.432 (30)	.293 (30)	.568 (26)	.688 (28)	.875 (25)	.755 (26)	.287 (28)	.557 (28)	.217 (30)	.507 (29)	.058 (29)	.897 (29)
Sit-Up Reps	correlation	.266	.036	.177	.084	294	119	436	058	.375	395	.410	.038	434	240
•	p-value (N)	.199 (25)	.865 (25)	.398 (25)	.691 (25)	.195 (21)	.579 (24)	.048 (21)	.801 (21)	.071 (24)	.056 (24)	.042 (25)	.859 (24)	.034 (24)	.258 (24)
Sit-Up Score	correlation	.171	132	.026	025	371	177	413	.038	.147	302	.184	.199	447	137
500000000000000000000000000000000000000	p-value (N)	.367 (30)	.486 (30)	.891 (30)	.894 (30)	.062 (26)	.368 (28)	.040 (25)	.854 (26)	.457 (28)	.118 (28)	.330 (30)	.300 (29)	.015 (29)	.479 (29)
Push-	correlation	079	090	092	106	281	232	220	060	.081	341	.180	077	.087	094
Up Reps	p-value (N)	.702 (26)	.661 (26)	.655 (26)	.605 (26)	.206 (22)	.264 (25)	.325 (22)	.790 (22)	.699 (25)	.096 (25)	.378 (26)	.716 (25)	.678 (25)	.656 (25)
Push- Up	correlation	021	086	057	131	116	129	139	025	.015	243	.115	.048	.005	083
Score	p-value (N)	.914 (30)	.652 (30)	.764 (30)	.491 (30)	.572 (26)	.512 (28)	.506 (25)	.905 (26)	.940 (28)	.212 (28)	.544 (30)	.807 (29)	.980 (29)	.669 (29)

		Bucket Fill	Sandbag Stack	FIGHTING POSITION TASK	Balance Beam	Over High Wall	MOUAT TASK	Tire Flip	Skedco Pull	Sandbag Toss	COMBAT TASK	Vehicle Door	Casualty Extraction	Casualty Drag	CASUALTY EVACUATION TASK
Weight	correlation	110	263	203	006	.019	.048	023	325	145	212	115	144	196	261
	p-value (N)	.101 (224)	.000 (224)	.003 (218)	.933 (218)	.783 (224)	.481 (218)	.733 (224)	.000 (224)	.030 (224)	.001 (223)	.086 (223)	.032 (224)	.003 (223)	.000 (223)
Height	correlation	135	264	232	131	059	114	119	283	256	246	055	109	253	247
	p-value (N)	.043 (224)	.000 (224)	.001 (218)	.053 (218)	.379 (224)	.093 (218)	.077 (224)	.000 (224)	.000 (224)	.000 (223)	.412 (223)	.104 (224)	.000 (223)	.000 (223)
вмі	correlation	042	137	085	.066	.054	.114	.046	198	009	088	099	097	073	149
	p-value (N)	.536 (224)	.040 (224)	.210 (218)	.334 (218)	.425 (224)	.094 (218)	.491 (224)	.003 (224)	.895 (224)	.188 (223)	.139 (223)	.147 (224)	.279 (223)	.026 (223)
Total APFT	correlation	156	040	125	064	025	120	118	041	146	105	050	056	.059	008
la f	p-value (N)	.048 (160)	.612 (160)	.121 (155)	.429 (155)	.758 (160)	.137 (155)	.136 (160)	.607 (160)	.066 (160)	.188 (159)	.532 (159)	.479 (160)	.461 (160)	.923 (159)
Run Time	correlation	.168	.265	.238	.169	.069	.223	.198	.124	.227	.164	.102	.104	019	.124
	p-value (N)	.030 (167)	.001 (167)	.002 (161)	.032 (161)	.374 (167)	.004 (161)	.010 (167)	.111 (167)	.003 (167)	.035 (166)	.192 (166)	.182 (167)	.810 (167)	.112 (166)
Run Score	correlation	184	222	265	161	129	242	235	096	266	173	127	125	.019	145
li s	p-value (N)	.009 (200)	.002 (200)	.000 (194)	.025 (194)	.069 (200)	.001 (194)	.001 (200)	.176 (200)	.000 (200)	.015 (199)	.073 (199)	.078 (200)	.790 (200)	.041 (199)
Sit-Up Reps	correlation	143	089	135	131	106	191	090	119	168	214	110	092	124	140
	p-value (N)	.069 (162)	.262 (162)	.093 (157)	.102 (157)	.181 (162)	.017 (157)	.257 (162)	.133 (162)	.033 (162)	.006 (161)	.164 (161)	.242 (162)	.115 (162)	.077 (161)
Sit-Up Score	correlation	188	099	250	062	107	121	172	096	191	215	136	103	122	172
na na na na na 1964 ilian na n	p-value (N)	.008 (201)	.161 (201)	.000 (195)	.389 (195)	.130 (201)	.093 (195)	.015 (201)	.176 (201)	.007 (201)	.002 (200)	.054 (200)	.145 (201)	.085 (201)	.015 (200)
Push- Up	correlation	199	119	205	.029	093	089	225	116	119	188	073	053	044	110
Reps	p-value (N)	.011 (162)	.133 (162)	.010 (157)	.714 (157)	.239 (162)	.270 (157)	.004 (162)	.142 (162)	.130 (162)	.017 (161)	.354 (161)	.502 (162)	.582 (162)	.165 (161)
Push- Up	correlation	200	124	261	005	121	135	223	114	110	172	096	078	018	128
Score	p-value (N)	.004 (201)	.080 (201)	.000 (195)	.949 (195)	.088 (201)	.060 (195)	.001 (201)	.108 (201)	.121 (201)	.015 (200)	.176 (200)	.272 (201)	.803 (201)	.072 (200)

		Bucket Fill	Sandbag Stack	FIGHTING POSITION TASK	Balance Beam	Over High Wall	MOUAT TASK	Tire Flip	Skedco Pull	Sandbag Toss	COMBAT TASK	Vehicle Door	Casualty Extraction	Casualty Drag	CASUALTY EVACUATION TASK
Weight	correlation	096	178	201	.075	035	.024	151	328	124	279	173	046	233	261
	p-value (N)	.155 (219)	.008 (219)	.003 (213)	.279 (212)	.606 (219)	.724 (211)	.027 (215)	.000 (217)	.068 (219)	.000 (214)	.011 (215)	.497 (219)	.001 (219)	.000 (216)
Height	correlation	081	169	118	175	169	272	095	311	219	235	029	046	285	218
	p-value (N)	.233 (219)	.012 (219)	.085 (213)	.011 (212)	.012 (219)	.000 (211)	.166 (215)	.000 (217)	.001 (219)	.001 (214)	.673 (215)	.498 (219)	.000 (219)	.001 (216)
ВМІ	correlation	057	098	152	.182	.063	.185	105	187	004	170	174	016	104	167
	p-value (N)	.398 (219)	.146 (219)	.027 (213)	.008 (212)	.354 (219)	.007 (211)	.124 (215)	.006 (217)	.949 (219)	.013 (214)	.011 (215)	.812 (219)	.125 (219)	.014 (216)
Total APFT	correlation	083	077	070	150	026	169	223	028	147	171	017	071	174	197
	p-value (N)	.306 (156)	.341 (156)	.392 (153)	.064 (152)	.743 (156)	.037 (152)	.006 (153)	.732 (154)	.067 (156)	.034 (154)	.837 (155)	.376 (156)	.030 (156)	.014 (155)
Run Time	correlation	.135	.180	.154	.230	.239	.320	.269	.129	.262	.259	.090	.158	.113	.243
113	p-value (N)	.086 (163)	.021 (163)	.052 (160)	.004 (159)	.002 (163)	.000 (159)	.001 (160)	.102 (161)	.001 (163)	.001 (160)	.255 (161)	.044 (163)	.153 (163)	.002 (161)
Run Score	correlation	233	234	250	209	215	282	275	159	228	249	087	123	139	235
	p-value (N)	.001 (196)	.001 (196)	.000 (192)	.004 (191)	.002 (196)	.000 (190)	.000 (192)	.026 (194)	.001 (196)	.001 (191)	.232 (192)	.085 (196)	.052 (196)	.001 (193)
Sit-Up Reps	correlation	.004	171	039	202	030	257	148	091	153	198	018	070	106	131
•	p-value (N)	.958 (158)	.032 (158)	.631 (155)	.012 (154)	.711 (158)	.001 (154)	.066 (155)	.260 (156)	.055 (158)	.013 (156)	.826 (157)	.383 (158)	.186 (158)	.101 (157)
Sit-Up Score	correlation	059	205	111	153	063	228	170	048	114	178	011	.022	035	067
	p-value (N)	.412 (197)	.004 (197)	.124 (193)	.034 (192)	.383 (197)	.002 (191)	.018 (193)	.501 (195)	.111 (197)	.014 (192)	.878 (193)	.755 (197)	.629 (197)	.352 (194)
Push- Up	correlation	221	236	270	107	031	163	328	169	195	299	100	.157	172	152
Reps	p-value (N)	.005 (158)	.003 (158)	.001 (155)	.187 (154)	.700 (158)	.043 (154)	.000 (155)	.035 (156)	.014 (158)	.000 (156)	.211 (157)	.049 (158)	.031 (158)	.058 (157)
Push- Up	correlation	203	205	231	106	032	159	260	113	146	244	069	.168	024	054
Score	p-value (N)	.004 (197)	.004 (197)	.001 (193)	.142 (192)	.651 (197)	.028 (191)	.000 (193)	.115 (195)	.040 (197)	.001 (192)	.342 (193)	.018 (197)	.736 (197)	.457 (194)

		Bucket Fill	Sandbag Stack	FIGHTING POSITION TASK	Balance Beam	Over High Wall	MOUAT TASK	Tire Flip	Skedco Pull	Sandbag Toss	COMBAT TASK	Vehicle Door	Casualty Extraction	Casualty Drag	CASUALTY EVACUATION TASK
Weight	correlation	106	193	194	.115	077	.040	.017	220	.012	100	.030	007	166	102
	p-value (N)	.129 (206)	.006 (206)	.006 (202)	.103 (202)	.270 (206)	.576 (202)	.808 (204)	.002 (205)	.860 (206)	.153 (204)	.673 (204)	.926 (205)	.017 (205)	.148 (204)
Height	correlation	162	261	242	079	269	209	118	220	087	193	080	.050	117	123
	p-value (N)	.020 (206)	.000 (206)	.001 (202)	.266 (202)	.000 (206)	.003 (202)	.092 (204)	.002 (205)	.216 (206)	.006 (204)	.256 (204)	.479 (205)	.095 (205)	.080 (204)
ВМІ	correlation	019	060	069	.173	.063	.163	.089	110	.057	.005	.081	038	113	039
	p-value (N)	.783 (206)	.396 (206)	.330 (202)	.014 (202)	.368 (206)	.021 (202)	.203 (204)	.118 (205)	.417 (206)	.938 (204)	.251 (204)	.593 (205)	.108 (205)	.578 (204)
Total APFT	correlation	096	052	058	204	.017	110	053	018	012	026	036	.041	227	159
	p-value (N)	.239 (151)	.529 (151)	.480 (149)	.013 (149)	.833 (151)	.182 (149)	.517 (151)	.825 (151)	.881 (151)	.749 (149)	.666 (149)	.616 (150)	.005 (150)	.053 (149)
Run Time	correlation	.184	.242	.224	.220	.129	.292	.227	.207	.179	.245	.188	008	.071	.170
	p-value (N)	.021 (157)	.002 (157)	.005 (155)	.006 (155)	.108 (157)	.000 (155)	.004 (157)	.009 (157)	.025 (157)	.002 (155)	.019 (155)	.916 (156)	.379 (156)	.035 (155)
Run Score	correlation	283	234	283	239	161	320	238	170	159	233	204	007	107	202
	p-value (N)	.000 (188)	.001 (188)	.000 (184)	.001 (184)	.027 (188)	.000 (184)	.001 (187)	.020 (188)	.030 (188)	.001 (186)	.005 (186)	.928 (187)	.145 (187)	.006 (186)
Sit-Up Reps	correlation	092	149	128	084	072	098	070	.061	.004	001	054	.040	087	060
	p-value (N)	.259 (153)	.067 (153)	.119 (151)	.302 (151)	.379 (153)	.232 (151)	.390 (153)	.455 (153)	.961 (153)	.987 (151)	.509 (151)	.625 (152)	.284 (152)	.464 (151)
Sit-Up Score	correlation	182	132	169	093	107	133	084	.093	009	.005	100	.050	110	100
00010	p-value (N)	.012 (189)	.071 (189)	.021 (185)	.207 (185)	.142 (189)	.072 (185)	.249 (188)	.203 (189)	.899 (189)	.947 (187)	.174 (187)	.492 (188)	.132 (188)	.174 (187)
Push- Up	correlation	151	172	154	.016	155	076	051	.031	075	003	075	.164	108	074
Reps	p-value (N)	.062 (153)	.033 (153)	.059 (151)	.845 (151)	.056 (153)	.355 (151)	.530 (153)	.705 (153)	.357 (153)	.973 (151)	.361 (151)	.043 (152)	.186 (152)	.369 (151)
Push- Up	correlation	145	152	156	004	149	090	114	.071	047	022	103	.059	072	092
Score	p-value (N)	.047 (189)	.037 (189)	.033 (185)	.961 (185)	.041 (189)	.224 (185)	.120 (188)	.330 (189)	.518 (189)	.768 (187)	.159 (187)	.424 (188)	.324 (188)	.208 (187)

Table S-7. DAY 1, Soldier's In ACU Performed Each Task Separately in Random Order: Correlation of Field Events with Eachother

		Bucket	Stack	FightPosT ASK	Beam	HighWall	MOUT- TASK	TireFlip	Skedco	SandbagT oss	CombatT ASK	Vehicle Door	CasualtyE xtract	Casualty Drag	CasualtyEva cTASK
Bucket	Pearson r	1				180									
	Sig. (2-tailed)														
	N	248													
Stack	Pearson r	.465	1												
	Sig. (2-tailed)	.000													
	N	246	246						-						
FightPosT	Pearson r	.821	.874	1											
ASK	Sig. (2-tailed)	.000	.000												
	N	241	241	241							-				
Beam	Pearson r	.000	.085	.043	- 1									-	
beam	Sig. (2-tailed)	.999	.186	.507	- 1										
	N	246	244	239	261										
HighWall	Pearson r	.316	.509	.487	.070	1									
Highwall						- 1									
	Sig. (2-tailed) N	.000	.000	.000	.264	259									
MOUT-	Pearson r	244	.359	237	259	13.55174									
TASK		.186		.317	.830	.587	1								
	Sig. (2-tailed)	.003	.000	.000	.000		004								
	N	246	244	239	261	259	261								
TireFlip	Pearson r	.317	.553	.435	.077	.408	.298	1							
	Sig. (2-tailed)	.000	.000		.221	.000	.000								
	N	242	240	235	254	252	254	258							
Skedco	Pearson r	.298	.552	.469	.079	.422	.290	.611	1						
	Sig. (2-tailed)	.000	.000	.000	.208	.000	.000	.000							
	N	241	239	234	254	252	254	257	257						
Sandbag	Pearson r	.247	.515	.440	.095	.382	.287	.555	.580	1					
Toss	Sig. (2-tailed)	.000	.000	.000	.136	2000000	.000	.000	.000	0000000					
	N	238	236	231	250	248	250	251	251	253					
Combat	Pearson r	.347	.697	.598	.089	.552	.386	.716	.887	.819	1				
TASK	Sig. (2-tailed)	.000	.000	.000	.154	.000	.000	.000	.000	.000					
	N	245	243	238	258	256	258	258	257	253	262				
Vehicle	Pearson r	. 153	.218	.163	.052	.222	.172	.448	.285	.372	.308	1			
Door	Sig. (2-tailed)	.018	.001	.012	.408	.000	.006	.000	.000	.000	.000				
	N	241	240	235	253	251	253	251	250	245	254	257			
Casualty	Pearson r	.172	.298	.264	051	.276	.098	.267	.390	.257	.388	042	1		
Extract	Sig. (2-tailed)	.008	.000	.000	.422	.000	.123	.000	.000	.000	.000	.508			
	N	240	239	234	252	250	252	250	249	244	253	256	256		
Casualty	Pearson r	.343	.511	.497	.039	.530	.313	.474	.517	.415	.604	.182	.359	1	
Drag	Sig. (2-tailed)	.000	.000	.000	.538	.000	.000	.000	.000	.000	.000	.004	.000		
	N	239	238	233	251	249	251	249	248	245	252	255	254	255	
CasualtyE	Pearson r	.331	.545	.499	.035	.528	.314	.551	.581	.486	.656	.316	.509	.909	1
vac	Sig. (2-tailed)	.000	.000	.000	.585	.000	.000	.000	.000	.000	.000	.000	.000	.000	
TASK	N	240	239	234	252	250	252	250	249	244	253	256	255	254	256

Table S-8. DAY 1, Soldiers In ACU Performed Each Task in Order through Course: Correlation of Field Events with Each Other

Sig. N Stack Pea Sig. N Fight Pos TASK Sig. N Beam Pea Sig. N HightWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed)	Bucket 1 265 .448 .000 265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000 258	1 265 .800 .000 258 .179 .004 258 .441 .000 265	1 258	1 258 .093	HighWall	MOUT- TASK	TireFlip	Skedco	Sandbag Toss	TASK	Vehicle Door	Casualty Extract	Casualty Drag	Casualty EvacTASK
Sig. N Stack Pea Sig. N Fight Pos TASK Sig. N Beam Pea Sig. N HightWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed)	.448 .000 265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	265 .800 .000 258 .179 .004 258 .441 .000 265	258 .061 .329 258 .311	258										
N Stack Pea Sig. N FightPos Pea TASK Sig. N Beam Pea Sig. N HighWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Skedco Pea	earson r ig. (2-tailed)	.448 .000 265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	265 .800 .000 258 .179 .004 258 .441 .000 265	258 .061 .329 258 .311	258										
Stack Pea Sig. N FightPos Pea TASK Sig. N Beam Pea Sig. N HighWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Skedco Pea	earson r ig. (2-tailed)	.448 .000 265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	265 .800 .000 258 .179 .004 258 .441 .000 265	258 .061 .329 258 .311	258										
FightPos Pea Sig. N Beam Pea Sig. N HightVall Pea Sig. N MOUT- Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	.000 265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	265 .800 .000 258 .179 .004 258 .441 .000 265	258 .061 .329 258 .311	258										
FightPos Pea Sig. N Beam Pea Sig. N HightVall Pea Sig. N MOUT- Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	.800 .000 .258 .179 .004 .258 .441 .000 .265	258 .061 .329 258 .311	258										
Fight Pos Pea Sig. N Beam Pea Sig. N HightVall Pea Sig. N MOUT Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	265 .812 .000 258 .238 .000 258 .189 .002 265 .333 .000	.800 .000 .258 .179 .004 .258 .441 .000 .265	258 .061 .329 258 .311	258										
Fight Pos Pea Sig. N Beam Pea Sig. N HighWall Pea Sig. N MOUT- Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	.812 .000 258 .238 .000 258 .189 .002 265 .333	.800 .000 .258 .179 .004 .258 .441 .000 .265	258 .061 .329 258 .311	258										
TASK Sig. N Beam Pea Sig. N HighWall Pea Sig. N MOUT- Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	.000 258 .238 .000 258 .189 .002 265 .333 .000	.000 258 .179 .004 258 .441 .000 265	.061 .329 258 .311	258										1
Beam Pea Sig. N HighWall Pea Sig. N MOUT-TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	258 .238 .000 258 .189 .002 265 .333 .000	.179 .004 .258 .441 .000 .265	.061 .329 258 .311	258										
Beam Pea Sig. N HighWall Pea Sig. N MOUT-TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r earson r ig. (2-tailed) earson r ig. (2-tailed) earson r	.238 .000 258 .189 .002 265 .333	.179 .004 258 .441 .000 265	.061 .329 258 .311	258							-			
Sig. N HighWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed) earson r ig. (2-tailed)	.000 258 .189 .002 265 .333	.004 258 .441 .000 265	.329 258 .311	258										
N HighWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed) earson r ig. (2-tailed)	258 .189 .002 265 .333 .000	.441 .000 265	258 .311	Contraction of the Contraction o										
HighWall Pea Sig. N MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N	earson r ig. (2-tailed) earson r ig. (2-tailed)	.189 .002 265 .333	. 441 .000 265	.311	Contraction of the Contraction o										
NMOUT-Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed) earson r ig. (2-tailed)	.002 265 .333 .000	.000 265	(2000)	.033	1	-					-			
N NOUT- Pea Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed)	.333 .000	265	.000	.138	3.0									
MOUT- TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	earson r ig. (2-tailed)	.333		250		205									
TASK Sig. N TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed)	.000		258	258	265						5			
N TireFlip Pea Sig N Skedco Pea Sig N Sandbag Pea				.218	.867	.491	1								
TireFlip Pea Sig. N Skedco Pea Sig. N Sandbag Pea		2581	.000	.000	.000	.000									
Sig. N Skedco Pea Sig. N Sandbag Pea			258	258	258	258	258								
N Skedco Pea Sig. N Sandbag Pea	earson r	.354	.621	.547	.319	.329	.405	1							
Skedco Pea Sig. N Sandbag Pea	ig. (2-tailed)	.000	.000	.000	.000	.000	.000								
Sig. N Sandbag Pea		263	263	256	256	263	256	263							
N Sandbag Pea	earson r	.292	.677	.590	.128	.394	.307	.635	1						
Sandbag Pea	ig. (2-tailed)	.000	.000	.000	.041	.000	.000	.000							
T		263	263	256	256	263	256	263	263						
Toss Sig.	earson r	.310	.652	.526	.299	.388	.423	.580	.614	1					
-	ig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000						
N		261	261	254	254	261	254	260	260	261					
Combat Pea	earson r	.389	.738	.659	.254	.426	.428	.806	.892	.780	1				
TASK Sig.	ig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000					
N		264	264	257	257	264	257	262	262	260	264				
Vehicle Pea	earson r	.048	.130	.111	.006	.086	.008	.132	.098	.019	.030	1			
Door Sig.	ig. (2-tailed)	.433	.034	.075	.918	.162	.892	.032	.115	.764	.626				
N		264	264	257	257	264	257	262	262	260	264	264			
Casualty Pea	earson r	.203	.273	.250	.320	.162	.352	.318	.276	.308	.325	.059	1		
Extract	ig. (2-tailed)	.001	.000	.000	.000	.008	.000	.000	.000	.000	.000	.341			
N		264	264	257	257	264	257	262	262	260	263	263	264		
1000	earson r	.337	.519	.479	.161	.303	.271	.468	.653	.464	.636	.135	.108	1	
Dean	ig. (2-tailed)	.000	.000	.000	.010	.000	.000	.000	.000	.000	.000	.029	.081		
N		263	263	256	256	263	256	261	261	260	262	262	262	263	
Casualty Pea		.345	.543	.512	.174	.296	.269	.497	.615	.446	.586	.577	.379	.783	1
Evac Sig	2	.000	.000	.000	.005	.000	.000	.000	.000	.000	.000	.000	.000	.000	· '
TASK N	earson r ig. (2-tailed)		264	257	257	264	257	262	262	260	264	.000	.000	.000	264

Table S-9. DAY 2, Soldiers In Fighting Load (FL) Performed Each Task in Order through Course: Correlation of Field Events with Each Other

		Bucket	Stack	FightPos TASK	Beam	HighWall	MOUT- TASK	TireFlip	Skedco	Sandbag Toss	Combat TASK	Vehicle Door	Casualty Extract	Casualty Drag	Casualty EvacTASK
Bucket	Pearson r	1													
	Sig. (2-tailed)														
	N	259													
Stack	Pearson r	.524	1												
	Sig. (2-tailed)	.000													
	N	259	259				1								
	Pearson r	.796	.911	1											
TASK	Sig. (2-tailed)	.000	.000												
	N	253	253	253											
Beam	Pearson r	.396	.508	.455	1										
	Sig. (2-tailed)	.000	.000	.000											
	N	252	252	252	252										
HighWall	Pearson r	.315	.577	.536	.212	1									
	Sig. (2-tailed)	.000	.000	.000	.001										
	N	255	255	249	248	255									
MOUT-	Pearson r	.436	.716	.634	.695	.745	1								
TASK	Sig. (2-tailed)	.000	.000	.000	.000	.000									
	N	251	251	251	250	247	251								
TireFlip	Pearson r	.379	.595	.597	.251	.376	.441	1							
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000								
	N	251	251	245	244	250	245	251							
Skedco	Pearson r	.421	.716	.678	.311	.519	.610	.615	1						
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000							
	N	253	253	247	246	252	245	251	253						
SandbagT	Pearson r	.327	.706	.630	.381	.464	.506	.492	.550	1			\vdash		
oss	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000						
	N	258	258	252	251	255	250	251	253	258					
Combat	Pearson r	.469	.756	.726	.360	.568	.553	.824	.855	.793	1				
TASK	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	-				
	N	254	254	248	247	250	248	248	248	253	254				
VehicleDo	Pearson r	.269	.266	.305	.155	.266	.196	.311	.321	.225	.357	1			
or	Sig. (2-tailed)	.000	.000	.000	.015	.000	.002	.000	.000	.000	.000				
	N	255	255	249	248	251	247	247	249	254	253	255			
Casualty E	Pearson r	.138	.354	.302	.162	.256	.282	.090	.220	.354	.257	.072	1		
xtract	Sig. (2-tailed)	.026	.000	.000	.010	.000	.000	.154	.000	.000	.000	.253			
	N	259	259	253	252	255	251	251	253	258	254	255	259		
Casualty D	Pearson r	.375	.660	.616	.281	.470	.571	.358	.630	.466	.533	.126	.248	1	
rag	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.044	.000		
	N	258	258	252	251	254	250	250	252	257	253	254	258	258	
Casualty	Pearson r	.462	.709	.684	.349	.589	.629	.443	.679	.540	.640	.534	.436	.832	8
Evac	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000		.000	
TASK	N	256	256	250	249	252	248	248	250	255	254	255		255	25

Table S-10. DAY 3, Soldiers In FL Performed Each Task in Order through Course After 6.2 Road March: Correlation of Field Events with Each Other

Other		Bucket	Stack	FightPos TASK	Beam	HighWall	MOUT- TASK	TireFlip	Skedco	Sandbag Toss	Combat TASK	Vehicle Door	Casualty Extract	Casualty Drag	Casualty EvacTASK
Bucket	Pearson r	1													
	Sig. (2-tailed)														
	N	239													
Stack	Pearson r	.656	1		_		İ								
	Sig. (2-tailed)	.000													
	N	239	239												
FightPos	Pearson r	.888	.904	1										 	
TASK	Sig. (2-tailed)	.000	.000												
	N	235	235	235											
Beam	Pearson r	.475	.549	.494	1					-					
	Sig. (2-tailed)	.000	.000	.000											
	N	235	235	235	238										
HighWall	Pearson r	.477	.608	.596	.263	1									
-	Sig. (2-tailed)	.000	.000	.000	.000										
	N	235	235	231	234	239									
MOUT-	Pearson r	.596	.764	.708	.796	.713	1						<u> </u>	-	
TASK	Sig. (2-tailed)	.000	.000	.000	.000	.000									
TASK	N	233	233	233	233	230	233								
TireFlip	Pearson r	.368	.601	.533	.405	.592	.608	1							
тистър	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	- 1							
	N	232	232	229	232	234	229	235							
Skedco	Pearson r	.456	.525	.527	.441	.367	.565	.465	1						
Chedoo	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	- '						
	N	234	234	230	230	233	229	232	234						
Sandbag	Pearson r	.394	.479	.477	.313	.526	.590	.576	.396	1					
Toss	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	1					
	N	237	237	233	233	234	231	231	233	237				_	
Combat	Pearson r	.533	.727	.690	.538	.599	.750	.835	.765	.713	1				
TASK		.000	.000	.000	.000	.000	.000	.000	.000	.000	- 1				
	Sig. (2-tailed)	235	235	231		232	231	230	231	233	235				
Mahiala	100	.290	.326	.335	.209						.326	- 1	_		
Vehicle Door	Pearson r					.363	.348	.479	.297	.907		1			
	Sig. (2-tailed)	.000	.000	.000	.001	.000	.000	.000	.000	.000	.000	227			
^ h	N	237	237	233	233	233	231	230	232	235	235	237	L .		
Casualty Extract	Pearson r	.161	.286	.247	.174	.181	.246	.174	.251	.186	.271	.039	1		
Danie	Sig. (2-tailed)	.013	.000	.000	.008	.006	.000	.008	.000	.004	.000	.556			
	N	236	236	232	232	233	231	230	232	234	233	234	236	1	
Casualty Drag	Pearson r	.384	.481	.467	.378	.407	.494	.519	.635	.398	.593	.200	.200		
Liay	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.002		
	N	235	235	231	231	232	230	229	231	233	232	233	235		
Casualty	Pearson r	.451	.687	.619	.455	.542	.659	.642	.663	.590	.723	.540	.465	.731	1
Evac TASK	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
	N	236	236	232	232	233	231	230	232	234	235	236	234	233	236

		Weight	Height	BMI	APFT Self- Reported	APFT Recalculated	2 Mile Run Time Self- Reported	2 Mile Run Score Recalculated	2 Mile Run Score Combining Self Report + Recalculated	Push Up Reps Self- Reported	Push-Up Score Recalculated	Push-Up Score Combining Self Report + Recalculated	Sit Up Reps Self- Reported	Sit-Up Score Recalculated	Sit-Up Score Combining Self Report - Recalculated
Road March	Pearson r	257	321	101	106	114	.405	101	100	345	061	070	213	220	168
Time:	Sig. (2-tailed)	.000	.000	.114	.151	.131	.000	.173	.137	.000	.415	.296	.004	.003	.014
ALL	N	246	246	246	184	178	187	185	222	182	180	223	181	179	223
Table S-12.	6.2 Mile F	Road Mar	ch Time	Correlate Fighting	ed with Ta	sk and Ass	ociated In	ndividual E	ents (Day 3	3, after Ro	ad March)				Casualty
		Bucket Fill	Sandbag Stack	Fighting Position Task	Balance Beam	Over High Wall	MOUT Task	Tire Flip	Skedco Pull	Sandbag Toss	Combatives Task	Door	Casualty Extraction	Casualty Drag	Casualty Evacuation Task
Road March	Pearson r	Bucket Fill .351	Sandbag Stack .467	Fighting Position Task .467	Balance Beam .268	Over High Wall .256	MOUT Task .347	Tire Flip .389	Skedco Pull .263	Sandbag Toss	Combatives Task	Door .208	Extraction .091	Drag .241	Evacuation Task .304
Road March Time:	Pearson r Sig. (2-tailed)	Bucket Fill .351	Sandbag Stack . 467	Fighting Position Task .467	Balance Beam .268	Over High Wall .256	MOUT Task .347	Tire Flip .389	Skedco Pull .263	Sandbag Toss .266	Combatives Task .388	Door .208 .001	Extraction .091 .169	Drag .241 .000	Evacuation Task .304
Road March Time: ALL	Pearson r Sig. (2-tailed) N	Bucket Fill .351 .000	Sandbag Stack . 467 .000	Fighting Position Task .467 .000 228	Balance Beam .268 .000	Over High Wall .256 .000 228	MOUT Task .347 .000 226	Tire Flip .389 .000 225	Skedco Pull .263 .000 227	Sandbag Toss .266 .000	Combatives Task .388 .000	Door .208 .001 230	Extraction .091 .169 .230	Drag .241 .000 229	Evacuation Task .304 .000
Road March Time: ALL Road March	Pearson r Sig. (2-tailed) N Pearson r	Bucket Fill .351 .000 232 .182	Sandbag Stack .467 .000 232 .352	Fighting Position Task .467 .000 228 .310	Balance Beam .268 .000 228	Over High Wall .256 .000 228	MOUT Task .347 .000 226	Tire Flip .389 .000 225 .284	Skedco Pull .263 .000 227 .118	Sandbag Toss .266 .000 230	Combatives Task .388 .000 228 .231	Door .208 .001 230 .078	Extraction .091 .169 .230 .056	Drag .241 .000 229 .181	Evacuation Task .304 .000 .229 .184
Road March Time: ALL Road March Time:	Pearson r Sig. (2-tailed) N Pearson r Sig. (2-tailed)	Bucket Fill .351 .000 232 .182	Sandbag Stack .467 .000 232 .352	Fighting Position Task .467 .000 228 .310	Balance Beam .268 .000 228 .140	Over High Wall .256 .000 .228 .088 .217	MOUT Task .347 .000 226 .174 .015	Tire Flip .389 .000 225 .284	Skedco Pull .263 .000 .227 .118 .096	Sandbag Toss .266 .000 230 .173	Combatives Task .388 .000 228 .231 .001	Door .208 .001 230 .078 .276	Extraction .091 .169 .230 .056 .435	Drag .241 .000 .229 .181 .010	Evacuation Task .304 .000 229 .184
Road March Time: ALL Road March Time:	Pearson r Sig. (2-tailed) N Pearson r	Bucket Fill .351 .000 232 .182 .010 200	Sandbag Stack .467 .000 232 .352 .000 200	Fighting Position Task .467 .000 228 .310 .000 196	Balance Beam .268 .000 228	Over High Wall .256 .000 .228 .088 .217	MOUT Task .347 .000 226 .174 .015	Tire Flip .389 .000 225 .284	Skedco Pull .263 .000 .227 .118 .096	Sandbag Toss .266 .000 .230 .173 .014 .200	Combatives Task .388 .000 .228 .231 .001 .198	Door .208 .001 230 .078 .276 198	Extraction .091 .169 .230 .056 .435 .200	Drag .241 .000 .229 .181 .010 .200	Evacuation Task .304 .000 .229 .184 .009 .198
Road March Time: ALL Road March Time: MALES	Pearson r Sig. (2-tailed) N Pearson r Sig. (2-tailed) N	Bucket Fill .351 .000 232 .182 .010 200	Sandbag Stack .467 .000 232 .352 .000 200	Fighting Position Task .467 .000 228 .310 .000 196	Balance Beam .268 .000 228 .140 .050 196 013	Over High Wall .256 .000 .228 .088 .217 .200	MOUT Task .347 .000 226 .174 .015 196 137	Tire Flip .389 .000 .225 .284 .000 .198	Skedco Pull .263 .000 227 .118 .096 199	Sandbag Toss .266 .000 230 .173	Combatives Task .388 .000 .228 .231 .001 .198097	Door .208 .001 230 .078 .276 198	Extraction .091 .169 230 .056 .435 200338	Drag .241 .000 .229 .181 .010 .200 .300	Evacuation Task .304 .000 .228 .184 .009 .198302
Road March Time: ALL Road March	Pearson r Sig. (2-tailed) N Pearson r Sig. (2-tailed) N	Bucket Fill .351 .000 232 .182 .010 200	Sandbag Stack .467 .000 232 .352 .000 200 .082 .656	Fighting Position Task .467 .000 228 .310 .000 196 .218	Balance Beam .268 .000 .228 .140 .050	Over High Wall .256 .000 .228 .088 .217 .200 017	MOUT Task .347 .000 226 .174 .015	Tire Flip .389 .000 225 .284 .000 198	Skedco Pull .263 .000 227 .118 .096 199	Sandbag Toss .266 .000 .230 .173 .014 .200	Combatives Task .388 .000 .228 .231 .001 .198	Door .208 .001 230 .078 .276 198 .390	Extraction .091 .169 .230 .056 .435 .200	Drag .241 .000 .229 .181 .010 .200 .300 .114	Evacuation Task .304 .000 .229 .184 .009 .198