

DEMONSTRATION REPORT

Former Spencer Artillery Range, Tennessee Classification Demonstration Open Field and Dynamic Areas

ESTCP Project MR-201312

JANUARY 2016

Richard MacNeil
USA Environmental

Distribution Statement A

This document has been cleared for public release



REPORT DOCUMENTATION PAGE					<i>Form Approved</i> OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY) 01/01/2016		2. REPORT TYPE Technical Report			3. DATES COVERED (From - To) N/A	
4. TITLE AND SUBTITLE Former Spencer Artillery Range, Tennessee Classification Demonstration Open Field and Dynamic Areas				5a. CONTRACT NUMBER W912HQ-13-C-0030		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Richard MacNeil, USA Environmental				5d. PROJECT NUMBER MR-201312		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Dr. Thomas H. Bell Leidos Corporation 4001 N Fairfax Drive, Suite 675 Arlington, VA 22203 Dr. Dean Keiswetter Acorn SI 205 Roebling Lane, Cary NC 27513					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Environmental Security Technology Certification Program Program Office 901 Stuart Street Suite 303 Arlington, VA 22203					10. SPONSOR/MONITOR'S ACRONYM(S) ESTCP	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT The objective of this project is to advance classification capabilities of the production community by enhancing and streamlining UX-Analyze's workflow and functionality; by offering training documents, datasets, and workshops; by baselining classification performances through classification demonstrations; and by collaborating with multiple production firms. USA Environmental, Inc. (USA) is contracted with Leidos Inc., to receive limited advanced classification (AC) software training and perform AC data processing of cued MetalMapper (MM) data as part of the Classification Demonstration funded by the Environmental Security Technology Certification Program (ESTCP).						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 50	19a. NAME OF RESPONSIBLE PERSON Dean Keiswetter	
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) 919-454-4774	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATE COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33315-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report. e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.



ESTCP ABBREVIATED DEMONSTRATION REPORT

**Former Spencer Artillery Range, Tennessee
Classification Demonstration
Open Field and Dynamic Areas**

**ESTCP Project MR-201312
Leidos Subcontract P010159840**

January 2016

USA Environmental Analyst: Richard MacNeil

Table of Contents

1.0	INTRODUCTION	1
1.1	SITE SUMMARY	1
2.0	PERFORMANCE OBJECTIVES	1
2.1	INSTRUMENT VERIFICATION STRIP MEASUREMENTS RESULTS	1
2.2	PROPER CLASSIFICATION OF TOI RESULTS	1
2.3	PROPER CLASSIFICATION OF NON-TOI RESULTS	1
2.4	SPECIFICATION OF NO-DIG THRESHOLD RESULTS	2
2.5	ANOMALIES THAT CANNOT BE ANALYZED	2
3.0	DATA ANALYSIS AND PRODUCTS	3
3.1	DATA ANALYSIS	3
3.2	GROUND TRUTH	3
3.3	STOP-DIG RATIONALE.....	3
3.4	RANKED ANOMALY LISTS AND RESULTS	4

List of Acronyms

AC	Advanced Classification
ESTCP	Environmental Security Technology Certification Program
IDA	Institute for Defense Analysis
IVS	Instrument Verification Strip
MM	Metal Mapper
mm	millimeter
ROC	Receiver Operating Characteristic
SAR	Spencer Artillery Range
TOI	Target of Interest
USA	USA Environmental, Inc.
UXA	UX-Analyze

List of Figures

Figure 3-1: Spencer Range Open Area Metal Mapper ROC Curve	5
Figure 3-2: Spencer Range Dynamic Area ROC Curve	5

List of Tables

Table 2-1: Performance Objectives and Results for this Abbreviated Demonstration.	2
Table 3-1: Example Ranked Anomaly List	4

1.0 INTRODUCTION

USA Environmental, Inc. (USA) is contracted with Leidos Inc., to receive limited advanced classification (AC) software training and perform AC data processing of cued Metal Mapper (MM) data as part of the Classification Demonstration funded by the Environmental Security Technology Certification Program (ESTCP).

1.1 SITE SUMMARY

The cued MM data is from the open field (4.4 acres) and dynamic area (1.3 acres) of the former Spencer Artillery Range (SAR), in Van Buren County, Tennessee. The anticipated targets of interest (TOI) at the former SAR range from 37 millimeters (mm) to 155mm projectiles. This classification training is based on EM61 and cued advanced sensor MM data previously collected at the SAR by other contractors.

2.0 PERFORMANCE OBJECTIVES

Table 2-1 summarizes the abbreviated version of the standard performance objectives and results. The objectives listed in Table 2-1 are only for data analysis as it relates to this abbreviated demonstration. The data collection objectives, under normal circumstances would be included in the demonstration plan objectives, but are excluded in the following sections.

2.1 INSTRUMENT VERIFICATION STRIP MEASUREMENTS RESULTS

IVS data were collected twice per day. The objective of this item is to determine proper sensor performance, specifically, the repeatability of the northing, easting, and horizontal offset for each IVS item. IVS training data have been provided. The metrics for this item are the average error of the northing and easting and horizontal offset from the known source location. The data required for this item are the daily IVS data and known location (coordinates) of IVS seed items. The success criteria is the average change in northing, easting and horizontal is less than 0.1 meter. Statistics calculations are part of the Geosoft UX-Analyze (UXA) process module for IVS and include, in part, Delta X, Y, Z, Delta horizontal distance, Delta size, fit coherence and library match metrics. There were no exceedances of the offset metric. All offsets were <0.1 meter.

2.2 PROPER CLASSIFICATION OF TOI RESULTS

The goal of the classification is to correctly identify all possible TOI based on cued sensor data collected at the site. The metric for this item objective is the number of retained TOI using a specific classification approach. The analyst created a ranked anomaly list of targets that were scored by Institute for Defense Analysis (IDA) personnel to assess performance. All TOI (100%) for both the open and dynamic areas were properly identified and included on the final ranked anomaly list.

2.3 PROPER CLASSIFICATION OF NON-TOI RESULTS

The goal of the classification is to correctly identify all possible non-TOI based on cued sensor data collected at the site. The objective will be met if greater than 75% of non-TOI targets are properly labeled as non-TOI on the target list. Results of the final ranked anomaly list scored by IDA personnel confirmed that greater than 75% of non-TOI targets were properly labeled for both the open and dynamic areas, with 82.1% and 84.2% non-TOI targets, respectively, classified correctly.

Table 2-1: Performance Objectives and Results for this Abbreviated Demonstration.

Performance Objective	Metric	Data Required	Success Criteria	Results
Repeatability of Instrument Verification Strip (IVS) measurements	Average error in northing and easting for IVS item	IVS as built and daily IVS survey data	Average delta northing, easting and horizontal offset < 0.1 meter	No exceedances of offset metric. All offsets <0.1 meter
Proper classification of TOI	Number of retained TOI	Ranked anomaly list	Classification approach identifies all TOI based on scoring	100% TOI Correctly Classified
Proper classification of Non-TOI	Number of false alarms removed	Ranked anomaly list	Reduce clutter digs by >75% based on scoring	Non-TOI Correctly Classified Open: 82% Dynamic: 84%
Designate No Dig threshold	Correct classification of TOI and number of false alarms at demonstrator operating point	Analyst specified threshold	Correct threshold to classify all TOI. >75% of non-TOI correctly identified based on scoring	Metric Achieved with 93.5% Confidence Threshold
Correctly identify anomalies that cannot be analyzed	Number of anomalies that cannot be analyzed	Based on analyst-specified target parameters	Target parameters correctly estimated for >95% of anomalies	Target parameters correctly analyzed: Open - 99.6% Dynamic - 100.0%

2.4 SPECIFICATION OF NO-DIG THRESHOLD RESULTS

For the Spencer Range data, since there are full ground truth results for all targets, this objective is measurable based on where the analyst places the no-dig threshold on the ranked anomaly list. Correct classification of TOI to false positives are based on the analyst's classification metrics used. Success will be measured by a percentage of non-TOI targets that can be properly labeled. The metric will be 75%, or greater, of the non-TOI targets are properly labeled. Results of the final ranked anomaly list, with a no-dig threshold of 93.5% confidence metric, scored by IDA personnel confirmed that greater than 75% of non-TOI targets were properly labeled for both the open and dynamic areas, with 82.1% and 84.2% non-TOI targets, respectively, being correctly classified.

2.5 ANOMALIES THAT CANNOT BE ANALYZED

The criteria used to determine the "can't extract reliable parameters" class was based on whether the quality of the data is insufficient to make a logical/reliable analysis. The metric will be those anomalies for which reliable parameters cannot be modeled. Thus, these targets were included on the final ranked anomaly list as a "dig." The goal is to have met reliable target parameters for

>95% of the anomalies. The final ranked anomaly list scored by IDA personnel met the requirement, with 100% of the targets in the Dynamic Area and 99.6% of the targets in the Open Area, successfully analyzed.

3.0 DATA ANALYSIS AND PRODUCTS

3.1 DATA ANALYSIS

Using the most current version of UXA (Version 8.5.1), the preliminary step in the classification approach was to import, model, and review the IVS advanced sensor training data. This process included modeling, statistics, and fit results for the known IVS items.

After review of the IVS data, the supplied advanced sensor blind data was then imported. All cued data provided was previously leveled using the background data from the field site. Each anomaly was then inverted using both single-source and multi-source models to obtain multiple target parameters. The primary parameters utilized during the classification process were the polarizabilities of the three axes of each anomaly. These modeled polarizabilities were library matched to known munitions and seed items in the target library. The final threshold boundaries of buffer and TOI/non-TOI were set after all ground truth results were received and the analyst was confident that the site-specific library was complete.

3.2 GROUND TRUTH

After the multi-source inversion process, a scatter plot was used to identify expected and unexpected TOI clusters. Ground truth was then requested for a number of anomalies identified during this process that were difficult to library match and our TOI library was adjusted after the ground truth results were received. An initial anomaly list was submitted to be analyzed to check whether all QC seeds had been correctly classified. During review, it was noted that two QC seed items were not marked to be dug on the initial dig list; therefore, the ESTCP Program Office provided the location and identity of the misclassified QC seeds as additional on-site training data. USA used this additional information to modify our classification procedures to ensure that the revised methods correctly classify the seeds missed originally. A revised anomaly list was then submitted, accompanied by a Root Cause Analysis memo (provided in Appendix A) outlining the causes of the misclassification, the revisions made in the classification analysis, and a demonstration that the revised procedures successfully classified the missed seeds.

3.3 STOP-DIG RATIONALE

Upon review of all final ground truth results, the rationale used to specify the stop-dig point was to successfully detect and properly classify all seed items that lead to confidence that the detection and classification parameters were working appropriately. An additional buffer of 25 targets in each area was included to provide additional confidence that all TOI were identified. The final ranked anomaly list separates the analyst's non-munitions (High Confidence Non-TOI) from those targets that must be investigated (Can't Analyze, High Confidence TOI and Can't Make a Decision target). An example of a Final Ranked Anomaly List is presented in Table 3-1.

Table 3-1: Example Ranked Anomaly List

Target ID:	Category: -1 = Training Set 0 = Can't Extract Reliable Parameters 1 = Likely TOI 2 = Can't Decide 3 = Likely Non-TOI	Dig Decision: 1 = Dig 0 = Don't Dig	TOI Type: (caliber or diameter in mm)
SR-128	-1	1	0
SR-132	-1	1	0
SR-357	0	1	0
SR-766	0	1	0
SR-122	1	1	37
SR-126	1	1	37
SR-130	2	1	105
SR-141	2	1	48
SR-121	3	0	0
SR-123	3	0	0

Interpretation of the ranked anomaly list:

- Category -1: anomalies for which ground truth had been requested.
- Category 0: anomalies for which the analyst was not able to extract reliable parameters.
- Category 1: high confidence TOI.
- Category 2: buffer anomalies between high confidence TOI and high confidence non-TOI.
- Category 3: high confidence non-TOI or likely MD.

3.4 RANKED ANOMALY LISTS AND RESULTS

USA submitted two final ranked anomaly lists to IDA for scoring (Appendix B). One list was for the open area and the second was for the dynamic area of SAR. During scoring, IDA constructed Receiver Operating Characteristic (ROC) curves for each anomaly list. Figure 3-1 and Figure 3-2 show the ROC curves for the open and dynamic areas, respectively.




Figure 3-1: Spencer Range Open Area Metal Mapper ROC Curve




Figure 3-2: Spencer Range Dynamic Area ROC Curve

Following is an interpretation of the ROC curves:

- The dashed line corresponds to the targets that were dug for training data.
- The solid black line corresponds to the targets that were categorized as “can’t extract reliable parameters” that were treated as potential TOI because no meaningful classification could be done. One TOI was identified in this part of the curve for the open area.
- Targets in red, yellow, and green correspond to Category 1, 2, and 3 targets, respectively.
- The blue dot corresponds to the dividing point between TOI and not-TOI.
- The orange dot corresponds to the point at which USA detected all TOI.

Final results from the AC software training and data processing of cued MM data from Spencer Range show that USA was successful in classifying all TOI and reduced clutter or non-TOI digs by greater than 82%.

APPENDIX A. ROOT CAUSE ANALYSIS (MISSED SEED ITEMS)

ROOT CAUSE ANALYSIS

PART 1 – General Information

Date Submitted: 11/13/2015	Project Name: Leidos Advanced Classification Project
Submitted To: Herb Nelson	Contract Number: P010159840
Prepared By: Richard MacNeil	TO Number:
Title/Position: Project Geophysicist	

PART 2 – Substandard or Failed Finding

Description of Substandard or Failed Item or Condition:				
Failure of analyst to detect 3 blind seed items during TOI classification on Advanced Classification Project.				
Contract/Work Plan/PWS or Project Specific Written Requirement: The objective will be considered to be met if 100% of the seeded items are detected within a halo of 60cm.				
Test/Inspection/Audit Identifying Substandard or Failed Item or Condition: Initial submission of ranked anomalies identified 3 BSI's missing from TOI list.				
Item/UOP Size: Blind Seed Items			Quantity: 3	
Disposition:	Review ☐	Rework x ☐	Change ☐	Reject ☐

PART 3 – Investigation/Root Cause Determination

Personnel Responsible for Investigative Process: Richard MacNeil – Analyst/Project Geophysicist
Investigative Process Findings: The site UXO classify and rank library did not include 155 projectiles for classification.
Probable Root and Contributing Cause(s)(See attachment for additional information): Analyst's inattention to detail resulted in 155mm projectiles to not be included in the classify and rank library, therefore several items were not matched to known TOI on site. 155mm projectiles were know items on site and should have been included in library.

PART 4 – Corrective Actions

Proposed Corrective Actions and Completion Dates: Analyst will add additional items (155mm Projectile) to the UXO library and re-run the Classify and Rank GX.		
Personnel Responsible for Implementation of Corrective Actions: Analyst – Richard MacNeil/ Project Geophysicist		
Personnel Responsible for Monitoring/Measuring Effectiveness of Corrective Actions: Analyst/ data processor		
Corrective actions have been completed and monitored/measured for effectiveness. Additional items were added to the UXO library as recommended and Classify and Rank GX re-run. Seed items were selected as TOI with new parameters and data re-submitted for scoring.		
Signature Richard MacNeil Digitally signed by Richard MacNeil DN: cn=Richard MacNeil, c=USA Environmental, Inc., ou=Project Geophysicist, email=rmacnell@usastampa.com, c=US Date: 2015.11.13 16:16:23 -0500	Title/Position Project Geophysicist	Date 11/13/2015

APPENDIX B. RANKED ANOMALY LISTS

This appendix contains the two final ranked anomaly lists submitted to IDA for the open field and dynamic areas of the former Spencer Artillery Range as part of the AC data processing requirement of the Classification Demonstration funded by the Environmental Security Technology Certification Program.

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-128	-1	1	0
SR-132	-1	1	0
SR-140	-1	1	0
SR-158	-1	1	0
SR-190	-1	1	155
SR-192	-1	1	0
SR-197	-1	1	0
SR-202	-1	1	0
SR-227	-1	1	0
SR-259	-1	1	0
SR-283	-1	1	0
SR-328	-1	1	0
SR-332	-1	1	0
SR-339	-1	1	0
SR-380	-1	1	0
SR-393	-1	1	61
SR-436	-1	1	0
SR-440	-1	1	0
SR-444	-1	1	0
SR-545	-1	1	48
SR-573	-1	1	0
SR-594	-1	1	0
SR-636	-1	1	0
SR-648	-1	1	155
SR-763	-1	1	37
SR-784	-1	1	0
SR-786	-1	1	0
SR-789	-1	1	0
SR-799	-1	1	0
SR-851	-1	1	0
SR-898	-1	1	0
SR-1005	-1	1	0
SR-1017	-1	1	0
SR-1055	-1	1	0
SR-1082	-1	1	0
SR-1094	-1	1	0
SR-1256	-1	1	0
SR-357	0	1	0
SR-766	0	1	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-827	0	1	0
SR-837	0	1	0
SR-122	1	1	37
SR-126	1	1	37
SR-129	1	1	48
SR-133	1	1	37
SR-135	1	1	48
SR-145	1	1	48
SR-151	1	1	48
SR-152	1	1	48
SR-156	1	1	60
SR-170	1	1	37
SR-181	1	1	48
SR-188	1	1	48
SR-194	1	1	37
SR-198	1	1	60
SR-199	1	1	37
SR-200	1	1	48
SR-207	1	1	48
SR-210	1	1	48
SR-220	1	1	60
SR-226	1	1	48
SR-232	1	1	37
SR-239	1	1	48
SR-241	1	1	61
SR-261	1	1	48
SR-264	1	1	48
SR-265	1	1	48
SR-272	1	1	48
SR-278	1	1	48
SR-289	1	1	37
SR-290	1	1	48
SR-295	1	1	48
SR-296	1	1	60
SR-308	1	1	37
SR-316	1	1	48
SR-336	1	1	48
SR-344	1	1	48
SR-345	1	1	48

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-354	1	1	60
SR-359	1	1	75
SR-373	1	1	48
SR-375	1	1	37
SR-376	1	1	48
SR-383	1	1	48
SR-418	1	1	75
SR-425	1	1	37
SR-442	1	1	48
SR-447	1	1	75
SR-462	1	1	75
SR-468	1	1	48
SR-473	1	1	37
SR-485	1	1	60
SR-486	1	1	48
SR-490	1	1	37
SR-494	1	1	37
SR-503	1	1	48
SR-504	1	1	48
SR-505	1	1	37
SR-521	1	1	37
SR-537	1	1	48
SR-546	1	1	48
SR-572	1	1	37
SR-578	1	1	48
SR-580	1	1	48
SR-583	1	1	37
SR-588	1	1	37
SR-607	1	1	37
SR-614	1	1	37
SR-628	1	1	75
SR-629	1	1	75
SR-633	1	1	48
SR-658	1	1	37
SR-667	1	1	48
SR-671	1	1	48
SR-673	1	1	48
SR-696	1	1	48
SR-697	1	1	48

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-700	1	1	48
SR-701	1	1	48
SR-702	1	1	48
SR-707	1	1	48
SR-708	1	1	75
SR-710	1	1	37
SR-718	1	1	48
SR-722	1	1	37
SR-732	1	1	48
SR-736	1	1	48
SR-737	1	1	48
SR-753	1	1	48
SR-755	1	1	37
SR-756	1	1	37
SR-758	1	1	48
SR-759	1	1	60
SR-760	1	1	60
SR-780	1	1	48
SR-787	1	1	48
SR-790	1	1	75
SR-791	1	1	48
SR-802	1	1	61
SR-805	1	1	48
SR-828	1	1	75
SR-833	1	1	48
SR-852	1	1	60
SR-854	1	1	48
SR-857	1	1	60
SR-864	1	1	48
SR-873	1	1	60
SR-879	1	1	48
SR-886	1	1	60
SR-888	1	1	37
SR-897	1	1	37
SR-921	1	1	37
SR-923	1	1	37
SR-935	1	1	37
SR-937	1	1	48
SR-943	1	1	48

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-950	1	1	75
SR-953	1	1	37
SR-958	1	1	48
SR-967	1	1	48
SR-971	1	1	60
SR-978	1	1	37
SR-991	1	1	37
SR-992	1	1	37
SR-1006	1	1	61
SR-1010	1	1	48
SR-1025	1	1	75
SR-1031	1	1	48
SR-1036	1	1	60
SR-1039	1	1	48
SR-1051	1	1	37
SR-1067	1	1	37
SR-1068	1	1	60
SR-1083	1	1	48
SR-1092	1	1	48
SR-1097	1	1	61
SR-1105	1	1	75
SR-1109	1	1	60
SR-1121	1	1	48
SR-1122	1	1	48
SR-1132	1	1	48
SR-1133	1	1	75
SR-1136	1	1	48
SR-1151	1	1	48
SR-1156	1	1	48
SR-1160	1	1	48
SR-1164	1	1	61
SR-1166	1	1	60
SR-1169	1	1	37
SR-1189	1	1	37
SR-1191	1	1	37
SR-1197	1	1	48
SR-1205	1	1	48
SR-1207	1	1	60
SR-1216	1	1	75

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-1217	1	1	37
SR-1220	1	1	61
SR-1223	1	1	75
SR-1238	1	1	48
SR-1240	1	1	37
SR-1243	1	1	37
SR-1245	1	1	37
SR-1255	1	1	48
SR-130	2	1	105
SR-141	2	1	48
SR-146	2	1	37
SR-147	2	1	48
SR-162	2	1	37
SR-167	2	1	60
SR-201	2	1	48
SR-228	2	1	37
SR-234	2	1	48
SR-236	2	1	105
SR-240	2	1	48
SR-243	2	1	48
SR-253	2	1	48
SR-260	2	1	48
SR-277	2	1	37
SR-311	2	1	48
SR-315	2	1	48
SR-374	2	1	60
SR-409	2	1	48
SR-417	2	1	48
SR-428	2	1	60
SR-431	2	1	48
SR-433	2	1	48
SR-441	2	1	48
SR-469	2	1	48
SR-496	2	1	48
SR-536	2	1	48
SR-618	2	1	37
SR-631	2	1	37
SR-650	2	1	75
SR-653	2	1	48

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-709	2	1	37
SR-748	2	1	48
SR-757	2	1	37
SR-804	2	1	48
SR-829	2	1	48
SR-835	2	1	48
SR-840	2	1	48
SR-856	2	1	48
SR-887	2	1	37
SR-904	2	1	48
SR-920	2	1	105
SR-945	2	1	37
SR-951	2	1	105
SR-956	2	1	105
SR-957	2	1	48
SR-968	2	1	48
SR-974	2	1	105
SR-995	2	1	105
SR-1001	2	1	105
SR-1021	2	1	105
SR-1047	2	1	105
SR-1048	2	1	105
SR-1050	2	1	105
SR-1117	2	1	37
SR-1119	2	1	48
SR-1123	2	1	37
SR-1125	2	1	48
SR-1128	2	1	105
SR-1131	2	1	48
SR-1165	2	1	48
SR-1186	2	1	37
SR-1204	2	1	48
SR-1229	2	1	48
SR-1254	2	1	48
SR-121	3	0	0
SR-123	3	0	0
SR-124	3	0	0
SR-125	3	0	0
SR-127	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-131	3	0	0
SR-134	3	0	0
SR-136	3	0	0
SR-137	3	0	0
SR-138	3	0	0
SR-139	3	0	0
SR-142	3	0	0
SR-143	3	0	0
SR-144	3	0	0
SR-148	3	0	0
SR-149	3	0	0
SR-150	3	0	0
SR-153	3	0	0
SR-154	3	0	0
SR-155	3	0	0
SR-157	3	0	0
SR-160	3	0	0
SR-163	3	0	0
SR-164	3	0	0
SR-165	3	0	0
SR-166	3	0	0
SR-168	3	0	0
SR-169	3	0	0
SR-171	3	0	0
SR-172	3	0	0
SR-173	3	0	0
SR-174	3	0	0
SR-175	3	0	0
SR-176	3	0	0
SR-177	3	0	0
SR-178	3	0	0
SR-179	3	0	0
SR-180	3	0	0
SR-182	3	0	0
SR-183	3	0	0
SR-184	3	0	0
SR-185	3	0	0
SR-186	3	0	0
SR-187	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-189	3	0	0
SR-191	3	0	0
SR-195	3	0	0
SR-196	3	0	0
SR-204	3	0	0
SR-205	3	0	0
SR-206	3	0	0
SR-208	3	0	0
SR-209	3	0	0
SR-211	3	0	0
SR-212	3	0	0
SR-213	3	0	0
SR-214	3	0	0
SR-215	3	0	0
SR-216	3	0	0
SR-218	3	0	0
SR-219	3	0	0
SR-221	3	0	0
SR-222	3	0	0
SR-223	3	0	0
SR-224	3	0	0
SR-225	3	0	0
SR-229	3	0	0
SR-230	3	0	0
SR-231	3	0	0
SR-233	3	0	0
SR-235	3	0	0
SR-237	3	0	0
SR-238	3	0	0
SR-242	3	0	0
SR-244	3	0	0
SR-245	3	0	0
SR-246	3	0	0
SR-247	3	0	0
SR-248	3	0	0
SR-249	3	0	0
SR-250	3	0	0
SR-251	3	0	0
SR-252	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-254	3	0	0
SR-255	3	0	0
SR-256	3	0	0
SR-257	3	0	0
SR-258	3	0	0
SR-262	3	0	0
SR-266	3	0	0
SR-267	3	0	0
SR-268	3	0	0
SR-269	3	0	0
SR-270	3	0	0
SR-271	3	0	0
SR-273	3	0	0
SR-274	3	0	0
SR-275	3	0	0
SR-276	3	0	0
SR-279	3	0	0
SR-280	3	0	0
SR-281	3	0	0
SR-282	3	0	0
SR-284	3	0	0
SR-285	3	0	0
SR-286	3	0	0
SR-287	3	0	0
SR-288	3	0	0
SR-291	3	0	0
SR-292	3	0	0
SR-294	3	0	0
SR-297	3	0	0
SR-298	3	0	0
SR-299	3	0	0
SR-300	3	0	0
SR-302	3	0	0
SR-303	3	0	0
SR-304	3	0	0
SR-305	3	0	0
SR-306	3	0	0
SR-307	3	0	0
SR-309	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-310	3	0	0
SR-312	3	0	0
SR-313	3	0	0
SR-314	3	0	0
SR-317	3	0	0
SR-318	3	0	0
SR-320	3	0	0
SR-321	3	0	0
SR-322	3	0	0
SR-323	3	0	0
SR-324	3	0	0
SR-326	3	0	0
SR-327	3	0	0
SR-329	3	0	0
SR-330	3	0	0
SR-331	3	0	0
SR-333	3	0	0
SR-334	3	0	0
SR-335	3	0	0
SR-337	3	0	0
SR-338	3	0	0
SR-340	3	0	0
SR-341	3	0	0
SR-342	3	0	0
SR-343	3	0	0
SR-347	3	0	0
SR-348	3	0	0
SR-349	3	0	0
SR-350	3	0	0
SR-352	3	0	0
SR-355	3	0	0
SR-356	3	0	0
SR-358	3	0	0
SR-360	3	0	0
SR-361	3	0	0
SR-362	3	0	0
SR-363	3	0	0
SR-364	3	0	0
SR-365	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-367	3	0	0
SR-368	3	0	0
SR-369	3	0	0
SR-370	3	0	0
SR-371	3	0	0
SR-372	3	0	0
SR-377	3	0	0
SR-378	3	0	0
SR-379	3	0	0
SR-381	3	0	0
SR-382	3	0	0
SR-384	3	0	0
SR-385	3	0	0
SR-386	3	0	0
SR-388	3	0	0
SR-389	3	0	0
SR-390	3	0	0
SR-391	3	0	0
SR-392	3	0	0
SR-394	3	0	0
SR-395	3	0	0
SR-396	3	0	0
SR-397	3	0	0
SR-398	3	0	0
SR-399	3	0	0
SR-400	3	0	0
SR-401	3	0	0
SR-402	3	0	0
SR-403	3	0	0
SR-404	3	0	0
SR-405	3	0	0
SR-407	3	0	0
SR-408	3	0	0
SR-410	3	0	0
SR-411	3	0	0
SR-412	3	0	0
SR-413	3	0	0
SR-414	3	0	0
SR-415	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-416	3	0	0
SR-420	3	0	0
SR-421	3	0	0
SR-422	3	0	0
SR-423	3	0	0
SR-424	3	0	0
SR-426	3	0	0
SR-427	3	0	0
SR-429	3	0	0
SR-430	3	0	0
SR-432	3	0	0
SR-434	3	0	0
SR-435	3	0	0
SR-437	3	0	0
SR-438	3	0	0
SR-439	3	0	0
SR-443	3	0	0
SR-446	3	0	0
SR-448	3	0	0
SR-449	3	0	0
SR-450	3	0	0
SR-451	3	0	0
SR-452	3	0	0
SR-453	3	0	0
SR-454	3	0	0
SR-455	3	0	0
SR-456	3	0	0
SR-457	3	0	0
SR-458	3	0	0
SR-459	3	0	0
SR-460	3	0	0
SR-461	3	0	0
SR-463	3	0	0
SR-464	3	0	0
SR-465	3	0	0
SR-466	3	0	0
SR-467	3	0	0
SR-470	3	0	0
SR-471	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-472	3	0	0
SR-474	3	0	0
SR-475	3	0	0
SR-476	3	0	0
SR-477	3	0	0
SR-478	3	0	0
SR-479	3	0	0
SR-480	3	0	0
SR-481	3	0	0
SR-482	3	0	0
SR-483	3	0	0
SR-484	3	0	0
SR-487	3	0	0
SR-488	3	0	0
SR-491	3	0	0
SR-492	3	0	0
SR-493	3	0	0
SR-495	3	0	0
SR-497	3	0	0
SR-498	3	0	0
SR-499	3	0	0
SR-500	3	0	0
SR-501	3	0	0
SR-502	3	0	0
SR-506	3	0	0
SR-507	3	0	0
SR-508	3	0	0
SR-509	3	0	0
SR-510	3	0	0
SR-511	3	0	0
SR-512	3	0	0
SR-513	3	0	0
SR-514	3	0	0
SR-515	3	0	0
SR-516	3	0	0
SR-517	3	0	0
SR-519	3	0	0
SR-520	3	0	0
SR-522	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-523	3	0	0
SR-524	3	0	0
SR-525	3	0	0
SR-526	3	0	0
SR-527	3	0	0
SR-528	3	0	0
SR-529	3	0	0
SR-530	3	0	0
SR-531	3	0	0
SR-532	3	0	0
SR-533	3	0	0
SR-534	3	0	0
SR-535	3	0	0
SR-538	3	0	0
SR-539	3	0	0
SR-540	3	0	0
SR-541	3	0	0
SR-542	3	0	0
SR-543	3	0	0
SR-544	3	0	0
SR-547	3	0	0
SR-548	3	0	0
SR-549	3	0	0
SR-550	3	0	0
SR-551	3	0	0
SR-552	3	0	0
SR-553	3	0	0
SR-554	3	0	0
SR-555	3	0	0
SR-556	3	0	0
SR-557	3	0	0
SR-558	3	0	0
SR-559	3	0	0
SR-560	3	0	0
SR-561	3	0	0
SR-562	3	0	0
SR-563	3	0	0
SR-564	3	0	0
SR-565	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-566	3	0	0
SR-567	3	0	0
SR-568	3	0	0
SR-569	3	0	0
SR-570	3	0	0
SR-571	3	0	0
SR-574	3	0	0
SR-576	3	0	0
SR-577	3	0	0
SR-579	3	0	0
SR-581	3	0	0
SR-582	3	0	0
SR-584	3	0	0
SR-585	3	0	0
SR-586	3	0	0
SR-587	3	0	0
SR-589	3	0	0
SR-590	3	0	0
SR-591	3	0	0
SR-592	3	0	0
SR-593	3	0	0
SR-595	3	0	0
SR-596	3	0	0
SR-597	3	0	0
SR-598	3	0	0
SR-599	3	0	0
SR-601	3	0	0
SR-602	3	0	0
SR-603	3	0	0
SR-604	3	0	0
SR-605	3	0	0
SR-606	3	0	0
SR-608	3	0	0
SR-609	3	0	0
SR-611	3	0	0
SR-612	3	0	0
SR-613	3	0	0
SR-615	3	0	0
SR-616	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-617	3	0	0
SR-619	3	0	0
SR-620	3	0	0
SR-621	3	0	0
SR-622	3	0	0
SR-623	3	0	0
SR-624	3	0	0
SR-625	3	0	0
SR-626	3	0	0
SR-627	3	0	0
SR-630	3	0	0
SR-632	3	0	0
SR-634	3	0	0
SR-635	3	0	0
SR-637	3	0	0
SR-638	3	0	0
SR-639	3	0	0
SR-640	3	0	0
SR-641	3	0	0
SR-642	3	0	0
SR-643	3	0	0
SR-644	3	0	0
SR-645	3	0	0
SR-646	3	0	0
SR-647	3	0	0
SR-649	3	0	0
SR-651	3	0	0
SR-652	3	0	0
SR-654	3	0	0
SR-655	3	0	0
SR-656	3	0	0
SR-657	3	0	0
SR-659	3	0	0
SR-660	3	0	0
SR-661	3	0	0
SR-662	3	0	0
SR-663	3	0	0
SR-664	3	0	0
SR-665	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-666	3	0	0
SR-668	3	0	0
SR-669	3	0	0
SR-670	3	0	0
SR-672	3	0	0
SR-674	3	0	0
SR-675	3	0	0
SR-676	3	0	0
SR-677	3	0	0
SR-678	3	0	0
SR-679	3	0	0
SR-680	3	0	0
SR-682	3	0	0
SR-683	3	0	0
SR-684	3	0	0
SR-685	3	0	0
SR-686	3	0	0
SR-687	3	0	0
SR-688	3	0	0
SR-689	3	0	0
SR-690	3	0	0
SR-691	3	0	0
SR-692	3	0	0
SR-693	3	0	0
SR-694	3	0	0
SR-695	3	0	0
SR-698	3	0	0
SR-699	3	0	0
SR-703	3	0	0
SR-704	3	0	0
SR-705	3	0	0
SR-706	3	0	0
SR-711	3	0	0
SR-712	3	0	0
SR-713	3	0	0
SR-714	3	0	0
SR-715	3	0	0
SR-716	3	0	0
SR-717	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-720	3	0	0
SR-721	3	0	0
SR-724	3	0	0
SR-725	3	0	0
SR-726	3	0	0
SR-727	3	0	0
SR-728	3	0	0
SR-729	3	0	0
SR-730	3	0	0
SR-731	3	0	0
SR-733	3	0	0
SR-734	3	0	0
SR-735	3	0	0
SR-738	3	0	0
SR-739	3	0	0
SR-740	3	0	0
SR-741	3	0	0
SR-742	3	0	0
SR-743	3	0	0
SR-745	3	0	0
SR-746	3	0	0
SR-747	3	0	0
SR-749	3	0	0
SR-750	3	0	0
SR-751	3	0	0
SR-752	3	0	0
SR-754	3	0	0
SR-761	3	0	0
SR-762	3	0	0
SR-764	3	0	0
SR-765	3	0	0
SR-767	3	0	0
SR-768	3	0	0
SR-769	3	0	0
SR-770	3	0	0
SR-771	3	0	0
SR-772	3	0	0
SR-773	3	0	0
SR-774	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-775	3	0	0
SR-776	3	0	0
SR-777	3	0	0
SR-778	3	0	0
SR-779	3	0	0
SR-781	3	0	0
SR-782	3	0	0
SR-783	3	0	0
SR-785	3	0	0
SR-788	3	0	0
SR-793	3	0	0
SR-794	3	0	0
SR-796	3	0	0
SR-797	3	0	0
SR-798	3	0	0
SR-800	3	0	0
SR-801	3	0	0
SR-803	3	0	0
SR-806	3	0	0
SR-807	3	0	0
SR-808	3	0	0
SR-809	3	0	0
SR-810	3	0	0
SR-811	3	0	0
SR-812	3	0	0
SR-813	3	0	0
SR-814	3	0	0
SR-815	3	0	0
SR-816	3	0	0
SR-817	3	0	0
SR-818	3	0	0
SR-819	3	0	0
SR-820	3	0	0
SR-821	3	0	0
SR-822	3	0	0
SR-823	3	0	0
SR-824	3	0	0
SR-825	3	0	0
SR-826	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-830	3	0	0
SR-831	3	0	0
SR-834	3	0	0
SR-836	3	0	0
SR-838	3	0	0
SR-839	3	0	0
SR-841	3	0	0
SR-842	3	0	0
SR-843	3	0	0
SR-844	3	0	0
SR-845	3	0	0
SR-846	3	0	0
SR-847	3	0	0
SR-848	3	0	0
SR-849	3	0	0
SR-850	3	0	0
SR-853	3	0	0
SR-855	3	0	0
SR-858	3	0	0
SR-859	3	0	0
SR-860	3	0	0
SR-861	3	0	0
SR-862	3	0	0
SR-863	3	0	0
SR-865	3	0	0
SR-866	3	0	0
SR-868	3	0	0
SR-869	3	0	0
SR-870	3	0	0
SR-871	3	0	0
SR-872	3	0	0
SR-874	3	0	0
SR-875	3	0	0
SR-876	3	0	0
SR-877	3	0	0
SR-880	3	0	0
SR-881	3	0	0
SR-882	3	0	0
SR-883	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-884	3	0	0
SR-885	3	0	0
SR-889	3	0	0
SR-890	3	0	0
SR-891	3	0	0
SR-892	3	0	0
SR-893	3	0	0
SR-894	3	0	0
SR-895	3	0	0
SR-896	3	0	0
SR-899	3	0	0
SR-900	3	0	0
SR-901	3	0	0
SR-902	3	0	0
SR-903	3	0	0
SR-905	3	0	0
SR-906	3	0	0
SR-907	3	0	0
SR-908	3	0	0
SR-909	3	0	0
SR-910	3	0	0
SR-911	3	0	0
SR-912	3	0	0
SR-913	3	0	0
SR-914	3	0	0
SR-915	3	0	0
SR-916	3	0	0
SR-917	3	0	0
SR-918	3	0	0
SR-919	3	0	0
SR-922	3	0	0
SR-924	3	0	0
SR-925	3	0	0
SR-926	3	0	0
SR-927	3	0	0
SR-928	3	0	0
SR-929	3	0	0
SR-930	3	0	0
SR-931	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-932	3	0	0
SR-933	3	0	0
SR-934	3	0	0
SR-936	3	0	0
SR-938	3	0	0
SR-939	3	0	0
SR-940	3	0	0
SR-941	3	0	0
SR-942	3	0	0
SR-944	3	0	0
SR-946	3	0	0
SR-947	3	0	0
SR-948	3	0	0
SR-949	3	0	0
SR-952	3	0	0
SR-954	3	0	0
SR-955	3	0	0
SR-959	3	0	0
SR-960	3	0	0
SR-961	3	0	0
SR-962	3	0	0
SR-963	3	0	0
SR-964	3	0	0
SR-965	3	0	0
SR-966	3	0	0
SR-969	3	0	0
SR-970	3	0	0
SR-972	3	0	0
SR-973	3	0	0
SR-975	3	0	0
SR-976	3	0	0
SR-977	3	0	0
SR-979	3	0	0
SR-980	3	0	0
SR-981	3	0	0
SR-982	3	0	0
SR-983	3	0	0
SR-984	3	0	0
SR-985	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-986	3	0	0
SR-987	3	0	0
SR-988	3	0	0
SR-989	3	0	0
SR-990	3	0	0
SR-996	3	0	0
SR-997	3	0	0
SR-998	3	0	0
SR-999	3	0	0
SR-1000	3	0	0
SR-1002	3	0	0
SR-1003	3	0	0
SR-1004	3	0	0
SR-1007	3	0	0
SR-1008	3	0	0
SR-1009	3	0	0
SR-1011	3	0	0
SR-1012	3	0	0
SR-1013	3	0	0
SR-1014	3	0	0
SR-1015	3	0	0
SR-1016	3	0	0
SR-1018	3	0	0
SR-1019	3	0	0
SR-1020	3	0	0
SR-1022	3	0	0
SR-1023	3	0	0
SR-1024	3	0	0
SR-1026	3	0	0
SR-1027	3	0	0
SR-1028	3	0	0
SR-1030	3	0	0
SR-1032	3	0	0
SR-1033	3	0	0
SR-1034	3	0	0
SR-1035	3	0	0
SR-1037	3	0	0
SR-1038	3	0	0
SR-1040	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1041	3	0	0
SR-1042	3	0	0
SR-1043	3	0	0
SR-1044	3	0	0
SR-1045	3	0	0
SR-1046	3	0	0
SR-1049	3	0	0
SR-1052	3	0	0
SR-1053	3	0	0
SR-1054	3	0	0
SR-1056	3	0	0
SR-1057	3	0	0
SR-1058	3	0	0
SR-1059	3	0	0
SR-1060	3	0	0
SR-1061	3	0	0
SR-1062	3	0	0
SR-1063	3	0	0
SR-1064	3	0	0
SR-1065	3	0	0
SR-1066	3	0	0
SR-1069	3	0	0
SR-1070	3	0	0
SR-1071	3	0	0
SR-1072	3	0	0
SR-1073	3	0	0
SR-1074	3	0	0
SR-1075	3	0	0
SR-1076	3	0	0
SR-1077	3	0	0
SR-1078	3	0	0
SR-1079	3	0	0
SR-1080	3	0	0
SR-1081	3	0	0
SR-1084	3	0	0
SR-1085	3	0	0
SR-1086	3	0	0
SR-1087	3	0	0
SR-1088	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1089	3	0	0
SR-1090	3	0	0
SR-1091	3	0	0
SR-1093	3	0	0
SR-1095	3	0	0
SR-1096	3	0	0
SR-1098	3	0	0
SR-1100	3	0	0
SR-1101	3	0	0
SR-1102	3	0	0
SR-1103	3	0	0
SR-1104	3	0	0
SR-1106	3	0	0
SR-1107	3	0	0
SR-1108	3	0	0
SR-1111	3	0	0
SR-1112	3	0	0
SR-1113	3	0	0
SR-1114	3	0	0
SR-1115	3	0	0
SR-1116	3	0	0
SR-1118	3	0	0
SR-1120	3	0	0
SR-1124	3	0	0
SR-1126	3	0	0
SR-1127	3	0	0
SR-1129	3	0	0
SR-1130	3	0	0
SR-1134	3	0	0
SR-1135	3	0	0
SR-1137	3	0	0
SR-1138	3	0	0
SR-1139	3	0	0
SR-1141	3	0	0
SR-1142	3	0	0
SR-1143	3	0	0
SR-1144	3	0	0
SR-1145	3	0	0
SR-1146	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1147	3	0	0
SR-1148	3	0	0
SR-1149	3	0	0
SR-1150	3	0	0
SR-1152	3	0	0
SR-1153	3	0	0
SR-1154	3	0	0
SR-1155	3	0	0
SR-1157	3	0	0
SR-1158	3	0	0
SR-1159	3	0	0
SR-1161	3	0	0
SR-1162	3	0	0
SR-1163	3	0	0
SR-1167	3	0	0
SR-1168	3	0	0
SR-1170	3	0	0
SR-1172	3	0	0
SR-1173	3	0	0
SR-1175	3	0	0
SR-1176	3	0	0
SR-1177	3	0	0
SR-1178	3	0	0
SR-1179	3	0	0
SR-1180	3	0	0
SR-1181	3	0	0
SR-1182	3	0	0
SR-1183	3	0	0
SR-1184	3	0	0
SR-1185	3	0	0
SR-1187	3	0	0
SR-1188	3	0	0
SR-1190	3	0	0
SR-1192	3	0	0
SR-1193	3	0	0
SR-1194	3	0	0
SR-1195	3	0	0
SR-1196	3	0	0
SR-1198	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1199	3	0	0
SR-1200	3	0	0
SR-1201	3	0	0
SR-1202	3	0	0
SR-1203	3	0	0
SR-1206	3	0	0
SR-1208	3	0	0
SR-1209	3	0	0
SR-1210	3	0	0
SR-1211	3	0	0
SR-1212	3	0	0
SR-1213	3	0	0
SR-1214	3	0	0
SR-1215	3	0	0
SR-1218	3	0	0
SR-1221	3	0	0
SR-1222	3	0	0
SR-1224	3	0	0
SR-1225	3	0	0
SR-1226	3	0	0
SR-1227	3	0	0
SR-1228	3	0	0
SR-1230	3	0	0
SR-1232	3	0	0
SR-1233	3	0	0
SR-1234	3	0	0
SR-1235	3	0	0
SR-1236	3	0	0
SR-1237	3	0	0
SR-1239	3	0	0
SR-1241	3	0	0
SR-1242	3	0	0
SR-1244	3	0	0
SR-1246	3	0	0
SR-1247	3	0	0
SR-1248	3	0	0
SR-1249	3	0	0
SR-1250	3	0	0
SR-1251	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerOpen

Analyst USAE

Method UXA

Dynamic D: None

Cued Data MetalMapperN

Training Se Custom

Stage 3

Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1252	3	0	0
SR-1253	3	0	0
SR-1257	3	0	0
SR-1258	3	0	0
SR-1259	3	0	0
SR-1260	3	0	0
SR-1261	3	0	0
SR-1262	3	0	0
SR-1264	3	0	0
SR-1265	3	0	0
SR-1266	3	0	0
SR-1267	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-1516	-1	1	0
SR-1550	-1	1	37
SR-1569	-1	1	155
SR-1606	-1	1	37
SR-1618	-1	1	0
SR-1666	-1	1	0
SR-1673	-1	1	0
SR-1704	-1	1	0
SR-1780	-1	1	75
SR-1781	-1	1	37
SR-1854	-1	1	0
SR-1879	-1	1	0
SR-1884	-1	1	0
SR-1885	-1	1	0
SR-1502	1	1	37
SR-1506	1	1	37
SR-1515	1	1	48
SR-1534	1	1	37
SR-1545	1	1	48
SR-1548	1	1	60
SR-1552	1	1	48
SR-1555	1	1	61
SR-1559	1	1	48
SR-1564	1	1	37
SR-1571	1	1	48
SR-1573	1	1	48
SR-1576	1	1	37
SR-1604	1	1	48
SR-1609	1	1	48
SR-1619	1	1	48
SR-1626	1	1	48
SR-1636	1	1	75
SR-1661	1	1	60
SR-1676	1	1	48
SR-1689	1	1	48
SR-1690	1	1	48
SR-1705	1	1	48
SR-1725	1	1	75
SR-1729	1	1	37

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID:	Category:	Dig	TOI Type:
SR-1747	1	1	48
SR-1753	1	1	48
SR-1757	1	1	37
SR-1761	1	1	37
SR-1766	1	1	48
SR-1796	1	1	48
SR-1512	2	1	0
SR-1518	2	1	60
SR-1519	2	1	60
SR-1520	2	1	105
SR-1523	2	1	48
SR-1525	2	1	61
SR-1527	2	1	48
SR-1554	2	1	0
SR-1560	2	1	48
SR-1574	2	1	37
SR-1584	2	1	0
SR-1588	2	1	48
SR-1597	2	1	48
SR-1617	2	1	48
SR-1658	2	1	0
SR-1660	2	1	48
SR-1699	2	1	48
SR-1724	2	1	48
SR-1730	2	1	48
SR-1738	2	1	0
SR-1745	2	1	37
SR-1752	2	1	48
SR-1754	2	1	48
SR-1755	2	1	37
SR-1756	2	1	48
SR-1768	2	1	37
SR-1769	2	1	48
SR-1896	2	1	0
SR-1503	3	0	0
SR-1504	3	0	0
SR-1505	3	0	0
SR-1507	3	0	0
SR-1508	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1509	3	0	0
SR-1510	3	0	0
SR-1511	3	0	0
SR-1513	3	0	0
SR-1514	3	0	0
SR-1517	3	0	0
SR-1521	3	0	0
SR-1522	3	0	0
SR-1524	3	0	0
SR-1526	3	0	0
SR-1528	3	0	0
SR-1529	3	0	0
SR-1530	3	0	0
SR-1531	3	0	0
SR-1532	3	0	0
SR-1533	3	0	0
SR-1535	3	0	0
SR-1536	3	0	0
SR-1537	3	0	0
SR-1538	3	0	0
SR-1539	3	0	0
SR-1540	3	0	0
SR-1541	3	0	0
SR-1542	3	0	0
SR-1543	3	0	0
SR-1544	3	0	0
SR-1546	3	0	0
SR-1547	3	0	0
SR-1549	3	0	0
SR-1551	3	0	0
SR-1553	3	0	0
SR-1556	3	0	0
SR-1557	3	0	0
SR-1561	3	0	0
SR-1562	3	0	0
SR-1563	3	0	0
SR-1565	3	0	0
SR-1566	3	0	0
SR-1567	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1568	3	0	0
SR-1570	3	0	0
SR-1575	3	0	0
SR-1577	3	0	0
SR-1578	3	0	0
SR-1579	3	0	0
SR-1580	3	0	0
SR-1581	3	0	0
SR-1582	3	0	0
SR-1583	3	0	0
SR-1585	3	0	0
SR-1586	3	0	0
SR-1587	3	0	0
SR-1589	3	0	0
SR-1591	3	0	0
SR-1592	3	0	0
SR-1593	3	0	0
SR-1595	3	0	0
SR-1596	3	0	0
SR-1598	3	0	0
SR-1599	3	0	0
SR-1600	3	0	0
SR-1601	3	0	0
SR-1602	3	0	0
SR-1603	3	0	0
SR-1605	3	0	0
SR-1607	3	0	0
SR-1610	3	0	0
SR-1611	3	0	0
SR-1612	3	0	0
SR-1613	3	0	0
SR-1614	3	0	0
SR-1615	3	0	0
SR-1616	3	0	0
SR-1620	3	0	0
SR-1621	3	0	0
SR-1622	3	0	0
SR-1623	3	0	0
SR-1624	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1625	3	0	0
SR-1627	3	0	0
SR-1628	3	0	0
SR-1629	3	0	0
SR-1630	3	0	0
SR-1631	3	0	0
SR-1632	3	0	0
SR-1633	3	0	0
SR-1634	3	0	0
SR-1635	3	0	0
SR-1638	3	0	0
SR-1639	3	0	0
SR-1640	3	0	0
SR-1641	3	0	0
SR-1642	3	0	0
SR-1643	3	0	0
SR-1644	3	0	0
SR-1645	3	0	0
SR-1646	3	0	0
SR-1647	3	0	0
SR-1649	3	0	0
SR-1650	3	0	0
SR-1651	3	0	0
SR-1652	3	0	0
SR-1653	3	0	0
SR-1654	3	0	0
SR-1655	3	0	0
SR-1656	3	0	0
SR-1657	3	0	0
SR-1659	3	0	0
SR-1662	3	0	0
SR-1663	3	0	0
SR-1664	3	0	0
SR-1665	3	0	0
SR-1667	3	0	0
SR-1669	3	0	0
SR-1670	3	0	0
SR-1672	3	0	0
SR-1674	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1675	3	0	0
SR-1678	3	0	0
SR-1679	3	0	0
SR-1680	3	0	0
SR-1681	3	0	0
SR-1682	3	0	0
SR-1683	3	0	0
SR-1684	3	0	0
SR-1685	3	0	0
SR-1686	3	0	0
SR-1687	3	0	0
SR-1688	3	0	0
SR-1691	3	0	0
SR-1692	3	0	0
SR-1693	3	0	0
SR-1694	3	0	0
SR-1695	3	0	0
SR-1696	3	0	0
SR-1697	3	0	0
SR-1698	3	0	0
SR-1700	3	0	0
SR-1701	3	0	0
SR-1702	3	0	0
SR-1703	3	0	0
SR-1706	3	0	0
SR-1708	3	0	0
SR-1709	3	0	0
SR-1710	3	0	0
SR-1711	3	0	0
SR-1712	3	0	0
SR-1713	3	0	0
SR-1714	3	0	0
SR-1715	3	0	0
SR-1716	3	0	0
SR-1717	3	0	0
SR-1718	3	0	0
SR-1719	3	0	0
SR-1720	3	0	0
SR-1721	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1722	3	0	0
SR-1723	3	0	0
SR-1727	3	0	0
SR-1728	3	0	0
SR-1731	3	0	0
SR-1732	3	0	0
SR-1733	3	0	0
SR-1734	3	0	0
SR-1735	3	0	0
SR-1736	3	0	0
SR-1737	3	0	0
SR-1739	3	0	0
SR-1740	3	0	0
SR-1741	3	0	0
SR-1742	3	0	0
SR-1743	3	0	0
SR-1744	3	0	0
SR-1746	3	0	0
SR-1748	3	0	0
SR-1749	3	0	0
SR-1750	3	0	0
SR-1751	3	0	0
SR-1758	3	0	0
SR-1759	3	0	0
SR-1760	3	0	0
SR-1762	3	0	0
SR-1763	3	0	0
SR-1764	3	0	0
SR-1765	3	0	0
SR-1767	3	0	0
SR-1770	3	0	0
SR-1771	3	0	0
SR-1772	3	0	0
SR-1773	3	0	0
SR-1774	3	0	0
SR-1775	3	0	0
SR-1776	3	0	0
SR-1778	3	0	0
SR-1779	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
Analyst USAE
Method UXA
Dynamic D: None
Cued Data MetalMapperN
Training Se Custom
Stage 3
Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1782	3	0	0
SR-1790	3	0	0
SR-1792	3	0	0
SR-1793	3	0	0
SR-1794	3	0	0
SR-1795	3	0	0
SR-1797	3	0	0
SR-1800	3	0	0
SR-1801	3	0	0
SR-1802	3	0	0
SR-1803	3	0	0
SR-1809	3	0	0
SR-1810	3	0	0
SR-1811	3	0	0
SR-1812	3	0	0
SR-1814	3	0	0
SR-1815	3	0	0
SR-1816	3	0	0
SR-1817	3	0	0
SR-1818	3	0	0
SR-1819	3	0	0
SR-1822	3	0	0
SR-1823	3	0	0
SR-1825	3	0	0
SR-1826	3	0	0
SR-1828	3	0	0
SR-1829	3	0	0
SR-1830	3	0	0
SR-1832	3	0	0
SR-1833	3	0	0
SR-1834	3	0	0
SR-1837	3	0	0
SR-1840	3	0	0
SR-1843	3	0	0
SR-1844	3	0	0
SR-1851	3	0	0
SR-1853	3	0	0
SR-1856	3	0	0
SR-1857	3	0	0

ESTCP Classification Demonstration Ranked Anomaly List

Site SpencerDynamic
 Analyst USAE
 Method UXA
 Dynamic D: None
 Cued Data MetalMapperN
 Training Se Custom
 Stage 3
 Version 1

List all anomalies in both Training and Test Sets:

Include prefixes in Target ID column (for example: BE-138). Data in all other columns should be numerical (no text):

Target ID: Category: Dig TOI Type:

SR-1859	3	0	0
SR-1863	3	0	0
SR-1864	3	0	0
SR-1865	3	0	0
SR-1866	3	0	0
SR-1867	3	0	0
SR-1868	3	0	0
SR-1869	3	0	0
SR-1871	3	0	0
SR-1872	3	0	0
SR-1873	3	0	0
SR-1874	3	0	0
SR-1875	3	0	0
SR-1876	3	0	0
SR-1877	3	0	0
SR-1878	3	0	0
SR-1880	3	0	0
SR-1881	3	0	0
SR-1882	3	0	0
SR-1886	3	0	0
SR-1887	3	0	0
SR-1889	3	0	0
SR-1890	3	0	0
SR-1891	3	0	0
SR-1892	3	0	0
SR-1894	3	0	0
SR-1895	3	0	0