

AD-A044 676

FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OHIO

F/G 11/6

CASTING ALLOY ON A TITANIUM BASE, (U)

JAN 77 G A KAPLUNOVSKIY, O N MAGNITSKIY

UNCLASSIFIED

FTD-ID(RS)I-0092-77

NL

| OF |
AD
A044676



END
DATE
FILMED
10-77
DDC

FTD-ID(RS)I-0092-77

①

FOREIGN TECHNOLOGY DIVISION



CASTING ALLOY ON A TITANIUM BASE

by

G. A. Kaplunovskiy, O. N. Magnitskiy,
et al.



DDC
RECEIVED
SEP 26 1977
D

Approved for public release;
distribution unlimited.

AD-A044676
AD-A044676

FTD

ID(RS)I-0092-77**EDITED TRANSLATION**

FTD-ID(RS)I-0092-77

26 January 1977

CASTING ALLOY ON A TITANIUM BASE

By: G. A. Kaplunovskiy, O. N. Magnitskiy et al

English pages: 4

Source: USSR Patent NR 308082, PP. 1, 1 July 1971

Country of origin: USSR

Translated by : Sr Amn Martin J. Folan

Requester: AFML/LLS

Approved for public release; distribution unlimited.

ACCESSION for	
NTIS	Write Section ☒
DDC	Read Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. REQ. OR SPECIAL
A	

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION
FOREIGN TECHNOLOGY DIVISION
WP-AFB, OHIO.

FTD

ID(RS)I-0092-77Date 26 Jan 1977

U. S. BOARD ON GEOGRAPHIC NAMES transliteration SYSTEM

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	А а	A, a	Р р	Р р	R, r
Б б	Б б	B, b	С с	С с	S, s
В в	В в	V, v	Т т	Т т	T, t
Г г	Г г	G, g	У у	У у	U, u
Д д	Д д	D, d	Ф ф	Ф ф	F, f
Е е	Е е	Ye, ye; E, e*	Х х	Х х	Kh, kh
Ж ж	Ж ж	Zh, zh	Ц ц	Ц ц	Ts, ts
З з	З з	Z, z	Ч ч	Ч ч	Ch, ch
И и	И и	I, i	Ш ш	Ш ш	Sh, sh
Й й	Й й	Y, y	Щ щ	Щ щ	Shch, shch
К к	К к	K, k	Ъ ъ	Ъ ъ	"
Л л	Л л	L, l	Ы ы	Ы ы	Y, y
М м	М м	M, m	Ь ь	Ь ь	'
Н н	Н н	N, n	Э э	Э э	E, e
О о	О о	O, o	Ю ю	Ю ю	Yu, yu
П п	П п	P, p	Я я	Я я	Ya, ya

*ye initially, after vowels, and after ъ, ь; e elsewhere.
 When written as ё in Russian, transliterate as yë or ë.
 The use of diacritical marks is preferred, but such marks
 may be omitted when expediency dictates.

GREEK ALPHABET

Alpha	Α α	•	Nu	Ν ν
Beta	Β β		Xi	Ξ ξ
Gamma	Γ γ		Omicron	Ο ο
Delta	Δ δ		Pi	Π π
Epsilon	Ε ε	•	Rho	Ρ ρ
Zeta	Ζ ζ		Sigma	Σ σ
Eta	Η η		Tau	Τ τ
Theta	Θ θ	•	Upsilon	Υ υ
Iota	Ι ι		Phi	Φ φ
Kappa	Κ κ	•	Chi	Χ χ
Lambda	Λ λ		Psi	Ψ ψ
Mu	Μ μ		Omega	Ω ω

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English
sin	sin
cos	cos
tg	tan
ctg	cot
sec	sec
cosec	csc
sh	sinh
ch	cosh
th	tanh
cth	coth
sch	sech
csch	csch
arc sin	sin ⁻¹
arc cos	cos ⁻¹
arc tg	tan ⁻¹
arc ctg	cot ⁻¹
arc sec	sec ⁻¹
arc cosec	csc ⁻¹
arc sh	sinh ⁻¹
arc ch	cosh ⁻¹
arc th	tanh ⁻¹
arc cth	coth ⁻¹
arc sch	sech ⁻¹
arc csch	csch ⁻¹
rot	curl
lg	log

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

CASTING ALLOY ON A TITANIUM BASE

G. A. Kaplunovskiy, O. N. Magnitskiy, T. T. Martova, B. B. Gulyayev, I. I. Kornilov, A. M. Podpalkin, V. P. Kuznetsov, and L. Ye. Solntseva

The invention pertains to the field of nonferrous metallurgy, namely to the search for high-strength light materials for making shaped castings.

Titanium alloys complexly alloyed with aluminum, zirconium, and molybdenum are known.

The purpose of the invention is to increase the strength properties of titanium alloys while retaining the high casting properties.

This is achieved by introducing praseodymium and hafnium into the alloy with the following ratio of components, %:

FTD-ID(RS)I-0092-77

Aluminum	6-7.5
Zirconium	20.5-22.0
Molybdenum	2.7-4.5
Praseodymium	0.01-0.02
Hafnium	0.005-0.3
Titanium	base

The alloy in the molten state has the following properties:

Heat conductivity, kcal/m·h·deg	at 20-800°C	6.3-16.3
Thermal expansion coef., 1/deg·10 ⁶	at 20-800°C	8.4-10.0
Electrical resistance, Ω·cm·10 ⁶	at 20-800°C	187-204
Elastic modulus, kg/cm ² ·10 ⁶	at 20-800°C	1.23-9.81

Ultimate strength, kgf/mm ²	at 20°C	110-120
Yield limit, kgf/mm ²	at 20°C	94-108
Specific elongation, %	at 20°C	5-10
Impact strength, kg·cm/cm ²	at 20°C	2-3.5
Brinell hardness, kgf/mm ²	at 20°C	265-285

Object of the Invention

The casting alloy on a titanium base, containing aluminum, zirconium, and molybdenum, is distinguished by the fact that with the purpose of increasing the mechanical properties, praseodymium and hafnium were introduced into the alloy with the following contents of components, %:

Aluminum	6-7.5
Zirconium	20.5-22.0

0092

PAGE 4

Molybdenum 2.7-4.5

Praseodymium 0.01-0.02

Hafnium 0.005-0.3

Titanium base

eof

END OF PRINT

FTD-ID(RS)I-0092-77

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER FTD-ID(RS)I-0092-77	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CASTING ALLOY ON A TITANIUM BASE		5. TYPE OF REPORT & PERIOD COVERED Translation
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) G. A. Kaplunovskiy, O. N. Magnitskiy et al.		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Foreign Technology Division Air Force Systems Command U. S. Air Force		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 1 July 1971
		13. NUMBER OF PAGES 4
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) 11;05;20		

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

ORGANIZATION	MICROFICHE	ORGANIZATION	MICROFICHE
A205 DMATC	1	E053 AF/INAKA	1
A210 DMAAC	2	E017 AF/ RDXTR-W	1
B344 DIA/RDS-3C	8	E404 AEDC	1
C043 USAMIIA	1	E408 AFWL	1
C509 BALLISTIC RES LABS	1	E410 ADTC	1
C510 AIR MOBILITY R&D	1	E413 ESD	2
LAB/FIO		FTD	
C513 PICATINNY ARSENAL	1	CCN	1
C535 AVIATION SYS COMD	1	ETID	3
C557 USAIIC	1	NIA/PHS	1
C591 FSTC	5	NICD	5
C619 MIA REDSTONE	1		
D008 NISC	1		
H300 USAICE (USAREUR)	1		
P005 ERDA	2		
P055 CIA/CRS/ADD/SD	1		
NAVORDSTA (50L)	1		
NAVWPNSCEN (Code 121)	1		
NASA/KSI	1		
544 IES/RDPO	1		
AFIT/LD	1		