

AD-A054 214

NAVAL SURFACE WEAPONS CENTER WHITE OAK LAB SILVER SP--ETC F/G 12/1  
AN INVERSE REGRESSION METHOD FOR DETERMINING AN ENSEMBLE OF STA--ETC(U)  
DEC 77 R S BRUNSVOLD

NSWC/WOL/TR-77-183


NL

UNCLASSIFIED

| OF |  
AD  
A054214



END  
DATE  
FILMED  
6-78  
DDC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

FOR FURTHER TRAN: ~~ZZZ~~

~~13~~ 11  
R

NSWC/WOL TR 77-183

AD A 054214

**AN INVERSE REGRESSION METHOD  
FOR DETERMINING AN ENSEMBLE OF  
STATE ERROR VECTORS FROM A  
COVARIANCE MATRIX**

BY RONALD S. BRUNSVOLD  
ADVANCED WEAPONS DEPARTMENT

5 DECEMBER 1977

Approved for public release; distribution unlimited.

DDC  
MAY 23 1978  
F

AD No. \_\_\_\_\_  
DDC FILE COPY



**NAVAL SURFACE WEAPONS CENTER**

Dahlgren, Virginia 22448 • Silver Spring, Maryland 20910

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 NSWC/WOL/TR-77-183	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 AN INVERSE REGRESSION METHOD FOR DETERMINING AN ENSEMBLE OF STATE ERROR VECTORS FROM A COVARIANCE MATRIX,		5. TYPE OF REPORT & PERIOD COVERED 9 Interim rept.,
7. AUTHOR(S) 10 Ronald S./Brunsvold		8. CONTRACT OR GRANT NUMBER(s) 12 79p.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 11221N, J0094, J0094; WA0707;
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 11 5 Dec 77
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 35
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Regression, Error Model, Monte-Carlo, Covariance Matrix, Inverse Regression		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A method is described to determine an ensemble of initial condition state vector errors for use in a Monte-Carlo type error model. The state vector errors are found from a given (N x N) error covariance matrix and are properly correlated with one another. The method used is an inverse regression scheme which randomly introduces a gaussian distribution of errors with determined variances about linear regression curves calculated from the given covariance Matrix. A FORTRAN coded		

DD FORM 1473 1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

391 596

next page  
Dun



**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

implementation of the method is included.

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## SUMMARY

This report outlines a technique for deriving a set of initial error states from an error covariance matrix. The need for an ensemble of state errors arises in a Monte-Carlo error model for the re-entry portion of flight of a ballistic missile. Typically the boost and vacuum coast part of a trajectory is accurately modeled with a covariance propagation scheme. During reentry, however, errors become nonlinear in time and are highly cross correlated with one another and interact strongly with the dynamics of the vehicle flight. To accurately model the errors during reentry a Monte-Carlo approach is often required. The interface between a covariance propagation scheme and a Monte-Carlo model requires that an ensemble of initial condition errors be extracted from an arrival covariance matrix. The errors must be properly correlated and have the proper distribution of magnitudes. The method described herein is one technique for defining the interface between the two types of error models.

Since the original draft of this report, the author has found that a method with equivalent results has been used to determine wind profiles from a matrix of wind correlation coefficients. (e.g., Hankerson, S. H., "Wind Profiles," NWL-TN-G-4/72, Feb 1972). It is likely that other uses for the general method can be found, especially in the field of system error modeling.

The present work was sponsored by the Navy's Strategic Systems Project Office, Mr. Roger Stanton, SP-27232, monitor, as part of the Improved Accuracy Program (IAP). Program guidance of Dr. J. Goeller, Acting Re-Entry Technology Co-ordinator, Naval Surface Weapons Center, is gratefully acknowledged.

*R. A. Niemann*  
R. A. NIEMANN  
By direction

ACCESSION for	
NTIS	Wide Section <input checked="" type="checkbox"/>
DDC	Brief Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUS:1 10A 10N _____	
BY	
DISTRIBUTION/AVAILABILITY CODES	
USC	SP CIAL
A	

CONTENTS

	Page
I. INTRODUCTION . . . . .	1
II. LINEAR REGRESSION . . . . .	2
A. Two Variable Regression . . . . .	2
B. Multiple Linear Regression . . . . .	5
III. INVERSE REGRESSION . . . . .	5
A. Method Description . . . . .	5
B. Proof of Proper Correlation . . . . .	7
IV. CODE DESCRIPTION . . . . .	9
V. CONCLUSIONS . . . . .	10
APPENDIX	
A. SYMBOLS . . . . .	A-1
B. CODE . . . . .	B-1

FIGURE

1	Least Squares Regression Line . . . . .	3
---	---	---



## I. INTRODUCTION

Often it is desired to determine the performance of a physical system in an average or statistical sense. That is, for many repetitions of a phenomena, what are the operating limits within which a system may be expected to perform and how are deviations from nominal behavior distributed about the average of the many repetitions. A study of the statistical behavior of such physical phenomena is here referred to as system error modeling.

There are two common methods of constructing system error models. The first method is the deterministic or Monte-Carlo method. This method attempts to mathematically model the physical laws which affect a system and allow the parameters within the physical laws to vary in a particular manner within their limits of uncertainty. The parametric variations allowed have a certain randomness associated with them since the exact values of the parameters are never precisely known. Correlations between the parameter errors are permitted if they can be determined a priori. The system is allowed to operate within the framework of the Math model for many realizations of the event being studied. After exercising the model in this Monte-Carlo mode, the system states for the many realizations of an event can be analyzed and statistical variations of state amplitude and distribution can be determined. This statistical description of the system is the result being sought.

The second method of system error modeling is the covariance propagation scheme or analytic model. This model represents the uncertainties or errors in the state of a system in a covariance matrix. The elements of this matrix describe the magnitude of state errors and their correlations with one another in a statistical sense. The analytic error model propagates this covariance matrix with time to describe how the state errors change. Since all of the desired statistical information is available in the covariance matrix it need only be propagated once for each event. This method has the advantage of reduced complexity; however, it is not as versatile as the Monte-Carlo method and determination of the proper way of propagating a covariance matrix is not always a simple matter.



In some instance it may be desirable or necessary to mix the two methods of error modeling for a given physical system. If, say, the initial part of an event is modeled with the analytic error model and the latter stages with a Monte-Carlo model, then how are the two models interfaced at the point of transition? What technique will be used to calculate the ensemble of initial deterministic state vectors from a terminal covariance matrix in order to begin the Monte-Carlo process? The following analysis describes one method of defining the interface.

## II. LINEAR REGRESSION

### A. Two Variable Regression

Given an  $(n \times n)$  symmetric error covariance matrix:

$$\begin{bmatrix} S_{11} & S_{12} & S_{13} & \dots & S_{1n} \\ S_{21} & S_{22} & S_{23} & \dots & S_{2n} \\ \vdots & & & & \\ \vdots & & & & \\ S_{n1} & S_{n2} & S_{n3} & \dots & S_{nn} \end{bmatrix}$$

The diagonal terms of this matrix represent the variance of error in a state property. If a state property is quantified by a known part  $Y_k$  plus an uncertain zero mean error in the state property say  $Y_u$ , then the property  $Y$  may be expressed as:

$$Y = Y_k + Y_u \quad (1a)$$

The  $S_{11}$  term of the error covariance matrix then represents the statistical variance of  $Y_u$  for many realizations of the state.

$$S_{11} = \frac{\sum Y_{u1}^2}{N} \quad (1)$$

$N$  is the large number of realizations of  $Y_u$ . Similar definitions exist for the other  $(N - 1)$  states implicit in the covariance matrix. The off-diagonal terms of the matrix are the covariances of the  $(N)$  states defined by:

$$S_{12} = \frac{\sum Y_{u1} Y_{u2}}{N} \quad (2)$$

The magnitude of the covariances indicate the degree to which state errors are dependent on one another. To put this dependence in a nondimensional form a correlation coefficient can be written:

$$r_{12} = \frac{S_{12}}{(S_{11} S_{22})^{1/2}} \quad (3)$$

In this nondimensional form, a correlation of +1 indicates perfect correlation between errors  $y_{u1}$  and  $y_{u2}$ , and a correlation of 0 indicates no correlation exists. This definition of correlation coefficient is applicable only for linear correlation analysis. A non linear correlation may exist for  $r_{12} = 0$ . The present method assumes only linear correlations exist among the state errors.

If the state errors of two state variables are known for many realizations of the two states, then a least square regression line (see Figure (1)) can be described by

$$\begin{pmatrix} y_{u2} \\ \text{est.} \end{pmatrix} = \left( \frac{\sum y_{u1} y_{u2}}{\sum y_{u1}^2} \right) \begin{pmatrix} y_{u1} \\ \text{actual} \end{pmatrix} \quad (4)$$

The mean values of the errors are clearly assumed to be zero (i.e., no biases exist).




FIGURE 1. LEAST SQUARES REGRESSION LINE.

For a given actual value of  $Y_{u1}$ , an estimate of  $Y_{u2}$ , can be made from the equation of the least square regression line according to equation (4). The "goodness" of the estimate depends on how well  $Y_{u2}$  is correlated with  $Y_{u1}$ . If the correlation were perfect (i.e.,  $r_{12} = 1$ ) then there would be no scatter in the data points in Figure (1). All the data would be directly on the linear regression line. Conversely, a poor correlation would be seen as much scatter of the data about the regression line in Figure (1), and the estimate of  $Y_{u2}$  from the regression equation would not be expected to be very good.

Equation (4) can be rewritten in terms of the covariance from equations (1) and (2) as:

$$\left(Y_{u2}\right)_{\text{est.}} = \frac{S_{12}}{S_{11}} \left(Y_{u1}\right)_{\text{actual}} \quad (5)$$

A quantitative measure of the data scatter about the regression curve is defined as a "Standard Error of Estimate":

$$\sigma_{21} = \left( \frac{\sum \left( \left(Y_{u2}\right)_a - \left(Y_{u2}\right)_e \right)^2}{N} \right)^{\frac{1}{2}} \quad (6)$$

The difference of the two terms in equation (6) is the difference between each data point and the regression curve approximating the data. The standard error of estimate is similar to a deviation of the data about the regression curve. If lines are constructed parallel to the regression line of  $Y_{u2}$  regressed on  $Y_{u1}$  at vertical distances  $\sigma_{21}$ ,  $2\sigma_{21}$ , etc., from it, then for large  $N$  there would be included between these lines approximately 68%, 95% etc. of the data points. Hence  $\sigma_{21}$  is analogous to the standard deviation of normally distributed data. The  $Y_{u2}$  data mean for any given  $Y_{u1}$  and very large numbers of sample data lies on the regression curve.

A generalized form of the correlation coefficient given in equation (3) is:

$$r_{21} = \left( \frac{\text{Predicted Variation}}{\text{Total Variation}} \right)^{\frac{1}{2}} = \pm \left( \frac{\sum \left(Y_{u2}\right)_e^2}{\sum \left(Y_{u2}\right)_a^2} \right)^{\frac{1}{2}} \quad (7)$$

and for linear regression it can be shown that

$$\sum \left[ \left(Y_{u2}\right)_a - \left(Y_{u2}\right)_e \right]^2 = \sum \left(Y_{u2}\right)_a^2 - \sum \left(Y_{u2}\right)_e^2 \quad (8)$$



hence with (8), (7) and (6)

$$\sigma_2 = S_{22}^{1/2} (1 - r_{21}^2)^{1/2} \quad (9)$$

### B. Multiple Linear Regression

When multiple correlation exist among a set of random variables as is the case when given an  $N \times N$  covariance matrix, multi-dimensional regression equations can be constructed. Generalizing equation (5) to the multi-dimension equation:

$$\left( \frac{Y_{uN}}{S_{NN}^{1/2}} \right)_e = a_1 \left( \frac{Y_{u1}}{S_{11}^{1/2}} \right)_a + a_2 \left( \frac{Y_{u2}}{S_{22}^{1/2}} \right)_a + \dots + a_{N-1} \left( \frac{Y_{u_{n-1}}}{S_{(n-1)(n-1)}^{1/2}} \right)_a \quad (10)$$

Where the  $a_n$  coefficients are found from simultaneous solution of the algebraic equations:

$$\begin{aligned} a_1 r_{11} + a_2 r_{12} + a_3 r_{13} + \dots + a_{n-1} r_{1(n-1)} &= r_{1n} \\ a_1 r_{21} + a_2 r_{22} + a_3 r_{23} + \dots + a_{n-1} r_{2(n-1)} &= r_{2n} \\ \vdots & \\ a_1 r_{(n-1)1} + a_2 r_{(n-1)2} + a_3 r_{(n-1)3} + \dots + a_{(n-1)} r_{(n-1)(n-1)} &= r_{(n-1)n} \end{aligned}$$

and the standard error of estimate about the multiple regression line is an expanded form of equation (9):

$$\sigma_n = S_{nn}^{1/2} \left( 1 - r_{n,1} a_1 - r_{n,2} a_2 - \dots - r_{n,(n-1)} a_{n-1} \right)^{1/2} \quad (12)$$

## III. INVERSE REGRESSION

### A. Method Description

If it is desired to find an ensemble of state vectors which include random errors and if it is also necessary that the random errors included in the state vectors have the proper statistical cross correlations, then it may be possible to construct such an ensemble, given the covariance matrix of errors. The process would be an inverse regression scheme as follows.

Making the assumption that all errors are normally distributed about linear regression lines it is possible to construct a set of regression lines and then statistically



"scatter" the errors about the line using a zero mean normally distributed random number generator with a variance equal to  $\sigma^2$  (equation 12). The errors so generated would be added to the mean value of the state vector and repeated many times to build an ensemble of state vectors with properly correlated errors.

A consistent scheme of selecting the order of regression should be used. One such scheme would be as follows:

1. Select the two elements of the state vector that are least correlated (i.e., smallest  $|S_{nm}|$ ,  $N \neq M$ ).

2. Continue selecting elements in a monotonically increasing order of correlation.

3. Choose the selected initial two elements (from step 1) and construct a regression curve from equation (5) similar to Figure (1).

3a. Find the so-called actual value  $(Y_{u1})_a$  from a zero mean normal random generator (NRNG) with variance  $S_{11}$ .

3b. Solve for the estimated value of  $Y_{u2}$

4. Introduce scatter to  $(Y_{u2})_e$  by adding an error term found from (NRNG) using variance  $\sigma_2$  as found from equation (9).

Solve for the so-called actual value of  $Y_{u2}$

$$(Y_{u2})_a = (Y_{u2})_e + (\text{NRNG}) \sigma_2 \quad (13)$$

5. Repeat the process to calculate actual values for all the state errors.

Equation (13) is a defined value of a single realization of the error in the  $Y_2$  element of the state vector. When this process is repeated for each element of the state vector, it is necessary to use the expanded multiple regression equation (10) and variance, equation (12).

For example when finding the third error term,  $(Y_{u3})$ , from (10):

$$\left(\frac{Y_{u3}}{S_{33}^{1/2}}\right)_e = a_1 \left(\frac{Y_{u1}}{S_{11}^{1/2}}\right)_a + a_2 \left(\frac{Y_{u2}}{S_{22}^{1/2}}\right)_a \quad (14)$$

where  $(Y_{u1})_a$  and  $(Y_{u2})_a$  are the same values as found in the preceding steps. The variance used to introduce "scatter" into the  $(Y_{u3})_{est.}$  of equation (14) is:

$$\sigma_3^2 = \left[ S_{33}^{1/2} \left( 1 - r_{31} a_1 - r_{32} a_2 \right)^{1/2} \right]^2 \quad (15)$$

The process is complete when all N values of the state vector have been altered by an error term as in equation (1a).

For a given covariance matrix of errors, the  $A_N$  coefficients of equation (11) need only be calculated once. They change only when the covariance matrix changes. However, the value of the " $A_N$ " coefficient are different for each value of N in equation 10. A set of coefficients correspond to each value of N which is the order of the given covariance matrix. As many realizations as desired of the state vector can be generated for a given covariance matrix. Each new realization is constructed from a new (NRNG) value for the first error term  $Y_{u1}$ .

#### B. Proof of Proper Correlation

It remains to show that the order chosen for regressing the variables does not affect the statistical cross correlations of the errors in the final ensemble of state vectors. If we accept equations (13) as a valid method of introducing "scatter" or randomness to regression generated errors, then it is sufficient to show that cross correlations of error states are correct, independent of the order of their regression.

$$\left( Y_{u_n} \right)_a = \left( Y_{u_n} \right)_e + (NRNG)_{\sigma_n} \quad (16)$$

The term  $(NRNG)_{\sigma_n}$  is a single realization of a normal random number generator with standard deviation,  $\sigma_n$ .

Let us arbitrarily choose two elements of an error state vector  $Y_{u1}$  and  $Y_{u2}$  and regress  $Y_{u2}$  on  $Y_{u1}$ :

$$\left( Y_{u2} \right)_e = \frac{S_{12}}{S_{11}} \left( Y_{u1} \right)_a \quad (17)$$

Where  $\left( Y_{u1} \right)_a$  is chosen from  $(NRNG) (S_{11})^{1/2}$

$$\text{Then } \left( Y_{u2} \right)_a = \left( Y_{u2} \right)_e + (NRNG)_{\sigma_2} \quad (18)$$

$\sigma_2$  being found from (9).

The cross correlation between  $(Y_{u1})_a$  and  $(Y_{u2})_a$  for a large number of realizations of equation (18) is:

$$(CC)_{12} = \sum (Y_{u1})_a (Y_{u2})_a / N$$

from (17) and (18)

$$\begin{aligned} (CC)_{12} &= \sum (Y_{u1})_a \left[ \frac{S_{12}}{S_{11}} (Y_{u1})_a + (NRNG)_{\sigma_2} \right] / N \\ &= S_{12} + \sum (Y_{u1})_a (NRNG)_{\sigma_2} / N \end{aligned} \quad (19)$$

The term on the right is equal to zero in the limit since each term of the product has zero mean and the terms are uncorrelated. Hence as expected:

$$(CC)_{12} = S_{12} = \sum (Y_{u1})_a (Y_{u2})_a / N \quad (20)$$

From (10) the regression equation for a third variable is:

$$(Y_{u3})_e = \frac{S_{33}^{1/2} A_1}{S_{11}^{1/2}} (Y_{u1})_a + \frac{S_{33}^{1/2} A_2}{S_{22}^{1/2}} (Y_{u2})_a \quad (21)$$

$$(Y_{u3})_a = (Y_{u3})_e + (NRNG)_{\sigma_3} \quad (22)$$

Now check to see if  $(Y_{u3})_a$  generated by (22) is properly correlated with  $(Y_{u1})_a$ :

$$\begin{aligned} \frac{\sum (Y_{u1})_a (Y_{u3})_a}{N} &= \\ \frac{\sum (Y_{u1})_a \left[ \frac{S_{33}^{1/2} A_1}{S_{11}^{1/2}} (Y_{u1})_a + \frac{S_{33}^{1/2} A_2}{S_{22}^{1/2}} (Y_{u2})_a + (NRNG)_{\sigma_3} \right]}{N} & \end{aligned} \quad (23)$$

N



This quickly reduces to:

$$= S_{11}^{1/2} S_{33}^{1/2} A_1 + \frac{S_{33}^{1/2} S_{12}}{S_{22}^{1/2}} A_2 + \frac{\sum (y_{u_1})_a (NRNG) \sigma_3}{N} \quad (24)$$

Since the last term is zero in the limit for a product of uncorrelated zero mean variables, (24) is:

$$\frac{\sum (y_{u_1})_a (y_{u_3})_a}{N} = S_{11}^{1/2} S_{33}^{1/2} A_1 + \frac{S_{33}^{1/2} S_{12}}{S_{22}^{1/2}} A_2 \quad (25)$$

The  $A_1$  and  $A_2$  coefficients are found from (10) to be:

$$A_1 = \frac{r_{13} - r_{12} r_{23}}{1 - r_{12}^2}; \quad A_2 = \frac{r_{23} - r_{12} r_{13}}{1 - r_{12}^2} \quad (26)$$

Substituting (3) and (26) into (25):

$$\sum \frac{(y_{u_1})_a (y_{u_3})_a}{N} = S_{13}$$

Hence, even though  $Y_{u_3}$  was the third variable chosen it is properly correlated with the first variable. In a similar fashion, the third variable can be shown to be properly correlated with the second variable. This process can be continued for all subsequent elements of the state vector regardless of their order of regression. Therefore, the order chosen to regress the state vector errors is arbitrary and has no adverse effect on the cross correlations of the ensemble of state vectors so generated.

#### IV. CODE DESCRIPTION

The inverse regression method described has been coded for use in a trajectory program. If a state error covariance matrix is available at some point in a vehicle's trajectory and it is



desired to complete the trajectory with a Monte-Carlo error analysis, then it is necessary to determine an ensemble of initial state vectors. One state vector from the ensemble is used as an initial condition for each trajectory of the Monte-Carlo series.

A listing is enclosed as Appendix B for the subroutines that read in the covariance matrix and then determine the coefficients and standard deviation required to solve for state error vectors. Subroutine COVSET(M) stores in common the "A" coefficients and "S" variances of equation (10). Also stored are the standard deviations of equation (12) for the M-dimensional square covariance matrix. These stored parameters along with a normal random number generator are sufficient to form a state error vector by repeatedly solving equation (10) for M values of the state ( $\bar{u}$ ) est. This error state determines the initial condition for one trajectory realization. Additional realizations of the Monte-Carlo series can be found with the same stored coefficients (i.e., these need not be calculated again). The normal random number generator with previously calculated standard deviation supplies the required variation of the state vector for subsequent trajectories.

Subroutine FILL uses a system supplied function (MAM) to solve the set of simultaneous equations (11). Any simultaneous algebraic equation solver may be substituted here. Subroutine IMOD actually generates the desired error vectors.

#### V. CONCLUSIONS

A method has been described which allows mixed modes of error modeling for a single event. The method defines the interface between a covariance propagation error model and a Monte-Carlo deterministic error model. Given an arrival uncertainty covariance matrix for a physical system at some point in time, it is possible to construct an ensemble of state error vectors which may be used as initial conditions for the error state in order to exercise a Monte-Carlo model of the system. The error states so generated have been shown to be properly cross correlated with each other and have the correct distribution of magnitudes. A FORTRAN computer program has been written to facilitate implementation of the method within trajectory codes.

## APPENDIX A

## SYMBOLS

a	Regression coefficients
cc	Error covariance
N	Number of samples or summation index
NRNG	Zero mean normal random number generator
r	correlation coefficients
$S_{NN}$	Variance of error
$S_{jk}$	Covariance of errors
Y	Element of state vector
$Y_k$	Known part of state vector element
$Y_u$	Unknown part of state vector element
$\sigma$	Standard deviation for gaussian distribution
$\Sigma$	Summation symbol
<u>Subscripts</u>	
est. or e	Regression estimated value of an error
actual or a	Determined actual value of an error

NSWC/WOL TR 77-183  
APPENDIX B  
COMPUTER CODE LISTING

```

SUBROUTINE COVSET(M)
  BRUNSVOLD   MAY 77

C
C
C   FOR A GIVEN MONTE-CARLO RUN SET, THE FOLLOWING INFORMATION
C   NEED BE CALCULATED ONLY ONCE.
C
C   CALCULATE CERTAIN COEFFICIENTS FROM ARRIVAL UNCERTAINTY
C   COVARIANCE MATRIX (INITIAL CONDITIONS FOR EACH RUN)
C
C   STORAGE IN THE X ARRAY BEGINS AT X(1) AND IS OPEN ENDED
C   STORAGE LOCATIONS = *A* STORAGE + SIGMA STORAGE + S(N) STORAGE
C   = ((M-1)+(M-2)+.....+(2))+(M-1)+M
C   X ARRAY NOW SUFFICIENT TO HANDLE A 12 X 12
C
COMMON X(90)
DIMENSION RMM(3),SMM(3,3),ARRAY(2,2),IC(2)
200 FORMAT(5F15.7,5X)
201 FORMAT(1H ,5F15.7,5X)
202 FORMAT(1H1)
X(2)=FLOAT(M)
C   READ IN COVARIANCE MATRIX
READ(5,200)SMM
WRITE(6,202)
WRITE(6,201)SMM
C   TO SIMPLIFY COMPUTATIONS, DIAGONAL ELEMENTS OF SMM MATRIX ARE
C   SQRT OF ORIGINAL COVARIANCE DIAGONAL ELEMENTS.
C   CALCULATE CORRELATION COEFFICIENTS MATRIX FROM ARRIVAL COVARIANCE
DO 10 K=1,M
DO 10 J=1,M
IF(K.GE.J)GO TO 10
C   CALCULATE THE *R* VALUES (CORRELATION COEFFICIENTS)
C   CORRELATION COEFFICIENT MATRIX BECOMES SMM AS WE WRITE ON TOP OF
C   ORIGINAL COVARIANCE MATRIX TO SAVE STORAGE.
SMM(J,K)=SMM(J,K)/(SMM(J,J)*SMM(K,K))
SMM(K,J)=SMM(J,K)
10 CONTINUE
DO 11 J=1,M
C   PUT THE S(N) VALUES IN STORAGE. THESE ARE THE DIAGONAL ELEMENTS OF
C   THE COVARIANCE MATRIX EQUAL TO THE STANDARD DEVIATION. FIRST
C   LOCATION IS X(3).
X(2+J)=SMM(J,J)
C   SET THE DIAGONAL ELEMENTS OF THE CORRELATION MATRIX TO 1.0
11 SMM(J,J)=1.
C   X(2)=M AND X(1)=S(1,2)/S(1,1). ARE COEFFICIENTS FOR YU2 ESTIMATE
X(1)=SMM(1,2)*X(4)/X(3)
N=1 % NB=MC=M+2 % M1=M-1
12 N=N+1
C   CALCULATE THE *A*S AND PUT INTO STORAGE, A(1) AND A(2) FIRST.
C   THESE ARE THE UNKNOWN VARIABLES OF THE SIMULTANEOUS ALGERPAIC
C   EQUATIONS. SUBROUTINE FILL SOLVES THESE EQUATIONS.
C   BMM=SOLUTION VECTORS=*A*S., SMM=CORRELATION COEFFICIENT MATRIX,
C   M=ORDER OF SMM, N=NUMBER OF SIMULTANEOUS EQUATIONS TO BE SOLVED
C   IN THIS PASS THROUGH FILL. ARRAY AND IC=DUMMY MATRIX THAT MUST BE
C   DIMENSIONED IN COVSET. DIMENSION TO M-1

```



```

CALL FILL(RMM,SMM,M,N,ARRAY,IC)
DO 13 ILO=1,N
MM=ILO+MB
C STORE SOLUTION VECTORS FROM FILL. FIRST LOCATION IS X(M+3).
X(MM)=RMM(ILO)
13 CONTINUE
IF(N.EQ.M1)GO TO 14
MB=MM
GO TO 12
C CALCULATE M-1 PERMANENT VALUES OF SIGMA, SIGMA(2) IS FIRST AT
C LOCATION X(MM+1)=X(3+M+(M-1)+(M-2)+...+2)
C CALCULATE SIGMA(2)
14 X(MM+1)=X(4)*(1.-SMM(1,2)**2)**.5
C CALCULATE SIGMA(3) TO SIGMA(M)
DO 21 K=2,M1
REST=0.
DO 22 L=1,K
REST=SMM(K+1,L)*X(MC+L)+REST
22 CONTINUE
MC=MC+K
C PUT CALCULATED SIGMA S INTO X ARRAY
X(MM+K)=X(K+3)*(1.-REST)**.5
21 CONTINUE
C WITH SIGMA S, *A*S, AND S(N) S, ERROR VECTORS MAY BE GENERATED
C WITH NORMAL RANDOM NUMBER GENERATOR. A SUBROUTINE FOR THIS
C CALLED "IMOD" IS INCLUDED.
RETURN
END

C
C
SUBROUTINE FILL(R,RMM,M,N,ARRAY,IC)
BRUNSVOLD MAY 77
C THIS SUBROUTINE FINDS THE SOLUTION VECTOR FOR THE "A" COEFFICIENTS
C
DIMENSION RMM(M,M),ARRAY(N,N),R(N),IC(N)
DO 15 K=1,N
C GENERATE RIGHT SIDE OF ALGEBRAIC EQUATIONS FROM CORRELATION MATRIX
B(K)=RMM(K,N+1)
DO 15 J=1,N
C GENERATE COEFFICIENTS OF ALGEBRAIC EQUATIONS FROM CORRELATION
C MATRIX AND PUT INTO APRAY.
ARRAY(J,K)=RMM(J,K)
ARRAY(K,J)=ARRAY(J,K)
15 CONTINUE
C MAM IS SYSTEM SUBROUTINE THAT SOLVES LINEAR SET OF ALGEBRAIC EQNS.
CALL MAM(ARRAY,N,N,R,1,IC,ID)
IF(ID.EQ.2)GO TO 20
GO TO 16
20 WRITE(6,100)
100 FORMAT(1H ,26HFAILURE IN SUBROUTINE FILL)
STOP
C RETURN TO CONVSET WITH SOLUTION VECTOR R.
16 RETURN $ END

```



```

SUBROUTINE IMOD
THIS INITIAL MODULE SOLVES FOR THE INITIAL ERRORS IN THE STATE VEC
COMMON X(90)
DIMENSION Y(9)
M=IFIX(X(2)) $ QA=0.
C FIND THE PROPER INDEX IN THE X ARRAY
J=0 $ M1=M-1
DO 5 I=2,M
J=I+J
5 CONTINUE
MM=J+2
C GENERATE A NORMALLY DISTRIBUTED RANDOM NUMBER, (RN), OF
C SIGMA=1. AND MEAN=0.
25 CALL RANNUM(QA,1.,0.,R,RN)
C GENERATE THE FIRST STATE ERROR Y(1).
Y(1)=RN*X(3)
CALL RANNUM(QA,1.,0.,R,RN)
C GENERATE THE SECOND STATE ERROR.
Y(2)=X(1)*Y(1)+ N*X(MM+1)
MC=M+2
C SOLVE FOR THE REMAINING Y ERRORS
DO 10 K=2,M1
REST =0.
DO 20 L=1,K
REST=(X(MC+L)*Y(L)/X(L+2))+REST
20 CONTINUE
CALL RANNUM(QA,1.,0.,R,RN)
Y(K+1)=X(K+3)*REST+RN*X(MM+K)
MC=MC+K
10 CONTINUE
C THE Y VECTOR GENERATED IS ONE ERROR VECTOR REALIZATION TO BE ADDED
C TO MEANS. ADDITIONAL REALIZATIONS CAN BE GENERATED WITH OTHER SET
C OF RANDOM NUMBERS, RN'S.
WRITE(6,100)Y
100 FORMAT(1H0.9F10.6)
RETURN $ END

```

**BEST AVAILABLE COPY**

DISTRIBUTION

	Copies
Commander Naval Sea Systems Command Headquarters Attn: Chief Technical Analyst SEA-05121 SEA-033 SEA-031 SEA-09G32 SEA-035	2
Department of the Navy Washington, D. C. 20362	
Commander Naval Air Systems Command Headquarters Attn: AIR-03B AIR-03C AIR-320 AIR-320C AIR-310 AIR-50174	2
Department of the Navy Washington, D. C. 20361	
Office of Naval Research Attn: ONR 100 800 N. Quincy Street Arlington, Virginia 22217	2
Commander David Taylor Naval Research and Development Center Attn: Central Library (5641) Bethesda, Maryland 20034	2
Commander Naval Weapons Center Attn: Technical Library (533) China Lake, California 93555	

Copies

Director  
U.S. Naval Research Laboratory  
Attn: Library  
Washington, D.C. 20390

NASA  
Langley Research Center  
Attn: MS/185 Technical Library  
Langley Station  
Hampton, Virginia 23665

NASA  
Lewis Research Center  
Attn: Library 60-3  
21000 Brookpark Road  
Cleveland, Ohio 44135

NASA  
George C. Marshall Space Flight Center  
Attn: Library  
Huntsville, Alabama 35812

NASA  
Attn: F. C. Schwenk, Director,  
Research (Code RR)  
600 Independence Avenue, S.W.  
Washington, D.C. 20546

NASA  
P. O. Box 33  
College Park, Maryland 20740

Director  
Defense Research and Engineering (DDR&E)  
Attn: Technical Library  
Room 3E1063, The Pentagon, Stop 103  
Washington, D.C. 20301

Defense Documentation Center  
Cameron Station  
Alexandria, Virginia 22314

12

Commander (5632.2)  
Naval Missile Center  
Attn: Technical Library  
Point Mugu, California 93041



Copies

Commanding Officer  
USA Aberdeen Research and  
Development Center  
Attn: STEAP-TL  
AMXRD-XSE  
Aberdeen Proving Ground  
Maryland 21005

Director  
Strategic Systems Project Office  
Attn: SP-27232  
Department of the Navy  
Washington, D.C. 20390

Director of Intelligence  
Headquarters, USAF (AFNINDE)  
Attn: AFOIN-3B  
Washington, D.C. 20330

Los Angeles Air Force Station  
SAMSO/DYAE  
Attn: Code RSSE  
Code RSSM  
P. O. Box 92960  
Worldway Postal Center  
Los Angeles, California 90009

Headquarters, Arnold Engineering  
Development Center  
Attn: Library/Documents  
Arnold Air Force Station  
Tennessee 37389

Commanding Officer  
Harry Diamond Laboratories  
Attn: Library  
Washington, D.C. 20438

Commanding General  
U.S. Army Missile Command  
Attn: AMSMI-RR  
Chief, Document Section  
Redstone Arsenal  
Alabama 35809

Department of the Army  
Office of the Chief of  
Research and Development  
ABMDA, The Pentagon  
Washington, D.C. 20350

Copies

Commanding Officer  
Picatinny Arsenal  
Attn: SMUPA-VC-3 (A. A. Loeb)  
Dover, New Jersey 07801

Commander (ADL)  
Naval Air Development Center  
Attn: Dr. R. K. Lobb  
Johnsville, Pennsylvania 18974

Air Force Weapons Laboratory  
Kirtland Air Force Base  
Attn: Technical Library (SUL)  
Albuquerque, New Mexico 87117

U.S. Army Ballistic Missile  
Defense Agency  
1300 Wilson Boulevard  
Arlington, Virginia 22209

The Johns Hopkins University, (C/NOW 7386)  
Attn: Document Library  
Applied Physics Laboratory  
Johns Hopkins Road  
Laurel, Maryland 20810

Director, Defense Nuclear Agency  
Headquarters, DASA  
Attn: STSP (SPAS)  
Washington, D.C. 20305

Commanding Officer  
Naval Intelligence Support Center  
4301 Suitland Road  
Washington, D.C. 20390

Department of Aeronautics, DFAN  
Attn: Library  
USAF, Academy  
Colorado 80840

Armament Development and Test Center  
Attn: Technical Library, DLOSL  
Eglin AFB, Florida 32542

Copies

Commander  
U.S. Army Natick Development Center  
AMSNM-UBS  
Attn: AMXNM-UBS (G. A. Barnard)  
Natick, Massachusetts 01760

NASA Ames Research Center  
Attn: Library  
Moffett Field, California 94035

Wright Aeronautical Laboratories  
Attn: Technical Library  
Wright-Patterson Air Force Base  
Dayton, Ohio 45433

Naval Research Laboratory  
Attn: Dr. J. Boris  
Washington, D.C. 20375

ONR Branch Office/Pasadena  
Attn: Dr. Richard Lau  
1030 East Green Street  
Pasadena, California 91101

Aerospace Engineering Program  
University of Alabama  
Attn: Prof. W. K. Rey, Chm.  
P. O. Box 6307  
University of Alabama 35486

AME Department  
University of Arizona  
Attn: Dr. L. B. Scott  
Tucson, Arizona 85721

TASC  
Attn: Dr. Thomas Mottl  
6 Jacob Way  
Reading, Massachusetts 01867

Polytechnic Institute of New York  
Graduate Center Library  
Route 110, Farmingdale  
Long Island, New York 11735

Polytechnic Institute of New York  
Spicer Library  
Attn: Reference Dept.  
333 Jay Street  
Brooklyn, New York 11201



Copies

California Institute of Technology  
Graduate Aeronautical Laboratories Aero.  
Attn: Librarian  
Pasadena, California 91109

University of California  
Department of Mechanical Engineering  
Attn: Prof. R. Greif  
Berkeley, California 94720

Dept. of Aerospace Engineering  
University of Southern California  
Attn: Dr. J. Laufer  
University Park  
Los Angeles, California 90007

University of California, San Diego  
Department of Aerospace and  
Mechanical Engineering Sciences  
Attn: Dr. P. A. Libby  
LaJolla, California 92037

The Charles Stark Draper Laboratory, Inc.  
Attn: Harvey Feltquate  
555 Technology Square  
Cambridge, Massachusetts 02139

The Catholic University  
Attn: Dr. C. C. Chang  
Washington, D.C. 20017

University of Cincinnati  
Department of Aerospace Engineering  
Attn: Dr. Arnold Polak  
Cincinnati, Ohio 45221

Department of Aerospace Engineer Sciences  
University of Colorado  
Boulder, Colorado 80302

Cornell University  
Graduate School of Aerospace Engineering  
Attn: Prof. A. R. George  
Ithaca, New York 14850

University of Delaware  
Mechanical and Aeronautical Engineering Dept.  
Attn: Dr. James E. Danberg  
Newark, Delaware 19711

Georgia Institute of Technology  
Attn: Dr. Arnold L. Ducoffe  
225 North Avenue, N.W.  
Atlanta, Georgia 30332

Technical Reports Collection  
Gordon McKay Library  
Harvard University  
Division of Engineering and Applied Physics  
Attn: George Carrier  
Pierce Hall, Oxford Street  
Cambridge, Massachusetts 02138

Systems Control, Inc.  
Attn: W. E. Hall, Jr.  
1801 Page Mill Road  
Palo Alto, California 94304

Illinois Institute of Technology  
Attn: Dr. M. V. Morkovin  
3300 South Federal  
Chicago, Illinois 60616

Iowa State University  
Aerospace Engineering Department  
Ames, Iowa 50010

The Johns Hopkins University  
Attn: Prof. S. Corrsin  
Baltimore, Maryland 21218

University of Kentucky  
Wenner-Gren Aero. Lab.  
Attn: C. F. Knapp  
Lexington, Kentucky 40506

Department of Aero. Engineering, ME 106  
Louisiana State University  
Attn: Dr. P. H. Miller  
Baton Rouge, Louisiana 70803

University of Maryland  
Attn: John D. Anderson, Jr.  
Dept. of Aerospace Engineering  
College Park, Maryland 20740

Michigan State University  
Attn: Library Documents Dept.  
East Lansing, Michigan 48823

Massachusetts Institute of Technology  
Attn: Aero. Engineering Library  
Cambridge, Massachusetts 02139

University of Michigan  
Engineering Library  
Ann Arbor, Michigan 48104

Serials and Documents Section  
General Library  
University of Michigan  
Ann Arbor, Michigan 48104

Mississippi State Univ.  
Dept. of Aerophysics and  
Aerospace Engineering  
Attn: Mr. Charles B. Cliett  
P. O. Drawer A  
State College, Mississippi 39762

U. S. Naval Academy  
Engineering Dept. Aerospace Div.  
Annapolis, Maryland 21402

Library, Code 2124  
U. S. Naval Postgraduate School  
Technical Reports Section  
Monterey, California 93940

D. H. Hill Library  
North Carolina State University  
P. O. Box 5007  
Raleigh, North Carolina 27607

University of North Carolina  
Chapel Hill  
Dept. of Aero. Engineering  
North Carolina 27514

Northwestern University  
Technological Institute  
Attn: Dept. of Mech. Engineering  
Library  
Evanston, Illinois 60201



## Copies

Dept. of Aero-Astro Engineering  
Ohio State University  
Attn: Engineering Library  
2036 Neil Avenue  
Columbus, Ohio 43210

The Pennsylvania State Univ.  
Department of Aero. Engr.  
Hammond Bldg.  
Library, Documents Section  
University Park, Pennsylvania 18602

Bevier Engr. Library  
126 Benedum Hall  
University of Pittsburgh  
Pittsburgh, Pennsylvania 15261

Princeton University  
Aerospace and Mech. Science Dept.  
Attn: Dr. I. E. Vas  
D-214 Engr. Quadrangel  
Princeton, New Jersey 08540

Purdue University  
School of Aeronautical and  
Engineering Sciences  
Attn: Dr. B. Reese, Head, Dept. of  
Aero. and Astro.  
Lafayette, Indiana 47907

Rennselaer Polytechnic Institute  
Department of Aeronautical  
Engineering and Astronautics  
Troy, New York 12181

Department of Mechanical  
Industrial and Aerospace Engineering  
Attn: R. H. Page  
Rutgers - The State University  
New Brunswick, New Jersey 08903

Stanford University  
Librarian, Dept. of Aeronautics  
and Astronautics  
Stanford, California 94305

Stevens Institute of Technology  
Attn: Mechanical Engineering Dept.  
Library  
Hoboken, New Jersey 07030

The University of Texas at Austin  
Applied Research Laboratories  
Attn: Director  
Engr. S.B.114/Dr. Friedrich  
P. O. Box 8029  
Austin Texas 78712

University of Toledo  
Department of Aero Engineering  
2801 W. Bancroft  
Toledo, Ohio 43606

University of Virginia  
School of Engineering and Applied Science  
Attn: Dr. I. D. Jacobson  
Charlottesville, Virginia 22091

University of Washington  
Attn: Engineering Library  
Dept. of Aeronautics and Astronautics  
Seattle, Washington 98105

West Virginia University  
Attn: Library  
Morgantown, West Virginia 26506

Federal Reports Center  
University of Wisconsin  
Attn: S. Reilly  
Mechanical Engineering Building  
Madison, Wisconsin 53706

Los Alamos Scientific Laboratory  
Attn: Reports Library  
P. O. Box 1663  
Los Alamos, New Mexico 87544

Institute for Defense Analyses  
Attn: Classified Library  
400 Army-Navy Drive  
Arlington, Virginia 22202

Copies

University of Florida  
Attn: Dept. Engineering Science  
Dr. B. M. Leadon  
Gainesville, Florida 32601

Kaman Sciences Corporation  
Attn: Library  
Mr. D. Foxwell  
P. O. Box 7463  
Colorado Springs, Colorado 80933

Rockwell International Corporation  
Technical Information Center  
4300 E. Fifth Avenue  
Columbus, Ohio 43216

M.I.T. Lincoln Laboratory  
Attn: Library A-082  
Dr. A. B. Wardlaw  
P. O. Box 73  
Lexington, Massachusetts

The RAND Corporation  
1700 Main Street  
Library - D.  
Santa Monica, California 90406

Aerojet Electrosystems Co.  
Engineering Library  
1100 W. Hollyvale Avenue  
Azusa, California 91702

The Boeing Company  
Attn: 87-67  
P. O. Box 3999  
Seattle, Washington 98124

United Aircraft Corporation  
Attn: Library  
400 Main Street  
East Hartford, Connecticut 06108

Hughes Aircraft Company  
Attn: Company Tech. Doc. Center  
6/Ell, B. W. Campbell  
Centinela at Teale  
Culver City, California 90230



Lockheed Missiles and Space Co., Inc.  
Attn: C. Grolemond  
P. O. Box 504  
Sunnyvale, California 94086

Lockheed Missiles and Space Co., Inc.  
Attn: Technical Information Center  
3251 Hanover Street  
Palo Alto, California 94304

Lockheed-California Co.  
Attn: Central Library Dept.  
Burbank, California 91503

Vice President and Chief Scientist  
Dept. 03-10  
Lockheed Aircraft Corp.  
P. O. Box 551  
Burbank, California 91503

Martin-Marietta Corporation  
Attn: Science-Technology Library  
(Mail No. 398)  
P. O. Box 988  
Baltimore, Maryland 21203

Martin Marietta Corp.  
Orlando Division  
P. O. Box 5837  
Attn: Mr. H. J. Diabolt  
Orlando, Florida 32805

General Dynamics  
Attn: Research Library 2246  
P. O. Box 748  
Fort Worth, Texas 76101

Calspan Corporation  
Attn: Library  
4455 Genesee Street  
Buffalo, New York 14221

Air Force University Library  
(SE) 63-578  
Maxwell Air Force Base  
Alabama 36112

McDonnell Douglas Corp.  
Attn: R. D. Detrich, Dept. 209 Bld. 33  
P. O. Box 516  
St. Louis, Missouri 63166

McDonnell Douglas Astronautics  
Company - West  
Attn: J. S. Murphy, A3  
368, B4A0  
5301 Bolsa Avenue  
Huntington Beach, California 92647

Fairchild Hiller  
Engineering Library  
Republic Aviation Division  
Farmingdale, New York 11735

General Applied Sciences Labs, Inc.  
Attn: Dr. F. Lane  
L. M. Nucci  
Merrick and Stewart Avenues  
Westbury, Long Island  
New York 11590

General Electric Company  
R&D Labs (Comb. Bld.)  
Attn: Dr. H. T. Nagamtsu  
Schenectady, New York 12301

The Whitney Library  
General Electric Research and  
Development Center  
Attn: M. F. Orr, Manager  
The Knolls, K-1  
P. O. Box 8  
Schenectady, New York 12301

General Electric Company  
Missile and Space Division  
Attn: MSD Library  
P. O. Box 8555  
Philadelphia, Pennsylvania 19101

General Electric Company  
AEG Technical Information Center, N-32  
Cincinnati, Ohio 45215

General Electric Company  
Reentry & Environmental Systems Division  
Attn: J. Immel  
3198 Chestnut Street  
Philadelphia, Pennsylvania 19101

AVCO-Everett Research Lab.  
Attn: Library  
2385 Revere Beach Pkwy.  
Everett, Massachusetts 02149

LTV Aerospace Corporation  
Vought Systems Division  
Attn: Unit 2-51131 (Library)  
P. O. Box 5907  
Dallas, Texas 75222

LTV Corporation  
Attn: MDS-T-Library  
P. O. Box 5907  
Dallas, Texas 75222

Northrop Norair  
Attn: Tech. Info. 3343-32  
3901 West Broadway  
Hawthorne, California 90250

Government Documents  
The Foundren Library  
Rice Institute  
P. O. Box 1892  
Houston, Texas 77001

Grumman Aerospace Corporation  
Attn: Dr. R. E. Melnik  
Bethpage, Long Island  
New York 11714

Marquardt Company  
Attn: Library  
P. O. Box 2013  
Van Nuys, California 91409

ARDE Associates  
Attn: Librarian  
P. O. Box 286  
580 Winters Avenue  
Paramus, New Jersey 07652



Copies

Aerophysics Company  
Attn: Mr. G. D. Boehler  
3500 Connecticut Ave., N.W.  
Washington, D.C. 20003

Aeronautical Research Associates of Princeton  
Attn: Dr. C. duP. Donadson  
50 Washington Road  
Princeton, New Jersey 08540

General Research Corporation  
Attn: Tech. Info. Office  
5383 Hollister Avenue  
P. O. Box 3587  
Santa Barbara, California 93105

Sandia Laboratories  
Attn: Dr. C. Peterson  
Dr. G. W. Stone  
Dr. K. Touryan  
Dr. R. Eaton  
Kurt Putz, Div. 1333  
Box 5800  
Albuquerque, New Mexico 87115

Hercules Incorporated  
Attn: Library  
Allegany Ballistics Lab.  
P. O. Box 210  
Cumberland, Maryland 21502

General Electric Company  
Attn: Dvae Hovis, Rm. 4109  
P. O. Box 2500  
Daytona Beach, Florida 32015

TRW Incorporated  
Attn: Tech. Library/Doc. Acquisitions  
1 Space Park  
Redondo Beach, California 90278

Stanford Research Institute  
Attn: Dr. G. Abrahamson  
333 Ravenswood Avenue  
Menlo Park, California 94025

Hughes Aircraft Company  
Attn: Tech. Library, 600-C222  
P. O. Box 3310  
Fullerton, California 92634

Westinghouse Electric Corp.  
Astronuclear Laboratory  
Attn: Library  
P. O. Box 10864  
Pittsburgh, Pennsylvania 15236

University of Tennessee  
Space Institute  
Attn: Prof. J. M. Wu  
P. O. Box 10864  
Pittsburgh, Pennsylvania 15236

CONVAIR Division of General Dynamics  
Library and Information  
P. O. Box 12009  
San Diego, California 92112

CONVAIR Division of General Dynamics  
Attn: Research Library  
P. O. Box 80986  
San Diego, California 92138

AVCO Missiles Systems Division  
Attn: E. E. H. Schurmann  
N. Tyson  
H. Rosenbaum  
201 Lowell Street  
Wilmington, Massachusetts 01887

Chrysler Corporation  
Space Division  
Attn: N. D. Kemp 2910  
E. A. Rawls, Dept. 2920  
P. O. Box 29200  
New Orleans, Louisiana 70129

General Dynamics  
Pomona Division  
Attn: Tech. Doc. Center (6-20)  
P. O. Box 2507  
Pomona, California 91766

Ford Aerospace & Communications Corp.  
Ford & Jamboree Roads  
Attn: Dr. A. Demetriades  
Newport Beach, California 92660

Raytheon Company  
Attn: D. P. Forsmo  
Missile Systems Division  
Hartwell Road  
Bedford, Maine 01730

TRW Defense & Space Systems Group  
Attn: M. W. Sweeney, Jr.  
Space Park Drive  
Houston, Texas 77058

Marine Bioscience Laboratory  
Attn: Dr. A. C. Charters  
513 Sydnor Street  
Ridgecrest, California 93555

Applied Mechanics Review  
Southwest Research Institute  
8500 Culebra Road  
San Antonio, Texas 78228

American Institute of Aeronautics and  
Astronautics  
Attn: J. Newbauer  
New York, New York 10019

Technical Information Services  
AIAA  
Attn: Miss P. Marshall  
750 Third Avenue  
New York, New York 10017

Faculty of Aeronautical Systems  
University of West Florida  
Attn: Dr. R. Fledderman  
Pensacola, Florida 32504

Space Research Corporation  
Chittenden Bank Building  
Attn: Library, J. A. Finkel  
North Troy, Vermont 05859

The Aerospace Corporation  
Attn: E. Ndefo  
J. M. Lyons  
P. O. Box 92957  
Los Angeles, California 90009



Copies

Notre Dame University  
Department of Aerospace Engineering  
College of Engineering  
Library  
Notre Dame, Indiana 46556

Acurex Corp. Aerotherm  
485 Clyde Avenue  
Attn: M. Abbett  
Mt. View, California 94042

Mathematics Research Center  
Attn: Prof. Seymour V. Parter  
U. S. Army  
University of Wisconsin  
Madison, Wisconsin 53706

TRW Defense & Space Systems Group  
One Space Park  
Attn: B. Pearce  
Aerodynamics Dept.  
Garth W. Lippmann, Bldg. R-5, Rm. 2230  
Redondo Beach, California 92078

Lockheed Missiles and Space Co., Inc.  
Continental Bldg., Suite 445  
Attn: R. Fortune  
El Segundo, California 90245