

FLOODS IN KANSAS CITY, MISSOURI AND KANSAS, SEPTEMBER 12-13, 1977



U.S. GEOLOGICAL SURVEY



Water-Resources Investigations 78-63

Prepared in cooperation with

U.S. Army Corps of Engineers

and

U.S. Department of Commerce, National Weather Service

IDC FILE COPY



DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

78 08 10 087

A

BIBLIOGRAPHIC DATA 1. Report No. USGS/WRD	/WRI-78-069	2.	3. Recipient	's Accession No.
4. Title and Subtitle FLOODS IN KANSAS CITY, MISSOUR 1977		PTEMBER 12-13,	5. Report D. May 197 6.	
7. Author(s) Leland D. Hauth and William J.	Canevall In		8. Performir	og Organization Rept.
9. Performing Organization Name and Address	carswell, or.		10. Project	Task/Work Unit No.
U.S. Geological Survey, Water 1400 Independence Road Mail S Rolla, Missouri 65401	Resources Division top 200	ori	11. Contract	
			12.7	
12. Sponsoring Organization Name and Address U.S. Geological Survey, Water	Dosaumana Divisi		Covered	Report & Period
1400 Independence Road Mail S		on	Final	
Rolla, Missouri 65401	top 200		14.	
15. Supplementary Notes				
1_				
16. Abstracts The storm of September in the Kansas City, Missouri-Ka over 50 million dollars in dama Survey gaging-stations reflecte precipitation indicated each st frequency. Peak discharges det rainfall depths exceeded those	nsas area, left of ges. Flood hydro d two storms occi orm event to be o ermined at select	25 persons dead, ographs taken fr urring within 24 near a 100-year, ted locations ir	, many hom rom U.S. G l hours. . 24-hour	neless, and Geological Measured rainfall
17. Key Words and Document Analysis. 17a. D				
*Flood data, *Flood profiles,	*Flood hydrogra	ph, Hydrologic o	lata	
176. Identifiers/Open-Ended Terms Kansas City, Missouri-Kansas Floods				
I7e. COSATI Field 'Group		B		
18. Availability Statement		19. Security Clarents Assert		21. No. of Pages 43
17c. COSATI Field 'Group 18. Availability Statement No restriction on distribution Prepared for NTIS BY U.S.Geologi	cal Survey, WRD	Report) UNCLAS 20. Security Cla	SIFIED	

FLOODS IN KANSAS CITY, MISSOURI AND KANSAS, SEPTEMBER 12-13, 1977,

by Leland D./Hauth and William J./Carswell, Jrg/

U.S. GEOLOGICAL SURVEY

Water-Resources Investigations 78-63



(H) USGS/WRD/WRI-78/069, \ USGS/WRI-78-63

Prepared in cooperation with


U.S. Army Corps of Engineers

12) 44 p.

and

U.S. Department of Commerce, National Weather Service

1112	Wolfe Saction
	Bert Sattley C
777 035	
3351164	YAYAMASILITY 896E3
145. 25	ALL ENG/OF SPECIAL
T	ALL AND OF COME







May 1978

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited 41788098

10 08

UNITED STATES DEPARTMENT OF THE INTERIOR CECIL D. ANDRUS, Secretary GEOLOGICAL SURVEY H. William Menard, Director

For additional information write to:

U.S. Geological Survey 1400 Independence Road Mail Stop 200 Rolla, Missouri 65401

CONTENTS

			Pag
Glossa		of U.S. customary units to International System	٧
		customary units to international system	VI
			i
		on	1
F	urpo	se and scope	1
C	oope	ration and acknowledgments	2 2
Doconi	escr	iption of area n of storm	2
Flood	dama	n of storm	2
		lood hydrographs	9
		iles	9
		es and discharges	22
		rison with maximum known discharges	34
			36
		ILLUSTRATIONS	
Figure	1.	Map showing location of area of flooding in Missouri and Kansas	3
	2.	Photograph showing view of Brush Creek after flood crest, looking east along Ward Parkway at Wornall Road at Country Club Plaza, Kansas City, Missouri	
	3.	Photograph of United States Post Office, after flood crest, on Ward Parkway at Country Club Plaza,	5
	4.	Kansas City, Missouri Photograph showing view of 600 block of West 48th Street, after Brush Creek flood crest, at Country	6
	5.	Club Plaza, Kansas City, MissouriPhotograph showing aerial view after flood crest,	7
		looking west along Blue River between 23rd Street	
Flood	hydro	and Truman Road at Kansas City, Missouri ographs for flood of September 12-13, 1977, at:	8
	6.	Tomahawk Creek at Overland Park, Kansas	10
	7.	Indian Creek at Overland Park, Kansas	ii
	8.	Brush Creek at Main Street in Kansas City, Missouri	12
	9.	Flood hydrograph and mass curve of rainfall at U.S. Geological Survey gaging-station on Round Grove Creek at Raytown, Missouri, flood of September	
	10.	12-13, 1977Flood hydrograph at U.S. Geological Survey	13
		gaging-station on Rock Creek at Independence, Missouri, flood of September 12-13, 1977	14

ILLUSTRATIONS--continued

	Page
Figure 11. Profile of water surface of Blue River, floods of September 12-13, 1977, and September 1961	15-16
Profile of water surface for flood of September 12-13, 1977, for:	
12. Brush Creek 13. Rock Creek (Kansas) 14. Little Blue River	19
 15. Map showing flood area and location of flood-determination points 16. Graph showing comparison of September 12-13, 1977 peak discharges to the upper limit of known floods in the United States 	23 35
TABLES	
Table 1. Summary of peak stages and discharges for floods of September 12-13, 1977	

GLOSSARY

- Continuous-record station A site on a stream where continuous records of discharge are obtained.
- Cubic feet per second (ft^3/s) The rate of discharge. One ft^3/s is the rate of discharge of a stream having a cross-sectional area of 1 square foot and an average velocity of 1 foot per second,
 - 1 ft 3 /s=0.646 millions of U.S. gallons per day, 28.32 L/s or 0.022832 m 3 /s.
- Flood hydrograph A graphical representation of a stream's fluctuation in flow (in cubic feet per second $[ft^3/s]$) during a flood, in chronological order. The graphical data are obtained by an instrument that continuously records these fluctuations.
- Flood profile A graph of the elevation of water surface of a river in a flood, plotted as an ordinate, against distance, measured along the stream channel, and plotted as abscissa.
- Front The interface or transition zone between two air-masses of different density.
- Miscellaneous site A site where data pertaining to a specific hydrologic event are obtained.
- National Geodetic Vertical Datum of 1929 (NGVD) Formerly called SEA LEVEL DATUM of 1929. A geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. In the adjustment, sea levels from selected tide stations in both countries were held as fixed. The year indicates the time of the last general adjustment. Not to be confused with MEAN SEA LEVEL.
- Rainfall mass curve A graph of the accumulated rainfall depth, plotted as an ordinate, against time or duration of storm, plotted as abscissa. The curve represents total precipitation depth throughout the storm.
- Recurrence interval As applied to flood events, recurrence interval is the average interval of time within which a given flood peak will be exceeded once. Recurrence intervals are averages and do not imply regularity of occurrence. For example, a 100-year flood discharge will be exceeded on the average of once in 100 years; in terms of probability, there is a 1-percent chance that such a flood will occur in any year.

CONVERSION OF U.S. CUSTOMARY UNITS TO SI (INTERNATIONAL SYSTEM OF UNITS)

For use of those readers who may prefer to use metric units rather than U.S. customary units, the conversion factors for the terms used in this report are listed below:

Multiply U.S. customary units	Ву	To obtain SI Units
inch (in.) foot (ft) mile (mi) square mile (mi ²) cubic foot per second (ft ³ /s) cubic foot per second	2.540 0.305 1.609 2.590 0.028	centimeter (cm) meter (m) kilometer (km) square kilometer (km²) cubic meter per second (m³/s)
per square mile $(ft^3/s)/mi^2$	0.011	<pre>cubic meter per second per square kilometer (m³/s)/km²</pre>

Floods in Kansas City, Missouri and Kansas, September 12-13, 1977

By Leland D. Hauth and William J. Carswell, Jr.

ABSTRACT

The storm of September 12-13, 1977, produced as much as 16 inches of rainfall in the Kansas City, Missouri-Kansas area, left 25 persons dead, many homeless, and caused over 50 million dollars in damages.

Data from National Weather Service recording rain gages indicate the storm came in two bursts within 24 hours. Flood hydrographs developed from streamflow records in the area also reflect the two events, with the second yielding the greater runoff.

Peak discharges were determined during and after flood at gaging stations and selected miscellaneous locations. Peak discharges in areas of great rainfall depths were well over the criteria for the 100-year flood.

INTRODUCTION

Outstanding floods occurred on streams in the Kansas City, Missouri-Kansas area as a result of two separate rainfall events within 24 hours, each of which exceeded the 100-year 24-hour rainfall frequency. The first storm saturated the ground, which allowed a greater part of the second rainfall event to become overland runoff, thus causing streamflows in excess of 100-year recurrence intervals.

Twenty-five persons lost their lives and an estimated \$50 million in damages were reported. Although many homes and businesses suffered losses in the small stream basins, the major monetary damage occurred in the Brush Creek basin of Missouri and Kansas and within the lower Blue River basin downstream from 63rd Street.

Purpose and Scope

The purpose of this report is to document the outstanding floods for future hydraulic and hydrologic planning. Data related to such unusual flood events are essential to wise development within any river basin where the threat of flooding endangers public safety and property. This report presents storm and flood descriptions, peak stages and discharges, discharge

hydrographs, water-surface profiles of selected stream reaches and the approximate recurrence intervals of peak discharges.

Elevations in this report are referred to National Geodetic Vertical Datum (NGVD).

Cooperation and Acknowledgments

Rainfall data shown in this report were compiled and supplied by the National Weather Service, Kansas City, Mo. The National Weather Service also contributed the text section, "Description of Storm." Elevations for water-surface profiles of Brush Creek, Rock Creek (Kansas), Blue River, and Little Blue River were provided by the U.S. Army Corps of Engineers, Kansas City District. The Corps also provided personnel for the field crews. Photographs were taken by Frederick Solberg, Jr., "Kansas City Star" photographer.

Description of Area

The area covered by this report includes the Kansas City metropolitan area and extends 15 mi east. The area comprises approximately 1,000 mi². See figure 1. The three major streams where flooding occurred (Blue River, Little Blue River, and Sni-A-Bar Creek, fig. 15) flow into the Missouri River within a 40-mi reach. Streamflows shown in this report reflect runoff from both rural and urban areas. The western half of the area is urbanized and the eastern half is primarily rural.

DESCRIPTION OF STORM

By National Weather Service

September 12, 1977, was very unusual in Kansas City, Mo., because on that day there were two separate 6-hour rain events, each of which had a recurrence interval equivalent to a once-in-a-100-year event, according to the values in Weather Bureau Technical Paper No. 40 (Hershfield, 1961). That is, the average interval of time that the magnitude and duration of either storm event would be exceeded is 100 years. Although it is not rare in the Great Plains in the warm season for heavy rain to occur on successive nights, it is extremely rare to have both events maximize at exactly the same location, as happened at Kansas City. There was sunshine in the afternoon between the two events, and there were notable differences in their causes.

Both events occurred in air that was unstable, and with a high moisture content, thus conducive to heavy rain from the thunderstorms.




Figure 1.--Location of area of flooding in Missouri and Kansas.

In the first event, the low-level winds which so characteristically reach a prominent maximum at night in the Great Plains, flowed up over a warm front southwest of Kansas City, and the rain amounts maximized north of the front where the strongest winds during the night impinged on the front.

The rain-cooled air of the first event was a major factor in the second event later that day because its southern boundary, which extended from St. Louis to south of Kansas City and into eastern Kansas, either reinforced the warm front or became the boundary of importance. Thunderstorms started about where this boundary interacted with a cold front over Kansas which was advancing toward Kansas City during the sunny interval. The heaviest rainfall intensities were near the intersection of these two lines, and the precipitation maximized at Kansas City about the time the intersection arrived.

Most of the rain occurred in about a 25-hour period. For example, at Independence, Mo., recorder, 3 mi north of the 16-inch center indicated a total depth of 11.03 inches from 1 a.m. September 12 to 2 a.m. September 13, out of a storm total of 11.11 inches. The rain in the metropolitan Kansas Cities occurred primarily in two bursts, the first from 1 to 6 a.m. September 12, and the second from about 8 p.m. September 12 to 2 a.m. September 13.

The band of heavy rainfall extended from south of Grand Island, Nebr., to near Columbia, Mo., with maximum amounts in the Kansas City area and eastward to near Odessa; Mo.

FLOOD DAMAGE

Water damage was widespread in nearly every drainage basin in the area. Because of the high intensity of the storm, even some residents living on the slopes were not spared. Hillside runoff flooded garages and basements in some areas located above the flood plains during the deluge. Mission Shopping Center in Mission, Kans., was inundated by floodwaters from steep hillside slopes and overbank flow from Rock Creek, a tributary in the Brush Creek drainage basin.


The greatest damage to commercial property occurred in the Brush Creek basin and lower Blue River. Most commercial business and development in the flood-affected area is centered along Brush Creek in Missouri and Kansas. Shops and stores in the Country Club Plaza of Kansas City, Mo., just upstream from the U.S. Geological Survey Brush Creek gaging-station at Main Street received as much as 6 ft of water as evidenced by figures 2-5. Marks left by the flood can be seen in the window of the U.S. Post Office at Plaza Center (fig. 3).

The industrialized lower Blue River flood plain also received its share of damage. Railroad tracks were undermined as much as 3 to 4 ft along bridge approaches. Figure 5 shows the general flooding in the industrial area in the Blue River basin between 23rd Street and Truman Road. In the Brush Creek basin, many shoppers had parked their cars in underground sections of multi-level parking lots and along streets that were inundated during the flood.



Courtesy of Kansas City Star, Frederick Solbert, Jr., photographer

Figure 2.--View of Brush Creek after flood crest, looking east along Ward Parkway, at Wornall Road at Country Club Plaza, Kansas City, Missouri.



Courtesy of Kansas City Star, Frederick Solberg, Jr., photographer

Figure 3.--United States Post Office, after Brush Creek flood crest, on Ward Parkway at Country Club Plaza, Kansas City, Missouri.

Flood of 9-12-77, nigh-water mark.



Courtesy of Kansas City Star, Frederick Solberg, Jr., photographer

Figure 4.--View of 600 block of West 48th Street, after Brush Creek flood crest, at Country Club Plaza, Kansas City, Missouri.



Figure 5.--Areal view after flood crest, looking west along Blue River between 23rd Street and Truman Road at Kansas City, Missouri. (U.S. Corps of Engineers.)

A 10-county area was affected by the floodwater. Disaster relief to public facilities from the Federal Disaster Assistance Administration was 5.8 million dollars. Reported damages to the business community in commercial areas reached nearly 43 million dollars and grants from the Small Business Administration to individual families about 6.8 million dollars.

At the time of the flood, 1,539 flood-insurance policies were in force. As a result of the flood, 2.6 million dollars has been awarded by the Federal Insurance Administration to policy holders. Since the flood, 650 persons have made application for flood insurance.

Residents along Rock Creek in Independence, Mo., felt the brunt of the flood when 11 houses were completely destroyed. Homes were left in the middle of streets after floodwaters at ceiling levels floated them from their foundations.

RECORDED FLOOD HYDROGRAPHS

Figures 6 to 10 are flood hydrographs for the storm period at selected U.S. Geological Survey gaging-stations in the area. A rainfall mass curve is also shown for Round Grove Creek (fig. 9) where rainfall is recorded simultaneously with river stage in a dual gaging system. The gage structures on Rock Creek at Independence, Mo., and Brush Creek at Main Street at Kansas City, Mo., were damaged during the flood peak and parts of the flood hydrographs were computed on the basis of high-water marks, earlier flow records, and the stage record prior to gage failure. Estimated hydrographs are shown as dashed lines.

FLOOD PROFILES

Water-surface profiles of the flood on Blue River, Brush Creek, Rock Creek (Kansas), and Little Blue River are shown in figures 11 to 14. Where information is available, elevation of bridge floors is shown to indicate road overflow. The profile of the flood of September 1961 on the Blue River is shown for comparison (fig. 11). The effect of inflow from Brush Creek at mile 11.8 is evident. Flood boundaries along streams discussed in this report are available at the office of the U.S. Army Corps of Engineers, in Kansas City, Mo.




Figure 6.--Flood hydrograph at U.S. Geological Survey gaging-station, on Tomahawk Creek at Overland Park, Kansas, flood of September 12-13, 1977.




Figure 7.--Flood hydrograph at U.S. Geological Survey gaging-station, on Indian Creek at Overland Park, Kansas, flood of September 12-13, 1977.




Figure 8.--Flood hydrograph at U.S. Geological Survey gaging-station, on Brush Creek at Main Street, Kansas City, Missouri, flood of September 12-13, 1977.




Figure 9.--Flood hydrograph and mass curve of rainfall at U.S. Geological Survey gaging-station on Round Grove Creek at Raytown, Missouri, flood of September 12-13, 1977.





Figure 10.--Flood hydrograph at U.S. Geological Survey gaging station on Rock Creek at Independence, Missouri, flood of September 12-13, 1977.








Figure 11.--Profile of water surface of Blue River, floods of September 12-13, 1977 and September 1961--continued



of September 12-13, 1977. Brush Creek, flood of surface Figure 12. -- Profile of water



Brush Creek, flood of September 12-13, 1977 -- continued Figure 12. -- Profile of water surface of








Figure 13.--Profile of water surface of Rock Creek (Kansas), flood of September 12-13, 1977.

ELEVATION, IN FEET ABOVE NATIONAL GEODETIC VERTICAL DATUM



ELEVATION, IN FEET ABOVE NATIONAL GEODETIC VERTICAL DATUM



FLOOD STAGES AND DISCHARGES

Peak discharges were determined at 31 sites (tables 1 and 2, and fig. 15). Indirect determinations of discharges were made at 13 continuous-record stations and at 13 miscellaneous sites. One current-meter measurement was made on Little Blue River at Lake City, Mo. Peak discharges were obtained from stage-discharge relations developed at five sites. Figure 15 shows the locations of the sites together with the drainage system. Peak discharges were measured both in the fringe areas (areas of low rainfall depth) and in areas of maximum rainfall. Table 1 lists the discharge measurement sites in downstream order. Previously known peak stages and discharges are shown where gaging-station records are available.

Frequencies of flood discharges are estimated for recurrence intervals of 100-years or less. For greater discharges recurrence intervals are noted only as "greater than 100-years." Recurrence intervals were determined on the basis of guidelines provided in the U.S. Water Resources Council Bulletin 17 (1976).




Figure 15.--Flood area and location of flood-determination points.

Table 1.--Summary of peak stages and discharges for floods of September 12-13, 1977

g S	Permanent station number	Stream and place of determination	Drainage area (mi²)	Period of record	Maximum fl Date	Gage Sage height (ft)	Maximum flood previoulsy known Gage Height Discharge (ft) (ft ³ /s)	Maximum Date	flood Lage height (ft)	Dis- charge (ft 3/s)	of September 12-13, D1s- charge Discharge (ft ³ /s) (ft ² /s)/mi ²	1977 Recurrence interval (years)
-	06821280	Line Creek at Riverside, Mo.	19.2	1976-	5-18-74	29.0		9-13-77	16.22	4,300	167	5
2	06892800	Turkey Creek at Merriam, Kans.	6.76	1974-	8-26-75	17.11		9-12-77	21.65	5,300	784	100
10		Turkey Creek Trib. at Carter St. at Werriam, Kans.	.82	1	i	;		9-12-77	;	1,200	1,460	20
4		Turkey Creek at 63rd St. at Merriam Kans.	7.84	i	1	1		9-12-77	:	6,490	827	>100
ın	06892940	Turkey Creek at Kansas City, Kans.	22.3	1974-	8-26-75	16.31	-	9-12-77	25.2	11,700	552	>100
9	06893080	Blue River near Stanley, Kans.	46	1970-	6-9-74	16.83	7,500	9-13-77	5.17	214	S	
7	06893250	Indian Creek near Overland Park, Kans.	14.8	1970-76	6-22-9	21.02	3,300	9-13-77	18.72	1,300	00 00	ю
00	06893300	Indian Creek at Overland Park, Kans.	26.6	1963-	7-15-76	a _{11.62}	6,540	9-13-77	15.50	8,820	332	>100
on.	06893350	Tomahawk Creek near Overland Park, Kans.	23.9	1970-	6-25-69	19.79		9-13-77	17.74	4,290	179	œ
10	06893500	Blue River near Kansas City, Mo.	188	1940-	9-13-61	44.46	41,000	9-13-77	34.74	20,500	109	10
п		Blue River Trib. at Bannister Road near Kansas City, Mo.	3,38	1	1	1		9-13-77		4,040	1,195	>100
12		Brush Creek at 75th and Nall Ave. at Prairie Village, Kans.	1.51	1	1	1		9-12-77		3,000	1,990	>100
13		Brush Creek at 63rd St. and Mission Hills, Kans.	5.84	i	1	1	i	9-12-77		14,400	2,740	>100
14		Rock Creek at Woodson and Martway St. at Mission, Kans.	1.15	!	1	1		9-12-77		1,980	1,720	25
15		Rock Creek at Sheridan Road at Fairway, Kans.	3.04	1	1	1		9-12-77		4,900	1,610	>100
16	06893560	Brush Creek at Main St. at Kansas City, Mo.	14.8	1971-	1	:	1	9-12-77	23.24	17,600	1,243	>100
17	06893570	Round Grove Creek at Raytown Road at Kansas City, Mo.	5.87	1	I	!	1	1		13,200	2,249	>100
00		Blue River at 12th St. at Kansas City, Mo.	264	1	1	1	-	9-13-77		34,900	132	>100
19	06893600	Rock Creek at Independence, Mo.	5.20	1968-	6-19-67	14.22	2,520	9-12-77	16.7	7,760	1,492	>100

Table 1.--Summary of peak stages and discharges for floods of September 12-13, 1977--continued

					Maximum fl	ood previ	Maximum flood previoulsy known		f100d	of Septer	Maximum flood of September 12-13, 1977	1977
Mag 8	rermanent station number	Stream and place of determination	Drainage area (mi²)	Period of record	Date	Gage height (ft)	Discharge (ft ³ /s)	Date	Gage height (ft)	Dis- charge ft ³ /s)	Red Discharge (ft ² /s)/mi ²	Recurrence interval (years)
20	06893670	Shoal Creek at Claycomo, Mo.	29.8	-9261	5-18-74	33.18		9-13-77	20.62	8,000	268	20
21	06893680	Mill Creek at 56th St. at Gladstone, Mo.	1.24	1	1	1	-	9-12-77		800	645	15
22	06893710	Cates Branch near Liberty, Mo.	1.95	:	!	:	-	9-12-77	10.73	2,480	1,272	>100
23		Mill Creek at Courtney Road near Independence, Mb.	1.95	1	1	1		9-12-77		2,240	1,149	>100
24	06893793	Little Blue River below Longview Road Damsite at Kansas City, Mo.	50.7	1967.	6-27-69	11.19	-	9-13-77	21.07	18,100	367	>100
25		Cedar Creek at Lees Surmit, Mo.	1.84	:	1	;	1	9-12-77		2,410	1,310	>100
56		White Oak Creek at Paytown Road at Paytown, Mo.	1.78	1	1	1		9-12-77		2,290	1,286	>100
27		Little Blue River Trib, at Noland Road at Intepencence, Mo.	0.83	1	1	1	:	9-12-77		2,330	2,807	>100
28	06893890	East Fork Little Blue River near Blue Springs, Mo.	34.4	1970-	5-18-74	19.19	:	9-13-77	20.13	2,000	145	10
53	06894000	Little Blue River near Lake City, Mo.	184	1949-	9-14-61	27.94	9,460	9-13-77	23.30	17,500	95.1	>100
30	06894680	Sni-A-Bar Creek near Tarsney, Mo.	29.1	1971-	9-11-77	21.93	4,300	9-13-77	23,30	15,700	540	>100
31		Tucker Creek at Highway FF near Grain Valley, Mo.	1.45	1	1	1	-	9-12-77		1,890	1,303	>100
-	-											

a At site 500 feet downstream.

Table 2. -- Description of discharge measurement sites

Map no.	Permanent station number	Station name	Location
-	06821280	Line Creek at Riverside, Mo.	Lat 39°10'32", long 94°36'46", in SW\$SW\$NE\\$ sec. 4, T. 50 N., R. 33 W., Platte County, just downstream on left bank from bridge of old U.S. Highway 71 at Riverside, 100 ft upstream from Jumping Branch, approximately 1 mi upstream from mouth and 1 mi south of Interstate 29.
∾ 26	06892800	Turkey Creek at Merriam, Kans.	Lat 39°00'28", long 94°41'56", in SW&SE&NW% sec. 13, T. 12 S., R. 24 E., Johnson County, on downstream side of bridge on 67th Street, at Merriam, Kans.
m		Turkey Creek tributary at Carter St. at Merriam, Kans.	Lat 39°00'50", long 94°41'48", in NEWNEWN sec. 13, T. 12 S., R. 24 E., Johnson County, at Carter St., and 1,200 ft upstream from mouth.
4		Turkey Creek at 63rd St., at Merriam, Kans.	Lat 39°00'53", long 94°42'03", on line between secs. 12 and 13, T. 12 S., R. 24 E., and at Highway 10 (63rd St.).

Table 2. -- Description of discharge measurement sites -- continued

Location	Lat 39°03'31", long 94°37'33", in SE%SW%SW% sec. 27, T. 11 S., R. 25 E., Wyandotte County, on downstream side of bridge on State Highway 10, at Kansas City, Kans.	Lat 38°48'45", long 94°40'31", in SW%SW%SE% sec. 19, T. 14 S., R. 25 E., Johnson County on U.S. Highway 69, 0.5 mi downstream from confluence of Wolf Creek and Coffee Creek, and 3 mi south of Stanley, Kans.	rk, Lat 38°54'45", long 94°43'24", in NWWNWWNWW sec. 23, T. 13 S., R. 24 E., Johnson County, at right bank, on downstream side of bridge on Morse Road, 2.5 mi southwest of Overland Park, Kans.	., Lat 38°56'25", long 94°40'10", in NWENEENEE sec. 7, T. 13 S., R. 25 E., Johnson County at bridge on Marty St. in Overland Park, Kans.
Station name	Turkey Creek at Kansas City, Kans.	Blue River near Stanley, Kans.	Indian Creek near Overland Park, Kans.	Indian Creek at Overland Park, Kans.
Permanent station number	06892940	06893080	06893250	06893300
Map no.	w	vo	7	ω

Table 2. -- Description of discharge measurement sites -- continued

Location	Lat 38°54'47", long 94°37'54", in NEWNEWNEW sec. 21, T. 13 S., R. 25 E., Johnson County, at bridge on 119th St., 1.4 mi south of Overland Park, 4.4 mi northeast of Stanley, Kans.	Lat 38°57'26", long°94 33, 41", in SE½NE½ sec. 28, T. 48 N., R. 33 W., Jackson County at bridge on old Bannister Road, 0.4 mi downstream from Indian Creek, and at river mile 23.16.	er Lat 38°57'14", long 94°32'17", in SW½SW¼NW¼ sec. 26, T. 48 N., R. 33 W., at Bannister Road and U.S. Highway 71, 1.3 mi upstream from confluence with Blue River.	Lat 39°59'35", long 94°38'55", on line between sec. 20 and 21, T. 12 S., R. 25 E., at 75th St. and Nall Ave.	Lat 39°00'55", long 94°37'19", in SE%SE%SW% sec. lo, T. 12 S., R. 25 E., at south edge of Kansas City Country Club at 63rd St. in Mission Hills, Kans.
Station name	Tomahawk Creek near Overland Park, Kans.	Blue River near Kansas City, Mo.	Blue River tributary at Bannister Road near Kansas City, Mo.	Brush Creek at 75th St. and Nall Ave. at Prairie Village, Kans.	Brush Creek at 63rd St. at Mission Hills, Kans.
Permanent station number	06893350	06893500			
Map no.	O	Q 28	=	12	53

Table 2. -- Description of discharge measurement sites -- continued

Location	Lat 39°01'13", long 94°39'14", in SE%NW%SE% sec. 8, T. 12 S., R. 25 E., between Woodson and Martway St., l block north of Mission, Kans., City Hall, and 2.5 mi upstream from confluence with Brush Creek.	Lat 39°01'31", long 94°38'04", in NW%SE%NE% sec. 9, T. 12 S., R. 25 E., at Sheridan Road and atriver mile 1.2.	Lat 39°02'24", long 94°35'12", in SWANE&SWA sec. 29, T. 49 N., R. 33 W., Jackson County at Main St., 4 mi upstream from Blue River.	Lat 39°02'29", long 94°28'59", in SEANE& of sec. 30, T. 48 N., R. 32 W., Jackson County, on Raytown Road, 0.5 minorthwest of junction with Rock Creek Road, 1.1 mi southeast of junction with Interstate Highway 435, and 1.8 minupstream from confluence with Blue River.
Station name	Rock Creek at Woodson and Martway St. at Mission, Kans.	Rock Creek at Sheridan Road at Fairway, Kans.	Brush Creek at Main St. at Kansas City, Mo.	Round Grove Creek at Raytown Road at Kansas City, Mo.
Permanent station number			06893560	06893570
Map no.	14	29	16	11

Table 2. -- Description of discharge measurement sites--continued

Map no.	Permanent station number	Station name	Location
81		Blue River at 12th St. at Kansas City, Mo.	Lat 39°05'48", long 94°29'24", in NWENEESWE sec. 6, T. 49 N., R. 32 W., Jackson County, at 12th St. and Interstate Highway 435 exit ramp, 0.2 mi downstream from Truman Road, and at river mile 4.3.
<u>30</u>	06893600	Rock Creek at Independence, Mo	Lat 39°04'37", long 94°27'03", in NW&SW&SE's sec. 9, T. 49 N., R. 23 W., at Northern Blvd. in Independence, one-fourth mi south of 23rd St., and at river mile 4.0.
52	06893670	Shoal Creek at Claycomo, Mo.	Lat 39°12'27", long 94°28'45", in NENWENEE sec. 27, T. 51 N., R. 32 W., Clay County, at U.S. Highway 69, 2.5 mi upstream from confluence with Little Shoal Creek, 10 mi upstream from confluence with Missouri River.
23	06893680	Mill Creek at 56th St. at Gladstone, Mo.	Lat 39°11'43", long 94°32'54", on sec. line between secs. 30 and 31, along Antioch Road, 1.96 mi upstream from Rock Creek on corporate boundary line between Gladstone and Kansas City, and at river mile 6.17.

Table 2.--Description of discharge measurement sites--continued

Map no.	Permanent station number	Station name	Location
22	0689710	Cates Branch near Liberty, Mo.	Lat 39°13'16", long 94°24'53", in NW\N\\ sec. 20, T. 51 N., R. 32 W., Clay County, on Sherril Drive 0.2 mi west of U.S. Highway 71 bypass, 0.7 mi upstream from mouth, 1.2 mi south of junction of Highways 33 and 71 bypass at Liberty, Mo.
31		Mill Creek at Courtney Road near Independence, Mo.	Lat 39°07'56", long 94°24'16", in NWASE4SE4, sec. 23, T. 50 N., R. 32 W., Jackson County, about 0.2 mi downstream from Kentucky Road, at private drive, and 1.3 mi upstream from U.S. Highway 71.
24	06893793	Little Blue River below Longview Road Damsite at Kansas City, Mo.	Lat 38°55'52", long 94°28'12", in NW\SE\SE\SE\sec. 32, T. 48 N., R. 32 W., Jackson County, 700 ft downstream from Longview Damsite, l mi downstream from Longview Road, and 2 mi upstream from Cedar Creek.
25		Cedar Creek at Lees Summit, Mo.	Lat 38°54'10", long 94°24'12", in NW\\N\\\SE\\\SE\\\SE\\\SE\\\\SE\\\SE\\\S

Table 2. -- Description of discharge measurement sites -- continued

Map no.	Permanent station number	Station name	Location
56		White Oak Creek at Raytown Road at Raytown, Mo.	Lat 38°58'15", long 94°27'54", in SW4NE\SE\ sec. 20, T. 48 N., R. 32 W., Jackson County, l.3 mi north of Bannister Road, 2.7 mi upstream from confluence with Little Blue River.
27		Little Blue River tributary at Noland Road at Independence, Mo.	Lat 39°01'42", long 94°24'50", in NW&NW\&NE\& sec. 35, T. 49 N., R. 32 W., Jackson County, 0.5 mi south of Alternate Highway 40 and 0.3 mi north of Missouri Pacific Railroad on Noland Road, and 1.7 mi above confluence with Little Blue River.
88	06893890	East Fork Little Blue River near Blue Springs, Mo.	Lat 39°01'32", long 94°20'37", in NEWNEWNWE sec. 33, T. 49 N., R. 31 W., Jackson County, on U.S. Highway 40, 2.6 mi west of Blue Springs, and 1.5 mi upstream from mouth.
58	06894000	Little Blue River near Lake City, Mo.	Lat 39°06'02", long 94°18'01", in SWESE sec. 35, T. 50 N., R. 31 W., Jackson County, on dual State Highway 78, 3 mi southwest of Lake City, and 10.5 mi upstream from mouth.

Table 2.--Description of discharge measurement sites--continued

Location	Sni-A-Bar Creek near Tarsney, Mo. Lat 38°56'28", long 94°10"05", in SW&SW\\\M\\\M\\\\\\\\\\\\\\\\\\\\\\\\\\\	Lat 39°03'52", long 94°07'24", on divide between secs. 12 and 13, T. 49 N., R. 30 W., Jackson County, on Highway FF, 1.2 mi east of intersection with Highway BB, and 3.5 mi north of Grain Valley.
Station name	Sni-A-Bar Creek near Tarsney, Mo.	Tucker Creek at Highway FF near Grain Valley, Mo.
Permanent station number	06894680	
Map no.	30	31

Comparison with Maximum Known Discharges

Peak discharges of the September 1977 flood, together with peak discharges of the July 1951 flood in Missouri and Kansas (U.S. Geol. Survey, 1952, p. 199), are plotted against their respective drainage areas in figure 16 for comparison with previous maximum discharges known in the United States. A curve developed by Matthai (1965) on basis of maximum floods known in the United States defines the approximate upper limit of known floods in 1965 (fig. 16). Peak discharges encountered in the September 1977 flood do not approach the maximum flood experience defined by Matthai. Curve values are more than double the highest peak flows of September 12-13, 1977.






Figure 16.--Comparison of September 12-13, 1977, peak discharges to upper limit of known floods in the United States.

REFERENCES

- Hershfield, D. M., 1961, Rainfall frequency atlas of the United States for duration from 30 minutes to 24 hours and return periods form 1 to 100 years: U.S. Weather Bureau Technical Paper No. 40, 61 p.
- Matthai, H. F., 1965, Floods of June 1965 in South Platte River basin, Colorado: U.S. Geological Survey Water-Supply Paper 1850-B, 64 p.
- U.S. Geological Survey, 1952, Kansas-Missouri floods of July 1951: U.S. Geological Survey Water-Supply Paper 1139, 239 p.
- U.S. Water Resources Council, 1976, Guidelines for determining flood flow frequencies: U.S. Water Resources Council Bulletin 17, 26 p.