



AD-A076 593 METCALF AND EDDY INC PALO ALTO CA
URBAN RUNOFF WATER QUALITY AT CASTRO VALLEY CREEK, ALAMEDA COUNT--ETC(U)
SEP 79

F/G 13/2
DACP07-78-C-0067
NL

UNCLASSIFIED

1 OF 2
AD
A076593





MICROCOPY RESOLUTION TEST CHART

ADA 076593

REPORT TO

LEVEL II

SAN FRANCISCO DISTRICT
CORPS OF ENGINEERS

ON DETERMINATION OF

URBAN RUNOFF
WATER QUALITY

AT

CASTRO VALLEY CREEK
ALAMEDA COUNTY, CALIFORNIA
NOVEMBER 1978 - APRIL 1979



DDC FILE COPY



METCALF & EDDY/ENGINEERS
BOSTON/NEW YORK/PALO ALTO/CHICAGO

SEPTEMBER 1979

This document has been approved
for public release and sale; its
distribution is unlimited.

79 11 07

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
⑥ URBAN RUNOFF WATER QUALITY AT CASTRO VALLEY CREEK Alameda County, California November 1978		⑨ FINAL rep. /
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)	6. PERFORMING ORG. REPORT NUMBER
METCALF & EDDY/ENGINEERS	DACW07-78-C-0067	15
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
METCALF & EDDY/ENGINEERS Inc 1029 Corporation Way, PO Box 10-046 Palo Alto, CA 94303		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
U.S. ARMY ENGINEER DISTRICT SAN FRANCISCO 211 Main Street San Francisco, CA 94105		11 Sept 1979
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES
(12) 178		172
15. SECURITY CLASS. (of this report)		
Unclassified		
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)		
APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
URBAN RUNOFF, WATER QUALITY, HEAVY METALS, CONTAMINANTS, SAN FRANCISCO BAY <i>spell out & FIFTEEN</i>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) <i>The report</i> INVESTIGATES THE CONTAMINANT LOADING CARRIED FROM URBAN DEVELOPED AREAS BY STORM RUNOFF AND DEPOSITED IN THE BAY SYSTEM. 15 STORMS WITH 2 MAJOR STORMS (0.5 in. or more of rain) AND 2 Minor STORMS (0.2 in. or more of rain) WERE SAMPLED AT 15 MIN. INTERVALS FOR THE INITIAL PEAK AND 1 HOUR INTERVALS FOR THE REST OF THE STORM. SAMPLES WERE TESTED FOR COD, N, ORTHO P, Pb, Cr, Cu, Cd, Ni, Zn, ALKALINITY, MBAS, SS, USS, SPECIFIC CONDUCTANCE, pH, SETTLEABLE SOILDS, BOD, AND COLIFORMS.		

REPORT TO

**SAN FRANCISCO DISTRICT
CORPS OF ENGINEERS**

ON DETERMINATION OF

**URBAN RUNOFF
WATER QUALITY**

AT

**CASTRO VALLEY CREEK
ALAMEDA COUNTY, CALIFORNIA
NOVEMBER 1978 - APRIL 1979**



METCALF & EDDY/ENGINEERS

BOSTON / NEW YORK / PALO ALTO / CHICAGO

SEPTEMBER 1979

1029 Corporation Way, P O. Box 10-046, Palo Alto, CA 94303
415/964-7100 TELEX 33-4427

Metcalf & Eddy, Inc.

Engineers & Planners

September 6, 1979

Department of the Army
San Francisco District, Corps of Engineers
211 Main Street
San Francisco, California 94105

Attention: LTC Raymond F. Jackson, Contracting Officer

Gentlemen:


Transmitted herewith in accordance with our Contract No. DACW07-78-C-0067 Dated 18 October 1978 is our Final Report on the Determination of Urban Runoff Water Quality at Castro Valley Creek, Alameda County, California, November 1978 - April 1979.

This report presents the results of the water quality sampling program for 15 storms during the fiscal year 1978. The data presented in this report supplement data collected previously at the site during fiscal years 1972 through 1976 by the U.S. Geological Survey and fiscal year 1977 by Alameda County under contract with the Corps of Engineers.

Information presented in the report includes a description of the study area, a description of the sampling program, and a summary of the results of the water quality analyses. Detailed information on each of the storm events is included in the appendix.

We sincerely appreciate the opportunity of working on this assignment.

Respectfully submitted,



John A. Lager, PE
Vice President

JAL:WGS:mgs

Registered Civil Engineer
California License 16359

CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
Purpose.....	1
Format.....	1
Acknowledgements.....	2
STUDY AREA.....	3
SAMPLING PROGRAM.....	6
Storm Definition.....	6
Quality Parameters.....	6
Equipment.....	6
SUMMARY OF RESULTS.....	11
Rainfall.....	11
Storm Characteristics.....	13
Quality.....	13
Limitations on Data.....	19
APPENDIX A - Storm Event Reports	A-1

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Availand/or special
A	

TABLES

No.		Page
1	Water Quality Parameters Analyzed.....	7
2	Rain Gage Location and Characteristics.....	8
3	Monthly Rainfall.....	11
4	Comparison of Days Sampled with Days with Rainfall.....	11
5	Summary of Storm Event Characteristics.....	14
6	Rainfall Frequency Distribution for Storms Sampled.....	15
7	Summary of Constituent Concentrations and Annual Mass Loads.....	16
8	Summary of Composite Sample Mass Loadings.....	17

FIGURES

1	Castro Valley Creek Watershed.....	4
2	Aerial View of Castro Valley Study Site.....	5
3	Automatic Sampler.....	9
4	Stream Flow Recording Equipment.....	10
5	Rainfall at Proctor School Gage.....	12
6	Variations in Quality for Composite Samples for Selected Quality Constituents.....	18
7	Stream Gage and Sampling Location During Storm-- 8 January 1979.....	20
8	Automobile Body that Passed Through Control Section During Storm--8 January 1979.....	20

INTRODUCTION

In 1972, the California State Water Quality Control Board, the U.S. Environmental Protection Agency, and the San Francisco District of the Corps of Engineers entered into an interagency water quality management planning assistance agreement. The agreement specified, among other things, that the Corps would provide planning assistance to the state for preparation of the Comprehensive Water Quality Control Plans for hydrologic basins within the San Francisco Bay and delta region. One aspect of the assistance was determining the feasibility of collecting and treating urban storm runoff from the 12-county study area (Alameda, Contra Costa, Marin, Napa, Sacramento, San Francisco, San Joaquin, San Mateo, Santa Clara, Solano, Sonoma, and Yolo counties).

In 1972, a pilot monitoring program to collect urban storm runoff quality data from the Castro Valley Creek watershed was established. Additional watersheds were added to the program in 1973. Since 1972, the Corps has been responsible for gathering additional quality data for Castro Valley Creek on an annual basis.

PURPOSE

The purpose of this study was to determine the quantity and quality of urban storm runoff at Castro Valley Creek, California. The data collected will be used in the assessment of surface runoff control measures within the Castro Valley Creek watershed.

FORMAT

The report presentation is organized into four parts. The individual storm event reports are located in the Appendix.

The first part, Introduction, includes the background, purpose of the study, the presentation format description, and the acknowledgments.

The second part, Study Area, describes the Castro Valley Creek study area.

The third part, Sampling Program, includes a description of storm event definition along with a discussion of the quality parameters, the analysis procedures, and the equipment used.

The fourth part, Summary of Results, provides a discussion of the characteristics of the storm event, the daily rainfall distribution, the quality of the runoff during the storm event, and an estimate of the pollutant mass loads from the storm event.

ACKNOWLEDGMENTS

This report was submitted in fulfillment of Contract No. DACW07-78-0067 by Metcalf & Eddy, Inc., Western Regional Office, under the sponsorship of the San Francisco District of the U.S. Army Corps of Engineers. Work covers the period from September 1978 to September 1979. This report has been prepared by George B. Otte and Elizabeth M. Gowen under the direction of John A. Lager, Vice President, and William G. Smith, Project Manager. Laboratory analyses were performed by Ronald Ranes.

The cooperation and assistance of Mr. Richard Byers and Mr. Dennis Thuet of the Corps of Engineers is gratefully acknowledged by Metcalf & Eddy.

The assistance of the U.S. Geological Survey (USGS) in providing streamflow and rainfall records is acknowledged, especially the help of John Limerinos.

Additional rainfall records were provided by the Alameda County Flood Control District. The district also provided invaluable service by notifying Metcalf & Eddy personnel of the actual onset of rainfall in the study area. The assistance of Jack Lindley, Garry Shawley, Fred Wolin, and P.E. Baker of the district is gratefully appreciated.

STUDY AREA

The study area shown in Figure 1 is the drainage basin for Castro Valley Creek and Tanglewood Creek above the USGS stream gage just upstream of the junction of Castro Valley Creek and San Lorenzo Creek. An aerial photo view of the study area is shown in Figure 2. The tributary watershed area is approximately 5 square miles and is about 85% urbanized. Recent land use surveys estimate the area to have the following land use composition:

Residential	40%
Commercial	9%
Streets and highways	21%
Vacant, open, and agricultural	30%

The basin is typically residential and includes more than a dozen schools, some light commercial areas, and automobile traffic from a major highway.




Figure 1. Castro Valley Creek watershed.



Figure 2. Aerial view of
Castro Valley study site.

Photograph furnished by
Alameda County Flood Control District

SAMPLING PROGRAM

STORM DEFINITION

A storm was defined as any period during which measurable precipitation occurred in the Castro Valley Creek watershed and in which at least 1/10 inch of rain was recorded. A storm event was defined as any storm which was preceded and followed by a period of 6 or more hours with no measurable precipitation. The maximum length of a storm event was not to exceed 24 hours.

QUALITY PARAMETERS

Quality samples were obtained during 15 storm events. A flow weighted composite sample was collected and analyzed for each of the storms. With each composite sample a single depth integrated discrete grab sample was collected and analyzed. The discrete grab sample was collected at the same time as one of the individual samples for the composite as a check to ensure that the individual sample was representative of the flow at that time.

Of the 15 storms, 2 major storms (0.5 in. or more of rain) and 2 minor storms (0.2 in. or more of rain) were selected for detailed analysis. Individual discrete samples in addition to the composite sample were collected and analyzed. These individual discrete samples were collected at 15-minute intervals for the initial streamflow peak and at 1 hour intervals for the rest of the storm or a maximum of 24 hours.

The water quality parameters included in the analyses for each of the various types of storms are listed in Table 1.

All analyses were conducted in accordance with the procedures described in Standard Methods for the Examination of Water and Wastewater, 14th Edition.

EQUIPMENT

Rainfall and stream level recorders and mechanical water sampling equipment were used during this study. Three continuously recording rain gages monitor rainfall within the watershed. The location and characteristics of these gages are summarized in Table 2 and are shown in Figure 1.

Table 1. WATER QUALITY PARAMETERS ANALYZED

Water quality parameters	All sample periods	Major and minor storm intensive sampling					
		Selected storms		Discrete grab samples		Flow weighted composite 15 min.	
		Discrete grab samples	Flow weighted composite	Total	Dissolved	Total	Dissolved
Maximum discharge	X						
Average discharge	X	X		X			
Date and time	X						
Graph of flow	X						
Observations and comments	X						
Total discharge	X						
Flow		X		X			
Temperature		X		X			
Specific conductance		X		X			
pH		X		X			
Alkalinity, total					X	X	X
Suspended solids	X	X		X			
Volatile suspended solids	X	X					
Settleable solids	X						
Coliform, total	X		X				
Coliform, fecal	X		X				
Nitrogen, total		X	X				
Nitrogen, total nitrate				X	X	X	X
Nitrogen, total Kjeldahl				X	X	X	X
Phosphorus, total			X				
Phosphorus, total ortho		X		X	X	X	X
Cadmium				X	X	X	X
Chromium				X	X	X	X
Copper				X	X	X	X
Lead			X	X	X	X	X
Mercury				X	X	X	X
Nickel				X	X	X	X
Zinc				X	X	X	X
MBAS (methyl blue active substances)				X	X	X	X
Biochemical oxygen demand	X						
Chemical oxygen demand		X					

Table 2. RAIN GAGE LOCATION AND CHARACTERISTICS

Name	Location	Gage type	Owner	Operator	Accuracy
Castro Valley Fire District	Intersection of Redwood Road and Heyer Avenue	Weighing bucket	Alameda County Flood Control District	Castro Valley Fire Department	0.01 in. continuous chart
Proctor School	Redwood Road opposite Hillside Avenue	Digital recorder	USGS	USGS	0.01 in. 15-min increment
Sydney School	Sydney Way opposite Clyda Court	Digital recorder	USGS	USGS	0.01 in. 15-min increment

The stream level at the Castro Valley Creek gage was monitored by a manometer-servo water level sensor and recorded on a paper tape digital recorder and also on a continuous strip chart owned and operated by USGS. The USGS provided the stream level data for this study. Two additional stream level recorders, Seaview and Knox (see Figure 1) were installed and operated by USGS during the 1978-1979 storm season. The two additional stream gages were used by the Alameda County Flood Control District for monitoring flow and quality from two subareas in the Castro Valley Creek watershed as part of a separate project. Metcalf & Eddy used these gages only to obtain general information on runoff patterns within the study area.

Water quality samples were collected using both automatic and hand grab techniques. All samples for intensive analysis or for flow weighted composite analysis were collected using an ISCO automatic sampler, Model 1680. The automatic sampler lifted the sample approximately 18 feet through 25 feet of 1/4-in. I.D. vinyl tubing. Discrete samples were collected directly into the sample bottles during periods of low flow. During periods of high flow, personnel safety considerations required using a sampling bucket to collect discrete samples rather than more sophisticated equipment.

The automatic sampler is shown in Figure 3. The streamflow recording equipment is shown in Figure 4. The digital encoder, manometer-servo water level sensor, and strip chart recorder are shown inside the gage house.




Figure 3. Automatic sampler.




Figure 4. Stream flow recording equipment
(left to right--digital encoder, manometer-servo
level sensor, and strip chart recorder).

SUMMARY OF RESULTS

RAINFALL

The surface runoff from 15 storms occurring between 1 November 1978 and 1 May 1979 was sampled during this study. A listing of the monthly rainfall during this period for the three raingages in the study area is presented in Table 3. A daily history of the rainfall during this period for the Proctor School gage (the only gage for which uninterrupted daily records were available) is shown in Figure 5. Identified in the figure are the storms during which sampling occurred. A comparison of days during which sampling occurred with days of rainfall for various rainfall amounts is presented in Table 4. Water quality sampling was performed on approximately 40% of the days rainfall occurred; 80% of the major storms (rainfall >0.5 in.) were sampled.

Table 3. MONTHLY RAINFALL
November 1978 through April 1979

Month	Castro Valley Fire Station	Proctor School	Sydney School
Nov 1978	2.30	2.33	2.16
Dec 1978	1.32	0.81	0.81
Jan 1979	6.56	6.44	6.39
Feb 1979	4.89	4.94	5.07
Mar 1979	3.98	2.77	2.69
Apr 1979	0.78	0.65	0.53
Total	19.83	17.94	17.65

Table 4. COMPARISON OF DAYS SAMPLED
WITH DAYS WITH RAINFALL

Rainfall per day	Number of days	Days sampled
>0	53	21
>0.2	22	16
>0.5	10	8

2.0

1.5

1.0

0.5

0.0

TOTAL MEASURED RAINFALL, inches




Figure 5. Rainfall at Proctor School gage
November 1978 through April 1979.

STORM CHARACTERISTICS

A summary of the storm characteristics for the storm events sampled are listed in Table 5. Included in this table for each storm are: total rainfall, rainfall duration, and maximum 15-minute rainfall intensity for the Proctor School gage. The runoff volume measured at the stream gage, the storm event duration (from the earliest rainfall to 3 hours beyond the latest rainfall at any of the three raingages) and the adjusted rainfall for the study area are also included in Table 5. The adjusted rainfall is the equivalent rainfall for the study area based on the Thiessen Polygon Method using the available rain gage records for each storm.

Of the storms sampled, there were four hundred sixty-seven 15-minute intervals during which rainfall occurred. The largest 15-minute rainfall measurements were 0.40 in. at the Castro Valley Fire Station, 0.25 in. at Proctor School, and 0.18 in. at Sydney School. The rainfall frequency distribution for 15-minute intervals during which rainfall was recorded for the storm sampled is listed in Table 6.

QUALITY

The quality of the surface runoff from Castro Valley Creek is very typical of surface runoff from other parts of the country, as shown in Table 7. All of the measured concentrations are within the range of concentrations for national data with the exception of total Kjeldahl nitrogen; Castro Valley Creek concentrations are only slightly higher. Also summarized in Table 7 are the expected annual pollutant loads extrapolated from the loads computed from the sampled storms.

The variations due to storm and seasonal differences are evident in the normalized mass loads summarized in Table 8. The concentrations that the loads are calculated from are presented in Figure 6. The most interesting characteristic of the concentration variations is the significant drop that often occurs after large storms. This data must be treated with caution because nonstructural, best management practice, surface control measures were being utilized within the watershed with an unquantified impact on the collected data. In fact, it is in part the purpose of this program to collect data to assist in the quantification of those impacts.

The results of the water quality sampling for each storm event are included in the individual storm event reports contained in the appendix to this report.

Stream flow and water quality were monitored at the Knox and Seaview gages (see Figure 1) by the Alameda County Flood Control District during the period of this study. The District expects to submit a progress report to the U.S. EPA on the results of their fiscal year 1978-1979 sampling program in October 1979. A final report on their 2-year program is anticipated in October 1980.

Table 5. SUMMARY OF STORM EVENT CHARACTERISTICS

Storm event No.	Storm type	Analysis type	Rainfall ^a				Adjusted rainfall, in. ^c	Runoff volume, ft ³	Storm event duration, hr
			Total, in.	Duration, hr	Maximum 15 min intensity, in.				
1	19 Nov 1978	Minor	Composite	0.39	6.25	0.04	0.36	783,600	9.50
2	20-21 Nov 1978	Major	Composite	1.38	19.50	0.10	1.41	4,334,800	25.00
3	17 Dec 1978	Minor	Intensive	0.39	12.50	0.05	0.40	1,035,800	21.00
4	7 Jan 1979	Minor	Composite	0.34	14.75	0.02	0.36	682,600	15.25
5	8 Jan 1979	Major	Intensive	1.24	6.00	0.18	1.34	6,225,900	9.50
6	10-11 Jan 1979	Major	Intensive	2.57	18.75	0.13	2.38	17,946,700	26.00
7	30 Jan 1979	--	Composite	0.01	0.25	0.01	0.04	80,300	5.75
8	13-14 Feb 1979	Major	Intensive	1.20	28.25	0.06	1.20	7,765,000	33.00
9	18 Feb 1979	Minor	Composite	0.45	10.00	0.14	0.46	3,561,400	13.75
10	20-21 Feb 1979	Major	Composite	1.15	31.00	0.08	1.35	14,200,600	35.00
11	22 Feb 1979	Major	Composite	0.64	13.75	0.13	0.78	6,513,000	17.25
12	28 Feb-1 Mar 1979	Major	Composite	0.59	9.75	0.09	0.62	2,515,300	13.25
13	26-27 Mar 1979	Major	Composite	1.84	39.00	0.25	2.00	6,922,800	39.50
14	23 Apr 1979	--	Composite	0.09	0.50	0.06	0.09	136,000	4.25
15	26 Apr 1979	Minor	Composite	0.37	12.25	0.06	0.36	971,700	15.25

a. Rainfall data measured at Proctor School rain gage.

b. A major storm event is defined as >0.5 in. of rainfall; a minor storm event is defined as >0.2 in. rainfall.

c. Rainfall adjusted by Thiessen Polygon Method using available rain gage records in drainage areas.

Table 6. RAINFALL FREQUENCY DISTRIBUTION
FOR STORMS SAMPLED

15-minute rainfall range, in.	Number of 15-minute intervals with rainfall		
	Castro Valley Fire Station	Proctor School	Sydney School ^a
0.01 - 0.04	344	389	281
0.05 - 0.09	71	75	37
0.10 - 0.14	11	10	10
0.15 - 0.19	1	2	2
0.20 - 0.24	0	0	0
0.25 - 0.29	2	1	0
0.30 - 0.34	0	0	0
0.35 - 0.39	0	0	0
0.40 - 0.44	1	0	0
0.44 - 0.54	0	0	0
Total	430	467	330

a. Sydney School gage was inoperable during portions of February, March, and April.

Table 7. SUMMARY OF CONSTITUENT CONCENTRATIONS
AND ANNUAL MASS LOADS

Parameter	Constituent concentration, mg/L ^a			No. of storms analyzed	Castro Valley Creek, mass loads		
	Range for 8 cities ^b	Castro Valley Creek			1b/yr	1b/acre·yr	
		Range	Average				
Composite samples							
COD	48-170	45-329	127	11	559,000	160	
Total N	0.82-5.80	1.1-9.6	5.0	15	29,700	8	
Total Kjeldahl N	0.57-2.09	1.6-2.7	2.3	4	14,800	4	
Ortho P	0.15-1.00	0.18-1.30	0.40	15	2,600	0.73	
Pb	0.15-0.75	0.1-0.8	0.3	15	1,600	0.46	
Cr	--	0.03-0.06	0.06	15	410	0.12	
Cu	--	0.03-0.10	0.06	15	16	0.005	
Cd	--	0.01-0.01	0.01	4	73	0.02	
Ni	--	0.06-0.06	0.06	4	510	0.14	
Zn	--	0.04-0.19	0.11	4	610	0.17	
Alkalinity	--	26-30	28	3	164,000	45	
MBAS	--	0.04-0.13	0.08	4	580	0.16	
SS	147-1,223	50-528	254	15	1,772,000	500	
VSS	53-122	16-152	68	11	414,000	120	
Discrete samples							
Specific conductance, μmho/cm	--	70-700	180	15	--	--	
pH	--	6.0-7.5	6.7	15	--	--	
Settleable solids, mL/L	--	0.1-5.5	0.9	15	--	--	
SS	147-1,223	16-800	211	15	--	--	
VSS	53-122	8-206	57	15	--	--	
BOD ₅	7-56	5-43	12	15	--	--	
Total coliforms, 10 ⁵ MPN/100 mL	--	0.2-46	8.4	15	--	--	
Fecal coliforms, 10 ⁴ MPN/100 mL	0.02-4.0	0.43-15	3.5	15	--	--	

a. Unless otherwise noted.

b. Source: Table 21. Lager, J.A., William G. Smith, William G. Lynard, Robert M. Finn, and E. John Finnemore. Urban Stormwater Management and Technology: Update and User's Guide. EPA-600/8-77-014. September 1977.

Table 8. SUMMARY OF COMPOSITE SAMPLE MASS LOADINGS^a

Storm number and date											
1	2	3	4	5	6	7	8	9	10	11	12
1/1/19	1/20-21	1/21/17	1/7	1/8	1/10-11	1/9	2/13-14	2/18	2/20-21	2/22	2/26-27
C00	44,700	19,500	--	7,700	--	--	12,500	--	33,300	29,500	25,500
lb/in.	40,500	26,500	--	4,400	--	--	2,100	--	26,800	27,300	16,700
Total N	630	1,020	130	1,050	1,500	560	1,150	1,800	2,490	3,850	28,400
lb/in.	630	940	70	4,500	5,800	90	60	1,510	2,310	4,180	14,360
lb/day	1,200	940	960	70	4,500	5,800	90	60	1,510	2,310	4,180
Total	--	--	--	410	--	570	700	--	870	--	--
Kieldani N	--	--	200	--	2,100	1,500	--	780	--	--	--
lb/in.	--	--	--	--	--	--	--	--	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
Total	--	--	--	--	--	--	--	--	--	--	--
Orton P	--	--	--	--	--	--	--	--	--	--	--
lb/in.	177	98	62	31	124	164	26	109	87	184	220
lb/day	161	135	30	17	492	372	4	98	76	170	240
Pb	60	19	82	35	102	52	25	164	97	66	52
lb/in.	60	26	39	20	375	117	4	147	78	85	57
lb/day	--	--	--	--	--	--	--	--	--	--	--
Cr	8	12	9	7	24	59	1	21	23	29	31
lb/in.	7	16	4	4	24	59	1	21	23	36	34
lb/day	--	--	--	--	--	--	--	--	--	--	--
Cu	11	15	12	1	11	51	1	13	4	23	26
lb/in.	10	21	6	1	29	1	21	12	24	34	34
lb/day	--	--	--	--	--	--	--	--	--	--	--
Cd	--	--	2	--	4	--	4	--	--	--	--
lb/in.	--	--	1	--	8	10	--	4	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
N	--	--	9	--	24	26	--	23	--	--	--
lb/in.	--	--	4	--	90	59	--	21	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
Zn	15	--	--	15	--	43	17	--	39	--	--
lb/in.	--	--	7	--	160	39	--	35	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
FeAS	--	--	15	--	9	26	--	51	--	--	--
lb/in.	--	--	7	--	3	59	--	45	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
Alkalinity	--	--	4,500	--	6,100	--	--	10,200	--	--	--
lb/in.	--	--	2,200	--	22,500	--	--	9,100	--	--	--
lb/day	--	--	--	--	--	--	--	--	--	--	--
SS	63,500	52,200	25,700	5,900	134,000	34,300	93,200	97,700	133,900	174,500	38,500
lb/in.	63,200	52,200	25,700	5,900	134,000	34,300	93,200	97,700	133,900	174,500	38,500
lb/day	19,000	11,100	--	1,300	--	--	3,800	--	29,900	36,800	4,100
lb/day	17,300	11,100	--	1,100	--	--	600	--	24,000	34,000	4,500
SS	63,500	52,200	25,700	5,900	134,000	34,300	93,200	97,700	133,900	174,500	38,500
lb/in.	63,200	52,200	25,700	5,900	134,000	34,300	93,200	97,700	133,900	174,500	38,500
lb/day	19,000	11,100	--	1,300	--	--	3,800	--	29,900	36,800	4,100
lb/day	17,300	11,100	--	1,100	--	--	600	--	24,000	34,000	4,500

Figures 1-4 show the distribution of individual storms have been normalized to present 1 in. of rainfall for equivalent 1 in. storm, and 16/day as 24 hours of actual 16/day rainfall.




Figure 6. Variations in quality for composite samples for selected quality constituents.

LIMITATIONS ON DATA

The quantity and quality data that are presented in the storm reports are generally within the limitation normally applicable to this type of work. The quality analyses were performed as prescribed in Standard Methods.

Flow data were developed from stage-discharge rating curves for the Castro Valley Creek Station developed by the USGS using velocity measurements that span the entire range of levels recorded during the 1978-1979 rainy seasons. The stream gage and sampling location are shown in Figure 7.

The major limitation on the flow data is that during the period between January 8 and February 22, a car body was lodged in the streambed approximately 100 feet downstream of the gage house and within 25 feet of the level sensing probe, as illustrated in Figure 8. The car body was washed past the gage house at approximately 1245 on January 8. During this storm, the flow level increased more than 3 feet within 1 hour; from 4.03 to 7.06 feet. The flow level actually peaked at 7.19 feet at 1310 on January 8. This level corresponds to a flow of 669.0 cfs. The car body remained at this location until the storm of February 22, 1978, at about 1200 when a peak flow of 556 cfs was sufficient to wash the car to a point out of sight downstream. During the period the car was obstructing the stream, the USGS took two velocity measurements from which they approximated an adjusted rating curve. The adjusted curve would account for a 5% reduction in total volume of flow for a typical 1-in. magnitude storm. The curve was made available at the end of March after most of the sampling was completed for the season. The existing unadjusted rating curve was used for computing flows and compositing samples during the period when the automobile body was just downstream of the gage. These flows were also used in the storm report tables and plots. While the adjusted rating curve is useful in providing an order-of-magnitude estimate as to the impact of the car on the recorded levels, it was not considered dependable in light of the limited data on which it is based.




Figure 7. Stream gage and sampling location during storm--8 January 1979




Figure 8. Automobile body that passed through control section during storm--8 January 1979.

Appendix A
STORM EVENT REPORTS

STORM EVENT REPORT NO. 1
November 19, 1978

1. Rainfall Summary


Period: November 19, 1978

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.32	1315	19 Nov 78	1845	19 Nov 78
2. Proctor School	0.39	1215	19 Nov 78	1830	19 Nov 78
3. Sydney School	0.43	1200	19 Nov 78	1745	19 Nov 78
4. San Francisco Airport	0.08	1300	19 Nov 78	1900	19 Nov 78
5. Oakland Airport	0.38	0800	19 Nov 78	1800	19 Nov 78

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, CFS	153.0	1745	19 Nov 78
Average, CFS	22.9	--	19 Nov 78
Total volume, ft ³	783,600	from 1200 to 2130	19 Nov 78 19 Nov 78
Prior to Storm, CFS	0.129		
Average (Previous 7 days), CFS	0.68		
Average (Previous 30 days), CFS	0.34		

CASTRO VALLEY STORM, NOV. 19, 1978



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	329.0
Total nitrogen as N	mg/L	9.6
Lead	mg/L	0.46
Chromium	mg/L	0.06
Copper	mg/L	0.08
Total ortho phosphorus as P	mg/L	1.3
Suspended solids	mg/L	512.
Volatile suspended solids	mg/L	140.

Discrete Sample

Parameter	Units	Value
Date and time	--	19 Nov 78 1945
Instantaneous flow rate	CFS	4.74
Temperature	Deg C	13.3
Specific conductance	$\mu\text{mhos}/\text{cm}$	300.
pH	--	7.0
Settleable solids	mL/L	<0.5
Suspended solids	mg/L	95.
Volatile suspended solids	mg/L	45.
Biochemical oxygen demand (5 day)	mg/L	5.
Total coliform	MPN/100 mL	1.1×10^5
Fecal coliform	MPN/100 mL	2.4×10^4

4. Observations at Sampling Station During Event.
Nothing significant to report.
5. Observations in Tributary Area During Event.
Nothing significant to report.
6. Comments on Storm Event.
 1. The reported rainfall for the Castro Valley Fire Station Gage appears to be offset by one hour from the other gages.
 2. Flow response at the gaging station occurs within about one half an hour following a change in the rainfall rate.
 3. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.

STORM EVENT 1 - NOVEMBER 19, 1978 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
11-19-78	11:00	1.17	0.129				
11-19-78	12:00	1.19	0.161				0.01
11-19-78	12:15	1.19	0.161			0.03	0.03
11-19-78	12:30	1.20	0.178			0.03	0.04
11-19-78	12:45	1.21	0.196			0.01	0.01
11-19-78	13:00	1.92	8.11	YES			
11-19-78	13:15	2.40	35.8	YES	0.05	0.01	0.02
11-19-78	13:30	2.25	23.9	YES	0.02	0.02	0.02
11-19-78	13:45	2.08	14.2	YES	0.01	0.01	0.01
11-19-78	14:00	2.19	20.0	YES			
11-19-78	14:15	2.28	26.0	YES	0.01		
11-19-78	14:30	2.14	17.1	YES	0.01	0.03	0.03
11-19-78	14:45	2.01	11.3	YES	0.01	0.02	0.01
11-19-78	15:00	1.92	8.11	YES		0.02	0.03
11-19-78	15:15	1.96	9.43	YES		0.02	0.01
11-19-78	15:30	2.50	45.7	YES		0.02	
11-19-78	15:45	2.51	46.8	YES	0.03	0.01	
11-19-78	16:00	2.32	29.0	YES	0.02		0.01
11-19-78	16:15	2.15	17.6	YES	0.02		
11-19-78	16:30	2.03	12.1		0.01		0.01
11-19-78	16:45	1.98	10.1			0.01	0.01
11-19-78	17:00	2.00	10.9			0.04	0.08
11-19-78	17:15	2.14	17.1			0.06	0.06
11-19-78	17:30	3.18	138.5		0.02	0.03	0.03
11-19-78	17:45	3.27	153.0		0.01	0.01	0.01
11-19-78	18:00	2.83	86.5		0.03		
11-19-78	18:15	2.45	40.5		0.05		
11-19-78	18:30	2.27	25.3		0.01	0.01	
11-19-78	18:45	2.13	16.6		0.01		
11-19-78	19:00	2.01	11.3				
11-19-78	19:15	1.91	7.80				
11-19-78	19:30	1.84	6.04				
11-19-78	19:45	1.78	4.74				
11-19-78	20:00	1.74	3.98	YES			
11-19-78	20:15	1.69	3.17				
11-19-78	20:30	1.65	2.61				
11-19-78	20:45	1.62	2.25				
11-19-78	21:00	1.60	2.03	YES			
11-19-78	21:15	1.57	1.73				
11-19-78	21:30	1.55	1.57				
11-19-78	21:45	1.53	1.41				
11-19-78	22:00	1.51	1.27	YES			

NOVEMBER 1978
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



LATITUDE 37° 37' N LONGITUDE 122° 23' W ELEVATION (GROUNDS) 0' FT. STANDARD TIME USED: PACIFIC UTM 823234

DATE	TEMPERATURE °F				DEGREE DAYS BASE 65°				WEATHER TYPES ON DATES OF OCCURRENCE		PRECIPITATION				WIND		SUNSHINE		SAT. LOWEST TEMPS		
	MIN	MAX	MEAN	DEGREES DAY	DEG. DAY	DEG. DAY	DEG. DAY	DEG. DAY	ICE	WATER	SNOW	ICE	WATER	SNOW	ICE	WATER	SHINING	SHINING	SHINING	SHINING	
1	65	45	50	-2	20	0	0	0	0	0	0	0	0	0	0	0	12	20	2	2	
2	66	44	52	-3	21	12	0	0	0	0	0	0	0	0	0	0	13	20	3	2	
3	66	44	52	-3	21	12	0	0	0	0	0	0	0	0	0	0	13	20	3	2	
4	66	44	52	-3	21	12	0	0	0	0	0	0	0	0	0	0	13	20	3	2	
5	70	48	50	-3	20	10	0	0	0	0	0	0	0	0	0	0	13	21	3	2	
6	74	50	52	-3	17	6	0	0	0	0	0	0	0	0	0	0	13	21	3	2	
7	77	52	53	-3	16	6	0	0	0	0	0	0	0	0	0	0	13	21	3	2	
8	74	50	52	-3	16	6	0	0	0	0	0	0	0	0	0	0	13	21	3	2	
9	80	52	53	-3	15	6	0	0	0	0	0	0	0	0	0	0	13	21	3	2	
10	69	38	45	-7	25	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
11	63	43	48	-8	24	17	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
12	67	43	50	-8	20	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
13	60	43	47	-8	21	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
14	66	38	47	-8	20	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
15	57	38	48	-8	20	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
16	56	40	52	-3	21	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
17	60	40	50	-3	21	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
18	66	40	52	-3	21	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
19	61	40	52	-3	21	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
20	60	40	52	-3	21	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
21	66	47	53	-1	25	12	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
22	63	46	49	-6	26	16	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
23	58	44	52	-2	24	15	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
24	60	43	52	-2	25	13	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
25	57	38	48	-3	24	17	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
26	59	41	50	-3	24	15	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
27	60	41	51	-2	24	14	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
28	60	41	50	-3	24	15	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
29	60	41	51	-3	24	15	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
30	60	41	51	-3	24	15	0	0	0	0	0	0	0	0	0	0	13	22	2	10	
	SUM	SUM			TOTAL	TOTAL						TOTAL	TOTAL						SUM	SUM	
	1820	1325			371	0						1.07	0	30.05	29	1.0	7.7	25.29	108	3192	145
	Avg	Avg			DEP	DEP						NUMBER OF DAYS		NUMBER OF DEPS						Avg	Avg
	80.7	44.2	52.5	-2	81.42	80.1	0	0	0	0	0	0	0	0	0	0	0	0	50.14	50.14	

* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.
† TIME OF DAY.
‡ TIME OF DAY.
§ ALSO ON AN EARLIER DATE OR DATES.
HEAVY FOG - VISIBILITY 1/4 MILE OR LESS.
FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLOCKWISE FROM TRUE NORTH. 00 = EASTERLY.
DATA IN COLS. 8 AND 12 IS BASED ON 7 DAY

PRECIPITATION OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
FASTEST WIND SPEEDS ARE FASTEST OBSERVED ONE-MINUTE VALUES. WIND DIRECTIONS ARE IN TENS OF DEGREES. THE / WITH THE DIRECTION INDICATES PEAK DUST SPEED.
PEAK SPEEDS DETECTED WILL BE CORRECTED AND CHANGES IN SUMMARY DATA WILL BE ANNOUNCED IN THE ANNUAL SUMMARY.

PRECIPITATION IN 24 HOURS AND DATES GREATEST DEPTH ON GROUND OF SNOW.
SNOW DEPTHS IN INCHES. SNOWFALL IN INCHES. SNOWFALL IN INCHES. SNOWFALL IN INCHES.

SNOWFALL IN INCHES. SNOWFALL IN INCHES. SNOWFALL IN INCHES. SNOWFALL IN INCHES.

SUMMARY BY HOURS

HOUR	SUNSHINE	AVERAGES				PRECIPIT.
		MIN	MAX	MEAN	STD. DEVI.	
01	6	30	05	46	43	0.5
04	6	30	05	47	45	0.5
07	6	30	06	46	47	0.5
10	6	30	06	45	45	0.5
13	6	30	06	46	45	0.5
16	4	30	02	44	43	0.5
19	4	30	05	43	44	0.5
22	4	30	05	42	44	0.5

HOURLY PRECIPITATION (WATER EQUIVALENT IN INCHES)

	1	2	3	4	5	6	7	8	9	10	11	12	
1													2
2													3
3													4
4													5
5													6
6													7
7													8
8													9
9													10
10													11
11													12
12													13
13													14
14													15
15													16
16													17
17													18
18													19
19													20
20													21
21													22
22													23
23													24
24													25
25													26
26													27
27													28
28													29
29													30

SUBSCRIPTION PRICE \$2.50 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING \$1.00 EXTRA. SINGLE COPY 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE IS A RUSH CHARGE OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, NOAA, BUREAU OF METEOROLOGY, BUREAU OF ATMOSPHERIC SURVEILLANCE, NATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLINA 28801.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL CLIMATIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, NORTH CAROLINA 28801.

noaa NATIONAL CLIMATIC AND ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND INFORMATION SERVICE

Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATIC CENTER

STORM EVENT REPORT NO. 2
November 20-21, 1978


1. Rainfall Summary.

Gage	Total Rainfall In.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	1.45	0315	20 Nov 78	2200	20 Nov 78
2. Proctor School	1.38	0245	20 Nov 78	2215	20 Nov 78
3. Sydney School	1.35	0230	20 Nov 78	0030	21 Nov 78
4. San Francisco Airport	0.65	0100	20 Nov 78	0700	21 Nov 78
5. Oakland Airport	0.89	0200	20 Nov 78	0700	21 Nov 78


2. Creek Flow Summary.

Discharge Condition	Value	Time	Date
Maximum Flow, CFS	260.1	2015	20 Nov 78
Average Flow, CFS	48.2	from 0230 to 0330	20 Nov 78 21 Nov 78
Total Volume, FT ³	4,334,800	from 0230 to 0330	20 Nov 78 21 Nov 78
Prior to storm, CFS	0.423		
Average Flow (previous 7 days), CFS	1.58		
Average Flow (Previous 30 days), CFS	1.17		

CASTRO VALLEY STORM, NOVEMBER 20, 1978



CASTRO VALLEY STORM, NOVEMBER 21, 1978



3. Sampling Analysis Results.

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	102.
Total nitrogen	mg/L	3.6
Lead	mg/L	<0.1
Chromium	mg/L	<0.06
Copper	mg/L	0.08
Total ortho phosphorus	mg/L	0.52
Suspended solids	mg/L	278.
Volatile suspended solids	mg/L	58.

Discrete Sample

Parameter	Units	Value
Date and time	--	1715 20 Nov 78
Temperature	Deg C	13.7
Instantaneous discharge	CFS	212.5
Specific conductance	$\mu\text{mho}/\text{cm}$	180.
pH	--	7.1
Settleable matter	mL/L	<0.5
Suspended solids	mg/L	152.
Volatile suspended solids	mg/L	43.
BOD	mg/L	5.
Total coliform	MPN/100 mL	2.4×10^4
Fecal coliform	MPN/100 mL	4.6×10^3

4. Observation at Sampling Station During Event.

No significant events occurred during the sampling period.

5. Observation in Tributary Area During Event.

No significant events occurred during the sampling period.

6. Comments on Storm Event.

1. The total rainfall for this event was more than 1.25 inches.

2. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.

3. Samples were taken at hourly intervals from 1700 to 2400 on November 20 and 0100 to 0600 on November 21.

4. Due to a problem with the sampler automatic activator, no samples were obtained prior to 1700 on 20 Nov 78. However, samples were obtained during the period when the majority of the runoff went through the gaging station.

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
11-20-78	2:00	1.33	0.479				
11-20-78	2:30	1.33	0.479				0.01
11-20-78	2:45	1.33	0.479		0.01	0.01	0.01
11-20-78	3:00	1.31	0.423				0.01
11-20-78	3:15	1.31	0.423		0.01	0.01	0.01
11-20-78	3:30	1.31	0.423		0.05	0.03	0.01
11-20-78	3:45	1.31	0.423			0.01	0.01
11-20-78	4:00	1.31	0.423				
11-20-78	4:15	2.29	26.7				0.01
11-20-78	4:30	2.11	15.6				
11-20-78	4:45	1.98	10.1				
11-20-78	5:00	1.87	6.74				
11-20-78	5:15	1.79	4.95				
11-20-78	5:30	1.74	3.98				
11-20-78	5:45	1.75	4.16				0.01
11-20-78	6:00	1.75	4.16		0.01	0.01	
11-20-78	6:15	1.73	3.81			0.01	0.03
11-20-78	6:30	1.71	3.48			0.06	0.03
11-20-78	6:45	1.69	3.17			0.01	0.02
11-20-78	7:00	2.80	82.4			0.01	0.01
11-20-78	7:15	2.56	52.5				0.02
11-20-78	7:30	2.32	29.0		0.01	0.01	0.01
11-20-78	7:45	2.23	22.6		0.03	0.02	0.01
11-20-78	8:00	2.34	30.6				0.01
11-20-78	8:15	2.44	39.5		0.01	0.01	
11-20-78	8:30	2.13	16.6				
11-20-78	8:45	2.18	19.4		0.03		
11-20-78	9:00	2.05	12.9		0.01		0.01
11-20-78	9:15	1.99	10.5			0.01	
11-20-78	9:30	1.97	9.78			0.01	0.01
11-20-78	9:45	1.99	10.5		0.01	0.01	
11-20-78	10:00	2.13	16.6				0.01
11-20-78	10:15	2.21	21.3		0.01	0.01	0.02
11-20-78	10:30	2.12	16.1		0.01	0.02	0.01
11-20-78	10:45	2.11	15.6		0.01	0.02	0.03
11-20-78	11:00	2.34	30.6			0.09	0.08
11-20-78	11:15	3.36	167.6		0.01	0.02	0.01
11-20-78	11:30	3.28	154.6			0.01	
11-20-78	11:45	2.70	69.1		0.09		
11-20-78	12:00	2.42	37.6		0.12	0.01	0.01
11-20-78	12:15	2.39	34.9		0.02		
11-20-78	12:30	2.29	26.7		0.01		

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA
(Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
11-20-78	12:45	2.16	18.3				
11-20-78	13:00	2.06	13.3		0.01		0.02
11-20-78	13:15	1.95	9.09		0.01		0.05
11-20-78	13:30	1.86	6.50			0.10	0.09
11-20-78	13:45	1.82	5.60			0.06	0.09
11-20-78	14:00	3.81	242.1			0.07	0.04
11-20-78	14:15	3.66	218.6			0.01	
11-20-78	14:30	3.03	116.2		0.02		
11-20-78	14:45	2.67	65.5		0.08		
11-20-78	15:00	2.35	31.4		0.06		
11-20-78	15:15	2.20	20.6		0.01		0.01
11-20-78	15:30	2.19	20.0			0.04	0.03
11-20-78	15:45	2.33	29.8			0.02	0.03
11-20-78	16:00	3.01	113.4			0.02	0.01
11-20-78	16:15	3.04	117.6		0.01	0.03	0.01
11-20-78	16:30	2.95	104.0		0.06	0.02	
11-20-78	16:45	2.91	97.9		0.03	0.06	0.03
11-20-78	17:00	3.37	169.3	YES	0.02	0.10	0.04
11-20-78	17:15	3.62	212.5		0.01	0.03	0.03
11-20-78	17:30	3.37	169.3		0.02	0.03	0.06
11-20-78	17:45	3.12	129.3		0.08	0.01	0.01
11-20-78	18:00	3.01	113.4	YES	0.09		0.01
11-20-78	18:15	2.61	58.5		0.02	0.02	0.01
11-20-78	18:30	2.42	37.6		0.03	0.02	0.02
11-20-78	18:45	2.51	46.8			0.01	0.03
11-20-78	19:00	2.75	75.6	YES	0.01	0.02	0.06
11-20-78	19:15	2.83	86.5		0.02	0.01	0.02
11-20-78	19:30	3.04	117.6		0.02	0.05	0.02
11-20-78	19:45	3.16	135.4		0.02	0.07	0.11
11-20-78	20:00	3.80	240.5	YES	0.05	0.08	0.04
11-20-78	20:15	3.92	260.1		0.03	0.05	0.04
11-20-78	20:30	3.69	223.2		0.07	0.02	0.01
11-20-78	20:45	3.40	174.3		0.09	0.01	0.01
11-20-78	21:00	2.92	99.4	YES	0.07		
11-20-78	21:15	2.55	51.3			0.04	
11-20-78	21:30	2.37	33.1			0.01	
11-20-78	21:45	2.26	24.6				
11-20-78	22:00	2.15	17.6	YES	0.01		
11-20-78	22:15	2.07	13.7			0.01	
11-20-78	22:30	2.00	10.9				
11-20-78	22:45	1.94	8.75				
11-20-78	23:00	1.89	7.24	YES			
11-20-78	23:15	1.84	6.04				

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
11-20-78	23:30	1.81	5.38				
11-20-78	23:45	1.78	4.74				
11-20-78	24:00	1.75	4.16				
11-21-78	0:15	1.73	3.81				
11-21-78	0:30	1.71	3.48				
11-21-78	0:45	1.69	3.17				0.01
11-21-78	1:00	1.67	2.88	YES			
11-21-78	1:15	1.66	2.74				
11-21-78	1:30	1.64	2.49				
11-21-78	1:45	1.64	2.49				
11-21-78	2:00	1.61	2.14	YES			
11-21-78	2:15	1.60	2.03				
11-21-78	2:30	1.59	1.92				
11-21-78	2:45	1.58	1.82				
11-21-78	3:00	1.57	1.73	YES			
11-21-78	3:15	1.56	1.65				
11-21-78	3:30	1.55	1.57				
11-21-78	3:45	1.55	1.57				
11-21-78	4:00	1.54	1.49	YES			
11-21-78	4:15	1.53	1.41				
11-21-78	4:30	1.52	1.34				
11-21-78	4:45	1.51	1.27				
11-21-78	5:00	1.50	1.21	YES			
11-21-78	5:15	1.50	1.21				
11-21-78	5:30	1.49	1.14				
11-21-78	5:45	1.48	1.08				
11-21-78	6:00	1.48	1.08	YES			

NOVEMBER 1970
OAKLAND, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data



MONTHLY SUMMARY

LATITUDE 37° 44' N. LONGITUDE 122° 12' W. ELEVATION (FOOTAGE) 600 STANDARD TIME USED: PACIFIC LOCAL 62329

KUVEHBER 19/8

UNIVERSITY OF CALIFORNIA

E EXTREME FOR THE MONTH - LAST OCCURRENCE IS
MORE THAN ONE.
T TRACE AROUND.
+ ALSO ON AN EARLIER DATE, OR DATES.
HEAVY FOG - VISIBILITY 1/4 MILE OR LESS.
FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLEARANCE FROM TRUE NORTH. DO + CLE-
DIRE IN COLS. 6 AND 12 ARE BASED ON 2 DE-

FROM OBSERVATIONS PER DAY AT 1-HOUR INTERVALS,
FASTEST WIND SPEEDS ARE FASTEST OBSERVED
ONE-MINUTE VALUES. WHEN DIRECTIONS ARE IN TENS
OF DEGREES, THE 0 IS WITH THE DIRECTION INDICATED
PEAK GUST SPEED.
ANY ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SUMMARY DATA WILL BE ADDED TO
THE PREVIOUS SUMMARY.

HOURLY PRECIPITATION (WATER EQUIVALENT IN INCHES)

SUBSCRIPTION PRICE: \$2.55 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING \$1.05 EXTRA. SINGLE COPY 20 CENTS FOR INDIVIDUAL OR ANNUAL ISSUE. THERE IS A MINIMUM AMOUNT OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES. PUBLICATIONS MADE CHEAP BY DEPARTMENT OF COMMERCE. WHEN SENDING PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL ELECTRIC CENTER, FEDERAL BUILDING, BIRMINGHAM, ALABAMA 35203.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL METEOROLOGICAL CENTER, MCNAULVILLE, NORTH CAROLINA, 28001.

NOAA NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA SERVICE

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE

Daniel B. Meadell
DIRECTOR, NATIONAL CLIMATIC CENTER

STORM EVENT REPORT NO. 3
December 17, 1978


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.43	0000	17 Dec 78	1615	17 Dec 78
2. Proctor School	0.39	0530	17 Dec 78	1800	17 Dec 78
3. Sydney School	0.34	0515	17 Dec 78	1445	17 Dec 78
4. San Francisco Airport	0.23	0100	17 Dec 78	1300	17 Dec 78
5. Oakland Airport	0.18	0200	17 Dec 78	1400	17 Dec 78

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	141.6	1330	17 Dec 78
Average, cfs	13.7	--	17 Dec 78
Total Volume, ft ³	1,035,800	from 0000 to 2100	17 Dec 78
Prior to storm, cfs	0.161		
Average (previous 7 days), cfs	0.190		
Average (previous 30 days), cfs	2.85		

CASTRO VALLEY STORM, DECEMBER 17, 1978




3. Discrete Sampling Analysis Results


Discrete Sample

Parameter	Units	Value
Date and time	--	17 Dec 78 1130
Instantaneous flow rate	CFS	31.4
Temperature	Deg C	11.2
Specific conductance	$\mu\text{mhos}/\text{cm}$	215
pH	--	6.7
Settleable solids	mL/L	1.0
Suspended solids	mg/L	118
Volatile suspended solids	mg/L	46
Biochemical oxygen demand (5 day)	mg/L	17
Total coliform	MPN/100 mL	1.1×10^5
Fecal coliform	MPN/100 mL	2.4×10^4

CASTRO VALLEY STORM, DECEMBER 17, 1978



CASTRO VALLEY STORM, DECEMBER 17, 1978



4. Flow-weighted Composites

Parameter, mg/L	Date: December 17, 1978		December 17, 1978	
	Time: 0645-0830		0930-1615	
	Rising	Falling	Total	Dissolved
	Total	Dissolved		
MBAS	0.10	0.08	0.10	0.09
TKN	3.2	1.9	2.6	1.3
Ortho P	0.41	0.20	0.41	0.19
Alkalinity	35	14	28	22
Cr	<0.06	<0.06	<0.06	<0.06
Cu	0.08	<0.03	0.08	<0.03
Cd	<0.01	<0.01	<0.01	<0.01
Pb	0.50	0.20	0.55	0.20
Ni	<0.06	<0.06	<0.06	<0.06
Zn	0.12	0.04	0.10	0.03

5. Observations at Sampling Station During Storm Event.
Nothing significant to report.
6. Observations in Tributary Area During Storm Event.
Nothing significant to report.
7. Comments on Storm Event.
 1. This storm was an intensive sampling event for a minor storm (greater than 0.20 inches of recorded rain).
 2. Flow response at the gaging station occurs within a half hour following a change in the rainfall rate.
 3. Two flow weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
 4. The series of discrete samples were analyzed for seven parameters which are plotted with the runoff flow rate. The X's on these quality-flow plots indicate when discrete samples were collected. Suspended solids, nitrogen, and phosphorus values peaked with the peak runoff and decreased sharply afterward. Specific conductance values were generally high with low flowrates and at a minimum with the peak flowrate.
 5. The samples used in the composite samples were taken at 15 minute intervals for the rising portion of the storm runoff and at one hour intervals during the falling portion of the storm flow. Composite samples were analyzed for ten parameters.

STORM EVENT 3 - DECEMBER 17, 1978 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMHOS/CM	PH	SUSPENDED SOLIDS, MG/L		TOTAL NITROGEN, MG/L AS N		TOTAL PHOSPHORUS, MG/L AS P		TOTAL COLIFORM, MPN/100 ML		FECAL COLIFORM, MPN/100 ML	
						SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML					
12-17-78	6:45	34.9	27.5	190.	6.4	386.	4.9	0.01							
12-17-78	7:00	27.5	17.6	200.	6.2	236.	5.2	0.26							
12-17-78	7:15	12.5	12.5	170.	6.2	130.	3.5	0.11							
12-17-78	7:30	9.78	9.78	160.	6.2	78.	3.0	0.19							
12-17-78	7:45	10.1	10.1	160.	6.2	66.	3.0	0.17							
12-17-78	8:00	10.5	10.5	165.	6.1	40.	2.9	0.15							
12-17-78	8:15	170.	6.1	26.	2.5	0.06									
12-17-78	8:30	9.43	10.6	160.	6.3	31.	2.1	0.25							
12-17-78	8:45	7.24	7.24	210.	6.5	17.	1.9	0.08							
12-17-78	9:30	3.48	2.14	10.6	260.	6.6	12.	2.1	0.21						
12-17-78	10:15	1.65	1.65	230.	6.6	103.	2.3	0.14							
12-17-78	10:45	31.4	11.2	200.	6.8	85.	2.1	0.30							
12-17-78	11:30	5.60	11.1	120.	6.6	428.	13.0	0.50							
12-17-78	12:30	141.6	13:15	13:30	130.8	11.2	110.	6.5	154.	2.5	0.10				
12-17-78	14:15	34.0	22.6	11.0	130.	6.5	40.	2.2	0.17						
12-17-78	14:30	20.9	39.5	11.1	135.	6.5	69.	2.2	0.12						
12-17-78	15:15	9.78	6.43	11.0											
12-17-78	15:30														
12-17-78	16:15														
12-17-78	16:30														

STORM EVENT 3 - DECEMBER 17, 1978 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
-----	-----	-----	-----	-----	-----	-----	-----
12-16-78	24:00	1.19	0.161		0.01		
12-17-78	0:15	0.00	0.000		0.01		
12-17-78	1:00	1.19	0.161				
12-17-78	1:30	0.00	0.000		0.01		
12-17-78	2:00	1.19	0.161				
12-17-78	3:00	1.19	0.161				
12-17-78	3:30	1.19	0.161				
12-17-78	3:45	1.78	4.74				
12-17-78	4:00	1.75	4.16				
12-17-78	4:15	1.70	3.32				
12-17-78	4:30	1.65	2.61				
12-17-78	4:45	1.60	2.03		0.03		
12-17-78	5:00	1.56	1.65		0.01		
12-17-78	5:15	1.52	1.34		0.03		
12-17-78	5:30	1.49	1.14		0.01	0.02	0.02
12-17-78	5:45	1.46	0.977		0.01	0.01	0.01
12-17-78	6:00	1.45	0.880			0.01	0.03
12-17-78	6:15	1.58	1.82			0.01	0.01
12-17-78	6:30	2.33	29.8		0.01	0.01	0.01
12-17-78	6:45	2.39	34.9	YES		0.01	
12-17-78	7:00	2.30	27.5	YES	0.01		0.01
12-17-78	7:15	2.15	17.6	YES		0.01	0.01
12-17-78	7:30	2.04	12.5	YES			0.01
12-17-78	7:45	1.97	9.78	YES		0.01	
12-17-78	8:00	1.98	10.1	YES			0.01
12-17-78	8:15	1.99	10.5	YES			
12-17-78	8:30	1.96	9.43	YES			
12-17-78	8:45	1.89	7.24	YES			
12-17-78	9:00	1.82	5.60	YES			
12-17-78	9:15	1.77	4.54	YES			
12-17-78	9:30	1.71	3.48	YES			
12-17-78	9:45	1.67	2.88	YES	0.01		
12-17-78	10:00	1.63	2.36	YES	0.04	0.01	0.01
12-17-78	10:15	1.61	2.14		0.01	0.02	0.01
12-17-78	10:30	1.58	1.82				0.02
12-17-78	10:45	1.56	1.65	YES		0.02	0.02
12-17-78	11:00	1.58	1.82	YES		0.01	0.01
12-17-78	11:15	1.87	6.74	YES			
12-17-78	11:30	2.35	31.4	YES			
12-17-78	11:45	2.16	18.3	YES	0.02		0.01
12-17-78	12:00	2.02	11.7	YES	0.04	0.01	
12-17-78	12:15	1.90	7.50	YES	0.05		

STORM EVENT 3 - DECEMBER 17, 1978 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
12-17-78	12:30	1.82	5.60	YES	0.05	0.02	0.02
12-17-78	12:45	1.78	4.74			0.05	0.02
12-17-78	13:00	1.89	7.24	YES		0.03	0.03
12-17-78	13:15	3.20	141.6			0.04	0.03
12-17-78	13:30	3.13	130.8			0.01	0.01
12-17-78	13:45	3.00	112.0	YES	0.01		
12-17-78	14:00	2.67	65.5		0.01		0.01
12-17-78	14:15	2.38	34.0	YES		0.01	
12-17-78	14:30	2.23	22.6		0.04	0.01	
12-17-78	14:45	2.12	16.1	YES		0.01	0.01
12-17-78	15:00	2.09	14.6			0.02	
12-17-78	15:15	2.19	20.0	YES		0.01	
12-17-78	15:30	2.44	39.5	YES			
12-17-78	15:45	2.26	24.6				
12-17-78	16:00	2.09	14.6	YES			
12-17-78	16:15	1.97	9.78		0.01		
12-17-78	16:30	1.93	8.43	YES			
12-17-78	16:45	1.86	6.50				
12-17-78	17:00	1.85	6.27				
12-17-78	17:15	1.79	4.95				
12-17-78	17:30	1.74	3.98				
12-17-78	18:00	1.67	2.88			0.02	
12-17-78	19:00	1.57	1.73				
12-17-78	20:00	1.49	1.14				
12-17-78	21:00	1.44	0.880				

DECEMBER 1970
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



DATE	LATITUDE 37° 31' N	LONGITUDE 122° 23' W	ELEVATION (FEET)	DEGREE DAY BASE 50°F	WEATHER TYPES ON DATES OF OBSERVATION	TEMPERATURE IN DEGREES FAHRENHEIT	PRECIPITATION IN INCHES AND PELLETS	WIND SPEED IN MILES PER HOUR	WIND DIRECTION IN DEGREES FROM TRUE NORTH	SUNSHINE IN HOURS	STANDARD TIME USED - PACIFIC		IDB# 625234										
											1	2	3	4	5	6	7	8	9	10	11		
1	50	40	40	0	0	40	11	0	0	0	20	0	20	29	13	7	15	15	16	17	18	19	20
2	50	44	52	0	0	39	17	0	0	0	30	03	31	6	0	14	20	20	21	22	23	24	25
3	50	39	49	-5	0	36	16	0	0	0	30	22	20	16	4	16	16	16	16	16	16	16	16
4	50	39	49	-2	0	42	16	0	0	0	30	24	27	14	9	8	8	16	16	16	16	16	16
5	50	44	51	0	0	28	14	0	0	0	30	16	15	12	10	10	10	10	10	10	10	10	10
6	50	41	46	0	0	25	13	0	0	0	30	16	15	10	8	8	8	16	16	16	16	16	16
7	50	35	43	-6	0	22	22	0	0	0	30	24	23	8	2	11	2	16	16	16	16	16	16
8	50	35	43	-4	0	27	22	0	0	0	30	22	20	8	2	11	0	10	10	10	10	10	10
9	50	35	43	-3	0	30	18	0	0	0	30	22	22	8	2	11	0	10	10	10	10	10	10
10	50	37	47	-3	0	30	18	0	0	0	30	32	13	5	15	3	2	16	16	16	16	16	16
11	50	40	48	-2	0	36	17	0	0	0	30	26	23	8	4	0	0	21	21	21	21	21	21
12	50	42	50	0	0	36	15	0	0	0	30	18	15	3	5	0	0	10	10	10	10	10	10
13	50	41	52	0	0	37	13	0	0	0	30	25	15	2	5	3	0	15	15	15	15	15	15
14	50	36	49	-1	0	41	16	0	0	0	30	26	21	8	2	4	2	16	16	16	16	16	16
15	50	37	49	-2	0	38	17	0	0	0	30	17	16	1	0	4	0	16	16	16	16	16	16
16	50	35	49	-3	0	36	20	0	0	0	29	25	16	5	15	3	1	16	16	16	16	16	16
17	50	35	50	1	0	35	15	0	0	0	29	25	19	1	0	11	2	22	22	22	22	22	22
18	50	42	49	-4	0	42	20	0	0	0	29	22	16	4	2	4	0	16	16	16	16	16	16
19	50	42	49	-3	0	42	20	0	0	0	29	22	16	4	2	4	0	16	16	16	16	16	16
20	50	32	42	-7	0	32	25	0	0	0	20	06	35	1	0	6	0	12	12	12	12	12	12
21	50	33	45	-4	0	33	20	0	0	0	20	32	18	1	0	6	0	10	10	10	10	10	10
22	50	30	40	0	0	37	16	0	0	0	20	18	35	1	6	4	0	10	10	10	10	10	10
23	50	30	40	-3	0	38	15	0	0	0	20	18	34	8	2	4	0	10	10	10	10	10	10
24	50	30	45	-4	0	38	20	0	0	0	20	18	34	8	2	4	0	10	10	10	10	10	10
25	50	30	40	-3	0	38	19	0	0	0	20	17	37	7	1	7	0	9	9	9	9	9	9
26	50	38	44	-4	0	51	23	0	0	0	20	01	09	4	9	8	0	12	12	12	12	12	12
27	50	37	46	-4	0	40	21	0	0	0	20	97	06	4	2	8	2	10	10	10	10	10	10
28	50	37	46	-2	0	41	19	0	0	0	20	92	04	2	8	6	0	9	9	9	9	9	9
29	50	35	41	-7	0	37	24	0	0	0	20	99	07	2	8	6	0	9	9	9	9	9	9
30	50	35	40	-6	0	33	20	0	0	0	20	07	19	1	6	3	0	9	9	9	9	9	9
31	50	29*	42	-8	0	23	23	0	0	0	20	22	12	2	6	0	0	9	9	9	9	9	9
32	50	31	41	-10	0	10	10	0	0	0	10	14	10	0	0	0	0	10	10	10	10	10	10
33	50	117	19	-10	0	50	0	0	0	0	30	33	02	0	0	0	0	10	10	10	10	10	10
34	50	41	46	-10	0	40	0	0	0	0	30	31	01	0	0	0	0	10	10	10	10	10	10
35	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
36	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
37	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
38	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
39	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
40	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
41	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
42	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
43	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
44	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
45	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
46	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
47	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
48	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
49	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
50	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
51	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
52	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
53	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
54	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
55	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
56	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
57	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
58	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
59	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
60	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
61	50	36	40	-10	0	32	0	0	0	0	30	31	01	2	2	0	0	10	10	10	10	10	10
62	50	36	40	-10	0	32	0																

STORM EVENT REPORT NO. 4
January 7, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.36	0845	7 Jan 79	2115	7 Jan 79
2. Proctor School	0.34	0830	7 Jan 79	2315	7 Jan 79
3. Sydney School	0.38	0830	7 Jan 79	2330	7 Jan 79
4. San Francisco Airport	0.40	0700	7 Jan 79	2300	7 Jan 79
5. Oakland Airport	0.36	0700	7 Jan 79	2200	7 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	31.4	1645	7 Jan 79
Average, cfs	12.4	--	7 Jan 79
Total volume, ft ³	682,600	from 0845 to 2400	7 Jan 79
Prior to storm, cfs	0.161		
Average (previous 7 days), cfs	0.530		
Average (previous 30 days), cfs	0.670		

CASTRO VALLEY STORM, JANUARY 7, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical Oxygen Demand	mg/L	65
Total Nitrogen as N	mg/L	1.1
Lead	mg/L	0.3
Chromium	mg/L	<0.06
Copper	mg/L	<0.03
Total Ortho Phosphorus as P	mg/L	0.26
Suspended solids	mg/L	50
Volatile suspended solids	mg/L	16

Discrete Sample

Parameter	Units	Value
Date and time	--	7 Jan 1715
Instantaneous flowrate	cfs	27.5
Temperature	Deg C	11.6
Specific conductance	$\mu\text{mho}/\text{cm}$	70
pH	--	6.0
Settleable solids	ml/L	0.2
Suspended solids	mg/L	87
Volatile suspended solids	mg/L	26
Biochemical oxygen demand (5 day)	mg/L	8
Total coliform	MPN/100 ml	4.6×10^6
Fecal coliform	MPN/100 ml	1.5×10^5

4. Observations at Sampling Station During Event.

Nothing significant to report.

5. Observations in Tributary Area During Event.

Nothing significant to report.

6. Comments on Storm Event.

1. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
2. The samples used in the composite sample analysis were taken at 15 minute intervals from 1630 to 2330 as indicated by X's on the flow plot.

STORM EVENT 4 - JANUARY 7-8, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1- 7-79	8:00	1.19	0.161				
1- 7-79	8:30	1.19	0.161			0.01	0.01
1- 7-79	8:45	1.19	0.161		0.01	0.01	0.01
1- 7-79	9:00	1.19	0.161				
1- 7-79	9:15	1.19	0.161			0.01	0.01
1- 7-79	9:45	1.19	0.161		0.01		
1- 7-79	10:00	1.19	0.161				
1- 7-79	10:15	1.82	5.60			0.01	
1- 7-79	10:30	1.84	6.04		0.01		
1- 7-79	10:45	1.78	4.74			0.01	
1- 7-79	11:00	1.76	4.35		0.01		
1- 7-79	11:15	1.70	3.32		0.01	0.01	0.01
1- 7-79	11:30	1.67	2.88		0.01		
1- 7-79	11:45	1.66	2.74		0.01	0.01	0.01
1- 7-79	12:00	1.71	3.48			0.01	
1- 7-79	12:15	1.94	8.75		0.01		
1- 7-79	12:30	2.05	12.9			0.02	
1- 7-79	12:45	2.04	12.5		0.01	0.01	0.01
1- 7-79	13:00	1.99	10.5		0.01		0.01
1- 7-79	13:15	1.95	9.09		0.01	0.01	0.01
1- 7-79	13:30	1.94	8.75		0.01	0.02	0.01
1- 7-79	13:45	1.96	9.43				0.01
1- 7-79	14:00	2.10	15.1		0.01	0.01	0.01
1- 7-79	14:15	2.19	20.0		0.02		
1- 7-79	14:30	2.15	17.6		0.01	0.01	0.01
1- 7-79	14:45	2.11	15.6		0.01	0.01	0.02
1- 7-79	15:00	2.11	15.6		0.01		0.01
1- 7-79	15:15	2.26	24.6		0.01	0.01	0.01
1- 7-79	15:30	2.28	26.0		0.01	0.01	0.02
1- 7-79	15:45	2.26	24.6		0.02		0.02
1- 7-79	16:00	2.25	23.9		0.01	0.02	0.02
1- 7-79	16:15	2.30	27.5		0.01	0.01	0.01
1- 7-79	16:30	2.34	30.6	YES	0.01	0.01	0.01
1- 7-79	16:45	2.35	31.4	YES	0.01	0.01	0.01
1- 7-79	17:00	2.31	28.2	YES		0.02	0.01
1- 7-79	17:15	2.30	27.5	YES	0.01		
1- 7-79	17:30	2.27	25.3	YES	0.01	0.01	0.01
1- 7-79	17:45	2.21	21.3	YES	0.01		
1- 7-79	18:00	2.16	18.3	YES	0.02	0.01	0.01
1- 7-79	18:15	2.10	15.1	YES		0.01	0.01
1- 7-79	18:30	2.14	17.1	YES		0.01	0.01
1- 7-79	18:45	2.28	26.0	YES	0.02	0.01	0.01

STORM EVENT 4 - JANUARY 7-8, 1979 STORM DATA
(Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY		SIDNEY SCHOOL
					FIRE STATION	PROCTOR SCHOOL	
1- 7-79	19:00	2.26	24.6	YES			0.01
1- 7-79	19:15	2.20	20.6	YES		0.01	
1- 7-79	19:30	2.20	20.6	YES			0.01
1- 7-79	19:45	2.19	20.0	YES			
1- 7-79	20:00	2.10	15.1	YES	0.01		
1- 7-79	20:15	2.00	10.9	YES			
1- 7-79	20:30	1.92	8.11	YES			
1- 7-79	20:45	1.85	6.27	YES			
1- 7-79	21:00	1.80	5.16	YES			
1- 7-79	21:15	1.78	4.74	YES	0.02		0.01
1- 7-79	21:30	1.75	4.16	YES		0.01	
1- 7-79	21:45	1.73	3.81	YES			
1- 7-79	22:00	1.71	3.48	YES			0.01
1- 7-79	22:15	1.71	3.48	YES			
1- 7-79	22:30	1.86	6.50	YES			
1- 7-79	22:45	1.92	8.11	YES			
1- 7-79	23:00	1.88	6.99	YES			
1- 7-79	23:15	1.84	6.04		0.02		
1- 7-79	23:30	1.78	4.74	YES			0.01
1- 7-79	23:45	1.76	3.98				
1- 7-79	24:00	1.69	3.17				
1- 8-79	0:15	1.66	2.74				
1- 8-79	0:30	1.63	2.36				
1- 8-79	0:45	1.61	2.14				
1- 8-79	1:00	1.60	2.03				
1- 8-79	1:15	1.58	1.82				
1- 8-79	1:30	1.56	1.65				
1- 8-79	1:45	1.55	1.57				
1- 8-79	2:00	1.53	1.41				
1- 8-79	2:15	1.52	1.34				
1- 8-79	2:30	1.50	1.21				

STORM EVENT REPORT NO. 5
January 8, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	1.42	0945	8 Jan 79	1545	8 Jan 79
2. Proctor School	1.24	0945	8 Jan 79	1545	8 Jan 79
3. Sydney School	1.30	0915	8 Jan 79	1545	8 Jan 79
4. San Francisco Airport	1.31	0800	8 Jan 79	1500	8 Jan 79
5. Oakland Airport	1.14	0900	8 Jan 79	1600	8 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	656.1	1315	8 Jan 79
Average, cfs	182.0	--	8 Jan 79
Total volume, ft ³	6,225,900	from 0915 to 1845	8 Jan 79
Prior to storm, cfs	0.450		
Average (previous 7 days), cfs	1.62		
Average (previous 30 days), cfs	0.950		

CASTRO VALLEY STORM, JANUARY 8, 1979




3. Discrete Sampling Analysis Results


Discrete Sample

Parameter	Units	Value
Date and time	--	8 Jan 79 1300
Instantaneous flow rate	CFS	633.2
Temperature	Deg C	11.3
Specific conductance	$\mu\text{mhos}/\text{cm}$	75
pH	--	7.0
Settleable solids	mL/L	3.4
Suspended solids	mg/L	772
Volatile suspended solids	mg/L	118
Biochemical oxygen demand (5 day)	mg/L	8
Total coliform	MPN/100 mL	4.6×10^5
Fecal coliform	MPN/100 mL	2.3×10^4

CASTRO VALLEY STORM, JANUARY 8, 1979



CASTRO VALLEY STORM, JANUARY 8, 1979



4. Flow-weighted Composites

Parameter, mg/L	Date: January 8, 1979		January 8, 1979	
	Time: 1020-1315		1400-2000	
	Rising	Total Dissolved	Falling	Total Dissolved
MBAS	0.06	0.06	<0.01	<0.01
TKN	2.8	0.75	2.0	1.5
Ortho P	0.56	0.23	0.64	0.44
Alkalinity	26	16	28	25
Cr	<0.03	<0.03	<0.03	<0.03
Cu	0.06	<0.03	<0.03	<0.03
Cd	<0.01	<0.01	<0.01	<0.01
Pb	0.65	<0.10	<0.10	<0.10
Ni	<0.06	<0.06	<0.06	<0.06
Zn	0.23	0.08	0.11	0.30

5. Observations at Sampling Station During Storm Event.

During this storm event, a car body passed unnoticed through the sampling control section and lodged itself approximately 100 feet downstream. Flow records between this storm event and February 22 were affected slightly due to this obstruction.

6. Observations in Tributary Area During Storm Event.

Nothing significant to report.

7. Comments on Storm Event.

1. This storm was an intensive sampling event with over 1.00 inch of recorded rainfall.
2. Rainfall intensity peaked over 0.50 inches/hour between 1200 and 1300 and produced a peak runoff rate of $656 \text{ ft}^3/\text{s}$ at 1315.
3. Two flow weighted composite samples, a discrete grab sample , and a series of discrete samples were analyzed for this storm event.
4. The series of discrete samples were taken at 15 minute intervals between 1030 and 1315 and at one hour intervals between 1400 and 2000 as indicated by X's on the quality-flow plots. These samples were analyzed for seven parameters. Three parameters had definitive trends. Suspended solids values increased with the runoff flow, peaking just prior to peak runoff flow and decreasing sharply as the runoff flow peaked. Specific conductance, and to a lesser degree, pH, reversed this pattern, increasing with decreasing flow and attaining minimum values with peak flow.
5. Samples collected for the composite samples were taken at 15 minute intervals during the rising portion of the storm runoff (1020 to 1315) and at one hour intervals during the falling portion (1400 to 2000). These samples were analyzed for ten parameters.

STORM EVENT 5 - JANUARY 8, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMHOS/CM	PH	SUSPENDED SOLIDS, MG/L		TOTAL NITROGEN, MG/L AS N		TOTAL PHOSPHORUS, MG/L AS P		TOTAL COLIFORM, MPH/100 ML		FECAL COLIFORM, MPH/100 ML	
						SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPH/100 ML	FECAL COLIFORM, MPH/100 ML					
1- 8-79	10:19	7.50		320.	6.7	43.		3.0		0.10					
1- 8-79	10:30	95.0		280.	6.7	248.		4.4		0.12					
1- 8-79	10:45	116.2		80.	6.7	346.		3.7		0.27					
1- 8-79	11:00	140.0		60.	6.7	346.		3.1		0.15					
1- 8-79	11:15	221.7		60.	6.5	472.		3.8		0.21					
1- 8-79	11:30	255.1		60.	6.5	493.		3.3		0.29					
1- 8-79	11:45	247.0		60.	6.5	400.		2.9		0.14					
1- 8-79	12:00	248.6	11.3	60.	6.5	358.		2.8		0.13					
1- 8-79	12:15	277.8		60.	6.5	364.		3.2		0.23					
1- 8-79	12:30	356.0		60.	6.4	600.		4.0		0.15					
1- 8-79	12:45	566.5		60.	6.5	748.		4.0		0.13					
1- 8-79	13:00	633.2	11.3	60.	6.3	964.		4.4		0.34					
1- 8-79	13:15	656.1		62.	6.5	1154.		4.6		0.39					
1- 8-79	14:00	309.8	11.1	120.	6.4	404.		4.9		0.41					
1- 8-79	15:00	124.8		90.	6.6	168.		4.2		0.14					
1- 8-79	16:00	211.0	11.6	250.	6.9	118.		0.23		1.50E 05					
1- 8-79	17:00	38.6	11.6	170.	6.7	120.		3.6		0.08					
1- 8-79	18:00	20.0	11.7	270.	6.7	80.		6.0		0.10					
1- 8-79	19:00	13.7		360.	7.1	30.		7.0		0.16					
1- 8-79	19:30	11.3	11.7												
1- 8-79	20:00	8.43		440.	7.1	20.		7.3		0.05					

STORM EVENT 5 - JANUARY 8, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES			
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1- 8-79	9:00	1.31	0.423					
1- 8-79	9:15	1.31	0.423					0.01
1- 8-79	9:30	1.31	0.423					0.01
1- 8-79	9:45	1.31	0.423		0.03	0.01		0.03
1- 8-79	10:00	1.32	0.450		0.04	0.04		0.03
1- 8-79	10:15	1.34	0.508		0.03	0.04		0.02
1- 8-79	10:30	2.89	95.0	YES	0.04	0.04		0.04
1- 8-79	10:45	3.03	116.2	YES	0.06	0.05		0.07
1- 8-79	11:00	3.19	140.0	YES	0.08	0.08		0.08
1- 8-79	11:15	3.68	221.7	YES	0.06	0.07		0.07
1- 8-79	11:30	3.89	255.1	YES	0.05	0.04		0.05
1- 8-79	11:45	3.84	247.0	YES	0.10	0.08		0.09
1- 8-79	12:00	3.85	248.6	YES	0.04	0.06		0.07
1- 8-79	12:15	4.03	277.8	YES	0.14	0.12		0.10
1- 8-79	12:30	4.53	356.0	YES	0.13	0.08		0.17
1- 8-79	12:45	6.17	566.5	YES	0.28	0.18		0.18
1- 8-79	13:00	6.83	633.2	YES	0.12	0.15		0.08
1- 8-79	13:15	7.06	656.1	YES	0.06	0.04		0.04
1- 8-79	13:30	6.77	627.2	YES	0.02	0.03		0.03
1- 8-79	13:45	4.90	408.0	YES	0.03	0.02		0.02
1- 8-79	14:00	4.24	309.8	YES	0.04	0.03		0.03
1- 8-79	14:15	3.99	271.8	YES	0.01	0.01		0.02
1- 8-79	14:30	3.97	268.3	YES		0.01		
1- 8-79	14:45	3.53	196.7	YES				
1- 8-79	15:00	3.09	124.8	YES				
1- 8-79	15:15	2.80	82.4	YES				0.01
1- 8-79	15:30	2.71	70.4	YES	0.05	0.03		0.03
1- 8-79	15:45	2.72	71.7	YES	0.01	0.03		0.02
1- 8-79	16:00	3.61	211.0	YES				
1- 8-79	16:15	3.30	158.0	YES				
1- 8-79	16:30	2.78	79.6	YES				
1- 8-79	16:45	2.53	49.0	YES				
1- 8-79	17:00	2.43	38.6	YES				
1- 8-79	17:15	2.33	29.8					
1- 8-79	17:30	2.25	23.9	YES				
1- 8-79	17:45	2.23	22.6					
1- 8-79	18:00	2.19	20.0	YES				
1- 8-79	18:15	2.14	17.1					
1- 8-79	18:30	2.10	15.1	YES				
1- 8-79	18:45	2.06	13.3					
1- 8-79	19:00	2.07	13.7	YES				
1- 8-79	19:15	2.02	11.7					

STORM EVENT 5 - JANUARY 8, 1979 STORM DATA
(Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1- 8-79	19:30	2.01	11.3	YES			
1- 8-79	19:45	1.98	10.1				
1- 8-79	20:00	1.93	8.43	YES			

STORM EVENT REPORT NO. 6
January 10-11, 1979

1. Rainfall Summary


Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	2.30	1900	10 Jan 79	1300	11 Jan 79
2. Proctor School	2.57	1945	10 Jan 79	1430	11 Jan 79
3. Sydney School	2.31	1915	10 Jan 79	1815	11 Jan 79
4. San Francisco Airport	1.16	1900	10 Jan 79	1600	11 Jan 79
5. Oakland Airport	1.97	1800	10 Jan 79	1300	11 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	522.5	0545	11 Jan 79
Average, cfs	192.0	--	10 Jan 79
Total volume, ft ³	17,946,700	from 1900 to 2100	10 Jan 79 11 Jan 79
Prior to storm, cfs	0.880		
Average (previous 7 days), cfs	13.0		
Average (previous 30 days), cfs	3.70		


A-37

CASTRO VALLEY STORM, JANUARY 10, 1979



A-51

CASTRO VALLEY STORM, JANUARY 11, 1979




3. Discrete Sampling Analysis Results


Discrete Sample

Parameter	Units	Value
Date and time	--	10 Jan 79 2205
Instantaneous flow rate	CFS	470.4
Temperature	Deg C	11.6
Specific conductance	$\mu\text{mhos}/\text{cm}$	70
pH	--	7.0
Settleable solids	mL/L	0.3
Suspended solids	mg/L	76
Volatile suspended solids	mg/L	17
Biochemical oxygen demand (5 day)	mg/L	12
Total coliform	MPN/100 mL	11×10^5
Fecal coliform	MPN/100 mL	0.4×10^4


CASTRO VALLEY STORM, JANUARY 10, 1979




CASTRO VALLEY STORM, JANUARY 11, 1979



CASTRO VALLEY STORM, JANUARY 10, 1979



CASTRO VALLEY STORM, JANUARY 11, 1979



4. Flow-weighted Composites

Parameter, mg/L	Date: January 10, 1979		January 10-11, 1979	
	Time: 2100-2145		2230-1600	
	Rising	Total Dissolved	Falling	Total Dissolved
MBAS	0.075	0.045	0.06	<0.01
TKN	2.2	1.5	1.6	1.1
Ortho P	0.20	0.07	0.39	0.36
Alkalinity	--	--	--	--
Cr	<0.06	<0.06	<0.06	<0.06
Cu	0.05	<0.03	<0.03	<0.03
Cd	<0.01	<0.01	<0.01	<0.01
Pb	0.50	<0.10	<0.10	<0.10
Ni	<0.06	<0.06	<0.06	<0.06
Zn	0.09	<0.008	0.04	0.04

5. Observations at Sampling Station During Storm Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

6. Observations in Tributary Area During Storm Event.

Nothing significant to report.

7. Comments on Storm Event.

1. This storm was an intensive sampling event with over 2.00 inches of recorded rainfall.
2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
3. Two weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
4. The series of discrete samples were analyzed for seven parameters and are plotted with the runoff rates. The X's on these plots indicate when discrete samples were collected. Suspended solids, nitrogen, and phosphorus generally peaked and attained high values with maximum flowrates. Specific conductance values minimized with high flowrates and maximized with low flowrates. Total and fecal coliform values paralleled each other with fecal values approximately one order of magnitude lower than total coliform values. Both coliform values rose steadily during the last half of the storm event.
5. Samples used in the composite sample analysis were collected at 15 minute intervals during the rising portion of the storm flow (2100-2145 on January 10) and at one hour intervals during the falling portion of the storm (2230 on January 10 to 1600 on January 11). Composite samples were analyzed for the parameters.

STORM EVENT 6 - JANUARY 10-11, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROHOS/CM	PH	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML
1-10-79	21:00	66.7		150.	6.7	186.	3.2	0.55		
1-10-79	21:15	127.8		100.	6.5	254.	3.6	0.13		
1-10-79	21:30	226.3		70.	6.6	488.	2.8	0.25		
1-10-79	21:45	513.2		62.	6.6	538.	2.6	0.42		
1-10-79	22:00	470.4	11.6	70.	7.0	76.			1.10E 06	4.00E 03
1-10-79	22:15	277.8		85.	6.6	404.	3.2	0.39		
1-10-79	23:00	359.3	11.7						9.30E 04	4.00E 03
1-10-79	23:15	316.0		100.	6.6	242.	3.0	0.13		
1-10-79	23:30	280.8	11.6						2.30E 04	3.00E 03
1-10-79	0:30	135.4	11.7	170.	6.7	101.	4.1	0.20	4.60E 05	2.30E 04
1-10-79	1:30	474.7	12.0	80.	6.6	321.	2.8	0.12	2.40E 05	4.00E 03
1-10-79	2:15	434.1		105.	6.6	198.	3.1	0.09		
1-10-79	2:30	436.9	11.9						4.30E 04	4.00E 03
1-10-79	3:30	312.9	12.0	150.	6.7	146.	4.8	0.09	1.50E 05	9.00E 03
1-10-79	4:15	427.2	12.1						9.30E 04	9.00E 03
1-10-79	4:30	418.9		120.	6.7	225.	4.5	0.28		
1-10-79	5:30	410.7		100.	6.8	177.	3.3			
1-10-79	5:40	477.5	12.6						9.30E 04	3.00E 03
1-10-79	6:30	232.6		210.	6.6	148.	5.2	0.25		
1-10-79	7:30	158.0		225.	6.7	170.	6.5	0.33		
1-10-79	8:30	76.9		280.	6.7	92.	7.0	0.04		
1-10-79	9:00	153.0		270.	6.8	373.	7.3	0.28		
1-10-79	10:00	144.8		180.	6.7	79.	4.2	0.15		
1-10-79	11:00	275.0		140.	6.6	158.	3.6	0.25		
1-10-79	12:00	291.3		160.	6.7	137.	4.5	0.34		
1-10-79	13:00	243.7		175.	6.6	133.	4.9	0.42		
1-10-79	14:00	129.3		230.	6.7	116.	6.4	0.33		
1-10-79	15:00	60.8		310.	7.0	69.	9.6	0.41		
1-10-79	16:00	35.8		325.	6.8	49.	10.3	0.43		

STORM EVENT 6 - JANUARY 10-11, 1979 QUALITY DATA
 (Concluded)

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMHOS./CM	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	PH	TOTAL PHOSPHORUS, MG/L AS P	FECAL COLIFORM, MPN/100 ML	TOTAL COLIFORM, MPN/100 ML
1-10-79	18:30	232.6	12.6						1.50E 05	9.00E 03

STORM EVENT 6 - JANUARY 10-11, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-10-79	18:00	1.40	0.700				
1-10-79	19:00	1.44	0.880		0.01		
1-10-79	19:15	1.44	0.880				0.01
1-10-79	19:30	1.44	0.880		0.03		
1-10-79	19:45	1.44	0.880		0.02	0.01	0.01
1-10-79	20:00	1.44	0.880			0.02	0.02
1-10-79	20:15	1.44	0.880		0.03	0.01	
1-10-79	20:30	1.59	1.92		0.02	0.02	0.03
1-10-79	20:45	2.80	82.4		0.04	0.03	0.01
1-10-79	21:00	2.68	66.7	YES	0.09	0.04	0.04
1-10-79	21:15	3.11	127.8	YES	0.09	0.11	0.11
1-10-79	21:30	3.71	226.3	YES	0.11	0.13	0.14
1-10-79	21:45	5.71	513.2	YES	0.02	0.07	0.11
1-10-79	22:00	5.58	498.2	YES	0.01	0.06	0.02
1-10-79	22:15	4.88	405.1	YES	0.03	0.02	0.01
1-10-79	22:30	4.03	277.8	YES	0.06	0.07	0.08
1-10-79	22:45	3.72	227.9	YES	0.03	0.07	0.07
1-10-79	23:00	4.42	338.1	YES	0.01	0.06	0.05
1-10-79	23:15	4.74	386.3	YES		0.01	0.01
1-10-79	23:30	4.28	316.0	YES	0.01	0.01	0.01
1-10-79	23:45	3.58	205.8	YES	0.03	0.01	
1-10-79	24:00	3.21	143.2	YES		0.03	0.03
1-11-79	0:15	3.10	126.3		0.01	0.03	0.02
1-11-79	0:30	3.16	135.4	YES	0.08	0.01	0.01
1-11-79	0:45	3.34	164.4	YES	0.10	0.06	0.05
1-11-79	1:00	3.14	132.3	YES	0.07	0.10	0.10
1-11-79	1:15	5.14	441.0		0.04	0.07	0.08
1-11-79	1:30	5.38	474.7	YES	0.05	0.05	0.04
1-11-79	1:45	5.23	453.6	YES	0.07	0.05	0.06
1-11-79	2:00	4.83	398.4	YES	0.04	0.08	0.06
1-11-79	2:15	5.09	434.1	YES	0.08	0.04	0.04
1-11-79	2:30	5.11	436.9	YES	0.04	0.10	0.11
1-11-79	2:45	5.31	464.8		0.03	0.02	0.04
1-11-79	3:00	5.34	469.0	YES		0.02	0.02
1-11-79	3:15	4.67	376.9	YES	0.09		0.01
1-11-79	3:30	4.26	312.9	YES	0.07	0.09	0.11
1-11-79	3:45	4.04	279.3		0.04	0.06	0.07
1-11-79	4:00	5.40	477.5	YES	0.01	0.05	0.03
1-11-79	4:15	5.07	431.3			0.04	0.04
1-11-79	4:30	4.98	418.9	YES	0.04		0.01
1-11-79	4:45	4.58	364.1		0.05	0.02	0.01
1-11-79	5:00	3.87	251.8	YES	0.12	0.07	0.05

STORM EVENT 6 - JANUARY 10-17, 1979 STORM DATA
 (Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-11-79	5:15	3.81	242.1		0.02	0.05	0.04
1-11-79	5:30	4.92	410.7	YES		0.06	0.06
1-11-79	5:45	5.79	522.5		0.01	0.02	0.01
1-11-79	6:00	4.83	398.4	YES	0.02	0.01	0.01
1-11-79	6:15	4.08	285.3		0.05	0.07	0.04
1-11-79	6:30	3.75	232.6	YES		0.01	0.01
1-11-79	6:45	4.68	378.1			0.02	
1-11-79	7:00	5.04	427.2	YES	0.03	0.01	0.01
1-11-79	7:15	3.32	161.2			0.02	0.01
1-11-79	7:30	3.30	158.0	YES			
1-11-79	7:45	3.04	117.6				
1-11-79	8:00	3.05	119.0	YES		0.01	
1-11-79	8:15	2.87	92.1		0.02		0.01
1-11-79	8:30	2.76	76.9	YES	0.02	0.02	0.01
1-11-79	8:45	2.84	87.8		0.01	0.01	0.02
1-11-79	9:00	3.27	153.0	YES	0.04	0.02	0.02
1-11-79	9:15	3.16	135.4		0.02	0.02	0.01
1-11-79	9:30	3.24	148.0	YES	0.01	0.01	0.01
1-11-79	9:45	3.45	182.7		0.03	0.01	0.01
1-11-79	10:00	3.22	144.8	YES	0.01	0.02	0.01
1-11-79	10:15	3.07	121.9		0.05	0.01	0.01
1-11-79	10:30	3.30	158.0	YES	0.04	0.05	0.02
1-11-79	10:45	3.38	170.9		0.03	0.04	0.03
1-11-79	11:00	4.01	275.0	YES		0.03	0.03
1-11-79	11:15	3.93	261.6		0.03	0.01	0.01
1-11-79	11:30	3.94	263.3	YES	0.06	0.05	0.02
1-11-79	11:45	3.66	218.6		0.04	0.06	0.04
1-11-79	12:00	4.12	291.3	YES	0.03	0.04	0.03
1-11-79	12:15	4.40	335.0		0.01	0.02	0.02
1-11-79	12:30	4.18	300.6	YES	0.03	0.02	0.01
1-11-79	12:45	3.89	255.1		0.02	0.08	0.03
1-11-79	13:00	3.82	243.7	YES	0.01	0.01	0.01
1-11-79	13:15	3.97	268.3			0.01	0.01
1-11-79	13:30	3.67	220.1				0.01
1-11-79	13:45	3.33	162.8				0.01
1-11-79	14:00	3.12	129.3	YES			
1-11-79	14:15	2.91	97.9				
1-11-79	14:30	2.81	83.7	YES		0.01	
1-11-79	14:45	2.71	70.4				
1-11-79	15:00	2.63	60.8	YES			
1-11-79	15:15	2.56	52.5				
1-11-79	15:30	2.49	44.6	YES			0.01
1-11-79	15:45	2.43	38.6				

STORM EVENT 6 - JANUARY 10-11, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES			
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-11-79	16:00	2.40	35.8	YES				
1-11-79	16:15	2.38	34.0					
1-11-79	16:30	2.34	30.6					
1-11-79	16:45	2.31	28.2					
1-11-79	17:00	2.28	26.0					
1-11-79	17:15	2.25	23.9					
1-11-79	17:30	2.22	21.9					
1-11-79	17:45	2.20	20.6					
1-11-79	18:00	2.18	19.4					
1-11-79	18:15	2.17	18.8					0.01
1-11-79	18:30	2.20	20.6					
1-11-79	18:45	2.23	22.6					
1-11-79	19:00	2.20	20.6					
1-11-79	19:15	2.16	18.3					
1-11-79	19:30	2.14	17.1					
1-11-79	19:45	2.10	15.1					
1-11-79	20:00	2.09	14.6					
1-11-79	20:15	2.06	13.3					
1-11-79	20:30	2.06	13.3					
1-11-79	20:45	2.03	12.1					
1-11-79	21:00	2.02	11.7					
1-11-79	22:00	1.97	9.78					

JANUARY 1979
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



JANUARY 1979

SAN FRANCISCO, CALIFORNIA

DATE	TEMPERATURE °F				DEGREE DAYS BASE 65°				WEATHER TYPES ON DATES OF OCCURRENCE				SNOW PELLETS				PRECIPITATION				WIND				FROST				SUNSHINE				SEA STATE INDEX			
	KILOM.	MILES	EXPOSURE	DIRECTION	TEMP. HIGH	TEMP. LOW	DEGREES	HOURS	TYPE	TIME	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	TYPE	AMOUNT	DIR.	INT.	DIR.	INT.	DIR.	INT.	DIR.	INT.	DIR.	INT.	DIR.	INT.	DIR.	INT.	DIR.	INT.			
1	54	33	44	-4	29	23	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	49	37	43	-5	35	22	1	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3	53	40	46	-2	35	38	1	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4	55	45	50	-2	35	39	1	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	52	43	48	0	44	37	1	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	51	41	47	-1	42	38	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	52	46	49	1	46	46	1	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8	56	49	52	5	51	51	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9	51	49	53	5	51	52	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10	59	44	52	4	49	43	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11	61 ^a	51	56 ^b	8	55	50	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12	56	45	51	3	49	44	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
13	58	43	51	3	45	44	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
14	58	46	52	4	46	43	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
15	52	45	49	1	46	46	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
16	51	42	50	2	43	45	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
17	55	38	45	-1	45	39	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
18	53	41	47	-1	45	43	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
19	57	46	50	0	45	47	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
20	55	46	50	-1	45	47	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
21	58	42	50	2	43	35	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
22	56	39	46	0	42	47	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
23	49	40	45	-4	43	20	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
24	53	42	46	-1	41	37	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
25	54	38	46	-3	33	39	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26	54	42	46	-1	27	37	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
27	55	40	46	-1	37	37	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
28	52	36	44	-2	29	21	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
29	49	31 ^a	40	-8	26	25	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30	45	35	40 ^b	-9	37	25	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
31	40	34	41	-8	37	24	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	SUM				TOTAL				TOTAL				TOTAL				TOTAL				TOTAL				TOTAL				TOTAL							
	1264				536				0				0				0				0				0				0							
	410				410				0				0				0				0				0				0							
	241				47.5				0				0				0				0				0				0							
	125				125				0				0				0				0				0				0							
	125				125				0				0				0				0				0				0							
	125				125				0				0				0				0				0				0							
	125				125				0				0				0				0				0				0							
	125				125				0				0				0																			

STORM EVENT REPORT NO. 7
January 30, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.06	1230	30 Jan 79	1500	30 Jan 79
2. Proctor School	0.01	1500	30 Jan 79	1515	30 Jan 79
3. Sydney School	0.03	1300	30 Jan 79	1515	30 Jan 79
4. San Francisco Airport	0.27	0800	30 Jan 79	1500	30 Jan 79
5. Oakland Airport	0.08	0900	30 Jan 79	1500	30 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	11.7	1415	30 Jan 79
Average, cfs	3.88	--	30 Jan 79
Total volume, ft ³	80,300	from 1230 to 1815	30 Jan 79 30 Jan 79
Prior to storm, cfs	0.633		
Average (previous 7 days), cfs	0.440		
Average (previous 30 days), cfs	15.9		

CASTRO VALLEY STORM, JANUARY 30, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	100
Total nitrogen as N	mg/L	4.5
Lead	mg/L	0.2
Chromium	mg/L	<0.06
Copper	mg/L	0.03
Total Ortho Phosphorus as P	mg/L	0.21
Suspended solids	mg/L	114
Volatile suspended solids	mg/L	30

Discrete Sample


Parameter	Units	Value
Date and time	--	30 Jan 1450
Instantaneous flowrate	cfs	7.24
Temperature	Deg C	--
Specific conductance	$\mu\text{mho}/\text{cm}$	700
pH	--	7.5
Settleable solids	ml/L	<0.1
Suspended solids	mg/L	231
Volatile suspended solids	mg/L	206
Biochemical oxygen demand (5 day)	mg/L	22
Total coliform	MPN/100 ml	4.6×10^5
Fecal coliform	MPN/100 ml	4.3×10^4

AD-A076 593 METCALF AND EDDY INC PALO ALTO CA
URBAN RUNOFF WATER QUALITY AT CASTRO VALLEY CREEK, ALAMEDA COUN--ETC(U)
SEP 79


F/G 13/2
DACP07-78-C-0067
NL

UNCLASSIFIED

2 OF 2
AD
A076593



END
DATE
FILMED
12-79
DOC



MICROSCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A

4. Observations at Sampling Station During Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

5. Observations in Tributary Area During Event.

Nothing significant to report.

6. Comments on Storm Event.

1. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
2. The samples for the composite sample analysis were taken at 15 minute intervals from 1400 to 1715 as indicated by X's on the flow plot.

STORM EVENT 7 - JANUARY 30, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-30-79	12:00	1.38	0.633				
1-30-79	12:30	1.38	0.633		0.02		
1-30-79	12:45	1.39	0.666		0.02		
1-30-79	13:00	1.42	0.787				0.01
1-30-79	13:15	1.44	0.880				
1-30-79	13:30	1.48	1.08				
1-30-79	13:45	2.03	12.1				
1-30-79	14:00	2.11	15.6	YES			
1-30-79	14:15	2.02	11.7	YES	0.01		
1-30-79	14:30	1.94	8.75	YES			0.01
1-30-79	14:45	1.87	6.74	YES			
1-30-79	15:00	1.81	5.38	YES	0.01	0.01	
1-30-79	15:15	1.78	4.74	YES			0.01
1-30-79	15:30	1.77	4.54	YES			
1-30-79	15:45	1.79	4.95	YES			
1-30-79	16:00	1.80	5.16	YES			
1-30-79	16:15	1.81	5.38	YES			
1-30-79	16:30	1.81	5.38	YES			
1-30-79	16:45	1.80	5.16	YES			
1-30-79	17:00	1.77	4.54	YES			
1-30-79	17:15	1.73	3.81	YES			
1-30-79	17:30	1.70	3.32				
1-30-79	17:45	1.67	2.88				
1-30-79	18:00	1.63	2.36				
1-30-79	18:15	1.60	2.03				
1-30-79	18:30	1.59	1.92				
1-30-79	18:45	1.56	1.65				
1-30-79	19:00	1.54	1.49				

JANUARY 1979
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OF
INTERNATIONAL AIRPORT

Local Climatological Data



MONTHLY SUMMARY

LATITUDE N	LONGITUDE W	ELEVATION FEET	TIME ZONE	STANDARD TIME USED A.M. OR P.M.	JULIAN DATE	DEPTHS OF SNOW												TESTED SNOW					
						TEMPERATURE °F			DEGREE DEPTHS BASED ON TEMPERATURE			NUMBER OF DEGREES OF DECREASING TEMPERATURE			SNOW FALLS			SNOW DEPTH			TESTED SNOW		
HR	MIN	SEC	HR	MIN	SEC	HR	MIN	SEC	HR	MIN	SEC	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	4	35	44	55	0	20	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	5	40	45	55	0	22	22	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	6	45	50	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	7	52	45	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	8	57	43	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	9	62	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	10	66	43	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	11	69	42	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	12	72	41	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	13	75	41	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	14	78	41	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	15	82	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	16	85	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	17	88	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	18	91	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	19	94	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	20	97	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	21	100	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	22	103	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	23	106	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	24	109	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	25	112	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	26	115	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	27	118	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	28	121	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	29	124	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	30	127	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	31	130	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	32	133	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	33	136	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	34	139	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	35	142	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	36	145	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	37	148	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	38	151	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	39	154	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	40	157	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	41	160	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	42	163	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	43	166	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	44	169	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	45	172	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	46	175	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	47	178	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	48	181	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	49	184	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	50	187	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	51	190	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	52	193	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	53	196	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	54	199	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	55	202	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	56	205	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	57	208	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	58	211	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	59	214	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	60	217	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	61	220	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	62	223	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	63	226	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	64	229	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	65	232	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	66	235	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	67	238	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	68	241	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	69	244	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	70	247	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	71	250	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	72	253	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	73	256	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	74	259	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	75	262	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	76	265	40	55	0	24	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	77	268	40	55																			

E EXTREME FOR THE MONTH - LAST OCCURRENCE
MORE THAN ONE
T THREE MONTHS
W WEATHER BY CARRIER DATE, OR DATES
H HURRICANE - VISIBILITY 1/4 MILE OR LESS
**F FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES COUNTERCLOCKWISE FROM TRUE NORTH - 00 = EAST
 090 = SOUTH - 180 = WEST - 270 = NORTH**

BIGE OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
FASTEST WIND AND SPEEDS ARE FASTEST OBSERVED
ONE MINUTE VALUES WHEN DIRECTIONS ARE IN SENSE
OF DEGREES, THE + WITH THE DIRECTION INDICATED
FROM GUST SPEED.
ANY ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SUMMER DATA WILL BE ANNOUNCED IN
A SUBSEQUENT REPORT.

SUMMARY BY HOURS									
TIME	AVERAGES					DEVIATION			
	STATION	PERIOD	TEMPERATURE	R.H.	WIND	DIR.	SPD.	DIR.	SPD.
01	30	02	45	43	40	85	7	1	21
04	30	02	44	42	40	85	7	20	20
07	30	02	44	43	40	85	7	20	20
10	30	02	45	45	41	85	7	20	20
13	30	02	45	45	41	85	7	20	20
16	30	02	45	45	41	85	7	20	20
19	30	02	45	45	41	85	7	20	20
22	30	02	45	45	41	85	7	20	20

FIG. 8. PRESENTATION. LINES EQUIVALENT IN INCHES

SUBSCRIPTION PRICE: \$2.55 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING R. \$5 EXTRA. SINGLE COPY: 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. PAYABLE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, NMRA, SEND PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL LIBRARY CENTER, FEDERAL BUILDINGS, BUREAU OF THE CENSUS, WASHINGTON 20530.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COPIED FROM RECORDS ON FILE AT THE NATIONAL CLIMATE CENTER, ASHEVILLE, NORTH CAROLINA 28801.

RECEIVED U.S. GOVERNMENT PRINTING OFFICE 1944 10-144

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATE CENTER

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE / Daniel C. Mitchell
DIRECTOR, NATIONAL CLIMATE CENTER
USCIR, WDC, BETHESDA, MD 20223-3413 8-77-28 8-78

Daniel C. Wiedall
DIRECTOR, NATIONAL ELECTROIC CENTER

USCOMM - NOAA - ASME/ELT 09-07-98 878

STORM EVENT REPORT NO. 8
February 13-14, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	1.20	0330	13 Feb 79	0615	14 Feb 79
2. Proctor School	1.20	0515	13 Feb 79	0930	14 Feb 79
3. Sydney School	1.19	0500	13 Feb 79	0800	14 Feb 79
4. San Francisco Airport	2.27	0100	13 Feb 79	0800	14 Feb 79
5. Oakland Airport	1.27	0100	13 Feb 79	0800	14 Feb 79


2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	493.6	2230	13 Feb 79
Average, cfs	65.4	--	13 Feb 79
Total volume, ft ³	7,765,000	from 0330 to 1230	13 Feb 79 14 Feb 79
Prior to storm, cfs	0.540		
Average (previous 7 days), cfs	0.290		
Average (previous 30 days), cfs	11.8		

CASTRO VALLEY STORM, FEBRUARY 13, 1979



CASTRO VALLEY STORM, FEBRUARY 14, 1979




3. Discrete Sampling Analysis Results


Discrete Sample

Parameter	Units	Value
Date and time	--	13 Feb 79 0945
Instantaneous flow rate	CFS	153.0
Temperature	Deg C	12.1
Specific conductance	$\mu\text{mhos}/\text{cm}$	160
pH	--	6.5
Settleable solids	mL/L	5.5
Suspended solids	mg/L	800
Volatile suspended solids	mg/L	166
Biochemical oxygen demand (5 day)	mg/L	43
Total coliform	MPN/100 mL	4.6×10^5
Fecal coliform	MPN/100 mL	4.6×10^4


CASTRO VALLEY STORM, FEBRUARY 13, 1979




CASTRO VALLEY STORM, FEBRUARY 14, 1979



CASTRO VALLEY STORM, FEBRUARY 13, 1979



CASTRO VALLEY STORM, FEBRUARY 14, 1979



4. Flow-weighted Composites

Parameter, mg/L	Date: February 13, 1979		February 13-14, 1979	
	Time: 0630-1015		1100-0700	
	Rising	Falling	Total	Dissolved
	Total	Dissolved		
MBAS	0.76	3.8	0.08	0.76
TKN	4.67	2.05	2.05	1.40
Ortho P	0.24	0.06	0.28	0.24
Alkalinity	96	82	21	18
Cr	<0.06	<0.06	<0.06	<0.06
Cu	<0.03	<0.03	0.06	<0.03
Cd	<0.01	<0.01	<0.01	<0.01
Pb	0.76	<0.10	0.39	<0.10
Ni	<0.06	<0.06	<0.06	<0.06
Zn	0.21	0.03	0.09	0.02

5. Observations at Sampling Station During Storm Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

6. Observations in Tributary Area During Storm Event.

Nothing significant to report.

7. Comments on Storm Event.

1. This storm was an intensive sampling event with over 1.00 inch of recorded rainfall.
2. Flow response at the gaging station occurs within a half hour of a change in the rainfall rate.
3. Two flow weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
4. The series of discrete samples were taken at 15 minute intervals during the rising portion of the runoff and at one hour intervals during the falling portion of the storm runoff as indicated by X's on the quality-flow plots. These samples were analyzed for seven parameters. Suspended solids and phosphorus values peaked with the first runoff peak; suspended solids later peaked again when the storm runoff reached its maximum peak flow. Both parameters decreased sharply after attaining maximum values. Specific conductance and pH values were generally at a minimum with high runoff rates and increased as the flowrate decreased.
5. The samples used in the composite samples were collected at 15 minute intervals during the rising portion of the runoff period (0630 to 1015 on February 13) and at one hour intervals during the falling portion of the runoff event (1100 on February 13 to 0700 on February 14). These samples were analyzed for ten parameters.

STORM EVENT 8 - FEBRUARY 13-14, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUTTANCE, MICROMhos/cm	PH	SUSPENDED SOLIDS, MG/L		TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPH/100 ML	FECAL COLIFORM, MPH/100 ML
						SOLIDS, MG/L	SOLIDS, MG/L				
2-13-79	6:30	3.02	8.00	800.	7.7	5.	3.3	0.27			
2-13-79	6:45	5.38	850.	7.3	18.	3.7	0.64				
2-13-79	7:00	7.50	700.	7.5	15.	4.9	0.27				
2-13-79	7:15	6.50	500.	7.7	9.	5.3	0.17				
2-13-79	7:30	5.38	500.	7.8	12.	5.1	0.36				
2-13-79	7:45	4.35	450.	7.8	8.	5.7	0.42				
2-13-79	8:00	3.98	625.	7.7	20.	5.9	0.32				
2-13-79	8:15	3.81	600.	7.7	14.	5.8	0.36				
2-13-79	8:30	3.92	575.	7.6	14.	5.9	0.29				
2-13-79	8:45	11.7	450.	7.5	59.	5.4	0.50				
2-13-79	9:00	21.3	400.	7.5	92.	5.5	0.59				
2-13-79	9:15	21.3	300.	7.4	116.	4.9	0.50				
2-13-79	9:30	20.6	250.	7.5	109.	3.4	0.55				
2-13-79	9:45	34.0	220.	7.3	207.	5.3	0.63				
2-13-79	10:00	153.0	12.1	150.	7.3	1.23	4.60E 05				
2-13-79	10:15	172.6	120.	7.2	554.	3.7	0.59				
2-13-79	11:00	67.9	12.2	130.	6.3	182.	3.0	0.10			
2-13-79	11:30	162.8	130.	7.4	154.	4.2	0.25				
2-13-79	12:00	104.0	12.6	90.	209.	3.0	0.09				
2-13-79	13:00	164.4	12.8	60.	6.2	165.	2.7	0.04			
2-13-79	14:00	117.6	13.0	80.	6.2	95.	2.9	0.07			
2-13-79	15:00	172.6	13.0	75.	6.3	131.	2.2	0.11			
2-13-79	15:15	151.3	13.0	100.	6.3	84.	2.3	0.06			
2-13-79	15:30	51.3	13.3								
2-13-79	17:00	13.3									
2-13-79	18:00	5.82									
2-13-79	19:00	4.16									
2-13-79	20:00	7.50									
2-13-79	21:00	19.4									

STORM EVENT 8 - FEBRUARY 13-14, 1979 QUALITY DATA
 (Concluded)

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMhos/cm	PH	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML
2-13-79	22:00	35.8		260.	7.1	89.	3.7	0.06		
2-13-79	23:00	421.7		75.	7.0	581.	3.7	0.17		
2-13-79	24:00	280.8		80.	6.8	162.	1.7	0.13		
2-13-79	1:00	63.1		140.	6.9	167.	3.4	0.11		
2-13-79	2:00	27.5		220.	7.0	154.	2.9	0.16		
2-13-79	3:00	20.6		280.	7.1	170.	3.6	0.10		
2-13-79	4:00	12.9		300.	7.1	124.	2.9	0.09		
2-13-79	5:00	10.9		320.	7.2	97.	3.4	0.06		
2-13-79	6:00	8.11		375.	7.2	105.	3.2	0.07		
2-13-79	7:00	15.1		450.	7.6	107.	3.4	0.11		

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
2-13-79	3:00	1.35	0.539				
2-13-79	3:15	1.35	0.539				
2-13-79	3:30	1.35	0.539				
2-13-79	3:45	1.45	0.928		0.01		
2-13-79	4:00	1.64	2.49				
2-13-79	4:15	1.66	2.74				
2-13-79	4:30	1.65	2.61				
2-13-79	4:45	1.62	2.25		0.01		
2-13-79	5:00	1.60	2.03				0.01
2-13-79	5:15	1.57	1.73			0.01	
2-13-79	5:30	1.55	1.57				0.01
2-13-79	5:45	1.54	1.49		0.01		
2-13-79	6:00	1.53	1.41				
2-13-79	6:15	1.68	3.02	YES			
2-13-79	6:30	1.81	5.38	YES			
2-13-79	6:45	1.90	7.50	YES			
2-13-79	7:00	1.86	6.50	YES			
2-13-79	7:15	1.81	5.38	YES	0.01	0.01	0.01
2-13-79	7:30	1.77	4.35	YES	0.01		
2-13-79	7:45	1.74	3.98	YES	0.01	0.01	0.01
2-13-79	8:00	1.73	3.81	YES	0.01	0.01	0.01
2-13-79	8:15	1.74	3.98	YES	0.01		
2-13-79	8:30	2.02	11.7	YES	0.01	0.01	0.01
2-13-79	8:45	2.21	21.3	YES	0.01	0.03	
2-13-79	9:00	2.21	21.3	YES	0.03		0.01
2-13-79	9:15	2.20	20.6	YES	0.04	0.02	0.01
2-13-79	9:30	2.38	34.0	YES	0.02	0.03	0.04
2-13-79	9:45	3.27	153.0	YES	0.02	0.02	0.06
2-13-79	10:00	3.39	172.6	YES	0.01	0.03	0.04
2-13-79	10:15	3.26	151.3	YES		0.01	
2-13-79	10:30	2.86	90.7	YES	0.06	0.02	0.01
2-13-79	10:45	2.69	67.9	YES	0.01	0.01	0.01
2-13-79	11:00	2.73	73.0	YES	0.01	0.03	0.03
2-13-79	11:15	3.33	162.8	YES	0.03	0.06	0.03
2-13-79	11:30	3.38	170.9	YES	0.04	0.02	0.01
2-13-79	11:45	2.95	104.0	YES	0.02	0.01	0.01
2-13-79	12:00	2.87	92.1		0.03	0.04	0.03
2-13-79	12:15	3.39	172.6		0.03	0.03	0.04
2-13-79	12:30	3.43	179.3		0.02	0.03	0.04
2-13-79	12:45	3.46	184.4	YES	0.02	0.02	0.03
2-13-79	13:00	3.33	162.8		0.01	0.03	0.05
2-13-79	13:15	3.41	175.9		0.02	0.02	0.03

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA
(Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-13-79	13:30	3.09	124.8		0.04	0.01	0.02
2-13-79	13:45	3.04	117.6	YES	0.04	0.01	0.02
2-13-79	14:00	3.01	114.0		0.02	0.02	0.02
2-13-79	14:15	2.99	110.4		0.02	0.05	0.06
2-13-79	14:30	3.42	177.6		0.02	0.04	0.03
2-13-79	14:45	3.69	223.2			0.01	0.03
2-13-79	15:00	3.39	172.6	YES		0.02	0.02
2-13-79	15:15	3.26	151.3			0.01	0.01
2-13-79	15:30	3.10	126.3			0.01	0.01
2-13-79	15:45	2.78	79.6			0.01	
2-13-79	16:00	2.55	51.3	YES			
2-13-79	16:15	2.40	35.8				
2-13-79	16:30	2.25	23.9				
2-13-79	16:45	2.10	15.1				
2-13-79	17:00	1.95	9.09				
2-13-79	17:15	1.92	8.11				0.01
2-13-79	17:30	1.88	6.99				
2-13-79	18:00	1.83	5.82	YES		0.01	
2-13-79	18:30	1.78	4.74				
2-13-79	18:45	1.77	4.54		0.01		
2-13-79	19:00	1.75	4.16	YES			
2-13-79	19:15	1.73	3.81				0.01
2-13-79	19:30	1.72	3.64		0.01	0.01	
2-13-79	19:45	1.81	5.38		0.01		0.01
2-13-79	20:00	1.90	7.50	YES			
2-13-79	20:15	2.02	11.7			0.01	
2-13-79	20:30	2.13	16.6				0.01
2-13-79	20:45	2.16	18.3		0.01		
2-13-79	21:00	2.18	19.4	YES	0.02		
2-13-79	21:30	2.08	14.2			0.01	0.01
2-13-79	21:45	2.24	23.1		0.19	0.01	0.01
2-13-79	22:00	2.40	35.8	YES	0.05		
2-13-79	22:15	3.97	268.3		0.08	0.01	
2-13-79	22:30	5.54	493.6		0.03	0.12	0.12
2-13-79	22:45	5.27	459.2		0.06	0.05	0.05
2-13-79	23:00	5.00	421.7	YES	0.04	0.05	0.03
2-13-79	23:15	5.10	435.5			0.04	0.04
2-13-79	23:30	5.20	449.4		0.01	0.07	0.07
2-13-79	23:45	4.63	371.5			0.03	0.01
2-13-79	24:00	4.05	280.8	YES			
2-14-79	0:15	3.53	196.7			0.01	
2-14-79	0:30	3.00	112.0				
2-14-79	1:00	2.65	63.1	YES			

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-14-79	1:30	2.40	35.8				
2-14-79	2:00	2.30	27.5			0.01	
2-14-79	2:15	2.33	29.8				0.01
2-14-79	2:30	2.35	31.4				
2-14-79	3:00	2.20	20.6	YES			
2-14-79	3:30	2.15	17.6				
2-14-79	4:00	2.05	12.9	YES			
2-14-79	4:30	2.07	13.7				
2-14-79	4:45	2.04	12.5		0.01		
2-14-79	5:00	2.00	10.9	YES		0.01	
2-14-79	5:15	1.98	10.1			0.01	
2-14-79	5:30	1.95	9.09				0.01
2-14-79	6:00	1.92	8.11				
2-14-79	6:15	2.11	15.6		0.01		
2-14-79	6:30	2.30	27.5				
2-14-79	6:45	2.20	20.6			0.02	
2-14-79	7:00	2.10	15.1				0.01
2-14-79	7:30	2.21	21.3			0.01	
2-14-79	8:00	2.30	27.5				0.01
2-14-79	8:30	2.20	20.6				
2-14-79	9:00	2.40	35.8				
2-14-79	9:30	2.25	23.9			0.02	
2-14-79	10:00	2.01	11.3				
2-14-79	11:00	1.90	7.50				
2-14-79	12:00	1.79	4.95				
2-14-79	13:00	1.74	3.98				

FEBRUARY 1979
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OF C
INTERNATIONAL AIRPORT

Local Climatological Data



MONTHLY SUMMARY

LATITUDE 37° 37' N LONGITUDE 122° 23' W ELEVATION (GROUND)		SFT.		STANDARD TIME USED:		PACIFIC	W.M. 823234		SERIES D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
TEMPERATURE °F		DEGREES DEPS BASE 65°		WEATHER TYPES ON DATES OF OCCURRENCE		INCHES OF PRECIPITATION		AVG. STATION PRESS. IN.		WIND		SUNSHINE		MAX. COOLER TEMPERS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
DAY	MINIMUM MAXIMUM	DEP. AT 65°	DEP. AT 37° 37' N	DEP. AT 122° 23' W	DEP. AT 37° 37' N	ICE PELLETS OR SNOW	SNOW	IN.	IN.	DIR.	SPD. M. P. H.	DIR.	IN.	IN.	IN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1	2	3	4	5	6	7A	7B	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1070	1071	1072

* EXTREME FOR THE MONTH - LAST OCCURRENCE IF
MORE THAN ONE
T TRADE ABOUT
* ALSO ON AN EARLIER DATE, OR DATES.
HEAVY FOG - VISIBILITY 1/4 MILE OR LESS.
FIGURES FOR WIND DIRECTIONS ARE TENS OF DE-
GREES CLOCKWISE FROM TRUE NORTH, 00 = CALM
DATA IN COLS. 6 AND 12-15 ARE BASED ON 7 OR

MORE OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
FASTEST WIND SPEEDS ARE FASTEST OBSERVED
ONE-MINUTE VALUES WHEN DIRECTIONS ARE IN TENS
OF DEGREES THE / WITH THE DIRECTION INDICATES
PEAK GUST SPEED.
ANY ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SUMMARY DATA WILL BE ANNOTATED IN
THE ANNUAL SUMMARY.

SUMMARY BY HOURS									
	AVERAGE			MAXIMUM			MINIMUM		
WIND DIR. AND SPEED IN MPH.	TEMPERATURE IN DEG. F.	R.H. PERCENT	WIND DIR. AND SPEED IN MPH.	TEMPERATURE IN DEG. F.	R.H. PERCENT	WIND DIR. AND SPEED IN MPH.	TEMPERATURE IN DEG. F.	R.H. PERCENT	WIND DIR. AND SPEED IN MPH.
01	7 30 10	47 45	42	84	7 6	7 6	26	3 5	
02	7 30 09	46 44	42	86	6 5	6 5	26	3 1	
03	8 30 10	46 44	42	87	6 5	23			
10	8 30 13	52 48	44	87	10 10 0	27			
11	7 30 10	55 50	44	87	11 8	26			
16	7 30 07	56 50	44	86	11 9	26			
19	6 30 10	52 48	44	76	10 4	26			

HOUR X PRECIPITATION / WATER EQUIVALENT IN INCHES

SUBSCRIPTION PRICE: \$2.55 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING \$1.05 EXTRA. SINGLE COPY 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHELF-STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, NOAA, SEND PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL CLIMATE CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLINA 28801.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, NORTH CAROLINA 28801.

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE

Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATIC CENTER

FEBRUARY 1979
OAKLAND, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



LATITUDE 37° 44' N LONGITUDE 122° 12' W ELEVATION 60 FEET STANDARD TIME USED: PACIFIC TIME ZONE: 803230

DATE	TEMPERATURE °F		DEW POINT °F		WIND DIRECTION		WIND VELOCITY MPH		PRECIPITATION IN.		SUNSHINE HRS		SKY COVERAGE %	
	HIGH	LOW	DEW PT	TEMP	DIRECTION	VELOC	DIR	VELOC	TYPE	AMOUNT	AMOUNT	SUNSHINE	CLOUDS	
1	50	38	44	35	29	18	0	0	0	.28	.02	23	2	0
2	55	38	47	32	29	21	0	0	0	.32	.02	22	2	0
3	58	38	47	34	26	18	0	0	0	.30	.02	21	1	12
4	57	38	48	32	42	17	0	0	0	.30	.25	18	2	2
5	58	44	51	40	45	14	0	0	0	.30	.24	17	1	12
6	57	45	52	41	45	13	0	0	0	.30	.23	16	2	12
7	55	45	52	41	45	13	0	0	0	.30	.21	15	2	12
8	55	45	52	41	45	13	0	0	0	.30	.21	13	1	12
9	52	42	52	41	44	13	0	0	0	.30	.20	13	1	12
10	57	45	53	41	40	12	0	0	0	.30	.19	12	1	12
11	60	49	55	43	48	10	0	0	0	.30	.14	11	2	12
12	61	53	57	48	48	8	0	0	0	.30	.02	10	2	12
13	57	52	55	50	10	0	0	0	0	.30	.01	15	2	12
14	56	45	51	41	42	14	0	0	0	.30	.02	20	10	10
15	55	45	51	41	42	14	0	0	0	.30	.00	15	0	12
16	48	45	51	42	42	12	0	0	0	.30	.15	23	4	16
17	57	42	50	42	45	14	0	0	0	.30	.26	16	3	16
18	55	48	52	42	45	13	0	0	0	.30	.12	17	1	16
19	51	45	53	41	45	12	0	0	0	.30	.11	23	1	16
20	52	52	52	47	47	12	0	0	0	.30	.00	6	0	16
21	56	49	53	47	45	12	0	0	0	.30	.00	16	0	16
22	54	52	51	44	45	15	0	0	0	.30	.00	16	1	16
23	55	52	52	41	43	15	0	0	0	.30	.11	22	0	16
24	55	55	51	42	45	14	0	0	0	.30	.00	15	0	16
25	59	49	54	46	46	13	0	0	0	.30	.18	21	1	16
26	58	49	55	46	46	12	0	0	0	.30	.18	16	0	16
27	57	49	50	45	45	15	0	0	0	.30	.25	28	3	16
28	57	49	50	47	47	12	0	0	0	.30	.21	20	0	16
												71		
1588	52	42	50	42	45	15	0	0	0	.30	.14	12	2	17
1589	51	45	48	40	45	15	0	0	0	.30	.12	22	2	15
1590	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1591	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1592	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1593	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1594	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1595	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1596	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1597	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1598	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1599	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1600	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1601	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1602	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1603	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1604	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1605	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1606	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1607	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1608	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1609	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1610	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1611	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1612	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1613	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1614	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1615	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1616	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1617	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1618	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1619	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1620	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1621	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1622	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1623	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1624	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1625	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1626	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1627	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1628	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1629	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1630	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1631	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1632	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1633	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1634	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1635	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1636	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1637	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1638	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1639	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1640	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1641	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1642	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1643	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1644	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1645	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1646	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1647	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1648	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1649	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1650	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1651	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1652	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1653	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1654	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1655	50	45	50	48	48	15	0	0	0	.30	.12	22	2	15
1656	50	45	50	48	48	15	0	0	0	.30	.12	22	2	

STORM EVENT REPORT NO. 9
February 18, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.46	0630	18 Feb 79	1600	18 Feb 79
2. Proctor School	0.45	0715	18 Feb 79	1715	18 Feb 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	0.26	0600	18 Feb 79	1600	18 Feb 79
5. Oakland Airport	0.32	0700	18 Feb 79	1600	18 Feb 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	349.5	1515	18 Feb 79
Average, cfs	71.9	--	18 Feb 79
Total volume, ft ³	3,561,400	from 0630 to 2015	18 Feb 79
Prior to storm, cfs	2.03		
Average (previous 7 days), cfs	16.5		
Average (previous 30 days), cfs	4.21		

CASTRO VALLEY STORM, FEBRUARY 18, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value
Chemical oxygen demand	mg/L	69
Total nitrogen as N	mg/L	3.9
Lead	mg/L	0.2
Chromium	mg/L	<0.06
Copper	mg/L	<0.03
Total Ortho Phosphorus as P	mg/L	0.18
Suspended solids	mg/L	192
Volatile suspended solids	mg/L	62

Discrete Sample

Parameter	Unit	Value
Date and time	--	18 Feb 1200
Instantaneous flowrate	cfs	248.6
Temperature	Deg C	11.3
Specific conductance	μ mho/cm	90
pH	--	6.4
Settleable solids	ml/L	0.5
Suspended solids	mg/L	146
Volatile suspended solids	mg/L	34
Biochemical oxygen demand (5 day)	mg/L	--
Total coliform	MPN/100 ml	4.6×10^4
Fecal coliform	MPN/100 ml	4.3×10^3

4. Observations at Sampling Station During Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

5. Observation in Tributary Area During Event.

Nothing significant to report.

6. Comments on Storm Event.

1. The raingage at Sydney School was inoperable from February 17 to March 8.
2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
3. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
4. Samples used in the composite sample analysis were taken at 15 minute intervals from 0730 to 0815 and from 1200 to 1600 and at half hour intervals from 1630 to 2400 as indicated by X's on the flow plot.

STORM EVENT 9 - FEBRUARY 18, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-18-79	6:00	1.60	2.03				
2-18-79	6:30	1.60	2.03		0.01		
2-18-79	6:45	1.60	2.03		0.03		
2-18-79	7:00	1.59	1.92		0.09		
2-18-79	7:15	1.60	2.03		0.02	0.03	
2-18-79	7:30	1.74	3.98	YES		0.04	
2-18-79	7:45	4.27	314.5	YES		0.01	
2-18-79	8:00	3.70	224.8	YES			
2-18-79	8:15	2.96	105.6	YES			
2-18-79	8:30	2.57	53.7				
2-18-79	8:45	2.41	36.7				
2-18-79	9:00	2.28	26.0				
2-18-79	9:15	2.14	17.1				
2-18-79	9:30	2.04	12.5				
2-18-79	9:45	1.97	9.78				
2-18-79	10:00	1.92	8.11			0.01	
2-18-79	10:15	1.88	6.99		0.01		
2-18-79	10:30	1.81	5.38		0.05		
2-18-79	10:45	1.81	5.38		0.05		
2-18-79	11:00	1.81	5.38		0.02	0.04	
2-18-79	11:15	2.52	47.9		0.04	0.01	
2-18-79	11:30	3.12	129.3		0.01	0.03	
2-18-79	11:45	3.72	227.9		0.01	0.01	
2-18-79	12:00	3.85	248.6	YES			
2-18-79	12:15	3.39	172.6	YES		0.01	
2-18-79	12:30	2.97	107.2	YES			
2-18-79	12:45	2.74	74.3	YES			
2-18-79	13:00	2.55	51.3	YES			
2-18-79	13:15	2.43	38.6	YES			
2-18-79	13:30	2.30	27.5	YES			
2-18-79	13:45	2.20	20.6	YES			
2-18-79	14:00	2.14	17.1	YES		0.01	
2-18-79	14:15	2.09	14.6	YES			
2-18-79	14:30	2.11	15.6	YES	0.06	0.03	
2-18-79	14:45	2.14	17.1	YES		0.14	
2-18-79	15:00	2.56	52.5	YES		0.02	
2-18-79	15:15	4.49	349.5	YES	0.01	0.01	
2-18-79	15:30	3.63	214.0	YES	0.04	0.02	
2-18-79	15:45	3.43	179.3	YES		0.01	
2-18-79	16:00	3.45	182.7	YES	0.01	0.01	
2-18-79	16:15	3.65	217.1				
2-18-79	16:30	3.30	158.0	YES			

STORM EVENT 9 - FEBRUARY 18, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES			
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-18-79	16:45	2.91	97.9					
2-18-79	17:00	2.79	81.0	YES				
2-18-79	17:15	2.58	54.9					
2-18-79	17:30	2.55	51.3	YES				0.01
2-18-79	17:45	2.43	38.6					
2-18-79	18:00	2.40	35.8	YES				
2-18-79	18:15	2.36	32.3					
2-18-79	18:30	2.31	28.2	YES				
2-18-79	18:45	2.26	24.6					
2-18-79	19:00	2.22	21.9	YES				
2-18-79	19:15	2.22	21.9					
2-18-79	19:30	2.21	21.3	YES				
2-18-79	19:45	2.14	17.1					
2-18-79	20:00	2.13	16.6	YES				
2-18-79	20:15	2.10	15.1					
2-18-79	20:30	2.12	16.1	YES				
2-18-79	20:45	2.07	13.7					
2-18-79	21:00	2.06	13.3	YES				
2-18-79	21:15	2.06	13.3					
2-18-79	21:30	2.05	12.9	YES				
2-18-79	21:45	2.04	12.5					
2-18-79	22:00	2.02	11.7	YES				
2-18-79	22:15	2.01	11.3					
2-18-79	22:30	1.99	10.5	YES				
2-18-79	22:45	1.99	10.5					
2-18-79	23:00	1.97	9.78	YES				
2-18-79	23:15	1.96	9.43					
2-18-79	23:30	1.96	9.43	YES				
2-18-79	23:45	1.95	9.09					
2-18-79	24:00	1.96	9.43	YES				

STORM EVENT REPORT NO. 10
February 20-21, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	1.45	0400	20 Feb 79	0615	21 Feb 79
2. Proctor School	1.15	0445	20 Feb 79	1145	21 Feb 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	1.53	0400	20 Feb 79	1200	21 Feb 79
5. Oakland Airport	1.25	0400	20 Feb 79	1200	21 Feb 79


2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	459.2	1500	20 Feb 79
Average, cfs	113.0	--	20 Feb 79
Total volume, ft ³	14,200,600	from 0400 to 1500	20 Feb 79 21 Feb 79
Prior to storm, cfs	2.90		
Average (previous 7 days), cfs	23.7		
Average (previous 30 days), cfs	5.86		

CASTRØ VALLEY STØRM, FEBRUARY 20, 1979



CASTRO VALLEY STORM, FEBRUARY 21, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value
Chemical oxygen demand	mg/l	45
Total nitrogen as N	mg/l	3.8
Lead	mg/l	<0.1
Chromium	mg/l	<0.6
Copper	mg/l	0.04
Total ortho phosphorus as P	mg/l	0.28
Suspended Solids	mg/l	204
Volatile suspended solids	mg/l	56

Discrete Sample

Parameter	Unit	Value
Date and Time	--	20 Feb 1700
Instantaneous flowrate	cfs	294.5
Temperature	DegC	--
Specific Conductance	$\mu\text{mho}/\text{cm}$	160
pH	--	6.4
Settleable solids	ml/l	0.1
Suspended Solids	mg/l	43
Volatile Suspended solids	mg/l	8
Biochemical oxygen demand (5 day)	--	--
Total coliform	MPN/100ml	4.6×10^4
Fecal coliform	MPN/100ml	9.3×10^3

4. Observations at Sampling Station During Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

5. Observations in Tributary Area During Event.

No significant events occurred during the sampling period.

6. Comments on Storm Event.

1. The raingage at Sydney School was inoperable from February 17 to March 8.
2. The total rainfall for this event was more than 1.00 inch.
3. Flow response at the gaging station occurs within a half hour following a change in the rainfall.
4. The runoff period for this storm event began with the first recorded rainfall at 0400 on February 20 and ended three hours after the last recorded rainfall at 1500 on February 21.
5. A flow-weighted composite sample and a single discrete grab sample were analyzed for this event.
6. Samples used in the composite sample analysis were taken at half hour intervals from 0730 to 2400 on February 20 and from 0030 to 0700 on February 21 as indicated by X's on the flow plot.

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-20-79	3:00	1.68	3.02				
2-20-79	4:00	1.68	3.02		0.01		
2-20-79	4:15	1.68	3.02				
2-20-79	4:30	1.67	2.88		0.01		
2-20-79	4:45	1.67	2.88		0.01		
2-20-79	5:00	1.67	2.88		0.01	0.01	
2-20-79	5:15	1.67	2.88				
2-20-79	5:30	1.67	2.88		0.01	0.01	
2-20-79	5:45	1.70	3.32		0.02	0.01	
2-20-79	6:00	1.97	9.78		0.01	0.01	
2-20-79	6:15	2.29	26.7		0.01		
2-20-79	6:30	2.33	29.8		0.02	0.01	
2-20-79	6:45	2.31	28.2		0.01	0.01	
2-20-79	7:00	2.35	31.4		0.01	0.02	
2-20-79	7:15	2.51	46.8				0.01
2-20-79	7:30	2.74	74.3	YES		0.01	
2-20-79	7:45	2.89	95.0			0.01	
2-20-79	8:00	2.84	87.8	YES			
2-20-79	8:15	2.64	61.9				
2-20-79	8:30	2.50	45.7	YES		0.01	
2-20-79	8:45	2.44	39.5				
2-20-79	9:00	2.33	29.8	YES			
2-20-79	9:15	2.24	23.1				
2-20-79	9:30	2.16	18.3	YES			
2-20-79	9:45	2.07	13.7		0.01		
2-20-79	10:00	2.01	11.3	YES	0.02		
2-20-79	10:15	1.97	9.78		0.02	0.01	
2-20-79	10:30	1.94	8.75	YES	0.02		
2-20-79	10:45	1.92	8.11		0.01	0.02	
2-20-79	11:00	1.99	10.5	YES		0.01	
2-20-79	11:15	2.91	97.9			0.01	
2-20-79	11:30	3.20	141.6	YES		0.01	
2-20-79	11:45	3.06	120.5		0.01		
2-20-79	12:00	2.72	71.7	YES			
2-20-79	12:15	2.50	45.7		0.01		
2-20-79	12:30	2.38	34.0	YES	0.04		
2-20-79	12:45	2.30	27.5		0.04		
2-20-79	13:00	2.27	25.3	YES	0.06	0.02	
2-20-79	13:15	2.54	50.1		0.07	0.04	
2-20-79	13:30	4.05	280.8	YES	0.06	0.08	
2-20-79	13:45	4.74	386.3		0.05	0.07	
2-20-79	14:00	4.90	408.0	YES	0.04	0.07	

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA
 (Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-20-79	14:15	4.94	413.4		0.09	0.04	
2-20-79	14:30	4.81	395.6	YES		0.07	
2-20-79	14:45	5.09	434.1		0.01	0.04	
2-20-79	15:00	5.27	459.2	YES		0.01	
2-20-79	15:15	4.47	346.1		0.03		
2-20-79	15:30	4.11	289.8	YES	0.02		
2-20-79	15:45	3.61	211.0		0.06	0.02	
2-20-79	16:00	3.53	196.7	YES	0.06	0.03	
2-20-79	16:15	4.34	325.5		0.01	0.03	
2-20-79	16:30	4.76	389.0	YES		0.01	
2-20-79	16:45	4.56	360.9			0.01	
2-20-79	17:00	4.14	294.5	YES			
2-20-79	17:15	3.70	224.8				
2-20-79	17:30	3.43	179.3	YES			
2-20-79	17:45	3.24	148.0				
2-20-79	18:00	3.13	130.8	YES			
2-20-79	18:15	3.01	113.4				
2-20-79	18:30	2.91	97.9	YES		0.01	
2-20-79	18:45	2.77	78.3				
2-20-79	19:00	2.70	69.1	YES			
2-20-79	19:15	2.64	61.9				
2-20-79	19:30	2.65	63.1	YES			
2-20-79	19:45	2.66	64.3				
2-20-79	20:00	2.59	56.1	YES			
2-20-79	20:15	2.55	51.3		0.03		
2-20-79	20:30	2.52	47.9	YES			
2-20-79	20:45	2.59	56.1				
2-20-79	21:00	2.60	57.4	YES			
2-20-79	21:15	2.61	58.5				
2-20-79	21:30	2.62	59.6	YES			
2-20-79	21:45	2.55	51.3				
2-20-79	22:00	2.49	44.6	YES			
2-20-79	22:15	2.46	41.5				
2-20-79	22:30	2.43	38.6	YES			
2-20-79	22:45	2.39	34.9				
2-20-79	23:00	2.38	34.0	YES			
2-20-79	23:15	2.36	32.3			0.01	
2-20-79	23:30	2.34	30.6	YES			
2-20-79	23:45	2.32	29.0				
2-20-79	24:00	2.32	29.0	YES			
2-21-79	0:15	2.32	29.0			0.02	
2-21-79	0:30	2.34	30.6	YES		0.10	
2-21-79	0:45	2.33	29.8			0.12	0.02

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-21-79	1:00	2.23	22.6	YES	0.02	0.04	
2-21-79	1:15	3.92	260.1			0.06	
2-21-79	1:30	4.79	393.0	YES	0.01	0.05	
2-21-79	1:45	4.59	365.8			0.01	
2-21-79	2:00	4.03	277.8	YES	0.02	0.01	
2-21-79	2:15	3.73	229.4		0.03	0.01	
2-21-79	2:30	3.48	187.9	YES		0.01	
2-21-79	2:45	3.26	151.3		0.07	0.02	
2-21-79	3:00	3.50	191.4	YES	0.04	0.01	
2-21-79	3:15	3.69	223.2			0.04	
2-21-79	3:30	3.64	215.5	YES		0.02	
2-21-79	3:45	4.32	322.3				
2-21-79	4:00	3.82	243.7	YES	0.05		
2-21-79	4:15	3.41	175.9				
2-21-79	4:30	3.27	153.0	YES	0.06	0.03	
2-21-79	4:45	3.65	217.1			0.01	
2-21-79	5:00	3.88	253.5	YES		0.03	
2-21-79	5:15	3.85	248.6			0.01	
2-21-79	5:30	4.18	300.6	YES			
2-21-79	5:45	3.76	234.2				
2-21-79	6:00	3.45	182.7	YES		0.01	
2-21-79	6:15	3.23	146.4		0.01		
2-21-79	6:30	3.14	132.3	YES			
2-21-79	6:45	3.04	117.6				
2-21-79	7:00	3.01	113.4	YES			
2-21-79	7:15	3.12	129.3				
2-21-79	7:30	3.02	114.8			0.01	
2-21-79	7:45	2.89	95.0				
2-21-79	8:00	2.83	86.5				
2-21-79	8:15	2.79	67.9				
2-21-79	8:30	2.85	89.2				
2-21-79	9:00	2.71	70.4				
2-21-79	10:00	2.55	51.3				
2-21-79	11:00	2.48	43.6				
2-21-79	11:45	2.43	38.6			0.01	
2-21-79	12:00	2.41	36.7				
2-21-79	13:00	2.58	54.9				
2-21-79	14:00	2.34	30.6				
2-21-79	15:00	2.27	25.3				

FEBRUARY 1979
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE DEC
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



FEBRUARY 1979

SHN FRANCISCO, CALIFORNIA

* EXTREME FOR THE MONTH - LAST OCCURRENCE OF MORE THAN ONE TRACE AROUND
+ ALSO ON AN EARLIER DATE, OR DATES
HEAVY FOUL WEATHER 1/4 MILE OR LESS
FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLOCKWISE FROM TRUE NORTH - 000 IS EAST
DAYS IN COLS 6 AND 12-15 ARE BASED ON 7 OR

MORE OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
FASTEST WIND SPEEDS ARE FASTEST OBSERVED
ONE MINUTE VALUES WHEN DIRECTIONS ARE IN TENS
OF DEGREES, THE 0 WITH THE DIRECTION INDICATES
PEAK DUST SPEED.
ANT ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SURFACE DATA WILL BE ANNOTATED IN
THE ANNUAL SURVEY.

SUMMARY BY HOURS									
BEVERAGES									
MO/H	LOC.	STATION	IN.	TEMPERATURE	WT.	BU. OR	QTY. P.	REMEDY	REC'D.
01	7	30	10	47	.45	42	.64	6	6
04	7	30	10	46	.44	42	.67	6	6
05	8	30	10	46	.44	42	.67	6	6
10	8	30	13	46	.44	42	.71	10	8
13	7	30	10	55	.50	44	.67	11	9
16	7	30	27	50	.50	44	.67	11	9
19	6	30	08	50	.48	44	.76	12	10
22	6	30	09	50	.47	43	.80	7	7

SUBSCRIPTION PRICE: \$2.55 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING \$1.85 EXTRA. SINGLE COPY 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, NORR SEND PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL ELECTRIC CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLINA 28801.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, NORTH CAROLINA 28801.

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE

noaa NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE

Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATIC CENTER

STORM EVENT REPORT NO. 11
February 22, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.85	0545	22 Feb 79	1715	22 Feb 79
2. Proctor School	0.64	0615	22 Feb 79	2000	22 Feb 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	0.62	0000	22 Feb 79	2000	22 Feb 79
5. Oakland Airport	0.41	0800	22 Feb 79	1400	22 Feb 79

2. Creek Flow Summary

Discharge	Value	Time	Date
Maximum, cfs	556.1	1200	22 Feb 79
Average, cfs	105.0	--	22 Feb 79
Total volume, ft ³	6,513,000	from 0545 to 2300	22 Feb 79
Prior to storm, cfs	10.5		
Average (previous 7 days), cfs	36.9		
Average (previous 30 days), cfs	11.1		

CASTRO VALLEY STORM, FEBRUARY 22, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value
Chemical oxygen demand	mg/L	68
Total nitrogen as N	mg/L	7.4
Lead	mg/L	0.1
Chromium	mg/L	<0.06
Copper	mg/L	0.06
Total ortho phosphorus as P	mg/L	0.42
Suspended solids	mg/L	335
Volatile suspended solids	mg/L	55

Discrete Sample

Parameter	Unit	Value
Date and time	--	22 Feb 1010
Instantaneous flow rate	cfs	341.4
Temperature	DegC	9.0
Specific conductance	$\mu\text{mho}/\text{cm}$	110
pH	--	6.8
Settleable solids	ml/L	0.2
Suspended solids	mg/L	212
Volatile suspended solids	mg/L	35
Biochemical oxygen demand (BOD)	mg/L	5
Total coliform	MPN/100 mL	--
Fecal coliform	MPN/100 mL	--

4. Observations at Sampling Station During Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section. At approximately noon, the high stream flow was sufficient to carry the car body downstream beyond the confluence with San Lorenzo Creek.

5. Observations in Tributary Area During Event.

Nothing significant to report.

6. Comments on Storm Event.

1. The raingage at Sydney School was inoperable from February 17 to March 8.
2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
3. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
4. Samples used in the composite sample analysis were taken at half hour intervals from 1015 to 2345 as indicated by X's on the flow plot.

STORM EVENT 11 - FEBRUARY 22, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-22-79	5:00	1.94	8.75				
2-22-79	5:45	1.93	8.43		0.03		
2-22-79	6:00	1.93	8.43		0.02		
2-22-79	6:15	1.93	8.43			0.01	
2-22-79	6:30	1.95	9.09				
2-22-79	6:45	2.28	26.0				
2-22-79	7:00	2.57	53.7				
2-22-79	7:15	2.41	36.7			0.01	
2-22-79	7:30	2.35	31.4				
2-22-79	7:45	2.30	27.5			0.01	
2-22-79	8:00	2.12	16.1			0.02	
2-22-79	8:15	2.21	21.3			0.01	
2-22-79	8:30	2.98	108.8		0.03	0.01	
2-22-79	8:45	2.78	79.6		0.04	0.01	
2-22-79	9:00	2.73	73.0		0.07	0.04	
2-22-79	9:15	3.41	175.9		0.06	0.04	
2-22-79	9:30	4.47	346.1		0.04	0.03	
2-22-79	9:40	5.00	421.7				
2-22-79	9:45	4.98	418.9		0.02	0.04	
2-22-79	10:00	4.74	386.3			0.03	
2-22-79	10:15	4.34	325.5	YES		0.01	
2-22-79	10:30	3.87	251.8		0.03	0.01	
2-22-79	10:45	3.72	227.9	YES	0.04	0.01	
2-22-79	11:00	3.26	151.3		0.07	0.03	
2-22-79	11:15	3.78	237.3	YES	0.07	0.05	
2-22-79	11:30	4.84	399.8		0.26	0.09	
2-22-79	11:45	5.43	481.0	YES	0.02	0.13	
2-22-79	12:00	6.08	556.1			0.01	
2-22-79	12:15	5.37	473.3	YES		0.01	
2-22-79	12:30	4.11	289.8				
2-22-79	12:45	3.56	202.2	YES	0.01		
2-22-79	13:00	3.29	156.3			0.01	
2-22-79	13:15	3.12	129.3	YES		0.01	
2-22-79	13:30	3.09	124.8				
2-22-79	13:45	3.05	119.0	YES			
2-22-79	14:00	2.82	85.1				
2-22-79	14:15	2.71	70.4	YES			
2-22-79	14:30	2.65	63.1				
2-22-79	14:45	2.57	53.7	YES			
2-22-79	15:00	2.51	46.8				
2-22-79	15:15	2.46	41.5	YES			
2-22-79	15:30	2.43	38.6				

STORM EVENT 11 - FEBRUARY 22, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES			
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-22-79	15:45	2.40	35.8	YES				
2-22-79	16:00	2.37	33.1					
2-22-79	16:15	2.34	30.6	YES				
2-22-79	16:30	2.31	28.2					
2-22-79	16:45	2.28	26.0	YES				
2-22-79	17:00	2.26	24.6					
2-22-79	17:15	2.23	22.6	YES	0.01	0.01		
2-22-79	17:30	2.21	21.3					
2-22-79	17:45	2.21	21.3	YES				
2-22-79	18:00	2.20	20.6					
2-22-79	18:15	2.06	13.3	YES				
2-22-79	18:30	2.28	26.0					
2-22-79	18:45	2.26	24.6	YES				
2-22-79	19:00	2.21	21.3					
2-22-79	19:15	2.18	19.4	YES				
2-22-79	19:30	2.14	17.1					
2-22-79	19:45	2.12	16.1	YES				
2-22-79	20:00	2.11	15.6					
2-22-79	20:15	2.10	15.1	YES				
2-22-79	20:30	2.09	14.6					
2-22-79	20:45	2.08	14.2	YES				
2-22-79	21:00	2.07	13.7					
2-22-79	21:15	2.06	13.3	YES				
2-22-79	21:30	2.04	12.5					
2-22-79	21:45	2.03	12.1	YES				
2-22-79	22:00	2.02	11.7					
2-22-79	22:15	2.02	11.7	YES				
2-22-79	22:30	2.01	11.3					
2-22-79	22:45	2.00	10.9	YES				
2-22-79	23:00	1.99	10.5					
2-22-79	23:15	1.99	10.5	YES				
2-22-79	23:30	1.98	10.1					
2-22-79	23:45	1.97	9.78	YES				
2-22-79	24:00	1.97	9.78					

STORM EVENT REPORT NO. 12
February 28 - March 1, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.64	1430	28 Feb 79	2100	28 Feb 79
2. Proctor School	0.59	1500	28 Feb 79	0045	1 Mar 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	0.62	1500	28 Feb 79	2000	28 Feb 79
5. Oakland Airport	0.71	1500	28 Feb 79	2100	28 Feb 79


2. Creek Flow Summary

Discharge	Value	Time	Date
Maximum, cfs	260.1	2045	28 Feb 79
Average, cfs	52.7	--	28 Feb 79
Total volume, ft ³	2,515,300	from 1430 to 0345	28 Feb 79 1 Mar 79
Prior to storm, cfs	1.34		
Average (previous 7 days), cfs	24.5		
Average (previous 30 days), cfs	14.3		

CASTRO VALLEY STORM, FEBRUARY 28, 1979



CASTRO VALLEY STORM, MARCH 1, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	66
Total Nitrogen as N	mg/L	2.8
Lead	mg/L	0.2
Chromium	mg/L	<0.06
Copper	mg/L	0.09
Total ortho phosphorus as P	mg/L	0.18
Suspended Solids	mg/L	152
Volatile suspended solids	mg/L	16

Discrete Sample

Parameter	Units	Value
Date and time	--	28 Feb 1815
Instantaneous flow rate	cfs	87.8
Temperature	DegC	12.2
Specific conductance	$\mu\text{mho}/\text{cm}$	120
pH	--	6.5
Settleable solids	ml/L	0.4
Suspended solids	mg/L	148
Volatile suspended solids	mg/L	12
Biochemical oxygen demand (5 day)	mg/L	8
Total coliform	MPN/100ml	1.1×10^2
Fecal coliform	MPN/100ml	1.5×10^1

4. Observation at Sampling Station During Event.
Nothing significant to report.
5. Observation in Tributary Area During Event.
Nothing significant to report.
6. Comments on Storm Event.
 1. The raingage at Sydney School was inoperable from February 17 to March 8.
 2. Flow response at the gaging station occurs within a half hour following a change in the rainfall rate.
 3. The runoff period during this storm event began with the first recorded rainfall at 1430 on February 28 and ended three hours after the last recorded rainfall at 0345 on March 1.
 4. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 5. Samples used in the composite sample analysis were taken at half hour intervals from 1815 to 2345 on February 28 and from 0015 to 0745 on March 1 as indicated by X's on the flow plot.

STORM EVENT 12 - FEBRUARY 28 to MARCH 1, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-28-79	14:00	1.52	1.34				
2-28-79	14:30	1.52	1.34		0.01		
2-28-79	14:45	1.52	1.34		0.02		
2-28-79	15:00	1.52	1.34		0.01		0.01
2-28-79	15:15	1.74	3.98		0.03	0.01	
2-28-79	15:30	1.96	9.43		0.03	0.01	
2-28-79	15:45	2.18	19.4		0.02	0.03	
2-28-79	16:00	2.40	35.8		0.02	0.03	
2-28-79	16:15	2.41	36.7		0.01	0.02	
2-28-79	16:30	2.42	37.6		0.01	0.01	
2-28-79	16:45	2.43	38.6		0.02	0.01	
2-28-79	17:00	2.45	40.5		0.01	0.02	
2-28-79	17:15	2.50	45.7		0.02	0.01	
2-28-79	17:30	2.56	52.5		0.03	0.02	
2-28-79	17:45	2.61	58.5		0.04	0.02	
2-28-79	18:00	2.66	64.3		0.03	0.03	
2-28-79	18:15	2.84	87.8	YES	0.01	0.02	
2-28-79	18:30	3.01	113.4		0.04	0.03	
2-28-79	18:45	2.98	108.8	YES	0.03	0.03	
2-28-79	19:00	2.96	105.6		0.01	0.03	
2-28-79	19:15	3.16	135.4	YES	0.01	0.02	
2-28-79	19:30	3.05	119.0		0.01	0.01	
2-28-79	19:45	2.84	87.8	YES	0.05	0.02	
2-28-79	20:00	2.76	76.9		0.10	0.03	
2-28-79	20:15	2.79	81.0	YES	0.02	0.09	
2-28-79	20:30	3.73	229.4		0.02	0.03	
2-28-79	20:45	3.92	260.1	YES	0.02	0.02	
2-28-79	21:00	3.35	166.0		0.01	0.01	
2-28-79	21:15	3.10	126.3	YES		0.01	
2-28-79	21:30	3.04	117.6				
2-28-79	21:45	2.91	97.9	YES			
2-28-79	22:00	2.69	67.9				
2-28-79	22:15	2.52	47.9	YES			
2-28-79	22:30	2.41	36.7				
2-28-79	22:45	2.34	30.6	YES			
2-28-79	23:00	2.27	25.3				
2-28-79	23:15	2.23	22.6	YES			
2-28-79	23:30	2.19	20.0				
2-28-79	23:45	2.16	18.3	YES			
2-28-79	24:00	2.12	16.1				
3-1-79	0:15	2.10	15.1	YES			
3-1-79	0:30	2.07	13.7				

STORM EVENT 12 - FEBRUARY 28 to MARCH 1, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
3- 1-79	0:45	2.05	12.9	YES			0.01
3- 1-79	1:00	2.03	12.1				
3- 1-79	1:15	2.01	11.3	YES			
3- 1-79	1:30	2.00	10.9				
3- 1-79	1:45	1.98	10.1	YES			
3- 1-79	2:00	1.97	9.78				
3- 1-79	2:15	1.96	9.43	YES			
3- 1-79	2:30	1.94	8.75				
3- 1-79	2:45	1.94	8.75	YES			
3- 1-79	3:00	1.92	8.11				
3- 1-79	3:15	1.91	7.80	YES			
3- 1-79	3:30	1.90	7.50				
3- 1-79	3:45	1.90	7.50	YES			
3- 1-79	4:00	1.89	7.24				
3- 1-79	4:15	1.88	6.99	YES			
3- 1-79	4:30	1.87	6.74				
3- 1-79	4:45	1.86	6.50	YES			
3- 1-79	5:00	1.85	6.27				
3- 1-79	5:15	1.85	6.27	YES			
3- 1-79	5:30	1.84	6.04				
3- 1-79	5:45	1.84	6.04	YES			
3- 1-79	6:00	1.83	5.82				
3- 1-79	6:15	1.83	5.82	YES			
3- 1-79	6:30	1.83	5.82				
3- 1-79	6:45	1.81	5.38	YES			
3- 1-79	7:00	1.81	5.38				
3- 1-79	7:15	1.80	5.16	YES			
3- 1-79	7:30	1.80	5.16				
3- 1-79	7:45	1.79	4.95	YES			
3- 1-79	8:00	1.79	4.95				

FEBRUARY 1979

SBN 158861509-1 FBI MEMORANDUM

NATIONAL WEATHER SERVICE OF
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



FEBRUARY 1979

SAN FRANCISCO, CALIFORNIA

* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE TRADE AROUND
* LAST ON AN EARLIER DATE OR DATES HEAVY FOG - VISIBILITY 1/4 MILE OR LESS FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLOCKWISE FROM TRUE NORTH (00 + CRW)

MORE OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
FASTEST WIND SPEEDS ARE FASTEST OBSERVED
ONE MINUTE VALUES WHEN DIRECTIONS ARE IN TENS
OF DEGREES. THE / WITHIN THE DIRECTION INDICATE
PEAK GUST SPEED.
ANY ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SUMMARY DATA WILL BE ANNOTATED IN

SUMMARY BY HOUR

SIGHTING BY RECORD									
DATE	TIME	MEASUREMENTS							
		STATION	PRESSURE	TEMPERATURE	DAMP.	WIND DIRECTION	WIND SPEED	RADIATION	OBSTRUCTION
01	7.30.10	47	45	42	84	10	0	21	3
02	7.30.10	46	44	42	87	10	0	20	3
03	7.30.10	45	43	42	87	10	0	20	3
10	7.30.10	55	50	44	87	11	0	27	3
16	7.30.10	50	45	44	87	11	0	27	3
19	7.30.10	42	40	43	80	14	4	26	3
22	7.30.10	42	40	43	80	14	4	26	3

2020 RELEASE UNDER E.O. 14176 FOR INTERNAL USE ONLY

SUBSCRIPTION PRICE: \$2.55 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING 85¢ EXTRA. SINGLE COPY 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, WASH. SEND PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL ELECTRIC CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLINA 28801.

U.S. GOVERNMENT PRINTING OFFICE: 1964 6-1200-100

WEBSITE: WWW.GOLFTECH.COM 800-222-3737

noaa

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION

ENVIRONMENTAL DATA AND INFORMATION SERVICE

Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATIC CENTER

FEBRUARY 1979
OAKLAND, CALIFORNIA
NATIONAL WEATHER SERVICE FDC
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



LATITUDE 37° 44' N LONGITUDE 122° 12' W ELEVATION (GROUND) 6 FT STANDARD TIME USED: PACIFIC MONTH 02/1979

DATE	TEMPERATURE °F		DEGREE DAYS BASED ON		WEATHER TYPES ON DATES OF OCCURRENCE	SNOW DEPTH IN INCHES	PRECIPITATION IN INCHES	AIR PRESSURE IN MILIBARS	WIND DIRECTION AND VELOCITY IN KNOTS	SUNSHINE IN HOURS	SKY COVER IN PERCENT
	MAX	MIN	DEGREES	DEGREES	100°F	100°F	100°F	100°F	100°F	100°F	100°F
1	55	40	-3	43	17	0	0	1010.0	N 10 10	18	9
2	55	40	-3	43	17	0	0	1009.9	S 10 10	18	9
3	54	40	-3	42	17	0	0	1009.8	E 10 10	18	9
4	56	40	-3	42	17	0	0	1009.7	N 10 10	18	9
5	57	40	-3	42	17	0	0	1009.6	S 10 10	18	9
6	58	44	-1	45	14	0	0	1009.5	E 10 10	18	9
7	57	46	-1	45	13	0	0	1009.4	N 10 10	18	9
8	55	40	-3	43	17	0	0	1009.3	S 10 10	18	9
9	62	42	-2	44	13	0	0	1009.2	E 10 10	18	9
10	51	46	-3	40	12	0	0	1009.1	N 10 10	18	9
11	60	49	-3	53	10	0	0	1009.0	S 10 10	18	9
12	61	53	-5	56	8	0	0	1008.9	E 10 10	18	9
13	57	52	-3	50	10	0	0	1008.8	N 10 10	18	9
14	56	45	-1	42	14	0	0.05	1008.7	S 10 10	18	9
15	58	45	-1	42	14	0	0.02	1008.6	E 10 10	18	9
16	57	46	-1	42	14	0	0.00	1008.5	N 10 10	18	9
17	57	42	-2	41	15	0	0	1008.4	S 10 10	18	9
18	55	46	-2	46	13	0	0.52	1008.3	E 10 10	18	9
19	57	46	-3	46	12	0	0.07	1008.2	N 10 10	18	9
20	54	50	-2	47	13	0	0.80	1008.1	S 10 10	18	9
21	54	49	-1	45	12	0	0.45	1008.0	E 10 10	18	9
22	54	50	-1	45	13	0	0.41	1007.9	N 10 10	18	9
23	56	47	-2	43	13	0	0.08	1007.8	S 10 10	18	9
24	56	45	-2	43	14	0	0.00	1007.7	E 10 10	18	9
25	59	46	-1	46	13	0	0.30	1007.6	N 10 10	18	9
26	58	46	-3	45	12	0	0.30	1007.5	S 10 10	18	9
27	57	42	-3	43	15	0	0.30	1007.4	E 10 10	18	9
28	57	49	-3	50	12	0	0.78	1007.3	N 10 10	18	9
	55	54	-2	46	14	0	0.52	1007.2	S 10 10	18	9
	55	54	-2	46	14	0	0.52	1007.1	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1007.0	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.9	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.8	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.7	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.6	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.5	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.4	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.3	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.2	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.1	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1006.0	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.9	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.8	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.7	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.6	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.5	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.4	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.3	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.2	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.1	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1005.0	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.9	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.8	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.7	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.6	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.5	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.4	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.3	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.2	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.1	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1004.0	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.9	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.8	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.7	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.6	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.5	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.4	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.3	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.2	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.1	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1003.0	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.9	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.8	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.7	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.6	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.5	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.4	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.3	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.2	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.1	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1002.0	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.9	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.8	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.7	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.6	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.5	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.4	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.3	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.2	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.1	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1001.0	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.9	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.8	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.7	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.6	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.5	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.4	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.3	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.2	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.1	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.0	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.9	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.8	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.7	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.6	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.5	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.4	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.3	E 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.2	N 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.1	S 10 10	18	9
	56	54	-2	46	14	0	0.52	1000.0	E 10 10	18	9
	56	54	-2	46	14	0	0.5				

MARCH 1979
OAKLAND, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



DATE	TEMPERATURE °F			DEGREES DAYS		NUMBER OF DAYS ON DATES OF OCCURRENCE		SUN	PRECIPITATION	WIND	FREQUENCY	SUSING	MAX DEPTH	
	MAX	MIN	AVG	BASE	DEF.	MAX	MIN		AMOUNT	DIR.	SPD.	PERIOD	AMOUNT	TYPE
1	55	45	50	-3	36	15	0	0	0.29	0.3	11	14	21	31
2	55	43	48	-4	41	16	0	0	0.30	0.2	12	14	20	30
3	57	51	54	-1	50	11	0	0	0.30	0.2	12	14	20	30
4	60	50	55	2	46	10	0	0	0.30	0.2	12	14	20	30
5	65	50	58	5	51	7	0	0	0.30	0.2	12	14	20	30
6	67	50	59	6	53	6	0	0	0.30	0.2	12	14	20	30
7	71	52	62	9	53	3	0	0	0.30	0.2	12	14	20	30
8	70	51	61	8	52	4	0	0	0.29	0.2	12	14	20	30
9	67	53	55	2	50	10	0	0	0.30	0.2	12	14	20	30
10	60	55	58	5	46	9	0	0	0.30	0.2	12	14	20	30
11	61	51	56	3	46	8	0	0	0.30	0.2	12	14	20	30
12	65	56	56	3	50	7	0	0	0.30	0.2	12	14	20	30
13	64	52	56	4	46	7	0	0	0.30	0.2	12	14	20	30
14	60	56	56	4	46	7	0	0	0.30	0.2	12	14	20	30
15	58	52	54	4	46	7	0	0	0.30	0.2	12	14	20	30
16	63	46	51	-3	44	14	0	0	0.29	0.2	12	14	20	30
17	60	46	54	0	46	11	0	0	0.29	0.2	12	14	20	30
18	55	51	53	-1	43	12	0	0	0.29	0.2	12	14	20	30
19	60	50	55	1	46	10	0	0	0.29	0.2	12	14	20	30
20	61	53	57	3	46	9	0	0	0.29	0.2	12	14	20	30
21	59	52	56	2	46	9	0	0	0.29	0.2	12	14	20	30
22	60	52	56	2	46	9	0	0	0.30	0.2	12	14	20	30
23	64	56	56	2	46	9	0	0	0.30	0.2	12	14	20	30
24	68	50	58	4	46	7	0	0	0.30	0.2	12	14	20	30
25	60	53	56	3	46	8	0	0	0.30	0.2	12	14	20	30
26	62	52	56	3	46	8	0	0	0.30	0.2	12	14	20	30
27	69	62	61	1	46	10	0	0	0.29	0.2	12	14	20	30
28	67	49	53	-2	42	12	0	0	0.29	0.2	12	14	20	30
29	59	46	52	3	44	13	0	0	0.30	0.2	12	14	20	30
30	59	46	54	-1	42	11	0	0	0.30	0.2	12	14	20	30
31	61	44	53	-2	45	12	0	0	0.30	0.2	12	14	20	30
30	306	206	306	106	306	106	0	0	0.30	0.2	12	14	20	30
1977	1552	1552	1552	1552	1552	1552	0	0	0.30	0.2	12	14	20	30
AVG	AVG	AVG	AVG	AVG	AVG	AVG	0	0	0.30	0.2	12	14	20	30
82.5	90.1	55.2	31.1	1.6	47.7	56	0	0.30	0.2	12	14	20	30	
SEAS	10 DATE	SNOW	ICE PELLETS	0	0	0	0	0	0	0	0	0	0	0
NUMBER OF DAYS	TOTAL	106	106	0	0	0	0	0	0	0	0	0	0	0
MEAN TEMP °F	MINIMUM TEMP °F	32.0	0	0	0	0	0	0	0	0	0	0	0	0
9.5	-32.0	32	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

• EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.
 T TOTAL AMOUNT.
 + ALSO ON AN EARLIER DATE, OR DATES.
 HEAT INDEX - HUMIDITY 7/4 MILE TENS OF DEGREES.
 FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLOCKWISE FROM TRUE NORTH, 00 TO 360.
 DATA IN COLS. 8, 9 AND 12-15 ARE BASED ON 7 OF

ROB OBSERVATIONS PER DAY AT 3-HOUR INTERVALS.
 FASTEST - THE SPEEDS ARE FASTEST OBSERVED.
 ONE MINUTE VALUES WHEN DIRECTIONS ARE IN TEENS OF DEGREES. THE WITH THE DIRECTION INDICES PER HOUR SPEED.
 ANY ERRORS DETECTED WILL BE CORRECTED AND CHANGES IN SUMMARY DATA WILL BE ANNOUNCED IN THE ANNUAL SUMMARY.

NOTE: FEB. 18 MONTHLY TIME DEPARTURE FROM NORMAL SHOULD BE -1.0

SEE NOTES FOR FEB. 1979 ERRATA.

HOURLY PRECIPITATION (WATER EQUIVALENT IN INCHES)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
2																															
3																															
4																															
5																															
6																															
7																															
8																															
9																															
10																															
11																															
12																															
13																															
14																															
15																															
16																															
17																															
18																															
19																															
20																															
21																															
22																															
23																															
24																															
25																															
26																															
27																															
28																															
29																															
30																															
31																															

SUBSCRIPTION PRICE: \$2.50 PER YEAR INCLUDING ANNUAL SUMMARY. FOREIGN MAILING \$1.00 EXTRA. SINGLE COPY 20 CENTS FOR MONTHLY OR BIMONTHLY ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PAYABLE TO DEPARTMENT OF COMMERCE, NOAA, SEND PAYMENTS, ORDERS, AND INQUIRIES TO NATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLINA 28801.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, NORTH CAROLINA 28801.

noaa NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND INFORMATION SERVICE

Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATIC CENTER
USCNR, NOAA-ASHEVILLE 04-25-79 500

STORM EVENT REPORT NO. 13
March 26, 1979

1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	2.08	0830	26 Mar 79	2330	27 Mar 79
2. Proctor School	1.84	0900	26 Mar 79	2400	27 Mar 79
3. Sydney School	1.45(a)	0900	26 Mar 79	1700	27 Mar 79
4. San Francisco Airport	1.67	0900	26 Mar 79	2400	27 Mar 79
5. Oakland Airport	1.39	0900	26 Mar 79	2400	27 Mar 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, CFS	513.2	0500	27 Mar 79
Average, CFS	48.7	--	27 Mar 79
Total volume, ft ³	6,922,800	0830 2400	26 Mar 79 27 Mar 79
Prior to Storm, CFS	0.539		
Average (Previous 7 days), CFS	0.889		
Average (Previous 30 days), CFS	3.26		

(a) Complete record not available


noaa

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA AND
INFORMATION SERVICE


Daniel B. Mitchell
DIRECTOR, NATIONAL CLIMATE CENTER
USCOMM-NODC-ASHEVILLE 09-30-79 576

A-115

CASTRO VALLEY STORM, MARCH 26, 1979



CASTRØ VALLEY STØRM, MARCH 27, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	118
Total nitrogen as N	mg/L	3.7
Lead	mg/L	0.4
Chromium	mg/L	<0.06
Copper	mg/L	0.06
Total ortho phosphorus as P	mg/L	0.35
Suspended solids	mg/L	136
Volatile suspended solids	mg/L	72

Discrete Sample

Parameter	Units	Value
Date and time	--	27 Mar 0815
Instantaneous flow rate	cfs	215.5
Temperature	DegC	--
Specific Conductance	$\mu\text{mho}/\text{cm}$	120
pH	--	6.4
Settleable solids	mL/L	0.4
Suspended solids	mg/L	216
Volatile suspended solids	mg/L	62
Biochemical oxygen demand (5 day)	mg/L	9
Total coliform	MPN/100mL	1.1×10^6
Fecal coliform	MPN/100mL	4.6×10^4

4. Observation at Sampling Station During Event.
Nothing significant to report.
5. Observation in Tributary Area During Event.
Nothing significant to report.
6. Comments on Storm Event.
 1. The total rainfall for this event was more than 1.25 inches.
 2. Complete rainfall records for this storm event for the raingage at Sydney School are unavailable due to raingage malfunction. Rainfall records for this raingage are available through 1700 March 27.
 3. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
 4. The runoff period for this storm event began at the first recorded rainfall at 0830 on March 26 and ended at 2400 on March 27.
 5. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 6. Samples used in the composite sample analysis were taken at half hour intervals from 1000 to 1700 and 2130 to 2400 on March 26 and from 0030 to 1030 on March 27 as indicated by X's on the flow plot.

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
3-26-79	8:00	1.35	0.539				
3-26-79	8:15	1.35	0.570				
3-26-79	8:30	1.37	0.601		0.02		
3-26-79	8:45	1.38	0.633		0.04		
3-26-79	9:00	1.39	0.666		0.03	0.03	0.02
3-26-79	9:15	1.37	0.601			0.03	0.03
3-26-79	9:30	1.37	0.601			0.01	0.01
3-26-79	9:45	2.64	61.9				
3-26-79	10:00	2.45	40.5	YES			
3-26-79	10:15	2.13	16.6				0.01
3-26-79	10:30	2.04	12.5	YES			
3-26-79	10:45	1.92	8.11		0.01		
3-26-79	11:00	1.86	6.50	YES			
3-26-79	11:15	1.80	5.16		0.02		
3-26-79	11:30	1.77	4.54	YES	0.01	0.02	
3-26-79	11:45	1.71	3.48				
3-26-79	12:00	1.71	3.48	YES			
3-26-79	12:15	1.77	4.54				
3-26-79	12:30	1.81	5.38	YES			
3-26-79	12:45	1.80	5.16				
3-26-79	13:00	1.80	5.16	YES			
3-26-79	13:15	1.76	4.35				
3-26-79	13:30	1.71	3.48	YES	0.01		
3-26-79	13:45	1.66	2.74				
3-26-79	14:00	1.62	2.25	YES			
3-26-79	14:15	1.60	2.03				
3-26-79	14:30	1.58	1.82	YES			
3-26-79	14:45	1.56	1.65				
3-26-79	15:00	1.53	1.41	YES			
3-26-79	15:15	1.52	1.34		0.02	0.01	0.01
3-26-79	15:30	1.49	1.14	YES	0.02	0.02	0.01
3-26-79	15:45	1.49	1.14		0.03	0.02	0.02
3-26-79	16:00	1.49	1.14	YES	0.02	0.03	0.03
3-26-79	16:15	2.16	18.3		0.01	0.01	0.02
3-26-79	16:30	2.72	71.7	YES		0.01	0.01
3-26-79	16:45	2.57	53.7				
3-26-79	17:00	2.45	40.5	YES			
3-26-79	18:00	1.83	6.99				
3-26-79	18:15	1.83	5.82				
3-26-79	18:30	1.79	4.95				
3-26-79	18:45	1.74	3.98				0.01
3-26-79	19:00	1.69	3.17		0.01		

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA
(Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
3-26-79	19:15	1.66	2.74			0.01	0.01
3-26-79	19:30	1.62	2.25				
3-26-79	19:45	1.60	2.03				
3-26-79	20:00	1.59	1.92		0.02		
3-26-79	20:15	1.58	1.82			0.01	0.01
3-26-79	20:30	1.58	1.82		0.03	0.01	0.01
3-26-79	20:45	1.62	2.25		0.02	0.02	0.02
3-26-79	21:00	1.73	3.81		0.03	0.03	0.02
3-26-79	21:15	2.32	29.0		0.04	0.04	0.02
3-26-79	21:30	2.68	66.7	YES	0.04	0.02	0.03
3-26-79	21:45	2.81	83.7		0.02	0.03	0.04
3-26-79	22:00	2.95	104.0	YES		0.01	0.02
3-26-79	22:15	2.99	110.4		0.01		0.01
3-26-79	22:30	2.74	74.3	YES			0.01
3-26-79	22:45	2.52	47.9			0.01	
3-26-79	23:00	2.34	30.6	YES			
3-26-79	23:15	2.19	20.0				
3-26-79	23:30	2.05	12.9	YES			
3-26-79	23:45	1.97	9.78				
3-26-79	24:00	1.89	7.24	YES			
3-27-79	0:15	1.84	6.00				
3-27-79	0:30	1.80	5.18	YES	0.01		
3-27-79	0:45	1.76	4.48		0.01		
3-27-79	1:00	1.74	4.19	YES		0.01	0.01
3-27-79	1:15	1.71	3.78				0.01
3-27-79	1:30	1.75	4.82	YES			
3-27-79	1:45	1.99	10.5		0.03		0.01
3-27-79	2:00	2.09	14.2	YES	0.05	0.03	0.02
3-27-79	2:15	1.97	9.78		0.04	0.06	0.04
3-27-79	2:30	2.17	18.8	YES	0.04	0.03	0.02
3-27-79	2:45	3.07	121.9		0.05	0.03	0.08
3-27-79	3:00	3.06	120.4	YES	0.06	0.06	0.05
3-27-79	3:15	3.42	177.6		0.09	0.06	0.05
3-27-79	3:30	3.44	161.0	YES		0.09	0.04
3-27-79	3:45	3.54	198.5		0.01	0.01	0.06
3-27-79	4:00	3.73	229.4	YES	0.04	0.01	0.01
3-27-79	4:15	3.14	132.3		0.40	0.02	0.04
3-27-79	4:30	2.86	90.6	YES	0.01	0.25	0.07
3-27-79	4:45	4.08	285.3			0.07	0.08
3-27-79	5:00	5.71	513.2	YES	0.04	0.01	0.01
3-27-79	5:15	4.04	279.3		0.02	0.01	0.01
3-27-79	5:30	3.24	148.0	YES	0.06	0.02	0.02
3-27-79	5:45	3.37	169.3		0.02	0.07	0.04

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA
(Continued)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
3-27-79	6:00	3.37	169.3	YES	0.01	0.03	0.03
3-27-79	6:15	3.83	245.3		0.01	0.01	0.01
3-27-79	6:30	3.39	172.6	YES	0.02		
3-27-79	6:45	3.14	132.3		0.02	0.01	0.01
3-27-79	7:00	2.76	76.9	YES	0.02		
3-27-79	7:15	2.57	53.7		0.01		
3-27-79	7:30	2.46	41.5	YES	0.01	0.04	0.02
3-27-79	7:45	2.44	39.5		0.01	0.07	0.10
3-27-79	8:00	3.04	117.6	YES			0.01
3-27-79	8:15	3.64	215.5				0.01
3-27-79	8:30	3.00	112.0	YES		0.01	
3-27-79	8:45	2.70	69.1				
3-27-79	9:00	2.52	47.9	YES			
3-27-79	9:15	2.42	37.6		0.02		
3-27-79	9:30	2.34	30.6	YES	0.07		0.05
3-27-79	9:45	2.28	26.0			0.06	0.04
3-27-79	10:00	2.47	42.5	YES		0.03	0.04
3-27-79	10:15	3.35	166.0				
3-27-79	10:30	3.03	116.2	YES		0.01	
3-27-79	10:45	2.76	76.9				0.01
3-27-79	11:00	2.48	43.6				
3-27-79	11:15	2.41	36.7				
3-27-79	11:30	2.34	30.6		0.05		
3-27-79	11:45	2.06	24.6		0.01		0.01
3-27-79	12:00	2.19	20.0			0.01	0.04
3-27-79	12:15	2.23	22.5				
3-27-79	12:30	2.27	25.3				0.01
3-27-79	12:45	2.30	27.5				
3-27-79	13:00	2.34	30.6				
3-27-79	13:15	2.29	26.7				
3-27-79	13:30	2.23	22.5				
3-27-79	13:45	2.18	19.4				
3-27-79	14:00	2.12	16.1				
3-27-79	14:15	2.10	15.1				0.01
3-27-79	14:30	2.09	14.6		0.01		
3-27-79	14:45	2.07	13.7		0.01	0.01	
3-27-79	15:00	2.06	13.3				
3-27-79	15:15	2.04	12.5				
3-27-79	15:30	2.02	11.7				
3-27-79	15:45	2.00	10.9				
3-27-79	16:00	1.99	10.5				
3-27-79	16:15	1.97	9.78				
3-27-79	16:30	1.96	9.43			0.04	

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA
 (Concluded)

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
3-27-79	16:45	1.94	8.75		0.06		
3-27-79	17:00	1.92	8.11		0.08	0.03	0.01
3-27-79	17:15	2.27	25.3		0.03	0.05	
3-27-79	17:30	2.62	59.6		0.01	0.05	
3-27-79	17:45	2.97	107.2			0.02	
3-27-79	18:00	3.32	161.2				
3-27-79	18:15	3.09	124.8				
3-27-79	18:30	2.86	90.6				0.01
3-27-79	18:45	2.63	60.8				
3-27-79	19:00	2.40	35.8				
3-27-79	19:15	2.33	29.8				
3-27-79	19:30	2.27	25.3				
3-27-79	19:45	2.20	20.6				
3-27-79	20:00	2.13	16.6		0.01		
3-27-79	20:15	2.12	16.1			0.01	
3-27-79	20:30	2.10	15.1		0.01		
3-27-79	20:45	2.09	14.6		0.01		
3-27-79	21:00	2.07	13.7		0.01	0.01	
3-27-79	21:15	2.13	16.6		0.01		
3-27-79	21:30	2.19	20.0		0.01	0.01	
3-27-79	21:45	2.24	23.1		0.02	0.01	
3-27-79	22:00	2.30	27.5		0.02	0.02	
3-27-79	22:15	2.40	35.8		0.01	0.02	
3-27-79	22:30	2.50	45.7		0.01	0.02	
3-27-79	22:45	2.60	57.4			0.01	
3-27-79	23:00	2.70	69.1		0.01	0.01	
3-27-79	23:15	2.65	63.1			0.01	
3-27-79	23:30	2.61	58.5		0.02	0.01	
3-27-79	23:45	2.56	52.5				
3-27-79	24:00	2.51	46.8				0.01

MARCH 1979
SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



MARCH 1979

SAN FRANCISCO, CALIFORNIA

DATE	TEMPERATURE °F			DEGREES DAYS BEST 65°			WEATHER TYPES ON DATES OF GREATEST PRECIPITATION	SNOW FALLS IN INCHES	PRECIPITATION IN INCHES	WIND VELOCITY IN MILES PER HOUR	WIND DIRECTION IN DEGREES	FASTEST WIND SPEED IN MILES PER HOUR	SUNSHINE IN HOURS	SKY COVER CENTS	
	HIGH	LOW	MEAN	DEGREES FROM NORTH	DEGREES FROM EAST	DEGREES FROM WEST									
1	54	40	46	16	16	16				24	12	14	15	6	17
2	55	44	50	15	15	15				26	22	20	25	3	20
3	55	44	54	15	15	15				26	22	20	25	3	20
4	55	44	55	15	15	15				26	22	20	25	3	20
5	56	46	57	15	15	15				26	22	20	25	3	20
6	57	46	57	15	15	15				26	22	20	25	3	20
7	57	46	57	15	15	15				26	22	20	25	3	20
8	57	46	57	15	15	15				26	22	20	25	3	20
9	57	51	54	15	15	15				26	22	20	25	3	20
10	58	53	57	14	14	14				26	22	20	25	3	20
11	58	53	57	14	14	14				26	22	20	25	3	20
12	57	53	57	14	14	14				26	22	20	25	3	20
13	57	53	57	14	14	14				26	22	20	25	3	20
14	57	53	57	14	14	14				26	22	20	25	3	20
15	57	53	57	14	14	14				26	22	20	25	3	20
16	57	53	57	14	14	14				26	22	20	25	3	20
17	59	53	55	14	14	14				26	22	20	25	3	20
18	59	53	55	14	14	14				26	22	20	25	3	20
19	59	53	55	14	14	14				26	22	20	25	3	20
20	61	53	55	14	14	14				26	22	20	25	3	20
21	61	53	55	14	14	14				26	22	20	25	3	20
22	60	53	55	14	14	14				26	22	20	25	3	20
23	65	54	54	13	13	13				26	22	20	25	3	20
24	65	54	54	13	13	13				26	22	20	25	3	20
25	65	54	54	13	13	13				26	22	20	25	3	20
26	65	54	54	13	13	13				26	22	20	25	3	20
27	60	49	55	13	13	13				26	22	20	25	3	20
28	59	45	48	13	13	13				26	22	20	25	3	20
29	59	45	53	13	13	13				26	22	20	25	3	20
30	62	49	55	13	13	13				26	22	20	25	3	20
31	62	49	54	13	13	13				26	22	20	25	3	20
32	62	49	54	13	13	13				26	22	20	25	3	20
33	62	49	54	13	13	13				26	22	20	25	3	20
34	62	49	54	13	13	13				26	22	20	25	3	20
35	62	49	54	13	13	13				26	22	20	25	3	20
36	62	49	54	13	13	13				26	22	20	25	3	20
37	62	49	54	13	13	13				26	22	20	25	3	20
38	62	49	54	13	13	13				26	22	20	25	3	20
39	62	49	54	13	13	13				26	22	20	25	3	20
40	62	49	54	13	13	13				26	22	20	25	3	20
41	62	49	54	13	13	13				26	22	20	25	3	20
42	62	49	54	13	13	13				26	22	20	25	3	20
43	62	49	54	13	13	13				26	22	20	25	3	20
44	62	49	54	13	13	13				26	22	20	25	3	20
45	62	49	54	13	13	13				26	22	20	25	3	20
46	62	49	54	13	13	13				26	22	20	25	3	20
47	62	49	54	13	13	13				26	22	20	25	3	20
48	62	49	54	13	13	13				26	22	20	25	3	20
49	62	49	54	13	13	13				26	22	20	25	3	20
50	62	49	54	13	13	13				26	22	20	25	3	20
51	62	49	54	13	13	13				26	22	20	25	3	20
52	62	49	54	13	13	13				26	22	20	25	3	20
53	62	49	54	13	13	13				26	22	20	25	3	20
54	62	49	54	13	13	13				26	22	20	25	3	20
55	62	49	54	13	13	13				26	22	20	25	3	20
56	62	49	54	13	13	13				26	22	20	25	3	20
57	62	49	54	13	13	13				26	22	20	25	3	20
58	62	49	54	13	13	13				26	22	20	25	3	20
59	62	49	54	13	13	13				26	22	20	25	3	20
60	62	49	54	13	13	13				26	22	20	25	3	20
61	62	49	54	13	13	13				26	22	20	25	3	20
62	62	49	54	13	13	13				26	22	20	25	3	20
63	62	49	54	13	13	13				26	22	20	25	3	20
64	62	49	54	13	13	13				26	22	20	25	3	20
65	62	49	54	13	13	13				26	22	20	25	3	20
66	62	49	54	13	13	13				26	22	20	25	3	20
67	62	49	54	13	13	13				26	22	20	25	3	20
68	62	49	54	13	13	13				26	22	20	25	3	20
69	62	49	54	13	13	13				26	22	20	25	3	20
70	62	49	54	13	13	13				26	22	20	25	3	20
71	62	49	54	13	13	13				26	22	20	25	3	20
72	62	49	54	13	13	13				26	22	20	25	3	20
73	62	49	54	13	13	13				26	22	20	25	3	20
74	62	49	54	13	13	13				26	22	20	25	3	20
75	62	49	54	13	13	13				26	22	20	25	3	20
76	62	49	54	13	13	13				26	22	20	25	3	20
77	62	49	54	13	13	13				26	22	20	25	3	20
78	62	49	54	13	13	13				26	22	20	25	3	20
79	62	49	54	13	13	13				26	22	20	25	3	20
80	62	49	54	13	13	13				26	22	20	25	3	20
81	62	49	54	13	13	13				26	22	20	25	3	20
82	62	49	54	13	13	13				26	22	20	25	3	20
83	62	49	54	13	13	13				26	22	20	25	3	20
84	62	49	54	13	13	13				26	22	20	25	3	20
85	62	49	54	13	13	13				26	22	20	25	3	20
86	62	49	54	13	13	13				26	22	20	25	3	20
87	62	49	54	13	13	13				26	22	20	25	3	20
88	62	49	54	13	13	13				26	22	20	25	3	20
89	62	49	54	13	13	13				26	22	20	25	3	20
90	62	49	54	13	13	13				26	22	20	25	3	20
91	62	49	54	13	13	13				26	22	20	25	3	20
92	62	49	54	13	13	13				26	22	20	25	3	20
93	62	49	54	13	13	13				26	22	20	25	3	20
94	62	49	54	13	13	13				26	22	20	25	3	20
95	62	49	54	13	13	13				26	22	20			

STORM EVENT REPORT NO. 14
April 23, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.09	0315	23 Apr 79	0345	23 Apr 79
2. Proctor School	0.09	0400	23 Apr 79	0430	23 Apr 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	0.21	0300	23 Apr 79	0500	23 Apr 79
5. Oakland Airport	0.14	0400	23 Apr 79	1000	23 Apr 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, CFS	45.7	0445	23 Apr 79
Average, CFS	8.89	--	23 Apr 79
Total volume, ft ³	136,000	from 0315 to 0730	23 Apr 79 23 Apr 79
Prior to Storm, CFS	0.552		
Average (Previous 7 days), CFS	0.850		
Average (Previous 30 days), CFS	4.02		

CASTRO VALLEY STORM, APRIL 23, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	298
Total nitrogen as N	mg/L	9.1
Lead	mg/L	0.8
Chromium	mg/L	<0.06
Copper	mg/L	0.10
Total ortho phosphorus as P	mg/L	0.37
Suspended solids	mg/L	528
Volatile suspended solids	mg/L	152

Discrete Sample

Parameter	Units	Value
Date and time	--	23 Apr 0800
Instantaneous flow rate	cfs	1.41
Temperature	DegC	13.3
Specific conductance	$\mu\text{mho}/\text{cm}$	180
pH	--	6.3
Settleable solids	mL/L	<0.1
Suspended solids	mg/L	16
Volatile suspended solids	mg/L	12
Biochemical oxygen demand (5-day)	mg/L	7
Total coliform	MPN/100 mL	$>2.4 \times 10^6$
Fecal coliform	MPN/100 mL	4.3×10^4

4. Observations at Sampling Station During Storm Event.
Nothing significant to report.
5. Observations in Tributary Area During Storm Event.
Nothing significant to report.
6. Comments on Storm Event.
 1. The raingage at Sydney School was inoperable during this storm event.
 2. The raingage at Castro Valley Fire Station appears to be offset one half hour ahead of the raingage at Proctor School.
 3. Flow response at the gaging station occurred within one half hour of the start of recorded rainfall at Proctor School.
 4. A flow weighted composite sample and a discrete grab sample were analyzed for this storm event.
 5. The samples used in the composite sample analysis were collected at half hour intervals from 0430 to 0700.

STORM EVENT 14 - APRIL 23, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY	FIRE STATION	PROCTOR SCHOOL
4-23-79	3:00	1.33	0.552				
4-23-79	3:15	1.38	0.769		0.01		
4-23-79	3:30	1.43	1.05		0.06		
4-23-79	3:45	1.47	1.31		0.02		
4-23-79	4:00	1.52	1.70			0.06	
4-23-79	4:15	1.53	1.78	YES		0.02	
4-23-79	4:30	2.20	20.6	YES		0.01	
4-23-79	4:45	2.50	45.7				
4-23-79	5:00	2.26	24.6	YES			
4-23-79	5:15	2.08	14.2				
4-23-79	5:30	1.95	9.08	YES			
4-23-79	5:45	1.90	7.50				
4-23-79	6:00	1.81	5.36	YES			
4-23-79	6:15	1.76	4.48				
4-23-79	6:30	1.71	3.78	YES			
4-23-79	6:45	1.67	3.26				
4-23-79	7:00	1.63	2.77	YES			
4-23-79	7:15	1.60	2.44				
4-23-79	7:30	1.57	2.14				
4-23-79	7:45	1.54	1.87				
4-23-79	8:00	1.53	1.78				

APRIL 1979

SAN FRANCISCO, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



APRIL 1979

SAN FRANCISCO, CALIFORNIA

		LATITUDE 37° 37' N LONGITUDE 122° 23' W ELEVATION 1000 FEET		DEGREE DAYS ON DATES OF OCCURRENCE		WIND DIRECTION		PRECIPITATION		TEMPERATURE		RELATIVE HUMIDITY		SUNSHINE		SEA LEVEL PRESSURE		WIND SPEED	
		MIN	MAX	DEG	DAY	DIR	SPD	IN	MM	MIN	MAX	PERCENT	IN	MM	HR	IN	MM	MPH	KM/H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14
25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13
24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12
23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11
22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10
21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9
20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8
19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7
18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4
15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3
14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1
12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14
25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13
24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12
23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11
22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10
21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9
20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8
19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7
18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4
15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3
14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1
12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	2	3	4	5	6	7	8	9	10	11									

STORM EVENT REPORT NO. 15
April 26, 1979


1. Rainfall Summary

Gage	Total Rainfall in.	Start		Stop	
		Hour	Date	Hour	Date
1. Castro Valley Fire Station	0.35	0845	26 Apr 79	1315	26 Apr 79
2. Proctor School	0.37	0500	26 Apr 79	1715	26 Apr 79
3. Sydney School	--	--	--	--	--
4. San Francisco Airport	0.31	0800	26 Apr 79	1600	26 Apr 79
5. Oakland Airport	0.11	0800	26 Apr 79	1400	26 Apr 79

2. Creek Flow Summary

Discharge Condition	Value	Date	
Maximum, CFS	148.0	1100	26 Apr 79
Average, CFS	17.7	--	26 Apr 79
Total volume, ft ³	971,700	from 0500 to 2015	26 Apr 79 26 Apr 79
Prior to Storm, CFS	0.552		
Average (Previous 7 days), CFS	0.867		
Average (Previous 30 days), CFS	3.68		

CASTRO VALLEY STORM, APRIL 26, 1979



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	133
Total nitrogen as N	mg/L	5.5
Lead	mg/L	0.70
Chromium	mg/L	<0.06
Copper	mg/L	0.08
Total ortho phosphorus as P	mg/L	0.32
Suspended solids	mg/L	298
Volatile suspended solids	mg/L	88

Discrete Sample

Parameter	Units	Value
Date and Time	--	26 Apr 1430
Instantaneous flow rate	cfs	2.00
Temperature	DegC	17.5
Specific conductance	μmho/cm	140
pH	--	6.6
Settleable solids	mL/L	<0.1
Suspended solids	mg/L	49
Volatile suspended solids	mg/L	20
Biochemical oxygen demand (5-day)	mg/L	8
Total coliform	MPN/100 mL	2.0 x 10 ⁴
Fecal coliform	MPN/100 mL	3.0 x 10 ²

4. Observations at Sampling Station During Storm Event.

Nothing significant to report.

5. Observations in Tributary Area During Storm Event.

Nothing significant to report.

6. Comments on Storm Event.

1. The raingage at Sydney School was inoperable during this storm event.
2. The raingage at Castro Valley Fire Station appears to lead the raingage at Proctor School by approximately 45 minutes.
3. Flow response at the gaging station occurs within one half hour of the change in rainfall rate.
4. A flow weighted composite sample and a discrete grab sample were analyzed for this event.
5. The samples used in the composite sample analysis were collected at half hour intervals from 0930 to 1430.

STORM EVENT 15 - APRIL 26, 1979 STORM DATA

DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	RAINFALL, INCHES		
					CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
4-26-79	4:00	1.33	0.552				
4-26-79	5:00	1.33	0.552				
4-26-79	6:00	1.32	0.515				
4-26-79	7:00	1.33	0.552				
4-26-79	8:00	1.38	0.769				
4-26-79	8:45	1.43	0.833				
4-26-79	9:00	1.67	2.88				
4-26-79	9:15	2.17	18.8				
4-26-79	9:30	2.39	34.9	YES			
4-26-79	9:45	2.55	51.3				
4-26-79	10:00	2.44	39.5	YES	0.02	0.04	
4-26-79	10:15	2.22	21.9		0.06	0.01	
4-26-79	10:30	2.18	19.4	YES	0.08	0.01	
4-26-79	10:45	3.06	120.5		0.04	0.05	
4-26-79	11:00	3.24	148.0	YES	0.01	0.06	
4-26-79	11:15	3.03	116.2		0.01	0.04	
4-26-79	11:30	2.92	99.4	YES		0.01	
4-26-79	11:45	2.51	46.8			0.01	
4-26-79	12:00	2.31	28.2	YES			
4-26-79	12:15	2.15	17.6				
4-26-79	12:30	2.02	11.7	YES	0.01	0.01	
4-26-79	12:45	1.92	8.11				
4-26-79	13:00	1.89	7.24	YES	0.01		
4-26-79	13:15	1.96	9.43		0.01	0.01	
4-26-79	13:30	1.99	10.5	YES		0.01	
4-26-79	13:45	2.05	12.9			0.03	
4-26-79	14:00	2.23	22.6	YES			
4-26-79	14:15	2.14	17.1				
4-26-79	14:30	2.00	10.9	YES			
4-26-79	14:45	1.90	7.50				
4-26-79	15:00	2.14	17.1				
4-26-79	16:00	1.77	4.65				
4-26-79	17:00	1.64	2.89				
4-26-79	17:15	1.62	2.66				0.01
4-26-79	18:00	1.55	1.96				
4-26-79	19:00	1.49	1.46				
4-26-79	20:00	1.45	1.17				
4-26-79	21:00	1.42	0.985				

APRIL 1979
OAKLAND, CALIFORNIA
NATIONAL WEATHER SERVICE OFFICE
INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY

* EXTREME FOR THE MONTH - LAST OCCURRENCE IS
MORE THAN ONE
YEAR AGO.
+ ALSO ON AN EARLIER DATE OR DATES.
HEAVY FOUL VISIBILITY IS ONE MILE OR LESS.
FIGURES FOR WIND DIRECTIONS ARE TENS OF DEGREES CLEARED FROM TRUE NORTH. 00 = EASTERLY
090 = WESTERLY AND 180 = NORTH. 00 = NORTHERLY
090 = SOUTHERLY AND 180 = WEST. 00 = SOUTHERLY
090 = NORTHERLY AND 180 = EAST.

MORE OBSERVATIONS PER DAY AT 5-MINUTE INTERVALS.
FASTEST WIND SPEEDS ARE FASTEST OBSERVED.
ONE-MINUTE VALUES WHEN DIRECTIONS ARE IN TENS
OF DEGREES, THE 0 IS WITH THE DIRECTION INDICATED.
PEAK GUST SPEED.
ANY ERRORS DETECTED WILL BE CORRECTED AND
CHANGES IN SUMMER DATA WILL BE ANNOTATED IN
THE SUMMER DATA.

SUMMARY BY HOURS

HOURLY PRECIPITATION (LITER EQUIVALENT) IN INCHES

RECEIVED 1938 MAR 12 1948 10:00 AM
STANLEY COPE, 20 CENTS FOR PRINTING OR ANNUAL ISSUE. THERE
WILL BE NO CHARGE FOR THIS NUMBER.

10022

卷之三十一

Daniel G. Waddell
DIRECTOR, NATIONAL LIBRARY CENTER