

AD-A078 740 CIVIL ENGINEERING LAB (NAVY) PORT HUENEME CA
UNDERWATER INSPECTION OF FLEET MOORINGS.(U)
JUL 79 J F WADSWORTH
UNCLASSIFIED CEL-TN-1557

F/6 13/10

NL

/ OF /

AD
A078740



END
DATE
FILMED
1-80
DDC

DDC FILE COPY ADA 078740

LEVEL # 12

Technical Note

TN no. N-1557

title: UNDERWATER INSPECTION OF FLEET MOORINGS

author: J. F. Wadsworth III

date: July 1979

sponsor: Naval Facilities Engineering Command

program nos: 03-006

DDC
RECEIVED
DEC 31 1979
A



CIVIL ENGINEERING LABORATORY

NAVAL CONSTRUCTION BATTALION CENTER
Port Hueneme, California 93043

Approved for public release; distribution unlimited.

79 12 27 163

⑨ Final rept. Mar-Sep 78,

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 CE4-TN-1557	2. GOVT ACCESSION NO DN787079	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 UNDERWATER INSPECTION OF FLEET MOORINGS		5. TYPE OF REPORT & PERIOD COVERED Final; Mar 78 - Sep 78
7. AUTHOR(s) 10 J. F. Wadsworth, III		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS CIVIL ENGINEERING LABORATORY Naval Construction Battalion Center Port Hueneme, California 93043		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Facilities Engineering Command Alexandria, Virginia 22332		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 03-006-O&MN
12. REPORT DATE 11 July 1979		13. NUMBER OF PAGES 22 12 26
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Underwater inspection, mooring maintenance.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report is a guide for divers engaged in underwater inspections of the Navy's Fleet moorings. These inspections are conducted to report the physical condition of the moorings. Engineering and maintenance assessments are made by engineers using the inspection data. Procedures and equipment to be used by the diver are given. Forms for documentation of the data with examples are included. It is strongly recommended that the diving inspection continued		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

391 111

JOB

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. Continued

team be accompanied by the engineer responsible for writing the report recommending maintenance actions on the moorings.

Library Card

Civil Engineering Laboratory
UNDERWATER INSPECTION OF FLEET MOORINGS (Final),
by J. F. Wadsworth III
TN-1557 22 pp illus July 1979 Unclassified

1. Fleet moorings 2. Moorings (inspection) 1. 03-006 (O&MN)

This report is a guide for divers engaged in underwater inspections of the Navy's Fleet moorings. These inspections are conducted to report the physical condition of the moorings. Engineering and maintenance assessments are made by engineers using the inspection data. Procedures and equipment to be used by the diver are given. Forms for documentation of the data with examples are included. It is strongly recommended that the diving inspection team be accompanied by the engineer responsible for writing the report recommending maintenance actions on the moorings.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

	Page
BACKGROUND	1
OBJECTIVE AND SCOPE	1
UNDERWATER INSPECTION	2
General Procedure	2
Equipment	4
Documentation	4
RECOMMENDATIONS AND CONCLUSIONS	5
REFERENCES	6

Accession For	
NTIS GML&I	☒
DDC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Availand/or special
A	

BACKGROUND

The first effort to perform a detailed quantitative underwater inspection of fleet moorings was made by the Underwater Construction Team Two (UCT TWO) assisting the Civil Engineering Laboratory (CEL) at Apra Harbor, Guam, in January of 1977 (reference (1)). Inspection procedures and forms were developed to enable UCT TWO divers to perform the hardware inspection and record the data. Interpretation of the data and reporting were done by CEL. The inspection was successful, however, further refinement of the procedures, tools, and documentation was deemed necessary. When UCT TWO was requested to conduct mooring inspections in San Diego, UCT TWO approached CEL to provide assistance and to write the inspection report. The inspection procedures, results, and analysis of the data for the San Diego fleet moorings are documented in reference (2). This work was funded by San Diego Public Works Center.

Recently the Ocean Engineering and Construction Office (FPO-1) of Chesapeake Division, Naval Facilities Engineering Command was given the lead to establish uniform procedures, criteria, and type specifications for mooring inspection and condition assessment. As a part of this work the Fleet Mooring Maintenance Manual, MO-124 will be updated.

OBJECTIVE AND SCOPE

CEL received requests from various Engineering Field Divisions (EFD's), Public Work Centers (PWC's) and the UCT's for guidance in underwater inspection of moorings. This report was prepared in response to those requests. This report provides the procedures, equipment, and the data recording format used to conduct underwater inspections of fleet moorings. These guidelines are of an interim nature and will be superceded by the revised MO-124. These guidelines are applicable to the inspecting divers at each station, whether they be Underwater Construction Team (UCT), Public Works Center (PWC), or contracted divers.

Normally the divers making the inspection will only report the physical condition of the mooring based on the guidelines given. In addition to the checks to be made as listed in this report, the customer may require additional information to assess the mooring's condition.

The role of the diver in underwater inspections is 1) to acquire the data on the condition of the mooring or underwater structure and 2) to record and compile the data for delivery to the customer. The diver should not be expected to make assessments of the structural integrity or safety of the mooring. These must be carried out by the engineer who analyzes the inspection data. It is strongly recommended that the customer have this engineer on site during the inspections. In this way the engineer can recognise the need for and request additional data when necessary.

UNDERWATER INSPECTION

General Procedure

The inspections performed by the UCT's are a quick, economical means of establishing the general condition of moorings. This information is suitable for decisions of maintenance (defer or expedite scheduled overhauls) and classification (downgrading rated capacity of a mooring). A more detailed inspection should be performed upon recovery of the mooring to establish the specific overhaul maintenance required.

Before an underwater inspection can begin, drawings or parts list of each mooring are required to perform the inspections expeditiously. These documents should be updated by the responsible PWC, EFD, or activity with each overhaul to ensure they reflect the current mooring design. If these documents are available and up to date, the divers can make simple, fast "go no-go" measurements to establish mooring condition. If they are not available, the divers must spend their time making actual physical measurements of the components to establish "as built" drawings and parts lists. Due to restrictions on bottom time, this is a lengthy and expensive procedure.

A selective sampling approach is taken to the underwater mooring inspection. Areas which are known to corrode or wear rapidly are checked. Comparing the drawings and parts list to design requirements and mooring classification pinpoints other areas of concern.

The inspection consists of measuring the chain and connecting hardware to determine the amount of corrosion and wear. Chain which is less than 90% of original diameter should be downgraded in classification; chain which is less than 80% of original should be replaced. Single link measurements on the wire diameter of a single A-link detect corrosion loss; double link measurements made where two A-links contact detect wear. Single link measurements are made on three different diameters on the same approximate cross-section. The double link measurements are made on three adjoining links (Figure 1). Each riser-type mooring is inspected by making the following caliper measurements: (1) single and double link measurements on the riser just under the buoy, halfway to the ground ring, and just above the ground ring; (2) single link measurements on the ground ring; (3) single and double link measurements on each ground leg just below the ground ring and at the wearpoint (where the chain is picked up and set down on the bottom by tides and waves). Anchor joining links connecting the ground legs to the ground ring should be visually checked but not measured. In addition, an underwater voltmeter should be used to obtain corrosion potentials at each inspection point. This is mandatory if the mooring is cathodically protected, optional if it is not. The anodes on cathodically protected moorings should also be inspected. Any dull powder on the anodes should be removed. Measurements or estimates of the amount of anode remaining should be made. Measure the corrosion potential of the anode.

Telephone-type moorings should be given single link, double link and potential measurements on each leg at the wearpoint, midpoint, and just below the buoy.

The general orientation of each leg can be obtained by finding the angle between a landmark and the diver's bubbles or a marker float at the end of each ground leg with a horizontal sextant. Alternatively a hand-bearing compass or pelorus may be used by sighting over the buoy from the marker float or bubbles. Using the compass on the buoy is not advisable as considerable compass deviation may be induced. The buoy position, as shown on the charts, should be checked to detect dragging. This may be done from the buoy by using sextant sights or compass bearings of landmarks or a precision positioning system such as the Mini-Ranger. The buoy position may also be fixed from shore using transits or compass bearings from charted benchmarks.

The anchors usually cannot be inspected as they are buried beneath the seafloor. The divers should swim out the ground leg until it becomes buried in the seafloor. The sketches given for each mooring in the data sheets therefore do not give actual lengths of the ground legs or bearings to anchors but depend upon the tautness of the ground leg for the overall accuracy of the bearings. These sketches should be taken only as a general indication of the mooring layout.

The buoy is inspected by noting fender condition, fouling, wear and corrosion on connecting links, need for cleaning and recoating, and collision damage. Valves and junction boxes on telephone-type buoys should be checked. Some of the riser type buoys have hawse pipes. One particular area to check on this type buoy is that portion of the riser chain in the hawse pipe. This can be done by using a crane to lift up on the riser and connecting links on top of the buoy. The condition of the rubbing casting at the bottom of the hawse chain should be noted and single and double link measurements should be made on the hawse chain.

Inspections can be carried out with SCUBA or surface-supplied gear. At San Diego both MKI (bandmask) and SCUBA were tried; SCUBA went faster. One diver carried a chipping hammer and the calipers; the second diver carried the voltmeter and the inspection form taped to a slate. Diver 1 would clear growth and corroded materials, make caliper measurements and signal results to diver 2. Diver 2 would record results on the inspection form (printed on waterproof paper) and then take voltmeter readings. In this manner a 3-leg riser type mooring in about 40-60' of water could be inspected in 40 to 60 minutes.

If visibility becomes very poor MKI is probably the best way to do inspections. The diver would then call his results to the surface where they would be recorded. With low visibility it may be necessary to have the diver tie off each leg with a small piece of line as it is inspected, this will provide a tactile marking of which legs have already been inspected.

For moorings in depths beyond practical working dive range, typically 120 feet, a crane barge may be used to lift the mooring so divers can check the ground ring and upper sections of ground legs. This was done during the Apra Harbor inspection and allowed the PWC riggers to perform buoy maintenance while the mooring was inspected (reference (1)). A crane barge will also be necessary if the ground ring is buried in the

seafloor. The crane (or winch) must lift the ground ring free of the bottom to allow divers to inspect the ring and the attached ground legs. This is necessary as these components are those most subject to wear. Properly designed moorings will always have the ground ring off the seafloor.

If the riser is raised it must be securely tied off to a strong point on the barge, before inspected by divers. Do not depend on a crane or winch to hold the load.

Equipment

Tables 1 and 2 give the 80 and 90 percent measurements for mooring components for each type of mooring class. These tables are based on the standard moorings listed in DM-26, reference 3, (Figures 2 and 3). The tables can be used to preset calipers for the various items to be inspected. For example, a class BB riser type mooring will require calipers set to 3.15" (90%) and 2.80" (80%) for single link measurements on the riser; 6.30" (90%) and 5.60" (80%) for double link on the riser; 2.25" and 2.00" for single link on the ground legs; 4.50" and 4.00" for double link on the ground legs; and for the ground ring 5.85" and 5.20".

When adjustable calipers were used at San Diego, they were preset with a vernier caliper then taped to prevent movement of the adjusting screw. The preferred measurement device is the back-to-back 80 and 90 percent gage configuration (Figure 4.) These gages eliminate the need for setting calipers before diving and checking and resetting them between dives. Chances of knocking the adjustment off the setting are eliminated, and the number of calipers to carry is reduced by half.

To insure the diver could distinguish each caliper, visual and tactile markings were placed on each caliper to indicate what part it was to measure. Tape was wrapped around the calipers to provide the necessary markings (Figure 5). The same coding was used on the single and double link calipers as they are easy to distinguish by their settings.

The back-to-back gages are easier to identify due to their shape. Only the position marking (riser, ground ring, ground chain) need be applied.

Documentation

The inspection form developed for earlier mooring inspections was modified to concentrate the data on one sheet (Figure 6). The forms were reproduced on a waterproof writing paper which allowed data to be recorded on the surface or underwater. The form has space for a riser type or telephone type mooring with four legs. The higher class moorings require two sheets. The waterproof writing paper used by the UCT's is called Underwater Ascot 31073 and is available from Appleton Papers, Inc., Appleton, Wisconsin 54911, Telephone (414) 734-9841.

An example of the required pre-inspection information is given in Figure 7. This type of information may also be taken from drawings of the mooring. In addition to this information a chart should be provided giving the present locations of the moorings. The information provided by the parts list allows the inspector to select the appropriate caliper sizes before the dive.

An example of a completed inspection sheet is shown in Figure 8. Note that a check is made for each of the three (3) single link and double link checks made at each location even if they are all the same. Double link measurements were not made at the wearpoint as this chain was on the bottom and could be slack. Measuring double link thickness of slack chain would not give a reliable measurement. Also note that NI (not inspected) is placed after the anchor size and type. The anchors were buried so no check could be made.

To number the legs of the mooring the following convention should be used. Label the legs 1, 2, 3, consecutively starting at true north and working clockwise (from 00° to 360°). The surface tenders will have to keep track of the order in which the diving team is doing the inspection and label the ground legs on the divers data sheet appropriately when they surface.

Figure 9 is a sketch of the mooring layout made from the sextant sights taken on the marker buoys attached to the ground legs. When the current is slack sights can be made on the diver's bubbles.

The parts lists, inspection sheets, and mooring layouts should be compiled with any other pertinent information and delivered to the engineer PWC, or other cognizant activity for analysis. CHESNAVFACENGCOM FPO-1 is to receive a copy of each underwater inspection report. In the analysis the downgrading of mooring classifications, or minor and major overhauls are recommended. Once again such assessments are made only by the engineer and should not be expected from the diving inspectors.

RECOMMENDATIONS AND CONCLUSIONS

The procedures and documentation given are provided to insure that the Navy's Fleet moorings receive an inspection suitable for making maintenance decisions. These guidelines are provided for use until the Fleet Mooring Maintenance Manual, MO-124 can be revised. Universal use of these inspection guidelines in the interim will promote the ease of data handling and retrieval. It is understood modifications to these procedures will be necessary in time and for unusual mooring configurations. To keep the documentation standardized suggested changes should be forwarded to the Naval Facilities Engineering Command, Code 1002 or to CHESNAVFACENGCOM FPO-1 for consideration.

REFERENCES

1. Civil Engineering Laboratory. Technical Memorandum 42-77-3, "Apra Harbor Mooring Inspection", by R. J. Taylor and R. J. Malloy, Port Hueneme, CA, February 1977.
2. Civil Engineering Laboratory. Technical Memorandum 42-78-12, "San Diego Fleet Mooring Inspection", by J. F. Wadsworth, Port Hueneme, CA, August 1978.
3. Naval Facilities Engineering Command, Design Manual, Harbor and Coastal Facilities, DM-26, July 1968.

Table 1. Caliper Settings for Components of Riser-Type Moorings (Double Values Above for Double Link Measurements)

Class Mooring	Percent Remaining	Top of Buoy		Riser ³ Chain	Ground Ring		Ground Tackle Chain ³ AJL ¹	Stockless w/Stabilizer	Anchor ²	LWT
		F-Shackle	End Link		AJL ¹	Ring				
A-A	100	5 3/8	4 1/4	4"	4"	6 1/2	4 3	2 3/4"	25,000	-
	90	4.838	3.285	type	type	5.85	3.6 2.7	2.475		
	80	4.3	2.92			5.2	3.2 2.4	2.2		
B-B	100	4 15/16	3 15/16	3 1/2"	3 1/2"	6 1/2	4 3	2 1/2"	20,000	13,000
	90	4.44	3.544	type	type	5.85	3.6 2.7	2.25		
	80	3.75	3.15			5.2	3.2 2.4	2.0		
C-C	100	4 15/16	3 15/16	3 1/2"	3 1/2"	6 1/2	4 3	2 1/2"	18,000	10,000
	90	4.44	3.544	type	type	5.85	3.6 2.7	2.025		
	80	3.95	3.15			5.2	3.2 2.4	1.8		
D-D	100	4 3/16	3 3/4	3"	3"	6	-	3"	30,000	-
	90	3.769	3.375	type	type	5.4	-	2.7		
	80	3.35	3			4.8	-	2.4		
A	100	3 7/8	3 3/8	2 3/4"	2 3/4"	5 1/2	-	2 3/4"	25,000	-
	90	3.488	3.038	type	type	4.95	-	2.475		
	80	3.1	2.7			4.4	-	2.2		
B	100	3 1/8	3 1/8	2 1/2"	2 1/2"	4 3/4	-	2 1/2"	20,000	13,000
	90	3.15	2.813	type	type	4.275	-	2.25		
	80	2.8	2.5			3.8	-	2		
C	100	3 1/8	2 3/4	2 1/4"	2 1/4"	4 1/2	-	2 1/4"	18,000	10,000
	90	2.813	2.813	type	type	4.05	-	2.025		
	80	2.5	2.5			3.6	-	1.8		
D	100	2 13/16	2 1/2	2"	2"	4	-	2"	13,000	6,000
	90	2.531	2.25	type	type	3.6	-	1.8		
	80	2.25	2.0			3.2	-	1.6		
E	100	2 7/16	2 1/2	1 3/4"	1 3/4"	3 1/2	-	1 3/4"	9,000	4,000
	90	2.174	2.025	type	type	3.15	-	1.575		
	80	1.95	1.8			2.8	-	1.4		
F	100	1 3/4	1 3/4	1 1/4"	1 1/4"	2 3/4	-	1 1/4"	5,000	2,000
	90	1.575	1.575	type	type	2.813	-	1.125		
	80	1.4	1.4			2.5	-	1.0		
G	100	1 1/16	.1	3/4"	3/4"	1 7/8	-	3/4"	3,000	300
	90	.956	.9	type	type	1.688	-	.675		
	80	.85	.8			1.5	-	.6		

1. AJL measurement vary according to manufacturer, see DM-26

2. Assumes firm sand bottom

3. Assumes cast steel chain

Table 2. Caliper Settings for Components of Telephone-Type Moorings (Double Values for Double Link Measurements)

Class Mooring	Percent Remaining	Top of Buoy		Buoy-to-Ground Tackle		Ground Tackle		Stockless/Stabilizer	LWT
		End Link	ALL	D/F-Shackle	ALL	Spider	Chain		
A-A	100	4 1/4	4"	4 11/16	4"	4	2 3/4"	25,000	-
	90	3.285	type	4.219	type	3.6	2.475		
	80	2.92		3.75		3.2	2.2		
B-B	100	4 1/4	4"	4 11/16	3 1/2"	4	2 1/2"	20,000	13,000
	90	3.285	type	4.219	type	3.6	2.25		
	80	2.92		3.75		3.2	2.0		
C-C	100	4 1/4	4"	4 11/16	3 1/2"	4	2 1/2"	18,000	10,000
	90	3.285	type	4.219	type	3.6	2.025		
	80	2.92		3.75		3.2	1.8		
D-D	100	4 1/4	4"	4 11/16	3"	4	3"	30,000	-
	90	3.285	type	4.219	type	3.6	2.7		
	80	2.92		3.75		3.2	2.4		
A	100	3 3/8	3 1/2"	3 7/8	2 3/4"	3 7/8	2 3/4"	25,000	-
	90	3.038	type	3.468	type	3.1	2.475		
	80	2.7		3.1		2.8	2.2		
B	100	3 3/8	3 1/2"	3 1/8	2 1/2"	3 1/8	2 1/2"	20,000	13,000
	90	3.038	type	3.15	type	3.15	2.25		
	80	2.7		2.8		2.8	2.0		
C	100	3 3/8	3 1/2"	3 1/8	2 1/4"	3 1/8	2 1/4"	18,000	10,000
	90	3.038	type	2.813	type	2.813	2.025		
	80	2.7		2.5		2.5	1.8		
D	100	3 3/8	3 1/2"	2 13/16	2"	3 3/8	2"	13,000	6,000
	90	3.038	type	2.531	type	2.531	1.8		
	80	2.7		2.25		2.25	1.6		

1. ALL measurements vary according to manufacturer, see DM-26


2. Assumes firm sand bottom

3. Assumes cast steel chain


Table 2. Caliper Settings for Components of Telephone-Type Moorings (Double Values for Double Link Measurements)

Class Mooring	Percent Remaining	Top of Buoy		Buoy-to-Ground Tackle		Ground Tackle		Anchor ²	
		End Link	AUL ¹	D/F-Shackle	AUL ¹	Spider	Chain ²	Stockless/Stabilizer	LWT
A-A	100	4 $\frac{1}{2}$	4"	4 11/16	4"	4	2 3/4"	25,000	-
	90	3.285	type	4.219	type	3.6	2.475		
	80	2.92		3.75		3.2	2.2		
B-B	100	4 $\frac{1}{2}$	4"	4 11/16	3 $\frac{3}{4}$ "	4	2 $\frac{1}{2}$ "	20,000	13,000
	90	3.285	type	4.219	type	3.6	2.25		
	80	2.92		3.75		3.2	2.0		
C-C	100	4 $\frac{1}{2}$	4"	4 11/16	3 $\frac{3}{4}$ "	4	2 $\frac{1}{2}$ "	18,000	10,000
	90	3.285	type	4.219	type	3.6	2.025		
	80	2.92		3.75		3.2	1.8		
D-D	100	4 $\frac{1}{2}$	4"	4 11/16	3"	4	3"	30,000	-
	90	3.285	type	4.219	type	3.6	2.7		
	80	2.92		3.75		3.2	2.4		
A	100	3 3/8	3 $\frac{3}{4}$ "	3 7/8	2 3/4"	2 3/4"	2 3/4"	25,000	-
	90	3.038	type	3.488	type	2.475	2.475		
	80	2.7		3.1		2.2	2.2		
B	100	3 3/8	3 $\frac{3}{4}$ "	3 $\frac{1}{2}$ "	2 $\frac{1}{2}$ "	2 $\frac{1}{2}$ "	2 $\frac{1}{2}$ "	20,000	13,000
	90	3.038	type	3.15	type	2.25	2.25		
	80	2.7		2.8		2.0	2.0		
C	100	3 3/8	3 $\frac{3}{4}$ "	3 1/8	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	18,000	10,000
	90	3.038	type	2.813	type	2.025	2.025		
	80	2.7		2.5		1.8	1.8		
D	100	3 3/8	3 $\frac{3}{4}$ "	2 13/16	2"	2"	2"	13,000	6,000
	90	3.038	type	2.531	type	1.8	1.8		
	80	2.7		2.25		1.6	1.6		

1. AUL measurements vary according to manufacturer, see DM-26
2. Assumes firm sand bottom
3. Assumes cast steel chain




Double Link Measurement



Single Link Measurement

Figure 1. Locations for taking chain link measurements.



D"	Single Link		Double Link		D"	Single Link		Double Link		D"	Single Link		Double Link	
	.90D	.80D	.90(2D)	.80(2D)		.90D	.80D	.90(2D)	.80(2D)		.90D	.80D	.90(2D)	.80(2D)
6-1/2	① 5.85	5.20	—	—	3-1/2	⑥ 3.15	2.80	① 6.30	5.60	2	⑪ 1.80	1.60	② 3.60	3.20
6	② 5.40	4.80	—	—	3	⑦ 2.70	2.40	② 5.40	4.80	1-7/8	⑫ 1.69	1.50	—	—
5-1/2	③ 4.95	4.40	—	—	2-3/4	⑧ 2.48	2.20	③ 4.96	4.40	1-3/4	⑬ 1.58	1.40	③ 3.06	2.80
4-1/2	④ 4.05	3.60	—	—	2-1/2	⑨ 2.25	2.00	④ 4.50	4.00	1-1/2	⑭ 1.35	1.20	④ 2.70	2.40
4	⑤ 3.60	3.20	⑤ 7.20	6.40	2-1/4	⑩ 2.03	1.80	⑤ 4.06	3.60	1-1/4	⑮ 1.125	1.00	—	—

Figure 4. UCT TWO - 80% and 90% calipers.




Figure 5. Caliper coding.

MOORING NO.: _____ CLASS: _____ LOCATION: _____ LAT: _____ LONG: _____
 WATER DEPTH: _____ TYPE MOORING: ☐ RISER ☐ TELEPHONE ANCHOR SIZE/TYPE: _____
 DATE: _____ DIVER: _____ BOTTOM TYPE: ☐ SAND ☐ MUD ☐ CLAY ☐ CORAL ☐ ROCK

COMPONENTS		NI	CONDITION					U/W VOLT METER READINGS			COMMENTS	
			NEW	SINGLE LINK %	DOUBLE LINK %	D	1	2	3			
			90+	80+	80-	90+	80+	80-				
BUOY-TOP HARDWARE												
RISER	NEAR BUOY											
	MIDDLE											
	NEAR GRD RG											
GROUND RING												
GROUND LEG NO. —	UPPER END											
	WEARPOINT											
GROUND LEG NO. —	UPPER END											
	WEARPOINT											
GROUND LEG NO. —	UPPER END											
	WEARPOINT											

D = destroyed, broken, or missing NI = not inspected, inaccessible

Figure 6. Underwater inspection reporting form.

MOORING DM-3

RISER TYPE - CLASS "D"

3 LEGS

MATERIAL COST
\$32,700

LEG "A" DETAILS

3" Bending Shackle
2½" NACO A. J. Link
2¼" Pear Link
2¼" Detachable Link
90' --2" C. S. Chain
2¼" Detachable Link
90' --2' C. S. Chain
2¼" Detachable Link
2¼" Pear Link
3" Bending Shackle
13,000# IMP. Stockless Anchor

LEG "C" DETAILS

3" Bending Shackle
2½" NACO A. J. Link
2¼" Pear Link
2¼" Detachable Link
76' -- 2" C. S. Chain
2" Detachable Link
2¼" Pear Link
2½" Bending Shackle
13,000# IMP. Stockless Anchor

HISTORY: 3/15/55 New Installation
11/13/60 Reconditioned and Relaid
2/12/64 Reconditioned and Relaid
11/3/66 Reconditioned and Relaid
4/3/74 Reconditioned and Relaid

LEG "B" DETAILS

3" Bending Shackle
2¼" Pear Link
2¼" Detachable Link
90' --2" C. S. Chain
2¼" Detachable Link
89' --2' C. S. Chain
2¼" Detachable Link
2¼" Pear Link
2½" NACO A. J. Link
13,000# IMP. Stockless Anchor

RISER CHAIN DETAILS

Drum Buoy (Small) W/Tension Bar
2½" NACO A. J. Link
27' --2½" C.S. Riser Chain
2½" Detachable Link
2½" E. Z. Link
2 9/16" Pear Link
3" Bending Shackle
4 3/4" x 18" I.D. Ground Ring

Figure 7. Parts list of a fleet mooring.

MOORING NO.: DM-3 CLASS: D LOCATION: Depot Pier LAT: 32°41'36.3"N LONG: 117°04'12.4"W

WATER DEPTH: 38' TYPE MOORING: ☒ RISER ☐ TELEPHONE ANCHOR SIZE/TYPE: NI

DATE: 4/20/78 DIVER: EO2 Alley/CE2 Armstrong BOTTOM TYPE: ☐ SAND ☒ MUD ☐ CLAY ☐ CORAL ☐ ROCK

COMPONENTS		NI	CONDITION					U/W VOLTMEETER READINGS			COMMENTS	
			NEW	SINGLE LINK %	DOUBLE LINK %							D
BUOY-TOP HARDWARE			90+	80+	80-	90+	80+	80-	1	2	3	
			Good condition. Gulano clogging squippers on top fender.									
RISER	NEAR BUOY		>>>			>>>			0.618	0.618	0.619	
	MIDDLE		>>>				>>>		0.617	0.617	0.617	
	NEAR GRD RG			>>>			>>>		0.617	0.617	0.618	
GROUND RING			>>>						0.617	0.617	0.618	
GROUND LEG NO. —	UPPER END		>>>			>>>			0.618	0.617	0.618	
	WEARPOINT		>>>						0.608	0.608	0.608	
GROUND LEG NO. —	UPPER END		>>>			>>>			0.617	0.617	0.618	
	WEARPOINT		>>>						0.610	0.609	0.610	
GROUND LEG NO. —	UPPER END		>>>			>>>			0.617	0.617	0.618	
	WEARPOINT		>>>				>>>		0.617	0.617	0.618	

D = destroyed, broken, or missing NI = not inspected, inaccessible

Figure 8. Example of a completed inspection sheet.




Figure 9. Sketch of mooring layout.

DISTRIBUTION LIST

AFB AF Tech Office (Mgt & Ops), Tyndall, FL; CESCH, Wright-Patterson, HQAFESC/DEMM, Tyndall AFB, FL;
 MAC/DET (Col. P. Thompson) Scott, IL; Stinfo Library, Offutt NE
 ARCTICSUBLAB Code 54T, San Diego, CA
 ARMY ARRADCOM, Dover, NJ; BMDSC-RE (H. McClellan) Huntsville AL; DAEN-MPE-D Washington DC;
 HQ-DAEN-MPO-B (Mr. Price)
 ARMY COASTAL ENGR RSCH CEN Fort Belvoir VA; R. Jachowski, Fort Belvoir VA
 ARMY COE Philadelphia Dist. (LIBRARY) Philadelphia, PA
 ARMY CORPS OF ENGINEERS MRD-Eng. Div., Omaha NE; Seattle Dist. Library, Seattle WA
 ARMY CRREL A. Kovacs, Hanover NH
 ARMY ENG DIV HNDED-CS, Huntsville AL; HNDED-SR, Huntsville, AL
 ARMY ENG WATERWAYS EXP STA Library, Vicksburg MS
 ARMY ENGR DIST. Library, Portland OR
 ARMY ENVIRON. HYGIENE AGCY Water Qual Div (Doner), Aberdeen Prov Ground, MD
 ARMY MATERIALS & MECHANICS RESEARCH CENTER Dr. Lenoe, Watertown MA
 ARMY MOBIL EQUIP R&D COM Mr. Cevasco, Fort Belvoir MD
 ARMY TRANSPORTATION SCHOOL MAJ T Sweeney, Code ATSP CD-TE Fort Eustis VA
 ASST SECRETARY OF THE NAVY Spec. Assist Energy (P. Waterman), Washington DC; Spec. Assist Submarines,
 Washington DC
 BUREAU OF RECLAMATION Code 1512 (C. Selander) Denver CO
 CINCLANT Civil Engr. Supp. Plans. Ofr Norfolk, VA
 CINCPAC Fac Engrng Div (J44) Makalapa, HI
 CNM NMAT 08T246 (Dieterle) Wash, DC
 CNO Code NOP-964, Washington DC; Code OP 323, Washington DC; Code OPNAV 09B24 (H); Code OPNAV 22,
 Wash DC; Code OPNAV 23, Wash DC; OP987J (J. Boosman), Pentagon
 COMFLEACT, OKINAWA PWO, Kadena, Okinawa
 COMNAVBEACHPHIBREFTRAGRU ONE San Diego CA
 COMOCEANSYSPAC SCE, Pearl Harbor HI
 COMSUBDEVGRUONE Operations Ofr, San Diego, CA
 DEFENSE DOCUMENTATION CTR Alexandria, VA
 DEFENSE INTELLIGENCE AGENCY Dir., Washington DC
 DMAHC Code LAL, Washington DC
 DOE Dr. Cohen
 DTNSRDC Code 4121 (R. Rivers), Annapolis, MD
 GSA Fed. Sup. Serv. (FMBP), Washington DC
 HCU ONE CO, Bishops Point, HI
 KWAJALEIN MISRAN BMDSC-RKL-C
 MARINE CORPS BASE Camp Pendleton CA 92055; Code 43-260, Camp Lejeune NC; M & R Division, Camp Lejeune
 NC; PWO Camp Lejeune NC; PWO, Camp S. D. Butler, Kawasaki Japan
 MARINE CORPS HQS Code LFF-2, Washington DC
 MCAS Facil. Engr. Div. Cherry Point NC; CO, Kaneohe Bay HI; Code PWE, Kaneohe Bay HI; Code S4, Quantico
 VA; J. Taylor, Iwakuni Japan; PWD, Dir. Maint. Control Div., Iwakuni Japan; PWO Kaneohe Bay HI
 MCRD PWO, San Diego Ca
 MILITARY SEALIFT COMMAND Washington DC
 NAF PWO, Atsugi Japan
 NAS CO, Guantanamo Bay Cuba; Code 114, Alameda CA; Code 183 (Fac. Plan BR MGR); Code 18700, Brunswick
 ME; Code 18U (ENS P.J. Hickey), Corpus Christi TX; Code 8E, Patuxent Riv., MD; Dir. Maint. Control Div.,
 Key West FL; Dir. Util. Div., Bermuda; ENS Buchholz, Pensacola, FL; PW (J. Maguire), Corpus Christi TX;
 PWD Maint. Div., New Orleans, Belle Chasse LA; PWD, Maintenance Control Dir., Bermuda; PWO Belle Chasse,
 LA; PWO Key West FL; PWO, Dallas TX; PWO, Glenview IL; PWO., Moffett Field CA; SCE Lant Fleet
 Norfolk, VA; SCE Norfolk, VA
 NATL RESEARCH COUNCIL Naval Studies Board, Washington DC
 NATPARACHUTETESTRAN PW Engr, El Centro CA
 NAVACT PWO, London UK
 NAVACTDET PWO, Holy Lock UK
 NAVAEROSPREGMEDCEN SCE, Pensacola FL
 NAVCOASTSYSTCTR CO, Panama City FL; Code 423 (D. Good), Panama City FL; Code 713 (J. Quirk) Panama
 City, FL; Code 715 (J. Mittleman) Panama City, FL; Library Panama City, FL

NAVCOMMAREAMSTRSTA PWO, Norfolk VA; PWO, Wahiawa HI; SCE Unit 1 Naples Italy
 NAVCOMMSTA Code 401 Nea Makri, Greece; PWO, Exmouth, Australia
 NAVEDITRAPRODEVCECN Tech. Library
 NAVEDUTRACEN Engr Dept (Code 42) Newport, RI
 NAVLEXSYS COM Code PME-124-61, Washington DC
 NAVENVIRHLTHCEN CO, Cincinnati, OH
 NAVODFAC Code 605, Indian Head MD
 NAVFAC PWO, Cape Hatteras, Buxton NC; PWO, Centerville Bch, Ferndale CA
 NAVFAC PWO, Lewes DE
 NAVFACENGCOM Code 043 Alexandria, VA; Code 044 Alexandria, VA; Code 0451 Alexandria, VA; Code 0453 (D. Potter) Alexandria, VA; Code 0454B Alexandria, VA; Code 04B3 Alexandria, VA; Code 04B5 Alexandria, VA; Code 100 Alexandria, VA; Code 1002B (J. Leimanis) Alexandria, VA; Code 1113 (M. Carr) Alexandria, VA; Code 1113 (T. Stevens) Alexandria, VA; Code 1113 Alexandria, VA; Morrison Yap, Caroline Is.; PC-2 Alexandria, VA; PC-2 Alexandria, VA
 NAVFACENGCOM - CHES DIV. Code 101 Wash, DC; Code 405 Wash, DC; Code FPO-1 Wash, DC; Contracts, ROICC, Annapolis MD; FPO-1 (Spencer) Wash, DC; FPO-1 Wash, DC; Scheessele, Code 402, Wash, DC
 NAVFACENGCOM - LANT DIV. Code 10A, Norfolk VA; Eur. BR Deputy Dir, Naples Italy; European Branch, New York; RDT&ELO 102, Norfolk VA
 NAVFACENGCOM - NORTH DIV. (Boretzky) Philadelphia, PA; AROICC, Brooklyn NY; CO; Code 09P (LCDR A.J. Stewart); Code 1028, RDT&ELO, Philadelphia PA; Code 111 (Castranovo) Philadelphia, PA; Code 114 (A. Rhoads); Design Div. (R. Masino), Philadelphia PA; ROICC, Contracts, Crane IN
 NAVFACENGCOM - PAC DIV. (Kyi) Code 101, Pearl Harbor, HI; Code 2014 (Mr. Taam), Pearl Harbor HI; Code 402, RDT&E, Pearl Harbor HI; Commander, Pearl Harbor, HI
 NAVFACENGCOM - SOUTH DIV. Code 90, RDT&ELO, Charleston SC
 NAVFACENGCOM - WEST DIV. 102; Code 04B San Bruno, CA; 09P/20 San Bruno, CA; RDT&ELO Code 2011 San Bruno, CA
 NAVFACENGCOM CONTRACT AROICC, Point Mugu CA; Code 05, TRIDENT, Bremerton WA; Dir, Eng. Div., Exmouth, Australia; Eng Div dir, Southwest Pac, Manila, PI; OICC, Southwest Pac, Manila, PI; OICC/ROICC, Balboa Canal Zone; ROICC (Ervin) Puget Sound Naval Shipyard, Bremerton, WA; ROICC (LCDR J.G. Leech), Subic Bay, R.P.; ROICC LANT DIV., Norfolk VA; ROICC Off Point Mugu, CA; ROICC, Diego Garcia Island; ROICC, Keflavik, Iceland; ROICC, Pacific, San Bruno CA
 NAVHOSP LT R. Elsbernd, Puerto Rico
 NAVOCEANO Code 1600 Bay St. Louis, MS; Code 3432 (J. DePalma), Bay St. Louis MS
 NAVOCEANSYSCEN Code 409 (D. G. Moore), San Diego CA; Code 4473 Bayside Library, San Diego, CA; Code 52 (H. Talkington) San Diego CA; Code 5204 (J. Stachiw), San Diego, CA; Code 5214 (H. Wheeler), San Diego CA; Code 5224 (R. Jones) San Diego CA; Code 6565 (Tech. Lib.), San Diego CA; Code 7511 (PWO) San Diego, CA
 NAVPETOFF Code 30, Alexandria VA
 NAVPGSCOL D. Leipper, Monterey CA; E. Thornton, Monterey CA; J. Garrison Monterey CA
 NAVPHIBASE CO, ACB 2 Norfolk, VA; Code S3T, Norfolk VA; Harbor Clearance Unit Two, Little Creek, VA
 NAVREGMEDCEN PWO Newport RI; SCE (D. Kaye); SCE, Camp Pendleton CA
 NAVSCOLCECOFF C35 Port Hueneme, CA; CO, Code C44A Port Hueneme, CA
 NAVSEASYS COM Code 00C-DG DiGeorge, Washington, DC; Code 00C (LT R. MacDougal), Washington DC; Code SEA 00C Washington, DC
 NAVSEC Code 6034 (Library), Washington DC
 NAVSECGRUACT PWO, Adak AK
 NAVSHIPPREFAC Library, Guam; SCE Subic Bay
 NAVSHIPYD; Code 202.4, Long Beach CA; Code 202.5 (Library) Puget Sound, Bremerton WA; Code 380, (Woodroff) Norfolk, Portsmouth, VA; Code 400, Puget Sound; Code 404 (LT J. Riccio), Norfolk, Portsmouth VA; Code 410, Mare Is., Vallejo CA; Code 440 Portsmouth NH; Code 440, Norfolk; Code 440, Puget Sound, Bremerton WA; Code 440.4, Charleston SC; Code 450, Charleston SC; L.D. Vivian; Library, Portsmouth NH; PWD (Code 400), Philadelphia PA; PWO, Mare Is.; PWO, Puget Sound; SCE, Pearl Harbor HI; Salvage Supt, Phila., PA; Tech Library, Vallejo, CA
 NAVSTA CO Naval Station, Mayport FL; CO Roosevelt Roads P.R. Puerto Rico; Dir Mech Engr, Gtmo; Engr. Dir., Rota Spain; Maint. Cont. Div., Guantanamo Bay Cuba; Maint. Div. Dir/Code 531, Rodman Canal Zone; PWD (LTJG.P.M. Motolenich), Puerto Rico; PWO Midway Island; PWO, Guantanamo Bay Cuba; PWO, Keflavik Iceland; PWO, Mayport FL; ROICC, Rota Spain; SCE, Guam; SCE, San Diego CA; SCE, Subic Bay, R.P.
 NAVSUBASE SCE, Pearl Harbor HI
 NAVSUPPACT CO, Seattle WA; Code 413, Seattle WA; LTJG McGarrah, SEC, Vallejo, CA; Security Offr, San Francisco, CA
 NAVSURFWPCEN PWO, White Oak, Silver Spring, MD

NAVTECHTRACEN SCE, Pensacola FL
 NAVWPNCEN Code 2636 (W. Bonner), China Lake CA
 NAVWPNSTA Code 092, Colts Neck NJ; Maint. Control Dir., Yorktown VA
 NAVWPNSTA PW Office (Code 09C1) Yorktown, VA
 NAVWPNSTA PWO, Seal Beach CA
 NAVWPNSUPPCEN Code 09 Crane IN
 NCBU 405 OIC, San Diego, CA
 NCBC CEL AOIC Port Hueneme CA; Code 10 Davisville, RI; Code 155, Port Hueneme CA; Code 156, Port Hueneme, CA; PWO (Code 80) Port Hueneme, CA; PWO, Davisville RI
 NCR 20, Commander
 NMCB 5, Operations Dept., Forty, CO; THREE, Operations Off.
 NOAA Library Rockville, MD
 NORDA Code 410 Bay St. Louis, MS; Code 440 (Ocean Rsch Off) Bay St. Louis MS
 NRL Code 8400 Washington, DC; Code 8441 (R.A. Skop), Washington DC; Rosenthal, Code 8440, Wash. DC
 NSC Code 54.1 (Wynne), Norfolk VA
 NSD SCE, Subic Bay, R.P.
 NUCLEAR REGULATORY COMMISSION T.C. Johnson, Washington, DC
 NUSC Code 131 New London, CT; Code EA123 (R.S. Munn), New London CT; Code S332, B-80 (J. Wilcox); Code TA131 (G. De la Cruz), New London CT
 OCEANAV Mangmt Info Div., Arlington VA
 OCEANSYSLANT LT A.R. Giancola, Norfolk VA
 ONR (Dr. E.A. Silva) Arlington, VA; BROFF, CO Boston MA; Code 481, Arlington VA; Code 481, Bay St. Louis, MS; Code 700F Arlington VA; Dr. A. Laufer, Pasadena CA
 PHIBCB 1 P&E, Coronado, CA
 PMTC Code 3331 (S. Opatowsky) Point Mugu, CA; EOD Mobile Unit, Point Mugu, CA; Pat. Counsel, Point Mugu CA
 PWC CO Norfolk, VA; CO, Great Lakes IL; CO, Oakland CA; Code 120, Oakland CA; Code 120C (Library) San Diego, CA; Code 128, Guam; Code 200, Great Lakes IL; Code 200, Guam; Code 220 Oakland, CA; Code 220.1, Norfolk VA; Code 30C Squier, San Diego, CA; Code 40 (C. Kolton) Pensacola, FL; Code 400, Pearl Harbor, HI; Code 400, San Diego, CA; Code 505A (H. Wheeler); Code 610, San Diego CA; Code 700, San Diego, CA; Library, Subic Bay, R.P.; OIC CBU-405, San Diego CA; Utilities Officer, Guam; XO Oakland, CA
 UCT TWO OIC, Norfolk, VA; OIC, Port Hueneme CA
 U.S. MERCHANT MARINE ACADEMY Kings Point, NY (Reprint Custodian)
 US DEPT OF INTERIOR Bureau of Land MNGMNT - Code 733 (T.E. Sullivan) Wash, DC
 US GEOLOGICAL SURVEY Off. Marine Geology, Piteleki, Reston VA
 US NAVAL FORCES Korea (ENJ-P&O)
 USCG (G-ECV) Washington Dc; (G-ECV/61) (Burkhart) Washington, DC; G-EOE-4/61 (T. Dowd), Washington DC
 USCG R&D CENTER CO Groton, CT; D. Motherway, Groton CT; Tech. Dir. Groton, CT
 USDA Forest Products Lab. (R. DeGroot), Madison WI; Forest Service, San Dimas, CA
 USNA Ocean Sys. Eng Dept (Dr. Monney) Annapolis, MD; Oceanography Dept (Hoffman) Annapolis MD; PWD Engr. Div. (C. Bradford) Annapolis MD; PWO Annapolis MD
 CALIF. DEPT OF NAVIGATION & OCEAN DEV. Sacramento, CA (G. Armstrong)
 CALIF. MARITIME ACADEMY Vallejo, CA (Library)
 CALIFORNIA INSTITUTE OF TECHNOLOGY Pasadena CA (Keck Ref. Rm)
 CALIFORNIA STATE UNIVERSITY LONG BEACH, CA (CHELAPATI); LONG BEACH, CA (YEN)
 CATHOLIC UNIV. Mech Engr Dept, Prof. Niedzwecki, Wash., DC
 COLORADO STATE UNIV., FOOTHILL CAMPUS Fort Collins (Nelson)
 DAMES & MOORE LIBRARY LOS ANGELES, CA
 DUKE UNIV MEDICAL CENTER B. Muga, Durham NC; DURHAM, NC (VESIC)
 FLORIDA ATLANTIC UNIVERSITY BOCA RATON, FL (MC ALLISTER); Boca Raton FL (Ocean Engr Dept., C. Lin)
 FLORIDA ATLANTIC UNIVERSITY Boca Raton FL (W. Tessin)
 FLORIDA TECHNOLOGICAL UNIVERSITY ORLANDO, FL (HARTMAN)
 INSTITUTE OF MARINE SCIENCES Morehead City NC (Director)
 IOWA STATE UNIVERSITY Ames IA (CE Dept, Handy)
 LEHIGH UNIVERSITY BETHLEHEM, PA (MARINE GEOTECHNICAL LAB., RICHARDS); Bethlehem PA (Linderman Lib. No.30, Flecksteiner)
 LIBRARY OF CONGRESS WASHINGTON, DC (SCIENCES & TECH DIV)
 MAINE MARITIME ACADEMY (Wyman) Castine ME; CASTINE, ME (LIBRARY)
 MICHIGAN TECHNOLOGICAL UNIVERSITY Houghton, MI (Haas)
 MIT Cambridge MA; Cambridge MA (Rm 10-500, Tech. Reports, Engr. Lib.)

NATL ACADEMY OF ENG. ALEXANDRIA, VA (SEARLE, JR.)
 NY CITY COMMUNITY COLLEGE BROOKLYN, NY (LIBRARY)
 OREGON STATE UNIVERSITY (CE Dept Grace) Corvallis, OR; CORVALLIS, OR (CE DEPT, BELL); Corvallis
 OR (School of Oceanography)
 PENNSYLVANIA STATE UNIVERSITY STATE COLLEGE, PA (SNYDER)
 PURDUE UNIVERSITY Lafayette, IN (Altschaeffl); Lafayette, IN (CE Engr. Lib)
 SAN DIEGO STATE UNIV. I. Noorany San Diego, CA
 SOUTHWEST RSCH INST King, San Antonio, TX; R. DeHart, San Antonio TX
 STANFORD UNIVERSITY Engr Lib, Stanford CA; STANFORD, CA (DOUGLAS)
 STATE UNIV. OF NEW YORK Buffalo, NY
 TEXAS A&M UNIVERSITY College Station TX (CE Dept. Herbich); W.B. Ledbetter College Station, TX
 UNIVERSITY OF CALIFORNIA BERKELEY, CA (CE DEPT, GERWICK); Berkeley CA (B. Bresler); Berkeley CA
 (Dept of Naval Arch.); Berkeley CA (E. Pearson); La Jolla CA (Acq. Dept, Lib. C-075A); M. Duncan, Berkeley
 CA
 UNIVERSITY OF DELAWARE Newark, DE (Dept of Civil Engineering, Chesson)
 UNIVERSITY OF HAWAII HONOLULU, HI (SCIENCE AND TECH. DIV.)
 UNIVERSITY OF ILLINOIS Metz Ref Rm, Urbana IL; URBANA, IL (DAVISSON); URBANA, IL (LIBRARY);
 URBANA, IL (NEWMARK)
 UNIVERSITY OF MASSACHUSETTS (Heronemus), Amherst MA CE Dept
 UNIVERSITY OF MICHIGAN Ann Arbor MI (Richart)
 UNIVERSITY OF NEBRASKA-LINCOLN Lincoln, NE (Ross Ice Shelf Proj.)
 UNIVERSITY OF NEW HAMPSHIRE DURHAM, NH (LAVOIE)
 UNIVERSITY OF PENNSYLVANIA PHILADELPHIA, PA (SCHOOL OF ENGR & APPLIED SCIENCE, ROLL)
 UNIVERSITY OF RHODE ISLAND KINGSTON, RI (PAZIS)
 UNIVERSITY OF SO. CALIFORNIA Univ So. Calif
 UNIVERSITY OF TEXAS Inst. Marine Sci (Library), Port Arkansas TX
 UNIVERSITY OF TEXAS AT AUSTIN AUSTIN, TX (THOMPSON); Austin, TX (Breen)
 UNIVERSITY OF WASHINGTON Seattle WA (M. Sherif); SEATTLE, WA (APPLIED PHYSICS LAB); SEATTLE,
 WA (MERCHANT); SEATTLE, WA (OCEAN ENG RSCH LAB, GRAY); SEATTLE, WA (PACIFIC MARINE
 ENVIRON. LAB., HALPERN); Seattle WA (E. Linger)
 UNIVERSITY OF WISCONSIN Milwaukee WI (Ctr of Great Lakes Studies)
 URS RESEARCH CO. LIBRARY SAN MATEO, CA
 VIRGINIA INST. OF MARINE SCI. Gloucester Point VA (Library)
 ALFRED A. YEE & ASSOC. Honolulu HI
 AMETEK Offshore Res. & Engr Div
 ARCAIR CO. D. Young, Lancaster OH
 ARVID GRANT OLYMPIA, WA
 ATLANTIC RICHFIELD CO. DALLAS, TX (SMITH)
 AUSTRALIA Dept. PW (A. Hicks), Melbourne
 BECHTEL CORP. SAN FRANCISCO, CA (PHELPS)
 BELGIUM HAECON, N.V., Gent
 BETHLEHEM STEEL CO. Dismuke, Bethlehem, PA
 BOUW KAMP INC Berkeley
 BRAND INDUS SERV INC. J. Buehler, Hacienda Heights CA
 BROWN & CALDWELL E M Saunders Walnut Creek, CA
 BROWN & ROOT Houston TX (D. Ward)
 CANADA Can-Dive Services (English) North Vancouver; Library, Calgary, Alberta; Lockheed Petro. Serv. Ltd, New
 Westminster B.C.; Lockheed Petrol. Srv. Ltd., New Westminster BC; Mem Univ Newfoundland (Charl.), St Johns;
 Surveyor, Nenninger & Chenevert Inc., Montreal; Trans-Mnt Oil Pipe Lone Corp. Vancouver, BC Canada
 CF BRAUN CO Du Bouchet, Murray Hill, NJ
 CHEVRON OIL FIELD RESEARCH CO. LA HABRA, CA (BROOKS)
 CONCRETE TECHNOLOGY CORP. TACOMA, WA (ANDERSON)
 CONTINENTAL OIL CO O. Maxson, Ponca City, OK
 DILLINGHAM PRECAST F. McHale, Honolulu HI
 DRAVO CORP Pittsburgh PA (Wright)
 NORWAY DET NORSKE VERITAS (Library), Oslo
 EVALUATION ASSOC. INC KING OF PRUSSIA, PA (FEDELE)
 EXXON PRODUCTION RESEARCH CO Houston, TX (Chao)
 FRANCE Dr. Dutertre, Boulogne; L. Pliskin, Paris; Roger LaCroix, Paris

GEOTECHNICAL ENGINEERS INC. Winchester, MA (Paulding)
 GLIDDEN CO. STRONGSVILLE, OH (RSCH LIB)
 GOULD INC. Shady Side MD (Ches. Inst. Div., W. Paul)
 HALEY & ALDRICH, INC. Cambridge MA (Aldrich, Jr.)
 ITALY M. Caironi, Milan; Sergio Tattoni Milano; Torino (F. Levi)
 KOREA Korea Rsch Inst. Ship & Ocean (B. Choi), Seoul
 LAMONT-DOHERTY GEOLOGICAL OBSERV. Palisades NY (Selwyn)
 LIN OFFSHORE ENGRG P. Chow, San Francisco CA
 LOCKHEED MISSILES & SPACE CO. INC. L. Trimble, Sunnyvale CA; Mgr Naval Arch & Mar Eng Sunnyvale,
 CA; Sunnyvale CA (Ryniewicz); Sunnyvale, CA (K.L. Kerr)
 MARATHON OIL CO Houston TX
 MC CLELLAND ENGINEERS INC Houston TX (B. McClelland)
 MEXICO R. Cardenas
 MOBIL PIPE LINE CO. DALLAS, TX MGR OF ENGR (NOACK)
 MOFFATT & NICHOL ENGINEERS (R. Palmer) Long Beach, CA
 MUESER, RUTLEDGE, WENTWORTH AND JOHNSTON NEW YORK (RICHARDS)
 NEW ZEALAND New Zealand Concrete Research Assoc. (Librarian), Porirua
 NEWPORT NEWS SHIPBLDG & DRYDOCK CO. Newport News VA (Tech. Lib.)
 NORWAY A. Torum, Trondheim; DET NORSKE VERITAS (Roren) Oslo; I. Foss, Oslo; J. Creed, Ski; Norwegian
 Tech Univ (Brandtzaeg), Trondheim
 OCEAN ENGINEERS SAUSALITO, CA (RYNECKI)
 OCEAN RESOURCE ENG. INC. HOUSTON, TX (ANDERSON)
 PACIFIC MARINE TECHNOLOGY Long Beach, CA (Wagner)
 PORTLAND CEMENT ASSOC. SKOKIE, IL (CORLEY); SKOKIE, IL (KLIEGER); Skokie IL (Rsch & Dev Lab,
 Lib.)
 PUERTO RICO Puerto Rico (Rsch Lib.), Mayaguez P R
 R J BROWN ASSOC (McKeehan), Houston, TX
 RAYMOND INTERNATIONAL INC. E Colle Soil Tech Dept, Pennsauken, NJ
 RIVERSIDE CEMENT CO Riverside CA (W. Smith)
 SCHUPACK ASSOC SO. NORWALK, CT (SCHUPACK)
 SEAFOOD LABORATORY MOREHEAD CITY, NC (LIBRARY)
 SEATECH CORP. MIAMI, FL (PERONI)
 SHELL DEVELOPMENT CO. Houston TX (C. Sellars Jr.); Houston TX (E. Doyle)
 SHELL OIL CO. HOUSTON, TX (MARSHALL); Houston TX (R. de Castongrene)
 SOUTH AMERICA N. Nouel, Valencia, Venezuela
 SWEDEN VBB (Library), Stockholm
 TIDEWATER CONSTR. CO Norfolk VA (Fowler)
 UNITED KINGDOM A. Denton, London; British Embassy (Info. Offr), Washington DC; Cement & Concrete Assoc
 Wexham Springs, Slough Bucks; Cement & Concrete Assoc. (Library), Wexham Springs, Slough; Cement &
 Concrete Assoc. (Lit. Ex), Bucks; D. Lee, London; D. New, G. Maunsell & Partners, London; J. Derrington,
 London; R. Browne, Southall, Middlesex; R. Rudham Oxfordshire; Taylor, Woodrow Constr (014P), Southall,
 Middlesex; Taylor, Woodrow Constr (Stubbs), Southall, Middlesex
 WATT BRIAN ASSOC INC. Houston, TX
 WESTINGHOUSE ELECTRIC CORP. Annapolis MD (Oceanic Div Lib, Bryan)
 WESTINTRUCORP Egerton, Oxnard, CA
 WISS, JANNEY, ELSTNER, & ASSOC Northbrook, IL (D.W. Pfeifer)
 WM CLAPP LABS - BATTELLE DUXBURY, MA (LIBRARY); Duxbury, MA (Richards)
 WOODWARD-CLYDE CONSULTANTS (A. Harrigan) San Francisco; PLYMOUTH MEETING PA (CROSS, III)
 ADAMS, CAPT (RET) Irvine, CA
 AL SMOOTS Los Angeles, CA
 ANTON TEDESKO Bronxville NY
 BRAHTZ La Jolla, CA
 BULLOCK La Canada
 LAYTON Redmond, WA
 R.F. BESIER Old Saybrook CT
 SMITH Gulfport, MS
 T.W. MERMEL Washington DC
 WM TALBOT Orange CA
 CEC Parisi, Anthony M., LT