





### NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture use, or sell any patented invention that may in any way be related thereto.

This report has been reviewed by the Office of Public Affairs (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.

Sandra K. Drake

Project Engineer Propulsion Mechanical Design Components Branch Turbine Engine Division

FOR THE COMMANDER

DAVID H. QUICK, Lt Col, USAF Chief, Components Branch Turbine Engine Division

9.1. Sersho

Technical Area Manager Propulsion Mechanical Design Components Branch Turbine Engine Division

"If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify <u>AFWAL/POTC</u>, W-PAFB, OH 45433 to help us maintain a current mailing list".

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

AIR FORCE/56780/27 June 1980 - 100

# **DISCLAIMER NOTICE**

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

	READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER 2. GOVT A	CCESSION NO. 3. PECIO'ENT'S CATALOG NUMBER
FAPL-TR-78-90	08/0 354
TITLE (and Subtitie)	5. TYPE OF REPORT & PERIOD COVERED
RAPH - AN INTERACTIVE COMPUTER	
ROGRAM USED FOR TECHNICAL PLOTTING	Final Report 1/7/77 to 1/8/78
	6. PERFORMING ORG. REPORT NUMBER
	A CONTRACT OF GRANT NUMBER(*)
andra K. Drake	
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PPOGPAM FLEMENT, PROJECT, TASK APEA & WORK UNIT NUMBERS
ero Propulsion Laboratory (POTP)	Program Element 546100
ir Force Wright-Aeronautical Laboratories	Project 3066, Task 306612,
right-Patterson AFB, Unio 45435	Work Unit 30661212
. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE Adril 1980
ero Propulsion Laboratory (POT)	13. NUMBER OF PAGES
ir Force Wright-Aeronautical Laboratories	96
I TENE-FALLETSON AND, UNIO 43455	olling Office) 15. SECURITY CLASS. (of this report)
	Unclassified
	SCHEDULE
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20,	il dillerent from Report)
DISTRIBUTION STATEMENT (of the abatract entered in Block 20,	il different from Report)
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES	il dillerent from Report)
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES his report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abetract entered in Block 20, supplementary notes 'his report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b. SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date hade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b. SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date hade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse aids II necessary and identify by On-Line plotting	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b. SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date hade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse aids II necessary and identify by On-Line plotting TEK4010 plotting	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b. SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date hade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse aids II necessary and identify by On-Line plotting TEK4010 plotting Graph preparation	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b) SUPPLEMENTARY NOTES this report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side if necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs	il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report.
<ul> <li>DISTRIBUTION STATEMENT (of the obstract entered in Block 20,</li> <li>SUPPLEMENTARY NOTES</li> <li>This report supersedes AFAPL-TR-78-90 date</li> <li>ade to the computer program "GRAPH" which</li> <li>ECTION III, APPENDIX B, and APPENDIX D of</li> <li>KEY WORDS (Continue on reverse side if necessary and identify by</li> <li>On-Line plotting</li> <li>TEK4010 plotting</li> <li>Graph preparation</li> <li>Report graphs</li> <li>ABSTRACT (Continue on reverse side if necessary and identify by</li> </ul>	<pre>il dillerent from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report. r block number) block number)</pre>
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES his report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side II necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs ABSTRACT (Continue on reverse side II necessary and identify by his technical report describes a computer	<pre>if different from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report. v block number) block number) program *graph* which supplies a</pre>
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES his report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side if necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs ABSTRACT (Continue on reverse side if necessary and identify by his technical report describes a computer apability to do efficient plotting of all	<pre>if different from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report. r block number) program *graph* which supplies a types of analytical data in a manner interimentation.</pre>
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, b. SUPPLEMENTARY NOTES this report supersedes AFAPL-TR-78-90 date ade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side 11 necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs ABSTRACT (Continue on reverse side 11 necessary and identify by this technical report describes a computer apability to do efficient plotting of all uitable for direct substitution into tech	<pre>if different from Report) d November 1978. Changes have been led to changes in SECTION II, the previous report. r block number) program *graph* which supplies a types of analytical data in a manner nical papers and articles. *DISSPLA*,</pre>
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date lade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side 11 necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs ABSTRACT (Continue on reverse side 11 necessary and identify by This technical report describes a computer apability to do efficient plotting of all witable for direct substitution into tech prepackaged sit of subroutines from Interes	<pre>d November 1978. Changes have been led to changes in SECTION II, the previous report. v block number) program *graph* which supplies a types of analytical data in a manner nical papers and articles. *DISSPLA*, grated Software systems Corporation descioned for the TW*010 op-line</pre>
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, SUPPLEMENTARY NOTES This report supersedes AFAPL-TR-78-90 date lade to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of KEY WORDS (Continue on reverse side 11 necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs ABSTRACT (Continue on reverse side 11 necessary and identify by 'his technical report describes a computer apability to do efficient plotting of all witable for direct substitution into tech prepackaged sit of subroutines from Inte 'as used in creation of "graph". Input is Omputer tormingle	<pre>d November 1978. Changes have been led to changes in SECTION II, the previous report. program *graph* which supplies a types of analytical data in a manner nical papers and articles. *DISSPLA*, grated Software systems Corporation designed for the TEK4010 on-line e created plot is encodified by the user</pre>
<ul> <li>DISTRIBUTION STATEMENT (of the abstract entered in Block 20,</li> <li>SUPPLEMENTARY NOTES</li> <li>This report supersedes AFAPL-TR-78-90 date adde to the computer program "GRAPH" which ECTION III, APPENDIX B, and APPENDIX D of</li> <li>KEY WORDS (Continue on reverse side II necessary and identify by On-Line plotting TEK4010 plotting Graph preparation Report graphs</li> <li>ABSTRACT (Continue on reverse side II necessary and identify by 'his technical report describes a computer apability to do efficient plotting of all uitable for direct substitution into tech prepackaged sit of subroutines from Inte 'as used in creation of "graph". Input is omputer terminal. Style and format of the brouge interactive guestions</li> </ul>	<pre>d November 1978. Changes have been led to changes in SECTION II, the previous report. v block number) program *graph* which supplies a types of analytical data in a manner nical papers and articles. *DISSPLA*, grated Software systems Corporation designed for the TEK4010 on-line e created plot is specified by the user Ontions include specified alphabete</pre>
<ul> <li>DISTRIBUTION STATEMENT (of the abstract entered in Block 20,</li> <li>SUPPLEMENTARY NOTES</li> <li>This report supersedes AFAPL-TR-78-90 date</li> <li>ade to the computer program "GRAPH" which</li> <li>ECTION III, APPENDIX B, and APPENDIX D of</li> <li>KEY WORDS (Continue on reverse side II necessary and identify by</li> <li>On-Line plotting</li> <li>TEK4010 plotting</li> <li>Graph preparation</li> <li>Report graphs</li> <li>ABSTRACT (Continue on reverse side II necessary and identify by</li> <li>Mis technical report describes a computer</li> <li>apability to do efficient plotting of all</li> <li>uitable for direct substitution into tech</li> <li>prepackaged sit of subroutines from Inte</li> <li>as used in creation of "graph". Input is</li> <li>omputer terminal. Style and format of th</li> <li>hrough interactive questions and answers.</li> </ul>	<pre>d November 1978. Changes have been led to changes in SECTION II, the previous report. program *graph* which supplies a types of analytical data in a manner nical papers and articles. *DISSPLA*, grated Software systems Corporation designed for the TEK4010 on-line e created plot is specified by the user Options include special alphabets, d scaling. and the use of multi-curves.</pre>

Ø1157Ø

.

## FOREWORD

This report covers work carried out by the author during her cooperative work quarters in the Turbine Engine Division of the Aero Propulsion Laboratory, Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base, Ohio. The objective of this effort was to obtain Calcomp plots from a computer program suitable for direct substitution into papers for publication.

This report supersedes AFAPL-TR-78-90 dated November 1978. By adding additional overlays, the computer program has been modified to reduce the computer storage space required, thus allowing the use of a job number with a field length of 60,000 octal. When reviewing the data, the option to add or delete data points with an automatic reordering overlay has been added. These changes have altered SECTION III - PROGRAM USAGE by changing the the question numbering, and APPENDIX B - PROGRAM LISTING by including the added overlays. SECTION II and the examples in APPENDIX D have also been updated to include these changes.

The author wishes to express her appreciation to the following individuals for their support in supplying information for this program, Dr. James MacBain, Doretta Holland, and Richard Hill.





.

TABLE OF CONTENTS

SECTION		PAGE
I	INTRODUCTION	1
11	GRAPH-PROGRAM DESCRIPTION	3
III.	GRAPH-PROGRAM USAGE	7
IV	CONCLUSIONS	16
	APPENDIX A- GRAPH-PROGRAM FLOW CHART	17
	APPENDIX B- GRAPH-PROGRAM LISTING	21
	APPENDIX C- DISSPLA SUBROUTINE DESCRIPTION	39
	APPENDIX D- GRAPH-PROGRAM EXAMPLES	43
	1. LINEAR PLOT	44
	2. LOGARITHMIC PLOT	66
	3. X SEMI-LOGARITHMIC PLOT	75
	4. Y SEMI-LOGARITHMIC PLOT	85

v

REFERENCES



### SECTION I

#### INTRODUCTION

GRAPH is a plotting program which has been written to aid the engineer in plotting analytical data. It was programed according to the format requirements of a CDC6600 via a TEKTRONIX 4010 on-line computer terminal. It has been generated from a pre-packaged set of subroutines entitled <u>Display Integrated Software System and Plotting</u> <u>LAnguage (DISSPLA) (Reference 1), utilizing only a small portion of</u> the subroutines offered.

GRAPH has been set up with a series of overlays (Reference 2), each of which is used for various general curve options or for a specific style curve. The TEK4010 is limited to programs with 100,000 octal or less; therefore overlays were used where possible to limit the core requirements of GRAPH.

The subroutines of DISSPLA must be called at the proper levels and several of these must remain resident in memory. If these subroutines of DISSPLA appeared in overlays that may have been by-passed, it would cause a fatal programing error. A brief description of each subroutine used from DISSPLA can be found in APPENDIX C.

A flow chart of the computer program is given in APPENDIX A. followed by the computer listing in APPENDIX B. A complete example of each style curve and curve option is given in APPENDIX D.

The program offers unique characteristics that allow the plots to be suitable for use in a paper for publication without having to be redrawn by an artist.

The following list contains all the capabilities and options of the program.

<u>Style</u>

Upper and Lower Case Letters English or Greek Alphabets Subscript and Superscript Numbering Plain or Bold Face Letters Plot Heading Axes Labeling Curve Labeling (Legend)

Output

Maximum of 5 Curves Axes Scaling Linear Plotting Logarithmic Plotting Semi-Logarithmic Plotting Least-Squares Fit to the 6th Order Smooth Curve Fitting Straight Line Between Points Plotting of Data Points Only Cal-Comp Replication

For further information or copies of the program, contact AFWAL/POTC.

# SECTION II

# GRAPH-PROGRAM DESCRIPTION

To develop a better understanding of the format used in setting up GRAPH, each author written overlay and subroutine is described as to its specific option. A description of each DISSPLA subroutine can be found in APPENDIX C.

The main overlay, PROGRAM PLTD, is the body of the program. Common blocks are used for communication between the main overlay and the other overlays and subroutines. Logic statements within the main overlay are used to call or by-pass the primary and secondary overlays as they are needed for style and output of the plot. Actual plotting is done from the main overlay by use of a System Subroutine, CCALL, which inputs the proper control cards without having to terminate the program.

SUBROUTINE NEWPAGE is used to call the necessary subroutines from the Tektronix Library that are used to reset the page after several questions have appeared on the screen.

PROGRAM ALPHA, Overlay (1,0), allows the use of special alphabets. These include upper and lower case Greek, lower case standard, and the use of superscripts or subscripts. These alphabets require the use of special characters designated by the DISSPLA subroutine, MXiALF.

PROGRAM LABSZE, Overlay (2,0), is called to input the Axes characteristics, the Title, which has a maximum of 45 characters, the X and Y Labels, which have a maximum of 59 characters each, the X axis length, maximum of 8.5 inches, and Y axis length, maximum of 9.5 inches. The labels will be centered according to the axes lengths by using a \$ (dollar sign) as the last character, and setting the number of characters equal to 100 in DISSPLA subroutine TITLE. This is a self counting option of

DISSPLA. The \$ is input by PROGRAM LABSZE for user convenience.

PROGRAM LIN, Overlay (3,0), is called when a linear plot is chosen. The minimum and maximum X and Y data values must be input. These values are used in determining the axes intervals by use of a self scaling routine, SCALE, if the user opts not to input the interval size. The option to divide these intervals into subdivisions also exists.

PROGRAM LOG, Overlay (4,0), is called when a log plot is chosen. Input necessary for this overlay includes the minimum X and Y values greater than zero, and the X and Y log cycle lengths in inches per cycle.

PROGRAM SEMI, Overlay (5,0), is used to call either Overlay (5,1), used for X Semilogarithmic plotting, of Overlay (5,2), used for Y Semilogarithmic plotting.

PROGRAM XSML, Overlay (5,1), is called for Semilogarithmic type axes. The semilogarithmic data necessary includes the minimum X value greater than zero, the minimum Y value, and the X log cycle length in inches per cycle. The self scaling option is not available for nonlinear plotting, therefore the Y step size must be input. The Y axis can be divided into subdivisions by inputing the number of minor ticks per Y division.

PROGRAM YSML, Overlay (5,2), is called for Y Semilogarithmic type axes. Necessary data follows the same format as for PROGRAM XSML interchanging X for Y and Y for X.

PROGRAM LSF, Overlay (6,0), is called when a least squares curve fit is desired. Curve fitting up to the sixth degree can be requested. System Subroutine PLSCF is called to calculate the least square coefficients. These values can then be reviewed. The coefficients are used to calculate

the new Y array of values. The adjusted data that is to be plotted can then be reviewed, but not changed.

PROGRAM DAT, Overlay (7,0), is for input of data pairs for the curve and correction of the data. There is a limit of 30 pairs per curve. Data can be input in any format, with X in ascending order, and alternating X, Y values, (X1,Y1,X2,Y2,.../). The / (slash symbol) must appear at the end of a string of data pairs to signal to the computer that you are finished with your input. The user has the option to review the data and if any are incorrect, to add, delete or change, from one to all of the data pairs. If only a few pairs need be corrected, the data point number must be input, then the corrections are made one at a time. If more than half the data need be corrected, all of the data must be retyped. This was done because of limited storage space. The data can be reviewed after the corrections have been input to make sure all pairs are now correct. Corrections can be made until all of the data is correct.

PROGRAM REORDER, Overlay (7,1), is called when corrections are made to the data. It's function is to reorder the data, if necessary, so that X is in ascending order.

PROGRAM ONE, Overlay (10,0), contains two DISSPLA subroutines. These subroutines are used to set the page size and to remove the frame type border. Because these subroutines are not referenced by any other DISSPLA subroutines, they do not need to be in memory at all times. These subroutines were called within an overlay to reduce the continuous memory needed by the main overlay.

**PROGRAM SYMB**, Overlay (11,0), is used to determine the appearance of the curve. In DISSPLA there are 14 symbols, with integers 1-14 corresponding to a different symbol. If symbols are desired, an integer value

must be typed in. This overlay is also used to determine whether the data points are connected by a smooth curve, a straight line, or least squares curve fitting. The option for no curve fitting, only symboled data points, also exists.

PROGRAM LEGG, Overlay (12,0), is called only when a symbol is used on a curve. It is called after each symbol is designated to input the message for that curve. The message can have a maximum of 39 characters but should be limited to avoid overwriting the curve.

PROGRAM LEGED, Overlay (13,0), is used to input the position of the legend on the plot. Dimensions are in inches from the physical origin of the plot.

## SECTION III

# GRAPH - PROGRAM USAGE

Each question is listed below in the order of appearance on the Tektronix 4010 screen. The TEK4010 unit was used because of its advantage of interacting with the computer program while it is executing on the CDC6600 computer. Data can be input and corrected by a series of questions. Many of the questions can be answered by a Y for YES or an N for NO. Questions requiring numerical answers have either (F.P.), FLOATING POINTS, or (I), INTEGER, following them indicating which kind of value is required. Possible answers to loops are in brackets with each set of questions shown. To LOGIN, the user must use a job number with a field length of 100,000. The program must then be attached.

COMMAND - ATTACH, CARD, GRAPH, CY=1, ID=P710627, SN=AFAPL. COMMAND - CARD.

1. INPUT DATA FOR NEW CURVE (Y OR N)?

If the answer is affirmative, program continues, creating a plot file. If the answer is negative, see question 16.

2. DO YOU WANT STANDARD OR BOLD TYPE? INPUT S OR B -

This decides which style of writing is to be used on the plot.

- [S] Default style of writing. It has limited characters and is a much faster style. See Example 1 Appendix D.
- [B] Small complex style of writing. It is suitable for publication and takes more space per letter. See Example 2 Appendix D.
- 3. ARE YOU USING THE SPECIAL ALPHABETS (Y OR N)?

An affirmative answer will signal the subroutines for the escape characters. This list can be found in Example 1 in Appendix D.

4. INPUT HEADING (MAX 49 CHARACTERS) -

Type in any letter/number combination with the option of the lettering scheme, that has a maximum of 49 characters for standard lettering and 42 for bold lettering. The heading will be centered with respect to the X-axis length.

5. LABEL FOR X-AXIS (MAX 59 CHARACTERS) -

Type in the label using the same format as for the heading with a maximum of 59 characters.

6. LABEL FOR Y-AXIS (MAX 59 CHARACTERS) -

This, too, has the same format as the heading and X label with a maximum of 59 characters.

- 7. INPUT X-AXIS LENGTH (MAX.=8.5 INS) (F.P.) Input horizontal axis length.
- INPUT Y-AXIS LENGTH (MAX.=9.5 INS) (F.P.) Input vertical axis length.
- 9. IS THIS A LINEAR, LOG, OR SEMILOG PLOT?
   INPUT LIN, LOG, OR SML -

Program will continue with either linear, logarithmic or semilog type data questions.

[LIN]

9.1.1 INPUT X MIN AND X MAX VALUE (F.P., F.P.) -

9.1.2 INPUT Y MIN AND Y MAX VALUE (F.P., F.P.) -

These values for both X and Y should be the extreme values taken from the entire range of data. They are used to compute the axis intervals.

- 9.1.3A INPUT X STEP SIZE (Y OR N)?
  - [N] A negative answer will signal a self-scaling feature "SCALE" from DISSPLA. Step intervals will be scaled

A CONTRACT OF A CO

and the second s

Access.

with respect to the axis length and the axis limits, interpolating the given limits to make reasonable step intervals. For example, if axis length is 4 ins. and the min. and max. values are 0.12 and 3.83, axis numbering will start at 0. and end at 4. and the step interval will be one unit per inch.

[Y]

9.1.3B STEP SIZF (UNITS/DIV) (F.P.) =

Input the step interval in units to divide the axis into equal divisions. DISSPLA will use the min and max values as given without interpolating. For example, if axis length is 6 ins. and the min and max values are 0., 80., a [10] would put ten units every .75 inch.

9.1.4A INPUT Y STEP SIZE (Y OR N)?

Whether X is self-scaled or input, Y can be self-scaled by a negative response or input by an affirmative response.

[Y]

9.1.4B Y STEP SIZE (UNITS/DIV) (F.P.) =

Same format as for X.

9.1.5 INPUT THE NO. OF MINOR TICKS PER X DIV (I) -

To divide each interval into subsections, type in an integer value. The integer typed in should be one more than desired, i.e., to show three minor ticks, type in 4; thus dividing the section into fourths, (keeping in mind that a major tick mark is always placed at each division mark, this being one of the 4 when using the minor tick option). If only the major tick is desired, type 0.

```
9.1.6 INPUT THE NO. OF MINOR TICKS PER Y DIV (I) -
```

Same format as for X.

[LOG]

9.2.2 INPUT X AND Y LOG CYCLE LENGTHS ≠ 0. (INS/CYCLE) (F.P.,F.P.) -

> Input the length of the log cycle in inches, i.e., if axis length is six inches and log cycle length is 2 inches, 3 log cycles will be drawn.

[SML]

```
9.3 IS PLOT LOG IN X OR LOG IN Y? INPUT X OR Y -
```

[X] axis will have log scaling and Y axis linear scaling.

9.3.1A INPUT THE MIN X VALUE > 0. (F.P.) -

9.3.1B INPUT THE MIN Y VALUE (F.P.) -

9.3.1C INPUT X LOG CYCLE LENGTH  $\neq$  0. (INS/CYCLE) (F.P.) -

Type in plot characteristics.

9.3.1D INPUT Y STEP SIZE (UNITS/INCH) (F.P.) -

The self-scaling feature is not available for semilog

type plotting. Step intervals will be placed every inch.

9.3.1E INPUT THE NO. OF MINOR TICKS PER Y DIV (I) -

Same format as for LIN type plot.

[Y] axis will have log scaling and X axis linear scaling.

- 9.3.2A INPUT THE MIN X VALUE (F.P.) -
- 9.3.2B INPUT THE MIN Y VALUE > 0. (F.P.) -
- 9.3.2C INPUT Y LOG CYCLE LENGTH # 0. (INS/CYCLE) (F.P.) -
- 9.3.2D INPUT X STEP SIZE (UNITS/INCH) (F.P.) -

9.3.2E INPUT THE NO. OF MINOR TICKS PER X DIV (I) -

Type in plot characteristics.

- 10. HOW MANY CURVES PER PLOT (MAX=5) (1)?
- 11. INPUT DATA FOR CURVE #I (X1,Y1,X2, "2,... END WITH /) -

Up to 30 pairs of data can be input in any format. All of the data must be typed in for the first curve. For multiple curves, constant X or Y values can be omitted by leaving a space separated by a comma.

12. REVIEW DATA (Y OR N)?

An affirmative answer will print out three columns of data in I2, 2F15.5 format.

Y=

- I= X=
- 12.1 IS DATA ACCEPTABLE (Y OR N)?
- [N]
- 12.2 DO YOU WISH TO DELETE, ADD, OR CHANGE POINTS (D, A, OR C)? Data points can be deleted or added to change the total number of points. Each point can be changed if input incorrectly. OVERLAY REORDER will be called to insure that X is in ascending order.
- [C]

with the second second

12.2.1A HOW MANY DATA POINT(S) CHANGES (I)?

Input the number of pairs to be changed. If the number of pairs is greater than half the total number, all of the data must be retyped.

12.2.1B INPUT DATA POINT NUMBER(S) (I)-

Input the I value for each pair that needs to be changed.

「「「「「「「「」」」を見ていた。「「」」」を見ていた。

11

12.2.1C INPUT DATA POINT CHANGE (X,Y)-

# I=# X,Y=

A do loop is created allowing you to type in the correct X and Y value for each corresponding I value.

[D]

12.2.2A HOW MANY POINTS TO BE DELETED (MAX=#)?

Input the number of data points to be deleted from the array up to the total number minus one. 12.2.2B WHICH POINTS DELETED (IN ASCENDING ORDER)? Only the integer value of the data point need be input to delete it from the array.

[A]

12.2.3A HOW MANY POINTS TO ADD (MAX=#)?

Input the number of data points to be added up to 30 minus the total number previously input.

12.2.3B INPUT NEW POINT(S) (X1, Y1, X2, Y2,...)-

Input data pairs in the same manner as original input.

- 12.3 REVIEW DATA (Y OR N)?
- [Y] The corrected data will be printed
- 12.4 IS DATA ACCEPTABLE (Y OR N)?
- [N] A negative answer will allow the data to be corrected again.

- 13. SYMBOLS DRAWN (Y OR N) ?
  - [N] A curve will be drawn with no symbols. A legend cannot be printed unless the curve has symbols.
  - [Y]
  - 13.2 INPUT INTEGER VALUE FOR CYMBOL WHERE O=SQUARE, 1=CIRCLE, 2=TRIANGLE, 3=+, AND 4=CAPX
  - 13.1 SMOOTH CURVE FIT, LEAST SQUARE FIT, STRAIGHT LINE BETWEEN POINTS OR DATA POINTS ONLY? INPUT SCF, LSF, LBP, OR DPO -
  - [SCF] The Subroutine SPLINE will be used to connect all of the data points with a curve that is as smooth as possible.
  - [LSF]
    - 13.2.1 INPUT DEGREE OF LEAST SQUARE POLYNOMIAL (I) (1-6) -The subroutine PLSCF will be used to calculate the Least Square coefficients, 2, accordingly: Degree = 1, f(x) = Z(1) + Z(2)x= 2,  $f(x) = Z(1) + Z(2)x + Z(3)x^2$ 
      - etc.
    - 13.2.2 REVIEW LEAST SQUARE COEFFICIENTS (Y OR N) ? An affirmative answer will print out the coefficients

in F7.4 format.
Z(I) =

13.2.3 REVIEW DATA FOR LEAST SQUARE FIT (Y OR N) ? After the new Y values have been calculated, the data can be printed out in I2, F15.5 format. I= X= Y=

- [LBP] A straight line will be drawn between each data point connecting all the points.
- [DPO] Only the symbols at each data point will be drawn with no connecting curve.
  - 13.3.1 DO YOU WANT A LEGEND ?

[Y]

INPUT MESSAGE FOR SYMBOL #1 -

Any letter/number combination with up to 39 characters can be typed in. The escape characters can be used.

13.3.2 INPUT X AND Y VALUES FOR LOWER LEFT HAND CORNER OF LEGEND (INS) (F.P.,F.P.) -

> Type in the location for the lower left hand corner of the entire legend, in inches from the lower left hand corner of the plotting page, not the X,Y value of the plot. A legend can only be printed when each curve of the plot has a symbol.

[N] According to previous data, program will either ask for data for multiple curves by returning to question #11 or continue with question #15.

14. REVIEW PLOT ?

[N] A negative response will return you to the beginning to create a a new plot file, purging the file just created.

[Y] The Statement:

<<< TYPE IN, DRAW =1\$, FOR DISSPLA DIRECTIVES >>> will appear. This is a necessary command for DISSPLA to terminate the plot file and Tektronix to display the plot. User types in "DRAW =1\$" only. After plotting is completed, hit return key twice and program will return to the beginning.

15. INPUT DATA FOR NEW CURVE?

If you wish to get a copy from the calcomp plotter, respond negatively. An affirmative answer will create a new plot file, purging the plot just viewed.

[N]

16. SAVE FOR CALCOMP PLOTTER ?

[Y] The message:

<<< TYPE IN, DRAW=1\$, FOR DISSPLA DIRECTIVES >>> appears once again. Type in "DRAW =1\$". The plot has been saved with bin number AK. The program will now return to the beginning.

[N] Stop

INPUT DATA FOR NEW CURVE?

[Y] If more plotting is to be done, continue.

[N]

SAVE FOR CALCOMP PLOTTER?

[N] Stop program. "LOGOUT."

[Y] A loop is created, making a copy of your plot then returning back to the beginning of the program, until a negative response is entered.

# SECTION IV

# CONCLUSION

"GRAPH" is a straight forward interactive computer program designed to establish a standard format in plotting analytical data. The program provides a quick and efficient method of preparing a finished plot that is suitable for direct substitution into papers for publication. GRAPH was programed for use on the CDC6600 via a TEK4010 on-line computer terminal.

1

in the

The second se

APPENDIX A

GRAPH-PROGRAM FLOW CHART

and a second second

The second second to be write the second second



18

4.00

the states and the second second

15

CHA WALL A



19

201012

State and the second second

. .

.....

mail and the

100

the states and the states



20

and the second second

and the second second

and the second second

1.

}

\*

1

İ

30 A 1. A

APPENDIX B GRAPH- PROGRAM LISTING

the second s

03125140 04.04.22 JV: Car (Lar)...) JV: Car (Lar)...) ITAPL: LITUPJEELU: ... ITAPL: JUTUPLELL: ... ITAPL: JUTUPLELL: ... IAPLUIT INL UP: 0.0101 Caragory Prove / Put Correct/Lar Correct/Sectors Correct/Sectors Correct/Sectors Correct/Sectors Correct/Sectors Correct/Sectors Correct/Sectors Correct/Sectors DIAPLESCIPTER -JAAATISA++LJITINS PRULAAM F.A. DISSPLA H JAN 1440 •/•3X+ •44456 + UUUSTUNA DELTHA FLATTUD PT. (F.P.) ALUES U.AS • JSSPERITORALIE VALUES 45 FUICATEU. AASAER DEFINITIVE •//•5X+• 4005511915 ALUALUES 45 FUICATEU. AASAER DEFINITIVE •//•5X+• 4017511915 ALUALUES 45 FUICATEU. AASAER DEFINITIVE •//•5X+• 4017511915 ALUALUES 45 FUICATEU. AASAER DEFINITIVE •//•5X+• adif((+611) 1944: 1944)) Yu ani stadunu u vulu tvet ? [nPut » ]x = •) viu (+440) Y f= (T\*40040) 3) Tu el' FT . 4. 10414 ur Revariation of elabera and aris staries fraces that the states faces refue draper size. Set SIZA CE PLUTTIVO PAUE Define L'ITERINO SCHURE CALL DERLAT (49240-4411-27LL) CALL JAE+LAY E41,24J+L+J+D+DH+121LL) XI)= KS= { 44= YJ= YS= Y 4A= )= X4= KC= Yb= YL= . XY= 1, ) 1510-10 1441 10 11 21 1=1-11 <540(7+110) 3 CALL CIMPLS CALL SIMPLED 96:343 33 41 141431 4617432 (ALL TEADO ANITE(1,193) F1)2445 (145) (IVI) INPACE 11/11 111245331144 34LL , .MP.\* C.U=U.SY ٢., P2 16-11 PLTJ 59 61.2 5 C () ? 11) 2 <del>-</del> -ں د

AFAPL-TR-78-90

10.000

•

Lay (++1A-D+2+1+++++14-14) . Utity - K G- Y Villes face +144 C+155 AT +++ . Stilles 45.97	לנטרא אול אינט אין אינטער אינער אינערטער אינערער. מינאנ	H free Jr. Peulf four Vio st Statts fetS an farmer in an Nr. styledds Proffariaf		сказчейн) саце Јускеа7(АнСакЈкокомик.сасс) Казаче[N] 53 ТЈ 24 Казакова и сказака	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		×ierie aby Curvis - 2011 (*1××5) (1) 2 €0 	Tell+2×6.+11	ו איני ביולטאלא האדר האולטאוטאויאיט ניי ואננו	and de la ferra. 1914 - Le factor de la ferra de la composition de la composition de la ferra de la composition de la compositio	וליים או אומיי ליאיין. האינוים לבני מיינואל (אינהימאי ויהיא לאנט)	арсан ул Мунда Ул "Ангия Макантен Бай (фф.Ангуф.Сф.Ангия Ада)	and a free to be supported to a substant of the second
1000 000 000 000 0000 000 000 0000 000 0	04-+163. .aut 143	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	2412-012-0 24210-0 24210-0 24210-0 24210-0 24210-0 24210-0 24210-0 24210-0 24210-0 2420-0 2420-0 2420-0 2420-0 2420-00	1(76) 4) 1(76) 4)					זיר שר זיר יאנ שבר זינ	411 11 11 11	Tre Se Tac and State	1 - 15 * 5 5 - 15 * 5 5 - 1 - 2 - 1 - 1 5 - 2 - 1 - 1 - 1 5 - 2 - 1 - 1 - 1	s f lufere existence

under over ereferenden

Ŧ

and the second the second s

1

AFAPL-TR-78-90

AND A HEARY

-

.

23

the second second



24

AFAPL-TR-78-90

•

بيعديون مسطد

wind the states

-

Those

03/26/40 09-04-22 FT4 4.144 /5 Later attack attack and a later

2

-----

H

25

ŧ

ALC ST.



26

: er .

~ ~				
<b>2</b>		-		
<u>.</u>				
<b>3</b> 1	T""LLUIT 1 41- Jr.	(:-1)		
ŝ	4 - [ ] : [ · · · ] . ]			
	Tterlass()Jters, s			
	Partie Construction 1	() TYP: _ r Tr . ;o. /	•	
	( ( ) · · · · · · · · · · · · · · · · ·			
	10 - 20 - 10 - 10 - 10 - 10 - 10 - 10 -			
	2 . C C			
	791,141, H 10, 20, 20, 20, 20, 20, 20, 20, 20, 20, 2			
	stiller a vist le	ELEMENT FLANT AND A PROPERTY OF		
	14) = 4.5415 1.5 1		• ¥6./• • • • • • • • • • •	
	n = [ ] ÷ [ ] • • ] • •			
11	[[]	JST - AFER - SISE STAR - PERSON		
	CO TULIAN ( R.C			
11.1	fill three by			
514	If (.)	1.5.4.5		
	3466 3722-14574			
	0.255 1.45545564570.50	· * • 1 / / / /		
	14375 44375 1472 13	[]"[]		
	0311 4442 F 46 2 2 3			
	יזגון") ישלאי שעני			
	U111111			
	3015434 3220			
	~~ [[[[]]]			
	("+1) ive (			
	1.40			

. Progr - Ale

and the second second second

and the second

1

in taken

-

	14			
	P-Jurat Lais2.			
	······································	< (1-1)		
	ICT - I - VOISNAAI	[	+LX(5)+LY(5)	
	Kt			
	71. = /.			
	A.17. (3.4.1)			
	、ようにゅってしていたい キーティ	JT 45 401 46 1444 49 04448 Tex	(XC+/++- (C)	
	vEa9 11.31.1 11	+: 4 ) f × 1 + 4 = 7 + 4 + 1		
31-1	FUNCTIN TO THE			
	11 3 [=1.44			
	]			
	1F (14 A)(J) -34	.14 ) 50 14 4		
~	C PATINE			
\$	1+[=[]+[]+[]+]			
	1.011.00.0000	(ictis].[1](1)(1)(1)(1)(1)		
	A4116 (3,410)			
4 Ü Ĵ	+0+*AT(/)+ *+ AB=		Tex5) -++/+5x)	
	xEAD (7.37) (L)	142(4[].4(]=].5)		
11	EQ4MAT (6J21)			
	901 11 11≡×+>+			
	]]-1.4=[[			
	IF (LGIALJJ).''E.	12 [1 [3 [4] 5]		
11	4C + 1 1 + 1+ 2+			
د <b>ا</b>	1+1=(1+FF)×/V <sup>-</sup>			
	540 Jun (Augustine)	X11LA3X([],[=[+~]])		
	ARITE (Sthur)			
506	F. J.4 4.4 C. 1 J. 2 4.4 L. 3 1.	<sup>-</sup>	TEx51 -+./	
	<540 17.371 1L	4 ; Y { < T ] ; < T = 1 , < 1 ]		
	1,11 12 11=1•>+			
	JT=60-iT			
	TF (L11Y(JT), '46.	•1.4 ) 5.3 FJ 22		
12				
۶۲				
	140 Jue 160 3745	Y16_AHY611.61.14U		
	ANALY (SASCUL			
66.4	· · · · · · · · · · · · · · · · · · ·	2.1. X-AYIS LEWIH (MAX=8.)	45) (F.P.) - •)	
	4543 47.41 AL			
1.14	LITER ( / SALE ( AD	JE Ymaxis Level + LAAmaa. J'	() (F.P.) - +)	
	12 ( 1 ( 1 + e ) Y.			
	CALL TITLE TIME	1))+LK+1)0+LY+1. J+AL+YL)		

- Andrews and the second second

10.

ن شاره در مرا

1000 B
23126/30 09-04.22 Ż 14-0Lar (urkuess)) 2-05911 Cr. 140-LCTT [stroik (s-f) Cruess// [sku(2)]+vd+x5+44644 +Y5+45+46+42+45+4+413])+Y[3]) Cruess// [sku(2)]+vd+x5+44644 +Y5+45+460+YC+443+444413])+Y[3]) TC+44 inclusions H (file) Second Suit Lst - ff(file) Second Suit Lst - ff(file) Picture - ff(file) File - cal(file) File ff(file) File ff(file) File ff(file) File for ff(colf(f)) - cal(file) ff(file) File - cal(file) ff(file) File - f b.T. For a unitary ficks are actually fixed to the contract of the contract on th -14 4.7+475 crited(1/21.01.01.512t (U.115/UL/.) (-...) = +)
<rue> ₹£⊐3(7,•)×2 63 19,23 54.50410 - Afj≮, UF 91552LA 55.=50412 0) T9 1/7 S-LF SCALINO ++ATJ⊀5 UF 0155PLA Y5="Scali" TE (TOX4540) J TO 174 Jail (Tionsfron) I = I e l 14174 TCY=1. 104401 1CX - -PU36464 LIV د 17 2 ۲.۲ د 112 110 110 571 140 1+1 171 2 27 2

AFAPL-TR-78-90

Ł

**\***\*\*

<pre>vritur (124000) **********************************</pre>	دل تا الا مرالية	51151	. = J r	+ [ 2 4 4 1 4 4 1 2	03125180	44.09.22
74		1419641404044 4406414160 4406414160				
74 FI2411 (2014) 144 - 114 - 4			<pre>&lt;</pre>	16]	_	
<pre>/&gt; FORMATINATINATINATINATINATINATINATINATINATIN</pre>	74		ur the first state for a con-	(f.,'.,'.'.') - ?)		
	2	FORMAL (Yowe) V 164,0.15,0.1 - 0 2140, (Y.0) AL.Y 2.10 2.10	216 X 20) Y L 11 6752° LE1145 1 2	+>t+ ++ +1>S+/CYCLE1	-	

1=101 -11-1 PE 15454 Stat

73/26/93 04.07.22 114 4. 744 75

117 "

.

www.uters.uuuuterseenuurenuurenuurenuuren

1 1

- -

t

4

,

30

9125133 04.04.22 13/20/3) 34.03.22 14.5007 (UCT14941) 25.5517 A.S. 1461317 (LTV5.6 42-1) 2413177 (LTV5.6 42-1) 2413177 (LDV67)4434251474414754445445445444441454431147431147131 ביון נאיטן בטיאר נוצאייוניטור גיבוט פיטר בייטואר ייטי וומציופיטנו (יישי) פיטלימי לי נ מילוטנן ויונטי כי ני-דו פיילוטנל וייטנלווינטיגלייימיל ילטילימינטילטיליימינטילנטו פוילוילל בי טיט vilt (1945) • Staf (Viaxelia)† f Los OrSSS sociations (1934/CrSuch (1442) 514 4. 1+275 r1 + + + 1 + + 1 + ××ΙΤΣ (\*\*//) ××ΙΞΕ(Γ///) ××××±ΓΣ(Γ///) ΓΗ, ЧΙΣ × (\*\*∪) >:. (\*\*2.) = \*) arthe (st. 11) rord (frotrofice)( the mir Y (r. 0-3), (r.2.1) - 0) area (frot r +<[f: 44+0:2] +0<1[(2\*\*\*\*[22] [46] 3]1 f \*0\_0 (4\*\*\*) = \*) \*\_20 11\*\*) f ++If((+2.)
\*\*If((\*2.))
f(\*))
f( 1 = 1 ~ 1=1+5 --1/46 M. scaf fully and 11111111111 14112 1. (\*\*\*)(\*\*\* FCY=' 1.4=0. (0 -1 # + 1 1 4 4 4 4 5 4 C ትደብ ቤት ልም የነትሮ 1.0.1 1.4.4. 117 110 ? 2 .  $\sim$ 

ţ

1

ŧ.

i

(i = 11) \* 1 × 1 × 1 × 11 = 1

will((),))
will((),))
will((),))
will((),))
will((),))
will((),))
will((),))
will((),)
will

stTS token) fusha[t/boketieuf r sT2= Stre tunts/tarit (F.P.) = 0)

·· 231/414

£

2 - 4

Ę.

AFAPL-TR-78-90

77+60+60 (4/02/16)	24 - 244 (14 244)) 24 - 2014 - 24 1441211 141424 (141)	0. 14 14 14 14 14 14 14 14 14 14 14 14 14	□1 J L 25 L 2 → L 3 L 1 → Z ( 2 J + 2 ∪ - 4 L 2 ) 	A.A.B. == E.a.C. + + +	[[[[]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]	lftetJil.oT.skHl) Kt[≤atJi) . 1511.41	[		104-24(124+4-2424) 140400 14 0.32( 20040 2014) 1414( 11) (1-2) - 4)	0.145 - 4425 f f + 4 + 4 + 4 + 4 4 5 6 + 4 4 7 + 4 + 4 + 4 + 5 + 5 + 5 + 5 + 5 + 5 + 5	EJ≷MAT(/24404144 L'AST SJJA41 CURFF[CISNIS (Y JK N) 2 €)	1+(-C-1					4 = 5 j		11 25 1=2+11	נון]=ננן[]+נן>ר	2 MILED.						re services conservations to a local burdent of a local burdent of a local burdent of a local burdent of a local	CALL REPORT			2.112(1.4.503) 1.44(1).4(1)		5 set eff	, 10.
-51 65 9, -e						()) (			1.5.1		217			124	121	1	c. 1				<u>.</u>	165		11	231	42 T			-	• • 1		(		

4

the start and the start

÷.

32

AND TOTAL

NUMAR COMPANY SA MARINA SANCE SA SA

ALL YOR MARK THERE

2.4

03/20/80 04-U3-22 \*2[[5][44362]] 45 +54\*42[[254+81+24]]]47]4 + 2\* CJ×4. 38[248][4]+81+82+824+\*\*\*540] 4[]4 / L] = 84/28] "Y\_ALY U\_ALY, D\_ALY Process of Process def Control (addition) Control (addition) Control (addition) Control (control (control)) Control (control (control)) Control (control (control)) Diver Parky Control (control) Control (control (control)) Control (control) +14 4.7+475 efter Signer Selation 0. C 4540 SATA IN MEET MORAL INTO AND YA SERVICE SEMARATE C - ZANAAY INTO A NOUY ALAAYS AND COUNT POINTS. +-ADCLAPT (ZANAATELO) [14,1520] кж≮+2 16 (?з×>дк(х)+21+1+06+2+) с) 5 л л : **- 1** - : x[1]=[1]+12+14+1 Y[1]=[1]+22+12+14+1 22=[1]-1 -115, CONTRACT 0011100 1 + 1 = 1 1 -เมาราชาติ เมาราชาติ Parces - 151 0.04 17 2211 (71 ... ---£ -~

AFAPL-TR-78-90

٠.

who where

States and

Meter Manager Settlerer

33

-----

```
51.12. 04.04.22
                                      adit (see shite)
- 1 MM(2018-10, 1921 edits ( 100 (edit edite) ( 0)
- 1 MM(2018-10, 1921 edits ( 100 (edit edite)
- 1 (201 )
- 1 (201 )
- 1 (201 )
                                                                                                                                                                                                                                                              11 12 29.
11 12 14:
11 14:12:
11-41125:11 444Y 1213 211415, 2124, 2112 21
21-4114:22 21
2114:22:22 21
                                                                                                                                                                                                                                                                                                      ٠
                                                                                                                                                                      04 414 1=1+4
14 414 4 4 41110 13 14 474
11=11+1
1.1.0
                                                                                                                                                                                               -) [: 410
46.5=[-]:
46.60(.)=46[]
**6.40(.)=46]
**6.41(.)=46])
                                                                                                                                                                                                                                     ,, →16 [=.,,
*1])=**(])
Y$!]=*Y${]
$115.
                                                                                                                                                                                                                                                          . JATTAJ.
                                                                                                                                                                                          1 Jel 1.
                                                                                                                                                                                                                                 ( アーブ きょ
                                                                                                                                                                  . . .
                                                                                                                                                                                                                                                                                                                                                                                     1.
                                                                                                                                                                                                                                                          41.4
127 - 27 - 51 - 6
                          •••
                                                                                                                                                                                                       •
                                                                                                                                                                                                                          (1,
                                                                                                                                                                                                                                                                      4 I F
                                                                                                                                                                                                                                                                                                       111
                                                                                                                                                                                                                                                                                                                  1.4.1
                                                                                                                                                                                                                                                                                                                                                   1 : 1
                                                                                                                                                                                                                                                                                                                                                              :
                                                                                           t 13
                                                                                                                                              т
- ,
                                                                                                                                                                                                                                                                                                                                57 :
                                                                                                                                                                                                                                                                                                                                                                            114
                                                                        * - *
                                                                                                              4.17
```

34

e é mar de son

And the second of the second second



35

,

<pre>/www.file.wite.com/ //www.file.wite.com/ /www.file.wite.com/ /www.file.wite.com/ /webling.com/</pre>		-											
<pre>///// //// //// //// ////////////////</pre>	· [ + + + + + + + + + + + + + + + + + +	1637+6163x+2+5+6++++5++++++++++++++++++++++++++++	(* i t		JULAN PARTAL INTERCAS VALUE	-15 Fl= SY*36_ Ф/ЭК+ФМНЕИЕ )=SQUAKE+ -12 X — 4]			Madat Live at Later Pully See / 28.	THE THE TALESER VALUE TS NEGATIVE	-(A)[)]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]		
	total and the second	ы така (Х. К. К. К. К. С. К. С. К. К. К. К. С. К. К. К. С. К. К. К. С. К. К. К. С. К. К. К. К. С. К. К. К. К. С С. К. К. К. С. К. К. К. С. К. К. С. К. К. С. К. К. К. С. К. К. К. С. К. К. С. К. К. С. К. К. С. К. С. К. С. К. С К. А. К. С. К. К. К. К. К. С. К. С	на полька и кака и к	[} (5*******) )) 10 222 *1≠1	T CUXY- SYAAJL IT JSTAG THE ANTIC TALE LOALST	144141 (1444) [4444] [444] (444) 14614259 24144944 (444) 2443 (7,0) 2	16 (PL )7-0	The second called sufficients and sufficients		 (1941년~ 14-14 월년 20년 35 년) 1844년 1841년 19	6490.51+++++340.42 = +414, 24445625++5540134 - 642++ 24445124 = + 24174 - 642+ 24445124 = + 2418152 - 14421 - 555+ 2445124 - 555+	004416/044034170 40176(4423) 004416/044034114 (0442 4114 084414901 / 4 10 10	A ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (

.

Sector and the

1

36

. ter ste

Charles and the second

- della s

110 03126133 04.04.22	(16)7.(1)	52.10.40 01/07/60 01/-	(11,7(11)) (• - (•
** * · · · · · · · · · · · · · · · · ·	24.04 2 (2-17) 2 (2-17) 1 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	(† 28 FG 294 )ttlt(t).t.t) )t.tlt(t) )t.tl()	1) 13-1) 13-13 11-13 11-202 11
		In (LL(4)-1-4-4 283 (0)(1)(4 284 (1)(4)-1)(4 284 (1)(4)(4)(2)(4) 4(6)-1(4)(2)(4)(4) 24(1)-1(4)(2)(4)(4) 24(1)-1(4)(2)(4)(4) 24(1)(4)(4)(4)(4) 24(1)(4)(4)(4)(4)(4)(4) 24(1)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)	Jariet M. (Leriet)       Parket Land       Parket Land       Parket Land       Parket Land       Parket Land       Care Land    <

37

-

WARDER THE CONTRACT OF THE SECOND OF THE SEC

may to the

- الا<u>لمربعيني</u> منطقة المراجع

10-1

APPENDIX C

DISSPLA SUBROUTINE DESCRIPTION



For modifications, a brief description of each subroutine used from DISSPLA follows as they are used in the program. If more information is needed see the DISSPLA manual.

COMPRS sets up the interface between the TEK4010 and DISSPLA.

BGNPL initializes the common blocks of DISSPLA. It will also reset the common blocks to begin a new plot file.

NOBRDR overrides the default option of drawing a rectangular border, framing the plot.

PAGE is used to obtain a page size other than 8  $1/2" \times 11"$ . In this case an 11" x 11" plotting page is being used so that the title and X label will not be truncated by DISSPLA. Finished plots will fit on a standard 8  $1/2" \times 11"$  page if the X axis length does not exceed 7 1/2".

SCMPLX will be called if the user asks for bold writing. This style offers characters suitable for publication.

MXiALF is used to signal mixed alphabets. The "i" has been replaced by an integer to define which escape character is used for each alphabet. DISSPLA allows six alphabets to be used at one time. In this case a semi colon ; is used to reset type to standard. A plus sign + is used for upper case Greek. A slash / is used for lower case Greek. Quotes " are used for upper case Russian. For a superscript @EH.5; should be typed in. For a subscript, type @LH.5; . To reset to standard size and level, type @EXHX; or @LXHX; . If any of the escape characters are used in a label, they should be typed twice.

TITLE is used to define the axes labels and lengths.

CROSS is used to cause the axes to intersect at the 0.,0. point if it exists. If it does not exist, the axes will intersect at the minimum positive value.

YAXANG(0.) will write the Y axis numbering horizontally. The value in parenthesis corresponds to the angle in degrees from the horizontal for which the Y axis will be numbered. DISSPLA has a default angle of 90 degrees.

XTICKS will subdivide each X axis division in the amount requested.

YTICKS will subdivide each Y axis division in the amount requested.

GRAF is used to define the X-Y physical origin, the X and Y step size, and the X and Y maximum value for linear type plots.

selection of antibility of a bandles

LOGLOG is used to define the X-Y physical origin, and the X and Y log cycle lengths for log-log type plots.

XLOG is used to define the X-Y physical origin, the X log cycle length and the Y step size for semilog type plots.

YLOG is used to define the X-Y physical origin, the Y log cycle length and the X step size for semilog type plots.

MARKER uses the symbol corresponding to the input integer value with a total of 14 different symbols.

LINES is used to define the labels of the symbols for use in the legend and to give DISSPLA the workspace it needs for the legend.

SPLINE interpolation fits third order polynomials between each pair of points so that the curve is continuous everywhere.

RESET will reset any parameter option to the default option.

CURVE is used to plot each curve on the plot.

LEGEND puts a legend on the plot by inputing the location of the lower left hand corner.

ENDPL terminates plotting the current plot file and reinitializes DISSPLA.

DONEPL terminates the current plot file.

Second and a second second

135

A CONTRACTOR OF THE OWNER OF THE

ł

FRECEDING PAGE BLANK - NOT FILMED

No. And States of Street

GRAPH-PROGRAM EXAMPLE

APPENDIX D

43

AFAPL-TR-78-90

And the second statement of the second s

,

### EXAMPLE 1

Example 1 illustrates the use of the following options: Standard Type Linear Plotting Multiple Curves Symboled Curves Smooth Curve Fit (SCF) Least Squares Fit (LSF) Straight Line Between Points (LBP) Data Points Only (DPO) Legend Calcomp Reproduction PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO

INPUT DATA FOR NEW CURVE (Y OR N) ?Y

## PLOTTING COMMENCING

NO. OF FIRST PLOT 1

45

DO YOU WANT STANDARD OR BOLD TYPE ? INPUT S OR B -S

INPUT THE FOLLOWING SYMBOLS TO GET THE CORRESPONDING TYPE LETTERING-? = LOWER CASE STANDARD + = UPPER CASE GREEK / = LOWER CASE GREEK / = SUPERSCRIPT @LH.5; = SUBSCRIPT @LH.5; = SUBSCRIPT @LH.5; = SUBSCRIPT # RESETS TO REALWARD LETTERING / = RESETS TO STANDARD LETTERING

ARE YOU USING THE SPECIAL ALAPHABETS (Y OR N) ?N

INPUT HEADING (MAX 45 CHARACTERS) -EXAMPLE PLOT WITH MULTIPLE CURVES

Label For X-axis (max 59 characters) -X-axis

Label for Y-axis (max 59 characters) -Y-axis INPUT X-AXIS LENGTH (MAX=8.5 INS) (F.P.) -6.

INPUT Y-AXIS LENGTH (MAX=9.5 INS) (F.P.) -6.

IS THIS A LINEAR, LOG, OR SEMILOG PLOT? INPUT LIN, LOG, OR SML -LIN INPUT XMIN AND XMAX VALUE (F.P.,F.P.) -0.,6. INPUT YMIN AND YMAX VALUE (F.P.,F.P.) -0.,18. INPUT X STEP SIZE (Y OR N) ?N INPUT Y STEP SIZE (Y OR N) ?Y Y STEP SIZE (UNITS/DIV.) (F.P.) =3. Y STEP SIZE (UNITS/DIV.) (F.P.) =3. INPUT THE NO. OF MINOR TICKS PER Y DIV. (I) -3 HOW MANY CURVES PER PLOT (MAX=5) (I) ?4

INPUT DATA FOR CURVE # 1 (X1,Y1,X2,Y2,...END WITH /) -0..0.1.11.2..4..3..9..4..13..5..15..6..17./

REVIEW DATA (Y OR N) ?Y

į.

4

0.00000 0.000000	
# # # # # # # # ~~~~~~~	<b>ک</b> ر د.
000000 000000 000000 000000 000000 00000	CY OR N)
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ACCEPTABLE
	IS DATA

\_\_\_\_

2000

4.4

fit was

Second Second

SYMBOLS DRAWN (Y OR N) 7Y

INPUT INTEGER VALUE FOR SYMBOL WHERE Ø=SQUARE, 1=CIRCLE, 2=TRIANGLE, 3=+, 4=CAP X -0

SMOOTH CURVE FIT, LEAST SQUARE FIT, STRAIGHT LINE BETWEEN POINTS, OR DATA POINTS ONLY? INPUT SCF,LSF,LBP,OR DPO -SCF

DO YOU WANT A LEGEND (Y OR N) ?Y

INPUT MESSAGE FOR CURVE #1 (MAX 39 CHARACTERS) -SMOOTH CURVE FIT INPUT DATA FOR CURVE # 2 (X1,Y1,X2,Y2,...END WITH /) -.15,.35,.5,1515,71.25,11,116,1.3,2.2,1.9,2.6,2.15,2.55,2.3,2.8,2.6, 2.75,2.85,2.95,3.1,4.,3.35,5.,3.5,5.5,4.,6.,4.5,6.5,5.5,10,/

REVIEW DATA (Y OR N) ?Y

35000	. 55800	. 78666	1.10000	1.30000	1.90000	2.30000	2.15000	2.85000	2.60000	3.10000	3.35000	3.58666	4.00000	4.50000	5.50000	******	
= ,≺	<u>۲</u> =	۲= ۲=	" ~	, _≍	, γ=	۲= ۲=	<u>۲</u> =	, γ=	, ∠=	۲= ۲	۲= ۲	۲= ۲	<u>۲</u> =		, ∠=	******=/	N
5666	ଔଷଷଷ	5000	5888	. ପ୍ରତ୍ରପତ୍ର	.ଗଗମର	5000	0000	5000	10000 10000	5000	0000	6666	69999	0000	0000	6666	Y OR N)
	ю.	1.1	€. ₩	1.6	C. C.	N N	S. E.	۲ <u>-</u> ري	ω. Ν	ה N	4	ດ ເວ	ហ	ອ ອ	n N	10.0	PTABLE (
" *:	"×	# X	# ×	# X	# *	=	# *	# ×	"×	# ×	# ×	# X	# X	# *	# *	# *	TA ACCEF
	N	сл Ш	4 11	I= ا	9 ا=	[∽ 	I= 8	ი 	I=10	I=11	1=1 2	I=13	I=14	I=15	I=16	I=17	IS DA

ž. DATA ACCEPTABLE (Y OR N)

AFAPL-TR-78-90

ļ

ł

5. 5416 a

And the second

ľ

do you wish to delete, add, or change points (d, a, or c) ?C HOW MANY DATA POINT(S) CHANGES (I) 716 INPUT DATA FOR CURVE # 2 (X1,Y1,X2,Y2,...END WITH /) -15, 35, 4, 5, 55,1.15, 7,1.25,1.1,1.8,1.3,2.2,1.9,2.6,2.15,2.55,2.3, 2.8,2.6,2.75,2.85,2.96,3.1,4.,3.35,5.13.5,5.5,4.,6.,4.5,6.5,5.7.,5.5,10./

REVIEW DATA (Y OR N) 7Y

35000	15000	25000	80008	20000	60009	22000	80008	2000	000000	00000	00000	50000	00000	50000	99999	00000	
•		-		, N	2	N	N	2	N	4	<b>ה</b>	<b>ה</b>	9 9	ف	~	10.	
₩ ₩ ≻>	• >-	# ~	<b>≞</b> ≻	₽	=≻	<b>∎</b> ≻	R ≻	۲ ۲	₽	∎ ≻	=≻	۲ ۲	₽	₽	₽	H Y	といい
15000 40000	52000	20000	1.10000	1.30000	90006.1	2.15000	2.30000	2.60000	2.85000	3.10000	3.35000	3.50000	4.00000	4.50000	5.00000	5.50000	
		H	H	H	1	II.		Ħ	II.	H	¥.	H				H	ICCEPTABL
		4 =]	x 50 ⊫1	x 9 =1	x ~ =]	x 00 =]	x n l	[=10 X	[=]] X	[=]?X	[=13 X	[=]4 X	(=15 ×	[=16 ×	[=17 X	[=18 ×	IS DATA A

**ŀ**. IS DATA ACCEPTABLE (Y OR N)

SYMBOLS DRAWN (Y DR N) 74

input integer umlue for symbol. Where Ø=square, 1=circle, 2=triangle, 3=+, 4=cap X = 1

smooth curve Fit, least square Fit, straight line between points, or data points only? Input SCF, LSF, LBP, or OPO - LSF

input degree of least square polynomial (1) (1-6) - 1

REVIEW LEAST SQUARE COEFFICIENTS (Y OR N) ? Y

Z(1) - 234 Z(2) 1.5377 REVIEW DATA FOR LEAST SQUARE FIT (Y OR N) ? N

DO YOU WANT A LEGEND (Y OR N) ?Y

INPUT MESSAGE FOR CURUE #2 (MAX 39 CHARACTERS) --LEAST SQUARE FIT

INPUT DATA FOR CURVE # 3 (X1,Y1,X2,Y2,...END WITH /) -1.17.J3.J11.J6.J9./

REVIEW DATA (Y OR N) ?Y

# I=1 X= 1.00000 Y= 17.00000 I=2 X= 3.00000 Y= 11.00000 I=3 X= 6.00000 Y= 11.00000 I=3 X= 6.00000 Y= 9.00000 IS DATA ACCEPTABLE (Y OR N) ?N 7N 7N

in said

10-11-

Pre-Patroline

-

DO YOU WISH TO DELETE, ADD, OR CHANGE POINTS (D, A, OR C) ?A HOW MANY POINTS TO ADD (MAX= 27) ?2

INPUT NEW POINT(S) (X1,Y1,X2,Y2,...) -1.,17.,2.,13.

Review data (Y or N) ?Y

17.00000 17.00000 13.00000 11.000000 9.00000	
##### `````````	ک <sup>ر</sup> د
000000 000000	N N
000000 000000	۶
NBO	<b>EPTABLE</b>
# # # # # # XXXXX	<b>A</b>
	DATE
	SI

CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRA

and the second

.

SYMBOLS DRAWN (Y OR N) 7Y

INPUT INTEGER VALUE FOR SYMBOL WHERE Ø=SQUARE, 1=CIRCLE, 2=TRIANGLE, 3=+, 4=CAP X -2

SMOOTH CURVE FIT, LEAST SQUARE FIT, STRAIGHT LINE BETWEEN POINTS, OR DATA POINTS ONLY? INPUT SCF,LSF,LBP,OR DPO -LBP

DO YOU WANT A LEGEND (Y OR N) ?Y

LINE BETWEEN POINTS

ł INPUT DATA FOR CURVE # 4 (X1,Y1,X2,Y2,...END WITH /> 0.4...5/8..1..12..1.25/13..1.5/16./

REVIEW DATA (Y DR N) ?Y

4.00000 8.00000 12.00000 13.00000 15.00000 16.00000	
■ Ħ # = = = ≻≻≻≻≻	Ne
	ŝ
000000 000000 000000	ď ≻
	$\sim$
	ACCEPTABLE
	DATA
	IS

7

44.473 25.5

.....

- Children

-----

San and the second s

-

DO YOU WISH TO DELETE, ADD, OR CHANGE POINTS (D, A, OR C) 70 WHICH POINT(S) DELETED (IN ASCENDING ORDER) ? HOW MANY POINTS TO BE DELETED (MAX= 4) ?1

REVIEW DATA (Y OR N) ?Y

4

ł

### I= 1 X= 0.0000 Y= 4.00000 I= 2 X= .50000 Y= 8.00000 I= 3 X= 1.00000 Y= 12.00000 I= 4 X= 1.50000 Y= 16.00000 IS DATA ACCEPTABLE (Y OR N) ? Y

61

Sec. .....

SYMBOLS DRAWN (Y OR N) 7Y

12

INPUT INTEGER VALUE FOR SYMBOL WHERE Ø=SQUARE, 1=CIRCLE, 2=TRIANGLE, 3=+, 4=CAP X - 3

SMOOTH CURVE FIT, LEAST SQUARE FIT, STRAIGHT LINE BETWEEN POINTS. OR DATA POINTS ONLY? INPUT SCF, LSF, LBP, OR DPO - DPO

do you mant a legend (Y or N) ? Y

input message for symbol #4 (max 39 characters) -Data points only

INPUT X AND Y VALUES FOR LOWER LEFT HAND CORNER OF LEGEND (INS.) (F.P.,F.P.) - 4., 5

REVIEW PLOT (Y OR N) ? Y

62

", FOR DISSPLA DIRECTIVES >>>> \$1=**1**220 \* << TYPE IN, \*

DISSPLA POSTPROCESSOR FOR TEXTRONIX 4010 TERMINAL ENTER DIRECTIVES. END CARD 1.434 CP SECONDS EXECUTION TIME 1994 DISSPLA VECTORS GENERATED. END OF DISSPLA PLOT GENERATION.

DISSPLA: PF CYCLE NO. = 0010RAW=1\$

AFAPL-TR-78-90

ことものの



63

in the second second second

ż

PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR ND

INPUT DATA FOR NEW CURVE (Y OR N) ? END TEK4010 N

SAVE FOR CALCOMP PLOTTER (Y OR N) 74

", FOR DISSPLA DIRECTIVES >>>> DRAW=1\$ <<< TYPE IN,"

DISSPLA POSTPROCESSOR FOR 1038 CALCOMP PLOTTER. READING DIRECTIVES. END PLTD .035 CP SECONDS EXECUTION TIME PFN IS DISSPLA: PFN IS PLT1038: PLC1038: PF CYCLE ND. = 001DRAW=1\$



X-<del>U</del>XI2

65

and the second second

### EXAMPLE 2

Example 2 illustrates the use of the following options:

Bold Type Lower Case Greek Lettering Logarthmic Plotting Smooth Curve Fit (SCF) Calcomp Reproduction

safar sa

.
OR AS PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT (F P ) UALUES INTEGER (I) VALUES AS INDICATED ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO

INPUT DATA FOR NEW CURVE (Y OR N) ?Y

## PLOTTING COMMENCING

.

NO. OF FIRST PLOT 1

67

DO YOU WANT STANDARD OR BOLD TYPE ? INPUT S OR B -B

INPUT THE FOLLOWING SYMBOLS TO GET THE CORRESPONDING TYPE LETTERING-? = LOWER CASE STANDARD + = UPPER CASE GREEK / = LOWER CASE GREEK / = SUBSCRIPT @LH.5; = SUBSCRIPT @LH.5; = SUBSCRIPT # C.H.K. OR @LXHX; TO RESET BACK TO STANDARD SIZE ; = RESETS TO STANDARD LETTERING

ARE YOU USING THE SPECIAL ALAPHABETS (Y OR N) ?Y

INPUT HEADING (MAX 45 CHARACTERS) -Example log plot LABEL FOR X-AXIS (MAX 59 CHARACTERS) - X (/MJINS.)

LABEL FOR Y-AXIS (MAX 59 CHARACTERS) -Y (INS.) INPUT X-AXIS LENGTH (MAX=8.5 INS) (F.P.) - 6.

INPUT Y-AXIS LENGTH (MAX=9.5 INS) (F.P.) - 6.

IS THIS A LINEAR, LOG, OR SEMILOG PLOT? INPUT LIN, LOG, OR SML -EEGIN DISSPLA PLOT GENERATION LOG

ŧ

\*

INPLIT THE MIN X AND Y UNLUES 20. (F.P., F.P.) - 1.,1.

-, 2 Itent X and Y log cycle lengths .NE. Ø. (INS./Cycle) (F.P.,F.P.) р., Р.(

HOM WANY CURVES PER PLOT (MAX=5) (I) ? 1

HOW MANY PAIRS OF DATA, CURUE #1 (1) ? 7

INPUT DATA (X1,Y1,X2,Y2, ...) -1.1.5.4.10.9.50.16.100.36.500.100.1000.1000

REVIEW DATA (Y OR N) ? Y

đ

----

5

7 1

-

And States

1 a 2018.

1.00000 4.00000 9.00000 16.000000 36.00000 36.00000 100.00000 1000.00000	
■ ■ = = = = = = = = >>>>>>>>>>>>>>>>>>>>	インドイ
00000000000000000000000000000000000000	CY OR H
- 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	EPTHBLE
*******	ATA ACCI
	IS D

-

-

SYNEOLS DRAWN (Y OR N) 7H

**(**~· SMOOTH CURVE FIT, OR STRAIGHT LINE BETWEEN POINTS DAPUT SOF OR LEP - SOF

FEULEW PLOT (Y OR N) ? Y

". FOR DISSPLA DIRECTIVES >>>> SACK TYPE IN." CRAW=1\$

END PLTD 740 CP SECONDS EXECUTION TIME 713 DISSPLA VECTORS GENERATED. FN IS 015SPLA: 015SPLA: 015SPLA: ENTEP DIRECTIVES. ORGM=15

AFAPL-TR-78-90

.

, |

ŝ



and the second second

the second



72

PLOTTING PROGRAM FOR DISSPLA 4 JAN 1950 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO.

LEDWIN MARKEN A.

INPUT DATA FOR NEW CURVE (Y OR N) ? END TEK4310 N

SAVE FOR CALCOMP PLOTTER (Y OR N) ?Y

", FOR DISSPLA DIRECTIVES >>>> \$I=NS/J□ <<< TYPE IN."

DISSPLA POSTPROCESSOR FOR 1038 CALCOMP PLOTTER. READING DIRECTIVES. END PLTD .035 CP SECONDS EXECUTION TIME PFN IS DISSPLA: PFN IS PLT1038: PF CYCLE ND. = 0010RGW=1\$

ł

73

10.00



### EXAMPLE 3

Example 3 illustrates the use of the following options:

Standard Type Lower Case Standard Lettering Superscript Numbering X-Semilogarithmic Plotting Smooth Curve Fit (SCF) Calcomp Reproduction

-

the second second second second

PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO.

Input data for New Curve (Y or N) ?Y

## PLOTTING COMMENCING

••••••

NO. OF FIRST PLOT 1

76

DO YOU WANT STANDARD OR BOLD TYPE ? INPUT S OR B -S

THE FOLLOWING SYMBOLS TO GET THE CORRESPONDING TYPE LETTERING-WER CASE GREEK WER CASE GREEK WER CASE GREEK = SUPERSCRIPT = SUBSCRIPT INPUT THE ? = LOWER + = UPPER / = LOWER

REH.5; RLH.5;

EITHER GEXHX; OR BLXHX; TO RESET BACK TO STANDARD SIZE . = RESETS TO STANDARD LETTERING

ARE YOU USING THE SPECTAL ALAPHABETS (Y OR N)

3

1

Ĵ

INPUT HEADING (MAX **45 CHARACTERS) -**EXAMPLE SEMILOG PLOT LABEL FOR X-AXIS (MAX 59 CHARACTERS) -X-ARXIS) LABEL FOR Y-AXIS (MAX 59 CHARACTERS) -I GEH. 5: 20EXHX; INPUT X-AXIS LENGTH (MAX=8.5 INS) (F.P.) - 6.

INPUT Y-AXIS LENGTH (MAX=9.5 INS) (F.P.) - 6.

IS THIS A LINEAR, LOG, OR SEMILOG PLOT? INPUT LIN, LOG, OR SML -BEGIN DISSPLA PLOT GENERATION SML

INPUT X LOG CYCLE LENGTH .NE. Ø. (INS./CYCLE) (F.P.) -2. IS FLOT LOG IN X OR LOG IN Y ? INPUT X OR Y -X INPUT THE NO. OF MINOR TICKS PER Y DIV. (I) -5 INPUT Y STEP SIZE (UNITS/INCH) (F.P.) -10. HOW MANY CURVES PER PLOT (MAX=5) (1) ?1 INPUT THE MIN X UALUE >0, (F.P.) -1. INPUT THE MIN Y UALUE (F.P.) -0.

INPUT DATA FOR CURVE # 1 (X1,Y1,X2,Y2, .. END WITH / 1..1..5..5..18..12..50..18..180..26..500..36..1000..49..

78

Ł

REVIEW DATA (Y OR N) ?Y

AFAPL-TR-78-90

12.00000 12.00000 18.00000 26.00000 36.00000 36.00000 49.00000	
<b>┆╷╷╷╷</b>	
1.00000 5.00000 10.00000 10.00000 100.00000 100.00000 100.00000 100.00000 100.00000 100000 100000 100000	
*******	
ままままままま まままままままま も 20 10 4 10 10 10 10 10 10 10 10 10 10 10 10 10	

IS DATA ACCEPTABLE (Y OR N) ? N

DO YOU WISH TO DELETE, ADD, OR CHANGE POINTS (D, A, OR C) 30 HOW MANY DATA POINT(S) CHANGES (1) 71

INPUT DATA POINT NUMBER(S) (1) -2

INPUT DATA POINT CHANGE  $\langle X, Y \rangle$ I= 2 X, Y=5.,6.

REVIEW DATA (Y OR N) 7Y

1.00

1.80000 6.90000 12.00000 18.90000 26.90000 36.90000 36.90000 36.90000	
88888 ******	ب ج ج
00000000000000000000000000000000000000	CY OR N
16889.54 8889.54 8889.54 889.58	PTABLE
*******	A RCCE
	DAT
	SI

80

SYMBOLS DRAWN (Y OR N) 7N

SMOOTH CURVE FIT, OR STRAIGHT LINE BETWEEN POINTS ? INPUT SCF OR LBP -SCF

1 PLOT FRAMES. 834 VECTORS GENERATED IN END DISSPLA --

Review Plot (Y or N) ?Y

<<<< TYPE IN, " DRAW=1\$ ", FOR DISSPLA DIRECTIVES >>>>

DISSPLA POSTPROCESSOR FOR TEKTRONIX 4010 TERMINAL. ENTER DIRECTIVES. END PLTD .465 CP SECONDS EXECUTION TIME PFN IS DISSPLA: DRAW=1\$





PLOTTING PROGRAM FOR DISSPLA A JAN 1930 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR ND .

INPUT DATA FOR NEW CURVE (Y OR N) ? END TEK4010 N

SAVE FOR CALCOMP PLOTTER (Y OR N) 3Y

", FOR DISSPLA DIRECTIVES >>>> <<<< TYPE IN." DRAW=1\$

83

DISSPLA POSTFROCESSOR FOR 1838 CALCOMP PLOTTER. READING DIRECTIVES. END PLID .035 CP SECONDS EXECUTION TIME PFN IS DISSPLA: PFN IS PLT1038: PF CYCLE ND. = 001DRAW=1\$

1

1701500

24.2



ANAPL-18- S-90

(Standard Lettering)

**9** 

### EXAMPLE 4

Example 4 illustrates the use of the following options:

Bold Type Russian Lettering Y-Semilogarithmic Plotting Smooth Curve Fit (SCF) Calcomp Reproduction

CHARLES TO THE REAL

MARK CHICK THREE

İ.

a particular and the second of the

С С ß FLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO .

INPUT DATA FOR NEW CURVE (Y OR N) ?Y

# PLOTTING COMMENCING

NO. OF FIRST PLOT 1

86

DO YOU WANT STANDARD OR BOLD TYPE ? INPUT S OR B -B

E FOLLOWING SYMBOLS TO GET THE CORRESPONDING TYPE LETTERING-R CASE STANDARD R CASE GREEK R CASE GREEK SUPERSCRIPT SUBERSCRIPT SUBERSCRIPT INPUT THE -

11 Ħ CEH. 5; PLH S

or Olixia; to reset back to standard size Standard Lettering **CEXHX**; EITHER

= RESETS TO

<u>کر</u> ARE YOU USING THE SPECIAL ALAPHABETS (Y OR N) Y SEMILOG PLOTING (MAX 45 CHARACTERS) -

A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A

LABEL FOR X-AXIS (MAX 59 CHARACTERS) X ("D) INS)

LABEL FOR Y-AXIS (MAX 59 CHARACTERS) -Y-AXIS INPUT X-AXIS LENGTH (MAX=8.5 INS) (F.P.) -6. INPUT Y-AXIS LENGTH (MAX=9.5 INS) (F.P.) -6.

87

IS THIS A LINEAR, LOG, OR SEMILOG PLOT? INPUT LIN, LOG, OR SML -SML IS PLOT LOG IN X OR LOG IN Y ? INPUT X OR Y -Y

INPUT THE MIN X UALUE (F.P.) -0.

INPUT THE MIN Y UALUE >0. (F.P.) -1.

INPUT Y LOG CYCLE LENGTH .NE. Ø. (INS./CYCLE) (F.P.) -2.

INPUT X STEP SIZE (UNITS/INCH) (F.P.) -1.

INPUT THE NO. OF MINOR TICKS PER X DIV. (I) -0

HOW MANY CURVES PER PLOT (MAX=5) (1) ?1

INPUT DATA FOR CURVE # 1 (X1,Y1,X2,Y2,...END WITH /) -0..1..2..10..3..15..4..100..5..250..6..1000..6.25.400./

REVIEW DATA (Y OR N) ?Y

1 00000	10.00000	15.00000	160.00000	250.00000	1969.90000	490.00000
₩ ≻	Ϋ́=	i,	# ≻	2	#./-	₹
ପ୍ରତ୍ରାପ୍ରତ୍ର ପ୍	2 . ଜଣନତନ	ପ୍ରତ୍ରତ୍ତ୍ର ପ୍ରତ୍ରତ୍ତ୍ର	4 60000	5.50000	60000	6 25000
# 2	# ×:	н Х:		II X:	# X:	= ×
۰۳۰۱ ال	74 i 11. 1- 4 i	50 • ji •	יד: וו יייי	го и Н	т., Ц	

IS CATA ACCEPTABLE (Y OR N) ? N

CO YOU WISH TO DELETE, ADD, OR CHANGE POINTS (D, A, OR C) 30

HOW MANY DATA POINT(S) CHANGES (1) 75

INPUT DATA FOR CURVE # 1 (X1,Y1,X2,Y2,...END WITH /) -0.1.11.15.12.150.3.125.4.1250.5.500.6.1000./

REVIEW DATA (Y OR N) ?Y

4 700

·····

1.00000	15,00000	50.00000	125.00000	250.00000	500,00000	1000.00000	
# ۲	۲ ۲	=≻	۳	≓≻	۲= ۲	₹	1) 2 Y
0.00000	1.00000	2.00000	3.00000	4.00000	5.00000	6.90000	
=×	=×	=×	₽×	×=	*= *	** *	OC FPTOR
I = 1	I= 2	n 1	[= 4	]= 1	1= 0	I= 7	IS DATA

- Fritten Billion

NATE OF A DEPART OF OR NO 74

Ç., SMOOTH CURVE FIT, OR STRAIGHT LINE BETWEEN POINTS DAFUT SCF OR LEP - SCF

REVIEW PLOT (Y OR N) ? Y

". FOR DISSPLA DIRECTIVES >>>> <<< TYPE IN."

91

END FLTD 740 CP SECONDS EXECUTION TIME 718 DISSPLA UECTOPS GENERATED. 718 DISSPLA PLOT GENERATION. 718 DISSPLA PLOT GENERATION. 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7183PLA: 7

AFAPL-TR-78-90

المجربين والمربعة



Ļ





PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR ND .

INPUT DATA FOR NEW CURVE (Y OR N) ? END TEK4010 N

SAVE FOR CALCOMP PLOTTER (Y OR N) ?Y

<<<< TYPE IN, " DREW=1\$ ", FOR DISSPLA DIRECTIVES >>>>

DISSPLA POSTPROCESSOR FOR 1038 CALCOMP PLOTTER. READING DIRECTIVES. END PLTD .035 CP SECONDS EXECUTION TIME PFN IS DISSPLA: PFN IS PLT1038: PLT1038: PLT1038:

ł

•



(Bold Lettering)

P

PLOTTING PROGRAM FOR DISSPLA 4 JAN 1980 ANSWER QUESTIONS AS EITHER FLOATING PT. (F.P.) VALUES OR AS INTEGER (I) VALUES AS INDICATED. ANSWER DEFINITIVE QUESTIONS WITH EITHER Y FOR YES OR N FOR NO .

INPUT DATA FOR NEW CURVE (Y OR N) ?N

SAVE FOR CALCOMP PLOTTER (Y OR N) ?N STOP

COMMAND- LOGOUT

### REFERENCES

Integrated Software Systems Corporation, "DISSPLA, Beginners/Intermediate Manual", Vol. 1 , 1973

ASD Computer Center, CDC NOS/BE User's Guide, Revision E, January 1978, p. 5-12



\*U.S.Government Printing Office: 1980 - 657-084/715

