

AD-A093 785

CALIFORNIA UNIV BERKELEY OPERATIONS RESEARCH CENTER F/G 5/3
A FUNCTIONAL IDEQUATLITY, WITH APPLICATIONS TO PRODUCTION THEOR--ETC(U)
OCT 80 K MAK N00015-76-C-0134
ORC-80-22 NL

UNCLASSIFIED

1 of 1

8/1/80



END

DATE

FILED

13

DTIC

AD A093785

ORC 80-22
OCTOBER 1980

A FUNCTIONAL INEQUALITY, WITH APPLICATIONS TO PRODUCTION THEORY

by
KING-TIM MAK

LEVEL II

12

B.S.

DDC FILE COPY

OPERATIONS
RESEARCH
CENTER

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

DTIC
ELECTE
JAN 15 1981
S E

UNIVERSITY OF CALIFORNIA • BERKELEY

81 1 15 052

A FUNCTIONAL INEQUALITY, WITH APPLICATIONS TO PRODUCTION THEORY

by

King-Tim Mak
Operations Research Center
University of California, Berkeley

Accession For
NTIS GRA&I
DTIC TAB
Unannounced
Justification
By
In
Distribution
Statement of Work
Dist

OCTOBER 1980

ORC 80-22

This research has been partially supported by the National Science Foundation under Grant MCS-7716054 and the Office of Naval Research under Contract N00014-76-C-0134 with the University of California. Reproduction in whole or in part is permitted for any purpose of the United States Government.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ORC-80-22	2. GOVT ACCESSION NO. AD A093785	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A FUNCTIONAL INEQUALITY, WITH APPLICATIONS TO PRODUCTION THEORY.	5. TYPE OF REPORT & PERIOD COVERED Research Report.	
7. AUTHOR(s) King-Tim Mak	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Operations Research Center University of California Berkeley, California 94720	8. CONTRACT OR GRANT NUMBER(s) N00014-76-C-0134 NSF-MCS 77-16054	
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217	10. PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS NR 047 033	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE October 1980	
	13. NUMBER OF PAGES 17	
	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Also supported by the National Science Foundation under Grant MCS-7716054.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Functional Inequality Regular Scaling Production Functions		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) (SEE ABSTRACT)		

DD FORM 1473
1 JAN 73

270750

fu

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

ACKNOWLEDGEMENT

The author is indebted to Professor Wolfgang Eichhorn whose question concerning the size of the class of functions which satisfy regular scaling prompted the writing of this paper. The author is also grateful to Professor Ronald W. Shephard for his many helpful suggestions.

ABSTRACT

↓ A functional inequality is used in the formulation of a regularity condition on the scaling of production. This functional inequality is characterized and then applied to: (i) deduce a law of diminishing return; (ii) derive a bound on the growth of an open economy.

and

A FUNCTIONAL INEQUALITY, WITH APPLICATIONS TO PRODUCTION THEORY

by

King-Tim Mak

1. INTRODUCTION

Functional equations have always been an important area in mathematics, and have found much applications in the physical sciences. Functional equations have become a useful technique in economic analysis; for example, in the study of aggregation, technical progress, structures of utility functions, price indices and scaling of production, etc. See Eichhorn [1978].

In the study of scaling of production, functional equations are used to formulate notions of homogeneity, homotheticity and semi-homogeneity etc; again, see Eichhorn [1978]. This approach was extended to the formulation of ray-homotheticity (Shephard and Färe [1977]) and general-homotheticity (Mak [1980-a]). In this paper, a different approach is taken. A simple functional inequality is proposed as a general condition on scaling, called regular scaling. This functional inequality is then characterized. Finally, the notion of regular scaling is applied to: (i) deduce a law of diminishing return, (ii) derive a bound on the speed of growth of an open economy.

2. REGULAR SCALING AND A FUNCTIONAL INEQUALITY

(2.1) Definition: A function $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ satisfies regular scaling if for every $\lambda \in \mathbb{R}_{++}$ there is a scalar $f(\lambda) \in \mathbb{R}_{++}$ such that

$$(2.2) \quad \phi(\lambda \cdot x) \leq f(\lambda) \cdot \phi(x), \quad x \in \mathbb{R}_+^n.$$

Note that the condition of regular scaling is satisfied for homogenous and sub-homogenous functions. Furthermore, it is easy to show that the condition also holds for all "polynomials" of the form

$$\phi(x) = \sum_{k=1}^K \left(\prod_{i=1}^n a_{ki} x_i^{a_{ki}} \right), \quad x \in \mathbb{R}_+^n, \quad K < +\infty,$$

if $\phi(x) > 0$ on \mathbb{R}_{++}^n .

To see how large is the class of functions which satisfy the functional inequality (2.2), it is convenient first to restrict the domain of ϕ to \mathbb{R}_+ . With this specialization, the following function

$$\phi(x) = 3 + \sin x, \quad x \in \mathbb{R}_+$$

shows that a regular scaling function may go up and down in value. Hence, it seems useful to delimit the class of functions further since we are mainly interested in production functions. The following properties (they are part of Shephard's [1974] weak axioms for production) may be imposed:

$$\phi.1 \quad \phi(0) = 0.$$

$$\phi.2 \quad \phi(x) \text{ is bounded if } x \text{ is bounded.}$$

$\phi.3$ ϕ is non-decreasing (on \mathbb{R}_+).

$\phi.4$ ϕ is upper-semi-continuous.

In the following, a characterization of the class of $\phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfying regular scaling is given. But, first note that

(2.3) if $\phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies regular scaling and $\phi.1$
but $\phi(x) = 0$ for some $x > 0$, then $\phi \equiv 0$.

When ϕ is taken as a production function, (2.3) may be somewhat too restrictive a condition. However, the properties of a production function already imply much of regular scaling in the following sense:

(2.4) Proposition: Suppose $\phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies $\phi.2$, $\phi.3$ and $\phi.4$.

If $\phi(x)$ is positive over a compact interval $[a,b]$ where $a > 0$, then for each $\lambda \in \mathbb{R}_{++}$ there exists a scalar $f(\lambda) \in \mathbb{R}_{++}$ such that (2.2) holds for all $x \in [a,b]$.

Proof: To use contra-positive argument, suppose for a $\lambda_0 \in \mathbb{R}_{++}$ there is an infinite sequence $\{x^k\} \subset [a,b]$ with $\phi(\lambda_0 \cdot x^k) / \phi(x^k) \rightarrow +\infty$. Since $[a,b]$ is compact, there is a subsequence $\{x^j\} \subset \{x^k\}$ with $\{x^j\} \rightarrow x^0 \in [a,b]$. Clearly, $\{\lambda_0 \cdot x^j\} \rightarrow \lambda_0 \cdot x^0$. Since $\phi(a) > 0$ by assumption and $\phi.3$ and $\phi.4$ hold,

$$+\infty = \limsup \frac{\phi(\lambda_0 \cdot x^j)}{\phi(x^j)} \leq \frac{1}{\phi(a)} \limsup \phi(\lambda_0 \cdot x^j) \leq \frac{\phi(\lambda_0 \cdot x^0)}{\phi(a)}.$$

This contradicts the boundedness assumption $\phi.2$. ///

Note that if $\phi \not\equiv 0$, say $\phi(z) > 0$, then by the monotonicity of ϕ , ϕ is positive on every interval $[z,y]$ where $y > z$. Hence,

every non-trivial production function $\phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies regular scaling at least over a certain range.

(2.5) Theorem: Suppose $\phi : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfies $\phi.1$ and $\phi.3$. Then ϕ satisfies regular scaling if and only if for some scaling factor $\lambda_0 \in \mathbb{R}_{++}$, and $x_0 \in \mathbb{R}_{++}$, there is a scalar $\theta \in \mathbb{R}_{++}$ such that

$$(2.5.1) \quad \phi(\lambda_0^{j+1} \cdot x_0) \leq \theta \cdot \phi(\lambda_0^j \cdot x_0)$$

for all $j \in \{0, +1, +2, \dots\}$.

Proof: Without loss of generality, one may assume $\lambda_0 > 1$.

The "only if" part follows directly from the definition of regular scaling.

To show the "if" part, first observe that due to $\phi.1$ and $\phi.3$, if $\phi(x_0) = 0$, then $\phi \equiv 0$. This is consistent with condition (2.3). Next, note that it suffices to consider only those $x \in \mathbb{R}_{++}$ since $\phi.1$ is assumed. Also, $\theta \geq 1$ because λ_0 is taken to be > 1 .

Consider an arbitrary $x \in \mathbb{R}_{++}$. Let $p \in \{0, +1, +2, \dots\}$ be the largest integer such that $\lambda_0^p \cdot x_0 \leq x$. Since λ_0 is assumed to be larger than 1, $\lambda_0 \cdot x \in [\lambda_0^p \cdot x_0, \lambda_0^{p+2} \cdot x_0]$. Thus

$$\frac{\phi(\lambda_0 \cdot x)}{\phi(x)} \leq \frac{\phi(\lambda_0^{p+2} \cdot x_0)}{\phi(\lambda_0^p \cdot x_0)} = \frac{\phi(\lambda_0^{p+2} \cdot x_0)}{\phi(\lambda_0^{p+1} \cdot x_0)} \cdot \frac{\phi(\lambda_0^{p+1} \cdot x_0)}{\phi(\lambda_0^p \cdot x_0)} \leq \theta^2 < +\infty.$$

Note that the above inequality is independent of the arbitrarily chosen x . Hence, by letting $f(\lambda_0) := \theta^2$, the functional inequality (2.2) holds for λ_0 .

To show (2.2) holds for all $\lambda \in \mathbb{R}_{++}$, first suppose $\lambda < \lambda_0$.
It follows from $\phi.3$ that

$$\sup_{x \in \mathbb{R}_{++}} \frac{\phi(\lambda \cdot x)}{\phi(x)} \leq \sup_{x \in \mathbb{R}_{++}} \frac{\phi(\lambda_0 \cdot x)}{\phi(x)} \leq f(\lambda_0) < +\infty.$$

Hence (2.2) holds for all $\lambda < \lambda_0$. Now, suppose $\lambda > \lambda_0$. For an arbitrary $x \in \mathbb{R}_{++}$, again let p be the largest integer with $\lambda_0^p \cdot x_0 \leq x$. Let m be the smallest integer such that $\lambda \cdot x \leq \lambda_0^m \cdot x_0$. It may be easily shown that for $\lambda \in [\lambda_0^k, \lambda_0^{k+1})$ (where $k \in \{1, 2, \dots\}$), the integers p and m associated with x is related by: $m - p \leq 2 + k$. Then by $\phi.3$ and the regular scaling hypothesis on x_0 with scaling factor λ_0

$$\frac{\phi(\lambda \cdot x)}{\phi(x)} \leq \frac{\phi(\lambda_0^m \cdot x_0)}{\phi(\lambda_0^p \cdot x_0)} \leq \frac{\theta^{m-p} \cdot \phi(\lambda_0^p \cdot x_0)}{\phi(\lambda_0^p \cdot x_0)} \leq \theta^{2+k}.$$

Since the inequality on $(m - p)$ depends only on λ and not on the arbitrarily chosen x , by letting $f(\lambda) := \theta^{2+k}$ (where k is the integer depending on λ), the functional inequality (2.2) holds. ///

Theorem (2.5) is quite remarkable in demonstrating that a single scaling factor λ_0 and a single sequence of points $\left\{ \dots, \frac{1}{\lambda_0} \cdot x_0, x_0, \lambda_0 x_0, \dots \right\}$ is necessary and sufficient to test if regular scaling prevails.

With the domain of ϕ taken to be \mathbb{R}_+^n , property $\phi.3$ (which is the assumption on input disposability when ϕ is a production function) is modified to

$\phi.3'$ $\phi(\lambda \cdot x) \geq \phi(x)$ if $\lambda \geq 1$, $x \in \mathbb{R}_+^n$; or

$\phi.3.S$ $x \geq y$ implies $\phi(x) \geq \phi(y)$.

The following propositions are concerned with function ϕ having domain \mathbb{R}_+^n . The first two are direct analogs of (2.4) and (2.5), hence proof will be omitted.

(2.6) Proposition: Suppose $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ satisfies $\phi.2$, $\phi.3'$ and

$\phi.4$. Let K be a compact subset of \mathbb{R}_+^n . If $\inf\{\phi(x) \mid x \in K\} > 0$, then for each $\lambda \in \mathbb{R}_{++}$ there is a scalar $f(\lambda) \in \mathbb{R}_{++}$ such that (2.2) holds for all $x \in K$.

(2.7) Proposition: Suppose $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ satisfies $\phi.1$ and $\phi.3'$. Then

ϕ satisfies regular scaling if and only if for some scaling factor $\lambda_0 \in \mathbb{R}_{++}$, there is a scalar $\theta \in \mathbb{R}_{++}$ such that

$$\phi\left(\lambda_0^{j+1} \cdot \frac{x}{\|x\|}\right) \leq \theta \cdot \phi\left(\lambda_0^j \cdot \frac{x}{\|x\|}\right)$$

for all $j \in \{0, \pm 1, \pm 2, \dots\}$ and each mix $x/\|x\|$.

The above characterization of regular scaling hinges on the existence of a scalar θ for which the functional inequality holds for each mix $x/\|x\|$. The author has not been able to establish conditions under which such a scalar θ exists. However, the following proposition relating the regular scaling of one mix to another is of some interest. First, as notation, for a function $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ and a mix $x/\|x\| \in \mathbb{R}_{++}^n$, define the function

$$\alpha \in \mathbb{R}_+ \rightarrow \phi(\alpha \mid x/\|x\|) := \phi(\alpha \cdot x/\|x\|).$$

(2.8) Proposition: If $\phi.3.S$ holds for a function $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ and for some mix $x/\|x\| > 0$, the function $\phi(\cdot \mid y/\|x\|) \neq 0$ and satisfies regular scaling, then $\phi(\cdot \mid y/\|y\|)$ also satisfies regular scaling for every mix $y/\|y\| > 0$.

Proof: Suppose the mix $x/\|x\| > 0$ has $\phi(\cdot \mid x/\|x\|)$ satisfying regular scaling while the mix $y/\|y\| > 0$ has $\phi(\cdot \mid y/\|y\|)$ violating regular scaling. For each $\beta > 0$ representing an element on the ray $\{\tilde{\beta} \cdot y/\|y\| \mid \tilde{\beta} > 0\}$, define

$$\alpha^1(\beta) := \max \{ \sigma > 0 \mid \sigma \cdot x/\|x\| \leq \beta \cdot y/\|y\| \} ;$$

$$\alpha^2(\beta) := \min \{ \sigma > 0 \mid \sigma \cdot x/\|x\| \geq \beta \cdot y/\|y\| \} .$$

Since $x/\|x\| > 0$ and $y/\|y\| > 0$, $\alpha^1(\beta)$ and $\alpha^2(\beta)$ are well defined for $\beta > 0$. Furthermore, it is a simple geometric fact that the ratio $\Delta := \alpha^2(\beta)/\alpha^1(\beta)$ is independent of β .

Since the function $\phi(\cdot \mid y/\|y\|)$ violates regular scaling, there exists a $\lambda^* > 1$ with

$$(2.8.1) \quad \sup_{\beta > 0} \frac{\phi(\lambda^* \beta \mid y/\|y\|)}{\phi(\beta \mid y/\|y\|)} = +\infty .$$

Since $\phi(\cdot \mid x/\|x\|)$ satisfies regular scaling, for the scaling factor $\lambda^* \Delta$, there is a scalar $f(\lambda^* \Delta)$ such that

$$(2.8.2) \quad \phi(\lambda^* \Delta \sigma \mid x/\|x\|) \leq f(\lambda^* \Delta) \cdot \phi(\sigma \mid x/\|x\|) , \forall \sigma > 0 .$$

Now (2.8.1) implies the existence of a $\beta^* > 0$ with $\phi(\lambda^* \beta^* \mid y/\|y\|) > f(\lambda^* \Delta) \cdot \phi(\beta^* \mid y/\|y\|)$. But by construction and $\phi.3.S$

$$\phi(\alpha^1(\beta^*) \cdot x / \|x\|) \leq \phi(\beta^* \cdot y / \|y\|) ,$$

and

$$\phi(\lambda^* \alpha^2(\beta^*) \cdot x / \|x\|) \geq \phi(\lambda^* \beta^* \cdot y / \|y\|) .$$

Hence letting $\sigma := \alpha^1(\lambda^*)$,

$$\frac{\phi(\lambda^* \Delta \alpha^1(\lambda^*) \cdot x / \|x\|)}{\phi(\alpha^1(\lambda^*) \cdot x / \|x\|)} = \frac{\phi(\lambda^* \alpha^2(\lambda^*) \cdot x / \|x\|)}{\phi(\alpha^1(\lambda^*) \cdot x / \|x\|)} \geq \frac{\phi(\lambda^* \beta^* \cdot y / \|y\|)}{\phi(\beta^* \cdot y / \|y\|)} > f(\lambda^* \Delta) .$$

This contradicts (2.8.2), and the proof is completed.

///

3. APPLICATION

(A.1) A Law of Diminishing Returns

Suppose $\phi : \mathbb{R}_+^n \rightarrow \mathbb{R}_+$ is a production function. The input level sets induced by ϕ are given by

$$u \in \mathbb{R}_+ \rightarrow L(u) := \{x \in \mathbb{R}_+^n \mid \phi(x) \geq u\}.$$

The technical efficient subsets of the technology are

$$E(u) := \{x \in L(u) \mid y \leq x \Rightarrow y \notin L(u)\}, u \in \mathbb{R}_+.$$

In addition to $\phi.1$, $\phi.2$, $\phi.3'$, $\phi.4$, Shephard's [1974] weak axioms for production impose the following on the production technology:

$\phi.5$ If $\phi(\bar{x}) \geq \bar{u} > 0$, then for every $\theta > 0$ there is a $\lambda_\theta > 0$ with $\phi(\lambda_\theta \cdot \bar{x}) \geq \theta \cdot \bar{u}$.

E $E(u)$ is bounded for each $u \in \mathbb{R}_+$.

An input factor combination $ICC \{1, \dots, n\}$ is said to be essential for production if $\phi(x) = 0$ for every input x with $x_I = 0^{(1)}$.

An input factor combination $ICC \{1, \dots, n\}$ is strong limitational for output if for every bound $B \in \mathbb{R}_{++}$ on x_I , $\sup \{\phi(x) \mid \|x_I\| \leq B\} < +\infty$.

(3.1) Proposition: Suppose a production function ϕ satisfies Shephard's weak axioms and regular scaling. Then an input factor combination $ICC \{1, \dots, n\}$ is strong limitational for output if and only if it is essential.

⁽¹⁾ x_I denotes the components $\{x_i, i \in I\}$ of a vector x .

The above proposition in general is not true without the assumption of regular scaling (see Shephard [1970]). For a proof of the proposition, see Mak [1980-b].

(A.2) A Limit on the Growth of an Economy

Suppose an economy has a single manufactured commodity which is used both as consumption goods (u) and as inputs to production (y). The production technology of this economy is represented by a production function ϕ . The other inputs (q) to production are exogenous to the economy and primary (i.e. essential). The stream of exogenous resources is given as $(q_0, q_1, \dots, q_t, \dots)$. The initial endowment of the manufactured commodity is \bar{y} . The evolution of the economy is characterized by a program $\{(u_t, y_t) ; t = 0, 1, \dots\}$:

$$\begin{aligned} (3.2) \quad & u_0 + y_0 = \phi(\bar{y}, q_0) , \\ & u_t + y_t = \phi(y_{t-1}, q_t) , \quad t = 1, 2, \dots \end{aligned}$$

Assumption: The production function ϕ of the economy satisfies regular scaling. Moreover, there exists $K \in \mathbb{R}_+$ such that the scaling factor $f(\lambda)$ in the functional inequality (2.2) satisfies $f(\lambda) \leq K\lambda$ for all $\lambda > 0$.

(3.3) Proposition⁽²⁾: Suppose the production technology ϕ of an economy satisfies $\phi.2$, $\phi.4$ and the above Assumption. If for some $\alpha > 0$ the sequence of exogenous primary resources satisfies $\|q_t\| \leq \alpha^t \|q_0\|$, then given the endowment \bar{y} , for every program

⁽²⁾ This proposition is an analog of Radner [1967, Theorem 2.1].

$\{(u_t, y_t)\}$ which is feasible (i.e. satisfies (3.2)), the sequence $\{(u_t + y_t)/\alpha^t\}$ is bounded.

Proof: Suppose to the contrary that $(u_t + y_t)/\alpha^t$ is not bounded.

Then there is a subsequence of indices S such that

$$(3.3.1) \quad \lim_{t \in S} \alpha^t / (u_t + y_t) = 0 ; \text{ and}$$

$$0 < \frac{u_{t-1} + y_{t-1}}{\alpha^{t-1}} \leq \frac{u_t + y_t}{\alpha^t}, \text{ for all } t \in S.$$

Denoting $x_t := (y_{t-1}, q_t)$, it follows that

$$(3.3.2) \quad \frac{\|x_t\|}{u_t + y_t} \leq \frac{y_{t-1}}{u_t + y_t} + \frac{\|q_t\|}{u_t + y_t} \leq \frac{1}{\alpha} + \frac{\alpha^t \|q_0\|}{u_t + y_t}.$$

Thus, $\{x_t/(u_t + y_t)\}$ is a bounded sequence and has a subsequence (with index set SS) converging to some input x^* .

By rearranging the functional inequality (2.2), it follows from the Assumption that for each t

$$\phi\left(\frac{x_t}{u_t + y_t}\right) \geq \frac{\phi(x_t)}{f(u_t + y_t)} \geq \frac{\phi(x_t)}{K \cdot (u_t + y_t)} = \frac{1}{K} > 0$$

where $f(\cdot)$ denotes the appropriate scaling factor. Then, by $\phi.4$ (the upper-semi-continuity of ϕ), $\phi(x^*) > 0$. Let $x^* \equiv (y^*, q^*)$. The exogenous resource component q^* of the limit point x^* has

$$\|q^*\| \leq \limsup_{t \in SS} \frac{\|q_t\|}{u_t + y_t} \leq \lim_{t \in SS} \frac{\alpha^t \|q_0\|}{u_t + y_t} = 0.$$

This contradicts the fact that exogenous resources are primary (essential).

///

Remark: Proposition (3.3) generalizes the cited theorem in Radner [1967, Theorem 2.1] in the sense that the technology of the economy is not assumed to be homogenous. Although a production function was used, the notion of regular scaling may be extended to the case of production correspondences (see Mak [1980-b]) and the result of (3.3) will remain essentially unchanged.

REFERENCES

- Eichhorn, W. [1978], FUNCTIONAL EQUATIONS IN ECONOMICS, Addison-Wesley, Reading, Massachusetts.
- Färe, R. and R. W. Shephard [1977], "Ray-homothetic Production Functions," *Econometrica* 45, 133-146.
- Mak, K. [1980-a], "General Homothetic Production Correspondences," ORC 80-7, Operations Research Center, University of California, Berkeley.
- Mak, K. [1980-b], "The Laws of Diminishing Returns, A Study in Formulation and Deduction," Operations Research Center, University of California, Berkeley.
- Radner, R. [1967], "Dynamic Programming of Economic Growth," in ACTIVITY ANALYSIS IN THE THEORY OF GROWTH AND PLANNING, (ed.) E. Malinvaud and M. O. L. Bacharach, MacMillan, New York.
- Shephard, R. W. [1970], "Proof of the Law of Diminishing Returns," *Zeitschrift für Nationalökonomie* 30, 7-34.
- Shephard, R. W. [1974], "Semi-homogenous Production Functions and Scaling of Production," Lecture Notes in Economics and Mathematical Systems 99, Springer-Verlag, Berlin.