





FTD ID(RS)1-1176-76

EDITED TRANSLATION (//)1 September 1976 FTD-ID(RS)I-1176-76 7+D-16-C-000918 CST76076434 HIGH-YOLTAGE PULSE GENERATOR By V. N. Safronov English pages: 4 Source: USSR Patent Nr 482873, PP. 1-2. Country of origin: (USSR) H82 873 P1-2 nd., Translated by: TSgt Jeffrey L. Cather Requester: FTD/ETET by Approved for public release; distribution unlimited.

141600

THIS TRANSLATION IS A RENDITION OF THE ORIGI-NAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DI-VISION.

PREPARED BY:

TRANSLATION DIVISION FOREIGN TELHNOLOGY DIVISION WP-AFB, OHIO.

FTD ID(RS)1-1176-76

()

Date _____ 1976

18 A.A.

Accession For NTIS GRA&I K DTIC TAB Unannounced: · 🗖 Justification By_ Distribution/ Availability Codes Avail and/or Dist Special

BIGH-VOLTAGE PULSE GENERATOR

PAGE

V. N. Safronov

DOC = 1176

Scientific Research Institute of High Voltages, Tousk Polytechnical Institute

The invention concerns the technology of shaping high-voltage pulses of nanosecond duration and can be used during physical investigations of the dielectric strength of dielectrics.

A high-voltage pulse generator operating on Bultiplication of the voltage at the capacitors and including capacitor banks, three-electrode interstep dischargers, and consultators of load and catle is known. FTD-ID(RS)I-1176-76 However, this generator does not guarantee simultaneous shaping of high-voltage pulses of varied amplitude with nanosecond duration at several lcads.

2

PAGE

DOC = 1176

The purpose of the invention is the simultaneous shaping of high-voltage pulses of varied amplitude with nanosecond duration at séveral loads from one generator.

This goal is achieved as follows: a section of Gable is connected between the middle electrode of each interstep discharger and the load commutator.

A schematic of the generator is depicted in the diagram.

The generator contains unit 1 for charging capacitor banks 2-4; resistors 5-8; three-electrode interstep dischargers with the, first discharge gaps 9, 10 and the second discharge gaps 11, 12; cables 13, 14; and commutators 15, 16 for loads 17, 18; unit 1 is connected directly to the first electrode of bank 2, while banks 3, 4 are connected across resistors 5, 6, respectively. The second electrode of bank 2 is connected to the housing of the generator; it is connected across resistors 7, 8 to the second electrodes of banks 3 FTD-ID(RS)I-1176-76 and 4, respectively, which are themselves connected to the first electrodes of banks 2 and 3 across discharge gaps 9, 11 and 10, 12, respectively. The middle electrodes of the interstep dischargers are connected across the central leads of cables 13, 14, the braids of which are attached to the housing, and then to loads 17 and 18 across commutators 15 and 16, respectively.

The generator works in the following manner.

PAGE

DOC = 1176

Unit 1 charges banks 2-4 across resistors 5-8. Discharge gap 9 breaks down and bank 2 discharges onto cable 13, the voltage on which is raised, causing the sparkover of gap 11; as a result, banks 2 and 3, which are connected in series by gaps 9, 11, discharge across gap 10. Simultaneously the incident wave passes along cable 13, the voltage of which is doubled at its end which is isolated from load 17 by commutator 15, as a result of which the latter breaks down, and ca load 17 a square wave is formed whose duration is determined by the length of cable 13.

An analogous process occurs after the sparkover of gap 10; here, the pulse on load 18 is of greater amplitude as compared with the indicated pulse, while its duration is determined by the length of cable 14. Analogous processes occur in the successive stages of the generator. FTD-ID(RS)I-1176-76 DOC = 1176

PAGE

Object of the Invention

This high-voltage pulse generator operating on multiplication of the voltage at the capacitors and including capacitor banks, three-electrode interstep dischargers, and commutators of load and cable is distinguished by the fact that for simultaneous shaping of high-voltage pulses of varied amplitude with narosecond duration at several loads from one generator, a section of cable is connected between the middle electrode of such interstep discharger and load commutator.



FTD-ID(RS)I-1176-76

UNCLASSIPIED	
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS
DAT NUNDER 2. GOVT ACCESSION NO	3. PECITET'S CATALOG HUMBER
-ID(RS)I-1176-76 $AD-AOGS4$	56
E (and Subility)	S. TYPE OF REPORT & PERIOD COVERED
H-VOLTAGE PULSE GENERATOR	Translation
······································	6. PERFORMING CRG. REPORT NUMBER ;
iQR(e)	B. CONTRACT OR GRANT NUMBER AND
N. Saironov	
TORMING ORGANIZATION NAME AND ADDRESS	10. PPOGPAN ELEMENT, PROJECT, TASK
ign Technology Division	APEP A WORK UNIT NUMBERS
Force Systems Command . Air Force	
TROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
·	13. NUMBER OF PAGES
ITORING AGENCY NAME & ADDRESS(I different from Controlling Office)	18. SECURITY CLASS. (of this report)
•	UNCLASSIFIED
· ·	SCHEDULE
RIBUTION STATEMENT (of this Report)	
RIBUTION STATEMENT (of this Report)	······
RIBUTION STATEMENT (of this Report)	· · · · · · · · · · · · · · · · · · ·
TRIBUTION STATEMENT (of this Report)	unlimited.
TRIBUTION STATEMENT (of this Report) Oved for public release; distribution TRIBUTION STOTEMENT (of the obstract onlored in Block 20, 11 different fo	unlimited.
TRIBUTION STATEMENT (of this Report) Oved for public release; distribution TRIBUTION STOTEMENT (of the obstract enforced in Block 20, 11 different in	unlimited.
TRIBUTION STATEMENT (of this Report) Oved for public release; distribution TRIBUTION STOTEMENT (of the obstract onlored in Block 20, if different h	unlimited.
TRIBUTION STATEMENT (of this Report) Oved for public release; distribution TRIBUTION STOTEMENT (of the obstract enfored in Block 20, 11 different in	unlimited.
INIBUTION STATEMENT (of this Report) OVED for public release; distribution INIBUTION STOTEMENT (of the obstract onfored in Block 20, 11 different h PLEMENTARY NOTES	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution FRIBUTION STOTEMENT (of the obstract onfored in Block 20, 11 different h PLEMENTARY NOTES	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution INIBUTION STOTEMENT (of the obstract entered in Block 20, 11 different in PLEMENTARY NOTES	unlimited.
RIBUTION STATEMENT (of this Report) DVed for public release; distribution RIBUTION STOTEMENT (of the obstract onlared in Block 20, 11 different k PLEMENTARY NOTES	unlimited.
INIBUTION STATEMENT (of this Report) OVED for public release; distribution REBUTION STOTEMENT (of the obstract enfored in Block 20, if different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by block numbe	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution FRIBUTION STOTEMENT (of the obstract entered in Black 20, 11 different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessory and identify by black numbe	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution FRIBUTION STOTEMENT (of the obstract entered in Black 20, if different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by black numbe	unlimited.
INIBUTION STATEMENT (of this Report) OVED for public release; distribution ANBUTION STOTEMENT (of the obstract entered in Block 20, if different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessory and identify by block numbe	unlimited.
RIBUTION STATEMENT (of this Report) OVED for public release; distribution RIBUTION STOTEMENT (of the obstroct entered in Block 20, 11 different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by block numbe	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution RIBUTION STOTEMENT (of the obstract entered in Black 20, 11 different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by black number TRACT (Continue on reverse side if necessary and identify by black number	unlimited.
INIBUTION STATEMENT (of this Report) Oved for public release; distribution FRIBUTION STOTEMENT (of the obstract entered in Black 20, if different in PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by black number TRACT (Continue on reverse side if necessary and identify by black number	unlimited.
INIBUTION STATEMENT (of this Report) OVED for public release; distribution INIBUTION STOTEMENT (of the obstract entered in Black 20, if different is PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by black number TRACT (Continue on reverse side if necessary and identify by black number	unlimited.
TRACT (Continue on reverse side if necessary and identify by block number	unlimited.
TRIBUTION STATEMENT (of this Report) OVED for public release; distribution TRIBUTION STOTEMENT (of the obstract entered in Black 20, 11 different & PLEMENTARY NOTES WORDS (Continue on reverse side if necessary and identify by black number TRACT (Continue on reverse side if necessary and identify by black number	unlimited.
TRACT (Continue on reverse side It necessary and identify by black number	unlimited.
TRACT (Continue on reverse side ti necessary and identify by block number	unlimited.