

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESS	ON NO. 3. RECIPIENT'S CATALOG NUMBER
I. TITLE (and Subtitio)	5. TYPE OF REPORT & PERIOD COVERE
Gemination and Twinning in Permanent	Submission of Paper
Dentition	Jan 80 - Jul 80
Ve	6. PERFORMING ORG. REPORT NUMBER
· AUTHOR(e)	8. CONTRACT OR GHANT NUMBER(*)
P. S. Grover and Lewis Lorton	
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TAS
U.S. Army Institute of Dental Research	
Walter Reed Army Medical Center	11/0
Washington, DC 20012	
1. CONTROLLING OFFICE NAME AND ADDRESS II S. Army Medical Research & Development Comm	nand 11 Carter 1001
HODA-IS	11 September 1981
Fort Detrick, MD 21701	25
4. MONITORING AGENCY NAME & ADDRESS(I different from Controlying C	Office) 15. SECURITY CLASS. (of this report)
	UNCLASSIFIED
▋┡᠊⋁┡╏ャン	
L. L. V. L. L.	SCHEDULE
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the abstract entered in Block 20, If difference in the statement of the	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If difference in the statement of the abstract on the statement in Block 20, If difference in the statement in the stateme	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, 11 difference of the second second	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 difference in the second in Bloc	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reiss unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract enteree enterect entered in Block 20, 11 difference of the abstract entered in Block 20, 11 difference of the abstract enteree ent	elease and sale; its distribution prent from Report FOCT 2 2 381 K number)
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different in Block 20, if dif	elease and sale; its distribution arent from Report FOCT 2 2 381 R number)
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if difference in the statement of the abstract entered in Block 20, if difference is supplementary notes 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse elde if necessary and identify by block Gemination and twinning 	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 diff 18. SUPPLEMENTARY NOTES 18. KEY WORDS (Continue on reverse elde if necessary and identify by block Gemination and twinning 	elease and sale; its distribution
 16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if difference in the state of the abstract entered in Block 20, if difference is supplementary notes 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse elde if necessary and identify by block Gemination and twinning 20. (Abstract Complete measures elde if necessary and identify by block block is a supplementary in the state of the interest is a supplementary in the block is a supplementary and identify by block is a su	elease and sale; its distributio
 16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the abstract entered in Block 20, if difference on the state of the state	elease and sale; its distributio
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, 11 difference on the second secon	elease and sale; its distributio
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public reis unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 difference on the state of the abstract entered in Block 20, 11 difference on the state of the abstract entered in Block 20, 11 difference on the state of the	elease and sale; its distribution prent from Report FOT 2 2:381 (number) ental anomalies of the hard sted either as an anomalous f gemination and twinning are
 IS DISTRIBUTION STATEMENT (of the Report) This document has been approved for public relis unlimited. IS UNITION STATEMENT (of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in Block 20, 11 difference of the obstract entered in the obstract entered in this paper. A simplified class 	elease and sale; its distribution went from Report FOCT 2 2:381 (CT 2 2:381) (CT 2
 16. DISTRIBUTION STATEMENT (of the Report) This document has been approved for public resis unlimited. 17. DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, 11 difference on the second of the electron of the elect	elease and sale; its distribution arent from Report FOCT 2 2 381 (CT 2 2 381) (CT
 6. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public re- is unlimited. 7. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in Block 20, If difference of the obstract entered in the obstract entered in Block 20, If difference of the obstract entered in the obstract entered in the obstract entered in Block 20, If difference of the obstract entered in the obstract entered in the obstract entered in the obstract entered in the obstract is a simplified class has been suggested. 	elease and sale; its distribution erent from Report FOCT 2 2:381 () number) number) ental anomalies of the hard sted either as an anomalous f gemination and twinning are ification of these anomalies () 7 4.
6. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. 7. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, If difference on the state of the obstract entered in Block 20, If difference on the state of the obstract entered in Block 20, If difference of the state of the obstract entered in Block 20, If difference of the state of the obstract entered in Block 20, If difference of the state of the obstract entered in Block 20, If difference of the state of the obstract entered in Block 20, If difference of the state of	elease and sale; its distribution rent from Report FOCT 2 2:381 () () () () () () () () () ()
C. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. T. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, II diff D. SUPPLEMENTARY NOTES E. KEY WORDS (Continue on reverse elde if necessary and identify by block Gemination and twinning ABSTRACT (Continue on reverse elde H messesary and identify by block Gemination and twinning are uncommon developm dental tissue. These aberrations are manife tooth or a supernumerary tooth. Six cases o presented in this paper. A simplified class has been suggested. I. Comparison of the supernumerary tooth of the supernumerary tooth.	elease and sale; its distribution when the report of the hard sted either as an anomalous f gemination and twinning are ification of these anomalies 0 1 4
6. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public reis unlimited. 7. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, II diff 8. SUPPLEMENTARY NOTES 9. KEY WORDS (Continue on reverse elde if necessary and identify by block Gemination and twinning 9. ABSTRACT (Continue on reverse elde H necessary and identify by block Gemination and twinning are uncommon developm dental tissue. These aberrations are manife tooth or a supernumerary tooth. Six cases o presented in this paper. A simplified class has been suggested. 1. JAM 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE	elease and sale; its distribution erent from Report FOCT 2 2:381 (Number) number) number) number) number) number) number) 0 1 4 UNCLASSIFIED

.....

7

;

Ľ

. . .

641.54

Gemination and Twinning in Permanent Dentition. 1. _____ P. S./Grover/ D.M.D.* Lorton/ D.D.S., M.S.D.** 11 1.5

U. S. Army Institute of Dental Research Walter Reed Army Medical Center Washington, DC 20012

The opinions contained herein are the private views of the authors and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of the Defense.

*Research Dental Officer, US Army Institute of Dental Research, Walter Reed Army Medical Center, Washington, DC 20012

1 12113

**Research Coordinator, US Army Institute of Dental Research, Walter Reed Army Medical Center, Washington, DC 20012

ABSTRACT

Gemination and twinning are uncommon developmental anomalies of the hard dental tissue. These aberrations are manifested either as an anomalous tooth or a supernumerary tooth. Six cases of gemination and twinning are presented in this paper. A simplified classification of these anomalies has been suggested.

Accession For NTIS GRAEI DTIC TAB Unannounced Justification ----Distribut Availat · 3 . 2 . 5% Dist

STATES AND

Review of the Literature

Variation in the size and form of teeth is not an uncommon finding. In a 12-year period, Clayton¹ examined 3,557 children and found seventeen cases of either fused or geminated teeth (0.48 per cent). Many different cases of gemination and fusion have been reported.²⁻⁸ Menezer⁹ states that fusion is the third most common anomaly occurring in the primary dentition (0.5 per cent), anodontia being the first and supernumerary teeth the second.

Little information is available on the incidence of gemination and twinning in the permanent dentition. Boyne² reported two cases of gemination among 2,000 men in the U. S. Naval service (0.1 percent) and Grover¹⁰ et al. found 14 cases (5 gemination and 9 twinning) during a panographic survey of 5,000 U. S. Army recruits (0.28 per cent). The literature reporting gemination and twinning in permanent dentition consists mainly of case reports. The terminology describing gemination and twinning is confusing.

Gemination and twinning are the results of a developmental aberration of both the ectoderm and mesoderm. These disturbances are caused by local metabolic interferences occuring during morphodifferentiation of the tooth germ. The etiology of gemination and twinning remains unknown. Shafer¹¹ and Moody¹² suggest a hereditary tendency.

This paper presents six different, unusual and uncommon cases of gemination and twinning in permanent dentition. Also, a simplified classification of these anomalies has been suggested.

Report of Six Cases:

Case I:

A 17-year-old caucasion male was called in for a routine dental examination. His mandibular left third molar (tooth number 17) was not erupted. There was no evidence of pericoronitis or other oral abnormality. There were no clinical signs or symptoms diagnostic of an impacted tooth. A panoramic radiograph revealed an impacted large third molar and the presence of a fourth maxillary molar (Fig 1). A periapical radiograph revealed a mesio-angular impacted tooth with a relatively large occlusal table, fibid crown appearance, large common pulp chamber and three common roots. This anomalous tooth formation itself gave the appearance of true gemination of tooth number 17 (Fig 2).

Case II:

A 22-year-old black male was seen for a routine dental examination. A bilaterally anomalous tooth development of the maxillary second molar was observed (Fig 3). The clinical examination revealed the right second molar had a relatively larger occlusal table; the tooth measured 15mm mesiodistally and 9mm buccolingually. A very prominent buccal groove between the two crowns was noticed. A periapical radiograph revealed (Fig 4) a large pulp chamber and common roots. Since the maxillary first molar (tooth number 3) had been extracted several years previously, the anomalous tooth had moved mesially. The left side of the same arch revealed a similar tooth. The maxillary left second molar (tooth number 15) measured 14mm mesiodistally and 10mm bucolingually. This case demonstrated the bilateral occurrence of a true gemination. Figure 5 is a

periapical radiograph of tooth number 15.

Case III:

A 19-year-old black male came to the dental clinic to seek treatment for his double tooth (Fig 6). A clinical examination revealed complete twinning of two fully erupted second premolars on the left side of the mandibular arch (tooth number 20). The presence of these two teeth, occupying the space of the second premolar, suggest twinning of tooth number 20. Patient complained of tongue bitting and frequent entrapment of food. Clinically, both teeth seemed identical. A periapical radiograph demonstrated two separate, fully formed teeth (Fig 7). Case IV:

A 23-year-old female presented with two lateral incisors. These teeth looked identical; both measured 6mm mesiodistally (Fig 8). A periapical radiograph confirmed twinning (Fig 9).

Case V:

A 24-year-old white male had the maxillary right central incisor bigger mandibular left central incisor. A clinical exam (Fig 10) revealed that tooth measured 15mm buccolingually and had a well-defined lateral and lingual groove and a distinct incisal notch. PAX of this tooth confirmed gemination (Fig 11).

Case VI:

A 23-year-old female had two mandibular right permanent canines, fully erupted, causing some crowding in the mandibular arch (Fig 12). A periapical X-ray revealed two fully formed teeth and confirmed twinning (Fig 13).

Discussion:

Gemination and twinning are generally asymptomatic, however, teeth may cause clinical problems due to poor esthetics, caries or periodontal destruction.

The terms gemination and twinning have been defined in the literature using various synomynons like dichotomy,¹³ connation,¹⁴ double tooth,¹⁵ linking tooth,¹⁶ synodonia¹⁷ and schizodontia,¹¹ mirror image double tooth,¹⁸ fused teeth,¹⁹ and geminated composite odontoma.²⁰ Tannenbaum²¹ described the phenomena of gemination and twinning diagrammatically.

A suggested scheme of classification is given below.

Gemination (a cleavage single tooth germ)

Partial cleavage (true gemination).

Complete cleavage (twinning).

Fusion (two separate tooth germs during formative stage).

Fusion by enamel and dentine (true fusion).

Union by dentine and/or cementum (late fusion).

A late fusion by cementum is called concrescence.

A radiograph, clinical exam and history will usually provide enough information to arrive at definite diagnosis of gemination, twinning or fusion. A union between a supernumerary and normal tooth, sometimes referred to as diphyodontic gemination²⁶ may be merely the gemination of a single tooth bud resulting in the fusion of a normal tooth and the small rudimentary tooth.

Experimental Gemination:

1

Zajicek²² demonstrated, using a tinfoil partition, the capability of the odontogenic organ of a rat to produce two separate teeth from a single organ. The work by Glasstone²³ demonstrated that when a rabbit's molar tooth germ was halved prior to the differentiation of odontoblasts and dentine, each half possessed the ability to form a complete tooth. It seems evident that gemination is the formation of the equivalent of two teeth from the same follicle. This may result in the formation of either teeth that are equal in size and of normal dimensions, or of a pair of teeth where one is of normal size and the other is rudimentary in form. Generally, these teeth are not fused with each other, but may do so depending upon the stage of differentiation of odontoblasts. Other studies^{24,25} reported the similar findings.

It is suggested that there may be some relationship between gemination, twinning and odontoma. In gemination and twinning, the epithelium and mesenchymal cells exhibit complete differentiation with the result that the functional ameloblast and odontoblast lay down enamel and dentin in a normal fashion, whereas, in an odontoma, ameloblasts and odontoblasts lay down enamel and dentin in small rudimentary tooth-like structures during morphodifferentiation. This could be a result of a multiple, complete cleavages of single-tooth germ due to unknown epigenetic factors.

Bibliography

- Clayton, J.M.: Congenital dental anomalies occurring in 3,557 children. J DENT CHILD 23:206-208, 4th Quar., 1956.
- Boyne, P.J.: Gemination, report of two cases. J AM DENT ASSOC 50:194, 1955.
- 3. Munro, Donald: Gemination in the deciduous dentition: report of thirty-one cases. BR DENT J 104:238-240, 1958.
- 4. Kanansky, F.W.: Gemination. ORAL SURG 46(2):331-332, 1978.
- 5. Vegh, T.: Gemination and fusion. ORAL SURG 40(6):816-817, 1975.
- Paton, A.R.P. and Crighton, J.T.: Bilateral gemination: a case report. BR DENT J 107:310, 1959.
- Heslop, J.H.: True gemination in posterior teeth. BR DENT J <u>97</u>: 93-94, 1954.
- Levitar, T.C.: Gemination, fusion, twinning and concrescence.
 J DENT CHILD 32:93-100, 1965.
- 9. Menezer, L.F.: Anomalies of the primary dentition. J DENT CHILD 22(1):57-62, 1955.
- 10. Grover, P.S.; Carpenter, W.M.; and Allen, G.W.: Panographic survey of U.S. Army recruits: analysis of dental health status. 1981. (IN PRINT).
- Shafer, W.G.; Hine, M.K.; and Levy, B.M.: A Textbook of Oral
 Pathology, ed. 3, Philadelphia, 1974, W.B. Saunders Co., p. 37.
- Moody, E. and Montgomery, B.: Hereditary tendencies in tooth formation. J AM DENT ASSOC 21(10):1774-1776, 1934.

 Cloyer, J.F.: Abnormally shaped teeth from the region of the premandibula. Part III. PROC R SOC MED 19:39, 1926.

.

- 14. Hitchin, A.D. and Morris, J.: Inheritance connate incisors in the dog. J DENT RES 39:1101, 1960.
- Brook, A.H. and Winter, G.B.: Double Teeth. BRIT DENI J <u>129</u>:123-130, 1970.
- 16. Sprinz, R.: The linking tooth. BRIT DENT J 95(4):108-110, 1953.
- DeJonge, T.E.: Geminate tooth formation. TSCHR TANDHECLK 62:828-834, 1955. (Abstracted, Dent. Abstracts 2(1):41, 1957).
- 18. Main, D.M.G.: A mirror image double-tooth. BR DENT J <u>125</u>:318-320, 1964.
- 19. Mader, L.C.: Fusion of teeth. J AM DENT ASSOC 98:62-64, 1979.
- 20. Goldman, H.M. and Bloom, J.: A collective review and atlas of dental abnormalities and diseases. ORAL SURG 2:874-905, 1949.
- Tannenbaum, K.A. and Alling, E.E.: Anamalous tooth development: case report of gemination and twinning. ORAL SURG <u>16</u>:883-887, 1963.
- 22. Zajicek, G. and Michaeli, Y.: On the potential of the adult rat incisor odontogenic organ. J BIOL BUCCALE 6:339-342, 1978.
- 23. Glasstone, S.: Regeneration of tooth germs. J ANAT <u>86</u>:12-15, 1952.
- 24. Hansen, L.S. and English, Y.A.: Histologic changes in the incisor teeth or rats serially sacrificed after receiving 1,500R or 200 KV X-ray irradiation. J DENT RES 36:417-431, 1967.

- 25. Vahlsing, H.S.; Kim, S.K.; and Faringa, E.R.: Cyclophosphamide induced abnormalities in the incisors of the rat. J DENT RES 56:809-816, 1977.
- 26. Ennis, L.M.: Dental Roentgenology, ed. 4, Philaderphia, 1949,
 Lea & Febiger, p. 392.

LEGEND

Fig 1:	Panoramic radiograph showing mandibular left third molar and
	maxillary fourth molar.
Fig 2:	Periapical radiograph of geminated third molar.
Fig 3:	Abnormally formed right and left second molars.
Fig 4:	Periapical X-ray of maxillary right second molar.
Fig 5:	Periapical X-ray of maxillary left second molar.
Ftg 6:	Twinned lower second premolars.
Fig 7:	Periapical X-ray of twinned premolars.
Ftg 8:	Twinned mexillary right lateral incisors.
Fig 9:	Periapical of twinned laterals.
Fig 10:	Maxillary right central - gemination.
Fig 11:	Periapical of geminated right lateral.
Fig 12:	Twinned mandibular right permanent canines.
Fig 13:	Periapical X-ray of mandibular canine showing two separate,
	fully formed teeth.

10000

REQUESTS FOR REPRINTS SHOULD BE DIRECTED TO:

CPT Pushpinder S. Grover Division of Clinical Operations US Army Institute of Dental Research Walter Reed Army Medical Center Washington, DC 20012







,...



.

and the second filling - Martin Connection and a second second second second second second second second second



Englished and the second se





