

AD-A127 355

FINAL TACTICAL DECISION AID (FTDA) FOR INFRARED (8-12
MICROMETERS) SYSTEM..(U) SYSTEMS AND APPLIED SCIENCES
CORP RIVERDALE MD D B HODGES ET AL. 15 SEP 82
SCIENTIFIC-3 AFGL-TR-82-0294(2)

1/1

UNCLASSIFIED

F/G 17/5

NL




END

DATE

FILMED

5 83

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL-TR-82-0294 (II)	2. GOVT ACCESSION NO. AD-A12-7355	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) FINAL TACTICAL DECISION AID (FTDA) FOR INFRARED (8-12 μ m) SYSTEMS - MANUAL VERSION Appendix A - Atmospheric Transmission Tables		5. TYPE OF REPORT & PERIOD COVERED Scientific Report No. 3
7. AUTHOR(s) Donald B. Hodges Robbie E. Hood Scott D. Hamilton Ronald F. Wachtmann		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Systems and Applied Sciences Corporation (SASC) 6811 Kenilworth Avenue Riverdale, Maryland 20737		8. CONTRACT OR GRANT NUMBER(s) F19628-81-C-0042
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory Hanscom AFB, Massachusetts 01731 Lt. Col. Kit G. Cottrell, Contract Manager/OPI		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 63707F 268802AB
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE September 15, 1982
		13. NUMBER OF PAGES 30
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Volume II of five volumes		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) TACTICAL DECISION AID (TDA) AEROSOL EXTINCTION COEFFICIENT INFRARED PRECIPITATION EXTINCTION COEFFICIENT LOWTRAN RAIN EXTINCTION COEFFICIENT ATMOSPHERIC TRANSMISSION SNOW EXTINCTION COEFFICIENT MOLECULAR EXTINCTION COEFFICIENT		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) → The tables required to calculate 8-12 μ m atmospheric transmission at 4 km range for use in determining maximum lock-on range (MLOR) and maximum acquisition range (AR) from the Manual Version of the FTDA are presented. Tables adapted from AFGL models for calculating molecular, aerosol, and precipitation extinction coefficients as functions of various meteorological parameters are presented. An aerosol model selection procedure is provided as well as a table which converts total extinction coefficient to atmos- pheric transmission.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

1. A Brief Description of the Aerosol Selection Process.	5
Flowcharts — Figs. A-1A, A-1B, A-1C.	7
Approximate Values of Critical Boundary Layer Wind Speed — Fig. A-1D.	8
2. Table A-1.	9
A. Precipitation Extinction Coefficient (B_p) for Snow Model as a Function of Visibility.	9
B. Precipitation Extinction Coefficient (B_p) for Rain Model as a Function of Visibility.	10
3. Table A-2. Relative Humidity (RH) as a Function of Temperature and Dewpoint.	11
4. Table A-3.	15
A. Aerosol Extinction Coefficient (B_{AER}) for Maritime Model as a Function of Visibility and Relative Humidity.	15
B. Aerosol Extinction Coefficient (B_{AER}) for Urban Model as a Function of Visibility and Relative Humidity.	17
C. Aerosol Extinction Coefficient (B_{AER}) for Rural Model as a Function of Visibility and Relative Humidity.	18
D. Aerosol Extinction Coefficient (B_{AER}) for Fog Model as a Function of Visibility	19
5. Table A-4. Molecular Extinction Coefficient (B_{MOL}) as a Function of Temperature and Dewpoint.	21
6. Table A-5. Atmospheric Transmission (τ_{ATM}) at Reference Range (4 km) as a Function of Total Extinction Coefficient (B_{TOT}).	23

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



1. A Brief Description of the Aerosol Selection Process


The methodology is based on the properties of three non-fog aerosol models in LOWTRAN. The Rural Model describes the basic background aerosol contained in all airmasses. The Maritime Model describes the aerosol that exists in airmasses with a maritime history when the marine aerosol (mostly sea salt) is superimposed in significant concentrations on the background aerosol. The Urban Model describes aerosol properties when certain types of urban pollutants are superimposed on the background aerosol. Under certain conditions, a maritime aerosol may also contain the urban component. In this case, since the maritime aerosol produces the strongest 8-12 μm extinction of the above three aerosol conditions, the Maritime Model takes precedence over the Urban Model.

This algorithm quantifies the aerosol model selection on the basis of the history of the air mass expected over the target. The algorithm is based on a large body of published scientific literature on atmospheric aerosols; however, certain selection criteria (e.g., the overwater distance for transformation of the continental aerosol into maritime characteristics) are based on very limited quantities of observational data. Experience by users and publication of additional scientific data will undoubtedly lead to modification of at least some of these criteria.


In using the flow charts in Fig. A-1, the basic rule is to always move downward in each figure. The following are key symbols to aid in interpretation of the charts:




represents the input of data



represents the entry into one of several alternate paths through the diagram



represents a connecting point to some other part of the diagram



represents selection of a particular "dry aerosol" model

Figure A-1A

- a. Separates air mass by origin.
- b. Treats the possible transformation of air masses with a continental origin so that their aerosol assumes the extinction properties of a maritime aerosol.

Figure A-1B treats mechanisms for removal of the sea-salt aerosol from maritime air masses, namely, sedimentation and washout. When these processes are effective, the aerosol tends to return to rural-like properties.

Figures A-1C and A-1D treat the problem of determining when the urban model should be used to describe a polluted rural aerosol.

Fig. A-1A




Fig. A-1B




Fig. A-1. The Aerosol Model Selection Process

Fig. A-1C




Fig. A-1 (Continued)

Fig. A-1D

Stability Condition	Critical Wind Speed (Knots)	
	Large and Heavily Industrialized Urban Areas (Area > 2000 KM ²)	Small - Medium Urban Areas or Large Areas Without Heavy Industrialization
Unstable	4	3
Neutral	8	5
Stable	25	15

Definitions of Stability:

- 1) Unstable: Lapse rate near dry adiabatic in lowest 1.5-2.0 KM enhances vertical diffusion.
- 2) Neutral: Lapse rate near the pseudo-adiabatic lapse rate or slightly more stable in the lowest 1.5-2.0 KM, with perhaps a weak inversion in the lowest 2 KM.
- 3) Stable: A strong inversion below 2 KM inhibits turbulent vertical diffusion.

Fig. A-1D. Approximate values of critical boundary layer wind speed (knots) for use of the urban aerosol model. Wind speed is tabulated against the size of the urban area and the stability condition. Definitions of stability categories are given above.

SNOW INTENSITY	VISIBILITY (KM)	EXTINCTION COEFFICIENT
HEAVY	.2	24.450
	.4	12.225
Moderate	.6	8.150
	.8	6.113
	1.0	4.890
	1.5	3.260
	2.0	2.445
	2.5	1.956
	3.0	1.630
	4.0	1.223
Light	5.0	.978
	6.0	.815
	7.0	.699
	8.0	.611
	9.0	.543
	10.0	.489
	15.0	.326
	20.0	.245

TABLE A-1A. PRECIPITATION EXTINCTION COEFFICIENT (B_p)
SNOW MODEL

RAIN INTENSITY	RAINFALL RATE (IN/HR)	EXTINCTION COEFFICIENT
LIGHT	.01	.154
	.05	.424
	.10	.657
	.15	.848
	.20	1.016
MODERATE	.25	1.170
	.30	1.312
	.35	1.446
	.40	1.573
	.45	1.694
HEAVY	.50	1.810
	.55	1.922
	.60	2.030
	.65	2.135
	.70	2.237
	.75	2.337
	.80	2.434
	.85	2.529
	.90	2.621
	.95	2.712
	1.00	2.801

TABLE A-1B. PRECIPITATION EXTINCTION COEFFICIENT (B_p)

RAIN MODEL

DEW POINT	-40	-39	-38	-37	-36	-35	-34	-33	-32	-31	-30	-29	-28	-27	-26	-25	-24	-23	-22	-21
TEMPERATURE (C)																				
-65	5	5	4	4	3	3	3	3	2	2	2	2	2	1	1	1	1	1	1	1
-64	6	6	5	5	4	4	4	4	3	3	3	3	2	2	2	2	2	2	2	1
-63	7	7	6	6	5	5	5	5	4	4	4	4	3	3	3	3	3	3	3	1
-62	8	8	7	7	6	6	6	6	5	5	5	5	4	4	4	4	4	4	4	1
-61	9	9	8	8	7	7	7	7	6	6	6	6	5	5	5	5	5	5	5	2
-60	10	10	9	9	8	8	8	8	7	7	7	7	6	6	6	6	6	6	6	2
-59	11	12	10	10	9	9	9	9	8	8	8	8	7	7	7	7	7	7	7	2
-58	13	13	12	12	11	11	11	11	10	10	10	10	9	9	9	9	9	9	9	2
-57	15	15	14	14	13	13	13	13	12	12	12	12	11	11	11	11	11	11	11	2
-56	16	16	15	15	14	14	14	14	13	13	13	13	12	12	12	12	12	12	12	2
-55	19	19	17	17	16	16	16	16	15	15	15	15	14	14	14	14	14	14	14	2
-54	21	21	19	19	18	18	18	18	17	17	17	17	16	16	16	16	16	16	16	3
-53	24	24	21	21	20	20	20	20	19	19	19	19	18	18	18	18	18	18	18	3
-52	27	27	24	24	23	23	23	23	22	22	22	22	21	21	21	21	21	21	21	3
-51	30	30	27	27	26	26	26	26	25	25	25	25	24	24	24	24	24	24	24	4
-50	34	34	31	31	30	30	30	30	29	29	29	29	28	28	28	28	28	28	28	4
-49	38	38	35	35	34	34	34	34	33	33	33	33	32	32	32	32	32	32	32	4
-48	42	42	39	39	38	38	38	38	37	37	37	37	36	36	36	36	36	36	36	4
-47	47	47	44	44	43	43	43	43	42	42	42	42	41	41	41	41	41	41	41	5
-46	53	53	50	50	49	49	49	49	48	48	48	48	47	47	47	47	47	47	47	5
-45	59	59	56	56	55	55	55	55	54	54	54	54	53	53	53	53	53	53	53	5
-44	65	65	62	62	61	61	61	61	60	60	60	60	59	59	59	59	59	59	59	6
-43	73	73	70	70	69	69	69	69	68	68	68	68	67	67	67	67	67	67	67	6
-42	81	81	78	78	77	77	77	77	76	76	76	76	75	75	75	75	75	75	75	7
-41	90	90	87	87	86	86	86	86	85	85	85	85	84	84	84	84	84	84	84	7
-40	100	100	97	97	96	96	96	96	95	95	95	95	94	94	94	94	94	94	94	8
-39	...	...	100	100	98	98	98	98	97	97	97	97	96	96	96	96	96	96	96	9
-38	...	...	...	100	99	99	99	99	98	98	98	98	97	97	97	97	97	97	97	9
-37	...	...	...	...	100	100	100	100	99	99	99	99	98	98	98	98	98	98	98	10
-36	...	...	...	...	...	100	100	100	100	100	100	100	99	99	99	99	99	99	99	10
-35	...	...	...	...	...	...	100	100	100	100	100	100	100	100	100	100	100	100	100	10
-34	...	...	...	...	...	...	...	100	100	100	100	100	100	100	100	100	100	100	100	10
-33	...	...	...	...	...	...	...	...	100	100	100	100	100	100	100	100	100	100	100	10
-32	...	...	...	...	...	...	...	...	...	100	100	100	100	100	100	100	100	100	100	10
-31	...	...	...	...	...	...	...	...	...	...	100	100	100	100	100	100	100	100	100	10
-30	...	...	...	...	...	...	...	...	...	...	...	100	100	100	100	100	100	100	100	10
-29	...	...	...	...	...	...	...	...	...	...	...	...	100	100	100	100	100	100	100	10
-28	...	...	...	...	...	...	...	...	...	...	...	...	...	100	100	100	100	100	100	10
-27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	100	100	100	100	10
-26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	100	100	100	10
-25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	100	100	10
-24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	100	10
-23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	10
-22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100
-21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100

TABLE A-2. RELATIVE HUMIDITY (RH)

TEMPERATURE (°C)

DEW
POINT

-45	9	-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1
-44	10		8	7	7	6	6	5	5	5	4	4	4	3	3	3	3	2	2	2	2
-43	11		9	8	7	7	6	6	5	5	5	4	4	4	4	4	3	3	3	3	3
-42	12		10	9	8	7	7	6	6	5	5	5	4	4	4	4	4	3	3	3	3
-41	13		11	10	9	8	7	7	6	6	5	5	5	4	4	4	4	4	4	4	4
-40	14		12	11	10	9	8	7	7	6	6	5	5	5	4	4	4	4	4	4	4
-39	15		13	12	11	10	9	8	8	7	7	6	6	6	5	5	5	5	5	5	5
-38	16		14	13	12	11	10	9	9	8	8	7	7	7	6	6	6	6	6	6	6
-37	17		15	14	13	12	11	10	10	9	9	8	8	8	7	7	7	7	7	7	7
-36	18		16	15	14	13	12	11	11	10	10	9	9	9	8	8	8	8	8	8	8
-35	19		17	16	15	14	13	12	12	11	11	10	10	10	9	9	9	9	9	9	9
-34	20		18	17	16	15	14	13	13	12	12	11	11	11	10	10	10	10	10	10	10
-33	21		19	18	17	16	15	14	14	13	13	12	12	12	11	11	11	11	11	11	11
-32	22		20	19	18	17	16	15	15	14	14	13	13	13	12	12	12	12	12	12	12
-31	23		21	20	19	18	17	16	16	15	15	14	14	14	13	13	13	13	13	13	13
-30	24		22	21	20	19	18	17	17	16	16	15	15	15	14	14	14	14	14	14	14
-29	25		23	22	21	20	19	18	18	17	17	16	16	16	15	15	15	15	15	15	15
-28	26		24	23	22	21	20	19	19	18	18	17	17	17	16	16	16	16	16	16	16
-27	27		25	24	23	22	21	20	20	19	19	18	18	18	17	17	17	17	17	17	17
-26	28		26	25	24	23	22	21	21	20	20	19	19	19	18	18	18	18	18	18	18
-25	29		27	26	25	24	23	22	22	21	21	20	20	20	19	19	19	19	19	19	19
-24	30		28	27	26	25	24	23	23	22	22	21	21	21	20	20	20	20	20	20	20
-23	31		29	28	27	26	25	24	24	23	23	22	22	22	21	21	21	21	21	21	21
-22	32		30	29	28	27	26	25	25	24	24	23	23	23	22	22	22	22	22	22	22
-21	33		31	30	29	28	27	26	26	25	25	24	24	24	23	23	23	23	23	23	23
-20	34		32	31	30	29	28	27	27	26	26	25	25	25	24	24	24	24	24	24	24
-19	35		33	32	31	30	29	28	28	27	27	26	26	26	25	25	25	25	25	25	25
-18	36		34	33	32	31	30	29	29	28	28	27	27	27	26	26	26	26	26	26	26
-17	37		35	34	33	32	31	30	30	29	29	28	28	28	27	27	27	27	27	27	27
-16	38		36	35	34	33	32	31	31	30	30	29	29	29	28	28	28	28	28	28	28
-15	39		37	36	35	34	33	32	32	31	31	30	30	30	29	29	29	29	29	29	29
-14	40		38	37	36	35	34	33	33	32	32	31	31	31	30	30	30	30	30	30	30
-13	41		39	38	37	36	35	34	34	33	33	32	32	32	31	31	31	31	31	31	31
-12	42		40	39	38	37	36	35	35	34	34	33	33	33	32	32	32	32	32	32	32
-11	43		41	40	39	38	37	36	36	35	35	34	34	34	33	33	33	33	33	33	33
-10	44		42	41	40	39	38	37	37	36	36	35	35	35	34	34	34	34	34	34	34
-9	45		43	42	41	40	39	38	38	37	37	36	36	36	35	35	35	35	35	35	35
-8	46		44	43	42	41	40	39	39	38	38	37	37	37	36	36	36	36	36	36	36
-7	47		45	44	43	42	41	40	40	39	39	38	38	38	37	37	37	37	37	37	37
-6	48		46	45	44	43	42	41	41	40	40	39	39	39	38	38	38	38	38	38	38
-5	49		47	46	45	44	43	42	42	41	41	40	40	40	39	39	39	39	39	39	39
-4	50		48	47	46	45	44	43	43	42	42	41	41	41	40	40	40	40	40	40	40
-3	51		49	48	47	46	45	44	44	43	43	42	42	42	41	41	41	41	41	41	41
-2	52		50	49	48	47	46	45	45	44	44	43	43	43	42	42	42	42	42	42	42
-1	53		51	50	49	48	47	46	46	45	45	44	44	44	43	43	43	43	43	43	43

TABLE A-2. RELATIVE HUMIDITY (RH)

DEW POINT	TEMPERATURE (C)																			
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
-25	13	12	11	11	10	9	9	8	7	7	7	6	6	5	5	5	4	4	4	4
-24	14	13	12	12	11	10	9	9	8	8	8	7	6	6	6	6	5	5	5	4
-23	16	15	14	13	12	11	10	10	9	8	8	7	7	6	6	6	6	5	5	4
-22	17	16	15	14	13	12	11	11	10	9	9	8	8	7	7	7	6	6	5	4
-21	19	17	16	15	14	13	12	12	11	10	9	9	8	8	8	7	7	6	5	4
-20	20	19	18	16	15	14	13	13	12	11	10	9	9	8	8	7	7	6	5	4
-19	22	21	19	18	17	16	15	14	13	12	11	10	10	9	8	8	8	7	6	5
-18	24	23	21	20	18	17	16	15	14	13	12	11	10	10	9	9	9	8	7	6
-17	26	25	23	21	20	18	17	16	15	14	13	12	11	11	10	9	9	8	7	6
-16	29	27	25	23	22	20	19	17	16	15	14	13	12	12	11	10	10	9	8	7
-15	31	29	27	25	24	22	20	19	18	17	15	14	13	13	12	11	10	10	9	8
-14	34	31	29	27	25	24	22	21	19	18	17	16	15	14	13	12	11	11	10	9
-13	37	34	32	30	28	26	24	22	21	19	18	17	16	15	14	13	12	11	11	10
-12	40	37	34	32	30	28	26	24	23	21	20	19	17	16	15	14	13	12	11	10
-11	43	40	37	35	32	30	28	26	24	23	21	20	19	17	16	15	14	13	12	11
-10	47	43	40	38	35	33	30	28	27	25	23	22	20	19	18	17	16	15	14	13
-9	51	47	44	41	38	35	33	31	29	27	25	23	22	20	19	18	17	16	15	14
-8	55	51	47	44	41	38	36	33	31	29	27	25	24	22	21	19	17	16	15	14
-7	59	55	51	48	44	41	39	36	34	31	29	27	26	24	22	21	20	18	17	16
-6	64	59	55	51	48	45	42	39	36	34	32	30	28	26	24	23	21	20	19	17
-5	69	64	60	55	52	48	45	42	39	36	34	32	30	28	26	25	23	22	20	19
-4	74	69	64	60	56	52	48	45	42	39	37	34	32	30	28	27	25	23	22	20
-3	80	74	69	65	60	56	52	49	45	42	40	37	35	32	30	28	27	25	23	22
-2	86	80	75	69	65	60	56	52	49	46	43	40	37	35	33	31	29	27	25	24
-1	93	86	80	75	70	65	61	56	53	49	46	43	40	38	35	33	31	29	27	25
0	100	93	87	81	75	70	65	61	57	53	50	47	44	40	38	35	33	31	29	27
1	100	100	93	87	81	75	70	66	61	57	53	50	47	44	41	38	35	33	31	29
2	100	100	100	93	87	81	75	70	66	61	57	53	50	47	44	41	38	35	33	31
3	100	100	100	100	93	87	81	75	70	66	61	57	54	50	47	44	41	39	36	34
4	100	100	100	100	100	93	87	81	76	71	66	62	58	54	50	47	44	42	39	37
5	100	100	100	100	100	100	93	87	81	76	71	66	62	58	54	51	48	45	42	39
6	100	100	100	100	100	100	100	93	87	81	76	71	66	62	58	54	51	48	45	42
7	100	100	100	100	100	100	100	100	93	87	81	76	71	67	62	58	55	51	48	45
8	100	100	100	100	100	100	100	100	100	93	87	82	76	71	67	63	59	55	51	48
9	100	100	100	100	100	100	100	100	100	100	93	87	82	76	71	67	63	59	55	52
10	100	100	100	100	100	100	100	100	100	100	100	94	87	82	77	72	67	63	59	55
11	100	100	100	100	100	100	100	100	100	100	100	100	94	87	82	77	72	67	63	59
12	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82	77	72	68	63
13	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82	77	72	68
14	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82	77	72
15	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82	77
16	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82
17	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88	82
18	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94	88
19	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	94

TABLE A-2. RELATIVE HUMIDITY (RH)

DEW POINT	TEMPERATURE (C)																			
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	35	37	36	39
-5	18	17	16	15	14	13	12	11	11	10	10	9	8	8	8	7	7	6	6	6
-4	19	18	17	16	15	14	13	12	12	11	11	10	9	9	8	8	8	7	6	6
-3	21	19	18	17	16	15	14	13	13	12	12	11	10	9	9	9	8	7	7	7
-2	22	21	20	18	17	16	15	14	15	14	13	12	11	11	10	9	9	8	8	8
-1	24	22	21	20	19	17	16	15	16	15	14	13	12	12	11	10	10	9	9	8
0	26	24	23	21	20	19	18	17	17	16	15	14	13	13	12	11	10	10	9	8
1	28	26	24	23	22	20	20	19	18	17	16	15	14	14	13	12	11	11	10	9
2	30	28	26	25	23	22	22	21	19	18	17	16	15	14	14	13	12	11	11	10
3	32	30	28	26	25	24	24	22	21	20	18	17	16	15	15	14	13	12	12	11
4	34	32	30	28	27	25	25	24	22	21	20	19	18	17	16	15	14	13	12	12
5	37	35	32	30	29	27	27	26	24	23	21	20	19	18	17	16	15	14	13	13
6	39	37	35	33	31	29	29	28	26	25	23	22	21	20	19	18	17	16	15	14
7	42	40	37	35	33	31	29	27	26	24	23	21	20	19	18	17	16	15	14	13
8	45	43	40	38	35	33	31	29	28	26	24	23	22	20	19	18	17	16	15	14
9	49	46	43	40	38	36	34	32	30	28	26	25	23	22	21	19	18	17	16	15
10	52	49	46	43	40	38	36	34	32	30	28	26	25	23	22	21	19	18	17	15
11	56	52	49	46	43	41	38	36	34	32	30	28	27	25	24	22	21	20	19	17
12	59	56	52	49	46	43	41	39	36	34	32	30	28	27	25	24	22	21	20	18
13	63	60	56	53	50	47	44	41	39	36	34	32	30	29	27	26	24	23	21	20
14	68	64	60	56	53	50	47	44	41	39	37	35	33	31	29	27	26	24	23	22
15	72	68	64	60	56	53	50	47	44	42	39	37	35	33	31	29	27	26	24	23
16	77	73	68	64	60	57	53	50	47	44	42	39	37	35	33	31	29	28	26	25
17	83	77	73	68	64	60	57	53	50	47	45	42	40	37	35	33	31	29	28	26
18	88	83	78	73	68	64	61	57	54	50	48	45	42	40	37	35	33	31	30	28
19	94	88	83	78	73	69	65	61	57	54	51	48	45	42	37	35	33	31	30	28
20	100	94	88	83	78	73	69	65	61	57	54	51	48	45	43	40	38	36	34	32
21	...	100	94	88	83	78	73	69	65	61	58	54	51	48	45	43	41	38	36	34
22	...	...	100	94	88	83	78	73	69	65	61	58	54	51	48	46	43	41	38	36
23	...	...	...	100	94	88	83	78	74	69	65	61	58	55	52	48	46	43	41	38
24	...	...	...	...	100	94	88	83	83	78	74	70	65	62	58	55	52	49	46	43
25	...	...	...	...	...	100	94	88	89	83	79	74	70	66	62	58	55	52	49	46
26	...	...	...	...	...	...	100	94	94	83	83	79	74	70	66	62	58	55	52	49
27	...	...	...	...	...	...	...	100	100	94	89	83	79	74	70	66	62	58	55	52
28	...	...	...	...	...	...	...	...	...	100	94	89	84	79	74	70	66	62	58	55
29	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79	74	70	66	62	58
30	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79	74	70	66	62
31	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79	74	70	66
32	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79	74	70
33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79	70
34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84	79
35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89	84
36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94	89
37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100	94
38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100
39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	100

VSBY (KM)	RELATIVE HUMIDITY														
	85	86	87	88	89	90	91	92	93	94	95	96	97	98	>99
1.5	.556	.566	.578	.591	.605	.621	.639	.660	.685	.714	.751	.797	.862	.961	1.159
2.0	.420	.428	.437	.447	.458	.470	.484	.500	.519	.541	.569	.605	.655	.731	.983
2.5	.338	.345	.352	.360	.368	.378	.390	.403	.418	.436	.458	.488	.527	.590	.713
3.0	.282	.288	.294	.301	.308	.316	.326	.336	.349	.364	.383	.408	.442	.494	.598
4.0	.212	.216	.221	.226	.232	.238	.245	.253	.263	.274	.289	.307	.333	.372	.451
5.0	.170	.173	.177	.181	.185	.191	.196	.203	.211	.220	.231	.246	.267	.299	.362
6.0	.141	.144	.147	.151	.154	.159	.163	.169	.175	.183	.193	.205	.222	.249	.302
7.0	.121	.123	.126	.129	.132	.136	.140	.145	.150	.157	.165	.176	.190	.213	.259
8.0	.106	.108	.110	.113	.115	.119	.122	.126	.131	.137	.144	.153	.166	.186	.226
9.0	.094	.096	.098	.100	.102	.105	.108	.112	.116	.121	.128	.136	.148	.165	.201
10.0	.084	.086	.088	.090	.092	.094	.097	.101	.104	.109	.115	.122	.133	.148	.180
15.0	.048	.049	.050	.051	.052	.053	.055	.057	.059	.062	.065	.069	.075	.084	.102
20.0	.029	.030	.031	.031	.032	.033	.034	.035	.036	.038	.040	.043	.046	.052	.063
30.0	.017	.017	.017	.018	.018	.019	.019	.020	.021	.021	.023	.024	.026	.029	.036
40.0	.012	.012	.012	.013	.013	.013	.014	.014	.015	.016	.016	.017	.019	.021	.026
50.0	.009	.009	.010	.010	.010	.010	.011	.011	.011	.012	.013	.013	.015	.016	.020

TABLE A-3A. AEROSOL EXTINCTION COEFFICIENT (B_{AER})
MARITIME MODEL

VSØY (KM)	RELATIVE HUMIDITY														
	≤10	30	50	55	60	65	70	72	74	76	78	80	81	82	84
1.5	.286	.296	.310	.314	.320	.326	.333	.359	.348	.423	.464	.513	.520	.528	.546
2.0	.216	.223	.234	.238	.242	.246	.252	.271	.293	.319	.351	.388	.394	.399	.413
2.5	.173	.179	.188	.191	.194	.198	.202	.217	.235	.257	.282	.318	.316	.321	.332
3.0	.145	.150	.157	.159	.162	.165	.169	.182	.197	.214	.235	.260	.264	.268	.277
4.0	.109	.113	.118	.120	.122	.124	.127	.136	.148	.161	.177	.196	.199	.202	.208
5.0	.087	.090	.094	.096	.097	.099	.101	.109	.118	.129	.141	.157	.159	.161	.167
6.0	.073	.075	.079	.080	.081	.083	.084	.091	.098	.107	.118	.130	.132	.134	.139
7.0	.062	.064	.067	.068	.069	.071	.072	.078	.084	.092	.101	.112	.113	.115	.119
8.0	.054	.056	.059	.059	.060	.062	.063	.068	.073	.080	.088	.097	.099	.100	.104
9.0	.049	.050	.052	.053	.054	.055	.056	.060	.065	.071	.078	.086	.088	.089	.092
10.0	.043	.045	.047	.047	.048	.049	.050	.054	.058	.064	.070	.078	.079	.080	.083
15.0	.024	.025	.026	.027	.027	.028	.028	.031	.033	.036	.040	.044	.045	.045	.047
20.0	.015	.016	.016	.016	.017	.017	.017	.019	.020	.022	.024	.027	.027	.028	.029
30.0	.008	.009	.009	.009	.009	.010	.010	.011	.011	.013	.014	.015	.015	.016	.016
40.0	.006	.006	.007	.007	.007	.007	.007	.008	.008	.009	.010	.011	.011	.011	.012
50.0	.005	.005	.005	.005	.005	.005	.005	.006	.006	.007	.008	.009	.009	.009	.009

TABLE A-3A. AEROSOL EXTINCTION COEFFICIENT (B_{AER})
MARITIME MODEL

VSBY (KM)	RELATIVE HUMIDITY														>99
	<=50	55	60	65	70	75	80	85	90	92	94	96	98		
1.5	.260	.260	.260	.260	.260	.251	.240	.243	.247	.249	.253	.257	.264	.272	
2.0	.195	.195	.195	.195	.195	.188	.180	.182	.185	.187	.189	.193	.195	.204	
2.5	.156	.156	.156	.156	.156	.151	.144	.146	.148	.150	.151	.154	.159	.163	
3.0	.130	.130	.130	.130	.130	.125	.120	.121	.123	.125	.126	.128	.132	.136	
4.0	.097	.098	.098	.098	.098	.094	.090	.091	.092	.093	.094	.096	.099	.102	
5.0	.078	.078	.078	.078	.078	.075	.072	.073	.074	.074	.075	.077	.079	.081	
6.0	.065	.065	.065	.065	.065	.062	.060	.060	.061	.062	.063	.064	.066	.067	
7.0	.055	.055	.055	.055	.055	.053	.051	.052	.052	.053	.054	.054	.056	.058	
8.0	.048	.048	.048	.048	.048	.047	.044	.045	.046	.046	.047	.047	.049	.050	
9.0	.043	.043	.043	.043	.043	.041	.039	.040	.041	.041	.041	.042	.043	.045	
10.0	.038	.038	.038	.038	.038	.037	.035	.036	.036	.037	.037	.038	.039	.040	
15.0	.022	.022	.022	.022	.022	.021	.020	.020	.021	.021	.021	.021	.022	.023	
20.0	.013	.013	.013	.013	.013	.013	.012	.012	.013	.013	.013	.013	.013	.014	
30.0	.008	.008	.008	.008	.008	.007	.007	.007	.007	.007	.007	.007	.008	.008	
40.0	.005	.005	.005	.005	.005	.005	.005	.005	.005	.005	.005	.005	.006	.006	
50.0	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	

TABLE A-3B. AEROSOL EXTINCTION COEFFICIENT (B_{AER})
URBAN MODEL

VSBY (KM)	RELATIVE HUMIDITY													
	<50	55	60	65	70	75	80	85	90	92	94	96	98	>99
1.5	.232	.232	.232	.233	.233	.234	.234	.240	.249	.254	.261	.271	.288	.307
2.0	.175	.175	.176	.176	.176	.176	.177	.181	.188	.191	.196	.203	.216	.230
2.5	.141	.141	.141	.141	.141	.142	.142	.145	.150	.153	.157	.163	.173	.184
3.0	.117	.118	.118	.118	.118	.118	.118	.121	.125	.128	.131	.136	.144	.153
4.0	.088	.088	.088	.089	.089	.089	.089	.091	.094	.096	.098	.102	.108	.115
5.0	.071	.071	.071	.071	.071	.071	.071	.073	.075	.077	.078	.081	.086	.092
6.0	.059	.059	.059	.059	.059	.059	.059	.060	.063	.064	.065	.067	.072	.076
7.0	.050	.050	.050	.050	.051	.051	.051	.052	.053	.054	.056	.058	.061	.065
8.0	.044	.044	.044	.044	.044	.044	.044	.045	.047	.048	.049	.050	.053	.057
9.0	.039	.039	.039	.039	.039	.039	.039	.040	.041	.042	.043	.045	.047	.050
10.0	.035	.035	.035	.035	.035	.035	.035	.036	.037	.038	.039	.040	.042	.045
15.0	.020	.020	.020	.020	.020	.020	.020	.020	.021	.021	.022	.023	.024	.026
20.0	.012	.012	.012	.012	.012	.012	.012	.012	.013	.013	.013	.014	.015	.016
30.0	.007	.007	.007	.007	.007	.007	.007	.007	.007	.007	.008	.008	.008	.009
40.0	.005	.005	.005	.005	.005	.005	.005	.005	.005	.005	.005	.006	.006	.006
50.0	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.004	.005	.005

TABLE A-3C. AEROSOL EXTINCTION COEFFICIENT (B_{AER})
RURAL MODEL

<u>VISIBILITY</u> <u>(KM)</u>	<u>EXTINCTION</u> <u>COEFFICIENT</u>
.1	9.999
.2	5.319
.5	2.264
1.0	1.164

TABLE A-3D. AEROSOL EXTINCTION COEFFICIENT (B_{AER})
FOG MODEL

TEMPERATURE (C)

DEW POINT	-30.	-15.	0.	5.	10.	15.	20.	22.	24.	26.	28.	30.	32.	34.	36.	38.	40.
-30.	.029	.027	.026	.025	.025	.024	.024	.024	.024	.023	.023	.023	.023	.022	.022	.022	.022
-29.		.028	.026	.026	.026	.025	.025	.025	.024	.024	.024	.024	.024	.023	.023	.023	.023
-28.		.028	.027	.027	.026	.026	.026	.026	.025	.025	.025	.025	.025	.024	.024	.024	.024
-27.		.029	.028	.027	.027	.026	.026	.026	.026	.026	.026	.025	.025	.025	.025	.025	.025
-26.		.029	.028	.028	.027	.027	.027	.027	.027	.027	.026	.026	.026	.026	.026	.026	.026
-25.		.030	.029	.028	.028	.028	.028	.028	.027	.027	.027	.027	.027	.027	.027	.027	.027
-24.		.031	.030	.029	.029	.028	.028	.028	.028	.028	.028	.028	.028	.028	.028	.028	.028
-23.		.032	.030	.030	.030	.029	.029	.029	.029	.029	.029	.029	.029	.029	.029	.029	.029
-22.		.033	.031	.031	.030	.030	.030	.030	.030	.030	.030	.030	.030	.030	.030	.030	.030
-21.		.034	.032	.032	.031	.031	.031	.031	.031	.030	.030	.030	.030	.030	.030	.030	.030
-20.		.035	.033	.032	.032	.032	.032	.031	.031	.031	.031	.031	.031	.031	.031	.031	.031
-19.		.036	.034	.033	.033	.033	.032	.032	.032	.032	.032	.032	.032	.032	.032	.032	.032
-18.		.038	.035	.035	.034	.033	.033	.033	.033	.033	.033	.033	.033	.033	.033	.033	.033
-17.		.039	.036	.036	.035	.034	.034	.034	.034	.034	.034	.034	.034	.034	.034	.034	.034
-16.		.041	.038	.037	.036	.035	.035	.035	.035	.035	.035	.035	.035	.035	.035	.035	.035
-15.		.043	.039	.038	.038	.037	.036	.036	.036	.036	.036	.036	.036	.036	.036	.036	.036
-14.			.041	.040	.039	.038	.038	.037	.037	.037	.037	.037	.037	.037	.037	.037	.037
-13.			.042	.041	.040	.039	.039	.039	.038	.038	.038	.038	.038	.038	.038	.038	.038
-12.			.044	.043	.042	.040	.040	.040	.040	.040	.039	.039	.039	.039	.039	.039	.039
-11.			.047	.045	.044	.042	.042	.042	.041	.041	.041	.041	.040	.040	.040	.040	.040
-10.			.049	.047	.046	.044	.043	.043	.043	.043	.042	.042	.042	.042	.041	.041	.041
-9.			.051	.050	.048	.045	.045	.045	.045	.044	.044	.044	.043	.043	.043	.043	.043
-8.			.054	.052	.050	.048	.047	.047	.047	.046	.046	.045	.045	.045	.044	.044	.044
-7.			.057	.055	.053	.050	.049	.049	.049	.048	.048	.047	.047	.047	.046	.046	.046
-6.			.060	.058	.056	.052	.052	.052	.051	.050	.050	.049	.049	.049	.048	.048	.048
-5.			.064	.061	.059	.055	.054	.054	.054	.053	.052	.052	.051	.051	.050	.050	.050
-4.			.069	.065	.062	.058	.057	.056	.056	.056	.055	.054	.054	.053	.053	.052	.052
-3.			.072	.069	.066	.061	.060	.059	.059	.059	.058	.057	.057	.056	.055	.055	.054
-2.			.077	.073	.070	.065	.064	.063	.063	.062	.061	.060	.060	.059	.058	.058	.057
-1.			.082	.078	.075	.069	.067	.066	.066	.065	.065	.064	.063	.062	.061	.061	.060

TABLE A-4. MOLECULAR EXTINCTION COEFFICIENT (B_{MOL})

TEMPERATURE (C)

DEW POINT	-30.	-15.	0.	5.	10.	15.	20.	22.	24.	26.	28.	30.	32.	34.	36.	38.	40.
0.			.088	.084	.080	.076	.073	.072	.071	.069	.068	.067	.066	.066	.065	.064	.063
1.				.089	.085	.081	.078	.076	.075	.074	.073	.072	.070	.069	.068	.068	.067
2.				.090	.086	.082	.079	.077	.076	.075	.074	.073	.071	.070	.069	.068	.067
3.				.103	.098	.093	.088	.087	.085	.084	.082	.081	.080	.078	.077	.076	.075
4.				.110	.105	.099	.095	.093	.091	.089	.088	.086	.085	.083	.082	.081	.080
5.				.119	.112	.107	.101	.099	.097	.096	.094	.092	.091	.089	.088	.086	.085
6.					.121	.115	.109	.107	.104	.102	.101	.099	.097	.095	.094	.092	.090
7.					.130	.123	.117	.114	.112	.110	.108	.106	.104	.102	.100	.098	.096
8.					.140	.133	.125	.123	.120	.118	.115	.113	.111	.109	.107	.105	.103
9.					.151	.143	.135	.132	.129	.126	.124	.121	.119	.116	.114	.112	.110
10.					.163	.154	.145	.142	.138	.135	.133	.130	.127	.125	.122	.120	.117
11.						.170	.159	.155	.151	.148	.144	.141	.137	.134	.131	.128	.126
12.						.186	.174	.169	.165	.161	.157	.153	.149	.146	.142	.139	.136
13.						.203	.190	.185	.180	.175	.171	.166	.162	.158	.155	.151	.147
14.						.222	.207	.201	.196	.191	.186	.181	.177	.172	.168	.164	.160
15.						.242	.226	.220	.214	.208	.203	.197	.192	.187	.183	.178	.174
16.							.246	.240	.233	.227	.221	.215	.209	.204	.199	.193	.189
17.							.269	.261	.254	.247	.240	.234	.228	.222	.216	.210	.205
18.							.293	.284	.276	.269	.261	.254	.247	.241	.234	.228	.222
19.							.319	.310	.301	.292	.284	.276	.269	.261	.254	.247	.241
20.							.348	.337	.327	.318	.309	.300	.292	.284	.276	.268	.261
21.								.367	.356	.346	.336	.326	.317	.308	.299	.291	.283
22.								.400	.388	.376	.365	.354	.343	.334	.324	.315	.306
23.									.423	.405	.396	.384	.373	.362	.351	.341	.331
24.									.461	.446	.431	.418	.405	.392	.380	.369	.358
25.										.486	.470	.454	.439	.425	.412	.399	.387
26.										.531	.512	.495	.478	.462	.447	.433	.419
27.											.561	.540	.521	.503	.486	.469	.454
28.											.616	.592	.569	.548	.528	.510	.492
29.												.651	.624	.599	.576	.555	.535
30.												.722	.689	.659	.632	.608	.583
31.													.767	.729	.696	.665	.636
32.													.867	.816	.773	.735	.701

TABLE A-4. MOLECULAR EXTINCTION COEFFICIENT (B_{MOL})

EXT COEF	TRANS	EXT COEF	TRANS	EXT COEF	TRANS	EXT COEF	TRANS	EXT COEF	TRANS	EXT COEF	TRANS
.01	.96	.23	.40	.45	.17	.67	.07	.89	.03	1.11	.01
.02	.92	.24	.38	.46	.16	.68	.07	.90	.03	1.12	.01
.03	.89	.25	.37	.47	.15	.69	.06	.91	.03	1.13	.01
.04	.85	.26	.35	.48	.15	.70	.06	.92	.03	1.14	.01
.05	.82	.27	.34	.49	.14	.71	.06	.93	.02	1.15	.01
.06	.79	.28	.33	.50	.14	.72	.06	.94	.02	1.16	.01
.07	.76	.29	.31	.51	.13	.73	.05	.95	.02	1.17	.01
.08	.73	.30	.30	.52	.12	.74	.05	.96	.02	1.18	.01
.09	.70	.31	.29	.53	.12	.75	.05	.97	.02	1.19	.01
.10	.67	.32	.28	.54	.12	.76	.05	.98	.02	1.20	.01
.11	.64	.33	.27	.55	.11	.77	.05	.99	.02	1.21	.01
.12	.62	.34	.26	.56	.11	.78	.04	1.00	.02	1.22	.01
.13	.59	.35	.25	.57	.10	.79	.04	1.01	.02	1.23	.01
.14	.57	.36	.24	.58	.10	.80	.04	1.02	.02	1.24	.01
.15	.55	.37	.23	.59	.09	.81	.04	1.03	.02	1.25	.01
.16	.53	.38	.22	.60	.09	.82	.04	1.04	.02	1.26	.01
.17	.51	.39	.21	.61	.09	.83	.04	1.05	.01	1.27	.01
.18	.49	.40	.20	.62	.08	.84	.03	1.06	.01	1.28	.01
.19	.47	.41	.19	.63	.08	.85	.03	1.07	.01	1.29	.01
.20	.45	.42	.19	.64	.08	.86	.03	1.08	.01	1.30	.01
.21	.43	.43	.18	.65	.07	.87	.03	1.09	.01	1.31	.01
.22	.41	.44	.17	.66	.07	.88	.03	1.10	.01	1.32	.01
										>1.33	.00

TABLE A-5. ATMOSPHERIC TRANSMISSION (τ_{ATM}) AT REFERENCE RANGE (4 km)

DISTRIBUTION LIST

Director
Advanced Research Projects Agency
Attn: Library
1400 Wilson Blvd
Arlington, VA 22209 (1 cy)

AFATL/DLMI
Eglin AFB FL 32542 (2 cys)

AFATL/DLMT
Eglin AFB FL 32542 (1 cy)

AFGL/OP
Hanscom AFB MA 01731 (1 cy)

AFGL/OPI
Hanscom AFB MA 01731 (20 cys)

AFGL/OPA
Hanscom AFB MA 01731 (2 cys)

AFGL/LY
Hanscom AFB MA 01731 (1 cy)

AFGL/LYS
Hanscom AFB MA 01731 (3 cys)

AFGL/SULL
Hanscom AFB MA 01731 (1 cy)

AFGWC/DOX
Offutt AFB NE 68113 (1 cy)

AFGWC/TSI
Offutt AFB NE 68113 (1 cy)

AF Office of Scientific Research (AFSC)
European Office of Aerospace Research
and Development (EOARD/LNG)
Attn: Lt Col P. Soliz
P.O. Box 14
FPO NY 09510 (1 cy)

AFSC/DLS
Andrews AFB MD 20331 (1 cy)

AFSC/WER
Andrews AFB MD 20331 (1 cy)

AFTEC/WE
Kirtland AFB NM 87117 (1 cy)

AFWAL/AAAS-2
Wright-Patterson AFB OH 45433 (1 cy)

AFWAL/AARI
Wright-Patterson AFB OH 45433 (1 cy)

AFWAL/AARI-3
Wright-Patterson AFB OH 45433 (2 cys)

AFWAL/WEA
(Det 1, 2WS)
Wright-Patterson AFB OH 45433 (1 cy)

AFWL/WE
(OL-B, 2WS)
Kirtland AFB NM 87117 (1 cy)

Director
AMSAA
Attn: Library
Aberdeen Proving Ground, MD 21005 (1 cy)

Armament Division/YAEW
Eglin AFB FL 32542 (1 cy)

Armament Division/YG
Eglin AFB FL 32542 (1 cy)

Armament Division
Attn: Tech Library
Eglin AFB FL 32542 (1 cy)

Armament Division/WE
(Det 10, 2WS)
Eglin AFB FL 32542 (1 cy)

ASD/ENA
Wright-Patterson AFB OH 45433 (1 cy)

ASD/SD 65
Wright-Patterson AFB OH 45433 (1 cy)

ASD/WE
(Det 1, 2WS)
Wright-Patterson AFB OH 45433 (1 cy)

Hq AWS/DOO
Scott AFB IL 62225 (1 cy)

Hq AWS/DNX
Scott AFB IL 62225 (1 cy)

Hq AWS/SYR
Scott AFB IL 62225 (1 cy)

Battelle Columbus Laboratories
Attn: Michael Kluse
505 King Avenue
Columbus, OH 43201 (1 cy)

Project Manager
CAC
Attn: DRCPM-CAC
Vint Hill Station, VA 22186 (1 cy)

COM NAV OCEAN COM
NSTL Station, N54
Bay St. Louis, MS 39529 (1 cy)

Defense Technical Information
Center
Cameron Station
Alexandria, VA 22314 (2 cys)

Department of the Army
Attn: DAMI-ISPC (Mr. J. Beck)
Pentagon
Washington, DC 20310 (1 cy)

Department of the Army
Office of the Chief of Engineers
DAEN-RDM (Dr. Richard Gomez)
20 Massachusetts Ave, N.W.
Washington, DC 20314 (1 cy)

Commander
DARCOM
Attn: Library
5001 Eisenhower Ave
Alexandria, VA 22333 (1 cy)

Director
Defense Intelligence Agency
Attn: Library
Pentagon
Washington, DC 20310 (1 cy)

Commander
Defense Mapping School
Fort Belvoir, VA 22060 (1 cy)

Commander
Dugway Proving Ground
Attn: Library
Dugway, UT 84022 (1 cy)

ESD/WE
(Det 2, 2WS)
Hanscom AFB MA 01731 (1 cy)

Project Manager
FIREFINDER
Attn: DRCPM-FF
Fort Monmouth, NJ 07703 (1 cy)

FLENUM OCEAN CEN
Attn: Library
Monterey, CA 93940 (1 cy)

FTD/WE
(Det 1, 2WS)
Wright-Patterson AFB OH 45433 (1 cy)

Engineering Experiment Station
Attn: EML (D. Schmieder)
Georgia Institute of Technology
Atlanta, GA 30332 (1 cy)

Project Manager
GLLD/LTD
Redstone Arsenal, AL 35809 (1 cy)

Commander
Harry Diamond Lab
2800 Powder Mill Rd
Adelphi, MD 20783 (1 cy)

Joint AMC/NMC/AFLC/AFSC Commanders
Joint Technical Coordinating
Group for Munitions Effectiveness
Attn: DRXSY-FJ
Aberdeen Proving Ground, MD 21005 (1 cy)

Los Alamos Scientific Lab
Attn: Library
P.O. Box 1663
MS 531
Los Alamos, NM 87545 (1 cy)

Commander
Marine Corps Development Center
Attn: Library
Quantico, VA 22134 (1 cy)

NARADCOM
Attn: Library
Natick, MA 01760 (1 cy)

Naval Air Development Center
Attn: Library
Wareminister, PA 18974 (1 cy)

Naval Air Systems Command
Attn: Air 333A (Dr. Twitchell)
Washington, DC 20361 (1 cy)

Naval Air Systems Command
Attn: Library
Washington, DC 20361 (1 cy)

Naval Electronics Lab Center
Attn: Library
San Diego, CA 92152 (1 cy)

Naval Environmental Prediction
Research Facility
Atmospheric Effects Department
Attn: Dr. Andreas Goroch
Monterey, CA 93940 (1 cy)

Naval Environmental Prediction
Research Facility
Attn: Library
Monterey, CA 93940 (1 cy)

Naval Ocean Systems Center
Attn: Code 5322 (H. Hughes)
San Diego, CA 92152 (1 cy)

Naval Ocean Systems Center
Attn: Code 5325
San Diego, CA 92152 (1 cy)

Naval Ocean Systems Center
Attn: Code 532 (Dr. J. Richter)
San Diego, CA 92152 (1 cy)

Naval Ordnance Lab/White Oak
Attn: Technical Library
Silver Spring, MD 20910 (1 cy)

Naval Physics Department
Naval Ordnance Lab (Code 223)
Silver Spring, MD 20910 (1 cy)

Naval Postgraduate School
Department of Physics
Monterey, CA 93940 (1 cy)

Naval Research Laboratory
Attn: Library
4555 Overlook Avenue, SW
Washington, DC 20375 (1 cy)

Naval Research Laboratory
Attn: Code 8320 (Dr. Lothar Ruhnke)
4555 Overlook Avenue, SW
Washington, DC 20375 (1 cy)

Naval Sea Systems Command
Code SEA62R1
Washington, DC 20362 (1 cy)

Naval Surface Weapons Center
Attn: Code R42 (Dr. B. Katz)
White Oak Laboratory
Silver Spring, MD 21401 (1 cy)

Naval Surface Weapons Center
Attn: Library
Dehlgren, VA 22448 (1 cy)

Naval Weapons Center
Code 3151 (Mr. W. Tanaka)
China Lake, CA 93555 (1 cy)

Naval Weapons Center
Code 3918
China Lake, CA 93555 (1 cy)

Naval Weapons Center
Code 39403 (Dr. J. Wunderlich)
China Lake, CA 93555 (1 cy)

Naval Weapons Support Center
Attn: Library
Cran, IN 47522 (1 cy)

Commander
Night Vision & Electro Optics Lab
Attn: DELNV-VI
Fort Belvoir, VA 22060 (1 cy)

Commander
Night Vision & Electro Optics Lab
Attn: DELNV-VI (L. Obert)
Fort Belvoir, VA 22060 (1 cy)

OUSDR&E (E&PS)
Attn: Col Paul Try
The Pentagon, Rm 3D129
Washington, DC 20301 (1 cy)

Pacific Missile Test Center
Attn: Library
Code 3252
Point Mugu, CA 93042 (1 cy)

The Rand Corporation
Attn: Library
1700 Main St.
Santa Monica, CA 90406 (1 cy)

The Rand Corporation
Attn: Ralph Hirschke
1700 Main St.
Santa Monica, CA 90406 (1 cy)

RADC/WE
(OL-C, 2WS)
Griffiss AFB NY 13440 (1 cy)

Project Manager
REMBASS
Attn: DRCPM-RBS
Fort Monmouth, NJ 07703 (1 cy)

SD/WE
(Det 50, 2WS)
Los Angeles AFS CA 90009 (1 cy)

Project Manager
SOTAS
Attn: DRCPM-STA
Fort Monmouth, NJ 07703 (1 cy)

6585TC/WE
(OL-A, 2WS)
Holloman AFB NM 88330 (1 cy)

Systems and Applied Sciences Corp
109 Massachusetts Avenue
Lexington, MA 02173 (25 cys)

Hq TAC/XPJC
Attn: Maj Riess
Langley AFB VA 23665 (1 cy)

Project Manager
TOW/DRAGON
Redstone Arsenal, AL 35809 (1 cy)

USAFETAC/DN
Scott AFB IL 62225 (1 cy)

USAFETAC/DNE
Scott AFB IL 62225 (1 cy)

USAFETAC/TST
Attn: AWS Technical Library
Scott AFB IL 62225 (25 cys)

Hq USAF/PACGP
Attn: Lt Col Roger Christensen
The Pentagon
Washington, DC 20330 (1 cy)

Commandant
U.S. Army Air Defense School
Attn: Library
Fort Bliss, TX 79916 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AR
White Sands Missile Range, NM 88002 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AR-A
White Sands Missile Range, NM 88002 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AR-M
White Sands Missile Range, NM 88002 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AE
White Sands Missile Range, NM 88002 (2 cys)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AE-E
White Sands Missile Range, NM 88002 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AE-O (Dr. Lou Duncan)
White Sands Missile Range, NM 88002 (1 cy)

Commander/Director
U.S. Army Atmospheric Sciences Lab
Attn: DELAS-AT (Mr. Pries)
White Sands Missile Range, NM 88002 (1 cy)

Commander
U.S. Army Ballistics Research Lab
Attn: Library
Aberdeen Proving Ground, MD 21005 (1 cy)

Commander
U.S. Army Combined Arms Center
Attn: ATZLCA-WE (Lt Col Thomas Taylor)
Fort Leavenworth, KS 66027 (1 cy)

Commander
U.S. Army Combined Arms Center
Attn: CACDA-CCA
Fort Leavenworth, KS 66027 (1 cy)

Commander
U.S. Army Concepts & Analysis Agency
Attn: CSCA-SMC
8120 Woodmont Avenue
Bethesda, MD 20014 (1 cy)

Commandant
U.S. Army Engineer School
Attn: Library
Fort Belvoir, VA 22060 (1 cy)

U.S. Army Engineers Waterways
Experiment Station
Attn: WESEA (Dr. Lewis Link)
P.O. Box 631
Vicksburg, MS 39180 (1 cy)

Commander
U.S. Army Engineers Waterways
Experiment Station
Attn: Library
Vicksburg, MS 39180 (1 cy)

Commander
U.S. Army ERADCOM
Attn: Library
2800 Powder Mill Road
Adelphi, MD 20783 (1 cy)

Commandant
U.S. Army Field Artillery School
Attn: Library
Fort Sill, OK 73503 (1 cy)

Commandant
U.S. Army Infantry Center & School
Attn: Library
Fort Benning, GA 31905 (1 cy)

Commander
U.S. Army Intelligence Center & School
Attn: ATSI-CD-CS
Fort Huachuca, AZ 85613 (1 cy)

Commander
U.S. Army Intelligence Center & School
Attn: ATSI-CD-CS-SWO
Fort Huachuca, AZ 85613 (1 cy)

U.S. Army MICOM
Attn: AMSMI-REI
Redstone Arsenal, AL 35809 (1 cy)

U.S. Army MICOM
Attn: DRSMI-RGT
Redstone Arsenal, AL 35809 (1 cy)

U.S. Army MICOM
Attn: Library
Redstone Arsenal, AL 35809 (1 cy)

Commander
U.S. Army OTEA
5600 Columbia Pike
Falls Church, VA 22041 (1 cy)

U.S. Army Program Manager
Smoke/Obscuration
Attn: DRCPM-SMK-T
Aberdeen Proving Ground, MD 21005 (1 cy)

Commander
U.S. Army Systems Analysis Agency
Attn: Library
Aberdeen Proving Ground, MD 21005 (1 cy)

Commander
U.S. Army TRADOC Combined Arms
Test Activity
Attn: ATCAT-SCI
Fort Hood, TX 76544 (1 cy)

Commander
U.S. Army TRADOC Systems Analysis
Activity
Attn: Library
White Sands Missile Range, NM 88002 (1 cy)

Commander
U.S. Army Training & Evaluation Command
Attn: Library
Aberdeen Proving Ground, MD 21005 (1 cy)

Commander
U.S. Army Training & Doctrine Command
Attn: Library
Fort Monroe, VA 23651 (1 cy)

USAF Academy
Department of Physics (DFP)
Colorado, CO 80840 (1 cy)

USAF TAWC/THL
Attn: Maj J.D. Kittrell
Eglin AFB FL 32542 (1 cy)

Commander
U.S. Tank Automotive Research
and Development Command
Attn: Library
Warren, MI 48090 (1 cy)

Commander, TARADCOM
Project Manager
MICV
Warren, MI 48090 (1 cy)

Commander, TARADCOM
Project Manager
M60 Tank System
Warren, MI 48090 (1 cy)

Commander, TARADCOM
Project Manager
XM-1 Tank System
Warren, MI 48090 (1 cy)

Project Manager
VIPER/AHAMS
Redstone Arsenal, AL 35809 (1 cy)

1WW/DN
Hickam AFB HI 96853 (1 cy)

2WW/DN
APO 09012 (1 cy)

3WW/DN
Offutt AFB NE 68113 (1 cy)

5WW/DN
Langley AFB VA 23665 (1 cy)

7WW/DO
Scott AFB IL 62225 (1 cy)

AWS/SY
Scott AFB IL 62225 (2 cys)

1WW/DO
APO SF 96853 (1 cy)

2WW/DO
APO NY 09012 (1 cy)

3WW/DO
Offutt AFB NE 68113 (1 cy)

5WW/DO
Langley AFB VA 23665 (1 cy)

AFGWC/DO
Offutt AFB NE 68113 1 cy

USAFETAC/DO
Scott AFB IL 62225 1 cy

3350 TCHTG/TTMV
CHANUTE AFB IL 61868 1 cy

Hq AWS/SYR
Scott AFB IL 62225 47 cys

