
DESIGN OF COMPUTER-RELATED MORKSTATIONS IN RELATION TO JOB FUNCTIONS AND. (U) CONSTRUCTION ENGINEERING RESEARCH LAB (ARMY) CHAMPRIGN IL C C LOZAR ET AL. DEC 84 CERL-P-85/09 MIPR-80-939-5 F/G 5/5 AD-A151 938 1/2 NL UNCLASSIFIED ï - 1 - 1




MICROCOPY RESOLUTION 1551 CHART



Construction Engineering Research Edwardory



TECHNICAL REPORT P-85/09 December 1984




AD-A151 938

DESIGN OF COMPUTER-RELATED WORKSTATIONS IN RELATION TO JOB FUNCTIONS AND PRODUCTIVITY

THE STORM THE STORM OF THE STORM STORM STORM OF THE STORM

by Charles C. Lozar Robert D. Neathammer





Approved for pure, increase distribution unamitted.

85 03 11 091

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED DO NOT RETURN IT TO THE ORIGIN ATOR

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CERL-TR-P-85/09 2. GOVT ACCESSION NO.	738
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
DESIGN OF COMPUTER-RELATED WORKSTATIONS IN	Final
RELATION TO JOB FUNCTIONS AND PRODUCTIVITY	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(8)
Charles C. Lozar	
Robert D. Neathammer	MIPR 80-939-5
9 PERFORMING ORGANIZATION NAME AND ADDRESS U.S. ARMY	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
CONSTRUCTION ENGINEERING RESEARCH LABORATORY P.O. BOX 4005, CHAMPAIGN, IL 61820	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Detense Systems Automation Center Columbus, OH	December 1984 13. NUMBER OF PAGES
4 MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	96 15. SECURITY CLASS. (of this report)
MONTORING AGENCY NAME & ADDRESS, It different from Controlling Office)	
	Unclassified
	SCHEDULE
Approved for public release; distribution unlimite 17 DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different fro	
SIST KISS TON STATEMENT (OF the Sales and sale	
18 SUPPLEMENTARY NOTES	
Copfes are available from the National Fechnical Springfield, VA - 22	
19 KEY WORDS (Continue on reverse side if necessary and identify by block number,)
workstations workplace layout productivity terminal	
20 ABSTRACT (Continue on reverse slow it necessary and identify by block number) This research analyzed offices at the Defense Defense Logistics Agency, Columbus, OH, to determi teria for computer-related job functions. This wa functional needs of employees and by a "before" an ation of a prototypical workstation area. The pro evaluated to control groups. Certain hypotheses a vacy, and productivity were tested within the limi	E Systems Automation Center, ne workstation design cri- us done by determining the did "after" renovation evalu- utotype was compared and about spatial adequacy, pri-

READ INSTRUCTIONS

BLOCK 20. (Cont'd)


the overall survey. The results of this analysis were related to previous research and then transplanted into recommended design actions which can be interpreted by interior designers, architects, and office managers. This will improve performance in computer-related job functions through layout, furnishings selection, and support services within the physical envelope and the management structure of the organization.

UNCLASSIFIED

FOREWORD

This research was conducted for the Detense Logistics 7 ncy, the Defense Systems Automation Center, Columbus, OH, under MIPR 80-939-5, dated January 1981. The work was performed by the Facility Systems Division (FS), ".S. Army Construction Engineering Research Laboratory (USA-CERL).

Appreciation is expressed to Mr. William Young, Deputy Director of DSAC for his support and cooperation. Mr. E. A. Lotz is Chief of USA-CERL-FS. COL Paul J. Theuer is Commander and Director of USA-CERL, and Dr. L. R. Shaffer is Technical Director.



CONTENTS

		Page
	DD FORM 1473 FOREWORD LIST OF TABLES AND FIGURES	1 3 5
1	INTRODUCTION	7
2	IMPACTS OF COMPUTER TECHNOLOGY ON THE WORKSTATION	9
3	PREVIOUS RESEARCH	10
4	THE EXPERIMENT AND EVALUATION AT DSAC	12
5	ORIENTATION AND DATA COLLECTIONOrientation Data Collection	16
6	DATA ANALYSIS Functional Types Overall Survey Results Job Function and Physical Requirement Differences Regression Model Differences by Job Function	18
7	DESIGN AND EVALUATION OF PROTOTYPE AREA Design Layout Evaluation Results of Prototype Experiment Productivity Evaluation Models	39
8	SUMMARY AND CONCLUSIONS	63
	REFERENCES	64
	APPENDIX: Office Environment Questionnaire	65
	DISTRIBION	

TABLES

Number		Page
1	General Workstation Evaluation by Job Function	27
2	Physical Workstation Parameters by Job Function	28
3	Disturbances and Privacy by Job Function	29
4	Room Occupancy in Room With Respondent	30
5	Conferences Per Week by Job Function	30
6	File Adequacy by Job Function	31
7	Dead File Drawers by Job Function	31
8	Number of Working Desk Drawers Required for an "Adequate" Rating	32
9	Number of File Cabinet Drawers Required for an "Adequate" Rating	32
10	Chalkboard Useful	33
11	Tackboard for Graphics Useful	33
12	Computer Terminal Related Activities by Job Function	34
13	Linear Inches of Notebooks	35
14	Number of 1- to 3-In. Documents Which Respondents Presently Have	35
15	Number of 3-In. Documents	36
16	Summary Shelf Recommendations	36
17	Job Function Regression Models for Satisfaction With Area of Workstation Space	37
18	Job Function Regression Models for Satisfaction With Furniture	38
19	Job Function Regression Models for Satisfaction With Privacy	38
20	Regression Models for Adequate Area	53
21	Regression Models for Adequate Privacy	54
22	Regression Models for Furniture Satisfaction	55

TABLES (Cont'd)

Number		Pag
23	Time Seated at Desk	56
.24	Activities While Seated at Desk	5.7
25	Distance for Work-Related Conversations	5.7
26	Number of Business Related Trips Per Day Away From Desk	58
27	Frequency of Interruptions/Desk/Day	58
28	Frequency of Distractions While Seated at Desk/Day	59
29	Quality Standards	60
30	Performance Standards	61
31	Productivity Comparison	61
32	Normalized Productivity Model Scores	62
	FIGURES	
1	General Layout and Configuration of DSAC Offices	13
2	Typical DSAC Office Area Environment at All Workstation Types and Management Levels	14
3	Evaluation of Furniture in Workstation	20
4	Evaluation of Workstation in General	21
5	Evaluation of Room Conditions	22
б	Privacy at Workstation	24
1	Workstation Alternative Designs	40
ક	Proposed Layout for Prototype Area	42
9	Photos of Post-Renovation Prototype Office Area	44
1.0	Renovation Working Details	46
11	Changes in Furniture Evaluations	49
12	Changes in Workstation Evaluations	50
: 3	Changes in Privacy Evaluations	51

DESIGN OF COMPUTER-RELATED WORKSTATIONS IN RELATION TO JOB FUNCTIONS AND PRODUCTIVITY

INTRODUCTION

Background

The Detense Logistics Agency, Defense Systems Automation Center (DSAC), in Columbus, OH, employs 450 people to develop management protocols on computers. These protocols are later turned into programs to handle logistics requirements for the Department of Defense (DOD). This central processing agency is the source of all computer programs used for logistics support within DOD.

The DSAC employees work in a portion of a large warehouse building. The DSAC management telt that if the physical setting of personnel workstations were improved, employee productivity would increase. Therefore, they asked the U.S. Army Construction Engineering Research Laboratory (USA-CERL) to design and implement a prototype area which could be used to determine design criteria for new workstations. The USA-CERL study centered on the most appropriate types of workstations to support the various employee job functions. DSAC job functions are generally categorized as manager, computer programmer, computer analyst, functional analyst, and other support staff.

DSAC job functions require people to spend up to 40 percent of their time at their workstation, performing some level of mental task. The workstation requirements of individuals involved in high-level mental concentration tasks, such as computer-related work, are need for privacy, absence of distraction, and visual stimulation by the environment.

DSAC was interested in identifying the major parameters and variables which could be manipulated to increase the productivity, efficiency, and effectiveness of personnel in computer-related job functions. USA-CERL's task therefore became one of developing guidance for designing this type of work-station and identifying appropriate design criteria for an office area containing 450 people doing similar work. This study expands upon previous workland can be applied to developing and designing workstations for other specific job functions.

minotive

The objectives of this research were (1) to develop a prototype for a logical office workstation layout and arrangement for computer-related job functions at DSAC and (2) to use the information gained from studying the

^{1.} C. Lozar and R. Porter, <u>Developing Habitability Information for the Design of Office Environments</u>, <u>Technical Report E-142/ADA074467 (U.S. Army Construction Engineering Research Laboratory [USA-CERL], 1977).</u>

provotype to develop designs for renovating the entire DSAC computer office area.

Approach

The literature was searched to determine previously developed design criteria for office workstations. A plan for conducting the DSAC study was then developed. The goals of the study were set and the plans coordinated with DSAC management. Data were collected and analyzed to determine employee monds. Results of the analysis were used to design a prototype area which was accupied by selected employees for 6 months. The prototype was evaluated by a comparing employee opinions from before and after the renovation. The results were used to recommend design criteria. A productivity model was developed to their evaluate how changes in environment affect employee productivity.

State part

This project was limited to developing workstation design guidance only a computer-related job functions. The term "computer-related" implies that the employee works with terminals either at his* desk or in a common area, that he works with the logic of developing a program, and that the output he works with is a computer listing. Most job functions (75 percent) at DSAC are these characteristics. Therefore, functional differences between jobs are addressed as they are related to design. These job functions do not transfer word processing centers or learning centers which use computer support terminingly. In determining the design criteria, specific measures for productivity were limited to satisfaction indices with workstations and management charter.

the mass dime pronoun is used throughout this report to refer to both conders.

2 IMPACTS OF COMPUTER TECHNOLOGY ON THE WORKSTATION

Computer-based office systems and related technologies are quickly becoming the largest and most complex segment of facility management's design responsibility. In large organizations, use of computer-connected, video discolar terminals alone is doubling every 3 or 4 years, because they improve productivity. However, this new technology trequently causes more confusion in law out, arrangement, and personal interaction. Its rapid expansion into the presidal environment has an impact on responsiveness, physical workstation needs, and personnel efficiency. Therefore, designers must first try to evaluate these changes before developing new workstation designs.

When computer-related support systems are introduced, some basic assumptions can be made about how they will affect workstation design:

- 1. The computer reminals and related materials at management-type works are not will require 30 to 50 percent of the available work surface area but sandle only 5 to 20 percent of the transactions. At other workstations, particularly those of computer programmers, terminals will handle 85 percent of the work-related transactions.
- 2. The major paper-based work will change from producing cumulative doctors to producing informative documents with computer listings; this will returning the size and area of the workstation required. In a "paperless" tribe, messages can be handled electronically. This eliminates the need for small notopads and letterheads. However, at DSAC, a large shelf area will still be required for output listings.
- 3. 300 of computer terminals affects vision and lighting and affects the removation and use of natural daylight. Clare is a major problem and must be balanced against task and ambient lighting requirements.
- 4. Computer technology will change the way individuals relate to other a restations. This will change individual requirements for privacy, control torivacy, and symbolic territorial boundaries.
- 5. The introduction of electronic technology can dramatically change how the introduction of electronic technology can dramatically change how the interactive some of them from being more interactive based work situations.

 $[\]rightarrow$,willy of Pacifity Management. Facility Management Institute Occasional laboration (1980).

- Zers they press, was studies have healt with the problem of developing derand order that the attend are distinguise of these at adies which dealt with the or as environment frequetion space pearning and affective behavior. They was the contributed at the relative entry per week sociopsychological tactors and The purpose of second of the recognition of the importance of works (i) expressing a collaboration of the production of and effect overess of strice works. .

 $-\chi \sim e^{-i\phi}$, $e^{-i\phi}$ is recommissed the general perceptions of ottice occurs, and the relation of the sample to offices during the 1980s. The changes process of a process of the contract and office automation in the workota in ama in supplementation that the sale.

A region to be againg week that as to fulfill the needs of computer proor our second at exemple different specific design criteria can be used The service of the each irrangement has advantages and disadone, in the control which were erg number data as a basis for developing The property of the control of the area required for certain the property of the control of the certain the control of the certain the control of the certain the certain of the certain the certain of the certain the certai and the first the containing and com-. The state of the the second of expension appears of privacy, professional image, socialand the section of the second anges in the technology-based office of

the control of the control of the design criteria for workstations and on the second of the second of design criteria. Four types of the second procedure the second of the procedure of the procedure of the second of the procedure

the second of the second restriction of the control of the second second control of the second secon

The contract wave contract of the Green said Needs of Computor that the same $1060\,\mathrm{Le}$. The contract of the said of May 1980).

whereas the second with the second respectively and ${\bf x}$

ou filip. Mow un la proposition de servició de l'apment destert desperament Tour Albert (18M, 1976).

PRIVACY IN WORK STATION

olis kolikus ese olikulisti ka**,** kus mondistoko kolikusennys molistoki sistema. Kolike olikus esistemas jo an sismi nisti mondika peam mondis kundistema. Kolike olikus olikus olikus sistemakolisti mingastarementa.

⊀ઇ.	Conversarions in my room disturb my ability to concentrate.	' - , '''	20
£9.	I can hear noise thru the walls of my office.	;;;;	?]
90.	People keep coming into my room and disturbing me.	_;;;	22
91.	The telephones in my room are a noise irritant.	—; —; —; —; —	23
2.	I have a high degree of control over my privacy in my room.	_' _' _'	24
33.	I have many visual distractions in my office which are disturbing.	_' _' _'	25
94.	My job requires a high degree of concentra-	_: _/: _	26
95.	Foral number of people in my room is	:::	27
lrs.	Number of people I can see while <u>sitting at my</u> deck is	:::	28

respondents combined for all office conditions).

the workstation environment. There are no windows in the room, which accounts the beatral ratings on that question. The floors, deilings, and all walls were given low ratings, and all utilities and services except lighting were all rated quite low. However, it must be remembered that the room contains about 30 people working either individually or in small groups.

Figure 6 shows ratings for privacy questions. The general ratings for "privacy in workstation" are generally negative. The strongest responses were lack of "control over privacy" and being able to "hear noise through the walls" of the affices. The environment did not seem to be exceptionally noisy; nowever, since the rating for "job requiring a high degree of concentration" is quite high, even a low perceived noise level may be annoying to the respondents.

Each respondent reterred to the total number of people in the room as being a moderately sized team group. However, the response to "number of people one can see while sitting at the desk" was about five, indicating that there is a lack of interworkstation partitions to cut down visual distractions. One interesting observation is that neither telephones nor "people ming into my room disturbing me" are perceived as a "noise irritant." Thus, it is quite possible that these are not detrimental to privacy levels, since one are probably job-related conversations or calls. However, being able to their and see other conversations and calls appears to be one of the major factors contributing to the privacy problem.

of Franciscon and Physical Requirement Differences

Tables 1 through 16 summarize analyses of responses concerning worktation activities and needs according to job function levels. Most responses to are directly to differences for physical requirements by job function evel. Each tabulation is identified by the respondent within each cell, as we last by whether there are significant differences (using a chi-square stativitial test) among job functions. Inspection of these differences will give takent into the various functional needs of each type of workstation. These are used to draw design implications for selecting interior furnishings.

Segress in Model Differences By Job Function

A series of regression models was run to determine which factors are more than explaining satisfaction with workstation space, turniture, and the reversion regression runs (summarized in Table 17) show the comparation of the regression models run for all respondents by job function; the population within a fact on." This regression model included the variables of satisfaction within the factor, desk size, storage space adequacy, flexibility of workstation, and idequate privacy. These variables were selected because they were all related to design of the space in and around the workstation. Space is a rejector paid of facility construction cost; therefore, it was


FLOORING IN ROOM

54.	Satistactory	::::Unsatistactory	57
55.	Clean	:::: Dirty	5 3
55.	in good repair	:::: In good repair	5 9
b'.	Attractive	:::: Unattractive	7.0
		CEILING IN ROOM	
*) **. •	Satistactory	:::: Unsatistactory	71
£1.}.	In good repair	::::: In poor repair	12
٠.,	Attractive timish	:::::Unattractive finish	7.3
		WALLS IN ROOM	
	Satistactory	:::::: Unsatisfactory	*
'.).	masy to clean	:::: Difficult to clean	75
3.	lo good repair	::::: In poor repair	76
14.	Attractive finish	:::: Unattractive finish	7.7
75.	Good quality paint	:::Poor quality paint	18
		UTILITIES AND SERVICES IN ROOM	
· Fr	Dighting adequate	:::: Lighting inadequate	79
•	nixtures well Located	fixtures poorly	80
'a.	Switches well located Switches in good repair	Switches poorly located Switches in poor repair	2 1

Figure 5. Evaluation of room conditions (data represents the mean for all respondents in all room conditions combined).

WORK STATION

The second of the second of the second of the second of the most of a second of the se



Wiggre 4. Evaluation of workstation in general (data represents mean for all respondents combined in all workstations).

Some traper of a kindle in a car work station, and help or hinder a car independent to the content of the plane amount of a number of infinitival intermediate and a second of the plane in the content of the conten




Figure 3. Evaluation of furniture in workstation (data represents the mean for all respondents combined).

Ninety-nine percent of the respondents had the standard gray/green metal GSA desks. Almost all bookcases were the standard metal type. Supervisors generally had four-drawer standard file cabinets; computer programmers, systems analysts, and functional analysts each had a Wright file* and their desk drawers.

GSA standard thoor planning criteria meant that common furnishings within the office areas for all groups were a chair, a desk, and a worktable. The only exception was that supervisors generally had a credenza. Lighting was usually from strong fluorescent lights in the ceiling. There was little evidence of task lighting at any desk. There was no carpeting except in a few supervisory offices which were allocated it by grade. The rest of the thooring was standard vinyl asbestos tile. Most of the working staff had no access to windows.

Overall Survey Results

The overall survey data represent the responses of 298 people about their satisfaction with the workstations before renovation.

Same to the same

Figure 3 shows survey results for the furnishings questions. The descriptive profile of the Likert scale represents the means of the 298 responses. This profile reveals that the lowest ratings of satisfaction are for "pride in furniture," "newness of furniture," "colorful," and "modern, stylish furniture." These low ratings generally are translated into the response to question 10; most respondents highly disagree that they are "satistied with the furniture in their work station." The only relatively positive response is the rating of furniture as "sturdy"—a common characteristic of standard steel GSA furnishings. In previous surveys, the desk chair was identified as "comfortable." However, in this profile, the "comfort" rating borders on the neutral zone; in terms of general ratings, the rest of the workstation is rated much lower.

and the state of the state of the

The workstation is defined as the physical space in or around the office equipment which the respondent occupies. Inspection of the ratings in Figure 4 indicates very little positive feeling overall. The extensive negative ratings for "professional image," "privacy," and "attractiveness" indicates a general dissatistaction. Most DSAC employees perceive their job functions to be professional. The education level required to perform their job functions is usually quite high, so some extra weight should be given to their extremely low ratings of "professional image."

Figure 5 gives ratings for general room conditions. The DSAC workstation is located in a large room. The semantic differential technique can be used

Tariantline files are large file cabinets with adjustable shelving for computer listings, notebooks, books, etc.

6 DATA ANALYSIS

Functional Types

Six job function levels were selected for analysis. The data were divided into subgroups and analyzed using the Statistical Package for the Social Sciences (SPSS) programs. The job function determinations closely follow DSAC job descriptions, but do not include all of each job's specific duties or its rating system. Their purpose was to provide general categories to identify various types of work being done. Because of the nature of DSAC's workload, each of the six job functions directly interfaces with some level of computer analysis. For example, the secretaries almost always had word processing capabilities at their workstations as well as access to a central work processing pool. The following are short descriptions of job types identified tor analysis:

- 1. Supervisory Management. Supervise at either division or branch level; responsible for employee resource allocation and ratings.
- 2. Computer Programmer. Writes computer programs, fixes errors in them; shares computer terminals with other programmers.
- 3. System Analyst. Determines how the specifications for the functions can best be done in the computer system; designs the computer program, but does not program; shares terminals with other systems analysts.
- 4. Functional Analyst. Develops specifications for the functional area to determine required user inputs and outputs or products.
- 5. Clerk. Generally enters data into computer terminals; takes off coding sheets.
- 6. Secretary. Secretaries either work for one manager or for a team. All have access to central word processing through desk-top computer terminals.

The questionnaire used in this study (see the appendix) was set up to design offices that would improve employee satisfaction with their working environment. Of the 330 questionnaire respondents, 42.6 percent had private offices or their own office cubicles surrounded by bank screen partitions. The others worked in rooms with six or more people, which were sometimes team areas; most feams were in rooms with more than 40 people. Altogether, DSAC had five major large areas divided from each other by fire walls; each room had about 85 persons. This large number of people makes it reasonable to assume that various occupants would perceive their work environment differently.

Most people located in the open spaces of the room have some sort of bank acreen partition to increase privacy. Forty-five percent of the computer programmers, 45 percent of the systems analysts, 60 percent of the functional analysts, and 30 percent of the data processing clerks have bank screens. The rest had no enclosing partitions.

- 3. New Desk Carrel Units. Elexible storage devices specifically designed for computer programmer and analyst job functions were installed. These cabinets have partitions which can be changed to accommodate different paper sizes and can be adjusted for different job functions. They matched the general color scheme and were attached directly to the top surface of the desk.
- 4. Desk Task Lighting. Adjustable fluorescent lights were installed under the desk carrel units for close illumination of computer listings. These lights will reduce energy consumption.
- 5. Partitions for Privacy. The metal screen partitions were repainted and retinished to provide a better visual environment and to increase occupant privacy. Since these people tend to work in a team-like environment, some lower panels with shelves were placed between workstations to accommodate quick interoffice communications.
- b. Partition Blackboards. The translucent screens in the upper portion of the standard GSA partitions were replaced with a melamite panel on which dry markers could be used. This concept would provide the same type of work surface available in systems furnishings.

Data Collection

The experimental design selected was a simple comparison of "before" and "after" conditions in the prototype and control areas as follows:

Pre-renovation Prototype Group Control Group 28 workstations

Post-renovation Same workstations to be evaluated after a 4-month occupancy period.

Both the experimental and the control groups were located in a large room (100 x 120 ft). The experimental group was in a compact area containing about 4400 sq ft. The control group was made up of individuals randomly selected in the same room whose job functions and types were similar to those of the experimental group. It should be noted that the control group was aware that the experimental group would get renovated furniture, and this may have had some effect on the results. Both groups were surveyed at the same time.

The evaluation period from the initial survey to the "post-renovation" condition survey lasted 14 months. The experimental group had occupied the prototype area for 6 months before they and the control group did the "after" survey.

45 ORTHNIALLON AND DATA COLLECTION

Organitation

The major operation is the design study was to provide the designer with intermation to improve workstation layout. A two-part approach was decided to expectively exaltate the major variables affecting the workstation design and the relationship of these variables to job functions.

The first part of the approach was a basic survey to determine how the carriables related to the job factions of people who work closely with a mepater technology. The econd part was an analysis of a "before-and-after" exteriment to determine whether employees perceived any actual improvement in productivity after they were given new furniture.


An experiment was descended to implement this approach. A floor layout was planned and major carribles were delected from the survey for "before" and "after" evaluation. The number of prototype workstations was limited by monetary and space constraints. The DSAC management selected a team-oriented group for the experiment. The group was a 20-perion team made up of programmers, analysts, and support personnel.

Based on a preliminary analysis of the survey results for 330 respondents, the most important variables for designing the prototype were determined. These variables were adequate space in and around the workstation, privacy, lighting, storage space, and reduction of noise levels. Next, a series or interviews and discussions was held with the participants to present the variables, get their comments, and translate this information into preliminary schematic floor plans. Final approval was then obtained to begin the removation.

One of the major constraints of this study was the limitations of Government procurement regulations for furniture. Systems furniture* was not available on GSA schedules at the time of the study; therefore, another way of evaluating workstation variables had to be used. The variables were selected inder the assumption that the Government might approve systems furniture; the fariables would then be applicable to new purchases. Under the current DSAC constraints, however, the following design actions were implemented:

- 1. Wall Flocking. All standard panels were covered with a spray-on epoxy flocking which gave the appearance of soft-texture carpeting to the metal panels. This reduced the noise level and softened and added color to the general office area.
- 2. Dask Painting. The gray-green metal standard desks were repainted to match the flocked colors of the panels and were covered with new laminated dask tops which gave a new square inches more of desk area.

[&]quot;Systems furniture is a system of panels on which desks, shelves, files, lights, and other accessories can be hung. Interchangeable components make the "system" adjustable for height, arrangement, and job function.



1 The mail committee of said optimizes are a transfer an empty.

Control of the Control of the Control

in the control of the

and the second of the second o




a. Typical open office areas from bank screened hallway at DSAC.



b. Typical individual office for programmer-level individual.

Figure 2. Typical DSAC office area environment at all workstation types and management levels (area part of initial survey, but not prototype or control group).



Setting

The setting for the experiment was the DSAC office. The facility, which has about 48,000 sq ft of office area distributed on a single floor, is divided into four large open office bays, each containing 80 to 100 persons. Most offices were semi-enclosed by standard, gray-green government partitions. The desks were standard government issue, and the cabinets, bookcases, end tables, and file cabinets were all standard furnishings supplied by General Services Administration (GSA). Some managers had semi-private offices surrounding the central open office space. There were also conference rooms, a technical library, a computer room, and a snack bar. Several training classrooms were adjacent to the office areas and on both sides of the hall-ways. Figure 1 shows the general layout and configuration of the spaces.

Figure 2 shows the configuration of typical workstations and the surrounding environment of the large open office areas. The overhead lighting was standard fluorescent, the floors were tile, and there was almost no aesthetically supportive decor, such as plants or paintings.

Since renovation of certain areas had already been planned for the summer of 1980, this seemed a logical time for an experimental renovation. On the basis of the renovation proposal, an implementation committee was formed to develop design goals and conduct the research.

Approach

USA-CERL had already determined that one major problem with previous studies was their inability to draw design criteria-type implications from the results. Therefore, for this approach, survey and prototype data were gathered and analyzed using the following steps:

- 1. Orientation. This phase of the study involved the documentation of the present workstation modes layout. In addition, researchers coordinated with the management and the space planning committee to determine the goals, organizational structure, and need for job-related functional analysis of individuals at the workstations.
- 2. Data Collection. A survey was administered to the employees to determine their workstation needs.
- 3. Data Analysis. The survey data was analyzed. Summary statistics, tests of significance, and regressions were run on some or all portions of the data either by location within the facility or job function. The results were used to evaluate hypotheses for constructing a prototype test area.
- 4. Design of the Prototype Area. A prototype area was selected to receive new furniture. This area, which was located in a central portion of the office building, had 18 to 20 workstations. Control groups were selected from the same area of the office. Several tentative prototype area plans were developed, and one of these was selected as the prototype.

were determined; then programmers occupied prototype mock-up areas for 5 months and valuated them. Extensive monitoring and interviews furing the mock-up shase resulted in some modifications. The basic methodology of this study was the model used to analyze the DSAC workstations.

A recent publication on the impact of computer automation on workstars in design examines the impact of the visual display terminal (VDT) and keyboard on the variables associated with computer workstations. The study analyzes all factors having ergonomic relationships to workstation design decisions and then relates these relationships to workstations found in a modern office. The analysis reviews factors such as noise, lighting, glare, anthropometric variation, and comfort (heating, ventilating, and air conditioning). Fatigue is shown to be a negative indicator of productivity. This study is the most emplete categorization of human factor variables available in relation to settings with computer terminals. However, it does not clearly recommend a specific design or layout that could be used to accommodate the needs of different job functions or floor space manipulations. The DSAC research used intermed to term this study as background information.

It becomes apparent that one aspect of developing workstation design interia that is missing in the literature is using job function to determine interent types of workstation design needs and identifying how this information affects productivity. All the workstation design criteria for the DSAC widy are affected by the high use of computer-related technology, and most ribs require much concentration. Therefore, employee needs for performing their tasks were evaluated constantly.

A. Cakir, of al., Visual Display Terminals (John Wiley & Sons, 1980).

assumed that the results of this analysis would give insight into ways to achieve space economy, thereby reducing construction expenses.

Table 17 reveals some interesting interpretation possibilities. One notes that the strongest variables affecting the perception of "adequacy of space" are desk size and workstation flexibility. When entered into the regression equations, these variables account for 45 to 71 percent of the total variance in the models. Since the analysis was done for all job function groups, this finding should be relatively stable for most groups. This implies that the concept of "adequate space" does not generally refer to the room configuration, but instead is very locally related to desk size (most individuals noted adequate size in GSA-type desks), and to workstation flexibility (ability to accommodate different tasks).

A general interpretation of these results would first suggest that the two major variables appearing in most of the regressions are very stable and that most individuals are not as concerned with the size of their office as they are with workstation flexibility. Therefore, for the job functions, the perception of space as "adequate" is a very work-related variable. The concept of adequate privacy appears only in the regression model for supervisory management and functional analyst. Since people in the first function are responsible tor personnel evaluation and consultation, it is not surprising that this variable would appear. For others who do computer-related analysis and design, the two major variables were desk size and workstation flexibility.

Commence of the State of States

Table 18 shows the series of multiple regressions which use satisfaction with furniture as the dependent variable and which try to identify major components across job functions. This model accounts for a minimum of 44 percent of the total variance for each job category. It should also be noted that although there is some variation across job functions, the major components seem to be furniture comfort and pride in furniture. These two components consistently show up across most of the job function levels. Although the conform factor does not appear in the supervisory management group regressions, this may be related to the fact that management has different chairs than the rest of the occupants. These results imply that although there are different models which may account for the variance across job functions, the components of "furniture comfort" (probably relating to the chair comfort) and "pride in turniture" are the two most important variables within this group.

and the second of the second

"Sitistaction with privacy at the workstation" was used as the dependent variable to construct multiple regression models (Table 19). In this case, multiple regression accounted for only 22 to 42 percent of the total variance. An inspection of the equations shows that two major factors seem to contribute most to the construction of the regression models: the "control over privacy" and "conversations in my room disturb" variables. Lack of control of privacy is the primary variable affecting the variance in the regression model.

In a private room, privacy can be controlled easily by shutting the door. In open office areas, or in office areas that are partitioned for easy access, control over privacy by design is more subtle. Control over privacy in an open office area can be handled through partial partitioning, full partitioning, or small "do not disturb" signs. However, because of the organizational structure of most teams at DSAC, control over privacy becomes more of a managerial variable. That is, team members who must work together require constant intercommunication. It may be possible that for certain types of job functions and office work environments, "control over privacy" will remain a problem variable for all conditions. In the IBM study, privacy control was handled by giving every computer-related job function a private office with a door that could be shut. This is an effective means of privacy control, but is not necessarily cost-effective.

Table 1

General Workstation Evaluation by Job Function

	Good Prof.* Image of Workstation	rof.* of ation	Adequ Fley Works	Adequately Flexible Workstation	Attra Works	Attractive Workstation	Pric Works	Pride in Workstation	Perso Works	Personalize Workstation
	Agree	Agree Disagree	Agree	Disagree	Agree	Agree Disagree	Agree	Disagree	Yes	No
Management	6.3%** 91.7	91.7	20.9	20.0	6.3	87.6	22.9	60.4	58.4	20.8
Computer Prog.	3.1	9.08	34.7	50.0	2.1	7.68	15.8	7.27	55.1	24.5
Systems Analyst	8.9	87.5	20.3	59.5	4.1	83.8	16.3	8.09	54.1	33.8
Functional Analyst	5.6	9.08	25.7	51.4	0.0	88.9	25.0	47.2	47.2	38.9
Clerk	22.2	9.99	29.6	33.3	7.4	9.99	48.1	29.6	70.3	22.2
Secretary	13.4	0.04	46.7	33.3	13.4	53.3	53.4	20.0	80.0	13.4
	z	N=298	24	N-298		N-298		N=298	-	N=298

^{*}Respondents who were neutral are not included.

station has a good professional image, irrespective of job. Generally more than half of the occupants primary groups do not have a great deal of pride in their own workstations, yet most occupants seem to do not think that their workstation is flexible enough to meet their needs, with the exception of the indicate they do make an effort to personalize the work area they are in, indicating there is some Inspection of this table by job function reveals that most employees do not think that their workdegree of territorial pride in the space they occupy, but this attitude is not reflected in their secretary and clerical functions. Almost all thought their workstations unattractive. The four evaluation of furnishings.

^{**}Numbers are percentages; i.e., 6.3 percent of management respondents think their workstation has a good professional image.

Table 2

Physical Workstation Parameters by Job Function

	Satisf With Fo	Satisfaction* With Furniture	Siz Desk A	Size of Desk Adequate	Works Area A	Workstation Area Adequate	Sto	Storage Adequate
	Agree	Disagree	Agree	Disagree	Agree	Disagree	Agree	Disagree
Management	12.5%	76.5	52.1	39.6	50.0	55.4	39.6	54.1
Computer Prog.	11.3	0.89	57.2	27.0	42.9	43.9	31.6	52.8
Systems Analyst	11.1	70.8	24.0	31.1	0.03	35.2	28.4	59.5
Functional Analyst	2.8	75.0	0.44	44.5	47.2	33.3	25.0	55.6
Clerk	11.5	53.9	74.0	18.5	59.2	29.6	33.3	9•99
Secretary	13.4	73.3	73.4	13.3	0.09	13.4	53.4	20.0
		N=298		N = 298		N = 298		N = 298

^{*}Repondents who were neutral were not included.

at their workstations (see Table 5), so one might assume that both storage and space for these conferences be adequate for their tasks. However, in terms of storage space and adequate area to accomplish the job Programmers are the most dissatisfied with the area around their groups are highly dissatisfied with their furniture; however, most also indicate the size of the desk to workstations, but not quite as dissatisfied as system and functional analysts with the storage adequacy This table looks at job function in terms of physical adequacy for basic requirements. Almost all job These three job functions tend to also hold the most conferences per week function, differences begin to appear. in and around their desks. might be the problems.

Table 3

Disturbances and Privacy by Job Function (Percent of Respondents Indicating a Problem)

	Conversations		People Come	Telephones	Visual Distractions	No Control Over
	Disturb	Wall Disturbs	In Disturb	Disturb	Disturb	Privacy
Management	8.89	93.8	60.5	29.8	31.3	52.1
Computer Prog.	9.62	89.5	61.9	37.8	30.6	91.9
Systems Analyst	89.2	8.56	63.0	45.2	31.2	89.2
Functional Analyst	75.0	77.8	47.6	38.9	27.8	86.1
Clerk	7.77	65.6	37.0	22.2	18.5	77.8
Secretary	26.6	73.3	33.3	21.4	13.3	0.09
	N = 298	N = 298	N = 298	N = 298	N = 298	N = 298

be as great. However, the perceived lack of control over privacy (second to last column) still shows a rather high clerks and secretaries. Noise through walls disturbs everyone equally. People coming into the workstation irri-Much of this general dis-Because the self-rated need for concentration is lower in these jobs (last column), the need for privacy may not satisfaction with all components of privacy can be attributed to the open bullpen-like office areas existing at irritation level. The rating of better privacy control for managers can be attributed to private offices with The tabulation above indicates that privacy is a major problem, except perhaps for secretary and clerk levels. conversa-DSAG. The results suggest the need for some sort of workstation partitioning between offices and some better appear to be a problem across any particular job function. Conversations in the room disturb everyone except tions, noise through walls, and people entering the workstation, while phones and visual distractions do not doors. There seem to be three components causing irritation with privacy across most job functions: tate managers, programmers, and systems analysts to a greater extent than anyone else. acoustic control. -----

Table 4

Room Occupancy in Room With Respondent

No.	οf	People	1 n	Room	With	Respondent
-----	----	--------	-----	------	------	------------

	1	2-4	5-1	8-10	_ N
Monage acar	42.6%	4.2	25.6	9.7	47
compater Prog.	0.0	8.1	61.2	13.3	98
bystems Vielvst	0.0	12.3	56.1	15.0	73
Functional Anglyst	7.8	2.8	30.7	52.8	36
SHOTE	25.9	7.4	14.8	7.2	2.1
eroret ∉rs	46.7	20.0	6.7	18.9	15

N = 296

The table indicates that the rooms with an occupancy of 5 to 7 individuals will within the three computer-related groups of programmer, systems analyst, and functional analyst. In the existing arrangement at DSAC, this is not sarprising, as most open office areas with some sort of team structure issuably fall into this size. However, as higher room occupancy tends to be rease prively-related variables, some compromise should be made to reduce "perceived" room occupancy through the use of partitions, screens, or other methods.

Table 5
Conferences/Week by Job Function*

	. :1	1-3	4-6	7-10_	10+
to a copernment	11.11	28.3	30.2	4.574	22.6
expect on Prog.	12.4	72.2	12.4	2.1	1.0
Colors Analyst	2.4	65.2	23.2	7.2	1.4
Can tional Analyst	0.0	я в.9	5.6	2.8	2.8
of the man	33.3	66.7	0.0	0.0	0.0
o retarz		50.0	5.6	0.0	0.0

N = 300

^{*}Note that when a Well, "where do these conferences occur," more than 50 year est frevery entegory inflicited at the desk, except for managers, who is the stell 37 per ear for their offices and 51 percent at someone else's fees.

In orable contenences per week is a secondary Indicator of the space registed to a composite these needs, and the business-related activity associated with them in terms of noise, intrusion of privacy, etc. inspection of the table drows that, although management has the greatest overall number of concess, the computer-related groups tend to have the most intensity, with the first conferences per week. The conferences are generally held at the expendent's desk except for the managers. From interviews, it was determined test most conferences are short-durition, cut on a person-to-person basis for experior empers and analysts.

Table 6
File Adequacy by Job Function

	lnadequate	Neutral	Adequate
Management	36.6%	17.3	46.2
Computer Prog.	45.1	25.3	29.7
Systems Analyst	44.6	20.0	35.4
Functional Analyst	52.8	19.5	27.8
Clerk	51.8	11.2	37.0
Secretary	22.2	33.3	44.5
			N = 289

Table 7

Dead File Drawers by Job Function

	1-2	<u>3-6</u>	7-10
Management	32.0%	46.0	20.0
Computer Prog.	39.5	36.8	21.1
Systems Analyst	29.8	54.4	10.5
Functional Analyst	45.5	30.3	21.2
Clerk	28.0	52.0	12.0
Secretary	17.6	76.5	5.9
			N = 258

These tables are interesting in that they suggest other than a design solution to a problem. The general tendency seems to show that the filing space is somewhat inadequate across most groups, except for the clerks. The functional analyst, systems analyst, and programmer all suggest inadequate space, yet these are the same job groups which indicated very large percentages of dead tile drawers "under their personal control." An inspection of the dead-file drawer table reveals a strong need for a house-cleaning by job function, rather than an addition of more file space. Even discounting the fact that part of the responses may be related to the larger size of computer listings, the most cost-effective action is internal, not additional procurement of furniture to solve this problem.

Table 8

Number of Working Desk Drawers*
Required for an "Adequate" Rating

	<u>l Drawer</u>	2 Drawer	2+ Drawers
Management	48.3%	13.8	37.9
Computer Programmer	33.3	25.0	41.7
Systems Analyst	39.3	14.3	46.4
Functional Analyst	45.5	9.1	45.5
Clerk	66.7	16.7	16.7
Secretary	55.6	22.2	22.2

[&]quot;Not counting desk pencil drawer.

Table 9

Number of File Cabinet Drawers
Required for an "Adequate" Rating

	0 Drawers	1-2 Drawers	3 Drawers*	N
Management	25.9%	26.0	40.7	27
Computer Prog.	23.3	40.0	36.7	30
System Analyst	17.4	56.6	21.7	28
Functional Analyst	0.0	30.0	70.0	10
Clerk	0.0	45.5	54.5	12
Secretary	0.0	37.5	62.5	8

^{*}Since common procurement practice only allows two- and four-drawer cabinets, three- and four-drawer cabinets are combined here.

The combination of Table 8 and Table 9 suggests the distribution of required filing space to generate a rating of "adequate" on the "adequacy of filing space" question. Those respondents who, by job function, rated their filing space "adequate" were analyzed in sub-groups to determine the best distribution of drawers in desks and drawers in file cabinets. Although the number of respondents in each category is small (only those with "adequate" rating), the trequencies give some idea of the general distribution required to satisfy filing storage needs. It should be noted that some percentage of these frequencies will be made up of computer listings, and therefore may require turther adjustment if a Wright line file, or equivalent, is used.

Table 10
Chalkboard Useful

	No	Neutral	Yes
Management	22.6%	13.2	64.1
Computer Programmer	63.5	20.4	15.6
Systems Analyst	52.2	26.1	21.7
Functional Analyst	58.3	30.6	11.1
Clerk	92.3	3.8	3.8
Secretary	83.4	5.6	11.1
			N = 298

Table 11
Tackboard for Graphics Useful

	No	Neutral	Yes
Management	30.1%	37.2	22.6
Computer Programmer	54.7	28.9	16.5
Systems Analyst	46.0	39.1	14.4
Functional Analyst	61.1	27.8	11.2
Clerk	79.1	12.5	8.3
Secretary	66.7	10.2	22.3
			N = 297

In terms of accessories at the workstation, it is very interesting to note that the only group really finding a need for a chalkboard is the managers. The computer-related groups rather strongly indicate a neutral or negative desire to have one. The second question was intended to determine if tack-boards were useful to the design of the workstation. Again, only the managerial level showed any preference at all for this amenity, and even then a moderate interest.

Table 12

3

7

Computer Terminal Related Activities by Job Function

	A. Ope Ter	Operate a Terminal	B. S.	Share a Terminal		E H	Hours on Terminal	cai	
	Yes	8	Yes	No.	Less 1 hr	1-2	2-3	3-5	\$
Management	18.9°	81.1	83.3%	16.7	100.0%	0.0	0.0	0.0	0.0
Computer Programmer	80.2	19.8	7.86	1.3	9.05	34.2	8.9	3.8	2.5
Systems Analyst	1.89	31.9	100.0	0.0	65.2	12.4	17.4	0.0	0.0
Functional Analyst	47.2	52.8	100.0	0.0	70.6	11.8	11.8	0.0	5.9
Clerk	65.4	34.6	88.9	11.1	22.2	27.8	27.8 5.6	*33.3	*11.1
Secretary	61.1	38.9	81.8	18.2	9.1	18.2	18.2	*45.5	*9.1
	-	N=298	2.	N=183		Z	N=182		

*Some portion of this group is involved in word processing.

of some sort (except for managers who seem to share one as required for their job). In terms of Clerks and secretaries (DSAC has central terminal access to word processing) show high usage. However, almost all DSAC workers share a terminal Since the terminal and its daily use represent the most clear interface with the computer for hours per day, the heaviest users are the programmers, followed closely by the system and the functional analysts. The high terminal usage by clerks and secretaries is attributed to the most workstation occupants, the above table represents a summary of that activity. Most job levels below manager operate a terminal, with programmers, systems analysts, and functional nature of their job and the impact of word processing on the office. analysts ranked in terms of declining usage.

Table 13

Linear Inches of Wotebooks (Respondents Indicating Present Needs in Terms of Linear Inches of Shelf Space Presently Used)

, 							
		Ŷ,	· •		:. < 7	< ?	,, C.
Section 1 constant of the section of			1. 24		C7	25.	\$2
	**	. •		F.	11.4	1.1	0.0
		3 ° - 2	7:	э :1	6.5	~ 	0.0
 		*		۶. 	٠.	0.0	0.0
			T		~† * ~:	6.0	ç.
į	* *.1 	• • • • • • • • • • • • • • • • • • • •	Ti X	· · · · · · · · · · · · · · · · · · ·	1.64	4.54	83.3
	= !	3.4	2()	÷:	~; ;	23.1	11.11
		Mail a principle	Joseph Brogging and the	Sestions Ambres	Functional Analyst	î. Perk	Secretary

Table 14

N = 296 observations

No. of 1- to 3-In. Documents Which Respondents Presently Have

1 1/2"/boc, ip Requires: ling No. of a Shelt:	To Satisfy Additional 75% of Population	. 74	18	44	36."	x.	: ::
Assuming Ave. 1 1/2"/boc, Each Job Group Requires: The Following No. of Inches on a Shelt:	To Satisty 50% of Pop. Population	36"	18.	18.	18.	18.	:. × 1
	#27	17.0	6.2	8.7	16.7	12.0	6.4
	37-48	11.3	3.1	0.0	0.0	0.0	0.0
	25-36	0.71	3.1	8.7	11.1	0.0	0.0
	13-24	17.0	17.5	24.6	8.3	16.0	17.6
	1-12	34.0	0.89	55.1	63.9	44.0	52.9
	اد	3.8	21.0	2.9	0.0	28.0	23.5
		Management	Computer Pros.	Systems Analys:	Functional Analyst	Clerk	Sectotaty

		11.		and the state of			• • • • • • • • • • • • • • • • • • • •			
	•	*	1,		7	*		\$ 1 m	or Pares 4, 102	
	:	` <u>.</u>			÷			*		
grange giffer age to graft	÷	7. Y	X • 9;	3.1	÷	- • #**		* doc.	2	
1867107 10075	30.3	# * * * * * * * * * * * * * * * * * * *	r. r	14.7	F	7.5	-	• 10p	: 77	
Per III and Anniyat	ř.		-;	1.0	0.0	5.,	8	4 d)c.	2	
• · · · · · · · · · · · · · · · · · · ·	5.47	6++3	эт	a. o	8.3	1.1	ō	4 doc.	and and a second a	
Emperior	2.8.5	37.5	0.0	6. 8	53	9.0	Þ	+ doc.	3	

·; ·:

Table 16

x = 295

Summary Shelf Recommendations

No. of Total Inches of Shelf Space to Satisfy Requirement For Each Job Function

Summary	From I	From Table 13	From Table 14	ble 14	From T	From Table 15	50% of Population	75% of Population	
Tan Land	75	25	16." 54."			0	"14		
entrage track	(1	7	or.	.	>	71	•	1,	
Lapoter Prog.	25"	25"	18"	18"	ი	12	43	55"	
Systems Analyst	25	.52	:. 81	36"	12.	12" 36"	.55"	2.6	
Eanstfonal Analyst	25"	25"	: 81	36"	0	12"	43	/3"	
Herk	57	25"	18	18:	0	12"	43	55"	
Sectory	25.		×1	18"	0	12"	: 67		

The masher of documents on shelves and tibles In and around the workstation will determine the amount of ourshelf storing required. Tables In through 15 indicate the responses on the questionarities and the surnary Table 16 indicates the composite requirements for job function for these categories, one must note in laterpreting the data that computer listings are included in the tabulation. Although this tabulation bockses on total "inches" of documents, it does not indicate area. Since listings are gonerally twice ordinary paper size and must lie flat, an adjustment factor should be included in a 50 per cell listing mikeup per workstation. Also, it was decided to focus on accommodation of 75 percent of the workstation requirements under the assumption that the remaining 25 percent would require a short term fovercasent contractors working on box. The

Table 17

ob Function Regression Models for Satisfaction With Area of Workstation Space

	. <mark>∞</mark>	×I	S	Satisfaction with Furniture	Desk Size Q16	Storage Space <u>Q18</u>	Work- station Flexibility Q19	Privacy Adequacy
Supervisor Management	£ 5.	53	-1.13			.263	.485	.373
Computer Programmer	. 5:)	95	.352		.299	.225	.332	
Systems Analyst	67.	19	760	1	.302		.615	
Functional Analyst	545	35	140	-	.383			944.
	.52	2.7	108		.312		.561	
Secretary	.71	17	.114	1	1.05			

For systems analyst, R = multiple correlation coefficient; $100R^2 = percent$ of variation in the dependent variable Ex.: (satisfaction with area of workstation space) explained by the equation. the equation: NOTE:

Satisfaction with area = -.094 + .302 (adequacy of desk size) + .615 (flexibility of workstation) explains 49 percent of the variation in responses to the satisfaction with area question.

for the first content with the Head
for the first content of the former.

· · · · · · · ,--:

Change of the second of the se

.3.3

Table 19

Job Function Regression Models for Satisfaction With Privacy

				-	H for ?	6600 MbG		10.65	2192	9103	4019
	<i>7</i> .1	[k.]	1. Hat	Service Platinibs Roise Coming in Te-	Soise	Hear Pouple Scop Solse Confug in Telephone	Te lephane	Courrel Privacy	Visual	Concen- tration	
	, ž	ž.	3.17		:	1	!	# 4 <7	:	1 1	<u> </u>
AND AND A	Ë	; ;	7.5	;	:	F	!	£ † ;	į	1	
		÷	62	• : -:	19	1	!	.33	4.2	l I	!
	÷	: ≟	:1:0		1	•	!	1	1 . ,	:	1
•	-,	1 	\$		1 !	9.*-	: !	بن ج:	i	:	ŧ
÷.	::	,	:	i		•	:		1		

fex capter obstews to dyst Model - SAT PRIJACY - 4.3 - 4.4 Cenv. Modelb No. 3 - 4.0 Cenv. Modelb No. 3 - 4.0 Central - 4.2 (West) of struct)

retween the "betore" and "after" conditions for the CONTROL groups by the setter "c.". Using these profiles, the nature of the differences caused by the extensive removation in the profotype area can be determined quickly.

The first set of profiles (Figure 11) concerning furniture in the workvarien mows the following: (1) the control groups form a rather narrow east, (2) the pre-removation profotype generally falls within that band, and there are several major, statistically significant shifts toward improveed in the cost-removation profotype. The removation significantly improved at as of comfort, variety, modernness, colorfulness, newness, pride, and east statistict in with furniture. Since the same furniture (refinished and topicated) was used in the post-removation profotype, it is not surprising to may zer that there is no change in ratings of damage, sturdiness, and qualty.

There were also some significant changes in the control group ratings oppresented by the letter "c") which were not expected. During the 6-month common part of the study, the management added more Wrightline storage amounts to the control group area. About 50 percent of the control group terconnel received these tiles, and this may have caused significant changes to responses in the "modern," "new," "pride," "sturdy," and "quality" cateperces. (however, the new files in the control group did not cause as large a tilt as the total renovation of the prototype area.)

Inspection of the profile ratings for workstations in general (Figure 13) howe that the shifts in satisfaction are not as great as for those with furnature; nowever, some are significant. There is a statistically significant that sement on scales relating to size of desk, storage space, professional mage, attractiveness, ease of cleaning, and pride in workstation. The change to the rating for size of desk is particularly interesting, since the size cancerwas actually very small (1 in. in length and 1 in. in width); however, trage carreis for notebooks and computer listings were added on the desk article. Which is now laminated.


It is also interesting to note that although the new layout for the protives area allotted less floor area per person than before, there was no
and in the rating of adequacy of space. (In the pre-renovation condition,
there was 10 up if per person, and in the post-renovation only 105 sq ft per
timent sometiments and not change.) This implies that the new design is
there are no regularizable shift in preference for someone else's workstation
there are regularizable shift in preference for someone else's workstation
there are regularizable and control groups. This may be because there was no real
times are remarked, but mather only a refurbishing of the same furniture;
there was, the propose may have perceived that the furniture was still the same

The street set of the street set of the privacy in the workstation. One of the set of the street set of employees shoutilled out the pre-resovation survey was the set of the privacy of the set of sequency; however, the area picked for the pro-section with any haracterised by a management need for continuous close of the set inter-team consulting. This implies that privacy must be compared to the set of the way the team performs is duties (i.e., no design can be resolved to a satisfaction with privacy).

PRIVACT IN WORK STATION

on the first of the second of the test had been also make the first of the september of the second o

- -r. Conversations in my room disturb my ability to concentrate.
- 10. I can hear noise thru the walls of my office.
- 40. People keep coming into my room and distributed me.
- i. The telephones in my room are a noise irritant.
- c. I have a high degree of control over my privacy in my room.
- G. I have many visual distractions in my trice which are disturbing.
- My sub-requires a high degree of goncent trates.




- es. Nomer of people I can see while sitting at my desk is _____.

This profile shows the privacy evaluations. This profile shows the state on privacy evaluations by occupants in the prefettive and the profile of the better and after removation which the second

WORK STATION

The <u>Third of a letter the philodock</u> opens in the moom you had sun office and considered the sun of the constant of the moon of the constant of the constant



Changes in workstation evaluations. This profile shows the changes in occupant perceptions of their own workstation area for the prototype and control groups before and after renovation.

FURNITURE

card :
col. 1=3
Quest. No.

The figure is an open have they can work at it ion, has help on himber peach; it is not be read. The figure is a mailete of a number of individual items which as a first individual items which as a first in take it is a relative and a prompt. The we indiscrete peach appearance in the parameters of its parameters and a parameters.

•	My turniture is comfortable	
2.	I have a wide variety of furniture	_ : _ ! _ ! _ ! _ !
3.	My furniture is modern and stylish	PC : : : PC
4.	My furniture is colorful	P
5.	My turniture is easy to damage	
6.	My furniture is <u>ne</u> w	PC : : PC
<i>i</i> .	I am proud of my turniture	: : PC
3.	My furniture is stardy	_ : _ : _ : _ :
) ,	My furniture is high quality	-: - 6
.0.	I am <u>satisfied</u> with the furniture in my work station	

LEGEND: In order to read the scales, the following codes are used:

HEAVY BLACK LINE....Prototype area after 4 mo. occupancy
HEAVY DOTTED LINE....Prototype area before renovation began
LEFT LIGHT LINE.....Control group before renovation
RIGHT LIGHT LINE.....Control group after prototype renovation
SHADED AREA.......Range of movement for Control before and after
DARK LETTER "P".....Indicate significant difference between prototype before and after renovation

DARK LETTER "C".....Indicate significant difference between Control
before and after renovation

Figure 11. Changes in furniture evaluations. This set of profiles shows the shift in respondents' opinions of furniture adequacy for the prototype and control groups before and after renovation.





Figure 10. (Cont'd).



SHEET A2 PRINCIPAL INVESTIGATOR C LOZAR PROTOTYPE OFFICE EXPERIMENT
DEFENSE SYSTEMS AUTOMATION CENTER
DEFENSE LOGISTICS AGENCY
COLUMBUS, ONIO M HERSHENSON RESEARCH

Figure 10. (Cont'd).


2



deliational differentials of the artical tor the construction. The prototypical features. Forme? and were implemented as shown.) received but warming defaultion. Others three spectors




5. Desk area for the leader and programmer level in prototype.




. Teleport to appear to the author implementation of partitioning.

Figure 9. (Contd).




 Complete of probabilities area showing new partitions and shared terminal area.

t (i.e., resp.) in the second state of the property of the second after and the largest that the largest and furnishings.



The procedular of a protective area. (This plants per condition lay it is easies to compose must, in an SEME. This plants are seen to a compose a comparement between the reeds of the work of an interest when with each of the third three teams having access to paragon, on the reservance, and terminals.)


Frage 8. (Cont.).



a


a. Prototype area before renovation.

Figure 8. Proposed layout for prototype area.



The shared terminals are at the outer boundaries of the circa-This partially rectilinear plan has three dispersed areas for team space with a central area for project leaders. lation space. PLAN 3:


Figure 7. (Cont'd).





This plan is nore open than

a lover degree at



1

sented here to demonstrate that the final selection of a layout involved both the equin-(These plans represent the alternatives evaluated by ation of the data from the survey questionnaire and the iterative esaluation of secur They are prethe researchers and the occupants to arrive at a final configuration. involved in the process of designing their own attice area Workstation alternative designs. civity needs. pants

Design Layout

A series of possible workstation arrangements was designed based on the survey results. The designs would be used to construct a general prototype area for 18 people. This area would then be rated and the results compared to those of a control group.

Figure 7 represents the designs that were drawn up to solve the problems identified during the initial survey. The workstations are arranged by job function (keeping in mind that private offices were not part of the branch selected for renovation) and the final layout determined from a match with the team functional requirements. Actions taken to renovate the furnishings were discussed in Chapter 5.

The design hypothesis was that these renovations would improve overall satisfaction with workstations and furnishings and perhaps improve overall productivity. It the improvements were successful, the changes could be the basis for renovating the entire DSAC floor area. There were several other solutions which might have had the same positive effects (e.g., systems furniture, all private offices, new standard furniture, etc.), but they were not part of the overall experimental design for this study.

The prototype area had already been selected by the management. The 18 people in this area were interviewed to determine their needs within their branch. Figure 8 shows the prototype area before renovation. By intertacing the proposed workstations shown in Figure 7 with their needs. The designer produced an approved layout (see Figure 8).

Evaluation Results of the Prototype Experiment

Figure 9 shows photographs of the completed prototype renovation. Figures 10a, b, and c contain the working details on which the renovation was based. The profiles in Figures 11, 12, and 13 compare the pre- and post-renovation results of the prototype and control groups. The results are plotted on the five-point Likert scale. The profiles are presented for comparison with the following distinctions: (1) the solid heavy line is the POST-RENOVATION PROTOTYPE, (2) the dashed line is the PRE-RENOVATION PROTOTYPE (i.e., the "before" condition), and (3) the shaded band represents the range for the CONTROL GROUP in the "before" and "after" conditions, with the right side of the band being the PRE-RENOVATION CONTROL and the left side of the band being the POST-RENOVATION CONTROL.

Inspection of the three profiles shows the shifts in attitude ratings in terms of each scale. A series of two-tailed T tests was run to determine if there were statistically significant changes; the mean scores were compared in the "before and after" PROTOTYPE and in the "before and after" CONTROL groups. (Under ideal circumstances, one would expect few or no changes in the control group.) Significant differences are given on the profile. A significant difference in mean scores (at the .05 level) between the "before" and "after" conditions for the PROTOTYPE is represented by the letter "p," and

Overall, the only privacy factor showing a significant difference on the "before" and "after" conditions for the prototype group was "people entering the room and disturbing me"; there was no difference on any of the control group scales. There were some shifts toward positive ratings for the prototype group on scales of noise, control over privacy, and visual distractions; however, these are only significant at the .10 level, not at the .05 level selected for this analysis. Therefore, there were not many significant improvements in privacy. However, it is not clear if this was due to the design parameters or to the actual nature of the work function within the feature.

ang kabupatèn kalang dipantah kabupatèn kabupatèn kalang di

Three regression models were used to evaluate the success of the print type and the stability of the variables. These were concerned with the "area fine space occupies is adequate for my tasks," the "privacy I have is adequate for my tasks," and "satisfaction with furniture generally." Each of these regressions was run on pre-renovation, post-renovation, and pre- and post-control groups to compare the shift in variables. Since a variable in a regression equation suggests that the item it represents is important in accounting for some portion of the model variance, the appearance or absence at that variable in a "before and after" condition indicates that some change has accounted.

the elimination of a variable in a regression model in the "after" condition does not indicate that there is a general improvement in satisfaction overall, but simply that that particular variable is no longer a problem to the people involved in the experiment. Therefore, it is possible to identity how the variables appear in the "before" and "after" conditions and determine which of them may be more important for design conclusions. Table 20 describes the major variables selected for regression modeling and interprets their results.

Table 20
Regression Models for Adequate Area

Question: "The Area My Space Occupies is Adequate for My Tasks"

		\mathbb{R}^2	$\frac{\mathbf{N}}{2}$
Pre-Renovation:	Area Adequate = 1.13 + .585 (Flex. workstation)	. 34	14
Pre-Control:	Area Adequate =835 + .373 (Desk size) +33 (Flex. workstation) + .294 (Storage adequate)	. 7 7	3 7 6 7
Post-Renovation:	Area Adequate ~497 + .734 (Desk size) + .793 (Adequate privacy)	.72	1.8
Post -Control:	Area Adequate = .249 + .890 (Flex. workstation)	.50	29

The workstation's ability to accommodate different tasks is a problem in three of the four conditions. Occupants perceive this rather intangible variable to be quite important. The variable only disappears from the regression in the post-renovation conditions, indicating that the design for the new workstations has eliminated it as an irritant. However, in the post-renovation condition, concern with adequacy of privacy and desk size is noted. Changes in adequacy of privacy are best understood when viewed in the context I the privacy regressions (Table 21), since this variable now seems to be were important and is also a post-renovation problem. The desk size factor also appears again, while it did not in the pre-renovation condition. The prototype desks had desk carrel units which took up some space on the desk surface. This should not have caused this variable to be a problem; however, the change in surface area (i.e., from a desk surface to storage carrels) is perceived as partly adequate. A possible explanation is that after the renoration, many of the large tables which were formerly used to lay out computer listings had to be eliminated.

Table 21
Regression Models for Adequate Privacy

Question: "The Privacy I Have Is Adequate For My Tasks"

		\underline{R}^2	<u>N</u>
Pre-Renovation:	Privacy Adequate = 5.80870 (Telephone disturbs)	.59	15
Pre-Control:	Privacy Adequate = 5.96485 (Telephone disturbs)454 (Conversation disturbs)	.45	27
Post-Control:	Privacy Adequate = 5.18643 (Conversation disturbs)	.23	28
Post-Renovation:	Privacy Adequate = 2.14850 (Noise through walls) + .662 (Control over privacy)	.53	15

Table 21 summarizes the adequacy of privacy in the "before" and "after" conditions for the control and renovation groups. Privacy regression comparisons can provide some interesting interpretation. Although phone noise is perceived as a problem in pre-renovation and pre-control, it is not a problem in either post-condition. In the control group, conversational noise continues to be a problem, which one would expect, since no changes were made. However, in the post-renovation, noise through walls and control over privacy were perceived to be problems. In the pre-renovation conditions, there were no walls separating individuals. Therefore, the addition of walls or partitions between workstations should have increased overall privacy. However, the new workstation layout gives the perception that there is no noise through the walls, since walls are now there.

The degree of control over personal privacy is a more difficult variable to interpret. Since the prototype experimental group was initially characterized as having a strong need for teamwork and consultative interaction, it is apparent that there would still be some intrusion of workstation areas. By lowering the workstation partition area to provide for quick conferencing, the designer may have lowered the degree of "control over privacy." However,

since this is a perceized variable and there were no partitions between works stations before renovation, the regression model describes problems associated with a new configuration. It is doubtful that the control over privacy variable can be totally eliminated as a major factor in an organizational group which needs interactive consulting and coordination. This may simply be characteristic of their mode of work.

The satisfaction with furniture regression comparisons in Table 22 are interesting in that they perhaps show the interactive effects of management information and the occupant's desire to associate with a desirable outcome. In both post-renevation conditions, the major variable is pride. This is understandable for the renovated prototype, but not for the control group. The logical explanation seems to be that the control group thought that they would also get new furniture eventually, and therefore rated this category higher. The same explanation would be true for the "colorful" variable. This interpretation is reasonable since management had informed all personnel that they would all be included in the total renovation.

One difference in both the post-renovation and control groups is that "comfort" is no longer a regression component. In previous studies, comfort was associated with the chair itself. In this study, the old chairs were repainted and reupholstered. Therefore, it must be assumed that the entire workstation turnishings, not just the chairs, are contributing to an improved rating of comfort. Thus, the overall conclusion is that comfort has been increased; also, there is an emotional sense of identification with the project's success, even in those not included in the prototype area.

Generally, the prototype experiment improved employee attitudes toward their workstations over several variables. Although the total number of respondents in the experimental arrangement was relatively small, it was adequate to show some interesting shifts in perceptions in the "before" and "after" conditions; it also pointed out some variables which will affect how persons associated with computer-related job functions perceive the new workstations. However, the prototype experiment does not have a large enough sample group to identify major statistically significant changes in the area. It must be viewed as a supplement to both the previous survey and to the results of other experimental work dealing with requirements for workstations for computer-related job functions.

Table 22

Regression Models for Furniture Satisfaction

Question: "I Am Satisfied With the Furniture in My Workstation"

						Rf	$\frac{N}{2}$
er tkenovation:	SATFURN	= 1.46	+	.407	(Furn. comfort)	.55	15
			+	.374	(High quality)		
Proceedings to plan	SATFURN	.205	+	. 348	(Furn. comfort)	.54	2.7
			+	.629	(Modern style)		
	SATFURN	1.13	+	.462	(Proud of furn.)	. 39	: 1
1 , c, * = (; () (r r)] :	SATFURN	-1.55	+	.689	(Proud of furn.)	.77	29
			+	.592	(Colorful turn.)		

Productivity Evaluation Models

Productivity has always been a difficult concept to measure, particularly tor white-collar workers, since their products are somewhat intangible (e.g., a computer program). Also, at a professional level, it is generally assumed that the employee will work to the best of his ability and will be selfmotivated. Because of these difficulties, there are few productivity models tor white collar work.

Researchers decided to construct a reasonable and logical model for productivity enhancement. The model would be a way to compare "before" and "after" conditions within the office setting. Although changes in management direction and changes in emphasis would affect ratings, it was thought that the model would still be useful in determining changes in the prototype test area.

A two-part approach was used to develop the model. The first part would measure physical variables (e.g., time away from desk). It was assumed that these variables might show improvement after renovation. The variables were selected from survey questions which the respondents answered subjectively; the responses were of a type that could be verified by observation. The second part of the approach would be selecting variables that would be subjectively evaluated, non-observable, and able to be constructed into a productivity scoring model. The combined improvement in both approaches could indicate productivity increases.

Larry Ale Preductivity Changes

Time spent by an employee at his desk is a self-rated measure. If an individual is at his desk, he is assumed to be doing something work-related. There were three components to this factor of the productivity model: time spent writing, reading, and thinking (all were answered in previous questions). The assumption is that if more time is spent in any of these activities and thus, more time spent at the desk, the individual must be working harder (see Tables 23 and 24).

Table 23
Time Seated at Desk

	Hours	Prototype (%)	Control (%)
	1-2	0	0
Pre-Renovation	2-3	0	0
	3-4	20.0	3.6
	4+	80.0	96.4
	1-2	0	0
Post-Renovation	2-3	0	6.9
	3-4	11.1	6.9
	4+	88.9	86.2

Table 24
Activities While Seated at Desk

		Prototype	Cont.rol
	Write	26.9%	26.5%
Pre-Renovation	Read	14.0%	23.7%
	Phink	27.3%	22.1%
	Write	25.4%	20.1%
Post-Renovation	Read	20.5%	21.4%
	Think	26.0%	33.0%

It is apparent that the scales used in this survey are not complete enough to handle the data adequately. At least 80 percent of the workers in each group spend more than 4 hours at their desks. Therefore, this question is not helpful. However, when asked to rate their activities at their desks, some useful differences appeared. Table 24 suggests that post-renovation prototype occupants spent 5.5 percent more time reading at their desks. It also appears that the control group now spends more time thinking than previously, but this is difficult to interpret properly. The small improvement in the reading activity is a very weak indication that productivity may be improved.

In terms of self-rated distances for work-related conversations, Table 25 reveals that longer distances were traveled after renovation; i.e., workers are walking longer distances to coordinate work-related problems. However, this data must be reviewed in conjunction with Table 26, which relates the number of business-related trips away from the workstation per day.

Table 25

Distance for Work-Related Conversations

	Distance (Feet)	Prototype (%)	Control Group (%)
	0-5	().()	7.1
Pre-Renovation	5-10	40.0	10.7
	10-20	26.7	28.6
	20+	33.3	53.6
	0-5	0.0	3.6
Post-Renovation	5-10	29.4	32.1
	10-20	47.1	42.9
	20+	23.5	21.4

Table 26

Number of Business-Related Trips Per Day Away From Desk

	No. of Trips	Prototype (%)	Control Group (%)
	1-3	46.7	39.3
Pre-Renovation	4-5	26.6	21.4
	6-10	13.4	28.6
	11+	13.4	10.8
	1-3	18.9	28.6
Post-Renovation	4-5	43.8	28.6
	6-10	37.6	32.2
	11+	0.0	10.7

Table 26 shows that the percentage of business-related trips in the post-renovation condition has decreased dramatically in the one to three trips-per-day range, but has evened out in the mid-range. Also, there are no responses in the 15+ range in the "after" condition, indicating that the top end of the scales for numerous trips was reduced.

In terms of the data in Table 25, this means that there are generally tewer trips being made at the scale extremes. This indicates that the worker must be somewhat more productive, since he seems to be selecting longer, but seemingly more necessary, trips away from his workstation.

Distractions and interruptions indicate a lack of control over privacy and a hindrance to productive work. They can be deemed negative indicators of productivity. Tables 27 and 28 suggest some interesting interpretations.

Table 27
Frequency of Interruptions/Desk/Day

	No. Inter.	Prototype (%)	Control Group (%)
	0-2	26.7	14.8
Pre-Renovation	3-5	26.7	25.9
	6-10	26.7	18.5
	11+	20.0	40.7
	0-2	20.0	11.5
Post-Renovation	3-5	40.0	19.2
	6-10	26.6	49.9
	11+	13.4	19.1

Table 28
Frequency of Distractions while Seated at Desk/Day

N	o. Distractions/Day	Prototype (%)	Control Group (%)
	() = 4	40.0	50.1
Pro-Renovation	5-10	33.3	42.9
	11-20	13.3	7.2
	21+	13.4	0.0
	()-4	49.9	11.5
Post =Renovation	5-10	35.7	38.3
	11-20	14.2	38.4
	21+		11.4

Table 27 shows little change in the frequency of self-reported interruptions during the day. This lack of significant change could indicate that (1) wither the renovation made no difference in these variables or (2) the organizational social contacts required for the work remained the same, and therefore, with the level of work effort maintained, one would expect no change. Table 28 shows little change in the frequency of distractions at the desk during the day in either the "before" or "after" conditions. There are not enough variables in the survey to determine whether these items can be used as productivity indicators for the observable model.

14. Programa Productivity Model

There have been some studies of the effect of the physical environment on productivity. The most notable of these defines product vity in terms of an oducational model; i.e., earned college credits per unit of floor area. This study determined that the use of new furnishings promoted a higher space utilization, and therefore more "production of earned credits" per unit floor area. However, this definition is not directly applicable to the DSAC study, since the output is much harder to define in terms of logic and functional computer support systems.

An article by Mundel 10 provides another discussion of productivity in relation to the operation of large corporations and the determination of transactors. However, this study relates productivity to business costs—a set i parameters too tar away from the workstation to have any meaning for testan. Miller 12 has presented the relationship between the environment and it dustivity as it is affected by some aspects of facility design. He has aways to that the attitudes of corporate managers toward their staff may be

The Park Testiance on Productivity (Herman Miller Research Corporation,

M. Made. "Measures of Productivity," Industrial Engineer (May 1976). Course Monor, Management of the Working Environment (Hutchinson, Benham, 1975).

changed by changes in the physical environment. This thesis is part of the basis for the construction of the DSAC productivity model.

To create a logical and valid productivity score, we must first recognize that we are dealing with an intellectual environment in which the product may be improved logic for a sophisticated computer program (i.e., a mental product). Then, we must take the individual scores for respondents to each of the survey items mentioned above, normalize the individual scores to make sure all variables are being measured on the same dimensionless scale, and then compute an overall productivity score. Finally, this score must be compared with the control group scores to determine if the four-way experimental design indicated a statistically significant improvement, thereby suggesting that productivity was truly improved. Since the only known change in the prototype area was the implementation of the renovation design itself, the change, if any, must be attributed to the new prototype; therefore, the null hypothesis that "the renovation does not make a difference to productivity" must be rejected.

The productivity model which was considered best consisted of three components in Eq 1.

Productivity score = (standards of quality) + (managerial [Eq 1] stimulation and direction) + (perceived productivity and relationship to other groups)

The first action in verifying productivity improvements is to examine the tabular results from the frequencies to the three questions which make up the model. These are summarized in Tables 29, 30, and 31.

Table 29

Quality Standards

Management Emphasizes

High-Performance Standards

	Prototype	Control
Pre-Renovation	40%	54%
Post-Renovation	88%	39%
	N=18	N=28

Table 30

Performance Standards Management Shows How To Improve Performance

	Prototype	Control
Pre-Renovation	40%	28%
Post-Renovation	18%	22%
	N=18	N=28

Table 31

Productivity Comparison

My Branch Is More Productive Than Other Branches

	Prototype	Control
Pre-Renovation	53%	57%
Post-Renovation	94%	54%
	N=18	N=28

An examination of the individual performance percentages for the three components indicates some interesting tendencies. In the tables for quality standards and productivity, there is a rather dramatic increase in the post-renovation prototype; this indicates that these variables are being affected by the change in environment. However, there is a decrease in the table on management's intent to improve performance. In fact, the greatest change is in the post-renovation prototype. Interpreting this change is difficult, since there are many possibilities. For example, did the work character change for the occupants; is the N too small to determine a shift (the occupants rating this variable negatively remained stable in all cells); or does management need to exercise much less control in the renovated prototype? Generally, there is a major improvement in two of the three parameters, with a difficult interpretation in the third.

Now the construction of the normalized productivity model can be examined. The first factor was quality standards—a managerial factor. This factor was selected because it represents the maintenance of certain quality standards for the type of work being done. This indicates that more productivity is not necessarily better productivity and therefore sets a minimum for the quality of being accepted.

The component is management's attempts to improve individual employee performance; i.e., managers are exercising their authority for the good of the group in order to improve the working capability and productivity of individual employees within their teams. Together, these two factors represent managerial supervisory input into the productivity model.

Finally, there is the factor of perceived productivity; i.e., a "my group is more productive than your group" type of measure. This is a subjective evaluation by the survey respondent, since there are no direct measures of this type of productivity. This self-related question represents the peer group evaluation of relative productivity. Table 32 gives the productivity scores for the four groups.

Table 32

Normalized Productivity Model Scores

	Prototype	Control Groups
Pre-Renovation	.64	1.52
Post-Renovation	5.21	.42
	N = 18 (Sign. increase at .05 level)	N = 18 (Sign. decrease at .05 level)

The null hypothesis (of no change) was then rejected and it was assumed that the major renovation change in the organization's operation over the experimental period was responsible for the improvement in productivity. However, the degree of improvement cannot be stated with certainty; also, it is not known exactly how the renovation affects all the variables. However, within the limits of the model, it can be stated that there is statistically significant improvement in the productivity score, which may be attributable to the specific design features of the prototype area.

8 SUMMARY AND CONCLUSIONS

This study evaluated the six computer-related job functions in order to design new workstations that will improve the working environment. Within the imitations of the experimental prototype design and the statistical analysis at the survey data, design recommendations were made. The research showed that although different designs are needed for various job types, there are certain similar needs among individuals who work with computer-related work stations and team-type environments.

The methodology used in this study and the data it produced show that within specific constraints, it is possible to evaluate an office environment and to recommend design factors which will improve habitability satisfaction. Such recommendations identify major problem areas which need the attention of designers and architects. These problems may be solved to some extent by increased attention to layout design, flexibility, area, and organization character.

At DSAC, parameters were identified which are mainly job-related and related to the operations of modern computer technology. Although the DSAC environment is not that of a typical modern office, the employees do work with the latest computer technology.

The data analysis showed that across all job function groups, there are certain variables which affect facility design and layout. In a professional, computer-related environment, satisfaction with furniture is probably related to pride in the workstation design and professional image. Satisfaction with the workstation is generally related to professional image. Adequacy of work space is almost always related to adequacy of the desk area, rather than the surrounding territory of the office environment. This implies that an efficient office arrangement which is small in terms of number of square feet perpension can still be rated highly. Finally, privacy in most computer-related workstations seems to be directly related to control over privacy and reduction of noise through walls. This presumes some design requirements for controlling interruptions and distractions.

A productivity model was constructed to help determine the major components of productivity and the effect of the changes in the working environment in productivity. The results showed that the renovation, even with the limitarious placed on design actions, improved employee productivity.

In the DSAC study, the prototype experiment was successful in that it showed a detainte improvement in occupant satisfaction. The employee survey ω_{AC} is set, reconcreter determining the relationship of employees to complete remaining the relationship.

REFERENCES

- Makir, A., et al., Visual Display Terminals (John Wiley & Sons, 1980)
- Emergency of Facility Management, Facility Management Institute Occasional Paper (June 1980).
- De Varis, P. E., "Proposed Workstations Explore Special Needs of Computer Programmer," Contract (March 1980), pp 106-111.
- De Varis, P. E., "Reassessing Data Center Design," <u>Buildings</u> (May 1980), pp. 63-66.
- Facility Influence on Productivity (Herman Miller Research Corporation, 1976).
- Gaskie, M., "Toward Workability of the Workplace," <u>Architectural Record</u> (August 1980), pp 70-75.
- Harris, Lou & Associates, "Comfort and Productivity in the Office of the 80's," <u>Steelcase National Study of Office Environments, II</u> (Steelcase, Inc., 1980).
- of Office Environments, Technical Report E-142/ADA074467 (U.S. Army Construction Engineering Research Laboratory [USA-CERL], 1977).
- MBT Associates, IBM West Coast Programming Development Center: Programmer Function Report Series, Special Cheny Report (IBM, 1976).
- Miller, Harry, Management of the Working Environment (Hutchinson, Benham, London, 1975).
- Mundel, M., "Measures of Productivity," Industrial Engineer (May 1976).

APPENDIX: Office Environment Questionnaire



office environment dla / dsac study

office research and planning study

A study to determine the best means of improving office space for the DLA/Defense Systems Automation Center has been requested. The purpose of this study is to determine the opinions, preferences and a consensus of complaints about offices that will help the designers to improve the efficiency, comfort and attractiveness of your building. As a resident of your office area, your experience, opinions and preferences will be highly valuable sources of information to the designer concerning layout, comfort and general features of decor and construction.

This questionnaire represents a portion of that study. Your help in answering items on this questionnaire will provide a basis for improving the office situation at DSAC. This questionnaire is divided into three sections:

Section I Work Area Evaluation dealing with your immediate work area

Section II Activity and Equipment Analysis dealing with your functional needs

Section III Work Environment dealing with organizational operations

The information requested by this survey will be used for research purposes only and all responses will be held in strict confidence. Your name will not be linked with your answers which will be used only for statistical summaries of the data.

Please complete the questionnaire before the next day and return it to one of CERL's representatives, or a common pick-up point.

Your cooperation and assistance are greatly appreciated. If you have any questions, please contact one of the CERL's researchers or call me at the FTS number below.

Dr. Charles C. Lozar Research Architect Principal Investigator (FTS 958-7247)

BACKGROUND INFORMATION

169.	Sex:FemaleMale 23 Branch or organization symbol2	3 25
170.	Discipline (Professional)	26 27
171.	My room number is (If not assigned a specific room then indicate where most work is done).	26 30
172.	How many years of education have you completed? (After high school)	31 32
173.	Check the highest degree obtained.	3 3
	 Not a high school graduate High school diploma Junior College degree Post-Doctoral work Bachelor's degree Master's degree Doctorate 	
174.	Are you defined by regulations as:	3 #
	 Supervisor Computer Programmer Systems Analyst Secretary 4. Function Analyst 5. Data Processing Clerk 6. Secretary	
175.	Do you have a professional certification? 1. Yes 2. No	3 5
176.	How many years have you worked here? Yrs.	36 3A
177.	What is your present pay grade?(GS Level)	39 40
	Is your appointment: 1. Permanent 2. Temporary	41
179.	To the best of your ability, indicate the percentage of time you spend in each of the following activities during an average day. The total should equal 100% (select only those activities that apply).	
	Writing *2Thinking *9	
	Reading 43Drawings 50	
	Talking "" Painting 51	
	Layout 45Typing 52	
	Filing 46 Sorting 53	
	Collating * 7Mailing 54	
	Other 48 100% TOTAL	
180.	If you have any suggestions for improving offices or if you wish to comment on anything not covered in the questionnaire, prease do so below. (Do so below or on reverse side)	

COLOR AND DECOR

166.	If you were to paint your area, what would you choose as the MAIN COLOR or COLOR SCHEME? (circle one)	18
	RED or SHADES OF RED	
167.	Would you prefer your color scheme:	19
	Brightly colored rooms 1 Subdued colored rooms 2 Neutral colored rooms 3 Two colors in one room 4 One major color with accents 5	
168.	There could be a number of decor items displayed in the halls. If you had your choice, what would you like to see displayed in hallways.	20~21
	Representational paintings	
	Abstract modern paintings	
	Displays of research	
	DLA recent work	
	Automation related paintings	
	Absolutely nothing on walls	
	Sculpture hung on walls	
	Areas for personal displays of employee's work	
	Areas for personal displays of employee's work Supergraphic symbols identifying functional areas	·

The laboratory exists in an open site. Some aspects of the landscaping may be important to you. Please indicate your agreement or disagreement with the following statements.

	SITE AND LANDSCAPING	Highly Agree	Slightly Agree	Neutral	Slightly Disagree	Highly Disagree	
156.	Finding parking place <u>close to the building</u> is a problem	<u>=</u>	:	:	:	: <u></u>	
157.	I like to <u>spend time outdoors</u> during my lunch hour		:	<u>:</u>	:	:	1
158.	The inclusion of more trees around the building would improve its looks		:	·	:	· :	1
159. 160.	I enjoy watching activity outside while working. The landscaping makes this a <u>pleasant place</u> to be		:	:	:	: <u> </u>	1
161.	I would like more <u>outdoor recreation</u> spots such as benches, covered places, etc.		:	·	·	:	1
162.	I would enjoy plants in the interior of the building		<u>:</u>	:	:	.:	1
163.	Going outside during the day helps my ability to concentrate		·	<u>:</u>	·	:	1
164.	The size of the parking lot is adequate		:	.:	.:	:	1
165.	What single action would most improve the qualit	ty o	f th	e la	ndsc	aping].

• Perhaps at this time a cup of coffee would be a great help in continuing ...

PARTS OF THE OFFICE ENVIRONMENT

A building if made of many parts such as halls, conference rooms, etc. Your ratings of these components will help in an overall evaluation of office space.

	-	HALLWAYS	
125.	colorful	: : : : : drab	5.5
126.	interesting	boring:	5 6 5 7
127.	dark	:::::: 1 ight	5 8
128.	clean	:::	
129.	friendly		e 53
130.	beautiful	::::: ugly	6 u
		RECEPTIONIST AREA	6 1
131.	colorful		
132.		- i - i - i - i - light	63
133.		:_:_::: dirty	
134.			
135.		:::: indstr	66
136.	beautiful	::::: ugiy	
		CONFERENCE ROOMS	
		. : drab	67
137.			G 6 8
138.			
139			
140.		:_:_ hosti	
141.		ugly	72
142.			quate 73
143.	adequate		,
		SNACKBAR (IF APPLICABLE)	
144	. colorful	drab:	7 4
145		: borir	
146			
147			
148		:::: host	
149	-		79 80
150		: : : : : : : : : : : : : inade	equate 3 1
		LIBRARY (IF APPLICABLE)	2
151	. colorful	:::: drab	
152	. interesting	bori	19
153		: : : : : ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	L .
154	. clean	:_:_:_:: dirt	y
155	. friendly		11e °
156		:::ugly	
157	. adequate	::::::inad	equate ⁸

IMAGE OF THE BUILDING

The exterior of the DLA building presents an image to the public, consultants, and new employees. Please indicate your rating of the exterior image of the DLA building on the scales below by placing a check mark close to the adjective which best describes some attribute of the exterior. Rate all scales.

102.	common	:	:	:	<u> </u>	_ : _	_ :	unique	3 2
103.	dark	:	:	:	<u> </u>	_ : _		light	3 3
104.	useful	:	:	:	:_	_ : _	_ ;	useless	3 4
105.	delicate	:	:	:	:_	_ : _	_ :	rugged	3 5
106.	active	:	:	:	:_	:_	_ :	passive	3 6
107.	ordered	:	:	:	<u> </u>	_ : _		chaotic	37
108.	old	:	:	:	:_	_ : _	_ :	new	3 8
109.	colorless	:	:	:	:_	_ : _	_ :	colorful	3 9
110.	flexible	:	:	:		_ : _	_ :	rigid	40
111.	expensi ve	:	:	:	: _	:_	_ :	inexpensive	41
112.	calming	:	:	:	:_	:_	_ :	exciting	4 2
113.	small	<u> </u>	<u>.</u> :	:	:_	_ : _	. :	large	4 3
114.	simple	:	:	:	<u> </u>	_ : _	<u>.</u> :	complex	44
115.	pleasing	:	:	:	<u> : : : </u>	: _	-:	annoying	4 5
116.	formal	:	:	<u> </u>	:_	:_		casual	4 6
117.	dull	:	:	:	<u> </u>	_ : _	_ :	bright	47
118.	friendly	:	:	:	:_	_ : _	<u> </u>	hostile	4 8
119.	boring	:	:	:	<u> </u>	_ : _	_ :	interesting	49
120.	generous	:	:	:	:_	_ : _	_ :	frugal	5 0
121.	traditional	:	:	<u> </u>	<u> </u>	:_	_ :	contemporary	5 1
122.	beautiful	:	:	:	<u> </u>	_ : _		ugly	5 2
123.	subdued	:	:	:	:_	_ : _	_ :	vibrant	5 3
124.	cheerful	:	:	:	<u> </u>	_ : _	_ :	sad	5 4

PERSONALIZATION OF WORK STATION

We all tend to bring parts of our lives into the office setting. Sometimes we bring in objects that symbolize aspects of our lives and place them in the office areas. The following questions deal with this kind of personalization.

97.	Do you bring objects from home or elsewhere with which to decorate your room or work station?									
	YesNo	(if no skip to question 102)	2 9							
98.	If yes, please indicate the type one or more.	of objects you bring. Circle								
	1. Photos	8. Desk ornaments	30-31							
	2. Pictures	9. Wall hangings								
	3. Posters	10. Certificates, awards								
	4. Pencil holders	11. Personal lamp								
	5. Coffee cups	12. Radio								
	6. Personal books	13. Clock								
	7. Plant	14. Other								
99.	Can you explain, in your own word the office setting?	s, why you bring these items to								
100.	Do your friends talk about these	items when visiting your work station?								
101.	Does your work station accommodat would you prefer more places to p	e this form of personalization or out your items.								

PRIVACY IN WORK STATION

Privacy has many definitions, but seems to be a concept related to the nature of your tasks at your work station and in your room. Please indicate your degree of agreement with the following statements.

88.	Conversations in my room disturb my ability to	Highly Agree	Slightly Agree	Neutral	Slightly Disagree	Highly Disagree	2 (
	concentrate	:	:	:	:		2 (
8 9.	I can hear <u>noise</u> thru the walls of my office	:	:	:	<u></u> :		2 1
90.	People keep coming into my room and disturbing me	:	:	:	:		2 2
91.	The <u>telephones</u> in my room are a noise irritant	:	:	<u></u> :	:		2 3
92.	I have a <u>high degree of control</u> overy my privacy in my room	:	:	:	:		2 4
93.	I have many <u>visual distractions</u> in my office which are disturbing	:	:	:	:		2 5
94.	My job requires a high degree of concentration	:	:	:	:		2 6
95.	Total number of people in my room is	•					2 7
96.	Number of people I can see while sitting at my des	sk i	s				2 8

EL	EC	TRI	CAL	OUT	LET	SI	N R00	Μ

80.	Sufficient nu	umber _	:	_ :	_:	_:	.:	_:	Insufficient number
81.	Well located	-	_:_	<u>:</u>	-:	-:	·	-:	Poorly located
		AIR COM	DITIO	NING	AND	HEAT	ING	IN RO	<u>м</u> с
82.	Air Condition Adequate	ning -	:	_:	_:	_:	_:	-:	Air Conditioning Not Adequate
83.	Heating Adequ	uate _	:_	_:	_;	_:	.:	_:	Heating Inadequate
84.	Easy to Adjus	st _	:	_:	_:	_:	.:	_:	Hard to Adjust
85.	I am comforta in most seaso	-	:	_:	_:	_: <u></u>	·	_:	l am uncomfortable in most seasons
		THER	RMAL C	OMF0	RT A	T WOR	RK S	TATION	
86. are	Please rate completing th				tions	<u>s</u> at	you	r work	station <u>now</u> as you
	Co	ld							
	Cod	01							
		ightly (001	•					
	Cor	nfortabl	е						
	S1·	ightly W	larm						
	War	rm							
	Ho	t							
righ		ing has	a sign	nifi	cant	effe		upon ti	scribe your apparel hermal comfort and
	Slacks plus:	short s	leeve	shi	rt	_		s	kirt
		long sl	eeve :	shir	t			s	lacks
		underst	nirt_					p.	louse
		sweater	or si	weat	er ve	e t		SI	weater
		suit co	at or	Spor	rts	iacke	et.	i	acket

FLOORING IN ROOM

64.	Satisfactory	:::::Unsatisfactory	67
65.	Clean	:::::Dirty	6.8
66.	In good repair	:::: In poor repair	6 9
67.	Attractive	:::::Unattractive	70
		CEILING IN ROOM	
68.	Satisfactory	:_:_:_:_:Unsatisfactory	71
69.	In good repair	:::: In poor repair	72
70.	Attractive finish	:::::Unattractive finish	73
		WALLS IN ROOM	
71.	Satisfactory	:_:_:_:_::Unsatisfactory	74
72.	Easy to clean	:_:_:_Difficult to clean	7 5
73.	In good repair	:_:_:_:_:_::In poor repair	76
74.	Attractive finish	:::::Unattractive finish	77
75.	Good quality paint	:::Poor quality paint	78
	UTIL	ITIES AND SERVICES IN ROOM	
76.	Lighting adequate	::::Lighting inadequate	79
77.	Fixtures well located	Fixtures poorly::::located	8 0
78.	Switches well located	Switches poorly::::located	2 1
79.	Switches in good	Switches in poor : : : : : repair	2

Your work station is in a room. Certain attributes of this room can be rated individually and make up your total perception of your space in the room. Please answer the following questions.

WINDOWS

51.	How important is it	for you to be able to see outside?	
Extr	remely important:	Not important at all	54
52.	Do you feel having a	window is a factor in your ability to do your jo	ob? 5 5
C 2			
53.	Do you feel a window		
Impr on t	roves my performance he job	Distracts from my _::::performance on the job	5 6
54.	Can you see out of a	ny window from where you normally sit?	
	Yes	No (If no go on to 64)	5 7
55.	If so what can you s	see? (circle as many as/necessary)	
	1, trees 2. cars	3. fields 4. buildings 5. supplies 6. tras	sh ⁵⁸
56.	Which direction does	your window face?	
	North	East South West	5 9
		WINDOWS IN ROOM	
57.	Satisfactory	:::::Unsatisfactory	6 0
58.	Style attractive	:_:_:_:_Style unattractive	61
59.	Provides adequate outside light	Provides inadequate outside light	6.2
60.	Good location	::::Poor location	63
61.	Good size	:::Poor size	64
62.	Clean glass	:::::Dirty Glass	6 5
63.	Easy to open or operate	Difficult to open or : : : : : operate	66

IMAGE OF WORK STATION AND ROOM

The work station you work with presents an image to you, your visitors, and other staff. Please indicate your rating of the image of your work station on the scales below by placing a check mark close to the adjective which best describes its attributes.

28.	согу	:	:		:	 :	:	: _	 :	 roomy	3 1
29.	common	 :	:		:	 : _	:	: _	 :	 unique	3 2
30.	clean	 :	:		:	 : _	:	: _	 :	 dirty	3 3
31.	dark	 :	 :		:	 : _	:	:	 :	 light	3 4
3 2.	bad	 :	:		:	 : _	:	: .	 :	 good	3 5
3 3.	ordered	 :	:	:	:	 : _		: .	 :	 chaotic	3 6
34.	old	 :	:	:	:	 : _		: .	 :	 new	3 7
35.	colorless	 :		:	:	 : _		: .	 :	 colorful	3 8
36.	stuffy	 :		:	:	 : _		: .	 :	 drafty	3 9
37.	calming	 :		:	:	 : _		:	 :	 exciting	4 0
38.	noisy	 :		:	:	 : _		:	 :	 quiet	41
39.	small	 :		:	:	 : _		:	 :	 large	4 2
40.	simple	 :		:	:	 : -		:	 :	 complex	4 3
41.	pleasing	 :		:	:	 : _		:	 :	 annoying	44
42.	formal	 :		:	:	 : _		:	 :	 casual	4 5
43.	dull	 :		:	:	 : _		:	 :	 bright	4 6
44.	friendly	 :		:	:	 : _		:	 :	 hostile	47
45.	boring	 :		:	:	 : .		:	 . :	 interesting	48
46.	traditional	 :		:	:	 : .		:	 :	 contemporary	49
47.	beautiful	 :		:	:	 : .		:	 :	 ugly	5 0
48.	subdued	 :		:	_ :	 : .		:	 . :	 vibrant	51
49.	protected	 :		:	_ :	 : .		:	 . :	 exposed	52
50.	facilitating	 :		:	_ :	 ; .		:	 :	 distracting	5 3

WORK STATION

Your work station is the physical space in the room you and your office equipment occupy. Various aspects of your work station layout may affect your job performance. Please indicate the degree to which you agree or disagree with the following statements.

		Highly Agree	Agree Slightly	Neutral	Disagree Slightly	Highly Disagree	
16.	The <u>size of my desk</u> surface is adequate for my tasks.	:	:	:	:	- 	19
17.	The area my space occupies is adequate for my tasks.	;		:	·:		2 0
18.	I have enough <u>storage space</u> in and around my desk.		·:		·:		2 1
19.	I find my work station flexible enough to meet changing requirements.			::	::		2 2
20.	I think my work station presents a professional image.			::	::		2 3
21.	The privacy I now have is adequate for my tasks				·:		2 4
22.	My work station is an attractive arrangement				::		2 5
23.	My work station is easy to <u>keep clean</u>			:	::		2 6
24.	I do bring items from home to <u>personalize</u> my work area	•		:	::		27
25.	There are <u>no safety hazards</u> associated with my work station.			:	::		28
26.	I associate a <u>personal sense of pride</u> with my work station		:	:	::		29
27.	Someone else has a work station I would prefer rather than mine		:	:	::		3 0

FURHITURE

The furniture you have in your work station can help or hinder your job effectiveness. The furniture consists of a number of individual items which you will be asked to evaluate as a group. Please indicate your agreement or disagreement with the following statements.

		Highly Agree	Slightly Agree	Neutral	Slightly Disagree	Highly Disagree	
1.	My furniture is <u>comfortable</u>		:		:	:	4
2.	I have a wide variety of furniture		: :	·	:	:	5
3.	My furniture is modern and stylish		::	:	:	:	6
4.	My furniture is <u>colorful</u>		: :	:	:	:	7
5.	My furniture is <u>easy</u> to damage		: :	:	•	:	8
6.	My furniture is <u>new</u>	<u> </u>	: :	:	:	:	9
7.	I am proud of my furniture		: :	:	:	:	1 0
8.	My furniture is sturdy		: :	:	:	:	1 1
9.	My furniture is high quality		: :	·	:·	:	1 2
10.	I am <u>satisfied</u> with the furniture in my work station		: :	:	:	:	13
I ha	ve the following furniture in my wor	k area	(circl	le appi	ropria	te ite	ms)
11.	Desk 1 Grey-green 2 Wood 3 Black with colored top	12.	Bookcas 15	<u>se</u> 1 2	Books! Metal		
13.	File Cabinet 1 2 drawer 2 4 drawer 3 Slide pullout 4 Wright Cabinet for	14.	Other E		2 (Craden Chairs Work T Other	
15.	Computer Files 1 Bank Screen 2 Landscape Office 3 Movable Freestanding None						

SECTION I: WORK AREA EVALUATION


The second engines is decised to the second second

The lower group of the finite discretises of a University of the community of the contract of


1. Furniture The actual items such as desks, bookcases, chairs, etc.

J WOOD DEEK wa -3 STANDARD FILES


2. Work Station The assemblage of furniture and accessories you have arranged to meet your needs for your tasks.



3. Room The actual room in which you work or are stationed consisting of floors, walls, ceilings, and utilities.



4. Building! The whole of DLA as a building and a group of buildings.



SECTION II: EQUIPMENT AND ACTIVITY INVENTORY

The purpose of this questionnaire is to document your job related activities and equipment so that we can best specify furniture and equipment for your work area. Please read the instructions before beginning the questionnaire.

1.	During an "average" work day how many trips will you personally make to a copy machine?	5 \$
	a. None b. 1-3 c. 4-6 d. 7-9 e. 10 or more	
2.	During an "average work week" how many conferences or meetings will you participate in?	5 6
	a. None b. 1-3 c. 4-6 d. 7-10 e. More than 10	
3.	Where are your conferences most frequently held?	5 7
	a. At your own workspace or officeb. In a private conference roomc. At someone else's workspace	
4.	Not including yourself, how many other persons will usually participate in these conferences?	5 8
	a. One other personb. 2-3 other peoplec. 4-5 other peopled. More than 5 people	
5.	What is the typical duration of these conferences?	5 9
	a. 1-10 minutesb. 10-30 minutesc. 30 minutes to 1 hourd. Over 1 hour	
6.	Does your job require you to operate a computer terminal?	6 0
	Yes No	
	Note: If you answered No on question 8, please skip to question 11, thank you.	

Please circle the appropriate items.

7.	Do you share use of a terminal with one of your co-workers?	6 1
	Yes No	
8.	During an "average" work day how many hours do you spend operating a terminal?	6 2
	 a. Less than 1 hour b. 1-2 hours c. 2-3 hours d. 3-5 hours e. over 5 hours 	
9.	Does your job require you to work with computer print outs?	6 3
	Yes No	
10.	Are any of the files which you maintain or use, located in a central or department file area where more than one person retrieves information from them?	6 4
	Yes No	
11.	How often do you have visitors from outside this laboratory?	6 5
	a. Neverb. Once or twice a monthc. Once or twice a weekd. Once or twice a daye. More than twice a day	
12.	During an "average" work day how much time do you spend sitting at your desk/work station?	6.6
	 a. Less than 1 hour b. 1-2 hours c. 2-3 hours d. 3-4 hours e. More than 4 hours 	

13.		the following items do you have on your desk? many items as appropriate.	
	f. g. h. i. j. k. l. m. n. o.	Stapler Intercom Address/directory Tape dispenser Personal items (like photographs, plants) Calculator Drafting equipment Office machine (typewriter, etc.) In/Out Basket Paper punch Blotter Box of tissues Ash tray	6 7 6 8 6 9 7 C 7 1 7 2 7 3 7 4 7 5 7 6 7 7 8 7 9 1 2
14.		of your desk drawers are filled with "working files", i.e. ion which is referred to periodically throughout the day?	5
	a. b. c. d.	2 drawers	
15.	Are any filing c	of the files you maintain contained within standard abinets?	6
	Yes No		
16.	are fill	of these standard file drawers (approximately 24" deep) ed iwth "working files", i.e. information which is referred dically throughout the day?	7
	a. b. c. d. e. f. g.	None 1/2 drawer 1 drawer 2 drawers 3 drawers 4 drawers More than 4 drawers	

17.	How many files; i. retrieved	of these standard file drawers are filled with "dead" .e. information which must be kept but which is seldom 1?	ä
	c. d. e.	None 1-2 drawers 3-6 drawers 7-10 drawers 11-16 drawers More than 16 drawers	
18.	How adequ	uate is the amount of filing space you currently use?	9
	a. b. c. d. e. f.	Very inadequate Somewhat inadequate Slightly inadequate Barely adequate Somewhat adequate Very adequate	
19.		books, notebooks, folders, binders, etc., less than do you currently store in your work space (office)?	1 0
	a. b. c. d. e. f.	51-75 76-100	
20.		catalogs, manuals, binders, notebooks, etc. from 1-3" you currently store in your workspace (office)?	1 1
	a. b. c. d. e. f.	None 1-12 13-24 25-36 37-48 over 48	
21.		catalogs, binders, manuals, books, etc. over 3" thick urrently store in your workspace (office)?	1 2
	a. b. c. d. e.	None 1-4 5-8 9-16 17-24	

22. Do you store extra amounts of stationary, envelopes, business forms, slides, miscellaneous office supplies and other items which are not used on a daily basis?

1 3

Yes No

23. Do you usually have large graphic materials on display such as: flow charts, bar charts, maps, posters, plans, etc.?

14

- a. Never
- b. Almost never
- c. Infrequently
- d. Sometimes
- e. Frequently
- f. Almost always
- 24. Would a chalkboard be of use in completing your daily job tasks?

15

- a. Unnecessary
- b. No particular feeling
- c. Somewhat useful
- d. Useful
- e. Very useful

SECTION III: WORK ENVIRONMENT

The following questionnaire is designed to measure the ways you perceive and react to various aspects of your work environment. This information will be used to determine the effects of different conditions upon people who work in them. Recommendations will then be made regarding changes and improvements in the work area.


The questionnaire will require about 15 minutes of your time. This amount of time is necessary for us to obtain a more real picture of the conditions which presently exist so that we might make more meaningful suggestions for change.

Please read each question carefully and answer it thoughtfully.

The information you provide is <u>CONFIDENTIAL AND FOR RESEARCH PURPOSES</u>

ONLY. <u>NO INFORMATION REGARDING INDIVIDUAL RESPONSES WILL BE DIVULGED</u>.

Thank you for your help.



(In this section, branch is used to define your organizational element. Proganization refers to the laboratory as a whole)

1.	so bad that it bothers you?	1 6
	a. Almost alwaysb. Usuallyc. Sometimese. Seldomf. Almost never	
2.	How often do you feel unable to satisfy the conflicting demands of various people over you?	17
	a. Neverb. Rarelyc. Sometimesd. Oftene. Almost always	
3.	Opportunities for independent thought and action on my job are:	18
	a. Non-existentb. Limitedc. Fairly goodd. Quite goode. Outstanding	
4.	How often do you have opportunities to work on different jobs?	19
	a. Neverb. Rarelyc. Sometimesd. Oftene. Nearly all the time	
5.	How many tasks do you perform on your job which you consider relatively unimportant or unnecessary?	2 0
	a. Nearly allb. Quite a numberc. A fewd. Very fewe. Practically none	
6.	I usually have good information on where I stand and how my performance is evaluated.	2 1
	a. Strongly agree b. Agree c. Not sure	

7.	ow often do you work on difficult and challenging problems in your ob?	2 2
	a. Neverb. Rarelyc. Sometimesd. Rather oftene. Nearly all the time	
8.	he condition of the equipment and supplies used in my work is:	2 3
	a. Poorb. Unsatisfactoryc. Faird. Goode. Excellent	
9.	o what extent are you required to follow a specified set of rules nd procedures in doing your job?	2 4
	 a. To a very great extent; I must follow rules and procedures exactly b. To a great extent; changes can very rarely be made c. To a moderate extent; changes can be made on some things but often I must follow set rules and procedures d. To a limited extent; there are only a few rules and procedures for my job e. Not at all; there are no specified rules and procedures for my job 	
10.	rocedures are designed so that equipment is used efficiently a. Strongly agree b. Agree c. Not sure d. Disagree e. Strongly disagree	2 S
11.	o what extent are you required to meet rigid standards of quality n your work?	2 6
	a. To a very great extentb. To a great extentc. To some extentd. To a small extente. Not at all	

27 12. To what extent is dealing with other people a part of your job? Very little; working with other people is not an important part of my job Somewhat; I have to deal with some other people, but this is not a major part of my job Frequently; I deal with many other people as a part of my job d. Very much; probably the single most important part of my job is working with other people 28 How well does your supervisor recognize and reward good performance by his people? He is not a good supervisor in this respect He recognizes good work but does little in the way of rewarding c. He recognizes and rewards good work d. He is very appreciative and eager to reward good work 29 To what extent does your supervisor emphasize high standards of performance? a. Not at all b. To a small extent c. To some extent d. To a great extente. To a very great extent 30 15. To what extent does your supervisor show you how to improve your performance? Not at all a. b. To a small extent c. To some extent d. To a great extent e. To a very great extent 3.1 16. To what extent does your supervisor encourage the people who work for him to work as a team? a. Not at all b. To a small extent c. To some extent d. To a great extent e. To a very great extent

17.	supervise	or?	
		Very good Good Fair Poor Very poor	
18.		essful is your immediate supervisor in dealing with higher f command?	3 3
	a. b. c. d. e.	Definitely above average success	
19.	The peop	le here generally trust their branch heads.	3 4
	a. b. c. d. e.	Not sure Disagree	
20.	Everythi	ng is checked; individual judgment is not trusted	3 5
	a. b. c. d. e.	Not sure	
21.	The work	space and furniture in our work group is:	3 6
	a. b. c. d. e.	Good	

22.		your branch compare to all other branches in the division of productivity?	37
	a. b. c. d. e.	Is one of the most productive branches (top 5%) Is considerably above average in productivity (top 20%) Is somewhat above average in productivity (top 40%) My branch has about average productivity for the district Is somewhat below average in productivity	
23.	Most mem	pers of my Branch take pride in their jobs.	3 8
	a. b. c. d. e.	Not sure Disagree	
24.	To what the memb	extent does a friendly atmosphere prevail among most of ers of your Branch?	3 9
	с.	To a very small extent To a small extent To some extent To a considerable extent	
25.	People a	re encouraged to ask questions about the Branch's affairs.	40
	a. b. c. d. e.	Agree	
26.		organization about the only source of information on important is the grapevine (rumor).	4 1
	a. b. c. d. e.	Strongly agree Agree Not sure Disagree Strongly disagree	
27.		y there are friendly and cooperative relationships between erent branches in this organization.	42
	a. b. c. d. e.	Strongly agree Agree Not sure Disagree Strongly disagree	


28.	In this o	organization things seem to happen contrary to rules and ons	4 3
	b. c. d.	Strongly agree Agree Not sure Disagree Strongly disagree	
29.	How clea	rly defined are the objectives of your Branch?	44
	a. b. c. d.	Better than most	
30.	How cons	istently are organization's policies applied to all?	4 5
	a. b. c. d.	Inconsistent most of the time Consistent most of the time	
31.	Working	conditions in this Branch are better than in other Branches.	46
	a. b. c. d. e.	Agree Not sure Disagree	
32.	On the b	pasis of your experience and information, how would you are Branch on effectiveness?	47
	a. b. c. d. e.	Poor	
33.	The clea	anliness and up-keep of the rest rooms and other facilities	6 8
	a. b. c. d. e.	Very poor Poor Passable Good Very good	

34.	To what and deve	extent does your Branch emphasize personal growth lopment?	49
	с.	Not at all To a very small extent To a small extent To some extent To a considerable extent	
35.		s keep well-informed about the needs and problems of the orking here	5 0
		Agree Not sure Disagree	
36.	How do y employee	ou feel about recommending this organization to a prospective ?	5 1
	a. b. c.	I would probably recommend it under certain circumstances	
37.	Consider	ing everything, how satisfied are you with your present job?	5 2
	b. c. d.	Very dissatisfied Dissatisfied Indifferent Satisfied Very satisfied	
38.	How ofte	n do you wish you could quite your present job?	5 3
	a. b. c. d. e.	About all the time Very often Somewhat often Seldom Never	
39.		y speaking, how satisfied are you with the kind of work you do on your job?	5 4
		Very dissatisfied Dissatisfied Indifferent Satisfied Very satisfied	

DESIGN OF COMPUTER-RELATED HORKSTATIONS IN RELATION TO JOB FUNCTIONS AND. (U) CONSTRUCTION ENGINEERING RESEARCH LAB (ARMY) CHAMPAIGN IL C C LOZAR ET AL. DEC 84 CERL-P-85/09 MIPR-80-939-5 F/G 5/5 UNCLASSIFIED NL END

2/2

AD-R151 938



40.	Considering everything, how would you rate your overall satisfaction in this Branch at the present time?	5 \$
	a. Very dissatisfiedb. Dissatisfiedc. Indifferentd. Satisfiede. Very satisfied	
41.	Your branch or office symbol	5 6
42.	Are you:	6 0
	a. Administrative/supportb. Professional/technical	
43.	Are your responsibilities classified as:	6 1
	 a. Supervisory and management b. Computer Programmer c. Systems Analyst d. Functional Analyst e. Clerk f. Secretary 	

1.	The distance I must travel for most work related conversations is:	2.	The number of business related trips I make away from the work station is about per day:		
	0-5 ft				
3.	for personal conversations is:	4.	The number of personal trips I make away from the work station is about per day.		
	0-5 ft 5-10 ft 10-20 ft 20 or more				
How		mate	uipment noise, other telephones, etc. you are distracted from your work by		
rea			your thinking during the day for any mes per day would you estimate this		
	How many trips per day do you make to the cafeteria (including lunch)?Trips per day				
	Answer only if you are a Programmer or Analyst: In your job function, one of the most frustrating activities is finding, fixing, or testing your mistakes ("Glitches" of all types) In computer-related work (writing, designing, or evaluating programs)				
8.	Estimate the number of your "g you must deal with (As defined by Total Number	glitc you)	hes" per day		
9.	How much time per day would you estimate you spend fixing these "Glitches"	e sel	f-created		
	Total Hours Min		_		

....And now, the last page. Please answer the following questions and turn in your questionnaire to the PERT Conference Room in the front of DSAC.

embitable of Teac Jantes often

 $\frac{1}{\sqrt{2}} \frac{(a_1,a_2)}{(a_2,a_3)} = \frac{1}{\sqrt{2}} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_2,a_3)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_2,a_3)}{(a_2,a_3)} \frac{(a_1,a_2)}{(a_2,a_3)} \frac{(a_2,a_3)}{(a_2,a_3)} \frac{(a$

work, galfiners (1915)gan. [11] willow uniet, ingineer Division

JJA JARCOM (2009) ATTWO UNCLO

right Leavenworth, to 50025 ACTY ACCLUBED

Attion Afon for 1846.

Cumpa (1) Are pinture (1940). Anno 1960

Streeting, 2011 to emoting, a parety Div. 20410.

Unrector, Lenter for alda Technology 20334

Nath mail (material of old) Actences 20005

ight of properties 2,240€

57 ,4 10 94 Govar, Charles C

Design of computer-related workstations in relation to job functions and productivity Toy Charles C. Lozar, Robert D. Neathammer. - Champaign, 1.1: Construction Engineering Research Laboratory, 1984) to pp. (Technical report; P-85/09)

1. Defense Systems Automation Center, Columbus, Ohio. 2. Office furniture. 3. Work environment. 4. Computer terminals. I. Neathammer, Sopert D. H. Litle. III. Series: Technical report (Construction Engineering Research Emboratory); P-85/09.

END

FILMED

4-85

DTIC