REPRODUCED AT GOVERNMENT EXPENSI AD-A153 625 **INTERNET** MAIL PROTOCOLS November 1982 DISTRIBUTION STATEMENT A B in public s Distributio WILL FILE COPY **Network Information Center SRI International** Menio Park, CA 94025 (NIC@SRI-NIC) 4 04 062 85 Best Available Copy 2004 0315 094

· · · · · · · · · · · · · · · · · · ·	• •		PAGE				<u>م</u>		۰									
				REPORT DOCU	MENTATION	PAGE		· ·										
I. AEPORT SI	ECURITY CLASSI	FICATIC	N N	· •	16. RESTRICTIVE MARKINGS													
a. SECURITY	CLASSIFICATION	N AUTH	IORITY		3. DISTRIBUTION	AVAILABILITY O	FREPO	RT										
2b. DECLASS	ATION / DOW	NGRA	ANG SCHEDU	LE	Approved for public release.													
4. PERPORMIN	rg onganizati	ion rei	Port Pijmbi	FR(S)	5. MONITORING	ORGANIZATION R	EPORT	NUMBER(S										
Se. NAME OF	PERFORMING	ORGAN	ZATION	66. OFFICE SYMBOL	7a. NAME OF MC	DNITORING ORGA	NIZATI	ON										
Netwo SRT 1	ork Inform	ation	n Center	(л аррисаон)	Defense D	ata Network	-PMO											
Sc. ADDRESS	(City, State, and		ode)	.	7b. ADDRESS (CR	y, State, and ZIP	Code)											
Menlo I	Park, CA 9	4025	•		Washingt	on, DC												
DE NAME OF	FUNDING/SPO	NSORIN	ig	Sb. OFFICE SYMBOL	9. PROCUREMENT	INSTRUMENT ID	ENTIFK	CATION NU	MBER									
			:	v. spymanes	TRAZ	00-83.	- C	-00	25									
Bc. ADDRESS	(City, State, and	ZIP Co	de)		10. SOURCE OF F	UNDING NUMBER	S											
					PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.		WORK UNIT									
Inter	met Mail	Proto	cols															
Inter 12. PERSONA 13e. TYPE OF	Thet Mail 1	Proto	00018	OVERLD	14. DATE OF REPO	NT (Year, Month,	Dey)	15. PAGE	COUNT									
Inter 12. PERSONA 13. TYPE OF	Thet Mail] L AUTHOR(S) REPORT	Proto	13b. TIME (FROM	OVEREDTO	14. DATE OF REPO 821100	NT (Year, Month,	Dey)	15. PAGE 125	COUNT									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM	ENTARY NOTAL	TION	13b. TIME C	OVEREDTO	14. DATE OF REPO 821100	RT (Year, Month,	Dey)	15. PAGE 125	COUNT									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17.	COSATI	Proto FION CODES	13b. TIME (FROM	OVERED TO	14. DATE OF REPO 821100	NT (Year, Month, a if necessary and	Dey) 1 ident	15. PAGE 125	COUNT									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD	COSATI		13b. TIME C FROM	TO TO 18. SUBJECT TERMS Simple Mail	14. DATE OF REPO 821100 (Continue on revers Transfer Pro	RT (Year, Month, h // necessary and tocol; SMTP	Dey) dident ; Int	15. PAGE 125	COUNT k number) text									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC	COSATI		13b. TIME C FROM	IS. SUBJECT TERMS Simple Mail message; Ma	14. DATE OF REPO 821100 (Continue on revers Transfer Pro il transfer; cumbed	MT (Mear, Month, e // necessary and tocol; SMTP Standard; Fo	Dey) dident ; Int ormat	15. PAGE 125	COUNT k number) text									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC This doct the Form network to only a re- transport options contained	The Mail I LAUTHOR(S) REPORT ENTARY NOTAL COSATI GROUP I GROUP I (Continue on ment conta at of ARPA mail. The eliable or t services for comput d in the I	CODES FION CODES SU SU reverse ains Inte SMTE dered . The er mon	13b. TIME C FROM FROM B-GROUP RFC 821 (ernet Tex P 1s inde i data st be second essages s net Proto	18. SUBJECT TERMS Simple Mail message; Ma y and identify by block Simple Mail Tra t Messages), wh spendent of the tream channel. I part of this d sent by electron col Transition	14. DATE OF REPO 821100 (Continue on reverse Transfer Pro il transfer; number) nsfer Protoco ich are the b particular tr Appendices de ocument descr ic mail. The Workbook.	MT (Mear, Month, tocol; SMTP Standard; Fo DI-SMTP) and basic protoc cansmission escribe the ibes syntax ese RFCs upd	Dey) d identi ; Into ormation subsy use of requ ate : Ke	15. PAGE 125 125 125 125 125 125 125 125	COUNT t number) text tandard f pport all and requi with var ts and tion									
Inter Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC This doct the Forma network to only a re- transport options contained for ima 7.	T (Continue on Iment conta GROUP T (Continue on Iment cont at of ARPA mail. The eliable or t services for comput d in the I	CODES CODES SU SU SU SU SU SU SU SU SU S	13b. TIME C FROM FROM B-GROUP H necessary RFC 821 (ernet Tex P 1s inde i data st ne second essages s net Proto	18. SUBJECT TERMS Simple Mail message; Mai and identify by block Simple Mail Tra thessages), wh upendent of the tream channel. I part of this d tent by electron col Transition	14. DATE OF REPO 821100 (Continue on revers Transfer Pro il transfer; number) nsfer Protoco ich are the b particular tr Appendices de ocument descr ic mail. The Workbook.	AT (Near, Month, a II necessary and tocol; SMTP Standard; For pl-SMTP) and pasic protoc cansmission escribe the ibes syntax ese RFCs upd ILLING al.	Dey) d ident ; Intormat RFC ols (subsy use (requ ate : ke	13. PAGE 125 125 125 125 125 125 125 125	COUNT t number) text tandard f. pport all and requi with var ts and tion for decident									
Inter Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC This docu the Forma network north only a re- transport options contained for the forma transport	T (Continue on Iment conta at of ARPA mail. The eliable or t services for comput d in the I	TION CODES SU ains Inte SMTE dered . Th er me nterr	13b. TIME C FROM FROM B-GROUP H mecessory RFC 821 (ernet Tex P 1s inde i data st be second essages s net Proto	18. SUBJECT TERMS Simple Mail message; Ma and identify by block Simple Mail Tra thessages), wh opendent of the tream channel. I part of this d tent by electron col Transition	14. DATE OF REPO 821100 (Continue on revers Transfer Pro il transfer; number) nsfer Protoco ich are the b particular tr Appendices de ocument descr ic mail. The Workbook.	MT (Near, Month, tocol; SMTP Standard; Fo DI-SMTP) and basic protoc cansmission escribe the tibes syntax ese RFCs upd	Dey) d ident ; Intormation RFC ols (subsy use (requ ate : ///	15. PAGE 125 125 125 125 125 125 125 125	COUNT t number) text tandard f. pport all and requi with var ts and tion for den den									
Inter 12. PERSONA 13. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC This doct the Form network to only a re transport options contained for ,	TION / AVAILAE SSIFIE DAUNLIME	CODES FION CODES SU SU Feveral ains Inte SMTE dered . The er me nterr	13b. TIME C FROM B-GROUP B-GROUP RFC 821(ernet Tex P 1s inde i data st be second essages s net Proto a furne /	18. SUBJECT TERMS Simple Mail message; Ma and identify by block Simple Mail Tra thessages), wh spendent of the tream channel. apart of this d tent by electron col Transition	14. DATE OF REPO 821100 (Continue on reverse Transfer Pro il transfer; number) nsfer Protoco ich are the b particular tr Appendices de ocument descr ic mail. The Workbook. Transfer 21. ABSTRACT SE Unclass	HT (Near, Month, htt (Near, Month, tocol; SMTP Standard; Fo standard; Fo scribe the ibes syntax see RFCs upd Mathemathemathemathemathemathemathemathem	Dey) d identi ; Into ormation RFC ols to subs; use of requ ate : ke	15. PAGE 125 125 125 125 125 125 125 125	COUNT t number) text tandard f. pport all and requi with var ts and tion for derived									
Inter 12. PERSONA 13a. TYPE OF 16. SUPPLEM 17. FIELD 19. ABSTRAC This docu the Form network n only a re transport options contained for ',a7 20. DiSTRIBL 23. NAME	TION / AVAILAR SSIFIE DAUNLIMF DF RESPORT	CODES SU CODES SU CODES SU SU CODES SU SU CODES SU SU SU CODES SU SU CODES SU SU CODES SU SU CODES SU CODES SU SU SU SU SU SU SU SU SU S	13b. TIME C FROM B-GROUP RFC 821 (crnet Tex P is inde i data st ce second cesages s net Proto afternet j DF ABSTRACT SAME AS	18. SUBJECT TERMS Simple Mail message; Ma and identify by block Simple Mail Tra thessages), wh spendent of the tream channel. I part of this d tent by electron col Transition	14. DATE OF REPO 821100 (Continue on reverse Transfer Protoco il transfer; number) nsfer Protoco ich are the b particular tr Appendices de ocument descr ic mail. The Workbook. Transfer 21. ABSTRACT SE 21. ABSTRACT SE 22b. TELEPHONE	MT (Near, Month, h // necessary and tocol; SMTP Standard; Fo DI-SMTP) and asic protoc ansmission escribe the ibes syntax ese RFCs upd MM/umal ECURITY CLASSIFK (iffled (include Area Cod	Dey) d ident ; Intormation RFC ols (subsy use (requ ate : ////////////////////////////////////	15. PAGE 125 125 125 125 125 125 125 125	COUNT t number) text tandard f. pport all and requi with var ts and tion 									

0

, o

∿. ••••

68 ° -C

14 - -|1

۰.

•

THE DEPARTMENT OF DEFENSE MAIL PROTOCOLS

°. ° ,

The enclosed documents

° 0° ° ° °

č

ଂଂ ୧୯%

ç o co o co

°C 3

æ,

 $\langle \cdot, \rangle$

်င်ငိ

002

- 1. RFC 821 Simple Mail Transfor Protocol, by J. Postel, Info. Sci. Inst., Univ. 3. Calif., Marina del Rey, Aug. 1982.
- RFC 822 Standard for the Format of ARPA Internet Text Messages, rev. by D. Grocker, Dept. Elec. Eng., Univ. Dol., Newark, Aug. 13, 1984.

are updates to two documents contained in the Internet Protocol Transition Workbook dated March 1982 and distributed by the Network Information Center (NIC) on behalf of the Defense Communications Agency (DCA) and the Devense Advanced Research Projects Agency (DARPA).

This volume is being sent automatically to recipients of the Internet Protocol Transition Workbook. It may align be ordered from the NIC as a separate volume. Other DoD Internet Protocols will be sent to you as they are issued. If you no longer wish to receive these protocol updates, please contact Leda Voropaeff (415) 859-2434 or NICeSRI-NIC and ask to have your name removed from the distribution list.

PLEASE NOTE THAT

- RFC 821 obsoletes RFC 788, RFC 780, and RFC 772 - RFC 822 obsoletes RFC 733

The mail protocols (RFC 821 and RFC 822) have been published as a separate volume because there have been numerous requests for such a volume. If you prefer, you may combine the two volumes by replacing RFC 788 and RFC 733 in the Internet Protocol Transition Workbook with RFC 821 and RFC 822 respectively.

Questions regarding the technical content of this volume should be directed to

Dr. Jon Postel Information Sciences Institute 4676 Admiralty Way Marina del Rey, CA 90291

(213) 822-1511 Postel@ISIF

Questions regarding additional copies of this volume should be directed to

1

Elizabeth Feinler Network Information Center, RM EJ221 SRI International 333 Ravenswood Avenue Menlo Park, CA 94025

(415) 859-3695 NICOSRI-NIC

TABLE OF CON FENTS

Introduction		******	-+ 	1
	•			
Simple Mail Transfer Protocol			•••••••	5

Accession For



DOC

3

್ ೇಂಗ್ ಗೆಗೆ

n .*

ولمر الم

¢Ο

SIMPLE MAIL TRANSFER PROTOCOL

οc

c °

c C

Jonathan B. Postel

August 1982

Information Sciences Institute University of Southern California 4676 Admiralty Way Marina del Rey, California 90291

(213) 822-1511

o_C

۱°

ê 'e,

. •

TABLE OF CONTENTS

1.	INTE	RODUC	TION	• • • •	• • •	• • •	••	••	• •	••	••	••	• •	•.•	••	••	••	• •	•	••	•	••	•	••	•	• •	• •		••	1
2.	THE	SMTP	MODE	L	• • •	•••	• • •	••	••	••	••	••	••	•	••	••	••	••	•	••	•	••	•	••	•	• •	• •	• •	••	2
3.	THE	SMTP	PROC	EDUR	Ε.	•••	• • •	••	••	••	••	••	• •	•	•	••	••	• •	••	••	•	••	•	••	•	• •	• •	• •	••	4
	3.1.	Mai	1		•••	•••	•••	••	••	••	••	••	. • •	•	••	••	••	• •	• •	••	•	• •	•	••	•	• •	• •	• •	••	4
	3.3.	Ver	ifyin	ig an	d E	xpl	and	in	g	•••	•••	•••	•••	•	•••	••	•••	•	••	••	•	• •	•	••	•	••	• •	••	•••	. 8
	3.4.	Ope	ning	and		11; 81/	ng	•••	••	•••	•••	•••	•••	•••	••	••	•••	•	••	••	• •	•••	•	•••	•	••	• •	••	•	13
	3.6. 3.7.	Rei Dom	aying ains		•••	•••	•••	••	•••	•••	••	•••	•••	•••	••	••	•••	•	••	••	•	• •	• •	•••	•	• •	••	••	•	14 17
	3.8.	Cha	nging	Rol	85	• • •	•••	••	••	••	••	• •	•	•	• •	• •	• .•	•	••	• •	•	• •	•	••	٠	••	•	••	•	18
4.	THE	SMTP	SPEC	CIFIC	ATI	ONS	5.	••	• •	••	••	• •	•	• •	••	• •	••	•	••	••	•	•	• •	••	•	••	•	••	•	19
	4.1.	SMT	P Con Commar	nmand nd So	s . Man	ti	 C s	•••	•••	•••	•••	•••	•	••	••	••	•••	•	••	••	•••	•	••	•••	•	•••	•	••	•	19 19
	4.1.	2. C SMT	ommar P Rec	nd Sy plies	nta	İX	•••	••	•••	•••	••	•	•	••	••	••	•••	•	• •	••	••	•	••	•••	•	• •	•	• •	•	27 34
	4.2.	1. R	eply	Code	s t	y I	Fur	nct Mar	:10	n C	Gr Gr	0	q	•	•••	•••	•	••	••	••	•••	•	••	•••	•	••	•	••	•	35
	4.3.	Seq	venci	ing o	fC	Com.	mar	nde		Ind	F	101	>1	le	8	•••	•	•••	•••	•••	•••	•	•••	• •	•	•••	•	•••	•	37
	4.5.	Det	ails		 		••••			•••	•••	•••	•••	•••	•••	•••	•	•••	•••	•••	•••	•	•••	• •	•	•••	•	•••	•	41
	4.5.	2. T	ransp		Ċy	•••	• • •				•••	•••	••	•••	•••	•••	•	•••	•••	•••	•••	•	•••	•••	••	•••	•	•••	•	41
	7.3.	J. J V.A.	1209	••••	•••	•••	•••	•••		•••	•••	• •	••	••	••	••	•	••	••	••	••	•	••	• •	• •	••	•	••	•	
AP	PENDI	X A: X B:	NCP	••••	•••	•••	•••	•••	•••	• •	•••	••	••	••	•••	•••	•	•••	•••	• •	•••	•	•••	• •	•••	•••	•	•••	••	45
AP	PENDI	X D:	N113 X.2	5	•••	•••	•••	•••		•••	• • •	••	••	••	•••	•••	•	••	•••	•••	•••	•	•••	•	••	•••	••	•••	•	40
AP AP	PENDI	X E: X F:	Sce	ory o n <mark>ari</mark> o	97 F	18p	 1 Y	Сс • • •			•••	•••	••	••	•••	•••	•	••	•••	•••	•••	•••	•••	•	••	•••	••	•••	••	48 51
GL	.OSSAR	Υ	• • • •		• • •		• •	• • •					••	••		• •	•	• •	• •	• •	• •	••	••	•	••			• •	••	64
RE	FEREN	CES .		• • • • •	• • •		••	• • •	• • •	. . .	••	••		••	••	•••	••	••	• •	•••	• •	• •		•	••	• •	••	• 1	••	67

RFC 821

8

6

B

Network Working Group Request for Comments: 821 Replaces: RFC 788, 780, 772

c°.

ີວີ

õ

J. Postel ISI August 1982

SIMPLE MAIL TRANSFER PROTOCOL

ئى ⁶ ئى ⁶ ئ

်ပ

1. INTRODUCTION

0 6

Sec. 200

The objective of Simple Mail Transfer Protocol (SMTP) is to transfer mail reliably and efficiently.

SMTP is independent of the particular transmission subsystem and requires only a reliable ordered data stream channel. Appendices A, B, C, and D describe the use of SMTP with various transport services. A Glossary provides the definitions of terms as used in this document.

An important feature of SMTP is its capability to relay mail across transport service environments. A transport service provides an interprocess communication environment (IPCE). An IPCE may cover one network, several networks, or a subset of a network. It is important to realize that transport systems (or IPCEs) are not one-to-one with networks. A process can communicate directly with another process through any mutually known IPCE. Mail is an application or use of interprocess communication. Mail can be communicate between processes in different IPCEs by relaying through a process connected to two (or more) IPCEs. More specifically, mail can be relayed between hosts on different transport systems by a host on both transport systems.

Postel

[Page 1]

2. THE SMTP MODEL

The SMTP design is based on the following model of communication: as the result of a user mail request, the sender-SMTP establishes a two-way transmission channel to a receiver-SMTP. The receiver-SMTP may be either the ultimate destination or an intermediate. SMTP commands are generated by the sender-SMTP and sent to the receiver-SMTP. SMTP replies are sent from the receiver-SMTP to the sender-SMTP in response to the commands.

and the second reaction of the second s

Once the transmission channel is established, the SMTP-sender sends a MAIL command indicating the sender of the mail. If the SMTP-receiver can accept mail it responds with an OK reply. The SMTP-sender then sends a RCPT command identifying a recipient of the mail. If the SMTP-receiver can accept mail for that recipient it responds with an OK reply; if not, it responds with a reply rejecting that recipient (but not the whole mail transaction). The SMTP-sender and SMTP-receiver may negotiate several recipients. When the recipients have been negotiated the SMTP-sender sends the mail data, terminating with a special sequence. If the SMTP-receiver successfully processes the mail data it responds with an OK reply. The dialog is purposely lock-step, one-at-a-time.



Sender-SMTP

Receiver-SMTP

Model for SMTP Use

Figure 1

The SMTP provides mechanisms for the transmission of mail; directly from the sending user's host to the receiving user's host when the

[Page 2]

()

Postel



0

٢

RFC 821

August 1982 Simple Mail Transfer Protocol

two host are connected to the same transport service, or via one or more relay SMTP-servers when the source and destination hosts are not connected to the same transport service.

To be able to provide the relay capability the SMTP-server must be supplied with the name of the ultimate destination host as well as the destination mailbox name.

The argument to the MAIL command is a reverse-path, which specifies who the mail is from. The argument to the RCPT command is a forward-path, which specifies who the mail is to. The forward-path is a source route, while the reverse-path is a return route (which may be used to return a message to the sender when an error occurs with a relayed message).

When the same message is sent to multiple recipients the SMTP encourages the transmission of only one copy of the data for all the recipients at the same destination host.

The mail commands and replies have a rigid syntax. Replies also have a numeric code. In the following, examples appear which use actual commands and replies. The complete lists of commands and replies appears in Section 4 on specifications.

Commands and replies are not case sensitive. That is, a command or reply word may be upper case, lower case, or any mixture of upper and lower case. Note that this is not true of mailbox user names. For some hosts the user name is case sensitive, and SMTP implementations must take case to preserve the case of user names as they appear in mailbox arguments. Host names are not case zensitive.

Commands and replies are composed of characters from the ASCII character set [1]. When the transport service provides an 8-bit byte (octet) transmission channel, each 7-bit character is transmitted right justified in an octet with the high order bit cleared to zero.

When specifying the general form of a command or reply, an argument (or special symbol) will be denoted by a meta-linguistic variable (or constant), for example, "<string>" or "<reverse-path>". Here the angle brackets indicate these are meta-linguistic variables. However, some arguments use the angle brackets literally. For example, an actual reverse-path is enclosed in angle brackets, i.e., "<John.Smith@USC-ISI.ARPA>" is an instance of <reverse-path> (the angle brackets are actually transmitted in the command or reply).

Postel

11

[Page 3]

والمتحدث فيقتح المتحقي والمحاص والمح

August 1982 Simple Mail Transfer Protocol

3. THE SMTP PROCEDURES

This section presents the procedures used in SMTP in several parts. First comes the basic mail procedure defined as a mail transaction. Following this are descriptions of forwarding mail, verifying mailbox names and expanding mailing lists, sending to terminals instead of or in combination with mailboxes, and the opening and closing exchanges. At the end of this section are comments on relaying, a note on mail domains, and a discussion of changing roles. Throughout this section are examples of partial command and reply sequences, several complete scenarios are presented in Appendix F.

e men aller years a shug

3.1. MAIL

There are three steps to SMTP mail transactions. The transaction is started with a MAIL command which gives the sender identification. A series of one or more RCPT commands follows giving the receiver information. Then a DATA command gives the mail data. And finally, the end of mail data indicator confirms the transaction.

The first step in the procedure is the MAIL command. The <reverse-path> contains the source mailbox.

MAIL <SP> FROM:<reverse-path> <CRLF>

This command tells the SMTP-receiver that a new mail transaction is starting and to reset all its state tables and buffers, including any recipients or mail data. It gives the reverse-path which can be used to report errors. If accepted, the receiver-SMTP returns a 250 OK reply.

The <reverse-path> can contain more than just a mailbox. The <reverse-path> is a reverse source routing list of hosts and source mailbox. The first host in the <reverse-path> should be the host sending this command.

The second step in the procedure is the RCPT command.

RCPT <SP> TO:<forward-path> <CRLF>

This command gives a forward-path identifying one recipient. If accepted, the raceiver-SMTP returns a 250 OK reply, and stores the forward-path. If the recipient is unknown the receiver-SMTP returns a 550 Failure reply. This second step of the procedure can be repeated any number of times.

[Page 4]

Postel

٢

َيْنَ ٢٥[،] هَنْ كَنْ يَنْ مَعْنَى مَعْنَى مَعْنَا مَعْنَا مَعْنَا مَعْنَا مَعْنَا مَعْنَا مَعْنَا مَعْ

န င်္ဂေ

August 1982 Simple Mail Transfer Protocol

The <forward-path> can contain more than just a mailbox. The <forward-path> is a source routing list of hosts and the destination mailbox. The first host in the <forward-path> should be the host receiving this command.

The third step in the procedure is the DATA command.

DATA <CRLF>

If accepted, the receiver-SMTP returns a 354 Intermediate reply and considers all succeeding lines to be the message text. When the end of text is received and stored the SMTP-receiver sends a 250 OK reply.

Since the mail data is sent on the transmission channel the end of the mail data must be indicated so that the command and reply dialog can be resumed. GMTP indicates the and of the mail data by sending a line containing only a period. A transparency procedure is used to prevent this from interfering with the user's text (see Section 4.5.2).

Please note that the mail data includes the memo header items such as Date, Subject, To, Cc, From [2].

The end of mail data indicator also confirms the mail transaction and tells the receiver-SMTP to now process the stored recipients and mail days. If accepted, the receiver-SMTP returns a 250 OK reply. The DATA command should fail only if the mail transaction was incomplete (for example, no recipients), or if resources are not available.

The above procedure is an example of a mail transaction. These commands must be used only in the order discussed above. Example 1 (below) illustrates the use of these commands in a mail transaction.

[Page 5]

Example of the SMTP Procedure

This SMTP example shows mail sent by Smith at host Alpha.ARPA, to Jones, Green, and Brown at host Beta.ARPA. Here we assume that host Alpha contacts host Beta directly.

S: MAIL FROM:<Smith@Alpha.ARPA> R: 250 OK

0

- S: RCPT TO:<JoneseBeta.ARPA> R: 250 OK
- S: RCPT TO:<Green@Beta.ARPA> R: 550 No such user here
- S: RCPT TO:<Brown@Bsta.ARPA> R: 250 OK
- S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: <CRLF>.<CRLF> R: 250 OK
- The mail has now been accepted for Jones and Brown. Green did not have a mailbox at host Beig.

Example 1

[Page 6]

Postel

RFC 821

°°°- °°

င် ကြိုင်

ి సిం్రికై లో కోస్తం సాధిత

62

6

()

August 1982 Simple Mail Transfer Protocol

3.2. FORWARDING

There are some cases where the destination information in the <forward-path> is incorrect, but the receiver-SMTP knows the correct destination. In each cases, one of the following replies should be used to allow the sender to contact the correct destination.

251 User not local; will forward to <forward-path>

This reply indicates that the receiver-SMTP knows the user's mailbox is on another host and indicates the correct forward-path to use in the future. Note that either the host or user or both may be different. The receiver takes responsibility for delivering the message.

551 User not local; please try <forward-path>

ိုးကိုး

6000

. . .

° 3' °

ိုင်ပ

This reply indicates that the receiver-SMTP knows the user's mailbox is on another host and indicates the correct forward-path to use. Note that either the host or user or both may be different. The receiver refuses to accept mail for this user, and the sender must either redirect the mail according to the information provided or return an error response to the originating user.

Example 2 illustrates the use of these responses.

Example of Forwarding

Either

S: RCPT TO:<Postel@USC-ISI.ARPA> R: 251 User not local; will forward to <Postel@USC-ISIF.ARPA>

Or

S: RCPT TO:<Paul@USC-ISIB.ARPA>

R: 551 User not local; please try <Mockapetris@USC-ISIF.ARPA>

Example 2

Postel

[Page 7]

3.3. VERIFYING AND EXPANDING

SMTP provides as additional features, commands to verify a user name or expand a mailing list. This is done with the VRFY and EXPN commands, which have character string arguments. For the VRFY command, the string is a user name, and the response may include the full name of the user and must include the mailbox of the user. For the EXPN command, the string identifies a mailing list, and the multiline response may include the full name of the users and must give the mailboxes on the mailing list.

"User name" is a fuzzy term and used purposely. If a host implements the VRFY or EXPN commands then at least local mailboxes must be recognized as "user names". If a host chooses to recognize other strings as "user names" that is allowed.

In some hosts the distinction between a mailing list and an alias for a single mailbox is a bit fuzzy, since a common data structure may hold both types of entries, and it is possible to have mailing lists of one mailbox. If a request is made to verify a mailing list a positive response can be given if on receipt of a message so addressed it will be delivered to everyone on the list, otherwise an error should be reported (e.g., "550 That is a mailing list, not a user"). If a request is made to expand a user name a positive response can be formed by returning a list containing one name, or an error can be reported (e.g., "550 That is a user name, not a mailing list").

In the case of a multiline reply (normal for EXPN) exactly one mailbox is to be specified on each line of the reply. In the case of an ambiguous request, for example, "VRFY Smith", where there are two Smith's the response must be "553 User ambiguous".

The case of verifying a user name is straightforward as shown in example 3.

[Page 8]

14

Postel

్రంల్ ఆ కంగం

`. o

-

Ð

August 1982 Simple Mail Transfer Protocol

Ő

2.6.6

Example of Verifying a User Name Either S: VRFY Smith R: 250 Fred Smith <Smith@USC-ISIF.ARPA> Or S: VRFY Smith R: 251 User not local; will forward to <SmitheUSC-ISIQ.ARPA> Or S: VRFY Jones R: 550 String does not match anything. Or S: VRFY Jones R: 551 User nct local; please try <Jones@USC-ISIQ.ARPA> , . . Or S: VRFY Gourzenkyinplatz R: 553 User ambiguous. Example 3

0 .

Postel

[Page 9]

()

The case of expanding a mailbox list requires a multiline reply as shown in example 4.

Example of Expanding a Mailing List

Either

S: EXPN Example-People R: 250-Jon Postel <Postel@USC-ISIF.ARPA> R: 250-Fred Fonebone <Fonebone@USC-ISIQ.ARPA> R: 250-Sam Q. Smith <SQSmith@USC-ISIQ.ARPA> R: 250-Quincy Smith <@USC-ISIF.ARPA:Q-Smith@ISI-VAXA.ARPA> R: 250-<joe@foo-unix.ARPA> R: 250 <xyz@bar-unix.ARPA>

Or

「ないない」というないない。「「ないないない」」のないでは、「ないないない」」では、「ないないない」」では、「ないないない」」では、「ないないない」」というないでは、「ないないない」」というない。

S: EXPN Executive-Washroom-List R: 550 Access Denied to You.

Example 4

The character string arguments of the VRFY and EXPN commands cannot be further restricted due to the variety of implementations of the user name and mailbox list concepts. On some systems it may be appropriate for the argument of the EXPN command to be a file name for a file containing a mailing list, but again there is a variety of file naming conventions in the Internet.

The VRFY and EXPN commands are not included in the minimum implementation (Section 4.5.1), and are not required to work across relays when they are implemented.

[Page 10]

16

Postel

RFC 821

August 1982 Simple Mail Transfer Protocol

1

3.4. SENDING AND MAILING

င်္ပံ သိ ေခ်ာ္ <u>ခ</u>်ခဲ့ ေခ်ာ္ <u>ခ်</u>ိဳင္ခဲ့

The main purpose of SMTP is to deliver messages to user's mailboxes. A very similar service provided by some hosts is to deliver messages to user's terminals (provided the user is active on the hold). The delivery to the user's mailbox is called "mailing", the delivery to the user's terminal is called "sending". Because in many hosts the implementation of sending is nearly identical to the implementation of mailing these two functions are combined in SMTP. However the sending commands are not included in the required minimum implementation (Section 4.5.1). Users should have the ability to control the writing of messages on their terminals. Most hosts permit the users to accept or refuse such messages.

e 10 - 1

The following three command are defined to support the sending options. These are used in the mail transaction instead of the MAIL command and inform the receiver-SMTP of the special semantics of this transaction:

SEND <SP> FROM: <reverse-path> <CRLF>

The SEND command requires that the mail data be delivered to the user's terminal. If the user is not active (or not accepting terminal messages) on the host a 450 reply may returned to a RCPT command. The mail transaction is successful if the message is delivered the terminal.

SOML <SP> FROM: <reverse-path> <CRLF>

The Send Or Mail command requires that the mail data be delivered to the user's terminal if the user is active (and accepting terminal messages) on the host. If the user is not active (or not accepting terminal messages) then the mail data is entered into the user's mailbox. The mail transaction is successful if the message is delivered either to the terminal or the mailbox.

SAML <SP> FROM:<reverse-path> <CRLF>

The Send And MaiL command requires that the mail data be delivered to the user's terminal if the user is active (and accepting terminal messages) on the host. In any case the mail data is entered into the user's mailbox. The mail transaction is successful if the message is delivered the mailbox.

Postel

67

B

[Page 11]

The same reply codes that are used for the MAIL commands are used for these commands.

·

[Page 12]

18

.

Fostel

έ G

RFC 821

....

en eksisten antaras meg

3.5. OPENING AND CLOSING

, °.

5.5

RFC 821

્રદ્રેટ

67

ج)

At the time the transmission channel is opened there is an exchange to ensure that the hosts are communicating with the hosts they think they are.

The following two commands are used in transmission channel opening and closing:

HELO <SP> <domain> <CRLF>

્રેલ્ટ

QUIT <CRLF>

In the HELO command the host sending the command identifies itself; the command may be interpreted as saying "Hello, I am <domain>".

Example of Connection Opening

R: 220 BBN-UNIX.ARPA Simple Mail Transfer Service Ready S: HELO USC-ISIF.ARPA

R: 250 BBN-UNIX.ARPA

Example 5

Example of Connection Closing

S: QUIT R: 221 BBN-UNIX.ARPA Service closing transmission channel

Example 6

Postel

[Page 13]

3.6. RELAYING

.1

¢٣

· c * 0 * *

~

The forward-path may be a source route of the form "GONE, GTWO: JOEGTHREE", where ONE, TWO, and THREE are hosts. This form is used to emphasize the distinction between an address and a route. The mailbox is an absolute address, and the route is information about how to get there. The two concepts should not be confused.

Conceptually the elements of the forward-path are moved to the reverse-path as the message is relayed from one server-SMTP to another. The reverse-path is a reverse source route, (i.e., a source route from the current location of the message to the originator of the message). When a server-SMTP deletes its identifier from the forward-path and inserts it into the reverse-path, it must use the name it is known by in the environment it is sending into, not the environment the mail came from, in case the server-SMTP is known by different names in different environments.

If when the message arrives at an SMTP the first element of the forward-path is not the identifier of that SMTP the element is not deleted from the forward-path and is used to determine the next SMTP to send the message to. In any case, the SMTP adds its own identifier to the reverse-path.

Using source routing the receiver-SMTP receives mail to be relayed to another server-SMTP. The receiver-SMTP may accept or reject the task of relaying the mail in the same way it accepts or rejects mail for a local user. The receiver-SMTP transforms the command arguments by moving its own identifier from the forward-path to the beginning of the reverse-path. The receiver-SMTP then becomes a sender-SMTP, establishes a transmission channel to the next SMTP in the forward-path, and sends it the mail.

The first host in the reverse-path should be the host sending the SMTP commands, and the first host in the forward-path should be the host receiving the SMTP commands.

Notice that the forward-path and reverse-outh appear in the SMTP commands and replies, but not necessarily in the message. That is, there is no need for these paths and especially this syntax to appear in the "To:", "From:", "CC:", etc. fields of the message header.

If a server-SMTP has accepted the task of relaying the mail and

[Page 14]

Postel

RFC 821

August 1982 Simple Mail Transfer Protocol

later finds that the forward-path is incorrect or that the mail cannot be delivered for whatever reason, then it must construct an "undeliverable mail" notification message and send it to the originator of the undeliverable mail (as indicated by the reverse-path).

0.000

్ స్ స్ స

0.0

°°°°

This notification message must be from the server-SMTP at this host. Of course, server-SMTPs should not send notification messages about problems with notification messages. One way to prevent loops in error reporting is to specify a null reverse-path in the MAIL command of a notification message. When such a message is relayed it is permissible to leave the reverse-path null. A MAIL command with a null reverse-path appears as follows:

MAIL FROM:<>

An undeliverable mail notification message is shown in example 7. This notification is in response to a message originated by JOE at HOSTW and sent via HOSTX to HOSTY with instructions to relay it on to HOSTZ. What we see in the example is the transaction between HOSTY and HOSTX, which is the first step in the return of the notification message.

21

<u></u>

D. . . .

RFC 821

Example Undeliverable Mail Notification Message

S: MAIL FROM:<>
R: 250 ok
S: RCPT TO:<@HOSTX.ARPA:JOE@HOSTW.ARPA>
R: 250 ok
S: DATA
R: 354 send the mail data, end with .
S: Date: 23 Oct 81 11:22·33
S: From: SMTP@HOSTY.ARP/:
S: To: JOE@HOSTW.ARPA
S: Subject: Mail System Problem
S:
S: Sorry JOE, your message to SAM@HOSTZ.ARPA loat.
S: HOSTZ.ARPA said this:
S: "550 No Such User"
S: R: 250 ok

Example 7

[Page 16]

22

Postel

 $\langle \rangle$

C

AFC 821

August 1982 Simple Mail Transfer Protocol

င့်င

3.7. DOMAINS

ી વર્તા કુટ

ê ê

Domains are a recently introduced concept in the ARPA Internet mail system. The use of domains changes the address space from a flat global space of simple character string host names to a hierarchically structured rooted tree of global addresses. The host name is replaced by a Jomain and host designator which is a sequence of domain element strings separated by periods with the understanding that the domain elements are ordered from the most specific to the most general.

ء <u>دی</u>م ،

and a geo realization and and and

For example, "USC-ISIF.ARPA", "Fred.Cambridge.UK", and "PC7.LCS.MIT.ARPA" might be host-and-domain identifiers.

Whenever domain names are used in SMTP only the official names are used, the use of nicknames or aliases is not allowed.

Postel

÷ .)

[Page 17] ·

ించి సినిమారు సినిమాలు సినిమాలు సినిమారు. సినిమారు సినిమారు సినిమారు సినిమారు సినిమారు.

RFC 821

0

 \bigcirc

3.8. CHANGING ROLES

The TURN command may be used to reverse the roles of the two programs communicating over the transmission channel.

If program-A is currently the sender-SMTP and it sends the TURN command and receives an ok reply (250) then program-A becomes the receiver-SMTP.

If program-B is currently the receiver-SMTP and it receives the TURN command and sends an ok reply (250) then program-B becomes the sender-SMTP.

To refuse to change roles the receiver sends the 502 reply.

Please note that this command is optional. It would not normally be used in situations where the transmission channel is TCP. However, when the cost of establishing the transmission channel is high, this command may be quite useful. For example, this command may be useful in supporting be mail exchange using the public switched telephone system as a transmission channel, especially if some hosts poll other hosts for mail exchanges.

[Page 18]

24

Postel

٢

RFC 821

4. THE SMTP SPECIFICATIONS

4.1. SMTP COMMANDS

4.1.1. COMMAND SEMANTICS

The SMTP commands define the mail transfer or the mail system function requested by the user. SMTP commands are character strings terminated by <CRLF>. The command codes themselves are alphabetic characters terminated by <SP> if parameters follow and <CRLF> otherwise. The syntax of mailboxes must conform to receiver site conventions. The SMTP commands are discussed below. The SMTP replies are discussed in the Section 4.2.

A mail transaction involves several data objects which are communicated as arguments to different commands. The reverse-path is the argument of the MAIL command, the forward-path is the argument of the RCPT command, and the mail data is the argument of the DATA command. These arguments or data objects must be transmitted and held pending the confirmation communicated by the end of mail data indication which finalizes the transaction. The model for this is that distinct buffers are provided to hold the types of data objects, that is, there is a reverse-path buffer, a forward-path buffer, and a mail data buffer. Specific commands cause information to be appended to a specific buffer, or cause one or more buffers to be cleared.

HELLO (HELO)

This command is used to identify the sender-SMTP to the receiver-SMTP. The argument field contains the host name of the sender-SMTP.

The receiver-SMTP identifies itself to the sender-SMTP in the connection greeting reply, and in the response to this command.

This command and an OK reply to it confirm that both the sender-SMTP and the receiver-SMTP are in the initial state, that is, there is no transaction in progress and all state tables and buffers are cleared.

Postel

 $\left(\cdot \right)$

[Page 19]

MAIL (MAIL)

This command is used to initiate a mail transaction in which the mail data is delivered to one or more mailboxes. The argument field contains a reverse-path.

The reverse-path consists of an optional list of hosts and the sender mailbox. When the list of hosts is present, it is a "reverse" source route and indicates that the mail was relayed through each host on the list (the first host in the list was the most recent relay). This list is used as a source route to return non-delivery notices to the sender. As each relay host adds itself to the beginning of the list, it must use its name as known in the IPCE to which it is relaying the mail rather than the IPCE from which the mail came (if they are different). In some types of error reporting messages (for example, undeliverable mail notifications) the reverse-path may be null (see Example 7).

This command clears the reverse-path buffer, the forward-path buffer, and the mail data buffer; and inserts the reverse-path information from this command into the reverse-path buffer.

RECIPIENT (RCPT)

This command is used to identify an individual recipient of the mail data; multiple recipients are specified by multiple use of this command.

The forward-path consists of an optional list of hosts and a required destination mailbox. When the list of hosts is present, it is a source route and indicates that the mail must be relayed to the next host on the list. If the receiver-SMTP does not implement the relay function it may user the same reply it would for an unknown local user (550).

When mail is relayed, the relay host must remove itself from the beginning forward-path and put itself at the beginning of the reverse-path. When mail reaches its ultimate destination (the forward-path contains only a destination mailbox), the receiver-SMTP inserts it into the destination mailbox in accordance with its host mail conventions.

[Page 20]

Postel

RFC 821

1.80

Ð

(†

August 1982 Simple Mail Transfer Protocol

c co co

For example, mail received at relay host A with arguments

FROM:<USERX@HOSTY.ARPA> TO:<@HOSTA.ARPA,@HOSTB.ARPA:USERC@HOSTD.ARPA>

500

65

°55.0

will be relayed on to host B with arguments

FROM: <@HOSTA.ARPA:USERX@HOSTY.ARPA> TO: <@HOSTB.ARPA:USERC@HOSTD.ARPA>.

This command causes its forward-path argument to be appended to the forward-path buffer.

DATA (DATA)

The receiver treats the lines following the command as mail data from the sender. This command causes the mail data from this command to be appended to the mail data buffer. The mail data may contain any of the 128 ASCII character codes.

The mail data is terminated by a line containing only a period, that is the character sequence "<CRLF>.<CRLF>" (see Section 4.5.2 on Transparency). This is the end of mail data indication.

The end of Mail data indication requires that the receiver must now process the stored mail transaction information. This processing consumes the information in the reverse-path buffer, the forward-path buffer, and the mail data buffer, and on the completion of this command these buffers are cleared. If the processing is successful the receiver must send an OK reply. If the processing fails completely the receiver must send a failure reply.

When the receiver-SMTP accepts a message either for relaying or for final delivery it inserts at the beginning of the mail data a time stamp line. The time stamp line indicates the identity of the host that sent the message, and the identity of the host that received the message (and is instant time stamp), and the date and time the mession was received. Relayed messages will have multiple time tamp lines.

When the receiver-SMTP makes the "final delivery" of a message it inserts at the beginning of the mail data a

Postel

[Page 21]

> return path line. The return path line preserves the information in the <reverse-path> from the MAIL command. Here, final delivery means the message leaves the SMTP world. Normally, this would mean it has been delivered to the destination user, but in some cases it may be further processed and transmitted by another mail system.

It is possible for the mailbox in the return path be different from the actual sender's mailbox, for example, if error responses are to be delivered a special error handling mailbox rather than the message senders.

The preceding two paragraphs imply that the final mail data will begin with a return path line, followed by one or more time stamp lines. These lines will be followed by the mail data header and body [2]. See Example 8.

Special mention is needed of the response and further action required when the processing following the end of mail data indication is partially successful. This could arise if after accepting several recipients and the mail data, the receiver-SMTP finds that the mail data can be successfully delivered to some of the recipients, but it cannot be to others (for example, due to mailbox space allocation problems). In such a situation, the response to the DATA command must be an OK reply. But, the receiver-SMTP must compose and send an "undeliverable mail" notification message to the originator of the message. Either a single notification which lists all of the recipients that failed to get the message, or separate notification messages must be sent for each failed recipient (see Example 7). All undeliverable mail notification messages are sent using the MAIL command (even if they result from processing a SEND, SOML, or SAML command).

[Page 22]

28

Postel

RFC 821

August 1982 Simple Mail Transfer Protocol

Example of Return Path and Received Time Stamps

ింో ఆర్

ടെക്കും പുരുന്നും പുരുള്ളും പ്രോഗ്യം പുരുള്ള പ്രാസം ഗും നേളും പുരുത്താന് നാം സ്താര്ത്തായ മയം പുരുത്തായ പുരുത്താ പുരുള്ളും പുരുത്താന് പുരുള്ളും പ്രോഗ്യം പുരുള്ള പുരുത്താന് പുരുത്താന് നാം സ്താര്ത്തായ പുരുത്തായ പുരുത്തായ പുരുത്

ં દુલ્ ું ુ

. 0

Return-Path: <0GHI.ARPA,0DEF.ARPA,0ABC.ARPA:JOE0ABC.ARPA> Received: from GHI.ARPA by JKL.ARPA ; 27 Oct 81 15:27:39 PST Received: from DEF.ARPA by GHI.ARPA ; 27 Oct 81 15:15:13 PST Received: from ABC.ARPA by DEF.ARPA ; 27 Oct 81 15:01:59 PST Date: 27 Oct 81 15:01:01 PST From: JOE0ABC.ARPA Subject: Improved Mailing System Installed To: SAM0JKL.ARPA

This is to inform you that ...

Example 8

SEND (SEND)

This command is used to initiate a mail transaction in which the mail data is delivered to one or more terminals. The argument field contains a reverse-path. This command is successful if the message is delivered to a terminal.

The reverse-path consists of an optional list of hosts and the sender mailbox. When the list of hosts is present, it is a "reverse" source route and indicates that the mail was relayed through each host on the list (the first host in the list was the most recent relay). This list is used as a source route to return non-delivery notices to the sender. As each relay host adds itself to the beginning of the list, it must use its name as known in the IPCE to which it is relaying the mail rather than the IPCE from which the mail came (if they are different).

This command clears the reverse-path buffer, the forward-path buffer, and the mail data buffer; and inserts the reverse-path information from this command into the reverse-path buffer.

SEND OR MAIL (SOML)

This command is used to initiate a mail transaction in which the mail data is delivered to one or more terminals or

Postel

 (\cdot,\cdot)

[Paga 23]

> mailbokes. For each recipient the mail data is delivered to the recipient's terminal if the recipient is active on the host (and accepting terminal messages), otherwise to the recipient's mailbox. The argument field contains a reverse-path. This command is successful if the message is delivered to a terminal or the mailbox.

The reverse-path consists of an optional list of hosts and the sender mailbox. When the list of hosts is present, it is a "reverse" source route and indicates that the mail was relayed through each host on the list (the first host in the list was the most recent relay). This list is used as a source route to return non-delivery notices to the sender. As each relay host adds itself to the beginning of the list, it must use its name as known in the IPCE to which it is relaying the mail rather than the IPCE from which the mail came (if they are different).

This command clears the reverse-path buffer, the forward-path buffer, and the mail data buffer; and inserts the reverse-path information from this command into the reverse-path buffer.

SEND AND MAIL (SAML)

This command is used to initiate a mail transaction in which the mail data is delivered to one or more terminals and mailboxes. For each recipient the mail data is delivered to the recipient's terminal if the recipient is active on the host (and accepting terminal messages), and for all recipients to the recipient's mailbox. The argument field contains a reverse-path. This command is successful if the message is delivered to the mailbox.

The reverse-path consists of an optional list of hosts and the sender mailbox. When the list of hosts is present, it is a "reverse" source route and indicates that the mail was relayed through each host on the list (the first host in the list was the most recent relay). This list is used as a source route to return non-delivery notices to the sender. As each relay host adds itself to the beginning of the list, it must use its name to known in the IPCE to which it is relaying the mail rather than the IPCE from which the mail came (if they are different).

This command clears the reverse-path buffer, the

[Page 24]

Postel

 \bigcirc

RFC 821

2

30

250 6 20 C 2

August 1982 Simple Mail Transfer Protocol

с¢

ંત

forward-path buffer, and the mail data buffer; and inserts the reverse-path information from this command into the reverse-path buffer.

RESET (RSET)

S-268 0 0

် ိ ငြိုင်ပဲ

1.7.11.9.9.71

This command specifies that the current mail transaction is to be aborted. Any stored sender, recipients, and mail data must be discarded, and all buffers and state tables cleared. The receiver must send an OK reply.

VERIFY (VRFY)

This command asks the receiver to confirm that the argument identifies a user. If it is a user name, the full name of the user (if known) and the fully specified mailbox are returned.

This command has no effect on any of the reverse-path buffer, the forward-path buffer, or the mail data buffer.

EXPAND (EXPN)

This command asks the receiver to confirm that the argument identifies a mailing list, and if so, to return the membership of that list. The full name of the users (if known) and the fully specified mailboxes are returned in a multiline reply.

This command has no effect on any of the reverse-path buffer, the forward-path buffer, or the mail data buffer.

HELP (HELP)

This command causes the receiver to send helpful information to the sender of the HELP command. The command may take an argument (e.g., any command name) and return more specific information as a response.

This command has no effect on any of the reverse-path buffer, the forward-path buffer, or the mail data buffer.

Postel

T

3

[Page 25] .

2

RFC 821

¢ C c _c

NOOP (NOOP)

This command does not affect any parameters or previously entered commands. It specifies no action other than that the receiver send an OK reply.

This command has no effect on any of the reverse-path buffer, the forward-path buffer, or the mail data buffer.

QUIT (QUIT)

This command specifies that the receiver must send an OK reply, and then close the transmission channel.

The receiver should not close the transmission channel until it receives and replies to a QUIT command (even if there was an error). The sender should not close the transmission channel until it send a QUIT command and receives the reply (even if there was an error response to a previous command). If the connection is closed prematurely the receiver should act as if a RSET command had been received (canceling any pending transaction, but not undoing any previously completed transaction), the sender should act as if the command or transaction in progress had received a temporary error (4xx).

TURN (TURN)

This command specifies that the receiver must either (1) send an OK reply and then take on the role of the sender-SMTP, or (2) send a refusal reply and retain the role of the receiver-SMTP.

If program-A is currently the sender-SMTP and it sends the TURN command and receives an OK reply (250) then program-A becomes the receiver-SMTP. Program-A is then in the initial state as if the transmission channel just cpened, and it then sends the 220 service ready greeting.

If program-B is currently the receiver-SMTP and it receives the TURN command and sends an OK reply (250) then program-B becomes the sender-SMTP. Program-B is then in the initial state as if the transmission channel just opened, and it then expects to receive the 220 service ready greeting.

To refuse to change roles the receiver sends the 502 reply.

[Page 26]

Postel

કુ ે

с ~ с

ေႏြ ေပ့

~<u>_</u>____

August 1982 Simple Mail Transfer Protocol

ີ. ຈີວິດ ເອີດ

There are restrictions on the order in which these command may be used.

The first command in a session must be the HELO command. The HELO command may be used later in a session as well. If the HELO command argument is not acceptable a 501 failure reply must be returned and the receiver-SMTP must stay in the same state.

The NOOP, HELP, EXPN, and VRFY commands can be used at any time during a session.

The MAIL, SEND, SOML, or SAML commands begin a mail transaction. Once started a mail transaction consists of one of the transaction beginning commands, one or more RCPT commands, and a DATA command, in that order. A mail transaction may be aborted by the RSET command. There may be zero or more transactions in a session.

If the transaction beginning command argument is not acceptable a 501 failure reply must be returned and the receiver-SMTP must stay in the same state. If the commands in a transaction are out of order a 503 failure reply must be returned and the receiver-SMTP must stay in the same state.

The last command in a session must be the QUIT command. The QUIT command can not be used at any other time in a session.

4.1.2. COMMAND SYNTAX

The commands consist of a command code followed by an argument field. Command codes are four alphabetic characters. Upper and lower case alphabetic characters are to be treated identically. Thus, any of the following may represent the mail command:

MAIL Mail mail Mall mAIL

This also applies to any symbols representing parameter values, such as "TO" or "to" for the forward-path. Command codes and the argument fields are separated by one or more spaces. However, within the reverse-path and forward-path arguments case is important. In particular, in some hosts the user "smith" is different from the user "Smith".

Postel

[Page 27]

> The argument field consists of a variable length character string ending with the character sequence <CRLF>. The receiver is to take no action until this sequence is received.

Square brackets denote an optional argument field. If the option is not taken, the appropriate default is implied.

0.0

[Page 28]

J

34

Postel

0

 \odot

RFC 821

ુ ન્યું ' સુરુદ્ધ કુરુદે શાક છું ' ' ' સ્ટુરુદ્ધ સુરુદ્ધ છે.

August 1982 Simple Mail Transfer Protocol

The following are the SMTP commands: HELO <SP> <domain> <CRLF> MAIL <SP> FROM: <reverse-path> <CRLF> RCPT <SP> TO: <forward-path> <CRLF> DATA <CRLF> RSET <CRLF> SEND <SP> FROM: <reverse-path> <CRLF> SOML <SP> FROM: <reverse-path> <CRLF> SAML <SP> FROM: <reverse-path> <CRLF> VRFY <SP> <string> <CRLF> EXPN <SP> <atring> <CRLF> HELP [<SP> <string>] <CRLF> NOOP <CRLF> QUIT <CRLF> TURN <CRLF>

૾૽૽ૼૢ૽ૼ૾૽૽

Postel

ΪŤ)

B

[Page 29]

. .

RFC 821

The syntax of the above argument fields (using BNF notation where applicable) is given below. The "..." notation indicates that a field may be repeated one or more times.

-,c

```
<reverse-path> ::= <path>
<forward-path> ::= <path>
<path> ::= "<" [ <a-d-1> ":" ] <mailbox> ">"
<a-d-l> ::= <at-domain> | <at-domain> "." <a-d-l>
<at-domain> ::= "6" <domain>
<domain> ::= <element> | <element> "." <domain>
<element> ::= <name> | "#" <number> | "[" <dotnum> "]"
<mailbox> ::= <local-part> "0" <domain>
<local-part> ::= <dot-string> | <quoted-string>
<name> ::= <a> <ldh-str> <let-dig>
<ldh-str> ::= <let-dig-hyp> | <let-dig-hyp> <ldh-str>
<let-dig> ::= <a> | <d>
<let-dig-hyp> ::= <a> | <d> | "-"
<dot-string> ::= <string> | <string> "." <dot-string>
<string> ::= <char> | <char> <string>
<quoted-string> ::= """ <qtext> """
<qtext> ::= "\" <x> | "\" <x> <qtext> | <q> | <q> <qtext>
<char> ::= <c> | "\" <x>
<dotnum> ::= <snum> "." <snum> "." <snum> "." <snum> "."
<number> ::= <d> | <d> <number>
<CRLF> ::= <CR> <LF>
```

[Page 30]

Postel

 (\mathbf{B})
127) Note that the backslash, "\", is a quote character, which is used to indicate that the next character is to be used literally (instead of its normal interpretation). For example, "Joe\,Smith" could be used to indicate a single nine character user field with comma being the fourth character of the field.

characters (ASCII codes 0 through 31 inclusive and

Hosts are generally known by names which are translated to addresses in each host. Note that the name elements of domains are the official names -- no use of nicknames or aliases is allowed.

Sometimes a host is not known to the translation function and communication is blocked. To bypass this barrier two numeric forms are also allowed for host "names". One form is a decimal integer prefixed by a pound sign, "#", which indicates the number is the address of the host. Another form is four small decimal integers separated by dots and enclosed by brackets, e.g., "[123.255.37.2]", which indicates a 32-bit ARPA Internet Address in four 8-bit fields.

Postel

(° ?)

[Page 31]

.

RFC 821

2లి కళి కి.

ೆರೂ ಎರ್

ે ટ્રાં ્રિટ્સિટ

defined as follows:

RFC 821

.

The time stamp line and the return path line are formally

<r.turn-path-line> ::= "Return-Path:" <SP><reverse-path><CRLF>

<time-stamp-line> ::= "Received:" <SP> <stamp> <CRLF>

<from-domain> ::= "FROM" <SP> <domain> <SP>

<by-domain> ::= "BY" <SP> <domain> <SP>

<opt-info> ::= [<via>] [<with>] [<id>] [<for>]

<via> ::= "VIA" <SP> <link> <SP>

e .ee .

<with> ::= "WITH" <SP> <protocol> <SP>

<id> ::= "ID" <SP> <string> <SP>

<for> ::= "FOR" <SP> <patn> <SP>

<link> := The standard names for links are registered with
 the Network Information Center.

cprotocol> ::= The standard names for protocols are registered with the Network Information Center.

<daytime> ::= <SP> <date> <SP> <time>

<Jate> ::= <dd> <SP> <mon> <SP> <yy>

<time> ::= <hh> ":" <mm> ":" <ss> <SP> <zone>

<dd> ::= the one or two decimal integer day of the month in the range 1 to 31.

<mon> ::= "JAN" | "FEB" | "MAR" | "AFR" | "MAY" | "JUN" |
 "JUL" | "AUG" | "SEP" | "OCT" | "NOV" | "DEC"

<yy> ::= the two decimal integer year of the century in the range 00 to 99.

Postel

5

[Page 32]

August 1982 Simple Mail Transfer Protocol

<hh> ::= the two decimal integer hour of the day in the range 00 to 24.

<mm> ::= the two decimal integer minute of the hour in the range 00 to 59.

<ss> ::= the two decimal integer second of the minute in the
range 00 to 59.

<zone> ::= "UT" for Universal Time (the default) or other time zone designator (as in [2]).

Return Path Example

.Return-Path: <@CHARLIE.ARPA,@BAKER.ARPA:JOE@ABLE.ARPA>

Example 9

Time Stamp Line Example

Received: FROM ABC.ARPA BY XYZ.ARPA ; 22 OCT 81 09:23:59 PDT

Received: from ABC.ARPA by XYZ.ARPA via TELENET with X25 id M12345 for Smith@PDQ.ARPA ; 22 OCT 81 09:23:59 PDT

Example 10

Postel

17

[Page 33]

4.2. SMTP REPLIES

Replies to SMTP commands are devised to ensure the synchronization of requests and actions in the process of mail transfer, and to guarantee that the sender-SMTP always knows the state of the receiver-SMTP. Every command must generate exactly one reply.

The details of the command-reply sequence are made explicit in Section 5.3 on Sequencing and Section 5.4 State Diagrams.

An SMTP reply consists of a three digit number (transmitted as three alphanumeric characters) followed by some text. The number is intended for use by automata to determine what state to enter next; the text is meant for the human user. It is intended that the three digits contain enough encoded information that the sender-SMTP need not examine the text and may either discard it or pass it on to the user, as appropriate. In particular, the text may be receiver-dependent and context dependent, so there are likely to be varying texts for each reply code. A discussion of the theory of reply codes is given in Appendix E. Formally, a reply is defined to be the sequence: a three-digit code, <SP>, one line of text, and <CRLF>, or a multiline reply (as defined in Appendix E). Only the EXPN and HELP commands are expected to result in multiline replies in normal circumstances, however multiline replies are allowed for any command.

[Page 34]

Postel

c .º .

8

 $\langle \cdot \rangle$

August 1982 Simple Mail Transfer Protocol

60

4.2.1. REPLY CODES BY FUNCTION GROUPS

500 Syntax error, command unrecognized [This may include errors such as command line too long] 501 Syntax error in parameters or arguments 502 Command not implemented 503 Bad sequence of commands 504 Command parameter not implemented 211 System status, or system help reply 214 Help message [Information on how to use the receiver or the meaning of a particular non-standard command; this reply is useful only to the human user] 220 <domain> Service ready 221 <domain> Service closing transmission channel 421 <domain> Service not available, closing transmission channel [This may be a reply to any command if the service knows it must shut down] 250 Requested mail action okay, completed 251 User not local; will forward to <forward-path> 450 Requested mail action not taken: mailbox unavailable [E.g., mailbox busy] 550 Requested action not taken: mailbox unavailable [E.g., mailbox not found, no access] 451 Requested action aborted: error in processing 551 User not local; please try <forward-path> 452 Requested action not taken: insufficient system storage 552 Requested mail action aborted: exceeded storage allocation 553 Requested action not taken: mailbox name not allowed [E.g., mailbox syntax incorrect] 354 Start mail input; end with <CRLF>.<CRLF> 554 Transaction failed

ેટ જે જ

:0

66-66 SA SEC

00 5 C 600

Postel

[Page 35]

41

 $\langle \rangle$

4.2.2. NUMERIC ORDER LIST OF REPLY CODES

211 System status, or system help reply 214 Help message [Information on how to use the receiver or the meaning of a particular non-standard command; this reply is useful only to the human user] 220 <domain> Service ready 221 <domain> Service closing transmission channel 250 Requested mail action okay, completed 251 User not local; will forward to <forward-path> 354 Start mail input; end with <CRLF>.<CRLF> 421 <domain> Service not available. closing transmission channel [This may be a reply to any command if the service knows it must shut down] 450 Requested mail action not taken: mailbox unavailable [E.g., mailbox busy] 451 Requested action aborted: local error in processing 452 Requested action not taken: insufficient system storage 500 Syntax error, command unrecognized [This may include errors such as command line too long] 501 Syntax error in parameters or arguments 502 Command not implemented 503 Bad sequence of commands 504 Command parameter not implemented 550 Requested action not taken: mailbox unavailable [E.g., mailbox not found, no access] 551 User not local; please try <forward-path> 552 Requested mail action aborted: exceeded storage allocation 553 Requested action not taken: mailbox name not allowed [E.g., mailbox syntax incorrect] 554 Transaction failed

[Page 36]

42

Postel

RFC 821

· ~ ~

ଁ ନିଟ୍ଟିର୍ଟିର୍

1.1

6 5 1 5 1 Ea 0

August 1982 Simple Mail Transfer Protocol

1.1.5 8 12:

4.3. SEQUENCING OF COMMANDS AND REPLIES

50 °C ??

The communication between the sender and receiver is intended to be an alternating dialcgue, controlled by the sender. As such, the sender issues a command and the receiver responds with a reply. The sender must wait for this response before sending further commands.

ట్టిఫో ° స్క స<u>్ సంకర్</u> గా గ<u>్</u>

One important reply is the connection greeting. Normally, a receiver will send a 220 "Service ready" reply when the connection is completed. The sender should wait for this greeting message before sending any commands.

Note: all the greeting type replies have the official name of the server host as the first word following the reply code.

For example.

220 <SP> USC-ISIF.ARPA <SP> Service ready <CRLF>

The table below lists alternative success and failure replies for each command. These must be strictly adhered to; a receiver may substitute text in the replies, but the meaning and action implied by the code numbers and by the specific command reply sequence cannot be altered.

COMMAND-REPLY SEQUENCES

Each command is listed with its possible replies. The prefixes used before the possible replies are "P" for preliminary (not used in SMTP), "I" for intermediate, "S" for success, "F" for failure, and "E" for error. The 421 reply (service not available, closing transmission channel) may be given to any command if the SMTP-receiver knows it must shut down. This listing forms the basis for the State Diagrams in Section 4.4.

CONNECTION ESTABLISHMENT S: 220 F: 421 HELO S: 250 E: 500, 501, 504, 421 MAIL S: 250 F: 552, 451, 452 E: 500, 501, 421

Postel

15

 \square

[Page 37]

50

RCPT S: 250, 251 F: 550, 551, 552, 553, 450, 451, 452 E: 500, 501, 503, 421 DATA I: 354 -> data -> S: 250 F: 552, 554, 451, 452 F: 451, 554 E: 500, 501, 503, 421 RSET S: 250 E: 500, 501, 504, 421 SEND S: 250 F: 552, 451, 452 E: 500, 501, 502, 421 SOML S: 250 F: 552, 451, 452 E: 500, 501, 502, 421 SAML S: 250 F: 552, 451, 452 E: 500, 501, 502, 421 VRFY S: 250, 251 F: 550, 551, 553 E: 500, 501, 502, 504, 421 EXPN S: 250 F: 550 E: 500, 501, 502, 504, 421 HELP S: 211, 214 E: 500, 501, 502, 504, 421 NOOP S: 250 E: 500, 421 QUIT S: 221 E: 500 TURN S: 250 F: 502 E: 500, 503

[Page 38]

44

Postel

RFC 821

0 00

⁰ن رو

C

 \bigcirc

6

్లో కిలిసరి ఇంకరి గిల్ల

6

 $\langle \cdot \rangle$

3.0

August 1982 Simple Mail Transfer Protocol

. C.²

4.4. STATE DIAGRAMS .

Following are state diagrams for a simple-minded SMTP implementation. Only the first digit of the reply codes is used. There is one state diagram for each group of SMTP commands. The command groupings were determined by constructing a model for each command and then collecting together the commands with structurally identical models.

For each command there are three possible outcomes: "success" (S), "failure" (F), and "error" (E). In the state diagrams below we use the symbol B for "begin", and the symbol W for "wait for reply".

First, the diagram that represents most of the SMTP commands:



This diagram models the commands:

HELO, MAIL, RCPT, RSET, SEND, SOML, SAML, VRFY, EXPN, HELP, NOOP, QUIT, TURN.

Postel

[P2ge 39]

re2 0



A more complex diagram models the DATA command:

Note that the "data" here is a series of lines sent from the sender to the receiver with no response expected until the last line is sent.

[Page 40]

Postel

1.753

6.23

RFC 821

ø. :

RFC 821

2.20

4.5. DETAILS

4.5.1. MINIMUM IMPLEMENTATION

In order to make SMTP workable, the following minimum implementation is required for all receivers:

COMMANDS	 HELO
	MAIL
,	RCPT
	DATA
	RSET
	NOOP
	QUIT

4.5.2. TRANSPARENCY

Without some provision for data transparency the character sequence "<CRLF>.<CRLF>" ends the mail text and cannot be sent by the user. In general, users are not aware of such "forbidden" sequences. To allow all user composed text to be transmitted transparently the following procedures are used.

1. Before sending a line of mail text the sender-SMTP checks the first character of the line. If it is a period, one additional period is inserted at the beginning of the line.

2. When a line of mail text is received by the receiver-SMTP it checks the line. If the line is composed of a single period it is the end of mail. If the first character is a period and there are other characters on the line, the first character is deleted.

The mail data may contain any of the 128 ASCII characters. All characters are to be delivered to the recipient's mailbox including format effectors and other control characters. If the transmission channel provides an 8-bit byte (octets) data stream, the 7-bit ASCII codes are transmitted right justified in the octets with the high order bits cleared to zero,

In some systems it may be necessary to transform the data as it is received and stored. This may be necessary for hosts that use a different character set than ASCII as their local character set, or that store data in records rather than

٩.

Postel

11

χŶ

[Page 41]

RFC 821

Strings. If such transforms are necessary, they must be reversible -- especially if such transforms are applied to mail being relayed.

· 62.

4.5.3. SIZES

There are several objects that have required minimum maximum sizes. That is, every implementation must be able to receive objects of at least these sizes, but must not send objects larger than these sizes.

• • TO THE MAXIMUM EXTENT POSSIBLE, IMPLEMENTATION • • TECHNIQUES WHICH IMPOSE NO LIMITS ON THE LENGTH • • OF THESE OBJECTS SHOULD BE USED.

user

The maximum total length of a user name is 64 characters.

domain

The maximum total length of a domain name or number is 64 characters.

path

The maximum total length of a reverse-path or forward-path is 256 characters (including the punctuation and element separators).

command line

The maximum total length of a command line including the command word and the <CRLF> is 512 characters.

reply line

The maximum total length of $\langle \rangle$ -eply line including the reply code and the <CRLF> is 312 characters.

[Page 42]

Postel

Θ

 \mathbb{C}

۰c

August 1982 Simple Mail Transfer Protocol

-8.

text line

The maximum total length of a text line including the <CRLF> is 1000 characters (but not counting the leading dot duplicated for transparency).

20

recipients buffer

00 cio

a 0

The maximum total number of recipients that must be buffered is 100 recipients.

Errors due to exceeding these limits may be reported by using the reply codes, for example:

500 Line too long.

501 Path too long

552 Too many recipients.

552 Too much mail data.

Postel

- 33

[Page 43]

RFC 821

APPENDIX A

,

TCP Transport service

The Transmission Control Protocol [3] is used in the ARPA Internet, and in any network following the US DoD standards for internetwork protocols.

Connection Establishment

The SMTP transmission channel is a TCP connection established between the sender process port U and the receiver process port L. This single full duplex connection is used as the transmission channel. This protocol is assigned the service port 25 (31 octal), that is L=25.

Data Transfer

The TCP connection supports the transmission of 8-bit bytes. The SMTP data is 7-bit ASCII characters. Each character is transmitted as an fi-bit byte with the high-order bit cleared to zero.

[Page 44]

50

track and

Postel

August 1982 Simple Mail Transfer Protocol

- 0, A

APPENDIX B

NCP Transport service

° c 👳

0 80

ě

c

The ARPANET Host-to-Host Protocol [4] (implemented by the Network Control Program) may be used in the ARPANET.

दिः

Connection Establishment

The SMTP transmission channel is established via NCP between the sender process socket U and receiver process socket L. The Initial Connection Protocol [5] is followed resulting in a pair of simplex connections. This pair of connections is used as the transmission channel. This protocol is assigned the contact socket 25 (31 octal), that is L=25.

Data Transfer

The NCP data connections are established in 8-bit byte mode. The SMTP data is 7-bit ASCII characters. Each character is transmitted as an 8-bit byte with the high-order bit cleared to zero.

Postel

[Page 45]

APPENDIX C

ι.

į

NITS

The Network Independent Transport Service [6] may be used.

Connection Establishment

The SMTP transmission channel is established via NXTS between the sender process and receiver process. The sender process executes the CONNECT primitive, and the waiting receiver process executes the ACCEPT primitive.

Data Transfer

The NITS connection supports the transmission of 8-bit bytes. The SMTP data is 7-bit ASCII characters. Each character is transmitted as an 8-bit byte with the high-order bit cleared to zero.

NATES AND ADDRESS AND ADDR

[Page 46]

Postel

C

.RFC 821

Postel

0600

0

1T

P

August 1982 Simple Mail Transfer Protocol

[Page 47]

53

APPENDIX D

X.25 Transport service

It may be possible to use the X.25 service [7] as provided by the Public Data Networks directly, however, it is suggested that a reliable end-to-end protocol such as TCP be used on top of X.25 connections.

APPENDIX E

「「「「「「」」」」

Theory of Reply Codes

The three digits of the reply each have a special significance. The first digit denotes whether the response is good, bad or incomplete. An unsophisticated sender-SMTP will be able to determine its next action (proceed as planned, redo, retrench, etc.) by simply examining this first digit. A sender-SMTP that wants to know approximately what kind of error occurred (e.g., mail system error, command syntax error) may examine the second digit, reserving the third digit for the finest gradation of information.

00

There are five values for the first digit of the reply code:

1yz Positive Preliminary reply

The command has been accepted, but the requested action is being held in abeyance, pending confirmation of the information in this reply. The sender-SMTP should send another command specifying whether to continue or abort the action.

[Note: SMTP does not have any commands that allow this type of reply, and so does not have the continue or abort commands.]

2yz Positive Completion reply

The requested action has been successfully completed. A new request may be initiated.

3yz Positive Intermediate reply

The command has been accepted, but the requested action is being held in abeyance, pending receipt of further information. The sender-SMTP should send another command specifying this information. This reply is used in command sequence groups.

4yz Transient Negative Completion reply

The command was not accepted and the requested action did not occur. However, the error condition is temporary and the action may be requested again. The sender should

[Page 48]

Postel

G

- _ σ ^το

ార ర్హం

return to the beginning of the command sequence (if any). It is difficult to assign a meaning to "transient" when two different sites (receiver- and sender- SMTPs) must agree on the interpretation. Each reply in this category might have a different time value, but the sender-SMTP is encouraged to try again. A rule of thumb to determine if a reply fits into the 4yz or the 5yz category (see below) is that replies are 4yz if they can be ropeated without any change in command form or in properties of the sender or receiver. (E.g., the command is repeated identically and the receiver does not put up a new implementation.)

5yz Permanent Negative Completion reply

રુ્ં ક

5 6

1020

The command was not accepted and the requested action did not occur. The sender-SMTP is discouraged from repeating the exact request (in the same sequence). Even some "permanent" error conditions can be corrected, so the human user may want to direct the sender-SMTP to reinitiate the command sequence by direct action at some point in the future (e.g., after the spelling has been changed, or the user has altered the account status).

The second digit encodes responses in specific categories:

- xOz Syntax These replies refer to syntax errors, syntactically correct commands that don't fit any functional category, and unimplemented or superfluous commands.
- x1z Information -- These are replies to requests for information, such as status or help.
- x2z Connections -- These are replies referring to the transmission channel.
- x3z Unspecified as yet.
- x4z Unspecified as yet.
- x5z Mail system These replies indicate the status of the receiver mail system vis-a-vis the requested transfer or other mail system action.

The third digit gives a finer gradation of meaning in each category specified by the second digit. The list of replies

Postel

્ટ્રે લું રે જે

636

°.5

RFC 821

ĉ c

રટ

[Page 49]

> illustrates this. Each reply text is recommended rather than mandatory, and may even change according to the command with which it is associated. On the other hand, the reply codes must strictly follow the specifications in this section. Receiver implementations should not invent new codes for slightly different situations from the ones described here, but rather adapt codes for the ones described here.

· • · •

000 200 000 1 to 0

For example, a command such as NOOP whose successful execution does not offer the sender-SMTP any new information will return a 250 reply. The response is 502 when the command requests an unimplemented non-site-specific action. A refinement of that is the 504 reply for a command that is implemented, but that requests an unimplemented parameter.

The reply text may be longer than a single line; in these cases the complete text must be marked so the sender-SMTP knows when it can stop reading the reply. This requires a special format to indicate a multiple line reply.

The format for multiline replies requires that every line, except the last, begin with the reply code, followed immediately by a hyphen, "-" (also known as minus), followed by text. The last line will begin with the reply code, followed immediately by <SP>, optionally some text, and <CRLF>.

For example:

123-First line 123-Second line 123-234 text beginning with numbers 123 The last line

In many cases the sender-SMTP then simply needs to search for the reply code followed by <SP> at the beginning of a line, and ignore all preceding lines. In a few cases, there is important data for the sender in the reply "text". The sender will know these cases from the current context.

Postel

[Page 50]

58

RFC 821

5.0

なないためのないであった。そのなからないのないで、このではないではないです。

 $\langle \mathcal{P} \rangle$

6)

್ ೮೧ -

August 1982 Simple Mail Transfer Protocol

· "0. p

° cò

APPENDIX F

Scenarios

ູ່ເດ

్లిం

Ð

This section presents complete scenarios of several types of SMTP sessions.

1-28

A Typical SMTP Transaction Scenario

20

کور ډنگر

This SMTP example shows mail sent by Smith at host USC-ISIF, to Jones, Green, and Brown at host BBN-UNIX. Here we assume that host USC-ISIF contacts host BBN-UNIX directly. The mail is accepted for Jones and Brown. Green does not have a mailbox at host BBN-UNIX.

R: 220 BBN-UNIX.ARPA Simple Mail Transfer Service Ready S: HELO USC-ISIF.ARPA R: 250 BBN-UNIX.ARPA

S: MAIL FROM:<Smith@USC-ISIF.ARPA> B: 250 OK

S: RCPT TO:<Jones@BBN-UNIX.ARPA> R: 250 OK

S: RCPT TO:<Green@3BN-UNIX.ARPA> R: 550 No such user here

S: RCPT TO:<Brown@BBN-UNIX.ARPA> R: 250 OK

S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: .

R: 250 OK

S: QUIT R: 221 BBN-UNIX.ARPA Service closing transmission channel

Scenario 1

Postel

[Page 51]

Aborted SMTP Transaction Scenario

R: 220 MIT-Multics.ARPA Simple Mail Transfer Service Ready S: HELO ISI-VAXA.ARPA R: 250 MIT-Multics.ARPA S: MAIL FROM:<Smith@ISI-VAXA.ARPA> R: 250 OK S: RCPT TO:<Jones@MIT-Multics.ARPA> R: 250 OK S: RCPT TO:<Green@MIT-Multics.ARPA> R: 550 No such user here S: RSET R: 250 OK

S: QUIT R: 221 MIT-Cultics.ARPA Service closing transmission channel

Scenario 2

[Page 52]

58

Postel

RFC 821

AFC 821

August 1982 Simple Mail Transfer Protocol

co c

, .c. t

Relayed Mail Scenario

0 : 0 C c

è.º

Step 1 -- Source Host to Relay Host R: 220 USC-ISIE.ARPA Simple Mail Transfer Service Ready S: HELO MIT-AI.ARPA R: 250 USC-ISIE.ARPA S: MAIL FROM:<JQPOMIT-AI.ARPA> R: 250 OK S: RCPT TO:<@USC-ISIE.ARPA:Jones@BBN-VAX.ARPA> R: 250 OK S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Data: 2 Nov 81 22:33:44 S: From: John Q. Public <JQP@MIT-AI.ARPA> S: Subject: The Next Meeting of the Board S: To: Jones@BBN-Vax.ARPA S: S: Bill: S: The next meeting of the board of directors will be S: on Tuesday. S: John. S: R: 250 OK S: QUIT R: 221 USC-ISIE.ARFA Service closing transmission channel

[Page 53]

Postel

59

医外周的 医外周的 医外周的 医外周的 医子宫

9-1-2

ŝ

¢٩

-

RFC 821

Step 2 --- Relay Host to Destination, Host

R: 220 BBN-VAX.ARPA Simple Mail Transfer Service Ready S: HELO USC-ISIE.ARPA R: 250 BBN-VAX.ARPA S: MAIL FROM: < OUSC-ISIE.ARPA: JQPOMIT-AI.ARPA> R: 250 OK S: RCPT TO: < Jones@BBN-VAX.ARPA> R: 250 OK S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Received: from MIT-AI.ARPA by USC-ISIE.ARPA ; 2 Nov 81 22:40:10 UT S; Date: 2 Nov 81 22:33:44 S: From: John Q. Public <JQPOMIT-AI.ARPA> S: Subject: The Next Meeting of the Board S: To: Jones@BBN-Vax.ARPA S: S: Bill: S: The next meeting of the board of directors will be S: on Tuesday. S: John. S: R: 250 OK S: QUIT R: 221 USC-ISIE.ARPA Service closing transmission channel

Scenario 3

[Page 54]

60

Postel

August 1982 Simple Mail Transfer Protocol

6.6

്യം

Ĩ.°.

ిం≺ిం ≵

Verifying and Sending Scenario

C i D

R: S: R:	220 SU-SCORE.ARPA Simple Mail Transfer Service Ready HELO MIT-MC.ARPA 250 SU-SCORE.ARPA
s:	VRFY Crispin
н:	250 Mark Crispin <admin.mhcosu-scoke.ahpa></admin.mhcosu-scoke.ahpa>
S: R:	SEND FROM: <eak@mit-mc.arpa> 250 ok</eak@mit-mc.arpa>
S:	RCPT TO: <admin.mrcosu-score.arpa></admin.mrcosu-score.arpa>
R:	250 OK
s:	DATA
R:	354 Start mail input; end with <crlf>.<crlf></crlf></crlf>
S:	Blah blah blah
S:	etc. etc. etc.
S:	•
R:	250 OK
S:	QUIT
	221 SU-STORE ARRA Service closing transmission channel
	TTT 32 SCOLTANEN SELATER CLOSING FLUISMISSION CHUMMEN

Scenario 4

. .

Postel

6

3

[Page 55]

्र August 1982 **RFC 821** Simple Mail Transfer Protocol Sending and Mailing Scenarios First the user's name is verified, then an attempt is made to send to the user's terminal. When that fails, the messages is mailed to the user's mailbox. R: 220 SU-SCORE.ARPA Simple Mail Transfer Service Ready S: HELO MIT-MC.ARPA R: 250 SU-SCORE.ARPA S: VRFY Crispin R: 250 Mark Crispin <Admin.MRCOSU-SCORE.ARPA> S: SEND FROM: < EAKOMIT-MC. ARPA> R: 250 OK S: RCPT TO: < Admin.MRC@SU-SCORE.ARPA> R: 450 User not active now S: RSET R: 250 OK S: MAIL FROM: < EAK@MIT-MC.ARPA> R: 250 OK S: RCPT TO:<Admin.MRC@SU-SCORE.ARPA> R: 250 OK S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: R: 250 OK S: QUIT R: 221 SU-SCODE.ARPA Service closing transmission channel Scenario 5

.0

°c 🗠

[Page 56]

Postel

()

6, 2 C

÷ć.

17

်ဂုစ္

August 1982 Simple Mail Transfer Protocol

Doing the preceding scenario more efficiently.

R: 220 SU-SCORE.ARPA Simple Mail Transfer Service Ready
S: HELO MIT-MC.ARPA
R: 250 SU-SCORE.ARPA
S: VRFY Crispin
R: 250 Mark Crispin <Admin.MRC@SU-SCORE.ARPA>
S: SOML FROM:<EAK@MIT-MC.ARPA>
R: 250 OK
S: RCPT TO:<Admin.MRC@SU-SCORE.ARPA>
R: 250 User not active now, so will do mail.
S: DATA
R: 354 Start mail input; end with <CRLF>.<CRLF>
S: Blah blah blah...
S: ...etc. etc. etc.
S: .
R: 250 OK
S: QUIT
R: 221 SU-SCORE.ARPA Service closing transmission channel

Scenario 6

Postel

[Page 57]

63

a second and a second
Mailing List Scenario

S: QUIT

First each of two mailing lists are expanded in separate sessions with different hosts. Then the message is sent to everyone that appeared on either list (but no duplicates) via a relay host.

Step 1 -- Expanding the First List

R: 220 MIT-AI.ARPA Simple Mail Transfer Service Ready S: HELO SU-SCORE.ARPA R: 250 MIT-AI.ARPA

S: EXPN Example-People R: 250-<ABCOMIT-MC.ARPA> R: 250-Fred Fonebone <FoneboneOUSC-ISIQ.ARPA> R: 250-Xenon Y. Zither <XYZOMIT-AI.ARPA> R: 250-Quincy Smith <OUSC-ISIF.ARPA:Q-SmithOISI-VAXA.ARPA> R: 250-<joeOfoo-unix.ARPA> R: 250 <xyZODar-unix.ARPA>

R: 221 MIT-AI.ARPA Service closing transmission channel

Postel

\$

00.0

RFC 821

64

[Page 58]

~~^^ o

August 1982 Simple Mail Transfer Protocol

0.00 × 1

, c

Step 2 -- Expanding the Second List

R: 220 MIT-MC.ARPA Simple Mail Transfer Service Ready S: HELO SU-SCORE.ARPA R: 250 MIT-MC.ARPA

80.

S: EXPN Interested-Parties R: 250-Al Calico <ABC@MIT-MC.ARPA> R: 250-<XYZ@MIT-AI.ARPA>

R: 250-Quincy Smith <@USC-ISIF.ARPA:Q-Smith@ISI-VAXA.ARPA>

R: 250-<fred@BBN-UNIX.ARPA> R: 250 <xyz@bar-unix.ARPA>

S: QUIT

R: 221 MIT-MC.ARPA Service closing transmission channel

Postel

3

[Page 59]

65

RFC 821

0:00

c

0

G

Step 3 -- Mailing to All via a Relay Host

\$

R: 220 USC-ISIE.ARPA Simple Mail Transfer Service Ready S: HELO SU-SCORE.ARPA R: 250. USC-ISIE. ARFA S: MAIL FROM: < Account.Person@SU-SCORE.ARPA> R: 250 OK S: RCPT TO:<@USC-ISIE.ARPA:ABCOMIT-MC.ARPA> R: 250 OK S: RCPT TO:<@USC-ISIE.ARPA:Fonebone@USC-ISIQA.ARPA> R: 250 OK S: RCPT TO:<GUSC-ISIE.ARPA:XYZGMIT-AI.ARPA> R: 250 OK S: RCPT TO:<GUSC-ISIE.ARPA, GUSC-ISIF.ARPA:Q-Smith@ISI-VAXA,ARPA> R: 250 OK S: RCPT TO:<@USC-ISIE.ARPA: joe@FOO-UNIX.ARPA> R: 250 OK S: RCPT TO: < GUSC-ISIE.ARPA: xyz@BAR-UNIX.ARPA> R: 250 OK S: RCPT TO:<@USC-ISIE.ARPA:fred@BBN-UNIX.ARPA> R: 250 OK S: DATA R: 354 Start mail input; end with <CRLF>.<CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: R: 250 OK S: QUIT R: 221 USC-ISIE.ARPA Service closing transmission channel

Scenario 7

[Page 60]

Postel

66

Ъ

	August Simple Mail Transfer Pro
Forwa	rding Scenarios
	R: 220 USC-ISIF.ARPA Simple Mail Transfer Service Ready S: HELO LBL-UNIX.ARPA R: 250 USC-ISIF.ARPA
	S: MAIL FROM: <mo@lbl-unix.arpa> R: 250 OK</mo@lbl-unix.arpa>
	S: RCPT TO: <fred@usc-isif.arpa> R: 251 Jser not local; will forward to <jones@usc-isi.arpa< td=""></jones@usc-isi.arpa<></fred@usc-isif.arpa>
	S: DATA R: 354 Start mail input; end with <crlf>.<crlf> S: Blah blah blah S:etc. etc. etc. S: . R: 250 OK</crlf></crlf>
	S: QUIT R: 221 USC-ISIF.ARPA Service closing transmission channel
1 <i>i</i>	Scenario B

Û

[Page 61]

Postel

3

1.6

Step 1 Trying the Mailbox at the First Host
R: 220 USC-ISIF.ARPA Simple Mail Transfer Service Ready S: HELO LBL-UNIX.ARPA R: 250 USC-ISIF.ARPA
S: MAIL FROM: <mo@lbl-unix.arpa> R: 250 OK</mo@lbl-unix.arpa>
S: RCPT TO: <fred@usc-isif.arpa> R: 251 User not local; will forward to <jones@usc-isi.arpa></jones@usc-isi.arpa></fred@usc-isif.arpa>
S: RSET R: 250 OK
S: QUIT R: 221 USC-ISIF. ARPA Service closing transmission channel
Step 2 Delivering the Mail at the Second Host
R: 220 USC-ISI.ARPA Simple Mail Transfer Service Ready S: HELO LBL-UNIX.ARPA R: 250 USC-ISI.ARPA
S: MAIL FROM: <mo@lbl-unix.arpa> R: 250 OK</mo@lbl-unix.arpa>
S: RCPT TO: <jones@USC-ISI.ARPA> R: OK</jon
S: DATA R: 354 Start mail input; end with <crlf>.<crlf> S: Blah blah blah S:etc. etc. etc. S: . P: 250 OK</crlf></crlf>
S: QUIT R: 221 USC-ISI.ARPA Service closing transmission channel
Scenario 9

[Page 62]

Postel

Ą

RFC 821

Postel

రి పై సినిమాలు సినిమాలు

1.

 (\mathbf{i})

11

August 1982 Simple Mail Transfer Protocol

0000

Too Many Recipients Scenario

<u> 0.05</u>56 h

18101 90 815

8-212-3

R: 220 BERKELEY. ARPA Simple Mail Transfer Service Ready S: HELO USC-ISIF.ARPA R: 250 BERKELEY.ARPA S: MAIL FROM: < Postel@USC-ISIF.ARPA> R: 250 OK S: RCPT TO: < fabry@BERKELEY.ARPA> R: 250 OK S: RCPT TO:<eric@BERKELEY.ARPA> A: 552 Recipient storage full, try Again in another transaction S: DATA R: 354 Start mail input; end with <CRLF> <CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: R: 250 OK S: MAIL FROM: < PostelOUSC-ISIF.ARPA> R: 250 OK S: RCPT TO:<eric@BERKELEY.ARPA> R: 250 OK S: DATA R: 354 Start mail input; end with <CRLF>. <CRLF> S: Blah blah blah... S: ...etc. etc. etc. S: R: 250 OK S: QUIT R: 221 BERKELEY. ARPA Service closing transmission channel Scenario 10 Note that a real implementation must handle many recipients as specified in Section 4.5.3. [Page 63]

RFC 821

GLOSSARY

ASCII

American Standard Code for Information Interchange [1].

command

A request for a mail service action sent by the sender-SMTP to the receiver-SMTP.

domain

The hierarchially structured global character string address of a host computer in the mail system.

end of mail data indication

A special sequence of characters that indicates the end of the mail data. In particular, the five characters carriage return, line feed, period, carriage return, line feed, in that order.

host

A computer in the internetwork environment on which mailboxes or SMTP processes reside.

line

A a sequence of ASCII characters ending with a <CRLF>.

mail data

A sequence of ASCII characters of arbitrary length, which conforms to the standard set in the Standard for the Format of ARPA Internet Text Messages (RFC 822 [2]).

mailbox

A character string (address) which identifies a user to whom mail is to be sent. Mailbox normally consists of the host and user specifications. The standard mailbox naming convention is defined to be "user@domain". Additionally, the "container" in which mail is stored.

[Page 64]

Postel

63.00

S.

్రణా

− b°ç Ç

°°

receiver-SMTP process

PC 5

c

∿\$ <u>(</u>22)

A process which transfers mail in cooperation with a sender-SMTP process. It waits for a connection to be established via the transport service. It receives SMTP commands from the sender-SMTP, sends replies, and performs the specified operations.

ેં તે જે જે

.

142 CE

reply

RFC 821

63

5

 \mathfrak{D}

A reply is an acknowledgment (positive or negative) sent from receiver to sender via the transmission channel in response to a command. The general form of a reply is a completion code (including error codes) followed by a text string. The codes are for use by programs and the text is usually intended for human users.

sender-SMTP process

A process which transfers mail in cooperation wich a receiver-SMTP process. A local language may be used in the user interface command/reply dialogue. The sender-SMTP initiates the transport service connection. It initiates SMTP commands, receives replies, and governs the transfer of mril.

session

The set of exchanges that occur while the transmission channel is open.

transaction

The set of exchanges required for one message to be transmitted for one or more recipients.

transmission channel

A full-duplex communication path between a sender-SMTP and a receiver-SMTP for the exchange of commands, replies, and mail text.

transport service

Any reliable stream—oriented data communication services. For example, NCP, TCP, NITS.

Postel

[Page 65]

user

A human being (or a process on behalf of a human being) wishing to obtain mail transfer service. In addition, a recipient of computer mail.

. db

RFC 821

c >

word

A sequence of printing characters.

<CRLF>

The characters carriage return and line feed (in that order).

<SP>

The space character.

[Page 85]

Postel

 \bigcirc
RFC 821

° . ĝo

A 606

૾ૢૼૢ૾૾૾૾૾૾૾ૢ

020

6 600

520

August 1982 Simple Mail Transfer Protocol

~0.-

REFERENCES

[1] ASCII

ASCII, "USA Code for Information Interchange", United States of America Standards Institute, X3.4, 1968. Also in: Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook", NIC 7104, for the Defense Communications Agency by SRI International, Menlo Park, California, Revised January 1978.

600 () (C

ိုးစွင်းရှိ ကို ကို ကို

030 0

[2] RFC 822

Crocker, D., "Standard for the Format of ARPA Internet Text Messages," RFC 822, Department of Electrical Engineering, University of Delaware, August 1982.

[3] TCP

Postel, J., ed., "Transmission Control Protocol - DARPA Internet Program Protocol Specification", RFC 793, USC/Information Sciences Institute, NTIS AD Number All1091, September 1981. Also in: Feinler, E. and J. Postel, eds., "Internet Protocol Transition Workbook", SRI International, Menlo Park, California, March 1982.

[4] NCP

McKenzie, A., "Host/Host Protocol for the ARPA Network", NIC 8246, January 1972. Also in: Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook", NIC 7104, for the Defense Communications Agency by SRI International, Menlo Park, California, Revised January 1978.

[5] Initial Connection Protocol

Postel, J., "Official Initial Connection Protocol", NIC 7101, 11 June 1971. Also in: Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook", NIC 7104, for the Defense Communications Agency by SRI International, Menlo Park, California, Revisud January 1978.

[6] NITS

PSS/SG3. "A Network Independent Transport Service". Study Group 3. The Post Office PSS Users Group, February 1980. Available from the DCPU, National Physical Laboratory, Teddington, UK.

Postel

 $\langle \cdot \rangle$

[Page 67]

August 1982 Simple Mail Transfer Protocol

RFC 821

[7] X.25

ت ≞ دَن

CCITT, "Recommendation X.25 - Interface Between Data Terminal Equipment (DTE) and Data Circuit-terminating Equipment (DCE) for Terminals Operating in the Packet Mode on Public Data Networks," CCITT Orange Book, Vol. VIII.2, International Telephone and Telegraph Consultative Committee, Geneva, 1976.

 \bigcirc

[Page 68]

74

.

 (\mathbf{G})

Postel

RFC # 822

251 THERE WALLEST WATCHING TO BE AND A STREET WATCHING TO

а с⁰

ె్లా

17

Obsoletes: RFC #733 (NIC #41952)

ાય સ્વયુદ્ધ દુર્જી છે. તે નાંગુ દુર્શના દુર્શના છે. તે દુર્શના સ્વયુદ્ધ સ્વયુ

STANDARD FOR THE FORMAT OF ARPA INTERNET TEXT MESSAGES

800

67.0

- ~ ju

٤

50 CC

August 13, 1982

Revised by

David H. Crocker

Dept. of Electrical Engineering University of Delaware, Newark, DE 19711 Network: DCrocker & UDel-Relay

TABLE OF CONTENTS

PRE	FACE .	• • • •	• • • •		• • •	•••	• • •	•••	• • •	•••	• •	•••	••		••	••	••	••	• •	••	• •	•		• •	•	11
1.	INTRO	DUCT	ION	•••	•••	•••	• • •	• • •	•••	•••	•••	•••	•	• •	••	••	••	••	•	• •	• •	•	••	•	•.	1
	1.1. 1.2.	Sco Com	pe mun	icat	ior	F	ras	ew	ork		•••	•••	•••	• • •	••	••	••	••	•••	• •	••	•	••	•	•	1 2
2.	NOTAT		LC	DNVE	INTI		s.		• • •		•••		• • •		••	••	• •	••	•	• •	••	•	• •	• 1	•	3
3.	LEXIC	AL A	NAL	YSIS	5 OF	F M	ESS	5AG	ES	• •			• • •		••	• •	••	• •	•	••	••	•	••	•	•	5
	3.1. 3.2. 3.3. 3.4.	Gen Hea Lex Cla	iera: ider idea: idea: idea:	l De Fie 1 To icat	acr 1d 5ker	ip De 18	tic fir	on iit	ior	18	• • •		•	••	••	•••	•••	•••		•••	•••	•	••	•	• • •	5 9 10 11
4.	MESSA	GE S	PEC	IFIC		ION	•		• • •		• • •	• • •		••	••	••	••	•••	•	••	••	•	••	•	•	17
	4.1. 4.2. 4.3. 4.4. 4.5. 4.5. 4.5.	Syn For Tra Ori Rec Ref Oti	itax war lgin lgin lgin lgin lgin lgin lgin lgin	ding Fiel ator er f nce Fiel	ids Fiel Fiel	lel Ids Bld	ds							• • • • • • • • •	• • • • • • • • • •	· · · · · · · · · · ·				• • • • • • • •	• • • • • • • •	•	• •	• • • • •	•	17 19 20 21 23 23 24
5.	DATE	AND	TIM	E SF	PEC	IFI	CA.	110	N.	•••	••	• • •	•••	• •	••	••	• •	•••	••	••	••	•	••	•.	•	26
	5.1. 5.2.	Syr Ser	tax ant	ics	•••	•••	•••	•••	•••	•••	••	•••	•••	••	••	••	•••	• • •	•••	••	••	•	••	•	•	26 26
6.	ADDRE	ss s	PEC	IFIC	CAT:	ION	•	• • •	••	••	••	• • •	••	••	••	••	•	• • •	••	••	•••	•	••	•	•	27
	6.1. 6.2. 6.3.	Syr Sen Rei	itax Iant Ierv	ics ed /	Add	res	•••	•••	•••	••	•••	•••	•••	••	•••	•••	•		•••	••	•	•	••• •••	•	• •	27 27 33
7.	BIBLI	OGR	APHY	• •	•••	• • •	••	•••	••	••	••	••	••	• •	••	• •	•	••	••	••	• • •	•	••	•	•	.34
							PP	ENC)IX																	
٨.	EXAMP	LES							. 	• •			••	• •			•			• •			• •			36

August 13, 1982

3

- i -

Ţ

EFC #822

77



PREFACE

By 1977, the Arpanet employed several informal standards for the text messages (mail) sent among its host computers. It was felt necessary to codify these practices and provide for those features that seemed imminent. The result of that effort was Request for Comments (RFC) #733, "Standard for the Format of ARPA Network Text Message", by Crocker, Vittal, Pogran, and Henderson. The specification attempted to avoid major changes in existing software, while permitting several new features.

This document revises the specifications in RFC #733, in order to serve the needs of the larger and more complex ARPA Internet. Some of RFC #733's features failed to gain adequate acceptance. In order to simplify the standard and the software that follows it, these features have been removed. A different addressing scheme is used, to handle the case of inter-network mail; and the concept of re-transmission has been introduced.

This specification is intended for use in the ARPA Internet. However, an attempt has been made to free it of any dependence on that environment, so that it can be applied to other network text message systems.

The specification of RFC #733 took place over the course of one year, using the ARPANET mail environment, itself, to provide an on-going forum for discussing the capabilities to be included. More than twenty individuals, from across the country, participated in the original discussion. The development of this revised specification has, similarly, utilized network mail-based group discussion. Both specification efforts greatly benefited from the comments and ideas of the participants.

The syntax of the standard, in RFC #733, was originally specified in the Backus-Naur Form (BNF) meta-language. Ken L. Harrenstien, of SRI International, was responsible for re-coding the BNF into an augmented BNF that makes the representation smaller and easier to understand.

- ii -

TENERS IN A STRUCTURE OF THE OWNER OF THE OWNER OF THE OWNER AND THE OWNER OF THE OWNER
RFC #822

ţ

 $\langle \cdot \rangle$

10 60 80

1. See 6. 6. 6.

6 6

1. INTRODUCTION

8 9 .. 4 4 9.0

1.1. SCOPE

This standard specifies a syntax for text messages that are sent among computer users, within the framework of "electronic mail". The standard supersedes the one specified in ARPANET Request for Comments #733, "Standard for the Format of ARPA Network Text Messages".

In this context, messages are viewed as having an envelope and contents. The envelope contains whatever information is needed to accomplish transmission and delivery. The contents compose the object to be delivered to the recipient. This standard applies only to the format and some of the semantica of message contents. It contains no specification of the information in the envelope.

However, some message systems may use information from the contents to create the envelope. It is intended that this standard facilitate the acquisition of such information by programs.

Some message systems may store messages in formats that differ from the one specified in this standard. This specification is intended strictly as a definition of what message content format is to be passed BETWEEN hosts.

Note: This standard is NOT intended to dictate the internal formats used by sites, the specific message system features that they are expected to support, or any of the characteristics of user interface programs that create or read messages.

A distinction should be made between what the specification REQUIRES and what it ALLOWS. Messages can be made complex and rich with formally-structured components of information or can be kept small and simple, with a minimum of such information. Also, the standard simplifies the interpretation of differing visual formats in messages; only the visual aspect of a message is affected and not the interpretation of information within it. Implementors may choose to retain such visual distinctions.

The formal definition is divided into four levels. The bottom level describes the meta-notation used in this document. The second level describes basic lexical analyzers that feed tokens to higher-level parsers. Next is an overall specification for messages; it permits distinguishing individual fields. Finally, there is definition of the contents of several structured fields.

August 13, 1982

- 1 -

RFC #822

79

1.2. COMMUNICATION FRAMEWORK

Messages consist of lines of text. No special provisions are made for encoding drawings, facsimile, speech, or structured text. No significant consideration has been given to questions of data compression or to transmission and storage efficiency, and the standard tends to be free with the number of bits consumed. For example, field names are specified as free text, rather than special terse codes.

70

É,

ć

A general "memo" framework is used. That is, a message consists of some information in a rigid format, followed by the main part of the message, with a format that is not specified in this document. The syntax of several fields of the rigidly-formated ("headers") section is defined in this specification; some of these fields must be included in all messages.

The syntax that distinguishes between header fields is specified separately from the internal syntax for particular fields. This separation is intended to allow simple parsers to operate on the general structure of messages, without concern for the detailed structure of individual header fields. Appendix B is provided to facilitate construction of these parsers.

In addition to the fields specified in this document, it is expected that other fields will gain common use. As necessary, the specifications for these "extension-fields" will be published through the same mechanism used to publish this document. Users may also wish to extend the set of fields that they use privately. Such "user-defined fields" are permitted.

The framework severely constrains document tone and appearance and is primarily useful for most intra-organization communications and well-structured inter-organization communication. It also can be used for some types of inter-process communication, such as simple file transfer and remote job entry. A more robust framework might allow for multi-font. multi-color, multidimension encoding of information. A less robust one, as is present in most single-machine message systems, would more severely constrain the ability to add fields and the decision to include specific fields. In contrast with paper-based communication, it is interesting to note that the RECEIVER of a message method ge's appearance. The amount of actual control over the method ge's appearance. The amount of actual control available to method ge receivers is contingent upon the capabilities of their individual message systems.

August 13, 1982

- 2 -

RFC #822

 \bigcirc

2. NOTATIONAL CONVENTIONS

This specification uses an augmented Backus-Naur Form (BNF) notation. The differences from standard BNF involve naming rules and indicating repetition and "local" alternatives.

2.1. RULE NAMING

Angle brackets ("<", ">") are not used, in general. The name of a rule is simply the name itself, rather than "<name>". Quotation-marks enclose literal text (which may be upper and/or lower case). Certhin basic rules are in uppercase, such as SPACE, TAP, CRLF, DIGIT, ALPHA, etc. Angle brackets are used in rule definitions, and in the rest of this document, whenever their presence will facilitate discerning the use of rule names.

2.2. RULE1 / RULE2: ALTERNATIVES

Elements separated by slash ("/") are alternatives. Therefore "foo / bar" will accept foo or bar.

2.3. (RULE1 RULE2): LOCAL ALTERNATIVES

Elements enclosed in parentheses are treated as a single element. Thus. "(elem (foo / bar) elem)" allows the toker. sequences "elem foo elem" and "elem bar elem".

2.4. •RULE: REPETITION

The character "•" preceding an element indicates repetition. The full form is:

<l>*<m>element

indicating at least <1> and at most <m> occurrences of element. Default values are 0 and infinity so that "*(element)" allows any number, including zero; "i*element" requires at least one; and "1*2element" allows one or two.

2.5. [RULE]: OPTIONAL

Square brackets enclose optional elements; "[foo bar]" is equivalent to "+1(foo bar)".

2.6. NRULE: SPECIFIC REPETITION

"<n>(element)" is equivalent to "<n>(element)"; that is, exactly <n> occurrences of (element). Thus 2DIGIT is a 2-digit number, and 3ALPHA is a string $\$ three alphabetic characters.

August 13, 1982

0

- 3 -

RFC #822

81

A CAR AND A PART OF A STATE OF A STATE

2.7. #RULE: LISTS

A construct "#" is defined, similar to "+", as follows:

ိုင္ငံ လုိင္ရဲ့ လုိ

9.

<1>#<m>#lement

indicating at least <1> and at m(:2 <m> elements, each separated by one or more commas (","). This makes the usual form of lists very easy; a rule such as '(element \cdot ("," element))' can be shown as "1#element". Wherever this construct is used, null elements are allowed, but do not contribute to the count of elements present. That is, "(element), (element)" is permitted, but counts as only two elements. Therefore, where at least one element is required, at least one non-null element must be present. Default values are 0 and infinity so that "#(element)" allows any number, including zero; "i#element" requires at least one; and "1#2element" allows one or two.

2.8. ; COMMENTS

A semi-colon, set off some distance to the right of rule text, starts a comment that continues to the end of line. This is a simple way of including useful notes in parallel with the specifications.

- 4 -

RFC #822

3. LEXICAL ANALYSIS OF MESSAGES

3.1. GENERAL DESCRIPTION

R

A message consists of header fields and, optionally, & body. The body is simply a sequence of lines containing ASCII characters. It is separated from the headers by a null line (i.e., a line with nothing preceding the CRLF).

3.1.1. LONG HEADER FIELDS

Each header field can be viewed as a single, logical line of ASCII characters, comprising a field-name and a field-body. For convenience, the field-body portion of this conceptual entity can be split into a multiple-line representation; this is called "folding". The general rule is that wherever there may be linear-white-space (NOT simply LWSP-chars), a CRLF immediately followed by AT LEAST one LWSP-char may instead be inserted. Thus, the single line

To: "Joe & J. Harvey" <ddd @Org>, JJV @ BBN

can be represented as:

To: "Joe & J. Harvey" <ddd © Org>, JJV6BBN

and

To: "Joe & J. Harvey" <ddd@ Org>, JJV @BBN

and

To: "Joe & J. Harvey" <ddd © Org>, JJV © BBN

The process of moving from this folded multiple-line representation of a header field to its single line representation is called "unfolding". Unfolding is accomplished by regarding CRLF immediately followed by a LWSP-char as equivalent to the LWSP-char.

Note: While the standard permits folding wherever linearwhite-space is permitted, it is recommended that structured fields, such as those containing addresses, limit folding to higher-level syntactic breaks. For address fields, it is recommended that such folding occur

August 13, 1982

- 5 --

RFC #822

between addresses, after the separating comma.

ုပ်ဦးမ်ားနှင့်ပေးနိ

3.1.2. STRUCTURE OF HEADER FIELDS

03

Once a field has been unfolded, it may be viewed as being composed of a field-name followed by a colon (":"), followed by a field-body, and terminated by a carriage-return/line-feed. The field-name must be composed of printable ASCII characters (i.e., characters that have values between 33. and 126., decimal, except colon). The field-body may be composed of any ASCII characters, except CR or LF. (While CR and/or LF may be present in the actual text, they are removed by the action of unfolding the field.)

Certain field-bodies of headers may be interpreted according to an internal syntax that some systems may wish to parse. These fields are called "structured fields". Examples include fields containing dates and addresses. Other fields, such as "Subject" and "Comments", are regarded simply as strings of text.

Note: Any field which has a field-body that is defined as other than simply <text> is to be treated as a structured field.

> Field-names, unstructured field bodies and structured field bodies each are scanned by their own, independent "lexical" analyzers.

3.1.3. UNSTRUCTURED FIELD BODIES

For some fields, such as "Subject" and "Commenta", no structuring is assumed, and they are treated simply as <text>s, as in the message body. Rules of folding apply to these fields, so that such field bodies which occupy several lines must therefore have the second and successive lines indented by at least one LWSP-char.

3.1.4. STRUCTURED FIELD BODIES

To aid in the creation and reading of structured fields, the free insertion of linear-white-space (which permits folding by inclusion of CRLFs) is allowed between lexical tokens. Rather than coscuring the syntax specifications for these structured fields with evolicit syntax for this linear-white-space, the existence of unother "lexical" analyzer is assumed. This analyzer does r, tapply for unstructured field bodies that are simply strings of text, as described above. The analyzer provides an interpretation of the unfolded text

August 13, 196.

- 6 -

RFC #822

composing the body of the field as a sequence of lexical symbols.

These symbols are:

- individual special characters
- quoted-strings domain-literals
- comments
- _ atoms

The first four of these symbols are self-delimiting. Atoms are not; they are delimited by the solf-delimiting symbols and by linear-white-space. For the purposes of regenerating sequences of atoms and quoted-strings, exactly one SPACE is assumed to exist, and should be used, between them. (Also, in the "Clarifications" section on "White Space", below, note the rules about treatment of multiple contiguous LWSP-chars.)

So, for example, the folded body of an address field

":sysmail" Some-Group. Some-Org, Muhammed. (I am the greatest) Ali @(the)Vegas.WBA

August 13, 1982

and a start and a start of the
ЦĬ

1. 1 1. 2 5 1 1 2 X 4

RFC #822

85

is analyzed into the following lexical symbols and types:

6 8 . . . Y

:sysmail	quoted string
•	special
Some-Group	atom
•	special
Some-Org	atom
•	special
Muhammed	atom
•	special
(I am the greatest)	comment
À11	atom
•	atom
(the)	comment
Vegas	aton
	special
WRA	247.A

The canonical representations for the data in these addresses are the following strings:

":sysmail"@Some-Group.Some-Org

and

6 5 0

°c

Muhammed.AlioVegas.WBA

Note: For purposes of display, and when passing such structured information to other systems, such as mail protocol services, there must be NO linear-white-space between <word>s that are separated by period (".") or at-sign ("0") and exactly one SPACE between all other <word>s. Also, headers should be in a folded form.

- 8 -

· 各 发行 他们也是不必是 我是你说是我们就是你是你的,你不要?" 医性小的 医肺中心 电子子 医子子 医子子子 医子子子 医子子子 医子子子 医子子子 医子子子

RFC #822

 (\mathbb{C})

86

CALLER RESULTATION REPORTS AND A CONTRACTOR

3.2. HEADER FIELD DEFINITIONS

These rules show a field meta-syntax, without regard for the particular type or internal syntax. Their purpose is to permit detection of fields; also, they present to higher-level parsers an image of each field as fitting on one line.

field = field-name ":" [field-body] CRLF
field-name = 1*<any CHAR, excluding CTLs, SPACE, and ":">
field-body = field-body-contents
[CRLF LWSP-char field-body]

field-body-contents =

17

<the ASCII characters making up the field-body, as defined in the following sections, and consisting of combinations of atom, quoted-string, and specials tokens, or else consisting of texts>

August 13, 1982

- 9 -

RFC #822

3.3. LEXICAL TOKENS

° 4 (5)

С

2013

The following rules are used to define an underlying lexical analyzer, which feeds tokens to higher level parsers. See the ANSI references, in the Bibliography.

્દ્ર નું દુરુ લું છે. ત્વું ઈ

i chi i ci

د ^ر د

 (\cdot, \cdot)

~ ~ ~

Sele Role - chall for

			:	(Octal, Decimal.)
CHAR	-	<any ascii="" character=""></any>	:	(0-177, 0, -127,)
ALPHA		<any alphabetic="" ascii="" charact<="" td=""><td>tě</td><td>r></td></any>	tě	r>
			•	(101 - 132, 65 - 90)
		1	:	(141-172 97 -122)
N7077	_	Conv ASCIT decimal digits	:	(-7-1)
DIGII	_	Any ASOLI Geolmal Gigit/	÷.	
CIL ,	-	Kany ASULI CONTROL	i	(0-37, 031.)
		Character and DEL>	÷	(177, 127.)
CR	-	<ascii carriage="" cr,="" return=""></ascii>	÷	(15, 13.)
LF	-	<ascii lf,="" linefeed=""></ascii>	÷	(12, 10.)
SPACE	-	<ascii sp,="" space=""></ascii>	;	(40, 32.)
HTAB	-	<ascii horizontal-tab="" ht,=""></ascii>	;	(11, 9.)
<">	-	<ascii mark="" quote=""></ascii>	1	(42, 34.)
CRLF	-	CR LF		
		· · · · · ·		
IWSP-char	-	SPACE / HTAR	•	semantics - SPACE
	-		•	
linear-whit	0-2	nace = 1e([CRLE] WSR-char)	•	sementice - SPACE
ATTOR WITE	. o -a;	bace - re(fouril ruse-cum)	1	COLE -> folding
			٠	CALF => folding
	_			Nuch he is suched
specials	-		÷	must be in quoted-
			;	string, to use
1	/	••• / •[• / •]•	;	within & word.
Jolinitore	_	encolole / linear_white_enco		
Jellmire, a	-	specials / linear while-space		/ comment
tavt	-	cany CHAR including have		-> atoma energiale
LUXL	-	O t bare LE but NOT		-> utoma, speciala,
		the bare CPIEN	÷	comments and
		Including CHLF>	÷	quoted-strings are
				NUL recognized.
	_	14 conv CUAR event encointe		DAGE and OTLAN
acom	-	I any Chan except specials,	3	PACE and CILS>
quoted_stri	20	- <"> (ntext/cunted_nair) <">		Regular start or
quorea-311 1				austed share
			÷	quoted chars.
		KARN CUAD AVAARADIA (T)		my may be falled
qtext	-	<any <"="" chah="" excepting="">,</any>	;	=> may be rolded
		"\" & CH, and including		
		linear-white-space>		
	_			·
domain-lite	iral	= "[" *(dtext / quoted-pair))	"]"

August 13, 1982 - 10 - RFC #822

dtext	-	<pre><any "[",="" "\"="" "]",="" &="" char="" cr,="" excluding="" including="" linear-white-space=""></any></pre>	; => may be folded
comment	-	"(" •(ctext / quoted-pair /	comment) ")"
ctext		<pre><any "(",<br="" char="" excluding="">")", "\" & CR, & including linear-white-space></any></pre>	; => may be folded
quoted-pair	-	"\" CHAR	; may quote any char
phrase	*** .	1•word	; Sequence of words
word	-	atom / quoted-string	

3.4. OLARIFICATIONS

3.4.1. QUOTING

ŐΥ

Some characters are reserved for special interpretation, such as delimiting lexical tokens. To permit use of these characters as uninterpreted data, a quoting mechanism is provided. To quote a character, precede it with a backslash (" $\$ ").

This mechanism is not fully general. Characters may be quired only within a subset of the lexical constructs. In particular, quoting is limited to use within:

> - quoted-string - domain-literal - comment

Within these constructs, quoting is REQUIRED for CR and " $\$ " and for the character(s) that delimit the token (e.g., "(" and ")" for a comment). However, quoting is PERMITTED for any character.

Note: In particular, quoting is NOT permitted within atoms. For example when the local-part of an addr-spec must contain a special character, a quoted string must be used. Therefore, a specification such as:

Full\ Name@Domain

is not legal and must be specified as:

"Full Name"@Domain

August 13, 1982

- 11 -

RFC #822

્યત્વ દેશ એટે, શુદ્ધ જિલ્લોની બનાઈ

3.4.2. WHITE SPACE

3 66 C

5 C 6.

Note: In structured field bodies, multiple linear space ASCII characters (namely HTABs and SPACEs) are treated as single spaces and may freely surround any symbol. In all header fields, the only place in which at least one LWSP-char is REQUIRED is at the beginning of continuation lines in a folded field.

°0,5 ° (6),1

When passing text to processes that do not interpret text according to this standard (e.g., mail protocol servers), then NO linear-white-space characters should occur between a period (".") or at-sign ("0") and a <word>. Exactly ONE SPACE should be used in place of arbitrary linear-white-space and comment sequences.

Note: Within systems conforming to this standard, wherever a member of the list of delimiters is allowed, LWSP-chars may also occur before and/or after it.

Writers of mail-sending (i.e., header-generating) programs should realize that there is no network-wide definition of the effect of ASCII HT (horizontal-tab) characters on the appearance of text at another network host; therefore, the use of tabs in message headers, though permitted, is discouraged.

3.4.3. COMMENTS

A comment is a set of ASCII characters, which is enclosed in matching parentheses and which is not within a quoted-string The comment construct permits message originators to add text which will be useful for human readers, but which will be ignored by the formal semantics. Comments should be retained while the message is subject to interpretation according to this standard. However, comments must NOT be included in other cases, such as during protocol exchanges with mail servers.

Comments nest, so that if an unquoted left parenthesis occurs in a comment string, there must also be a matching right parenthesis. When a comment acts as the delimiter betwaen a sequence of two lexical symbols, such as two atoms, it is lexically equivalent with a single SPACE, for the purposes of regenerating the sequence, such as when passing the sequence onto a mail protocol server. Comments are detected as such only within field-bodies of structured fields.

If a comment is to be "folded" onto multiple lines, then the syntax for folding must be adhered to. (See the "Lexical

August 13, 1982

- 12 -

RFC #822

3

-

Analysis of Messages" section on "Folding Long Header Fields" above, and the section on "Case Independence" below.) Note that the official semantics therefore do not "see" any unquoted CRLFs that are in comments, although particular parsing programs may wish to note their presence. For these programs, it would be reasonable to interpret a "CRLF LWSP-char" as being a CRLF that is part of the comment; i.e., the CRLF is kept and the LWSP-char is discarded. Quoted CRLFs (i.e., a backslash followed by a CR followed by a LF) still must be followed by at least one LWSP-char.

3.4.4. DELIMITING AND QUOTING CHARACTERS

The quote character (backslash) and characters that delimit syntactic units are not, generally, to be taken as data that are part of the delimited or quoted unit(s). In particular, the quotation-marks that define a quoted-string, the parentheses that define a comment and the backslash that quotes a following character are NOT part of the quotedstring, comment or quoted character. A quotation-mark that is to be part of a quoted-string, a parenthesis that is to be part of a comment and a backslash that is to be part of either must each be preceded by the quote-character backslash ("\"). Note that the syntax allows any character to be quoted within a quoted-string or comment; however only certain characters MUST be quoted to be included as data. These characters are the ones that are not part of the alternate text group (i.e., ctext or qtext).

The one exception to this rule is that a single SPACE is assumed to exist between contiguous words in a phrase, and this interpretation is independent of the actual number of LWSP-chars that the creator places between the words. To include more than one SPACE, the creator must make the LWSPchars be part of a quoted-string.

Quotation marks that delimit a quoted string and backslashes that quote the following character should NOT accompany the quoted-string when the string is passed to processes that do not interpret data according to this specification (e.g., mail protocol servers).

3.4.5. QUOTED-STRINGS

Where permitted (i.e., in words in structured fields) quotedstrings are treated as a single symbol. That is, a quotedstring is equivalent to an atom, syntactically. If a quotedstring is to be "folded" onto multiple lines, then the syntax for folding must be adhered to. (See the "Lexical Analysis of

August 13, 1982

5

- 13 -

91

RFC #822

Messages" section on "Folding Long Header Fields" above, and the section on "Case Independence" below.) Therefore, the official semantics do not "see" any bare CRLFs that are in quoted-strings; however particular parsing programs may wish to note their presence. For such programs, it would be reasonable to interpret a "CRLF LWSP-char" as being a CRLF which is part of the quoted-string; i.e., the CRLF is kept and the LWSP-char is discarded. Quotad CRLFs (i.e., a backslash followed by a CR followed by a LF) are also subject to rules of folding, but the presence of the quoting character (backslash) explicitly indicates that the CRLF is data to the quoted string. Stripping off the first following LWSP-char is also appropriate whan parsing quoted CRLFs.

3.4.6. BRACKETING CHARACTERS

There is one type of bracket which must occur in matched pairs and may have pairs nested within each other:

c Parentheses ("(" and ")") are used to indicate comments.

There are three types of brackets which must occur in matched pairs, and which may NOT be nested:

- o Colon/semi-colon (":" and ";") are used in address specifications to indicate that the included list of addresses are to be treated as a group.
- Angle brackets ("<" and ">") are generally used to indicate the presence of a one machine-usable reference (e.g., delimiting mailboxes), possibly including sourco-routing to the machine.
- Square brackets ("[" and "]") are used to indicate the presence of a domain-literal, which the appropriate name-domain is to use directly, bypassing normal name-resolution mechanisms.

3.4.7. CASE INDEPENDENCE

Except as noted, alphabetic strings may be represented in any combination of upper and lower case. The only syntactic units

August 13, 1982

- 14 -

RFC #822

 \mathbb{C}

63

which requires preservation of case information are:

- text

- qtext
- dtext - ctext
- quoted-pair
- local-part, except "Postmaster"

When matching any other syntactic unit, case is to be ignored. For example, the field-names "From", "FROM", "from", and even "FroM" are semantically equal and should all be treated identically.

When generating these units, any mix of upper and lower case alphabetic characters may be used. The case shown in this specification is suggested for message-creating processes.

- Note: The reserved local-part address unit, "Postmaster", is an exception. When the value "Postmaster" is being interpreted, it must be accepted in any mixture of case, including "POSTMASTER", and "postmaster".
- 3.4.8. FOLDING LONG HEADER FIELDS

Each header field may b; represented on exactly one line consisting of the name of the field and its body, and terminated by a CRLF; this is what the parsor sees. For readability, the field-body portion of long header fields may be "folded" onto multiple lines of the actual field. "Long" is commonly interpreted to mean greater than 65 or 72 characters. The former length serves as a limit, when the message is to be viewed on most simple terminals which use simple display software; however, the limit is not imposed by this standard.

Note: Some display software often can selectively fold lines, to suit the display terminal. In such cases, senderprovided folding can interfere with the display software.

3.4.9. BACKSPACE CHARACTERS

ASCII BS characters (Backspace, decimal 8) may be included in texts and quoted-strings to effect overstriking. However, any use of backspaces which effects an overstrike to the left of the beginning of the text or quoted-string is prohibited.

August 13, 1982

- 15 -

12

RFC #822

3.4.10. NETWORK-SPECIFIC TRANSFORMATIONS

During transmission through heterogeneous networks, it may be necessary to force data to conform to a network's local conventions. For example, it may be required that a CR be followed either by LF, making a CRLF, or by <null>, if the CR is to stand alone). Such transformations are reversed, when the message exits that network.

્રુ

 τ_{i}

When crossing network boundaries, the message should be treated as passing through two modules. It will enter the first module containing whatever network-specific transformations that were necessary to permit migration through the "current" network. It then passes through the modules:

o Transformation Reversal

The "current" network's idiosyncracies are removed and the message is returned to the canonical form specified in this standard.

o Transformation

The "next" network's local idiosyncracies are imposed on the message.



August 13, 1982

_*

RFC #822

NAME

94

~

4. MESSAGE SPECIFICATION

4.1. SYNTAX

Note: Due to an artifact of the notational conventions, the syntax indicates that, when present, some fields, must be in a particular order. Header fields are NOT required to occur in any particular order, except that the message body must occur AFTER the headers. It is recommended that, if present, headers be sent in the order "Return-Path", "Received", "Date", "From", "Subject", "Sender", "To", "cc", etc.

> This specification permits multiple occurrences of most fields. Except as noted, their interpretation is not specified here, and their use is discouraged.

The following syntax for the bodies of various fields should be thought of as describing each field body as a single long string (or line). The "Lexical Analysis of Message" section on "Long Header Fields", above, indicates how such long strings can be represented on more than one line in the actual transmitted message.

messag e	<pre>= fields *(CRLF *text)</pre>	; Everything after • first null line
		; is message body
Fields	= dates	; Creation time,
	source .	; athor id & one
	1*destination	; address required
	<pre>*optional-field</pre>	; others optional
source	= [trace]	; net traversals
	originator	; original mail
	[resent]	; forwarded
trace	= return	; path to sender
	1•received	; receipt tags
return	= "Return-path" ":") oute-addr	; return address
received	= "Received" ":"	; one per relay
	["from" domain]	; sending host
	["by" domain]	; receiving host
	["via" atom]	; physical path
	•("with" atom)	; link/mail protocol
	["id" msg-id]	; receiver msg id
	["for" addr-spec]	; initial form
August 13.	1982 - 17 -	RFC #822

	";" date-tixe	; time received
originator	<pre>= authentic ["Reply-To" ":" 1#ad</pre>	; authenticated addr dress])
authentic	= "From" ";" ma / ("Sender" ":" ma "From" ":" 1#ma	ilbox ; Single author ilbox ; Actual submittor ilbox) . Multiple authors ; or not sender
resent	<pre>= resent-authentic ["Resent-Reply-To" ":</pre>	" 1#address])
resent-autho	ntic =	
	<pre>"Resent-From" ":</pre>	" mailbox
	/ ("Resent-Sender" ":	<pre>mailbox</pre>
	"Resent-From" ":	" 1#mailbox)
dates	<pre>= orig-date [resent-date]</pre>	; Original ; Forwarded
orig-date	= "Date" :" da	te-time
resent-date	= "Reserit-Date" ":" da	te-time
destination	= "To" ":" 1#ad	dress : Primary
	/ "Resent-To" ":" 1#ad	dress
	/ "cc" ":" 1#ad	dress ; Secondary
	/ "Resent-cc" ":" 1#ad	dress
	/ "bcc" ":" #ad	dress ; Blind carbon
	/ "Resent-bcc" ":" #ad	dress
	and -	
optional-T1	/ "Message_TD" ".	* regard
	/ "Resent-Message-TD" ".	" man-id
	/ "Ta-Benly-To" ":	<pre># #(obrase / meg-id)</pre>
	/ "References" ":	* *(phrase / msg-id)
	/ "Keywords" ":	" #phrase
	/ "Subject" ":	* *text
	/ "Comments" ":	* *text
	/ "Encrypted" ":	" 1#2word
	/ extension-field	; To be defined
	/ user-defined-field	; May be pre-empted
msg-id	= "<" addr-spec ">"	; Unique message id

August 13, 1982

- 18 -

RFC #822

extension-field =

1.1.1.1.1.2

nT.

<Any field which is defined in a document
published as a formal extension to this
specification; none will have names beginning
with the string "X-">

user-defined-field =

<Any field which has not be n defined
in this specification or published as an
extension to this specification; names for
such fields must be unique and may be
pre-empted by published extensions>

4.2. FORWARDING

Some systems permit mail recipients to forward a message, retaining the original headers, by adding some new fields. This standard supports such a service, through the "Resent-" prefix to field names.

Whenever the string "Resent-" begins a field name, the field has the same semantics as a field whose name does not have the prefix. However, the message is assumed to have been forwarded by an original recipient who attached the "Resent-" field. This new field is treated as being more recent than the equivalent, original field. For example, the "Resent-From", indicates the person that forwarded the message, whereas the "From" field indicates the original author.

Use of such precedence information depends upon participants' communication needs. For example, this standard does not dictate when a "Resent-From:" address should receive replies, in lieu of sending them to the "From:" address.

Note: In general, the "Resent-" fields should be treated as containing a set of information that is independent of the set of original fields. Information for one set should not automatically be taken from the other. The interpretation of multiple "Resent-" fields, of the same type, is undefined.

In the remainder of this specification, occurrence of legal "Resent-" fields are treated identically with the occurrence of

August 13, 1982

- 19 --

RFC #822

fields whose names do not contain this prefix.

4.3. TRACE FIELDS

ရောင်စက္က

و و

شياري بالمردوعين

్రస్లి

Trace information is used to provide an audit trail of message handling. In addition, it indicates a route back to the sender of the message.

ic.se. L

°, , °°,

The list of known "via" and "with" values are registered with the Network Information Center, SRI International, Menlo Park, California.

4.3.1. RETURN-PATH

This field is added by the final transport system that delivers the message to its recipient. The field is intended to contain definitive information about the address and route back to the message's originator.

Note: The "Reply-To" field is added by the originator and serves to direct replies, whereas the "Return-Path" field is used to identify a path back to the originator.

While the syntax indicates that a route specification is optional, every attempt should be made to provide that information in this field.

4.3.2. RECEIVED

A copy of this field is added by each transport service that relays the message. The information in the field can be quite useful for tracing transport problems.

The names of the sending and receiving hosts and time-ofreceipt may be specified. The "via" parameter may be used, to indicate what physical mechanism the message was sent over, such as Arpanet or Phonenet, and the "with" parameter may be used to indicate the mail-, or connection-, level protocol that was used, such as the SMTP mail protocol, or X.25 transport protocol.

Note: Several "with" parameters may be included, to fully specify the set of protocols that were used.

Some transport services queue mail; the internal massage identifier that is assigned to the message may be noted, using the "id" parameter. When the sending host uses a destination address specification that the receiving host reinterprets, by

August 13, 1982

- 20 -

RFC #822

expansion or transformation, the receiving host may wish to record the original specification, using the "for" parameter. For example, when a copy of mail is sent to the member of a distribution list, this parameter may be used to record the original address that was used to specify the list.

00

4.4. ORIGINATOR FIELDS

3

67

The standard allows only a subset of the combinations possible with the From, Sender, Reply-To, Resent-From, Resent-Sender, and Resent-Reply-To fields. The limitation is intentional.

4.4.1. FROM / RESENT-FROM

This field contains the identity of the person(s) who wished this message to be sent. The message-creation process should default this field to be a single, authenticated machine address, indicating the AGENT (person, system or process) entering the message. If this is not done, the "Sender" field MUST be present. If the "From" field IS defaulted this way, the "Sender" field is optional and is redundant with the "From" field. In all cases, addresses in the "From" field must be machine-usable (addr-specs) and may not contain named lists (groups).

4.4.2. SENDER / RESENT-SENDER

This field contains the authenticated identity of the AGENT (person, system or process) that sends the message. It is intended for use when the sender is not the author of the message, or to indicate who among a group of authors actually sent the message. If the contents of the "Sender" field would be completely redundant with the "From" field, then the "Sender" field need not be present and its use is discouraged (though still legal). In particular, the "Sender" field MUST be present if it is NOT the same as the "From" Field.

The Sender mailbox specification includes a word sequence which must correspond to a specific agent (i.e., a human user or a computer program) rather than a standard address. This indicates the expectation that the field will identify the single AGENT (person, system, or process) responsible for sending the mail and not simply include the name of a mailbox from which the mail was sent. For example in the case of a shared login name, the name, by itself, would not be adequate. The local-part address unit, which refers to this agent, is expected to be a computer system term, and not (for example) a generalized person reference which can be used outside the network text message context.

August 13, 1982

- 21 -

RFC #822

Since the critical function served by the "Sender" field is identification of the agent responsible for sending mail and since computer programs cannot be held accountable for their behavior, it is strongly recommended that when a computer program generates a message, the HUMAN who is responsible for that program be referenced as part of the "Sender" field mailbox specification.

° ° °

c . cs . cs 0

4.4.3. REPLY-TO / RESENT-REPLY-TO

This field provides a general mechanism for indicating any mailbox(es) to which responses are to be sent. Three typical uses for this feature can be distinguished. In the first case, the author(s) may not have regular machine-baced mailboxes and therefore wish(es) to indicate an alternate machine address. In the second case, an author may wish additional persons to be made aware of, or responsible for, replies. A somewhat different use may be of some help to "text message teleconfs.encing" groups equipped with automatic distribution services: include the address of that service in the "Reply-To" field of all messages submitted to the teleconference; then participants can "reply" to conference submissions to guarantee the correct distribution of any submission of their own.

Note: The "Return-Path" field is added by the mail transport service, at the time of final deliver. It is intended to identify a path back to the orginator of the message. The "Reply-To" field is added by the message originator and is intended to direct replies.

4.4.4. AUTOMATIC USE OF FROM / SENDER / REPLY-TO

For systems which automatically generate address lists for replies to messages, the following recommendations are made:

- o The "Sender" field mailbox should be sent notices of any problems in transport or delivery of the original messages. If there is no "Sender" field, then the "From" field mailbox should be used.
- o The "Sender" field mailbox should NEVER be used automatically, in a recipient's reply message.
- If the "Reply-To" field exists, then the reply should go to the addresses indicated in that field and not to the address(es) indicated in the "From" field.

August 13, 1982

- 22 -

RFC #822

100

위문을 영국을

North of the state

0 0 , 0, ⁰ ;

 If there is a "From" field, but no "Reply-To" field, the reply should be sent to the address(es) indicated in the "From" field.

Sometimes, a recipient may actually wish to communicate with the person that initiated the message transfer. In such cases, it is reasonable to use the "Sender" address.

This recommendation is intended only for automated use of criginator-fields and is not intended to suggest that replies may not also be sent to other recipients of messages. It is up to the respective mail-handling programs to decide what additional facilities will be provided.

Examples are provided in Appendix A.

4.5. RECEIVER FIELDS

· coce

1. M. W. W. W. W. W.

 $\langle \hat{\chi} \rangle$

4.5.1. TO / RESENT-TO

This field contains the identity of the primary recipients of the message.

4.5.2. CC / RESENT-CC

This field contains the identity of the secondary (informational) recipients of the message.

4.5.3. BCC / RESENT-BCC

This field contains the identity of additional recipients of the message. The contents of this field are not included in copies of the message sent to the primary and secondary recipients. Some systems may choose to include the text of the "Bcc" field only in the author(s)'s copy, while others may also include it in the text sent to all those indicated in the "Bcc" list.

4.6. REFERENCE FIELDS

4.6.1. MESSAGE-ID / RESENT-MESSAGE-ID

This field contains a unique identifier (the local-part address unit) which refers to THIS version of THIS message. The uniquencies of the message identifier is guaranteed by the host which generates it. This identifier is intended to be machine readable and not necessarily meaningful to humans. A message ident fier pertains to exactly one instantiation of a particular message; subsequent revisions to the message should

August 13, 1982

- 23 -

RFC #822

and the second
each receive new message identifiers.

4.4.2. IN-REPLY-TO

ς C · ο · ε · ε · ε · . . · ·

The contents of this field identify previous correspondence which this message answers. Note that if message identifiers are used in this field, they must use the msg-id specification format.

18 °C-

0

6.6

c

4.6.3. REFERENCES

The contents of this field identify other correspondence which this message references. Note that if message identifiers are used, they must use the msg-id specification format.

4.6.4. KEYWORDS

This field contains keywords or phrases, separated by commas.

4.7. OTHER FIELDS

4.7.1. SUBJECT

This is intended to provide a summary, or indicate the nature, of the message.

4.7.2. COMMENTS

Permits adding text comments onto the message without disturbing the contents of the message's body.

4.7.3. ENCRYPTED

Sometimes, data encryption is used to increase the privacy of message contents. If the body of a message has been encrypted, to keep its contents private, the "Encrypted" field can be used to note the fact and to indicate the nature of the encryption. The first <word> parameter indicates the software used to encrypt the body, and the second, optional <word> is intended to aid the recipient in selecting the proper decryption key. This code word may be viewed as an index to a table of keys held by the recipient.

Note: Unfortunately, headers must contain envelope, as well as contents, information. Consequently, it is necessary that they remain unencrypted, so that mail transport services may access them. Since names, addresses, and "Subject" field contents may contain

August 13, 1982

- 24 -

RFC #822

102

sensitive information, this requirement limits total message privacy.

Names of encryption software are registered with the Network Information Center, SRI International, Menlo Park, California.

4.7.4. EXTENSION-FIELD

A limited number of common fields have been defined in this document. As notwork mail requirements dictate, additional fields may be standardized. To provide user-defined fields with a measure of safety, in name selection, such extension-fields will never have names that begin with the string "X-".

Names of Extension-fields are registered with the Network Information Center, SRI International, Menlo Park, Celifornia.

4.7.5. USER-DEFINED-FIELD

Individual users of network mail are free to define and use additional header fields. Such fields must have names which are not already used in the current specification or in any definitions of extension-fields, and the overall syntax of these user-defined-fields must conform to this specification's rules for delimiting and folding fields. Due to the extension-field publishing process, the name of a userdefined-field may be pre-empted

Note: The prefatory string "X-" will never be used in the names of Extension-fields. This provides user-defined fields with a protected set of names.

August 13, 1982

 \mathcal{T}

- 25 -

RFC #822

Standard for ARPA Internet Text Messages DATE AND TIME SPECIFICATION 5.1. SYNTAX [day. ", "] date time . ; dd mm yy date-time -; hh:ma:ss zzz "Mon" "Tue" / "Wed" / "Thu" day "Sat" / 1 "Fri" "Sun" 1+2DIGIT month 2DIGIT ; day month year date -; 0.g. 20 Jun 82 "Feb" / "Jun" / "Oct" / "Jan" "Mar" "Apr" month .1 -"May" "Jul" "Aug" 1 1 1 "Sep" "Nov" "Dec" 1 : ANSI and Military time hour zone 2DIGIT ":" 2DIGIT [":" 2DIGIT] hour : 00:00:00 - 23:59:59 "UT" / "GMT" zone : Universal Time -North American : UT 1 "EST" / "EDT" Eastern: - 5/ - 4 "CST" / "CDT" , GDT" #ST" / "MDT" "PST" / "PDT" 1AL P"" Central: - 6/ - 5 1 : Mountain: -7/-61 1 Pacific: -8/-71 ; 1 1ALPHA : Military: Z = UT; A:-1; (J not used) M:-12; N:+1; Y:+12 : / ((*+* / *-*) 4DIGIT) ; Local differential

ે દુર્ગ જ તે છે.

°, €C

0,010

~ ~ č

c.

..s. e

- 0

່ເຕືອວ

ç

5.2. SEMANTICS

If included, day-of-week must be the day implied by the date specification.

Time zone may be indicated in several ways. "UT" is Universal Time (formerly called "Greenwich Mean Time"); "GMT" is permitted as a reference to Universal Time. The military standard uses a single character for each zone. "2" is Universal Time. "A" indicates one hour earlier, and "N" indicates 12 hours earlier; "N" is one hour later, and "Y" is 12 hours later. The letter "J" is not used. The other remaining two forms are taken from ANSI standard X3.51-1975. One allows explicit indication of the amount of offset from UT; the other uses common 3-character strings for indicating time zones in North America.

August 13, 1982

- 26 -

RFC #822

hours+min. (HHMM)

C

104

800.00

6. ADDRESS SPECIFICATION

6.1. SYNTAX

address	= mailbox / group	; one addressee ; named list
group	= phrase ":" [#mailbox] ";"	
mailbox	= addr-spec / phrase route-addr	; simple address ; name & addr-spec
rout e-addr	= "<" [route] addr-spec ">"	
route	= 1#("9" domain) ":"	; path-relative
addr-spec	= local-part "O" domain	; global address
local-part	= word *("." word)	; uninterpreted ; case-preserved
domain	= sub-domain •("." sub-domain))

sub-domain = domain-ref / domain-literal

; symbolic reference

6 C . C .

6.2. SEMANTICS

domain-ref = atom

A mailbox receives mail. It is a conceptual entity which does not necessarily pertain to file storage. For example, some sites may choose to print mail on their line printer and deliver the output to the addressme's desk.

A mailbox specification comprises a person, system or process name reference, a dom_in-dependent string, and a name-domain reference. The name reference is optional and is usually used to indicate the human name of a recipient. The name-domain reference specifies a sequence of sub-domains. The domain-dependent string is uninterpreted, except by the final sub-domain; the rest of the mail service merely transmits it as a literal string.

6.2.1. DOMAINS

A name-domain is a set of registered (mai) names. A namedomain specification resolves to a sub dinate name-domain specification or to a terminal domain specification string. Hence, domain specification is extensible, permitting any number of registration levels.

August 13, 1982

38

- 27 -

RFC #822

e e e e e e e e

Name-domains model a global, logical, hisrarchical addressing scheme. The model is logical, in that an address specification is related to name registration and is not necessarily tied to transmission path. The model's hierarchy is a directed graph, called an in-tree, such that there is a single path from the root of the tree to any node in the hierarchy. If more than one path actually exists, they are considered to be different addresses.

۶.

60,00,062,50

المصفولات البالي ويعادي المال المستقادين الالتيون والمنازي ال

°. 1625.

4. č č ····

The root node is common to all addresses; consequently, it is not referenced. Its children constitute "top-level" namedomains. Usually, a service has access to its own full domain specification and to the names of all top-level name-domains.

The "top" of the domain addressing hierarchy --- a child of the root --- is indicated by the right-most field, in a domain specification. Its child is specified to the left, its child to the left, and so on.

Some groups provide formal registration services; these constitute name-domains that are independent logically of specific machines. In addition, networks and machines implicitly compose name-domains, since their membership usually is registered in name tables.

In the case of formal registration, an organization implements a (distributed) data base which provides an address-to-route mapping service for addresses of the form:

person@registry.organization

Note that "organization" is a logical entity, suparate from any particular communication network.

A mechanism for accessing "organization" is universally available. That mechanism, in turn, seeks an instantiation of the registry; its location is not indicated in the address specification. It is assumed that the system which operates under the name "organization" knows how to find a subordinate registry. The registry will then use the "person" string to determine where to send the mail specification.

The latter, network-oriented case permits simple, direct, attachment-related address specification, such as:

user@host.network

Once the network is accessed, it is expected that a message will go directly to the host and that the host will resolve

August 13, 1982

- 28 -

RFC #822

 (\mathbf{i})

the user name, placing the message in the user's mailbox.

6.2.2. ABBREVIATED DOMAIN SPECIFICATION

Since any number of levels is possible within the domain hierarchy, specification of a fully qualified address can become inconvenient. This standard permits abbreviated domain specification, in a special case:

For the address of the sender, call the left-most sub-domain Level N. In a header address, if all of the sub-domains above (i.e., to the right of) Level N are the same as those of the sender, then they do not have to appear in the specification. Otherwise, the address must be fully qualified.

This feature is subject to approval by local subdomains. Individual sub-domains may require their member systems, which originate mail, to provide full dumein specification only. When permitted, abbreviations may be present only while the message stays within the sub-domain of the sender.

Use of this mechanism requires the sender's sub-domain to reserve the names of all top-level domains, so that full specifications can be distinguished from abbreviated specifications.

For example, if a sender's address is:

senderGregistry-A.registry-1.organization-X

and one recipient's address is:

recipient@registry-B.registry-1.organization-X

and another's is:

1

recipient@registry=C.fegistry=2.organization=X

then ".registry-1.organization-X" need not be specified in the the message, but "registry-C.registry-2" DOES have to be specified. That is, the first two addresses may be abbreviated, but the third address must be fully specified.

When a message crosses a domain boundary, all addresses must be specified in the full format, ending with the top-level name-domain in the right-most field. It is the responsibility of mail forwarding services to ensure that addresses conform

August 13, 1982

- 29 -

RFC #822

0

with this requirement. In the case of abbreviated addresses, the relaying service must make the necessary expansions. It should be noted that it often is difficult for such a service to locate all occurrences of address abbreviations. For example, it will not be possible to find such abbreviations within the body of the message. The "Return-Path" field can aid recipients in recovering from these errors.

్రిల్లా

·

60 2.00

Note: When passing any portion of an addr-spec onto a process which does not interpret data according to this standard (e.g., mail protocol servers). There must be NO LWSP-chars preceding or following the at-sign or any delimiting period ("."), such as shown in the above examples, and only ONE SPACE between contiguous <word>s.

6.2.3. DOMAIN TERMS

A domain-ref must be THE official name of a registry, network, or host. It is a symbolic reference, within a name subdomain. At times, it is necessary to bypass standard mechanisms for resolving such references, using more primitive information, such as a network host address rather than its associated host name.

To permit such references, this standard provides the domainliteral construct. Its contents must conform with the needs of the sub-domain in which it is interpreted.

Domain-literals which refer to domains within the ARPA Internet specify 32-bit Internet addresses, in four 8-bit fields noted in decimal, as described in Request for Comments #820, "Assigned Numbers." For example:

[10.0.3.19]

Note: THE USE OF DOMAIN-LITERALS IS STRONGLY DISCOURAGED. It is permitted only as a means of bypassing temporary system limitations, such as name tables which are not complete.

The names of "top-level" domains, and the names of domains under in the ARPA Internet, are registered with the Network Information Center, SRI International, Menlo Park, California.

6.2.4. DOMAIN-DEPENDENT LOCAL STRING

The local-part of an addr-spec in a mailbox specification (i.e., the host's name for the mailbox) is understood to be

August 13, 1982

- 30 -

RFC #822

whatever the receiving mail protocol server allows. For example, some systems do not understand mailbox references of the form "P. D. Q. Bach", but others do.

-----ف^ري د . This specification treats periods (".") as lexical separators. Hence, their presence in local-parts which are not quotedstrings, is detected. However, such occurrences carry NO semantics. That is, if a local-part has periods within it, an address parser will divide the local-part into several tokens, but the sequence of tokens will be treated as one uninterpreted unit. The sequence will be re-assembled, when the address is passed outside of the system such as to a mail protocol service.

For example, the address:

Eirst.Last@Registry.Org

is legal and does not require the local-part to be surrounded with quotation-marks. (However, "First Last" DOES require quoting.) The local-part of the address, when passed outside of the mail system, within the Registry.Org domain, is "First.Last", again without quotation marks.

6.2.5. BALANCING LOCAL-PART AND DOMAIN

In some cases, the boundary between local-part and domain can be flexible. The local-part may be a simple string, which is used for the final determination of the recipient's mailbox. All other levels of reference are, therefore, part of the domain.

For some systems, in the case of abbreviated reference to the local and subordinate sub-domains, it may be possible to specify only one reference within the domain part and place the other, subordinate name-domain references within the local-part. This would appear as:

mailbox.sub1.sub2@this-domain

Such a specification would be acceptable to address parsers which conform to RFC #733, but do not support this newer Internet standard. While contrary to the intent of this standard, the form is legal.

Also, some sub-domains have a specification syntax which does not conform to this standard. For example:

sub-net.mailbox@sub-domain.domain

August 13, 1982

- 31 -

RFC #822
uses a different parsing sequence for local-part than for domain.

Note: As a rule, the domain specification should contain fields which are encoded according to the syntax of this standard and which contain generally-standardized information. The local-part specification should contain only that portion of the address which deviates from the form or intention of the domain field.

6.2.6. MULTIPLE MAILBOXES

An individual may have several mailboxes and wish to receive mail at whatever mailbox is convenient for the sender to access. This standard does not provide a means of specifying "any member of" a list of mailboxes.

A set of individuals may wish to receive mail as a single unit (i.e., a distribution list). The <group> construct permits specification of such a list. Recipient mailboxes are specified within the bracketed part (":" - ";"). A copy of the transmitted message is to be sent to each mailbox listed. This standard does not permit recursive specification of groups within groups.

While a list must be named, it is not required that the contents of the list be included. In this case, the <address> serves only as an indication of group distribution and would appear in the form:

name:;

Some mail services may provide a group-list distribution facility, accepting a single mailbox reference, expanding it to the full distribution list, and relaying the mail to the list's members. This standard provides no additional syntax for indicating such a service. Using the <group> address alternative, while listing one mailbox in it, can mean either that the mailbox reference will be expanded to a list or that there is a group with one member.

6.2.7. EXPLICIT PATH SPECIFICATION

At times, a message originator may wish to indicate the transmission path that a message should follow. This is called source routing. The normal addressing scheme, used in an addr-spec, is carefully separated from such information; the <route> portion of a route-addr is provided for such occasions. It specifies the sequence of hosts and/or transmission

August 13, 1982

- 32 🗠

RFC #822

10 8 . 50 C

services that are to be traversed. Both domain-refs and domain-literals may be used.

9

ç e 🗧 .

e 'o '

Note: The use of source routing is discouraged. Unless the sender has special need of path restriction, the choice of transmission route should be left to the mail transport service.

6.3. RESERVED ADDRESS

ereger e

13

 $\langle \hat{f} \rangle$

It often is necessary to send mail to a site, without knowing any of its valid addresses. For example, there may be mail system dysfunctions, or a user may wish to find out a person's correct address, at that site.

This standard specifies a single, reserved mailbox address (local-part) which is to be valid at each site. Mail ment to that address is to be routed to a person responsible for the site's mail system or to a person with responsibility for general site operation. The name of the reserved local-part address is:

Postmaster

so that "Postmaster@domain" is required to be valid.

Note: This reserved local-part must be matched without sensitivity to alphabetic case, so that "POSTMASTER", "postmaster", and even "poStmASteR" is to be accepted.

August 13, 1982

- 33 -

RFC #822

. ¢,c,'

7. BIBLIOGRAPHY

3., g

ANSI. "USA Standard Code for Information Interchange," X3.4. American National Standards Institute: New York (1968). Also in: Feinler, E. and J. Postel, eds., "ARPANET Protocol Handbook", NIC 7104.

ANSI. "Representations of Universal Time, Local Time Differentials, and United States Time Zone References for Information Interchange," X3.51-1975. American National Standards Institute: New York (1975).

Bemer, R.W., "Time and the Computer." In: Interface Age (Feb. 1979).

Bennett, C.J. "JNT Mail Protocol". Joint Network Team, Rutherford and Appleton Laboratory: Didcot, England.

Bhushan, A.K., Pogran, K.T., Tomlinson, R.S., and White, J.E. "Standardizing Network Mail Headers," ARPANET Request for Comments No. 561, Network Information Center No. 13516; SRI International: Menlo Park (September 1973).

Birrell, A.D., Levin, R., Needham, R.M., and Schroeder, M.D. "Grapevine: An Exercise in Distributed Computing," Communications of the ACM 25, 4 (April 1982), 260-274.

Crocker, D.H., Vittal, J.J., Fogran, K.T., Henderson, D.A. "Standard for the Format of ARPA Network Text Message," ARPANET Request for Comments No. 733, Network Information Center No. 41952. SPI International: Menlo Park (November 1977).

Feinler, E.J. and Postel, J.B. ARPANET Protocol Handbook, Network Information Center No. 7104 (NTIS AD A003890). SRI International: Menlo Park (April 1976).

Harary, F. "Graph Theory". Addison-Wesley: Reading, Mass. (1963).

Levin, R. and Schroeder, M. "Transport of Electronic Messages through a Network," TeleInformatics 70, p 29-33. North Holland (1979). Also as Xerox Palo Alto Garch Center Technical Report CSL-79-4.

Myer, T.H. and Henderson, D.A. "Message Transmission Protocol," ARPANET Request for Comments, No. 680, Network Information Center No. 32116. SRI International: Menlo Park (1975).

August 13, 1982

- 34 -

AFC #822

. / . 0 4.4 6.5 63 Standard for ARPA Internet Text Hessages . "Specification of Message Format for Computer Based Message Systems, Recommended Federal Information Processing Standard." NBS. National Bureau of Standards: Gaithersburg, Maryland (October 1981). NIC. Internet Protocol Transition Workbook. Network Information Center, SRI-International, Menlo Park, California (March 1982). Oppen, D.C. and Dalal, Y.K. "The Clearinghouse: A Decentralized Agent for Locating Named Objects in a Distributed Environ-ment," OPD-78103. Xerox Office Products Division: Palo Alto, CA. (October 1981). Postel, J.B. "Assigned Numbers," ARPANET Request for Comments, No. 820. SRI International: Menlo Park (August 1982). Postel, J.S. "Simple Mail Transfer Protocol," ARPANET Request for Comments, No. 821. SRI International: Menlo Park (August 1982). "Internetwork naming, addressing and routing," in Shoch, J.F. Proc. 17th IEEE Computer Society International Conference, pp. 72-79, Sept. 1978, IEEE Cat. No. 78 CH 1388-8C. Su, Z. and Postel, J. "The Domain Naming Convention for Internet User Applications," ARPANET Request for Comments, No. 819. SRI International: Menlo Park (August 1982). - 35 -August 13, 1982 RFC #822 $(\frac{1}{2})$ 113

с с **о**с с

APPENDIX

د_ه د^ره ه

с. С. (

02

A. EXAMPLES

ి చేశాల చేస్

A.1. ADDRESSES

A.1.1. Alfred Neuman <Neuman@BBN-TENEXA>

A.1.2. NeumanOBBN-TENEXA

These two "Alfred Neuman" examples have identical semantics, as far as the operation of the local host's mail sending (distribution) program (also sometimes called its "mailer") and the remote host's mail protocol server are concerned. In the first example, the "Alfred Neuman" is ignored by the mailer, as "Neuman@BBN-TENEXA" completely specifies the recipient. The second example contains no superfluous information, and, again, "Neuman@BBN-TENEXA" is the intended recipient.

Noto: When the message crosses name-domain boundaries, then these specifications must be changed, so as to indicate the remainder of the hierarchy, starting with the top level.

A.1.3. "George, Ted" <Shared@Group.Arpanet>

This form might be used to indicate that a single mailbox is shared by several users. The quoted string is ignored by the originating host's mailer, because "Shared@Group.Arpanet" completely specifies the destination mailbox.

A.1.4. Wilt . (the Stilt) Chamberlain NBA.US

The "(the Stilt)" is & comment, which is NOT included in the destination mailbox address handed to the originating system's mailer. The local-part of the address is the string "Wilt.Chamberlain", with NO space between the first and second words.

A.1.5. Address Lists

Gourmets: Fompous Person <WhoZiWhatZit@Cordon-Bleu>, Childs@WGBH.Boston, Galloping Gourmet@ ANT.Down-Under (Australian National Television), Cheapie@Discount-Liquors;, Cruisers: Port@Portugal, Jones@SEA;, Another@Somewhere.SomeOrg

August 13, 1982

- 36 -

RFC #822

ాస్ సైనిస్ సినిస్ సైన్ సిన్ని సినిస్ సైన్ సినిస్

င် ့ င်းခွန္န

This group list example points out the use of comments and the mixing of addresses and groups.

100 .0

A.2. ORIGINATOR ITEMS

A.2.1. Author-sent

George Jones logs into his host as "Jones". He sends mail himself.

From: Jones@Group.Org

or

¥.9

From: George Jones <Jones@Group.Org>

A.2.2. Secretary-sent

George Jones logs in as Jones on his host. His secretary, who logs in as Secy sends mail for him. Replies to the mail should go to George.

From: George Jones <Jones@Group> Sender: Secy@Other~Group

A.2.3. Secretary-sent, for user of shared directory

George Jones' secretary sends mail for George. Replies should go to George.

From: George Jones<Shared@Group.Org> Sender: Secy@Other-Group

Note that there need not be a space between "Jones" and the "<", but adding a space enhances readability (as is the case in other examples.

A.2.4. Committee activity, with one author

George is a member of a committee. He wishes to have any replies to his message go to all committee members.

From: George Jones <Jones@Host.Net> Sender: Jones@Host Reply-To: The Committe: Jones@Host.Net, Smith@Other.Org,

Doe@Somewhere-Else;

Note that if George had not included himself in the

August 13, 1982

- 37 -

RFC #822

÷Û.

enumeration of The Committee, he would not have gotten an implicit reply; the presence of the "Reply-to" field SUPER-SEDES the sending of a reply to the person named in the "From" field.

10 1 2

¢ . n

A.2.5. Secretary acting as full agent of author

George Jones asks his secretary (Secy@Host) to send a message for him in his capacity as Group. He wants his secretary to handle all replies.

From: George Jones <Group@Host> Sender: Secy@Host Reply-To: Secy@Host

A.2.6. Agent for user without online mailbox

A friend of George's, Sarah, is visiting. George's secretary sends some mail to a friend of Sarah in computerland. Replies chould go to George, whose mailbox is Jones at Registry.

From: Sarah Friendly <Secy@Registry> Sender: Secy=Name <Secy@Registry> Reply=To: Jones@Registry.

A.2.7. Agent for member of a committee

George's secretary sends out a message which was authored jointly by all the members of a committee. Note that the name of the committee cannot be specified, since <group> names are not permitted in the From field.

From: Jones@Host, Smith@Other-Host, Doe@Somewhere-Else Sender: Secy@SHost

August 13, 1982

- 38 -

RFC #822

6

64

116

A.3. COMPLETE HEADERS

.

0.1

S of

c'

с

A.3.1. Minimum required

Date:	26 Aug 76 1429 EDT		Date:	26 Aug 76 1429 EDT
From:	Jones@Registry.Org	or	From:	Jones@Registry.Org
Bcc:	1		To:	Smith@Registry.Org

Note that the "Bee" field may be empty, while the is required to have at least one address. "To" field

,

معندي م no the state of the state

A.3.2. Using some of the additional fields

26 Aug 76 1430 EDT Date: George Jones<GroupeHout> From: SecyOSHOST Sender: "Al Heuman" 6Mad-Host, To: Sam.Irving@Other-Host Message-ID: <some.string@SHOST>

A.3.3. About as complex as you're going to get

Date	:	27 Aug 76 0932 PDT			
From	:	Ken Davis <kdavis@this-host.this-net></kdavis@this-host.this-net>			
Subject	:	Re: The Syntax in the RFC			
Sender		KSecv@Other-Host			
Reply-To	:	Sam. Irving@Reg.Organization			
To		George Jones <group@some-reg.an-org>.</group@some-reg.an-org>			
	•	Al.NeumanGMAD.Publisher			
cc	:	Important folk:			
•••	•	Tom Softwood <balsadtree.root>.</balsadtree.root>			
		"Sam Irving"@Other-Host:.			
		Standard Distribution:			
		/main/davis/people/standard@Other-Host.			
		" <jones>standard.dist.3"@Tops-20-Host>;</jones>			
Comment	:	Sam is away on business. He asked me to handle			
		his mail for him. He'll be able to provide a			
		more accurate explanation when he returns			
		next week.			
In-Reply	-To:	<some.string@dbm.group>, George's message</some.string@dbm.group>			
X-Specia	1-ac	tion: This is a sample of user-defined field-			
		names. There could also be a field-name			
		"Special-action", but its name might later be			
		preempted			
Message-	ID:	<4231.629.XYzi-What@Other-Host>			

August 13, 1982

٢

- 39 -

RFC #822

B. SIMPLE FIELD PARSING

Some mail-reading software systems may wish to perform only minimal processing, ignoring the internal syntax of structured field-bodies and treating them the same as unstructured-fieldbodies. Such software will need only to distinguish:

- o Header fields from the mossage body,
- o Beginnings of fields from lines which continue fields,
- o Field-names from field-contents.

abbreviated set of syntactic rules which follows will suffice for this purpose. It describes a limited view of messages and is a subset of the syntactic rules provided in the main part of this specification. One small exception is that the contents of field-bodies consist only of text:

B.1. SYNTAX

message	<pre>+field *(CRLF *text)</pre>				
field	<pre>= field-name ":" [field-body] CRLF</pre>				
field-name	= 1* <any ":"="" and="" char,="" ctls,="" excluding="" space,=""></any>				
field-body	<pre>= *text [CRLF LWSP-char field-body]</pre>				

B.2. SEMANTICS

Headers occur before the message body and are terminated by a null line (i.e., two contiguous CRLFs).

A line which continues a header field begins with a SPACE or HTAB character, while a line beginning a field starts with a printable character which is not a colon.

A field-name consists of one or more printable characters (excluding colon, space, and control-characters). A field-name MUST be contained on one line. Upper and lower case are not distinguished when comparing field-names.

August 13, 1982

- 40 -

RFC #822

 $\langle \cdot \rangle$

118

C. DIFFERENCES FROM RFC #733

The following summarizes the differences between this standard and the one specified in Arpanet Request for Comments #733, "Standard for the Format of ARPA Network Text Messages". The differences are listed in the order of their occurrence in the current specification.

C.1. FIELD DEFINITIONS

C.1.1. FIELD NAMES

These now must be a sequence of printable characters. They may not contain any LWSP-chars.

C.2. LEXICAL TOKENS

C.2.1. SPECIALS

The characters period ("."), left-square bracket ("["), and right-square bracket ("]") have been added. For presentation purposes, and when passing a specification to a system that does not conform to this standard, periods are to be contiguous with their surrounding lexical tokens. No linear-whitespace is permitted between them. The presence of one LWSPchar between other tokens is still directed.

C.2.2. ATOM

Atoms may not contain SPACE.

C.2.3. SPECIAL TEXT

ctext and qtext have had backslash ("") added to the list of prohibited characters.

C.2.4. DOMAINS

The lexical tokens <domain-literal> and <dtext> have been added.

C.3. MESSAGE SPECIFICATION

C.3.1. TRACE

The "Return-path:" and "Received:" fields have been specified.

August 13, 1982

- 41 -

RFC #822

0

C.3.2. FROM

5 ° ° čéz

ိုင္မာ ၀ ္

The "From" field must contain machine-usable addresses (addrspec). Multiple addresses may be specified, but named-lists (groups) may not.

ిల్లి కే

૾૽૾૾ૢૺ૾

0.0

C.3.3. RESENT

The meta-construct of prefacing field names with the string "Resent-" has been added, to indicate that a message has been forwarded by an intermediate recipient.

C.3.4. DESTINATION

A message must contain at least one destination address field. "To" and "CC" are required to contain at least one address.

C.3.5. IN-REPLY-TO

The field-body is no longer a comma-separated list, although a sequence is still permitted.

C.3.6. REFERENCE

The field-body is no longer a comma-separated list, although a sequence is still permitted.

C.3.7. ENCRYPTED

A field has been specified that permits senders to indicate that the body of a message has been encrypted.

C.3.8. EXTENSION-FIELD

Extension fields are prohibited from beginning with the characters "X-".

- C.4. DATE AND TIME SPECIFICATION
- C.4.1. SIMPLIFICATION

Fewer optional forms are permitted and the list of threeletter time zones has been shortened.

C.5. ADDRESS SPECIFICATION

August 13, 1982

- 42 -

RFC #822

. రోష్

^د ^د د.

ଂକ୍ଟେମ୍

- 6 ای¹¹



e l'an remainer and workers and a la

0 , 295 3^{° 3}

C.5.1. ADDRESS

The use of quoted-string, and the ":"-atom-":" construct, have been removed. An address now is either a single mailbox reference or is a named list of addresses. The latter indicates a group distribution.

حصر ويورجب بالمالة

0,00,00

C.5.2. GROUPS

Group lists are now required to to have a name. Group lists may not be nested.

C.5.3. MAILBOX

A mailbox specification may indicate a person's name, as before. Such a named list no longer may specify multiple mailboxes and may not be nested.

C.5.4. ROUTE ADDRESSING

Addresses now are taken to be absolute, global specifications, independent of transmission paths. The <route> construct has been provided, to permit explicit specification of transmis~ sion path. RFC #733's use of multiple at-signs ("@") was intended as a general syntax for indicating routing and/or hierarchical addressing. The current standard separates these specifications and only one at-sign is permitted.

C.5.5. AT-SIGM

The string " at " no longer is used as an address delimiter. Only at-sign ("0") serves the function.

C.5.6. DOMÁINS

Hierarchical, logical name-domains have been added.

C.6. RESERVED ADDRESS

The local-part "Postmaster" has been reserved, so that users can be guaranteed at least one valid address at a site.

August 13, 1982

- 43 -

RFC #822

121

water a second of the second o

స్రర్

000

с

D. ALPHABETICAL LISTING OF SYNTAX RULES

address	= mailbox	; one addressee
• •	/ group	; named list
addr-spec	= local-part "O" domain	; global address
ALPHA	= <any alphabetic="" ascii="" charact<="" td=""><td>UF7 • (101—122 85 — 00)</td></any>	UF7 • (101—122 85 — 00)
	· ,	(101-132, 05 90.)
atom	- 1ecany CHAR except specials	SPACE and CTLES
authentic	= "From" ":" mailbox	: Single author
	/ ("Sender" ":" mailbox	: Actual submittor
	"From" ":" 1#mailbox)	: Multiple authors
		: or not sender
CHAR	= <any ascii="" character=""></any>	; (0-177, 0127.)
comment	<pre>= "(" *(ctext / quoted-pair / c</pre>	comment) ")"
CR	<pre>= <ascii carriage="" cr,="" return=""></ascii></pre>	; (15, 13.)
CRLF	= CR LF	
ctext	<pre>= <any "(",<="" char="" excluding="" pre=""></any></pre>	; => may be folded
	")", " $\$ & CR, & including	
<u></u>	linear-white-space>	
CTL	= <any asuli="" control<="" td=""><td>(0-37, 031.)</td></any>	(0-37, 031.)
4	_ Character and DEL>	; (1/7, 127.)
Cate	= I+ZDIGI: month ZDIGI:	; day month year
dataa	- orig-data	; e.g. zo Jun oz
Uales	[recent_date]	· Forwarded
date-time	= [day "."] date time	: dd mm vv
		: hh:mm:ss zzz
dav	= "Mon" / "Tue" / "Wed" / "1	'hu"
,	/ "Fri" / "Sat" / "Sun"	
delimiters	= specials / linear-white-space	/ comment
destination	=, "To" ":" 1#address	; Primary
	/ "Resent-To" ":" 1#address	- · · · · · · · · · · · · · · · · · · ·
	/ "cc" ":" \#address	; Secondary
	/ "Resent-cc" ":" 1#address	· · · · ·
	/ "bcc" ":" #address	; Blind carbon
	/ "Resent-bcc" ":" #address	
DIGIT	= <any asuli="" decimal="" digit=""></any>	; (60- /1, 48 57.)
domain domain lite	SUD-domain = ("." SUD-domain)	
domain-11te	rai = "[" +(dtext / duoted~pair)	, symbolic reference
dtext	- acom - cany CHAR evoluting "["	· => may be folded
ULUXL	$= \frac{1}{2} + $, -> may be lorded
	linear-white-space>	
extension-f	ield =	
	<pre><any defined="" field="" ir<="" is="" pre="" which=""></any></pre>	n a document
	published as a formal extensi	ion to this
	specification; none will have	a names beginning
	with the string "X-">	
	1	

' c ° c 5 '

 $q \leq \frac{1}{2}$

. e é (*)

్ ాం

August 13, 1982

RFC #822

ં

. ° . - î.

12/12/22

States and

 (\mathbb{C})

ŝ

field-name ":" [field-body] CRLF field fields dates ; Creation time. source author id & one 1*destination address required +optional-field others optional : field-body field-body-contents [CRLF LWSP-char field-body] field-body-contents = <the ASCII characters making up the field-body, as defined in the following sections, and consisting of combinations of atom, quoted-string, and specials tokens, or else consisting of texts> 1*<any CHAR, excluding CTLs, SPACE, and ":"> phrase ":" [#mailbox] ";" field-name group 2DIGIT ":" 2DIGIT [":" 2DIGIT hour 00:00:00 - 23:59:59 HTAB <ASCII HT, horizontal-tab> 11; 9.) (: LF = <ASCII LF, linefeed> linear-white-space = 1*([CRLF] LWSP-char) 12, 10.) ; (semantics = SPACE CRLF => folding word *("." word) local-part uninterpreted case-preserved LWSP-char SPACE / HTAB semantics = SPACE mailbox addr-spec simple address name & ador-spec phrase route-addr fields *(CRLF *text) message -Everything after first null line is message body "Feb" "Mar" "Jan" month "Apr" 1 1 "Jun" / "Jul" "May" "Aug" 1 1 1 "Oct" "Sep" "Nov" "Dec" 1 1 "<" addr-spec ">" msg-id : Unique message id optional-field msg-id msg-id "Message-ID" * : * "Resent-Message-ID" * : * "In-Reply-To' * * * *(phrase / msg-id) "References" * : * +(phrase / msg-id) "Keywords" * : * #phrase "Subject" * : * +text "Comments" * : * *text * : * "Encrypted" 1#2word ; To be defined extension-field user-defined-field ; May be pre-empted orig-date "Date" *:* date-tima authentic originator authenticated addr "Reply-To" ":" 1#address]) 1+word ; Sequence of words phrase

August 13, 1982

- 45 -

RFC #822

· · · · · ·

င်းမှ

0610000

°._r

1. 6° E

c_oo ¢,

- C

<any CHAR excepting <">,
"\" & CR, and including atext ; => may be folded linear-white-space> "\" CHAR quoted-pair = ; may quote any char quoted-string = <"> •(qtext/quoted-pair) <">; Regular qtext or quoted chars. : ; one per relay ; sending host received "Received" "from" domain] "by" domain] ; receiving host "via" atoml ; physical path ("with" : link/mail protocol atom) "id" msg-id] ; receiver mag id i"for" addr-spec] ; initial form n., n date-time : time received resent resent-authentic "Resent-Reply-To" ":" 1#address]) resent-authentic = "Resent-From" ... mailbox 1 "Resent-Sender" * - * mailbox "Resent-From" ":" 1#mailbox) "Resent-Date" ":" resent-date = date-time "Return-path" ":" route-addr ; return address return -1#("@" domain) ":" "<" [route] addr-spec ">" route -; path-relative route-addr source trace] ; net traversals originator original mail ; resent] forwarded ; <ASCII SP, space> "(" / ")" / "<" / ">" / "." / ":" / ":" / '\" / "." / "[" / "]" SPACE (40, 32.) ; "8" Nust be in quotedspecials -; ゙゚゚ヽ**゚゚ヽ゚**ヽ 1 string, to use : within a word. : sub-domain domain-ref / domain-literal text <any CHAR; including bare -=> atoms, specials, : CR & bare LF, but NOT comments and 2 including CRLF> quoted-strings are NOT recognized. time hour zone ANSI and Military trace return path to sender -: 1*received ; receipt tags user-defined-field = <Any field which has not been defined in this specification or published as an extension to this specification; names for such fields must be unique and may be pre-empted by published extensions> word atom / quoted-string -

August 13, 1982

- 46 -

RFC #822

124

و ډېږې ک

c

zone "UT" "GMT" ; Universal Time 1 North American : UT Eastern: -5/-4Central: -6/-5Mountain: -7/-6Pacific: -8/-7Military: Z = UT; (42, 34.) ; "EST" / "EDT" "CST" / "CDT" "MST" / "MDT" : ; ; "PST" / "PDT" ÷ 1ALPHA <ASCII quote mark> ; <"> ;

August 13, 1982

17

.

- 47 -

RFC #822