



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU CA STANLAR(S. 44 CA.

**DD FORM 1473, 84 MAR** 

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

22a NAME OF RESPONSIBLE INDIVIDUAL

☑UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS

Dr. E. Schmell, or Dr. M. Marron, or Dr. Melten (202)-696-4760

83 APR edition may be used until exhausted.
All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

ONR

21. ABSTRACT SECURITY CLASSIFICATION

22b. TELEPHONE (Include Area Code) | 22c. OFFICE SYMBOL

(U)

Block 19

Co: 41

restriction fragments. The characterization of auxotrophic and resistant mutants, and the isolation of new mutants is ongoing, as is optimization of the transformation system. In the ten months since the start of the project, significant progress towards the long term goal of understanding genetic regulation in methanogens has been made.

> 5 1. 13 TAP Ar. Distriction,/ Awar Collin Codes wast and/or Dist Spesial



PPPPPPIN VISASSER DESERVES SERVES SERVES SERVED SER

Progress Report, N00014-K-0222

Development of a Gene Cloning System in Methanogens.

- 1. SUMMARY OF PROJECT GOALS
- a) to obtain auxotrophic mutants, and antibiotic-resistant or antimetabolite-resistant mutants.
- b) to refine our methods for DNA-dependent transformation of Methanobacterium thermoautotrophicum and use this system in the construction of strains to study the physiology of this organism.
- c) to develop a shuttle vector based upon an  $\underline{\mathsf{M}}$ . thermoautotrophicum plasmid (see section 3b). Homologous chromosomal genes, drug resistance genes, and genes coding for enzymes that produce colored products will be tested as markers for plasmid transformation. A functional plasmid vector will allow us to study gene expression in an  $\underline{\mathsf{M}}$ . thermoautotrophicum background.
- d) the long term goal of this work is to understand the regulation of genes in methane-producing archaebacteria.

## 2. RECENT ACCOMPLISHMENTS

- Since the project started in June, 1986, we have made significant progress in a number of areas. In the DATA SYNOPSIS section we list several manuscripts which are in preparation, and we have additional publishable data in hand.
- a) Our collection of <u>mutants</u> has been augmented by several spontaneously occurring resistant mutants, and doubly-resistant mutants derived from them. We tested an approximately 70 compounds array οn М. thermoautotrophicum and found several which are strong inhibitors. We purified a series of clones, which include resistances to mercaptopurine, azahypoxanthine, diazauracil, kanamycin, mitomycin C, and fluorouracil-mercaptopurine and fluorouracil-fluorodeoxyuridine. Ιn addition, we have tested the use of hydroxylamine or ethylmethanesulfonate as mutagens in M. thermoautotrophicum. A protocol based upon hydroxylamine mutagenesis followed by bacitracin-enrichment of our kanamycin resistant strain yielded 24 auxotrophic clones. Ten of these have been characterized in a nutrient pool-elimination study. All 10 require a pool of volatile fatty acids, and in addition, two appear to require vitamins and a third requires an amino acid pool which contains twenty different amino acids. Thus, these three are likely to be triple mutants. We found that three of the 10 fatty acid-requiring strains are formate auxotrophs, a surprising and very interesting requirement.
- b) We have explored methods for gentle lysis of M. thermoautotrophicum in order to obtain high molecular weight DNA. The most promising of these utilizes sub-bactericidal levels of bacitracin, followed by treatment with Proteinase K and detergent. This method works most of the time, but remains to be optimized. We used the bacitracin lysis technique to screen our laboratory strains for the presence

of cryptic plasmids. Our strain of M. thermoautotrophicum had maintained its plasmid during 5 years of subculture in the absence of selection for the plasmid. Previously it appeared that the plasmid was lost from this strain. A more recently obtained strain from the DSM culture collection, and the fluorouracil-resistant strain RTAE-1 derived from it contained the plasmid. We found no evidence for a plasmid in the fastidious methanogen Methanomicrobium mobile.

- c) Culture of methanogens has been optimized in our laboratory. We have developed a simple mineral medium which can be made from dry chemicals, gas-exchanged, and placed in the autoclave within 18 minutes. In the 3-liter fermentor we obtained 4.2 g wet weight of M. thermoautotrophicum cells per liter in 60 hr in this medium (see section 3e).
- d) The development of a DNA-dependent transformation system has been a major breakthrough. Table 1 contains some of our data which indicate that 5-fluorouracil and 6-mercaptopurine-resistance were transferred to the recipient wild-type cells. In fact, these markers appear to be linked. Spontaneous resistance appears at a frequency of 10 for each of the markers. We have never observed spontaneous double resistance. The transformation system appears to be saturated at about 0.1 ug DNA/plate, and is more efficient for high molecular weight DNA, than for sheared DNA containing the same genetic markers.

Table 1. Results of transformation experiments with Methanobacterium thermoautotrophicum (Marburg) on plates.

Source of DNA N	No.	colonies teste		% colonies with transformants		
			F U R	MPR	$FU^R - MP^R$	
M. thermoautotrophicum						
Wild Type D		172	0.6	0	0	
Strain RTAE-1 (FUR)		417	2.4	0	0	
Strain RTAE-1 (FU <sup>R</sup> ) Strain RTVW-1 (FU <sup>R</sup> -MP <sup>R</sup>	,	223	3.1	4.5	3.1	
Halobacterium volcanii		99	0	0	0	
Escherichia coli		216	0	0	0	
None		348	0	0	0	

abbreviations: FU, 5-fluorouracil; MP, 6-mercaptopurine. Colonies were grown on plates in the presence of DNA under non-selective conditions, screened for the presence of resistant cells by replica plating, and these were rechecked for resistance.

- e) <u>Facilities</u>. In February we installed brand new large-scale fermentors (10 and 100 liter, computer-controlled systems), are adding to our thermophilic incubator capacity, and our newly-designed anaerobic gassing station is the most efficient anywhere. Plating of thermophilic anaerobes is rather tedious, but we have vessels for culture of 300 plates at a time.
- f) Personnel. Dr. Tanner joined the project in June of 1986. He earned his Ph.D. with Dr. R.S. Wolfe at the University of Illinois and then spent four years in industrial research. isolated auxotrophs, engineered plasmids, mass cultured methanogens, streamlined laboratory procedures by developing new new media and culture apparatus, and worked on the biochemistry of a novel cofactor (mobile factor). Veronica E. Worrell, a graduate student, performed the transformation experiments reported above, isolated mutants plasmid DNA, and her courses in genetics biochemistry are strengthening our expertise in the latest techniques. Dr. McCarthy and Doris Kupfer (who joined the project as a research associate in March) have been working on the feasibility of an additive transformation system. Dr. Nagle has been putting our new fermentor systems on line and is characterizing the physiology of some drug-resistant There are constant interactions of these methanogens. workers with other members of the extended research program on anaerobic processes in this department.

## 3. PLANS FOR NEXT YEAR

- a) The transformation system will be refined and extended to auxotrophic markers. Mutant selection will continue. Protocols for lysis and preparation of high molecular weight DNA will be optimized.
- b) A technique for constructing insertion mutations in  $\underline{\mathsf{M}}.$  thermoautotrophicum will be tested.  $\underline{\mathsf{M}}.$  thermoautotrophicum chromosomal fragments will be mutagenized in  $\underline{\mathsf{E}}.$  coli with the transposon (miniTnlOkan). We will attempt to integrate the transposons into the  $\underline{\mathsf{M}}.$  thermoautotrophicum chromosome by recombination during transformation with the mutagenized fragments (additive transformation). Potential transposon mutants that have an auxotrophic phenotype will be isolated with our bacitracin enrichment technique. The presence of a transposon in the mutant chromosomes will be demonstrated by Southern blotting using miniTnlOkan as a probe. The mutated segments can be recovered by cloning the DNA from the mutants into  $\underline{\mathsf{E}}.$  coli and selecting for kanamycin resistance. c) The pyrimidine analogue-resistant mutants will be utilized to dissect the pyrimidine salvage pathway.
- d) A genetically marked  $\underline{\text{M.}}$  thermoautotrophicum plasmid will be constructed. Wild type  $\underline{\text{M.}}$  thermoautotrophicum DNA will be cloned into the  $\underline{\text{M.}}$  thermoautotrophicum plasmid pME2001. We will attempt to isolate plasmids that can complement our collection of auxotrophic mutations.

- e) Data will be published in two papers to be submitted in April, and in other publications during the year. We plan to present our work at the Gordon Conference "Molecular Aspects of Methanogenesis" in June, and at the Annual Meeting of the American Society for Microbiology in 1988.
- 4. DATA SYNOPSIS
- a) Publications

SCOUNCE ASSESSED INSURANCE

- i) in preparation
- D.P. Nagle, Jr., R. Teal, and A. Eisenbraun. A 5-fluorouracil-resistant strain of Methanobacterium thermoautotrophicum (Marburg). for submission to J. Bacteriol.
- V.E. Worrell, D.P. Nagle, Jr., A. Eisenbraun, and D.R. McCarthy. A natural transformation system for the archaebacterium <u>Methanobacterium thermoautotrophicum</u>. for submission to Nature.
  - 11) related work
- R. Teal, and D.P. Nagle, Jr. (1986) Effects of 5-fluorouracil on growth and methanogenesis in Methanobacterium thermoautotrophicum Marburg. Current Microbiology 14, 227-230.
- W.J. Jones, D.P. Nagle, Jr., and W.B. Whitman. (1987). Methanogens and the diversity of archaebacteria. Microbiological Reviews 52, 137-158.
- b) Awards and Honors
- M.J. McInerney, University of Oklahoma Associates Distinguished Lecturer, 1986-1987.
- c) Presentations.
- David P. Nagle, Jr. "Genetic engineering and the energy crisis" Presented to the Tinker Society of Professional Engineers and Scientists, Tinker Air Force Base, 26 November, 1986.
- Tanner, R.S., and Nagle, D.P., Jr. (1987). Effect of sulfanilamide and folate analogues on the growth of Methanomicrobium mobile. Abstracts of the Annual Meeting of the American Society for Microbiology, Atlanta, GA, 1-6 March, p. 178.
- d) Graduate Students supported:
  - 1) Veronica E. Worrell (Hispanic female, USA).

ANNUAL, FINAL, AND TECHNICAL REPORTS (One copy each except as noted) Dr. C. E. Ballou Department of Biochemistry University of California Berkeley, CA 94720

Dr. Rita Colwell Department of Microbiology University of Maryland College Park, MD 20742

Dr. Lacy Daniels Department of Microbiology University of Iowa Iowa City, IA 52242

Dr. Patrick P. Dennis Department of Biochemistry University of British Columbia 2146 Health Sciences Mall Vancouver, B.C. V6T 1W5

Dr. Henryk Eisenberg The Weizmann Institute of Science Department of Polymer Research P.O. Box 26 Rehovot 76100, Israel

Dr. James G. Ferry Department of Anaerobic Microbiology Virginia Polytechnic Institute and State University Blacksburg, Virginia 24061

Dr. Robert P. Gunsalus Department of Microbiology UCLA 405 Hilgard Avenue Los Angeles, CA 90024

Dr. Ramesh Gupta Southern Illinois University Department of Chemistry and Biochemistry Carbondale, IL 62901

Dr. Holger W. Jannasch Woods Hole Oceanographic Institution Woods Hole, MA 02543

Dr. Jordan Konisky University of Illinois 809 South Wright Street Champaign, IL 61820

Dr. Mary E. Lidstrom Center for Great Lakes Studies University of Wisconsin-Milwaukee Milwaukee, WI 53201

Dr. Ralph Mitchell Division of Applied Sciences Harvard University 125 Pierce Hall Cambridge, MA 02138

Dr. Leonard Muscatine Department of Biology University of California Los Angeles, California 90024

Dr. David P. Nagle Department of Botany and Microbiology University of Oklahoma Norman, OK 73019

Dr. Gary J. Olsen Department of Biology Indiana University Jordan Hall 138 Bloomington, Indiana 47405

Dr. Gregory J. Olson Inorganic Materials Division Center for Materials Science National Bureau of Standards Washington, DC 20234

33444

Dr. Leo Parks Department of Microbiology North Carolina State University Raleigh, NC 27695

Dr. John N. Reeve Department of Microbiology Ohio State University 484 West 12th Avenue Columbia, OH 43210-1292

Dr. V. Romanovsky Office d'Etudes Marines et Atmospherique 64 rue Gabrielle 1180, Bruxelles, Belgium

Dr. Saul Roseman Department of Biology Johns Hopkins University Baltimore, MD 21218

Dr. David C. White Department of Microbiology Institute of Applied Microbiology University of Tennessee Knoxville, TN 37996-0845

Dr. Carl R. Woese Genetics Department University of Illinois 505 S. Goodwin Avenue Urbana, IL 61801

Dr. Ralph S. Wolfe 131 Burrill Hall University of Illinois Urbana, IL 61801

Dr. Eli D. Schmell, Code 1141MB Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Dr. Michael T. Marron, Code 1141MB Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Dr. Margo G. Haygood Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Adminstrator (2 copies, Enclose DTIC Form 50) Defense Technical Information Center Building 5, Cameron Station Alexandria, VA 22314

ANNUAL AND FINAL REPORTS ONLY (One copy each)
Commander
Chemical and Biological Sciences Division
Army Research Office
P. O. Box 12211
Research Triangle Park, NC 27709

Directorate of Life Sciences Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Chemistry and Atmospheric Sciences Directorate Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Director Biotechnology Division Aberdeen Proving Grounds, MD 21010

Administrative Contracting Officer ONR Resident Representative (Address varies - obtain from your business office)

Director, Code 12
Applied Research and Technology Directorate Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 22 Support Technology Directorate Office of Naval Technology 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 112 Environmental Sciences Directorate Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 113 Chemistry Division Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

FINAL AND TECHNICAL REPORTS ONLY Director (6 copies) Naval Research Laboratory Attn: Technical Information Division, Code 2627

Washington, DC 20375

The second of the second secon