



# OTIC FILE COPY



AFWAL-TR-86-4006 Volume V Part 12

# AD-A181 707





Final Report for Period 22 September 1980 - 31 July 1985 November 1985

Approved for public release; distribution is unlimited.

#### PREPARED FOR:

MATERIALS LABORATORY
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AFB, OH 45433-6533





ľ	CURITY E	LASS	PICATION	OF THIS	<b>PAGE</b>

REPORT DOCUMENTATION PAGE 4/8/769					
Is REPORT BECURITY CLASSIFICATION Unclassified		18 RESTRICTIVE MARKINGS			
34 BECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION:				
TO DECLASSIFICATION/DOWNGRADING SCHED			for public		
4. PERFORMING ORGANIZATION REPORT NUM	5 E A (6)		8. MONITORING ORGANIZATION REPORT NUMBERIE) AFWAL-TR-86-4006 Vol V, Part 12		
EL NAME OF PERFORMING ORGANIZATION	SE OFFICE SYMBOL	To name of Monitoring Organization			
General Electric Company Production Resources Consulting		APVAL/HLTC			
SL ADDRESS (City. Stem and ZIP Code)		76. ADDRESS (CIT).	Suu end 217 Con	Se i	
1 River Road Schenectady, NY 12345		WPAFB, O	H 45433-653	3	
& NAME OF FUNDING/SPONSORING ORGANIZATION Haterials Laboratory	an. Office Symbol  ### APPAL/MLTC	9. PROCUREMENT		ENTIFICATION NU	MBER
Air Porce Systems Command, USAF	A VADIC	10 SOURCE OF FUR			
Vright-Patterson AFS, Ohio 4843	3	PROGRAM ELEMENT NO.	PROJECT MO.	TASK NO.	WORK UNIT
11. TITUE therisis Booms of Camphostions		<b>78</b> 011F	7500	62	01
(See Reverse)		l			
Apicella, H. L. and Thomps					
Timal Technical Report   13a Time Co	040 - 31 July 1005	14. DATE OF REPOR 1985 No		18. PAGE CO	UNT
PAN Destant Detaile 6201	The computer sof references that computer software	in no way refle			
17 COSATI CODES	IL SUBJECT TERMS IC		MENT ON 1814	f) by black nambers	
1308 G905					
				·	
This document is the product specification establishing the design implementation of the IISS Configuration Item PRE2 which locates and isolates Neutral Data Manipulation Language (NDML) statements and performs necessary semantic checking of the command.					
20 DISTRIBUTION/AVAILABILITY OF ABSTRAC	• •	21 ABSTRACT SECURITY CLASSIFICATION Unclassified			
UNICLASSIFIED/UNILIMITED & SAME AS RPT.	224 TELEPHONE NU		22c OFFICE SYMB	<u> </u>	
David L. Judson		S13-255-6	de i	APVAL/MLT	

#### 11. Title

Integrated Information Support System (IISS)

Vol V - Common Data Model Subsystem

Part 12 - NDML Precompiler Parse Procedure Division

Product Specification



Accession b.				
Marin State				
District of the second				
Magnetic and The Control				
P-				
Programme Table 1 May				
, satisficity Codes				
Avail and/or				
Dist Special				
:///				
H				
1/-				

#### **PREFACE**

This product spcification covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Alan Rubenstein. The General Electric Project Manager was Mr. Myron Hurlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users.

Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (DD1473). A listing and description of the entire project documentation system and how they are related is contained in document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

#### **TASK 4.2**

Subcontractors	Role
Boeing Military Aircraft Company (BMAC)	Reviewer
D. Appleton Company (DACOM)	Responsible for IDEF support, state-of-the-art literature search
General Dynamics/ Ft. Worth	Responsible for factory view function and information models

Subcontractors

Role

Illinois Institute of Technology

Responsible for factory view function research (IITRI) and information models of small and medium-size business

North American Rockwell

Reviewer

Northrop Corporation

Responsible for factory view function and information

models

Pritsker and Associates

Responsible for IDEF2 support

SofTech

Responsible for IDEFO support

# TASKS 4.3 - 4.9 (TEST BED)

#### Subcontractors

Role

Boeing Military Aircraft Company (BMAC) Responsible for consultation on applications of the technology and on IBM computer technology.

Computer Technology Associates (CTA) Assisted in the areas of communications systems, system design and integration methodology, and design of the Network Transaction Manager.

Control Data Corporation (CDC)

Responsible for the Common Data Model (CDM) implementation and part of the CDM design (shared with DACOM).

D. Appleton Company (DACOM)

Responsible for the overall CDM Subsystem design integration and test plan, as well as part of the design of the CDM (shared with CDC). DACOM also developed the Integration Methodology and did the schema mappings for the Application Subsystems.

Subcontractors	Role
Digital Equipment Corporation (DEC)	Consulting and support of the performance testing and on DEC software and computer systems operation.
McDonnell Douglas Automation Company (McAuto)	Responsible for the support and enhancements to the Network Transaction Manager Subsystem during 1984/1985 period.
On-Line Software International (OSI)	Responsible for programming the Communications Subsystem on the IBM and for consulting on the IBM.
Rath and Strong Systems Products (RSSP) (In 1985 became McCormack & Dodge)	Responsible for assistance in the implementation and use of the MRP II package (PIOS) that they supplied.
SofTech, Inc.	Responsible for the design and implementation of the Network Transaction Manager (NTM) in 1981/1984 period.
Software Performance Engineering (SPE)	Responsible for directing the work on performance evaluation and analysis.
Structural Dynamics Research Corporation (SDRC)	Responsible for the User Interface and Virtual Terminal Interface Subsystems.

Prime contractors under other projects who have contributed to Test Bed Technology, their contributing activities and responsible projects are as follows:

Contractors	ICAM Project	Contributing Activities
Boeing Military Aircraft Company (BMAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC)

Contractors	ICAM Project	Contributing Activities
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP)
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1703	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI)
Systran	1502	Test Bed enhancements. Operation of Test Bed.

# TABLE OF CONTENTS

		<u>1</u>	Page
SECTION		SCOPE	
	1.1	Identification	
	1.2	Functional Summary	1-1
SECTION	2.0	DOCUMENTS	2-1
	2.1	Reference Documents	
	2.2	Terms and Abbreviations	2-1
SECTION	3.0	REQUIREMENTS	3-1
	3.1	Structural Description Functional Flow Interfaces	3-1
	3.2	Functional Flow,	3-1
	3.3	Interfaces	3-2
	3.3.1	Inputs/Outputs,	3-2
	3.4	Program Interrupts	
	3.5	Timing and Sequencing Description	
	3.6	Special Control Features	
	3.7	Storage Allocation	3-3
	3.7.1	Database Definition	3-3
	3.7.1.1	File Description	3-3
	3.7.1.2	Table Description	
	3.7.1.3	Item Description	
	3.8	Object Code Creation,	3-3
	3.9	Adaptation Data	
	3.10	Detail Design Description,	3-4
	3.10.1	Main Program List	3-4
	3.10.2	Module List	3-6
	3.10.3	External Routines List	
	3.10.4	Include File List	
	3.10.5	Where Include File Used List Where External Routine Used	2-12
	3.10.6	List	3-16
	3.10.7	Main Program Parts List	
	3.10.8	Module Documentation	
	3.10.9	Include File Description	
	3.10.10	Hierarchy Chart	
	3.11	Program Listings Comments	
SECTION	4.0	QUALITY ASSURANCE PROVISIONS	4-1
	4.1	Introduction and Definitions	
	4.2	Computer Programming and Test	
	- · -	Evaluation	4-1

#### SECTION 1

#### SCOPE

#### 1.1 Identification

This specification establishes the design of Function PRE2, "Parse Procedure Division", one of the major functions of the Configuration Item "Precompiler" to be built and formally accepted by the ICAM Program office. This CI constitutes one of the subsystems of the Common Data Model Processor (CDMP)

#### 1.2 Functional Summary

The purpose of this Computer Program Configuration Item (CPCI) is to identify all Neutral Data Manipulation Language (NDML) commands contained within the Application Program and for each command, insure all other Precompiler activities are performed.

The following functions will be performed by this CPCI:

- 1. Scan input file for the start of an NDML command.
- 2. Call the NDML Parser to syntactically check the command.
- 3. For each command:
  - a. Populate the External Schema (ES) action and qualify lists.
  - b. Control all other precompiler activities.

#### SECTION 2

#### **DOCUMENTS**

#### 2.1 Reference Documents

- 1. ICAM Documentation Standards: IDS15012000A, 28
  December 1981.
- 2. D. Appleton Co., CDM Administrator's Manual; UM620141000, March 1984.
- 3. D. Appleton Co., CDM1-IDEF Model of the Common Data Model; CCS620141000, 15 May 1985.
- 4. D. Appleton Co., Computer Program Development
  Specification (DS) for ICAM Integrated Support System
  (IISS) Configuration Item: NDML Precompiler;
  DS620141200, October 1984.
- 5. D. Appleton Co., <u>Embedded NDML Programmer's Reference Manual</u>; PRM620141200, March 1985.
- 6. Softech, Inc., NTM Programmer's Guide; UM620140001, July 1984.
- 7. Control Data Corp., Computer Program Development
  Specification (DS) for ICAM Integrated Support System
  (IISS) Configuration Item: NDDL Command Processor;
  DS620141100, June 1985.

#### 2.2 Terms and Abbreviations

Attribute Use Class: (AUC)

Conceptual Schema: (CS)

Common Data Model Processor: (CDMP)

Common Data Model: (CDM) Describes common data application process formats, form definitions, etc, of the IISS and includes conceptual schema, external, internal schemas, and schema transformation operators.

Data Field: (DF) An element of data in the external schema. It is by this name that an NDML programmer references data.

#### Database Management System: (DBMS)

<u>Distributed Request Supervisor</u>: (DRS) This IISS CDM subsystem configuration item controls the execution of distributed NDML queries and non distributed updates.

Domain: A logical definition of legal attribute class values.

Domain Constraint: Predicate that applies to a single domain.

External Schema: (ES)

Forms: Structured views which may be imposed on windows or other forms. A form is composed of fields where each field is a form, item, or window.

Forms Processor: (FP) A set of callable execution time routines available to an application program for form processing.

#### Internal Schema: (IS)

Integrated Information Support System: (IISS) A test computing environment used to investigate, demonstrate and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous databases supported by heterogeneous computers interconnected via a local Area Network.

<u>Mapping</u>: The correspondence of independent objects in two schemas: ES to CS or CS to IS.

Network Transaction Manager: (NTM) Performs the coordination, communication and housekeeping functions required to integrate the application processes and system services resident on the various hosts into a cohesive system.

Neutral Data Manipulation Language: (NDML) A language developed by the IISS project to provide uniform access to common data, regardless of database manager or distribution criteria. It provides distributed retrieved and single node updates.

ORACLE: Relational DBMS based on the SQL (Structured Query Language, a product of ORACLE Corp, Menlo Park, CA). The CDM is an ORACLE database.

<u>Parcel</u>: A sequential file containing sections source code of the input application program.

Request Processor: (RP) A COBOL program that will satisfy a retrieval or update NDML subtransaction against a particular Database Management System.

<u>User Interface</u>: (UI) Controls the user's terminal and interfaces with the rest of the system.

Virtual Terminal Interface: (VTI) Performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by UI software which constitutes the Virtual Terminal Definition. Specific terminals are then mapped against the Virtual Terminal software by specific software modules written for each type of real terminal supported.

#### SECTION 3

#### REQUIREMENTS

#### 3.1 Structural Description

A graphic portrayal of this CPCI is included in Section 3.10. This chart shows the hierarchical relationships of each module making up this CPCI.

This CPCI uses a number of lower level modules to handle specific operations such as:

- 1. Open associated files and parcels (OPNERR, OPNFILE, OPNINPT, OPNPAR1, OPNPAR2, OPNPAR3, OPNPAR4).
- Read associated files and parcels (REDINPT, REDLINE, REDPAR1, REDPAR2, REPAR3, REDPAR4).
- Write records to associated files and parcels (WRITERR, WRTLINE, WRTPAR1, WRTPAR2, WRTPAR3, WRTPAR4).
- 4. Close associated files and parcels (CLSERR CLSFILE, CLSINPT, CLSPAR1, CLSPAR2, CLSPAR3, CLSPAR4).
- 5. Syntactically check the NDML command (NDMLPAR).
- 6. Semantically check the NDML command and populate external schema action and qualify lists (CDPRE2A).


#### 3.2 Functional Flow

This CPCI implements the logic defined in the Development Specification for this CPCI. Details of inputs/outputs and relationships between modules are to be found in Section 3.10.

This CPCI has been designated to operate in a batch or interactive mode. It must operate in the system environment established for IISS; that is, use of the Network Transaction Manager. It must use the ORACLE DBMS installed on a DEC VAX computer.

#### 3.3 Interfaces

The following diagram depicts the interface of PRE2 with other CPCI's on the system.



#### 3.3.1 Inputs/Outputs

The following table depicts the inputs and outputs of this CPCI. A detail description for each item can be found in the DS for this CPCI.

Function: PRE2

INPUT

OUTPUT

Parcel 1 File Name
Parcel 2 File Name
Parcel 3 File Name
Parcel 4 File Name
ORACLE Logon Data Area
Error File Name
Source Language
Current Host

Code generator table File Status Module Status

Target Host
I/O Section Indicator

#### 3.4 Program Interface

Not applicable to this CPCI.

#### 3.5 Timing and Sequencing Description

This CPCI is called upon by the CDPRE precompiler control module to parse and precompile each NDML statement found in a COBOL procedure division or FORTRAN executable code section. PRE2 remains in control until the end of the user software module is detected. Function PRE1 has previously scanned the input until the beginning of executable host language statements.

#### 3.6 Special Control Features

Not applicable to this CPCI.

#### 3.7 Storage Allocation

#### 3.7.1 Database Definition

The database used by this CPCI is the Common Data Model (CDM) database. This model is defined by the CDM1, the IDEF-1 model of the CDM, Reference Document Number 3. The database was constructed using ORACLE.

#### 3.7.1.1 File Description

No permanent files have been defined for this CPCI. It uses temporary scratch files for program source code.

#### 3.7.1.2 Table Description

All tables used by this CPCI have been defined by the Development Specification for this CPCI.

#### 3.7.1.3 Item Description

Not applicable to this CPCI.

#### 3.8 Object Code Creation

The object code for this CPCI will be created by the system

integration test team by using defined IISS Software Configuration Management procedures. This CPCI will use the COBOL, "C" and FORTRAN language compilers. In addition, source code generated by the YACC and LEX UNIX tools must be compiled to become objects in the final, executable software package.

#### 3.9 Adaptation Data

This CPCI has been coded using ANSI COBOL, FORTRAN and a "standard" subset of the "C" language. The intent was to provide a transportable system. Any system environment supporting these languages, a virtual memory management scheme, the COMM and NTM subsystems of IISS and the ORACLE Database Management System should be able to support this CPCI. Every possible attempt has been made to localize and identify any machine or environment dependent modules through the original design of the IISS and application of Configuration Management Procedures.

#### 3.10 Detail Design Description

The following sections have been computer generated for this CPCI.

#### 3.10.1 Main Program List

The following is a list of all "Main Programs" which are modules that are not called by any other module being documented here. These modules are either program entry points or, if they are hooked into another set of programs via subroutine calls, they are the points the external programs can call and therefore enter through. To differentiate between the two types of entry points, look at the individual Module Documentation (section 3.10.8) and look at Module Type for each of the Main Program modules listed. Note whether the routine is a Program, Subroutine, or Function. If it is a Program, it is truly a main program entry point. If not, then it is merely called by other programs not being documented here.

# PARSE PROCEDURE DIVISION Main Program List

Module Name Purpose

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS APPLICATION

## 3.10.2 Module List

The following is a list of all the modules being documented here along with their purpose. Each module has a unique name, no matter what language it was written in.

#### PARSE PROCEDURE DIVISION Module List

Module Name	Purpose
CDPRE2	PARSE THE PROCEDURE DIVISION OF USERS APPLICATION
CDPRE2A	CDPRE2A - PARSE NDML AND BUILD ES PRECOMPILER LISTS

#### 3.10.3 External Routines List

The following is a list of all routines or functions not documented here that are called by modules that are documented here. The first caller, in alphabetical order, is listed as well. The specification in which any module is documented may be found in the Module Documentation Index (Document Number CM 620100001). See section 3.10.6 for a list of the modules that call each of these external routines.

### PARSE PROCEDURE DIVISION External Routines List

Module Name	First User
CDMACR	CDPRE2
CDPRE4	CDPRE2
CLSERR	CDPRE2
CLSPAR4	CDPRE2
CPFCOR	CDPRE2A
CPFNXT	CDPRE2A
CPFONE	CDPRE2A
CPFVAL	CDPRE2A
ERRPRO	CDPRE2
LOWUPP	CDPRE2A
NDMLPAR	CDPRE2
OPNERR	CDPRE2A
OPNPAR4	CDPRE2
REDINPT	CDPRE2
RPTERR	CDPRE2A
TOKEN	CDPRE2
UNPLINE	CDPRE2
WRITERR	CDPRE2
WRTPAR4	CDPRE2

#### 3.10.4 Include File List

The following is a list of all include files called in by modules being documented here. Each include file has a unique name regardless of the language being used. The purpose of each include file is listed as well. A more complete description of each include file is given in section 3.10.9. The purpose listed is the one that is in the source code of the include file.

A purpose of "\*\*\*\* PURPOSE NOT FOUND BY STRIPPER \*\*\*\*" indicates that a purpose statement was not written into the include file itself. The most common reason for this is that the include file comes from system libraries that were not developed by the project, such as 'C' libraries that are provided with the 'C' compiler.

See section 3.10.6 for a set of lists which show all the modules which call in each of these include files.

### PARSE PROCEDURE DIVISION Include File List

File Name	Purpose		
CGTABLE	CODE GENERATING TABLE- TRACKS ALL GENERATED SOFTWARE		
CHKCDM	IISS CDMP CHECK STATUS CODES		
ERRCDM	IISS ERROR STATUS CODES FOR CDMP MODULES		
ERRPRO	PROCESS ERROR INCLUDE FILE		
ESAL	EXTERNAL SCHEMA ACTION LIST		
ESQUAL	EXTERNAL SCHEMA QUALIFY LIST		
MACDAT	WS VARIABLES FOR MACRO COPY UTILITY		
NDMLLST	VALID LIST NUMBERS FOR NDML PARSER		
ORCLEDA	WS DEFINITION FOR THE ORACLE LOGIN AREA		
SBSTLST	WS DEFINITION FOR THE SUBSTITUTION LIST TABLE		
UVABBR	USER VIEW ABBREVIATION LIST		

## 3.10.5 Where Include File Used List

getti ketetteleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketeleketel

The following lists each include file from 3.10.4 and all the modules documented in this specification which include them. The purpose of each module is listed as well.

**いまいかい さんせい さいまから よんものも ハルロを いないせい いっしゃいき** 

PARSE PROCEDURE DIVISION Where-include-file-used List

Include Module Module File Name Purpose

**CGTABLE** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

**APPLICATION** 

CHKCDM

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**ERRCDM** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**ERRPRO** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**ESAL** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

**ESQUAL** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

**APPLICATION** 

PARSE PROCEDURE DIVISION Where-include-file-used List

Include Module Module File Name Purpose

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

MACDAT

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

NDMLLST

SECRETARY CONTRACT CONTRACT CONTRACT PROPERTY PROPERTY CONTRACTOR CONTRACTOR

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

ORCLEDA

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

SBSTLST

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**UVABBR** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

# PARSE PROCEDURE DIVISION Where-include-file-used List

Include	Module	Module
File	Name	Purpose

### 3.10.6 Where External Routine Used List

SECONDA SECOND

The following lists each external function or routine listed in 3.10.3 and all the documented modules which call it. The purpose of each module is listed as well.

System Module Module Module Name Purpose

CDMACR

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS APPLICATION

CDPRE4

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS APPLICATION

CLSERR

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

CLSPAR4

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**CPFCOR** 

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

CPFNXT

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

System Module Module Module Name Purpose

**CPFONE** 

CDPRE2A - PARSE NDML AND BUILD ES PRECOMPILER LISTS

CPFVAL

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

**ERRPRO** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

LOWUPP

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

**NDMLPAR** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

**OPNERR** 

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

System Module Module Module Purpose

OPNPAR4

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

REDINPT

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

RPTERR

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

TOKEN

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

UNPLINE

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

WRITERR

CDPRE2 PARSE THE PROCEDURE DIVISION OF USERS

**APPLICATION** 

WRTPAR4

System	Module	Module	
Module	Name	Purpose	
	CDPRE2	PARSE THE PROCEDURE DIVISION OF USERS APPLICATION	

#### 3.10.7 Main Program Parts List

The following lists each Main Program listed in 3.10.1 and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more that once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external "routine". The Purpose of the Main Program module is listed as well.

	PS 62014121 1 November 198
PARSE PROCEDURE	DIVISION Main Program Parts List
Main Pgm Module	Module
Name Name	Туре
	من هن من
CDPRE2	Purpose PARSE THE PROCEDURE DIVISION OF
	USERS APPLICATION
CDMACR	External routine
CDPRE2A	Well-defined module
CDPRE4	External routine
CLSERR CLSPAR4	External routine External routine
CPFCOR	External routine
CPFNXT	External routine
CPFONE	External routine
CPFVAL	External routine
ERRPRO	External routine
LOWUPP	External routine
NDMLPAR	External routine
OPNERR OPNPAR4	External routine External routine
REDINPT	External routine
RPTERR	External routine
TOKEN	External routine
UNPLINE	External routine
WRITERR	External routine
WRTPAR4	External routine
	3-22

# 3.10.8 Module Documentation

C

The following documentation describes information which is specific to each individual module being documented in this specification as listed in section 3.10.2. It provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

NAME: Name of program Module.

**PURPOSE:** Purpose of Module as detailed in the

source code.

LANGUAGE: Programming language source code is

written in.

The choices are:

VAX-11 FORTRAN

(I/S-1 Workbench 'C') VAX-11 COBOL

MODULE TYPE: Whether a Program, Subroutine, or

Function.

SOURCE FILE: Name of Source File from file

specification.

SOURCE FILE TYPE: Source File Extension from file

specification.

HOST: Whether this is a host-dependent

routine (VAX or IBM) or blank if

host-independent.

SUBSYSTEM: IISS sub-system this file resides in.

SUBDIRECTORY: Sub-directory of that subsystem in

which this file resides.

DOCUMENTATION GROUP: Name of documentation group of which

this source file is a member.

DESCRIPTION: A description of the module as otained from the source code.

ARGUMENTS: The arguments with which this routine

is called if it is a Subroutine or a

Function.

INCLUDE FILES: A list of all the files that are

included into this module as well as

their purposes.

ROUTINES CALLED: Subroutines or Functions, either

documented or external, called by

this module, if any.

CALLED DIRECTLY BY: The documented routines which call

this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which

contain this module in their parts list according to the list in section

3.10.7.

The Module Documentation is arranged alphabetically according to Module Name.

# PARSE PROCEDURE DIVISION Module Documentation

CDPRE2 NAME:

PURPOSE: PARSE THE PROCEDURE DIVISION OF USERS

APPLICATION

LANGUAGE: VAX-11 COBOL MODULE TYPE: SUBROUTINE

SOURCE FILE: CDPRE2 SOURCE FILE TYPE: . COB

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41212

## DESCRIPTION: \_\_\_\_\_

- CDPRE2 WILL DO THE FOLLOWING:

# ARGUMENTS:

PARCL1 = DSPLY [X(30)]

PARCL2 = DSPLY [X(30)]

PARCL3 = DSPLY [X(30)]

PARCL4 = DSPLY [X(30)]

ORACLE-LDA = RECRD

ERROR-FILE = DSPLY [X(30)]

SOURCE-LANGUAGE = DSPLY [X(10)]

MY-HOST = DSPLY [X(3)]

TARGET-HOST = DSPLY [XXX]

CODE-GENERATOR-TABLE = RECRD

IOSECTION-INDICATOR = DSPLY [9]

FILE-STATUS - DSPLY [S9(9)]

MODULE-STATUS - DSPLY [X(5)]

# INCLUDE FILES:

MACDAT - WS VARIABLES FOR MACRO COPY UTILITY

- WS DEFINITION FOR THE SUBSTITUTION LIST TABLE

SBSTLST ESQUAL - EXTERNAL SCHEMA QUALIFY LIST ESAL - EXTERNAL SCHEMA ACTION LIST UVABBR - USER VIEW ABBREVIATION LIST

- IISS ERROR STATUS CODES FOR CDMP MODULES ERRCDM

CHKCDM - IISS CDMP CHECK STATUS CODES

ORCLEDA - WS DEFINITION FOR THE ORACLE LOGIN AREA

CGTABLE - CODE GENERATING TABLE- TRACKS ALL GENERATED

SOFTWARE

ERRPRO - PROCESS ERROR INCLUDE FILE

# ROUTINES CALLED:

-----

**OPNERR** 

CLSERR

Contract Con

0000000

C000000 (NO 2025/01)

CLSPAR4

NDMLPAR

CDPRE2A - PARSE NDML AND BUILD ES PRECOMPILER

LISTS

CLSERR

CLSPAR4

CDPRE4

**OPNPAR4** 

TOKEN

UNPLINE

REDINPT

CDMACR

WRTPAR4

WRITERR

**ERRPRO** 

# PARSE PROCEDURE DIVISION Module Documentation

NAME:

CDPRE2A

PURPOSE:

CDPRE2A - PARSE NDML AND BUILD ES

PRECOMPILER LISTS

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

CDPRE2A

SOURCE FILE: CDPRI SOURCE FILE TYPE: .COB

HOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41212

**DESCRIPTION:** 

THIS MODULE CONTROL THE LOGIC OF PARSING NDML STATEMENTS IN THE USER APPLICATION PROGRAM.

# **ARGUMENTS:**

------

COMMAND-NO = DSPLY [S9(9)]

NDML-STACK = RECRD

ES-QUALIFY-LIST = RECRD

ES-ACTION-LIST = RECRD

UV-ABBR-LIST = RECRD

ERROR-FILE = DSPLY [X(30)]

RETURN-STATUS - DSPLY [S9(9)]

# INCLUDE FILES: -----

NDMLLST - VALID LIST NUMBERS FOR NDML PARSER

ESQUAL - EXTERNAL SCHEMA QUALIFY LIST - EXTERNAL SCHEMA ACTION LIST ESAL

UVABBR - USER VIEW ABBREVIATION LIST

### ROUTINES CALLED:

**CPFVAL** 

**CPFNXT** LOWUPP

**CPFONE** 

**CPFCOR** 

TOTAL STREET, STREET,

CLSERR

RPTERR

**OPNERR** 

# CALLED DIRECTLY BY:

- PARSE THE PROCEDURE DIVISION OF USERS CDPRE2

APPLICATION

# USED IN MAIN PROGRAM(S):

CDPRE2 - PARSE THE PROCEDURE DIVISION OF USERS APPLICATION

# 3.10.9 Include File Descriptions

The following list contains a purpose and description of each include file listed in 3.10.4 as specified in the source code. The language it is written in is also given.

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: CGTABLE

PURPOSE: CODE GENERATING TABLE- TRACKS ALL GENERATED SOFTWARE

LANGUAGE: VAX-11 COBOL

# DESCRIPTION:

TO THE PROPERTY OF THE PROPERT

CODE GENERATOR TABLE, HOLDS PERTINENT RESULTS ABOUT ALL CODE GENERATED OR MODIFIED BY THE

PRECOMPILER

NOTE: ROW 100 RESERVED FOR SWAPPING DURING SORTING.

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: CHKCDM

PURPOSE: IISS CDMP CHECK STATUS CODES LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS ALL STATUS CODES FOR THE

CDMP MODULES

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: ERRCDM

PURPOSE: IISS ERROR STATUS CODES FOR CDMP MODULES LANGUAGE: VAX-11 COBOL

# DESCRIPTION:

CONTAINS ALL ERROR CODES USED BY CDMP

MODULES FOR ERROR HANDLING

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: ERRPRO

PURPOSE: PROCESS ERROR INCLUDE FILE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

The control of the co

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: ESAL

PURPOSE: EXTERNAL SCHEMA ACTION LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS THE EXTERNAL SCHEMA INFORMATION FOR AN NDML REQUEST

THE EXTERNAL SCHEMA ACTION LIST

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: ESQUAL

PURPOSE: EXTERNAL SCHEMA QUALIFY LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS EXTERNAL SCHEMA INFORMATION FOR THE NDML QUALIFICATION

THE EXTERNAL SCHEMA QUALIFY LIST

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: NDMLLST

PURPOSE: VALID LIST NUMBERS FOR NDML PARSER LANGUAGE: VAX-11 COBOL

DESCRIPTION:

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: ORCLEDA

PURPOSE: WS DEFINITION FOR THE ORACLE LOGIN AREA

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THE ORACLE LOGON DATA AREA

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: SBSTLST

PURPOSE: WS DEFINITION FOR THE SUBSTITUTION LIST TABLE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

SUBSTITUTION-LIST REPRESENTS THE INPUT TABLE OF SUBSTITUTION PARAMETERS FOR THE CDMACR MACRO EXPANSION SUBROUTINE

# PARSE PROCEDURE DIVISION Include File Description

FILE NAME: UVABBR

PURPOSE: USER VIEW ABBREVIATION LIST

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

the second of the second se

CONTAINS THE ABBREVIATIONS FOR ALL USER VIEW REFERENCED IN THE NDML REQUEST

Belle Belle

# 3.10.10 Hierarchy Chart

727555555

COSCOLA MADADA MATATA M

The following hierarchy charts show the relationships between all of the modules mentioned in the above documentation. A module may call a subroutine several times within its code, but the call will only be shown once as a single relationship on this hierarchy chart. All modules shown at the top of the first page are considered Main Programs as described in section 3.10.1 above.

There is an internal paging scheme as marked by the numbers in the upper right corner of each page. An index after the last page of the chart shows where a routine and its calls are first defined. If a routine has no page reference, it either makes no calls or is an external routine. A continuation box on the end of a tree limb shows where that the tree continues on the page numbered mentioned. A number in a box with a routine name points to the page where the routine is further defined within the hierarchy tree. If there is no number in a box, the routine either makes no calls or is an external routine.

1

2

constants satisfying species.

5

**CDMACR** CDPRE2....1 CDPRE2A...3 CDPRE4 CLSERR CLSPAR4 **CPFCOR CPFNXT CPFONE CPFVAL ERRPRO** LOWUPP **NDMLPAR OPNERR** OPNPAR4 REDINPT RPTERR TOKEN UNPLINE WRITERR WRTPAR4

3.11 Program Listings Comments

This information is contained in the Module I section 3.10. This information is contained in the Module Descriptions in

# SECTION 4

# QUALITY ASSURANCE PROVISIONS

# 4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

# 4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."

7-8/ DTC