



* Bat 1.* 1st

CILLUR.

Martin Martines

Internet SECURITY CLASSIFICATION Unclassification SECURITY CLASSIFICATION AUTHORITY DECLASSIFICATION / DOWINGRADING SCHEDULE PERFORMING ORGANIZATION REPORT NUMBER(S) NAME OF PERFORMING ORGANIZATION Jet Propulsion Laboratory	3. DISTRIBUTION Approved distribution 5. MONITORING AFOSR	MARKINGS N/AVAILABILITY d for pub ution is corganization	OF REPORT Dic releaunlimited	LE COPY	
. SECURITY CLASSIFICATION AUTHORITY DECLASSIFICATION / DOWINGRADING SCHEDULE PERFORMING ORGANIZATION REPORT NUMBER(S) . NAME OF PERFORMING ORGANIZATION Jet Propulsion Laboratory (If applicable)	3. DISTRIBUTION Approved distribution 5. MONITORING AFOSR	N/AVAILABILITY d for pub ution is ORGANIZATION	OF REPORT lic relea unlimited	se;	
DECLASSIFICATION / DOWNGRADING SCHEDULE PERFORMING ORGANIZATION REPORT NUMBER(S) NAME OF PERFORMING ORGANIZATION Jet Propulsion Laboratory	Approved distrib	ution is	unlimited	ae ;	
PERFORMING ORGANIZATION REPORT NUMBER(S) NAME OF PERFORMING ORGANIZATION Jet Propulsion Laboratory	S. MONITORING	ORGANIZATION		•	
NAME OF PERFORMING ORGANIZATION 66. OFFICE SYMEC Jet Propulsion Laboratory (If applicable)	AFOSR	5. MONITORING ORGANIZATION REPORT NUMBER(S)			
. NAME OF PERFORMING ORGANIZATION 65. OFFICE SYMEC Jet Propulsion Laboratory (If applicable)		.TR. 8	8-025	2	
California Institute of Tech.	AFOSR/	74. NAME OF MONITORING ORGANIZATION AFOSR/NA			
ADDRESS (City, State, and 20 Code) 4800 Oak Grove Drive	7b. ADDRESS (C	7b. ADDRESS (City, State, and 2/P Code) Building 410, Bolling AFB DC 20332-6448			
Pasadena, CA 91107	Building 20332-64				
NAME OF FUNDING / SPONSORING 8b. OFFICE SYMBO ORGANIZATION (If applicable) AFOSR/NA	DL 9. PROCUREMEN	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 1SSA 87-0025			
, ADDRESS (City, State, and ZIP Code)	10. SOURCE OF	FUNDING NUM	TARK		
uilding 410, Bolling AFB DC 0332-6448	ELEMENT NO.	NO.	NO	ACCESSION NO	
TITLE (Include Security Classification)	011021		A2		
U) The Behavior of Drop-Containing Turbule	nt Eddies				
PERSONAL AUTHOR(S)				-,	
Dr. Josette Bellan		ORT (Year Man	th Day) IL BA	GE COUNT	
1nual Report FROM 10/1/86 TO 9/30/	87 1987, Nov	ember, 30		4	
SUPPLEMENTARY NOTATION			_		
	MS (Continue on rever	a if persons	nd identify by h	lock number)	
FIELD GROUP SUB-GROUP	ravs. Evaporati	ion. Turbul	ence		
	->EJ	dies(Fli	id nucho	NG):	
ABSTRACT (Continue on reverse if necessary and identify by bio	ick number) TU	r bulent	boundary	lover	
ABSTRACT (Continue on reverse if necessory and identify by bio The effect of turbulent entrainment and m	ixing at the bo	it bulent	boundary a cluster d	layor of evaporatin	
ASSTRACT (Continue on reverse if necessary and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta	ixing at the bo ined by solving	undary of the model	bouildary a cluster o equations	layor of evaporating show that for	
ASSTRACT (Continue on reverse if necessory and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t	ixing at the bo ined by solving ses are crucial urbulence does	undary of g the model i in determ not contro	boundary a cluster of equations ining the l in the evapo	layor of evaporating show that for lifetime of oration of	
ABSTRACT (Continue on reverse if necessary and identify by blo The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that tu s are dense.	undary of g the model i in determ not contro urbulence h	boundary a cluster of equations nining the l of the evapor melps evapor	la yor of evaporating show that for lifetime of oration of rate larger	
ABSTRACT (Continue on reverse if necessary and identify by blo The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange process the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that to s are dense.	ar bulent oundary of g the model i in determ not contro urbulence h eccurr contro	boundary a cluster of equations nining the l of the evapor nelps evapor	la yor of evaporating show that for lifetime of oration of rate larger	
ASSTRACT (Continue on reverse if recessory and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that to s are dense.	undary of g the model i in determ not contro urbulence f ecourt contro	boundary a cluster of equations nining the l of the evapor nelps evapor	la yor of evaporating show that for lifetime of oration of rate larger	
ASSTRACT (Continue on reverse if recessory and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that tu s are dense.	ar bulent oundary of g the model in determ not contro urbulence h ecourt [2]	boundary a cluster of equations nining the l of the evapor nelps evapor	la yor of evaporating show that for ifetime of oration of rate larger TIC ECTE	
ABSTRACT (Continue on reverse if necessory and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that to s are dense.	ar bulent oundary of g the model i in determ not contro urbulence h accord (2)	boundary a cluster of equations nining the l of the evapor nelps evapor	la yor of evaporating show that for ifetime of oration of rate larger ECTE 15 1988	
ASSTRACT (Continue on reverse if necessory and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange proces the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster	ixing at the bo ined by solving ses are crucial urbulence does so show that to s are dense.	ECURITY CLASS	bouldary a cluster of equations ining the l of the evapor helps evapor	la yor of evaporating show that for infetime of oration of rate larger TIC ECTE 151988	
ASSTRACT (Continue on reverse if necessary and identify by bio The effect of turbulent entrainment and m drops has been studied. The results obta dense clusters turbulence exchange process the drops in the cluster. In contrast, t dilute clusters of drops. The results al clusters of drops faster when the cluster DISTRIBUTION / AVAILABILITY OF ABSTRACT GIUNCLASSIFIED/UNLIMITED GI SAME AS RPT _ DTIC US	ixing at the bo ined by solving ses are crucial urbulence does so show that tu s are dense.	ECURITY CLASSIN if ied	bouldary a cluster of equations nining the l of the evapor helps evapor	la yor of evaporatin show that fo lifetime of oration of rate larger TIC ECTE 151988	

١

ANNUAL REPORT FY '87

Sec. 49. 48. 48

ጚቘጟኯኯቘጟጟዸፚዄዿቘጟኯዸቒጟኯ፼ቚ፟ኯጞጞኯዄዄዀኯኯ፟ዀዀዀዀዀዀጚቔዀፙቔ፝ፙ ጞቔጟኯዸጟጟዸፚዄዿቘጟኯዸቒጟኯ፼ቚ፟ኯጞጞኯዄዄዀኯኯ፟ዀዀዀዀዀዀዀጚቔዀፙቔዀጚቔ፝ኯ

NAMES A DESCRIPTION OF A D

- 1. AFOSR PROPOSAL NUMBER 81-2672
- 2. PERIOD COVERED BY REPORT: 1 October, 1986 30 September, 1987
- 3. TITLE OF PROPOSAL: The Modeling of Drop-Containing Turbulent Eddies
- 4. CONTRACT or Grant Number: NAS 7-918 Task Order RE 182 Amendment 480
- 5. NAME OF INSITITUTION: California Institute of Technology
- 6. AUTHOR OF REPORT: J. Bellan
- 7. LIST OF PRESENTATIONS AND MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER AFOSR SPONSORSHIP DURING THIS REPORTING PERIOD, INCLUDING JOURNAL REFERENCES:
 - (i) "Dispersion During Evaporation of Drops in Clusters", SIAM Conference on Numerical Combustion, March, 1987, San Francisco, CA.
 - (ii) "On the Behavior of Droplet Clusters," ILASS Meeting, June, 1987, Madison, WI.
 - (iii) "Turbulence Effects During Evaporation of Drops in Clusters" submitted for publication.
 - (iv) "An Analytical Study of Transport, Mixing and Chaos in an Unsteady Vortical Flow," V. Rom-Kedar, A. Leonard and S. Wiggins, submitted for the 40th Anniversary Meeting of the Divison of Fluid Dynamics of the American Physical Society.
 - (v) "Chaotic Mixing in a Stokes Flow Between Eccentric Rotating Cylinders," T. Kaper, S. Wiggins, submitted for the 40th Anniversary Meeting of the Division of Fluid Dynamics of the American Physical Society.
- 8. SCIENTIFIC PERSONNEL SUPPORTED BY THE PROJECT AND DEGREES AWARDED DURING THIS REPORTED PERIOD:
 - J. Bellan
 - K. G. Harstad
 - A. Leonard
 - V. Rom-Kedar

T. Kaper

Josette Bellan Jet Propulsion Laboratory California Lastitute of Technology 4800'Oak Grove Drive, MS 125/214 Pasadena, C. 91109

(1

INTRODUCTION

This report describes research performed during FY'87 at the Jet Propulsion Laboratory on the Modeling of Drop Containing Turbulent Eddies.

According to the Task Plan, the activities during FY'87 were devoted to the basic model formulation for evaporation of a cluster of drops which is embedded into a vortex.

RESEARCH PROGRESS

The point of departure for this analysis was our existing model of droplet evaporation in a cluster exposed to a convective $flow^{(1)}$. Some of the assumptions embedded in this model are:

- constant cluster volume (transient gas pressure)
- constant number of drops
- uniform gas density
- laminar gas flow
- adiabatically insulated cluster volume

To describe the behavior of drop-containing turbulent eddies some of these assumptions had to be relaxed so as to include the following effects:

- cluster volume change (constant gas pressure)
- non-uniform gas density
- turbulent gas flow
- mass and heat exchanges across the surface of the cluster.

The analysis was divided into 3 distinct problems which will have to be ultimately combined to yield the final model. These problems are in increasing levels of complexity:

- (1) dispersion of evaporating particles in a cluster,
- (2) mass and heat transfer across the surface of the cluster in situation (1), and
- (3) turbulent eddy behavior coupled to (2)

The model available at the end of FY'87 describes the evaporation of clusters of drops embedded in a surrounding hot gas and the exchange processes in terms of heat, mass, species and momentum transfer between the cluster and its surroundings. The gas pressure inside the cluster remains constant during evaporation whereas the volume of the cluster varies.

The results obtained with this $model^{(2)}$ show in particular that: (1) for dense clusters there is substantial mass loss from the cluster during evaporation, most of it occuring during the initial stage and (2) if the cluster is dense, it collapses initially due to substantial internal cooling of gases (heat is transferred to the drops) after which the size of the cluster starts increasing again if turbulence is strong. For dilute clusters all these effects occur as well, although to a lesser extent.

LANDER TOWNER "SUCCESS" MANAGER SUCCESS

One of the very important conclusions of the above work is that for dense cluster turbulence exchange processes are crucial in determining the lifetime of the drops in the cluster, as well as the behavior of the entire cluster. For dilute clusters the turbulence exchange processes are unimportant in determining the evaporation time. This is because the entire evaporation process is controlled by droplet heating and resulting gas phase cooling inside the cluster. For a denser cluster the gas phase will cool more and thus turbulence is crucial in bringing additional hot gas from the surroundings to maintain and/or promote evaporation. When the cluster is dilute, cooling is not important and consequently turbulence is not important either.

Another important conclusion of the above $work^{(2)}$ is that turbulence helps evaporate larger clusters of drops faster when the cluster is dense. When the initial drop number density is fixed, a larger cluster of drops has more drops in it. Thus, at same initial ambient gas and drop temperature the cooling off effect of the gas phase will be larger and thus turbulence plays a larger role. Moreover, since the initial relative velocity between drops and gases is the same, a larger cluster is less penetrated by the outer convective flow and thus evaporates rather in a diffusive mode when compared to a smaller cluster which evaporates in a convective mode. In a diffusive mode evaporation is slower and thus turbulence has again an important role to play. 9,661° 222,5581° 222,223° 2262,223° 222,223

For dilute clusters there is very little sensitivity to turbulence as the size of the cluster is varied and the reasons are again those described above.

The practical implications of these results are that turbulence is important in sprays in two respects. First it breaks up the spray into small clusters that evaporate faster than the larger clusters and second, it transports hot gases from the surroundings of the cluster into the cluster thus promoting evaporation.

FUTURE WORK

This picture of droplet evaporation in clusters as described above is different from our initial expectations before the work was started. It had not been foreseen that cooling of the gases would be so strong as to induce an initial collapse of the cluster. Instead, it was thought that the evaporated mass would remain inside the cluster, the cluster would expand trapping all new evaporated mass inside and dispersion of the drops would occur. The picture that emerges now is that of non-negligible mass loss from the cluster, the cluster size initially decreasing and subsequently increasing, and correspondingly the drop number density initially increasing and subsequently decreasing. In all our calculations the cluster never recovered to its initial size.

Thus, our first task will be to check the qualitative features of the results by improving our model of heat and mass transfer across the boundary of the cluster.

Second, in the above formulation we treated the turbulence exchange processes by using Nusselt number correlations for turbulent flow around a sphere. This treatment has two implications. First, it assumes that the cluster is surrounded by several vortices and second, it implies that the turbulence length scale is much smaller than that of the cluster. This is to say that what was modeled was the situation that occurs for relatively large clusters of drops.

Small clusters of drops, such as those that are embedded in a single vortex, are not generally amenable to this particular formulation because the length scale of turbulence is of the same order of magnitude as that of the cluster. For this reason, we shall consider alternative ways of modeling these transport processes.

Based upon the above, during FY'88 we shall explore two processes: (1) transfer across the surface of the cluster for clusters small enough as to be embedded into one vortex and (2) motion of the vortex into which the cluster is embedded and the possible ejection of drops from the vortex due to the centrifugal force created by the rotation of the vortex.

References

- Bellan, J. and Harstad, K., "The Details of the Convective Evaporation of Dense and Dilute Clusters of Drops," <u>Int. J. Heat Mass Transfer</u>, <u>30</u>, 6, 1083-1093, 1987.
- 2. Bellan, J. and Harstad, K., "Turbulence Effects During the Evaporation of Drops in Clusters," submitted for publication.



Acoesi	on For)		
NTIS DTIC Upann Justifit	CRA&I TAB ounced ration			
By Distribution /				
Availability Codes				
Dist	Avait ang Specia	or 		
A-1				

